

## **Table of Contents**

1.0	Introduction.....	1-1
1.1	Scope of Project.....	1-1
1.2	Defining the Problem.....	1-2
1.3	Site Background.....	1-2
1.3.1	Evaluation Focus.....	1-2
1.3.2	Location and Physiography.....	1-3
1.3.3	Previous Investigations .....	1-3
1.4	Geologic Setting.....	1-4
1.5	Quaternary History of the Tahoe Basin .....	1-5
1.6	Project Staffing .....	1-6
1.7	Report Organization.....	1-6
1.8	Acknowledgements.....	1-7
2.0	Groundwater Data – Collection and Conceptual Site Model.....	2-1
2.1	Data Collection and Literature Search.....	2-1
2.2	Historic Aerial Photography .....	2-2
2.3	Conceptual Site Model.....	2-2
3.0	Nutrient Loading - Groundwater .....	3-1
3.1	Nutrients – Nitrogen and Phosphorous .....	3-1
3.1.1	Nutrients as Pollutants .....	3-3
3.1.2	Nutrient Attenuation in Groundwater .....	3-7
3.2	Methodology .....	3-7
3.2.1	Nutrient Loading Calculation Methodology .....	3-7
3.2.2	Groundwater Discharge Methodology .....	3-11
3.2.3	Ambient Concentration Development .....	3-12
3.3	Previous Lake Tahoe Basin Studies.....	3-14
4.0	South Lake Tahoe/Stateline Nutrient Loading .....	4-1
4.1	Description of Study Area .....	4-1
4.1.1	History of Development.....	4-3
4.1.2	Local Geology.....	4-3

4.2	Previous South Lake Tahoe/Stateline Investigations.....	4-18
4.2.1	UC Davis Institute of Ecology Study (Woodling 1987; Loeb 1987).....	4-18
4.2.2	Other Investigations .....	4-19
4.3	Nutrient Concentrations .....	4-22
4.3.1	Emerald Bay to Taylor Creek Nutrient Concentrations.....	4-24
4.3.2	Subregion 1 Nutrient Concentrations.....	4-27
4.3.3	Subregion 2 Nutrient Concentrations.....	4-30
4.3.4	Subregion 3 Nutrient Concentrations.....	4-33
4.3.5	Subregion 4 Nutrient Concentrations.....	4-36
4.3.6	Stateline Nutrient Concentrations .....	4-39
4.4	Groundwater Discharge .....	4-42
4.5	Nutrient Loading.....	4-47
4.5.1	Emerald Bay to Taylor Creek .....	4-47
4.5.2	Subregion 1 .....	4-48
4.5.3	Subregion 2 .....	4-50
4.5.4	Subregion 3 .....	4-53
4.5.5	Subregion 4 .....	4-55
4.5.6	Stateline.....	4-57
4.6	Ambient Nutrient Loading.....	4-58
4.7	Summary & Conclusions .....	4-58
5.0	Incline Village Area Nutrient Loading .....	5-1
5.1	Description of Study Area .....	5-1
5.2	History of Development (Lindstrom et al. 2000).....	5-1
5.3	Local Geology.....	5-1
5.4	Previous Incline Village Area Investigations .....	5-2
5.4.1	University of Nevada at Reno Master's Thesis (Ramsing 2000)	5-2
5.4.2	USGS, Incline Village General Improvement District (IVGID) and Nevada State Health Division, Bureau of Health Protection Services (BHPS) Water Quality Monitoring .....	5-3
5.5	Nutrient Concentrations .....	5-4

5.6	Groundwater Discharge .....	5-8
5.6.1	Darcy's Law Calculation .....	5-8
5.6.2	Seepage Meter Calculations.....	5-8
5.6.3	Summary .....	5-10
5.7	Nutrient Loading.....	5-10
5.8	Ambient Nutrient Loading.....	5-13
5.9	Summary and Conclusions .....	5-13
6.0	Tahoe Vista/Kings Beach Nutrient Loading.....	6-1
6.1	Description of Study Area .....	6-1
6.2	History of Development (Lindstrom et al. 2000).....	6-1
6.3	Local Geology.....	6-1
6.4	Previous Tahoe Vista/Kings Beach Area Investigations .....	6-2
6.4.1	USGS, Brockway Golf Course & North Tahoe Public Utility District Water Quality Monitoring.....	6-2
6.5	Nutrient Concentrations .....	6-4
6.5.1	Old Brockway Golf Course Data.....	6-6
6.5.2	Drinking Water Wells .....	6-6
6.6	Groundwater Discharge .....	6-7
6.7	Nutrient Loading.....	6-7
6.8	Ambient Nutrient Loading.....	6-10
6.9	Summary & Conclusions .....	6-10
7.0	Tahoe City/West Shore Nutrient Loading .....	7-1
7.1	Description of Study Area .....	7-1
7.2	History of Development (Lindstrom et al. 2000).....	7-1
7.3	Local Geology.....	7-1
7.4	Previous Tahoe City/West Shore Investigations.....	7-4
7.4.1	Ward Valley Investigation (Loeb 1979) .....	7-4
7.4.2	UC Davis Institute of Ecology Study (Loeb 1987).....	7-4
7.4.3	USGS, Tahoe City PUD, Placer County Environmental Management & California DHS Water Quality Monitoring .....	7-5
7.5	Nutrient Concentrations .....	7-15

---

7.5.1	North Tahoe City Subregion .....	7-15
7.5.2	Ward Valley Subregion.....	7-16
7.5.3	Homewood, Tahoma and Meeks Bay Subregions.....	7-17
7.6	Groundwater Discharge .....	7-19
7.6.1	Darcy's Law Calculation Using Estimated Hydraulic Conductivity.....	7-19
7.6.2	Darcy's Law Calculation Using Estimated Transmissivity .....	7-19
7.7	Nutrient Loading.....	7-19
7.8	Ambient Nutrient Loading.....	7-21
7.9	Summary & Conclusions .....	7-22
8.0	East Shore Nutrient Loading.....	8-1
8.1	Description of Study Area .....	8-1
8.2	History of Development (Lindstrom et al. 2000).....	8-1
8.3	Local Geology.....	8-1
8.4	Previous East Shore Investigations.....	8-2
8.4.1	Thodal 1995 .....	8-2
8.4.2	USGS & Nevada State Health Division, Bureau of Health Protection Services Water Quality Monitoring.....	8-2
8.5	Nutrient Concentrations .....	8-3
8.6	Groundwater Discharge .....	8-9
8.7	Nutrient Loading.....	8-9
8.8	Ambient Nutrient Loading.....	8-10
8.9	Summary & Conclusions .....	8-11
9.0	Lake Tahoe Basin-Wide Groundwater Nutrient Loading.....	9-1
9.1	Basin-Wide Data Gaps.....	9-1
9.2	Error Analysis .....	9-1
9.3	Seasonal Variation of Nutrient Loading .....	9-2
9.4	Shallow vs. Deep Nutrient Concentrations.....	9-2
9.5	Overall Nutrient Loading to Lake Tahoe .....	9-3
9.6	Ambient Nutrient Loading to Lake Tahoe .....	9-6
9.7	Comparison to Previous Studies .....	9-8

10.0	Nutrient Sources.....	10-1
10.1	Fertilizer.....	10-1
10.1.1	Historical Fertilizer Usage in Lake Tahoe Basin.....	10-1
10.1.2	Fertilizer Composition .....	10-2
10.1.3	Fertilizer Nutrient Leaching.....	10-3
10.1.4	Fertilizer Application and Loading Rates .....	10-4
10.1.5	Residential.....	10-6
10.1.6	Golf Courses .....	10-7
10.1.7	Urban Parks.....	10-7
10.1.8	Institutions.....	10-7
10.1.9	Commercial.....	10-8
10.1.10	Agriculture.....	10-8
10.1.11	Summary.....	10-8
10.2	Sewage Exfiltration.....	10-10
10.2.1	Exfiltration.....	10-10
10.2.2	Septic Tanks.....	10-12
10.3	Urban Infiltration .....	10-13
10.4	Engineered Infiltration Basins .....	10-14
10.4.1	Infiltration Basins.....	10-14
10.4.2	Infiltration Trenches.....	10-15
10.4.3	Dry Wells.....	10-15
11.0	Nutrient Reduction Alternatives .....	11-1
11.1	Phytoremediation .....	11-1
11.1.1	Description.....	11-1
11.1.2	Effectiveness .....	11-2
11.1.3	Implementability .....	11-3
11.1.4	Cost .....	11-3
11.2	Permeable Reactive Treatment Walls .....	11-4
11.2.1	Description.....	11-4
11.2.2	Effectiveness .....	11-5
11.2.3	Implementability .....	11-5

11.2.4	Cost .....	11-5
11.3	Pretreatment of Storm water Runoff.....	11-5
11.3.1	Description.....	11-6
11.3.2	Effectiveness .....	11-7
11.3.3	Implementability .....	11-7
11.3.4	Cost .....	11-8
11.4	Groundwater Pumping .....	11-8
11.4.1	Effectiveness .....	11-8
11.4.2	Implementability .....	11-8
11.4.3	Costs.....	11-9
11.5	Implementation of Nutrient Management Plans .....	11-9
11.5.1	Effectiveness .....	11-10
11.5.2	Implementability .....	11-10
11.5.3	Costs.....	11-10
11.6	Implementation of Best Management Practices .....	11-10
11.6.1	Existing Best Management Practices.....	11-11
11.7	Awareness Programs.....	11-13
12.0	Summary, Findings, Conclusions & Recommendations .....	12-1
12.1	Summary .....	12-1
12.2	Findings.....	12-5
12.3	Conclusions.....	12-5
12.4	Recommendations.....	12-9
13.0	References.....	13-1

### List of Appendices

Appendix A	Site ID and Associated Source Agency Code.....	A-1
Appendix B	Simulation of Lake-Groundwater Interaction, South Lake Tahoe, California .....	B-1
Appendix C	Response to Comments.....	C-1

**List of Figures**

Figure 1-1. Lake Tahoe Basin Site Location Map.....	1-8
Figure 1-2. General Geology of the Lake Tahoe Basin .....	1-9
Figure 1-3. Extent of Glaciations in the Truckee River Valley .....	1-10
Figure 2-1. Conceptual Site Model of Groundwater Flow and Nutrient Transport in the Tahoe Basin .....	2-4
Figure 3-1. Lake Tahoe Basin Groundwater Evaluation Regions .....	3-2
Figure 3-2. Nitrogen Cycle .....	3-5
Figure 3-3. Phosphorus Cycle.....	3-6
Figure 3-4. Groundwater Wells Used to Represent Ambient Conditions in the Lake Tahoe Basin .....	3-13
Figure 4-1. South Lake Tahoe Subregion Delineation .....	4-2
Figure 4-2. South Lake Tahoe Geologic Transects (Einarson 2003, Scott et al. 1978)..	4-5
Figure 4-3. Geologic cross-sections of the South Lake Tahoe area (Scott).....	4-6
Figure 4-4. Geologic cross-sections derived from borehole geophysical logs by Einarson (2003).....	4-9
Figure 4-5. Submerged trees indicating former lower lake levels .....	4-11
Figure 4-6. Ice-contact depositional environments.....	4-13
Figure 4-7. Spatial variations in lake-bottom deposits as a function of dispersal mechanisms.....	4-15
Figure 4-8. South Lake Tahoe Model Area Groundwater Contours and Flow Lines... .	4-23
Figure 4-9. Emerald Bay to Taylor Creek Groundwater Wells and Land Use.....	4-26
Figure 4-10. South Lake Tahoe Subregion 1 Groundwater Wells and Land Use .....	4-29
Figure 4-11. South Lake Tahoe Subregion 2 Groundwater Wells and Land Use .....	4-32
Figure 4-12. South Lake Tahoe Subregion 3 Groundwater Wells and Land Use .....	4-35
Figure 4-13. South Lake Tahoe Subregion 4 Groundwater Wells and Land Use .....	4-38
Figure 4-14. Stateline Groundwater Wells and Land Use .....	4-41
Figure 4-15. South Lake Tahoe Area Total Flux from Groundwater to Lake Tahoe by Layer and Subregion, Average Normal Year .....	4-44
Figure 4-16. South Lake Tahoe Area Total Flux from Groundwater to Lake Tahoe by Layer and Subregion, Maximum Discharge.....	4-45

Figure 4-17. South Lake Tahoe Area Total Flux from Groundwater to Lake Tahoe by Layer and Subregion, Minimum Discharge .....	4-46
Figure 5-1. Incline Village Area Groundwater Wells and Land Use .....	5-7
Figure 5-2. Average Seepage Meter Measurements, Ski Beach.....	5-9
Figure 6-1. Tahoe Vista/Kings Beach Groundwater Wells and Land Use .....	6-3
Figure 7-1. Tahoe City/West Shore Subregion Delineation .....	7-3
Figure 7-2. North Tahoe City Area Groundwater Wells and Land Use .....	7-6
Figure 7-3. Ward Valley Area Groundwater Wells and Land Use.....	7-9
Figure 7-4. Homewood/Tahoma Subregions Groundwater Wells and Land Use .....	7-11
Figure 7-5. Meeks Bay Subregion Groundwater Wells and Land Use.....	7-14
Figure 8-1. East Shore (North) Groundwater Wells and Land Use.....	8-6
Figure 8-2. East Shore (Central) Groundwater Wells and Land Use .....	8-7
Figure 8-3. East Shore (South) Groundwater Wells and Land Use.....	8-8
Figure 11-1. Typical Permeable Treatment Wall (Cross Section) (AEC 2002b) .....	11-4

### **List of Tables**

Table 3-1. Average Nutrient Concentrations of Groundwater Wells Based on Land Use Types within the Tahoe Basin.....	3-10
Table 3-2. Average Ambient Nutrient Concentrations by Well .....	3-12
Table 4-1. Hydrologic Conductivity Estimates (m/day) Initial Values Used.....	4-17
Table 4-2. South Lake Tahoe/Stateline Area Well Construction Information .....	4-20
Table 4-3. Emerald Bay to Taylor Creek Average Nutrient Concentrations (mg/L) ...	4-25
Table 4-4. South Lake Tahoe Subregion 1 Average Nutrient Concentrations (mg/L). .	4-28
Table 4-5. South Lake Tahoe Subregion 2 Average Nutrient Concentration (mg/L) ..	4-31
Table 4-6. South Lake Tahoe Subregion 3 Average Nutrient Concentration (mg/L) ..	4-34
Table 4-7. South Lake Tahoe Subregion 4 Average Nutrient Concentration (mg/L) ..	4-37
Table 4-8. Stateline Average Nutrient Concentration (mg/L) .....	4-40
Table 4-9. South Lake Tahoe Area Total Flux from Groundwater to Lake Tahoe by Layer and Subregion, Average Normal Year (Fenske 2003) .....	4-42
Table 4-10. South Lake Tahoe Area Total Flux from Groundwater to Lake Tahoe by Layer and Subregion, Maximum Discharge (Fenske 2003) .....	4-43

Table 4-11. South Lake Tahoe Area Total Flux from Groundwater to Lake Tahoe by Layer and Subregion, Minimum Discharge (Fenske 2003).....	4-43
Table 4-12. South Lake Tahoe Average Annual Nutrient Loading, Emerald Bay to Taylor Creek .....	4-48
Table 4-13. South Lake Tahoe Average & Downgradient Annual Nutrient Loading, Subregion 1 .....	4-50
Table 4-14. South Lake Tahoe Average , Downgradient & Land Use Weighted Annual Nutrient Loading, Subregion 2 .....	4-52
Table 4-15. South Lake Tahoe Average, Downgradient & Land Use Weighted Annual Nutrient Loading, Subregion 3 .....	4-54
Table 4-16. South Lake Tahoe Average, Downgradient and Land Use Weighted Annual Nutrient Loading, Subregion 4 .....	4-56
Table 4-17. Stateline Average & Downgradient Annual Nutrient Loading .....	4-57
Table 4-18. South Lake Tahoe/Stateline Ambient Nutrient Loading Estimate .....	4-58
Table 4-19. South Lake Tahoe/Stateline Total Dissolved Nitrogen and Total Dissolved Phosphorus Loading Estimate Summary by Subregion.....	4-59
Table 5-1. Incline Village Area Well Construction Information .....	5-3
Table 5-2. Incline Village Area Groundwater Elevation Data, ft above msl.....	5-4
Table 5-3. Incline Village Area Average Nutrient Concentrations (mg/L) .....	5-6
Table 5-4. Incline Village Area Average, Downgradient and Land Use Weighted Annual Nutrient Loading .....	5-12
Table 5-5. Incline Village Area Ambient Nutrient Loading Estimate.....	5-13
Table 6-1. Tahoe Vista/Kings Beach Area Well Construction Information.....	6-2
Table 6-2. Tahoe Vista/Kings Beach Groundwater Elevation Data (ft above msl).....	6-4
Table 6-3. Tahoe Vista/Kings Beach Average Nutrient Concentration (mg/L) .....	6-5
Table 6-4. Tahoe Vista/Kings Beach Average, Downgradient and Land Use Weighted Annual Nutrient Loading .....	6-9
Table 6-5. Tahoe Vista/Kings Beach Ambient Nutrient Loading Estimate .....	6-10
Table 7-1. North Tahoe City Well Construction Information .....	7-5
Table 7-2. North Tahoe City Subregion Groundwater Elevation Data, ft above msl.....	7-7
Table 7-3. Ward Valley Subregion Well Construction Information.....	7-7

Final Groundwater Evaluation Lake Tahoe Basin, CA and NV	x
---	---

---

Table 7-4. Ward Valley Subregion Groundwater Elevation Data, ft above msl .....	7-8
Table 7-5. Homewood Subregion Well Construction Information .....	7-10
Table 7-6. Homewood Subregion Groundwater Elevation Data, ft above msl .....	7-10
Table 7-7. Tahoma Subregion Well Construction Information .....	7-12
Table 7-8. Meeks Bay Subregion Well Construction Information .....	7-12
Table 7-9. Meeks Bay Subregion Groundwater Elevation Data, ft above msl.....	7-13
Table 7-10. North Tahoe City Subregion Average Nutrient Concentrations (mg/L) ...	7-16
Table 7-11. Ward Valley Subregion Average Nutrient Concentrations (mg/L).....	7-17
Table 7-12. Homewood, Tahoma and Meeks Bay Subregions Average Nutrient Concentrations (mg/L).....	7-18
Table 7-13. Percent of Shoreline by Subregion in the Tahoe City/West Shore Area... 7-20	
Table 7-14. Tahoe City/West Shore Average and Land Use Weighted Annual Nutrient Loading .....	7-21
Table 7-15. Tahoe City/West Shore Ambient Nutrient Loading Estimate.....	7-22
Table 8-1. East Shore Area Well Construction Information.....	8-3
Table 8-2. East Shore Average Nutrient Concentration (mg/L).....	8-5
Table 8-3. East Shore Average and Downgradient Annual Nutrient Loading .....	8-10
Table 8-4. East Shore Ambient Nutrient Loading Estimate .....	8-11
Table 9-1. Nutrient Concentrations in Shallow vs. Deep Wells .....	9-3
Table 9-2. Loading Estimates by Length of Shoreline in each Area (kg/yr/meter).....	9-4
Table 9-3. Range of Groundwater Discharge, Nutrient Loading to Lake Tahoe and Average Nutrient Concentration by Region .....	9-5
Table 9-4. Ambient Nutrient Loading to Lake Tahoe by Region.....	9-7
Table 9-5. Current Evaluation Basin Wide Nutrient Loading and Groundwater Discharge Estimates Compared to Historical Estimates.....	9-8
Table 9-6. Percent of Total Nutrient Budget to Lake Tahoe .....	9-9
Table 10-1. Lake Tahoe Soil Characteristics Applied to Phosphorus Model (USDA 1995) .....	10-4
Table 10-2. Estimated Fertilized Areas in the Lake Tahoe Basin .....	10-5
Table 10-3. Annual Fertilizer Loading Rates For Residential Areas.....	10-6
Table 10-4. Golf Course Application Areas and Fertilizer Rates .....	10-7

Table 10-5. Estimated Annual Nitrogen and Phosphorus Application in the Lake Tahoe Basin in 1972 (Mitchell 1972) and Currently.....	10-9
Table 10-6. Average Unit Exfiltration Rate and Annual Exfiltration.....	10-11
Table 12-1. Prioritization of Data Gaps.....	12-2
Table 12-2. Regional and Lake Tahoe Basin-Wide Nutrient Loading Estimates Via Groundwater .....	12-6