

Air Quality Technical Appendix

AIR QUALITY

The air quality emissions analysis for the ARCF GRR was developed based on several interrelated assumptions and constraints:

- The project will require 14 separate years to construct the required features;
- Project funding will be limited to \$100 million per construction year;
- The project will receive \$100 million per construction year;
- In any given year, approximately 85% of the funding will be applied toward construction;
- A construction season is six months (April 15 to October 15);
- Construction will begin in 2015;
- All required administrative, legal, real estate and environmental clearances/approvals will be acquired prior to initiation of construction.
- All project plans and specifications will require that construction contractors use only off-road equipment that implements the Sacramento Metropolitan Air Quality Management Districts' (SMAQMD) Enhanced Exhaust Control Practices and only use on-road hauling equipment that was manufactured in 2010, or later.
- If the off-road equipment and on-road hauling specifications stated above are not met, it cannot be assured that the project air emissions can meet the Federal *de minimis* standards.

It was determined through internal discussions, as well as discussions with staff from the SMAQMD, that the most reasonable approach to determine if the project was to be in compliance with Federal and local standards was to base the evaluation on a “worst case scenario” construction year.

The project team determined that construction in the second year within Reach F of the American River South basin would be the construction season that would result in the most combined air emissions. Reach F was chosen because it is the single longest reach (5 miles) in the entire Common Features Project, and due to design, constructability and funding constraints, will take 3 1/3 years to construct. This would allow for 1.5 miles of construction in years 1 through 3, with the last 0.5 miles to be completed in the fourth year. The following construction activities are scheduled for this reach: clearing of trees and vegetation, degrading and excavation of the levee, construction of two types of seepage control slurry cutoff walls (conventional slot-trench and deep soil mixing), construction of a retaining wall to allow corrections to the levee height and width, reconstruction of the levee, relocation of utilities, and delivery and installation of rip-rap on the waterside slope. The second year of construction in Reach F was chosen because the slurry cutoff walls must be allowed to cure until the following construction season before the rip-rap is placed. Under this scenario, the rip-rap would be placed on the slopes of the segment completed in the first year of construction, while all other construction activities are

being conducted in the second year segment. The staggering of construction years for the placement of rip-rap would continue until Reach F would be completed.

In close coordination with SMAQMD, the Corps uses their Road Construction Emissions Model (RCEM), as it was designed to calculate air emissions for linear projects. The construction activities listed above were broken out into 19 individual sub-tasks based on information developed by Corps engineering and cost-estimating staff. Using the RCEM, a model run was conducted for each sub-task, with one exception: the barging of rip-rap material to the project site. In this case, information for barging material was developed, in close coordination with SMAQMD staff, for similar activities being conducted for the Joint Federal Project (JFP). It was agreed that it is reasonable to use this information for the purposes of a feasibility-level study. Although calculations for the JFP involved smaller harbor craft than that assumed for the Common Features project, SMAQMD staff determined that it was reasonable to extrapolate the air emissions data by increasing the horsepower, daily hours and number of days in the JFP model to calculate specific emissions data (ROG, CO, NO_x, PM and CO₂) for the Common Features project.

In order to provide a means of comparison for future decision-making purposes, the delivery and placement task was also calculated using the assumption that same amount of material to be barged to the project site, would be trucked to the site in the same period of time. Those results are shown in Tables 1a and 2a (calculated in pounds per day under local standards) and 1b and 2b (calculated in tons per construction project under Federal standards). Note that neither version of this scenario (barging or trucking rip-rap) would be able to perform consistently under the local standard for NO_x (Tables 1a and 2a), however, the trucking alternative would require a lower overall mitigation fee cost. In the case of the Federal *de minimis* standards (Tables 1b and 2b) the alternative that involves trucking the rip-rap is within the Federal *de minimis* standard, even without mitigation, while the barging alternative would likely meet the standard using the mitigation provided by the implementation of Enhance Exhaust Control Practices for off-road equipment and only using on-road hauling equipment that was manufactured in 2010, or later.

**Table 1a. Estimated Air Emissions for the American River Common Features Project (South) – Reach F (Year 2)
(with Truck Rip-Rap Delivery)
Maximum Pounds per Day**

| Project Tasks | ROG | CO | NO_x | NO_x (*mitigated) | Mitigation Fee ** | Total PM₁₀ | Exhaust PM₁₀ | Fugitive Dust PM₁₀ | Total PM_{2.5} | ExhaustP M_{2.5} | Fugitive Dust PM_{2.5} | CO₂ |
|---|-------------|--------------|-----------------------|--|------------------------------|----------------------------------|------------------------------------|--|-----------------------------------|-------------------------------------|---|-----------------------|
| 1. Clear Vegetation (3 days) | 4.5 | 22.7 | 194.3 | 159.1 | \$1,993.36 | 71.2 | 4.2 | 67.0 | 16.6 | 2.7 | 13.9 | 38,068 |
| 2. Tree Removal (11 days) | 1.4 | 9.0 | 33.4 | N/A | | 1.0 | 1.0 | - | 0.8 | 0.8 | - | 5,303 |
| 3. Strip to Stockpile (3 days) | 10.5 | 51.7 | 129.2 | 104.3 | \$519.19 | 72.4 | 5.4 | 67.0 | 18.8 | 4.9 | 13.9 | 12,179 |
| 4. Strip to Spoils (1 day) | 13.7 | 66.8 | 272.4 | 245.5 | \$1,439.20 | 75.4 | 8.4 | 67.0 | 20.7 | 6.8 | 13.9 | 40,202 |
| 5. Excavation to Stockpile (31 days) | 11.2 | 55.5 | 139.6 | 112.7 | \$7,699.96 | 72.7 | 5.7 | 67.0 | 19.1 | 5.2 | 13.9 | 13,162 |
| 6. Excavation to Spoils (1 day) | 18.3 | 89.6 | 335.9 | 298.5 | \$1,914.45 | 77.8 | 10.8 | 67.0 | 22.9 | 9.0 | 13.9 | 47,018 |
| 7. Import Sand (8 days) | 6.2 | 27.7 | 167.0 | 158.6 | \$5,279.80 | 71.7 | 4.7 | 67.0 | 17.4 | 3.5 | 13.9 | 29,264 |
| 8. Import Cohesive Fill (5 days) | 8.5 | 41.5 | 196.0 | 182.3 | \$4,362.45 | 72.8 | 5.8 | 67.0 | 18.4 | 4.5 | 13.9 | 32,565 |
| 9. Cutoff Wall SCB (34 days) | 4.8 | 30.0 | 50.1 | N/A | | 69.6 | 2.6 | 67.0 | 16.3 | 2.4 | 13.9 | 6,182 |
| 10. Cutoff Wall DSM (110 days) | 16.9 | 100.5 | 155.6 | 124.5 | \$38,961.62 | 75.4 | 8.4 | 67.0 | 21.6 | 7.7 | 13.9 | 18,598 |
| 11a. Retaining Wall (Concrete) (2 days) | 4.0 | 19.6 | 146.3 | 142.6 | \$1,033.00 | 70.6 | 3.6 | 67.0 | 16.3 | 2.4 | 13.9 | 28,259 |
| 11b. Retaining Wall (Forms/Steel) (32 days) | 1.1 | 5.2 | 13.1 | N/A | | 67.7 | 0.7 | 67.0 | 14.6 | 0.6 | 13.9 | 1,560 |
| 12. Fill from Stockpile (30 days) | 4.5 | 24.0 | 56.3 | N/A | | 69.4 | 2.4 | 67.0 | 16.1 | 2.2 | 13.9 | 6,281 |
| 13. Import Random Fill (7 days) | 6.7 | 34.2 | 176.2 | 166.0 | \$5,084.29 | 71.8 | 4.8 | 67.0 | 17.5 | 3.6 | 13.9 | 30,691 |
| 14. Import Topsoil Fill (6 days) | 5.9 | 29.9 | 148.9 | 139.7 | \$2,942.97 | 71.2 | 4.2 | 67.0 | 17.1 | 3.1 | 13.9 | 25,646 |
| 15. Surfacing (1 day) | 14.5 | 64.3 | 331.0 | 309.7 | \$2,014.88 | 77.5 | 10.5 | 67.0 | 22.1 | 8.2 | 13.9 | 55,317 |
| 16. Import Rip-Rap (Truck) (80 days) | 4.9 | 25.9 | 160.9 | 154.9 | \$50,143.46 | 71.0 | 4.0 | 67.0 | 16.8 | 2.8 | 13.9 | 30,116 |
| 17. Utilities #1 (3 days) | 2.1 | 11.3 | 24.7 | N/A | | 101.7 | 1.2 | 100.5 | 22.0 | 1.1 | 20.9 | 2,400 |
| 18. Utilities #2 (52 days) | 1.1 | 5.1 | 11.7 | N/A | | 101.2 | 0.7 | 100.5 | 21.5 | 0.6 | 20.9 | 1,264 |
| | | | | | | | | | | | | |
| Maximum (lbs/day) | 18.3 | 100.5 | 335.9 | 309.7 | | 101.7 | 10.8 | 100.5 | 22.9 | 9.0 | 20.9 | 55,317 |
| SMAQMD thresholds (lbs/day) | N/A | N/A | 85 | 85 | | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Total Estimated Mitigation Fee | | | | | \$123,388.63 | | | | | | | |

Notes:

* Values based on a 20% mitigation for off-road equipment

** Calculation of Mitigation Fee: (any mitigated value over the 85 lbs/day threshold) X (number of days the task is performed) X (\$8.54/lb) X (5% Administrative Fee) (As of 12/18/2012)

**Table 1b. Estimated Air Emissions for the American River Common Features Project (South) – Reach F (Year 2)
(with Barge Rip-Rap Delivery)
Maximum Pounds per Day**

| Project Tasks | ROG | CO | NO_x | NO_x (*mitigated) | Mitigation Fee ** | Total PM₁₀ | Exhaust PM₁₀ | Fugitive Dust PM₁₀ | Total PM_{2.5} | ExhaustP M_{2.5} | Fugitive Dust PM_{2.5} | CO₂ |
|---|-------------|--------------|-----------------------|--|------------------------------|----------------------------------|------------------------------------|--|-----------------------------------|-------------------------------------|---|-----------------------|
| 1. Clear Vegetation (3 days) | 4.5 | 22.7 | 194.3 | 159.1 | \$1,993.36 | 71.2 | 4.2 | 67.0 | 16.6 | 2.7 | 13.9 | 38,068 |
| 2. Tree Removal (11 days) | 1.4 | 9.0 | 33.4 | N/A | | 1.0 | 1.0 | - | 0.8 | 0.8 | - | 5,303 |
| 3. Strip to Stockpile (3 days) | 10.5 | 51.7 | 129.2 | 104.3 | \$519.19 | 72.4 | 5.4 | 67.0 | 18.8 | 4.9 | 13.9 | 12,179 |
| 4. Strip to Spoils (1 day) | 13.7 | 66.8 | 272.4 | 245.5 | \$1,439.20 | 75.4 | 8.4 | 67.0 | 20.7 | 6.8 | 13.9 | 40,202 |
| 5. Excavation to Stockpile (31 days) | 11.2 | 55.5 | 139.6 | 112.7 | \$7,699.96 | 72.7 | 5.7 | 67.0 | 19.1 | 5.2 | 13.9 | 13,162 |
| 6. Excavation to Spoils (1 day) | 18.3 | 89.6 | 335.9 | 298.5 | \$1,914.45 | 77.8 | 10.8 | 67.0 | 22.9 | 9.0 | 13.9 | 47,018 |
| 7. Import Sand (8 days) | 6.2 | 27.7 | 167.0 | 158.6 | \$5,279.80 | 71.7 | 4.7 | 67.0 | 17.4 | 3.5 | 13.9 | 29,264 |
| 8. Import Cohesive Fill (5 days) | 8.5 | 41.5 | 196.0 | 182.3 | \$4,362.45 | 72.8 | 5.8 | 67.0 | 18.4 | 4.5 | 13.9 | 32,565 |
| 9. Cutoff Wall SCB (34 days) | 4.8 | 30.0 | 50.1 | N/A | | 69.6 | 2.6 | 67.0 | 16.3 | 2.4 | 13.9 | 6,182 |
| 10. Cutoff Wall DSM (110 days) | 16.9 | 100.5 | 155.6 | 124.5 | \$38,961.62 | 75.4 | 8.4 | 67.0 | 21.6 | 7.7 | 13.9 | 18,598 |
| 11a. Retaining Wall (Concrete) (2 days) | 4.0 | 19.6 | 146.3 | 142.6 | \$1,033.00 | 70.6 | 3.6 | 67.0 | 16.3 | 2.4 | 13.9 | 28,259 |
| 11b. Retaining Wall (Forms/Steel) (32 days) | 1.1 | 5.2 | 13.1 | N/A | | 67.7 | 0.7 | 67.0 | 14.6 | 0.6 | 13.9 | 1,560 |
| 12. Fill from Stockpile (30 days) | 4.5 | 24.0 | 56.3 | N/A | | 69.4 | 2.4 | 67.0 | 16.1 | 2.2 | 13.9 | 6,281 |
| 13. Import Random Fill (7 days) | 6.7 | 34.2 | 176.2 | 166.0 | \$5,084.29 | 71.8 | 4.8 | 67.0 | 17.5 | 3.6 | 13.9 | 30,691 |
| 14. Import Topsoil Fill (6 days) | 5.9 | 29.9 | 148.9 | 139.7 | \$2,942.97 | 71.2 | 4.2 | 67.0 | 17.1 | 3.1 | 13.9 | 25,646 |
| 15. Surfacing (1 day) | 14.5 | 64.3 | 331.0 | 309.7 | \$2,014.88 | 77.5 | 10.5 | 67.0 | 22.1 | 8.2 | 13.9 | 55,317 |
| 16. Import Rip-Rap (Barge) (80 days) | 27.6 | 106.5 | 256.8 | 222.4 | \$98,565.26 | 10.0 | 1.0 | 67.0 | 4.5 | 1.2 | 13.9 | 9,726 |
| 17. Utilities #1 (3 days) | 2.1 | 11.3 | 24.7 | N/A | | 101.7 | 1.2 | 100.5 | 22.0 | 1.1 | 20.9 | 2,400 |
| 18. Utilities #2 (52 days) | 1.1 | 5.1 | 11.7 | N/A | | 101.2 | 0.7 | 100.5 | 21.5 | 0.6 | 20.9 | 1,264 |
| | | | | | | | | | | | | |
| Maximum (lbs/day) | 18.3 | 100.5 | 335.9 | 309.7 | | 101.7 | 10.8 | 100.5 | 22.9 | 9.0 | 20.9 | 55,317 |
| SMAQMD thresholds (lbs/day) | N/A | N/A | 85 | 85 | | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Total Estimated Mitigation Fee | | | | | \$171,810.43 | | | | | | | |

Notes:

* Values based on a 20% mitigation for off-road equipment

** Calculation of Mitigation Fee: (any mitigated value over the 85 lbs/day threshold) X (number of days the task is performed) X (\$8.54/lb) X (5% Administrative Fee) (As of 12/18/2012)

Harbor Craft Model Emission Factors

| | Hp | Year | NO _x | PM | ROG | CO | SO _x | CO ₂ |
|--|-----|--------------------------------|-----------------|------|------|------|-----------------|-----------------|
| | 40 | 2013 | 0.30 | 0.03 | 0.10 | 0.19 | 0.000 | 10.15 |
| | | 2014 | 0.30 | 0.03 | 0.10 | 0.19 | 0.000 | 10.15 |
| | | 2015 | 0.30 | 0.03 | 0.10 | 0.19 | 0.000 | 10.15 |
| | | 2016 | 0.30 | 0.03 | 0.10 | 0.19 | 0.000 | 10.15 |
| | | 2017 | 0.30 | 0.03 | 0.10 | 0.19 | 0.000 | 10.15 |
| | 200 | 2013 | 2.09 | 0.08 | 0.21 | 0.74 | 0.001 | 56.38 |
| | | 2014 | 1.99 | 0.08 | 0.20 | 0.73 | 0.001 | 56.38 |
| | | 2015 | 1.94 | 0.07 | 0.20 | 0.73 | 0.001 | 56.38 |
| | | 2016 | 1.91 | 0.07 | 0.20 | 0.73 | 0.001 | 56.38 |
| | | 2017 | 1.88 | 0.07 | 0.20 | 0.74 | 0.001 | 56.38 |
| | 250 | 2013 | 2.70 | 0.11 | 0.26 | 0.87 | 0.001 | 78.31 |
| | | 2014 | 2.58 | 0.10 | 0.26 | 0.91 | 0.001 | 78.31 |
| | | 2015 | 2.46 | 0.10 | 0.26 | 0.94 | 0.001 | 78.31 |
| | | 2016 | 2.34 | 0.09 | 0.26 | 0.98 | 0.001 | 78.31 |
| | | 2017 | 2.27 | 0.09 | 0.25 | 0.99 | 0.001 | 78.31 |
| | 400 | 2013 | 4.31 | 0.18 | 0.42 | 1.40 | 0.001 | 125.29 |
| | | 2014 | 4.13 | 0.17 | 0.42 | 1.45 | 0.001 | 125.29 |
| | | 2015 | 3.94 | 0.16 | 0.41 | 1.51 | 0.001 | 125.29 |
| | | 2016 | 3.75 | 0.15 | 0.41 | 1.57 | 0.001 | 125.29 |
| | | 2017 | 3.63 | 0.14 | 0.41 | 1.58 | 0.001 | 125.29 |
| | 450 | 2013 | 4.85 | 0.20 | 0.48 | 1.57 | 0.001 | 140.95 |
| | | 2014 | 4.64 | 0.19 | 0.47 | 1.63 | 0.001 | 140.95 |
| | | 2015 | 4.43 | 0.18 | 0.47 | 1.70 | 0.001 | 140.95 |
| | | 2016 | 4.22 | 0.16 | 0.46 | 1.76 | 0.001 | 140.95 |
| | | 2017 | 4.08 | 0.16 | 0.46 | 1.77 | 0.001 | 140.95 |
| | 500 | 2013 | 5.39 | 0.22 | 0.53 | 1.75 | 0.002 | 156.61 |
| | | 2014 | 5.16 | 0.21 | 0.52 | 1.82 | 0.002 | 156.61 |
| | | 2015 | 4.93 | 0.20 | 0.52 | 1.89 | 0.002 | 156.61 |
| | | 2016 | 4.69 | 0.18 | 0.51 | 1.96 | 0.002 | 156.61 |
| | | 2017 | 4.54 | 0.18 | 0.51 | 1.97 | 0.002 | 156.61 |
| | | 15 ppm sulfur diesel | | | | | | |
| | | 0.000015 | | | | | | |
| | | 64.066 Mol Wt. SO ₂ | | | | | | |
| | | 32.065 Mol Wt. S | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (C&G Clear Vegetation) | | | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|-----------------|---|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 4.5 | 22.7 | 194.3 | 71.2 | 4.2 | 67.0 | 16.6 | 2.7 | 13.9 | 38,067.8 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 4.5 | 22.7 | 194.3 | 71.2 | 4.2 | 67.0 | 16.6 | 2.7 | 13.9 | 38,067.8 | | |
| Total (tons/construction project) | 0.0 | 0.0 | 0.3 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 62.8 | | |

Notes: Project Start Year -> 2016
 Project Length (months) -> 0
 Total Project Area (acres) -> 28
 Maximum Area Disturbed/Day (acres) -> 7
 Total Soil Imported/Exported (yd³/day)-> 3910

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (C&G Clear Vegetation) | | | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|-----------------|---|---|
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 2.0 | 10.3 | 88.3 | 32.4 | 1.9 | 30.5 | 7.6 | 1.2 | 6.3 | 17,303.6 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 2.0 | 10.3 | 88.3 | 32.4 | 1.9 | 30.5 | 7.6 | 1.2 | 6.3 | 17,303.6 | | |
| Total (megagrams/construction project) | 0.0 | 0.0 | 0.3 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 57.0 | | |

Notes: Project Start Year -> 2016
 Project Length (months) -> 0
 Total Project Area (hectares) -> 11
 Maximum Area Disturbed/Day (hectares) -> 3
 Total Soil Imported/Exported (meters³/day)-> 2989

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Road Construction Emissions Model | | Version 7.1.2 | | | | | |
|--|--|--|--|--|--|--|--|
| Data Entry Worksheet | | | | | | | |
| Note: Required data input sections have a yellow background. | | | | | | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | | | | | | |
| The user is required to enter information in cells C10 through C25. | | | | | | | |
| Input Type | | | | | | | |
| Project Name | ARCF ARS Reach F-Year 2 (C&G Clear Vegetation) | | | | | | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) | | | | | |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction | | | | | |
| Project Construction Time | 0.2 | months | | | | | |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock | | | | | |
| Project Length | 1.5 | miles | | | | | |
| Total Project Area | 28.0 | acres | | | | | |
| Maximum Area Disturbed/Day | 6.7 | acres | | | | | |
| Water Trucks Used? | 1 | 1. Yes 2. No | | | | | |
| Soil Imported | | yd ³ /day | | | | | |
| Soil Exported | 3910.0 | yd ³ /day | | | | | |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) | | | | | |
| To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet. | | | | | | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | | | | | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | | | | | | |
| | | | | | | | |
| | User Override of | Program Calculated | | | | | |
| Construction Periods | Construction Months | Months | | | | | |
| Grubbing/Land Clearing | 0.00 | 0.02 | | | | | |
| Grading/Excavation | 0.15 | 0.09 | | | | | |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.06 | | | | | |
| Paving | 0.00 | 0.03 | | | | | |
| Totals | 0.15 | 0.20 | | | | | |
| Please note: You have entered a different number of months than the project length shown in cell C13. | | | | | | | |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.98 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.1 | 13.9 | 0.0 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Crawler Tractors | 0.92 | 5.59 | 11.90 | 0.46 | 0.42 | 1031.11 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Skid Steer Loaders | 0.15 | 1.77 | 1.86 | 0.10 | 0.10 | 275.98 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 1.1 | 7.4 | 13.8 | 0.6 | 0.5 | 1307.1 |
| | Grading | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|----|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | 10.00 | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | 10.00 | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | | 98 | | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 20 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (C&G Strip to Spoils) | | | | | | | | | | | | |
|--|---|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|------|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 13.7 | 66.8 | 272.4 | 75.4 | 8.4 | 67.0 | 20.7 | 6.8 | 13.9 | 40,202.0 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 13.7 | 66.8 | 272.4 | 75.4 | 8.4 | 67.0 | 20.7 | 6.8 | 13.9 | 40,202.0 | | |
| Total (tons/construction project) | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.1 | |
| Notes: | Project Start Year -> | 2016 | | | | | | | | | | |
| | Project Length (months) -> | 0 | | | | | | | | | | |
| | Total Project Area (acres) -> | 28 | | | | | | | | | | |
| | Maximum Area Disturbed/Day (acres) -> | 7 | | | | | | | | | | |
| | Total Soil Imported/Exported (yd ³ /day)-> | 3040 | | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (C&G Strip to Spoils) | | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 6.2 | 30.4 | 123.8 | 34.3 | 3.8 | 30.5 | 9.4 | 3.1 | 6.3 | 18,273.6 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 6.2 | 30.4 | 123.8 | 34.3 | 3.8 | 30.5 | 9.4 | 3.1 | 6.3 | 18,273.6 | | |
| Total (megagrams/construction project) | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.1 | |
| Notes: | Project Start Year -> | 2016 | | | | | | | | | | |
| | Project Length (months) -> | 0 | | | | | | | | | | |
| | Total Project Area (hectares) -> | 11 | | | | | | | | | | |
| | Maximum Area Disturbed/Day (hectares) -> | 3 | | | | | | | | | | |
| | Total Soil Imported/Exported (meters ³ /day)-> | 2324 | | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 |
|---|---|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (C&G Strip to Spoils) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 0.1 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | | yd ³ /day |
| Soil Exported | 3040.0 | yd ³ /day |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) |
| <p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | User Override of | Program Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.01 |
| Grading/Excavation | 0.05 | 0.05 |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.03 |
| Paving | 0.00 | 0.02 |
| Totals | 0.05 | 0.10 |
| Please note: You have entered a different number of months than the project length shown in cell C13. | | |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.33 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.0 | 13.9 | 0.0 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|-------------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | <i>Program-estimate</i> | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Crawler Tractors | 1.85 | 11.17 | 23.79 | 0.92 | 0.84 | 2062.23 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | 2 | Graders | 1.33 | 4.35 | 12.98 | 0.73 | 0.67 | 838.78 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Other Construction Equipment | 0.58 | 3.01 | 6.12 | 0.32 | 0.30 | 547.89 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4.00 | 1 | Scrapers | 7.28 | 36.27 | 88.48 | 3.57 | 3.28 | 8040.11 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 11.0 | 54.8 | 131.4 | 5.5 | 5.1 | 11489.0 |
| | Grading | tons per phase | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 6.3 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 6.3 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|----|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | 10.00 | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | 10.00 | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | 10.00 | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | 10.00 | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | | 98 | | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 40 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |
| | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (C&G Strip to Stockpile) | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|-----------------|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 10.5 | 51.7 | 129.2 | 72.4 | 5.4 | 67.0 | 18.8 | 4.9 | 13.9 | 12,179.0 |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 10.5 | 51.7 | 129.2 | 72.4 | 5.4 | 67.0 | 18.8 | 4.9 | 13.9 | 12,179.0 |
| Total (tons/construction project) | 0.0 | 0.1 | 0.2 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 20.1 |

Notes: Project Start Year -> 2016
 Project Length (months) -> 0
 Total Project Area (acres) -> 28
 Maximum Area Disturbed/Day (acres) -> 7
 Total Soil Imported/Exported (yd³/day)-> 2520

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (C&G Strip to Stockpile) | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|----------------|
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 4.8 | 23.5 | 58.7 | 32.9 | 2.4 | 30.5 | 8.6 | 2.2 | 6.3 | 5,535.9 |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 4.8 | 23.5 | 58.7 | 32.9 | 2.4 | 30.5 | 8.6 | 2.2 | 6.3 | 5,535.9 |
| Total (megagrams/construction project) | 0.0 | 0.1 | 0.2 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 18.2 |

Notes: Project Start Year -> 2016
 Project Length (months) -> 0
 Total Project Area (hectares) -> 11
 Maximum Area Disturbed/Day (hectares) -> 3
 Total Soil Imported/Exported (meters³/day)-> 1927

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Road Construction Emissions Model | | Version 7.1.2 | | | | | |
|---|--|--|--|--|--|--|--|
| Data Entry Worksheet | | | | | | | |
| Note: Required data input sections have a yellow background. | | | | | | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | | | | | | |
| The user is required to enter information in cells C10 through C25. | | | | | | | |
| Input Type | | | | | | | |
| Project Name | ARCF ARS Reach F-Year 2 (C&G Strip to Stockpile) | | | | | | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) | | | | | |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction | | | | To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet. | |
| Project Construction Time | 0.2 | months | | | | | |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock | | | | | |
| Project Length | 1.5 | miles | | | | | |
| Total Project Area | 28.0 | acres | | | | | |
| Maximum Area Disturbed/Day | 6.7 | acres | | | | | |
| Water Trucks Used? | 1 | 1. Yes 2. No | | | | | |
| Soil Imported | | yd ³ /day | | | | | |
| Soil Exported | 2520.0 | yd ³ /day | | | | | |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) | | | | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | | | | | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | | | | | | |
| | | | | | | | |
| | User Override of | Program Calculated | | | | | |
| Construction Periods | Construction Months | Months | | | | | |
| Grubbing/Land Clearing | 0.00 | 0.02 | | | | | |
| Grading/Excavation | 0.15 | 0.09 | | | | | |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.06 | | | | | |
| Paving | 0.00 | 0.03 | | | | | |
| Totals | 0.15 | 0.20 | | | | | |
| Please note: You have entered a different number of months than the project length shown in cell C13. | | | | | | | |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.98 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.1 | 13.9 | 0.0 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Crawler Tractors | 1.66 | 10.06 | 21.41 | 0.83 | 0.76 | 1856.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | 2 | Graders | 1.20 | 3.92 | 11.68 | 0.66 | 0.60 | 754.90 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Other Construction Equipment | 0.52 | 2.71 | 5.51 | 0.29 | 0.27 | 493.10 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Rollers | 0.39 | 1.70 | 3.48 | 0.26 | 0.24 | 314.47 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4.00 | 1 | Scrapers | 6.55 | 32.65 | 79.63 | 3.21 | 2.95 | 7236.10 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 10.3 | 51.0 | 121.7 | 5.2 | 4.8 | 10654.6 |
| | Grading | tons per phase | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 17.6 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 17.6 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|----|----------------|------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | 9.00 | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | 9.00 | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | 9.00 | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | 9.00 | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | 9.00 | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | | 98 | | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 45 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (C&G Tree Removal) | | | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|--|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | |
| Grading/Excavation | 1.4 | 9.0 | 33.4 | 1.0 | 1.0 | - | 0.8 | 0.8 | - | 5,303.2 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | |
| Paving | - | - | - | - | - | - | - | - | - | - | - | |
| Maximum (pounds/day) | 1.4 | 9.0 | 33.4 | 1.0 | 1.0 | - | 0.8 | 0.8 | - | 5,303.2 | | |
| Total (tons/construction project) | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | - | 0.0 | 0.0 | - | 29.2 | | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 1 Total Project Area (acres) -> 28 Maximum Area Disturbed/Day (acres) -> 7 Total Soil Imported/Exported (yd ³ /day)-> 1505 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (C&G Tree Removal) | | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | |
| Grading/Excavation | 0.7 | 4.1 | 15.2 | 0.4 | 0.4 | - | 0.3 | 0.3 | - | 2,410.6 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | |
| Paving | - | - | - | - | - | - | - | - | - | - | - | |
| Maximum (kilograms/day) | 0.7 | 4.1 | 15.2 | 0.4 | 0.4 | - | 0.3 | 0.3 | - | 2,410.6 | | |
| Total (megagrams/construction project) | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | - | 0.0 | 0.0 | - | 26.5 | | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 1 Total Project Area (hectares) -> 11 Maximum Area Disturbed/Day (hectares) -> 3 Total Soil Imported/Exported (meters ³ /day)-> 1151 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 |
|--|--|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (C&G Tree Removal) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 0.5 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | | yd ³ /day |
| Soil Exported | 1505.0 | yd ³ /day |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) |
| To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet. | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | User Override of | Program Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.05 |
| Grading/Excavation | 0.50 | 0.23 |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.15 |
| Paving | 0.00 | 0.08 |
| Totals | 0.50 | 0.50 |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | 1.00 | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.03 | 1.45 | 0.12 | 0.03 | 0.02 | 296.01 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.01 | 0.00 | 0.00 | 0.00 | 1.63 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | 0.00 | 6.7 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Crawler Tractors | 0.92 | 5.59 | 11.90 | 0.46 | 0.42 | 1031.11 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Skid Steer Loaders | 0.15 | 1.77 | 1.86 | 0.10 | 0.10 | 275.98 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 1.1 | 7.4 | 13.8 | 0.6 | 0.5 | 1307.1 |
| | Grading | tons per phase | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 7.2 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 7.2 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|----|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | 10.00 | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | 10.00 | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | | 98 | | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 20 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |
| | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Cutoff Wall DSM) | | | | | | | | | | | | |
|--|---|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 16.9 | 100.5 | 155.6 | 75.4 | 8.4 | 67.0 | 21.6 | 7.7 | 13.9 | 18,598.4 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 16.9 | 100.5 | 155.6 | 75.4 | 8.4 | 67.0 | 21.6 | 7.7 | 13.9 | 18,598.4 | | |
| Total (tons/construction project) | 0.9 | 5.5 | 8.6 | 2.1 | 0.5 | 1.7 | 0.8 | 0.4 | 0.3 | 1,022.9 | | |
| Notes: | Project Start Year -> | 2016 | | | | | | | | | | |
| | Project Length (months) -> | 5 | | | | | | | | | | |
| | Total Project Area (acres) -> | 28 | | | | | | | | | | |
| | Maximum Area Disturbed/Day (acres) -> | 7 | | | | | | | | | | |
| | Total Soil Imported/Exported (yd ³ /day)-> | 0 | | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Cutoff Wall DSM) | | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 7.7 | 45.7 | 70.7 | 34.3 | 3.8 | 30.5 | 9.8 | 3.5 | 6.3 | 8,453.8 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 7.7 | 45.7 | 70.7 | 34.3 | 3.8 | 30.5 | 9.8 | 3.5 | 6.3 | 8,453.8 | | |
| Total (megagrams/construction project) | 0.8 | 5.0 | 7.8 | 1.9 | 0.4 | 1.5 | 0.7 | 0.4 | 0.3 | 927.8 | | |
| Notes: | Project Start Year -> | 2016 | | | | | | | | | | |
| | Project Length (months) -> | 5 | | | | | | | | | | |
| | Total Project Area (hectares) -> | 11 | | | | | | | | | | |
| | Maximum Area Disturbed/Day (hectares) -> | 3 | | | | | | | | | | |
| | Total Soil Imported/Exported (meters ³ /day)-> | 0 | | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 | | | | | |
|--|---|--|-------------|--|--|--|--|
| Data Entry Worksheet | | | | | | | |
| Note: Required data input sections have a yellow background. | | | | | | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | | | | | | |
| The user is required to enter information in cells C10 through C25. | | | | | | | |
| Input Type | | | | | | | |
| Project Name | ARCF ARS Reach F-Year 2 (G&E Cutoff Wall DSM) | | | | | | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) | | | | | |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction | | | | | |
| Project Construction Time | 5.0 | months | | | | | |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock | | | | | |
| Project Length | 1.5 | miles | | | | | |
| Total Project Area | 28.0 | acres | | | | | |
| Maximum Area Disturbed/Day | 6.7 | acres | | | | | |
| Water Trucks Used? | 1 | 1. Yes 2. No | | | | | |
| Soil Imported | | yd ³ /day | | | | | |
| Soil Exported | | yd ³ /day | | | | | |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) | | | | | |
| To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet. | | | | | | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | | | | | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | | | | | | |
| | | | | | | | |
| | | | Program | | | | |
| | User Override of | | Calculated | | | | |
| Construction Periods | Construction Months | | Months | | | | |
| Grubbing/Land Clearing | 0.00 | | 0.50 | | | | |
| Grading/Excavation | 5.00 | | 2.25 | | | | |
| Drainage/Utilities/Sub-Grade | 0.00 | | 1.50 | | | | |
| Paving | 0.00 | | 0.75 | | | | |
| Totals | 5.00 | | 5.00 | | | | |

| | | | | | | | |
|---|------|---|------------|----------------|-------------|--------------|------------|
| Hauling emission default values can be overridden in cells C45 through C46. | | | | | | | |
| Soil Hauling Emissions | | | | | | | |
| User Input | | User Override of Soil Hauling Defaults | | Default Values | | | |
| Miles/round trip | | | 30 | | | | |
| Round trips/day | | | 0 | | | | |
| Vehicle miles traveled/day (calculated) | | | | 0 | | | |
| Hauling Emissions | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate (grams/mile) | | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 |
| Emission rate (grams/trip) | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Pounds per day | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Tons per construction period | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Worker commute default values can be overridden in cells C60 through C65. | | | | | | | |
| Worker Commute Emissions | | | | | | | |
| | | User Override of Worker Commute Default Values | | Default Values | | | |
| Miles/ one-way trip | | | 20 | | | | |
| One-way trips/day | | | 2 | | | | |
| No. of employees: Grubbing/Land Clearing | 0.00 | | 10 | | | | |
| No. of employees: Grading/Excavation | | | 15 | | | | |
| No. of employees: Drainage/Utilities/Sub-Grade | 0.00 | | 11 | | | | |
| No. of employees: Paving | 0.00 | | 13 | | | | |
| | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate - Grubbing/Land Clearing (grams/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grading/Excavation (grams/mile) | | 0.147 | 0.194 | 1.744 | 0.047 | 0.020 | 443.650 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Paving (grams/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grubbing/Land Clearing (grams/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grading/Excavation (grams/trip) | | 0.505 | 0.323 | 4.200 | 0.004 | 0.003 | 95.592 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Paving (grams/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Grubbing/Land Clearing | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Grub/Land Clear | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Grading/Excavation | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Grading/Excavation | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Drainage/Utilities/Sub-Grade | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Drain/Util/Sub-Grade | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Paving | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Paving | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| tons per construction period | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.16 | 0.01 | 0.00 | 0.00 | 32.56 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 1.7 | 13.9 | 0.3 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| 2.00 | | Aerial Lifts | 0.15 | 2.16 | 2.32 | 0.10 | 0.09 | 446.54 |
| 2.00 | | Air Compressors | 1.71 | 8.55 | 10.96 | 0.92 | 0.84 | 1269.86 |
| 2.00 | | Bore/Drill Rigs | 0.92 | 9.50 | 13.22 | 0.39 | 0.36 | 2364.04 |
| 4.00 | | Cement and Mortar Mixers | 0.34 | 1.77 | 2.11 | 0.09 | 0.08 | 289.41 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Crawler Tractors | 1.85 | 11.17 | 23.79 | 0.92 | 0.84 | 2062.23 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | 3 | Excavators | 1.02 | 6.97 | 11.17 | 0.55 | 0.51 | 1432.16 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4.00 | | Generator Sets | 2.57 | 14.92 | 19.32 | 1.37 | 1.26 | 2435.33 |
| 0.00 | 2 | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | 1 | Other Construction Equipment | 1.72 | 8.99 | 18.27 | 0.96 | 0.88 | 1635.48 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6.00 | | Pumps | 3.28 | 18.49 | 23.94 | 1.75 | 1.61 | 2971.06 |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Rough Terrain Forklifts | 0.56 | 5.07 | 6.83 | 0.38 | 0.35 | 931.86 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 2 | Rubber Tired Loaders | 1.31 | 7.79 | 16.28 | 0.56 | 0.51 | 1656.55 |
| 0.00 | 1 | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Welders | 1.42 | 4.93 | 4.51 | 0.36 | 0.33 | 511.86 |
| | Grading/Excavation | pounds per day | 16.8 | 100.3 | 152.7 | 8.3 | 7.7 | 18006.4 |
| | Grading | tons per phase | 0.9 | 5.5 | 8.4 | 0.5 | 0.4 | 990.3 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.9 | 5.5 | 8.4 | 0.5 | 0.4 | 990.3 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | |
|---|-----|----------------|-------|----------------|
| | | Default Values | | Default Values |
| Equipment | | Horsepower | | Hours/day |
| Aerial Lifts | | 63 | 10.00 | 8 |
| Air Compressors | | 106 | 10.00 | 8 |
| Bore/Drill Rigs | | 206 | 10.00 | 8 |
| Cement and Mortar Mixers | | 10 | 10.00 | 8 |
| Concrete/Industrial Saws | | 64 | | 8 |
| Cranes | | 226 | | 8 |
| Crawler Tractors | | 208 | 10.00 | 8 |
| Crushing/Proc. Equipment | | 142 | | 8 |
| Excavators | | 163 | 10.00 | 8 |
| Forklifts | | 89 | | 8 |
| Generator Sets | | 66 | 10.00 | 8 |
| Graders | | 175 | | 8 |
| Off-Highway Tractors | | 123 | | 8 |
| Off-Highway Trucks | | 400 | | 8 |
| Other Construction Equipment | | 172 | 10.00 | 8 |
| Other General Industrial Equipment | | 88 | | 8 |
| Other Material Handling Equipment | | 167 | | 8 |
| Pavers | | 126 | | 8 |
| Paving Equipment | | 131 | | 8 |
| Plate Compactors | | 8 | | 8 |
| Pressure Washers | | 26 | | 8 |
| Pumps | | 53 | 10.00 | 8 |
| Rollers | | 81 | | 8 |
| Rough Terrain Forklifts | | 100 | 10.00 | 8 |
| Rubber Tired Dozers | | 255 | | 8 |
| Rubber Tired Loaders | | 200 | 10.00 | 8 |
| Scrapers | | 362 | | 8 |
| Signal Boards | | 20 | | 8 |
| Skid Steer Loaders | | 65 | | 8 |
| Surfacing Equipment | | 254 | | 8 |
| Sweepers/Scrubbers | | 64 | | 8 |
| Tractors/Loaders/Backhoes | | 98 | | 8 |
| Trenchers | | 81 | | 8 |
| Welders | | 45 | 10.00 | 8 |
| | | | | |
| | | | | |
| | 120 | | | |
| END OF DATA ENTRY SHEET | | | | |
| | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Cutoff Wall SCB) | | | | | | | | | | | |
|---|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|----------------|--|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | |
| Grading/Excavation | 4.8 | 30.0 | 50.1 | 69.6 | 2.6 | 67.0 | 16.3 | 2.4 | 13.9 | 6,181.5 | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | |
| Paving | - | - | - | - | - | - | - | - | - | - | |
| Maximum (pounds/day) | 4.8 | 30.0 | 50.1 | 69.6 | 2.6 | 67.0 | 16.3 | 2.4 | 13.9 | 6,181.5 | |
| Total (tons/construction project) | 0.1 | 0.5 | 0.8 | 0.5 | 0.0 | 0.5 | 0.1 | 0.0 | 0.1 | 102.0 | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 2 Total Project Area (acres) -> 28 Maximum Area Disturbed/Day (acres) -> 7 Total Soil Imported/Exported (yd ³ /day)-> 0 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Cutoff Wall SCB) | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | |
| Grading/Excavation | 2.2 | 13.7 | 22.8 | 31.6 | 1.2 | 30.5 | 7.4 | 1.1 | 6.3 | 2,809.8 | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | |
| Paving | - | - | - | - | - | - | - | - | - | - | |
| Maximum (kilograms/day) | 2.2 | 13.7 | 22.8 | 31.6 | 1.2 | 30.5 | 7.4 | 1.1 | 6.3 | 2,809.8 | |
| Total (megagrams/construction project) | 0.1 | 0.4 | 0.8 | 0.5 | 0.0 | 0.5 | 0.1 | 0.0 | 0.1 | 92.5 | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 2 Total Project Area (hectares) -> 11 Maximum Area Disturbed/Day (hectares) -> 3 Total Soil Imported/Exported (meters ³ /day)-> 0 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 |
|---|---|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (G&E Cutoff Wall SCB) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 1.5 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | | yd ³ /day |
| Soil Exported | | yd ³ /day |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) |
| <p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | User Override of | Program Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.15 |
| Grading/Excavation | 1.50 | 0.68 |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.45 |
| Paving | 0.00 | 0.23 |
| Totals | 1.50 | 1.50 |

| | | | | | | | |
|---|------|---|------------|----------------|-------------|--------------|------------|
| Hauling emission default values can be overridden in cells C45 through C46. | | | | | | | |
| Soil Hauling Emissions | | | | | | | |
| User Input | | User Override of Soil Hauling Defaults | | Default Values | | | |
| Miles/round trip | | | 30 | | | | |
| Round trips/day | | | 0 | | | | |
| Vehicle miles traveled/day (calculated) | | | | 0 | | | |
| Hauling Emissions | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate (grams/mile) | | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 |
| Emission rate (grams/trip) | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Pounds per day | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Tons per construction period | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Worker commute default values can be overridden in cells C60 through C65. | | | | | | | |
| Worker Commute Emissions | | | | | | | |
| | | User Override of Worker Commute Default Values | | Default Values | | | |
| Miles/ one-way trip | | | 20 | | | | |
| One-way trips/day | | | 2 | | | | |
| No. of employees: Grubbing/Land Clearing | 0.00 | | 10 | | | | |
| No. of employees: Grading/Excavation | | | 15 | | | | |
| No. of employees: Drainage/Utilities/Sub-Grade | 0.00 | | 11 | | | | |
| No. of employees: Paving | 0.00 | | 13 | | | | |
| | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate - Grubbing/Land Clearing (grams/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grading/Excavation (grams/mile) | | 0.147 | 0.194 | 1.744 | 0.047 | 0.020 | 443.650 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Paving (grams/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grubbing/Land Clearing (grams/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grading/Excavation (grams/trip) | | 0.505 | 0.323 | 4.200 | 0.004 | 0.003 | 95.592 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Paving (grams/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Grubbing/Land Clearing | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Grub/Land Clear | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Grading/Excavation | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Grading/Excavation | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Drainage/Utilities/Sub-Grade | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Drain/Util/Sub-Grade | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Paving | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Paving | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| tons per construction period | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.05 | 0.00 | 0.00 | 0.00 | 9.77 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.5 | 13.9 | 0.1 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 3 | Excavators | 1.54 | 10.46 | 16.75 | 0.82 | 0.76 | 2148.24 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Generator Sets | 0.64 | 3.73 | 4.83 | 0.34 | 0.32 | 608.83 |
| 0.00 | 2 | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Other Construction Equipment | 0.58 | 3.01 | 6.12 | 0.32 | 0.30 | 547.89 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Pumps | 1.09 | 6.16 | 7.98 | 0.58 | 0.54 | 990.35 |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Rough Terrain Forklifts | 0.28 | 2.53 | 3.42 | 0.19 | 0.17 | 465.93 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | 2 | Rubber Tired Loaders | 0.66 | 3.89 | 8.14 | 0.28 | 0.26 | 828.28 |
| 0.00 | 1 | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 4.8 | 29.8 | 47.2 | 2.5 | 2.3 | 5589.5 |
| | Grading | tons per phase | 0.1 | 0.5 | 0.8 | 0.0 | 0.0 | 92.2 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.1 | 0.5 | 0.8 | 0.0 | 0.0 | 92.2 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | |
|---|----|----------------|-------|----------------|
| | | Default Values | | Default Values |
| Equipment | | Horsepower | | Hours/day |
| Aerial Lifts | | 63 | | 8 |
| Air Compressors | | 106 | | 8 |
| Bore/Drill Rigs | | 206 | | 8 |
| Cement and Mortar Mixers | | 10 | | 8 |
| Concrete/Industrial Saws | | 64 | | 8 |
| Cranes | | 226 | | 8 |
| Crawler Tractors | | 208 | | 8 |
| Crushing/Proc. Equipment | | 142 | | 8 |
| Excavators | | 163 | 10.00 | 8 |
| Forklifts | | 89 | | 8 |
| Generator Sets | | 66 | 10.00 | 8 |
| Graders | | 175 | | 8 |
| Off-Highway Tractors | | 123 | | 8 |
| Off-Highway Trucks | | 400 | | 8 |
| Other Construction Equipment | | 172 | 10.00 | 8 |
| Other General Industrial Equipment | | 88 | | 8 |
| Other Material Handling Equipment | | 167 | | 8 |
| Pavers | | 126 | | 8 |
| Paving Equipment | | 131 | | 8 |
| Plate Compactors | | 8 | | 8 |
| Pressure Washers | | 26 | | 8 |
| Pumps | | 53 | 10.00 | 8 |
| Rollers | | 81 | | 8 |
| Rough Terrain Forklifts | | 100 | 10.00 | 8 |
| Rubber Tired Dozers | | 255 | | 8 |
| Rubber Tired Loaders | | 200 | 10.00 | 8 |
| Scrapers | | 362 | | 8 |
| Signal Boards | | 20 | | 8 |
| Skid Steer Loaders | | 65 | | 8 |
| Surfacing Equipment | | 254 | | 8 |
| Sweepers/Scrubbers | | 64 | | 8 |
| Tractors/Loaders/Backhoes | | 98 | | 8 |
| Trenchers | | 81 | | 8 |
| Welders | | 45 | | 8 |
| | | | | |
| | | | | |
| | 60 | | | |
| END OF DATA ENTRY SHEET | | | | |
| | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Fill from Stockpile) | | | | | | | | | | | | |
|---|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|----------------|---|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 4.5 | 24.0 | 56.3 | 69.4 | 2.4 | 67.0 | 16.1 | 2.2 | 13.9 | 6,281.3 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 4.5 | 24.0 | 56.3 | 69.4 | 2.4 | 67.0 | 16.1 | 2.2 | 13.9 | 6,281.3 | | |
| Total (tons/construction project) | 0.1 | 0.4 | 0.9 | 0.5 | 0.0 | 0.5 | 0.1 | 0.0 | 0.1 | 96.7 | | |

Notes: Project Start Year -> 2016
 Project Length (months) -> 1
 Total Project Area (acres) -> 28
 Maximum Area Disturbed/Day (acres) -> 7
 Total Soil Imported/Exported (yd³/day)-> 3030

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Fill from Stockpile) | | | | | | | | | | | | |
|---|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|----------------|---|---|
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 2.0 | 10.9 | 25.6 | 31.6 | 1.1 | 30.5 | 7.3 | 1.0 | 6.3 | 2,855.1 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 2.0 | 10.9 | 25.6 | 31.6 | 1.1 | 30.5 | 7.3 | 1.0 | 6.3 | 2,855.1 | | |
| Total (megagrams/construction project) | 0.1 | 0.3 | 0.8 | 0.5 | 0.0 | 0.4 | 0.1 | 0.0 | 0.1 | 87.7 | | |

Notes: Project Start Year -> 2016
 Project Length (months) -> 1
 Total Project Area (hectares) -> 11
 Maximum Area Disturbed/Day (hectares) -> 3
 Total Soil Imported/Exported (meters³/day)-> 2317

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Road Construction Emissions Model | | Version 7.1.2 | | | | | |
|---|---|--|--|--|--|--|--|
| Data Entry Worksheet | | | | | | | |
| Note: Required data input sections have a yellow background. | | | | | | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | | | | | | |
| The user is required to enter information in cells C10 through C25. | | | | | | | |
| Input Type | | | | | | | |
| Project Name | ARCF ARS Reach F-Year 2 (G&E Fill from Stockpile) | | | | | | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) | | | | | |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction | | | | To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet. | |
| Project Construction Time | 1.4 | months | | | | | |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock | | | | | |
| Project Length | 1.5 | miles | | | | | |
| Total Project Area | 28.0 | acres | | | | | |
| Maximum Area Disturbed/Day | 6.7 | acres | | | | | |
| Water Trucks Used? | 1 | 1. Yes 2. No | | | | | |
| Soil Imported | | yd ³ /day | | | | | |
| Soil Exported | 3030.0 | yd ³ /day | | | | | |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) | | | | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | | | | | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | | | | | | |
| | | | | | | | |
| | User Override of | Program Calculated | | | | | |
| Construction Periods | Construction Months | Months | | | | | |
| Grubbing/Land Clearing | 0.00 | 0.14 | | | | | |
| Grading/Excavation | 1.40 | 0.63 | | | | | |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.42 | | | | | |
| Paving | 0.00 | 0.21 | | | | | |
| Totals | 1.40 | 1.40 | | | | | |

| | | | | | | | |
|---|--|-------------------------|----------------|-----------|-------------|--------------|------------|
| Hauling emission default values can be overridden in cells C45 through C46. | | | | | | | |
| Soil Hauling Emissions | | | | | | | |
| User Input | | User Override of | | | | | |
| | | Soil Hauling Defaults | Default Values | | | | |
| Miles/round trip | | 2.00 | 30 | | | | |
| Round trips/day | | | 152 | | | | |
| Vehicle miles traveled/day (calculated) | | | | 303 | | | |
| Hauling Emissions | | | | | | | |
| | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate (grams/mile) | | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 |
| Emission rate (grams/trip) | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Pounds per day | | 0.1 | 5.5 | 0.5 | 0.1 | 0.1 | 1121.1 |
| Tons per construction period | | 0.00 | 0.08 | 0.01 | 0.00 | 0.00 | 17.27 |
| Worker commute default values can be overridden in cells C60 through C65. | | | | | | | |
| Worker Commute Emissions | | | | | | | |
| | | User Override of Worker | | | | | |
| | | Commute Default Values | Default Values | | | | |
| Miles/ one-way trip | | | 20 | | | | |
| One-way trips/day | | | 2 | | | | |
| No. of employees: Grubbing/Land Clearing | | 0.00 | 10 | | | | |
| No. of employees: Grading/Excavation | | | 15 | | | | |
| No. of employees: Drainage/Utilities/Sub-Grade | | 0.00 | 11 | | | | |
| No. of employees: Paving | | 0.00 | 13 | | | | |
| | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate - Grubbing/Land Clearing (grams/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grading/Excavation (grams/mile) | | 0.147 | 0.194 | 1.744 | 0.047 | 0.020 | 443.650 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Paving (grams/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grubbing/Land Clearing (grams/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grading/Excavation (grams/trip) | | 0.505 | 0.323 | 4.200 | 0.004 | 0.003 | 95.592 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Paving (grams/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Grubbing/Land Clearing | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Grub/Land Clear | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Grading/Excavation | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Grading/Excavation | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Drainage/Utilities/Sub-Grade | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Drain/Util/Sub-Grade | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Paving | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Paving | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| tons per construction period | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.04 | 0.00 | 0.00 | 0.00 | 9.12 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.5 | 13.9 | 0.1 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Crawler Tractors | 0.92 | 5.59 | 11.90 | 0.46 | 0.42 | 1031.11 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | 2 | Graders | 1.33 | 4.35 | 12.98 | 0.73 | 0.67 | 838.78 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Other Construction Equipment | 0.58 | 3.01 | 6.12 | 0.32 | 0.30 | 547.89 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Rollers | 0.44 | 1.89 | 3.86 | 0.28 | 0.26 | 349.42 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Tractors/Loaders/Backhoes | 1.02 | 8.43 | 13.06 | 0.45 | 0.42 | 1800.91 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 4.3 | 23.3 | 47.9 | 2.2 | 2.1 | 4568.1 |
| | Grading | tons per phase | 0.1 | 0.4 | 0.7 | 0.0 | 0.0 | 70.3 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.1 | 0.4 | 0.7 | 0.0 | 0.0 | 70.3 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|--------|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | 10.00 | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | 10.00 | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | 10.00 | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | 10.00 | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | 425.00 | 98 | 10.00 | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 475 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |
| | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Import Cohesive Fill) | | | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|-----------------|---|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 8.5 | 41.5 | 196.0 | 72.8 | 5.8 | 67.0 | 18.4 | 4.5 | 13.9 | 32,565.1 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 8.5 | 41.5 | 196.0 | 72.8 | 5.8 | 67.0 | 18.4 | 4.5 | 13.9 | 32,565.1 | | |
| Total (tons/construction project) | 0.0 | 0.1 | 0.5 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 89.6 | | |

Notes: Project Start Year -> 2016
 Project Length (months) -> 0
 Total Project Area (acres) -> 28
 Maximum Area Disturbed/Day (acres) -> 7
 Total Soil Imported/Exported (yd³/day)-> 2810

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Import Cohesive Fill) | | | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|-----------------|---|---|
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 3.9 | 18.9 | 89.1 | 33.1 | 2.7 | 30.5 | 8.4 | 2.0 | 6.3 | 14,802.3 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 3.9 | 18.9 | 89.1 | 33.1 | 2.7 | 30.5 | 8.4 | 2.0 | 6.3 | 14,802.3 | | |
| Total (megagrams/construction project) | 0.0 | 0.1 | 0.5 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 81.2 | | |

Notes: Project Start Year -> 2016
 Project Length (months) -> 0
 Total Project Area (hectares) -> 11
 Maximum Area Disturbed/Day (hectares) -> 3
 Total Soil Imported/Exported (meters³/day)-> 2148

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Road Construction Emissions Model | | Version 7.1.2 | | | | | |
|---|--|--|--|--|--|--|--|
| Data Entry Worksheet | | | | | | | |
| Note: Required data input sections have a yellow background. | | | | | | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | | | | | | |
| The user is required to enter information in cells C10 through C25. | | | | | | | |
| Input Type | | | | | | | |
| Project Name | ARCF ARS Reach F-Year 2 (G&E Import Cohesive Fill) | | | | | | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) | | | | | |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction | | | | | |
| Project Construction Time | 0.3 | months | | | | | |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock | | | | | |
| Project Length | 1.5 | miles | | | | | |
| Total Project Area | 28.0 | acres | | | | | |
| Maximum Area Disturbed/Day | 6.7 | acres | | | | | |
| Water Trucks Used? | 1 | 1. Yes 2. No | | | | | |
| Soil Imported | 2810.0 | yd ³ /day | | | | | |
| Soil Exported | | yd ³ /day | | | | | |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) | | | | | |
| <p>The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional.</p> | | | | | | | |
| <p>Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37.</p> | | | | | | | |
| | | | | | | | |
| | User Override of | Program | | | | | |
| | | Calculated | | | | | |
| Construction Periods | Construction Months | Months | | | | | |
| Grubbing/Land Clearing | 0.00 | 0.03 | | | | | |
| Grading/Excavation | 0.25 | 0.11 | | | | | |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.08 | | | | | |
| Paving | 0.00 | 0.04 | | | | | |
| Totals | 0.25 | 0.25 | | | | | |



To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.01 | 0.00 | 0.00 | 0.00 | 1.63 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.1 | 13.9 | 0.0 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 16.4 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|--------|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | 10.00 | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | 10.00 | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | 10.00 | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | 10.00 | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | 425.00 | 98 | 10.00 | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 475 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |
| | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Import Random Fill) | | | | | | | | | | | | |
|--|---|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 6.7 | 34.2 | 176.2 | 71.8 | 4.8 | 67.0 | 17.5 | 3.6 | 13.9 | 30,691.0 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 6.7 | 34.2 | 176.2 | 71.8 | 4.8 | 67.0 | 17.5 | 3.6 | 13.9 | 30,691.0 | | |
| Total (tons/construction project) | 0.0 | 0.1 | 0.6 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 101.3 | | |
| Notes: | Project Start Year -> | 2016 | | | | | | | | | | |
| | Project Length (months) -> | 0 | | | | | | | | | | |
| | Total Project Area (acres) -> | 28 | | | | | | | | | | |
| | Maximum Area Disturbed/Day (acres) -> | 7 | | | | | | | | | | |
| | Total Soil Imported/Exported (yd ³ /day)-> | 2760 | | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Import Random Fill) | | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 3.1 | 15.5 | 80.1 | 32.7 | 2.2 | 30.5 | 8.0 | 1.6 | 6.3 | 13,950.4 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 3.1 | 15.5 | 80.1 | 32.7 | 2.2 | 30.5 | 8.0 | 1.6 | 6.3 | 13,950.4 | | |
| Total (megagrams/construction project) | 0.0 | 0.1 | 0.5 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 91.9 | | |
| Notes: | Project Start Year -> | 2016 | | | | | | | | | | |
| | Project Length (months) -> | 0 | | | | | | | | | | |
| | Total Project Area (hectares) -> | 11 | | | | | | | | | | |
| | Maximum Area Disturbed/Day (hectares) -> | 3 | | | | | | | | | | |
| | Total Soil Imported/Exported (meters ³ /day)-> | 2110 | | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 |
|---|--|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (G&E Import Random Fill) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 0.3 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | 2760.0 | yd ³ /day |
| Soil Exported | | yd ³ /day |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) |
| <p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | | Program |
| | User Override of | Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.03 |
| Grading/Excavation | 0.30 | 0.11 |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.08 |
| Paving | 0.00 | 0.04 |
| Totals | 0.30 | 0.25 |
| Please note: You have entered a different number of months than the project length shown in cell C13. | | |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.01 | 0.00 | 0.00 | 0.00 | 1.95 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.1 | 13.9 | 0.0 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Crawler Tractors | 0.92 | 5.59 | 11.90 | 0.46 | 0.42 | 1031.11 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | 2 | Graders | 1.33 | 4.35 | 12.98 | 0.73 | 0.67 | 838.78 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Other Construction Equipment | 0.58 | 3.01 | 6.12 | 0.32 | 0.30 | 547.89 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Rollers | 0.44 | 1.89 | 3.86 | 0.28 | 0.26 | 349.42 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Tractors/Loaders/Backhoes | 1.02 | 8.43 | 13.06 | 0.45 | 0.42 | 1800.91 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 4.3 | 23.3 | 47.9 | 2.2 | 2.1 | 4568.1 |
| | Grading | tons per phase | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 15.1 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 15.1 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|--------|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | 10.00 | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | 10.00 | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | 10.00 | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | 10.00 | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | 425.00 | 98 | 10.00 | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 475 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |
| | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Import Rip Rap - Barge+) | | | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 1.2 | 9.3 | 17.5 | 67.6 | 0.6 | 67.0 | 14.5 | 0.5 | 13.9 | 2,377.0 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 1.2 | 9.3 | 17.5 | 67.6 | 0.6 | 67.0 | 14.5 | 0.5 | 13.9 | 2,377.0 | | |
| Total (tons/construction project) | 0.0 | 0.4 | 0.7 | 1.2 | 0.0 | 1.2 | 0.3 | 0.0 | 0.2 | 94.1 | | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 4 Total Project Area (acres) -> 28 Maximum Area Disturbed/Day (acres) -> 7 Total Soil Imported/Exported (yd ³ /day)-> 0 | | | | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Import Rip Rap - Barge+) | | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 0.5 | 4.2 | 8.0 | 30.7 | 0.3 | 30.5 | 6.6 | 0.2 | 6.3 | 1,080.5 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 0.5 | 4.2 | 8.0 | 30.7 | 0.3 | 30.5 | 6.6 | 0.2 | 6.3 | 1,080.5 | | |
| Total (megagrams/construction project) | 0.0 | 0.3 | 0.6 | 1.1 | 0.0 | 1.1 | 0.2 | 0.0 | 0.2 | 85.4 | | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 4 Total Project Area (hectares) -> 11 Maximum Area Disturbed/Day (hectares) -> 3 Total Soil Imported/Exported (meters ³ /day)-> 0 | | | | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 |
|---|---|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (G&E Import Rip Rap - Barge+) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 3.6 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | 0.0 | yd ³ /day |
| Soil Exported | | yd ³ /day |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) |
| <p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | User Override of | Program Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.36 |
| Grading/Excavation | 3.60 | 1.62 |
| Drainage/Utilities/Sub-Grade | 0.00 | 1.08 |
| Paving | 0.00 | 0.54 |
| Totals | 3.60 | 3.60 |

| | | | | | | | |
|---|------|---|------------|----------------|-------------|--------------|------------|
| Hauling emission default values can be overridden in cells C45 through C46. | | | | | | | |
| Soil Hauling Emissions | | | | | | | |
| User Input | | User Override of Soil Hauling Defaults | | Default Values | | | |
| Miles/round trip | | | 30 | | | | |
| Round trips/day | | | 0 | | | | |
| Vehicle miles traveled/day (calculated) | | | | 0 | | | |
| Hauling Emissions | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate (grams/mile) | | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 |
| Emission rate (grams/trip) | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Pounds per day | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Tons per construction period | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Worker commute default values can be overridden in cells C60 through C65. | | | | | | | |
| Worker Commute Emissions | | | | | | | |
| | | User Override of Worker Commute Default Values | | Default Values | | | |
| Miles/ one-way trip | | | 20 | | | | |
| One-way trips/day | | | 2 | | | | |
| No. of employees: Grubbing/Land Clearing | 0.00 | | 10 | | | | |
| No. of employees: Grading/Excavation | | | 15 | | | | |
| No. of employees: Drainage/Utilities/Sub-Grade | 0.00 | | 11 | | | | |
| No. of employees: Paving | 0.00 | | 13 | | | | |
| | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate - Grubbing/Land Clearing (grams/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grading/Excavation (grams/mile) | | 0.147 | 0.194 | 1.744 | 0.047 | 0.020 | 443.650 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Paving (grams/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grubbing/Land Clearing (grams/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grading/Excavation (grams/trip) | | 0.505 | 0.323 | 4.200 | 0.004 | 0.003 | 95.592 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Paving (grams/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Grubbing/Land Clearing | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Grub/Land Clear | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Grading/Excavation | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Grading/Excavation | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Drainage/Utilities/Sub-Grade | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Drain/Util/Sub-Grade | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Paving | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Paving | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| tons per construction period | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.12 | 0.01 | 0.00 | 0.00 | 23.44 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 1.2 | 13.9 | 0.2 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|-------------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | <i>Program-estimate</i> | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | 0 | Cranes | 0.97 | 8.27 | 13.69 | 0.48 | 0.45 | 1655.80 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 3.00 | | Plate Compactors | 0.15 | 0.79 | 0.94 | 0.04 | 0.03 | 129.18 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 1.1 | 9.1 | 14.6 | 0.5 | 0.5 | 1785.0 |
| | Grading | tons per phase | 0.0 | 0.4 | 0.6 | 0.0 | 0.0 | 70.7 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.4 | 0.6 | 0.0 | 0.0 | 70.7 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|--------|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | 500.00 | 226 | 10.00 | 8 | | | |
| Crawler Tractors | | 208 | | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | 10.00 | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | | 98 | 10.00 | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 530 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |
| | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Import Rip Rap - Truck) | | | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 4.9 | 25.9 | 160.9 | 71.0 | 4.0 | 67.0 | 16.8 | 2.8 | 13.9 | 30,116.1 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 4.9 | 25.9 | 160.9 | 71.0 | 4.0 | 67.0 | 16.8 | 2.8 | 13.9 | 30,116.1 | | |
| Total (tons/construction project) | 0.2 | 1.0 | 6.4 | 1.4 | 0.2 | 1.2 | 0.4 | 0.1 | 0.2 | 1,192.6 | | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 4 Total Project Area (acres) -> 28 Maximum Area Disturbed/Day (acres) -> 7 Total Soil Imported/Exported (yd ³ /day)-> 3200 | | | | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Import Rip Rap - Truck) | | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 2.2 | 11.8 | 73.1 | 32.3 | 1.8 | 30.5 | 7.6 | 1.3 | 6.3 | 13,689.1 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 2.2 | 11.8 | 73.1 | 32.3 | 1.8 | 30.5 | 7.6 | 1.3 | 6.3 | 13,689.1 | | |
| Total (megagrams/construction project) | 0.2 | 0.9 | 5.8 | 1.2 | 0.1 | 1.1 | 0.3 | 0.1 | 0.2 | 1,081.7 | | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 4 Total Project Area (hectares) -> 11 Maximum Area Disturbed/Day (hectares) -> 3 Total Soil Imported/Exported (meters ³ /day)-> 2446 | | | | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 |
|---|--|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (G&E Import Rip Rap - Truck) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 3.6 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | 3200.0 | yd ³ /day |
| Soil Exported | | yd ³ /day |
| Average Truck Capacity | 40.0 | yd ³ (assume 20 if unknown) |
| <p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | User Override of | Program Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.36 |
| Grading/Excavation | 3.60 | 1.62 |
| Drainage/Utilities/Sub-Grade | 0.00 | 1.08 |
| Paving | 0.00 | 0.54 |
| Totals | 3.60 | 3.60 |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.12 | 0.01 | 0.00 | 0.00 | 23.44 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 1.2 | 13.9 | 0.2 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Crawler Tractors | 0.92 | 5.59 | 11.90 | 0.46 | 0.42 | 1031.11 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | 3 | Excavators | 1.02 | 6.97 | 11.17 | 0.55 | 0.51 | 1432.16 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Tractors/Loaders/Backhoes | 0.45 | 1.97 | 4.09 | 0.31 | 0.29 | 419.90 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 2.4 | 14.5 | 27.2 | 1.3 | 1.2 | 2883.2 |
| | Grading | tons per phase | 0.1 | 0.6 | 1.1 | 0.1 | 0.0 | 114.2 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.1 | 0.6 | 1.1 | 0.1 | 0.0 | 114.2 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|----|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | 10.00 | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | 10.00 | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | | 98 | 10.00 | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 30 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |
| | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Import Sand) | | | | | | | | | | | |
|--|---|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 6.2 | 27.7 | 167.0 | 71.7 | 4.7 | 67.0 | 17.4 | 3.5 | 13.9 | 29,263.7 | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 6.2 | 27.7 | 167.0 | 71.7 | 4.7 | 67.0 | 17.4 | 3.5 | 13.9 | 29,263.7 | |
| Total (tons/construction project) | 0.0 | 0.1 | 0.7 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 128.8 | |
| Notes: | Project Start Year -> | 2016 | | | | | | | | | |
| | Project Length (months) -> | 0 | | | | | | | | | |
| | Total Project Area (acres) -> | 28 | | | | | | | | | |
| | Maximum Area Disturbed/Day (acres) -> | 7 | | | | | | | | | |
| | Total Soil Imported/Exported (yd ³ /day)-> | 2755 | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Import Sand) | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 2.8 | 12.6 | 75.9 | 32.6 | 2.1 | 30.5 | 7.9 | 1.6 | 6.3 | 13,301.7 | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 2.8 | 12.6 | 75.9 | 32.6 | 2.1 | 30.5 | 7.9 | 1.6 | 6.3 | 13,301.7 | |
| Total (megagrams/construction project) | 0.0 | 0.1 | 0.7 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 116.8 | |
| Notes: | Project Start Year -> | 2016 | | | | | | | | | |
| | Project Length (months) -> | 0 | | | | | | | | | |
| | Total Project Area (hectares) -> | 11 | | | | | | | | | |
| | Maximum Area Disturbed/Day (hectares) -> | 3 | | | | | | | | | |
| | Total Soil Imported/Exported (meters ³ /day)-> | 2106 | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 |
|---|---|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (G&E Import Sand) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 0.4 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | 2755.0 | yd ³ /day |
| Soil Exported | | yd ³ /day |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) |
| <p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | | Program |
| | User Override of | Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.04 |
| Grading/Excavation | 0.40 | 0.16 |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.11 |
| Paving | 0.00 | 0.05 |
| Totals | 0.40 | 0.36 |
| Please note: You have entered a different number of months than the project length shown in cell C13. | | |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.01 | 0.00 | 0.00 | 0.00 | 2.60 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.1 | 13.9 | 0.0 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Crawler Tractors | 0.92 | 5.59 | 11.90 | 0.46 | 0.42 | 1031.11 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | 2 | Graders | 1.33 | 4.35 | 12.98 | 0.73 | 0.67 | 838.78 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Other Construction Equipment | 0.58 | 3.01 | 6.12 | 0.32 | 0.30 | 547.89 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Rollers | 0.44 | 1.89 | 3.86 | 0.28 | 0.26 | 349.42 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Tractors/Loaders/Backhoes | 0.45 | 1.97 | 4.09 | 0.31 | 0.29 | 419.90 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 3.7 | 16.8 | 38.9 | 2.1 | 1.9 | 3187.1 |
| | Grading | tons per phase | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 14.0 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 14.0 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|----|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | 10.00 | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | 10.00 | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | 10.00 | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | 10.00 | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | | 98 | 10.00 | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 50 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |
| | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Import Topsoil Fill) | | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 5.9 | 29.9 | 148.9 | 71.2 | 4.2 | 67.0 | 17.1 | 3.1 | 13.9 | 25,646.0 | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 5.9 | 29.9 | 148.9 | 71.2 | 4.2 | 67.0 | 17.1 | 3.1 | 13.9 | 25,646.0 | |
| Total (tons/construction project) | 0.0 | 0.1 | 0.5 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 84.6 | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 0 Total Project Area (acres) -> 28 Maximum Area Disturbed/Day (acres) -> 7 Total Soil Imported/Exported (yd ³ /day)-> 2830 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Import Topsoil Fill) | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 2.7 | 13.6 | 67.7 | 32.3 | 1.9 | 30.5 | 7.8 | 1.4 | 6.3 | 11,657.3 | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 2.7 | 13.6 | 67.7 | 32.3 | 1.9 | 30.5 | 7.8 | 1.4 | 6.3 | 11,657.3 | |
| Total (megagrams/construction project) | 0.0 | 0.1 | 0.4 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 76.8 | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 0 Total Project Area (hectares) -> 11 Maximum Area Disturbed/Day (hectares) -> 3 Total Soil Imported/Exported (meters ³ /day)-> 2164 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 |
|---|---|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (G&E Import Topsoil Fill) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 0.3 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | 2830.0 | yd ³ /day |
| Soil Exported | | yd ³ /day |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) |
| <p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | | Program |
| | User Override of | Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.03 |
| Grading/Excavation | 0.30 | 0.11 |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.08 |
| Paving | 0.00 | 0.04 |
| Totals | 0.30 | 0.25 |
| Please note: You have entered a different number of months than the project length shown in cell C13. | | |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.01 | 0.00 | 0.00 | 0.00 | 1.95 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.1 | 13.9 | 0.0 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Crawler Tractors | 0.83 | 5.03 | 10.71 | 0.41 | 0.38 | 928.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | 2 | Graders | 1.20 | 3.92 | 11.68 | 0.66 | 0.60 | 754.90 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Other Construction Equipment | 0.52 | 2.71 | 5.51 | 0.29 | 0.27 | 493.10 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Rollers | 0.39 | 1.70 | 3.48 | 0.26 | 0.24 | 314.47 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Tractors/Loaders/Backhoes | 0.92 | 7.59 | 11.76 | 0.41 | 0.37 | 1620.82 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 3.9 | 20.9 | 43.1 | 2.0 | 1.9 | 4111.3 |
| | Grading | tons per phase | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 13.6 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 13.6 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|--------|----------------|------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | 9.00 | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | 9.00 | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | 9.00 | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | 9.00 | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | 425.00 | 98 | 9.00 | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 470 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |
| | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (Retaining Wall - Concrete) | | | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 4.0 | 19.6 | 146.3 | 70.6 | 3.6 | 67.0 | 16.3 | 2.4 | 13.9 | 28,259.0 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 4.0 | 19.6 | 146.3 | 70.6 | 3.6 | 67.0 | 16.3 | 2.4 | 13.9 | 28,259.0 | | |
| Total (tons/construction project) | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.1 | | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 0 Total Project Area (acres) -> 28 Maximum Area Disturbed/Day (acres) -> 7 Total Soil Imported/Exported (yd ³ /day)-> 1580 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (Retaining Wall - Concrete) | | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | |
| Grading/Excavation | 1.8 | 8.9 | 66.5 | 32.1 | 1.6 | 30.5 | 7.4 | 1.1 | 6.3 | 12,845.0 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | |
| Paving | - | - | - | - | - | - | - | - | - | - | - | |
| Maximum (kilograms/day) | 1.8 | 8.9 | 66.5 | 32.1 | 1.6 | 30.5 | 7.4 | 1.1 | 6.3 | 12,845.0 | | |
| Total (megagrams/construction project) | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28.2 | | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 0 Total Project Area (hectares) -> 11 Maximum Area Disturbed/Day (hectares) -> 3 Total Soil Imported/Exported (meters ³ /day)-> 1208 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 |
|---|---|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (Retaining Wall - Concrete) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 0.1 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | 1580.0 | yd ³ /day |
| Soil Exported | | yd ³ /day |
| Average Truck Capacity | 9.0 | yd ³ (assume 20 if unknown) |
| <p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | User Override of | Program Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.01 |
| Grading/Excavation | 0.10 | 0.05 |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.03 |
| Paving | 0.00 | 0.02 |
| Totals | 0.10 | 0.10 |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.65 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.0 | 13.9 | 0.0 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | | | |
|---|----|----------------|-------|----------------|--|--|--|--|--|
| | | Default Values | | Default Values | | | | | |
| Equipment | | Horsepower | | Hours/day | | | | | |
| Aerial Lifts | | 63 | | 8 | | | | | |
| Air Compressors | | 106 | | 8 | | | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | | | |
| Cranes | | 226 | | 8 | | | | | |
| Crawler Tractors | | 208 | | 8 | | | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | | | |
| Excavators | | 163 | 10.00 | 8 | | | | | |
| Forklifts | | 89 | | 8 | | | | | |
| Generator Sets | | 66 | | 8 | | | | | |
| Graders | | 175 | | 8 | | | | | |
| Off-Highway Tractors | | 123 | | 8 | | | | | |
| Off-Highway Trucks | | 400 | | 8 | | | | | |
| Other Construction Equipment | | 172 | 10.00 | 8 | | | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | | | |
| Pavers | | 126 | | 8 | | | | | |
| Paving Equipment | | 131 | | 8 | | | | | |
| Plate Compactors | | 8 | | 8 | | | | | |
| Pressure Washers | | 26 | | 8 | | | | | |
| Pumps | | 53 | | 8 | | | | | |
| Rollers | | 81 | | 8 | | | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | | | |
| Scrapers | | 362 | | 8 | | | | | |
| Signal Boards | | 20 | | 8 | | | | | |
| Skid Steer Loaders | | 65 | | 8 | | | | | |
| Surfacing Equipment | | 254 | | 8 | | | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | | | |
| Tractors/Loaders/Backhoes | | 98 | 10.00 | 8 | | | | | |
| Trenchers | | 81 | | 8 | | | | | |
| Welders | | 45 | | 8 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | 30 | | | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Retaining Wall - Form & S | | | | | | | | | | | | |
|---|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 1.1 | 5.2 | 13.1 | 67.7 | 0.7 | 67.0 | 14.6 | 0.6 | 13.9 | 1,559.8 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 1.1 | 5.2 | 13.1 | 67.7 | 0.7 | 67.0 | 14.6 | 0.6 | 13.9 | 1,559.8 | | |
| Total (tons/construction project) | 0.0 | 0.1 | 0.2 | 0.5 | 0.0 | 0.5 | 0.1 | 0.0 | 0.1 | 25.7 | | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 2 Total Project Area (acres) -> 28 Maximum Area Disturbed/Day (acres) -> 7 Total Soil Imported/Exported (yd ³ /day)-> 0 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Retaining Wall - Form & S | | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 0.5 | 2.4 | 6.0 | 30.8 | 0.3 | 30.5 | 6.6 | 0.3 | 6.3 | 709.0 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 0.5 | 2.4 | 6.0 | 30.8 | 0.3 | 30.5 | 6.6 | 0.3 | 6.3 | 709.0 | | |
| Total (megagrams/construction project) | 0.0 | 0.1 | 0.2 | 0.5 | 0.0 | 0.5 | 0.1 | 0.0 | 0.1 | 23.3 | | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 2 Total Project Area (hectares) -> 11 Maximum Area Disturbed/Day (hectares) -> 3 Total Soil Imported/Exported (meters ³ /day)-> 0 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 |
|--|---|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (G&E Retaining Wall - Form & Steel) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 1.5 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | | yd ³ /day |
| Soil Exported | | yd ³ /day |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) |
| To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet. | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | User Override of | Program Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.15 |
| Grading/Excavation | 1.50 | 0.68 |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.45 |
| Paving | 0.00 | 0.23 |
| Totals | 1.50 | 1.50 |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.05 | 0.00 | 0.00 | 0.00 | 9.77 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.5 | 13.9 | 0.1 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 16.0 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|----|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | 10.00 | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | | 98 | 10.00 | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 20 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E to Spoils) | | | | | | | | | | | |
|---|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 18.3 | 89.6 | 335.9 | 77.8 | 10.8 | 67.0 | 22.9 | 9.0 | 13.9 | 47,017.6 | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 18.3 | 89.6 | 335.9 | 77.8 | 10.8 | 67.0 | 22.9 | 9.0 | 13.9 | 47,017.6 | |
| Total (tons/construction project) | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.9 | |

Notes: Project Start Year -> 2016
 Project Length (months) -> 0
 Total Project Area (acres) -> 28
 Maximum Area Disturbed/Day (acres) -> 7
 Total Soil Imported/Exported (yd³/day)-> 4090

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E to Spoils) | | | | | | | | | | | |
|---|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 8.3 | 40.7 | 152.7 | 35.4 | 4.9 | 30.5 | 10.4 | 4.1 | 6.3 | 21,371.7 | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 8.3 | 40.7 | 152.7 | 35.4 | 4.9 | 30.5 | 10.4 | 4.1 | 6.3 | 21,371.7 | |
| Total (megagrams/construction project) | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.5 | |

Notes: Project Start Year -> 2016
 Project Length (months) -> 0
 Total Project Area (hectares) -> 11
 Maximum Area Disturbed/Day (hectares) -> 3
 Total Soil Imported/Exported (meters³/day)-> 3127

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Road Construction Emissions Model | | Version 7.1.2 |
|---|---|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (G&E to Spoils) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 0.1 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | | yd ³ /day |
| Soil Exported | 4090.0 | yd ³ /day |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) |
| <p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | User Override of | Program Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.01 |
| Grading/Excavation | 0.05 | 0.02 |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.02 |
| Paving | 0.00 | 0.01 |
| Totals | 0.05 | 0.05 |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.33 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.0 | 13.9 | 0.0 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Crawler Tractors | 2.59 | 15.64 | 33.31 | 1.28 | 1.18 | 2887.12 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | 2 | Graders | 1.87 | 6.09 | 18.17 | 1.02 | 0.94 | 1174.29 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Other Construction Equipment | 0.81 | 4.22 | 8.57 | 0.45 | 0.41 | 767.04 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4.00 | 1 | Scrapers | 10.19 | 50.78 | 123.87 | 4.99 | 4.59 | 11256.15 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 15.4 | 76.7 | 183.9 | 7.7 | 7.1 | 16084.6 |
| | Grading | tons per phase | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 8.8 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 8.8 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|----|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | 14.00 | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | 14.00 | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | 14.00 | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | 14.00 | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | | 98 | | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 56 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |
| | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E to Stockpile) | | | | | | | | | | | |
|--|---|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 11.2 | 55.5 | 139.6 | 72.7 | 5.7 | 67.0 | 19.1 | 5.2 | 13.9 | 13,161.5 | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 11.2 | 55.5 | 139.6 | 72.7 | 5.7 | 67.0 | 19.1 | 5.2 | 13.9 | 13,161.5 | |
| Total (tons/construction project) | 0.2 | 0.9 | 2.1 | 0.6 | 0.1 | 0.5 | 0.2 | 0.1 | 0.1 | 202.7 | |
| Notes: | Project Start Year -> | 2016 | | | | | | | | | |
| | Project Length (months) -> | 1 | | | | | | | | | |
| | Total Project Area (acres) -> | 28 | | | | | | | | | |
| | Maximum Area Disturbed/Day (acres) -> | 7 | | | | | | | | | |
| | Total Soil Imported/Exported (yd ³ /day)-> | 2920 | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E to Stockpile) | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 5.1 | 25.2 | 63.4 | 33.0 | 2.6 | 30.5 | 8.7 | 2.4 | 6.3 | 5,982.5 | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 5.1 | 25.2 | 63.4 | 33.0 | 2.6 | 30.5 | 8.7 | 2.4 | 6.3 | 5,982.5 | |
| Total (megagrams/construction project) | 0.2 | 0.8 | 1.9 | 0.5 | 0.1 | 0.4 | 0.2 | 0.1 | 0.1 | 183.8 | |
| Notes: | Project Start Year -> | 2016 | | | | | | | | | |
| | Project Length (months) -> | 1 | | | | | | | | | |
| | Total Project Area (hectares) -> | 11 | | | | | | | | | |
| | Maximum Area Disturbed/Day (hectares) -> | 3 | | | | | | | | | |
| | Total Soil Imported/Exported (meters ³ /day)-> | 2232 | | | | | | | | | |
| PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. | | | | | | | | | | | |
| Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 |
|---|--|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (G&E to Stockpile) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 1.4 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | | yd ³ /day |
| Soil Exported | 2920.0 | yd ³ /day |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) |
| <p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | User Override of | Program Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.14 |
| Grading/Excavation | 1.40 | 0.63 |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.42 |
| Paving | 0.00 | 0.21 |
| Totals | 1.40 | 1.40 |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.06 | 2.91 | 0.25 | 0.06 | 0.03 | 592.02 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.04 | 0.00 | 0.00 | 0.00 | 9.12 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.5 | 13.9 | 0.1 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Crawler Tractors | 1.85 | 11.17 | 23.79 | 0.92 | 0.84 | 2062.23 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | 2 | Graders | 1.33 | 4.35 | 12.98 | 0.73 | 0.67 | 838.78 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Other Construction Equipment | 0.58 | 3.01 | 6.12 | 0.32 | 0.30 | 547.89 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4.00 | 1 | Scrapers | 7.28 | 36.27 | 88.48 | 3.57 | 3.28 | 8040.11 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 11.0 | 54.8 | 131.4 | 5.5 | 5.1 | 11489.0 |
| | Grading | tons per phase | 0.2 | 0.8 | 2.0 | 0.1 | 0.1 | 176.9 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.2 | 0.8 | 2.0 | 0.1 | 0.1 | 176.9 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | |
|---|----|----------------|-------|----------------|
| | | Default Values | | Default Values |
| Equipment | | Horsepower | | Hours/day |
| Aerial Lifts | | 63 | | 8 |
| Air Compressors | | 106 | | 8 |
| Bore/Drill Rigs | | 206 | | 8 |
| Cement and Mortar Mixers | | 10 | | 8 |
| Concrete/Industrial Saws | | 64 | | 8 |
| Cranes | | 226 | | 8 |
| Crawler Tractors | | 208 | 10.00 | 8 |
| Crushing/Proc. Equipment | | 142 | | 8 |
| Excavators | | 163 | | 8 |
| Forklifts | | 89 | | 8 |
| Generator Sets | | 66 | | 8 |
| Graders | | 175 | 10.00 | 8 |
| Off-Highway Tractors | | 123 | | 8 |
| Off-Highway Trucks | | 400 | | 8 |
| Other Construction Equipment | | 172 | 10.00 | 8 |
| Other General Industrial Equipment | | 88 | | 8 |
| Other Material Handling Equipment | | 167 | | 8 |
| Pavers | | 126 | | 8 |
| Paving Equipment | | 131 | | 8 |
| Plate Compactors | | 8 | | 8 |
| Pressure Washers | | 26 | | 8 |
| Pumps | | 53 | | 8 |
| Rollers | | 81 | | 8 |
| Rough Terrain Forklifts | | 100 | | 8 |
| Rubber Tired Dozers | | 255 | | 8 |
| Rubber Tired Loaders | | 200 | | 8 |
| Scrapers | | 362 | 10.00 | 8 |
| Signal Boards | | 20 | | 8 |
| Skid Steer Loaders | | 65 | | 8 |
| Surfacing Equipment | | 254 | | 8 |
| Sweepers/Scrubbers | | 64 | | 8 |
| Tractors/Loaders/Backhoes | | 98 | | 8 |
| Trenchers | | 81 | | 8 |
| Welders | | 45 | | 8 |
| | | | | |
| | | | | |
| | 40 | | | |
| END OF DATA ENTRY SHEET | | | | |
| | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Surfacing) | | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 14.5 | 64.3 | 331.0 | 77.5 | 10.5 | 67.0 | 22.1 | 8.2 | 13.9 | 55,317.2 | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | |
| Paving | - | - | - | - | - | - | - | - | - | - | |
| Maximum (pounds/day) | 14.5 | 64.3 | 331.0 | 77.5 | 10.5 | 67.0 | 22.1 | 8.2 | 13.9 | 55,317.2 | |
| Total (tons/construction project) | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.4 | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 0 Total Project Area (acres) -> 28 Maximum Area Disturbed/Day (acres) -> 7 Total Soil Imported/Exported (yd ³ /day)-> 8228 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (G&E Surfacing) | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | |
| Grading/Excavation | 6.6 | 29.2 | 150.4 | 35.2 | 4.8 | 30.5 | 10.1 | 3.7 | 6.3 | 25,144.2 | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | |
| Paving | - | - | - | - | - | - | - | - | - | - | |
| Maximum (kilograms/day) | 6.6 | 29.2 | 150.4 | 35.2 | 4.8 | 30.5 | 10.1 | 3.7 | 6.3 | 25,144.2 | |
| Total (megagrams/construction project) | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.6 | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 0 Total Project Area (hectares) -> 11 Maximum Area Disturbed/Day (hectares) -> 3 Total Soil Imported/Exported (meters ³ /day)-> 6291 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 |
|---|---|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (G&E Surfacing) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 0.1 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | 8228.0 | yd ³ /day |
| Soil Exported | | yd ³ /day |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) |
| <p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | | Program |
| | User Override of | Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.01 |
| Grading/Excavation | 0.05 | 0.05 |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.03 |
| Paving | 0.00 | 0.02 |
| Totals | 0.05 | 0.10 |
| Please note: You have entered a different number of months than the project length shown in cell C13. | | |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | 3.00 | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.08 | 4.36 | 0.37 | 0.09 | 0.05 | 888.03 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.49 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 67.0 | 0.0 | 13.9 | 0.0 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 4.8 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|----|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | 11.00 | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | 11.00 | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | 11.00 | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | 11.00 | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | | 98 | 11.00 | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 55 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |
| | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (Utilities #1) | | | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 2.1 | 11.3 | 24.7 | 101.7 | 1.2 | 100.5 | 22.0 | 1.1 | 20.9 | 2,399.7 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 2.1 | 11.3 | 24.7 | 101.7 | 1.2 | 100.5 | 22.0 | 1.1 | 20.9 | 2,399.7 | | |
| Total (tons/construction project) | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 4.0 | | |

Notes: Project Start Year -> 2016
 Project Length (months) -> 0
 Total Project Area (acres) -> 28
 Maximum Area Disturbed/Day (acres) -> 7
 Total Soil Imported/Exported (yd³/day)-> 0

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (Utilities #1) | | | | | | | | | | | | |
|--|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|---|
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 1.0 | 5.1 | 11.2 | 46.2 | 0.6 | 45.7 | 10.0 | 0.5 | 9.5 | 1,090.8 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 1.0 | 5.1 | 11.2 | 46.2 | 0.6 | 45.7 | 10.0 | 0.5 | 9.5 | 1,090.8 | | |
| Total (megagrams/construction project) | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 3.6 | | |

Notes: Project Start Year -> 2016
 Project Length (months) -> 0
 Total Project Area (hectares) -> 11
 Maximum Area Disturbed/Day (hectares) -> 3
 Total Soil Imported/Exported (meters³/day)-> 0

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Road Construction Emissions Model | | Version 7.1.2 |
|---|--|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (Utilities #1) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 0.2 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | | yd ³ /day |
| Soil Exported | | yd ³ /day |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) |
| <p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | User Override of | Program Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.02 |
| Grading/Excavation | 0.15 | 0.09 |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.06 |
| Paving | 0.00 | 0.03 |
| Totals | 0.15 | 0.20 |
| Please note: You have entered a different number of months than the project length shown in cell C13. | | |

| | | | | | | | |
|---|------|---|------------|----------------|-------------|--------------|------------|
| Hauling emission default values can be overridden in cells C45 through C46. | | | | | | | |
| Soil Hauling Emissions | | | | | | | |
| User Input | | User Override of Soil Hauling Defaults | | Default Values | | | |
| Miles/round trip | | | 30 | | | | |
| Round trips/day | | | 0 | | | | |
| Vehicle miles traveled/day (calculated) | | | | 0 | | | |
| Hauling Emissions | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate (grams/mile) | | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 |
| Emission rate (grams/trip) | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Pounds per day | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Tons per construction period | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Worker commute default values can be overridden in cells C60 through C65. | | | | | | | |
| Worker Commute Emissions | | | | | | | |
| | | User Override of Worker Commute Default Values | | Default Values | | | |
| Miles/ one-way trip | | | 20 | | | | |
| One-way trips/day | | | 2 | | | | |
| No. of employees: Grubbing/Land Clearing | 0.00 | | 10 | | | | |
| No. of employees: Grading/Excavation | | | 15 | | | | |
| No. of employees: Drainage/Utilities/Sub-Grade | 0.00 | | 11 | | | | |
| No. of employees: Paving | 0.00 | | 13 | | | | |
| | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate - Grubbing/Land Clearing (grams/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grading/Excavation (grams/mile) | | 0.147 | 0.194 | 1.744 | 0.047 | 0.020 | 443.650 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Paving (grams/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grubbing/Land Clearing (grams/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grading/Excavation (grams/trip) | | 0.505 | 0.323 | 4.200 | 0.004 | 0.003 | 95.592 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Paving (grams/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Grubbing/Land Clearing | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Grub/Land Clear | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Grading/Excavation | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Grading/Excavation | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Drainage/Utilities/Sub-Grade | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Drain/Util/Sub-Grade | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Paving | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Paving | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| tons per construction period | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | 1.00 | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.03 | 1.45 | 0.12 | 0.03 | 0.02 | 296.01 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.49 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 100.5 | 0.1 | 20.9 | 0.0 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grading/Excavation | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Crawler Tractors | 0.92 | 5.59 | 11.90 | 0.46 | 0.42 | 1031.11 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Other Construction Equipment | 0.58 | 3.01 | 6.12 | 0.32 | 0.30 | 547.89 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Rollers | 0.13 | 0.57 | 1.16 | 0.09 | 0.08 | 104.82 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Tractors/Loaders/Backhoes | 0.45 | 1.97 | 4.09 | 0.31 | 0.29 | 419.90 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Grading/Excavation | pounds per day | 2.1 | 11.1 | 23.3 | 1.2 | 1.1 | 2103.7 |
| | Grading | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|----|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | 10.00 | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | 10.00 | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | 3.00 | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | | 98 | 10.00 | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 33 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |
| | | | | | | | |

Road Construction Emissions Model, Version 7.1.2

| Emission Estimates for -> ARCF ARS Reach F-Year 2 (Utilities #2) | | | | | | | | | | | | |
|---|---------------|--------------|---------------|----------------------|------------------------|------------------------------|-----------------------|-------------------------|-------------------------------|---------------|---|---|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | Total PM10 (lbs/day) | Exhaust PM10 (lbs/day) | Fugitive Dust PM10 (lbs/day) | Total PM2.5 (lbs/day) | Exhaust PM2.5 (lbs/day) | Fugitive Dust PM2.5 (lbs/day) | CO2 (lbs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 1.1 | 5.1 | 11.7 | 101.2 | 0.7 | 100.5 | 21.5 | 0.6 | 20.9 | 1,263.8 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 1.1 | 5.1 | 11.7 | 101.2 | 0.7 | 100.5 | 21.5 | 0.6 | 20.9 | 1,263.8 | | |
| Total (tons/construction project) | 0.0 | 0.1 | 0.3 | 1.2 | 0.0 | 1.2 | 0.3 | 0.0 | 0.2 | 33.4 | | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 2 Total Project Area (acres) -> 28 Maximum Area Disturbed/Day (acres) -> 7 Total Soil Imported/Exported (yd ³ /day)-> 0 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |
| Emission Estimates for -> ARCF ARS Reach F-Year 2 (Utilities #2) | | | | | | | | | | | | |
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | Total PM10 (kgs/day) | Exhaust PM10 (kgs/day) | Fugitive Dust PM10 (kgs/day) | Total PM2.5 (kgs/day) | Exhaust PM2.5 (kgs/day) | Fugitive Dust PM2.5 (kgs/day) | CO2 (kgs/day) | | |
| Grubbing/Land Clearing | - | - | - | - | - | - | - | - | - | - | - | - |
| Grading/Excavation | 0.5 | 2.3 | 5.3 | 46.0 | 0.3 | 45.7 | 9.8 | 0.3 | 9.5 | 574.5 | | |
| Drainage/Utilities/Sub-Grade | - | - | - | - | - | - | - | - | - | - | - | - |
| Paving | - | - | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 0.5 | 2.3 | 5.3 | 46.0 | 0.3 | 45.7 | 9.8 | 0.3 | 9.5 | 574.5 | | |
| Total (megagrams/construction project) | 0.0 | 0.1 | 0.3 | 1.1 | 0.0 | 1.1 | 0.2 | 0.0 | 0.2 | 30.3 | | |
| Notes: Project Start Year -> 2016 Project Length (months) -> 2 Total Project Area (hectares) -> 11 Maximum Area Disturbed/Day (hectares) -> 3 Total Soil Imported/Exported (meters ³ /day)-> 0 PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified. Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L. | | | | | | | | | | | | |

| Road Construction Emissions Model | | Version 7.1.2 |
|---|--|--|
| Data Entry Worksheet | | |
| Note: Required data input sections have a yellow background. | | |
| Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. | | |
| The user is required to enter information in cells C10 through C25. | | |
| Input Type | | |
| Project Name | ARCF ARS Reach F-Year 2 (Utilities #2) | |
| Construction Start Year | 2016 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 2.4 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 1.5 | miles |
| Total Project Area | 28.0 | acres |
| Maximum Area Disturbed/Day | 6.7 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | | yd ³ /day |
| Soil Exported | | yd ³ /day |
| Average Truck Capacity | 20.0 | yd ³ (assume 20 if unknown) |
| <p>To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.</p> | | |
| The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional. | | |
| Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37. | | |
| | | Program |
| | User Override of | Calculated |
| Construction Periods | Construction Months | Months |
| Grubbing/Land Clearing | 0.00 | 0.24 |
| Grading/Excavation | 2.40 | 1.08 |
| Drainage/Utilities/Sub-Grade | 0.00 | 0.72 |
| Paving | 0.00 | 0.36 |
| Totals | 2.40 | 2.40 |

| | | | | | | | |
|---|------|---|------------|----------------|-------------|--------------|------------|
| Hauling emission default values can be overridden in cells C45 through C46. | | | | | | | |
| Soil Hauling Emissions | | | | | | | |
| User Input | | User Override of Soil Hauling Defaults | | Default Values | | | |
| Miles/round trip | | | 30 | | | | |
| Round trips/day | | | 0 | | | | |
| Vehicle miles traveled/day (calculated) | | | | 0 | | | |
| Hauling Emissions | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate (grams/mile) | | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 |
| Emission rate (grams/trip) | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Pounds per day | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Tons per construction period | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Worker commute default values can be overridden in cells C60 through C65. | | | | | | | |
| Worker Commute Emissions | | | | | | | |
| | | User Override of Worker Commute Default Values | | Default Values | | | |
| Miles/ one-way trip | | | 20 | | | | |
| One-way trips/day | | | 2 | | | | |
| No. of employees: Grubbing/Land Clearing | 0.00 | | 10 | | | | |
| No. of employees: Grading/Excavation | | | 15 | | | | |
| No. of employees: Drainage/Utilities/Sub-Grade | 0.00 | | 11 | | | | |
| No. of employees: Paving | 0.00 | | 13 | | | | |
| | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate - Grubbing/Land Clearing (grams/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grading/Excavation (grams/mile) | | 0.147 | 0.194 | 1.744 | 0.047 | 0.020 | 443.650 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Paving (grams/mile) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grubbing/Land Clearing (grams/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grading/Excavation (grams/trip) | | 0.505 | 0.323 | 4.200 | 0.004 | 0.003 | 95.592 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Paving (grams/trip) | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Grubbing/Land Clearing | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Grub/Land Clear | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Grading/Excavation | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Grading/Excavation | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Drainage/Utilities/Sub-Grade | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Drain/Util/Sub-Grade | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Paving | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Paving | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| tons per construction period | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| | | | | | | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|-----------------|--|
| Water truck default values can be overridden in cells C91 through C93 and E91 through E93. | | | | | | | |
| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | | |
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | | |
| Grubbing/Land Clearing - Exhaust | 0.00 | 2 | | 80 | | | |
| Grading/Excavation - Exhaust | 1.00 | 2 | | 80 | | | |
| Drainage/Utilities/Subgrade | 0.00 | 1 | | 40 | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Emission rate - Grading/Excavation (grams/mile) | 0.16 | 8.25 | 0.70 | 0.17 | 0.10 | 1679.86 | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pounds per day - Grubbing/Land Clearing | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Pound per day - Grading/Excavation | 0.03 | 1.45 | 0.12 | 0.03 | 0.02 | 296.01 | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.04 | 0.00 | 0.00 | 0.00 | 7.81 | |
| Pound per day - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| Fugitive dust default values can be overridden in cells C110 through C112. | | | | | | | |
| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 | |
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period | |
| Fugitive Dust - Grubbing/Land Clearing | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Fugitive Dust - Grading/Excavation | | 6.7 | 100.5 | 1.2 | 20.9 | 0.2 | |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | Default | | | | | | | |
|--|--------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Paving | Number of Vehicles | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Program-estimate | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 3 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions all Phases (tons per construction period) => | | | 0.0 | 0.1 | 0.3 | 0.0 | 0.0 | 25.5 |

| Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322. | | | | | | | |
|---|----|----------------|-------|----------------|--|--|--|
| | | Default Values | | Default Values | | | |
| Equipment | | Horsepower | | Hours/day | | | |
| Aerial Lifts | | 63 | | 8 | | | |
| Air Compressors | | 106 | | 8 | | | |
| Bore/Drill Rigs | | 206 | | 8 | | | |
| Cement and Mortar Mixers | | 10 | | 8 | | | |
| Concrete/Industrial Saws | | 64 | | 8 | | | |
| Cranes | | 226 | | 8 | | | |
| Crawler Tractors | | 208 | | 8 | | | |
| Crushing/Proc. Equipment | | 142 | | 8 | | | |
| Excavators | | 163 | | 8 | | | |
| Forklifts | | 89 | | 8 | | | |
| Generator Sets | | 66 | | 8 | | | |
| Graders | | 175 | | 8 | | | |
| Off-Highway Tractors | | 123 | | 8 | | | |
| Off-Highway Trucks | | 400 | | 8 | | | |
| Other Construction Equipment | | 172 | 10.00 | 8 | | | |
| Other General Industrial Equipment | | 88 | | 8 | | | |
| Other Material Handling Equipment | | 167 | | 8 | | | |
| Pavers | | 126 | | 8 | | | |
| Paving Equipment | | 131 | | 8 | | | |
| Plate Compactors | | 8 | | 8 | | | |
| Pressure Washers | | 26 | | 8 | | | |
| Pumps | | 53 | | 8 | | | |
| Rollers | | 81 | | 8 | | | |
| Rough Terrain Forklifts | | 100 | | 8 | | | |
| Rubber Tired Dozers | | 255 | | 8 | | | |
| Rubber Tired Loaders | | 200 | | 8 | | | |
| Scrapers | | 362 | | 8 | | | |
| Signal Boards | | 20 | | 8 | | | |
| Skid Steer Loaders | | 65 | | 8 | | | |
| Surfacing Equipment | | 254 | | 8 | | | |
| Sweepers/Scrubbers | | 64 | | 8 | | | |
| Tractors/Loaders/Backhoes | | 98 | 10.00 | 8 | | | |
| Trenchers | | 81 | | 8 | | | |
| Welders | | 45 | | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | 20 | | | | | | |
| END OF DATA ENTRY SHEET | | | | | | | |

Additional air quality analysis for the proposed Sacramento Weir and Bypass Widening is performed separately due to the spatial separation between the Sacramento Weir and the additional portion of the project in Alternatives 1 and 2. It should be noted that the Sacramento Weir and Bypass Widening portion of the project is only proposed under Alternative 2.

The air quality emissions analysis for the Sacramento Weir and Bypass Widening was developed based on the following assumptions:

- The Sacramento Weir and Bypass Widening would be constructed as three phases over three years: the Weir, the new levee, and the deconstruction of the old levee;
- The Sacramento Weir would be constructed on dry land on the portion of land between the railroad property and the Old River Road;
- The Old River Road and the railroad would be realigned onto the new weir crown under a separate construction agreement;
- The existing weir would remain in place, and a small transitional island would remain between the new weir and the existing weir;
- The new levee would be constructed using soil existing in the Sacramento Bypass, and no new soil would be imported from other borrow sites.

Sacramento Weir Widening

The construction and design for the proposed widening of the Sacramento Weir has not yet been determined. For the purpose of air quality analysis, it is assumed that the new portion of the weir would be constructed with cement formed on site, requiring haul trucks of both cement and treated wood for the forms. At the peak of construction, as many as 20 trucks could deliver cement or other materials in a day; however, for the purposes of air quality analysis it is anticipated that an average of 5 haul trucks per day would deliver materials to the site over a six month period. Waste materials would be exported on an as-needed basis. The construction of the weir would also include a new section of railroad tracks and a new segment of road in order to connect the existing Yolo Shortline Railroad and the existing Old River Road across the weir. It is currently assumed that the Yolo Shortline Railroad and the Old River Road would remain active during construction, and the only closures and detours would occur when the old section is connected with the new; however, it is possible that the Yolo Shortline Railroad would be closed during construction due to the proximity of the railroad to the footprint of the new weir section. If the railroad requires closure during construction, the goods normally transported by rail could be rerouted onto large cargo trucks; however, the potential emissions from rerouting rail goods onto trucks are outside the scope of this analysis. Construction design, additional traffic analysis, and additional air quality analysis would be conducted during the PED phase.

Construction of the Sacramento Weir and Bypass portion of Alternative 2 is assumed to take place over three years in three different phases: construction of the new levee, construction of the

new weir, and demolition of the old levee. For the purposes of air quality analysis, several assumptions associated with each of these phases have been made.

It is assumed that the construction of the new levee segment would utilize soil available either from the existing bypass area or from the area that will be integrated into the new, larger bypass. This nearby borrow source would eliminate the use of haul trucks; therefore, the model analysis included in Appendix D reflects no haul trucks for this portion of construction. Large construction equipment such as scrapers would be needed in order to take the soil from the source to the site of the new levee. Upon completion of the new levee, a new road to take the place of County Road 126 would be constructed on the levee crown. Although construction is assumed to take place over a single construction season (approximately 6 months), the complete design may determine that additional time is needed to construct this portion of the project. Additional analysis may be needed at that time.

Table 3. Estimated Air Emissions for the Sacramento Bypass New Levee Construction.

| Construction Year | Annual Emissions in Tons | | | | | Maximum Daily Emissions in Pounds | | | | |
|---|--------------------------|-----------------|-----|------------------|-------------------|-----------------------------------|-----------------|-------|------------------|-------------------|
| | ROG | NO _x | CO | PM ₁₀ | PM _{2.5} | ROG | NO _x | CO | PM ₁₀ | PM _{2.5} |
| Emissions generated in YSAQMD | | | | | | | | | | |
| Construction of levee | 0.7 | 7.3 | 6.5 | 2.5 | 0.8 | 18.5 | 184.7 | 157.9 | 47.9 | 15.6 |
| CEQA Threshold | 10 | 10 | NA | NA | NA | | | | 80 | |
| Exceed Threshold? | No | No | | | | | | | No | |
| General Conformity <i>de Minimis</i> Threshold | 25 | 25 | 100 | 100 | 100 | | | | | |
| Exceed Threshold? | No | No | No | No | No | | | | | |

It is assumed that the construction of the new portion of the weir would be of similar design and materials of the existing weir and would therefore consist mostly of concrete formed on site. It is currently unknown how many cement trucks would be needed for the actual construction of the weir; however, for the purposes of air quality analysis it is assumed that approximately five loads of cement would be delivered to the site daily for the duration of the six month construction project. Additional analysis would be performed once the design of the new weir is completed. Upon completion of the new weir, a new segment of road and railroad would be constructed on the top of the weir and connected to the existing Old River Road and Yolo Shortline Railroad.

Table 4. Estimated Air Emissions for the Sacramento Bypass Weir Construction.

| Construction Year | Annual Emissions in Tons | | | | | Maximum Daily Emissions in Pounds | | | | |
|---|--------------------------|-----------------|-----|------------------|-------------------|-----------------------------------|-----------------|-------|------------------|-------------------|
| | ROG | NO _x | CO | PM ₁₀ | PM _{2.5} | ROG | NO _x | CO | PM ₁₀ | PM _{2.5} |
| Emissions generated in YSAQMD | | | | | | | | | | |
| Construction of weir | 0.8 | 7.5 | 5.9 | 2.6 | 0.8 | 15.2 | 148.6 | 114.6 | 47.0 | 6.3 |
| CEQA Threshold | 10 | 10 | NA | NA | NA | | | | 80 | |
| Exceed Threshold? | No | No | | | | | | | No | |
| General Conformity <i>de Minimis</i> Threshold | 25 | 25 | 100 | 100 | 100 | | | | | |
| Exceed Threshold? | No | No | No | No | No | | | | | |

Upon completion of the new levee and the new weir, the existing levee would be deconstructed and the soil from the degraded levee would be redistributed across the entire bypass area in order to encourage positive drainage toward the Yolo Bypass. Additionally, the segment of land that is currently between the existing Yolo Shortline Railroad and the Sacramento River would be lowered in order to connect the new section of the widened Sacramento Bypass to the Sacramento River. Soil removed from this segment of land would also be redistributed across the entire bypass area in order to meet elevation requirements as determined by future design. It is assumed that the majority of the existing river bank would remain in place; however, some vegetation and large trees could be removed. Full analysis of these potential impacts would be performed once the design is completed. Due to the large amount of soil that would be displaced and redistributed in this phase of work, as many as 20 scrapers could be in use at one time during the peak of construction; however, it is not anticipated that any soil would be brought in or removed from the site using haul trucks. The model analysis included in Appendix D reflects no haul trucks for this portion of construction.

Table 5. Estimated Air Emissions for the Sacramento Bypass Existing Levee Removal and Soil Redistribution.

| Construction Year | Annual Emissions in Tons | | | | | Maximum Daily Emissions in Pounds | | | | |
|---|--------------------------|-----------------|------|------------------|-------------------|-----------------------------------|-----------------|-------|------------------|-------------------|
| | ROG | NO _x | CO | PM ₁₀ | PM _{2.5} | ROG | NO _x | CO | PM ₁₀ | PM _{2.5} |
| Emissions generated in YSAQMD | | | | | | | | | | |
| Levee Removal | 1.5 | 14.2 | 13.1 | 3.0 | 1.1 | 30.3 | 297.2 | 281.8 | 52.4 | 19.7 |
| CEQA Threshold | 10 | 10 | NA | NA | NA | | | | 80 | |
| Exceed Threshold? | No | Yes | | | | | | | No | |
| General Conformity <i>de Minimis</i> Threshold | 25 | 25 | 100 | 100 | 100 | | | | | |
| Exceed Threshold? | No | No | No | No | No | | | | | |

Maximum daily emissions are estimated for ROG, NO_x, PM₁₀, and PM_{2.5} to evaluate emissions against YSAQMD thresholds. Those results are shown in Table 6. Construction-related emissions from the Sacramento Weir and Bypass Widening portion of the project would exceed the YSAQMD's emission threshold for NO_x. The actual emissions may be reduced by reducing the number and type of large construction vehicles utilized on site at one time and by following the mitigation measures as recommended by SMAQMD; however, the overall construction emissions under the alternative would likely exceed the thresholds and would therefore result in a significant effect. The Corps would be required to pay an off-site mitigation fee for NO_x emissions in the SVAB in order to reduce the effect to a less-than-significant level.

Table 6. Estimated Air Emissions for Alternative 2, Sacramento Bypass and Weir Widening Construction.

| Construction Year | Annual Emissions in Tons | | | | | Maximum Daily Emissions in Pounds | | | | |
|--|--------------------------|-----------------|------|------------------|-------------------|-----------------------------------|-----------------|-------|------------------|-------------------|
| | ROG | NO _x | CO | PM ₁₀ | PM _{2.5} | ROG | NO _x | CO | PM ₁₀ | PM _{2.5} |
| Emissions generated in YSAQMD | | | | | | | | | | |
| Construction of New Levee | 0.7 | 7.3 | 6.5 | 2.5 | 0.8 | 18.5 | 184.7 | 157.9 | 47.9 | 15.6 |
| Construction of New Weir | 0.8 | 7.5 | 5.9 | 2.8 | 0.8 | 1532 | 148.6 | 114.6 | 47.0 | 6.3 |
| Demolition of Old Levee | 1.5 | 14.2 | 13.1 | 3.0 | 1.1 | 30.3 | 297.2 | 281.8 | 52.4 | 19.7 |
| CEQA Threshold | 10 | 10 | NA | NA | NA | | | | 80 | |
| Exceed Threshold? | No | Yes | | | | | | | No | |
| General Conformity <i>de Minimis</i> Threshold | 25 | 25 | 100 | 100 | 100 | | | | | |
| Exceed Threshold? | No | No | No | No | No | | | | | |

Although Alternative 2 would reduce the number of levee raises along the Sacramento River compared to Alternative 1, for the purposes of air quality analysis the emissions estimates are assumed to be the same as Alternative 1. Alternative 1 summarizes the maximum daily emissions estimated for ROG, NO_x, PM₁₀, and PM_{2.5} under the construction emissions that would result in the most combined air emission. As shown in Table 6, the greatest potential emissions impacts would occur during the demolition of the old levee due to the large number of scrapers and other large construction equipment to displace and redistribute soil. These emissions are combined with the previously analyzed emissions from Alternative 1 in Tables 7 and 8, below.

Table 7. Estimated Air Emissions for the Truck Delivery Scenario With Bypass Widening.

| Construction Year | Annual Emissions in Tons | | | | | Maximum Daily Emissions in Pounds | | | | |
|--|--------------------------|-----------------|------|------------------|-------------------|-----------------------------------|-----------------|--------|------------------|-------------------|
| | ROG | NO _x | CO | PM ₁₀ | PM _{2.5} | ROG | NO _x | CO | PM ₁₀ | PM _{2.5} |
| Emissions generated in SMAQMD | | | | | | | | | | |
| Year 2 Onsite Construction | 1.5 | 22.3 | 8.9 | 7.4 | 2.0 | 11.6 | 159.7 | 66.8 | 29.9 | 5.4 |
| Year 2 Off-Site Soil Borrow | 0 | 0.7 | 0.1 | 0.1 | 0 | 6.7 | 176.2 | 34.2 | 71.8 | 17.5 |
| Year 2 Total | 1.5 | 23.0 | 9.0 | 7.5 | 2.0 | 18.3 | 335.9 | 101 | 101.7 | 22.9 |
| CEQA Threshold | | | | | | | 85 | | | |
| Exceed Threshold? | | | | | | | Yes | | | |
| General Conformity <i>de minimis</i> Threshold | 25 | 25 | 100 | 100 | 100 | | | | | |
| Exceed Threshold? | No | No | No | No | No | | | | | |
| Emissions generated in YSAQMD | | | | | | | | | | |
| Year 2 Off-Site Soil Borrow | 0 | 0.6 | 0.1 | .01 | 0 | 6.03 | 158.8 | 30.78 | 65.67 | 15.75 |
| Bypass Widening: Levee Demolition | 1.5 | 14.2 | 13.1 | 3.0 | 1.1 | 30.3 | 297.2 | 281.8 | 52.4 | 19.7 |
| Total | 1.5 | 14.8 | 13.2 | 3.01 | 1.1 | 36.6 | 456.0 | 312.58 | 118.07 | 35.45 |
| CEQA Threshold | 10 | 10 | NA | NA | NA | | | | 80 | |
| Exceed Threshold? | No | Yes | | | | | | | No | |
| General Conformity <i>de Minimis</i> Threshold | 25 | 25 | 100 | 100 | 100 | | | | | |
| Exceed Threshold? | No | No | No | No | No | | | | | |

Maximum daily emissions are estimated for ROG, NO_x, PM₁₀, and PM_{2.5} to evaluate emissions against SMAQMD, YSAQMD, and BAAQMD thresholds under the barge delivery scenario. Those results are shown in Table 8. Construction-related emissions under Alternative 1 would exceed the SMAQMD's and BAAQMD's emission thresholds for NO_x. Therefore, construction of the alternative with barge delivery would result in a significant effect and the Corps would be required to pay an off-site mitigation fee for NO_x emissions in the SVAB. Payment of these mitigation fees would reduce the impacts to a less-than-significant level. Borrow activities and barge delivery emissions would not exceed YSAQMD thresholds; however, the addition of the Sacramento Weir and Bypass Widening portion of Alternative 2 would exceed the YSAQMD's emission threshold for NO_x. The actual emissions may be reduced by reducing the number and type of large construction vehicles utilized on site at one time and by following the mitigation measures as recommended by SMAQMD; however, the overall construction emissions under the alternative would likely exceed the thresholds and would therefore result in a significant effect. The Corps would be required to pay an off-site mitigation fee for NO_x emissions in the SVAB in

order to reduce the effect to a less-than-significant level. Since less than 50 percent of borrow activities emissions could occur in FRAQMD, it was assumed FRAQMD thresholds would not be exceeded. Borrow activities emissions associated with potential borrow site located north of the project site were captured in the SMAQMD off-site soil estimations.

Table 8. Estimated Air Emissions for the Barge Delivery Scenario With Bypass Widening.

| Construction Year | Annual Emissions in Tons | | | | | Maximum Daily Emissions in Pounds | | | | |
|--|--------------------------|-----------------|------|------------------|-------------------|-----------------------------------|-----------------|--------|------------------|-------------------|
| | ROG | NO _x | CO | PM ₁₀ | PM _{2.5} | ROG | NO _x | CO | PM ₁₀ | PM _{2.5} |
| Emissions generated in SMAQMD | | | | | | | | | | |
| Year 2 Onsite Construction | 2.0 | 22.6 | 10.7 | 6.25 | 1.6 | 11.6 | 159.7 | 66.8 | 29.9 | 5.4 |
| Year 2 Off-Site Soil Borrow | 0 | 0.7 | 0.1 | 0.1 | 0 | 6.7 | 176.2 | 34.2 | 71.8 | 17.5 |
| Year 2 Barge Delivery | 0.41 | 3.92 | 1.67 | 0.15 | 0 | 10.2 | 95.0 | 39.4 | 3.7 | 1.7 |
| Year 2 Total | 2.4 | 27.2 | 12.5 | 6.5 | 1.6 | 28.5 | 430.9 | 140.4 | 105.4 | 24.6 |
| CEQA Threshold | NA | NA | NA | NA | NA | NA | 85 | NA | NA | NA |
| Exceed Threshold? | | | | | | | Yes | | | |
| General Conformity <i>de Minimis</i> Threshold | 25 | 25 | 100 | 100 | 100 | | | | | |
| Exceed Threshold? | No | Yes | No | No | No | | | | | |
| Emissions generated in YSAQMD | | | | | | | | | | |
| Year 2 Off-Site Soil Borrow | 0 | 0.6 | 0.1 | .01 | 0 | 6.03 | 158.8 | 30.78 | 65.67 | 15.75 |
| Year 2 Barge Delivery | 0.24 | 2.33 | 1 | .01 | 0 | 6.07 | 56.5 | 23.43 | 2.2 | 1 |
| Bypass Widening Levee Demolition | 1.5 | 14.2 | 13.1 | 3.0 | 1.1 | 30.3 | 297.2 | 281.80 | 52.4 | 19.7 |
| Year 2 Total | 1.74 | 17.13 | 14.2 | 3.02 | 1.1 | 42.4 | 512.5 | 336.01 | 120.27 | 36.45 |
| CEQA Threshold | 10 | 10 | NA | NA | NA | | | | 80 | |
| Exceed Threshold? | No | Yes | | | | | | | Yes | |
| General Conformity <i>de Minimis</i> Threshold | 25 | 25 | 100 | 100 | 100 | | | | | |
| Exceed Threshold? | No | No | No | No | No | | | | | |
| Emissions generated in BAAQMD** | | | | | | | | | | |
| Year 2 Barge Delivery | 0.45 | 4.35 | 1.85 | .16 | 0 | 11.32 | 105.3 | 91.2 | 4.1 | 1.84 |
| CEQA Threshold | | | | | | 54 | 54 | | 82 | 54 |
| Exceed Threshold? | | | | | | No | Yes | | No | No |
| General Conformity <i>de Minimis</i> Threshold | 50 | 100 | 100 | NA | 100 | | | | | |
| Exceed Threshold? | No | No | No | | No | | | | | |

Notes: ** Only on-water exhaust emissions generated from towboats are expected to occur within the BAAQMD.

Road Construction Emissions Model, Version 7.1.5.1

| Emission Estimates for -> Sac Bypass Widening: NEW LEVEE | | | | Total | Exhaust | Fugitive Dust | Total | Exhaust | Fugitive Dust | |
|--|---------------|--------------|---------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | PM10 (lbs/day) | PM10 (lbs/day) | PM10 (lbs/day) | PM2.5 (lbs/day) | PM2.5 (lbs/day) | PM2.5 (lbs/day) | CO2 (lbs/day) |
| Grubbing/Land Clearing | 6.1 | 49.3 | 62.2 | 42.9 | 2.9 | 40.0 | 11.0 | 2.7 | 8.3 | 10,244.4 |
| Grading/Excavation | 20.8 | 157.9 | 217.0 | 49.3 | 9.3 | 40.0 | 16.9 | 8.5 | 8.3 | 34,015.3 |
| Drainage/Utilities/Sub-Grade | 4.9 | 38.1 | 42.8 | 42.4 | 2.4 | 40.0 | 10.5 | 2.2 | 8.3 | 7,262.2 |
| Paving | 3.6 | 35.3 | 32.6 | 1.8 | 1.8 | - | 1.7 | 1.7 | - | 6,747.9 |
| Maximum (pounds/day) | 20.8 | 157.9 | 217.0 | 49.3 | 9.3 | 40.0 | 16.9 | 8.5 | 8.3 | 34,015.3 |
| Total (tons/construction project) | 0.8 | 6.5 | 8.5 | 2.6 | 0.4 | 2.2 | 0.8 | 0.3 | 0.5 | 1,370.1 |

Notes: Project Start Year -> 2021
 Project Length (months) -> 6
 Total Project Area (acres) -> 20
 Maximum Area Disturbed/Day (acres) -> 4
 Total Soil Imported/Exported (yd³/day)-> 0

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Emission Estimates for -> Sac Bypass Widening: NEW LEVEE | | | | Total | Exhaust | Fugitive Dust | Total | Exhaust | Fugitive Dust | |
|--|---------------|--------------|---------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | PM10 (kgs/day) | PM10 (kgs/day) | PM10 (kgs/day) | PM2.5 (kgs/day) | PM2.5 (kgs/day) | PM2.5 (kgs/day) | CO2 (kgs/day) |
| Grubbing/Land Clearing | 2.8 | 22.4 | 28.3 | 19.5 | 1.3 | 18.2 | 5.0 | 1.2 | 3.8 | 4,656.5 |
| Grading/Excavation | 9.4 | 71.8 | 98.6 | 22.4 | 4.2 | 18.2 | 7.7 | 3.9 | 3.8 | 15,461.5 |
| Drainage/Utilities/Sub-Grade | 2.2 | 17.3 | 19.4 | 19.3 | 1.1 | 18.2 | 4.8 | 1.0 | 3.8 | 3,301.0 |
| Paving | 1.6 | 16.0 | 14.8 | 0.8 | 0.8 | - | 0.8 | 0.8 | - | 3,067.2 |
| Maximum (kilograms/day) | 9.4 | 71.8 | 98.6 | 22.4 | 4.2 | 18.2 | 7.7 | 3.9 | 3.8 | 15,461.5 |
| Total (megagrams/construction project) | 0.8 | 5.9 | 7.7 | 2.3 | 0.3 | 2.0 | 0.7 | 0.3 | 0.4 | 1,242.7 |

Notes: Project Start Year -> 2021
 Project Length (months) -> 6
 Total Project Area (hectares) -> 8
 Maximum Area Disturbed/Day (hectares) -> 2
 Total Soil Imported/Exported (meters³/day)-> 0

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

**Road Construction Emissions Model
Data Entry Worksheet**

Version 7.1.5.1



Note: Required data input sections have a yellow background.
Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background.
The user is required to enter information in cells C10 through C25.

Input Type

| | | |
|--|--------------------------------|--|
| Project Name | Sac Bypass Widening: NEW LEVEE | |
| Construction Start Year | 2021 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 1 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 6.00 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 2.00 | miles |
| Total Project Area | 20.00 | acres |
| Maximum Area Disturbed/Day | 4.00 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | 0.00 | yd ³ /day |
| Soil Exported | 0.00 | yd ³ /day |
| Average Truck Capacity | 20 | yd ³ (assume 20 if unknown) |

To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.

The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional.

Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37.

| Construction Periods | User Override of | Program | 2005 | | 2006 | | 2007 | |
|------------------------------|---------------------|-------------------|------|------|------|------|------|------|
| | Construction Months | Calculated Months | | % | | % | | % |
| Grubbing/Land Clearing | 0.50 | 0.60 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Grading/Excavation | 3.00 | 2.70 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Drainage/Utilities/Sub-Grade | 1.00 | 1.80 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Paving | 1.50 | 0.90 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Totals | 6.00 | 6.00 | | | | | | |

NOTE: soil hauling emissions are included in the Grading/Excavation Construction Period Phase, therefore the Construction Period for Grading/Excavation cannot be zero if hauling is part of the project.

Hauling emission default values can be overridden in cells C45 through C46.

| Soil Hauling Emissions | | User Override of | Default Values | Hauling Emissions | | | | | |
|---|-----------------------|------------------|----------------|-------------------|-----|----|------|-------|-----|
| User Input | Soil Hauling Defaults | | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Miles/round trip | | | 30 | | | | | | |
| Round trips/day | | | 0 | | | | | | |
| Vehicle miles traveled/day (calculated) | | | | | | 0 | | | |

| | | | | | | |
|------------------------------|------|------|------|------|------|---------|
| Emission rate (grams/mile) | 0.17 | 2.87 | 0.77 | 0.15 | 0.09 | 1551.98 |
| Emission rate (grams/trip) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Pounds per day | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Tons per construction period | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

Worker commute default values can be overridden in cells C60 through C65.

| Worker Commute Emissions | User Override of Worker | | | | | |
|--|-------------------------|----------------|-----------|-------------|--------------|------------|
| | Commute Default Values | Default Values | | | | |
| Miles/ one-way trip | | 20 | | | | |
| One-way trips/day | | 2 | | | | |
| No. of employees: Grubbing/Land Clearing | | 8 | | | | |
| No. of employees: Grading/Excavation | | 20 | | | | |
| No. of employees: Drainage/Utilities/Sub-Grade | | 18 | | | | |
| No. of employees: Paving | | 14 | | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.101 | 0.120 | 1.122 | 0.047 | 0.020 | 441.814 |
| Emission rate - Grading/Excavation (grams/mile) | 0.101 | 0.120 | 1.122 | 0.047 | 0.020 | 441.814 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.101 | 0.120 | 1.122 | 0.047 | 0.020 | 441.814 |
| Emission rate - Paving (grams/mile) | 0.101 | 0.120 | 1.122 | 0.047 | 0.020 | 441.814 |
| Emission rate - Grubbing/Land Clearing (grams/trip) | 0.330 | 0.185 | 2.592 | 0.004 | 0.004 | 96.043 |
| Emission rate - Grading/Excavation (grams/trip) | 0.330 | 0.185 | 2.592 | 0.004 | 0.004 | 96.043 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/trip) | 0.330 | 0.185 | 2.592 | 0.004 | 0.004 | 96.043 |
| Emission rate - Paving (grams/trip) | 0.330 | 0.185 | 2.592 | 0.004 | 0.004 | 96.043 |
| Pounds per day - Grubbing/Land Clearing | 0.077 | 0.085 | 0.827 | 0.031 | 0.013 | 295.121 |
| Tons per const. Period - Grub/Land Clear | 0.000 | 0.000 | 0.005 | 0.000 | 0.000 | 1.623 |
| Pounds per day - Grading/Excavation | 0.207 | 0.227 | 2.205 | 0.083 | 0.035 | 786.989 |
| Tons per const. Period - Grading/Excavation | 0.007 | 0.007 | 0.073 | 0.003 | 0.001 | 25.971 |
| Pounds per day - Drainage/Utilities/Sub-Grade | 0.181 | 0.199 | 1.929 | 0.072 | 0.030 | 688.616 |
| Tons per const. Period - Drain/Util/Sub-Grade | 0.002 | 0.002 | 0.021 | 0.001 | 0.000 | 7.575 |
| Pounds per day - Paving | 0.142 | 0.156 | 1.516 | 0.057 | 0.024 | 541.055 |
| Tons per const. Period - Paving | 0.002 | 0.003 | 0.025 | 0.001 | 0.000 | 8.927 |
| tons per construction period | 0.012 | 0.013 | 0.124 | 0.005 | 0.002 | 44.096 |

Water truck default values can be overridden in cells C91 through C93 and E91 through E93.

| Water Truck Emissions | User Override of | | Program Estimate of | | User Override of Truck | | Default Values | |
|--|------------------------|------------------------|---------------------|--------------------|------------------------|--------------------|--------------------|--------------------|
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | Miles Traveled/Day | Miles Traveled/Day | Miles Traveled/Day | Miles Traveled/Day |
| Grubbing/Land Clearing - Exhaust | 2.00 | 1 | | | | | 40 | |
| Grading/Excavation - Exhaust | 2.00 | 1 | | | | | 40 | |
| Drainage/Utilities/Subgrade | 1.00 | 1 | | | | | 40 | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 | | |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.17 | 2.87 | 0.77 | 0.15 | 0.09 | 1551.98 | | |
| Emission rate - Grading/Excavation (grams/mile) | 0.17 | 2.87 | 0.77 | 0.15 | 0.09 | 1551.98 | | |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.17 | 2.87 | 0.77 | 0.15 | 0.09 | 1551.98 | | |
| Pounds per day - Grubbing/Land Clearing | 0.03 | 0.51 | 0.14 | 0.03 | 0.02 | 273.48 | | |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.50 | | |
| Pound per day - Grading/Excavation | 0.03 | 0.51 | 0.14 | 0.03 | 0.02 | 273.48 | | |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.02 | 0.00 | 0.00 | 0.00 | 9.02 | | |

| | | | | | | |
|--|------|------|------|------|------|--------|
| Pound per day - Drainage/Utilities/Subgrade | 0.01 | 0.25 | 0.07 | 0.01 | 0.01 | 136.74 |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.50 |

Fugitive dust default values can be overridden in cells C110 through C112.

| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 |
|---|-----------------------|---------------------|------------|-----------------|------------|-----------------|
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period |
| Fugitive Dust - Grubbing/Land Clearing | | 4 | 40.0 | 0.2 | 8.3 | 0.0 |
| Fugitive Dust - Grading/Excavation | | 4 | 40.0 | 1.2 | 8.3 | 0.2 |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 4 | 40.0 | 0.8 | 8.3 | 0.2 |

| Off-Road Equipment Emissions | | | | | | | | |
|--|-------------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grubbing/Land Clearing | | Default | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Number of Vehicles | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | <i>Program-estimate</i> | | | | | | | |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Crawler Tractors | 0.71 | 5.58 | 8.52 | 0.32 | 0.30 | 1030.55 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Excavators | 0.31 | 3.49 | 2.78 | 0.13 | 0.12 | 716.05 |
| 1.00 | | Forklifts | 0.14 | 0.90 | 1.19 | 0.08 | 0.08 | 165.47 |
| 2.00 | | Generator Sets | 0.72 | 7.21 | 6.36 | 0.35 | 0.32 | 1217.66 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Off-Highway Tractors | 0.25 | 2.54 | 2.50 | 0.12 | 0.11 | 493.07 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Other Construction Equipment | 0.54 | 4.49 | 5.40 | 0.28 | 0.26 | 817.30 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Scrapers | 2.41 | 18.15 | 26.47 | 1.03 | 0.95 | 4021.92 |
| 0.00 | 4 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Tractors/Loaders/Backhoes | 0.49 | 3.92 | 4.76 | 0.28 | 0.26 | 837.10 |
| 1.00 | | Trenchers | 0.42 | 2.10 | 3.65 | 0.27 | 0.24 | 376.64 |

| | | | | | | | | | |
|--|--|------------------------|----------------|------|------|------|------|------|--------|
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Grubbing/Land Clearing | pounds per day | 6.0 | 48.4 | 61.6 | 2.9 | 2.6 | 9675.8 |
| | | Grubbing/Land Clearing | tons per phase | 0.0 | 0.3 | 0.3 | 0.0 | 0.0 | 53.2 |

| Grading/Excavation | Default | | Type | ROG pounds/day | CO pounds/day | NOx pounds/day | PM10 pounds/day | PM2.5 pounds/day | CO2 pounds/day | |
|--|--------------------|------------------|------------------------------------|-------------------|------------------|-------------------|--------------------|---------------------|-------------------|---------|
| | Number of Vehicles | Program-estimate | | | | | | | | |
| Override of Default Number of Vehicles | | | | | | | | | | |
| | | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 1 | Crawler Tractors | 0.71 | 5.58 | 8.52 | 0.32 | 0.30 | 1030.55 | |
| | | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 3 | Excavators | 0.93 | 10.46 | 8.35 | 0.40 | 0.37 | 2148.15 | |
| 1.00 | | | Forklifts | 0.14 | 0.90 | 1.19 | 0.08 | 0.08 | 165.47 | |
| 2.00 | | | Generator Sets | 0.72 | 7.21 | 6.36 | 0.35 | 0.32 | 1217.66 | |
| | | 1 | Graders | 0.83 | 4.33 | 7.61 | 0.42 | 0.39 | 833.84 | |
| | | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1.00 | | | Other Construction Equipment | 0.54 | 4.49 | 5.40 | 0.28 | 0.26 | 817.30 | |
| | | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1.00 | | | Plate Compactors | 0.04 | 0.21 | 0.25 | 0.01 | 0.01 | 34.45 | |
| | | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 3.00 | | 2 | Rollers | 0.74 | 5.66 | 7.16 | 0.44 | 0.40 | 1048.10 | |
| | | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 2.00 | | | Rubber Tired Dozers | 1.83 | 8.83 | 18.08 | 0.83 | 0.76 | 1888.37 | |
| 3.00 | | 1 | Rubber Tired Loaders | 1.06 | 9.34 | 11.45 | 0.38 | 0.35 | 1987.16 | |
| 10.00 | | 2 | Scrapers | 12.03 | 90.73 | 132.35 | 5.15 | 4.74 | 20109.62 | |
| 0.00 | | 4 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 4.00 | | 2 | Tractors/Loaders/Backhoes | 0.98 | 7.84 | 9.52 | 0.56 | 0.52 | 1674.19 | |
| | | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Grading/Excavation | pounds per day | 20.6 | 155.6 | 216.3 | 9.2 | 8.5 | 32954.9 |
| | | | Grading | tons per phase | 0.7 | 5.1 | 7.1 | 0.3 | 0.3 | 1087.5 |

| Drainage/Utilities/Subgrade | Default | | Type | ROG pounds/day | CO pounds/day | NOx pounds/day | PM10 pounds/day | PM2.5 pounds/day | CO2 pounds/day |
|--|--------------------|------------------|-----------------|-------------------|------------------|-------------------|--------------------|---------------------|-------------------|
| | Number of Vehicles | Program-estimate | | | | | | | |
| Override of Default Number of Vehicles | | | | | | | | | |
| | | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | 1 | Air Compressors | 0.41 | 3.28 | 2.83 | 0.18 | 0.16 | 507.95 |
| | | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

| | | | | | | | | |
|------|----------|------------------------------------|------|------|------|------|------|---------|
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Concrete/Industrial Saws | 0.30 | 2.90 | 2.40 | 0.14 | 0.13 | 467.14 |
| 1.00 | | Cranes | 0.42 | 3.00 | 4.71 | 0.19 | 0.18 | 601.63 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Forklifts | 0.14 | 0.90 | 1.19 | 0.08 | 0.08 | 165.47 |
| 2.00 | 1 | Generator Sets | 0.72 | 7.21 | 6.36 | 0.35 | 0.32 | 1217.66 |
| | 1 | Graders | 0.83 | 4.33 | 7.61 | 0.42 | 0.39 | 833.84 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Other Construction Equipment | 0.54 | 4.49 | 5.40 | 0.28 | 0.26 | 817.30 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Plate Compactors | 0.04 | 0.21 | 0.25 | 0.01 | 0.01 | 34.45 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Rough Terrain Forklifts | 0.13 | 2.03 | 1.63 | 0.06 | 0.06 | 372.90 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 2 | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 4 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | 2 | Tractors/Loaders/Backhoes | 0.49 | 3.92 | 4.76 | 0.28 | 0.26 | 837.10 |
| 1.00 | | Trenchers | 0.42 | 2.10 | 3.65 | 0.27 | 0.24 | 376.64 |
| 1.00 | | Welders | 0.31 | 1.70 | 1.51 | 0.08 | 0.07 | 204.74 |
| | Drainage | pounds per day | 4.7 | 36.1 | 42.3 | 2.3 | 2.2 | 6436.8 |
| | Drainage | tons per phase | 0.1 | 0.4 | 0.5 | 0.0 | 0.0 | 70.8 |

| Paving | Override of Default Number of Vehicles | Default | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
|--------|--|---|------------|------------|------------|------------|------------|------------|
| | | Number of Vehicles <i>Program-estimate</i> | | | | | | |
| | | | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Cement and Mortar Mixers | 0.07 | 0.35 | 0.42 | 0.02 | 0.02 | 57.88 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Generator Sets | 0.72 | 7.21 | 6.36 | 0.35 | 0.32 | 1217.66 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

| | | | | | | | | | |
|--|---|------------------------------------|----------------|------|------|------|------|---------|--------|
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1.00 | | Other Material Handling Equipment | 0.38 | 3.97 | 3.27 | 0.17 | 0.15 | 760.75 | |
| | 1 | Pavers | 0.31 | 3.55 | 3.10 | 0.15 | 0.14 | 602.27 | |
| | 1 | Paving Equipment | 0.24 | 3.37 | 2.37 | 0.12 | 0.11 | 532.69 | |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | 3 | Rollers | 0.74 | 5.66 | 7.16 | 0.44 | 0.40 | 1048.10 | |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 0.00 | 4 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1.00 | | Surfacing Equipment | 0.25 | 4.18 | 2.95 | 0.11 | 0.10 | 880.33 | |
| 1.00 | | Sweepers/Scrubbers | 0.24 | 1.57 | 2.04 | 0.15 | 0.14 | 270.09 | |
| | 2 | Tractors/Loaders/Backhoes | 0.49 | 3.92 | 4.76 | 0.28 | 0.26 | 837.10 | |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Paving | pounds per day | 3.4 | 33.8 | 32.4 | 1.8 | 1.6 | 6206.9 |
| | | Paving | tons per phase | 0.1 | 0.6 | 0.5 | 0.0 | 0.0 | 102.4 |
| Total Emissions all Phases (tons per construction period) => | | | | 0.8 | 6.4 | 8.5 | 0.4 | 0.3 | 1313.9 |

Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322.

| Equipment | | Default Values Horsepower | | Default Values Hours/day |
|------------------------------------|--|------------------------------|-------|-----------------------------|
| Aerial Lifts | | 63 | | 8 |
| Air Compressors | | 106 | | 8 |
| Bore/Drill Rigs | | 206 | | 8 |
| Cement and Mortar Mixers | | 10 | | 8 |
| Concrete/Industrial Saws | | 64 | | 8 |
| Cranes | | 226 | | 8 |
| Crawler Tractors | | 208 | 10.00 | 8 |
| Crushing/Proc. Equipment | | 142 | | 8 |
| Excavators | | 163 | 10.00 | 8 |
| Forklifts | | 89 | | 8 |
| Generator Sets | | 66 | 10.00 | 8 |
| Graders | | 175 | 10.00 | 8 |
| Off-Highway Tractors | | 123 | | 8 |
| Off-Highway Trucks | | 400 | | 8 |
| Other Construction Equipment | | 172 | 10.00 | 8 |
| Other General Industrial Equipment | | 88 | 10.00 | 8 |
| Other Material Handling Equipment | | 167 | 10.00 | 8 |
| Pavers | | 126 | 10.00 | 8 |
| Paving Equipment | | 131 | 10.00 | 8 |
| Plate Compactors | | 8 | | 8 |
| Pressure Washers | | 26 | | 8 |

| | | | | |
|---------------------------|--|-----|-------|---|
| Pumps | | 53 | | 8 |
| Rollers | | 81 | 10.00 | 8 |
| Rough Terrain Forklifts | | 100 | | 8 |
| Rubber Tired Dozers | | 255 | | 8 |
| Rubber Tired Loaders | | 200 | | 8 |
| Scrapers | | 362 | 10.00 | 8 |
| Signal Boards | | 20 | | 8 |
| Skid Steer Loaders | | 65 | | 8 |
| Surfacing Equipment | | 254 | 10.00 | 8 |
| Sweepers/Scrubbers | | 64 | | 8 |
| Tractors/Loaders/Backhoes | | 98 | 10.00 | 8 |
| Trenchers | | 81 | | 8 |
| Welders | | 45 | | 8 |

Road Construction Emissions Model, Version 7.1.5.1

| Emission Estimates for -> Sac Bypass Widening: WEIR ONLY | | | | Total | Exhaust | Fugitive Dust | Total | Exhaust | Fugitive Dust | |
|--|---------------|--------------|---------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | PM10 (lbs/day) | PM10 (lbs/day) | PM10 (lbs/day) | PM2.5 (lbs/day) | PM2.5 (lbs/day) | PM2.5 (lbs/day) | CO2 (lbs/day) |
| Grubbing/Land Clearing | 7.0 | 55.3 | 66.7 | 43.2 | 3.2 | 40.0 | 11.2 | 2.9 | 8.3 | 11,096.6 |
| Grading/Excavation | 13.8 | 114.4 | 129.7 | 46.1 | 6.1 | 40.0 | 13.8 | 5.5 | 8.3 | 23,724.5 |
| Drainage/Utilities/Sub-Grade | 3.3 | 27.5 | 26.6 | 41.5 | 1.5 | 40.0 | 9.6 | 1.3 | 8.3 | 5,330.0 |
| Paving | 3.9 | 39.7 | 34.1 | 1.7 | 1.7 | - | 1.6 | 1.6 | - | 7,332.4 |
| Maximum (pounds/day) | 13.8 | 114.4 | 129.7 | 46.1 | 6.1 | 40.0 | 13.8 | 5.5 | 8.3 | 23,724.5 |
| Total (tons/construction project) | 0.7 | 5.9 | 6.6 | 2.5 | 0.3 | 2.2 | 0.7 | 0.3 | 0.5 | 1,214.9 |

Notes: Project Start Year -> 2022
 Project Length (months) -> 6
 Total Project Area (acres) -> 10
 Maximum Area Disturbed/Day (acres) -> 4
 Total Soil Imported/Exported (yd³/day)-> 120

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Emission Estimates for -> Sac Bypass Widening: WEIR ONLY | | | | Total | Exhaust | Fugitive Dust | Total | Exhaust | Fugitive Dust | |
|--|---------------|--------------|---------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | PM10 (kgs/day) | PM10 (kgs/day) | PM10 (kgs/day) | PM2.5 (kgs/day) | PM2.5 (kgs/day) | PM2.5 (kgs/day) | CO2 (kgs/day) |
| Grubbing/Land Clearing | 3.2 | 25.1 | 30.3 | 19.6 | 1.5 | 18.2 | 5.1 | 1.3 | 3.8 | 5,043.9 |
| Grading/Excavation | 6.3 | 52.0 | 59.0 | 20.9 | 2.8 | 18.2 | 6.3 | 2.5 | 3.8 | 10,783.9 |
| Drainage/Utilities/Sub-Grade | 1.5 | 12.5 | 12.1 | 18.8 | 0.7 | 18.2 | 4.4 | 0.6 | 3.8 | 2,422.7 |
| Paving | 1.8 | 18.1 | 15.5 | 0.8 | 0.8 | - | 0.7 | 0.7 | - | 3,332.9 |
| Maximum (kilograms/day) | 6.3 | 52.0 | 59.0 | 20.9 | 2.8 | 18.2 | 6.3 | 2.5 | 3.8 | 10,783.9 |
| Total (megagrams/construction project) | 0.6 | 5.4 | 6.0 | 2.3 | 0.3 | 2.0 | 0.7 | 0.3 | 0.4 | 1,101.9 |

Notes: Project Start Year -> 2022
 Project Length (months) -> 6
 Total Project Area (hectares) -> 4
 Maximum Area Disturbed/Day (hectares) -> 2
 Total Soil Imported/Exported (meters³/day)-> 92

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

**Road Construction Emissions Model
Data Entry Worksheet**

Version 7.1.5.1



Note: Required data input sections have a yellow background.
Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background.
The user is required to enter information in cells C10 through C25.

Input Type

| | | |
|--|--------------------------------|--|
| Project Name | Sac Bypass Widening: WEIR ONLY | |
| Construction Start Year | 2022 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 3 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 6.00 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 0.30 | miles |
| Total Project Area | 10.00 | acres |
| Maximum Area Disturbed/Day | 4.00 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | 100.00 | yd ³ /day |
| Soil Exported | 20.00 | yd ³ /day |
| Average Truck Capacity | 20 | yd ³ (assume 20 if unknown) |

To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.

The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional.

Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37.

| Construction Periods | User Override of | Program |
|------------------------------|---------------------|-------------------|
| | Construction Months | Calculated Months |
| Grubbing/Land Clearing | 0.50 | 0.60 |
| Grading/Excavation | 4.00 | 2.70 |
| Drainage/Utilities/Sub-Grade | 0.50 | 1.80 |
| Paving | 1.00 | 0.90 |
| Totals | 6.00 | 6.00 |

| 2005 | % | 2006 | % | 2007 | % |
|------|------|------|------|------|------|
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

NOTE: soil hauling emissions are included in the Grading/Excavation Construction Period Phase, therefore the Construction Period for Grading/Excavation cannot be zero if hauling is part of the project.

Hauling emission default values can be overridden in cells C45 through C46.

| Soil Hauling Emissions | | User Override of | | | | | |
|---|--|-----------------------|----------------|-----------|-------------|--------------|------------|
| User Input | | Soil Hauling Defaults | Default Values | | | | |
| Miles/round trip | | 30.00 | 30 | | | | |
| Round trips/day | | | 6 | | | | |
| Vehicle miles traveled/day (calculated) | | | | | | | 180 |
| Hauling Emissions | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate (grams/mile) | | 0.18 | 1.77 | 0.83 | 0.15 | 0.08 | 1546.69 |
| Emission rate (grams/trip) | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Pounds per day | | 0.07 | 0.70 | 0.33 | 0.06 | 0.03 | 613.23 |
| Tons per construction period | | 0.00 | 0.03 | 0.01 | 0.00 | 0.00 | 26.98 |

Worker commute default values can be overridden in cells C60 through C65.

| Worker Commute Emissions | | User Override of Worker | | | | | |
|--|--|-------------------------|----------------|-----------|-------------|--------------|------------|
| | | Commute Default Values | Default Values | | | | |
| Miles/ one-way trip | | | 20 | | | | |
| One-way trips/day | | | 2 | | | | |
| No. of employees: Grubbing/Land Clearing | | | 5 | | | | |
| No. of employees: Grading/Excavation | | | 28 | | | | |
| No. of employees: Drainage/Utilities/Sub-Grade | | | 18 | | | | |
| No. of employees: Paving | | | 8 | | | | |
| | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate - Grubbing/Land Clearing (grams/mile) | | 0.097 | 0.112 | 1.056 | 0.047 | 0.020 | 441.772 |
| Emission rate - Grading/Excavation (grams/mile) | | 0.097 | 0.112 | 1.056 | 0.047 | 0.020 | 441.772 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | | 0.097 | 0.112 | 1.056 | 0.047 | 0.020 | 441.772 |
| Emission rate - Paving (grams/mile) | | 0.097 | 0.112 | 1.056 | 0.047 | 0.020 | 441.772 |
| Emission rate - Grubbing/Land Clearing (grams/trip) | | 0.310 | 0.168 | 2.386 | 0.004 | 0.004 | 96.127 |
| Emission rate - Grading/Excavation (grams/trip) | | 0.310 | 0.168 | 2.386 | 0.004 | 0.004 | 96.127 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/trip) | | 0.310 | 0.168 | 2.386 | 0.004 | 0.004 | 96.127 |
| Emission rate - Paving (grams/trip) | | 0.310 | 0.168 | 2.386 | 0.004 | 0.004 | 96.127 |
| Pounds per day - Grubbing/Land Clearing | | 0.049 | 0.053 | 0.518 | 0.021 | 0.009 | 196.730 |
| Tons per const. Period - Grub/Land Clear | | 0.000 | 0.000 | 0.003 | 0.000 | 0.000 | 1.082 |
| Pounds per day - Grading/Excavation | | 0.272 | 0.291 | 2.848 | 0.114 | 0.048 | 1082.017 |
| Tons per const. Period - Grading/Excavation | | 0.012 | 0.013 | 0.125 | 0.005 | 0.002 | 47.609 |
| Pounds per day - Drainage/Utilities/Sub-Grade | | 0.173 | 0.185 | 1.813 | 0.072 | 0.030 | 688.556 |
| Tons per const. Period - Drain/Util/Sub-Grade | | 0.001 | 0.001 | 0.010 | 0.000 | 0.000 | 3.787 |
| Pounds per day - Paving | | 0.074 | 0.079 | 0.777 | 0.031 | 0.013 | 295.096 |
| Tons per const. Period - Paving | | 0.001 | 0.001 | 0.009 | 0.000 | 0.000 | 3.246 |
| tons per construction period | | 0.014 | 0.015 | 0.147 | 0.006 | 0.002 | 55.724 |

Water truck default values can be overridden in cells C91 through C93 and E91 through E93.

| Water Truck Emissions | User Override of Default # Water Trucks | Program Estimate of Number of Water Trucks | User Override of Truck Miles Traveled/Day | Default Values Miles Traveled/Day | | |
|--|--|---|--|--------------------------------------|--------------|------------|
| Grubbing/Land Clearing - Exhaust | 1.00 | 1 | | 40 | | |
| Grading/Excavation - Exhaust | 1.00 | 1 | | 40 | | |
| Drainage/Utilities/Subgrade | 1.00 | 1 | | 40 | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.18 | 1.77 | 0.83 | 0.15 | 0.08 | 1546.69 |
| Emission rate - Grading/Excavation (grams/mile) | 0.18 | 1.77 | 0.83 | 0.15 | 0.08 | 1546.69 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.18 | 1.77 | 0.83 | 0.15 | 0.08 | 1546.69 |
| Pounds per day - Grubbing/Land Clearing | 0.02 | 0.16 | 0.07 | 0.01 | 0.01 | 136.27 |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.75 |
| Pound per day - Grading/Excavation | 0.02 | 0.16 | 0.07 | 0.01 | 0.01 | 136.27 |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.01 | 0.00 | 0.00 | 0.00 | 6.00 |
| Pound per day - Drainage/Utilities/Subgrade | 0.02 | 0.16 | 0.07 | 0.01 | 0.01 | 136.27 |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.75 |

Fugitive dust default values can be overridden in cells C110 through C112.

| Fugitive Dust | User Override of Max Acreage Disturbed/Day | Default Maximum Acreage/Day | PM10 pounds/day | PM10 tons/per period | PM2.5 pounds/day | PM2.5 tons/per period |
|---|---|--------------------------------|--------------------|-------------------------|---------------------|--------------------------|
| Fugitive Dust - Grubbing/Land Clearing | | 4 | 40.0 | 0.2 | 8.3 | 0.0 |
| Fugitive Dust - Grading/Excavation | | 4 | 40.0 | 1.2 | 8.3 | 0.2 |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 4 | 40.0 | 0.8 | 8.3 | 0.2 |

Off-Road Equipment Emissions

| Grubbing/Land Clearing | | Default | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
|--|-------------------------|------------------------------------|----------------|------------|------------|------------|------------|------------|------------|
| Override of Default Number of Vehicles | Number of Vehicles | Type | | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | <i>Program-estimate</i> | | | | | | | | |
| | | Aerial Lifts | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Concrete/Industrial Saws | | 0.28 | 2.89 | 2.21 | 0.12 | 0.11 | 467.14 |
| | | Cranes | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Crawler Tractors | | 0.63 | 5.57 | 7.35 | 0.28 | 0.26 | 1028.75 |
| | | Crushing/Proc. Equipment | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | 2 | Excavators | | 0.27 | 3.48 | 2.30 | 0.11 | 0.10 | 715.80 |
| 1.00 | | Forklifts | | 0.12 | 0.90 | 1.06 | 0.07 | 0.06 | 165.47 |
| 2.00 | | Generator Sets | | 0.67 | 7.20 | 5.90 | 0.31 | 0.28 | 1217.66 |
| | | Graders | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Other Construction Equipment | | 0.49 | 4.49 | 4.70 | 0.25 | 0.23 | 817.03 |
| | | Other General Industrial Equipment | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Other Material Handling Equipment | | 0.34 | 3.97 | 2.75 | 0.15 | 0.14 | 760.75 |
| | | Pavers | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rollers | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Rubber Tired Dozers | | 2.21 | 11.05 | 21.39 | 0.98 | 0.90 | 2362.06 |
| | | Rubber Tired Loaders | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Scrapers | | 1.06 | 9.09 | 11.06 | 0.43 | 0.40 | 2014.23 |
| 0.00 | 1 | Signal Boards | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Tractors/Loaders/Backhoes | | 0.43 | 3.92 | 4.21 | 0.23 | 0.21 | 838.04 |
| 1.00 | | Trenchers | | 0.40 | 2.10 | 3.51 | 0.25 | 0.23 | 376.67 |
| | | Welders | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Grubbing/Land Clearing | pounds per day | 6.9 | 54.7 | 66.4 | 3.2 | 2.9 | 10763.6 |
| | | Grubbing/Land Clearing | tons per phase | 0.0 | 0.3 | 0.4 | 0.0 | 0.0 | 59.2 |

| Grading/Excavation | Default | | ROG | CO | NOx | PM10 | PM2.5 | CO2 | |
|--|--------------------|------------------------------------|----------------|------------|------------|------------|------------|------------|---------|
| | Number of Vehicles | Type | | | | | | | |
| Override of Default Number of Vehicles | Program-estimate | | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 5.00 | | Cement and Mortar Mixers | 0.42 | 2.21 | 2.64 | 0.10 | 0.09 | 361.76 | |
| 1.00 | | Concrete/Industrial Saws | 0.28 | 2.89 | 2.21 | 0.12 | 0.11 | 467.14 | |
| | 1 | Cranes | 0.38 | 3.00 | 4.07 | 0.17 | 0.16 | 601.73 | |
| | 2 | Crawler Tractors | 1.26 | 11.15 | 14.70 | 0.55 | 0.51 | 2057.50 | |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | 4 | Excavators | 1.10 | 13.94 | 9.18 | 0.44 | 0.41 | 2863.19 | |
| 1.00 | | Forklifts | 0.12 | 0.90 | 1.06 | 0.07 | 0.06 | 165.47 | |
| 2.00 | | Generator Sets | 0.67 | 7.20 | 5.90 | 0.31 | 0.28 | 1217.66 | |
| | 2 | Graders | 1.45 | 8.65 | 12.98 | 0.72 | 0.66 | 1667.81 | |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1.00 | | Other Construction Equipment | 0.49 | 4.49 | 4.70 | 0.25 | 0.23 | 817.03 | |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1.00 | | Plate Compactors | 0.04 | 0.21 | 0.25 | 0.01 | 0.01 | 34.45 | |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1.00 | | Pumps | 0.23 | 2.38 | 1.95 | 0.10 | 0.10 | 396.14 | |
| 2.00 | 3 | Rollers | 0.43 | 3.77 | 4.28 | 0.25 | 0.23 | 698.78 | |
| 2.00 | | Rough Terrain Forklifts | 0.24 | 4.06 | 2.99 | 0.10 | 0.10 | 745.77 | |
| 2.00 | | Rubber Tired Dozers | 2.21 | 11.05 | 21.39 | 0.98 | 0.90 | 2362.06 | |
| 3.00 | 3 | Rubber Tired Loaders | 0.90 | 9.35 | 8.97 | 0.30 | 0.28 | 1988.60 | |
| 2.00 | 4 | Scrapers | 2.12 | 18.18 | 22.12 | 0.86 | 0.79 | 4028.45 | |
| 0.00 | 1 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | 2 | Tractors/Loaders/Backhoes | 0.43 | 3.92 | 4.21 | 0.23 | 0.21 | 838.04 | |
| 1.00 | | Trenchers | 0.40 | 2.10 | 3.51 | 0.25 | 0.23 | 376.67 | |
| 1.00 | | Welders | 0.28 | 1.68 | 1.47 | 0.07 | 0.06 | 204.74 | |
| | | Grading/Excavation | pounds per day | 13.4 | 111.1 | 128.6 | 5.9 | 5.4 | 21893.0 |
| | | Grading | tons per phase | 0.6 | 4.9 | 5.7 | 0.3 | 0.2 | 963.3 |

| Drainage/Utilities/Subgrade Override of Default Number of Vehicles | Default Number of Vehicles <i>Program-estimate</i> | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
|---|--|------------------------------------|------------|------------|------------|------------|------------|------------|
| | | | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Air Compressors | 0.38 | 3.28 | 2.62 | 0.16 | 0.14 | 507.95 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 5.00 | | Cement and Mortar Mixers | 0.42 | 2.21 | 2.64 | 0.10 | 0.09 | 361.76 |
| 1.00 | | Concrete/Industrial Saws | 0.28 | 2.89 | 2.21 | 0.12 | 0.11 | 467.14 |
| 1.00 | | Cranes | 0.38 | 3.00 | 4.07 | 0.17 | 0.16 | 601.73 |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1.00 | | Forklifts | 0.12 | 0.90 | 1.06 | 0.07 | 0.06 | 165.47 |
| | 1 | Generator Sets | 0.33 | 3.60 | 2.95 | 0.15 | 0.14 | 608.83 |
| 0.00 | 2 | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Rough Terrain Forklifts | 0.12 | 2.03 | 1.49 | 0.05 | 0.05 | 372.88 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 4 | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0.00 | 1 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | 2 | Tractors/Loaders/Backhoes | 0.43 | 3.92 | 4.21 | 0.23 | 0.21 | 838.04 |
| 1.00 | | Trenchers | 0.40 | 2.10 | 3.51 | 0.25 | 0.23 | 376.67 |
| 1.00 | | Welders | 0.28 | 1.68 | 1.47 | 0.07 | 0.06 | 204.74 |
| | Drainage | pounds per day | 3.1 | 25.6 | 26.2 | 1.4 | 1.3 | 4505.2 |
| | Drainage | tons per phase | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 24.8 |

| Paving | Default | | ROG | CO | NOx | PM10 | PM2.5 | CO2 | |
|--|--|---|----------------|------------|------------|------------|------------|------------|--------|
| | Override of Default Number of Vehicles | Number of Vehicles <i>Program-estimate</i> | | | | | | | Type |
| | | | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | 5.00 | Cement and Mortar Mixers | 0.42 | 2.21 | 2.64 | 0.10 | 0.09 | 361.76 | |
| | 1.00 | Concrete/Industrial Saws | 0.28 | 2.89 | 2.21 | 0.12 | 0.11 | 467.14 | |
| | 1.00 | Cranes | 0.38 | 3.00 | 4.07 | 0.17 | 0.16 | 601.73 | |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | 2.00 | Generator Sets | 0.67 | 7.20 | 5.90 | 0.31 | 0.28 | 1217.66 | |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | 1.00 | Other Material Handling Equipment | 0.34 | 3.97 | 2.75 | 0.15 | 0.14 | 760.75 | |
| | 1.00 | Pavers | 0.26 | 3.55 | 2.51 | 0.12 | 0.11 | 602.53 | |
| | | Paving Equipment | 0.23 | 3.37 | 2.12 | 0.10 | 0.10 | 532.71 | |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Rollers | 0.22 | 1.89 | 2.14 | 0.12 | 0.11 | 349.39 | |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Signal Boards | 0.18 | 1.20 | 1.07 | 0.04 | 0.04 | 157.43 | |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | 1.00 | Surfacing Equipment | 0.23 | 4.17 | 2.62 | 0.10 | 0.09 | 878.04 | |
| | 1.00 | Sweepers/Scrubbers | 0.20 | 1.57 | 1.79 | 0.12 | 0.11 | 270.09 | |
| | | Tractors/Loaders/Backhoes | 0.43 | 3.92 | 4.21 | 0.23 | 0.21 | 838.04 | |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Paving | pounds per day | 3.8 | 38.9 | 34.0 | 1.7 | 1.5 | 7037.3 |
| | | Paving | tons per phase | 0.0 | 0.4 | 0.4 | 0.0 | 0.0 | 77.4 |
| Total Emissions all Phases (tons per construction period) => | | | | 0.7 | 5.8 | 6.5 | 0.3 | 0.3 | 1124.7 |

Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322.

| Equipment | | Default Values Horsepower | | Default Values Hours/day |
|------------------------------------|--|------------------------------|-------|-----------------------------|
| Aerial Lifts | | 63 | | 8 |
| Air Compressors | | 106 | | 8 |
| Bore/Drill Rigs | | 206 | | 8 |
| Cement and Mortar Mixers | | 10 | 10.00 | 8 |
| Concrete/Industrial Saws | | 64 | | 8 |
| Cranes | | 226 | | 8 |
| Crawler Tractors | | 208 | 10.00 | 8 |
| Crushing/Proc. Equipment | | 142 | | 8 |
| Excavators | | 163 | 10.00 | 8 |
| Forklifts | | 89 | | 8 |
| Generator Sets | | 66 | 10.00 | 8 |
| Graders | | 175 | 10.00 | 8 |
| Off-Highway Tractors | | 123 | | 8 |
| Off-Highway Trucks | | 400 | | 8 |
| Other Construction Equipment | | 172 | 10.00 | 8 |
| Other General Industrial Equipment | | 88 | 10.00 | 8 |
| Other Material Handling Equipment | | 167 | 10.00 | 8 |
| Pavers | | 126 | 10.00 | 8 |
| Paving Equipment | | 131 | 10.00 | 8 |
| Plate Compactors | | 8 | | 8 |
| Pressure Washers | | 26 | | 8 |
| Pumps | | 53 | | 8 |
| Rollers | | 81 | 10.00 | 8 |
| Rough Terrain Forklifts | | 100 | | 8 |
| Rubber Tired Dozers | | 255 | 10.00 | 8 |
| Rubber Tired Loaders | | 200 | | 8 |
| Scrapers | | 362 | 10.00 | 8 |
| Signal Boards | | 20 | | 8 |
| Skid Steer Loaders | | 65 | | 8 |
| Surfacing Equipment | | 254 | 10.00 | 8 |
| Sweepers/Scrubbers | | 64 | | 8 |
| Tractors/Loaders/Backhoes | | 98 | 10.00 | 8 |
| Trenchers | | 81 | | 8 |
| Welders | | 45 | | 8 |

Road Construction Emissions Model, Version 7.1.5.1

| Emission Estimates for -> Sac Bypass Widening: BYPASS | | | | Total | Exhaust | Fugitive Dust | Total | Exhaust | Fugitive Dust | |
|---|---------------|--------------|---------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| Project Phases (English Units) | ROG (lbs/day) | CO (lbs/day) | NOx (lbs/day) | PM10 (lbs/day) | PM10 (lbs/day) | PM10 (lbs/day) | PM2.5 (lbs/day) | PM2.5 (lbs/day) | PM2.5 (lbs/day) | CO2 (lbs/day) |
| Grubbing/Land Clearing | 6.1 | 60.4 | 56.6 | 42.7 | 2.7 | 40.0 | 10.7 | 2.4 | 8.3 | 12,519.5 |
| Grading/Excavation | 30.3 | 271.8 | 297.2 | 52.4 | 12.4 | 40.0 | 19.7 | 11.3 | 8.3 | 58,683.4 |
| Drainage/Utilities/Sub-Grade | 5.0 | 44.7 | 43.3 | 42.2 | 2.2 | 40.0 | 10.3 | 2.0 | 8.3 | 9,199.0 |
| Paving | - | - | - | - | - | - | - | - | - | - |
| Maximum (pounds/day) | 30.3 | 271.8 | 297.2 | 52.4 | 12.4 | 40.0 | 19.7 | 11.3 | 8.3 | 58,683.4 |
| Total (tons/construction project) | 1.5 | 13.1 | 14.2 | 3.0 | 0.6 | 2.4 | 1.1 | 0.5 | 0.5 | 2,821.0 |

Notes: Project Start Year -> 2023
 Project Length (months) -> 6
 Total Project Area (acres) -> 320
 Maximum Area Disturbed/Day (acres) -> 4
 Total Soil Imported/Exported (yd³/day)-> 0

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

| Emission Estimates for -> Sac Bypass Widening: BYPASS | | | | Total | Exhaust | Fugitive Dust | Total | Exhaust | Fugitive Dust | |
|---|---------------|--------------|---------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| Project Phases (Metric Units) | ROG (kgs/day) | CO (kgs/day) | NOx (kgs/day) | PM10 (kgs/day) | PM10 (kgs/day) | PM10 (kgs/day) | PM2.5 (kgs/day) | PM2.5 (kgs/day) | PM2.5 (kgs/day) | CO2 (kgs/day) |
| Grubbing/Land Clearing | 2.8 | 27.4 | 25.7 | 19.4 | 1.2 | 18.2 | 4.9 | 1.1 | 3.8 | 5,690.7 |
| Grading/Excavation | 13.8 | 123.6 | 135.1 | 23.8 | 5.6 | 18.2 | 8.9 | 5.2 | 3.8 | 26,674.3 |
| Drainage/Utilities/Sub-Grade | 2.3 | 20.3 | 19.7 | 19.2 | 1.0 | 18.2 | 4.7 | 0.9 | 3.8 | 4,181.4 |
| Paving | - | - | - | - | - | - | - | - | - | - |
| Maximum (kilograms/day) | 13.8 | 123.6 | 135.1 | 23.8 | 5.6 | 18.2 | 8.9 | 5.2 | 3.8 | 26,674.3 |
| Total (megagrams/construction project) | 1.3 | 11.9 | 12.9 | 2.7 | 0.5 | 2.2 | 1.0 | 0.5 | 0.5 | 2,558.7 |

Notes: Project Start Year -> 2023
 Project Length (months) -> 6
 Total Project Area (hectares) -> 130
 Maximum Area Disturbed/Day (hectares) -> 2
 Total Soil Imported/Exported (meters³/day)-> 0

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns H and I. Total PM2.5 emissions shown in Column J are the sum of exhaust and fugitive dust emissions shown in columns K and L.

**Road Construction Emissions Model
Data Entry Worksheet**

Version 7.1.5.1



Note: Required data input sections have a yellow background.
Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background.
The user is required to enter information in cells C10 through C25.

Input Type

| | | |
|--|-----------------------------|--|
| Project Name | Sac Bypass Widening: BYPASS | |
| Construction Start Year | 2023 | Enter a Year between 2009 and 2025 (inclusive) |
| Project Type | 2 | 1 New Road Construction 2 Road Widening 3 Bridge/Overpass Construction |
| Project Construction Time | 6.00 | months |
| Predominant Soil/Site Type: Enter 1, 2, or 3 | 2 | 1. Sand Gravel 2. Weathered Rock-Earth 3. Blasted Rock |
| Project Length | 4.00 | miles |
| Total Project Area | 320.00 | acres |
| Maximum Area Disturbed/Day | 4.00 | acres |
| Water Trucks Used? | 1 | 1. Yes 2. No |
| Soil Imported | 0.00 | yd ³ /day |
| Soil Exported | 0.00 | yd ³ /day |
| Average Truck Capacity | 20 | yd ³ (assume 20 if unknown) |

To begin a new project, click this button to clear data previously entered. This button will only work if you opted not to disable macros when loading this spreadsheet.

The remaining sections of this sheet contain areas that can be modified by the user, although those modifications are optional.

Note: The program's estimates of construction period phase length can be overridden in cells C34 through C37.

| Construction Periods | User Override of | Program | 2005 | | 2006 | | 2007 | |
|------------------------------|---------------------|-------------------|------|------|------|------|------|------|
| | Construction Months | Calculated Months | | % | | % | | % |
| Grubbing/Land Clearing | 1.00 | 0.60 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Grading/Excavation | 4.00 | 2.70 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Drainage/Utilities/Sub-Grade | 1.00 | 1.80 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Paving | 0.00 | 0.90 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Totals | 6.00 | 6.00 | | | | | | |

NOTE: soil hauling emissions are included in the Grading/Excavation Construction Period Phase, therefore the Construction Period for Grading/Excavation cannot be zero if hauling is part of the project.

Hauling emission default values can be overridden in cells C45 through C46.

| Soil Hauling Emissions | | User Override of | Default Values | Hauling Emissions | | | | | |
|---|-----------------------|------------------|----------------|-------------------|-----|----|------|-------|-----|
| User Input | Soil Hauling Defaults | | | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Miles/round trip | | | 30 | | | | | | |
| Round trips/day | | | 0 | | | | | | |
| Vehicle miles traveled/day (calculated) | | | | | | 0 | | | |

| | | | | | | |
|------------------------------|------|------|------|------|------|---------|
| Emission rate (grams/mile) | 0.17 | 1.35 | 0.77 | 0.15 | 0.08 | 1541.90 |
| Emission rate (grams/trip) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Pounds per day | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Tons per construction period | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

Worker commute default values can be overridden in cells C60 through C65.

| Worker Commute Emissions | User Override of Worker | | | | | |
|--|-------------------------|----------------|-----------|-------------|--------------|------------|
| | Commute Default Values | Default Values | | | | |
| Miles/ one-way trip | | 20 | | | | |
| One-way trips/day | | 2 | | | | |
| No. of employees: Grubbing/Land Clearing | | 14 | | | | |
| No. of employees: Grading/Excavation | | 29 | | | | |
| No. of employees: Drainage/Utilities/Sub-Grade | | 23 | | | | |
| No. of employees: Paving | | 19 | | | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.093 | 0.105 | 0.999 | 0.047 | 0.020 | 441.716 |
| Emission rate - Grading/Excavation (grams/mile) | 0.093 | 0.105 | 0.999 | 0.047 | 0.020 | 441.716 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.093 | 0.105 | 0.999 | 0.047 | 0.020 | 441.716 |
| Emission rate - Paving (grams/mile) | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Emission rate - Grubbing/Land Clearing (grams/trip) | 0.292 | 0.154 | 2.207 | 0.004 | 0.004 | 96.196 |
| Emission rate - Grading/Excavation (grams/trip) | 0.292 | 0.154 | 2.207 | 0.004 | 0.004 | 96.196 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/trip) | 0.292 | 0.154 | 2.207 | 0.004 | 0.004 | 96.196 |
| Emission rate - Paving (grams/trip) | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Pounds per day - Grubbing/Land Clearing | 0.130 | 0.137 | 1.344 | 0.057 | 0.024 | 540.946 |
| Tons per const. Period - Grub/Land Clear | 0.001 | 0.002 | 0.015 | 0.001 | 0.000 | 5.950 |
| Pounds per day - Grading/Excavation | 0.272 | 0.285 | 2.810 | 0.119 | 0.050 | 1131.069 |
| Tons per const. Period - Grading/Excavation | 0.012 | 0.013 | 0.124 | 0.005 | 0.002 | 49.767 |
| Pounds per day - Drainage/Utilities/Sub-Grade | 0.213 | 0.223 | 2.199 | 0.093 | 0.039 | 885.184 |
| Tons per const. Period - Drain/Util/Sub-Grade | 0.002 | 0.002 | 0.024 | 0.001 | 0.000 | 9.737 |
| Pounds per day - Paving | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Tons per const. Period - Paving | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| tons per construction period | 0.016 | 0.017 | 0.163 | 0.007 | 0.003 | 65.454 |

Water truck default values can be overridden in cells C91 through C93 and E91 through E93.

| Water Truck Emissions | User Override of | Program Estimate of | User Override of Truck | Default Values | | |
|--|------------------------|------------------------|------------------------|--------------------|--------------|------------|
| | Default # Water Trucks | Number of Water Trucks | Miles Traveled/Day | Miles Traveled/Day | | |
| Grubbing/Land Clearing - Exhaust | 2.00 | 1 | | 40 | | |
| Grading/Excavation - Exhaust | 2.00 | 1 | | 40 | | |
| Drainage/Utilities/Subgrade | 2.00 | 1 | | 40 | | |
| | ROG | NOx | CO | PM10 | PM2.5 | CO2 |
| Emission rate - Grubbing/Land Clearing (grams/mile) | 0.17 | 1.35 | 0.77 | 0.15 | 0.08 | 1541.90 |
| Emission rate - Grading/Excavation (grams/mile) | 0.17 | 1.35 | 0.77 | 0.15 | 0.08 | 1541.90 |
| Emission rate - Draining/Utilities/Sub-Grade (gr/mile) | 0.17 | 1.35 | 0.77 | 0.15 | 0.08 | 1541.90 |
| Pounds per day - Grubbing/Land Clearing | 0.03 | 0.24 | 0.14 | 0.03 | 0.01 | 271.70 |
| Tons per const. Period - Grub/Land Clear | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.99 |
| Pound per day - Grading/Excavation | 0.03 | 0.24 | 0.14 | 0.03 | 0.01 | 271.70 |
| Tons per const. Period - Grading/Excavation | 0.00 | 0.01 | 0.01 | 0.00 | 0.00 | 11.95 |

| | | | | | | |
|--|------|------|------|------|------|--------|
| Pound per day - Drainage/Utilities/Subgrade | 0.03 | 0.24 | 0.14 | 0.03 | 0.01 | 271.70 |
| Tons per const. Period - Drainage/Utilities/Subgrade | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.99 |

Fugitive dust default values can be overridden in cells C110 through C112.

| Fugitive Dust | User Override of Max | Default | PM10 | PM10 | PM2.5 | PM2.5 |
|---|-----------------------|---------------------|------------|-----------------|------------|-----------------|
| | Acreage Disturbed/Day | Maximum Acreage/Day | pounds/day | tons/per period | pounds/day | tons/per period |
| Fugitive Dust - Grubbing/Land Clearing | | 4 | 40.0 | 0.4 | 8.3 | 0.1 |
| Fugitive Dust - Grading/Excavation | | 4 | 40.0 | 1.2 | 8.3 | 0.2 |
| Fugitive Dust - Drainage/Utilities/Subgrade | | 4 | 40.0 | 0.8 | 8.3 | 0.2 |

| Off-Road Equipment Emissions | | | | | | | | |
|--|-------------------------|------------------------------------|------------|------------|------------|------------|------------|------------|
| Grubbing/Land Clearing | | Default | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
| Override of Default Number of Vehicles | Number of Vehicles | Type | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | <i>Program-estimate</i> | | | | | | | |
| | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 1 | Crawler Tractors | 0.57 | 5.57 | 6.27 | 0.24 | 0.22 | 1027.72 |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | 2 | Excavators | 0.51 | 6.97 | 4.00 | 0.20 | 0.18 | 1431.85 |
| 1.00 | | Forklifts | 0.11 | 0.90 | 0.97 | 0.06 | 0.06 | 165.47 |
| 2.00 | | Generator Sets | 0.62 | 7.18 | 5.49 | 0.27 | 0.25 | 1217.66 |
| | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Off-Highway Tractors | 0.40 | 5.07 | 3.36 | 0.16 | 0.15 | 986.29 |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Other Construction Equipment | 0.90 | 8.98 | 8.47 | 0.44 | 0.41 | 1633.88 |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Scrapers | 2.04 | 18.17 | 20.49 | 0.80 | 0.74 | 4028.00 |
| 0.00 | 8 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 2.00 | | Tractors/Loaders/Backhoes | 0.40 | 3.93 | 3.86 | 0.19 | 0.18 | 838.98 |
| 1.00 | | Trenchers | 0.38 | 2.10 | 3.36 | 0.23 | 0.21 | 376.96 |

| | | | | | | | | | |
|--|--|------------------------|----------------|------|------|------|------|------|---------|
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Grubbing/Land Clearing | pounds per day | 5.9 | 58.9 | 56.3 | 2.6 | 2.4 | 11706.8 |
| | | Grubbing/Land Clearing | tons per phase | 0.1 | 0.6 | 0.6 | 0.0 | 0.0 | 128.8 |

| Grading/Excavation | | Default Number of Vehicles | Type | ROG pounds/day | CO pounds/day | NOx pounds/day | PM10 pounds/day | PM2.5 pounds/day | CO2 pounds/day | |
|--|------------------|-------------------------------|------------------------------------|-------------------|------------------|-------------------|--------------------|---------------------|-------------------|---------|
| Override of Default Number of Vehicles | Program-estimate | | | | | | | | | |
| | | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 0 | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 4.00 | | 1 | Crawler Tractors | 2.27 | 22.27 | 25.08 | 0.97 | 0.89 | 4110.89 | |
| | | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 3 | Excavators | 0.77 | 10.46 | 6.00 | 0.29 | 0.27 | 2147.78 | |
| 2.00 | | | Forklifts | 0.22 | 1.80 | 1.94 | 0.12 | 0.11 | 330.93 | |
| 2.00 | | | Generator Sets | 0.62 | 7.18 | 5.49 | 0.27 | 0.25 | 1217.66 | |
| | | 2 | Graders | 1.28 | 8.65 | 11.16 | 0.61 | 0.57 | 1667.45 | |
| | | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1.00 | | | Other Construction Equipment | 0.45 | 4.49 | 4.24 | 0.22 | 0.20 | 816.94 | |
| | | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1.00 | | | Plate Compactors | 0.04 | 0.21 | 0.25 | 0.01 | 0.01 | 34.45 | |
| | | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 4.00 | | 2 | Rollers | 0.64 | 6.04 | 6.39 | 0.35 | 0.32 | 1118.06 | |
| | | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 2.00 | | | Rubber Tired Dozers | 1.66 | 8.84 | 15.69 | 0.72 | 0.66 | 1890.27 | |
| 3.00 | | 1 | Rubber Tired Loaders | 0.84 | 9.35 | 7.87 | 0.26 | 0.24 | 1988.26 | |
| 20.00 | | 2 | Scrapers | 20.36 | 181.73 | 204.86 | 8.03 | 7.39 | 40279.99 | |
| 0.00 | | 8 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | 4 | Tractors/Loaders/Backhoes | 0.80 | 7.86 | 7.71 | 0.38 | 0.35 | 1677.96 | |
| | | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | | Grading/Excavation | pounds per day | 30.0 | 268.9 | 296.7 | 12.2 | 11.3 | 57280.6 |
| | | | Grading | tons per phase | 1.3 | 11.8 | 13.1 | 0.5 | 0.5 | 2520.3 |

| Drainage/Utilities/Subgrade | | Default Number of Vehicles | Type | ROG pounds/day | CO pounds/day | NOx pounds/day | PM10 pounds/day | PM2.5 pounds/day | CO2 pounds/day |
|--|------------------|-------------------------------|-----------------|-------------------|------------------|-------------------|--------------------|---------------------|-------------------|
| Override of Default Number of Vehicles | Program-estimate | | | | | | | | |
| | | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | 1 | Air Compressors | 0.36 | 3.27 | 2.43 | 0.14 | 0.13 | 507.95 |
| | | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

| | | | | | | | | | |
|------|---|------------------------------------|----------------|------|-------|------|------|---------|--------|
| 1.00 | | Cement and Mortar Mixers | 0.07 | 0.35 | 0.42 | 0.02 | 0.02 | 57.88 | |
| | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1.00 | | Cranes | 0.36 | 3.00 | 3.71 | 0.15 | 0.14 | 601.71 | |
| | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1.00 | | Forklifts | 0.11 | 0.90 | 0.97 | 0.06 | 0.06 | 165.47 | |
| 2.00 | 1 | Generator Sets | 0.62 | 7.18 | 5.49 | 0.27 | 0.25 | 1217.66 | |
| | 1 | Graders | 0.64 | 4.33 | 5.58 | 0.31 | 0.28 | 833.72 | |
| | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | 1 | Plate Compactors | 0.04 | 0.21 | 0.25 | 0.01 | 0.01 | 34.45 | |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | 1 | Pumps | 0.22 | 2.37 | 1.81 | 0.09 | 0.08 | 396.14 | |
| | | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | 1 | Rough Terrain Forklifts | 0.11 | 2.03 | 1.41 | 0.05 | 0.04 | 372.94 | |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | 1 | Scrapers | 1.02 | 9.09 | 10.24 | 0.40 | 0.37 | 2014.00 | |
| 0.00 | 8 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | 3 | Tractors/Loaders/Backhoes | 0.60 | 5.89 | 5.78 | 0.29 | 0.26 | 1258.47 | |
| 1.00 | | Trenchers | 0.38 | 2.10 | 3.36 | 0.23 | 0.21 | 376.96 | |
| 1.00 | | Welders | 0.26 | 1.67 | 1.43 | 0.06 | 0.05 | 204.74 | |
| | | Drainage | pounds per day | 4.8 | 42.4 | 42.9 | 2.1 | 1.9 | 8042.1 |
| | | Drainage | tons per phase | 0.1 | 0.5 | 0.5 | 0.0 | 0.0 | 88.5 |

| Paving | Override of Default Number of Vehicles | Default | | ROG | CO | NOx | PM10 | PM2.5 | CO2 |
|--------|--|--------------------|--------------------------|------------|------------|------------|------------|------------|------------|
| | | Number of Vehicles | Type | | | | | | |
| | | Program-estimate | | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day | pounds/day |
| | | | Aerial Lifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | | Air Compressors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | | Bore/Drill Rigs | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | | Cement and Mortar Mixers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | | Concrete/Industrial Saws | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | | Cranes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | | Crawler Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | | Crushing/Proc. Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | | Excavators | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | | Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | | Generator Sets | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | | Graders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | | Off-Highway Tractors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | | Off-Highway Trucks | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

| | | | | | | | | | |
|--|---|------------------------------------|----------------|------|------|------|------|------|--------|
| | | Other Construction Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Other General Industrial Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Other Material Handling Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 0.00 | 1 | Pavers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 0.00 | 1 | Paving Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Plate Compactors | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Pressure Washers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Pumps | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 0.00 | 2 | Rollers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Rough Terrain Forklifts | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Rubber Tired Dozers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Rubber Tired Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Scrapers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 0.00 | 8 | Signal Boards | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Skid Steer Loaders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Surfacing Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Sweepers/Scrubbers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 0.00 | 3 | Tractors/Loaders/Backhoes | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Trenchers | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Welders | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| | | Paving | pounds per day | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| | | Paving | tons per phase | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Total Emissions all Phases (tons per construction period) => | | | | 1.4 | 12.9 | 14.1 | 0.6 | 0.5 | 2737.6 |

Equipment default values for horsepower and hours/day can be overridden in cells C289 through C322 and E289 through E322.

| Equipment | | Default Values Horsepower | | Default Values Hours/day |
|------------------------------------|--|------------------------------|-------|-----------------------------|
| Aerial Lifts | | 63 | | 8 |
| Air Compressors | | 106 | | 8 |
| Bore/Drill Rigs | | 206 | | 8 |
| Cement and Mortar Mixers | | 10 | | 8 |
| Concrete/Industrial Saws | | 64 | | 8 |
| Cranes | | 226 | | 8 |
| Crawler Tractors | | 208 | 10.00 | 8 |
| Crushing/Proc. Equipment | | 142 | | 8 |
| Excavators | | 163 | 10.00 | 8 |
| Forklifts | | 89 | | 8 |
| Generator Sets | | 66 | 10.00 | 8 |
| Graders | | 175 | 10.00 | 8 |
| Off-Highway Tractors | | 123 | | 8 |
| Off-Highway Trucks | | 400 | | 8 |
| Other Construction Equipment | | 172 | 10.00 | 8 |
| Other General Industrial Equipment | | 88 | 10.00 | 8 |
| Other Material Handling Equipment | | 167 | 10.00 | 8 |
| Pavers | | 126 | 10.00 | 8 |
| Paving Equipment | | 131 | 10.00 | 8 |
| Plate Compactors | | 8 | | 8 |
| Pressure Washers | | 26 | | 8 |

| | | | | |
|---------------------------|--|-----|-------|---|
| Pumps | | 53 | | 8 |
| Rollers | | 81 | | 8 |
| Rough Terrain Forklifts | | 100 | | 8 |
| Rubber Tired Dozers | | 255 | | 8 |
| Rubber Tired Loaders | | 200 | | 8 |
| Scrapers | | 362 | 10.00 | 8 |
| Signal Boards | | 20 | | 8 |
| Skid Steer Loaders | | 65 | | 8 |
| Surfacing Equipment | | 254 | 10.00 | 8 |
| Sweepers/Scrubbers | | 64 | | 8 |
| Tractors/Loaders/Backhoes | | 98 | 10.00 | 8 |
| Trenchers | | 81 | | 8 |
| Welders | | 45 | | 8 |