
Final
First Semi-Annual 2024 Groundwater and Soil Vapor Monitoring Report

FORMER TITAN 1-A MISSILE FACILITY,

LINCOLN, CALIFORNIA

FORMERLY USED DEFENSE SITE (FUDS) HAZARDOUS, TOXIC AND RADIOACTIVE WASTE (HTRW) PROJECT No. J09CA1108-01



Prepared for:
U.S. Army Corps of Engineers,
Sacramento District

Prepared under:
Contract No. W91238-21-D-0008
Task Order W9123823F0044

January 2025

Parsons Federal Solutions, Inc.
999 18th St., Suite N1555
Denver, CO 80202

Table of Contents

Tables ii
Figures ii
Appendices ii
Acronyms and Abbreviations iii
1.0 Introduction 1
1.1 Purpose and Objectives 2
1.2 Report Organization 4
2.0 2024S1 Investigation Activities 5
2.1 Groundwater Monitoring Well Installation and Development 5
2.2 Groundwater Sampling 5
2.3 Soil Vapor Probe Installation 6
2.4 Soil Vapor Sampling 7
2.5 Investigation-Derived Waste Generation and Sampling 8
3.0 2024S1 Investigation Results 9
3.1 Groundwater Elevations and Gradients 9
3.2 Groundwater Quality Parameters 9
3.3 Groundwater Analytical Results 9
3.4 Soil Vapor Analytical Results 10
3.5 IDW Results and Management 12
4.0 Data Validation and Quality Control Assessment 13
4.1 Data Validation 13
4.2 Data Usability Assessment 13
4.3 Deviations from the Quality Assurance Project Plan 14
5.0 Summary 15
6.0 References 16

Tables

ES-1. Summary Statistics for Groundwater Detections and Screening Level Exceedances 1
ES-2. Summary Statistics for Soil Vapor Detections and Screening Level Exceedances 2
1. Monitoring Well Construction Details and Survey Data
2. Soil Vapor Probe Construction Details and Survey Data
3. Groundwater Elevations
4. Water Quality Parameters
5a. Project Screening Levels (Groundwater)
5b. Project Screening Levels (Soil Vapor)
6a. Groundwater Analytical Results
6b. Soil Vapor Analytical Results
7. Summary of Non-Detects with LODs Greater than PSLs..... 13

Figures

1. General Site Location
2. Site Setting
3. Groundwater Well Locations
4. Soil Vapor Probe Locations
5. Groundwater Elevations and Contours, 1st Semi-Annual Sampling Event 2024
6. Trichloroethene and cis-1,2-Dichloroethene in Groundwater, 1st Semi-Annual Sampling Event 2024
7. Trichloroethene in Soil Vapor, 1st Semi-Annual Sampling Event 2024
8. Benzene in Soil Vapor, 1st Semi-Annual Sampling Event 2024

Appendices

A. Boring Logs
B. Monitoring Well and Soil Vapor Probe Construction Diagrams
C. Well Development Forms, 2024S1
D. Survey Data
E. Groundwater and Soil Vapor Sampling Forms, 2024S1
F. Field Notes
G. Biological Monitoring Reports
H. Laboratory Analytical Reports
I. Data Validation Reports
J. Data Usability Reports
K. Investigation Derived Waste

Acronyms and Abbreviations

≥	greater than or equal to
<	less than
%	percent
±	plus, or minus
2024S1	First Semi-Annual 2024 Groundwater and Soil Vapor Monitoring Report
amsl	above mean sea level
bgs	below ground surface
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
COPC	contaminants of potential concern
DCE	dichloroethene (cis-1,2-dichloroethene)
DO	dissolved oxygen
DoD	Department of Defense
DPT	direct-push technology
EC	electrical conductivity
EW	extraction well
ft	foot/feet
FUDS	Formerly Used Defense Sites
HSA	hollow-stem auger
HTRW	hazardous, toxic and radioactive waste
IDW	Investigation-Derived Waste
µg/L	micrograms per liter
LOD	limit of detection
µg/m^3	micrograms per cubic meter
mg/L	milligrams per liter
mv	millivolt(s)
MW	monitoring well
ND	non-detect
NTU	nephelometric turbidity unit
ORP	oxidation-reduction potential
Parsons	Parsons Federal Solutions, Inc.
pH	potential of hydrogen
PSL	project screening level
PVC	polyvinyl chloride
QC	Quality Control
RPD	Relative percent differences
Site	Former Titan 1-A Missile Facility
SOP	Standard Operating Procedure

SV	soil vapor probe
TCE	trichloroethene
UFP-QAPP	Uniform Federal Policy Quality Assurance Project Plan
U.S.	United States
USACE	U.S. Army Corps of Engineers
USEPA	United States Environmental Protection Agency
VOC	volatile organic compound

1.0 Introduction

On behalf of the United States Army Corps of Engineers (USACE), Sacramento District, Parsons Federal Solutions has prepared this First Semi-Annual 2024 (2024S1) Groundwater and Soil Vapor Monitoring Report for Hazardous, Toxic, and Radioactive Waste (HTRW; Project 01) at the former Titan 1-A Missile Facility (i.e., the Site; **Figure 1**) Formerly Used Defense Site (FUDS) property number J09CA1108. Work was performed under Contract W91238-21-D-0008 according to the *Work Plan / Uniform Federal Policy - Quality Assurance Project Plan* (UFP-QAPP) (Parsons 2024a).

USACE is the Department of Defense's (DoD) executing agent for environmental restoration at FUDS, under the Defense Environmental Restoration Program, and is addressing HTRW releases at the properties affected by contaminants that were released at the former Titan 1-A Missile Facility (**Figure 2**). This HTRW project is being conducted as part of a Remedial Investigation/Feasibility Study and is regulated under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) of 1980 and the Superfund Amendments and Reauthorization Act of 1986 (42 United States Code 9601 et seq.), and applicable State requirements.

This report documents the installation and development of 5 groundwater monitoring wells, the collection of groundwater samples from 33 groundwater monitoring wells, the installation of 10 soil vapor monitoring probes, and the collection of soil vapor samples from 31 soil vapor monitoring probes.

A summary of analysis and detections in groundwater is included in **Table ES-1** below.

Table ES-1. Summary Statistics for Groundwater Detections and Screening Level Exceedances

Groundwater Compounds	Count of Samples Analyzed (excluding duplicates)	Count of Analyte Detections[1]	Count of Analyte Detections Greater than the Screening Level[1]
1,1-Dichloroethene (1,1-DCE)	33	0	0
1,4-Dichlororobenzene (1,4-DCB)	33	0	0
Benzene	33	0	0
Cis-1,2-Dichloroethene (DCE)	33	24	1
Ethylbenzene	33	0	0
M,p-Xylene	33	0	0
O-Xylene	33	0	0
Toluene	33	0	0
Trans-1,2-DCE	33	8	0

Table ES-1. Summary Statistics for Groundwater Detections and Screening Level Exceedances

Groundwater Compounds	Count of Samples Analyzed (excluding duplicates)	Count of Analyte Detections[1]	Count of Analyte Detections Greater than the Screening Level[1]
TCE	33	26	23
VC	33	1	1

[1] Considers both primary and duplicate analysis, but only counts the higher detection.

A summary of analysis and detections in soil vapor is included in Table ES-2 below.

Table ES-2. Summary Statistics for Soil Vapor Detections and Screening Level Exceedances

Soil Vapor Compounds	Count of Samples Analyzed (excluding duplicates)	Count of Analyte Detections[1]	Count of Analyte Detections Greater than the Screening Level[1]
1,1-DCE	31	0	0
1,4-DCB	31	0	0
Benzene	31	13	6
Cis-1,2-DCE	31	2	0
Ethylbenzene	31	13	0
M,p-Xylene	31	24	0
O-Xylene	31	15	0
Toluene	31	20	0
Trans-1,2-DCE	31	0	0
TCE	31	21	14
VC	31	0	0

[1] Considers both primary and duplicate analysis, but only counts the higher detection.

1.1 Purpose and Objectives

The purpose of this report is to present the data and results of semi-annual groundwater and soil vapor sampling; the installation and development of new monitoring wells; and the installation of new soil vapor probes. This report includes the following:

1. Investigation Activities
   - Groundwater Monitoring Well Installation and Development
   - Groundwater Sampling
   - Soil Vapor Probe Installation
   - Soil Vapor Sampling
   - Investigation-Derived Waste (IDW) Generation and Sampling
2. Investigation Results
   - Groundwater Elevations and Gradients
   - Groundwater Quality Parameters
   - Groundwater Analytical Results
   - Soil Vapor Analytical Results
   - IDW Analytical Results and Management
3. Data Validation and Quality Control Assessment
   - Data Quality Statement
   - Deviations from the UFP-QAPP
4. Summary
5. Data Tables
6. Figures
7. Appendices

The objective of semi-annual groundwater sampling is to further delineate contaminants in the vicinity of the former Titan 1-A missile facility. The resulting data will be used to determine whether further delineation is necessary.

TCE and its daughter products were selected as contaminants of potential concern (COPCs) in the Continuing RI (Brown and Caldwell 2004). The Continuing RI summarized investigations completed prior to and during the Continuing RI and concluded that TCE and its daughter products (primarily cis-1,2-DCE) are the DoD-related COPCs that should be addressed under the FUDS program. Additional contaminants, including metals and PAHs were identified, but were not related to past DoD use and were, therefore, not identified as COPCs.

Low concentrations of benzene, toluene, ethylbenzene, and xylenes (BTEX) were also detected as part of the Continuing RI. The response to comments on the Continuing RI (see appendix of the Continuing RI for the responses to comments) and a subsequent underground storage tank (UST) investigation (Brown and Caldwell 2005) ruled out the former missile facility as the source of the BTEX, and suggested that Placer County's gasoline storage tanks may have been the potential source (Brown and Caldwell 2004). Although the former missile facility was ruled out as a source, BTEX was carried forward as COPCs in the 2007 FS and in subsequent investigations. 1,4-Dichlorobenzene was selected as a COPC as it was used by the DoD is a toilet deodorizer and wastewater containing 1,4-

dichlorobenzene was discharged by the DoD to the to the septic system leach field adjacent to the Placer County Corporation Yard (URS 2001). Based on these findings, and in accordance with the UFP-QAPP, the following COPCs have been retained as the basis for groundwater and soil vapor delineation parameters:

- 1,1-Dichlorethene
- 1,4-Dichlorobenzene
- Benzene
- cis-1,2-Dicholorethene
- Ethylbenzene
- m,p-Xylenes
- o-Xylene
- trans-1,2 Dichloroethane
- Trichloroethene
- Vinyl chloride

1.2 Report Organization

This report is organized as follows:

- Section 2 presents a summary of investigation activities
- Section 3 presents the results of the investigation; i.e., groundwater elevations, gradients, and the analytical results for groundwater, soil vapor, and IDW
- Section 4 presents a summary of data validation and deviations from the *Work Plan / Uniform Federal Policy - Quality Assurance Project Plan* (Parsons 2024a)
- Section 5 provides a summary of activities and findings
- Section 6 presents the reference list

2.0 2024S1 Investigation Activities

A nesting bird survey was performed five days before commencing intrusive work. On the first day of intrusive activities, field personnel attended an environmental awareness training. All intrusive activities at the Site were overseen by a biological monitor with stop work authority. Biological monitoring reports are provided in **Appendix G**.

2.1 Groundwater Monitoring Well Installation and Development

Following the UFP-QAPP (Parsons 2024a), five groundwater monitoring wells (MW-61, MW-62, MW-63, MW-64 and MW-66) were installed between May 21st and May 28th, 2024, at the former Titan 1-A Missile Facility. The locations of the monitoring wells are shown in **Figure 3**.

MW-65 was planned to be installed on the parcel to the south of MW-64. However, that parcel is a conservation easement area. Pursuant to the easement, construction activity within the easement must be reviewed and approved by the Wildlife Heritage Foundation. By the time of field work, installation of MW-65 had not been approved by the Wildlife Heritage Foundation. Therefore, MW-65 was not installed.

All borings were installed with a Geoprobe direct-push technology/hollow-stem auger (DPT/HSA) drill rig using 8-inch diameter augers. Boring depths ranged from 28 to 30 feet bgs. All borings were continuously logged (**Appendix A**) by a geologist, who also oversaw well construction (see construction diagrams in **Appendix B** and well construction details in **Table 1**). Each monitoring well comprises a surface completion composed of neat cement with protective bollards, as necessary, a 2-inch diameter polyvinyl chloride (PVC) casing, a 10 ft long 2-inch diameter 0.02 inch slot PVC screen, #3 Sand well-screen filter pack (from approximately 2 feet above the top of screen to the bottom of screen), a 2 foot bentonite seal (composed of hydrated bentonite chips) above the filter pack, and neat cement grout slurry mix from the ground surface to the top of seal. A Placer County grout inspector was called for onsite inspections. The monitoring wells were completed as stick-ups with 8-inch outer diameter protective casings. Monitoring wells were developed (**Appendix C**) at least 24 hours after installation on May 28th and May 30th, 2024 via bailing, surging, and pumping. Development continued until the water was clear and free of fines, the turbidity was less than 10 nephelometric turbidity units (NTUs), or water quality parameters had stabilized; i.e., 3 consecutive readings were within stabilization criteria, as defined in Field Standard Operating Procedure (SOP) 02 in the UFP-QAPP (Parsons 2024a).

After installation and development, all wells were surveyed by R.E.Y. Engineers, Inc., a licensed California professional land surveyor. The survey results are provided in **Appendix D**.

2.2 Groundwater Sampling

During the 2024S1 monitoring event, depth to groundwater was measured from the surveyed measuring point on the north side of monitoring wells, using a Solinst water level meter at the existing monitoring wells on May 28th and from the newly installed monitoring wells (MW-61, MW-62, MW-63, MW-64 and MW-66) on June 3rd, 2024 (**Figure 3**). Following UFP-QAPP Section 18.6 (Parsons 2024a), depth to water was measured in monitoring wells MW-18, MW-31, MW-32, MW-33, and MW-34, but

groundwater samples were not collected from these wells. Groundwater samples were collected from the 5 newly installed wells, as well as 28 existing monitoring wells.

Groundwater samples were collected in general accordance with SOP 02 in the UFP-QAPP (Parsons 2024a). Water quality parameters were measured using a calibrated YSI ProDSS multiparameter water quality meter equipped with a flow-through cell, and recorded on sampling forms to verify stability (i.e. to ensure that formation groundwater at the screened interval was sampled). Once stability was achieved, groundwater samples were collected via bladder pump using low flow sampling methods between May 28th and June 3rd, 2024. For MW-58, there was insufficient volume to collect a sample using low flow methods and the sample was collected using a bailer. Groundwater sampling forms and calibration forms are presented in **Appendix E**.

A total of 37 groundwater samples, including 4 duplicate samples, were collected and handled in accordance with the UFP-QAPP Worksheets 26 and 27. Samples were shipped under chain of custody to EMAX Laboratories, Inc. at 3051 Fujita Street in Torrance, California. Shipping documentation, including the chain of custody, is included in the laboratory reports in **Appendix H**. Samples analyzed by U.S. Environmental Protection Agency (USEPA) Method 8260C for the following analytes:

- Benzene
- 1,4-Dichlorobenzene
- 1,1-Dichloroethene
- cis-1,2-Dichloroethene
- trans-1,2-Dichloroethene
- Ethylbenzene
- Toluene
- Trichloroethene
- Vinyl chloride
- m/p-Xylenes
- o-Xylene

EMAX Laboratories is a DoD ELAP accredited laboratory. EMAX Laboratories' accreditation is included in the UFP-QAPP Appendix G (Parsons 2024a).

2.3 Soil Vapor Probe Installation

Ten soil vapor probes (SV-27 though SV-35, with two probes at SV-32) were installed between May 29th and June 3rd, 2024. Five soil vapor probes were co-located with the wells installed in **Section 2.1**; i.e., MW-61/SV-27, MW-62/SV-28, MW-63/SV-29, MW-64/SV-30, and MW-66/SV-35. The locations of the probes are shown in **Figure 4**. Probes were installed to depths range from 5.0 to 11 feet below ground surface (ft bgs).

Soil vapor probes wells were installed using a Geoprobe DPT rig. Once the total depth was reached, new, disposable, 1/8-inch or 1/4-inch outside diameter Teflon tubing, fitted with a filter at the bottom to prevent particulate infiltration, was extended to the target depth and fitted with a soil vapor probe

tip with a 1-inch screen at the end. A 12-inch sand filter pack was placed in the boring, with the soil vapor probe placed midway through the filter pack sand. Following the installation of the sand pack, dry granular bentonite was emplaced between the sand pack and the hydrated bentonite grout to prevent infiltration of the hydrated bentonite or bentonite grout into the sand pack. The borehole was grouted to the surface in approximately 6-inch lifts with hydrated bentonite. A valve was fitted to the aboveground end of the tubing and was kept closed prior to purging and sampling. Following installation, soil vapor probes were finished with a lockable, aboveground stick-up casing . The stick-up was protected by up to four yellow bollards set in concrete, as necessary.

All borings were continuously logged (**Appendix A**) by a geologist, who also oversaw soil vapor probe construction (see construction diagrams in **Appendix B** and soil vapor probe construction details in **Table 2**).

2.4 Soil Vapor Sampling

Soil vapor samples were collected in SUMMA canisters from each probe (**Figure 4,**) following Field SOP 05 (Parsons 2024a). Soil vapor sampling forms are presented in **Appendix E**. Prior to purging or sampling, a shut-in test was performed to verify the integrity of the above-ground sampling system by assembling the entire above-ground sampling apparatus downstream from the top of the probe tubing. The system was evacuated to a vacuum of about 100 inches of water using the purge pump, and the vacuum gauge was observed for at least one minute to confirm that there was no observable loss of vacuum Prior to collecting soil vapor samples, a helium leak test was performed to verify the integrity of each probe by placing a shroud over the soil vapor probe and filling the shroud with approximately 10% by volume of helium. Helium was then measured in the sampling train using a hand-held helium meter. If helium was present at less than 5% of the concentration in the shroud, then the probe was considered to have passed the leak test and soil vapor samples were collected. Samples were collected following these procedures at 31 locations.

A total of 35 soil vapor samples including 4 duplicate samples, were collected and handled in accordance with UFP-QAPP worksheets 26 and 27. Samples were transported under chain of custody to Eurofins Air Toxics, LLC at 180 Blue Ravine Road, Suite B in Folsom, California. Shipping documentation, including the chain of custody, is included in the laboratory reports in **Appendix H**. Samples analyzed by USEPA Method TO-15 for the following analytes:

- Benzene
- 1,4-Dichlorobenzene
- 1,1-Dichloroethene
- cis-1,2-Dichloroethene
- trans-1,2-Dichloroethene
- Ethylbenzene
- Toluene
- Trichloroethene
- Vinyl chloride

- m/p-Xylenes
- o-Xylene

Eurofins Air Toxics is a DoD ELAP accredited laboratory. Eurofins Air Toxics' accreditation is included in the UFP-QAPP Appendix G (Parsons 2024a).

2.5 Investigation-Derived Waste Generation and Sampling

Soils, water, and sampling related debris was generated over the course of the investigation and managed as IDW. IDW was temporarily staged in 55-gallon drums within the Placer County Corporation Yard.

Samples were collected from each drum and composited into one sample. Solid and liquid IDW samples were sent to EMAX Laboratories, Inc. at 3051 Fujita Street in Torrance, California for analysis for:

- Volatile organic compounds (VOCs) via USEPA Method SW8260C
- Total metals via USEPA Method SW6010C/7470A/7471B
- Toxicity Characteristic Leaching Procedure and/or Soluble Threshold Limit Concentration for the above, if necessary

The IDW drums are currently staged in the Placer County Corporation Yard. The IDW drums will be disposed of during the next sampling event, currently scheduled for December 2024.

Field notes are presented in **Appendix F**.

3.0 2024S1 Investigation Results

3.1 Groundwater Elevations and Gradients

Groundwater elevation measurements were taken from each of the 38 monitoring wells, with groundwater elevations ranging from 175.51 to 210.39 feet above mean sea level (amsl), or 2.64 to 25.31 ft bgs (**Table 3**). The elevation measurements were used to calculate the direction and gradient of groundwater flow (**Figure 5**). Groundwater generally flows to the west-southwest across the site.

Hydraulic gradient was calculated using wells MW-30 to MW-16 (northern portion of Site) and MW-51 to MW-63 (southern portion of Site; **Figure 5**). Hydraulic gradient ranges from 0.021 ft/ft in the northern portion of the Site, to 0.012 ft/ft in the eastern portion of the Site.

3.2 Groundwater Quality Parameters

Groundwater quality parameters were measured and recorded during well development and purging. Parameters were measured at each monitoring well: a) during development to ensure that each well was properly installed and is appropriately interacting with the intended aquifer(s) and, b) that each sample was collected from groundwater that is representative of the aquifer (and not stagnant water in the well). Groundwater quality parameters measured include temperature, electrical conductivity (EC), dissolved oxygen (DO), pH, oxidation-reduction potential (ORP), and turbidity. A well was considered to be developed when either a) the turbidity was less than 10 NTUs, or b) three consecutive readings for temperature, pH, and conductivity were within 10% (i.e., had stabilized). Well development forms are presented in **Appendix C**.

Prior to sampling, each monitoring well was purged until water quality measurements stabilized to ensure that the groundwater samples would be collected from the groundwater in the screened interval of the aquifer. For sampling, groundwater quality was considered stable when three consecutive readings of each parameter met the following criteria: pH (±0.2 units), EC (±3%), ORP (±20 millivolts [mv]), DO (±10% or ±0.2 mg/L, whichever is greater), and turbidity (±10% or ±1 NTU). Groundwater sampling forms document the groundwater quality parameters measured during sampling and are presented in **Appendix E**. Water quality parameters measured to be representative of the aquifer after stabilization are presented in **Table 4**. For MW-58, there was insufficient volume to collect a sample using low flow methods and the sample was collected using a bailer, concentrations shown in **Table 4** are representative of the sample collected.

3.3 Groundwater Analytical Results

During the 2024S1 groundwater monitoring event, groundwater samples were collected at 33 wells between May 28th and June 3rd, 2024. The groundwater analytical results were compared to the screening levels presented in **Table 5a**. Analytical results are presented in **Table 6a**, and the analytical laboratory reports are provided in **Appendix H**.

1,4-Dichlorobenzene, benzene, ethylbenzene, m,p-xylenes, o-xylene and toluene were non-detect in all 33 wells. The remaining analytes were detected as follows:

- 1,1-Dichoroethene
  - Detected above the screening level (6.0 µg/L): no wells
  - Detected below the screening level (6.0 µg/L): one well (MW-43)
- cis-1,2-Dichoroethene
  - Detected above the screening level (6.0 µg/L): one well (EW-1)
  - Detected below the screening level (6.0 µg/L): 20 wells
- trans-1,2-Dichoroethene
  - Detected above the screening level (10 µg/L): no wells
  - Detected below the screening level (10 µg/L): 7 wells
- Trichloroethene
  - Detected above the screening level (5 µg/L): 17 wells
  - Detected below the screening level (5 µg/L): 6 wells.
- Vinyl chloride
  - Detected above the screening level (0.50 µg/L): no wells
  - Detected below the screening level (0.50 µg/L): one well (MW-45)

Figure 6 shows the detected concentrations of trichloroethene (TCE) and cis-1,2-dichloroethene (DCE) in groundwater in the vicinity of the former Titan 1-A missile facility. TCE isoconcentration contours are also shown on **Figure 6**. The TCE isoconcentration contours shown are interpolations predicted using state-of-the-practice mathematical models. The approximated concentration contours are only intended to provide a rough visualization of the approximated concentration boundaries.

3.4 Soil Vapor Analytical Results

During the 2024S1 soil vapor monitoring event, soil vapor samples were collected from 31 soil vapor probes (locations shown on **Figure 4**) between May 28th and June 6th, 2024. The soil vapor analytical results were compared to the screening levels presented in **Table 5b**. Analytical results are presented in **Table 6b**, and the analytical laboratory reports are provided in **Appendix H**. The TCE and benzene analytical results are shown on **Figure 7** and **Figure 8**, respectively.

1,1-Dichloroethene, 1,4-dichlorobenzene (DCB), trans-1,2-DCE, and VC were non-detect in all soil vapor probes. The remaining analytes were detected as follows:

- Benzene:
  - Detected above the screening level (12 µg/m^3): 5 soil vapor probes
  - Detected below the screening level (12 µg/m^3): 6 soil vapor probes
- cis-1,2-Dichoroethene:
  - Detected above the screening level (1,400 µg/m^3): no soil vapor probes

  - Detected below the screening level (1,400 µg/m³): 2 soil vapor probes
- Ethylbenzene
  - Detected above the screening level (37 µg/m³): no soil vapor probes
  - Detected below the screening level (37 µg/m³): 11 soil vapor probes
- m,p-Xylene
  - Detected above the screening level (3,500 µg/m³): no soil vapor probes
  - Detected below the screening level (3,500 µg/m³): 20 soil vapor probes
- o-Xylene
  - Detected above the screening level (3,500 µg/m³): no soil vapor probes
  - Detected below the screening level (3,500 µg/m³): 12 soil vapor probes
- Toluene
  - Detected above the screening level (170,000 µg/m³): no soil vapor probes
  - Detected below the screening level (170,000 µg/m³): 15 soil vapor probes
- Trichloroethene
  - Detected above the screening level (16 µg/m³): 12 soil vapor probes
  - Detected below the screening level (16 µg/m³): 7 soil vapor probes

In SV-32 (located near the center of the northern plume area defined by the isoconcentration contours on **Figure 7**), soil vapor was sampled at 5.0 and 9.0 ft bgs to evaluate whether the source of TCE in soil vapor was the result of TCE in groundwater or from a shallower source. Trichloroethene was detected at much higher concentrations in the shallow sample (SV-32A, 2,900 µg/m³) than in the deep sample (SV-32B, 9.2 µg/m³), indicating that the source of TCE is unlikely to be groundwater in this area.

Figure 7 shows the extent of TCE[1] and **Figure 8** shows the extent of benzene in soil vapor in the vicinity of the Titan 1-A missile facility. The isoconcentration contours shown are interpolations predicted using state-of-the-practice mathematical models. The approximated concentration contours are only intended to provide a rough visualization of the approximated concentration boundaries. Benzene isoconcentration contours for soil vapor are not shown given the limited data present and, given the large degree of uncertainty, need further corroboration before modeling (predicting) spatial concentrations.

[1] Note that the extent of the TCE soil vapor plume shown in Figure 7 is misleading as the soil vapor probes were installed at different depths but the results are combined in Figure 7 to develop a single set of contours; i.e., some probes are right above groundwater and some are separated from groundwater by a clay layer or approximately 10 feet or soil. This is discussed in more detail in the Remedial Investigation (Parsons 2024b).

3.5 IDW Results and Management

Throughout the investigation, waste was created from a) installing and developing monitoring wells in May 2024, b) installing soil vapor probes in May 2024, and c) sampling monitoring wells in May/June 2024. Waste was created as both solid (soil cuttings) and liquid (development and purge water). In total, ten (10) drums of soil cuttings and seven (7) drums of development/purge water were created.

Based on the analytical results (see **Appendix H**), all of the IDW is non-hazardous. The IDW drums are currently staged in the Placer County Corporation Yard. The IDW drums will be disposed of during the next sampling event, currently scheduled for December 2024. A waste disposal facility has not yet been contracted.

The IDW tracking log is presented in **Appendix J**.

4.0 Data Validation and Quality Control Assessment

4.1 Data Validation

As part of the quality control procedures, a) 100% of the IDW data was subject to a Stage 1 data review and b) 100 percent of the project data was subject to a Stage 2B data review and 10 percent of the data was subject to a Stage 4 data review to verify data are of known quality and are compliant with the criteria in the UFP-QAPP (Parsons 2024a).

During the 2024S1 monitoring event, four groundwater duplicates and four soil vapor duplicates were collected. Relative percent differences (RPD) were within Quality Control (QC) limits for all sets of duplicates. Four trip blanks were collected and analyzed for volatile organic compounds (VOCs). All trip blanks had detections for toluene, but the associated sample results were non-detects for toluene; therefore, data quality was not impacted, and results were not qualified. One equipment blank and one rinsate blank were collected and analyzed for VOCs and results were non-detect for all target analytes.

Data validation reports for the 2024S1 sampling event are provided in **Appendix I**. All data are considered acceptable and suitable for use.

4.2 Data Usability Assessment

As noted in **Section 4.1**, all of the data validated are suitable for their intended use. No systematic accuracy or precision biases were identified, and no sample results were rejected. Sample results that were qualified as estimated are usable for project decisions. Decisions based on results close to the limit of detection (LOD) should be made with a degree of caution.

The LODs were below the Project Screening Levels (PSLs) from the UFP-QAPP for all analytes in all samples, except as shown below in **Table 7**.

Table 7. Summary of Non-Detects with LODs Greater than PSLs

Matrix	Analyte	units	PSL	#NDs	Range LODs	#NDs>PSL
GW	Vinyl chloride	µg/L	0.019	36	0.3-0.3	36
SV	Benzene	µg/m^3	12	22	2.8-17	3
SV	Vinyl chloride	µg/m^3	5.6	35	2.2-14	4

Definitions:
GW: groundwater
SV: soil vapor
LOD: limit of detection
PSL: project screening level
ND: non-detect

In soil vapor, the non-detects for benzene and vinyl chloride with LODs above the project screening levels were in SV-1, SV-22, and SV-24. In these soil vapor probes, TCE was detected at above 6,000 µg/m^3 requiring dilutions that resulted in the elevated LODs; i.e., it is not possible to detected benzene and vinyl chloride at the project screening level in these probes. The LOD for vinyl chloride in soil vapor was also elevated in SV-29. In groundwater, the LOD for vinyl chloride was above the project screening level in all non-detects.

4.3 Deviations from the Quality Assurance Project Plan

The sample taken from MW-58 was a grab sample as no water could be purged by a bladder pump. Therefore, water quality parameters were not allowed to stabilize and a grab sample was collected using a bailer. Data from MW-58 may not be representative of steady state conditions and should be evaluated with caution.

MW-65 was not installed, as described in Section 2.1.

SV-11, SV-12, and SV-21 were not sampled. Soil vapor probes SV-11 and SV-12 were unable to be sampled as water was purged from the sample lines for an extended period. A soil vapor sample was attempted at SV-21, but soil vapor was unable to be drawn due to high vacuum.

5.0 Summary

During the 2024S1 monitoring event, five monitoring wells were installed (MW-61, MW-62, MW-63, MW-64 and MW-66). MW-65 was not installed due to lack of approval by the by the Wildlife Heritage Foundation.

Groundwater elevation measurements were taken from each of the 38 monitoring wells, with groundwater elevations ranging from 175.51 to 210.39 feet amsl, or 2.64 to 25.31 ft bgs. Groundwater generally flows to the west-southwest across the site (**Figure 5**).

Groundwater samples were collected from 33 wells between May 21st and June 3rd, 2024. 1,4-Dichlorobenzene, benzene, ethylbenzene, m,p-xylenes, o-xylene and toluene were non-detect in all 33 wells. Of the detected analytes, only cis-1,2-DCE and TCE were detected above screening levels, with cis-1,2-DCE detected above the screening level of 6.0 µg/L in 1 well (EW-1) at 11 µg/L and TCE detected above the screening level of 0.49 µg/L in 17 wells between 2.0 and 320 µg/L (**Figure 6**).

During the 2024S1 monitoring event, ten soil vapor probes were installed (SV-27 though SV-35, with two probes at SV-32). Soil vapor samples were collected from 31 soil vapor probes between May 28th and June 6th, 2024. Soil vapor probes SV-11, SV-12, and SV-21 could not be sampled. 1,1-Dichloroethene, 1,4-DCB, trans-1,2-DCE, and VC were non-detect in all soil vapor probes. Of the detected analytes, only benzene and TCE were detected above screening levels, with benzene detected above the screening level of 12 µg/m^3 in 5 soil vapor probes between 13 and 86 µg/m^3 (**Figure 8**) and TCE detected above the screening level of 16 µg/m^3 in 12 soil vapor probes between 23 and 7,200 µg/m^3 (**Figure 7**[2]). In SV-32, soil vapor was sampled at 5.0 and 9.0 ft bgs to evaluate whether the source of TCE in soil vapor was the result of TCE in groundwater or from a shallower source. TCE was detected at much higher concentrations in the shallow sample (SV-32A, 2,900 µg/m^3) than in the deep sample (SV-32B, 9.2 µg/m^3), indicating that the source of TCE is unlikely to be groundwater in this area.

All IDW is non-hazardous and will be disposed of during the next sampling event, currently scheduled for December 2024.

During this sampling event, the following deviations from the UFP-QAPP were noted:

- The sample taken from MW-58 was a grab sample as no water could be purged by a bladder pump.
- MW-65 was not installed, as described in **Section 2.1**.
- SV-11, SV-12, and SV-21 were not sampled.

[2] Note that the extent of the TCE soil vapor plume shown in Figure 7 is misleading as the soil vapor probes were installed at different depths but the results are combined in Figure 7 to develop a single set of contours; i.e., some probes are right above groundwater and some are separated from groundwater by a clay layer or approximately 10 feet or soil. This is discussed in more detail in the Remedial Investigation (Parsons 2024b).

6.0 References

Brown and Caldwell, 2004. *Continuing Remedial Investigation Report, Titan 1-A Missile Facility*, Lincoln, California. Prepared for the U.S. Army Corps of Engineers. March.

Brown and Caldwell. 2005. Titan 1-A Missile Facility, Technical Memorandum for Underground Storage Tank Investigation.

Parsons. 2024a. Work Plan / Uniform Federal Policy – Quality Assurance Project Plan for Semi-annual Groundwater and Soil Vapor Sampling at Former Titan 1-A Missile Facility, Lincoln, California. April 2024.

Parsons. 2024b. Remedial Investigation Report for Former Titan 1-A Missile Facility, Lincoln, California. Draft Final. June.

URS. 2001. Focused Remedial Investigation Report, Titan 1-A Missile Facility, Lincoln, California. Draft Final. December.

Tables

Table 1. Monitoring Well Construction Details and Survey Data

Well ID	Installation Date	Coordinates [1,2,3]		Top of Casing Elevation [3,4] (ft amsl)	Ground Surface Elevation [3,4] (ft amsl)	Height of Stick up [5] (ft)	Total Depth of Casing [6,7] (ft bgs)	Top of Screen [6,7] (ft bgs)	Bottom of Screen [6,7] (ft bgs)	Borehole Diameter [6,7] (inches)	Casing Diameter [6,7,8] (inches)
		Northing	Easting								
EW-1	2000-10-17	2082720.77	6770624.93	210.94	209.3	1.61	25.0	15	24.5	10.0	4.0
MW-11	1998-10-06	2083034.03	6770616.72	211.19	208.9	2.33	23.0	12.5	22.5	10.0	4.0
MW-16	1998-10-09	2083047.93	6770567.87	212.78	210.3	2.43	26.5	11	26	10.0	4.0
MW-17	1998-10-09	2082965.77	6770624.27	210.25	207.3	2.95	20.0	9.5	19.5	10.0	4.0
MW-18	2000-10-18	2083703.57	6770862.91	219.94	217.4	2.58	22.5	12	21.5	8.0	2.0
MW-19	2000-10-16	2081938.12	6769849.74	186.96	184.1	2.83	25.0	14	24.5	8.0	2.0
MW-22	2000-10-19	2082413.25	6770443.66	201.07	199.5	1.61	28.5	8.5	28	8.0	2.0
MW-29	2002-09-04	2082870.99	6770828.89	219.44	217.2	2.25	35.0	20	35	8.0	2.0
MW-30	2002-08-27	2082801.32	6771284.78	238.18	235.7	2.51	45.0	29.5	44.5	8.0	2.0
MW-31	2002-08-29	2083615.16	6771262.83	224.80	222.3	2.53	25.0	15	25	8.0	2.0
MW-32	2002-08-29	2083934.98	6771250.80	215.60	213.1	2.51	35.0	20	35	8.0	2.0
MW-33	2002-08-30	2084115.48	6770622.90	212.94	210.4	2.52	35.0	20	35	8.0	2.0
MW-34	2002-09-03	2083585.09	6770479.02	214.43	212.4	2.08	25.0	10	25	8.0	2.0
MW-35	2004-11	2082893.83	6770678.97	212.54	210.1	2.43	19.0	9.0	19.0	Unknown	2.0
MW-42	2019-11-25	2082105.45	6770300.41	203.56	201.4	2.21	32.5	22	32	8.0	2.0
MW-43	2020-07-20	2082251.83	6770160.59	193.63	190.8	2.82	25.0	10	20	8.0	2.0
MW-44	2019-12-05	2082298.57	6769890.09	196.39	193.4	2.96	35.0	20	30	8.0	2.0
MW-45	2019-11-26	2082498.44	6770397.46	207.01	204.8	2.18	35.0	20	30	8.0	2.0
MW-46	2019-02-05	2082553.20	6770091.26	209.22	206.4	2.78	40.0	25	35	8.0	2.0
MW-47	2019-12-04	2082598.64	6769889.50	204.82	202.0	2.83	40.0	25	35	8.0	2.0
MW-48	2020-07-15	2082664.59	6770761.49	216.15	213.4	2.72	35.0	20	30	8.0	2.0
MW-49	2020-07-17	2082756.33	6770384.31	204.50	201.8	2.69	35.0	20	30	8.0	2.0
MW-50	2019-12-03	2082868.32	6770111.43	212.74	210.1	2.69	40.0	25	35	8.0	2.0
MW-51	2020-07-16	2082890.51	6770482.80	206.67	204.1	2.61	35.0	20	30	8.0	2.0
MW-52	2019-12-03	2083095.56	6770195.24	216.58	213.8	2.77	45.0	30	40	8.0	2.0
MW-53	2019-11-27	2083386.53	6770213.12	211.17	208.4	2.75	35.0	20	30	8.0	2.0
MW-54	2020-07-21	2081777.28	6769905.72	185.53	182.9	2.64	22.5	12	22	8.0	2.0
MW-55	2020-07-22	2081845.40	6770183.84	191.84	189.3	2.51	25.0	10	20	8.0	2.0
MW-56	2020-07-15	2082558.46	6770638.40	209.05	206.7	2.32	35.0	20	30	8.0	2.0
MW-57	2019-12-06	2083192.35	6771016.96	228.20	225.3	2.92	40.0	25	35	8.0	2.0
MW-58	2019-12-04	2083279.87	6770511.84	218.82	216.2	2.59	30.0	15	25	8.0	2.0
MW-59	2019-12-06	2082202.52	6769648.43	188.87	186.3	2.60	30.0	15	25	8.0	2.0
MW-60	2019-12-02	2083159.24	6769901.20	211.38	208.8	2.59	35.5	20.5	30.5	8.0	2.0
MW-61	2024-05-22	2082936.667	6769617.604	203.00	200.54	2.46	22.1	19.6	29.6	8.0	2.0
MW-62	2024-05-23	2082675.260	6769635.196	201.10	198.32	2.78	22.1	19.6	29.6	8.0	2.0
MW-63	2024-05-24	2082338.897	6769522.856	192.16	189.81	2.35	20.5	18	28	8.0	2.0
MW-64	2024-05-28	2082069.374	6769485.786	189.98	187.56	2.42	20.5	20	30	8.0	2.0
MW-66	2024-05-21	2083409.738	6770179.280	210.36	207.79	2.57	20.5	20	30	8.0	2.0

Notes:
1 - California State Plane, Zone 2, feet
2 - For wells installed prior to 2024, taken from Table 1 in Ahtna. 2023. Supplemental Remedial Investigation and Feasibility Study Report, Beale Air Force Base (AFB), Former Titan 1-A Missile Facility, Placer County, Lincoln, California, FUDS Project J09CA1108-01. Draft.
3 - For wells installed in 2024, see the survey in Appendix D.
4 - For wells installed prior to 2024, taken from unpublished surveys performed by Mid Coast Engineers on 12/17/2019 and 8/10/2020.
5 - Calculated as [top of casing] - [ground surface elevation].
6 - For wells installed prior to 2024, taken from the boring logs presented in Ahtna. 2023.
7 - For MW-35, value taken from Table 3-2 in Brown and Caldwell. 2006. 2006 Annual Groundwater Monitoring Report. Final.
8 - For EW-1, the well construction diagram states that the casing diameter is both 2 and 4 inches. However, the sampling sheets from recent groundwater monitoring events indicate that the casing diameter is 4 inches.

Definitions:
amsl - above mean sea level bgs - below ground surface ft - feet

Table 2. Soil Vapor Probe Construction Details and Survey Data

Probe ID	Installation Date	Coordinates [1,2,3]		Ground Surface Elevation [3,4,5] (ft amsl)	Probe Depth [6] (ft bgs)	Total Depth [6,7] (ft bgs)	Boring Diameter [6] (inches)	Tubing Diameter [6] (inches)
		Northing	Easting					
SV-1	11/25/2019	2083382.83	6770204.96	208.38	14.0	14.5	3.25	3/16
SV-2	11/26/2019	2083282.66	6770508.34	216.35	10.5	11.0	3.25	3/16
SV-3	7/15/2020	2082842.30	6769857.29	204.35	9.3	9.7	3.25	3/16
SV-4	7/22/2020	2082755.10	6770389.46	201.83	4.5	5.0	3.25	3/16
SV-5b	7/16/2020	2082694.40	6770622.52	209.35	4.5	5.0	3.25	3/16
SV-6	7/15/2020	2082668.20	6770756.38	213.39	4.5	5.0	3.25	3/16
SV-7	7/16/2020	2082570.67	6771002.92	220.91	4.5	5.0	3.25	3/16
SV-8	7/16/2020	2082276.43	6770589.49	206.84	4.5	5.0	3.25	3/16
SV-9b	7/21/2020	2082497.91	6770401.48	204.92	5.8	6.2	3.25	3/16
SV-10	11/26/2019	2082556.71	6770093.12	206.44	10.5	11.0	3.25	3/16
SV-11	11/26/2019	2082303.22	6769890.08	193.55	9.0	9.0	3.25	3/16
SV-12	7/17/2020	2082255.97	6770155.75	190.48	4.5	5.0	3.25	3/16
SV-15b	7/16/2020	2082202.28	6769653.90	186.28	2.5	3.0	3.25	3/16
SV-16	7/15/2020	2082563.26	6770645.75	207.20	9.0	9.5	3.25	3/16
SV-17b	7/16/2020	2083161.31	6769904.79	208.93	4.5	10.0	3.25	3/16
SV-18	7/15/2020	2083703.57	6770862.91	216.56	4.5	5.0	3.25	3/16
SV-19	7/14/2020	2083040.16	6770390.89	214.21	9.5	10.0	3.25	3/16
SV-20	7/14/2020	2083310.27	6770045.58	207.37	9.5	10.0	3.25	3/16
SV-21	7/14/2020	2083432.90	6770342.52	210.53	9.5	10.0	3.25	3/16
SV-22	10/19/2022	2083352.92	6770135.05	208.00	9.5	10.0	3.25	1/4
SV-23	10/19/2022	2083461.75	6770332.72	209.86	9.5	10.0	3.25	1/4
SV-24	10/19/2022	2083316.62	6770248.55	209.49	8.75	10.0	3.25	1/4
SV-25	10/19/2022	2083191.23	6770304.30	212.06	8.5	10.0	3.25	1/4
SV-26	10/19/2022	2083377.59	6770192.42	208.42	5.0	6.0	3.25	1/4
SV-27	5/31/2024	2082940.72	6769617.88	200.47	10.5	11.0	2.25	1/4
SV-28	5/31/2024	2082679.88	6769635.45	198.32	11.0	11.5	2.25	1/4
SV-29	5/29/2024	2082343.61	6769523.46	190.05	8.0	8.5	2.25	1/4
SV-30	5/29/2024	2082074.36	6769485.30	187.55	7.5	8.0	2.25	1/4
SV-31	5/30/2024	2083125.87	6770095.79	211.47	9.5	10.0	2.25	1/4
SV-32a	5/30/2024	2083279.48	6770210.72	213.56	5.0	5.5	2.25	1/4
SV-32b	5/30/2024	2083279.48	6770210.72	213.56	9.5	10.0	2.25	1/4
SV-33	5/20/2024	2083482.00	6770145.89	207.84	9.5	10.0	2.25	1/4
SV-34	6/3/2024	2083382.34	6770056.42	207.96	9.5	10.0	2.25	1/4
SV-35	6/3/2024	2083413.92	6770177.86	207.54	9.5	10.0	2.25	1/4

Notes:

1 - California State Plane, Zone 2, feet

2 - For probes installed prior to 2024, taken from location data provided by USACE. 2023.

3 - For probes installed in 2024, see the survey in Appendix D.

4 - For probes installed prior to 2024, taken from unpublished surveys performed by Mid Coast Engineers on 12/17/2019 and 8/10/2020.

5 - For SV-22 through SV-26, taken from the boring logs as presented in Ahtna. 2023.

6 - For probes installed before 2024, from the boring logs in Ahtna. 2023.

7 - Reported as the bottom of the sand filter pack.

Definitions:

amsl - above mean sea level

bgs - below ground surface

ft - feet

Table 3. Groundwater Elevations

Well ID	Date	Time	TOC Elevation (ft amsl)	Depth to Water (ft below TOC)	Groundwater Elevation [1] (ft amsl)	Ground Surface Elevation (ft amsl)	Depth to Water (ft bgs)	Total Depth (ft bgs)
EW-1	5/28/2024	10:22	210.94	18.05	192.89	209.33	16.44	26.57
MW-11	5/28/2024	10:10	211.19	15.27	195.92	208.86	12.94	25.21
MW-16	5/28/2024	9:56	212.78	19.30	193.48	210.35	16.87	28.13
MW-17	5/28/2024	10:12	210.25	14.14	196.11	207.30	11.19	22.45
MW-18	5/28/2024	8:49	219.94	13.79	206.15	217.36	11.21	24.88
MW-19	5/28/2024	11:31	186.96	6.93	180.03	184.13	4.10	27.44
MW-22	5/28/2024	11:12	201.07	10.52	190.55	199.46	8.91	30.13
MW-29	5/28/2024	9:45	219.44	17.59	201.85	217.19	15.34	36.98
MW-30	5/28/2024	9:51	238.18	27.79	210.39	235.70	25.31	44.84
MW-31	5/28/2024	8:34	224.80	16.47	208.33	222.27	13.94	27.07
MW-32	5/28/2024	8:29	215.60	10.95	204.65	213.09	8.44	36.78
MW-33	5/28/2024	8:42	212.94	12.87	200.07	210.42	10.35	37.34
MW-34	5/28/2024	8:54	214.43	16.50	197.93	212.35	14.42	26.93
MW-35	5/28/2024	10:16	212.54	17.70	194.84	210.11	15.27	20.00
MW-42	5/28/2024	11:20	203.56	15.30	188.26	201.35	13.09	35.00
MW-43	5/28/2024	11:17	193.63	5.87	187.76	190.81	3.05	27.87
MW-44	5/28/2024	9:28	196.39	12.85	183.54	193.43	9.89	37.47
MW-45	5/28/2024	11:10	207.01	16.61	190.40	204.83	14.43	36.54
MW-46	5/28/2024	9:23	209.22	22.22	187.00	206.44	19.44	42.21
MW-47	5/28/2024	9:35	204.82	18.53	186.29	201.99	15.70	42.35
MW-48	5/28/2024	10:24	216.15	18.05	198.10	213.43	15.33	26.57
MW-49	5/28/2024	10:04	204.50	13.30	191.20	201.81	10.61	37.24
MW-50	5/28/2024	9:18	212.74	22.96	189.78	210.05	20.27	41.84
MW-51	5/28/2024	10:01	206.67	14.29	192.38	204.06	11.68	37.76
MW-52	5/28/2024	9:14	216.58	26.30	190.28	213.81	23.53	47.51
MW-53	5/28/2024	9:10	211.17	20.75	190.42	208.42	18.00	36.64
MW-54	5/28/2024	11:28	185.53	5.28	180.25	182.89	2.64	24.94
MW-55	5/28/2024	11:24	191.84	6.77	185.07	189.33	4.26	27.52

Table 3. Groundwater Elevations

Well ID	Date	Time	TOC Elevation (ft amsl)	Depth to Water (ft below TOC)	Groundwater Elevation [1] (ft amsl)	Ground Surface Elevation (ft amsl)	Depth to Water (ft bgs)	Total Depth (ft bgs)
MW-56	5/28/2024	10:27	209.05	21.57	187.48	206.73	19.25	37.62
MW-57	5/28/2024	8:08	228.20	20.42	207.78	225.28	17.50	42.22
MW-58	5/28/2024	9:02	218.82	23.60	195.22	216.23	21.01	25.03
MW-59	5/28/2024	9:31	188.87	10.66	178.21	186.27	8.06	31.91
MW-60	5/28/2024	9:39	211.38	22.63	188.75	208.79	20.04	37.40
MW-61	6/3/2024	12:05	203.00	17.50	185.50	200.54	15.04	32.65
MW-62	6/3/2024	11:05	201.10	17.62	183.48	198.32	14.84	32.66
MW-63	6/3/2024	9:25	192.16	14.22	177.94	189.81	11.87	30.11
MW-64	6/3/2024	8:05	189.98	14.47	175.51	187.56	12.05	32.04
MW-66	6/3/2024	14:02	210.36	19.99	190.37	207.79	17.43	32.64

Notes:
1 - Calculated as [top of casing elevation] - [depth to water]

Definitions:
amsl - above mean sea level
bgs - below ground surface
ft - feet
TOC - top of casing

Table 4. Water Quality Parameters

Well ID	Date	Time	Temp. (°C)	pH (pH Units)	EC (mS/cm)	Turbidity (NTU)	DO (mg/L)	ORP (mv)	Notes
EW-1	5/28/2024	8:19	18.6	7.35	652	4	4.92	122.2	
MW-11	5/28/2024	9:22	21.7	6.98	791	18.8	0.80	97.5	
MW-16	5/28/2024	10:30	21.2	7.04	793	19.9	4.62	98.0	
MW-17	5/28/2024	8:24	17.9	6.90	759	18.7	4.89	180.0	
MW-19	5/28/2024	12:00	20.6	7.41	440.3	4	0.91	109.9	
MW-22	5/28/2024	14:40	23.0	7.31	459.3	33	4.00	101.6	
MW-29	5/28/2024	13:11	23.7	7.22	925	28	3.43	143.4	
MW-30	5/28/2024	14:16	26.1	6.79	910	116	3.31	148.2	
MW-35	5/28/2024	14:30	24.0	6.77	987	77.5	2.02	-112.0	
MW-42	5/28/2024	12:47	20.0	7.34	430.2	15	4.19	93.8	
MW-43	5/28/2024	13:26	20.5	7.17	231.9	20	0.47	61.2	
MW-44	5/28/2024	9:33	19.9	7.01	525	33.2	2.21	124.0	
MW-45	5/28/2024	14:56	21.3	7.47	484	18	3.60	80.6	
MW-46	5/28/2024	11:39	22.3	7.11	614	23.3	3.93	132.0	
MW-47	5/28/2024	10:42	20.4	6.99	564	62.9	4.68	148.0	
MW-48	5/28/2024	8:55	20.1	7.92	387.1	36	1.75	79.0	
MW-49	5/28/2024	12:19	22.8	7.16	580	80.7	5.20	149.0	
MW-50	5/28/2024	13:04	21.6	7.10	715	254	3.90	131.0	
MW-51	5/28/2024	13:38	26.1	7.14	786	89.7	4.64	119.8	
MW-52	5/28/2024	14:09	22.7	6.91	805	168	2.03	126.0	
MW-53	5/28/2024	12:01	22.1	7.50	560	220	1.34	64.1	
MW-54	5/28/2024	12:03	18.1	7.95	486	6	0.46	-121.7	
MW-55	5/28/2024	12:52	24.2	8.76	467	25	0.76	20.1	
MW-56	5/28/2024	9:36	20.3	7.47	550	32	5.28	96.5	
MW-57	5/28/2024	15:15	25.1	7.48	456	230	3.33	100.2	
MW-58	5/28/2024	11:05	23.2	7.05	1040	210	3.18	-48.2	Grab
MW-59	5/28/2024	8:28	19.2	6.69	668	52.4	0.75	140	
MW-60	5/28/2024	15:16	21.4	6.82	1095	179	3.06	147	
MW-61	6/3/2024	13:08	21.4	7.28	647	82.8	2.39	49.3	
MW-62	6/3/2024	11:36	19.9	7.30	1086	81.9	1.62	110.3	
MW-63	6/3/2024	10:24	19.0	7.27	746	163	2.30	99.8	
MW-64	6/3/2024	8:51	19.6	7.97	534	380	0.50	-332.8	
MW-66	6/3/2024	14:54	21.0	7.12	685	>1000	4.57	124.9	

Definitions:

amsl - above mean sea level
bgs - below ground surface
btoc - below top of casing
DO - dissolved oxygen
EC - electrical conductivity
mS/cm - milliSiemens per centimeter
NTU - Nephelometric Turbidity Units
ORP - oxidation-reduction potential

Table 5a. Project Screening Levels (Groundwater)

Analyte	CAS Number	Units	USEPA RSL	DTSC-SL	CA MCL	PSL[1]	PSL Reference
1,1-Dichloroethene	75-35-4	µg/L	280	130	6.0	6.0	CA MCL
1,4-Dichlorobenzene	106-46-7	µg/L	0.48	-	5.0	5.0	USEPA RSL
Benzene	71-43-2	µg/L	0.46	0.15	1.0	1.0	USEPA RSL
cis-1,2-Dichloroethene	156-59-2	µg/L	25	12	6.0	6.0	CA MCL
Ethylbenzene	100-41-4	µg/L	1.5	-	300	300	USEPA RSL
m,p-Xylene	179601-23-1	µg/L	190	-	1,750	1,750	USEPA RSL
o-Xylene	95-47-6	µg/L	190	-	1,750	1,750	USEPA RSL
Toluene	108-88-3	µg/L	1,100	410	150	150	CA MCL
trans-1,2-Dichloroethene	156-60-5	µg/L	68	110	10	10	CA MCL
Trichloroethene	79-01-6	µg/L	0.49	-	5.0	5.0	USEPA RSL
Vinyl chloride	75-01-4	µg/L	0.019	0.0098	0.50	0.50	USEPA RSL

Notes:

1 - The PSL is the USEPA RSL. If there is no USEPA RSL, the DTSC-SL is used. If the CA MCL is lower than the selected value, the CA MCL is used instead.

Definitions:

CA MCL - California Maximum Contaminant Level.
https://www.waterboards.ca.gov/drinking_water/certlic/drinkingwater/MCLsandPHGs.html.
Accessed 26 July 2024

DTSC-SL = California Department of Toxic Substances Control May 2022 tapwater screening levels.

PSL - Project Screening Level

USEPA RSL = USEPA May 2024 tapwater Regional Screening Level. Target HQ = 1.

Table 5b. Project Screening Levels (Soil Vapor)

Analyte	CAS Number	Units	USEPA VISL	DTSC-SL[1]	PSL[2]	PSL Reference
1,1-Dichloroethene	75-35-4	µg/m^3	7,000	2,433	7,000	USEPA VISL
1,4-Dichlorobenzene	106-46-7	µg/m^3	8.5	-	8.5	USEPA VISL
Benzene	71-43-2	µg/m^3	12	3.2	12	USEPA VISL
cis-1,2-Dichloroethene	156-59-2	µg/m^3	1,400	277	1,400	USEPA VISL
Ethylbenzene	100-41-4	µg/m^3	37	-	37	USEPA VISL
m,p-Xylene	108-38-3	µg/m^3	3,500	-	3,500	USEPA VISL
o-Xylene	95-47-6	µg/m^3	3,500	-	3,500	USEPA VISL
Toluene	108-88-3	µg/m^3	170,000	10,000	170,000	USEPA VISL
trans-1,2-Dichloroethene	156-60-5	µg/m^3	1,400	2,767	1,400	USEPA VISL
Trichloroethene	79-01-6	µg/m^3	16	-	16	USEPA VISL
Vinyl chloride	75-01-4	µg/m^3	5.6	0.32	5.6	USEPA VISL

Notes:

1 - DTSC-SLs have been divided by default USEPA (2015) attenuation factor of 0.03, which is equivalent to the method used to derive USEPA VISLs.

2 - The PSL is the USEPA VISL. If no USEPA RSL is abailable, the DTSC-SL is used.

Definitions:

DTSC-SL = California Department of Toxic Substances Control May 2022 residential air screening levels

PSL - Project Screening Level

USEPA VISL = USEPA residential sub-slab soil gas vapor intrusion screening level (target HQ = 1). Calculated 28 December 2023.

References:

USEPA (U.S. Environmental Protection Agency). 2015. OSWER technical guide for assessing and mitigating the vapor intrusion pathway from subsurface vaporsources to indoor air. OSWER Publication 9200.2-154.

Table 6a. Groundwater Analytical Results

Sample Location			Groundwater Screening Level[1]	EW-1	MW-11	MW-16	MW-16	MW-17	MW-19	MW-22	MW-29	MW-30	MW-30
Sample Collection Date				05/29/2024	05/30/2024	05/30/2024	05/30/2024	05/30/2024	05/28/2024	05/28/2024	05/30/2024	05/30/2024	05/30/2024
Sample Depth (ft bgs)				0	0	0	0	0	0	0	0	0	0
Sample Type				N	N	N	FD	N	N	N	N	N	FD
Analyte	Method	Units		T1AMF-EW001-MAY24	T1AMF-MW011-MAY24	T1AMF-MW016-MAY24	T1AMF-MW016-MAY24_FD	T1AMF-MW017-MAY24	T1AMF-MW019-MAY24	T1AMF-MW022-MAY24	T1AMF-MW029-MAY24	T1AMF-MW030-MAY24	T1AMF-MW030-MAY24_FD
1,1-Dichloroethene	SW8260C	µg/L	6.0	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
1,4-Dichlorobenzene	SW8260C	µg/L	0.48	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzene	SW8260C	µg/L	0.46	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
cis-1,2-Dichloroethene	SW8260C	µg/L	6.0	**11**	0.62 J	0.60 J	0.63 J	0.19 J	0.31 J	0.97 J	1.3	0.20 U	0.20 U
Ethylbenzene	SW8260C	µg/L	1.5	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
m,p-Xylene	SW8260C	µg/L	190	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
o-Xylene	SW8260C	µg/L	190	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Toluene	SW8260C	µg/L	150	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
trans-1,2-Dichloroethene	SW8260C	µg/L	10	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Trichloroethene (TCE)	SW8260C	µg/L	0.49	**320**	**5.4**	**2.9**	**2.8**	**3.9**	0.35 J	**43**	**33**	0.20 U	0.20 U
Vinyl chloride	SW8260C	µg/L	0.019	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U

Definitions:
bgs - below ground surface
ft - feet
µg/L - micrograms per liter

Qualifiers:
J - estimated
U - non-detect at the indicated limit of detection

Sample types:
N - Normal, or parent sample
FD - Field duplicate

Notes:
1 - see Table 5a for derivation of screening levels
Results in **bold** exceed the screening level
Results in grey are non-detect

Table 6a. Groundwater Analytical Results

Sample Location			Groundwater Screening Level[1]	MW-35	MW-35	MW-42	MW-43	MW-44	MW-45	MW-46	MW-47	MW-48	MW-49
Sample Collection Date				05/31/2024	05/31/2024	05/28/2024	05/28/2024	05/29/2024	05/28/2024	05/29/2024	05/29/2024	05/29/2024	05/30/2024
Sample Depth (ft bgs)				0	0	0	10 - 20	0	20 - 30	0	0	20 - 30	20 - 30
Sample Type				N	FD	N	N	N	N	N	N	N	N
Analyte	Method	Units		T1AMF-MW035_MAY24	T1AMF-MW035_MAY24_FD	T1AMF-MW042-MAY24	T1AMF-MW043-MAY24	T1AMF-MW044-MAY24	T1AMF-MW045-MAY24	T1AMF-MW046-MAY24	T1AMF-MW047-MAY24	T1AMF-MW048-MAY24	T1AMF-MW049-MAY24
1,1-Dichloroethene	SW8260C	µg/L	6.0	0.20 U	0.20 U	0.20 U	0.13 J	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
1,4-Dichlorobenzene	SW8260C	µg/L	0.48	0.20 U	0.20 U	0.20 U	0.2 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzene	SW8260C	µg/L	0.46	0.20 U	0.20 U	0.20 U	0.2 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
cis-1,2-Dichloroethene	SW8260C	µg/L	6.0	1.3	1.3	1.0	1.4	2.1	5.7	2.6	1.0	0.20 U	1.1
Ethylbenzene	SW8260C	µg/L	1.5	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
m,p-Xylene	SW8260C	µg/L	190	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
o-Xylene	SW8260C	µg/L	190	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Toluene	SW8260C	µg/L	150	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
trans-1,2-Dichloroethene	SW8260C	µg/L	10	0.20 U	0.20 U	0.20 U	0.14 J	0.23 J	0.34 J	0.18 J	0.30 J	0.20 U	0.20 U
Trichloroethene (TCE)	SW8260C	µg/L	0.49	**6.2**	**6.0**	**46**	**26**	**46**	**220**	**120**	**20**	0.20 U	**71**
Vinyl chloride	SW8260C	µg/L	0.019	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	**0.12 J**	0.30 U	0.30 U	0.30 U	0.30 U

Definitions:
bgs - below ground surface
ft - feet
µg/L - micrograms per liter

Qualifiers:
J - estimated
U - non-detect at the indicated limit of detection

Sample types:
N - Normal, or parent sample
FD - Field duplicate

Notes:
1 - see Table 5a for derivation of screening levels
Results in **bold** exceed the screening level

Results in grey are non-detect

Table 6a. Groundwater Analytical Results

Sample Location			Groundwater Screening Level[1]	MW-50	MW-51	MW-52	MW-52	MW-53	MW-54	MW-55	MW-56	MW-57
Sample Collection Date				05/29/2024	05/31/2024	05/29/2024	05/29/2024	05/31/2024	05/28/2024	05/28/2024	05/29/2024	05/30/2024
Sample Depth (ft bgs)				0	20 - 30	0	0	0	12 - 22	10 - 20	20 - 30	0
Sample Type				N	N	N	FD	N	N	N	N	N
Analyte	Method	Units		T1AMF-MW050-MAY24	T1AMF-MW051_MAY24	T1AMF-MW052-MAY24	T1AMF-MW052-MAY24_FD	T1AMF-MW053_MAY24	T1AMF-MW054-MAY24	T1AMF-MW055-MAY24	T1AMF-MW056-MAY24	T1AMF-MW057-MAY24
1,1-Dichloroethene	SW8260C	µg/L	6.0	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
1,4-Dichlorobenzene	SW8260C	µg/L	0.48	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzene	SW8260C	µg/L	0.46	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
cis-1,2-Dichloroethene	SW8260C	µg/L	6.0	0.56 J	0.11 J	0.42 J	0.37 J	0.20 U	0.70 J	0.20 U	0.20 J	0.20 U
Ethylbenzene	SW8260C	µg/L	1.5	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
m,p-Xylene	SW8260C	µg/L	190	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
o-Xylene	SW8260C	µg/L	190	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Toluene	SW8260C	µg/L	150	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
trans-1,2-Dichloroethene	SW8260C	µg/L	10	0.14 J	0.20 U	0.31 J	0.34 J	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Trichloroethene (TCE)	SW8260C	µg/L	0.49	**14**	**9.3**	**5.0**	**5.3**	0.20 U	0.35 J	0.20 U	**13**	0.20 U
Vinyl chloride	SW8260C	µg/L	0.019	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U

Definitions:
bgs - below ground surface
ft - feet
µg/L - micrograms per liter

Qualifiers:
J - estimated
U - non-detect at the indicated limit of detection

Sample types:
N - Normal, or parent sample
FD - Field duplicate

Notes:
1 - see Table 5a for derivation of screening levels
Results in **bold** exceed the screening level

Results in grey are non-detect

Table 6a. Groundwater Analytical Results

Sample Location			Groundwater Screening Level[1]	MW-58	MW-59	MW-60	MW-61	MW-62	MW-63	MW-64	MW-66
Sample Collection Date				05/31/2024	05/29/2024	05/29/2024	06/03/2024	06/03/2024	06/03/2024	06/03/2024	06/03/2024
Sample Depth (ft bgs)				0	0	0	0	0	0	0	0
Sample Type				N	N	N	N	N	N	N	N
Analyte	Method	Units		T1AMF-MW058_MAY24	T1AMF-MW059-MAY24	T1AMF-MW060-MAY24	T1AMF-MW061_JUN24	T1AMF-MW062_JUN24	T1AMF-MW063_JUN24	T1AMF-MW064_JUN24	T1AMF-MW066_JUN24
1,1-Dichloroethene	SW8260C	µg/L	6.0	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
1,4-Dichlorobenzene	SW8260C	µg/L	0.48	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzene	SW8260C	µg/L	0.46	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
cis-1,2-Dichloroethene	SW8260C	µg/L	6.0	0.20 U	0.29 J	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Ethylbenzene	SW8260C	µg/L	1.5	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
m,p-Xylene	SW8260C	µg/L	190	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
o-Xylene	SW8260C	µg/L	190	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Toluene	SW8260C	µg/L	150	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
trans-1,2-Dichloroethene	SW8260C	µg/L	10	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Trichloroethene (TCE)	SW8260C	µg/L	0.49	0.11 J	**7.0**	**2.0**	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Vinyl chloride	SW8260C	µg/L	0.019	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U

Definitions:
bgs - below ground surface
ft - feet
µg/L - micrograms per liter

Qualifiers:
J - estimated
U - non-detect at the indicated limit of detection

Sample types:
N - Normal, or parent sample
FD - Field duplicate

Notes:
1 - see Table 5a for derivation of screening levels
Results in **bold** exceed the screening level

Results in grey are non-detect

Table 6b. Soil Vapor Analytical Results

Sample Location			Soil Vapor Screening Level[1]	SV-1	SV-2	SV-3	SV-4	SV-5B	SV-6	SV-7	SV-8	SV-9B	SV-10
Sample Collection Date				05/28/2024	05/31/2024	06/03/2024	05/30/2024	05/30/2024	05/30/2024	05/30/2024	05/30/2024	06/06/2024	06/03/2024
Sample Depth (ft bgs)				0	0	0	0	0	0	0	0	0	0
Sample Type				N	N	N	N	N	N	N	N	N	N
Analyte	Method	Units		T1AMF-SV001_May24	T1AMF-SV002_May24	T1AMF-SV003_JUN24	T1AMF-SV004_May24	T1AMF-SV005B_May24	T1AMF-SV006_May24	T1AMF-SV007_May24	T1AMF-SV008_May24	T1AMF-SV009B_JUN24	T1AMF-SV010_JUN24
1,1-Dichloroethene	TO-15	µg/m^3	7,000	17 U	4.1 U	4.0 U	4.2 U	4.5 U	4.1 U	3.9 U	4.2 U	4.1 U	3.5 U
1,4-Dichlorobenzene	TO-15	µg/m^3	8.5	25 U	6.2 U	6.1 U	6.4 U	6.8 U	6.2 U	6.0 U	6.4 U	6.2 U	5.3 U
Benzene	TO-15	µg/m^3	12	14 U	3.3 U	3.2 U	3.4 U	3.6 U	3.3 U	3.2 U	3.4 U	3.3 U	2.8 U
cis-1,2-Dichloroethene	TO-15	µg/m^3	1,400	4.7 J	4.1 U	4.0 U	4.2 U	4.5 U	4.1 U	3.9 U	4.2 U	4.1 U	3.5 U
Ethylbenzene	TO-15	µg/m^3	37	18 U	4.4 U	4.4 U	4.6 U	4.9 U	4.5 U	4.3 U	4.6 U	4.5 U	3.8 U
m,p-Xylene	TO-15	µg/m^3	3,500	18 U	4.4 U	1.4 J	1.2 J	1.9 J	4.5 U	4.3 U	3.3 J	4.5 U	1.2 J
o-Xylene	TO-15	µg/m^3	3,500	18 U	4.4 U	4.4 U	4.6 U	4.9 U	4.5 U	4.3 U	1.9 J	4.5 U	3.8 U
Toluene	TO-15	µg/m^3	170,000	16 U	3.9 U	1.5 J	4.0 U	4.2 U	3.9 U	3.7 U	2.1 J	3.9 U	1.0 J
trans-1,2-Dichloroethene	TO-15	µg/m^3	1,400	17 U	4.1 U	4.0 U	4.2 U	4.5 U	4.1 U	3.9 U	4.2 U	4.1 U	3.5 U
Trichloroethene (TCE)	TO-15	µg/m^3	16	**6,000**	2.3 J	5.4 U	3.2 J	**110**	2.8 J	5.3 U	5.8 U	11	4.7 U
Vinyl chloride	TO-15	µg/m^3	5.6	11 U	2.6 U	2.6 U	2.7 U	2.9 U	2.6 U	2.5 U	2.7 U	2.6 U	2.2 U

Definitions:

bgs - below ground surface

ft - feet

µg/m^3 - micrograms per cubic meter

Qualifiers:

J - estimated

U - non-detect at the indicated limit of detection

Sample types:

N - normal, or parent sample

FD - field duplicate

Notes:

1 - see Table 5b for derivation of screening levels

Results in **bold** exceed the screening level

Results in grey are non-detect

Table 6b. Soil Vapor Analytical Results

Sample Location			Soil Vapor Screening Level[1]	SV-15B	SV-16	SV-17B	SV-18	SV-19	SV-20	SV-22	SV-23	SV-23	SV-24
Sample Collection Date				05/31/2024	05/30/2024	05/29/2024	05/28/2024	05/31/2024	05/29/2024	05/29/2024	05/29/2024	05/29/2024	05/29/2024
Sample Depth (ft bgs)				0	0	0	0	0	0	0	0	0	0
Sample Type				N	N	N	N	N	N	N	N	FD	N
Analyte	Method	Units		T1AMF-SV015B_May24	T1AMF-SV016_May24	T1AMF-SV017B_May24	T1AMF-SV018_May24	T1AMF-SV019_May24	T1AMF-SV020_May24	T1AMF-SV022_May24	T1AMF-SV023_May24	T1AMF-SV023_May24_FD	T1AMF-SV024_May24
1,1-Dichloroethene	TO-15	µg/m^3	7,000	3.8 U	4.2 U	4.8 U	3.8 U	4.0 U	6.2 U	21 U	3.9 U	3.6 U	18 U
1,4-Dichlorobenzene	TO-15	µg/m^3	8.5	5.8 U	6.3 U	7.3 U	5.7 U	6.1 U	9.4 U	32 U	5.9 U	5.4 U	27 U
Benzene	TO-15	µg/m^3	12	3.1 U	3.4 U	3.9 U	3.0 U	3.2 U	3.7 J	17 U	3.1 U	2.9 U	14 U
cis-1,2-Dichloroethene	TO-15	µg/m^3	1,400	3.8 U	4.2 U	4.8 U	3.8 U	4.0 U	6.2 U	30	3.9 U	3.6 U	18 U
Ethylbenzene	TO-15	µg/m^3	37	4.2 U	4.6 U	5.3 U	4.1 U	4.4 U	2.1 J	23 U	4.3 U	1.2 J	20 U
m,p-Xylene	TO-15	µg/m^3	3,500	4.2 U	4.6 U	5.3 U	4.1 U	0.87 J	3.5 J	23 U	3.1 J	3.7 J	20 U
o-Xylene	TO-15	µg/m^3	3,500	4.2 U	4.6 U	5.3 U	4.1 U	4.4 U	6.8 U	23 U	1.3 J	1.8 J	20 U
Toluene	TO-15	µg/m^3	170,000	3.6 U	4.0 U	4.6 U	3.6 U	3.8 U	5.9 J	20 U	3.0 J	4.1 J	17 U
trans-1,2-Dichloroethene	TO-15	µg/m^3	1,400	3.8 U	4.2 U	4.8 U	3.8 U	4.0 U	6.2 U	21 U	3.9 U	3.6 U	18 U
Trichloroethene (TCE)	TO-15	µg/m^3	16	5.2 U	**140**	**23**	5.1 U	4.8 J	**390**	**7,200**	5.3 U	4.8 U	**6,300**
Vinyl chloride	TO-15	µg/m^3	5.6	2.4 U	2.7 U	3.1 U	2.4 U	2.6 U	4.0 U	14 U	2.5 U	2.3 U	12 U

Definitions:

bgs - below ground surface

ft - feet

µg/m^3 - micrograms per cubic meter

Qualifiers:

J - estimated

U - non-detect at the indicated limit of detection

Sample types:

N - normal, or parent sample

FD - field duplicate

Notes:

1 - see Table 5b for derivation of screening levels

Results in **bold** exceed the screening level

Results in grey are non-detect

Table 6b. Soil Vapor Analytical Results

Sample Location			Soil Vapor Screening Level[1]	SV-25	SV-26	SV-26	SV-27	SV-28	SV-28	SV-29	SV-30	SV-31	SV-32A
Sample Collection Date				05/31/2024	05/29/2024	05/29/2024	06/03/2024	06/03/2024	06/03/2024	06/03/2024	06/03/2024	06/03/2024	06/06/2024
Sample Depth (ft bgs)				0	0	0	0	0	0	0	0	0	0
Sample Type				N	N	FD	N	N	FD	N	N	N	N
Analyte	Method	Units		T1AMF-SV025_May24	T1AMF-SV026_May24	T1AMF-SV026_May24_FD	T1AMF-SV027_JUN24	T1AMF-SV028_JUN24	T1AMF-SV028_JUN24_FD	T1AMF-SV029_JUN24	T1AMF-SV030_JUN24	T1AMF-SV031_JUN24	T1AMF-SV032A_JUN24
1,1-Dichloroethene	TO-15	µg/m^3	7,000	4.1 U	4.0 U	4.5 U	6.0 U	3.8 U	4.0 U	12 U	3.7 U	5.8 U	8.4 U
1,4-Dichlorobenzene	TO-15	µg/m^3	8.5	6.2 U	6.1 U	6.8 U	9.1 U	5.8 U	6.1 U	17 U	5.6 U	8.8 U	13 U
Benzene	TO-15	µg/m^3	12	3.3 U	3.2 U	3.6 U	7.4	**86**	**84**	**53**	9.4	**14**	3.5 J
cis-1,2-Dichloroethene	TO-15	µg/m^3	1,400	4.1 U	4.0 U	4.5 U	6.0 U	3.8 U	4.0 U	12 U	3.7 U	5.8 U	8.4 U
Ethylbenzene	TO-15	µg/m^3	37	4.5 U	4.4 U	4.9 U	3.0 J	12	11	9.2 J	6.0	3.6 J	9.3 U
m,p-Xylene	TO-15	µg/m^3	3,500	0.98 J	3.0 J	1.9 J	7.9 J	19	21	24 J	11	8.9 J	4.0 J
o-Xylene	TO-15	µg/m^3	3,500	4.5 U	1.2 J	4.9 U	3.2 J	5.4	5.2	8.4 J	4.2 J	3.8 J	9.3 U
Toluene	TO-15	µg/m^3	170,000	3.9 U	1.7 J	1.3 J	23	27	28	74	37	32	12 J
trans-1,2-Dichloroethene	TO-15	µg/m^3	1,400	4.1 U	4.0 U	4.5 U	6.0 U	3.8 U	4.0 U	12 U	3.7 U	5.8 U	8.4 U
Trichloroethene (TCE)	TO-15	µg/m^3	16	2.2 J	**1,100**	**1,000**	8.2 U	5.2 U	5.5 U	16 U	5.0 U	7.8 U	**2,900**
Vinyl chloride	TO-15	µg/m^3	5.6	2.6 U	2.6 U	2.9 U	3.9 U	2.5 U	2.6 U	7.4 U	2.4 U	3.7 U	5.4 U

Definitions:

bgs - below ground surface

ft - feet

µg/m^3 - micrograms per cubic meter

Qualifiers:

J - estimated

U - non-detect at the indicated limit of detection

Sample types:

N - normal, or parent sample

FD - field duplicate

Notes:

1 - see Table 5b for derivation of screening levels

Results in **bold** exceed the screening level

Results in grey are non-detect

Table 6b. Soil Vapor Analytical Results

Sample Location			Soil Vapor Screening Level[1]	SV-32B	SV-33	SV-34	SV-35	SV-35
Sample Collection Date				06/06/2024	05/28/2024	06/06/2024	06/06/2024	06/06/2024
Sample Depth (ft bgs)				0	0	0	0	0
Sample Type				N	N	N	N	FD
Analyte	Method	Units		T1AMF-SV032B_JUN24	T1AMF-SV033_May24	T1AMF-SV034_JUN24	T1AMF-SV035_JUN24	T1AMF-SV035_JUN24_FD
1,1-Dichloroethene	TO-15	µg/m^3	7,000	3.9 U	4.2 U	4.2 U	3.7 U	3.8 U
1,4-Dichlorobenzene	TO-15	µg/m^3	8.5	5.9 U	6.4 U	6.4 U	5.7 U	5.8 U
Benzene	TO-15	µg/m^3	12	8.1	**13**	**18**	8.6	9.3
cis-1,2-Dichloroethene	TO-15	µg/m^3	1,400	3.9 U	4.2 U	4.2 U	3.7 U	3.8 U
Ethylbenzene	TO-15	µg/m^3	37	3.3 J	11	7.9	4.5 J	4.7
m,p-Xylene	TO-15	µg/m^3	3,500	8.0 J	36	27	12	13
o-Xylene	TO-15	µg/m^3	3,500	3.2 J	12	17	5.3	5.7
Toluene	TO-15	µg/m^3	170,000	18	89	52	24	27
trans-1,2-Dichloroethene	TO-15	µg/m^3	1,400	3.9 U	4.2 U	4.2 U	3.7 U	3.8 U
Trichloroethene (TCE)	TO-15	µg/m^3	16	9.2	**68**	**44**	**1,500**	**1,500**
Vinyl chloride	TO-15	µg/m^3	5.6	2.5 U	2.7 U	2.7 U	2.4 U	2.5 U

Definitions:

bgs - below ground surface

ft - feet

µg/m^3 - micrograms per cubic meter

Qualifiers:

J - estimated

U - non-detect at the indicated limit of detection

Sample types:

N - normal, or parent sample

FD - field duplicate

Notes:

1 - see Table 5b for derivation of screening levels


Results in **bold** exceed the screening level

Results in grey are non-detect

Figures

Figure 1

General Site Location
Former Titan 1-A Missile Facility
Lincoln, California
FUDS Property No. J09CA1108



Legend

Former Titan 1-A Missile Facility / FUDS Boundary



Site Location in California

5 2.5 0 5 Miles

N W E S

PARSONS	U.S. Army Corps of Engineers Sacramento District

DESIGNED BY: BT	General Site Location	
DRAWN BY: BT		
CHECKED BY: MR	PROJECT TYPE: HTRW	PROJECT NUMBER: 100306.0044.110251.09000
SUBMITTED BY: CR	PROJECT: J09CA1108-01	PAGE NUMBER:
	DATE: January 2024	

FILE: X:\gis\Other_sites\Maps\Titan1A\UFP-QAPP

Figure 2

Site Setting
Former Titan 1-A Missile Facility
Lincoln, California
FUDS Property No. J09CA1108

193
Overland Ln
Snapdragon Pl
Oak Tree Ln
Orchid Ln
Periwinkle Ln
Chicory Ct
Lilac Ln
Valerian Ln
Daylily Ln
Belladonna Ln
Sun City Blvd
Snapdragon Ln

Legend

Former Titan 1-A Missile Facility / FUDS Boundary



Site Location in California

300 150 0 300 Feet

N W E S

PARSONS	U.S. Army Corps of Engineers Sacramento District

DESIGNED BY: BT	Site Setting	
DRAWN BY: BT		
CHECKED BY: MR	PROJECT TYPE: HTRW	PROJECT NUMBER: 100306.0044.110251.09000
SUBMITTED BY: CR	PROJECT: J09CA1108-01	PAGE NUMBER:
	DATE: April 2024	

FILE: X:\gis\Other_sites\Maps\Titan1A\UFP-QAPP

Figure 3

Groundwater Well Locations
Former Titan 1-A Missile Facility
Lincoln, California
FUDS Property No. J09CA1108



Legend

- Extraction Well
- Monitoring Well
- Fence
- Parcel Boundary
- Former Titan 1-A Missile Facility / FUDS Boundary
- Ephemeral/Seasonal Streams and Surface Water Bodies
- Ephemeral stream



Site Location in California

300 150 0 300 Feet

N W E S

PARSONS	U.S. Army Corps of Engineers Sacramento District

DESIGNED BY: BT	Groundwater Well Locations	
DRAWN BY: BT		
CHECKED BY: MR	PROJECT TYPE: HTRW	PROJECT NUMBER: 100306.0044.110251.01000
SUBMITTED BY: CR	PROJECT: J09CA1108-01	PAGE NUMBER:
	DATE: June 2024	

FILE: X:\gis\Other_sites\Maps\Titan1A\UFP-QAPP

Figure 4

Soil Vapor Probe Locations
Former Titan 1-A Missile Facility
Lincoln, California
FUDS Property No. J09CA1108



Legend

- Soil Vapor Probe
- Fence
- Parcel Boundary
- Former Titan 1-A Missile Facility / FUDS Boundary
- Ephemeral/Seasonal Streams and Surface Water Bodies
- Ephemeral stream



Site Location in California

300 150 0 300 Feet

N W E S


PARSONS	U.S. Army Corps of Engineers Sacramento District

DESIGNED BY: BT	Soil Vapor Probe Locations	
DRAWN BY: BT		
CHECKED BY: MR	PROJECT TYPE: HTRW	PROJECT NUMBER: 100306.0044.110251.01000
SUBMITTED BY: CR	PROJECT: J09CA1108-01	PAGE NUMBER:
	DATE: June 2024	

FILE: X:\gis\Other_sites\Maps\Titan1A\UFP-QAPP

Figure 5


Groundwater Elevations and Contours
1st Semi-Annual Sampling Event 2024
Former Titan 1-A Missile Facility
Lincoln, California
FUDS Property No. J09CA1108



Legend

- Extraction Well
- Monitoring Well
- Ground water Elevation Contour (feet above mean sea level), dashed where estimated
- Direction of Groundwater Flow
- Parcel Boundary
- Ephemeral/Seasonal Streams and Surface Water Bodies
- Ephemeral stream
- Former Titan 1-A Missile Facility / FUDS Boundary

Note:
Groundwater Elevations are in feet above mean sea level.
The groundwater elevation contours and groundwater flow directions are from:
1st Semi-Annual Sampling Event 2024.
Beale Air Force Base (AFB) Former Titan 1-A Missile Facility, Formerly Used Defense Site (FUDS), Placer County, Lincoln, California
FUDS Project J09CA1108-01.



Site Location in California

300 150 0 300 Feet

N W E S


PARSONS	U.S. Army Corps of Engineers Sacramento District

DESIGNED BY: BT	Groundwater Elevations and Contours 1st Semi-Annual Sampling Event 2024	
DRAWN BY: BT		
CHECKED BY: MR	PROJECT TYPE: HTRW	PROJECT NUMBER: 100306.0044.110251.01000
SUBMITTED BY: CR	PROJECT: J09CA1108-01	PAGE NUMBER:
	DATE: January 2025	

FILE: X:\gis\Other_sites\Maps\Titan1A\RI

Figure 6

Trichloroethene and cis-1,2-Dichloroethene in Groundwater, 1st Semi-Annual Sampling Event 2024 Former Titan 1-A Missile Facility Lincoln, California FUDS Property No. J09CA1108




Legend

- Extraction well
- Monitoring Well

Trichloroethene (TCE) and cis-1,2-dichloroethene (DCE) concentrations shown below the extraction/monitoring well ID in µg/L. Results greater than the California Maximum Contaminant Level for TCE (5 ug/L) or cis-1-2-DCE (6 ug/L) are shown in yellow.

- TCE Isoconcentration line (µg/L), dashed where inferred
- Parcel Boundary
- Ephemeral/Seasonal Streams and Surface Water Bodies
- Ephemeral stream

Note:
Isoconcentration contours are interpolations predicted using state-of-the-practice mathematical models — they are modeled (approximated) concentration contours and are only intended to provide a rough visualization of the approximated concentration boundaries.
Contours are dashed where inferred.
The concentrations provided as #/# are the normal sample result followed by the field duplicate result.
J = Estimated value
U = not detected at the indicated Limit of Detection



Site Location in California

300 150 0 300 Feet

N W E S

PARSONS	U.S. Army Corps of Engineers Sacramento District

DESIGNED BY: BT	Trichloroethene and cis-1,2-Dichloroethene in Groundwater, 1st Semi-Annual Sampling Event 2024		
DRAWN BY: BT			
CHECKED BY: MR	PROJECT TYPE: HTRW	PROJECT NUMBER: 100306.0044.110251.09000	
SUBMITTED BY: CR	PROJECT: J09CA1108-01	PAGE NUMBER:	
	DATE: November 2024		

FILE: X:\gis\Other_sites\Maps\Titan1A\UFP-QAPP

Figure 7

Trichloroethene in Soil Vapor, 1st Semi-Annual Sampling Event 2024 Former Titan 1-A Missile Facility Lincoln, California FUDS Property No. J09CA1108

Legend

- Soil Vapor Probe. Trichloroethene concentration shown below soil vapor probe ID in µg/m^3. Results greater than the vapor intrusion screening level of 16 µg/m^3 are shown in yellow.
- TCE Isoconcentration line (µg/m^3), dashed where inferred
- Parcel Boundary
- Ephemeral/Seasonal Streams and Surface Water Bodies
- Ephemeral stream
- Former Titan 1-A Missile Facility / FUDS Boundary

Note:
Isoconcentration contours are interpolations predicted using state-of-the-practice mathematical models — they are modeled (approximated) concentration contours and are only intended to provide a rough visualization of the approximated concentration boundaries. A dashed contour is drawn to show the inferred TCE concentrations.
The concentrations provided as #/# are the normal sample result followed by the field duplicate result.
J = Estimated value
U = not detected at the indicated Limit of Detection



Site Location in California

300 150 0 300 Feet

N W E S

PARSONS	U.S. Army Corps of Engineers Sacramento District

DESIGNED BY: BT	**Trichloroethene in Soil Vapor, 1st Semi-Annual Sampling Event 2024**
DRAWN BY: BT	
CHECKED BY: MR	PROJECT TYPE: HTRW — PROJECT NUMBER: 100306.0044.110251.01000
SUBMITTED BY: CR	PROJECT: J09CA1108-01 — PAGE NUMBER: — DATE: November 2024

FILE: X:\gis\Other_sites\Maps\Titan1A\UFP-QAPP

Figure 8

Benzene in Soil Vapor, 1st Semi-Annual Sampling Event 2024 Former Titan 1-A Missile Facility Lincoln, California FUDS Property No. J09CA1108

Legend

- Soil Vapor Probe. Benzene concentration shown below soil vapor probe in µg/m^3. Results greater than the intrusion screening level of 12 µg/m^3 are shown in yellow.
- Parcel Boundary
- Ephemeral/Seasonal Streams and Surface Water Bodies
- Ephemeral stream
- Former Titan 1-A Missile Facility / FUDS Boundary

Note:
The concentrations provided as #/# are the normal sample result followed by the field duplicate result.
J = Estimated value
U = not detected at the indicated Limit of Detection



Site Location in California

Feet
300 150 0 300

N W E S

PARSONS

U.S. Army Corps of Engineers Sacramento District

DESIGNED BY: BT	**Benzene in Soil Vapor, 1st Semi-Annual Sampling Event 2024**
DRAWN BY: BT	
CHECKED BY: MR	PROJECT TYPE: HTRW — PROJECT NUMBER: 100306.0044.110251.01000
SUBMITTED BY: CR	PROJECT: J09CA1108-01 — PAGE NUMBER: — DATE: August 2024

FILE: X:\gis\Other_sites\Maps\Titan1A\UFP-QAPP

Appendix A – Boring Logs

PARSONS

Project Name: Titan 1-A

Ground Elev:_____ TOC Elev:_____ (Datum:_____)

Northing:_____ Easting_____

Date/Time Started : 5/22/24 / 0940
Date/Time Completed : 5/22/24 / 1430
Drilling Firm : Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT / HSA
Sampling Method : DPT 22 liner

Geologist : A. Pimentel
Project Manager : Carrie Ross
Project Number :

Boring ID: MW-61

Page 1 of 2

Ground Surface : Grass
Weather & Temp : Sunny / 75°F

PID Model : mini PAE 3000
Calibration Date : 5/22/24 Bump test
Calibration Gas : Isobutylene 100ppm

Water Levels (feet below ground surface)
▼ Static: 15.4' bgs (down borehole)
▽ During Drilling: 25'

Static water level measured after well installation but before development

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0	@0' 10YR 3/3 Dark brown, hard, moist, grass roots fines 90%, very fine to fine sands 10%	OL					
1							
2	@1.5' 10YR 3/3 Dark brown, fines 70%, very fine to fine sand 20%, angular gravel to cobble 10% sandy clay	CL		43/48		0.2	1030
3							
4	@3.5' as above, color change 2.5Y 4/4 olive brown					0.1	1035
5	@5.25' 2.5YR 3/4 Dark reddish brown, mica present fines 15%, fine to coarse sand 85%, poorly graded sand with clay.	SP-SC				0.5	1100
6				60/60			
7	@6.5' 2.5YR 4/4 reddish brown, moist, firm, high plasticity, fines 95%, very fine sand 5%, clay	CL					
8	as above						
9						0.6	1110
10	@9.5' 10YR 4/6 Dark yellowish brown, medium plasticity firm moist, fines 75%, very fine to fine sand 15% clay with sand						
11				60/48			
12	@11.5' as above, color change 2.5Y 4/4 olive brown @12' as above, presence of iron oxidation 12'-13'						
13						0.0	1125
14	@14' 2.5Y 4/4 olive brown fines 65%, fine to coarse sand 35% moist			60/24			
15 ▼	@14.5' 2.5Y 4/4 poorly graded fine to coarse sand 90% fines 10%, moist poorly graded sand with clay	SP-SC					
16	@16' 10YR 4/6 Dark yellowish brown, medium plasticity firm, fines 75%, very fine to fine sand 15% clay with sand	CL		60/36		0.0	1145
17							
18	@17.5' as above, firm, color change 2.5Y 4/4 olive brown					0.7	1155
19	@ as above			45/24			
20							

Well ID: MW-61
Well Depth: 30 ft

Surface Completion: Stovepipe 2.5 PVC ags

grout 16'-0'

Bentonite seal 18'-16'

2" blank sch.40 PVC

#3 sand filter pack

8" auger

GROUT: 0 to 16 feet SEAL: 16 to 18 feet FILTER PACK: 18 to 30 feet
PVC Riser: 0 to 20 feet PVC Screen: 19.6 to 29.6 feet PVC Stickup (ags): 2.5'

GROUT: Neat cement SEAL: Bentonite chips FILTER PACK: #3 sand
PVC Riser: Sch 40 2" blank PVC Screen: Sch. 40 2" slotted Slot Size: 0.02" End CapLength: 4"

03-03-2011 \\Caoak01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: _____

Ground Elev: _____ TOC Elev: _____ (Datum: _____)

Northing: _____ Easting _____

Date/Time Started : _____ / _____

Date/Time Completed : _____ / _____

Drilling Firm : _____

Drill Rig (make/model) : see page 1

Drilling Method : _____

Sampling Method : _____

Geologist : _____

Project Manager : see page 1

Project Number : _____

Boring ID: MW-61

Page 2 of 2

Ground Surface : _____

Weather & Temp : see page 1

PID Model : _____

Calibration Date : _____

Calibration Gas : see page 1

Water Levels (feet below ground surface)

▼ Static: _____


▽ During Drilling: _____

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
20	as above						
21	@21' Decomposed granite, moist, loose, coarse sand 95% fines 5%, well graded sand	SW		34/24		0.8	1300
22							
23	@22.5' 2.5Y 4/4 olive brown, medium plasticity, moist, fines 75%, very fine to fine sand 15% clay with sand	CL		37/24			
24						0.0	1310
▽25	@25' Decomposed granite, wet, loose, coarse sand 95% fines 5%, well graded sand	SW		60/36			
26							
27	@26.5' 2.5Y 4/4 olive brown, med. plast. fines 75%, very fine to fine sand 15% clay with sand	CL					
28	@27.5' color change GLEY 4/5GY Dark greenish gray as above			46/24		0.3	1315
29	@5 above.			19/12			
30	* Boring terminated @ 30' bgs						
1							
2							
3							
4							
5							
6							
7							
8							
9							
0							

Well ID: MW-61

Well Depth: 30 ft

Surface Completion: _____



GROUT: 0 to 16 feet SEAL: 16 to 18 feet FILTER PACK: 18 to 30 feet

PVC Riser: 0 to 20 feet PVC Screen: 29.6 to 19.6 feet PVC Stickup (ags): 2.5'

GROUT: Neat Cement SEAL: Bentonite Chips FILTER PACK: #3 sand

PVC Riser: 2.5' PVC Screen: SCH 40 Slot Size: 0.02" End CapLength: 4"

2"

03-03-2011 \\Caoak01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1-A

Ground Elev: ____ TOC Elev: ____ (Datum: ____)

Northing: ____ Easting: ____

Date/Time Started : 5/23/24 / 0915
Date/Time Completed : 5/23/24 / 1450
Drilling Firm : Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT / HSA
Sampling Method : DPT 22 liner

Geologist : A. Amentel
Project Manager : Carrie Doss
Project Number :

Boring ID: MW-62

Page 1 of 2

Ground Surface : Grass
Weather & Temp : Sunny / 65 °F

PID Model : miniRAE
Calibration Date : 5/23/24 Bump test
Calibration Gas : Isobutylene 100ppm

Water Levels (feet below ground surface)
▼ Static: 16.26' bgs
▽ During Drilling: 24.5'

Static water level measured after well installation but before development

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0–2	0' 2.5 Y 4/3 Olive brown, moist, firm, low to medium plasticity, roots, fines 70%, very fine to fine sand 30% sandy clay.	CL				0.3	0912
3–4	@3' 10YR 4/6 Dark yellowish brown, moist, fines 25% very fine to fine sand 75% clayey sand	SC		40/48		0.3	0915
5–6	as above						
7–8	@8' 10YR 4/4 Dark yellowish brown, hard, moist, fines 80%, very fine to fine sand 20% ~~sandy~~ clay	CL		31/60		0.0	0930
9	@9' 3" thick section of quartz gravel: angular ¼" tol"						
10–11	@10' 7.5YR 3/2 Dark brown, ~~hard~~ dense, fines 20% fine to coarse sand 70%, subrounded to rounded gravel 10%, moist, mica present, poorly graded sand with clay	SP-SC					
12–13	@12.75' 7.5YR 2.5/2 Very dark brown, firm, moist, very fine to fine sand 15%, fines 85%, clay with sand mica present	CL		48/60		0.9	0945
14	@14' 3" thick section of quartz gravel, angular ¼" tol"						
15–16	@15' 10YR 4/6 Dark yellowish brown, mica present fines 40%, very fine to fine sand 60%	SP-SC	SP-SC	60/48		0.3	1000
17	as above						
18–19	as above			60/36			
20							

Well ID: MW-62
Well Depth: 30 ft

Surface Completion: Stove pipe

grout 16'-0'

sch.40 2" blank PVC

Bentonite seal 18'-16'

#3 Sand 30'-18'

8" HSA

GROUT: 0 to 16 feet SEAL: 16 to 18 feet FILTER PACK: 18 to 30 feet
PVC Riser: 2.5 to 0 feet PVC Screen: 29.6 to 19.6 feet PVC Stickup (ags): 2.5

GROUT: Neat Cement SEAL: Bentonite Chips FILTER PACK: #3 sand
PVC Riser: 2" sch.40 PVC Screen: 2" sch.40 Slot Size: 0.02" End CapLength: 4"

03-03-2011 \\Cacak01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: _____

Ground Elev: ____ TOC Elev: ____ (Datum: ____)

Northing: _____ Easting _____

Date/Time Started : ____ / ____

Date/Time Completed : ____ / ____

Drilling Firm : _____

Drill Rig (make/model) : see page 1

Drilling Method : _____

Sampling Method : _____

Geologist : _____

Project Manager : see page 1

Project Number : _____

Boring ID: MW-62

Page 2 of 2

Ground Surface : _____

Weather & Temp : see page 1

PID Model : _____

Calibration Date : see page 1

Calibration Gas : _____

Water Levels (feet below ground surface)

Static: _____


During Drilling: _____

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
20				60/36			
21	as above						
22						0.9	1045
23				50/36			
24	as above						
▽24	Wet						
25				50/36			
26	@ 25.75' GLEY 4/5GY Dark greenish gray, ~~orange~~, moist, fines 20%, fine to coarse sand 80% (decomposed granite)	SP-SC				0.8	1100
27							
28	@ 28' as above, wet					3.4	1110
29				56/48			
30	as above						
1	* Boring terminated @ 30' bgs						
2							
3							
4							
5							
6							
7							
8							
9							
0							

Well ID: MW-62

Well Depth: 30 ft

Surface Completion: _____



GROUT: 0 to 16 feet SEAL: 16 to 18 feet FILTER PACK: 18 to 30 feet

PVC Riser: 2.5 to 0 feet PVC Screen: 29.6 to 19.6 feet PVC Stickup (ags): 2.5'

GROUT: Neat Cement SEAL: bentonite chips FILTER PACK: #3 sand

PVC Riser: sch 40 2" PVC Screen: sch 40 2" Slot Size: 0.02" End CapLength: 4"

03-03-2011 \\Cacak01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan I-A

Ground Elev: ____ TOC Elev: ____ (Datum: ____)

Northing: ____ Easting: ____

Date/Time Started : 5/24/24 / 0900
Date/Time Completed : 5/24/24 / 1450
Drilling Firm : Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT / HSA
Sampling Method : DT 22 liner

Geologist : A. Pimentel
Project Manager : Carrie Ross
Project Number :

Boring ID: MW-63

Page 1 of 2

Ground Surface : Grass
Weather & Temp : Sunny / 64°F


PID Model : mini RAE 3000
Calibration Date : bump test 5/24/24
Calibration Gas : Isobutylene 100 ppm

Water Levels (feet below ground surface)
▼ Static: 16.54' bgs
▽ During Drilling: 17.5'

Static water level measured after well installation but before development

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0	0' 2.5Y 4/3 Olive brown, roots, dry, very fine to fine sand ~35%, fines ~55%, angular gravel ¼" to ¼" ~10% sandy clay with gravel	CL		20/48		0.0	1000
4	@5 above					0.0	1008
6	@6.5' 2.5Y 4/3 olive brown, dry, loose, poorly graded fine to coarse sand ~75%, fines ~15%, gravel ~10% Clayey	SC					
7	@7' 5YR 3/2 Dark reddish brown, moist, medium plasticity very fine to fine sand ~20%, fines ~80%, trace gravel sandy clay	CL		39/60		0.0	1015
9	↓ increasing sand						
10	as above, sand ~25%, fines ~75%					0.3	1025
12	as above, sand ~35%, fines ~65%			51/48		0.0	1040
13				42/12			
14	as above			26/12			
15							
16						0.0	1045
17	as above @17.25 5YR 3/2 Dark reddish brown, coarse sand ~90% fines 10%, ~3" thickness of layer, wet	SP-SM		52/36			
18	as @17'	CL					
19	@18.75 GLEY 1 2.5/5GY plasticity, very fine to fine sand ~35%, fines ~65%, sandy clay, moist, medium			44/24		0.2	1055
20							

Well ID: MW-63
Well Depth: 30 ft
Surface Completion:



GROUT: 0 to 14 feet SEAL: 14 to 16 feet FILTER PACK: 16 to 28 feet
PVC Riser: ~~0~~ to 18 feet PVC Screen: 18 to 28 feet PVC Stickup (ags): 2.5

GROUT: Neat Cement SEAL: Bentonite Chips FILTER PACK: #3 Sand
PVC Riser: 2" Sch40 PVC Screen: 2" Sch40 Slot Size: 0.02" End CapLength: 4"

03-03-2011 \\Cacak01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Tikun 1-A

Ground Elev:____ TOC Elev:____ (Datum:____)

Northing:____ Easting____

Date/Time Started : ____ / ____

Date/Time Completed : ____ / ____

Drilling Firm : ____

Drill Rig (make/model) : see page 1

Drilling Method : ____

Sampling Method : ____

Geologist : ____

Project Manager : see page 1

Project Number : ____

Boring ID: MW-63

Page 2 of 2

Ground Surface : ____

Weather & Temp : see page 1

PID Model : ____

Calibration Date : see page 1

Calibration Gas : ____

Water Levels (feet below ground surface)

Static:____


During Drilling: ____

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
20							
21	as above			54/30		0.2	1100
22							
23	@22.5' Decomposed granite, moist, loose, coarse sand ~95% fines 5%, well graded sand	SW					
24	@24' 5YR 3/2 Dark reddish brown, very hard dry very fine sand ~10%, fines 90%	CL		56/30		0.0	1115
25							
26	@25.5' Decomposed granite, moist, loose, coarse sand ~95%, fines 5%, well graded sand	SW		60/30		0.0	1120
27							
28	as above						
29	@29'	CL		29/30		0.0	1122
30	* Boring terminated @ 30' bgs via DPT						
1	HSA total depth 28' bgs						
2							
3							
4							
5							
6							
7							
8							
9							
0							

Well ID: MW-63

Well Depth: 30 ft

Surface Completion: ____



GROUT: 0 to 14 feet SEAL: 14 to 16 feet FILTER PACK: 16 to 28 feet

PVC Riser: 0 to 18 feet PVC Screen: 18 to 28 feet PVC Stickup (ags): 2.5

GROUT: Neat Cement SEAL: Bentonite Chips FILTER PACK: #3 Sand

PVC Riser: 2" sch40 PVC Screen: 2" sch40 Slot Size: 0.02" End CapLength: 4"

03-03-2011 \\Caoak01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1-A

Ground Elev:_____ TOC Elev:_____ (Datum:_____)

Northing:_____ Easting_____

Date/Time Started : 5/28/24 / 0930
Date/Time Completed : 5/28/24 / 1440
Drilling Firm : Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT / HSA
Sampling Method : DT22 Liner

Geologist : A. Pimentel
Project Manager : Carrie Ross
Project Number :

Boring ID: MW-64

Page 1 of 2

Ground Surface : Grass
Weather & Temp : Sunny / 70°F

PID Model : miniRAE 3000
Calibration Date : Bump test 5/28/24
Calibration Gas : Isobutylene 100 ppm

Water Levels (feet below ground surface)
▼ Static: 12.83' bgs
▽ During Drilling: 19.5'

Static water level measured after well installation but before development

Well ID: MW64
Well Depth: 30 ft
Surface Completion: Stovepipe

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0	0' 2.5Y 3/3 Dark olive brown, roots, dry, firm, very fine sand ~10%, fines 90%, trace gravel clay with sand	CL				0.0	1050
1							
2							
3	as above, very fine to fine sand ~15%, fines ~85%			45/48			
4	@4.25' as above, color change 5Y 3/1 Very dark gray, moist						
5						0.1	1055
6	@5.5' 2.5Y 4/3 Olive brown, moist, very fine to fine sand ~75%, fines 25%, trace angular to subrounded gravel clayey sand	SC					
7				58/60			
8	@8' 5Y 3/1 Very dark gray, moist, very fine to fine sand ~15%, fines ~85% clay with sand	CL					
9							
10	as above					0.0	1110
11	@10.25' 1/2 to 1' gravel (Quartz / Plagioclase)						
12	@11' 5Y 3/2 Dark olive gray, moist, very fine to fine sand ~75%, fines ~25% clayey sand	SC					
13				48/60			
14	@14.5' as above, color change 2.5Y 4/3 olive brown, moist						
15	@15.5' 2.5Y 4/3 olive brown, poorly graded fine to coarse sand 95%, fines ~5% poorly graded sand	SP				0.2	1115
16	@16' 5Y 3/2 Dark olive brown, moist, very fine to fine sand ~75%, fines ~25% clayey sand	SC		44/48			
17							
18	as above						
19				60/48		0.0	1130
20	as above, wet						

Grout 16'-0'
2" sch 40 PVC blank 20'-0'
Bentonite seal 18'-16'
#3 sand filter pack 30'-18'

GROUT: 0 to 16 feet SEAL: 16 to 18 feet FILTER PACK: 18 to 30 feet
PVC Riser: 6 to 20 feet PVC Screen: 20 to 30 feet PVC Stickup (ags): 2.5'

GROUT: Neat Cement SEAL: Bentonite Chips FILTER PACK: #3 sand
PVC Riser: 2" sch 40 PVC Screen: 2" sch 40 Slot Size: 0.02" End CapLength: [illegible] 4"

03-03-2011 \\Cacak01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1-A

Ground Elev:_____ TOC Elev:_____ (Datum:_____)

Northing:_____ Easting_____

Date/Time Started : _____ / _____

Date/Time Completed : _____ / _____

Drilling Firm : _____

Drill Rig (make/model) : See page 1

Drilling Method : _____

Sampling Method : _____

Geologist : _____

Project Manager : See page 1

Project Number : _____

Boring ID: MW-64

Page 2 of 2

Ground Surface : See page 1

Weather & Temp : _____

PID Model : _____

Calibration Date : See page 1

Calibration Gas : _____

Water Levels (feet below ground surface)

▼ Static:_____


▽ During Drilling: _____

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
20							
21	as above			60/48		0.1	1145
22							
23	@22.5' Decomposed granite, moist, loose, coarse sand ~95%, fines~5%, well graded sand	SW					
24				46/48		0.2	1200
25	as above @25'						
26	as above, dry						
27	@ 26.5' as above, moist					0.0	1230
28				49/48			
29	as above						
30							
1	* Boring terminated @ 30' bgs						
2							
3							
4							
5							
6							
7							
8							
9							
0							

Well ID: MW-64

Well Depth: 30 ft

Surface Completion: _____



GROUT: 0 to 16 feet SEAL: 16 to 18 feet FILTER PACK: 18 to 30 feet

PVC Riser: 0 to 20 feet PVC Screen: 20 to 30 feet PVC Stickup (ags): 2.5'

GROUT: Neat Cement SEAL: Bentonite Chips FILTER PACK: #3 sand

PVC Riser: 2" sch 40 PVC Screen: 2" sch 40 Slot Size: 0.20" End CapLength: 4"

03-03-2011 \\Caoak01fs01\duponts\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1-A

Ground Elev: ____ TOC Elev: ____ (Datum: ____)

Northing: ____ Easting: ____

Date/Time Started : 5/21/24 / 0800
Date/Time Completed : 5/21/24 / 1645
Drilling Firm : Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT / HSA
Sampling Method : DT 22 Liner

Geologist : A. Pimentel
Project Manager : Carrie Ross
Project Number :

Boring ID: MW-66

Page 1 of 2

Ground Surface : Grass
Weather & Temp : Sunny / 63°F

PID Model : MINI RAE 3000
Calibration Date : Bump test 5/21/24
Calibration Gas : Isobutylene 100ppm

Water Levels (feet below ground surface)
Static: 18.05' bgs
During Drilling: 25.5'

Static water level measured after well installation but before development

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0	0' 10YR 4/2 Dark grayish brown; low plasticity, white mineral deposits; trace gravel ½" in size, very fine sand ~30% fines ~70%	ML/MH					
1							
2	@1.5' 5YR 3/3 Dark reddish brown, moist, very fine to fine sand 80%, fines 20% silty sand	SM		38/48		0.0	0829
3	@3' as above, color change 10YR 5/4 yellowish brown trace gravel						
4	@4' 10YR 4/4 weak red, moist, fine to coarse sand 75% fines ~25%, clayey sand	SC					
5							
6	as above, trace white mineral			60/48			
7	@7' 7.5YR 3/3 very dark brown, very fine to fine sand ~90% fines ~10% poorly graded sand with clay	SP-SC				0.0	0900
8							
9							
10	@9.75' as above, color change 5Y 4/2 olive gray			60/36		3.3	1030
11	@11' as above, with iron oxidation						
12							
13	as above			60/36			
14	@14' 10Y 3/4 Dark olive, fine to coarse sand 80%, fines ~15%, ½" gravel (ortho rocks) angular ~5%, iron staining clayey sand.	SC					
15							
16				60/36			
17	as above						
18 ▼							
19	as above			48/36			
20							

Well ID: MW-66
Well Depth: 30 ft
Surface Completion: Stovepipe

Grout 16'-0'
2" sch 40 PVC blank 20'-0'
Bentonite seal 18'-16'
#3 Sand filter pack 30'-18'

Split Spoon 2' diameter 2.5"

GROUT: ____ to ____ feet SEAL: ____ to ____ feet FILTER PACK: ____ to ____ feet
PVC Riser: ____ to ____ feet PVC Screen: ____ to ____ feet PVC Stickup (ags): ____

GROUT: ____ SEAL: ____ FILTER PACK: ____
PVC Riser: ____ PVC Screen: ____ Slot Size: ____ End CapLength: ____

03-03-2011 \\Caoak01fs01duponts\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1-A

Ground Elev:____ TOC Elev:____ (Datum:____)

Northing:____ Easting____

Date/Time Started : ____ / ____

Date/Time Completed : ____ / ____

Drilling Firm : See page 1

Drill Rig (make/model) : ____

Drilling Method : ____

Sampling Method : ____

Geologist : See page 1

Project Manager : ____

Project Number : ____

Boring ID: MW-66

Page 2 of 2

Ground Surface : ____

Weather & Temp : See page 1

PID Model : ____

Calibration Date : See page 1

Calibration Gas : ____


Water Levels (feet below ground surface)

▼ Static:____

▽ During Drilling: ____

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
20							
21	20'-25' no recovery due to obstruction					1.2 cuttings	1257
22							
23							
24							
25 ▽	@25' 10Y 3/4 Dark olive, wet, gravel=30%, coarse sand=15%, fines=5%, (Decomposed granite) gravel 2½" to 1"	GP-GC	20 31 30 32	14/24			
26							
27	@27.25' 2.5Y 6/6 Olive yellow, very fine sand 10%, fines 90% moist, medium to high plasticity			6/12			
28	@28.5' GLEY 1 5/10GY greenish gray, as above	CH	20 26 50	10/18		2.2	1507
29	-@29.5' split spoon refusal						
30	* Boring terminated @ 30' bgs with HSA						
1	Sampling terminated @ 29.5' bgs						
2							
3							
4							
5							
6							
7							
8							
9							
0							

Well ID: MW-66
Well Depth: 30 ft
Surface Completion:



GROUT: 0 to 16 feet SEAL: 16 to 18 feet FILTER PACK: 18 to 30 feet
PVC Riser: 0 to 20 feet PVC Screen: 20 to 30 feet PVC Stickup (ags): 2.5'

GROUT: Neat cement SEAL: Bentonite Chips FILTER PACK: #3 sand
PVC Riser: 2" sch 40 PVC Screen: 2" sch 40 Slot Size: 0.02" End CapLength: 4"

03-03-2011 \\Caoak01fs01duponts\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1 - A

Ground Elev:_____ TOC Elev:_____ (Datum:_____)

Northing:_____ Easting_____

Date/Time Started : 5/31/24 1300
Date/Time Completed : 5/31/24 1405
Drilling Firm : Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT
Sampling Method : DT 22 Liner

Geologist : A. Pimentel
Project Manager : Carrie Poss
Project Number :

Boring ID: SV-27

Page 1 of 1


Ground Surface : Grass
Weather & Temp : Sunny | 90°F

PID Model : miniRAE 3000
Calibration Date : Bump test 5/31/24
Calibration Gas : Isobutylene 100ppm

Water Levels (feet below ground surface)
▼ Static:_____
▽ During Drilling: _____

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0–1	@0' 10YR 3/3 Dark brown, hard, moist, grass roots fines 90%, very fine to fine sand 10%	OL		16/24		0.2	1310
1–2	@1.5' 10YR 3/3 Dark brown, fines 70%, very fine to fine sand 20%, angular gravel to cobble 10% sandy clay	CL					
2–3							
3–4	@3.5' as above, color change 2.5Y 4/4 olive brown					0.0	1315
4–5				34/48			
5–6	@5.25' 2.5YR 3/4 Dark reddish brown, mica present fines 15%, fine to coarse sand 85%, poorly graded sand with clay.	SP-SC					
6–7	@6.5' 2.5YR 4/4 reddish brown, moist, firm, high plasticity, fines 95%, very fine sand 5%, clay	CL					
7–8						0.4	1330
8–9	as above			60/60			
9–10	@9.5' 10YR 4/6 Dark yellowish brown, medium plasticity firm moist, fines 75%, very fine to fine sand 15% clay with sand						
10–11							
11–12	* Boring terminated @ 11.0' bgs						
12–13							
13–14							
14–15							
15–16							
16–17							
17–18							
18–19							
19–20							

Well ID: SV-27
Well Depth: 11 ft
Surface Completion:



Boring Diameter : 2.25'
Water level @ MW-61 14.8' bgs @1235 on 5/31/24

GROUT:_____ to _____ feet SEAL:_____ to _____ feet FILTER PACK:_____ to _____ feet
PVC Riser:_____ to _____ feet PVC Screen:_____ to _____ feet PVC Stickup (ags):_____

GROUT:_____ SEAL: Bentonite Crumble FILTER PACK:_____
PVC Riser:_____ PVC Screen:_____ Slot Size:_____ End CapLength:_____

03-03-2011 \\Cacak01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1-A

Ground Elev:____ TOC Elev:____ (Datum:____)

Northing:____ Easting____

Date/Time Started : 5/31/24 / 0900
Date/Time Completed : 5/31/24 / 0956
Drilling Firm : Cascade Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT
Sampling Method : DT 22 Liner

Geologist : A. Pimentel
Project Manager : Carrie Ross
Project Number :

Boring ID: SV-28

Page 1 of 1

Ground Surface : Grass
Weather & Temp : Sunny | 70°F

PID Model : mini RAE 3000
Calibration Date : 5/31/24 Bump test
Calibration Gas : Isobutylene 100ppm

Water Levels (feet below ground surface)
▼ Static:____
▽ During Drilling: ____

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0–1	0' 2.5 Y 4/3 Olive brown, moist, firm, low to medium plasticity, roots, fines 70%, very fine to fine sand 30% sandy clay.	CL		16/24		0.2	0915
2–4	@ 3' 10YR 4/6 Dark yellowish brown, moist, fines 25% very fine to fine sand 75% clayey sand	SC				0.1	0920
5–6	as above			51/60			
7–8	@ 8' 10YR 4/4 Dark yellowish brown, hard, moist, fines 80%, very fine to fine sand 20% sandy clay	CL				0.0	0930
9	@ 9' 3" thick section of quartz gravel: angular ¼" to 1"			48/54			
10–11	@ 10' 7.5YR 3/2 Dark brown, ~~hard~~ dense, fines 20% fine to coarse sand 70%, subrounded to rounded gravel 10%, moist, mica present, poorly graded sand with clay	SP-SC					
12	* Boring terminated @ 11.5' bgs						
13–0							

Well ID: SV-28
Well Depth: 11.5 ft
Surface Completion: Stovepipe
¼" tubing diameter
length: 14.5'
Hydrated Bentonite 9.5'-0'
Dry Bentonite 10.5'-9.5'
Sand 11.5'-10.5'
1" screen probe @ 11'
TD-11.5'

Boring diameter: 2.25'
Water level @ MW-62 15' bgs @ 0845 on 5/31/24

GROUT:____ to ____ feet SEAL:____ to ____ feet FILTER PACK:____ to ____ feet
PVC Riser:____ to ____ feet PVC Screen:____ to ____ feet PVC Stickup (ags):____

GROUT:____ SEAL:____ FILTER PACK:____
PVC Riser:____ PVC Screen:____ Slot Size:____ End CapLength:____

03-03-2011 \\Caoak01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1-A

Ground Elev:_____ TOC Elev:_____ (Datum:_____)

Northing:_____ Easting_____

Date/Time Started : 5/20/24 1300
Date/Time Completed : 5/29/24 1415
Drilling Firm : Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT
Sampling Method : DT22 Liner

Geologist : A. Pimentel
Project Manager : Carrie Ross
Project Number :

Boring ID: SV-29

Page 1 of 1


Ground Surface : Grass
Weather & Temp : Sunny / 84°F

PID Model : miniRAE 3000
Calibration Date : Bump test 5
Calibration Gas : Isobutylene 100ppm

Water Levels (feet below ground surface)
▼ Static:_____
▽ During Drilling: _____

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0–1	0' 2.5Y 4/3 Olive brown, roots, dry, very fine to fine sand ~35%, fines ~55%, angular gravel ⅛" to ¼" ~10% sandy clay with gravel	CL					
1–2						0.0	1315
2–3				35/60			
3–4							
4–5	@5 above						
5–6							
6–7	@6.5' 2.5Y 4/3 olive brown, dry, loose, poorly graded fine to coarse sand ~75%, fines ~15%, gravel ~10%, Clayey Sand	SC				0.0	1325
7–8	@7' 5YR 3/2 Dark reddish brown, moist, medium plasticity, very fine to fine sand ~20%, fines ~60%, trace gravel sandy clay	CL		33/42			
8–9	* Boring terminated @ 8.5' bgs						
9–0							
0–1							
1–2							
2–3							
3–4							
4–5							
5–6							
6–7							
7–8							
8–9							
9–0							

Well ID: SV-29
Well Depth: 8.5 ft
Surface Completion:



Boring Diameter: 2.25"
Water level @ MW-63 12.5' bgs @1245 on 5/29/24

GROUT:_____ to _____ feet SEAL:_____ to _____ feet FILTER PACK:_____ to _____ feet
PVC Riser:_____ to _____ feet PVC Screen:_____ to _____ feet PVC Stickup (ags):_____

GROUT:_____ SEAL: Bentonite Crumble FILTER PACK:_____
PVC Riser:_____ PVC Screen:_____ Slot Size:_____ End CapLength:_____

03-03-2011 \\Cacak01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1-A

Ground Elev:_____ TOC Elev:_____ (Datum:_____)

Northing:_____ Easting_____

Date/Time Started : 5/24/24 / 0925
Date/Time Completed : 5/24/24 / 1130
Drilling Firm : Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT
Sampling Method : DT 22 Liner

Geologist : A. Pimentel
Project Manager : Carrie Ross
Project Number :

Boring ID: SV-30

Page 1 of 1

Ground Surface : Grass
Weather & Temp : Sunny / 64°F


PID Model : mini RAE 3000
Calibration Date : 5/24/24 Bump Test
Calibration Gas : Isobutylene 100ppm

Water Levels (feet below ground surface)
Static:_____
During Drilling:_____

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0–1	0' 2.5Y 3/3 Dark olive brown, roots, dry, firm, very fine sand ~10%, fines 90%, trace gravel clay with sand	CL					
1–2							
2–3	as above, very fine to fine sand ~15%, fines ~85%			28/48		0.0	0940
3–4							
4–5	@4.25' as above, color change 5Y 3/1 Very dark gray, moist						
5–6	@5.5' 2.5Y 4/3 Olive brown, moist, very fine to fine sand ~75%, fines 25%, trace angular to subrounded gravel clayey sand	SC		36/48		0.2	0950
6–7							
7–8							
8–9	* Boring terminated @ 8' bgs						
9–10							
10–11							
11–12							
12–13							
13–14							
14–15							
15–16							
16–17							
17–18							
18–19							
19–20							

Well ID: SV-30
Well Depth: 8 ft

Surface Completion: Stovepipe



Boring Diameter: 2.25'
Water level @ MW-64 11.5' bgs @ 0900 on 5/29/24

GROUT:_____ to _____ feet SEAL:_____ to _____ feet FILTER PACK:_____ to _____ feet
PVC Riser:_____ to _____ feet PVC Screen:_____ to _____ feet PVC Stickup (ags):_____

GROUT:_____ SEAL:_____ FILTER PACK:_____
PVC Riser:_____ PVC Screen:_____ Slot Size:_____ End CapLength:_____

03-03-2011 \\Cascak01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1-A

Ground Elev:____ TOC Elev:____ (Datum:____)

Northing:____ Easting____

Date/Time Started : 5/30/24 / 0915
Date/Time Completed : 5/30/24 / 1018
Drilling Firm : Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT
Sampling Method : DT22 Liner

Geologist : A. Pimentel
Project Manager : Lavrie Ross
Project Number :

Boring ID: SV-31

Page 1 of 1


Ground Surface : Grass
Weather & Temp : Sunny | 76°F

PID Model : mini RAE 3000
Calibration Date : 5/30/24 Bump Test
Calibration Gas : Isobutylene 100ppm

Water Levels (feet below ground surface)
▼ Static:
▽ During Drilling:

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0	@0' 2.5Y 4/3 Olive brown, roots, medium plasticity, very fine to fine sand ~10%, fines ~90%						
1	@0.75' quartz gravel angular 1/4" to 1" in size	CL		14/24		5.2	0945
2	@1' 2.5Y 5/3 light olive brown, med. plasticity, very fine to fine sand ~10%, fines ~90%						
3	@2' orthoclase gravel angular 1/4" to 1" in size						
4	@2.5' 2.5Y 5/4 light olive brown, moist, mica, fine to coarse sand poorly graded ~75%, fines ~5%	SL					
5	@4.5' 7.5YR 3/4 Dark brown, moist, firm, high plasticity, very fine sand ~10%, fines ~90%, trace gravel	CL		36/60		3.9	0955
6	@6.5' 7.5YR 4/4 brown, moist, medium to low plasticity						
7	very fine to fine sand ~75%, fines ~15%	SL					
8	@8' as above, color change 10YR 3/4 Dark yellowish brown, iron oxidation present			60/36			
9	as above					2.1	1005
10							
1	* Boring terminated @ 10' bgs						
2							
3							
4							
5							
6							
7							
8							
9							
0							

Well ID: SV-31
Well Depth: 10 ft
Surface Completion: Stovepipe



Boring Diameter: 2.25'

Water was not encountered.

GROUT:____ to ____ feet SEAL:____ to ____ feet FILTER PACK:____ to ____ feet
PVC Riser:____ to ____ feet PVC Screen:____ to ____ feet PVC Stickup (ags):____

GROUT:____ SEAL:____ FILTER PACK:____
PVC Riser:____ PVC Screen:____ Slot Size:____ End CapLength:____

03-03-2011 \\Cacak01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1 - A

Ground Elev:____ TOC Elev:____ (Datum: ____)

Northing:____ Easting____

Date/Time Started : 5/30/24 1300
Date/Time Completed : 5/30/24 / 1425
Drilling Firm : Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT
Sampling Method : DT22 Liner

Geologist : A. Pimentel
Project Manager : Carrie Russ
Project Number :

Boring ID: SV-32a,b

Page 1 of 1


Ground Surface : Grass
Weather & Temp : Sunny / 88°F

PID Model : miniRAE 3000
Calibration Date : 5/30/24 Bump Test
Calibration Gas : Isobutylene 100ppm

Water Levels (feet below ground surface)
▼ Static:
▽ During Drilling:

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0	@0' 2.5Y 4/3 olive brown, dry, roots, very fine to fine sand ~20%, fines ~80%, clay with sand	CL		23/24			
1	@1.5' 2.5Y 5/4 light olive brown, medium to high plasticity, fine to coarse sand ~60%, fines 30%, angular gravel ~10%	SC					
2	@2.25' 10YR 4/3 brown, as above						
3	@3.25' 10YR 3/1 very dark gray, dry, medium plasticity hard, mica, fine to coarse sand ~70%, fines ~20%, gravel clayey sand with gravel			4c/48			
4							
5	@5' 7.5YR 3/3 Dark brown, moist, medium plasticity very fine to fine sand ~75%, fines ~25% clayey sand	CL					
6	@6.75' 2.5Y 5/4 light olive brown, medium to high plasticity dry, hard, very fine to fine sand ~40%, fines ~60%						
7	@8' as above, color change 2.5Y 4/4 olive brown, moist			60/48			
8	@ as above						
9							
10	* Boring terminated @ 10' bgs.						
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

Well ID: SV-32a,b
Well Depth: 10 ft
Surface Completion: Stovepipe



1/4" tubing diameter
a length: 14' b length: 9'
Water not encountered.

GROUT:____ to ____ feet SEAL:____ to ____ feet FILTER PACK:____ to ____ feet
PVC Riser:____ to ____ feet PVC Screen:____ to ____ feet PVC Stickup (ags):____

GROUT:____ SEAL:____ FILTER PACK:____
PVC Riser:____ PVC Screen:____ Slot Size:____ End CapLength:____

03-03-2011 \\Cacak01fs01\duponts\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOP's\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1-A

Ground Elev:_____ TOC Elev:_____ (Datum:_____)

Northing:_____ Easting_____

Date/Time Started : 5/20/24 / 1310
Date/Time Completed : 5/20/24 / 1430
Drilling Firm : Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT
Sampling Method : DT 22 Liner

Geologist : A. Pimentel
Project Manager : Carrie Ross
Project Number :

Boring ID: SV-33

Page 1 of 1

Ground Surface : Grass
Weather & Temp : Sunny / 80°F

PID Model : miniRAE 3000
Calibration Date : 5/17/24
Calibration Gas : Isobutylene 100ppm

Water Levels (feet below ground surface)
▼ Static:_____
▽ During Drilling:_____

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0	2.5Y 4/3 olive brown, dry, roots, very fine to fine sand ~20%, fines ~8%	CL		HA			
1	~~2.5Y 5/4 light olive brown~~						
2	@2' 10YR 3/6 Dark yellowish brown, low plasticity, dry, fine to coarse sand ~75%, fines ~10%, gravel ~15%, poorly graded sand with gravel	SP		19/36		0.0	1315
3							
4	@4' 10YR 2/2 ~~Brown~~ very dark brown, medium to high plasticity, moist, very fine to fine sand ~15%, fines ~85%	CL					
5							
6	@5.5' 10YR 3/4 Dark yellow brown, moist, very fine to fine sand ~80%, fines ~20%, poorly graded sand with clay	SP-SM		60/60			
7							
8	as above					0.0	1320
9							
10	as above						
1							
2	* Boring terminated @ 10' bgs						
3							
4							
5							
6							
7							
8							
9							
0							

Well ID: SV-33
Well Depth: 10 ft
Surface Completion: Stovepipe
1/4" tubing diameter
length: 14'
Hydrated Bentonite 8'-0'
Dry Bentonite 9-8'
Sand 10'-9'
1" screen probe @9.5'

Water not encountered.

GROUT:_____ to _____ feet SEAL:_____ to _____ feet FILTER PACK:_____ to _____ feet
PVC Riser:_____ to _____ feet PVC Screen:_____ to _____ feet PVC Stickup (ags):_____

GROUT:_____ SEAL:_____ FILTER PACK:_____
PVC Riser:_____ PVC Screen:_____ Slot Size:_____ End CapLength:_____

03-03-2011 \\Cao_k01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1-A

Ground Elev:_____ TOC Elev:_____ (Datum:_____)

Northing:_____ Easting_____

Date/Time Started : 6/3/24 / 0840
Date/Time Completed : 6/3/24 / 0945
Drilling Firm : Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT
Sampling Method : DT 22 Liner

Geologist : A. Pimentel
Project Manager : Carrie Poss
Project Number :

Boring ID: SV-34

Page 1 of 1


Ground Surface : Grass
Weather & Temp : Cloudy | 70°F

PID Model : miniRAE 3000
Calibration Date : 6/3/24 (Bump Test)
Calibration Gas : Isobutylene 100ppm

Water Levels (feet below ground surface)
Static:_____
During Drilling:_____

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0	@0' 5YR 3/3 Dark reddish brown, dry, medium plasticity, very fine to fine sand ~10%, fines ~90%, trace gravel	CL		23/24		0.2	0855
1							
2	@2.5' as above, very fine to fine sand 20%, fines ~75%, subrounded gravel						
3							
4	@4' Decomposed granite, fine to coarse sand ~80%, fines ~15%, gravel ~5%	SC		42/48		0.1	0855
5	@5.25' 2.5Y 4/3 Olive brown, hard, dry, medium to high plasticity, very fine to fine sand 25%, fines ~75%	CL					
6	@6' Decomposed granite, fine to coarse sand ~80%, fines ~15%, gravel ~5%, iron oxidation	SC					
7	@7.25' 2.5Y 4/3 Olive brown, hard dry, medium to high plasticity, very fine to fine sand ~25%, fines ~75% iron oxidation					0.3	0910
8	@8' 10YR 5/6 yellowish brown, dry, iron oxidation very fine to fine sand 30%, fines ~70%	CL		56/48			
9	as above						
10							
1							
2	* Boring terminated @ 10' bgs						
3							
4							
5							
6							
7							
8							
9							
0							

Well ID: SV-34
Well Depth: 10 ft
Surface Completion: Stovepipe



Water not encountered.

GROUT:_____ to _____ feet SEAL:_____ to _____ feet FILTER PACK:_____ to _____ feet
PVC Riser:_____ to _____ feet PVC Screen:_____ to _____ feet PVC Stickup (ags):_____

GROUT:_____ SEAL:_____ FILTER PACK:_____
PVC Riser:_____ PVC Screen:_____ Slot Size:_____ End CapLength:_____

03-03-2011 \\Cao k01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

PARSONS

Project Name: Titan 1-A

Ground Elev:_____ TOC Elev:_____ (Datum:_____)

Northing:_____ Easting_____

Date/Time Started : 6/3/24 1105
Date/Time Completed : 6/3/24 / 1210
Drilling Firm : Cascade
Drill Rig (make/model) : Geoprobe
Drilling Method : DPT
Sampling Method : DT22 Liner

Geologist : A. Pimentel
Project Manager : Carrie Ross
Project Number :

Boring ID: SV-35

Page 1 of 1


Ground Surface : Grass
Weather & Temp : Cloudy / 75°F

PID Model : miniRAE 3000
Calibration Date : 6/3/24 pump Test
Calibration Gas : Isobutylene 100ppm

Water Levels (feet below ground surface)
▼ Static:_____
▽ During Drilling:_____

Depth in feet	Lithologic Description	USCS	Blow Count	Rec. (in) / Driven (in)	Analytical Sample	PID Reading (ppm)	Time
0	0' 10YR 4/2 Dark grayish brown; low plasticity, white mineral deposits; trace gravel ½" in size, very fine sand ~30% fines ~70%	ML/MH		18/24		0.0	1115
2	@ 1.5' 5YR 3/3 Dark reddish brown, moist, very fine to fine sand 80%, fines 20% silty sand	SM					
3	@ 3' as above, color change 10YR 5/4 yellowish brown trace gravel						
4	@ 4' 10YR 4/4 weak red, moist, fine to coarse sand 75% fines 25%, clayey sand	SC		38/48		0.0	1130
5	as above, trace white mineral						
7	@ 7' 7.5YR 3/3 very dark brown, very fine to fine sand ~90%, fines ~10% poorly graded sand with clay	SP-SC		52/48		2.6	1140
9	@ 9.75' as above, color change 5Y 4/2 olive gray						
10	* Boring terminated @ 10' bgs						

Well ID: SV-35
Well Depth: 10 ft
Surface Completion: Stovepipe



Water not encountered.

GROUT:_____ to _____ feet SEAL:_____ to _____ feet FILTER PACK:_____ to _____ feet
PVC Riser:_____ to _____ feet PVC Screen:_____ to _____ feet PVC Stickup (ags):_____

GROUT:_____ SEAL:_____ FILTER PACK:_____
PVC Riser:_____ PVC Screen:_____ Slot Size:_____ End CapLength:_____


03-03-2011 \\Cacak01fs01\dupont$\Project Files\Oakley\Site Plans_HASP_SOPs_QAPPs_WMP\SOPs\SOP forms\Oakley Boring Log Template.bor

Appendix B – Monitoring Well and Soil Vapor Probe Construction Diagrams

CONTRACTOR	WELL NUMBER	Date
Parsons	MW-61	5/22/24

Groundwater Monitoring Well Completion Data Record

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: AA. Sanchez
DRILLING METHOD / EQUIPMENT: DPT/HSA
HELPERS: AC. Moreno
WATER LEVEL: 15.4 ft bgs (static) START: 5/22/24 END: 5/22/24
GEOLOGIST: AA.Pimentel



1- Ground elevation at well : 200.54 feet

2- Measuring point elevation : top of the casing - north side

3- Surface completion casing :
- a) type / diameter: Monument - 8 inch OD
- b) type of sealant: Neat cement
- c) protective bollards: Yes

4- Well casing :
- a) type / diameter: Schedule 40 PVC / 2 inch ID
- b) height above ground: 2.5 feet
- c) length below ground: 19.6 feet
- d) well centralizers: None

5- Well screen :
- a) type / diameter: Schedule 40 PVC / 2 inch ID
- b) slot size: 0.02 inch
- c) top screen (feet bgs): 19.6 feet
- d) bottom screen (feet bgs): 29.6 feet

6- Well screen filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): 18 feet
- c) bottom filter pack (feet bgs): 30 feet

7- Bentonite seal :
- a) method of placement: Poured from surface
- b) type: Betonite chips (hydrated)
- c) top seal (feet bgs): 16 feet
- d) bottom seal (feet bgs): 18 feet


8- Grout :
- a) type: Neat cement
- b) grout mix: Grout slurry mix
- c) method of placement: Gravity Fed
- d) top grout (feet bgs): 0 feet
- e) bottom grout (feet bgs): 16 feet

9- Borehole diameter: 8 inches

CONTRACTOR	WELL NUMBER	Date
Parsons	MW-62	5/23/24

Groundwater Monitoring Well Completion Data Record

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: AA. Sanchez
DRILLING METHOD / EQUIPMENT: DPT/HSA
HELPERS: AC. Moreno
WATER LEVEL: 16.26 ft bgs (static) START: 5/23/24 END: 5/23/24
GEOLOGIST: AA.Pimentel



1- Ground elevation at well : 198.32 feet

2- Measuring point elevation : top of the casing - north side

3- Surface completion casing :
- a) type / diameter: Monument - 8 inch OD
- b) type of sealant: Neat cement
- c) protective bollards: Yes

4- Well casing :
- a) type / diameter: Schedule 40 PVC / 2 inch ID
- b) height above ground: 2.5 feet
- c) length below ground: 19.6 feet
- d) well centralizers: None

5- Well screen :
- a) type / diameter: Schedule 40 PVC / 2 inch ID
- b) slot size: 0.02 inch
- c) top screen (feet bgs): 19.6 feet
- d) bottom screen (feet bgs): 29.6 feet

6- Well screen filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): 18 feet
- c) bottom filter pack (feet bgs): 30 feet

7- Bentonite seal :
- a) method of placement: Poured from surface
- b) type: Betonite chips (hydrated)
- c) top seal (feet bgs): 16 feet
- d) bottom seal (feet bgs): 18 feet


8- Grout :
- a) type: Neat cement
- b) grout mix: Grout slurry mix
- c) method of placement: Gravity Fed
- d) top grout (feet bgs): 0 feet
- e) bottom grout (feet bgs): 16 feet

9- Borehole diameter: 8 inches

CONTRACTOR	WELL NUMBER	Date
Parsons	MW-63	5/24/24

Groundwater Monitoring Well Completion Data Record

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: AA. Sanchez
DRILLING METHOD / EQUIPMENT: DPT/HSA
HELPERS: AC. Moreno
WATER LEVEL: 16.54 ft bgs (static) START: 5/24/24 END: 5/24/24
GEOLOGIST: AA.Pimentel



1- Ground elevation at well : 189.81 feet

2- Measuring point elevation : top of the casing - north side

3- Surface completion casing :
- a) type / diameter: Monument - 8 inch OD
- b) type of sealant: Neat cement
- c) protective bollards: Yes

4- Well casing :
- a) type / diameter: Schedule 40 PVC / 2 inch ID
- b) height above ground: 2.5 feet
- c) length below ground: 18 feet
- d) well centralizers: None

5- Well screen :
- a) type / diameter: Schedule 40 PVC / 2 inch ID
- b) slot size: 0.02 inch
- c) top screen (feet bgs): 18 feet
- d) bottom screen (feet bgs): 28 feet

6- Well screen filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): 16 feet
- c) bottom filter pack (feet bgs): 28 feet

7- Bentonite seal :
- a) method of placement: Poured from surface
- b) type: Betonite chips (hydrated)
- c) top seal (feet bgs): 14 feet
- d) bottom seal (feet bgs): 16 feet


8- Grout :
- a) type: Neat cement
- b) grout mix: Grout slurry mix
- c) method of placement: Gravity Fed
- d) top grout (feet bgs): 0 feet
- e) bottom grout (feet bgs): 14 feet

9- Borehole diameter: 8 inches

CONTRACTOR	WELL NUMBER	Date
Parsons	MW-64	5/28/24

Groundwater Monitoring Well Completion Data Record

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: AA. Sanchez
DRILLING METHOD / EQUIPMENT: DPT/HSA
HELPERS: AC. Moreno
WATER LEVEL: 12.83 ft bgs (static) START: 5/28/24 END: 5/28/24
GEOLOGIST: AA.Pimentel



1- Ground elevation at well : 187.56 feet

2- Measuring point elevation : top of the casing - north side

3- Surface completion casing :
- a) type / diameter: Monument - 8 inch OD
- b) type of sealant: Neat cement
- c) protective bollards: Yes

4- Well casing :
- a) type / diameter: Schedule 40 PVC / 2 inch ID
- b) height above ground: 2.5 feet
- c) length below ground: 18 feet
- d) well centralizers: None

5- Well screen :
- a) type / diameter: Schedule 40 PVC / 2 inch ID
- b) slot size: 0.02 inch
- c) top screen (feet bgs): 20 feet
- d) bottom screen (feet bgs): 30 feet

6- Well screen filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): 18 feet
- c) bottom filter pack (feet bgs): 30 feet

7- Bentonite seal :
- a) method of placement: Poured from surface
- b) type: Betonite chips (hydrated)
- c) top seal (feet bgs): 16 feet
- d) bottom seal (feet bgs): 18 feet


8- Grout :
- a) type: Neat cement
- b) grout mix: Grout slurry mix
- c) method of placement: Gravity Fed
- d) top grout (feet bgs): 0 feet
- e) bottom grout (feet bgs): 16 feet

9- Borehole diameter: 8 inches

CONTRACTOR	WELL NUMBER	Date
Parsons	MW-66	5/21/24

Groundwater Monitoring Well Completion Data Record

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: AA. Sanchez
DRILLING METHOD / EQUIPMENT: DPT/HSA
HELPERS: AC. Moreno
WATER LEVEL: 18.05 ft bgs (static) START: 5/21/24 END: 5/21/24
GEOLOGIST: AA.Pimentel



1- Ground elevation at well : 207.79 feet

2- Measuring point elevation : top of the casing - north side

3- Surface completion casing :
- a) type / diameter: Monument - 8 inch OD
- b) type of sealant: Neat cement
- c) protective bollards: Yes

4- Well casing :
- a) type / diameter: Schedule 40 PVC / 2 inch ID
- b) height above ground: 2.5 feet
- c) length below ground: 20 feet
- d) well centralizers: None

5- Well screen :
- a) type / diameter: Schedule 40 PVC / 2 inch ID
- b) slot size: 0.02 inch
- c) top screen (feet bgs): 20 feet
- d) bottom screen (feet bgs): 30 feet

6- Well screen filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): 18 feet
- c) bottom filter pack (feet bgs): 30 feet

7- Bentonite seal :
- a) method of placement: Poured from surface
- b) type: Betonite chips (hydrated)
- c) top seal (feet bgs): 16 feet
- d) bottom seal (feet bgs): 18 feet


8- Grout :
- a) type: Neat cement
- b) grout mix: Grout slurry mix
- c) method of placement: Gravity Fed
- d) top grout (feet bgs): 0 feet
- e) bottom grout (feet bgs): 16 feet

9- Borehole diameter: 8 inches

CONTRACTOR	SOIL VAPOR PROBE NUMBER	Date
Parsons	SV-27	5/31/24

Soil Vapor Probe
COMPLETION DATA RECORD

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: A. Sanchez
DRILLING METHOD / EQUIPMENT: DPT
HELPERS: C. Moreno
GEOLOGIST: A. Pimentel



DRAWING NOT TO SCALE
Below ground has been vertically exaggerated to provide room for details

1- Ground elevation at probe : 200.47 feet

2- Surface completion casing :
- a) type / diameter: Monument - 6 inch ID
- b) type of sealant: Bentonite Crumble (hydrated) / Grout
- c) protective bollards: Yes

3- Probe tubing :
- a) type / diameter: Teflon Tubing- 0.25 inch OD
- b) height above ground: 4 feet
- c) length below ground: 10.5 feet

4- Probe screen :
- a) type / length: ESP Stainless Steel Soil Vapor Implant / 1 inch

5- Probe filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): 10 feet
- c) bottom filter pack (feet bgs): 11 feet

6- Dry Bentonite :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble
- c) top seal (feet bgs): 9 feet
- d) bottom seal (feet bgs): 10 feet


7- Bentonite grout :
- a) method of placement: Gravity feed
- b) type: 0 feet
- c) top seal (feet bgs): 9 feet
- d) bottom seal (feet bgs): Bentonite Crumble (hydrated)

8- Borehole diameter: 2.25 inch

CONTRACTOR	SOIL VAPOR PROBE NUMBER	Date
Parsons	SV-28	5/31/24

Soil Vapor Probe
COMPLETION DATA RECORD

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: A. Sanchez
DRILLING METHOD / EQUIPMENT: DPT
HELPERS: C. Moreno
GEOLOGIST: A. Pimentel



DRAWING NOT TO SCALE
Below ground has been vertically exaggerated to provide room for details

1- Ground elevation at probe : 198.32 feet

2- Surface completion casing :
- a) type / diameter: Monument - 6 inch ID
- b) type of sealant: Bentonite Crumble (hydrated) / Grout
- c) protective bollards: Yes

3- Probe tubing :
- a) type / diameter: Teflon Tubing- 0.25 inch OD
- b) height above ground: 3.5 feet
- c) length below ground: 11 feet

4- Probe screen :
- a) type / length: ESP Stainless Steel Soil Vapor Implant / 1 inch

5- Probe filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): 10.5 feet
- c) bottom filter pack (feet bgs): 11.5 feet

6- Dry Bentonite :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble
- c) top seal (feet bgs): 9.5 feet
- d) bottom seal (feet bgs): 10.5 feet


7- Bentonite grout :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble (hydrated)
- c) top seal (feet bgs): 0 feet
- d) bottom seal (feet bgs): 9.5 feet

8- Borehole diameter: 2.25 inch

CONTRACTOR	SOIL VAPOR PROBE NUMBER	Date
Parsons	SV-29	5/29/24

Soil Vapor Probe
COMPLETION DATA RECORD

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: A. Sanchez
DRILLING METHOD / EQUIPMENT: DPT
HELPERS: C. Moreno
GEOLOGIST: A. Pimentel



DRAWING NOT TO SCALE
Below ground has been vertically exaggerated to provide room for details

1- Ground elevation at probe : 190.05 feet

2- Surface completion casing :
- a) type / diameter: Monument - 6 inch ID
- b) type of sealant: Bentonite Crumble (hydrated) / Grout
- c) protective bollards: Yes

3- Probe tubing :
- a) type / diameter: Teflon Tubing- 0.25 inch OD
- b) height above ground: 3.5 feet
- c) length below ground: 8 feet

4- Probe screen :
- a) type / length: ESP Stainless Steel Soil Vapor Implant / 1 inch

5- Probe filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): 7.5 feet
- c) bottom filter pack (feet bgs): 8.5 feet

6- Dry Bentonite :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble
- c) top seal (feet bgs): 6.5 feet
- d) bottom seal (feet bgs): 7.5 feet


7- Bentonite grout :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble (hydrated)
- c) top seal (feet bgs): 0 feet
- d) bottom seal (feet bgs): 6.5 feet

8- Borehole diameter: 2.25 inch

CONTRACTOR	SOIL VAPOR PROBE NUMBER	Date
Parsons	SV-30	5/29/24

Soil Vapor Probe
COMPLETION DATA RECORD

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: A. Sanchez
DRILLING METHOD / EQUIPMENT: DPT
HELPERS: C. Moreno
GEOLOGIST: A. Pimentel



DRAWING NOT TO SCALE
Below ground has been vertically exaggerated to provide room for details

1- Ground elevation at probe : 187.55 feet

2- Surface completion casing :
- a) type / diameter: Monument - 6 inch ID
- b) type of sealant: Bentonite Crumble (hydrated) / Grout
- c) protective bollards: Yes

3- Probe tubing :
- a) type / diameter: Teflon Tubing- 0.25 inch OD
- b) height above ground: 3.5 feet
- c) length below ground: 7.5 feet

4- Probe screen :
- a) type / length: ESP Stainless Steel Soil Vapor Implant / 1 inch

5- Probe filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): 7 feet
- c) bottom filter pack (feet bgs): 8 feet

6- Dry Bentonite :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble
- c) top seal (feet bgs): 6 feet
- d) bottom seal (feet bgs): 7 feet


7- Bentonite grout :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble (hydrated)
- c) top seal (feet bgs): 0 feet
- d) bottom seal (feet bgs): 6 feet

8- Borehole diameter: 2.25 inch

CONTRACTOR	SOIL VAPOR PROBE NUMBER	Date
Parsons	SV-31	5/30/24

Soil Vapor Probe
COMPLETION DATA RECORD

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: A. Sanchez
DRILLING METHOD / EQUIPMENT: DPT
HELPERS: C. Moreno
GEOLOGIST: A. Pimentel



DRAWING NOT TO SCALE
Below ground has been vertically exaggerated to provide room for details

1- Ground elevation at probe : 211.47 feet

2- Surface completion casing :
- a) type / diameter: Monument - 6 inch ID
- b) type of sealant: Bentonite Crumble (hydrated) / Grout
- c) protective bollards: Yes

3- Probe tubing :
- a) type / diameter: Teflon Tubing- 0.25 inch OD
- b) height above ground: 3.5 feet
- c) length below ground: 9.5 feet

4- Probe screen :
- a) type / length: ESP Stainless Steel Soil Vapor Implant / 1 inch

5- Probe filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): 9 feet
- c) bottom filter pack (feet bgs): 10 feet

6- Dry Bentonite :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble
- c) top seal (feet bgs): 8 feet
- d) bottom seal (feet bgs): 9 feet


7- Bentonite grout :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble (hydrated)
- c) top seal (feet bgs): 0 feet
- d) bottom seal (feet bgs): 8 feet

8- Borehole diameter: 2.25 inch

CONTRACTOR	SOIL VAPOR PROBE NUMBER	Date
Parsons	SV-32 a,b	5/30/24

Soil Vapor Probe
COMPLETION DATA RECORD

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: A. Sanchez
DRILLING METHOD / EQUIPMENT: DPT
HELPERS: C. Moreno
GEOLOGIST: A. Pimentel



DRAWING NOT TO SCALE
Below ground has been vertically exaggerated to provide room for details

1- Ground elevation at probe : 213.56 feet

2- Surface completion casing :
- a) type / diameter: Monument - 6 inch ID
- b) type of sealant: Bentonite Crumble (hydrated) / Grout
- c) protective bollards: Yes

3- Probe tubing :
- a) type / diameter: Teflon Tubing- 0.25 inch OD
- b) height above ground: a- 4 feet, b- 4.5 feet
- c) length below ground: a- 5 feet, b- 9.5 feet

4- Probe screen :
- a) type / length: ESP Stainless Steel Soil Vapor Implant / 1 inch

5- Probe filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): a- 4.5 feet, b- 9 feet
- c) bottom filter pack (feet bgs): a- 5.5 feet, b- 10 feet

6- Dry Bentonite :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble
- c) top seal (feet bgs): a- 3 feet, b- 8 feet
- d) bottom seal (feet bgs): a- 4.5 feet, b- 9 feet


7- Bentonite grout :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble (hydrated)
- c) top seal (feet bgs): a- 0 feet, b- 5.5 feet
- d) bottom seal (feet bgs): a- 3 feet, b- 8 feet

8- Borehole diameter: 2.25 inch

CONTRACTOR	SOIL VAPOR PROBE NUMBER	Date
Parsons	SV-33	5/20/24

Soil Vapor Probe
COMPLETION DATA RECORD

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: A. Sanchez
DRILLING METHOD / EQUIPMENT: DPT
HELPERS: C. Moreno
GEOLOGIST: A. Pimentel



DRAWING NOT TO SCALE
Below ground has been vertically exaggerated to provide room for details

1- Ground elevation at probe : 207.84 feet

2- Surface completion casing :
- a) type / diameter: Monument - 6 inch ID
- b) type of sealant: Bentonite Crumble (hydrated) / Grout
- c) protective bollards: Yes

3- Probe tubing :
- a) type / diameter: Teflon Tubing- 0.25 inch OD
- b) height above ground: 4.5 feet
- c) length below ground: 9.5 feet

4- Probe screen :
- a) type / length: ESP Stainless Steel Soil Vapor Implant / 1 inch

5- Probe filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): 9 feet
- c) bottom filter pack (feet bgs): 10 feet

6- Dry Bentonite :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble
- c) top seal (feet bgs): 8 feet
- d) bottom seal (feet bgs): 9 feet


7- Bentonite grout :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble (hydrated)
- c) top seal (feet bgs): 0 feet
- d) bottom seal (feet bgs): 8 feet

8- Borehole diameter: 2.25 inch

CONTRACTOR	SOIL VAPOR PROBE NUMBER	Date
Parsons	SV-34	6/3/24

Soil Vapor Probe
COMPLETION DATA RECORD

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: A. Sanchez
DRILLING METHOD / EQUIPMENT: DPT
HELPERS: C. Moreno
GEOLOGIST: A. Pimentel



DRAWING NOT TO SCALE
Below ground has been vertically exaggerated to provide room for details

1- Ground elevation at probe : 207.96 feet

2- Surface completion casing :
- a) type / diameter: Monument - 6 inch OD
- b) type of sealant: Bentonite Crumble (hydrated) / Grout
- c) protective bollards: Yes

3- Probe tubing :
- a) type / diameter: Teflon Tubing- 0.25 inch OD
- b) height above ground: 4.5 feet
- c) length below ground: 9.5 feet

4- Probe screen :
- a) type / length: ESP Stainless Steel Soil Vapor Implant / 1 inch

5- Probe filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): 9 feet
- c) bottom filter pack (feet bgs): 10 feet

6- Dry Bentonite :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble
- c) top seal (feet bgs): 8 feet
- d) bottom seal (feet bgs): 9 feet


7- Bentonite grout :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble (hydrated)
- c) top seal (feet bgs): 0 feet
- d) bottom seal (feet bgs): 8 feet

8- Borehole diameter: 2.25 inch

CONTRACTOR	SOIL VAPOR PROBE NUMBER	Date
Parsons	SV-35	6/3/24

Soil Vapor Probe
COMPLETION DATA RECORD

PROJECT : Semi-Annual Groundwater & Soil Vapor Sampling at Former Titan 1-A Missile Facility
LOCATION: Lincoln, California
DRILLING SUBCONTRACTOR: Cascade
DRILLER: A. Sanchez
DRILLING METHOD / EQUIPMENT: DPT
HELPERS: C. Moreno
GEOLOGIST: A. Pimentel



DRAWING NOT TO SCALE
Below ground has been vertically exaggerated to provide room for details

1- Ground elevation at probe : 207.54 feet

2- Surface completion casing :
- a) type / diameter: Monument - 6 inch OD
- b) type of sealant: Bentonite Crumble (hydrated) / Grout
- c) protective bollards: Yes

3- Probe tubing :
- a) type / diameter: Teflon Tubing- 0.25 inch OD
- b) height above ground: 4.5 feet
- c) length below ground: 9.5 feet

4- Probe screen :
- a) type / length: ESP Stainless Steel Soil Vapor Implant / 1 inch

5- Probe filter pack :
- a) type: #3 Sand
- b) top filter pack (feet bgs): 9 feet
- c) bottom filter pack (feet bgs): 10 feet

6- Dry Bentonite :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble
- c) top seal (feet bgs): 8 feet
- d) bottom seal (feet bgs): 9 feet

7- Bentonite grout :
- a) method of placement: Gravity feed
- b) type: Bentonite Crumble (hydrated)
- c) top seal (feet bgs): 0 feet
- d) bottom seal (feet bgs): 8 feet

8- Borehole diameter: 2.25 inch

Appendix C – Well Development Forms, 2024S1

CASCADE

Development/Purge Record

T.O.C - Top of Casing
VOLUME: GAL. per LIN./FT.

2 IN. = 0.17
3 IN. = 0.38
4 IN. = 0.66
6 IN. = 1.5
8 IN. = 2.51

Date: 5/28/2024 Project # 107-24-1074
Site: Lincoln Ca Well I.D. # MW-61

Water Level T.O.C 17.3 Ft
Total Depth 32.9 Ft.

Set Up: 11:30 Well Dia. 2 In.
Water Column (Height) Ft.
Casing Volume Gal.

Time	Gal Purged	Temp	Ph	Orp	Con	Ntu	DTW	Do
11:30	3	Bail						
11:45		Surge well						
12:00	10	Bail 7 gal						
12:40	10	Start pumping well					18.81	
12:50	15	21.25	6.76	-76	0.5	1000	23.55	3.15
13:00	20	21.1	6.63	-56	0.511	843	23.98	2.66
13:10	25	21.15	6.55	-50	0.486	326	23.82	2.44
13:20	30	21.14	6.55	-49	0.481	195	23.84	2.41
13:30	35	21.22	6.48	-26	0.495	22.7	23.84	2.49
13:35		21.16	6.48	-23	0.496	6.8	23.85	2.51
13:40	40	21.19	6.48	-26	0.495	7	23.85	2.54
	Well Complete							

Comments:

Data Collected By:

CASCADE

Development/Purge Record

T.O.C - Top of Casing
VOLUME: GAL. per LIN./FT.

2 IN. = 0.17
3 IN. = 0.38
4 IN. = 0.66
6 IN. = 1.5
8 IN. = 2.51

Date: 5/28/2024 Project # 107-24-1074
Site: Lincoln Ca Well I.D. # MW-62

Water Level T.O.C 17.32 Ft
Total Depth 32.9 Ft.

Set Up: 14:30 Well Dia. 2 In.
Water Column (Height) Ft.
Casing Volume Gal.

Time	Gal Purged	Temp	Ph	Orp	Con	Ntu	DTW	Do
14:20	4	Bail 4 gal						
14:30		Surge well						
14:45		Bail 6 gal						
5/29/24 at 8:05	10	Start pumping welll					16.9	
8:15	15	20.1	7.51	45	0.901	1000	22.95	2.43
8:25	20	20.01	6.92	6.91	0.957	1000	23.4	2.55
8:35	25	19.99	6.85	107	0.965	913	23.49	2.36
8:45	30	20.04	6.79	99	0.955	1000	23.99	1.89
8:55	35	20.08	6.77	91	9.15	928	24.35	1.71
9:05	40	20.1	6.78	92	0.914	875	24.35	1.7
9:15	45	20.1	6.78	90	9.11	568	24.54	1.81
9:25	50	20.17	6.81	90	0.912	457	24.65	2.04
9:35	52.5	20.4	6.83	90	0.927	301	24.5	192
9:45	55	20.28	6.82	91	0.906	266	24.31	199
9:55	57.5	20.38	6.85	89	0.934	187	23.75	2.6
10:05	60	20.36	6.85	89	0.933	102	23.7	2.54
10:15	62.5	20.3	6.86	83	0.924	34.1	23.65	2.06
10:25	65	20.31	6.85	83	0.924	7.1	23.65	2.07
10:35	67.5	20.32	6.85	82	0.924	7.2	23.65	2.08
	Well Complete							

Comments: 9:25 lower pump rate to .25 gpm

Data Collected By:

CASCADE

Development/Purge Record

T.O.C - Top of Casing
VOLUME: GAL. per LIN./FT.

2 IN. = 0.17
3 IN. = 0.38
4 IN. = 0.66
6 IN. = 1.5
8 IN. = 2.51

Date: 5/30/2024 Project # 107-24-1074
Site: Lincoln Ca Well I.D. # MW-63

Water Level T.O.C 13.88 Ft
Total Depth 30.4 Ft.

Set Up: 8:00 Well Dia. 2 In.
Water Column (Height) Ft.
Casing Volume Gal.

Time	Gal Purged	Temp	Ph	Orp	Con	Ntu	DTW	Do
8:40	1	Bail 1 gal						
8:50		Surge well						
9:05	7	Bail 6gal						
9:25	7	Start pumping well					22.97	
9:35	9.5	20.97	6.39	-53	0.478	1000	23.9	3.33
9:45	12	22.05	6.46	-108	0.432	1000	22.5	1.28
9:55	14.5	21.49	6.46	-163	0.435	1000	22.36	1.11
10:15	19.5	21.07	6.59	3	0.539	174	22.8	4.58
10:35	24.5	21.43	6.63	-29	0.508	101	22.81	3.59
10:45	27	21.76	6.62	-53	0.488	13.7	22.79	3.15
10:55	29.5	21.7	6.62	-55	0.479	6.3	22.77	3.12
11:05	32	21.8	6.61	-57	0.477	6.6	22.74	3.11
	Well complete							

Comments: Pump at .25 gpm

Data Collected By:

CASCADE

Development/Purge Record

T.O.C - Top of Casing
VOLUME: GAL. per LIN./FT.

2 IN. = 0.17
3 IN. = 0.38
4 IN. = 0.66
6 IN. = 1.5
8 IN. = 2.51

Date: 5/30/2024 Project # 107-24-1074
Site: Lincoln Ca Well I.D. # MW-64

Water Level T.O.C 14.19 Ft
Total Depth 31.7 Ft.

Set Up: 11:30 Well Dia. 2 In.
Water Column (Height) Ft.
Casing Volume Gal.

Time	Gal Purged	Temp	Ph	Orp	Con	Ntu	DTW	Do
11:45		Bail 2gal						
11:55		Surge well						
12:10		Bail 2gal						
12:30	4	Start pumping well					14.4	
12:40	9	20.53	7.05	-254	0.469	343	16.99	0.75
12:50	14	20.54	6.97	-259	0.461	206	16.99	0.68
13:00	19	20.52	6.97	-260	0.461	180	16.99	0.47
13:00	24	20.53	6.91	-262	0.457	67.3	16.99	0.84
13:10	29	20.53	6.9	-262	0.455	50.1	16.99	0.67
13:20	34	20.55	6.86	-264	0.454	19.2	16.99	0.52
13:30	39	20.57	6.86	-265	0.455	8.7	16.99	0.61
13:40	44	20.58	6.87	-266	0.457	7.9	16.99	0.62
13:45	49	20.6	6.87	-267	0.455	7.1	16.99	0.62
	Well complete							

Comments:

Data Collected By:

T.O.C. - Top of Casing
VOLUME: GAL. PER LIN./FT.
2 IN.=0.17 6 IN.=1.5
3 IN.=0.38 8 IN.=2.51
4 IN.=0.66

CASCADE DRILLING

Development / Purge Record

Date 5-28-24 Project # 107-24-1074 Parsons Site Lincoln CA

Well I.D. # MW-66 Water Level T.O.C. 20.03 Ft. Total Depth 32.96 Ft.

Set Up 8:30 Well Dia. 2 In. Water Column Height _____ Ft. Casing Volume _____ Gal.

TIME	GAL. PURGED	TEMP	COND. X	pH	TURB.	T.D. DO	DTW	OTHER ORP
8:40	4	Bail	4 Gal					
8:60		Surge	Well					
9:05	8	Bail	4 Gal					
9:35		Start	Pumping	Well			20.11	
9:45	13	20.78	.589	6.38	265	6.94	23.46	41
9:55	18	20.79	.588	6.35	166	3.17	23.45	40
10:05	23	20.82	.587	6.35	226	2.99	23.46	47
10:15	28	20.82	.586	6.37	143	2.92	23.46	54
10:25	33	20.90	.585	6.38	17.3	2.92	23.46	59
10:30	—	20.90	.585	6.39	8.6	2.92	23.46	59
10:35	38	20.90	.585	6.39	7.9	2.93	23.46	58
10:40	—	20.90	.586	6.39	6.7	2.93	23.46	59
Hose								
			Well Complete					

Comments: _____

Data Collected By: Chad Ackley

Appendix D – Survey Data

R.E.Y. ENGINEERS, INC.
CIVIL ENGINEERING | LAND SURVEYING | REMOTE SENSING

June 19, 2024

Parsons
Carrie M. Ross, PE, PMP
999 18th St. Suite 1555N
Denver, CO 80202
(303) 349-8292 cell

RE: 401 Oak Tree Lane, Lincoln CA – Monitoring Well Survey - *Revised*

Dear Carrie,

Following is a statement regarding methods and accuracies for the Survey work completed by R.E.Y. field personnel on June 6, 2024. Please do not hesitate to contact me if you have any questions.

Surveyor's Statement

Survey Control was taken from the City of Lincoln Survey Control Survey filed for record in Book 23 of Survey at page 155 of the Placer County Records. Specifically Point No. 109, which is a Found 3" Brass Disk in a Monument Box stamped "City of Lincoln No. 109 GPS Control", which is behind the weather station at the project site, was used for horizontal and vertical control. The City of Lincoln Control Network is expressed in California State Plane NAD 83, Zone II grid coordinates with NAVD88 elevations.

Temporary control points were established on site and levels were run from No. 109 to this control. All well locations and ground shots were tied from this control using a Trimble 3" total station instrument in good adjustment.


All well casing locations were taken on the top of the PVC casing on the north side of the well. All ground shots were taken on the natural ground, NOT the concrete base of the well casing, as directed on site by Parson representatives.

This report provides the location information in both California State Plane NAD83 Zone II US Survey Feet and WGS84 Latitude and Longitude. The Elevations listed are NAVD88 as taken from the aforementioned Point No. 109. The vertical accuracy of this survey for the well casing points is hereby stated as ±0.01'. Of course, a ground point, which has vegetation, hardness or softness of surface and repeatability of horizontal location to take into account, will carry a somewhat lesser accuracy. For the purposes of this report we are certifying a vertical accuracy of ±0.05' for the ground shots.

See attached sheet two for reported horizontal and vertical information for the well site data collected on June 6, 2024.

Carl C.de Baca 6/19/24


Carl R. C.de Baca CA PLS 5854 Date



401 Oak Tree Lane, Lincoln, CA. Monitoring Well Survey Results June, 2024 *Revised 6/19/24*

POINT ID	WELL ID	DESCRIPTION	TOP OF PVC IN CASING ELEV NORTH SIDE	GROUND ELEV NORTH SIDE OF WELL	ELEVATION (MISCELLANEOUS)	NAD83 ZONE II NORTHING	NAD83 ZONE II EASTING	WGS 84 LATITUDE	WGS84 LONGITUDE
6025	MW-35	GS N.SIDE MW-35		209.99		2082894.168	6770678.766	38.8793122	-121.2657570
6011	MW-61	GS N.SIDE MW-61		200.54		2082937.695	6769617.612	38.8794552	-121.2694834
6012	MW-61	N.SIDE MW-61 CASING	203.00			2082936.667	6769617.604	38.8794524	-121.2694835
6013	MW-62	N.SIDE MW-62 CASING	201.101			2082675.260	6769635.196	38.8787342	-121.2694291
6015	MW-62	GS N.SIDE MW-62		198.32		2082676.301	6769635.197	38.8787371	-121.2694290
6016	MW-63	GS N.SIDE MW-63		189.81		2082339.775	6769523.143	38.8778155	-121.2698321
6018	MW-63	N.SIDE MW-63 CASING	192.161			2082338.897	6769522.856	38.8778131	-121.2698332
6019	MW-64	N.SIDE MW-64 CASING	189.977			2082069.374	6769485.786	38.8770739	-121.2699710
6021	MW-64	GS N.SIDE MW-64		187.56		2082070.396	6769485.807	38.8770767	-121.2699709
6005	MW-66	GS N.SIDE MW-66		207.79		2083410.910	6770179.149	38.8807421	-121.2674975
6006	MW-66	N.SIDE MW-66 CASING	210.355			2083409.738	6770179.280	38.8807389	-121.2674970
6010	SV-27	GS N.SIDE SV-27		200.47		2082940.720	6769617.883	38.8794635	-121.2694824
6014	SV-28	GS N.SIDE SV-28		198.32		2082679.884	6769635.450	38.8787469	-121.2694280
6017	SV-29	GS N.SIDE SV-29		190.05		2082343.609	6769523.459	38.8778260	-121.2698309
6020	SV-30	GS N.SIDE SV-30		187.55		2082074.356	6769485.299	38.8770876	-121.2699726
6003	SV-31	GS N.SIDE SV-31		211.47		2083125.869	6770095.790	38.8799613	-121.2677983
6002	SV-32	GS N.SIDE SV-32		213.56		2083279.475	6770210.724	38.8803805	-121.2673903
6007	SV-33	GS N.SIDE SV-33		207.84		2083482.004	6770145.886	38.8809380	-121.2676123
6008	SV-34	GS N.SIDE SV-34		207.96		2083382.342	6770056.418	38.8806664	-121.2679294
6004	SV-35	GS N.SIDE SV-35 (see note)		207.54		2083413.917	6770177.863	38.8807504	-121.2675019
6022		EOWATER-2'+-DEEP POND			178.35	2081884.060	6769786.787	38.8765584	-121.2689189
6023		EOWATER-1.5'+-DEEP CREEK			180.40	2081730.711	6769937.551	38.8761340	-121.2683937

Note: "SV35" written on top of casing lid - "SV33" etched in concreted base



6/24/24

Carl C. de Baca

Appendix E – Groundwater and Soil Vapor Sampling Forms, 2024S1

EQUIPCO RENTALS

RAE SYSTEMS MiniRAE 3000 PID CALIBRATION CERTIFICATE

SERVICE TECHNICIAN: FM

DATE: 5/17/24

INSTRUMENT INFORMATION

RENTAL ID#: RAE3000.13 SERIAL NUMBER: 592-911160 LAMP: ☑ 10.6eV ☐ 11.8eV

CALIBRATION INFORMATION

CALIBRATION GAS 1:
☑ Isobutylene 100 ppm, in air
☐ Hexane _____ ppm, in air

RESPONSE TO GAS 1:
☑ 100 ppm ±2%

LOT#: 285253

ZERO AIR RESPONSE:
☑ 000.0ppm

LOT#: 285253

THANK YOU FOR RENTING FROM EQUIPCO

This instrument has been thoroughly tested by a factory certified service technician before delivery to you. If you have any questions or difficulties please call us immediately and request technical support.

1-888-234-5678

EQUIPMENT CALIBRATION LOG

Equipment Type	Serial Number	Date	Calibration Time	Calibration Gas	Zero Air	Calibration Gas Reading	Calibrated By	Comments
miniRAE 3000		5/20/24		Isobutylene 100ppm	0.0	—	~~A.Pimentel~~	Calibration from Equipco
↓		5/21/24	0	~~94.3~~	0.0	94.3	A Pimentel	
		5/22/24	0720	~~95.0~~	0.0	95.8	AP	
		5/23/24	0715	~~94.9~~	0.0	94.9	AP	
		5/24/24	0730	↓	0.0	96.5	AP	
		5/28/24	0650		0.0	93.8	AP	
		5/29/24	0730		0.0	95.3	AP	
		5/30/24	0927		0.0	103.4	AP	
		5/31/24	0745		0.0	102.8	AP	
		6/1/24	0758		0.0	101.7	AP	

WELL GAUGING DATA

Project # 240528 ~~CS-180~~ SC-1 Date 5-28-24 Client Parsons

Site Titan Missile

Well ID	Well Size (in.)	Time Gauged	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC
MW-32	2	0829					10.95	36.78	TOC
MW-31	2	0834					16.47	27.07	TOC
MW-33	2	0842					12.87	37.34	TOC
MW-18	2	0849					13.79	24.88	TOC
MW-34	2	0854					16.50	26.93	TOC
MW-58	2	0902					~~Dry~~ 23.60	25.03	TOC
MW-53	2	0910					20.75	36.64	TOC
MW-52	2	0914					26.30	47.51	TOC
MW-50	2	0918					22.96	41.84	TOC
MW-46	2	0923					22.22	42.21	TOC
MW-44	2	0928					12.85	37.47	TOC
MW-59	2	0931					10.66	31.91	TOC
MW-47	2	0935					18.53	42.35	TOC
MW-60	2	0939					22.63	37.40	TOC
MW-29	2	0945					17.59	36.98	TOC
MW-30	2	0951					27.79	44.84	TOC
MW-57	2	0808					20.42	42.22	TOC

(EH) ~~Dry?~~

WELL GAUGING DATA

Project # 240508sc-1 Date 5-28-24 Client Parsons

Site Titan Missile

Well ID	Well Size (in.)	Time Gauged	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC
MW-16	4	0956					19.30	28.13	TOC
MW-51	2	1001					14.29	37.76	TOC
MW-49	2	1004					13.30	37.24	TOC
MW-11	4	1010					15.27	25.21	TOC
MW-17	4	1012					14.14	22.45	TOC (EH)
MW-35	2	1016					17.70	20.00	TOC ~~Perf~~
EW-1	4	1022					18.05	26.57	TOB
MW-48	2	1024					21.57	37.62	TOC
MW-56	2	1027					17.15	37.45	TOC
MW-45	2	1110					16.61	36.54	TOC
MW-22	2	1112					10.52	30.13	TOC
MW-43	2	1117					5.87	27.87	TOC
MW-42	2	1120					15.30	35.00	TOC
MW-55	2	1124					6.77	27.52	TOC
MW-54	2	1128					5.28	24.94	TOC
MW-19	2	1131					6.93	27.44	TOC

WELL GAUGING DATA

Project # 240528SC-1 Date 6-3-24 Client Parsons

Site Titan Missile

Well ID	Well Size (in.)	Time Gauged	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC
MW-64	2	0805					14.47	32.04	TOC
MW-63	2	0925					14.22	30.11	TOC
MW-62	2	1105					17.62	32.66	TOC
MW-61	2	1205					17.50	32.65	TOC
MW-66	2	1420					19.99	32.64	TOC

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528 SC-1 ~~-100~~	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-11	Well Diameter (in.): 2 3 (4) 6 8 ____
Total Well Depth (ft.): 25.21	Depth to Water (ft.): 15.27
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump
Sampling Method: * Dedicated Tubing | New Tubing | Other

Start Purge Time: 0901 Flow Rate: 200 mL/min Pump Depth: 20'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
0904	21.6	7.03	793	21.1	clear	1.16	119	600	15.39
0907	21.3	7.00	791	17.9		0.96	115	1200	15.38
0910	21.5	6.98	791	18.6		0.90	112	1800	15.45
0913	21.7	6.98	792	18.4		0.85	107	2400	15.52
0916	21.7	6.98	792	17.7		0.82	104	3000	15.58
0919	21.6	6.98	792	17.3		0.79	100	3600	15.65
0922	21.7	6.98	791	18.8	↓	0.80	97.5	4200	15.68

Did well dewater? Yes (No) Amount actually evacuated: 4200

Sampling Time: 0927 Sampling Date: 5-30-24

Sample I.D.: TIAMF-MW011_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

SC-1

Project #: 240528~~CS-TBD~~	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-16	Well Diameter (in.): 2 3 (4) 6 8 ___
Total Well Depth (ft.): 25.21	Depth to Water (ft.): 19.30
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | * Bladder Pump
Sampling Method: * Dedicated Tubing | New Tubing | Other ___

Start Purge Time: 1000 Flow Rate: 200 mL/min Pump Depth: 23'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or (µS/cm))	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1003	21.3	7.02	795	20.3	clear	3.80	106	600	19.39
1006	21.1	6.99	794	19.2		3.86	109	1200	19.41
1009	21.2	6.99	794	18.7		3.88	111	1800	19.46
1012	20.9	7.00	794	18.9		4.05	113	2400	19.53
1015	21.2	7.01	794	19.9		4.11	113	3000	19.56
1018	21.0	7.01	793	18.5		4.20	110	3600	19.57
1021	21.3	7.02	793	19.6		4.32	108	4200	19.59
1024	21.1	7.03	793	19.6		4.56	108	4800	19.61
1027	21.2	7.03	793	19.7		4.61	102	5400	19.62
1030	21.2	7.04	793	19.9		4.62	98	6000	19.64

Did well dewater? Yes (No) Amount actually evacuated: 6000

Sampling Time: 1035 Sampling Date: 5-30-24

Sample I.D.: TIAMF-MW016_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.: TIAMF-MW016_MAY24_FI

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528~~65~~ SC-1 ~~180~~	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-17	Well Diameter (in.): 2 3 (4) 6 8 ____
Total Well Depth (ft.): 22.45	Depth to Water (ft.): 14.14
Depth to Free Product: ---	Thickness of Free Product (feet): ---
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump
Sampling Method: Dedicated Tubing | * New Tubing | Other

Start Purge Time: 0803 Flow Rate: 200 ml/min Pump Depth: 20'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
0806	17.8	6.86	759	19.2	clear	~~140~~ (EH) 5.03	190	600	14.25
0809	17.8	6.86	759	18.0		4.99	189	1200	14.31
0812	17.8	6.88	759	18.6		4.95	187	1800	14.37
0815	17.7	6.89	758	17.7		4.92	186	2400	14.41
0818	17.9	6.89	758	18.2		4.89	183	3000	14.44
0821	17.9	6.90	758	18.4		4.89	181	3600	14.49
0824	17.9	6.90	759	18.7		4.89	180	4200	14.51

Did well dewater? Yes (No) Amount actually evacuated: 4200

Sampling Time: 0829 Sampling Date: 5-30-24

Sample I.D.: TIAMF-MW017_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528SC-1	Client: Parsons
Sampler: SC	Gauging Date: 5/28/24
Well I.D.: MW-19	Well Diameter (in.): (2) 3 4 6 8
Total Well Depth (ft.): 27.44	Depth to Water (ft.): 6.93
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro Plus

Purge Method: 2" Grundfos Pump (C3) ~~Peristaltic Pump~~ Bladder Pump
Sampling Method: (Dedicated Tubing) New Tubing Other

Start Purge Time: 1139 Flow Rate: 200mL/min Pump Depth: ~~25~~ 22

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1142	22.2	7.72	536	5	Clear	2.06	170.4	600	6.83
1145	20.3	7.52	522	4	"	1.42	145.3	1200	6.83
1148	20.0	7.50	512	4	"	1.26	133.0	1800	6.83
1151	20.3	7.48	436.8	4	"	0.99	119.7	2400	6.83
1154	20.6	7.34	439.5	4	"	0.94	112.2	3000	6.83
1157	20.7	7.40	440.5	4	"	0.92	110.1	3600	6.83
1200	20.6	7.41	440.3	4	"	0.91	109.9	4200	6.83

Did well dewater? Yes (No) Amount actually evacuated: 4200mL

Sampling Time: 1205 Sampling Date: 5/28/24

Sample I.D.: TI AMF-MW019_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

TB-1_MAY24

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528SC1	Client: Parsons
Sampler: SC	Gauging Date: 5/28/24
Well I.D.: MW-22	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 30.13	Depth to Water (ft.): 10.52
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro Plus

Purge Method: 2" Grundfos Pump — Peristaltic Pump — ~~Bladder Pump~~
Sampling Method: ~~Dedicated Tubing~~ — New Tubing — Other

Start Purge Time: 1430 Flow Rate: 200 mL/min Pump Depth: 15'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1433	23.3	7.35	455.8	38	Clear	3.81	96.8	600	10.78
1436	23.4	7.31	460.5	34		3.81	99.7	1200	10.78
1439	23.1	7.31	458.7	35		3.94	100.1	1800	10.78
1442	23.1	7.31	456.7	36		3.97	100.9	2400	10.78
1445	23.1	7.30	456.7	34		3.92	100.9	3000	10.78
1448	23.0	7.31	454.3	33		4.00	101.6	3600	10.81

Did well dewater? Yes (No) — Amount actually evacuated: 3.6 L

Sampling Time: 1453 — Sampling Date: 5/28/24

Sample I.D.: TIAMS-MW22_MAY 24 — Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D — Other:

Equipment Blank I.D.: EB-1_@MW22 time ~~1430~~ 1425 — Duplicate I.D.:

AB-1 = MAY 24 @ 1425

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528 ~~GS-100~~ GC-1	Client: Parsons
Sampler: CH	Gauging Date: 5-28-24
Well I.D.: MW-29	Well Diameter (in.): (2) 3 4 6 8
Total Well Depth (ft.): 36.98	Depth to Water (ft.): 17.59
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump

Sampling Method: *Dedicated Tubing | New Tubing | Other

Start Purge Time: 1256 | Flow Rate: 200 mL/min | Pump Depth: 27'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or *µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1259	24.1	7.24	930	56.2	clear	3.52	150.2	600	17.99
1302	23.3	7.23	926	33.2	"	3.46	147.8	1200	18.32
1305	23.3	7.22	923	30.1	"	3.44	146.1	1800	18.49
1308	23.6	7.22	926	31.1	"	3.49	144.6	2400	18.63
1311	23.7	7.22	925	28.0	"	3.43	143.4	3000	18.65

Did well dewater? Yes (No) | Amount actually evacuated: 3000

Sampling Time: 1316 | Sampling Date: 5-30-24

Sample I.D.: TIAMF - MW029_MAY24 | Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D | Other:

Equipment Blank I.D.: @ Time | Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

SC-1

Project #: 240528~~65~~ 180	Client: Parsons
Sampler: ETI	Gauging Date: 5-28-24
Well I.D.: MW-30	Well Diameter (in.): (2) 3 4 6 8
Total Well Depth (ft.): 44.84	Depth to Water (ft.): 27.79
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump
Sampling Method: *Dedicated Tubing | New Tubing | Other

Start Purge Time: 1355 Flow Rate: 200 mL/min Pump Depth: 40'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or *µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1358	25.3	6.80	903	207	slightly white turbidity	3.93	124.5	600	28.13
1401	25.6	6.78	902	227		3.70	137.5	1200	28.16
1404	26.4	6.78	906	224		3.49	143.6	1800	28.26
1407	26.0	6.79	907	186		3.47	146.4	2400	28.37
1410	26.0	6.79	910	145		3.41	147.6	3000	28.40
1413	26.0	6.79	907	127		3.34	147.9	3600	28.47
1416	26.1	6.79	910	116		3.31	148.2	4200	28.48

Did well dewater? Yes (No) Amount actually evacuated: 4200

Sampling Time: 1421 Sampling Date: 5-30-24

Sample I.D.: TIAMF-MW030_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.: TIAMF-MW030_MAY24_FI

@ 1426

LOW FLOW WELL MONITORING DATA SHEET

SG-1

Project #: 240528 ~~GS-1~~	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-35	Well Diameter (in.): (2) 3 4 6 8
Total Well Depth (ft.): 20.00	Depth to Water (ft.): 17.70
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | * Bladder Pump
Sampling Method: Dedicated Tubing | * New Tubing | Other

Start Purge Time: 0825 Flow Rate: 100 mL/min Pump Depth: 19.5'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or *µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
0828	18.8	6.41	973	56.3	odor,	0.91	-110.6	300	18.13
0831	17.9	6.39	1058	39.3	grey	0.66	-113.8	600	water meter mt top of bladder pum
0834	17.8	6.37	1078	28.4	"	0.61	-112.7	900	water level below top of pump
0837	18.0	6.39	1082	33.3	"	0.65	-114.1	1200	"
0840	18.2	6.28	1081	29.1	"	0.77	-103.8	1500	"
0842	* well dewatered @ ~				1.7 L				
1430	24.0	6.77	987	77.5		2.02	-112.0	Grab	17.97

Did well dewater? (Yes) No — Amount actually evacuated: 1500

Sampling Time: 1435 — Sampling Date: 5-31-24

Sample I.D.: TIAMF-MW035_MAY24 — Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D — Other:

Equipment Blank I.D.: @ Time — Duplicate I.D.: TIAMF-MW035_MAY24_FD

@1440

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528x-1	Client: (CB) Kleinfelder Parsons
Sampler: SC	Gauging Date: 5/28/24
Well I.D.: MW-11C	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 3500	Depth to Water (ft.): 15.30
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro Plus

Purge Method: 2" Grundfos Pump | Peristaltic Pump | (Bladder Pump)
Sampling Method: (Dedicated Tubing) | New Tubing | Other
Start Purge Time: 1229 Flow Rate: 200 mL/min Pump Depth: 29'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or (µS/cm))	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or (mL))	Depth to Water (ft.)
1252	20.8	7.50	430.1	17	Clear	4.34	91.5	600	15.67
1255	20.2	7.47	431.1	15		4.33	94.4	1200	15.71
1258	20.1	7.43	431.7	16		4.25	95.0	1800	15.72
1301	20.0	7.39	431.7	15		4.26	96.9	2400	15.72
1304	20.1	7.36	431.5	15		4.13	94.2	3000	15.72
1307	20.0	7.34	430.7	15		4.19	93.8	3600	15.72

Did well dewater? Yes (No) Amount actually evacuated: 3.6L
Sampling Time: 1252 Sampling Date: 5/28/24
Sample I.D.: TIAMF - MW042 - MM24 Laboratory:
Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:
Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528SC-1	Client: Parsons
Sampler: SC	Gauging Date: 5/28/24
Well I.D.: MW-03	Well Diameter (in.): 2 3 4 6 8
Total Well Depth (ft.): 27.87	Depth to Water (ft.): 5.87
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: PVC Grade	Flow Cell Type: YSI Pro Plus

Purge Method: 2" Grundfos Pump | Peristaltic Pump | Bladder Pump
Sampling Method: Dedicated Tubing | New Tubing | Other

Start Purge Time: 1305 Flow Rate: 200 mL/min Pump Depth: 17.5

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL.)	Depth to Water (ft.)
1311	20.8	7.36	232.5	37	Clear	0.71	79.2	600	5.70
1314	20.6	7.29	232.8	22		0.52	72.0	1200	5.75
1317	20.6	7.21	232.5	20		0.49	69.7	1800	5.74
1320	20.5	7.18	232.0	20		0.48	66.4	2400	5.75
1323	20.4	7.17	233.2	21		0.49	62.4	3000	5.75
1326	20.5	7.17	231.9	20		0.47	61.2	3600	5.75

Did well dewater? Yes No Amount actually evacuated: 3.6 L

Sampling Time: 1331 Sampling Date: 5/28/24

Sample I.D.: TIME-MW03-MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240508SC-1	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-44	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 37.47	Depth to Water (ft.): 12.85
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump
Sampling Method: * Dedicated Tubing | New Tubing | Other ___

Start Purge Time: 0915 Flow Rate: 200 mL/min Pump Depth: 25'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
0918	19.9	7.04	524	19.8	clear	2.45	120	600	13.33
0921	20.0	7.02	524	11.0	"	2.38	122	1200	13.35
0924	20.0	7.01	525	72.8	"	2.30	124	1800	13.29
0927	19.9	7.01	525	49.8	"	2.24	124	2400	13.29
0930	20.0	7.01	525	39.3	"	2.23	124	3000	13.33
0933	19.9	7.01	525	33.2	"	2.21	124	3600	13.34

Did well dewater? Yes (No) Amount actually evacuated: 3600

Sampling Time: 0938 Sampling Date: 5-29-24

Sample I.D.: TLAMF-MW044_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: SG-1 240528~~CS-100~~	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-45	Well Diameter (in.): (2) 3 4 6 8 ____
Total Well Depth (ft.): 36.54	Depth to Water (ft.): 16.61
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | * Bladder Pump
Sampling Method: * Dedicated Tubing | New Tubing | Other

Start Purge Time: 1441 Flow Rate: 200 mL/min Pump Depth: 25'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1444	21.8	7.63	486	46	clear	3.83	55.8	600	16.74
1447	21.4	7.52	485	30	"	3.73	66.7	1200	16.76
1450	21.2	7.49	484	26	"	3.67	73.3	1800	16.76
1453	21.2	7.47	484	20	"	3.63	77.8	2400	16.78
1456	21.3	7.47	484	18	"	3.60	80.6	3000	16.79

Did well dewater? Yes (No) Amount actually evacuated: 3000

Sampling Time: 1501 Sampling Date: 5-28-24

Sample I.D.: TI AMF - MW45 - MAY 24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240538SCM	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-46	Well Diameter (in.): (2) 3 4 6 8
Total Well Depth (ft.): 42.21	Depth to Water (ft.): 22.22
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | * Bladder Pump

Sampling Method: * Dedicated Tubing | New Tubing | Other

Start Purge Time: 1124 | Flow Rate: 200 mL/min | Pump Depth: 30'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or (µS/cm))	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1127	22.2	7.14	616	81.9	white cloudy,	4.15	98.2	600	21.65
1130	22.2	7.12	615	60.6	turbid	4.05	117	1200	21.59
1133	22.2	7.12	615	41.4	"	3.97	128	1800	21.56
1136	22.1	7.12	615	29.8	"	3.97	131	2400	21.60
1139	22.3	7.11	614	23.3	"	3.93	132	3000	21.61

Did well dewater? Yes (No) | Amount actually evacuated: 3000

Sampling Time: 1144 | Sampling Date: 5-29-24

Sample I.D.: TIAMF-MW046_MAY24 | Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D | Other:

Equipment Blank I.D.: @ Time | Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240538SL-1	Client: Parsons
Sampler: FH	Gauging Date: 5-28-24
Well I.D.: MW-47	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 42.35	Depth to Water (ft.): 18.53
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DSS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | * Bladder Pump
Sampling Method: * Dedicated Tubing | New Tubing | Other

Start Purge Time: 1024 Flow Rate: 200 mL/min Pump Depth: 30'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1027	20.4	7.09	558	28.4	clear	4.90	147	600	19.10
1030	20.3	7.01	561	17.6	"	4.84	148	1200	19.16
1033	20.4	7.00	563	12.2	"	4.78	148	1800	19.16
1036	20.3	7.00	563	81.0	"	4.73	147	2400	19.24
1039	20.5	6.99	564	66.3	"	4.70	147	3000	19.26
1042	20.4	6.99	564	62.9	"	4.68	148	3600	19.27

Did well dewater? Yes (No) Amount actually evacuated: 3600

Sampling Time: 1047 Sampling Date: 5-28-24

Sample I.D.: TIAMF-MW047_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528SC-1	Client: Tarams
Sampler: SC	Gauging Date: 5/28/24
Well I.D.: MW-4B	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 21.57	Depth to Water (ft.): 37.62
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro Plus

Purge Method: 2" Grundfos Pump | Peristaltic Pump | (Bladder Pump)
Sampling Method: (Dedicated Tubing) | New Tubing | Other

Start Purge Time: 0837 Flow Rate: 200 mL/min Pump Depth: 29'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or (µS/cm))	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or (mL))	Depth to Water (ft.)
0840	19.9	7.80	414.9	35	Clear	2.11	94.7	600	21.73
0843	20.0	7.89	428.6	37		1.98	89.5	1200	21.85
0846	20.0	7.87	394.8	38		1.84	85.5	1800	21.92
0849	20.0	7.90	389.6	36		1.82	83.0	2400	21.99
0852	20.1	7.89	387.5	35		1.78	81.7	3000	22.08
0855	20.1	7.92	387.1	36		1.75	79.0	3600	22.12

Did well dewater? Yes (No) Amount actually evacuated: 3.6L

Sampling Time: 0900 Sampling Date: 5/29/24

Sample I.D.: TIAMS-MW04B-MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

SC-1

Project #: 240528~~CS 100~~	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-49	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 37.24	Depth to Water (ft.): 13.30
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump
Sampling Method: *Dedicated Tubing | New Tubing | Other ___

Start Purge Time: 1152 Flow Rate: 200 mL/min Pump Depth: 25'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1155	23.1	7.22	576	46.8	faintly	5.55	154	600	13.48
1158	23.0	7.16	576	359	white, ~~turbid~~	5.46	153	1200	13.53
1201	22.6	7.15	577	281		5.41	152	1800	13.54
1204	22.7	7.14	575	236		5.42	151	2406	13.49
1207	22.9	7.14	576	174		5.36	150	3000	13.51
1210	22.7	7.15	577	129	"	5.34	150	3600	13.52
1213	22.7	7.15	578	122	clear	5.28	150	4200	13.53
1216	22.7	7.15	578	105	"	5.24	149	4800	13.49
1219	22.8	7.16	580	80.7	"	5.20	149	~~5600~~ (EH) 5400	13.47

Did well dewater? Yes (No) Amount actually evacuated: 5400

Sampling Time: 1224 Sampling Date: 5-30-24

Sample I.D.: TIAMF-MW049_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240507856-1	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-50	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 41.84	Depth to Water (ft.): 22.96
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump
Sampling Method: *Dedicated Tubing | New Tubing | Other ___

Start Purge Time: 1249 Flow Rate: 200 mL/min Pump Depth: 30'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1252	23.4	7.12	726	>1000	white, cloudy	4.13	134	600	23.11
1255	22.0	7.12	722 (EH)	* 747	turbid	4.24	134	1200	23.12
1258	21.8	7.10	716	459	↓	3.98	132	1806	23.15
1301	21.8	7.10	717	347	↓	3.94	132	2400	23.14
1304	21.6	7.10	715	254	→	3.90	131	3000	23.13

Did well dewater? Yes (No) Amount actually evacuated: 3000

Sampling Time: 1309 Sampling Date: 5-29-24

Sample I.D.: TIAMF-MW050_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

SC-1

Project #: 240528 ~~GS-TBD~~	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-51	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 37.76	Depth to Water (ft.): 14.29
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump
Sampling Method: *Dedicated Tubing | New Tubing | Other ____
Start Purge Time: 1308 | Flow Rate: 200 mL/min | Pump Depth: 25'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1311	26.7	7.16	785	>1000	white, turbid	4.73	112.8	600	14.42
1314	25.9	7.15	784	723		4.75	115.3	1200	14.38
1317	26.8	7.14	784	485		4.61	116.4	1800	14.42
1320	25.7	7.14	782	339		4.61	117.3	2400	14.40
1323	25.9	7.14	785	268		4.65	117.9	3000	14.39
1326	26.6	7.14	784	210		4.62	118.1	3600	14.39
1329	25.6	7.15	785	166		4.64	118.8	4200	14.41
1332	26.0	7.14	784	134		4.64	119.3	4800	14.41
1335	26.5	7.14	785	116		4.63	119.4	5400	14.42
1338	26.1	7.14	786	89.7		4.64	119.8	6000	14.44

Did well dewater? Yes (No) | Amount actually evacuated: 6000
Sampling Time: 1343 | Sampling Date: 5-31-24
Sample I.D.: TIAMF-MW051_MAY24 | Laboratory:
Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D | Other:
Equipment Blank I.D.: @ Time | Duplicate I.D.:

TIAMF-MW051_MAY24_MS
TIAMF-MW051_MAY24_MSD

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528501	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-52	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 47.51	Depth to Water (ft.): 26.30
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Flo DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump
Sampling Method: * Dedicated Tubing | New Tubing | Other ___

Start Purge Time: 1348 Flow Rate: 200 mL/min Pump Depth: 35'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1351	22.7	6.91	804	609	a bit turbid	2.35	113	600	26.22
1354	22.7	6.91	804	422		2.25	120	1200	26.22
1357	22.8	6.91	804	326		2.18	123	1800	26.22
1400	22.7	6.91	804	244		2.13	125	2400	26.20
1403	22.7	6.91	804	212		2.08	125	3000	26.24
1406	22.7	6.91	805	188		2.05	125	3600	26.20
1409	22.7	6.91	805	168		2.03	126	4200	26.25

Did well dewater? Yes (No) Amount actually evacuated: 4200

Sampling Time: 1414 Sampling Date: 5-29-24

Sample I.D.: TIAMF-MW052_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.: TIAMF-MW052_MAY24_F

LOW FLOW WELL MONITORING DATA SHEET

SC-1

Project #: 240528~~65~~-90	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-53	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 36.64	Depth to Water (ft.): 20.75
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | * Bladder Pump
Sampling Method: * Dedicated Tubing | New Tubing | Other ___

Start Purge Time: 1143 Flow Rate: 200 mL/min Pump Depth: 30'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1146	21.9	7.54	561	297	white,	1.67	78.4	600	21.26
1149	21.8	7.50	561	344	cloudy	1.52	75.6	1200	21.40
1152	22.2	7.49	561	350		1.41	70.7	1800	21.45
1155	21.9	7.50	560	280		1.37	67.5	2400	21.54
1158	22.0	7.50	560	279		1.35	65.8	3000	21.56
1201	22.1	7.50	560	220	↓	1.34	64.1	3600	21.59

Did well dewater? Yes (No) Amount actually evacuated: 3600

Sampling Time: 1206 Sampling Date: 5-31-24

Sample I.D.: TIAMF-MW053_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

TIAMF-MW053_MAY24_MS
TIAMF-MW053_MAY24_MSD

LOW FLOW WELL MONITORING DATA SHEET

SC-1

Project #: 240528~~65~~ 130	Client: Parsons
Sampler: GH	Gauging Date: 5-28-24
Well I.D.: MW-54	Well Diameter (in.): (2) 3 4 6 8
Total Well Depth (ft.): 24.94	Depth to Water (ft.): 5.28
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | * Bladder Pump
Sampling Method: * Dedicated Tubing | New Tubing | Other

Start Purge Time: 1139 Flow Rate: 200 mL/min Pump Depth: 18'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mf.)	Depth to Water (ft.)
1142	18.6	8.06	496	67	clear	0.85	-3.7	600	6.55
1145	18.4	8.05	494	41		0.70	-43.3	1200	6.78
1148	18.3	8.04	493	25		0.64	-62.8	1800	7.23
1151	18.2	8.02	493	18		0.56	-90.1	2400	7.65
1154	18.2	8.02	492	12		0.52	-101.4	3000	7.92
1157	18.1	7.99	490	12		0.50	-111.7	3600	8.16
1200	18.1	7.97	488	10		0.48	-117.7	4200	8.22
1203	18.1	7.95	486	6		0.46	-121.7	4800	8.33

Did well dewater? Yes (No) Amount actually evacuated: 4800

Sampling Time: 1208 Sampling Date: 5-28-24

Sample I.D.: TI AMF - MW54_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

SC-1

Project #: 240528 ~~GS-100~~	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-55	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 27.52	Depth to Water (ft.): 6.77
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump
Sampling Method: * Dedicated Tubing | New Tubing | Other

Start Purge Time: 1231 Flow Rate: 200 mL/min Pump Depth: 20'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1234	21.6	8.82	455	40	clear	1.22	60.0	600	6.96
1237	22.7	8.75	457	36	"	1.06	51.6	1200	6.88
1240	23.2	8.76	461	33	"	0.98	42.5	1800	6.86
1243	23.5	8.77	463	35	"	0.91	34.6	2400	6.92
1246	23.7	8.77	466	28	"	0.82	28.3	3000	6.88
1249	24.0	8.77	466	27	"	0.78	23.0	3600	6.87
1252	24.2	8.76	467	25	"	0.76	20.1	4200	6.87

Did well dewater? Yes (No) Amount actually evacuated: 4200

Sampling Time: 1257 Sampling Date: 5-28-24

Sample I.D.: TIAMF-MW55_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528C-1	Client: Parsons
Sampler: SC	Gauging Date: 5/28/24
Well I.D.: MW-56	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 37.45	Depth to Water (ft.): 17.15
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Yes Flo-2

Purge Method: 2" Grundfos Pump | Peristaltic Pump | (Bladder Pump)
Sampling Method: (Dedicated-Tubing) | New Tubing | Other ____

Start Purge Time: 0912 Flow Rate: 100 mL/min Pump Depth: 27'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or (µS/cm))	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or (mL))	Depth to Water (ft.)
0915	20.5	7.50	553	269	~~Clear~~ Cloudy	5.42	87.0	600	17.22
0918	20.4	7.47	551	150	"	5.42	93.4	1200	17.22
0921	20.1	7.43	552	82	"	5.46	95.6	1800	17.22
0924	20.2	7.42	550	60	Slightly Cloudy	5.29	96.6	2400	17.22
0927	20.4	7.44	551	43	Clear	5.31	96.0	3000	17.22
0930	20.2	7.46	551	33	"	5.35	95.7	3600	17.22
0933	20.2	7.46	550	31	"	5.38	96.5	4200	17.22
0936	20.3	7.45	550	30	"	5.36	98.0	4800	17.22
0939	20.3	7.47	550	32	"	5.28	96.5	5400	17.22

Did well dewater? Yes (No) Amount actually evacuated: 5.4L

Sampling Time: 0945 Sampling Date: 5/29/24

Sample I.D.: TIAA-MW056_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

SC-1

Project #: 240529~~65-180~~	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-57	Well Diameter (in.): (2) 3 4 6 8
Total Well Depth (ft.): 42.22	Depth to Water (ft.): 20.42
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump
Sampling Method: *Dedicated Tubing | New Tubing | Other

Start Purge Time: 1457 Flow Rate: 200 ml/min Pump Depth: 30'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1500	25.8	7.60	458	660	slightly tan	3.54	84.7	600	20.92
1503	25.4	7.52	455	497		3.38	91.3	1200	21.10
1506	25.7	7.50	455	302		3.31	95.0	1800	21.10
1509	25.2	7.50	455	239		3.33	97.6	2400	21.19
1512	25.3	7.48	456	283		3.31	99.4	3000	21.24
1515	25.1	7.48	456	230		3.33	100.2	3600	21.27

Did well dewater? Yes (No) Amount actually evacuated: 3600

Sampling Time: 1520 Sampling Date: 5-30-24

Sample I.D.: TIAMF-MW057_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

SC-1

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528 ~~CS-1~~ SC-1	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-58	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 25.03	Depth to Water (ft.): 23.60
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Bailer | *Peristaltic Pump | Bladder Pump
Sampling Method: Dedicated Tubing | *New Tubing | * Other Bailer

Start Purge Time: — Flow Rate: — Pump Depth: 24'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1105	23.2	7.05	1040	210	grey	3.18	-48.2	Grab	
	* Client permitted grab samples + parameters. See notes.								

Did well dewater? Yes (No) Amount actually evacuated: Grab

Sampling Time: 1110 Sampling Date: 5-31-24

Sample I.D.: TIAMF-MW058_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

Note: First asked client if peristaltic pump was an option after trying bladder pump and no water was being purged. Client confirmed peri-pump was ok for parameters and to use a bailer to collect sample.

MW-58

Peri-pump was set up, but no water coming up. Pulled up tubing, tubing was dry with roots on it. Sent bailer down ~ 1/6 of the bailer filled with water. I suspect roots in the well are impeding ~~purging~~ purging efforts.

Called client he ok'd using bailer for grab sample and set of parameters.

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528 ~~GS-180~~ SG-1	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-59	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 31.91	Depth to Water (ft.): 10.66
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump
Sampling Method: *Dedicated Tubing | New Tubing | Other ___

Start Purge Time: 0810 | Flow Rate: 200 mL/min | Pump Depth: 20'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
0813	19.2	6.66	657	15.2	clear	1.05	152	600	11.06
0816	19.1	6.67	658	13.4	"	0.92	151	1200	11.10
0819	19.2	6.68	663	88.0	"	0.83	148	1800	11.08
0822	19.2	6.69	666	76.0	"	0.79	146	2400	10.98
0825	19.2	6.69	671	61.3	"	0.78	144	3000	11.04
0828	19.2	6.69	668	52.4	"	0.75	140	3600	11.06

Did well dewater? Yes (No)	Amount actually evacuated: 3600
Sampling Time: 0833	Sampling Date: 5-29-24
Sample I.D.: TIAMF - MW059 _ MAY24	Laboratory:
Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D	Other:
Equipment Blank I.D.: @ Time	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528SC-1	Client: Parsons
Sampler: EH	Gauging Date: 5-28-24
Well I.D.: MW-60	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 37.40	Depth to Water (ft.): 22.63
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | * Bladder Pump
Sampling Method: * Dedicated Tubing | New Tubing | Other ____
Start Purge Time: 1452 | Flow Rate: 200 mL/min | Pump Depth: 30'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1455	21.7	6.83	1133	>1000	tan turbid	3.42	154	600	22.70
1458	21.7	6.81	1132	>1000		3.25	153	1200	22.71
1501	21.5	6.81	1127	784		3.20	152	1800	22.78
1504	21.4	6.81	1117	582		3.15	151	2400	22.77
1507	21.4	6.82	1111	405		3.11	150	3000	22.76
1510	21.4	6.82	1103	283	less turbid	3.09	149	3600	22.76
1513	21.3	6.82	1099	229		3.08	148	4200	22.76
1516	21.4	6.82	1095	179		3.06	147	4800	22.72

Did well dewater? Yes (No) | Amount actually evacuated: 4800
Sampling Time: 1521 | Sampling Date: 5-29-24
Sample I.D.: T1AMF-MW060_MAY24 | Laboratory:
Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D | Other:
Equipment Blank I.D.: @ Time | Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

1/2

SC-1

Project #: 240528 ~~CG-160~~	Client: Parsons
Sampler: EH	Gauging Date: 6-3-24
Well I.D.: MW-61	Well Diameter (in.): (2) 3 4 6 8
Total Well Depth (ft.): 32.65	Depth to Water (ft.): 17.50
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | * Bladder Pump

Sampling Method: Dedicated Tubing | * New Tubing | Other

Start Purge Time: 1226 | Flow Rate: 200 ml/min | Pump Depth: 25'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1229	22.2	7.38	736	368	white	1.06	102.7	600	18.14
1232	21.7	7.32	736	356	turbid	0.93	96.6	1200	18.21
1235	21.5	7.31	730	310		0.96	93.2	1800	18.27
1238	21.7	7.30	722	264		1.06	90.9	2400	18.22
1241	21.7	7.30	710	235		1.24	90.4	3000	18.26
1244	21.5	7.30	698	214		1.43	89.0	3600	18.33
1247	21.7	7.29	690	176		1.57	85.4	4200	18.26
1250	21.8	7.29	682	156		1.71	78.9	4800	18.27
1253	21.4	7.29	671	133		1.86	71.1	5400	18.30
1256	22.0	7.29	667	120		1.95	66.3	6000	18.33
1259	21.9	7.29	662	111		2.06	61.6	6600	18.27
1302	21.7	7.29	658	104		2.21	58.0	7200	18.31

Did well dewater? Yes (No) | Amount actually evacuated: 9400

Sampling Time: 1313 | Sampling Date: 6-3-24

Sample I.D.: TIAMF-MW061_MAY24 | Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D | Other:

Equipment Blank I.D.: @ Time | Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET 2/2

Project #: 240528SC-1	Client: Parsons
Sampler:	Gauging Date: 6-3-24
Well I.D.: MW-61	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 32.65	Depth to Water (ft.): 17.50
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DSS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | Bladder Pump
Sampling Method: Dedicated Tubing | New Tubing | Other ____

Start Purge Time: 1220 Flow Rate: 200 mL/min Pump Depth: 25'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1305	21.3	7.28	651	84.0	L	2.31	52.8	7800	18.36
1308	21.4	7.28	647	82.8	L	2.39	49.3	8400	18.34

Did well dewater? Yes (No) Amount actually evacuated: 8400 mL

Sampling Time: 1313 Sampling Date: 6-3-24

Sample I.D.: TIAMF-MW061-May 24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

SC-1

Project #: 240528SS-T10	Client: Parsons
Sampler: EH	Gauging Date: 6-3-24
Well I.D.: MW-62	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 32.66	Depth to Water (ft.): 17.62
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump
Sampling Method: Dedicated Tubing | * New Tubing | Other ___

Start Purge Time: 1118 Flow Rate: 300 mL/min Pump Depth: 25'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1121	20.1	7.41	1061	269	white, cloudy	1.48	+135.8	900	18.85
1124	19.9	7.33	1067	204		1.42	127.2	1800	19.01
1127	19.7	7.31	1081	139		1.44	120.0	2700	19.23
1130	19.8	7.30	1087	104		1.48	116.0	3600	19.33
1133	19.9	7.30	1087	86.4		1.55	112.5	4500	19.36
1136	19.9	7.30	1086	81.9		1.62	110.3	5400	19.46

Did well dewater? Yes (No) Amount actually evacuated: 5400

Sampling Time: 1141 Sampling Date: 6-3-24

Sample I.D.: TIAMF-MW062_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

SC-1

Project #: 240528 ~~65~~ 80	Client: Parsons
Sampler: EH	Gauging Date: 6-3-24
Well I.D.: MW-63	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 30.11	Depth to Water (ft.): 14.22
Depth to Free Product: ---	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | * Bladder Pump
Sampling Method: Dedicated Tubing | * New Tubing | Other

Start Purge Time: 0948 Flow Rate: 200 mL/min Pump Depth: 25'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or *µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
0951	19.1	7.38	715	>1000	cloudy white	1.14	96.4	600	15.35
0954	19.2	7.32	717	889		1.55	92.4	1200	15.51
0957	19.7	7.31	724	916		1.47	90.6	1800	15.32
1000	19.2	7.31	734	925		1.73	93.8	2400	15.53
1003	19.1	7.30	737	595		1.77	92.6	3000	15.75
1006	19.4	7.31	735	431		2.12	91.9	3600	15.77
1009	19.1	7.30	737	289		2.10	94.4	4200	15.97
1012	19.1	7.30	738	240		2.54	98.9	4800	16.20
1015	19.0	7.29	740	233		2.35	99.9	5400	16.20
1018	19.0	7.28	744	192		2.12	99.4	6000	16.31
1021	19.2	7.28	742	151		2.15	99.5	6600	16.15
1024	19.0	7.27	746	163	—	2.30	99.8	7200	16.34

Did well dewater? Yes (No) Amount actually evacuated: 7200

Sampling Time: 1029 Sampling Date: 6-3-24

Sample I.D.: TIAMF - MW063-MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

SC-1

Project #: 240528C5-T30	Client: Parsons
Sampler: EH	Gauging Date: 6-3-24
Well I.D.: MW-64	Well Diameter (in.): (2) 3 4 6 8
Total Well Depth (ft.): 32.04	Depth to Water (ft.): 14.47
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | * Bladder Pump
Sampling Method: Dedicated Tubing | * New Tubing | Other

Start Purge Time: 0833 Flow Rate: 200 ml/min Pump Depth: 25'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or *µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L.)	ORP (mV)	Water Removed (gals. or mL.)	Depth to Water (ft.)
0836	19.5	7.94	537	>1000	white, turbid	0.93	-247.1	600	14.86
0839	19.5	7.95	536	874		0.68	-278.3	1200	14.86
0842	19.5	7.96	536	681		0.60	-297.5	1800	14.81
0845	19.5	7.97	536	519		0.55	-310.1	2400	14.80
0848	19.5	7.97	535	449		0.53	-316.1	3000	14.86
0851	19.6	7.97	534	380		0.50	-322.8	3600	14.93

Did well dewater? Yes (No) Amount actually evacuated: 3600

Sampling Time: 0856 Sampling Date: 6-3-24

Sample I.D.: TIAMF-MW064_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 240528CS-1	Client: Parsons
Sampler: EH	Gauging Date: 6-3-24
Well I.D.: MW-66	Well Diameter (in.): (2) 3 4 6 8 ___
Total Well Depth (ft.): 32.64	Depth to Water (ft.): 19.99
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro DDS

Purge Method: 2" Grundfos Pump | Peristaltic Pump | *Bladder Pump
Sampling Method: Dedicated Tubing | * New Tubing | Other ____

Start Purge Time: 1436 Flow Rate: 300 ml/min Pump Depth: 25'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
1439	22.0	7.17	687	>1000	Beige,	4.06	105.6	900	20.15
1442	21.3	7.13	685	>1000	opaque	4.28	107.4	1800	20.17
1445	21.0	7.13	685	>1000	"	4.52	113.9	2700	20.17
1448	21.2	7.12	685	>1000	"	4.57	118.9	3600	20.21
1451	21.3	7.11	685	>1000	"	4.47	122.2	4500	20.20
1454	21.0	7.12	685	>1000	"	4.57	124.9	5400	20.22

Did well dewater? Yes (No) Amount actually evacuated: 5400

Sampling Time: 1459 Sampling Date: 6-3-24

Sample I.D.: TIAMF-MW066_MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 246578SC-1	Client: Parsons
Sampler: SC	Gauging Date: 5/28/24
Well I.D.: GW-01	Well Diameter (in.): 2 3 (4) 6 8
Total Well Depth (ft.): 26.57	Depth to Water (ft.): 18.05
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI Pro Plus

Purge Method: 2" Grundfos Pump | Peristaltic Pump | (Bladder Pump)
Sampling Method: Dedicated Tubing | (New Tubing) | Other

Start Purge Time: 0801 Flow Rate: 200mL/min Pump Depth: 22.5'

Time	Temp. (°C or °F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Color (Visual)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to Water (ft.)
0804	18.5	7.84	704	13	Clear	5.10	156.5	600	18.12
0807	18.5	7.52	670	10		4.89	140.8	1200	18.14
0810	18.5	7.36	660	4		4.86	132.2	1800	18.23
0813	18.5	7.35	658	4		4.86	128.4	2400	18.24
0816	18.6	7.33	653	4		4.93	123.8	3000	18.25
0819	18.6	7.35	652	4		4.92	122.2	3600	18.25

Did well dewater? Yes (No) Amount actually evacuated: 3.6L

Sampling Time: 0824 Sampling Date: 5/29/24

Sample I.D.: TIAMS-GW01-MAY24 Laboratory:

Analyzed for: TPH-G BTEX MTBE TPH-D BE TPH-D Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

TB-2 _ MAY24 @ 0745

WELLHEAD INSPECTION CHECKLIST

Client Parsons Date 05/28/24

Site Address Titan Misc 16

Job Number 240508X-1 Technician EH/SL

Well ID	Well Inspected - No Corrective Action Required	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
MW-57	X							
MW-32	X							
MW-33	X							
MW-18	X							
MW-~~54~~34	X							
MW-38	X							
MW-53	X							
MW-52	X							
MW-50	X							
MW-46	X							
MW-14	X							
MW-59	X							
MW-47	X							
MW-60	X							
MW-29	X							
MW-30		1/2	bolts missing					

NOTES: only 1 key

WELLHEAD INSPECTION CHECKLIST

Client Parsons Date 05/28/24

Site Address Titan Missile

Job Number 240528SC-1 Technician EH, SC

Well ID	Well Inspected - No Corrective Action Required	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
MW-16	X							
MW-51	X							
MW-49	X							
MW-11	X							
MW-17	X							
MW-35	X							
MW-48	X							
MW-56	X							
MW-45	X							
MW-22	X							
MW-43	X							
MW-55	X							
MW-54	X							
MW-19	X							

NOTES:

WELLHEAD INSPECTION CHECKLIST

Client Parsons Date 06/03/24

Site Address Titan Missile

Job Number 240528SC-1 Technician EH

Well ID	Well Inspected - No Corrective Action Required	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
MW-64	X							
MW-63	X							
MW-62	X							
MW-61	X							
MW-66	X							

NOTES:

TEST EQUIPMENT CALIBRATION LOG

PROJECT NAME	Former Titan 1-A Missile facility	PROJECT NUMBER	240528CS-1			
EQUIPMENT NAME	EQUIPMENT NUMBER	DATE/TIME OF TEST	STANDARDS USED	EQUIPMENT READING	CALIBRATED TO: OR WITHIN 10%:	TEMP.	INITIALS
YSI Pro DDS	19J100720	5-28-24 0650	pH 4.00, 7.00, 10.00	4.00, 7.00, 10.00	yes	18°C	EH
"	"	"	ORP	240 mV	yes	"	"
"	"	"	Cond.	~~4927~~ 4250	yes	"	"
"	"	"	DO	100%	yes	"	"
YSI Pro DDS	19J100720	5-29-24 0715	pH	4.00; 7.00 10.00	yes	20°C	EH
"	"	"	ORP	237 mV	yes	"	"
"	"	"	Cond.	4280	yes	"	"
"	"	"	DO	100%	yes	"	"
YSI Pro DDS	19J100720	5-30-24 0710	pH	4.00, 7.00, 10.00	Y	22°C	EH
"	"	"	ORP	235 mV	Y	"	"
"	"	"	Cond.	4250	Y	"	"
"	"	"	DO	105%	Y	"	"

TEST EQUIPMENT CALIBRATION LOG

PROJECT NAME	Pumps @ Titan I-A Missile			PROJECT NUMBER	240528.4		
EQUIPMENT NAME	EQUIPMENT NUMBER	DATE/TIME OF TEST	STANDARDS USED	EQUIPMENT READING	CALIBRATED TO: OR WITHIN 10%:	TEMP.	INITIALS
YSI Pro Plus	19E103449	5/23/24 0520	Cond 3900 DO 100%	Cond 3907 DO 100%	✓ ✓	22.8	SC
↓	↓	↓	pH 4 7 10	pH 4.02 7.06 10.00	✓ ✓ ✓	22.8	SC
↓	↓	↓	ORP 231.0	ORP 230.7	✓	22.8	SC
YSI Pro Plus	19F103449	5/24/24 0540	Cond 3900 DO 100%	Cond 3907 DO 99.9%	✓ ✓ ✓	23.4	SC
↓	↓	↓	pH 4 7 10	pH 3.97 7.00 10.07	✓ ✓ ✓	23.4	SC
↓	↓	↓	ORP 231.0	ORP 231.8	✓	23.4	SC
YSI Pro DSS	19J100700	5-31-24 0715	pH 7, 10, 4 ORP 231	7.00, 10.00, 4.00 231	✓ ✓	25.0 25.0	EH
↓	↓	↓	Cond 4379 DO 100%	4379 100%	✓ ✓	25.0 25.0	EH
YSI Pro DSS	↓	6-3-24 0730	pH 7, 10, 4 ORP 234	7.00, 10.00, 4.00 ORP 234	✓ ✓	23.0 23.0	EH
↓	↓	↓	Cond 4203 DO 100%	Cond 4203 100%	✓ ✓	23.0 23.0	EH

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Pangea
Sampler: HM	Site: Titan A-1
ID: SV-01	Sampling Date: 5/28/24
Ambient Temp (°F): 69	Ambient Barometric Pressure (inHg): 29.98
Monitoring Equipment: ☒ Multi Rae (PID)	☒ MGD 2002 (Helium Detector)
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -14 End inHg: -14
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4400 ml
3. Leak Testing Compound: HE
4. Helium Gas Concentration in Shroud: >20 %
5. Post Purge leak check using Helium Detector: 0.0 %

Stopped purge after 5 min due to high back pressure.

Sample I.D.: ~~(1)~~ TLAMF-SV01-052424		Sampling Date: 5/28/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -29	End inHg: -28
Canister Serial/ID #: 4497	Critical Orifice Assembly (COA) #: 22310		Flow Rate: 200 ml/min
Sample Time: Start: 1219	End: 1226	Duration: 7 (min) / hour	
Canister Volume: Initial: -28 inHg		Final: -5 inHg	

~~Duplicate~~ Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration: min / hour	
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Eurofins

Analyzed For: See CoC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Parsons
Sampler: HM	Site: Titan 1-A
ID: SV-2	Sampling Date: 5/31/24
Ambient Temp (°F): 78	Ambient Barometric Pressure (inHg): 29.88
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.2	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -17 End inHg: -17
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4564 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: 220 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TIAMP-SV002_May24		Sampling Date: 05/31/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -28	End inHg: -28
Canister Serial/ID #: 16314	Critical Orifice Assembly (COA) #: 25377		Flow Rate: 200 ml/min
Sample Time: Start: 1121	End: 1128	Duration: 7	min / hour
Canister Volume: Initial: -28 inHg		Final: -5	inHg

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final:	inHg

Laboratory: Eurofins

Analyzed For: See CoC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528 HM-1	Client: Parsons
Sampler: BD	Site: Titan A-1
ID: SV-3	Sampling Date: 06/03/24
Ambient Temp (°F): 77	Ambient Barometric Pressure (inHg): 29.91
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -15 End inHg: -15
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4545 ml
3. Leak Testing Compound: Helium
4. Helium Gas Concentration in Shroud: >20.0 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: T1AMF-SV003_~~May~~Jun 24		Sampling Date: 06/03/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -27	End inHg: -27
Canister Serial/ID #: 1L1968	Critical Orifice Assembly (COA) #: 25527		Flow Rate: 200 ml/min
Sample Time: Start: 1226	End: 1233	Duration: 7 (min) / hour	
Canister Volume:	Initial: -27 inHg	Final: -5 inHg	

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration: min / hour	
Canister Volume:	Initial: inHg	Final: inHg	

Laboratory:	Eurofins
Analyzed For:	See COC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240328 HM-1	Client: Parsons
Sampler: HM	Site: Titan 1-A
ID: SV-4	Sampling Date: 5/30/24
Ambient Temp (°F): 81	Ambient Barometric Pressure (inHg): 30.00
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.9	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -22 End inHg: -22
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4477 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: ≥20 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TIAMF-SV004_May24		Sampling Date: 5/30/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -26	End inHg: -26
Canister Serial/ID #: IL 2206	Critical Orifice Assembly (COA) #: 20641		Flow Rate: 200 ml/min
Sample Time: Start: 1618	End: 1626	Duration: 8	min / hour
Canister Volume: Initial: -26 inHg		Final: -5	inHg

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final:	inHg

Laboratory: Eurofin
Analyzed For: See COC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Parsons
Sampler: HM	Site: Ti Tank FA
ID: SV-5B	Sampling Date: 5/30/24
Ambient Temp (°F): 81	Ambient Barometric Pressure (inHg): 30.00
Monitoring Equipment: [X] Multi Rae (PID) [X] MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.9	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: [X] PASS [ ] FAIL Start inHg: -20 End inHg: -20
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4427 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: 220 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TIAMF-SV005B_May24		Sampling Date: 5/30/24	
Vacuum Shut In Test: [X] PASS [ ] FAIL		Start inHg: -30	End inHg: -30
Canister Serial/ID #: IL4219	Critical Orifice Assembly (COA) #: 21482		Flow Rate: 200 ml/min
Sample Time: Start: 1455	End: 1904	Duration: 9	min / hour
Canister Volume: Initial: -30 inHg		Final: -5 inHg	

~~Duplicate~~ Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: [ ] PASS [ ] FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Eurofin
Analyzed For: see COC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Parsons
Sampler: HM	Site: Titan 1-A
ID: SV-6	Sampling Date: 5/30/24
Ambient Temp (°F): 73	Ambient Barometric Pressure (inHg): 30.00
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.3	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -17 End inHg: -17
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 642 ml
3. Leak Testing Compound: HP
4. Helium Gas Concentration in Shroud: ≥20 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: T1AMF-SV006_May24		Sampling Date: 5/30/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -27	End inHg: -27
Canister Serial/ID #: IL4700	Critical Orifice Assembly (COA) #: 21437		Flow Rate: 200 ml/min
Sample Time: Start: 1020	End: 1028	Duration: 8	min / hour
Canister Volume: Initial: -27 inHg		Final: -5 inHg	

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Envirotech
Analyzed For: See COC

Sampler's Signature: _____

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240928.HM-1	Client: Parsons
Sampler: HM	Site: Titch 1-A
ID: SV-2	Sampling Date: 5/30/24
Ambient Temp (°F): 70	Ambient Barometric Pressure (inHg): 30.00
Monitoring Equipment: [X] Multi Rae (PID) [X] MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: [X] PASS [ ] FAIL Start inHg: -22 End inHg: -22
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4477 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: 220 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: T2AMF-SV007_May24		Sampling Date: 5/30/24	
Vacuum Shut In Test: [X] PASS [ ] FAIL		Start inHg: -27	End inHg: -27
Canister Serial/ID #: 13343	Critical Orifice Assembly (COA) #: 20298		Flow Rate: 200 ml/min
Sample Time: Start: 0903	End: 0911	Duration: 8	min / hour
Canister Volume: Initial: -27 inHg		Final: -5 inHg	

~~Duplicate~~ Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: [ ] PASS [ ] FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Eurofins
Analyzed For: STL CoC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Pausons
Sampler: HM	Site: Titan 1-A
ID: SV-8	Sampling Date: 5/30/24
Ambient Temp (°F): >6	Ambient Barometric Pressure (inHg): 30.00
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.2	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -13 End inHg: -15
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4422 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: ≥20 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TIAMF-SV008_May24		Sampling Date: 5/30/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -27	End inHg: -27
Canister Serial/ID #: IL4533	Critical Orifice Assembly (COA) #: 24506		Flow Rate: 200 ml/min
Sample Time: Start: 1246	End: 1251	Duration: 5	min / hour
Canister Volume: Initial: -27 inHg		Final: -5 inHg	

~~Duplicate~~ Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	~~Critical Orifice Assembly~~ (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	~~Duration:~~	min / hour
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Envotech
Analyzed For: See CoC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528 HM-1	Client: Parsons
Sampler: BD	Site: Titan A-1
ID: SV-9B	Sampling Date: 06/06/24
Ambient Temp (°F): 92	Ambient Barometric Pressure (inHg): 29.78
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -15 End inHg: -15
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4495 ml
3. Leak Testing Compound: Helium
4. Helium Gas Concentration in Shroud: >20.0 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TIAMF-SV09B_JUN24		Sampling Date: 06/06/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -28.5	End inHg: -28.5
Canister Serial/ID #: 14263	Critical Orifice Assembly (COA) #: 25515		Flow Rate: 200 ml/min
Sample Time: Start: 1213	End: 1219	Duration: 6 (min) / hour	
Canister Volume: Initial: -28.5 inHg		Final: -5 inHg	

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration: min / hour	
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Eurofins

Analyzed For: See COC

Sampler's Signature: [signature]

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Parsons
Sampler: BD	Site: Titan A-1
ID: SV-10	Sampling Date: 06/03/24
Ambient Temp (°F): 74	Ambient Barometric Pressure (inHg): 29.92
Monitoring Equipment: ☒ Multi Rae (PID)	☒ MGD 2002 (Helium Detector)
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -17 End inHg: -17
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4564 ml
3. Leak Testing Compound: Helium
4. Helium Gas Concentration in Shroud: >20.0 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TIAMF-SV010-JUN 24		Sampling Date: 06/03/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -26	End inHg: -26
Canister Serial/ID #: 1C8806	Critical Orifice Assembly (COA) #: 28393		Flow Rate: 200 ml/min
Sample Time: Start: 1124	End: 1130	Duration: 6	min / hour
Canister Volume: Initial: -26 inHg		Final: -5 inHg	

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final: inHg	

Laboratory:	Eurofins
Analyzed For:	See COC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Parsons
Sampler: BD	Site: Titan A-1
ID: SV-11	Sampling Date: 06/03/24
Ambient Temp (°F): 73	Ambient Barometric Pressure (inHg): 29.91
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -13 End inHg: -13
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4620 ml
3. Leak Testing Compound: —
4. Helium Gas Concentration in Shroud: — %
5. Post Purge leak check using Helium Detector: — %

Purged 5 minutes and water in tubing/well - No Samples collected

Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final:	inHg

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final:	inHg

Laboratory:	Eurofins
Analyzed For:	See COC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528 HA-1	Client: Parsons
Sampler: HM	Site: Titan 1-A
ID: SV-12	Sampling Date: 5/31/24
Ambient Temp (°F): 80	Ambient Barometric Pressure (inHg): 29.90
Monitoring Equipment: ☒ Multi Rae (PID)	☒ MGD 2002 (Helium Detector)
PID Reading (ppm): —	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☐ PASS ☐ FAIL Start inHg: _____ End inHg: _____
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** _____ ml
3. Leak Testing Compound: _____
4. Helium Gas Concentration in Shroud: _____ %
5. Post Purge leak check using Helium Detector: _____ %

Water was in the sample line, could not sample.

Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg: _____	End inHg: _____
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: _____ ml/min
Sample Time: Start:	End:	Duration: _____	min / hour
Canister Volume: Initial: _____ inHg		Final: _____ inHg	

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg: _____	End inHg: _____
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: _____ ml/min
Sample Time: Start:	End:	Duration: _____	min / hour
Canister Volume: Initial: _____ inHg		Final: _____ inHg	

Laboratory:
Analyzed For:

Sampler's Signature: [signature]

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528 HM-1	Client: Parsons
Sampler: HM	Site: Tichy 1-A
ID: SV-15B	Sampling Date: 5/31/24
Ambient Temp (°F): 81	Ambient Barometric Pressure (inHg): 29.90
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.3	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: ~15 End inHg: -15
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4452 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: ≥20 %
5. Post Purge leak check using Helium Detector: 0.0 % 21

Vacuum meter started at -25 and maxed out after the can was opened.

Sample I.D.: TIAMF-SV015B_May24		Sampling Date: 5/31/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: ~30	End inHg: ~30
Canister Serial/ID #: IL2881	Critical Orifice Assembly (COA) #: 25371		Flow Rate: 200 ml/min
Sample Time: Start: 1310	End: 1315	Duration: 5 min / hour	
Canister Volume: Initial: HM <-30 inHg		Final: -25 inHg	

~~Duplicate Sample I.D.:~~		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration: min / hour	
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Eurofin	
Analyzed For: 4 ee oc	

Ran sample for 5 min then closed the can, due to pressure meter not working.

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528Hm -1	Client: Parsons
Sampler: Hm	Site: Titan 1-A
ID: SV-16	Sampling Date: 5/30/24
Ambient Temp (°F): >5	Ambient Barometric Pressure (inHg): 29.99
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.2	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -15 End inHg: -15
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** ~~4450~~ 4550 ml (RM)
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: ≥20 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: T1AMF-SV016_May24		Sampling Date: 5/30/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -28	End inHg: -28
Canister Serial/ID #: 1L3746	Critical Orifice Assembly (COA) #: 25379		Flow Rate: 200 ml/min
Sample Time: Start: 1130	End: 1137	Duration: 7	min / hour
Canister Volume: Initial: -28 inHg		Final: -5 inHg	

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Eurofins
Analyzed For: 8260 CoC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528 HA-1	Client: Parsons
Sampler: HM	Site: Titan 1-A
ID: SV-17B	Sampling Date: 5/29/24
Ambient Temp (°F): 70	Ambient Barometric Pressure (inHg): 30.09
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -12 End inHg: -12 (HM) -1
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4422 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: 220 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TIAMF-SV017B_JW24		Sampling Date: 05/29/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -28	End inHg: -28
Canister Serial/ID #: 16429	Critical Orifice Assembly (COA) #: 316 X X 6		Flow Rate: 200 ml/min
Sample Time: Start: 1617	End: 1625	Duration: 8	min / hour
Canister Volume: Initial: -28 inHg		Final: -5	inHg

~~Duplicate Sample I.D.:~~		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final:	inHg

Laboratory: Envofin
Analyzed For: See COC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Parsons
Sampler: HM	Site: Titan 1-A
ID: SV-18	Sampling Date: 5/28/24
Ambient Temp (°F): 61	Ambient Barometric Pressure (inHg): 29.98
Monitoring Equipment: [X] Multi Rae (PID) [X] MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: [X] PASS [ ] FAIL Start inHg: -19 End inHg: -15
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4400 ml
3. Leak Testing Compound: HP
4. Helium Gas Concentration in Shroud: ≥20 %
5. Post Purge leak check using Helium Detector: 0.0 %

3 in of water in the top of line, placeded with sample, at points

Sample I.D.: TLAMF-SV01R_May24		Sampling Date: 05/28/24	
Vacuum Shut In Test: [X] PASS [ ] FAIL		Start inHg: -26	End inHg: -26
Canister Serial/ID #: L3753	Critical Orifice Assembly (COA) #: 25492		Flow Rate: 200 ml/min
Sample Time: Start: 1051	End: 1057	Duration: 6	(min) / hour
Canister Volume: Initial: -26 inHg		Final: -5 inHg	

~~Duplicate Sample I.D.:~~		Sampling Date:	
Vacuum Shut In Test: [ ] PASS [ ] FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Envirotech
Analyzed For: See C-C

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 24 0528 HA-1	Client: Parsons
Sampler: HM	Site: Titan 1-A
ID: SV-19	Sampling Date: 5/31/24
Ambient Temp (°F): 76	Ambient Barometric Pressure (inHg): 29.88
Monitoring Equipment: ☒ Multi Rae (PID)	☒ MGD 2002 (Helium Detector)
PID Reading (ppm): 0.2	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -22 End inHg: -22
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4550 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: ≥20 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TIAME-SV019-May24		Sampling Date: 5/31/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -27	End inHg: -27
Canister Serial/ID #: L4781	Critical Orifice Assembly (COA) #: 22550 9		Flow Rate: 200 ml/min
Sample Time: Start: 1004	End: 1009	Duration: 5	min / hour
Canister Volume: Initial: -27 inHg		Final: -5 inHg	

~~Duplicate~~ Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Envirotech

Analyzed For: See CoC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528 HM-1	Client: Parsons
Sampler: HM	Site: Titan 1-A
ID: SV-20	Sampling Date: 5/29/24
Ambient Temp (°F): 74	Ambient Barometric Pressure (inHg): 30.09
Monitoring Equipment: [X] Multi Rae (PID) [X] MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: [X] PASS [ ] FAIL Start inHg: -15 End inHg: -15
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4550 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: ≥20 %
5. Post Purge leak check using Helium Detector: 0.0 %

-15 pressure before sample was taken.

purge stopped after 500 mL due to high backpressure.

Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: [X] PASS [ ] FAIL		Start inHg: -22	End inHg: -22
Canister Serial/ID #: 16792	Critical Orifice Assembly (COA) #: 24633		Flow Rate: 200 ml/min
Sample Time: Start: 1445	End: 1505	Duration: 20 min / hour	
Canister Volume: Initial: -22 (HG) inHg		Final: -17 inHg	

~~Duplicate Sample I.D.:~~		Sampling Date:	
Vacuum Shut In Test: [ ] PASS [ ] FAIL		Start inHg: ___	End inHg: ___
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ___ ml/min
Sample Time: Start:	End:	Duration: ___ min / hour	
Canister Volume: Initial: ___ inHg		Final: ___ inHg	

Laboratory: Eurofins

Analyzed For: TPH-g BTEX

meter stayed at -17 inHg after can was closed.

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Parsons
Sampler: HM	Site: Titan 1-A
ID: SV-21	Sampling Date: 5/28/24
Ambient Temp (°F): 63	Ambient Barometric Pressure (inHg): 29.98
Monitoring Equipment: ☒ Multi Rae (PID)	☒ MGD 2002 (Helium Detector)
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -15 End inHg: -15
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 6400 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: ≥20 %
5. Post Purge leak check using Helium Detector: 0.0 % -17 pressure before sampl was taken.

Stopped purged due to high back pressure after 100ml

Sample I.D.: TLAMF-SV02-May24 (1W)		Sampling Date: 5/28/24 (1W)	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -30	End inHg: -30
Canister Serial/ID #: 4701	Critical Orifice Assembly (COA) #: 22351		Flow Rate: 200 ml/min
Sample Time: Start: 1202	End: 1223	Duration: 21	min / hour
Canister Volume:	Initial: -30 inHg	Final: -20	inHg

~~Duplicate~~ Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☒ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume:	Initial: inHg	Final:	inHg

Laboratory: Eurofins	
Analyzed For: See CoC	

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Parsons
Sampler: HM	Site: Titan 1-A
ID: SW-22	Sampling Date: 5/29/24
Ambient Temp (°F): 70	Ambient Barometric Pressure (inHg): 30.09
Monitoring Equipment: [X] Multi Rae (PID) [X] MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: [X] PASS [ ] FAIL Start inHg: -17 End inHg: -17
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** ~~4452~~ 4560 (3) ml
3. Leak Testing Compound: HP
4. Helium Gas Concentration in Shroud: ≥ 20 %
5. Post Purge leak check using Helium Detector: 0.0 %

Stopped purge after 200 mL due to high backpressure.

Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: [X] PASS [ ] FAIL		Start inHg: -26	End inHg: -26
Canister Serial/ID #: L2975	Critical Orifice Assembly (COA) #: 30295		Flow Rate: _____ ml/min
Sample Time: Start: 1310	End: 1315	Duration: 5	min / hour
Canister Volume: Initial: -26 inHg		Final: -5	inHg

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: [ ] PASS [ ] FAIL		Start inHg: _____	End inHg: _____
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: _____ ml/min
Sample Time: Start:	End:	Duration: _____	min / hour
Canister Volume: Initial: _____ inHg		Final: _____	inHg

Laboratory: Eurofins
Analyzed For: See CoC

Sampler's Signature: _____

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528M-1	Client: Avsag
Sampler: A-M	Site: Titan A-1
ID: SV-23	Sampling Date: 5/29/24
Ambient Temp (°F): 61	Ambient Barometric Pressure (inHg): 30.09
Monitoring Equipment: [X] Multi Rae (PID)	[X] MGD 2002 (Helium Detector)
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: [X] PASS [ ] FAIL Start inHg: -20 End inHg: -20
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4400 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: 220 %
5. Post Purge leak check using Helium Detector: 0 %

Sample I.D.: TLAMF-SV023_May24		Sampling Date: 5/29/24	
Vacuum Shut In Test: [X] PASS [ ] FAIL		Start inHg: -26	End inHg: -26
Canister Serial/ID #: 1611 3147	Critical Orifice Assembly (COA) #: 22526		Flow Rate: 200 ml/min
Sample Time: Start: 0857	End: 0902	Duration: ~~2~~ 5 min	/ hour
Canister Volume: Initial: -26 inHg		Final: -5 inHg	

Duplicate Sample I.D.: TLAMF-SV023_May24_FB		Sampling Date: 5/29/24	
Vacuum Shut In Test: [X] PASS [ ] FAIL		Start inHg: -26	End inHg: -26
Canister Serial/ID #: C273	Critical Orifice Assembly (COA) #: 20946		Flow Rate: 200 ml/min
Sample Time: Start: 0857	End: 0903	Duration: 6 min	/ hour
Canister Volume: Initial: -26 inHg		Final: -5 inHg	

Laboratory: Eurofins

Analyzed For: See COC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 24528 HM-1	Client: Falsoft
Sampler: HM	Site: Titan 1-A
ID: SV-24	Sampling Date: 5/29/24
Ambient Temp (°F): 70	Ambient Barometric Pressure (inHg): 30.09
Monitoring Equipment: [X] Multi Rae (PID) [X] MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: [X] PASS [ ] FAIL Start inHg: -15 End inHg: -15
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** ~~6817~~ 5809 ml
3. Leak Testing Compound: HC
4. Helium Gas Concentration in Shroud: 220 %
5. Post Purge leak check using Helium Detector: 0.0 %

3X purge should = 4550 mL

Sample I.D.: T1 AMF-SV024_May24		Sampling Date: 5/29/24	
Vacuum Shut In Test: [X] PASS [ ] FAIL		Start inHg: -29	End inHg: -29
Canister Serial/ID #: L4004	Critical Orifice Assembly (COA) #: 22399		Flow Rate: 200 ml/min
Sample Time: Start: 1054	End: 1102	Duration: 8 min / hour	
Canister Volume: Initial: -29 inHg		Final: -1 inHg	

~~Duplicate Sample I.D.:~~		Sampling Date:	
Vacuum Shut In Test: [ ] PASS [ ] FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration: min / hour	
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Envofin.
Analyzed For: See COC

Low final negative pressure due to pressure meter malfunction.

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: ~~240537~~ 240526HM-1	Client: Pausch's
Sampler: HM	Site: Tioga 1-A
ID: SV-25	Sampling Date: 5/31/24
Ambient Temp (°F): 73	Ambient Barometric Pressure (inHg): 29.88
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -23 End inHg: -23
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** ~~4450~~ 4550 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: 220 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TIAMF-SV025_May24		Sampling Date: 5/31/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -26	End inHg: -26
Canister Serial/ID #: IL4524	Critical Orifice Assembly (COA) #: 2206		Flow Rate: 200 ml/min
Sample Time: Start: 0902	End: 0907	Duration: 5	min / hour
Canister Volume: Initial: -26 inHg		Final: -5 inHg	

~~Duplicate~~ Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Eurofins

Analyzed For: See CoC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Parsons
Sampler: HM	Site: Titan A-1
ID: SV-26	Sampling Date: 5/29/24
Ambient Temp (°F): 73	Ambient Barometric Pressure (inHg): 30.09
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -19 End inHg: -19
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4492 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: 220 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TIAMF-SV026_May24		Sampling Date: 5/29/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -26	End inHg: -26
Canister Serial/ID #: L1827	Critical Orifice Assembly (COA) #: 24618		Flow Rate: 200 ml/min
Sample Time: Start: 1211	End: 1220	Duration: 9	min / hour
Canister Volume: Initial: -26 inHg		Final: -5 inHg	

Duplicate Sample I.D.: TIAMF-SV026_May24_D		Sampling Date: 5/29/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -28	End inHg: -28
Canister Serial/ID #: L3309	Critical Orifice Assembly (COA) #: 21824		Flow Rate: 200 ml/min
Sample Time: Start: 1211	End: 1220	Duration: 9	min / hour
Canister Volume: Initial: -28 inHg		Final: -5 inHg	

Laboratory: Eurofins
Analyzed For: See COC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528 HM-1	Client: Parsons
Sampler: BD	Site: Titan A-1
ID: SV-27	Sampling Date: 06/03/24
Ambient Temp (°F): 83	Ambient Barometric Pressure (inHg): 29.87
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm):	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -16 End inHg: -16
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4615 ml
3. Leak Testing Compound: Helium
4. Helium Gas Concentration in Shroud: >20.0 %
5. Post Purge leak check using Helium Detector: 0.0 %

Back Pressure - canister stopped filling at -16 inHg

Sample I.D.: T1AMF-SV027-240603 (DUP-240603-BD)		Sampling Date: 06/03/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -27	End inHg: -27
Canister Serial/ID #: L4128	Critical Orifice Assembly (COA) #: 22406		Flow Rate: 200 ml/min
Sample Time: Start: 1435	End: 1455	Duration: 20 (min) / hour	
Canister Volume: Initial: -27 inHg		Final: -16 inHg	

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration: min / hour	
Canister Volume: Initial: inHg		Final: inHg	

Laboratory:	Eurofins
Analyzed For:	See COC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Parsons
Sampler: BD	Site: Titan A-1
ID: SV-28	Sampling Date: 06/03/24
Ambient Temp (°F): 82	Ambient Barometric Pressure (inHg): 29.88
Monitoring Equipment: ☒ Multi Rae (PID)	☒ MGD 2002 (Helium Detector)
PID Reading (ppm): 0.1	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -13 End inHg: -13
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4615 ml
3. Leak Testing Compound: Helium
4. Helium Gas Concentration in Shroud: >20.0 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TIAMF-SV028-JUN May 24 FD		Sampling Date: 06/03/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -29	End inHg: -29
Canister Serial/ID #: L2385	Critical Orifice Assembly (COA) #: 25457		Flow Rate: 200 ml/min
Sample Time: Start: 1337	End: 1343	Duration: 6 (min) / hour	
Canister Volume: Initial: -29 inHg		Final: -5 inHg	

Duplicate Sample I.D.: TIAMF-SV028-JUN May 24 FD		Sampling Date: 06/03/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -29	End inHg: -29
Canister Serial/ID #: L4822	Critical Orifice Assembly (COA) #: 25518		Flow Rate: 200 ml/min
Sample Time: Start: ~~1340~~ 1337	End: 1342	Duration: 5 (min) / hour	
Canister Volume: Initial: -29 inHg		Final: -5 inHg	

Laboratory: Eurofins	
Analyzed For: See COC	

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528 HM-1	Client: Parsons
Sampler: BD	Site: Titan A-1
ID: SV-29	Sampling Date: 06/03/24
Ambient Temp (°F): 67	Ambient Barometric Pressure (inHg): 29.90
Monitoring Equipment: [X] Multi Rae (PID) [X] MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: [X] PASS [ ] FAIL Start inHg: -15 End inHg: -15
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4571 ml
3. Leak Testing Compound: Helium
4. Helium Gas Concentration in Shroud: >20.0 %
5. Post Purge leak check using Helium Detector: 0.0 %

Vapor well has back pressure, stopped filling at -23 inHg

Sample I.D.: T1AMF-SV029-~~May~~ JUN 24		Sampling Date: 06/03/24	
Vacuum Shut In Test: [X] PASS [ ] FAIL		Start inHg: -29	End inHg: -29
Canister Serial/ID #: L3453	Critical Orifice Assembly (COA) #: 25587		Flow Rate: 200 ml/min
Sample Time: Start: 0855	End: 0915	Duration: 20 (min) / hour	
Canister Volume: Initial: -29 inHg		Final: -23 inHg	

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: [ ] PASS [ ] FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration: min / hour	
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Eurofins	
Analyzed For: See COC	

Sampler's Signature: _____

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528 HM-1	Client: Parsons
Sampler: BD	Site: Titan A-1
ID: SV-30	Sampling Date: 06/03/24
Ambient Temp (°F): 69	Ambient Barometric Pressure (inHg): 29.90
Monitoring Equipment: ☒ Multi Rae (PID)	☒ MGD 2002 (Helium Detector)
PID Reading (ppm): 0.4	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -16 End inHg: -16
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4564 ml
3. Leak Testing Compound: Helium
4. Helium Gas Concentration in Shroud: >20.0 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TITAN - SV030 JW 6/3/24		Sampling Date: 06/03/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -27	End inHg: -27
Canister Serial/ID #: L4702	Critical Orifice Assembly (COA) #: 24588		Flow Rate: 200 ml/min
Sample Time: Start: 0949	End: 0955	Duration: 6 (min) / hour	
Canister Volume: Initial: -27 inHg		Final: -5 inHg	

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration: min / hour	
Canister Volume: Initial: inHg		Final: inHg	

Laboratory:	Eurofins
Analyzed For:	See COC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Parsons
Sampler: BD	Site: Titan A-1
ID: SV-31	Sampling Date: 06/03/24
Ambient Temp (°F): 83	Ambient Barometric Pressure (inHg): 29.85
Monitoring Equipment: ☒ Multi Rae (PID) ☒ MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -13 End inHg: -13
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4593 ml
3. Leak Testing Compound: Helium
4. Helium Gas Concentration in Shroud: >20.0 %
5. Post Purge leak check using Helium Detector: 0.0 %

Back Pressure - canister stopped filling at -13 inHg

Sample I.D.: T1AMF-SV031-060324		Sampling Date: 06/03/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -27	End inHg: -27
Canister Serial/ID #: 14005	Critical Orifice Assembly (COA) #: 40690		Flow Rate: 200 ml/min
Sample Time: Start: 1537	End: 1601	Duration: 24	min / hour
Canister Volume: Initial: -27 inHg		Final: -13 inHg	

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final: inHg	

Laboratory:	Eurofins
Analyzed For:	See COC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240588 HM-1	Client: Parsons
Sampler: BD	Site: Titan A1
ID: SV-329	Sampling Date: 06/06/24
Ambient Temp (°F): 85	Ambient Barometric Pressure (inHg): 29.79
Monitoring Equipment: ☒ Multi Rae (PID)	☒ MGD 2002 (Helium Detector)
PID Reading (ppm): 0.4	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -14 End inHg: -14
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4608 ml
3. Leak Testing Compound: Helium
4. Helium Gas Concentration in Shroud: >20.0 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TIAMF-SV0329-JUN24		Sampling Date: 06/06/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -26	End inHg: -26
Canister Serial/ID #: L20635	Critical Orifice Assembly (COA) #: 30727		Flow Rate: 200 ml/min
Sample Time: Start: 1012	End: 1019	Duration: 7	min / hour
Canister Volume: Initial: -26 inHg		Final: -5 inHg	

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final:	inHg

Laboratory: Eurofins	
Analyzed For: See COC	

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Parsons
Sampler: BD	Site: Titan A-1
ID: SV-326	Sampling Date: 06/06/24
Ambient Temp (°F): 89	Ambient Barometric Pressure (inHg): 29.79
Monitoring Equipment: ☒ Multi Rae (PID)	☒ MGD 2002 (Helium Detector)
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -16.5 End inHg: -16.5
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4535 ml
3. Leak Testing Compound: Helium
4. Helium Gas Concentration in Shroud: >20.0 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TI AMF-SV0326-JUN24		Sampling Date: 06/06/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -28	End inHg: -28
Canister Serial/ID #: L4059	Critical Orifice Assembly (COA) #: 24643		Flow Rate: 200 ml/min
Sample Time: Start: 1150	End: 1159	Duration: 7 (min) / hour	
Canister Volume: Initial: -28 inHg		Final: -5 inHg	

~~Duplicate Sample I.D.:~~		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final: inHg	

Laboratory: Eurofins

Analyzed For: SOC 02

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528 HM-1	Client: Parsons
Sampler: HM	Site: Titan A-1
ID: SV-33	Sampling Date: 5/28/24
Ambient Temp (°F): >5	Ambient Barometric Pressure (inHg): 29.98
Monitoring Equipment: [X] Multi Rae (PID) [X] MGD 2002 (Helium Detector)	
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: [X] PASS [ ] FAIL Start inHg: -22 End inHg: -22
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4400 ml
3. Leak Testing Compound: He
4. Helium Gas Concentration in Shroud: >20 %
5. Post Purge leak check using Helium Detector: <1 %

stopped purge after 4000mL due to high back pressure.

Sample I.D.: ~~1L~~ TIAMF-SV-033-May24		Sampling Date: 5/28/24	
Vacuum Shut In Test: [X] PASS [ ] FAIL		Start inHg: -28	End inHg: -28
Canister Serial/ID #: 12454	Critical Orifice Assembly (COA) #: 2535		Flow Rate: 200 ml/min
Sample Time: Start: 1443	End: 1452	Duration: 9	min / hour
Canister Volume: Initial: -28 inHg		Final: -5	inHg

~~Duplicate~~ Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: [ ] PASS [ ] FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final:	inHg

Laboratory: Eurofins
Analyzed For: See COC

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 070588 MM-1	Client: Parsons
Sampler: BD	Site: Titan A-1
ID: SV-34	Sampling Date: 06/06/04
Ambient Temp (°F): 80	Ambient Barometric Pressure (inHg): 29.79
Monitoring Equipment: ☒ Multi Rae (PID)	☒ MGD 2002 (Helium Detector)
PID Reading (ppm): 0.0	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -13.5 End inHg: -13.5
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4615 ml
3. Leak Testing Compound: Helium
4. Helium Gas Concentration in Shroud: > 20.0 %
5. Post Purge leak check using Helium Detector: 0.0 %

Back Pressure - stopped filling at -7 inHg

Sample I.D.: TIAMF-SV034_060604		Sampling Date: 06/06/04	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -27	End inHg: -27
Canister Serial/ID #: 12042	Critical Orifice Assembly (COA) #: 25443		Flow Rate: 200 ml/min
Sample Time: Start: 0806	End: 0826	Duration: 20	(min) / hour
Canister Volume: Initial: -27 inHg		Final: -7 inHg	

Duplicate Sample I.D.:		Sampling Date:	
Vacuum Shut In Test: ☐ PASS ☐ FAIL		Start inHg:	End inHg:
Canister Serial/ID #:	Critical Orifice Assembly (COA) #:		Flow Rate: ml/min
Sample Time: Start:	End:	Duration:	min / hour
Canister Volume: Initial: inHg		Final:	inHg

Laboratory: Eurofins	
Analyzed For: See COC	

Sampler's Signature:

SOIL VAPOR AND AIR MONITORING DATA SHEET

Project #: 240528HM-1	Client: Parsons
Sampler: BD	Site: Titan A-1
ID: SV-35	Sampling Date: 06/06/24
Ambient Temp (°F): 82	Ambient Barometric Pressure (inHg): 29.79
Monitoring Equipment: ☒ Multi Rae (PID)	☒ MGD 2002 (Helium Detector)
PID Reading (ppm): 0.6	

SAMPLE PURGE INFORMATION

1. Vacuum Shut In Test: ☒ PASS ☐ FAIL Start inHg: -13 End inHg: -13
2. Purged 3 volumes prior to sample collection. **Total Volume Purged:** 4615 ml
3. Leak Testing Compound: Helium
4. Helium Gas Concentration in Shroud: >20.0 %
5. Post Purge leak check using Helium Detector: 0.0 %

Sample I.D.: TIAMF-SV035_JUN24		Sampling Date: 06/06/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: ~~-25~~ -25	End inHg: ~~-5~~ -25
Canister Serial/ID #: L4489	Critical Orifice Assembly (COA) #: 21476		Flow Rate: 200 ml/min
Sample Time: Start: 0915	End: 0926	Duration: 11 (min) / hour	
Canister Volume: Initial: -25 inHg		Final: -5 inHg	

Duplicate Sample I.D.: TIAMF-SV035_JUN24-FD		Sampling Date: 06/06/24	
Vacuum Shut In Test: ☒ PASS ☐ FAIL		Start inHg: -29	End inHg: -29
Canister Serial/ID #: L3657	Critical Orifice Assembly (COA) #: ~~25433~~ 21476		Flow Rate: 200 ml/min
Sample Time: Start: 0915	End: ~~0929~~ 0922	Duration: 7 (min) / hour	
Canister Volume: Initial: -29 inHg		Final: -5 inHg	

Laboratory:	Eurofins
Analyzed For:	See COC

Sampler's Signature: _____

Appendix F – Field Notes

5/20/24 Titan 1-A MW/SV install

0735 Arrived @ St. Joseph Parking Lot

0738 Cascade Onsite

0800 USACE (Jessequa) & Condor Country biologist (Sam) arrived

0805 Held biological survey meeting followed by Tailgate safety meeting.

0810 Forklift delivered.

0810 Began mobilization to site; unload drilling

0900 Unload drums & park Truck & trailer @ Placer County lay down; Met with Bryan (Placer County) confirm location for drum storage, restroom usage & truck/trailer parking.

1100 Began mobilization to SV-33; USACE (Jesse) arrived on site & received safety & biological mtg.

1210 Crew to lunch

1240 Placer county grout inspector onsite (Paul)

1310 Begin SV-33 placement

1345 Reach depth of 10'

10'-9' Sand

@9.5' Probe tip

9'-8' Dry

8'- surface wet bentonite

monument 2' below

1533 Completed bollard placement @ SV-33

1540 Began site cleanup

5/20/24 cont.

1545 USACE (Jessequa) offsite

1555 Condor Country (Sann) offsite

1605 Cascade offsite

1610 Parsons locked County Laydown Yard Gate

A. Pruitt

Rite in the Rain

5/21/24 "Tiata 1-A MW/SV install

0700 Arrived onsite; Safety tailgate

715 Mobilized to MW-66

730 PID zero 0.0ppm / Bump 94.3ppm

0800 Began drilling @ MW-66

DPT 22 - for sampling 2.25" diameter

HSA - for drilling hole to set well

1035 Refusal of DPT @ 20'; need part to clear hole to continue sampling with HSA.

En route to site from Cascade in Sacramento

1100 Crew sent to lunch; Matt (USALE) onsite

1215 Part arrived, crew resumed drilling

1245 Paul Holloway (Placer county grout inspector) onsite

1300 Maddy Montgomery ( ) onsite

1500 Began setting well

1600 Well complete, ~~flooring bollards~~

1645 Clean up

1700 Offsite

*

6 5/22/24 Titan 1-A MW/SV Install

0700 Arrived; Safety Tailgate

0715 Mobilize to MW-61

0900 ~~Jessica~~ (USACE) onsite

0915 ~~Jessie~~ Tim/Katie (USACE) onsite; received safety/bio trainings.

0940 Began drilling @ MW-61

1100 Lunch

1300 Began setting well; Maddy (PE grout insp) onsite

1440 Well complete

1500 Began clean up & mobilization to MW-62

1600 Offsite

A. Rutt

5/23/24 Titan 1-A MW/SV install

0700 Arrive onsite; safety tailgate prep & mobilize to MW-62

0815 Begin drilling @ MW-62

0900 Completed DPT sampling; began HSA to depth for install

1045 reached depth, began setting well

1210 lunch


1245 Grout well, Sent photos to inspector

1310 Place monument

1330 Decon equipment; mobilize to MW-63

1530 Sam (CC) offsite

1600 Offsite



Rite in the Rain®

8 5/24/24 Titan 1-A MW/SV install

0700 Arrived onsite ; safety tailgate

0715 Prep to move across stream

0800 Set up mats, move equipment to MW-63

0915 Resident (Paula) asked about activities and if any drilling will be done behind her house. Informed her no drilling behind her house. Gave her two copies of information handout

1100 Completed DPT, Began HSA

1200 lunch

1330 Began setting well

1345 Resident (Stan) came over to ask about progress of work.

1430 USACE Jessequa onsite

1450 Well set ; began cleanup

1600 Sam (CC) and Jessequa (USACE) offsite

1700 Offsite

5/28/24 Titan I-A MW/SV install/sampling

0700 Arrived onsite; safety tailgate; Bio-orientation for samplers, developer & new Parsons personnel

0745 Samplers depart to begin sampling
Move equipment to MW-64

0815 Begin DPT for logging

1130 Complete DPT, Lunch, Drillers noticed small leak and will get O-ring to replace damaged O-ring

1220 Replaced part

1230 Began HSA of MW-64

1315 Began setting well

1430 Grout

1445 Well complete

1545 Began clean up, GW Samplers offsite, Developer offsite

1600 Drillers, SV sampler, Parsons offsite

* See daily for SV & GW sampled for the day
- Ashleigh (Parsons) oversaw development, GW/SV sampling

A. Pruett

Rite in the Rain

10 5/29/24 Titan 1-A MW/SV install & sampling

0700 Arrived onsite ; Safety tailgate

0730 MW/SV samplers begin sampling
Set up for ~~SV~~ installation of SV-30

0~~825~~ Begin drilling

0952 Begin SV install

~~1000~~ ~~(Complete SV install ; Begin placing bellaid)~~

1030 Cristian (Blaine tech) offsite

~~1130~~ Complete SV install & bellard placement
Move to SV-29

1200 Chad (Cascade Developer) offsite

1300 Begin drilling at SV-29

1345 Begin SV install


1415 Complete SV install & bollard placement.

1430 Mobilize to SV-31
Clean up site

1615 Cascade, GW samplers, biologist offsite

1645 Parsons and SV sampler offsite.

* See daily for wells developed & MW/SV wells sampled.



5/30/24 Titan I-A MW/SV install & sampling

0700 Arrive onsite ; safety tailgate

0730 GW/SV samplers begin sampling

0800 Mobilize and set up @ SV-31

0915 Begin drilling

0955 Begin SV install

1048 SV install complete ; begin installing bollards

1200 Bollards installed, Lunch then mobilize to SV-32 a, b

1300 Begin drilling @ SV-32 a, b

1351 Begin SV install

1425 SV-32 a, b install complete

1430 Begin installing bollards

1520 Install complete ; clean up site mobilize to SV-28

1530 Chad (Cascade developer) offsite

1615 Drillers & MW sampler offsite

1700 Parsons & SV sampler offsite

* see daily for MW/SV sampled and wells developed. All wells developed.

A. [illegible]

Rite in the Rain

5/31/24 Titan 1-A MW/SV install & sampling

0700 Arrived onsite; Safety tailgate

0730 MW/SV samplers begin sampling

0 Drilling crew set up @ SV-28

0900 Begin Drilling @ SV-28

0930 Install SV probe

0956 Complete install; begin setting bollards

1200 Bollard complete; Lunch, mobilize to SV-27

1300 Begin drilling @ SV-27

1345 Install SV probes

1405 Complete SV install; begin installing bollards; Mychal (Blainetech SV) sampler offsite

1500 Bollard install complete; clean up site

1600 All personnel offsite

* See daily for MW/SV wells sampled

A. Pruitt

6/3/24 Titan 1-A MW/SV install & sampling

0700 Arrived onsite; Safety Tailgate

0730 MW/SV samplers begin sampling
Drillers set up @ SV-34

0840 Begin drilling @ SV-34

0915 Install SV probe

0945 SV install complete; begin installing bollards

1030 Mobilize to SV-35

1105 Begin drilling @ SV-35

1145 Install SV probe

1210 SV install complete; begin installing bollards

1330 Bollard install complete.

1400 Begin demobilizing to laydown yard.

1600 Drillers & MW sampler offsite

1700 Parsons & SV sampler offsite.

** See daily for MW/SV wells sampled.

Rite in the Rain.

14 6/6/24 Titan 1-A MW/SV install & sampling

0700 Blumefield & Parsons onsite; safety tailgate

0715 Rex Engineers (Surveyors) onsite; safety tailgate


0730 SV sampler begins sampling; Walked site with surveyors

0815 Surveyors begin setting up control points & survey
Parsons takes IDW samples (soil & water)

1200 SV sampler offsite

1430 Surveyors offsite.

1700 Parsons offsite.



Appendix G – Biological Monitoring Reports

Daily Construction Monitoring Log v5

Date	05/15/2024
Type of Service	Preconstruction Nesting Bird Survey
Survey Conditions	
Project phase(s):	
Time on site:	07:05 AM
Time off site:	02:00 PM
Weather:	0705: 59°F, clear, winds 0 MPH 1335: 86°F, 36% humidity, winds 5 MPH
Monitor(s):	Sam McNally (SM)
Other Individuals Onsite	Arnold Pimentel (Parsons) Reed Parson (2M GE)
Number of Hours Condor Biologists Onsite	
Number of Hours of Other Personnel Onsite (Per Person) (Non-Condor)	
Safety tailgate training occurred prior to work activities?	true
Environmental training occurred prior to start of work activities?	true
Biological Observations	
Were there any special status species observed?	No
Notes About Observations	On May 15, 2024, Condor Country biologist Sam McNally (SM) conducted a preconstruction survey of the former Titan 1-A Missile Facility and surrounding study area to assess presence of nesting birds protected under the federal Migratory Bird Treaty Act of 1918 (MBTA) and the Bald and Golden Eagle Protection Act. Visual and auditory searches for active nests and nesting behavior were performed within the project area and surrounding 500 feet, focusing on areas of intrusive activities. Survey equipment consisted of 8x42 binoculars. The surveyor examined trees and shrubs within rhe area and along the perimeter, conducted periods of stationary observation in areas with good vantage points to watch for signs of nesting behavior, and walked transects through grassy areas. Trees on private property west of the study area were surveiled from within the study area via binoculars. The survey began at 0725 and concluded at 1400. The survey included focused surveys for burrowing owl (BUOW), modified from protocols developed by the California Burrowing Owl Consortium (CBOC 1993) and the California Department of Fish and Game (CDFG 2008 and 2012). RESULTS

Two active bird nests were identified in the southern study area in heavily wooded oak/ cottonwood habitat:

1) a cavity nest inhabited by European starlings (EUST; 38.876695, -121.269316), near the boundary of the Cal Sierra Limited Parcel and Sun City Lincoln Hills parcel. The nest tree is approximately 200 ft from proposed wells MW-64 and MW-65, and 180 ft from the nearest existing well, MW-19.

2) a cavity nest inhabited by acorn woodpeckers (ACWO; 38.875964, -121.266547), near the boundary of the Sun City Lincoln Hills parcel and Century Communities parcel. The nest tree is approximately 960 ft from the nearest spot of proposed intrusive activities (MW-65), and 330 ft from the nearest existing well, MW-33.

Neither nests are within 100 feet of planned intrusive activities, and are not likely to be disturbed by project activities. Furthermore, MBTA protections do not apply to European starlings or other non-native bird species in the United States (USFWS 2020).

Several inactive stick nests were observed in cottonwood trees along the creek in the southern portion, but none showed sign of current or recent activity.

No BUOW, nor evidence of BUOW, was observed in the survey area. No burrows greater than 4" in diameter were located, and culverts showed no signs of BUOW.

Project activities are unlikely to cause take of any migratory nesting bird species.

REFERENCES

California Burrowing Owl Consortium (CBOC). 1993. Burrowing Owl Survey Protocol and Mitigation Guidelines.

California Department of Fish and Game (CDFG). 2008. Guidance for burrowing Owl Conservation. Habitat Conservation Branch, Wildlife Branch, Bay Delta Region. Sacramento, California. April 14, 2008.

California Department of Fish and Game (CDFG). 2012. Staff Report on Burrowing owl Mitigation. State of California Natural Resources Agency. March 7, 2012.

U.S Fish and Wildlife Service. 2020. List of Bird Species To Which the Migratory Bird Treaty Act Does Not Apply. April 16, 2020. Docket No. FWS–HQ–MB–2018–0048 <https://www.federalregister.gov/d/2020-06782>

Reporting

Were there any specific compliance requirements or concerns that need to be documented?	No
Notes/Other Observations:	
Species Occurring Onsite	*Aphelocoma californica* / Western scrub-jay *Cathartes aura* / Turkey vulture *Carpodacus mexicanus* / House finch *Spinus psaltria* / Lesser goldfinch *Sturnus vulgaris* / European starling *Zenaida macroura* / Mourning dove *Archilochus alexandri* / Black-chinned hummingbird *Ardea alba* / Great egret *Turdus migratorius* / American robin *Branta canadensis* / Canada goose *Thryomanes bewickii* / Bewick's wren *Meleagris gallopavo* / Wild turkey *Lepus californicus* / Black-tailed jackrabbit *Sialia mexicana* / Western bluebird

Pipilo crissalis / California towhee
Charadrius vociferus / Killdeer
Buteo jamaicensis / Red-tailed hawk
Melanerpes formicivorus / Acorn woodpecker
Lithobates catesbeianus / American bullfrog
Agelaius phoeniceus / Red-winged blackbird

Representative Photos

Photos



European starling (EUST) nest tree (38.876695, -121.269316)



Acorn woodpecker (ACWO) nest (38.875964, -121.266547)



Area near MW-53



Cottonwood grove



Vicinity of SV-33 site



Seasonal wetlands, water present



Vicinity of MW-63 site



Ephemeral stream along western border. Currently no standing water

Biologist signature



Pre-construction Nesting Bird Survey

Former Titan 1-A Missile Facility
Lincoln, California

Adapted from Figure 18.1 of Work Plan/UFPQAPP

Oak Tree Ln

Legend

- Bird nest
- Extraction Well
- Monitoring Well
- Monitoring Well, Proposed
- Soil Vapor Probe
- Soil Vapor Probe, Proposed
- Soil Vapor Probe, Proposed nested
- Sampling Route, Dashed where Walking (no vehicles allowed)
- Fence
- Parcel Boundary
- Ephemeral/Seasonal Streams and Surface Water Bodies
- Ephemeral stream
- Vehicles will use high-density polyethylene mats to cross streams/wetlands
- Former Titan 1-A Missile Facility / FUDS Boundary
- Investigation Derived Waste Storage Area



Site Location in California

300 150 0 300 Feet

N W E S

PARSONS	U.S. Army Corps of Engineers Sacramento District

CONDOR COUNTRY CONSULTING, INC.


Daily Construction Monitoring Log v5

Project	Daily Monitoring Report
ID	449328
Survey Date	05/20/2024
User	Sam McNally
Date	05/20/2024
Type of Service	Biological Monitoring
Survey Conditions	
Project phase(s):	Construction monitoring
Time on site:	07:55 AM
Time off site:	04:00 PM
Weather:	0830: 61° F, 55% humidity, clear, winds 3-5 MPH 1600: 84° F, 17% humidity, wispy clouds, winds 5-10 MPH
Monitor(s):	Sam McNally (SM)
Other Individuals Onsite	Arnold Pimentel- Parsons Jessequa Parker - USACE Arturo Sanchez - Cascade Drilling Carlos Moreno - Cascade Drilling Jesse Stovall - USACE Paul Holloway - Placer County
Number of Hours Condor Biologists Onsite	8
Number of Hours of Other Personnel Onsite (Per Person) (Non-Condor)	8
Safety tailgate training occurred prior to work activities?	true
Environmental training occurred prior to start of work activities?	true
Biological Observations	
Were there any special status species observed?	No
Notes About Observations	No special status species observed. One new active Western Bluebird nest detected within FUDS boundary but it is >100 ft from any intrusive activities.
Reporting	
Were there any specific compliance requirements or concerns that need to be documented?	Yes

Is work occurring in response to a rain event?	No
Did any environmental training occur for on-site personnel?	Yes
Does any fencing, flagging or signage require maintenance?	No
Is equipment being staged in appropriate areas?	Yes
Were any hazardous material spills (eg fuels or lubricants) observed?	No
Were all vehicles and stockpiles of materials such as pipes or culverts inspected to assure wildlife was not underneath prior to use?	Yes
Notes/Other Observations:	0755: Biologist Sam McNally (SM) arrives at parking lot. 0800-0840: SM gives sensitive species awareness training. Arnold Pimentel (AP) gives safety tailgate. 0845-1030: SM conducts preliminary wildlife survey around staging area and MW-66, focusing on nests that may have become active since 5/15. A Western Bluebird nest appears active in a wooden nest box near the old fire station (adults seen bringing food into box) but as it is >100 ft from any planned or existing wells, project activities are not expected to affect the nest. 1030-1200: SM monitors during staging, mobilization, and vegetation clearance. 1200-1345: SM lunch break. 1345-1440: SM monitors during soil vapor probe drilling activities (SV-33) 1440-1540: SM checks for new nests near other soil vapor and monitoring well-drilling sites. No active nests observed. 1540-1600: SM monitors completion of SV-33 cap and bollards.
Species Occurring Onsite	*Ardea alba* / Great egret *Sialia mexicana* / Western bluebird *Charadrius vociferus* / Killdeer *Euphagus cyanocephalus* / Brewer's blackbird *Spinus psaltria* / Lesser goldfinch *Carpodacus mexicanus* / House finch *Branta canadensis* / Canada goose *Calypte anna* / Anna's hummingbird *Zenaida macroura* / Mourning dove *Sayornis nigricans* / Black phoebe *Sayornis saya* / Say's phoebe *Buteo jamaicensis* / Red-tailed hawk *Cathartes aura* / Turkey vulture *Petrochelidon pyrrhonota* / Cliff swallow *Aphelocoma californica* / Western scrub-jay *Tyrannus verticalis* / Western kingbird *Callipepla californica* / California quail *Sceloporus occidentalis* / Western fence lizard *Sturnus vulgaris* / European starling *Agelaius phoeniceus* / Red-winged blackbird

Representative Photos

Photos




CONDOR COUNTRY CONSULTING, INC.

Environmental Tailboard Sign-In Sheet
Former Titan 1-A Missile Facility
Lincoln, California

Biological Monitor: Samantha Nally
Date: 5/20/2024

Print Name	Company Name	Signature
Carlos Moreno	Cascade D	C. Moreno
Arturo Sanchez	Cascade Drilling	
Jessequa Parker	USACE	
Arnold Pimentel	Parsons	
Jesse Stova II	USACE	
Paul Holloway	Placer County	

Environmental education sign-in



Location of Western Bluebird (WEBL) nest box



Newly active nest box in use by Western Bluebirds



Mobilizing drill



Staging concrete



Weed trimming around drilling area



Drilling soil vapor probe



SV-33 at end of day

Biologist signature



CONDOR COUNTRY CONSULTING, INC.

Daily Construction Monitoring Log v5

Project	Daily Monitoring Report
ID	449773
Survey Date	05/21/2024
User	Sam McNally
Date	05/21/2024
Type of Service	Biological Monitoring
Survey Conditions	
Project phase(s):	Construction monitoring
Time on site:	07:06 AM
Time off site:	05:02 PM
Weather:	0730: 57°F, 44% humidity, clear skies, winds 3-5 MPH 1700: 88°F, 15% humidity, winds 10-15 MPH
Monitor(s):	Sam McNally (SM)
Other Individuals Onsite	Arnold Pimentel - Parsons Jessequa Parker - USACE Arturo Sanchez - Cascade Drilling Carlos Moreno - Cascade Drilling Jesse Stovall - USACE Matt Marlatt - USACE Chris Ajello - USACE Paul Holloway - Placer County Maddy Montgomery - Placer County
Number of Hours Condor Biologists Onsite	10
Number of Hours of Other Personnel Onsite (Per Person) (Non-Condor)	10
Safety tailgate training occurred prior to work activities?	true
Environmental training occurred prior to start of work activities?	true
Biological Observations	
Were there any special status species observed?	No
Notes About Observations	No special status species or new active bird nests detected.
Reporting	
Were there any specific compliance requirements or	No

concerns that need to be documented?	
Notes/Other Observations:	0706-0730: Sam McNally onsite. 0730-1020: SM monitors drilling activities at MW-66 and surrounding 500 ft radius 1020-1120: Lunch break. 1120: SM gives environmental training to Matt Marlatt 1130-1250: SM continues monitors drilling at MW-66 1250-1415: SM walks sampling route searching for nests and special status species. 1415-1450: Onsite discussion with USACE biologist Chris Ajello. 1450-1650: SM monitors completion of MW-66. 1700: SM and crew depart.
Species Occurring Onsite	*Cathartes aura* / Turkey vulture *Sialia mexicana* / Western bluebird *Melanerpes formicivorus* / Acorn woodpecker *Sturnus vulgaris* / European starling *Zenaida macroura* / Mourning dove *Lepus californicus* / Black-tailed jackrabbit *Tyrannus verticalis* / Western kingbird *Carpodacus mexicanus* / House finch *Branta canadensis* / Canada goose *Ardea alba* / Great egret *Sayornis nigricans* / Black phoebe *Sayornis saya* / Say's phoebe *Buteo jamaicensis* / Red-tailed hawk

Representative Photos

Photos



Beginning MW-66 drilling




Drilling MW-66



WEBL pair at nest box



Pouring grout at MW-66



CONDOR COUNTRY
CONSULTING, INC.

Environmental Tailboard Sign-In Sheet
Former Titan 1-A Missile Facility
Lincoln, California

Biological Monitor: Sam McNally
Date: 5/21/2024

Print Name	Company Name	Signature
Matt Merlott	USACE	
Chris Aguilar	"	
Maddy Montgomery	Placer County Env Health	

Environmental tailboard sign-in

Biologist signature



CONDOR COUNTRY CONSULTING, INC.


Daily Construction Monitoring Log v5

Project	Daily Monitoring Report
ID	450344
Survey Date	05/22/2024
User	Sam McNally
Date	05/22/2024
Type of Service	Biological Monitoring
Survey Conditions	
Project phase(s):	Construction monitoring
Time on site:	07:00 AM
Time off site:	04:00 PM
Weather:	0700: 59°F, 57% humidity 1600: 87°F, 22% humidity, winds 5-10 MPH
Monitor(s):	Sam McNally (SM)
Other Individuals Onsite	Arnold Pimentel - Parsons Arturo Sanchez - Cascade Drilling Carlos Moreno - Cascade Drilling Jesse Stovall - USACE Maddy Montgomery - Placer County Tim Crummett - USACE (site visit) Katie Crane - USACE (site visit)
Number of Hours Condor Biologists Onsite	9
Number of Hours of Other Personnel Onsite (Per Person) (Non-Condor)	
Safety tailgate training occurred prior to work activities?	true
Environmental training occurred prior to start of work activities?	false
Biological Observations	
Were there any special status species observed?	No
Notes About Observations	No new nests detected.
Reporting	
Were there any specific compliance requirements or concerns that need to be documented?	No


Notes/Other Observations:	0700-0730: Tailgate safety meeting and prep work 0730- Sam McNally (SM) surveys access roads as vehicles move to MW-61 area and begin drill prep. 0915: Site visit from Tim Crummett and Katie Crane (USACE) 1135-1215: SM surveys for nests in vicinity of MW-62 to MW-65 1215-1315: Lunch break 1315-1500: Monitoring of MW-61 drilling continues. 1500-1600: Crew caps MW-61, relocates drill and equipment to MW-62 site and cleans equipment. 1600: SM departs.
Species Occurring Onsite	*Zenaida macroura* / Mourning dove *Sylvilagus bachmani* / Brush rabbit *Sialia mexicana* / Western bluebird *Mimus polyglottos* / Northern mockingbird *Aphelocoma californica* / Western scrub-jay *Agelaius phoeniceus* / Red-winged blackbird *Carpodacus mexicanus* / House finch *Buteo jamaicensis* / Red-tailed hawk *Callipepla californica* / California quail *Spinus psaltria* / Lesser goldfinch *Sayornis saya* / Say's phoebe *Cathartes aura* / Turkey vulture *Calypte anna* / Anna's hummingbird

Representative Photos

Photos



Site of MW-61, before activities



MW-61 drilling



MW-61 monument in place



Bollard pipes covered to keep wildlife out



Site view, looking south

Biologist signature



CONDOR COUNTRY CONSULTING, INC.

Daily Construction Monitoring Log v5

Project	Daily Monitoring Report
ID	450738
Survey Date	05/23/2024
User	Sam McNally
Date	05/23/2024
Type of Service	Biological Monitoring
Survey Conditions	
Project phase(s):	Construction monitoring
Time on site:	07:05 AM
Time off site:	03:00 PM
Weather:	0705: 57°F, 50% humidity, sunny and clear, winds <5 MPH 1450: 84°F, 22% humidity, scattered clouds, winds 5-10 MPH
Monitor(s):	Sam McNally (SM)
Other Individuals Onsite	Arnold Pimentel - Parsons Arturo Sanchez - Cascade Drilling Carlos Moreno - Cascade Drilling Jesse Stovall - USACE
Number of Hours Condor Biologists Onsite	8
Number of Hours of Other Personnel Onsite (Per Person) (Non-Condor)	
Safety tailgate training occurred prior to work activities?	true
Environmental training occurred prior to start of work activities?	false
Biological Observations	
Were there any special status species observed?	No
Notes About Observations	No new nests observed.
Reporting	
Were there any specific compliance requirements or concerns that need to be documented?	No
Notes/Other Observations:	0705-0715: Safety tailgate meeting. 0720-1115: SM monitors drilling at MW-62.

1115-1200: Lunch break.
1200-1320: Crew finishes and cap well MW-62.
1320-1350: SM, A. Pimental and J. Stovall survey access routes to MW-63 and determine ideal location for dry intermittent streambed crossing location.
1350-1450: Crew relocates drill and equipment near MW-63.
1500: SM departs.

Species Occurring Onsite

Carpodacus mexicanus / House finch
Corvus corax / Common raven
Agelaius phoeniceus / Red-winged blackbird
Sturnus vulgaris / European starling
Sialia mexicana / Western bluebird
Zenaida macroura / Mourning dove
Psaltriparus minimus / Bushtit
Pipilo crissalis / California towhee
Buteo lineatus / Red-shouldered hawk
Calypte anna / Anna's hummingbird
Cathartes aura / Turkey vulture
Sayornis saya / Say's phoebe
Melanerpes formicivorus / Acorn woodpecker
Buteo jamaicensis / Red-tailed hawk

Representative Photos

Photos



MW-62 site preparation




Dry intermittent streambed



Mobilizing drill

Biologist signature



Daily Construction Monitoring Log v5

Project	Daily Monitoring Report
ID	451139
Survey Date	05/24/2024
User	Sam McNally
Date	05/24/2024
Type of Service	Biological Monitoring
Survey Conditions	
Project phase(s):	Construction monitoring
Time on site:	07:00 AM
Time off site:	04:00 PM
Weather:	0700: 56°F, 68% humidity, scattered clouds, winds 10-15 MPH 1600: 81°, winds 10 MPH
Monitor(s):	Sam McNally (SM)
Other Individuals Onsite	Arnold Pimentel - Parsons Arturo Sanchez - Cascade Drilling Carlos Moreno - Cascade Drilling Jessequa Parker - USACE
Number of Hours Condor Biologists Onsite	9
Number of Hours of Other Personnel Onsite (Per Person) (Non-Condor)	9
Safety tailgate training occurred prior to work activities?	true
Environmental training occurred prior to start of work activities?	false
Biological Observations	
Were there any special status species observed?	Yes
Special status species observed:	Nesting birds
Notes About Observations	An adult red-tailed hawk (RTHA) with a banded leg perched within the large oak tree nearest MW-64. A second RTHA was seen soaring in the west. Subsequently, an active RTHA nest with two chicks was detected (see notes below). The adults seen earlier are likely the pair tending the nest. A pair of Great horned owls (GHOW) and one fledged juvenile GHOW was observed in a tree (location: 38.876695, -121.269316). The juvenile is fully feathered and capable of flight. The location of the GHOW nest is not known, but is presumed now inactive due to

	the age of the juvenile. Thus, project activities are not expected to disturb incubation or chick rearing in the GHOW.
Location (first/last seen):	RTHA nest: In hardwood tree south of creek. 38.875706, -121.266972
Time sighted:	11:50 AM
Biologist contacted?	N/A
Explain why N/A:	Biologist made observation
Notes:	RTHA nest - approx 860 ft from nearest site of intrusive activities (MW-65), and 300 ft from MW-55. Location: 38.875706, -121.266972. Not likely to be disturbed by any project activities. 1150: RTHA nest with 2 chicks detected 1155: Adult RTHA observed feeding chicks. 1208: Adult returned to nest.
Incidental Take and Report Form filled out?	N/A
Explain:	

Reporting

Were there any specific compliance requirements or concerns that need to be documented?	No
Notes/Other Observations:	0700-0710: Tailgate safety meeting. 0710-0800: Field crew lays high density polypropylene (HDPE) mats across dry intermittent streambed and transports drill and equipment to MW-63 site. SM monitors and scans trees in the vicinity looking for disturbance. 0800-1130: SM monitors during drilling operations at MW-63. 1130-1215: SM surveys tree line along southern project edge. Red-tailed Hawk nest detected. 1215-1300: Lunch break. 1300-1430: SM continues nest survey in trees near MW-64 AND MW-65. Great horned owl juvenile and adults detected. 1540: Crew moves offsite. 1600: SM departs
Species Occurring Onsite	*Aphelocoma californica* / Western scrub-jay *Zenaida macroura* / Mourning dove *Sturnus vulgaris* / European starling *Spinus psaltria* / Lesser goldfinch *Agelaius phoeniceus* / Red-winged blackbird *Melanerpes formicivorus* / Acorn woodpecker *Carpodacus mexicanus* / House finch *Pseudacris sierra* / Sierran treefrog *Sayornis saya* / Say's phoebe *Bubo virginianus* / Great horned owl *Sceloporus occidentalis* / Western fence lizard *Lithobates catesbeianus* / American bullfrog *Sayornis nigricans* / Black phoebe *Callipepla californica* / California quail *Buteo jamaicensis* / Red-tailed hawk

Representative Photos


Photos



High density polypropylene (HDPE) mats across dry intermittent stream bed




Mobilizing drill across HDPE mats



Red-tailed Hawk with prey



Red-tailed Hawk in oak tree



RTHA nest locator view. Approx 415 ft from camera.



RTHA nest, zoomed in




RTHA nest



RTHA nest on map



Great horned owl fledgling



MW-63 at end of day

Biologist signature



CONDOR COUNTRY CONSULTING, INC.


Daily Construction Monitoring Log v5

Project	Daily Monitoring Report
ID	451555
Survey Date	05/28/2024
User	Sam McNally
Date	05/28/2024
Type of Service	Biological Monitoring
Survey Conditions	
Project phase(s):	Construction monitoring
Time on site:	07:10 AM
Time off site:	03:45 PM
Weather:	0710: 58°F, 75% humidity, winds 5-10 MPH 1545: 87°F, 30% humidity, light clouds, winds 5 MPH
Monitor(s):	Sam McNally (SM)
Other Individuals Onsite	Arnold Pimentel - Parsons Arturo Sanchez - Cascade Drilling Carlos Moreno - Cascade Drilling Ashleigh Bolton - Parsons Erin Helpio - BlaineTech Christian S. - BlaineTech Chad Anderson - Cascade Mychal H. - BlaineTech
Number of Hours Condor Biologists Onsite	8.5
Number of Hours of Other Personnel Onsite (Per Person) (Non-Condor)	
Safety tailgate training occurred prior to work activities?	true
Environmental training occurred prior to start of work activities?	true
Biological Observations	
Were there any special status species observed?	No
Notes About Observations	
Reporting	
Were there any specific compliance requirements or concerns that need to be documented?	No

Notes/Other Observations:	0710: Biologist Sam McNally (SM) arrives onsite, meets with Arnold Pimentel. 0720-0800: Safety tailgate by A. Pimental, environmental training by SM. 0800-0930: SM surveys for new nest establishments while drilling crew prepares. 0930: Drilling starts at MW-64. 1200-1300: Lunch break 1300-1400: SM visits wells being tended by BlaineTech samplers. 1400-1520: SM monitors during completion of MW-64. 1520-1545: Crew cleans up and moves offsite. 1545: SM departs
Species Occurring Onsite	*Sceloporus occidentalis* / Western fence lizard *Carpodacus mexicanus* / House finch *Sialia mexicana* / Western bluebird *Corvus brachyrhynchos* / American crow *Sturnus vulgaris* / European starling *Charadrius vociferus* / Killdeer *Aphelocoma californica* / Western scrub-jay *Agelaius phoeniceus* / Red-winged blackbird *Sayornis saya* / Say's phoebe *Cathartes aura* / Turkey vulture *Buteo jamaicensis* / Red-tailed hawk *Melanerpes formicivorus* / Acorn woodpecker *Zenaida macroura* / Mourning dove

Representative Photos

Photos



CONDOR COUNTRY CONSULTING, INC.

Environmental Tailboard Sign-In Sheet
Former Titan I-A Missile Facility
Lincoln, California

Biological Monitor: Sam McNally
Date: 5/28/2024

Print Name	Company Name	Signature
Erin Helpio	Blaine Tech	Erin Helpio
Cristin Sanchez	Blaine Tech	
Chad Alverson	Cascade	
Ashleigh Bolton	Parsons	Ashleigh Bolton
Michael Hellio	Blaine Tech	

Environmental training sign-in



Drilling MW-64



Producing MW-61



staged vehicles



MW-64, end of day

Biologist signature



CONDOR COUNTRY CONSULTING, INC.

Daily Construction Monitoring Log v5

Project	Daily Monitoring Report
ID	451926
Survey Date	05/29/2024
User	Sam McNally
Date	05/29/2024
Type of Service	Biological Monitoring
Survey Conditions	
Project phase(s):	Construction monitoring
Time on site:	07:00 AM
Time off site:	04:00 PM
Weather:	0700: 58°F, 70% humidity, clear, winds <5MPH 1600: 89°F, 20% humidity, 15% cloud cover, winds 10-15 MPH
Monitor(s):	Sam McNally (SM)
Other Individuals Onsite	Arnold Pimentel - Parsons Ashleigh Bolton - Parsons Arturo Sanchez - Cascade Drilling Carlos Moreno - Cascade Drilling Erin Helpio - BlaineTech Christian S. - BlaineTech Chad Anderson - Cascade Mychal H. - BlaineTech
Number of Hours Condor Biologists Onsite	9
Number of Hours of Other Personnel Onsite (Per Person) (Non-Condor)	
Safety tailgate training occurred prior to work activities?	true
Environmental training occurred prior to start of work activities?	false
Biological Observations	
Were there any special status species observed?	No
Notes About Observations	
Reporting	
Were there any specific compliance requirements or concerns that need to be documented?	No


Notes/Other Observations:	0700-0730: Morning prep and safety tailgate meeting. 0730-0900: SM surveys region around planned MW-65. 0900-1200: SM monitors during SV-30 installation. 1200-1245: Lunch 1245-1530: SV-29 and bollard installation. 1530-1600: Crew cleans up and moves out of work area.
Species Occurring Onsite	*Agelaius phoeniceus* / Red-winged blackbird *Melanerpes formicivorus* / Acorn woodpecker *Passer domesticus* / House sparrow *Carpodacus mexicanus* / House finch *Sturnus vulgaris* / European starling *Zenaida macroura* / Mourning dove *Mimus polyglottos* / Northern mockingbird *Cathartes aura* / Turkey vulture *Callipepla californica* / California quail *Sayornis nigricans* / Black phoebe *Ardea alba* / Great egret *Buteo jamaicensis* / Red-tailed hawk *Sceloporus occidentalis* / Western fence lizard *Sayornis saya* / Say's phoebe *Sylvilagus bachmani* / Brush rabbit *Sialia mexicana* / Western bluebird

Representative Photos

Photos



Red-tailed hawk perched near project area



Bollards around MW-64 & SV-30



Installing SV-29

Biologist signature



CONDOR COUNTRY
CONSULTING, INC.

July 22, 2024

Carrie Ross
Parsons

Subject: **Summary Monitoring Report: Biological Services.** Semi-Annual Groundwater and Soil Vapor Sampling at Former Titan 1-A Missile Facility, Lincoln, California

Dear Carrie Ross,

This summary report, prepared by Condor Country Consulting Inc. (CCCI), covers all survey and monitoring activities that occurred between May 15 and May 29, 2024, at the former Titan 1-A Missile Facility in Lincoln, California. All survey and monitoring was performed by USACE- and CDFW-approved monitor Sam McNally.

Pre-construction surveys
Pre-construction nesting bird surveys were conducted on May 15. Two active nests were detected and mapped: acorn woodpecker and European starling. Neither were within 100 feet of intrusive activities, and introduced European starlings are not protected under Migratory Bird Treaty Act. No burrowing owls, elderberry bushes, or vernal pool crustaceans were detected.

Daily monitoring
Daily biological monitoring was performed on May 20, 21, 22, 23, 24, 28, and 29, with daily reports submitted each day. All onsite personnel were given environmental training in sensitive resources on their first day of work. During monitoring, two new active bird nests were encountered incidentally but not within areas of intrusive activities: a western bluebird nest on May 20 over 100 ft from intrusive sites and a red-tailed hawk nest on May 24, over 800 ft from the nearest site of intrusive activities. No disturbance of any nest was observed, and no other special status species were encountered. All appropriate Avoidance and Minimization Measures were followed, including avoidance of wet weather work, avoidance of wetlands to the extent possible, and the placement of high-density polyethylene mats at perennial wetland crossings. No compliance violations were observed.

Please contact me if you have questions. I can be reached by phone at (925) 335-9308, or by email at sam@condorcountry.com.

815 ESTUDILLO STREET • MARTINEZ • CA • 94553-1617
PHONE: (925)335-9308 • FAX: (925)231-0571
EMAIL: INFO@CONDORCOUNTRY.COM

Sincerely,



Sam McNally
Staff Biologist II
Condor Country Consulting, Inc.

Appendix H – Laboratory Analytical Reports

EMAX LABORATORIES, INC.
3051 Fujita Street
Torrance, CA 90505
Tel: (310)-618-8889

Date: 07-10-2024
EMAX Batch No.: 24F003_R1

Attn: Mark Rigby

Parsons
75 W Towne Ridge Pkway # 200
Sandy UT 84070

Subject: Revised Laboratory Report
Project: TITAN 1-A

Enclosed is the Revised Laboratory report for samples received on 06/01/24.
The data reported relate only to samples listed below :

Sample ID	Control #	Col Date	Matrix	Analysis
T1AMF-MW059-MAY24	F003-01	05/29/24	WATER	VOCS BY 8260C
T1AMF-MW044-MAY24	F003-02	05/29/24	WATER	VOCS BY 8260C
T1AMF-MW047-MAY24	F003-03	05/29/24	WATER	VOCS BY 8260C
T1AMF-MW046-MAY24	F003-04	05/29/24	WATER	VOCS BY 8260C
T1AMF-MW050-MAY24	F003-05	05/29/24	WATER	VOCS BY 8260C
T1AMF-MW052-MAY24	F003-06	05/29/24	WATER	VOCS BY 8260C
T1AMF-MW052-MAY24_FD	F003-07	05/29/24	WATER	VOCS BY 8260C
T1AMF-MW060-MAY24	F003-08	05/29/24	WATER	VOCS BY 8260C
T1AMF-MW017-MAY24	F003-09	05/30/24	WATER	VOCS BY 8260C
T1AMF-MW011-MAY24	F003-10	05/30/24	WATER	VOCS BY 8260C
T1AMF-MW016-MAY24	F003-11	05/30/24	WATER	VOCS BY 8260C
T1AMF-MW016-MAY24_FD	F003-12	05/30/24	WATER	VOCS BY 8260C
T1AMF-MW049-MAY24	F003-13	05/30/24	WATER	VOCS BY 8260C
T1AMF-MW029-MAY24	F003-14	05/30/24	WATER	VOCS BY 8260C
T1AMF-MW030-MAY24	F003-15	05/30/24	WATER	VOCS BY 8260C
T1AMF-MW030-MAY24_FD	F003-16	05/30/24	WATER	VOCS BY 8260C
T1AMF-MW057-MAY24	F003-17	05/30/24	WATER	VOCS BY 8260C
TB-1_MAY24	F003-18	05/28/24	WATER	VOCS BY 8260C
TB-2_MAY24	F003-19	05/29/24	WATER	VOCS BY 8260C

Note: Report was revised to update purge and trap method from SW5030B to SW5030C.

The results are summarized on the following pages.

Please feel free to call if you have any questions concerning
these results.

Sincerely yours,

Caspar J. Pang
Laboratory Director

This report is confidential and intended solely for the use of the individual or entity to whom it is addressed. This report shall not be reproduced except in full or without the written approval of EMAX.

EMAX certifies that results included in this report meets all TNI & DOD requirements unless noted in the Case Narrative.

NELAP Accredited Certificate Number CA002912023-25
ANAB Accredited DoD ELAP and ISO/IEC 17025 Certificate Number L2278 Testing
California ELAP Accredited Certificate Number 2672

CHAIN OF CUSTODY

3051 Fujita St., Torrance, CA 90505 Tel #: 310-618-8889 FAX#: 310-618-0818 Email: info@emaxlabs.com	PO NUMBER: 0015461	EMAX CONTROL NO. 24F003
	SAMPLE STORAGE	PROJECT CODE:

CLIENT: Parsons

PROJECT: Titan 1-A Semi-Annual Groundwater and Soil Vapor Sampling

COORDINATOR: Carrie Ross@Parsons.us

TEL.: 303-349-8292 FAX: EMAIL: Carrie.Ross@parsons.us

SEND REPORT TO: carrie.ross@parsons.com; mark.rigby@parsons.com; sandra.delasfuentes@parsons.us

COMPANY:

ADDRESS:

EMAX PM:

MATRIX CODE	PRESERVATIVE CODE
DW=Drinking Water	IC=Ice
GW=Ground Water	HC=HCl
WW=Waste Water	SN=HNO3
SD=Solid Waste SL=Sludge	SH=NaOS
SS=Soil/ Sediment	SC=H2SO4
WP=Wipes PP=Pure Product	EA=Zinc Acetate
AR=Air	SD=NaSO4
O=	

ANALYSIS REQUIRED: VOCs via SW8260; Title 22 metals via SW6010/7471; TCLP VOCs via SW1311/8260; TCLP metals via SW1311/6010/7471; STLC metals via SWWET/6010/7471

TAT:
- ☐ Rush__24__hrs.
- ☐ Rush__48_hrs
- ☐ Rush_72_hrs
- ☐ 7 days
- ☐ 14 days
- ☐ 21 days

LAB	SAMPLE ID CLIENT	SAMPLING LOCATION	DATE	TIME	MATRIX CODE NO.	SIZE	TYPE	MATRIX CODE	QC	PRESERVATIVE CODE	COMMENTS
1	T1AMF-MW59-MAY24	Titan 1-A	5/29/2024	833				GW		HC	
2	T1AMF-MW44-MAY24	Titan 1-A	5/29/2024	938				GW			
3	T1AMF-MW47-MAY24	Titan 1-A	5/29/2024	1047				GW			
4	T1AMF-MW46-MAY24	Titan 1-A	5/29/2024	1144				GW			
5	T1AMF-MW50-MAY24	Titan 1-A	5/29/2024	1309				GW			
6	T1AMF-MW52-MAY24	Titan 1-A	5/29/2024	1414				GW			
7	T1AMF-MW52-MAY24_FD	Titan 1-A	5/29/2024	1419				GW	FD		
8	T1AMF-MW60-MAY24	Titan 1-A	5/29/2024	1521				GW			
9	T1AMF-MW17-MAY24	Titan 1-A	5/30/2024	829				GW			
10	T1AMF-MW11-MAY24	Titan 1-A	5/30/3024	927				GW			

Instructions: Please have the analytical results sent to

Mark.rigby@parsons.com

carrie.ross@parsons.com

sandra.delasfuentes@parsons.us

Cooler #	Temp. (°C)	Sample #s
1	2.2	

SAMPLER:

COURIER/AIRBILL:

RELINQUISHED BY	Date	Time	RECEIVED BY
Erin Nelson	5-31-24	1145	Arnold Pimentel
Arnold Pimentel	5/31/24	1210	
	06/01/24	1025	

NOTICE: Turn-around-time (TAT) for samples will not begin until all discrepancies have been resolved. For samples received and discrepancies resolved after 1500 hrs, TAT shall start at 0800 hrs the next business day. The client is responsible for all cost associated with sample disposal. Samples shall be disposed of as soon as practical, but not prior to fifteen (15) calendar days after issuance of analytical report unless a different sample disposal schedule is pre-arranged with EMAX. Disposal fee for samples defined by CA Title 22 as non-hazardous shall be $5.00 per sample. EMAX will return hazardous samples to the client at the client's expense unless directed in writing otherwise.

Project J09CA1108-01

CHAIN OF CUSTODY

3051 Fujita St., Torrance, CA 90505 Tel #: 310-618-8889 FAX#: 310-618-0818 Email: info@emaxlabs.com	PO NUMBER: 0015461	EMAX CONTROL NO. 24F003
	SAMPLE STORAGE:	PROJECT CODE:

CLIENT: Parsons

PROJECT: Titan 1-A Semi-Annual Groundwater and Soil Vapor Sampling

COORDINATOR: Carrie Ross@Parsons.us

TEL: 303-949-8502 FAX: EMAIL: Carrie.Ross@parsons.us

SEND REPORT TO: carrie.ross@parsons.com; mark.rigby@parsons.com; sandra.delasfuentes@parsons.us

COMPANY:

ADDRESS:

EMAX PM:

MATRIX CODE	PRESERVATIVE CODE
DW=Drinking Water	IC = Ice
GW=Ground Water	HC = HCl
WW=Waste Water	EN=EnCore
SD=Solid Waste SL=Sludge	SH=NaOH
SS=Soil/Sediment	ST=Na2S2O3
WP=Wipe PP=Pure Product	ZA=Zinc Acetate
AR=Air	HP=H2SO4
O=Lab Water	

ANALYSIS REQUIRED: VOCs via SW8260; Title 22 metals via SW6010/7471; TCLP VOCs via SW1311/8260; TCLP metals via SW1311/6010/7471; STLC metals via SWWET/6010/7471

TAT: ☐ Rush__24__hrs. ☐ Rush__48_hrs ☐ Rush_72_hrs ☐ 7 days ☐ 14 days ☐ 21 days

LAB	SAMPLE ID CLIENT	SAMPLING LOCATION	DATE	TIME	CONTAINER NO.	SIZE	TYPE	MATRIX CODE	QC	PRESERVATIVES CODE HC	COMMENTS
1	T1AMF-MW16-MAY24	Titan 1-A	5/30/2024	1035	3		VOA	GW		X	
2	T1AMF-MW16-MAY24_FD	Titan 1-A	5/30/2024	1040	3		VOA	GW	FD	X	
3	T1AMF-MW49-MAY24	Titan 1-A	5/30/2024	1224	3		VOA	GW		X	
4	T1AMF-MW29-MAY24	Titan 1-A	5/30/2024	1316	3		VOA	GW		X	
5	T1AMF-MW30-MAY24	Titan 1-A	5/30/2024	1421	3		VOA	GW		X	
6	T1AMF-MW30-MAY24_FD	Titan 1-A	5/30/2024	1426	3		VOA	GW	FD	X	
7	T1AMF-MW57-MAY24	Titan 1-A	5/30/2024	1520	3		VOA	GW		X	
8	TB-1_MAY24	Titan 1-A	5/28/2024	0830	3		VOA	DI		X	
9	TB-2_MAY24	Titan 1-A	5/29/2024	0745	3		VOA	DI		X	
10											

Instructions: Please have the analytical results sent to

Mark.rigby@parsons.com

carrie.ross@parsons.com

sandra.delasfuentes@parsons.us

Cooler #	Temp. (°C)	Sample #s
1	2.2	

SAMPLER:

COURIER/AIRBILL:

RELINQUISHED BY	Date	Time	RECEIVED BY
Erin Helpio	5-31-24	1145	Arnold Pimentel
Arnold Pimentel	5/31/24	1210	
	06/01/24	1025	

NOTICE: Turn-around-time (TAT) for samples will not begin until all discrepancies have been resolved. For discrepancies received after 1500 hrs, TAT will start at 0800 hrs the next business day. The client is responsible for all cost associated with sample disposal. Samples shall be disposed of as soon as practical, but not prior to fifteen (15) calendar days after issuance of analytical report unless a different sample disposal schedule is pre-arranged with EMAX. Disposal fee for samples defined by CA Title 22 as non-hazardous shall be $5.00 per sample. EMAX will return hazardous samples to the client at the client's expense unless directed in writing otherwise.

Project 309CA1108-01

SAMPLE RECEIPT FORM 1

EMAX LABORATORIES, INC.

Type of Delivery	Airbill / Tracking Number	ECN 24F003
☒ Fedex ☐ UPS ☐ GSO ☐ Others	2753 6051 3001	Recipient Nandeen Vacana
☐ EMAX Courier ☐ Client Delivery		Date 06/01/24 Time 10:25

COC INSPECTION

☒ Client Name	☒ Client PM/FC	☐ Sampler Name	☒ Sampling Date/Time	☒ Sample ID	☒ Matrix
☐ Address	☒ Tel # / Fax #	☐ Courier Signature	☒ Analysis Required	☐ Reservative (if any)	☐ TAT
Safety Issues (if any)	☐ High concentrations expected	☐ From Superfund Site	☐ Rad screening required		

Note: _____

PACKAGING INSPECTION

Container	☒ Cooler	☐ Box	☐ Other		
Condition	☒ Custody Seal	☐ Intact	☐ Damaged		
Packaging	☒ Bubble Pack	☐ Styrofoam	☐ Popcorn	☐ Sufficient	☒ bag
Temperatures (Cool, ≤6 °C but not frozen)	☒ Cooler 1 2.2 °C	☐ Cooler 2 ____ °C	☐ Cooler 3 ____ °C	☐ Cooler 4 ____ °C	☐ Cooler 5 ____ °C
	☐ Cooler 6 ____ °C	☐ Cooler 7 ____ °C	☐ Cooler 8 ____ °C	☐ Cooler 9 ____ °C	☐ Cooler 10 ____ °C
Thermometer:	*A - S/N* 218706272	*B - S/N* 230044860	*C - S/N* 230044897	(D) *S/N* 230044857	

Comments: ☐ Temperature is out of range. PM was informed IMMEDIATELY.

Note: _____

DISCREPANCIES

LabSampleID	LabSampleContainerID	Code	ClientSample Label ID / Information	Corrective Action
1-10	1-30	D1 (*)	Analysis not on label and COC	R8
11~19	31~57	D1	Analysis not on label	R1
1-17	1-51	D3	Label reads: "TIAMF-MW0..."	R8
			COC ID reads: "TIAMF-MW..."	↓

☐ pH holding time requirement for water samples is 15 mins. Water samples for pH analysis are received beyond 15 minutes from sampling time.

DF 6/3/24

NOTES/OBSERVATIONS: (*) only preservation marked on the COC.

SAMPLE MATRIX IS DRINKING WATER? ☐ YES ☒ NO

LEGEND:

☐ Continue to next page.

Code	Description- Sample Management
(D1)	Analysis is not indicated in label/COC
D2	Analysis mismatch COC vs label
(D3)	Sample ID mismatch COC vs label
D4	Sample ID is not indicated in _____
D5	Container -(improper) (leaking) (broken)
D6	Date/Time is not indicated in _____
D7	Date/Time mismatch COC vs label
D8	Sample listed in COC is not received
D9	Sample received is not listed in COC
D10	No initial/date on corrections in COC/label
D11	Container count mismatch COC vs received
D12	Container size mismatch COC vs received
D13	Out of Holding Time
D14	Bubble is >6mm
D15	No trip blank in cooler
D16	Preservation not indicated in _____
D17	Preservation mismatch COC vs label
D18	Insufficient chemical preservative
D19	Insufficient Sample
D20	No filtration info for dissolved analysis
D21	No sample for moisture determination
D22	_____
D23	_____
D24	_____

Code	Description-Sample Management
R1	Proceed as indicated in ☒ COC ☐ Label
R2	Refer to attached instruction
R3	Cancel the analysis
R4	Use vial with smallest bubble first
R5	Log-in with latest sampling date and time/ 1 min
R6	Adjust pH as necessary
R7	Filter and preserved as necessary
R8	Informed Client
R9	_____
R10	_____
R11	_____
R12	_____

REVIEWS:

Sample Labeling Maricia Rivera Date 06/03/24 — Cynthia 6/3/24

SRF Cynthia Date 6/3/24

PM DF Date 6/3/24

Dilukshi Fernando

From: Arnoldo.Pimentel@parsons.com
Sent: Monday, June 03, 2024 3:00 PM
To: Dilukshi Fernando; Mark.Rigby@parsons.com; Richard Beauvil
Cc: Carrie.Ross@parsons.us; Beth.Driskill@parsons.us
Subject: Re: Titan 1-A GW samples SDG 24F003 Discrepancies

Hi Dilukshi,

See responses to questions below:

1. VOC analysis via SW8260 is the correct analysis for #1-#10
2. The 0(zero) should be included in the sample ID.

Thanks,

Arnold Pimentel
Senior Geologist
100 Pringle Avenue, Ste 525
Walnut Creek, CA 94596
Arnoldo.pimentel@parsons.com -
Cell: 626.710.7746

From: Dilukshi Fernando <DFernando@emaxlabs.com>
Sent: Monday, June 3, 2024 14:29
To: Pimentel, Arnoldo [US-US] <Arnoldo.Pimentel@parsons.com>; Rigby, Mark [US-US] <Mark.Rigby@parsons.com>; Richard Beauvil <RBeauvil@emaxlabs.com>
Cc: Ross, Carrie [US-US] <Carrie.Ross@parsons.us>; Driskill, Beth [US-US] <Beth.Driskill@parsons.us>
Subject: [EXTERNAL] RE: Titan 1-A GW samples SDG 24F003 Discrepancies

Hello Mark,

The following discrepancies were noted for SDG 24F003.

Analysis is not indicated on the label and COC for samples #1 - #10. Please confirm that the required analysis is VOCs via SW8260 for sample #1 - #10.
Sample ID mismatch for samples #1 - #17. Please advise if the "O" should be included in the sample ID.
COC: T1AMF-MW...
Label: T1AMF-MWO...

I have attached the COCs and SRFs for your reference.

Thank you!

Dilukshi Fernando
Project Coordinator
3051 Fujita Street
Torrance, CA 90505
Tel: 310-618-8889 X132
dfernando@emaxlabs.com

From: Arnoldo.Pimentel@parsons.com <Arnoldo.Pimentel@parsons.com>
Sent: Friday, May 31, 2024 1:17 PM
To: Mark.Rigby@parsons.com; Richard Beauvil <RBeauvil@emaxlabs.com>; Dilukshi Fernando <DFernando@emaxlabs.com>
Cc: Jim Carter <JCarter@emaxlabs.com>; Caspar Pang <CPang@emaxlabs.com>; Carrie.Ross@parsons.us; Beth.Driskill@parsons.us; Cecilia Chavez <CChavez@emaxlabs.com>; Tyler Kosaka <TKosaka@emaxlabs.com>
Subject: Re: Titan 1-A GW samples - Saturday delivery?

Hi Team,

Please see attached COC for samples shipped today to arrive tomorrow (Saturday).

FedEx tracking #: 275360513001

Thanks,

Arnold Pimentel
Senior Geologist
100 Pringle Avenue, Ste 525
Walnut Creek, CA 94596
Arnoldo.pimentel@parsons.com -
Cell: 626.710.7746

From: Rigby, Mark [US-US] <Mark.Rigby@parsons.com>
Sent: Friday, May 31, 2024 12:27:45 PM
To: Richard Beauvil <RBeauvil@emaxlabs.com>; Dilukshi Fernando <DFernando@emaxlabs.com>
Cc: Jim Carter <JCarter@emaxlabs.com>; Caspar Pang <CPang@emaxlabs.com>; Ross, Carrie [US-US] <Carrie.Ross@parsons.us>; Pimentel, Arnoldo [US-US] <Arnoldo.Pimentel@parsons.com>; Driskill, Beth [US-US] <Beth.Driskill@parsons.us>; Cecilia Chavez <CChavez@emaxlabs.com>; Tyler Kosaka <TKosaka@emaxlabs.com>
Subject: RE: Titan 1-A GW samples - Saturday delivery?

I may have the quote for the Treatability Study. I did not see VOC on that quote. Do you have a PO for this or did we provide you a quote for the VOC only. On the QAPP it looks like a short list of analytes.

> You should have two POs for this contract… huh, I don't see one for the treatability study. Let me look into that
>
> The one that samples will be shipped to you under now is PO-0015461. See attached

Can you also let us know what level of data package you will need (II, III or IV) and what type of EDD(s). TAT 21days?

ORIGIN ID:AUNA (626) 710-7746

PARSONS
100 PRINGLE AVE STE 525

WALNUT CREEK, CA 94596
UNITED STATES US

SHIP DATE: 31MAY24
ACTWGT: 53.00 LB
CAD: 6993724/SSFE2500
DIMS: 25x15x15 IN

BILL THIRD PARTY

Part # 156297-435 HRDB EXP 02/23

TO **EMAX LABS**
ATTN: SAMPLE RECEIVING 1026 Ø
3051 FUJITA ST
sealed

TORRANCE CA 90505

(310) 618-8888 REF:

INV: DEPT:

PO:

FedEx Express

SATURDAY 12:00P

TRK# 0201 **2753 6051 3001**

PRIORITY OVERNIGHT

WO HHRA

90505
CA-US **LAX**

Part # 156297-435 RRDB2 EXP 03/25

Reference:
2758 59
TS1. DRILL

REPORTING CONVENTIONS

DATA QUALIFIERS:

Lab Qualifier	AFCEE Qualifier	Description
J	F	Indicates that the analyte is positively identified and the result is less than LOQ/RL but greater than LOD/MDL/DL.
N		Indicates presumptive evidence of a compound.
B	B	Indicates that the analyte is found in the associated method blank as well as in the sample at above QC level.
E	J	Indicates that the result is above the maximum calibration range or estimated value.
*	*	Out of QC limit.

Note: The above qualifiers are used to flag the results unless the project requires a different set of qualification criteria.

ACRONYMS AND ABBREVIATIONS:

CRDL	Contract Required Detection Limit
RL	Reporting Limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
DL	Detection Limit
LOD	Limit of Detection
LOQ	Limit of Quantitation
DO	Diluted out

DATES

The date and time information for leaching and preparation reflect the beginning date and time of the procedure unless the method, protocol, or project specifically requires otherwise.

SUMMARY PACKAGE
VOLATILE ORGANICS

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F003

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

A total of nineteen(19) water samples were received on 06/01/24 to be analyzed for Volatile Organics by GC/MS in accordance with Method SW5030C/8260C and project specific requirements.

Holding Time
Samples were analyzed within the prescribed holding time.

Instrument Performance and Calibration
Instrument tune check was performed prior to calibration. Result was within acceptance criteria. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried out at a frequency required by the project. There were four(4)CCVs (Data File IDs: RFG062, RFG088, RFG092 and RFG119) associated with this SDG. All calibration requirements were satisfied. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, two(2) method blanks were analyzed. VOE2F03B and VOE2F04B were compliant to project requirement. Refer to sample result summary forms for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, two(2) sets of LCS/LCD were analyzed. VOE2F03L/VOE2F03C and VOE2F04L/VOE2F04C were within LCS limits. Refer to LCS summary forms for details.

Matrix QC Sample
No matrix QC sample was provided on this SDG.

Surrogate
Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis
Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
VOLATILE ORGANICS BY GC/MS

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F003
Instrument ID : E2

WATER

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
LCS1W	VOE2F03L	1	NA	06/10/2417:13	06/10/2417:13	RFG063	REG122	VOE2F03	Lab Control Sample (LCS)
LCD1W	VOE2F03C	1	NA	06/10/2417:37	06/10/2417:37	RFG064	REG122	VOE2F03	LCS Duplicate
MBLK1W	VOE2F03B	1	NA	06/10/2418:25	06/10/2418:25	RFG067	REG122	VOE2F03	Method Blank
TB-1_MAY24	24F003-18	1	NA	06/10/2420:48	06/10/2420:48	RFG073	REG122	VOE2F03	Field Sample
TB-2_MAY24	24F003-19	1	NA	06/10/2421:11	06/10/2421:11	RFG074	REG122	VOE2F03	Field Sample
T1AMF-MW059-MAY24	24F003-01N	1	NA	06/10/2421:35	06/10/2421:35	RFG075	REG122	VOE2F03	Field Sample
T1AMF-MW044-MAY24	24F003-02N	1	NA	06/10/2421:59	06/10/2421:59	RFG076	REG122	VOE2F03	Field Sample
T1AMF-MW047-MAY24	24F003-03N	1	NA	06/10/2422:23	06/10/2422:23	RFG077	REG122	VOE2F03	Field Sample
T1AMF-MW046-MAY24	24F003-04N	1	NA	06/10/2422:46	06/10/2422:46	RFG078	REG122	VOE2F03	Field Sample
T1AMF-MW050-MAY24	24F003-05N	1	NA	06/10/2423:10	06/10/2423:10	RFG079	REG122	VOE2F03	Field Sample
T1AMF-MW052-MAY24	24F003-06N	1	NA	06/10/2423:33	06/10/2423:33	RFG080	REG122	VOE2F03	Field Sample
T1AMF-MW052-MAY24_FD	24F003-07N	1	NA	06/10/2423:57	06/10/2423:57	RFG081	REG122	VOE2F03	Field Sample
T1AMF-MW060-MAY24	24F003-08N	1	NA	06/11/2400:20	06/11/2400:20	RFG082	REG122	VOE2F03	Field Sample
T1AMF-MW017-MAY24	24F003-09N	1	NA	06/11/2400:44	06/11/2400:44	RFG083	REG122	VOE2F03	Field Sample
T1AMF-MW011-MAY24	24F003-10N	1	NA	06/11/2401:08	06/11/2401:08	RFG084	REG122	VOE2F03	Field Sample
T1AMF-MW016-MAY24	24F003-11	1	NA	06/11/2401:32	06/11/2401:32	RFG085	REG122	VOE2F03	Field Sample
T1AMF-MW016-MAY24_FD	24F003-12	1	NA	06/11/2401:56	06/11/2401:56	RFG086	REG122	VOE2F03	Field Sample
T1AMF-MW049-MAY24	24F003-13	1	NA	06/11/2402:19	06/11/2402:19	RFG087	REG122	VOE2F03	Field Sample
LCS2W	VOE2F04L	1	NA	06/11/2414:15	06/11/2414:15	RFG093	REG122	VOE2F04	Lab Control Sample (LCS)
LCD2W	VOE2F04C	1	NA	06/11/2414:39	06/11/2414:39	RFG094	REG122	VOE2F04	LCS Duplicate
MBLK2W	VOE2F04B	1	NA	06/11/2415:26	06/11/2415:26	RFG096	REG122	VOE2F04	Method Blank
T1AMF-MW029-MAY24	24F003-14	1	NA	06/11/2417:25	06/11/2417:25	RFG101	REG122	VOE2F04	Field Sample
T1AMF-MW030-MAY24	24F003-15	1	NA	06/11/2417:49	06/11/2417:49	RFG102	REG122	VOE2F04	Field Sample
T1AMF-MW030-MAY24_FD	24F003-16	1	NA	06/11/2418:13	06/11/2418:13	RFG103	REG122	VOE2F04	Field Sample
T1AMF-MW057-MAY24	24F003-17	1	NA	06/11/2418:37	06/11/2418:37	RFG104	REG122	VOE2F04	Field Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 08:33
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 21:35
Sample ID	: T1AMF-MW059-MAY24	Date Analyzed:	06/10/24 21:35
Lab Samp ID:	24F003-01N	Dilution Factor:	1
Lab File ID:	RFG075	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.29J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	7.0	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.0	10.0	110	81-118
4-Bromofluorobenzene	10.0	10.0	100	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.92	10.0	99	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 09:38
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 21:59
Sample ID	: T1AMF-MW044-MAY24	Date Analyzed:	06/10/24 21:59
Lab Samp ID:	24F003-02N	Dilution Factor:	1
Lab File ID:	RFG076	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	2.1	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.23J	1.0	0.10	0.20
Trichloroethene	46	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.9	10.0	109	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	10.1	10.0	101	80-119

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 10:47
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 22:23
Sample ID	: T1AMF-MW047-MAY24	Date Analyzed:	06/10/24 22:23
Lab Samp ID:	24F003-03N	Dilution Factor:	1
Lab File ID:	RFG077	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.0	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.30J	1.0	0.10	0.20
Trichloroethene	20	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	9.85	10.0	98	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 11:44
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 22:46
Sample ID	: T1AMF-MW046-MAY24	Date Analyzed:	06/10/24 22:46
Lab Samp ID:	24F003-04N	Dilution Factor:	1
Lab File ID:	RFG078	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	2.6	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.18J	1.0	0.10	0.20
Trichloroethene	120	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.5	10.0	115	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.93	10.0	99	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 13:09
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 23:10
Sample ID	: T1AMF-MW050-MAY24	Date Analyzed:	06/10/24 23:10
Lab Samp ID:	24F003-05N	Dilution Factor:	1
Lab File ID:	RFG079	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.56J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.14J	1.0	0.10	0.20
Trichloroethene	14	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.6	10.0	116	81-118
4-Bromofluorobenzene	10.2	10.0	102	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	10.4	10.0	104	80-119

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 14:14
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 23:33
Sample ID	: T1AMF-MW052-MAY24	Date Analyzed:	06/10/24 23:33
Lab Samp ID:	24F003-06N	Dilution Factor:	1
Lab File ID:	RFG080	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.42J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.31J	1.0	0.10	0.20
Trichloroethene	5.0	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.2	10.0	112	81-118
4-Bromofluorobenzene	10.2	10.0	102	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	9.76	10.0	98	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 14:19
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 23:57
Sample ID	: T1AMF-MW052-MAY24_FD	Date Analyzed:	06/10/24 23:57
Lab Samp ID:	24F003-07N	Dilution Factor:	1
Lab File ID:	RFG081	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.37J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.34J	1.0	0.10	0.20
Trichloroethene	5.3	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.6	10.0	116	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	10.1	10.0	101	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 15:21
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 00:20
Sample ID	: T1AMF-MW060-MAY24	Date Analyzed:	06/11/24 00:20
Lab Samp ID:	24F003-08N	Dilution Factor:	1
Lab File ID:	RFG082	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	2.0	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.3	10.0	113	81-118
4-Bromofluorobenzene	10.0	10.0	100	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	10.2	10.0	102	80-119

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 08:29
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 00:44
Sample ID	: T1AMF-MW017-MAY24	Date Analyzed:	06/11/24 00:44
Lab Samp ID:	24F003-09N	Dilution Factor:	1
Lab File ID:	RFG083	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.19J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	3.9	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.7	10.0	117	81-118
4-Bromofluorobenzene	10.2	10.0	102	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.94	10.0	99	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 09:27
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 01:08
Sample ID	: T1AMF-MW011-MAY24	Date Analyzed:	06/11/24 01:08
Lab Samp ID:	24F003-10N	Dilution Factor:	1
Lab File ID:	RFG084	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.62J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	5.4	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.3	10.0	113	81-118
4-Bromofluorobenzene	10.7	10.0	107	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	9.94	10.0	99	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 10:35
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 01:32
Sample ID	: T1AMF-MW016-MAY24	Date Analyzed:	06/11/24 01:32
Lab Samp ID:	24F003-11	Dilution Factor:	1
Lab File ID:	RFG085	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.60J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	2.9	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.5	10.0	115	81-118
4-Bromofluorobenzene	10.0	10.0	100	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	10.2	10.0	102	80-119

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 10:40
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 01:56
Sample ID	: T1AMF-MW016-MAY24_FD	Date Analyzed:	06/11/24 01:56
Lab Samp ID:	24F003-12	Dilution Factor:	1
Lab File ID:	RFG086	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.63J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	2.8	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.4	10.0	114	81-118
4-Bromofluorobenzene	9.86	10.0	99	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	10.0	10.0	100	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 12:24
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 02:19
Sample ID	: T1AMF-MW049-MAY24	Date Analyzed:	06/11/24 02:19
Lab Samp ID:	24F003-13	Dilution Factor:	1
Lab File ID:	RFG087	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.1	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	71	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.5	10.0	115	81-118
4-Bromofluorobenzene	10.1	10.0	101	85-114
Toluene-d8	10.4	10.0	104	89-112
Dibromofluoromethane	10.1	10.0	101	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 13:16
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 17:25
Sample ID	: T1AMF-MW029-MAY24	Date Analyzed:	06/11/24 17:25
Lab Samp ID:	24F003-14	Dilution Factor:	1
Lab File ID:	RFG101	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.3	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	33	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	9.83	10.0	98	85-114
Toluene-d8	10.4	10.0	104	89-112
Dibromofluoromethane	9.92	10.0	99	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 14:21
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 17:49
Sample ID	: T1AMF-MW030-MAY24	Date Analyzed:	06/11/24 17:49
Lab Samp ID:	24F003-15	Dilution Factor:	1
Lab File ID:	RFG102	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.6	10.0	116	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	10.1	10.0	101	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 14:26
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 18:13
Sample ID	: T1AMF-MW030-MAY24_FD	Date Analyzed:	06/11/24 18:13
Lab Samp ID:	24F003-16	Dilution Factor:	1
Lab File ID:	RFG103	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.2	10.0	102	85-114
Toluene-d8	10.4	10.0	104	89-112
Dibromofluoromethane	10.2	10.0	102	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 15:20
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 18:37
Sample ID	: T1AMF-MW057-MAY24	Date Analyzed:	06/11/24 18:37
Lab Samp ID:	24F003-17	Dilution Factor:	1
Lab File ID:	RFG104	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	10.3	10.0	103	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 08:30
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 20:48
Sample ID	: TB-1_MAY24	Date Analyzed:	06/10/24 20:48
Lab Samp ID:	24F003-18	Dilution Factor:	1
Lab File ID:	RFG073	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	0.33J	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.9	10.0	109	81-118
4-Bromofluorobenzene	10.4	10.0	104	85-114
Toluene-d8	10.8	10.0	108	89-112
Dibromofluoromethane	9.92	10.0	99	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 07:45
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 21:11
Sample ID	: TB-2_MAY24	Date Analyzed:	06/10/24 21:11
Lab Samp ID:	24F003-19	Dilution Factor:	1
Lab File ID:	RFG074	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	0.29J	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.8	10.0	108	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	9.79	10.0	98	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

QC SUMMARIES

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/10/24 18:25
Project	: TITAN 1-A	Date Received:	06/10/24
Batch No.	: 24F003	Date Extracted:	06/10/24 18:25
Sample ID	: MBLK1W	Date Analyzed:	06/10/24 18:25
Lab Samp ID:	VOE2F03B	Dilution Factor:	1
Lab File ID:	RFG067	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.3	10.0	103	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.8	10.0	108	89-112
Dibromofluoromethane	9.60	10.0	96	80-119

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F003
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: VOE2F03B	VOE2F03L	VOE2F03C
LAB FILE ID	: RFG067	RFG063	RFG064
DATE PREPARED	: 06/10/24 18:25	06/10/24 17:13	06/10/24 17:37
DATE ANALYZED	: 06/10/24 18:25	06/10/24 17:13	06/10/24 17:37
PREP BATCH	: VOE2F03	VOE2F03	VOE2F03
CALIBRATION REF:	REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	10.3	103	10.0	10.6	106	3	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.9	109	10.0	11.5	115	5	79-118	20
Benzene	ND	10.0	10.7	107	10.0	11.1	111	4	79-120	20
cis-1,2-Dichloroethene	ND	10.0	10.2	102	10.0	10.6	106	4	78-123	20
Ethylbenzene	ND	10.0	10.7	107	10.0	11.4	114	6	79-121	20
m,p-Xylene	ND	20.0	20.8	104	20.0	22.2	111	7	80-121	20
o-Xylene	ND	10.0	10.9	109	10.0	11.8	118	8	78-122	20
Toluene	ND	10.0	10.8	108	10.0	11.7	117	8	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	10.1	101	10.0	10.2	102	1	75-124	20
Trichloroethene	ND	10.0	9.31	93	10.0	9.74	97	5	79-123	20
Vinyl Chloride	ND	10.0	10.1	101	10.0	9.12	91	10	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	9.95	100	10.0	9.88	99	81-118
4-Bromofluorobenzene	10.0	10.4	104	10.0	10.8	108	85-114
Toluene-d8	10.0	10.5	105	10.0	10.5	105	89-112
Dibromofluoromethane	10.0	9.84	98	10.0	9.40	94	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/11/24 15:26
Project	: TITAN 1-A	Date Received:	06/11/24
Batch No.	: 24F003	Date Extracted:	06/11/24 15:26
Sample ID	: MBLK2W	Date Analyzed:	06/11/24 15:26
Lab Samp ID:	VOE2F04B	Dilution Factor:	1
Lab File ID:	RFG096	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.8	10.0	108	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.95	10.0	100	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F003
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK2W	LCS2W	LCD2W
LAB SAMPLE ID	: VOE2F04B	VOE2F04L	VOE2F04C
LAB FILE ID	: RFG096	RFG093	RFG094
DATE PREPARED	: 06/11/24 15:26	06/11/24 14:15	06/11/24 14:39
DATE ANALYZED	: 06/11/24 15:26	06/11/24 14:15	06/11/24 14:39
PREP BATCH	: VOE2F04	VOE2F04	VOE2F04
CALIBRATION REF:	REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	9.69	97	10.0	9.34	93	4	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.7	107	10.0	10.3	103	4	79-118	20
Benzene	ND	10.0	9.98	100	10.0	9.74	97	2	79-120	20
cis-1,2-Dichloroethene	ND	10.0	9.91	99	10.0	9.49	95	4	78-123	20
Ethylbenzene	ND	10.0	10.5	105	10.0	10.4	104	1	79-121	20
m,p-Xylene	ND	20.0	20.4	102	20.0	20.2	101	1	80-121	20
o-Xylene	ND	10.0	10.7	107	10.0	10.6	106	1	78-122	20
Toluene	ND	10.0	10.4	104	10.0	10.3	103	1	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	9.39	94	10.0	9.07	91	3	75-124	20
Trichloroethene	ND	10.0	9.00	90	10.0	8.65	87	4	79-123	20
Vinyl Chloride	ND	10.0	11.0	110	10.0	10.4	104	6	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.6	106	10.0	10.1	101	81-118
4-Bromofluorobenzene	10.0	11.1	111	10.0	10.6	106	85-114
Toluene-d8	10.0	10.6	106	10.0	10.6	106	89-112
Dibromofluoromethane	10.0	9.84	98	10.0	9.56	96	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

INITIAL CALIBRATION(S)

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: REG116 BFB Injection Date: 05/17/24

Instrument ID: E2 BFB Injection Time: 11:23

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.276
75	30 - 60% of mass 95	50.050
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.720
173	Less than 2% of mass 174	0.804(.96)1
174	Greater than 50% of mass 95	83.334
175	5 - 9% of mass 174	6.239(7.49)1
176	95 - 101% % of mass 174	81.293(97.55)1
177	5 - 9% % of mass 176	5.264(6.48)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD0.5	VOE2E172	REG118	05/17/24	12:33
2	VSTD1	VOE2E173	REG119	05/17/24	12:57
3	VSTD2	VOE2E174	REG120	05/17/24	13:21
4	VSTD5	VOE2E175	REG121	05/17/24	13:45
5	VSTD10	VOE2E176	REG122	05/17/24	14:09
6	VSTD30	VOE2E177	REG123	05/17/24	14:33
7	VSTD50	VOE2E178	REG124	05/17/24	14:57
8	VSTD100	VOE2E179	REG125	05/17/24	15:21
9	VSTD200	VOE2E1710	REG126	05/17/24	15:44

Sim

5/24/24

Instrument ID :E2
Beginning DateTime :05/17/24 12:33
Spike Units :PPB
IC File :REG122

Column Spec :RTX 502.2 ID :0.32MM
Ending DateTime :05/17/24 15:44
HPChem Method :VOE2E17

M	IDX	Parameters	5 12:33 REG118	1 12:57 REG119	2 13:21 REG120	5 13:45 REG121	10 14:09 REG122	30 14:33 REG123	50 14:57 REG124	100 15:21 REG125	200 15:44 REG126	Av_RRF	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	0	5.9874
	2	Dichlorodifluoromethane	0.621	0.637	0.579	0.504	0.509	0.610	0.570	0.578	0.556	0.574	8.06	2.7078
	3	Chloromethane	0.526	0.465	0.434	0.383	0.373	0.377	0.368	0.382	0.398	0.412	13.00	2.9059
	4	Vinyl chloride	0.419	0.490	0.461	0.376	0.416	0.439	0.449	0.449	0.415	0.435	7.58	2.9903
	5	Bromomethane	0.348	0.325	0.291	0.268	0.244	0.267	0.278	0.296	0.330	0.294	11.62	3.3131
	6	Dichlorofluoromethane	1.071	1.087	0.974	1.099	0.990	1.025	0.930	0.904	0.869	0.994	8.41	3.3523
	7	Chloroethane	0.222	0.255	0.216	0.196	0.204	0.219	0.205	0.207	0.193	0.213	8.74	3.3461
	8	Trichlorofluoromethane	1.076	1.027	0.981	0.846	0.898	1.033	0.988	0.997	0.949	0.977	7.24	3.5112
5	9	Acrolein	0.074	0.076	0.063	0.070	0.064	0.060	0.059	0.060	0.059	0.065	10.21	3.7423
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	0.510	0.445	0.389	0.475	0.409	0.418	0.409	0.396	0.383	0.426	10.04	3.7521
5	11	Acetone	0.325	0.240	0.181	0.149	0.137	0.118	0.119	------	------	0.181	42.17	3.7690
25	12	tert-Butyl alcohol	0.075	0.070	0.063	0.057	0.061	0.056	0.057	0.055	0.054	0.061	11.83	3.8744
	13	1,1-Dichloroethene	0.972	0.970	0.870	1.007	0.889	0.901	0.818	0.823	0.795	0.894	8.46	3.9025
10	14	Acetonitrile	------	0.037	0.031	0.030	0.031	0.026	0.027	------	------	0.030	12.37	3.8744
	15	Allyl chloride	0.262	0.270	0.227	0.265	0.239	0.241	0.223	0.204	0.194	0.236	11.27	4.1055
	16	Iodomethane	0.335	0.312	0.310	0.409	0.432	0.563	0.530	0.509	0.459	0.429	22.23	4.1434
	17	Methyl acetate	-----	0.410	0.337	0.344	0.341	0.293	0.304	------	------	0.338	12.15	4.0285
	18	Methylene chloride	1.122	1.095	0.930	0.852	0.731	0.698	0.612	0.596	0.570	0.801	26.33	4.1825
5	19	Acrylonitrile	0.187	0.165	0.144	0.155	0.158	0.140	0.134	0.135	0.136	0.150	11.69	4.2156
	20	tert-Butyl methyl ether (MTBE)	1.687	1.599	1.508	1.603	1.504	1.453	1.377	1.365	1.352	1.494	7.94	4.2266
	21	Carbon disulfide	1.587	1.493	1.289	1.218	1.375	1.338	1.287	----	------	1.370	9.42	4.3052
	22	trans-1,2-Dichloroethene	0.536	0.534	0.472	0.542	0.468	0.442	0.442	0.426	0.429	0.477	10.07	4.3696
	23	Isopropyl ether (DIPE)	1.738	1.638	1.535	1.682	1.513	1.489	1.394	1.379	1.317	1.520	9.47	4.4601
	24	Vinyl acetate	0.905	0.932	0.893	0.899	0.928	0.816	0.810	0.820	0.793	0.866	6.41	4.5457
	25	1,1-Dichloroethane	1.123	1.084	0.958	1.041	0.935	0.964	0.901	0.851	0.823	0.965	10.57	4.6338
	26	tert-Butyl ethyl ether (ETBE)	2.025	2.049	1.829	2.024	1.854	1.711	1.759	1.666	1.701	1.846	8.21	4.7328
5	27	2-Butanone	-----	0.059	0.048	0.048	0.049	0.043	0.043	0.042	0.042	0.047	12.56	4.8539
10	28	Propionitrile	0.067	0.061	0.059	0.057	0.053	0.051	0.051	0.048	0.050	0.055	11.17	4.9101
70	29	Isobutyl alcohol	-----	0.024	0.020	0.019	0.020	0.018	0.019	0.017	------	0.020	12.47	5.0299
	30	2,2-Dichloropropane	1.070	1.031	0.913	1.100	0.993	0.952	0.921	0.878	0.831	0.966	9.30	5.0202
10	31	Methacrylonitrile	0.105	0.103	0.092	0.099	0.089	0.088	0.084	0.080	0.076	0.091	11.02	5.0568
	32	cis-1,2-Dichloroethene	0.592	0.622	0.541	0.585	0.519	0.520	0.508	0.491	0.507	0.543	8.40	5.0630
	33	Chloroform	1.500	1.398	1.172	1.238	1.117	1.090	1.041	1.012	------	1.196	14.51	5.1730
	34	Bromochloromethane	0.354	0.366	0.325	0.348	0.326	0.321	0.296	0.275	0.259	0.319	11.29	5.3271
	35	Tetrahydrofuran	------	0.140	0.129	0.132	0.124	0.122	0.118	0.116	----	0.126	6.67	5.3192
	36	Dibromofluoromethane	0.677	0.642	0.571	0.613	0.624	0.588	0.573	------	------	0.612	6.30	5.3381
	37	1,1,1-Trichloroethane	1.193	1.165	1.010	1.192	1.074	1.094	1.020	0.999	0.960	1.079	8.19	5.4971
	38	Cyclohexane	0.684	0.625	0.466	0.628	0.461	0.515	0.544	0.500	0.528	0.550	14.22	5.5484
	39	tert-Amyl methyl ether (TAME)	0.340	0.348	0.314	0.372	0.345	0.297	0.329	0.313	0.306	0.329	7.33	5.6144
	40	1,1-Dichloropropene	0.262	0.251	0.222	0.266	0.242	0.218	0.228	0.219	0.217	0.236	8.29	5.6132
	41	1,2-Dichloroethane-d4	0.972	0.902	0.780	0.802	0.781	0.709	0.720	------	------	0.809	11.80	5.7233
	42	Carbon tetrachloride	0.945	0.992	0.834	1.044	0.930	0.901	0.890	0.840	0.838	0.913	8.01	5.7343
	43	1,2-Dichloroethane	1.036	1.026	0.936	1.027	0.937	0.846	0.859	0.810	0.796	0.919	10.41	5.8003
	44	Benzene	2.100	2.054	1.772	1.904	1.819	1.719	1.753	1.684	1.662	1.830	8.64	5.8663
	45	Trichloroethene	0.573	0.564	0.468	0.553	0.494	0.496	0.481	0.460	0.468	0.505	9.09	6.3714
	46	Methyl methacrylate	0.521	0.497	0.421	0.494	0.427	0.401	0.430	0.422	0.415	0.448	9.77	6.4386
	47	Methylcyclohexane	------	0.701	0.528	0.712	0.530	0.546	0.606	0.586	0.600	0.601	11.92	6.4537
	48	1,2-Dichloropropane	0.559	0.532	0.465	0.483	0.464	0.418	0.437	0.427	0.418	0.467	10.74	6.5266
20	49	1,4-Dioxane	-----	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	50	Bromodichloromethane	------	1.077	0.909	0.968	0.886	0.841	0.821	0.796	0.773	0.884	11.38	6.7687
	51	Dibromomethane	0.454	0.430	0.373	0.417	0.371	0.368	0.349	0.344	0.315	0.380	11.79	6.8568
	52	2-Chloroethyl vinyl ether	0.233	0.250	0.232	0.253	0.238	0.229	0.224	0.216	0.206	0.231	6.45	6.9338
5	53	4-Methyl-2-pentanone	0.591	0.572	0.496	0.557	0.534	0.467	0.473	0.467	0.447	0.512	10.35	6.9571
	54	cis-1,3-Dichloropropene	0.921	0.873	0.791	0.882	0.822	0.782	0.775	0.759	0.743	0.817	7.57	7.2750
	55	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	0	9.5641
	56	Toluene-d8	------	2.328	1.900	1.960	2.006	1.860	1.868	------	------	1.987	8.88	7.5941
	57	Ethyl methacrylate	0.687	0.714	0.662	0.753	0.707	0.647	0.685	0.635	0.651	0.682	5.59	7.6932
	58	Toluene	2.522	2.598	2.196	2.483	2.250	2.053	2.185	2.012	2.114	2.268	9.46	7.6932
	59	trans-1,3-Dichloropropene	1.019	1.031	0.921	1.072	0.988	0.969	0.957	0.878	0.899	0.970	6.61	7.8143
5	60	2-Hexanone	0.494	0.448	0.391	0.437	0.433	0.389	0.385	0.352	0.362	0.410	11.13	7.9378
	61	1,1,2-Trichloroethane	0.616	0.606	0.548	0.580	0.535	0.538	0.494	0.461	0.466	0.538	10.51	8.0454
	62	1,3-Dichloropropane	0.881	0.932	0.787	0.866	0.785	0.770	0.765	0.707	0.701	0.799	9.83	8.3535
	63	Tetrachloroethene	0.591	0.595	0.434	0.529	0.477	0.495	0.463	0.431	0.448	0.496	12.71	8.5088
	64	Dibromochloromethane	------	1.038	0.826	0.858	0.788	0.824	0.742	0.693	0.690	0.807	13.87	8.7827
	65	1,2-Dibromoethane	0.651	0.619	0.556	0.621	0.592	0.594	0.549	0.522	0.516	0.580	8.08	9.0688
	66	1-Chlorohexane	0.844	0.848	0.651	0.843	0.747	0.751	0.722	0.671	0.677	0.751	10.45	9.1239
	67	Chlorobenzene	1.802	1.685	1.395	1.599	1.466	1.486	1.389	1.323	1.338	1.490	11.00	9.6191
	68	1,1,1,2-Tetrachloroethane	0.713	0.709	0.595	0.685	0.647	0.654	0.606	0.565	0.563	0.637	9.12	9.6460
	69	Ethylbenzene	3.192	3.179	2.449	2.920	2.662	2.734	2.599	2.475	2.468	2.742	10.66	9.6411
2	70	m-Xylene & p-Xylene	2.549	2.503	1.987	2.323	2.078	2.117	2.094	------	------	2.236	9.97	9.7496
	71	o-Xylene	2.536	2.361	1.926	2.321	2.112	1.978	2.058	1.894	1.863	2.117	11.21	10.4127
	72	Styrene	1.648	1.724	1.354	1.615	1.493	1.415	1.441	1.328	1.303	1.480	10.19	10.4580
	73	Isopropylbenzene	2.835	2.946	2.240	2.644	2.424	2.142	2.250	2.149	2.077	2.412	13.33	10.9397
	74	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	0	13.8891
	75	Bromoform	1.246	1.192	1.112	1.177	1.072	1.033	1.055	0.974	0.962	1.091	9.03	11.0608
	76	1,1,2,2-Tetrachloroethane	1.731	1.658	1.370	1.490	1.349	1.248	1.296	1.218	1.184	1.394	13.93	11.2026
	77	4-Bromofluorobenzene	------	1.901	1.601	1.620	1.559	1.327	1.516	------	------	1.587	11.73	11.3689
	78	1,2,3-Trichloropropane	0.441	0.449	0.384	0.439	0.374	0.344	0.366	0.344	0.322	0.385	12.26	11.4460
	79	trans-1,4-Dichloro 2-butene	0.345	0.390	0.351	0.456	0.395	0.395	0.414	0.380	0.379	0.389	8.47	11.5132
	80	n-Propylbenzene	7.684	7.739	5.851	7.164	6.006	5.607	5.968	5.582	5.465	6.341	14.55	11.5780
	81	Bromobenzene	1.646	1.681	1.348	1.563	1.386	1.206	1.293	1.208	1.192	1.392	13.87	11.7321
	82	1,3,5-Trimethylbenzene	5.366	5.227	4.073	4.881	4.205	3.892	4.064	3.785	3.738	4.359	14.43	11.8287
	83	2-Chlorotoluene	------	4.800	3.579	4.665	3.673	3.653	3.858	3.598	3.483	3.914	13.23	11.9192
	84	4-Chlorotoluene	4.791	5.151	3.841	3.940	3.868	2.881	3.359	3.161	3.176	3.796	20.12	11.9764
	85	tert-Butylbenzene	0.747	0.829	0.605	0.740	0.648	0.561	0.592	------	------	0.675	14.63	12.4081
	86	1,2,4-Trimethylbenzene	5.058	5.235	4.012	4.761	4.182	3.747	3.973	3.721	3.680	4.263	14.07	12.4780
	87	sec-Butylbenzene	------	6.256	4.523	5.517	4.832	4.450	4.638	4.362	------	4.940	14.11	12.7493
	88	p-Isopropyltoluene	5.045	5.046	3.819	4.703	3.968	3.664	3.821	3.689	3.551	4.145	14.69	12.9549
	89	1,3-Dichlorobenzene	3.020	2.992	2.191	2.485	2.182	2.011	2.088	1.908	1.849	2.303	19.08	13.1652
	90	1,2,3-Trimethylbenzene	4.849	5.175	3.973	4.777	4.170	3.766	3.928	3.729	3.652	4.224	13.33	13.2545
	91	1,4-Dichlorobenzene	3.022	3.108	2.117	2.540	2.221	2.073	2.138	1.953	1.965	2.349	18.81	13.3278
	92	n-Butylbenzene	4.979	4.820	3.500	4.168	3.792	3.621	3.712	3.405	3.483	3.942	14.93	13.6140
	93	1,2-Dichlorobenzene	------	2.697	2.183	2.392	2.013	1.895	1.926	------	------	2.184	14.28	13.9331
	94	1,2-Dibromo-3-chloropropane	0.324	0.328	0.262	0.286	0.265	0.273	0.269	0.273	0.271	0.283	8.87	15.1339
	95	1,2,4-Trichlorobenzene	2.154	2.073	1.549	1.477	1.289	1.277	1.274	1.228	1.317	1.493	24.05	16.4643
	96	Hexachlorobutadiene	------	0.968	0.705	0.840	0.750	0.697	0.696	0.668	0.717	0.755	13.33	16.6624
	97	Naphthalene	------	4.357	3.062	3.424	3.316	3.128	3.237	3.113	3.378	3.377	12.35	16.8715
	98	1,2,3-Trichlorobenzene	2.077	1.941	1.298	1.377	1.232	1.225	1.192	1.180	1.249	1.419	24.06	17.2310

Spike Amount = Nominal Amount * M
Ave_%RSD : 11.8 Max_%RSD : 42.2

Use Least Square Linear Regression with weighting factor of inverse concentration for comps with %_RSD > 15
Resp_Ratio = X0 + X1 * Amt_Ratio

IDX	Parameter	X0	X1	CCF
11	Acetone	0.05832	0.11706	0.9992
16	Iodomethane	-0.01397	0.48870	0.9969
18	Methylene chloride	0.04858	0.59178	0.9974
84	4-Chlorotoluene	0.14395	3.17771	0.9987
89	1,3-Dichlorobenzene	0.09201	1.90749	0.9986
91	1,4-Dichlorobenzene	0.08306	1.99157	0.9991
95	1,2,4-Trichlorobenzene	0.04972	1.27956	0.9993
98	1,2,3-Trichlorobenzene	0.04722	1.21614	0.9995

5/24/24

INITIAL_CALIBRATION - RELATIVE_RESPONSE_FACTOR(%REC)

Instrument ID :E2
Beginning DateTime :05/17/24 12:33
Spike Units :PPB
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
Ending DateTime :05/17/24 15:44
HPChem Method :VOE2B17

M	IDX	Parameters	.5 12:33 REG118	1 12:57 REG119	2 13:21 REG120	5 13:45 REG121	10 14:09 REG122	30 14:33 REG123	50 14:57 REG124	100 15:21 REG125	200 15:44 REG126	AvDRec	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	0	5.9874
	2	Dichlorodifluoromethane	108	111	101	88	89	106	99	101	97	6	8.06	2.7078
	3	Chloromethane	128	113	105	93	91	92	89	93	97	10.2	13.00	2.9059
	4	Vinyl chloride	96	113	106	86	96	101	103	103	95	5.8	7.58	2.9903
	5	Bromomethane	118	111	99	91	83	91	95	101	112	9.3	11.62	3.3131
	6	Dichlorofluoromethane	108	109	98	111	100	103	94	91	87	6.9	8.41	3.3523
	7	Chloroethane	104	120	101	92	96	103	96	97	91	6.3	8.74	3.3461
	8	Trichlorofluoromethane	110	105	100	87	92	106	101	102	97	5.4	7.24	3.5112
5	9	Acrolein	114	117	97	108	98	92	91	92	91	8.5	10.21	3.7423
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	120	104	91	112	96	98	96	93	90	7.9	10.04	3.7521
5	11	Acetone	78	105	105	107	107	97	99	------	------	31.9	42.17	3.7690
25	12	tert-Butyl alcohol	123	115	103	93	100	92	93	90	89	9.3	11.83	3.8744
	13	1,1-Dichloroethene	109	109	97	113	99	101	91	92	89	6.8	8.46	3.9025
10	14	Acetonitrile	------	123	103	100	103	87	90	------	------	8.9	12.37	3.8744
	15	Allyl chloride	111	114	96	112	101	102	94	86	82	9.1	11.27	4.1055
	16	Iodomethane	126	92	78	89	91	116	109	104	94	18.1	22.23	4.1434
	17	Methyl acetate	------	121	100	102	101	87	90	------	------	7.9	12.15	4.0285
	18	Methylene chloride	26	103	116	128	115	115	102	100	96	22.1	26.33	4.1825
5	19	Acrylonitrile	125	110	96	103	105	93	89	90	91	9.3	11.69	4.2156
	20	tert-Butyl methyl ether (MTBE)	113	107	101	107	101	97	92	91	90	6.4	7.94	4.2266
	21	Carbon disulfide	116	109	94	89	100	98	94	------	------	7.2	9.42	4.3052
	22	trans-1,2-Dichloroethene	112	112	99	114	98	93	93	89	90	8.5	10.07	4.3696
	23	Isopropyl ether (DIPE)	114	108	101	111	100	98	92	91	87	7.5	9.47	4.4601
	24	Vinyl acetate	105	108	103	104	107	94	94	95	92	5.8	6.41	4.5457
	25	1,1-Dichloroethane	116	112	99	108	97	100	93	88	85	8.2	10.57	4.6338
	26	tert-Butyl ethyl ether (ETBE)	110	111	99	110	100	93	95	90	92	6.8	8.21	4.7328
5	27	2-Butanone	------	126	102	102	104	91	91	89	89	9	12.56	4.8539
10	28	Propionitrile	122	111	107	104	96	93	93	87	91	9.3	11.17	4.9101
20	29	Isobutyl alcohol	------	120	100	95	100	90	95	85	------	7.9	12.47	5.0299
	30	2,2-Dichloropropane	111	107	95	114	103	99	95	91	86	7.6	9.30	5.0202
10	31	Methacrylonitrile	115	113	101	109	98	97	92	88	84	8.9	11.02	5.0568
	32	cis-1,2-Dichloroethene	109	115	100	108	96	96	94	90	93	7	8.40	5.0630
	33	Chloroform	125	117	98	104	93	91	87	85	------	11.5	14.51	5.1730
	34	Bromochloromethane	111	115	102	109	102	101	93	86	81	8.8	11.29	5.3271
	35	Tetrahydrofuran	------	111	102	105	98	97	94	92	------	5.3	6.67	5.3192
	36	Dibromofluoromethane	111	105	93	100	102	96	94	------	------	4.9	6.30	5.3381
	37	1,1,1-Trichloroethane	111	108	94	110	100	101	95	93	89	6.8	8.19	5.4971
	38	Cyclohexane	124	114	85	114	84	94	99	91	96	11.6	14.22	5.5484
	39	tert-Amyl methyl ether (TAME)	103	106	95	113	105	90	100	95	93	5.9	7.33	5.6144
	40	1,1-Dichloropropene	111	106	94	113	103	92	97	93	92	7.2	8.29	5.6132
	41	1,2-Dichloroethane-d4	120	111	96	99	97	88	89	------	------	9	11.80	5.7233
	42	Carbon tetrachloride	104	109	91	114	102	99	97	92	92	6.3	8.01	5.7343
	43	1,2-Dichloroethane	113	112	102	112	102	92	93	88	87	8.9	10.41	5.8003
	44	Benzene	115	112	97	104	99	94	96	92	91	6.9	8.64	5.8663
	45	Trichloroethene	113	112	91	110	98	98	95	91	93	7.7	9.09	6.3714
	46	Methyl methacrylate	116	111	94	110	95	90	96	94	93	8.4	9.77	6.4386
	47	Methylcyclohexane	------	117	88	118	88	91	101	98	100	9	11.92	6.4537
	48	1,2-Dichloropropane	120	114	100	103	99	90	94	91	90	8.2	10.74	6.5266
20	49	1,4-Dioxane	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	50	Bromodichloromethane	------	122	103	110	100	95	93	90	87	8.6	11.38	6.7687
	51	Dibromomethane	119	113	98	110	98	97	92	91	83	9.4	11.79	6.8568
	52	2-Chloroethyl vinyl ether	101	108	100	110	103	99	97	94	89	4.8	6.45	6.9338
5	53	4-Methyl-2-pentanone	115	112	97	109	104	91	92	91	87	9	10.35	6.9571
	54	cis-1,3-Dichloropropene	113	107	97	108	101	96	95	93	91	6.3	7.57	7.2750
	55	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	0	9.5641
	56	Toluene-d8	------	117	96	99	101	94	94	------	------	6	8.88	7.5941
	57	Ethyl methacrylate	101	105	97	110	104	95	100	93	95	4.4	5.59	7.6932
	58	Toluene	111	115	97	109	99	91	96	89	93	7.8	9.46	7.6932
	59	trans-1,3-Dichloropropene	105	106	95	111	102	100	99	91	93	5.2	6.61	7.8143
5	60	2-Hexanone	120	109	95	107	106	95	94	86	88	9.3	11.13	7.9378
	61	1,1,2-Trichloroethane	114	113	102	108	99	100	92	86	87	8.1	10.51	8.0454
	62	1,3-Dichloropropane	110	117	98	108	98	96	96	88	88	7.8	9.83	8.3535
	63	Tetrachloroethene	119	120	88	107	96	100	93	87	90	10.2	12.71	8.5088
	64	Dibromochloromethane	------	129	102	106	98	102	92	86	86	9.8	13.87	8.7827
	65	1,2-Dibromoethane	112	107	96	107	102	102	95	90	89	6.8	8.08	9.0688
	66	1-Chlorohexane	112	113	87	112	99	100	96	89	90	8.4	10.45	9.1239
	67	Chlorobenzene	120	112	93	107	98	99	93	88	89	8.8	11.00	9.6191
	68	1,1,1,2-Tetrachloroethane	112	111	93	108	102	103	95	89	88	7.7	9.12	9.6460
	69	Ethylbenzene	116	116	89	106	97	100	95	90	90	8.6	10.66	9.6411
2	70	m-Xylene & p-Xylene	114	112	89	104	93	95	94	------	------	8.5	9.97	9.7496
	71	o-Xylene	120	112	91	110	100	93	97	89	88	9.1	11.21	10.4127
	72	Styrene	111	116	91	109	101	96	97	90	88	8.4	10.19	10.4580
	73	Isopropylbenzene	118	122	93	110	100	89	93	89	86	11.1	13.33	10.9397
	74	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	0	13.8891
	75	Bromoform	114	109	102	108	98	95	97	89	88	7.4	9.03	11.0608
	76	1,1,2,2-Tetrachloroethane	124	119	98	107	97	90	93	87	85	11.1	13.93	11.2026
	77	4-Bromofluorobenzene	------	120	101	102	98	84	96	------	------	7.6	11.73	11.3689
	78	1,2,3-Trichloropropane	115	117	100	114	97	89	95	89	84	10.1	12.26	11.4460
	79	trans-1,4-Dichloro-2-butene	89	100	90	117	102	102	106	98	97	5.9	8.47	11.5132
	80	n-Propylbenzene	121	122	92	113	95	88	94	88	86	12.5	14.55	11.5780
	81	Bromobenzene	118	121	97	112	100	87	93	87	86	11.4	13.87	11.7321
	82	1,3,5-Trimethylbenzene	123	120	93	112	96	89	93	87	86	12.2	14.43	11.8287
	83	2-Chlorotoluene	------	123	91	119	94	93	99	92	89	10.5	13.23	11.9192
	84	4-Chlorotoluene	60	117	98	115	117	89	105	99	100	15.3	20.12	11.9754
	85	tert-Butylbenzene	111	123	90	110	96	83	88	------	------	12.4	14.63	12.4081
	86	1,2,4-Trimethylbenzene	119	123	94	112	98	88	93	87	86	11.8	14.07	12.4780
	87	sec-Butylbenzene	------	127	92	112	98	90	94	88	------	11	14.11	12.7493
	88	p-Isopropyltoluene	122	122	92	113	96	88	92	89	86	12.6	14.69	12.9549
	89	1,3-Dichlorobenzene	62	109	90	120	110	104	108	100	97	15.3	19.08	13.1652
	90	1,2,3-Trimethylbenzene	115	123	94	113	99	89	93	88	86	11.2	13.33	13.2545
	91	1,4-Dichlorobenzene	126	114	86	119	107	103	106	98	98	15.4	18.81	13.3278
	92	n-Butylbenzene	126	122	89	106	96	92	94	86	88	12.1	14.93	13.6140
	93	1,2-Dichlorobenzene	------	123	100	110	92	87	88	------	------	11	14.28	13.9331
	94	1,2-Dibromo-3-chloropropane	114	116	93	101	94	96	95	96	96	6.8	8.87	15.1339
	95	1,2,4-Trichlorobenzene	90	123	86	108	97	98	99	90	103	18.5	24.05	16.4643
	96	Hexachlorobutadiene	------	128	93	111	99	92	92	88	95	9.9	13.33	16.6624
	97	Naphthalene	------	129	91	101	98	93	96	92	100	7.6	12.35	16.8715
	98	1,2,3-Trichlorobenzene	94	121	88	105	97	97	97	97	102	18.5	24.06	17.2310

For 8260C
SCL
5/24/24

Compound List Report E2

Method Path : C:\MSDCHEM\1\METHODS\
Method File : VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024
Response Via : Initial Calibration

Total Cpnds : 98

PK#		Compound Name	QIon	Exp_RT	Rel_RT	Cal	#Qual	A/H	ID
1	I	1,4-DIFLUOROBENZENE	114	5.987	1.000	A	1	A	B
2	T	Dichlorodifluoromethane	85	2.708	0.452	A	1	A	B
3	T	Chloromethane	50	2.906	0.485	A	1	A	B
4	T	Vinyl chloride	62	2.994	0.500	A	1	A	B
5	T	Bromomethane	94	3.313	0.553	A	1	A	B
6	T	Dichlorofluoromethane	67	3.357	0.561	A	1	A	B
7	T	Chloroethane	64	3.346	0.559	A	1	A	B
8	T	Trichlorofluoromethane	101	3.511	0.586	A	1	A	B
9	T	Acrolein	56	3.742	0.625	A	1	A	B
10	T	1,1,2-Trichloro-1,2,2-Trifl...	151	3.753	0.627	A	1	A	B
11	T	Acetone	43	3.764	0.629	L	1	A	B
12	T	tert-Butyl alcohol	59	3.874	0.647	A	1	A	B
13	T	1,1-Dichloroethene	61	3.908	0.653	A	2	A	B
14	T	Acetonitrile	41	3.874	0.647	A	1	A	B
15	T	Allyl chloride	76	4.106	0.686	A	1	A	B
16	T	Iodomethane	142	4.150	0.693	L	1	A	B
17	T	Methyl acetate	43	4.029	0.673	A	1	A	B
18	T	Methylene chloride	49	4.183	0.699	L	2	A	B
19	T	Acrylonitrile	53	4.216	0.704	A	2	A	B
20	T	tert-Butyl methyl ether (MTBE)	73	4.227	0.706	A	1	A	B
21	T	Carbon disulfide	76	4.304	0.719	A	1	A	B
22	T	trans-1,2-Dichloroethene	96	4.370	0.730	A	1	A	B
23	T	Isopropyl ether (DIPE)	45	4.458	0.745	A	1	A	B
24	T	Vinyl acetate	43	4.546	0.759	A	1	A	B
25	T	1,1-Dichloroethane	63	4.634	0.774	A	2	A	B
26	T	tert-Butyl ethyl ether (ETBE)	59	4.733	0.791	A	1	A	B
27	T	2-Butanone	72	4.854	0.811	A	1	A	B
28	T	Propionitrile	54	4.909	0.820	A	1	A	B
29	T	Isobutyl alcohol	43	5.030	0.840	A	1	A	B
30	T	2,2-Dichloropropane	77	5.019	0.838	A	2	A	B
31	T	Methacrylonitrile	52	5.052	0.844	A	1	A	B
32	T	cis-1,2-Dichloroethene	96	5.063	0.846	A	1	A	B
33	T	Chloroform	83	5.173	0.864	A	2	A	B
34	T	Bromochloromethane	130	5.327	0.890	A	1	A	B
35	T	Tetrahydrofuran	42	5.327	0.890	A	2	A	B
36	S	Dibromofluoromethane	111	5.338	0.892	A	1	A	B
37	T	1,1,1-Trichloroethane	97	5.492	0.917	A	2	A	B
38	T	Cyclohexane	84	5.547	0.927	A	1	A	B
39	T	tert-Amyl methyl ether (TAME)	87	5.613	0.938	A	1	A	B
40	T	1,1-Dichloropropene	110	5.613	0.938	A	1	A	B
41	S	1,2-Dichloroethane-d4	65	5.723	0.956	A	1	A	B
42	T	Carbon tetrachloride	119	5.734	0.958	A	1	A	B
43	T	1,2-Dichloroethane	62	5.800	0.969	A	1	A	B
44	T	Benzene	78	5.866	0.980	A	2	A	B
45	T	Trichloroethene	130	6.373	1.064	A	3	A	B
46	T	Methyl methacrylate	69	6.439	1.075	A	1	A	B
47	T	Methylcyclohexane	83	6.450	1.077	A	2	A	B
48	T	1,2-Dichloropropane	63	6.527	1.090	A	1	A	B
49	T	1,4-Dioxane	88	6.725	1.123	A	1	A	B
50	T	Bromodichloromethane	83	6.769	1.131	A	1	A	B
51	T	Dibromomethane	93	6.857	1.145	A	2	A	B
52	T	2-Chloroethyl vinyl ether	63	6.934	1.158	A	1	A	B
53	T	4-Methyl-2-pentanone	43	6.956	1.162	A	3	A	B
54	T	cis-1,3-Dichloropropene	75	7.275	1.215	A	3	A	B
55	I	CHLOROBENZENE-D5	117	9.564	1.000	A	2	A	B

5/24/24

56	S	Toluene-d8	98	7.594	0.794	A	1	A	B
57	T	Ethyl methacrylate	69	7.693	0.804	A	1	A	B
58	T	Toluene	91	7.693	0.804	A	1	A	B
59	T	trans-1,3-Dichloropropene	75	7.814	0.817	A	1	A	B
60	T	2-Hexanone	43	7.935	0.830	A	1	A	B
61	T	1,1,2-Trichloroethane	97	8.045	0.841	A	2	A	B
62	T	1,3-Dichloropropane	76	8.354	0.873	A	1	A	B
63	T	Tetrachloroethene	164	8.508	0.890	A	3	A	B
64	T	Dibromochloromethane	129	8.783	0.918	A	1	A	B
65	T	1,2-Dibromoethane	107	9.069	0.948	A	1	A	B
66	T	1-Chlorohexane	91	9.124	0.954	A	1	A	B
67	T	Chlorobenzene	112	9.619	1.006	A	1	A	B
68	T	1,1,1,2-Tetrachloroethane	131	9.652	1.009	A	1	A	B
69	T	Ethylbenzene	91	9.641	1.008	A	1	A	B
70	T	m-Xylene & p-Xylene	91	9.740	1.018	A	1	A	B
71	T	o-Xylene	91	10.412	1.089	A	1	A	B
72	T	Styrene	104	10.456	1.093	A	2	A	B
73	T	Isopropylbenzene	105	10.940	1.144	A	3	A	B
74	I	1,2-DICHLOROBENZENE-D4	152	13.889	1.000	A	1	A	B
75	T	Bromoform	173	11.061	0.796	A	2	A	B
76	T	1,1,2,2-Tetrachloroethane	83	11.204	0.807	A	1	A	B
77	S	4-Bromofluorobenzene	95	11.369	0.819	A	2	A	B
78	T	1,2,3-Trichloropropane	110	11.446	0.824	A	1	A	B
79	T	trans-1,4-Dichloro-2-butene	53	11.512	0.829	A	1	A	B
80	T	n-Propylbenzene	91	11.578	0.834	A	2	A	B
81	T	Bromobenzene	156	11.732	0.845	A	1	A	B
82	T	1,3,5-Trimethylbenzene	105	11.831	0.852	A	2	A	B
83	T	2-Chlorotoluene	91	11.919	0.858	A	1	A	B
84	T	4-Chlorotoluene	91	11.974	0.862	L	1	A	B
85	T	tert-Butylbenzene	134	12.415	0.894	A	1	A	B
86	T	1,2,4-Trimethylbenzene	105	12.470	0.898	A	1	A	B
87	T	sec-Butylbenzene	105	12.745	0.918	A	1	A	B
88	T	p-Isopropyltoluene	119	12.954	0.933	A	2	A	B
89	T	1,3-Dichlorobenzene	146	13.163	0.948	L	2	A	B
90	T	1,2,3-Trimethylbenzene	105	13.251	0.954	A	2	A	B
91	T	1,4-Dichlorobenzene	146	13.328	0.960	L	2	A	B
92	T	n-Butylbenzene	91	13.614	0.980	A	2	A	B
93	T	1,2-Dichlorobenzene	146	13.933	1.003	A	1	A	B
94	T	1,2-Dibromo-3-chloropropane	157	15.133	1.090	A	1	A	B
95	T	1,2,4-Trichlorobenzene	180	16.464	1.185	L	2	A	B
96	T	Hexachlorobutadiene	225	16.663	1.200	A	2	A	B
97	T	Naphthalene	128	16.872	1.215	A	1	A	B
98	T	1,2,3-Trichlorobenzene	180	17.224	1.240	L	2	A	B

Cal A = Average L = Linear LO = Linear w/origin Q = Quad QO = Quad w/origin
#Qual = number of qualifiers
A/H = Area or Height
ID R = R.T. B = R.T. & Q Q = Qvalue L = Largest A = All

VOE2E17.M Tue May 21 20:46:28 2024

5/24/24

SECOND SOURCE VERIFICATION

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: REG130 BFB Injection Date: 05/18/24

Instrument ID: E2 BFB Injection Time: 09:16

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	19.254
75	30 - 60% of mass 95	50.320
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.311
173	Less than 2% of mass 174	0.512(.61)1
174	Greater than 50% of mass 95	84.221
175	5 - 9% of mass 174	6.661(7.91)1
176	95 - 101% % of mass 174	81.783(97.11)1
177	5 - 9% % of mass 176	6.306(7.71)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	IVOE2E1702	REG131	05/18/24	09:57

5/24/24

CONTINUE_CALIBRATION - CALIBRATION VERIFICATION

Instrument ID :E2
IC Beginning DateTime :05/17/24 12:33
Spike Amount :10 PPB
CC/CV File :REG131
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
IC Ending DateTime :05/17/24 15:44
HSChem Method :VOE2R27
Date Time :05/10/24 09:57

M	IDX	Parameters	CC_Con	CC%_D	CC_Resp	CCRRF	AvRRF	CC_RTm	AvRTm	%_RSD	Co_X0	Co_X1	Co_X2	Co_Cor
	1	1,4-DIFLUOROBENZENE	10.000	0	647637	1	1	5.988	5.987	0				
	2	Dichlorodifluoromethane	10.420	4.2	387316	0.598	0.574	2.708	2.708	8.06				
	3	Chloromethane	10.034	0.3	267638	0.413	0.412	2.906	2.906	13.00				
	4	Vinyl chloride	10.450	4.5	294360	0.455	0.435	2.994	2.990	7.58				
	5	Bromomethane	10.726	7.3	204345	0.316	0.294	3.313	3.313	11.62				
	6	Dichlorofluoromethane	9.831	-1.7	632775	0.977	0.994	3.357	3.352	8.41				
	7	Chloroethane	11.738	17.4	161985	0.250	0.213	3.346	3.346	8.74				
	8	Trichlorofluoromethane	10.360	3.6	655613	1.012	0.977	3.511	3.511	7.24				
5	9	Acrolein	53.498	7.0	225327	0.070	0.065	3.743	3.742	10.21				
	10	1,1,2 Trichloro-1,2,2-Trifluoroethane	9.863	-1.4	272122	0.420	0.426	3.753	3.752	10.04				
5	11	Acetone	55.179	10.4	456111	0.141	0.181	3.764	3.769	42.17	0.0583	0.1171		0.9992
25	12	Tert-Butyl alcohol	274.988	10.0	1082983	0.067	0.061	3.875	3.874	11.83				
	13	1,1-Dichloroethene	9.753	-2.5	564613	0.872	0.894	3.908	3.902	8.46				
10	14	Acetonitrile	109.003	9.0	213040	0.033	0.030	3.875	3.874	12.37				
	15	Allyl chloride	10.843	8.4	165769	0.256	0.236	4.106	4.106	11.27				
	16	Iodomethane	8.785	-12.2	268999	0.415	0.429	4.150	4.143	22.23	-0.0140	0.4887		0.9969
	17	Methyl acetate	10.001	0.0	219009	0.338	0.338	4.029	4.029	12.15				
	18	Methylene chloride	11.388	13.9	467946	0.723	0.801	4.183	4.182	26.33	0.0486	0.5918		0.9974
5	19	Acrylonitrile	52.272	4.5	508984	0.157	0.150	4.216	4.216	11.69				
	20	tert-Butyl methyl ether (MTBE)	10.647	6.5	1030417	1.591	1.494	4.227	4.227	7.94				
	21	Carbon disulfide	9.831	-1.7	872085	1.347	1.370	4.315	4.305	9.42				
	22	trans-1,2-Dichloroethene	10.193	1.9	314802	0.486	0.477	4.370	4.370	10.07				
	23	Isopropyl ether (DIPE)	10.521	5.2	1036035	1.600	1.520	4.469	4.460	9.47				
	24	Vinyl acetate	11.461	14.6	642883	0.993	0.866	4.546	4.546	6.41				
	25	1,1 Dichloroethane	9.919	-0.8	619716	0.957	0.965	4.634	4.634	10.57				
	26	tert-Butyl ethyl ether (ETBE)	10.432	4.3	1247585	1.926	1.846	4.733	4.733	8.21				
5	27	2-Butanone	54.888	9.8	166808	0.052	0.047	4.854	4.854	12.56				
10	28	Propionitrile	114.244	14.2	409063	0.063	0.055	4.909	4.910	11.17				
20	29	Isobutyl alcohol	228.221	14.1	288723	0.022	0.020	5.030	5.030	12.47				
	30	2,2-Dichloropropane	9.835	-1.6	615087	0.950	0.966	5.019	5.020	9.30				
10	31	Methacrylonitrile	106.760	6.8	627605	0.097	0.091	5.052	5.057	11.02				
	32	cis-1,2-Dichloroethene	10.190	1.9	358317	0.553	0.543	5.063	5.063	8.40				
	33	Chloroform	9.159	-8.4	709429	1.095	1.196	5.173	5.173	14.51				
	34	Bromochloromethane	10.418	4.2	215189	0.332	0.319	5.327	5.327	11.29				
	35	Tetrahydrofuran	11.049	10.5	90175	0.139	0.126	5.316	5.319	6.67				
	36	Dibromofluoromethane	9.254	-7.5	367086	0.567	0.612	5.338	5.338	6.30				
	37	1,1,1-Trichloroethane	9.563	-4.4	668020	1.031	1.079	5.503	5.497	8.19				
	38	Cyclohexane	10.101	1.0	359700	0.555	0.550	5.547	5.548	14.22				
	39	tert-Amyl methyl ether (TAME)	10.845	8.5	231432	0.357	0.329	5.613	5.614	7.33				
	40	1,1-Dichloropropene	9.880	-1.2	151104	0.233	0.236	5.613	5.613	8.29				
	41	1,2-Dichloroethane-d4	8.914	-10.9	467273	0.722	0.809	5.723	5.723	11.80				
	42	Carbon tetrachloride	9.430	-5.7	557403	0.861	0.913	5.734	5.734	8.01				
	43	1,2-Dichloroethane	9.596	-4.0	571321	0.882	0.919	5.800	5.800	10.41				
	44	Benzene	10.262	2.6	1216026	1.878	1.830	5.866	5.866	8.64				
	45	Trichloroethene	9.910	-0.9	324173	0.501	0.505	6.373	6.373	9.09				
	46	Methyl methacrylate	10.822	8.2	313684	0.484	0.448	6.439	6.439	9.77				
	47	Methylcyclohexane	10.456	4.6	407082	0.629	0.601	6.450	6.454	11.92				
	48	1,2-Dichloropropane	10.391	3.9	314276	0.485	0.467	6.527	6.527	10.74				
20	49	1,4-Dioxane												
	50	Bromodichloromethane	9.851	-1.5	563896	0.871	0.884	6.780	6.769	11.38				
	51	Dibromomethane	9.836	-1.6	242061	0.374	0.380	6.857	6.857	11.79				
	52	2-Chloroethyl vinyl ether	8.988	-10.1	134655	0.208	0.231	6.934	6.934	6.45				
5	53	4-Methyl-2-pentanone	51.435	2.9	1704193	0.526	0.512	6.956	6.957	10.35				
	54	cis-1,3-Dichloropropene	10.439	4.4	552132	0.853	0.817	7.275	7.275	7.57				
	55	CHLOROBENZENE-D5	10.000	0	555845	1	1	9.564	9.564	0				
	56	Toluene-d8	9.506	-4.9	1050036	1.889	1.987	7.594	7.594	8.88				
	57	Ethyl methacrylate	11.236	12.4	426233	0.767	0.682	7.693	7.693	5.59				
	58	Toluene	10.086	0.9	1271585	2.288	2.268	7.693	7.693	9.46				
	59	trans-1,3-Dichloropropene	10.278	2.8	554416	0.997	0.970	7.814	7.814	6.61				
5	60	2-Hexanone	50.761	1.5	3156980	0.416	0.410	7.946	7.938	11.13				
	61	1,1,2-Trichloroethane	10.111	1.1	302512	0.544	0.538	8.045	8.045	10.51				
	62	1,3-Dichloropropane	10.361	3.6	460356	0.828	0.799	8.354	8.354	9.83				
	63	Tetrachloroethene	9.524	-4.8	262477	0.472	0.496	8.519	8.509	12.71				
	64	Dibromochloromethane	9.409	-5.9	422250	0.760	0.807	8.783	8.783	13.87				
	65	1,2-Dibromoethane	10.137	1.4	326860	0.588	0.580	9.069	9.069	8.08				
	66	1-Chlorohexane	10.040	0.4	418878	0.754	0.751	9.124	9.124	10.45				
	67	Chlorobenzene	9.723	-2.8	809661	1.457	1.498	9.619	9.619	11.00				
	68	1,1,1,2-Tetrachloroethane	9.599	-4.0	340100	0.612	0.637	9.652	9.646	9.12				
	69	Ethylbenzene	9.758	-2.4	1487392	2.676	2.742	9.641	9.641	10.66				
2	70	m-Xylene & p-Xylene	18.880	-5.6	2346333	2.111	2.236	9.751	9.750	9.97				
	71	o Xylene	10.096	1.0	1187781	2.137	2.117	10.412	10.413	11.21				
	72	Styrene	10.151	1.5	835184	1.503	1.480	10.467	10.458	10.19				
	73	Isopropylbenzene	9.879	-1.2	1324380	2.383	2.412	10.940	10.940	13.33				
	74	1,2-DICHLOROBENZENE-D4	10.000	0	262396	1	1	13.889	13.889	0				
	75	Bromoform	9.959	-0.4	285204	1.087	1.091	11.061	11.061	9.03				
	76	1,1,2,2-Tetrachloroethane	10.875	8.8	397736	1.516	1.394	11.204	11.203	13.93				
	77	4-Bromofluorobenzene	10.006	0.1	416821	1.589	1.587	11.369	11.369	11.73				
	78	1,2,3-Trichloropropane	10.854	8.5	109593	0.418	0.385	11.446	11.446	12.26				
	79	trans 1,4-Dichloro-2-butene	11.666	16.7	119204	0.454	0.389	11.523	11.513	8.47				
	80	n-Propylbenzene	9.908	-0.9	1640572	6.283	6.341	11.578	11.578	14.55				
	81	Bromobenzene	10.166	1.7	371222	1.415	1.392	11.732	11.732	13.87				
	82	1,3,5-Trimethylbenzene	9.826	-1.7	1123998	4.284	4.359	11.031	11.029	14.43				
	83	2-Chlorotoluene	10.515	5.2	1079812	4.115	3.914	11.919	11.919	13.23				
	84	4-Chlorotoluene	11.112	11.1	964334	3.675	3.796	11.974	11.975	20.12	0.1440	3.1777		0.9987
	85	tert-Butylbenzene	9.977	-0.2	176618	0.673	0.675	12.415	12.408	14.63				
	86	1,2,4-Trimethylbenzene	10.070	0.7	1126508	4.293	4.263	12.481	12.478	14.07				
	87	sec-Butylbenzene	9.921	-0.8	1286003	4.901	4.940	12.756	12.749	14.11				
	88	p-Isopropyltoluene	9.947	-0.5	1081873	4.123	4.145	12.954	12.955	14.69				
	89	1,3-Dichlorobenzene	11.402	14.0	594859	2.267	2.303	13.174	13.165	19.08	0.0920	1.9075		0.9986
	90	1,2,3-Trimethylbenzene	10.087	0.9	1118089	4.261	4.224	13.262	13.255	13.33				
	91	1,4-Dichlorobenzene	11.077	10.8	600654	2.289	2.349	13.328	13.328	18.81	0.0831	1.9916		0.9991
	92	n-Butylbenzene	9.895	-1.0	1023631	3.901	3.942	13.614	13.614	14.93				
	93	1,2-Dichlorobenzene	9.725	-2.7	557437	2.124	2.184	13.933	13.933	14.28				
	94	1,2-Dibromo-3-chloropropane	10.796	8.0	80292	0.306	0.283	15.144	15.134	8.87				
	95	1,2,4-Trichlorobenzene	10.262	2.6	357605	1.363	1.493	16.475	16.464	24.05	0.0497	1.2796		0.9993
	96	Hexachlorobutadiene	10.669	6.7	211409	0.806	0.755	16.663	16.662	13.33				
	97	Naphthalene	10.446	4.5	925673	3.528	3.377	16.872	16.872	12.35				
	98	1,2,3-Trichlorobenzene	10.036	0.4	332666	1.268	1.419	17.235	17.231	24.06	0.0472	1.2161		0.9995

Spike Amount Nominal Amount * M

SM 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	10.000	10.000	0.0	134	0.00
2	T,M Dichlorodifluoromethane	10.000	10.421	-4.2	157	0.00
3	P,T,M Chloromethane	10.000	10.035	-0.4	148	0.00
4	C,T,M Vinyl chloride	10.000	10.451	-4.5	146	0.00
5	T,M Bromomethane	10.000	10.727	-7.3	173	0.00
6	T,M Dichlorofluoromethane	10.000	9.831	1.7	132	0.00
7	T,M Chloroethane	10.000	11.738	-17.4	164	0.00
8	T,M Trichlorofluoromethane	10.000	10.360	-3.6	151	0.00
9	T,M Acrolein	50.000	53.499	-7.0	146	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	10.000	9.863	1.4	137	0.00
11	T,M Acetone	50.000	55.179	-10.4	137	0.00
12	T,M tert-Butyl alcohol	250.000	274.989	-10.0	147	0.00
13	C,T,M 1,1-Dichloroethene	10.000	9.754	2.5	131	0.00
14	T,M Acetonitrile	100.000	109.003	-9.0	144	0.00
15	T,M Allyl chloride	10.000	10.844	-8.4	143	0.00
16	T,M Iodomethane	10.000	8.785	12.1	129	0.00
17	T,M Methyl acetate	10.000	10.001	-0.0	133	0.00
18	T,M Methylene chloride	10.000	11.389	-13.9	132	0.00
19	T,M Acrylonitrile	50.000	52.273	-4.5	133	0.00
20	T,M tert-Butyl methyl ether (MT	10.000	10.648	-6.5	142	0.00
21	T,M Carbon disulfide	10.000	9.831	1.7	131	0.01
22	T,M trans-1,2-Dichloroethene	10.000	10.193	-1.9	139	0.00
23	T,M Isopropyl ether (DIPE)	10.000	10.521	-5.2	142	0.01
24	T,M Vinyl acetate	10.000	11.462	-14.6	143	0.00
25	P,T,M 1,1-Dichloroethane	10.000	9.920	0.8	137	0.00
26	T,M tert-Butyl ethyl ether (ETB	10.000	10.433	-4.3	139	0.00
27	T,M 2-Butanone	50.000	54.888	-9.8	140	0.00
28	T,M Propionitrile	100.000	114.245	-14.2	158	0.00
29	T,M Isobutyl alcohol	200.000	228.222	-14.1	152	0.00
30	T,M 2,2-Dichloropropane	10.000	9.836	1.6	128	0.00
31	T,M Methacrylonitrile	100.000	106.760	-6.8	146	0.00
32	T,M cis-1,2-Dichloroethene	10.000	10.190	-1.9	143	0.00
33	C,T,M Chloroform	10.000	9.160	8.4	131	0.00
34	T,M Bromochloromethane	10.000	10.419	-4.2	136	0.00
35	T,M Tetrahydrofuran	10.000	11.050	-10.5	150	-0.01
36	S Dibromofluoromethane	10.000	9.254	7.5	122	0.00
37	T,M 1,1,1-Trichloroethane	10.000	9.563	4.4	129	0.01
38	T,M Cyclohexane	10.000	10.102	-1.0	161	0.00
39	T,M tert-Amyl methyl ether (TAM	10.000	10.845	-8.5	139	0.00
40	T,M 1,1-Dichloropropene	10.000	9.881	1.2	129	0.00
41	S 1,2-Dichloroethane-d4	10.000	8.915	10.9	124	0.00
42	T,M Carbon tetrachloride	10.000	9.430	5.7	124	0.00
43	T,M 1,2-Dichloroethane	10.000	9.596	4.0	126	0.00
44	T,M Benzene	10.000	10.262	-2.6	138	0.00
45	T,M Trichloroethene	10.000	9.910	0.9	136	0.00
46	T,M Methyl methacrylate	10.000	10.823	-8.2	152	0.00
47	T,M Methylcyclohexane	10.000	10.457	-4.6	159	0.00
48	C,T,M 1,2-Dichloropropane	10.000	10.391	-3.9	140	0.00
49	T,M 1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M Bromodichloromethane	10.000	9.851	1.5	132	0.01
51	T,M Dibromomethane	10.000	9.836	1.6	135	0.00

VOE2E17.M Tue May 21 21:07:18 2024 5/24/24 Page: 1

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	8.989	10.1	117	0.00
53	T,M	4-Methyl-2-pentanone	50.000	51.435	-2.9	132	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.440	-4.4	139	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	136	0.00
56	S	Toluene-d8	10.000	9.507	4.9	128	0.00
57	T,M	Ethyl methacrylate	10.000	11.236	-12.4	147	0.00
58	C,T,M	Toluene	10.000	10.087	-0.9	138	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	10.278	-2.8	137	0.00
60	T,M	2-Hexanone	50.000	50.761	-1.5	131	0.01
61	T,M	1,1,2-Trichloroethane	10.000	10.111	-1.1	138	0.00
62	T,M	1,3-Dichloropropane	10.000	10.361	-3.6	143	0.00
63	T,M	Tetrachloroethene	10.000	9.524	4.8	134	0.01
64	T,M	Dibromochloromethane	10.000	9.409	5.9	131	0.00
65	T,M	1,2-Dibromoethane	10.000	10.138	-1.4	135	0.00
66	T,M	1-Chlorohexane	10.000	10.040	-0.4	137	0.00
67	P,T,M	Chlorobenzene	10.000	9.724	2.8	135	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.599	4.0	128	0.00
69	C,T,M	Ethylbenzene	10.000	9.759	2.4	136	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.880	5.6	138	0.01
71	T,M	o-Xylene	10.000	10.096	-1.0	137	0.00
72	T,M	Styrene	10.000	10.152	-1.5	137	0.01
73	T,M	Isopropylbenzene	10.000	9.880	1.2	133	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	133	0.00
75	P,T,M	Bromoform	10.000	9.959	0.4	134	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.876	-8.8	149	0.00
77	S	4-Bromofluorobenzene	10.000	10.007	-0.1	135	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.854	-8.5	148	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	11.667	-16.7	152	0.01
80	T,M	n-Propylbenzene	10.000	9.909	0.9	139	0.00
81	T,M	Bromobenzene	10.000	10.166	-1.7	135	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.827	1.7	135	0.00
83	T,M	2-Chlorotoluene	10.000	10.515	-5.2	149	0.00
84	T,M	4-Chlorotoluene	10.000	11.112	-11.1	126	0.00
85	T,M	tert-Butylbenzene	10.000	9.977	0.2	138	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	10.070	-0.7	136	0.01
87	T,M	sec-Butylbenzene	10.000	9.921	0.8	134	0.01
88	T,M	p-Isopropyltoluene	10.000	9.947	0.5	138	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.403	-14.0	138	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	10.087	-0.9	135	0.01
91	T,M	1,4-Dichlorobenzene	10.000	11.077	-10.8	137	0.00
92	T,M	n-Butylbenzene	10.000	9.896	1.0	136	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.725	2.8	140	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	10.797	-8.0	153	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	10.262	-2.6	140	0.01
96	T,M	Hexachlorobutadiene	10.000	10.670	-6.7	142	0.00
97	T,M	Naphthalene	10.000	10.446	-4.5	141	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.037	-0.4	136	0.01

5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

SH 5/24/24

DAILY CALIBRATIONS

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F003
Lab File ID: RFG061 BFB Injection Date: 06/10/24
Instrument ID: E2 BFB Injection Time: 15:55

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.420
75	30 - 60% of mass 95	52.039
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	7.244
173	Less than 2% of mass 174	1.243(1.64)1
174	Greater than 50% of mass 95	75.606
175	5 - 9% of mass 174	5.475(7.24)1
176	95 - 101% % of mass 174	73.387(97.07)1
177	5 - 9% % of mass 176	4.772(6.5)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1706	RFG062	06/10/24	16:35
2	LCS1W	VOE2F03L	RFG063	06/10/24	17:13
3	LCD1W	VOE2F03C	RFG064	06/10/24	17:37
4	MBLK1W	VOE2F03B	RFG067	06/10/24	18:25
5	TB-1_MAY24	24F003-18	RFG073	06/10/24	20:48
6	TB-2_MAY24	24F003-19	RFG074	06/10/24	21:11
7	T1AMF-MW059-MAY24	24F003-01N	RFG075	06/10/24	21:35
8	T1AMF-MW044-MAY24	24F003-02N	RFG076	06/10/24	21:59
9	T1AMF-MW047-MAY24	24F003-03N	RFG077	06/10/24	22:23
10	T1AMF-MW046-MAY24	24F003-04N	RFG078	06/10/24	22:46
11	T1AMF-MW050-MAY24	24F003-05N	RFG079	06/10/24	23:10
12	T1AMF-MW052-MAY24	24F003-06N	RFG080	06/10/24	23:33
13	T1AMF-MW052-MAY24_FD	24F003-07N	RFG081	06/10/24	23:57
14	T1AMF-MW060-MAY24	24F003-08N	RFG082	06/11/24	00:20
15	T1AMF-MW017-MAY24	24F003-09N	RFG083	06/11/24	00:44
16	T1AMF-MW011-MAY24	24F003-10N	RFG084	06/11/24	01:08
17	T1AMF-MW016-MAY24	24F003-11	RFG085	06/11/24	01:32
18	T1AMF-MW016-MAY24_FD	24F003-12	RFG086	06/11/24	01:56
19	T1AMF-MW049-MAY24	24F003-13	RFG087	06/11/24	02:19
20	VSTD10	EVOE2E1706	RFG088	06/11/24	02:43

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F003
Date Analyzed: 05/17/24
Time Analyzed: 14:09

	INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
		Area #	RT #	Area #	RT #	Area #	RT #
	12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
	UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
	LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
		Area #	RT #	Area #	RT #	Area #	RT #
1	VSTD10	754319	5.99	601845	9.56	305181	13.89
2	LCS1W	792750	5.99	646227	9.56	321378	13.89
3	LCD1W	821664	5.99	645570	9.56	324769	13.89
4	MBLK1W	727124	5.99	552730	9.56	266282	13.89
5	TB-1_MAY24	558266	5.99	422620	9.56	206204	13.89
6	TB-2_MAY24	532753	5.99	414099	9.56	187690	13.89
7	T1AMF-MW059-MAY24	517077	5.99	404842	9.56	199904	13.89
8	T1AMF-MW044-MAY24	505402	5.99	390333	9.56	183981	13.89
9	T1AMF-MW047-MAY24	493646	5.99	384955	9.56	184007	13.89
10	T1AMF-MW046-MAY24	484255	5.99	379562	9.56	181666	13.89
11	T1AMF-MW050-MAY24	468785	5.99	377159	9.56	180466	13.89
12	T1AMF-MW052-MAY24	476344	5.99	367398	9.56	172504	13.89
13	T1AMF-MW052-MAY24_FD	466794	5.99	360921	9.56	173390	13.88
14	T1AMF-MW060-MAY24	482092	5.99	384233	9.56	184090	13.89
15	T1AMF-MW017-MAY24	468845	5.99	366412	9.56	177214	13.89
16	T1AMF-MW011-MAY24	457705	5.99	362030	9.56	168731	13.89
17	T1AMF-MW016-MAY24	457099	5.99	363853	9.56	174264	13.89
18	T1AMF-MW016-MAY24_FD	466426	5.99	362719	9.56	175336	13.89
19	T1AMF-MW049-MAY24	455017	5.99	364511	9.56	174043	13.89
20	VSTD10	493624	5.99	398955	9.56	221976	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	156	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.839	-8.4	190	0.00
3	P,T,M	Chloromethane	10.000	7.384	26.2#	127	0.00
4	C,T,M	Vinyl chloride	10.000	10.461	-4.6	171	0.00
5	T,M	Bromomethane	10.000	8.230	17.7	155	0.00
6	T,M	Dichlorofluoromethane	10.000	11.096	-11.0	174	0.00
7	T,M	Chloroethane	10.000	9.062	9.4	148	0.00
8	T,M	Trichlorofluoromethane	10.000	8.401	16.0	143	0.00
9	T,M	Acrolein	50.000	42.007	16.0	134	0.01
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	10.274	-2.7	167	0.00
11	T,M	Acetone	50.000	50.666	-1.3	148	0.01
12	T,M	tert-Butyl alcohol	250.000	250.165	-0.1	156	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.483	-4.8	164	0.00
14	T,M	Acetonitrile	100.000	105.761	-5.8	163	0.00
15	T,M	Allyl chloride	10.000	11.506	-15.1	177	0.00
16	T,M	Iodomethane	10.000	10.464	-4.6	180	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	10.912	-9.1	148	0.00
19	T,M	Acrylonitrile	50.000	43.827	12.3	130	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	11.065	-10.6	171	0.00
21	T,M	Carbon disulfide	10.000	10.264	-2.6	159	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	10.442	-4.4	166	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	10.383	-3.8	163	0.01
24	T,M	Vinyl acetate	10.000	5.910	40.9#	86	0.00
25	P,T,M	1,1-Dichloroethane	10.000	10.570	-5.7	170	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.692	3.1	150	0.00
27	T,M	2-Butanone	50.000	48.961	2.1	145	0.00
28	T,M	Propionitrile	100.000	102.751	-2.8	166	0.00
29	T,M	Isobutyl alcohol	200.000	206.376	-3.2	160	0.00
30	T,M	2,2-Dichloropropane	10.000	11.544	-15.4	175	0.01
31	T,M	Methacrylonitrile	100.000	101.779	-1.8	162	0.01
32	T,M	cis-1,2-Dichloroethene	10.000	10.795	-7.9	176	0.00
33	C,T,M	Chloroform	10.000	10.372	-3.7	173	0.00
34	T,M	Bromochloromethane	10.000	9.972	0.3	152	0.00
35	T,M	Tetrahydrofuran	10.000	9.418	5.8	149	0.00
36	S	Dibromofluoromethane	10.000	9.786	2.1	150	0.00
37	T,M	1,1,1-Trichloroethane	10.000	11.146	-11.5	175	0.01
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.879	-8.8	162	0.01
40	T,M	1,1-Dichloropropene	10.000	10.561	-5.6	161	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.246	-2.5	166	0.00
42	T,M	Carbon tetrachloride	10.000	10.875	-8.8	166	0.00
43	T,M	1,2-Dichloroethane	10.000	11.160	-11.6	171	0.00
44	T,M	Benzene	10.000	10.938	-9.4	172	0.00
45	T,M	Trichloroethene	10.000	9.816	1.8	157	0.00
46	T,M	Methyl methacrylate	10.000	7.438	25.6#	121	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.384	-3.8	163	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.01
50	T,M	Bromodichloromethane	10.000	11.013	-10.1	171	0.01
51	T,M	Dibromomethane	10.000	9.735	2.7	155	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	7.494	25.1#	114	0.00
53	T,M	4-Methyl-2-pentanone	50.000	45.062	9.9	135	0.01
54	T,M	cis-1,3-Dichloropropene	10.000	10.952	-9.5	170	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	147	0.00
56	S	Toluene-d8	10.000	10.822	-8.2	158	0.00
57	T,M	Ethyl methacrylate	10.000	11.395	-13.9	162	0.00
58	C,T,M	Toluene	10.000	11.605	-16.1	172	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.830	-18.3	171	0.01
60	T,M	2-Hexanone	50.000	48.545	2.9	135	0.01
61	T,M	1,1,2-Trichloroethane	10.000	10.893	-8.9	161	0.00
62	T,M	1,3-Dichloropropane	10.000	11.701	-17.0	175	0.00
63	T,M	Tetrachloroethene	10.000	10.713	-7.1	164	0.00
64	T,M	Dibromochloromethane	10.000	9.946	0.5	150	0.00
65	T,M	1,2-Dibromoethane	10.000	10.079	-0.8	145	0.00
66	T,M	1-Chlorohexane	10.000	11.139	-11.4	164	0.00
67	P,T,M	Chlorobenzene	10.000	11.006	-10.1	165	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.857	-8.6	157	0.00
69	C,T,M	Ethylbenzene	10.000	11.321	-13.2	171	0.01
70	T,M	m-Xylene & p-Xylene	20.000	22.224	-11.1	176	0.01
71	T,M	o-Xylene	10.000	11.637	-16.4	171	0.01
72	T,M	Styrene	10.000	11.262	-12.6	164	0.01
73	T,M	Isopropylbenzene	10.000	11.542	-15.4	169	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	154	0.00
75	P,T,M	Bromoform	10.000	9.719	2.8	153	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.388	-3.9	166	0.00
77	S	4-Bromofluorobenzene	10.000	10.724	-7.2	168	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.516	-5.2	167	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	11.659	-16.6	177	0.01
80	T,M	n-Propylbenzene	10.000	10.935	-9.4	178	0.01
81	T,M	Bromobenzene	10.000	10.357	-3.6	160	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	10.732	-7.3	172	0.00
83	T,M	2-Chlorotoluene	10.000	11.463	-14.6	188	0.00
84	T,M	4-Chlorotoluene	10.000	12.523	-25.2#	164	0.01
85	T,M	tert-Butylbenzene	10.000	10.821	-8.2	174	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	11.023	-10.2	173	0.01
87	T,M	sec-Butylbenzene	10.000	10.973	-9.7	173	0.01
88	T,M	p-Isopropyltoluene	10.000	10.624	-6.2	171	0.00
89	T,M	1,3-Dichlorobenzene	10.000	12.000	-20.0	168	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	10.904	-9.0	170	0.01
91	T,M	1,4-Dichlorobenzene	10.000	11.553	-15.5	165	0.00
92	T,M	n-Butylbenzene	10.000	11.020	-10.2	177	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.313	-3.1	173	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	9.616	3.8	159	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	11.452	-14.5	181	0.00
96	T,M	Hexachlorobutadiene	10.000	11.051	-10.5	172	0.00
97	T,M	Naphthalene	10.000	10.389	-3.9	163	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.820	-8.2	171	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E17/06
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	156	0.00
2	T,M Dichlorodifluoromethane	0.574	0.622	-8.4	190	0.00
3	P,T,M Chloromethane	0.412	0.304	26.2#	127	0.00
4	C,T,M Vinyl chloride	0.435	0.455	-4.6	171	0.00
5	T,M Bromomethane	0.294	0.242	17.7	155	0.00
6	T,M Dichlorofluoromethane	0.994	1.103	-11.0	174	0.00
7	T,M Chloroethane	0.213	0.193	9.4	148	0.00
8	T,M Trichlorofluoromethane	0.977	0.821	16.0	143	0.00
9	T,M Acrolein	0.065	0.055	15.4	134	0.01
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.438	-2.8	167	0.00
11	T,M Acetone	0.181	0.130	28.2#	148	0.01
12	T,M tert-Butyl alcohol	0.061	0.061	0.0	156	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.937	-4.8	164	0.00
14	T,M Acetonitrile	0.030	0.032	-6.7	163	0.00
15	T,M Allyl chloride	0.236	0.272	-15.3	177	0.00
16	T,M Iodomethane	0.429	0.497	-15.9	180	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.694	13.4	148	0.00
19	T,M Acrylonitrile	0.150	0.132	12.0	130	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.653	-10.6	171	0.00
21	T,M Carbon disulfide	1.370	1.406	-2.6	159	0.01
22	T,M trans-1,2-Dichloroethene	0.477	0.498	-4.4	166	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.579	-3.9	163	0.01
24	T,M Vinyl acetate	0.866	0.512	40.9#	86	0.00
25	P,T,M 1,1-Dichloroethane	0.965	1.020	-5.7	170	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	1.790	3.0	150	0.00
27	T,M 2-Butanone	0.047	0.046	2.1	145	0.00
28	T,M Propionitrile	0.055	0.057	-3.6	166	0.00
29	T,M Isobutyl alcohol	0.020	0.020	0.0	160	0.00
30	T,M 2,2-Dichloropropane	0.966	1.115	-15.4	175	0.01
31	T,M Methacrylonitrile	0.091	0.092	-1.1	162	0.01
32	T,M cis-1,2-Dichloroethene	0.543	0.586	-7.9	176	0.00
33	C,T,M Chloroform	1.196	1.240	-3.7	173	0.00
34	T,M Bromochloromethane	0.319	0.318	0.3	152	0.00
35	T,M Tetrahydrofuran	0.126	0.119	5.6	149	0.00
36	S Dibromofluoromethane	0.612	0.599	2.1	150	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.202	-11.4	175	0.01
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.358	-8.8	162	0.01
40	T,M 1,1-Dichloropropene	0.236	0.249	-5.5	161	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.829	-2.5	166	0.00
42	T,M Carbon tetrachloride	0.913	0.993	-8.8	166	0.00
43	T,M 1,2-Dichloroethane	0.919	1.026	-11.6	171	0.00
44	T,M Benzene	1.830	2.001	-9.3	172	0.00
45	T,M Trichloroethene	0.505	0.496	1.8	157	0.00
46	T,M Methyl methacrylate	0.448	0.333	25.7#	121	0.00
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.485	-3.9	163	0.00
49	T,M 1,4-Dioxane	0.000	0.002	0.0	0#	0.01
50	T,M Bromodichloromethane	0.884	0.973	-10.1	171	0.01
51	T,M Dibromomethane	0.380	0.370	2.6	155	0.01

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.173	25.1#	114	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.461	10.0	135	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.894	-9.4	170	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	147	0.00
56	S	Toluene-d8	1.987	2.150	-8.2	158	0.00
57	T,M	Ethyl methacrylate	0.682	0.778	-14.1	162	0.00
58	C,T,M	Toluene	2.268	2.632	-16.0	172	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.148	-18.4	171	0.01
60	T,M	2-Hexanone	0.410	0.398	2.9	135	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.586	-8.9	161	0.00
62	T,M	1,3-Dichloropropane	0.799	0.935	-17.0	175	0.00
63	T,M	Tetrachloroethene	0.496	0.531	-7.1	164	0.00
64	T,M	Dibromochloromethane	0.807	0.803	0.5	150	0.00
65	T,M	1,2-Dibromoethane	0.580	0.585	-0.9	145	0.00
66	T,M	1-Chlorohexane	0.751	0.836	-11.3	164	0.00
67	P,T,M	Chlorobenzene	1.498	1.649	-10.1	165	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.692	-8.6	157	0.00
69	C,T,M	Ethylbenzene	2.742	3.104	-13.2	171	0.01
70	T,M	m-Xylene & p-Xylene	2.236	2.484	-11.1	176	0.01
71	T,M	o-Xylene	2.117	2.463	-16.3	171	0.01
72	T,M	Styrene	1.480	1.667	-12.6	164	0.01
73	T,M	Isopropylbenzene	2.412	2.784	-15.4	169	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	154	0.00
75	P,T,M	Bromoform	1.091	1.061	2.7	153	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.448	-3.9	166	0.00
77	S	4-Bromofluorobenzene	1.587	1.702	-7.2	168	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.405	-5.2	167	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.454	-16.7	177	0.01
80	T,M	n-Propylbenzene	6.341	6.934	-9.4	178	0.01
81	T,M	Bromobenzene	1.392	1.441	-3.5	160	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.678	-7.3	172	0.00
83	T,M	2-Chlorotoluene	3.914	4.486	-14.6	188	0.00
84	T,M	4-Chlorotoluene	3.796	4.123	-8.6	164	0.01
85	T,M	tert-Butylbenzene	0.675	0.730	-8.1	174	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	4.699	-10.2	173	0.01
87	T,M	sec-Butylbenzene	4.940	5.421	-9.7	173	0.01
88	T,M	p-Isopropyltoluene	4.145	4.404	-6.2	171	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.381	-3.4	168	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	4.606	-9.0	170	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.384	-1.5	165	0.00
92	T,M	n-Butylbenzene	3.942	4.344	-10.2	177	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.253	-3.2	173	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.273	3.5	159	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.515	-1.5	181	0.00
96	T,M	Hexachlorobutadiene	0.755	0.834	-10.5	172	0.00
97	T,M	Naphthalene	3.377	3.508	-3.9	163	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.363	3.9	171	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	10.000	10.000	0.0	102	0.00
2	T,M Dichlorodifluoromethane	10.000	11.887	-18.9	137	0.00
3	P,T,M Chloromethane	10.000	7.594	24.1#	85	0.00
4	C,T,M Vinyl chloride	10.000	11.793	-17.9	126	0.00
5	T,M Bromomethane	10.000	7.870	21.3#	97	0.00
6	T,M Dichlorofluoromethane	10.000	11.101	-11.0	114	0.00
7	T,M Chloroethane	10.000	8.971	10.3	96	0.00
8	T,M Trichlorofluoromethane	10.000	9.688	3.1	108	0.00
9	T,M Acrolein	50.000	30.859	38.3#	64	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	10.000	10.267	-2.7	109	0.00
11	T,M Acetone	50.000	45.965	8.1	89	0.00
12	T,M tert-Butyl alcohol	250.000	221.073	11.6	90	0.00
13	C,T,M 1,1-Dichloroethene	10.000	10.645	-6.4	109	-0.01
14	T,M Acetonitrile	100.000	93.870	6.1	94	0.00
15	T,M Allyl chloride	10.000	10.251	-2.5	103	0.00
16	T,M Iodomethane	10.000	9.908	0.9	111	0.00
17	T,M Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M Methylene chloride	10.000	10.752	-7.5	96	0.00
19	T,M Acrylonitrile	50.000	39.058	21.9#	76	0.00
20	T,M tert-Butyl methyl ether (MT	10.000	11.091	-10.9	112	0.00
21	T,M Carbon disulfide	10.000	10.324	-3.2	105	0.00
22	T,M trans-1,2-Dichloroethene	10.000	10.113	-1.1	105	0.00
23	T,M Isopropyl ether (DIPE)	10.000	9.568	4.3	98	0.00
24	T,M Vinyl acetate	10.000	5.404	46.0#	51	0.00
25	P,T,M 1,1-Dichloroethane	10.000	10.284	-2.8	108	0.00
26	T,M tert-Butyl ethyl ether (ETB	10.000	9.409	5.9	96	0.00
27	T,M 2-Butanone	50.000	41.369	17.3	80	0.00
28	T,M Propionitrile	100.000	89.785	10.2	95	0.00
29	T,M Isobutyl alcohol	200.000	159.210	20.4#	81	0.00
30	T,M 2,2-Dichloropropane	10.000	10.746	-7.5	107	0.01
31	T,M Methacrylonitrile	100.000	106.105	-6.1	110	0.00
32	T,M cis-1,2-Dichloroethene	10.000	10.413	-4.1	111	0.00
33	C,T,M Chloroform	10.000	11.008	-10.1	120	0.00
34	T,M Bromochloromethane	10.000	9.934	0.7	99	0.00
35	T,M Tetrahydrofuran	10.000	8.603	14.0	89	-0.01
36	S Dibromofluoromethane	10.000	10.156	-1.6	102	0.00
37	T,M 1,1,1-Trichloroethane	10.000	11.974	-19.7	123	0.00
38	T,M Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M tert-Amyl methyl ether (TAM	10.000	11.177	-11.8	109	0.00
40	T,M 1,1-Dichloropropene	10.000	10.196	-2.0	102	0.00
41	S 1,2-Dichloroethane-d4	10.000	11.563	-15.6	122	0.00
42	T,M Carbon tetrachloride	10.000	12.288	-22.9#	123	0.00
43	T,M 1,2-Dichloroethane	10.000	12.625	-26.3#	126	0.00
44	T,M Benzene	10.000	10.550	-5.5	108	0.00
45	T,M Trichloroethene	10.000	9.701	3.0	101	0.00
46	T,M Methyl methacrylate	10.000	6.971	30.3#	74	0.00
47	T,M Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M 1,2-Dichloropropane	10.000	9.931	0.7	102	0.00
49	T,M 1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M Bromodichloromethane	10.000	11.780	-17.8	120	0.00
51	T,M Dibromomethane	10.000	10.241	-2.4	107	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	6.774	32.3#	67	0.00
53	T,M	4-Methyl-2-pentanone	50.000	42.974	14.1	84	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.201	-2.0	103	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	97	0.00
56	S	Toluene-d8	10.000	10.488	-4.9	101	0.00
57	T,M	Ethyl methacrylate	10.000	10.597	-6.0	100	0.00
58	C,T,M	Toluene	10.000	11.165	-11.6	110	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.571	-15.7	111	0.00
60	T,M	2-Hexanone	50.000	45.973	8.1	85	0.00
61	T,M	1,1,2-Trichloroethane	10.000	10.495	-4.9	103	0.00
62	T,M	1,3-Dichloropropane	10.000	11.309	-13.1	112	0.00
63	T,M	Tetrachloroethene	10.000	10.756	-7.6	109	0.00
64	T,M	Dibromochloromethane	10.000	10.244	-2.4	102	0.00
65	T,M	1,2-Dibromoethane	10.000	9.749	2.5	93	0.00
66	T,M	1-Chlorohexane	10.000	10.660	-6.6	104	0.00
67	P,T,M	Chlorobenzene	10.000	10.925	-9.3	109	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	11.367	-13.7	109	0.00
69	C,T,M	Ethylbenzene	10.000	11.446	-14.5	115	0.00
70	T,M	m-Xylene & p-Xylene	20.000	22.476	-12.4	118	0.00
71	T,M	o-Xylene	10.000	11.602	-16.0	113	0.00
72	T,M	Styrene	10.000	11.297	-13.0	109	0.00
73	T,M	Isopropylbenzene	10.000	11.578	-15.8	112	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	112	0.00
75	P,T,M	Bromoform	10.000	9.170	8.3	105	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	9.421	5.8	109	-0.01
77	S	4-Bromofluorobenzene	10.000	10.050	-0.5	115	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.191	-1.9	117	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	10.164	-1.6	112	0.00
80	T,M	n-Propylbenzene	10.000	9.998	0.0	118	0.00
81	T,M	Bromobenzene	10.000	9.712	2.9	109	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.988	0.1	116	-0.01
83	T,M	2-Chlorotoluene	10.000	9.957	0.4	119	0.00
84	T,M	4-Chlorotoluene	10.000	12.324	-23.2#	118	0.00
85	T,M	tert-Butylbenzene	10.000	9.778	2.2	114	-0.01
86	T,M	1,2,4-Trimethylbenzene	10.000	10.501	-5.0	120	0.00
87	T,M	sec-Butylbenzene	10.000	10.061	-0.6	115	0.00
88	T,M	p-Isopropyltoluene	10.000	9.858	1.4	115	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.232	-12.3	115	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	10.228	-2.3	116	0.00
91	T,M	1,4-Dichlorobenzene	10.000	11.060	-10.6	115	0.00
92	T,M	n-Butylbenzene	10.000	9.908	0.9	116	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.015	-0.2	122	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.737	12.6	105	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	9.598	4.0	111	0.00
96	T,M	Hexachlorobutadiene	10.000	10.173	-1.7	115	0.00
97	T,M	Naphthalene	10.000	8.798	12.0	100	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	9.964	0.4	115	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	102	0.00
2	T,M Dichlorodifluoromethane	0.574	0.682	-18.8	137	0.00
3	P,T,M Chloromethane	0.412	0.313	24.0#	85	0.00
4	C,T,M Vinyl chloride	0.435	0.513	-17.9	126	0.00
5	T,M Bromomethane	0.294	0.231	21.4#	97	0.00
6	T,M Dichlorofluoromethane	0.994	1.103	-11.0	114	0.00
7	T,M Chloroethane	0.213	0.191	10.3	96	0.00
8	T,M Trichlorofluoromethane	0.977	0.947	3.1	108	0.00
9	T,M Acrolein	0.065	0.040	38.5#	64	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.437	-2.6	109	0.00
11	T,M Acetone	0.181	0.119	34.3#	89	0.00
12	T,M tert-Butyl alcohol	0.061	0.054	11.5	90	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.951	-6.4	109	-0.01
14	T,M Acetonitrile	0.030	0.028	6.7	94	0.00
15	T,M Allyl chloride	0.236	0.242	-2.5	103	0.00
16	T,M Iodomethane	0.429	0.470	-9.6	111	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.685	14.5	96	0.00
19	T,M Acrylonitrile	0.150	0.117	22.0#	76	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.657	-10.9	112	0.00
21	T,M Carbon disulfide	1.370	1.414	-3.2	105	0.00
22	T,M trans-1,2-Dichloroethene	0.477	0.482	-1.0	105	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.455	4.3	98	0.00
24	T,M Vinyl acetate	0.866	0.468	46.0#	51	0.00
25	P,T,M 1,1-Dichloroethane	0.965	0.992	-2.8	108	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	1.737	5.9	96	0.00
27	T,M 2-Butanone	0.047	0.039	17.0	80	0.00
28	T,M Propionitrile	0.055	0.050	9.1	95	0.00
29	T,M Isobutyl alcohol	0.020	0.016	20.0	81	0.00
30	T,M 2,2-Dichloropropane	0.966	1.038	-7.5	107	0.01
31	T,M Methacrylonitrile	0.091	0.096	-5.5	110	0.00
32	T,M cis-1,2-Dichloroethene	0.543	0.565	-4.1	111	0.00
33	C,T,M Chloroform	1.196	1.317	-10.1	120	0.00
34	T,M Bromochloromethane	0.319	0.317	0.6	99	0.00
35	T,M Tetrahydrofuran	0.126	0.108	14.3	89	-0.01
36	S Dibromofluoromethane	0.612	0.622	-1.6	102	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.292	-19.7	123	0.00
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.368	-11.9	109	0.00
40	T,M 1,1-Dichloropropene	0.236	0.241	-2.1	102	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.936	-15.7	122	0.00
42	T,M Carbon tetrachloride	0.913	1.122	-22.9#	123	0.00
43	T,M 1,2-Dichloroethane	0.919	1.161	-26.3#	126	0.00
44	T,M Benzene	1.830	1.930	-5.5	108	0.00
45	T,M Trichloroethene	0.505	0.490	3.0	101	0.00
46	T,M Methyl methacrylate	0.448	0.312	30.4#	74	0.00
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.464	0.6	102	0.00
49	T,M 1,4-Dioxane	0.000	0.001	0.0	0#	0.00
50	T,M Bromodichloromethane	0.884	1.041	-17.8	120	0.00
51	T,M Dibromomethane	0.380	0.389	-2.4	107	0.01

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.157	32.0#	67	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.440	14.1	84	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.833	-2.0	103	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	97	0.00
56	S	Toluene-d8	1.987	2.084	-4.9	101	0.00
57	T,M	Ethyl methacrylate	0.682	0.723	-6.0	100	0.00
58	C,T,M	Toluene	2.268	2.532	-11.6	110	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.123	-15.8	111	0.00
60	T,M	2-Hexanone	0.410	0.377	8.0	85	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.565	-5.0	103	0.00
62	T,M	1,3-Dichloropropane	0.799	0.904	-13.1	112	0.00
63	T,M	Tetrachloroethene	0.496	0.533	-7.5	109	0.00
64	T,M	Dibromochloromethane	0.807	0.827	-2.5	102	0.00
65	T,M	1,2-Dibromoethane	0.580	0.565	2.6	93	0.00
66	T,M	1-Chlorohexane	0.751	0.800	-6.5	104	0.00
67	P,T,M	Chlorobenzene	1.498	1.637	-9.3	109	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.725	-13.8	109	0.00
69	C,T,M	Ethylbenzene	2.742	3.138	-14.4	115	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.513	-12.4	118	0.00
71	T,M	o-Xylene	2.117	2.456	-16.0	113	0.00
72	T,M	Styrene	1.480	1.672	-13.0	109	0.00
73	T,M	Isopropylbenzene	2.412	2.792	-15.8	112	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	112	0.00
75	P,T,M	Bromoform	1.091	1.001	8.2	105	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.313	5.8	109	-0.01
77	S	4-Bromofluorobenzene	1.587	1.595	-0.5	115	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.392	-1.8	117	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.396	-1.8	112	0.00
80	T,M	n-Propylbenzene	6.341	6.339	0.0	118	0.00
81	T,M	Bromobenzene	1.392	1.352	2.9	109	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.354	0.1	116	-0.01
83	T,M	2-Chlorotoluene	3.914	3.897	0.4	119	0.00
84	T,M	4-Chlorotoluene	3.796	4.060	-7.0	118	0.00
85	T,M	tert-Butylbenzene	0.675	0.660	2.2	114	-0.01
86	T,M	1,2,4-Trimethylbenzene	4.263	4.477	-5.0	120	0.00
87	T,M	sec-Butylbenzene	4.940	4.970	-0.6	115	0.00
88	T,M	p-Isopropyltoluene	4.145	4.086	1.4	115	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.234	3.0	115	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.321	-2.3	116	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.286	2.7	115	0.00
92	T,M	n-Butylbenzene	3.942	3.906	0.9	116	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.188	-0.2	122	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.248	12.4	105	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.278	14.4	111	0.00
96	T,M	Hexachlorobutadiene	0.755	0.768	-1.7	115	0.00
97	T,M	Naphthalene	3.377	2.971	12.0	100	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.259	11.3	115	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F003
Lab File ID: RFG091 BFB Injection Date: 06/11/24
Instrument ID: E2 BFB Injection Time: 12:47

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.430
75	30 - 60% of mass 95	58.855
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	7.042
173	Less than 2% of mass 174	0.000(0)1
174	Greater than 50% of mass 95	86.589
175	5 - 9% of mass 174	6.114(7.06)1
176	95 - 101% % of mass 174	82.804(95.63)1
177	5 - 9% % of mass 176	6.481(7.83)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1707	RFG092	06/11/24	13:35
2	LCS2W	VOE2F04L	RFG093	06/11/24	14:15
3	LCD2W	VOE2F04C	RFG094	06/11/24	14:39
4	MBLK2W	VOE2F04B	RFG096	06/11/24	15:26
5	T1AMF-MW029-MAY24	24F003-14	RFG101	06/11/24	17:25
6	T1AMF-MW030-MAY24	24F003-15	RFG102	06/11/24	17:49
7	T1AMF-MW030-MAY24_FD	24F003-16	RFG103	06/11/24	18:13
8	T1AMF-MW057-MAY24	24F003-17	RFG104	06/11/24	18:37
9	VSTD10	EVOE2E1707	RFG119	06/12/24	00:30

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F003
Date Analyzed: 05/17/24
Time Analyzed: 14:09

	INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
		Area #	RT #	Area #	RT #	Area #	RT #
	12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
	UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
	LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
		Area #	RT #	Area #	RT #	Area #	RT #
1	VSTD10	670311	5.99	536256	9.56	276585	13.89
2	LCS2W	700127	5.99	552821	9.56	279028	13.89
3	LCD2W	703905	5.99	550837	9.56	285241	13.89
4	MBLK2W	600187	5.99	469288	9.56	222326	13.89
5	T1AMF-MW029-MAY24	496966	5.99	393665	9.56	192105	13.89
6	T1AMF-MW030-MAY24	484161	5.99	392148	9.56	178457	13.89
7	T1AMF-MW030-MAY24_FD	468619	5.99	374980	9.56	178942	13.89
8	T1AMF-MW057-MAY24	462451	5.99	362871	9.56	175655	13.89
9	VSTD10	558649	5.99	454298	9.56	253559	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	Amount	Calc.		%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	10.000	10.000		0.0	139	0.00
2	T,M Dichlorodifluoromethane	10.000	10.649		-6.5	166	0.00
3	P,T,M Chloromethane	10.000	8.586		14.1	131	0.00
4	C,T,M Vinyl chloride	10.000	10.811	/	-8.1	157	0.00
5	T,M Bromomethane	10.000	9.771		2.3	163	0.00
6	T,M Dichlorofluoromethane	10.000	9.548		4.5	133	0.00
7	T,M Chloroethane	10.000	8.924		10.8	129	0.00
8	T,M Trichlorofluoromethane	10.000	8.783		12.2	132	0.00
9	T,M Acrolein	50.000	34.629		30.7#	98	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	10.000	8.679		13.2	125	0.00
11	T,M Acetone	50.000	43.317		13.4	114	0.00
12	T,M tert-Butyl alcohol	250.000	188.868		24.5#	105	0.00
13	C,T,M 1,1-Dichloroethene	10.000	8.941	/	10.6	125	0.00
14	T,M Acetonitrile	100.000	81.614		18.4	112	0.00
15	T,M Allyl chloride	10.000	9.379		6.2	128	0.00
16	T,M Iodomethane	10.000	11.646		-16.5	178	0.00
17	T,M Methyl acetate	10.000	0.000		100.0#	0	-4.03#
18	T,M Methylene chloride	10.000	10.524		-5.2	127	0.00
19	T,M Acrylonitrile	50.000	36.443		27.1#	96	0.00
20	T,M tert-Butyl methyl ether (MT	10.000	9.529		4.7	131	0.00
21	T,M Carbon disulfide	10.000	8.924		10.8	123	0.01
22	T,M trans-1,2-Dichloroethene	10.000	8.687		13.1	123	0.00
23	T,M Isopropyl ether (DIPE)	10.000	8.519		14.8	119	0.01
24	T,M Vinyl acetate	10.000	6.518		34.8#	84	0.00
25	P,T,M 1,1-Dichloroethane	10.000	9.014		9.9	129	0.00
26	T,M tert-Butyl ethyl ether (ETB	10.000	8.169		18.3	113	0.00
27	T,M 2-Butanone	50.000	37.923		24.2#	100	0.00
28	T,M Propionitrile	100.000	81.332		18.7	117	0.00
29	T,M Isobutyl alcohol	200.000	151.186		24.4#	104	0.00
30	T,M 2,2-Dichloropropane	10.000	10.189		-1.9	137	0.00
31	T,M Methacrylonitrile	100.000	87.958		12.0	124	0.00
32	T,M cis-1,2-Dichloroethene	10.000	9.028		9.7	131	0.00
33	C,T,M Chloroform	10.000	9.138	/	8.6	136	0.00
34	T,M Bromochloromethane	10.000	8.446		15.5	114	0.00
35	T,M Tetrahydrofuran	10.000	7.721		22.8#	109	-0.01
36	S Dibromofluoromethane	10.000	9.705		2.9	132	0.00
37	T,M 1,1,1-Trichloroethane	10.000	9.866		1.3	137	0.00
38	T,M Cyclohexane	10.000	0.000		100.0#	0	-5.55#
39	T,M tert-Amyl methyl ether (TAM	10.000	9.277		7.2	123	0.00
40	T,M 1,1-Dichloropropene	10.000	8.871		11.3	120	0.00
41	S 1,2-Dichloroethane-d4	10.000	10.597		-6.0	152	0.00
42	T,M Carbon tetrachloride	10.000	9.739		2.6	132	0.00
43	T,M 1,2-Dichloroethane	10.000	10.080		-0.8	137	0.00
44	T,M Benzene	10.000	9.061		9.4	126	0.00
45	T,M Trichloroethene	10.000	8.246		17.5	117	0.00
46	T,M Methyl methacrylate	10.000	5.935		40.7#	86	0.00
47	T,M Methylcyclohexane	10.000	0.000		100.0#	0	-6.45#
48	C,T,M 1,2-Dichloropropane	10.000	8.839	/	11.6	123	0.00
49	T,M 1,4-Dioxane	200.000	0.000		100.0#	0	0.01
50	T,M Bromodichloromethane	10.000	9.636		3.6	133	0.01
51	T,M Dibromomethane	10.000	8.470		15.3	120	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	5.920	40.8#	80	0.00
53	T,M	4-Methyl-2-pentanone	50.000	37.966	24.1#	101	0.01
54	T,M	cis-1,3-Dichloropropene	10.000	8.995	10.1	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	131	0.00
56	S	Toluene-d8	10.000	10.547	-5.5	137	0.00
57	T,M	Ethyl methacrylate	10.000	9.244	7.6	117	0.00
58	C,T,M	Toluene	10.000	9.752	2.5	129	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	9.861	1.4	127	0.00
60	T,M	2-Hexanone	50.000	40.672	18.7	101	0.01
61	T,M	1,1,2-Trichloroethane	10.000	9.121	8.8	120	0.00
62	T,M	1,3-Dichloropropane	10.000	9.625	3.8	128	0.00
63	T,M	Tetrachloroethene	10.000	9.050	9.5	123	0.01
64	T,M	Dibromochloromethane	10.000	8.470	15.3	114	0.00
65	T,M	1,2-Dibromoethane	10.000	8.250	17.5	106	0.00
66	T,M	1-Chlorohexane	10.000	9.359	6.4	123	0.00
67	P,T,M	Chlorobenzene	10.000	9.312	6.9	125	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.481	5.2	122	0.00
69	C,T,M	Ethylbenzene	10.000	9.633	3.7	130	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.700	6.5	132	0.01
71	T,M	o-Xylene	10.000	9.826	1.7	129	0.01
72	T,M	Styrene	10.000	9.591	4.1	125	0.01
73	T,M	Isopropylbenzene	10.000	9.667	3.3	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	140	0.00
75	P,T,M	Bromoform	10.000	7.979	20.2#	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.290	17.1	120	0.00
77	S	4-Bromofluorobenzene	10.000	10.427	-4.3	148	0.00
78	T,M	1,2,3-Trichloropropane	10.000	8.633	13.7	124	0.01
79	T,M	trans-1,4-Dichloro-2-butene	10.000	8.773	12.3	121	0.01
80	T,M	n-Propylbenzene	10.000	9.032	9.7	133	0.00
81	T,M	Bromobenzene	10.000	8.711	12.9	122	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	8.948	10.5	130	0.00
83	T,M	2-Chlorotoluene	10.000	9.622	3.8	143	0.00
84	T,M	4-Chlorotoluene	10.000	10.110	-1.1	121	0.01
85	T,M	tert-Butylbenzene	10.000	9.022	9.8	131	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	8.989	10.1	128	0.01
87	T,M	sec-Butylbenzene	10.000	9.033	9.7	129	0.01
88	T,M	p-Isopropyltoluene	10.000	8.762	12.4	128	0.00
89	T,M	1,3-Dichlorobenzene	10.000	9.940	0.6	127	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	8.965	10.4	127	0.01
91	T,M	1,4-Dichlorobenzene	10.000	9.670	3.3	126	0.00
92	T,M	n-Butylbenzene	10.000	8.962	10.4	130	0.00
93	T,M	1,2-Dichlorobenzene	10.000	8.707	12.9	132	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.548	24.5#	113	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	9.068	9.3	131	0.00
96	T,M	Hexachlorobutadiene	10.000	9.359	6.4	132	0.00
97	T,M	Naphthalene	10.000	8.020	19.8	114	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.765	12.3	126	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	139	0.00
2	T,M Dichlorodifluoromethane	0.574	0.611	-6.4	166	0.00
3	P,T,M Chloromethane	0.412	0.354	14.1	131	0.00
4	C,T,M Vinyl chloride	0.435	0.470	-8.0	157	0.00
5	T,M Bromomethane	0.294	0.287	2.4	163	0.00
6	T,M Dichlorofluoromethane	0.994	0.949	4.5	133	0.00
7	T,M Chloroethane	0.213	0.190	10.8	129	0.00
8	T,M Trichlorofluoromethane	0.977	0.858	12.2	132	0.00
9	T,M Acrolein	0.065	0.045	30.8#	98	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.370	13.1	125	0.00
11	T,M Acetone	0.181	0.113	37.6#	114	0.00
12	T,M tert-Butyl alcohol	0.061	0.046	24.6#	105	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.799	10.6	125	0.00
14	T,M Acetonitrile	0.030	0.025	16.7	112	0.00
15	T,M Allyl chloride	0.236	0.221	6.4	128	0.00
16	T,M Iodomethane	0.429	0.555	-29.4#	178	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.671	16.2	127	0.00
19	T,M Acrylonitrile	0.150	0.110	26.7#	96	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.424	4.7	131	0.00
21	T,M Carbon disulfide	1.370	1.222	10.8	123	0.01
22	T,M trans-1,2-Dichloroethene	0.477	0.414	13.2	123	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.295	14.8	119	0.01
24	T,M Vinyl acetate	0.866	0.564	34.9#	84	0.00
25	P,T,M 1,1-Dichloroethane	0.965	0.870	9.8	129	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	1.508	18.3	113	0.00
27	T,M 2-Butanone	0.047	0.036	23.4#	100	0.00
28	T,M Propionitrile	0.055	0.045	18.2	117	0.00
29	T,M Isobutyl alcohol	0.020	0.015	25.0#	104	0.00
30	T,M 2,2-Dichloropropane	0.966	0.984	-1.9	137	0.00
31	T,M Methacrylonitrile	0.091	0.080	12.1	124	0.00
32	T,M cis-1,2-Dichloroethene	0.543	0.490	9.8	131	0.00
33	C,T,M Chloroform	1.196	1.093	8.6	136	0.00
34	T,M Bromochloromethane	0.319	0.269	15.7	114	0.00
35	T,M Tetrahydrofuran	0.126	0.097	23.0#	109	-0.01
36	S Dibromofluoromethane	0.612	0.594	2.9	132	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.064	1.4	137	0.00
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.306	7.0	123	0.00
40	T,M 1,1-Dichloropropene	0.236	0.209	11.4	120	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.858	-6.1	152	0.00
42	T,M Carbon tetrachloride	0.913	0.889	2.6	132	0.00
43	T,M 1,2-Dichloroethane	0.919	0.927	-0.9	137	0.00
44	T,M Benzene	1.830	1.658	9.4	126	0.00
45	T,M Trichloroethene	0.505	0.416	17.6	117	0.00
46	T,M Methyl methacrylate	0.448	0.266	40.6#	86	0.00
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.413	11.6	123	0.00
49	T,M 1,4-Dioxane	0.000	0.002	0.0	0#	0.01
50	T,M Bromodichloromethane	0.884	0.852	3.6	133	0.01
51	T,M Dibromomethane	0.380	0.322	15.3	120	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.137	40.7#	80	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.388	24.2#	101	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.735	10.0	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	131	0.00
56	S	Toluene-d8	1.987	2.096	-5.5	137	0.00
57	T,M	Ethyl methacrylate	0.682	0.631	7.5	117	0.00
58	C,T,M	Toluene	2.268	2.212	2.5	129	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.957	1.3	127	0.00
60	T,M	2-Hexanone	0.410	0.334	18.5	101	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.491	8.7	120	0.00
62	T,M	1,3-Dichloropropane	0.799	0.769	3.8	128	0.00
63	T,M	Tetrachloroethene	0.496	0.449	9.5	123	0.01
64	T,M	Dibromochloromethane	0.807	0.684	15.2	114	0.00
65	T,M	1,2-Dibromoethane	0.580	0.479	17.4	106	0.00
66	T,M	1-Chlorohexane	0.751	0.702	6.5	123	0.00
67	P,T,M	Chlorobenzene	1.498	1.395	6.9	125	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.604	5.2	122	0.00
69	C,T,M	Ethylbenzene	2.742	2.641	3.7	130	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.090	6.5	132	0.01
71	T,M	o-Xylene	2.117	2.080	1.7	129	0.01
72	T,M	Styrene	1.480	1.420	4.1	125	0.01
73	T,M	Isopropylbenzene	2.412	2.331	3.4	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	140	0.00
75	P,T,M	Bromoform	1.091	0.871	20.2#	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.155	17.1	120	0.00
77	S	4-Bromofluorobenzene	1.587	1.655	-4.3	148	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.332	13.8	124	0.01
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.342	12.1	121	0.01
80	T,M	n-Propylbenzene	6.341	5.727	9.7	133	0.00
81	T,M	Bromobenzene	1.392	1.212	12.9	122	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.901	10.5	130	0.00
83	T,M	2-Chlorotoluene	3.914	3.765	3.8	143	0.00
84	T,M	4-Chlorotoluene	3.796	3.357	11.6	121	0.01
85	T,M	tert-Butylbenzene	0.675	0.609	9.8	131	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.832	10.1	128	0.01
87	T,M	sec-Butylbenzene	4.940	4.462	9.7	129	0.01
88	T,M	p-Isopropyltoluene	4.145	3.632	12.4	128	0.00
89	T,M	1,3-Dichlorobenzene	2.303	1.988	13.7	127	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	3.787	10.3	127	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.009	14.5	126	0.00
92	T,M	n-Butylbenzene	3.942	3.533	10.4	130	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.902	12.9	132	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.214	24.4#	113	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.210	19.0	131	0.00
96	T,M	Hexachlorobutadiene	0.755	0.707	6.4	132	0.00
97	T,M	Naphthalene	3.377	2.709	19.8	114	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.113	21.6#	126	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	115	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.899	-9.0	142	0.00
3	P,T,M	Chloromethane	10.000	10.507	-5.1	134	0.00
4	C,T,M	Vinyl chloride	10.000	14.645	-46.4#	177	0.00
5	T,M	Bromomethane	10.000	5.366	46.3#	75	0.00
6	T,M	Dichlorofluoromethane	10.000	10.635	-6.3	123	0.00
7	T,M	Chloroethane	10.000	8.983	10.2	108	0.00
8	T,M	Trichlorofluoromethane	10.000	8.845	11.5	111	0.00
9	T,M	Acrolein	50.000	27.725	44.5#	65	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	9.660	3.4	116	0.00
11	T,M	Acetone	50.000	43.732	12.5	96	0.00
12	T,M	tert-Butyl alcohol	250.000	220.530	11.8	102	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.041	-0.4	117	0.00
14	T,M	Acetonitrile	100.000	96.026	4.0	109	0.00
15	T,M	Allyl chloride	10.000	10.309	-3.1	117	0.00
16	T,M	Iodomethane	10.000	6.669	33.3#	83	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	11.646	-16.5	117	0.00
19	T,M	Acrylonitrile	50.000	37.860	24.3#	83	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.448	-4.5	120	0.00
21	T,M	Carbon disulfide	10.000	9.631	3.7	111	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	9.302	7.0	110	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	9.475	5.3	110	0.00
24	T,M	Vinyl acetate	10.000	4.668	53.3#	50	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.917	0.8	118	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.146	8.5	105	0.00
27	T,M	2-Butanone	50.000	38.964	22.1#	86	0.00
28	T,M	Propionitrile	100.000	87.169	12.8	104	0.00
29	T,M	Isobutyl alcohol	200.000	162.595	18.7	93	0.00
30	T,M	2,2-Dichloropropane	10.000	9.936	0.6	112	0.00
31	T,M	Methacrylonitrile	100.000	98.112	1.9	115	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.823	1.8	119	0.00
33	C,T,M	Chloroform	10.000	10.263	-2.6	127	0.00
34	T,M	Bromochloromethane	10.000	9.343	6.6	105	0.00
35	T,M	Tetrahydrofuran	10.000	8.042	19.6	94	-0.01
36	S	Dibromofluoromethane	10.000	9.797	2.0	111	0.00
37	T,M	1,1,1-Trichloroethane	10.000	11.196	-12.0	130	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.723	-7.2	118	0.00
40	T,M	1,1-Dichloropropene	10.000	9.737	2.6	110	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.807	-8.1	129	0.00
42	T,M	Carbon tetrachloride	10.000	10.964	-9.6	124	0.00
43	T,M	1,2-Dichloroethane	10.000	11.513	-15.1	130	0.00
44	T,M	Benzene	10.000	10.133	-1.3	118	0.00
45	T,M	Trichloroethene	10.000	9.332	6.7	110	0.00
46	T,M	Methyl methacrylate	10.000	7.356	26.4#	89	-0.01
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.808	-8.1	126	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	11.853	-18.5	137	0.00
51	T,M	Dibromomethane	10.000	10.325	-3.2	122	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	6.922	30.8#	78	0.00
53	T,M	4-Methyl-2-pentanone	50.000	50.000	0.0	111	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.839	-8.4	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	111	0.00
56	S	Toluene-d8	10.000	10.731	-7.3	118	0.00
57	T,M	Ethyl methacrylate	10.000	11.287	-12.9	121	0.00
58	C,T,M	Toluene	10.000	11.162	-11.6	125	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.206	-12.1	122	0.00
60	T,M	2-Hexanone	50.000	46.086	7.8	97	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.767	2.3	109	0.00
62	T,M	1,3-Dichloropropane	10.000	10.557	-5.6	119	0.00
63	T,M	Tetrachloroethene	10.000	9.984	0.2	115	0.00
64	T,M	Dibromochloromethane	10.000	9.345	6.5	106	0.00
65	T,M	1,2-Dibromoethane	10.000	9.352	6.5	102	0.00
66	T,M	1-Chlorohexane	10.000	10.235	-2.3	114	0.00
67	P,T,M	Chlorobenzene	10.000	10.045	-0.4	114	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.661	-6.6	117	-0.01
69	C,T,M	Ethylbenzene	10.000	10.555	-5.5	121	0.00
70	T,M	m-Xylene & p-Xylene	20.000	20.592	-3.0	123	0.00
71	T,M	o-Xylene	10.000	10.863	-8.6	121	0.00
72	T,M	Styrene	10.000	10.638	-6.4	117	0.00
73	T,M	Isopropylbenzene	10.000	10.626	-6.3	117	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	128	0.00
75	P,T,M	Bromoform	10.000	7.882	21.2#	103	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.414	15.9	111	-0.01
77	S	4-Bromofluorobenzene	10.000	9.596	4.0	125	0.00
78	T,M	1,2,3-Trichloropropane	10.000	9.239	7.6	122	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	7.310	26.9#	92	0.00
80	T,M	n-Propylbenzene	10.000	9.067	9.3	123	0.00
81	T,M	Bromobenzene	10.000	8.800	12.0	113	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.018	9.8	120	-0.01
83	T,M	2-Chlorotoluene	10.000	9.124	8.8	125	0.00
84	T,M	4-Chlorotoluene	10.000	11.052	-10.5	121	0.00
85	T,M	tert-Butylbenzene	10.000	9.334	6.7	125	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	9.256	7.4	121	0.00
87	T,M	sec-Butylbenzene	10.000	8.968	10.3	117	0.00
88	T,M	p-Isopropyltoluene	10.000	9.112	8.9	122	0.00
89	T,M	1,3-Dichlorobenzene	10.000	10.374	-3.7	122	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	9.762	2.4	127	0.00
91	T,M	1,4-Dichlorobenzene	10.000	10.438	-4.4	125	0.00
92	T,M	n-Butylbenzene	10.000	9.705	2.9	129	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.067	9.3	126	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.358	26.4#	101	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	8.528	14.7	113	0.00
96	T,M	Hexachlorobutadiene	10.000	8.779	12.2	113	-0.01
97	T,M	Naphthalene	10.000	8.048	19.5	105	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.570	14.3	113	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	115	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.625	-8.9	142	0.00
3	P,T,M	Chloromethane	0.412	0.433	-5.1	134	0.00
4	C,T,M	Vinyl chloride	0.435	0.637	-46.4#	177	0.00
5	T,M	Bromomethane	0.294	0.158	46.3#	75	0.00
6	T,M	Dichlorofluoromethane	0.994	1.057	-6.3	123	0.00
7	T,M	Chloroethane	0.213	0.191	10.3	108	0.00
8	T,M	Trichlorofluoromethane	0.977	0.864	11.6	111	0.00
9	T,M	Acrolein	0.065	0.036	44.6#	65	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.411	3.5	116	0.00
11	T,M	Acetone	0.181	0.114	37.0#	96	0.00
12	T,M	tert-Butyl alcohol	0.061	0.054	11.5	102	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.897	-0.3	117	0.00
14	T,M	Acetonitrile	0.030	0.029	3.3	109	0.00
15	T,M	Allyl chloride	0.236	0.243	-3.0	117	0.00
16	T,M	Iodomethane	0.429	0.312	27.3#	83	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.738	7.9	117	0.00
19	T,M	Acrylonitrile	0.150	0.114	24.0#	83	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.561	-4.5	120	0.00
21	T,M	Carbon disulfide	1.370	1.319	3.7	111	0.00
22	T,M	trans-1,2-Dichloroethene	0.477	0.444	6.9	110	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.441	5.2	110	0.00
24	T,M	Vinyl acetate	0.866	0.404	53.3#	50	0.00
25	P,T,M	1,1-Dichloroethane	0.965	0.957	0.8	118	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.689	8.5	105	0.00
27	T,M	2-Butanone	0.047	0.037	21.3#	86	0.00
28	T,M	Propionitrile	0.055	0.048	12.7	104	0.00
29	T,M	Isobutyl alcohol	0.020	0.016	20.0	93	0.00
30	T,M	2,2-Dichloropropane	0.966	0.959	0.7	112	0.00
31	T,M	Methacrylonitrile	0.091	0.089	2.2	115	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.533	1.8	119	0.00
33	C,T,M	Chloroform	1.196	1.227	-2.6	127	0.00
34	T,M	Bromochloromethane	0.319	0.298	6.6	105	0.00
35	T,M	Tetrahydrofuran	0.126	0.101	19.8	94	-0.01
36	S	Dibromofluoromethane	0.612	0.600	2.0	111	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.208	-12.0	130	0.00
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.353	-7.3	118	0.00
40	T,M	1,1-Dichloropropene	0.236	0.230	2.5	110	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.875	-8.2	129	0.00
42	T,M	Carbon tetrachloride	0.913	1.001	-9.6	124	0.00
43	T,M	1,2-Dichloroethane	0.919	1.058	-15.1	130	0.00
44	T,M	Benzene	1.830	1.854	-1.3	118	0.00
45	T,M	Trichloroethene	0.505	0.471	6.7	110	0.00
46	T,M	Methyl methacrylate	0.448	0.329	26.6#	89	-0.01
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.505	-8.1	126	0.00
49	T,M	1,4-Dioxane	0.000	0.003	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	1.048	-18.6	137	0.00
51	T,M	Dibromomethane	0.380	0.392	-3.2	122	0.00

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.160	30.7#	78	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.512	0.0	111	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.885	-8.3	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	111	0.00
56	S	Toluene-d8	1.987	2.132	-7.3	118	0.00
57	T,M	Ethyl methacrylate	0.682	0.770	-12.9	121	0.00
58	C,T,M	Toluene	2.268	2.531	-11.6	125	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.087	-12.1	122	0.00
60	T,M	2-Hexanone	0.410	0.378	7.8	97	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.526	2.2	109	0.00
62	T,M	1,3-Dichloropropane	0.799	0.844	-5.6	119	0.00
63	T,M	Tetrachloroethene	0.496	0.495	0.2	115	0.00
64	T,M	Dibromochloromethane	0.807	0.754	6.6	106	0.00
65	T,M	1,2-Dibromoethane	0.580	0.542	6.6	102	0.00
66	T,M	1-Chlorohexane	0.751	0.768	-2.3	114	0.00
67	P,T,M	Chlorobenzene	1.498	1.505	-0.5	114	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.680	-6.8	117	-0.01
69	C,T,M	Ethylbenzene	2.742	2.894	-5.5	121	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.302	-3.0	123	0.00
71	T,M	o-Xylene	2.117	2.299	-8.6	121	0.00
72	T,M	Styrene	1.480	1.575	-6.4	117	0.00
73	T,M	Isopropylbenzene	2.412	2.563	-6.3	117	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	128	0.00
75	P,T,M	Bromoform	1.091	0.860	21.2#	103	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.173	15.9	111	-0.01
77	S	4-Bromofluorobenzene	1.587	1.523	4.0	125	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.356	7.5	122	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.285	26.7#	92	0.00
80	T,M	n-Propylbenzene	6.341	5.749	9.3	123	0.00
81	T,M	Bromobenzene	1.392	1.225	12.0	113	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.931	9.8	120	-0.01
83	T,M	2-Chlorotoluene	3.914	3.571	8.8	125	0.00
84	T,M	4-Chlorotoluene	3.796	3.656	3.7	121	0.00
85	T,M	tert-Butylbenzene	0.675	0.630	6.7	125	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.946	7.4	121	0.00
87	T,M	sec-Butylbenzene	4.940	4.430	10.3	117	0.00
88	T,M	p-Isopropyltoluene	4.145	3.777	8.9	122	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.071	10.1	122	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.124	2.4	127	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.162	8.0	125	0.00
92	T,M	n-Butylbenzene	3.942	3.826	2.9	129	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.981	9.3	126	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.209	26.1#	101	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.141	23.6#	113	0.00
96	T,M	Hexachlorobutadiene	0.755	0.663	12.2	113	-0.01
97	T,M	Naphthalene	3.377	2.718	19.5	105	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.089	23.3#	113	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

ANALYTICAL LOG(S)

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 05/17/24 ☐ 5-mL Purge ☒ 10-mL Purge ☐ 25-mL Purge Book #: AE2-031

BATCH VOE2E176

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W Cl_2 <5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

ZL

5/23/24

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	VOE2E17

STANDARDS

NAME	ID	Amount (µl)	Conc. (mg/L)
DCC CS_2	SVI-43-98-01	*	250
DCC GAS	-98-03		250
DCC ~~METHANOL~~	-97-02		250/6250
DCC 8260	-99-01		250
BFB	-76-02	1	50
IS/SURR.	-96-02	5	20
	-96-03	1	250
ICV/LCS	-79-02	0.4	250
ICV/LCS	-94-01	.4	250
ICV/LCS	-80-01	2	250
	-94-02	2	50
ICV/LCS	-85-02	2	50
Data File Folder	24E17		

	LOT #	Syringe Lot #
pH strip		MSV-03-04-14-6
Chlorine strip		-04-13-3
Methanol		-03-25
$NaHSO_4$		-02-25
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments: * Varied amount

Analyzed By: DN

Date Disposed: 5/18/24 Disposed By: DN

Injection Log

Directory: d:\Data\24E17

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Reg116.d	1.	BFBE2E09	T/CHK	17 May 2024 11:2
2	2	Reg117.d	1.	VOE2E161 0.012 WRONG SPIKE	0.3ppb 8260/1.5pp...	17 May 2024 12:1
3	3	Reg118.d	1.	VOE2E172 0.02	0.5ppb 8260/2.5pp...	17 May 2024 12:3
4	4	Reg119.d	1.	VOE2E173 0.04	1.0ppb 8260/5.0pp...	17 May 2024 12:5
5	5	Reg120.d	1.	VOE2E174 0.08	2.0ppb 8260/10ppb...	17 May 2024 13:2
6	6	Reg121.d	1.	VOE2E175 0.2	5.0ppb 8260/25ppb...	17 May 2024 13:4
7	7	Reg122.d	1.	VOE2E176 0.4	10ppb 8260/50ppb ...	17 May 2024 14:0
8	8	Reg123.d	1.	VOE2E177 1.2uL	30ppb 8260/150ppb...	17 May 2024 14:3
9	9	Reg124.d	1.	VOE2E178 2uL	50ppb 8260/250pb ...	17 May 2024 14:5
10	10	Reg125.d	1.	VOE2E179 4uL	100ppb 8260/500pp...	17 May 2024 15:2
11	11	Reg126.d	1.	VOE2E1710 8uL	200ppb 8260/1000p...	17 May 2024 15:4
12	12	Reg127.d	1.	RINSE		17 May 2024 16:0
13	13	Reg128.d	1.	RINSE		17 May 2024 16:3
14	14	Reg129.d	1.	IVOE2E1701 %REC>20	10ppb 8260/50ppb ...	17 May 2024 21:0

JL 5/23/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev. No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 05/18/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH 10E2815102

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH < 2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	V0E2E17

STANDARDS

NAME	ID	Amount (µl)	Conc (ng/mL)
DCC			
DCC			
DCC			
DCC			
BFB	SV1-43-76-02	1	50
IS/SURR.	-96-02	5	20
	-96-03	4	250
ICV/LCS	-71-02	4	250
ICV/LCS	-94-01	4	250
ICV/LCS	-70-01	2	250
	-94-02	2	50
ICV/LCS	-85-02	2	50
Data File Folder	24E18		

	LOT #	Syringe Lot #
pH strip		MSV-03-04-14-6
Chlorine strip		-04-13-3
Methanol		
$NaHSO_4$		
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:

Analyzed By: DN

Date Disposed: 5/20/24 Disposed By: DN

24 5/23/24

Injection Log

Directory: d:\Data\24E18

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Reg130.d	1.	BFBE2E09	T/CHK	18 May 2024 09:1
2	2	Reg131.d	1.	IVOE2E1702	10ppb 8260/50ppb ...	18 May 2024 09:5

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☐ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/10/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH < 2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2		
INITIAL CALIBRATION REFERENCE			
DATE	6/17/24		
ICAL ID	VOE2E17		
STANDARDS			
NAME	ID	Amount (µL)	Conc (mg/L)
DCC	SVI-43-04-02	.4	50/50
DCC	-98-03	.4	
DCC	-93-03	2	
DCC	-86-01	2	
BFB	-38-02	1	
IS/SJRR	SVI-45-04-02	5	20
ICV/LCS	SVI-43-79-02	.4	50/50
ICV/LCS	-82-01	.4	
ICV/LCS	-92-01	2	
ICV/LCS	-77-01	2	
Data File Folder	24F10		
	LOT #	Syringe Lot #	
pH strip	HC210330	WSVI-03-04-14-6	
Chlorine strip	3191718	-13-3	
Methanol			
$NaHSO_4$			
Reagent Water	RWH-23-001		
Sand			
Electronic Data Archival Location		Date	
HPCHEM_VOA/TOE2			

Comments:

Analyzed By: DM

Date Disposed: 6/11/24 Disposed By: DM

Injection Log

Directory: d:\Data\24F10

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg061.d	1.	BFBF03	T/CHK	10 Jun 2024 15:55
2	2	Rfg062.d	1.	CVOE2E1706	10ppb 8260/50ppb ...	10 Jun 2024 16:35
3	3	Rfg063.d	1.	VOE2F03L	10ppb 8260/50ppb ...	10 Jun 2024 17:13
4	4	Rfg064.d	1.	VOE2F03C	10ppb 8260/50ppb ...	10 Jun 2024 17:37
5	5	Rfg065.d	1.	RINSE	10mL	10 Jun 2024 18:01
6	7	Rfg067.d	1.	VOE2F03B	10.0mL	10 Jun 2024 18:25
7	8	Rfg068.d	1.	24F004-05N	10.0mL	10 Jun 2024 18:48
8	9	Rfg069.d	1.	24F004-06I 10X	1.0mL	10 Jun 2024 19:12
9	10	Rfg070.d	1.	24F004-07I 10X	1.0mL	10 Jun 2024 19:36
10	11	Rfg071.d	1.	24F004-09N	10mL	10 Jun 2024 20:00
11	12	Rfg072.d	1.	24F004-10N	10mL	10 Jun 2024 20:24
12	13	Rfg073.d	1.	24F003-18	10mL	10 Jun 2024 20:48
13	14	Rfg074.d	1.	24F003-19	10mL	10 Jun 2024 21:11
14	15	Rfg075.d	1.	24F003-01N	10mL	10 Jun 2024 21:35
15	16	Rfg076.d	1.	24F003-02N	10mL	10 Jun 2024 21:59
16	17	Rfg077.d	1.	24F003-03N	10mL	10 Jun 2024 22:23
17	18	Rfg078.d	1.	24F003-04N	10mL	10 Jun 2024 22:46
18	19	Rfg079.d	1.	24F003-05N	10mL	10 Jun 2024 23:10
19	20	Rfg080.d	1.	24F003-06N	10mL	10 Jun 2024 23:33
20	21	Rfg081.d	1.	24F003-07N	10mL	10 Jun 2024 23:57
21	22	Rfg082.d	1.	24F003-08N	10mL	11 Jun 2024 00:20
22	23	Rfg083.d	1.	24F003-09N	10mL	11 Jun 2024 00:44
23	24	Rfg084.d	1.	24F003-10N	1.0mL	11 Jun 2024 01:08
24	25	Rfg085.d	1.	24F003-11	10mL	11 Jun 2024 01:32
25	26	Rfg086.d	1.	24F003-12	10mL	11 Jun 2024 01:56
26	27	Rfg087.d	1.	24F003-13	10mL	11 Jun 2024 02:19
27	37	Rfg088.d	1.	EVOE2E1706 ✓	10ppb 8260/50ppb ...	11 Jun 2024 02:43
28	38	Rfg089.d	1.	EVOE2E17061	10ppb 8260/50ppb ...	11 Jun 2024 03:06
29	39	Rfg090.d	1.	EVOE2E17062	10ppb 8260/50ppb ...	11 Jun 2024 03:30

pH ≤ 2 Cl ≤ 5

DK 6/18/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☐ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/11/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH < 2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	VOE2F17

STANDARDS

NAME	ID	Amount (µl)	Conc. (ng/5)
DCC	SVI-43-94-02	.4	
DCC	-98-03	.4	
DCC	-93-03	2	
DCC	-86-01	2	50/150
BFB	-38-02	1	
IS/SURR.	SVI-45-04-02	5	20
ICV/LCS	SVI-43-79-02	.4	
ICV/LCS	-82-01	.4	
ICV/LCS	-92-01	2	50/150
ICV/LCS	-77-01	2	
Data File Folder			

	LOT #	Syringe Lot #
pH strip	HC210330	MBV-03-04-14-6
Chlorine strip	314117B	-B-3
Methanol		
$NaHSO_4$		
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:


Analyzed By: DH

Date Disposed: 6/12/24 Disposed By: DN

Injection Log

Directory: d:\Data\24F11

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg091.d	1.	BFBF04	T/CHK	11 Jun 2024 12:47
2	2	Rfg092.d	1.	CVOE2E1707	10ppb 8260/50ppb ...	11 Jun 2024 13:35
3	3	Rfg093.d	1.	VOE2F04L	10ppb 8260/50ppb ...	11 Jun 2024 14:15
4	4	Rfg094.d	1.	VOE2F04C	10ppb 8260/50ppb ...	11 Jun 2024 14:39
5	5	Rfg095.d	1.	RINSE	10ppb 8260/50ppb ...	11 Jun 2024 15:03
6	6	Rfg096.d	1.	VOE2F04B	10.0mL	11 Jun 2024 15:26
7	7	Rfg097.d	1.	24F004-06N	10.0mL	11 Jun 2024 15:50
8	8	Rfg098.d	1.	24F004-01N	10.0mL	11 Jun 2024 16:14
9	9	Rfg099.d	1.	PV-004-08-03	10.0mL	11 Jun 2024 16:37
10	10	Rfg100.d	1.	24F004-08I 10X	1.0mL	11 Jun 2024 17:01
11	11	Rfg101.d	1.	24F003-14	10mL	11 Jun 2024 17:25
12	12	Rfg102.d	1.	24F003-15	10mL	11 Jun 2024 17:49
13	13	Rfg103.d	1.	24F003-16	10mL	11 Jun 2024 18:13
14	14	Rfg104.d	1.	24F003-17	10mL	11 Jun 2024 18:37
15	15	Rfg105.d	1.	24F038-01	10mL	11 Jun 2024 19:00
16	16	Rfg106.d	1.	RIMSE	1.0mL	11 Jun 2024 19:24
17	17	Rfg107.d	1.	24F019-01	10mL	11 Jun 2024 19:47
18	18	Rfg108.d	1.	24F019-02	10mL	11 Jun 2024 20:11
19	19	Rfg109.d	1.	24F019-04	10mL	11 Jun 2024 20:34
20	20	Rfg110.d	1.	24F019-05	10mL	11 Jun 2024 20:58
21	21	Rfg111.d	1.	24F019-06	10mL	11 Jun 2024 21:21
22	22	Rfg112.d	1.	24F019-07	10mL	11 Jun 2024 21:45
23	23	Rfg113.d	1.	24F019-08	10mL	11 Jun 2024 22:09
24	24	Rfg114.d	1.	24F019-09	10mL	11 Jun 2024 22:32
25	25	Rfg115.d	1.	24F019-10	10mL	11 Jun 2024 22:56
26	26	Rfg116.d	1.	24F019-11	10mL	11 Jun 2024 23:19
27	27	Rfg117.d	1.	24F019-02M	10mL	11 Jun 2024 23:42
28	28	Rfg118.d	1.	24F019-02S	10mL	12 Jun 2024 00:06
29	29	Rfg119.d	1.	EVOE2E1707	10ppb 8260/50ppb ...	12 Jun 2024 00:30
30	30	Rfg120.d	1.	EVOE2E17071	10ppb 8260/50ppb ...	12 Jun 2024 00:53
31	31	Rfg121.d	1.	EVOE2E17072	10ppb 8260/50ppb ...	12 Jun 2024 01:17



DK 6/18/24

RAW DATA
VOLATILE ORGANICS

LABORATORY REPORT FOR

PARSONS

TITAN 1-A

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

SDG#: 24F003

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F003

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

A total of nineteen(19) water samples were received on 06/01/24 to be analyzed for Volatile Organics by GC/MS in accordance with Method SW5030C/8260C and project specific requirements.

Holding Time
Samples were analyzed within the prescribed holding time.

Instrument Performance and Calibration
Instrument tune check was performed prior to calibration. Result was within acceptance criteria. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried out at a frequency required by the project. There were four(4)CCVs (Data File IDs: RFG062, RFG088, RFG092 and RFG119) associated with this SDG. All calibration requirements were satisfied. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, two(2) method blanks were analyzed. VOE2F03B and VOE2F04B were compliant to project requirement. Refer to sample result summary forms for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, two(2) sets of LCS/LCD were analyzed. VOE2F03L/VOE2F03C and VOE2F04L/VOE2F04C were within LCS limits. Refer to LCS summary forms for details.

Matrix QC Sample
No matrix QC sample was provided on this SDG.

Surrogate
Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis
Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
VOLATILE ORGANICS BY GC/MS

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F003
Instrument ID : E2

WATER

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
LCS1W	VOE2F03L	1	NA	06/10/2417:13	06/10/2417:13	RFG063	REG122	VOE2F03	Lab Control Sample (LCS)
LCD1W	VOE2F03C	1	NA	06/10/2417:37	06/10/2417:37	RFG064	REG122	VOE2F03	LCS Duplicate
MBLK1W	VOE2F03B	1	NA	06/10/2418:25	06/10/2418:25	RFG067	REG122	VOE2F03	Method Blank
TB-1_MAY24	24F003-18	1	NA	06/10/2420:48	06/10/2420:48	RFG073	REG122	VOE2F03	Field Sample
TB-2_MAY24	24F003-19	1	NA	06/10/2421:11	06/10/2421:11	RFG074	REG122	VOE2F03	Field Sample
TLAMF-MW059-MAY24	24F003-01N	1	NA	06/10/2421:35	06/10/2421:35	RFG075	REG122	VOE2F03	Field Sample
TLAMF-MW044-MAY24	24F003-02N	1	NA	06/10/2421:59	06/10/2421:59	RFG076	REG122	VOE2F03	Field Sample
TLAMF-MW047-MAY24	24F003-03N	1	NA	06/10/2422:23	06/10/2422:23	RFG077	REG122	VOE2F03	Field Sample
TLAMF-MW046-MAY24	24F003-04N	1	NA	06/10/2422:46	06/10/2422:46	RFG078	REG122	VOE2F03	Field Sample
TLAMF-MW050-MAY24	24F003-05N	1	NA	06/10/2423:10	06/10/2423:10	RFG079	REG122	VOE2F03	Field Sample
TLAMF-MW052-MAY24	24F003-06N	1	NA	06/10/2423:33	06/10/2423:33	RFG080	REG122	VOE2F03	Field Sample
TLAMF-MW052-MAY24_FD	24F003-07N	1	NA	06/10/2423:57	06/10/2423:57	RFG081	REG122	VOE2F03	Field Sample
TLAMF-MW060-MAY24	24F003-08N	1	NA	06/11/2400:20	06/11/2400:20	RFG082	REG122	VOE2F03	Field Sample
TLAMF-MW017-MAY24	24F003-09N	1	NA	06/11/2400:44	06/11/2400:44	RFG083	REG122	VOE2F03	Field Sample
TLAMF-MW011-MAY24	24F003-10N	1	NA	06/11/2401:08	06/11/2401:08	RFG084	REG122	VOE2F03	Field Sample
TLAMF-MW016-MAY24	24F003-11	1	NA	06/11/2401:32	06/11/2401:32	RFG085	REG122	VOE2F03	Field Sample
TLAMF-MW016-MAY24_FD	24F003-12	1	NA	06/11/2401:56	06/11/2401:56	RFG086	REG122	VOE2F03	Field Sample
TLAMF-MW049-MAY24	24F003-13	1	NA	06/11/2402:19	06/11/2402:19	RFG087	REG122	VOE2F03	Field Sample
LCS2W	VOE2F04L	1	NA	06/11/2414:15	06/11/2414:15	RFG093	REG122	VOE2F04	Lab Control Sample (LCS)
LCD2W	VOE2F04C	1	NA	06/11/2414:39	06/11/2414:39	RFG094	REG122	VOE2F04	LCS Duplicate
MBLK2W	VOE2F04B	1	NA	06/11/2415:26	06/11/2415:26	RFG096	REG122	VOE2F04	Method Blank
TLAMF-MW029-MAY24	24F003-14	1	NA	06/11/2417:25	06/11/2417:25	RFG101	REG122	VOE2F04	Field Sample
TLAMF-MW030-MAY24	24F003-15	1	NA	06/11/2417:49	06/11/2417:49	RFG102	REG122	VOE2F04	Field Sample
TLAMF-MW030-MAY24_FD	24F003-16	1	NA	06/11/2418:13	06/11/2418:13	RFG103	REG122	VOE2F04	Field Sample
TLAMF-MW057-MAY24	24F003-17	1	NA	06/11/2418:37	06/11/2418:37	RFG104	REG122	VOE2F04	Field Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 08:33
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 21:35
Sample ID	: T1AMF-MW059-MAY24	Date Analyzed:	06/10/24 21:35
Lab Samp ID:	24F003-01N	Dilution Factor:	1
Lab File ID:	RFG075	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.29J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	7.0	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.0	10.0	110	81-118
4-Bromofluorobenzene	10.0	10.0	100	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.92	10.0	99	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG075.D
Acq On : 10 Jun 2024 21:35
Sample : 24F003-01N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 14:44:27 2024
Quant Results File: VOE2E17.RES

Vial: 15
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	517077	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	404842	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	199904	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	314094	9.92	ug/l	0.00
Spiked Amount 10.000			Recovery = 99.20%			
41) 1,2-Dichloroethane-d4	5.723	65	462329	11.05	ug/L	0.00
Spiked Amount 10.000			Recovery = 110.50%			
56) Toluene-d8	7.594	98	854770	10.63	ug/l	0.00
Spiked Amount 10.000			Recovery = 106.30%			
77) 4-Bromofluorobenzene	11.369	95	317721	10.01	ug/l	0.00
Spiked Amount 10.000			Recovery = 100.10%			
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.063	96	8185	0.29	ug/l	98
45) Trichloroethene	6.373	130	182490	6.99	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG075.D
Acq On : 10 Jun 2024 21:35
Sample : 24F003-01N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 14:44:27 2024
Quant Results File: VOE2E17.RES

Vial: 15
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 0.29 ug/l
RT: 5.063 min Scan# 225
Delta R.T. 0.000 min
Lab File: RFG075.D
Acq: 10 Jun 2024 21:35

Tgt Ion: 96 Resp: 8185

Ion	Ratio	Lower	Upper
96	100		
98	65.3	33.9	93.9






#45
Trichloroethene
Concen: 6.99 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG075.D
Acq: 10 Jun 2024 21:35

Tgt Ion:130 Resp: 182490

Ion	Ratio	Lower	Upper
130	100		
132	96.0	67.6	127.6
95	111.6	82.6	142.6
97	74.9	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 09:38
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 21:59
Sample ID	: T1AMF-MW044-MAY24	Date Analyzed:	06/10/24 21:59
Lab Samp ID:	24F003-02N	Dilution Factor:	1
Lab File ID:	RFG076	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	2.1	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.23J	1.0	0.10	0.20
Trichloroethene	46	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.9	10.0	109	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	10.1	10.0	101	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG076.D
Acq On : 10 Jun 2024 21:59
Sample : 24F003-02N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:31:37 2024
Quant Results File: VOE2E17.RES

Vial: 16
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	505402	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	390333	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	183981	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	313557	10.13	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.30%		
41) 1,2-Dichloroethane-d4	5.723	65	447050	10.93	ug/L	0.00
Spiked Amount 10.000			Recovery =	109.30%		
56) Toluene-d8	7.594	98	830167	10.70	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.00%		
77) 4-Bromofluorobenzene	11.369	95	310815	10.64	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.40%		
Target Compounds						Qvalue
22) trans-1,2-Dichloroethene	4.370	96	5465	0.23	ug/l	84
32) cis-1,2-Dichloroethene	5.063	96	57822	2.11	ug/l	93
33) Chloroform	5.173	83	13780	0.23	ug/l	99
45) Trichloroethene	6.373	130	1182752	46.33	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG076.D
Acq On : 10 Jun 2024 21:59
Sample : 24F003-02N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:31:37 2024
Quant Results File: VOE2E17.RES

Vial: 16
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#22
trans-1,2-Dichloroethene
Concen: 0.23 ug/l
RT: 4.370 min Scan# 162
Delta R.T. 0.000 min
Lab File: RFG076.D
Acq: 10 Jun 2024 21:59

Tgt Ion: 96 Resp: 5465

Ion	Ratio	Lower	Upper
96	100		
98	51.6	34.4	94.4







#32
cis-1,2-Dichloroethene
Concen: 2.11 ug/l
RT: 5.063 min Scan# 225
Delta R.T. 0.000 min
Lab File: RFG076.D
Acq: 10 Jun 2024 21:59

Tgt Ion: 96 Resp: 57822

Ion	Ratio	Lower	Upper
96	100		
98	58.7	33.9	93.9







#33
Chloroform
Concen: 0.23 ug/l
RT: 5.173 min Scan# 235
Delta R.T. 0.000 min
Lab File: RFG076.D
Acq: 10 Jun 2024 21:59

Tgt Ion: 83 Resp: 13780

Ion	Ratio	Lower	Upper
83	100		
85	65.9	35.4	95.4
47	24.0	0.0	55.4






#45
Trichloroethene
Concen: 46.33 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG076.D
Acq: 10 Jun 2024 21:59

Tgt Ion:130 Resp: 1182752

Ion	Ratio	Lower	Upper
130	100		
132	98.0	67.6	127.6
95	118.4	82.6	142.6
97	76.9	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 10:47
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 22:23
Sample ID	: T1AMF-MW047-MAY24	Date Analyzed:	06/10/24 22:23
Lab Samp ID:	24F003-03N	Dilution Factor:	1
Lab File ID:	RFG077	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.0	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.30J	1.0	0.10	0.20
Trichloroethene	20	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	9.85	10.0	98	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG077.D
Acq On : 10 Jun 2024 22:23
Sample : 24F003-03N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:35:44 2024
Quant Results File: VOE2E17.RES

Vial: 17
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	493646	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	384955	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	184007	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	297685	9.85	ug/l	0.00
Spiked Amount 10.000			Recovery = 98.50%			
41) 1,2-Dichloroethane-d4	5.723	65	444707	11.13	ug/L	0.00
Spiked Amount 10.000			Recovery = 111.30%			
56) Toluene-d8	7.594	98	819010	10.71	ug/l	0.00
Spiked Amount 10.000			Recovery = 107.10%			
77) 4-Bromofluorobenzene	11.369	95	299731	10.26	ug/l	0.00
Spiked Amount 10.000			Recovery = 102.60%			
Target Compounds						Qvalue
22) trans-1,2-Dichloroethene	4.370	96	7101	0.30	ug/l	92
32) cis-1,2-Dichloroethene	5.063	96	27723	1.03	ug/l	96
33) Chloroform	5.173	83	16339	0.28	ug/l	91
45) Trichloroethene	6.373	130	504223	20.22	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG077.D
Acq On : 10 Jun 2024 22:23
Sample : 24F003-03N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:35:44 2024
Quant Results File: VOE2E17.RES

Vial: 17
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#22
trans-1,2-Dichloroethene
Concen: 0.30 ug/l
RT: 4.370 min Scan# 162
Delta R.T. -0.000 min
Lab File: RFG077.D
Acq: 10 Jun 2024 22:23

Tgt Ion: 96 Resp: 7101

Ion	Ratio	Lower	Upper
96	100		
98	70.9	34.4	94.4







#32
cis-1,2-Dichloroethene
Concen: 1.03 ug/l
RT: 5.063 min Scan# 225
Delta R.T. -0.000 min
Lab File: RFG077.D
Acq: 10 Jun 2024 22:23

Tgt Ion: 96 Resp: 27723

Ion	Ratio	Lower	Upper
96	100		
98	67.1	33.9	93.9







#33
Chloroform
Concen: 0.28 ug/l
RT: 5.173 min Scan# 235
Delta R.T. -0.000 min
Lab File: RFG077.D
Acq: 10 Jun 2024 22:23

Tgt Ion: 83 Resp: 16339

Ion	Ratio	Lower	Upper
83	100		
85	57.1	35.4	95.4
47	23.7	0.0	55.4






#45
Trichloroethene
Concen: 20.22 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG077.D
Acq: 10 Jun 2024 22:23

Tgt Ion:130 Resp: 504223

Ion	Ratio	Lower	Upper
130	100		
132	97.8	67.6	127.6
95	119.3	82.6	142.6
97	78.2	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 11:44
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 22:46
Sample ID	: T1AMF-MW046-MAY24	Date Analyzed:	06/10/24 22:46
Lab Samp ID:	24F003-04N	Dilution Factor:	1
Lab File ID:	RFG078	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	2.6	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.18J	1.0	0.10	0.20
Trichloroethene	120	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.5	10.0	115	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.93	10.0	99	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG078.D
Acq On : 10 Jun 2024 22:46
Sample : 24F003-04N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:37:43 2024
Quant Results File: VOE2E17.RES

Vial: 18
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	484255	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	379562	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	181666	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	294518	9.93	ug/l	0.00
Spiked Amount 10.000			Recovery = 99.30%			
41) 1,2-Dichloroethane-d4	5.723	65	452657	11.55	ug/L	0.00
Spiked Amount 10.000			Recovery = 115.50%			
56) Toluene-d8	7.594	98	802434	10.64	ug/l	0.00
Spiked Amount 10.000			Recovery = 106.40%			
77) 4-Bromofluorobenzene	11.369	95	295956	10.26	ug/l	0.00
Spiked Amount 10.000			Recovery = 102.60%			
Target Compounds						Qvalue
22) trans-1,2-Dichloroethene	4.370	96	4123	0.18	ug/l	94
32) cis-1,2-Dichloroethene	5.063	96	68791	2.62	ug/l	98
33) Chloroform	5.173	83	33880	0.59	ug/l	97
45) Trichloroethene	6.372	130	2824910	115.50	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG078.D
Acq On : 10 Jun 2024 22:46
Sample : 24F003-04N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:37:43 2024
Quant Results File: VOE2E17.RES

Vial: 18
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#22
trans-1,2-Dichloroethene
Concen: 0.18 ug/l
RT: 4.370 min Scan# 162
Delta R.T. -0.000 min
Lab File: RFG078.D
Acq: 10 Jun 2024 22:46

Tgt Ion: 96 Resp: 4123

Ion	Ratio	Lower	Upper
96	100		
98	59.5	34.4	94.4







#32
cis-1,2-Dichloroethene
Concen: 2.62 ug/l
RT: 5.063 min Scan# 225
Delta R.T. -0.000 min
Lab File: RFG078.D
Acq: 10 Jun 2024 22:46

Tgt Ion: 96 Resp: 68791

Ion	Ratio	Lower	Upper
96	100		
98	62.0	33.9	93.9







#33
Chloroform
Concen: 0.59 ug/l
RT: 5.173 min Scan# 235
Delta R.T. -0.000 min
Lab File: RFG078.D
Acq: 10 Jun 2024 22:46

Tgt Ion: 83 Resp: 33880

Ion	Ratio	Lower	Upper
83	100		
85	67.4	35.4	95.4
47	27.5	0.0	55.4






#45
Trichloroethene
Concen: 115.50 ug/L
RT: 6.372 min Scan# 344
Delta R.T. -0.001 min
Lab File: RFG078.D
Acq: 10 Jun 2024 22:46

Tgt Ion:130 Resp: 2824910

Ion	Ratio	Lower	Upper
130	100		
132	96.7	67.6	127.6
95	118.9	82.6	142.6
97	77.7	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 13:09
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 23:10
Sample ID	: T1AMF-MW050-MAY24	Date Analyzed:	06/10/24 23:10
Lab Samp ID:	24F003-05N	Dilution Factor:	1
Lab File ID:	RFG079	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.56J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.14J	1.0	0.10	0.20
Trichloroethene	14	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.6	10.0	116	81-118
4-Bromofluorobenzene	10.2	10.0	102	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	10.4	10.0	104	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG079.D
Acq On : 10 Jun 2024 23:10
Sample : 24F003-05N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:39:30 2024
Quant Results File: VOE2E17.RES

Vial: 19
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	468785	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	377159	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	180466	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	299434	10.43	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.30%		
41) 1,2-Dichloroethane-d4	5.723	65	439528	11.58	ug/L	0.00
Spiked Amount 10.000			Recovery =	115.80%		
56) Toluene-d8	7.594	98	788990	10.53	ug/l	0.00
Spiked Amount 10.000			Recovery =	105.30%		
77) 4-Bromofluorobenzene	11.369	95	292307	10.20	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.00%		
Target Compounds						Qvalue
22) trans-1,2-Dichloroethene	4.370	96	3231	0.14	ug/l	79
32) cis-1,2-Dichloroethene	5.063	96	14281	0.56	ug/l	91
33) Chloroform	5.173	83	25668	0.46	ug/l	95
45) Trichloroethene	6.373	130	342747	14.48	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG079.D
Acq On : 10 Jun 2024 23:10
Sample : 24F003-05N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:39:30 2024
Quant Results File: VOE2E17.RES

Vial: 19
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#22
trans-1,2-Dichloroethene
Concen: 0.14 ug/l
RT: 4.370 min Scan# 162
Delta R.T. -0.000 min
Lab File: RFG079.D
Acq: 10 Jun 2024 23:10

Tgt Ion: 96 Resp: 3231

Ion	Ratio	Lower	Upper
96	100		
98	48.3	34.4	94.4







#32
cis-1,2-Dichloroethene
Concen: 0.56 ug/l
RT: 5.063 min Scan# 225
Delta R.T. -0.000 min
Lab File: RFG079.D
Acq: 10 Jun 2024 23:10

Tgt Ion: 96 Resp: 14281

Ion	Ratio	Lower	Upper
96	100		
98	70.6	33.9	93.9







#33
Chloroform
Concen: 0.46 ug/l
RT: 5.173 min Scan# 235
Delta R.T. -0.000 min
Lab File: RFG079.D
Acq: 10 Jun 2024 23:10

Tgt Ion: 83 Resp: 25668

Ion	Ratio	Lower	Upper
83	100		
85	60.1	35.4	95.4
47	26.6	0.0	55.4






#45
Trichloroethene
Concen: 14.48 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG079.D
Acq: 10 Jun 2024 23:10

Tgt Ion:130 Resp: 342747

Ion	Ratio	Lower	Upper
130	100		
132	98.5	67.6	127.6
95	121.6	82.6	142.6
97	78.8	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 14:14
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 23:33
Sample ID	: T1AMF-MW052-MAY24	Date Analyzed:	06/10/24 23:33
Lab Samp ID:	24F003-06N	Dilution Factor:	1
Lab File ID:	RFG080	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.42J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.31J	1.0	0.10	0.20
Trichloroethene	5.0	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.2	10.0	112	81-118
4-Bromofluorobenzene	10.2	10.0	102	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	9.76	10.0	98	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG080.D
Acq On : 10 Jun 2024 23:33
Sample : 24F003-06N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:41:15 2024
Quant Results File: VOE2E17.RES

Vial: 20
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	476344	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	367398	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	172504	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	284696	9.76	ug/l	0.00
Spiked Amount 10.000			Recovery = 97.60%			
41) 1,2-Dichloroethane-d4	5.723	65	433062	11.23	ug/L	0.00
Spiked Amount 10.000			Recovery = 112.30%			
56) Toluene-d8	7.594	98	769805	10.54	ug/l	0.00
Spiked Amount 10.000			Recovery = 105.40%			
77) 4-Bromofluorobenzene	11.369	95	278035	10.15	ug/l	0.00
Spiked Amount 10.000			Recovery = 101.50%			
Target Compounds						Qvalue
22) trans-1,2-Dichloroethene	4.370	96	7107	0.31	ug/l	95
32) cis-1,2-Dichloroethene	5.063	96	10964	0.42	ug/l	97
33) Chloroform	5.173	83	5901	0.10	ug/l	91
45) Trichloroethene	6.373	130	119940	4.99	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG080.D
Acq On : 10 Jun 2024 23:33
Sample : 24F003-06N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:41:15 2024
Quant Results File: VOE2E17.RES

Vial: 20
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#22
trans-1,2-Dichloroethene
Concen: 0.31 ug/l
RT: 4.370 min Scan# 162
Delta R.T. -0.000 min
Lab File: RFG080.D
Acq: 10 Jun 2024 23:33

Tgt Ion: 96 Resp: 7107

Ion	Ratio	Lower	Upper
96	100		
98	68.1	34.4	94.4







#32
cis-1,2-Dichloroethene
Concen: 0.42 ug/l
RT: 5.063 min Scan# 225
Delta R.T. 0.000 min
Lab File: RFG080.D
Acq: 10 Jun 2024 23:33

Tgt Ion: 96 Resp: 10964

Ion	Ratio	Lower	Upper
96	100		
98	61.4	33.9	93.9







#33
Chloroform
Concen: 0.10 ug/l
RT: 5.173 min Scan# 235
Delta R.T. 0.000 min
Lab File: RFG080.D
Acq: 10 Jun 2024 23:33

Tgt Ion: 83 Resp: 5901

Ion	Ratio	Lower	Upper
83	100		
85	60.3	35.4	95.4
47	17.9	0.0	55.4






#45
Trichloroethene
Concen: 4.99 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG080.D
Acq: 10 Jun 2024 23:33

Tgt Ion:130 Resp: 119940

Ion	Ratio	Lower	Upper
130	100		
132	95.2	67.6	127.6
95	119.1	82.6	142.6
97	76.1	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 14:19
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 23:57
Sample ID	: T1AMF-MW052-MAY24_FD	Date Analyzed:	06/10/24 23:57
Lab Samp ID:	24F003-07N	Dilution Factor:	1
Lab File ID:	RFG081	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.37J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.34J	1.0	0.10	0.20
Trichloroethene	5.3	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.6	10.0	116	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	10.1	10.0	101	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG081.D
Acq On : 10 Jun 2024 23:57
Sample : 24F003-07N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:55:11 2024
Quant Results File: VOE2E17.RES

Vial: 21
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	466794	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	360921	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.878	152	173390	10.00	ug/l	-0.01
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	289194	10.12	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.20%		
41) 1,2-Dichloroethane-d4	5.723	65	438895	11.62	ug/L	0.00
Spiked Amount 10.000			Recovery =	116.20%		
56) Toluene-d8	7.594	98	769343	10.73	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.30%		
77) 4-Bromofluorobenzene	11.369	95	292466	10.63	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.30%		
Target Compounds						Qvalue
22) trans-1,2-Dichloroethene	4.370	96	7527	0.34	ug/l	92
32) cis-1,2-Dichloroethene	5.063	96	9298	0.37	ug/l	90
33) Chloroform	5.173	83	6356	0.11	ug/l	82
45) Trichloroethene	6.373	130	123938	5.26	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG081.D
Acq On : 10 Jun 2024 23:57
Sample : 24F003-07N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:55:11 2024
Quant Results File: VOE2E17.RES

Vial: 21
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#22
trans-1,2-Dichloroethene
Concen: 0.34 ug/l
RT: 4.370 min Scan# 162
Delta R.T. 0.000 min
Lab File: RFG081.D
Acq: 10 Jun 2024 23:57

Tgt Ion: 96 Resp: 7527

Ion	Ratio	Lower	Upper
96	100		
98	57.8	34.4	94.4







#32
cis-1,2-Dichloroethene
Concen: 0.37 ug/l
RT: 5.063 min Scan# 225
Delta R.T. 0.000 min
Lab File: RFG081.D
Acq: 10 Jun 2024 23:57

Tgt Ion: 96 Resp: 9298

Ion	Ratio	Lower	Upper
96	100		
98	72.0	33.9	93.9







#33
Chloroform
Concen: 0.11 ug/l
RT: 5.173 min Scan# 235
Delta R.T. 0.000 min
Lab File: RFG081.D
Acq: 10 Jun 2024 23:57

Tgt Ion: 83 Resp: 6356

Ion	Ratio	Lower	Upper
83	100		
85	48.8	35.4	95.4
47	20.6	0.0	55.4






#45
Trichloroethene
Concen: 5.26 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG081.D
Acq: 10 Jun 2024 23:57

Tgt Ion:130 Resp: 123938

Ion	Ratio	Lower	Upper
130	100		
132	100.3	67.6	127.6
95	114.9	82.6	142.6
97	75.6	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 15:21
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 00:20
Sample ID	: T1AMF-MW060-MAY24	Date Analyzed:	06/11/24 00:20
Lab Samp ID:	24F003-08N	Dilution Factor:	1
Lab File ID:	RFG082	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	2.0	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.3	10.0	113	81-118
4-Bromofluorobenzene	10.0	10.0	100	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	10.2	10.0	102	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG082.D
Acq On : 11 Jun 2024 00:20
Sample : 24F003-08N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:56:46 2024
Quant Results File: VOE2E17.RES

Vial: 22
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	482092	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	384233	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	184090	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	301672	10.22	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.20%		
41) 1,2-Dichloroethane-d4	5.723	65	440695	11.29	ug/L	0.00
Spiked Amount 10.000			Recovery =	112.90%		
56) Toluene-d8	7.594	98	785204	10.28	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.80%		
77) 4-Bromofluorobenzene	11.369	95	293537	10.04	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.40%		
Target Compounds						Qvalue
45) Trichloroethene	6.373	130	49122	2.02	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG082.D
Acq On : 11 Jun 2024 00:20
Sample : 24F003-08N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 15:56:46 2024
Quant Results File: VOE2E17.RES

Vial: 22
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M






#45
Trichloroethene
Concen: 2.02 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG082.D
Acq: 11 Jun 2024 00:20

Tgt Ion:130 Resp: 49122

Ion	Ratio	Lower	Upper
130	100		
132	91.5	67.6	127.6
95	113.3	82.6	142.6
97	66.6	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 08:29
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 00:44
Sample ID	: T1ANF-MW017-MAY24	Date Analyzed:	06/11/24 00:44
Lab Samp ID:	24F003-09N	Dilution Factor:	1
Lab File ID:	RFG083	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.19J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	3.9	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.7	10.0	117	81-118
4-Bromofluorobenzene	10.2	10.0	102	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.94	10.0	99	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG083.D
Acq On : 11 Jun 2024 00:44
Sample : 24F003-09N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 16:03:58 2024
Quant Results File: VOE2E17.RES

Vial: 23
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	468845	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	366412	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	177214	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	285535	9.94	ug/l	0.00
Spiked Amount 10.000			Recovery =	99.40%		
41) 1,2-Dichloroethane-d4	5.723	65	442326	11.66	ug/L	0.00
Spiked Amount 10.000			Recovery =	116.60%		
56) Toluene-d8	7.594	98	769232	10.57	ug/l	0.00
Spiked Amount 10.000			Recovery =	105.70%		
77) 4-Bromofluorobenzene	11.369	95	285730	10.16	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.60%		
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.063	96	4827	0.19	ug/l	83
33) Chloroform	5.173	83	16263	0.29	ug/l	94
45) Trichloroethene	6.373	130	91979	3.88	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG083.D
Acq On : 11 Jun 2024 00:44
Sample : 24F003-09N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 16:03:58 2024
Quant Results File: VOE2E17.RES

Vial: 23
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 0.19 ug/l
RT: 5.063 min Scan# 225
Delta R.T. 0.000 min
Lab File: RFG083.D
Acq: 11 Jun 2024 00:44

Tgt Ion: 96 Resp: 4827

Ion	Ratio	Lower	Upper
96	100		
98	50.9	33.9	93.9







#33
Chloroform
Concen: 0.29 ug/l
RT: 5.173 min Scan# 235
Delta R.T. 0.000 min
Lab File: RFG083.D
Acq: 11 Jun 2024 00:44

Tgt Ion: 83 Resp: 16263

Ion	Ratio	Lower	Upper
83	100		
85	58.7	35.4	95.4
47	25.6	0.0	55.4






#45
Trichloroethene
Concen: 3.88 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG083.D
Acq: 11 Jun 2024 00:44

Tgt Ion:130 Resp: 91979

Ion	Ratio	Lower	Upper
130	100		
132	99.1	67.6	127.6
95	122.4	82.6	142.6
97	77.1	46.9	106.9



METHOD SW5030C/B260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 09:27
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 01:08
Sample ID	: T1AMF-MW011-MAY24	Date Analyzed:	06/11/24 01:08
Lab Samp ID:	24F003-10N	Dilution Factor:	1
Lab File ID:	RFG084	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.62J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	5.4	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.3	10.0	113	81-118
4-Bromofluorobenzene	10.7	10.0	107	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	9.94	10.0	99	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG084.D
Acq On : 11 Jun 2024 1:08
Sample : 24F003-10N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 16:06:06 2024
Quant Results File: VOE2E17.RES

Vial: 24
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	457705	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	362030	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	168731	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	278530	9.94	ug/l	0.00
Spiked Amount 10.000			Recovery =	99.40%		
41) 1,2-Dichloroethane-d4	5.723	65	419697	11.33	ug/L	0.00
Spiked Amount 10.000			Recovery =	113.30%		
56) Toluene-d8	7.594	98	766457	10.65	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.50%		
77) 4-Bromofluorobenzene	11.369	95	286939	10.71	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.10%		
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.052	96	15417	0.62	ug/l	94
45) Trichloroethene	6.372	130	124000	5.36	ug/L	95
67) Chlorobenzene	9.619	112	15313	0.28	ug/l	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG084.D
Acq On : 11 Jun 2024 1:08
Sample : 24F003-10N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 16:06:06 2024
Quant Results File: VOE2E17.RES

Vial: 24
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 0.62 ug/l
RT: 5.052 min Scan# 224
Delta R.T. -0.011 min
Lab File: RFG084.D
Acq: 11 Jun 2024 1:08

Tgt Ion: 96 Resp: 15417

Ion	Ratio	Lower	Upper
96	100		
98	68.5	33.9	93.9







#45
Trichloroethene
Concen: 5.36 ug/L
RT: 6.372 min Scan# 344
Delta R.T. -0.001 min
Lab File: RFG084.D
Acq: 11 Jun 2024 1:08

Tgt Ion:130 Resp: 124000

Ion	Ratio	Lower	Upper
130	100		
132	92.6	67.6	127.6
95	118.0	82.6	142.6
97	72.6	46.9	106.9






#67
Chlorobenzene
Concen: 0.28 ug/l
RT: 9.619 min Scan# 639
Delta R.T. -0.000 min
Lab File: RFG084.D
Acq: 11 Jun 2024 1:08

Tgt Ion:112 Resp: 15313

Ion	Ratio	Lower	Upper
112	100		
114	26.8	2.0	62.0



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 10:35
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 01:32
Sample ID	: T1AMF-NW016-MAY24	Date Analyzed:	06/11/24 01:32
Lab Samp ID:	24F003-11	Dilution Factor:	1
Lab File ID:	RFG085	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.60J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	2.9	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.5	10.0	115	81-118
4-Bromofluorobenzene	10.0	10.0	100	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	10.2	10.0	102	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG085.D
Acq On : 11 Jun 2024 1:32
Sample : 24F003-11
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 18:01:09 2024
Quant Results File: VOE2E17.RES

Vial: 25
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	457099	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	363853	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	174264	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	286873	10.25	ug/l	0.00
Spiked Amount 10.000			Recovery = 102.50%			
41) 1,2-Dichloroethane-d4	5.723	65	426227	11.52	ug/L	0.00
Spiked Amount 10.000			Recovery = 115.20%			
56) Toluene-d8	7.594	98	762629	10.55	ug/l	0.00
Spiked Amount 10.000			Recovery = 105.50%			
77) 4-Bromofluorobenzene	11.369	95	277824	10.04	ug/l	0.00
Spiked Amount 10.000			Recovery = 100.40%			
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.063	96	14956	0.60	ug/l	98
45) Trichloroethene	6.372	130	67461	2.92	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG085.D
Acq On : 11 Jun 2024 1:32
Sample : 24F003-11
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 18:01:09 2024
Quant Results File: VOE2E17.RES

Vial: 25
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 0.60 ug/l
RT: 5.063 min Scan# 225
Delta R.T. -0.000 min
Lab File: RFG085.D
Acq: 11 Jun 2024 1:32

Tgt Ion: 96 Resp: 14956

Ion	Ratio	Lower	Upper
96	100		
98	65.6	33.9	93.9






#45
Trichloroethene
Concen: 2.92 ug/L
RT: 6.372 min Scan# 344
Delta R.T. -0.001 min
Lab File: RFG085.D
Acq: 11 Jun 2024 1:32

Tgt Ion:130 Resp: 67461

Ion	Ratio	Lower	Upper
130	100		
132	99.0	67.6	127.6
95	114.8	82.6	142.6
97	76.0	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 10:40
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 01:56
Sample ID	: T1AMF-MW016-MAY24_FD	Date Analyzed:	06/11/24 01:56
Lab Samp ID:	24F003-12	Dilution Factor:	1
Lab File ID:	RFG086	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.63J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	2.8	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.4	10.0	114	81-118
4-Bromofluorobenzene	9.86	10.0	99	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	10.0	10.0	100	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG086.D
Acq On : 11 Jun 2024 1:56
Sample : 24F003-12
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 16:07:58 2024
Quant Results File: VOE2E17.RES

Vial: 26
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	466426	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	362719	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	175336	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	285817	10.01	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.10%		
41) 1,2-Dichloroethane-d4	5.723	65	431046	11.42	ug/L	0.00
Spiked Amount 10.000			Recovery =	114.20%		
56) Toluene-d8	7.594	98	770036	10.68	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.80%		
77) 4-Bromofluorobenzene	11.369	95	274312	9.86	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.60%		
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.063	96	15936	0.63	ug/l	99
45) Trichloroethene	6.373	130	65697	2.79	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG086.D
Acq On : 11 Jun 2024 1:56
Sample : 24F003-12
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 16:07:58 2024
Quant Results File: VOE2E17.RES

Vial: 26
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 0.63 ug/l
RT: 5.063 min Scan# 225
Delta R.T. -0.000 min
Lab File: RFG086.D
Acq: 11 Jun 2024 1:56

Tgt Ion: 96 Resp: 15936

Ion	Ratio	Lower	Upper
96	100		
98	63.3	33.9	93.9






#45
Trichloroethene
Concen: 2.79 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG086.D
Acq: 11 Jun 2024 1:56

Tgt Ion:130 Resp: 65697

Ion	Ratio	Lower	Upper
130	100		
132	103.6	67.6	127.6
95	116.5	82.6	142.6
97	75.3	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 12:24
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 02:19
Sample ID	: T1AMF-MW049-MAY24	Date Analyzed:	06/11/24 02:19
Lab Samp ID:	24F003-13	Dilution Factor:	1
Lab File ID:	RFG087	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.1	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	71	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.5	10.0	115	81-118
4-Bromofluorobenzene	10.1	10.0	101	85-114
Toluene-d8	10.4	10.0	104	89-112
Dibromofluoromethane	10.1	10.0	101	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG087.D
Acq On : 11 Jun 2024 2:19
Sample : 24F003-13
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 16:09:23 2024
Quant Results File: VOE2E17.RES

Vial: 27
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	455017	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	364511	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	174043	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	282622	10.14	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.40%		
41) 1,2-Dichloroethane-d4	5.723	65	422023	11.46	ug/L	0.00
Spiked Amount 10.000			Recovery =	114.60%		
56) Toluene-d8	7.594	98	750660	10.36	ug/l	0.00
Spiked Amount 10.000			Recovery =	103.60%		
77) 4-Bromofluorobenzene	11.369	95	279853	10.13	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.30%		
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.052	96	27667	1.12	ug/l	99
33) Chloroform	5.173	83	78977	1.45	ug/l	95
43) 1,2-Dichloroethane	5.988	62	23942	0.57	ug/L	47
45) Trichloroethene	6.373	130	1637762	71.26	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG087.D
Acq On : 11 Jun 2024 2:19
Sample : 24F003-13
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 16:09:23 2024
Quant Results File: VOE2E17.RES

Vial: 27
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 1.12 ug/l
RT: 5.052 min Scan# 224
Delta R.T. -0.011 min
Lab File: RFG087.D
Acq: 11 Jun 2024 2:19

Tgt Ion: 96 Resp: 27667

Ion	Ratio	Lower	Upper
96	100		
98	64.4	33.9	93.9







#33
Chloroform
Concen: 1.45 ug/l
RT: 5.173 min Scan# 235
Delta R.T. 0.000 min
Lab File: RFG087.D
Acq: 11 Jun 2024 2:19

Tgt Ion: 83 Resp: 78977

Ion	Ratio	Lower	Upper
83	100		
85	60.7	35.4	95.4
47	25.8	0.0	55.4







#43
1,2-Dichloroethane
Concen: 0.57 ug/L
RT: 5.988 min Scan# 309
Delta R.T. 0.188 min
Lab File: RFG087.D
Acq: 11 Jun 2024 2:19

Tgt Ion: 62 Resp: 23942

Ion	Ratio	Lower	Upper
62	100		
64	62.5	2.5	62.5






#45
Trichloroethene
Concen: 71.26 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG087.D
Acq: 11 Jun 2024 2:19

Tgt Ion:130 Resp: 1637762

Ion	Ratio	Lower	Upper
130	100		
132	96.2	67.6	127.6
95	117.0	82.6	142.6
97	76.8	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 13:16
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 17:25
Sample ID	: T1AMF-MW029-MAY24	Date Analyzed:	06/11/24 17:25
Lab Samp ID:	24F003-14	Dilution Factor:	1
Lab File ID:	RFG101	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.3	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	33	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	9.83	10.0	98	85-114
Toluene-d8	10.4	10.0	104	89-112
Dibromofluoromethane	9.92	10.0	99	80-119

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG101.D
Acq On : 11 Jun 2024 17:25
Sample : 24F003-14
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 17:44:06 2024
Quant Results File: VOE2E17.RES

Vial: 11
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	496966	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	393665	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	192105	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	302000	9.92	ug/l	0.00
Spiked Amount 10.000			Recovery = 99.20%			
41) 1,2-Dichloroethane-d4	5.723	65	446192	11.09	ug/L	0.00
Spiked Amount 10.000			Recovery = 110.90%			
56) Toluene-d8	7.594	98	817377	10.45	ug/l	0.00
Spiked Amount 10.000			Recovery = 104.50%			
77) 4-Bromofluorobenzene	11.369	95	299727	9.83	ug/l	0.00
Spiked Amount 10.000			Recovery = 98.30%			
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.063	96	34012	1.26	ug/l	96
33) Chloroform	5.173	83	14984	0.25	ug/l	91
45) Trichloroethene	6.373	130	840120	33.47	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG101.D
Acq On : 11 Jun 2024 17:25
Sample : 24F003-14
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 17:44:06 2024
Quant Results File: VOE2E17.RES

Vial: 11
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 1.26 ug/l
RT: 5.063 min Scan# 225
Delta R.T. -0.000 min
Lab File: RFG101.D
Acq: 11 Jun 2024 17:25

Tgt Ion: 96 Resp: 34012

Ion	Ratio	Lower	Upper
96	100		
98	60.8	33.9	93.9







#33
Chloroform
Concen: 0.25 ug/l
RT: 5.173 min Scan# 235
Delta R.T. 0.000 min
Lab File: RFG101.D
Acq: 11 Jun 2024 17:25

Tgt Ion: 83 Resp: 14984

Ion	Ratio	Lower	Upper
83	100		
85	56.8	35.4	95.4
47	26.6	0.0	55.4






#45
Trichloroethene
Concen: 33.47 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG101.D
Acq: 11 Jun 2024 17:25

Tgt Ion:130 Resp: 840120

Ion	Ratio	Lower	Upper
130	100		
132	98.2	67.6	127.6
95	119.0	82.6	142.6
97	76.7	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 14:21
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 17:49
Sample ID	: T1AMF-MW030-MAY24	Date Analyzed:	06/11/24 17:49
Lab Samp ID:	24F003-15	Dilution Factor:	1
Lab File ID:	RFG102	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.6	10.0	116	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	10.1	10.0	101	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG102.D
Acq On : 11 Jun 2024 17:49
Sample : 24F003-15
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 17:45:25 2024
Quant Results File: VOE2E17.RES

Vial: 12
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	484161	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	392148	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	178457	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	299145	10.09	ug/l	0.00
Spiked Amount 10.000			Recovery = 100.90%			
41) 1,2-Dichloroethane-d4	5.723	65	453110	11.56	ug/L	0.00
Spiked Amount 10.000			Recovery = 115.60%			
56) Toluene-d8	7.594	98	795101	10.20	ug/l	0.00
Spiked Amount 10.000			Recovery = 102.00%			
77) 4-Bromofluorobenzene	11.369	95	298357	10.53	ug/l	0.00
Spiked Amount 10.000			Recovery = 105.30%			
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG102.D
Acq On : 11 Jun 2024 17:49
Sample : 24F003-15
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 17:45:25 2024
Quant Results File: VOE2E17.RES

Vial: 12
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 14:26
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 18:13
Sample ID	: T1AMF-MW030-MAY24_FD	Date Analyzed:	06/11/24 18:13
Lab Samp ID:	24F003-16	Dilution Factor:	1
Lab File ID:	RFG103	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.2	10.0	102	85-114
Toluene-d8	10.4	10.0	104	89-112
Dibromofluoromethane	10.2	10.0	102	80-119

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG103.D
Acq On : 11 Jun 2024 18:13
Sample : 24F003-16
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 17:54:23 2024
Quant Results File: VOE2E17.RES

Vial: 13
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	468619	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	374980	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	178942	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	291618	10.16	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.60%		
41) 1,2-Dichloroethane-d4	5.723	65	421676	11.12	ug/L	0.00
Spiked Amount 10.000			Recovery =	111.20%		
56) Toluene-d8	7.594	98	775119	10.40	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.00%		
77) 4-Bromofluorobenzene	11.369	95	289800	10.20	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.00%		
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG103.D
Acq On : 11 Jun 2024 18:13
Sample : 24F003-16
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 17:54:23 2024
Quant Results File: VOE2E17.RES

Vial: 13
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/30/24 15:20
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/11/24 18:37
Sample ID	: T1AMF-MW057-MAY24	Date Analyzed:	06/11/24 18:37
Lab Samp ID:	24F003-17	Dilution Factor:	1
Lab File ID:	RFG104	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	10.3	10.0	103	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG104.D
Acq On : 11 Jun 2024 18:37
Sample : 24F003-17
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 17:47:03 2024
Quant Results File: VOE2E17.RES

Vial: 14
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	462451	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	362871	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	175655	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	292759	10.34	ug/l	0.00
Spiked Amount 10.000			Recovery =	103.40%		
41) 1,2-Dichloroethane-d4	5.723	65	417302	11.15	ug/L	0.00
Spiked Amount 10.000			Recovery =	111.50%		
56) Toluene-d8	7.594	98	764190	10.60	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.00%		
77) 4-Bromofluorobenzene	11.369	95	288585	10.35	ug/l	0.00
Spiked Amount 10.000			Recovery =	103.50%		
Target Compounds						Qvalue
33) Chloroform	5.173	83	49485	0.89	ug/l	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG104.D
Acq On : 11 Jun 2024 18:37
Sample : 24F003-17
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 17:47:03 2024
Quant Results File: VOE2E17.RES

Vial: 14
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M






#33
Chloroform
Concen: 0.89 ug/l
RT: 5.173 min Scan# 235
Delta R.T. 0.000 min
Lab File: RFG104.D
Acq: 11 Jun 2024 18:37

Tgt Ion: 83 Resp: 49485

Ion	Ratio	Lower	Upper
83	100		
85	62.9	35.4	95.4
47	27.4	0.0	55.4



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 08:30
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 20:48
Sample ID	: TB-1_MAY24	Date Analyzed:	06/10/24 20:48
Lab Samp ID:	24F003-18	Dilution Factor:	1
Lab File ID:	RFG073	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	0.33J	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.9	10.0	109	81-118
4-Bromofluorobenzene	10.4	10.0	104	85-114
Toluene-d8	10.8	10.0	108	89-112
Dibromofluoromethane	9.92	10.0	99	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG073.D
Acq On : 10 Jun 2024 20:48
Sample : 24F003-18
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 14:38:36 2024
Quant Results File: VOE2E17.RES

Vial: 13
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	558266	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	422620	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	206204	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	339318	9.92	ug/l	0.00
Spiked Amount 10.000			Recovery = 99.20%			
41) 1,2-Dichloroethane-d4	5.723	65	493608	10.92	ug/L	0.00
Spiked Amount 10.000			Recovery = 109.20%			
56) Toluene-d8	7.594	98	906465	10.79	ug/l	0.00
Spiked Amount 10.000			Recovery = 107.90%			
77) 4-Bromofluorobenzene	11.369	95	339922	10.38	ug/l	0.00
Spiked Amount 10.000			Recovery = 103.80%			
Target Compounds						Qvalue
58) Toluene	7.693	91	31439	0.33	ug/l	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG073.D
Acq On : 10 Jun 2024 20:48
Sample : 24F003-18
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 14:38:36 2024
Quant Results File: VOE2E17.RES

Vial: 13
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M






#58
Toluene
Concen: 0.33 ug/l
RT: 7.693 min Scan# 464
Delta R.T. -0.000 min
Lab File: RFG073.D
Acq: 10 Jun 2024 20:48

Tgt Ion: 91 Resp: 31439

Ion	Ratio	Lower	Upper
91	100		
92	58.4	28.5	88.5



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 07:45
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F003	Date Extracted:	06/10/24 21:11
Sample ID	: TB-2 MAY24	Date Analyzed:	06/10/24 21:11
Lab Samp ID:	24F003-19	Dilution Factor:	1
Lab File ID:	RFG074	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	0.29J	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.8	10.0	108	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	9.79	10.0	98	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG074.D
Acq On : 10 Jun 2024 21:11
Sample : 24F003-19
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 14:43:02 2024
Quant Results File: VOE2E17.RES

Vial: 14
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	532753	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	414099	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	187690	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	319434	9.79	ug/l	0.00
Spiked Amount 10.000			Recovery = 97.90%			
41) 1,2-Dichloroethane-d4	5.723	65	476701	11.06	ug/L	0.00
Spiked Amount 10.000			Recovery = 110.60%			
56) Toluene-d8	7.594	98	864763	10.51	ug/l	0.00
Spiked Amount 10.000			Recovery = 105.10%			
77) 4-Bromofluorobenzene	11.369	95	321868	10.80	ug/l	0.00
Spiked Amount 10.000			Recovery = 108.00%			
Target Compounds						Qvalue
58) Toluene	7.693	91	27694	0.29	ug/l	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG074.D
Acq On : 10 Jun 2024 21:11
Sample : 24F003-19
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 14:43:02 2024
Quant Results File: VOE2E17.RES

Vial: 14
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M






#58
Toluene
Concen: 0.29 ug/l
RT: 7.693 min Scan# 464
Delta R.T. -0.000 min
Lab File: RFG074.D
Acq: 10 Jun 2024 21:11

Tgt Ion: 91 Resp: 27694

Ion	Ratio	Lower	Upper
91	100		
92	61.2	28.5	88.5



QC SUMMARIES

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/10/24 18:25
Project	: TITAN 1-A	Date Received:	06/10/24
Batch No.	: 24F003	Date Extracted:	06/10/24 18:25
Sample ID	: MBLK1W	Date Analyzed:	06/10/24 18:25
Lab Samp ID:	VOE2F03B	Dilution Factor:	1
Lab File ID:	RFG067	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.3	10.0	103	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.8	10.0	108	89-112
Dibromofluoromethane	9.60	10.0	96	80-119

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F003
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: VOE2F03B	VOE2F03L	VOE2F03C
LAB FILE ID	: RFG067	RFG063	RFG064
DATE PREPARED	: 06/10/24 18:25	06/10/24 17:13	06/10/24 17:37
DATE ANALYZED	: 06/10/24 18:25	06/10/24 17:13	06/10/24 17:37
PREP BATCH	: VOE2F03	VOE2F03	VOE2F03
CALIBRATION REF:	REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	10.3	103	10.0	10.6	106	3	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.9	109	10.0	11.5	115	5	79-118	20
Benzene	ND	10.0	10.7	107	10.0	11.1	111	4	79-120	20
cis-1,2-Dichloroethene	ND	10.0	10.2	102	10.0	10.6	106	4	78-123	20
Ethylbenzene	ND	10.0	10.7	107	10.0	11.4	114	6	79-121	20
m,p-Xylene	ND	20.0	20.8	104	20.0	22.2	111	7	80-121	20
o-Xylene	ND	10.0	10.9	109	10.0	11.8	118	8	78-122	20
Toluene	ND	10.0	10.8	108	10.0	11.7	117	8	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	10.1	101	10.0	10.2	102	1	75-124	20
Trichloroethene	ND	10.0	9.31	93	10.0	9.74	97	5	79-123	20
Vinyl Chloride	ND	10.0	10.1	101	10.0	9.12	91	10	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	9.95	100	10.0	9.88	99	81-118
4-Bromofluorobenzene	10.0	10.4	104	10.0	10.8	108	85-114
Toluene-d8	10.0	10.5	105	10.0	10.5	105	89-112
Dibromofluoromethane	10.0	9.84	98	10.0	9.40	94	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/11/24 15:26
Project	: TITAN 1-A	Date Received:	06/11/24
Batch No.	: 24F003	Date Extracted:	06/11/24 15:26
Sample ID	: MBLK2W	Date Analyzed:	06/11/24 15:26
Lab Samp ID:	VOE2F04B	Dilution Factor:	1
Lab File ID:	RFG096	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.8	10.0	108	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.95	10.0	100	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F003
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK2W	LCS2W	LCD2W
LAB SAMPLE ID	: VOE2F04B	VOE2F04L	VOE2F04C
LAB FILE ID	: RFG096	RFG093	RFG094
DATE PREPARED	: 06/11/24 15:26	06/11/24 14:15	06/11/24 14:39
DATE ANALYZED	: 06/11/24 15:26	06/11/24 14:15	06/11/24 14:39
PREP BATCH	: VOE2F04	VOE2F04	VOE2F04
CALIBRATION REF:	REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	9.69	97	10.0	9.34	93	4	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.7	107	10.0	10.3	103	4	79-118	20
Benzene	ND	10.0	9.98	100	10.0	9.74	97	2	79-120	20
cis-1,2-Dichloroethene	ND	10.0	9.91	99	10.0	9.49	95	4	78-123	20
Ethylbenzene	ND	10.0	10.5	105	10.0	10.4	104	1	79-121	20
m,p-Xylene	ND	20.0	20.4	102	20.0	20.2	101	1	80-121	20
o-Xylene	ND	10.0	10.7	107	10.0	10.6	106	1	78-122	20
Toluene	ND	10.0	10.4	104	10.0	10.3	103	1	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	9.39	94	10.0	9.07	91	3	75-124	20
Trichloroethene	ND	10.0	9.00	90	10.0	8.65	87	4	79-123	20
Vinyl Chloride	ND	10.0	11.0	110	10.0	10.4	104	6	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.6	106	10.0	10.1	101	81-118
4-Bromofluorobenzene	10.0	11.1	111	10.0	10.6	106	85-114
Toluene-d8	10.0	10.6	106	10.0	10.6	106	89-112
Dibromofluoromethane	10.0	9.84	98	10.0	9.56	96	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

QC DATA

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG067.D
Acq On : 10 Jun 2024 18:25
Sample : VOE2F03B
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 13:49:41 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	727124	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	552730	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	266282	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	427619	9.60	ug/l	0.00
Spiked Amount 10.000			Recovery =	96.00%		
41) 1,2-Dichloroethane-d4	5.723	65	605141	10.28	ug/L	0.00
Spiked Amount 10.000			Recovery =	102.80%		
56) Toluene-d8	7.594	98	1181499	10.76	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.60%		
77) 4-Bromofluorobenzene	11.369	95	441902	10.45	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.50%		
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG067.D
Acq On : 10 Jun 2024 18:25
Sample : VOE2F03B
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 13:49:41 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG063.D Vial: 3
Acq On : 10 Jun 2024 17:13 Operator: DNguye
Sample : VOE2F03L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:51:42 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	792750	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	646227	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	321378	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	477546	9.84	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.40%		
41) 1,2-Dichloroethane-d4	5.723	65	638295	9.95	ug/L	0.00
Spiked Amount 10.000			Recovery =	99.50%		
56) Toluene-d8	7.594	98	1343222	10.46	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.60%		
77) 4-Bromofluorobenzene	11.369	95	531007	10.41	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.10%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	478859	10.53	ug/l	100
3) Chloromethane	2.906	50	233171	7.14	ug/l	98
4) Vinyl chloride	2.994	62	348108	10.10	ug/l	99
5) Bromomethane	3.313	94	181644	7.79	ug/l	94
6) Dichlorofluoromethane	3.357	67	832894	10.57	ug/L	100
7) Chloroethane	3.346	64	155704	9.22	ug/l	97
8) Trichlorofluoromethane	3.511	101	617653	7.97	ug/l	99
9) Acrolein	3.753	56	205312	39.82	ug/l	100
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	332677	9.85	ug/l	98
11) Acetone	3.775	43	489540	47.77	ug/l	100
12) tert-Butyl alcohol	3.874	59	1100962	228.38	ug/L	100
13) 1,1-Dichloroethene	3.907	61	727261	10.26	ug/l	99
14) Acetonitrile	3.874	41	219682	91.83	ug/L	97
15) Allyl chloride	4.105	76	207943	11.11	ug/L	99
16) Iodomethane	4.149	142	374701	9.96	ug/l	99
18) Methylene chloride	4.182	49	535107	10.59	ug/l	95
19) Acrylonitrile	4.215	53	513308	43.07	ug/l	99
20) tert-Butyl methyl ethe...	4.226	73	1253699	10.58	ug/L	97
21) Carbon disulfide	4.315	76	1128646	10.39	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	381609	10.09	ug/l	97
23) Isopropyl ether (DIPE)	4.469	45	1226107	10.17	ug/l	98
24) Vinyl acetate	4.546	43	414166	6.03	ug/l	99
25) 1,1-Dichloroethane	4.634	63	784954	10.26	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	1370234	9.36	ug/l	89
27) 2-Butanone	4.854	72	172408	46.35	ug/l	94
28) Propionitrile	4.909	54	436654	99.63	ug/L	95
29) Isobutyl alcohol	5.030	43	285794	184.55	ug/L	92
30) 2,2-Dichloropropane	5.019	77	851307	11.12	ug/l	100
31) Methacrylonitrile	5.063	52	680896	94.62	ug/L	86
32) cis-1,2-Dichloroethene	5.063	96	438573	10.19	ug/l	99
33) Chloroform	5.173	83	942656	9.94	ug/l	96
34) Bromochloromethane	5.327	130	235437	9.31	ug/l	97
35) Tetrahydrofuran	5.327	42	95717	9.58	ug/L	94
37) 1,1,1-Trichloroethane	5.503	97	911404	10.66	ug/l	99
39) tert-Amyl methyl ether...	5.613	87	286008	10.95	ug/l	99
40) 1,1-Dichloropropene	5.613	110	183599	9.81	ug/L	97
42) Carbon tetrachloride	5.734	119	744710	10.29	ug/L	99
43) 1,2-Dichloroethane	5.800	62	770942	10.58	ug/L	99
44) Benzene	5.866	78	1552522	10.70	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG063.D
Acq On : 10 Jun 2024 17:13
Sample : VOE2F03L
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:51:42 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45)	Trichloroethene	6.372	130	372826	9.31	ug/L		96
46)	Methyl methacrylate	6.439	69	247156	6.97	ug/L	#	75
48)	1,2-Dichloropropane	6.527	63	378642	10.23	ug/L		97
50)	Bromodichloromethane	6.780	83	735082	10.49	ug/L		97
51)	Dibromomethane	6.868	93	285885	9.49	ug/L		97
52)	2-Chloroethyl vinyl ether	6.934	63	133183	7.26	ug/L		99
53)	4-Methyl-2-pentanone	6.967	43	1765852	43.54	ug/L		98
54)	cis-1,3-Dichloropropene	7.275	75	686899	10.61	ug/L		99
57)	Ethyl methacrylate	7.693	69	468696	10.63	ug/L		94
58)	Toluene	7.693	91	1588600	10.84	ug/l		100
59)	trans-1,3-Dichloropropene	7.814	75	687479	10.96	ug/l		96
60)	2-Hexanone	7.946	43	1204034	45.44	ug/l		100
61)	1,1,2-Trichloroethane	8.045	97	351436	10.10	ug/l		96
62)	1,3-Dichloropropane	8.353	76	563627	10.91	ug/l		98
63)	Tetrachloroethene	8.518	164	320887	10.02	ug/l		98
64)	Dibromochloromethane	8.783	129	484738	9.29	ug/l		100
65)	1,2-Dibromoethane	9.069	107	354988	9.47	ug/l		97
66)	1-Chlorohexane	9.124	91	525115	10.83	ug/l		92
67)	Chlorobenzene	9.619	112	989338	10.22	ug/l		99
68)	1,1,1,2-Tetrachloroethane	9.652	131	419449	10.18	ug/l		99
69)	Ethylbenzene	9.641	91	1896279	10.70	ug/l		99
70)	m-Xylene & p-Xylene	9.751	91	3005719	20.80	ug/l		97
71)	o-Xylene	10.411	91	1488798	10.88	ug/l		99
72)	Styrene	10.466	104	1007131	10.53	ug/l		95
73)	Isopropylbenzene	10.940	105	1676815	10.76	ug/L		99
75)	Bromoform	11.061	173	312344	8.91	ug/l		99
76)	1,1,2,2-Tetrachloroethane	11.204	83	446381	9.97	ug/l		94
78)	1,2,3-Trichloropropane	11.457	110	124811	10.09	ug/l		100
79)	trans-1,4-Dichloro-2-b...	11.512	53	123107	9.84	ug/l		98
80)	n-Propylbenzene	11.589	91	2135717	10.48	ug/l		98
81)	Bromobenzene	11.732	156	438689	9.81	ug/l		97
82)	1,3,5-Trimethylbenzene	11.831	105	1439701	10.28	ug/l		97
83)	2-Chlorotoluene	11.919	91	1363566	10.84	ug/l		91
84)	4-Chlorotoluene	11.985	91	1241041	11.70	ug/l		98
85)	tert-Butylbenzene	12.414	134	223517	10.31	ug/l		91
86)	1,2,4-Trimethylbenzene	12.480	105	1456697	10.63	ug/l		94
87)	sec-Butylbenzene	12.755	105	1649768	10.39	ug/l		99
88)	p-Isopropyltoluene	12.965	119	1339055	10.05	ug/l		98
89)	1,3-Dichlorobenzene	13.174	146	715813	11.19	ug/l		98
90)	1,2,3-Trimethylbenzene	13.262	105	1396943	10.29	ug/L		98
91)	1,4-Dichlorobenzene	13.328	146	726522	10.93	ug/l		98
92)	n-Butylbenzene	13.614	91	1336368	10.55	ug/l		98
93)	1,2-Dichlorobenzene	13.933	146	680865	9.70	ug/l		98
94)	1,2-Dibromo-3-chloropr...	15.144	157	78629	8.63	ug/l		100
95)	1,2,4-Trichlorobenzene	16.464	180	449545	10.54	ug/l		98
96)	Hexachlorobutadiene	16.662	225	249558	10.28	ug/l		99
97)	Naphthalene	16.871	128	1024859	9.44	ug/l		99
98)	1,2,3-Trichlorobenzene	17.235	180	417961	10.31	ug/l		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG063.D Vial: 3
Acq On : 10 Jun 2024 17:13 Operator: DNguye
Sample : VOE2F03L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:51:42 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG064.D
Acq On : 10 Jun 2024 17:37
Sample : VOE2F03C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:52:36 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	821664	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	645570	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	324769	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	472839	9.40	ug/l	0.00
Spiked Amount 10.000			Recovery =	94.00%		
41) 1,2-Dichloroethane-d4	5.723	65	656812	9.88	ug/L	0.00
Spiked Amount 10.000			Recovery =	98.80%		
56) Toluene-d8	7.594	98	1349262	10.52	ug/l	0.00
Spiked Amount 10.000			Recovery =	105.20%		
77) 4-Bromofluorobenzene	11.369	95	556714	10.80	ug/l	0.00
Spiked Amount 10.000			Recovery =	108.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	453005	9.61	ug/l	97
3) Chloromethane	2.906	50	237268	7.01	ug/l	99
4) Vinyl chloride	2.994	62	326070	9.12	ug/l	98
5) Bromomethane	3.313	94	192889	7.98	ug/l	97
6) Dichlorofluoromethane	3.357	67	895959	10.97	ug/L	99
7) Chloroethane	3.346	64	148891	8.50	ug/l	98
8) Trichlorofluoromethane	3.511	101	586245	7.30	ug/l	100
9) Acrolein	3.753	56	220691	41.30	ug/l	95
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	347771	9.94	ug/l	100
11) Acetone	3.775	43	535937	50.74	ug/l	99
12) tert-Butyl alcohol	3.875	59	1287593	257.70	ug/L	99
13) 1,1-Dichloroethene	3.908	61	776635	10.57	ug/l	98
14) Acetonitrile	3.875	41	246403	99.37	ug/L	96
15) Allyl chloride	4.106	76	224772	11.59	ug/L	97
16) Iodomethane	4.150	142	421560	10.78	ug/l	98
18) Methylene chloride	4.183	49	576729	11.04	ug/l	97
19) Acrylonitrile	4.216	53	557291	45.11	ug/l	97
20) tert-Butyl methyl ethe...	4.227	73	1375786	11.21	ug/L	98
21) Carbon disulfide	4.315	76	1235125	10.98	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	401252	10.24	ug/l	99
23) Isopropyl ether (DIPE)	4.458	45	1306484	10.46	ug/l	95
24) Vinyl acetate	4.546	43	462515	6.50	ug/l	98
25) 1,1-Dichloroethane	4.634	63	848741	10.71	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	1475247	9.72	ug/l	89
27) 2-Butanone	4.854	72	179219	46.48	ug/l	98
28) Propionitrile	4.909	54	485890	106.96	ug/L	96
29) Isobutyl alcohol	5.030	43	337014	209.97	ug/L	99
30) 2,2-Dichloropropane	5.019	77	903272	11.38	ug/l	99
31) Methacrylonitrile	5.063	52	780905	104.70	ug/L	87
32) cis-1,2-Dichloroethene	5.063	96	471856	10.58	ug/l	99
33) Chloroform	5.173	83	1017866	10.36	ug/l	97
34) Bromochloromethane	5.327	130	259303	9.90	ug/l	99
35) Tetrahydrofuran	5.327	42	106402	10.28	ug/L	98
37) 1,1,1-Trichloroethane	5.503	97	981117	11.07	ug/l	99
39) tert-Amyl methyl ether...	5.613	87	301193	11.12	ug/l	96
40) 1,1-Dichloropropene	5.613	110	199530	10.28	ug/L	99
42) Carbon tetrachloride	5.734	119	800823	10.68	ug/L	100
43) 1,2-Dichloroethane	5.800	62	835542	11.06	ug/L	100
44) Benzene	5.866	78	1668033	11.10	ug/L	98

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG064.D
Acq On : 10 Jun 2024 17:37
Sample : VOE2F03C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:52:36 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45)	Trichloroethene	6.373	130	404017	9.74	ug/L		97
46)	Methyl methacrylate	6.439	69	283019	7.70	ug/L	#	75
48)	1,2-Dichloropropane	6.527	63	421811	10.99	ug/L		98
50)	Bromodichloromethane	6.769	83	801790	11.04	ug/L		95
51)	Dibromomethane	6.857	93	311905	9.99	ug/L		98
52)	2-Chloroethyl vinyl ether	6.934	63	146731	7.72	ug/L		99
53)	4-Methyl-2-pentanone	6.956	43	1865373	44.38	ug/L		97
54)	cis-1,3-Dichloropropene	7.275	75	733120	10.93	ug/L		98
57)	Ethyl methacrylate	7.693	69	527493	11.97	ug/L		95
58)	Toluene	7.693	91	1716084	11.72	ug/l		100
59)	trans-1,3-Dichloropropene	7.814	75	753010	12.02	ug/l		95
60)	2-Hexanone	7.935	43	1318604	49.81	ug/l		99
61)	1,1,2-Trichloroethane	8.045	97	388988	11.19	ug/l		95
62)	1,3-Dichloropropane	8.354	76	626456	12.14	ug/l		100
63)	Tetrachloroethene	8.508	164	347732	10.86	ug/l		97
64)	Dibromochloromethane	8.783	129	532052	10.21	ug/l		99
65)	1,2-Dibromoethane	9.069	107	398916	10.65	ug/l		98
66)	1-Chlorohexane	9.124	91	564298	11.65	ug/l		90
67)	Chlorobenzene	9.619	112	1074970	11.12	ug/l		99
68)	1,1,1,2-Tetrachloroethane	9.641	131	442460	10.75	ug/l		99
69)	Ethylbenzene	9.641	91	2020341	11.41	ug/l		99
70)	m-Xylene & p-Xylene	9.740	91	3208719	22.23	ug/l		99
71)	o-Xylene	10.412	91	1614283	11.81	ug/l		98
72)	Styrene	10.456	104	1088636	11.39	ug/l		96
73)	Isopropylbenzene	10.940	105	1816420	11.67	ug/L		98
75)	Bromoform	11.061	173	352673	9.95	ug/l		99
76)	1,1,2,2-Tetrachloroethane	11.204	83	505707	11.17	ug/l		96
78)	1,2,3-Trichloropropane	11.446	110	136147	10.89	ug/l		98
79)	trans-1,4-Dichloro-2-b...	11.512	53	152024	12.02	ug/l		97
80)	n-Propylbenzene	11.578	91	2285053	11.10	ug/l		99
81)	Bromobenzene	11.732	156	482356	10.67	ug/l		97
82)	1,3,5-Trimethylbenzene	11.831	105	1549813	10.95	ug/l		98
83)	2-Chlorotoluene	11.919	91	1352671	10.64	ug/l		96
84)	4-Chlorotoluene	11.974	91	1454780	13.64	ug/l		96
85)	tert-Butylbenzene	12.415	134	228460	10.43	ug/l		90
86)	1,2,4-Trimethylbenzene	12.470	105	1521336	10.99	ug/l		96
87)	sec-Butylbenzene	12.756	105	1765384	11.00	ug/l		98
88)	p-Isopropyltoluene	12.954	119	1447830	10.76	ug/l		99
89)	1,3-Dichlorobenzene	13.163	146	768869	11.93	ug/l		98
90)	1,2,3-Trimethylbenzene	13.251	105	1489959	10.86	ug/L		99
91)	1,4-Dichlorobenzene	13.328	146	772346	11.52	ug/l		98
92)	n-Butylbenzene	13.614	91	1416978	11.07	ug/l		98
93)	1,2-Dichlorobenzene	13.933	146	721227	10.17	ug/l		100
94)	1,2-Dibromo-3-chloropr...	15.133	157	88450	9.61	ug/l		98
95)	1,2,4-Trichlorobenzene	16.464	180	457454	10.62	ug/l		99
96)	Hexachlorobutadiene	16.663	225	259621	10.59	ug/l		99
97)	Naphthalene	16.872	128	1123046	10.24	ug/l		98
98)	1,2,3-Trichlorobenzene	17.224	180	430678	10.52	ug/l		97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG064.D
Acq On : 10 Jun 2024 17:37
Sample : VOE2F03C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:52:36 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG096.D
Acq On : 11 Jun 2024 15:26
Sample : VOE2F04B
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 17:06:01 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	600187	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	469288	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	222326	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	365937	9.95	ug/l	0.00
Spiked Amount 10.000			Recovery = 99.50%			
41) 1,2-Dichloroethane-d4	5.723	65	524716	10.80	ug/L	0.00
Spiked Amount 10.000			Recovery = 108.00%			
56) Toluene-d8	7.594	98	987879	10.59	ug/l	0.00
Spiked Amount 10.000			Recovery = 105.90%			
77) 4-Bromofluorobenzene	11.369	95	374680	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery = 106.20%			
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG096.D
Acq On : 11 Jun 2024 15:26
Sample : VOE2F04B
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 17:06:01 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG093.D
Acq On : 11 Jun 2024 14:15
Sample : VOE2F04L
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 17:00:17 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	700127	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	552821	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	279028	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	421921	9.84	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.40%		
41) 1,2-Dichloroethane-d4	5.723	65	600152	10.59	ug/L	0.00
Spiked Amount 10.000			Recovery =	105.90%		
56) Toluene-d8	7.594	98	1166618	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.20%		
77) 4-Bromofluorobenzene	11.369	95	489887	11.06	ug/l	0.00
Spiked Amount 10.000			Recovery =	110.60%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	454089	11.30	ug/l	98
3) Chloromethane	2.906	50	263643	9.14	ug/l	99
4) Vinyl chloride	2.994	62	333714	10.96	ug/l	99
5) Bromomethane	3.313	94	252289	12.25	ug/l	97
6) Dichlorofluoromethane	3.357	67	719907	10.35	ug/L	99
7) Chloroethane	3.346	64	140485	9.42	ug/l	98
8) Trichlorofluoromethane	3.511	101	603142	8.82	ug/l	99
9) Acrolein	3.742	56	174984	38.43	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	283991	9.52	ug/l	99
11) Acetone	3.765	43	420709	46.35	ug/l	98
12) tert-Butyl alcohol	3.875	59	880251	206.75	ug/L	99
13) 1,1-Dichloroethene	3.908	61	606508	9.69	ug/l	98
14) Acetonitrile	3.875	41	179260	84.84	ug/L	92
15) Allyl chloride	4.106	76	172916	10.46	ug/L	99
16) Iodomethane	4.150	142	405519	12.14	ug/l	93
18) Methylene chloride	4.183	49	505043	11.37	ug/l	97
19) Acrylonitrile	4.216	53	426217	40.49	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	1076360	10.29	ug/L	97
21) Carbon disulfide	4.304	76	936457	9.77	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	313496	9.39	ug/l	98
23) Isopropyl ether (DIPE)	4.469	45	1010133	9.49	ug/l	97
24) Vinyl acetate	4.546	43	453098	7.47	ug/l	98
25) 1,1-Dichloroethane	4.634	63	666915	9.88	ug/l	98
26) tert-Butyl ethyl ether...	4.733	59	1176130	9.10	ug/l	90
27) 2-Butanone	4.854	72	140045	42.63	ug/l	96
28) Propionitrile	4.909	54	340372	87.93	ug/L	99
29) Isobutyl alcohol	5.030	43	213474	156.09	ug/L	87
30) 2,2-Dichloropropane	5.030	77	739363	10.94	ug/l	98
31) Methacrylonitrile	5.052	52	600892	94.55	ug/L	92
32) cis-1,2-Dichloroethene	5.063	96	376607	9.91	ug/l	100
33) Chloroform	5.173	83	822837	9.83	ug/l	98
34) Bromochloromethane	5.327	130	201585	9.03	ug/l	97
35) Tetrahydrofuran	5.316	42	76582	8.68	ug/L	97
37) 1,1,1-Trichloroethane	5.503	97	793370	10.51	ug/l	98
39) tert-Amyl methyl ether...	5.613	87	237534	10.30	ug/l	98
40) 1,1-Dichloropropene	5.613	110	157738	9.54	ug/L	100
42) Carbon tetrachloride	5.734	119	658836	10.31	ug/L	99
43) 1,2-Dichloroethane	5.800	62	683149	10.61	ug/L	99
44) Benzene	5.866	78	1278445	9.98	ug/L	98

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG093.D Vial: 3
Acq On : 11 Jun 2024 14:15 Operator: DNguye
Sample : VOE2F04L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 17:00:17 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45)	Trichloroethene	6.373	130	318340	9.00	ug/L		97
46)	Methyl methacrylate	6.439	69	212881	6.79	ug/L	#	71
48)	1,2-Dichloropropane	6.527	63	309313	9.46	ug/L		90
50)	Bromodichloromethane	6.769	83	641238	10.36	ug/L		97
51)	Dibromomethane	6.868	93	247594	9.31	ug/L		95
52)	2-Chloroethyl vinyl ether	6.934	63	108876	6.72	ug/L		96
53)	4-Methyl-2-pentanone	6.967	43	1489659	41.59	ug/L		98
54)	cis-1,3-Dichloropropene	7.275	75	569407	9.96	ug/L		98
57)	Ethyl methacrylate	7.693	69	384317	10.19	ug/L		98
58)	Toluene	7.693	91	1307264	10.43	ug/l		99
59)	trans-1,3-Dichloropropene	7.814	75	582395	10.86	ug/l		99
60)	2-Hexanone	7.935	43	1022146	45.09	ug/l		99
61)	1,1,2-Trichloroethane	8.046	97	294632	9.90	ug/l		98
62)	1,3-Dichloropropane	8.354	76	463223	10.48	ug/l		99
63)	Tetrachloroethene	8.508	164	273046	9.96	ug/l		98
64)	Dibromochloromethane	8.783	129	406992	9.12	ug/l		100
65)	1,2-Dibromoethane	9.069	107	298958	9.32	ug/l		99
66)	1-Chlorohexane	9.124	91	421550	10.16	ug/l		100
67)	Chlorobenzene	9.619	112	826544	9.98	ug/l		97
68)	1,1,1,2-Tetrachloroethane	9.652	131	363656	10.32	ug/l		98
69)	Ethylbenzene	9.641	91	1585307	10.46	ug/l		99
70)	m-Xylene & p-Xylene	9.751	91	2524452	20.42	ug/l		98
71)	o-Xylene	10.412	91	1249901	10.68	ug/l		97
72)	Styrene	10.467	104	864317	10.56	ug/l		96
73)	Isopropylbenzene	10.940	105	1400137	10.50	ug/L		98
75)	Bromoform	11.061	173	269912	8.86	ug/l		98
76)	1,1,2,2-Tetrachloroethane	11.204	83	369729	9.51	ug/l		97
78)	1,2,3-Trichloropropane	11.446	110	105995	9.87	ug/l		94
79)	trans-1,4-Dichloro-2-b...	11.523	53	113616	10.46	ug/l		97
80)	n-Propylbenzene	11.578	91	1759863	9.95	ug/l		98
81)	Bromobenzene	11.732	156	372634	9.60	ug/l		98
82)	1,3,5-Trimethylbenzene	11.831	105	1202750	9.89	ug/l		98
83)	2-Chlorotoluene	11.919	91	1155247	10.58	ug/l		90
84)	4-Chlorotoluene	11.974	91	1040173	11.28	ug/l		98
85)	tert-Butylbenzene	12.415	134	183905	9.77	ug/l		95
86)	1,2,4-Trimethylbenzene	12.481	105	1189538	10.00	ug/l		97
87)	sec-Butylbenzene	12.756	105	1353899	9.82	ug/l		100
88)	p-Isopropyltoluene	12.954	119	1115672	9.65	ug/l		98
89)	1,3-Dichlorobenzene	13.174	146	604225	10.87	ug/l		99
90)	1,2,3-Trimethylbenzene	13.262	105	1154202	9.79	ug/L		99
91)	1,4-Dichlorobenzene	13.328	146	620279	10.74	ug/l		99
92)	n-Butylbenzene	13.614	91	1095185	9.96	ug/l		99
93)	1,2-Dichlorobenzene	13.933	146	573597	9.41	ug/l		98
94)	1,2-Dibromo-3-chloropr...	15.144	157	66232	8.38	ug/l		99
95)	1,2,4-Trichlorobenzene	16.464	180	372683	10.05	ug/l		97
96)	Hexachlorobutadiene	16.663	225	214530	10.18	ug/l		98
97)	Naphthalene	16.872	128	856628	9.09	ug/l		99
98)	1,2,3-Trichlorobenzene	17.235	180	344018	9.75	ug/l		98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG093.D
Acq On : 11 Jun 2024 14:15
Sample : VOE2F04L
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 17:00:17 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG094.D Vial: 4
Acq On : 11 Jun 2024 14:39 Operator: DNguye
Sample : VOE2F04C Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 18 18:21:10 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	703905	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	550837	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	285241	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	412093	9.56	ug/l	0.00
Spiked Amount 10.000			Recovery =	95.60%		
41) 1,2-Dichloroethane-d4	5.723	65	576775	10.12	ug/L	0.00
Spiked Amount 10.000			Recovery =	101.20%		
56) Toluene-d8	7.594	98	1162432	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.20%		
77) 4-Bromofluorobenzene	11.369	95	480962	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.20%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	429087	10.62	ug/l	97
3) Chloromethane	2.906	50	257185	8.87	ug/l	98
4) Vinyl chloride	2.994	62	319492	10.44	ug/l	99
5) Bromomethane	3.313	94	265338	12.82	ug/l	99
6) Dichlorofluoromethane	3.357	67	691592	9.89	ug/L	100
7) Chloroethane	3.346	64	140113	9.34	ug/l	94
8) Trichlorofluoromethane	3.511	101	588714	8.56	ug/l	100
9) Acrolein	3.742	56	154395	33.73	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	270239	9.01	ug/l	99
11) Acetone	3.775	43	371678	40.12	ug/l	100
12) tert-Butyl alcohol	3.874	59	781645	182.61	ug/L	100
13) 1,1-Dichloroethene	3.907	61	587741	9.34	ug/l	98
14) Acetonitrile	3.874	41	159832	75.24	ug/L	97
15) Allyl chloride	4.105	76	170855	10.28	ug/L	98
16) Iodomethane	4.149	142	392698	11.70	ug/l	92
18) Methylene chloride	4.183	49	491995	10.99	ug/l	96
19) Acrylonitrile	4.216	53	391830	37.02	ug/l	98
20) tert-Butyl methyl ethe...	4.227	73	1042482	9.91	ug/L	96
21) Carbon disulfide	4.304	76	921603	9.56	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	304388	9.07	ug/l	97
23) Isopropyl ether (DIPE)	4.458	45	997004	9.32	ug/l	97
24) Vinyl acetate	4.546	43	408897	6.71	ug/l	98
25) 1,1-Dichloroethane	4.634	63	632418	9.31	ug/l	100
26) tert-Butyl ethyl ether...	4.733	59	1121655	8.63	ug/l	89
27) 2-Butanone	4.854	72	126722	38.36	ug/l	95
28) Propionitrile	4.909	54	306274	78.70	ug/L	98
29) Isobutyl alcohol	5.030	43	197729	143.80	ug/L	91
30) 2,2-Dichloropropane	5.019	77	719885	10.59	ug/l	99
31) Methacrylonitrile	5.052	52	555765	86.98	ug/L	92
32) cis-1,2-Dichloroethene	5.063	96	362567	9.49	ug/l	100
33) Chloroform	5.173	83	793893	9.43	ug/l	98
34) Bromochloromethane	5.327	130	194225	8.65	ug/l	97
35) Tetrahydrofuran	5.316	42	65118	7.34	ug/L	96
37) 1,1,1-Trichloroethane	5.503	97	774383	10.20	ug/l	99
39) tert-Amyl methyl ether...	5.613	87	233970	10.09	ug/l	99
40) 1,1-Dichloropropene	5.613	110	148685	8.95	ug/L	94
42) Carbon tetrachloride	5.734	119	645169	10.04	ug/L	99
43) 1,2-Dichloroethane	5.800	62	669808	10.35	ug/L	98
44) Benzene	5.866	78	1254363	9.74	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG094.D
Acq On : 11 Jun 2024 14:39
Sample : VOE2F04C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 18 18:21:10 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45)	Trichloroethene	6.373	130	307489	8.65	ug/L	98
46)	Methyl methacrylate	6.439	69	188126	5.97	ug/L	78
48)	1,2-Dichloropropane	6.527	63	309948	9.43	ug/L	91
50)	Bromodichloromethane	6.769	83	630062	10.13	ug/L	97
51)	Dibromomethane	6.857	93	235423	8.80	ug/L	97
52)	2-Chloroethyl vinyl ether	6.934	63	102188	6.28	ug/L	99
53)	4-Methyl-2-pentanone	6.956	43	1367442	37.97	ug/L	97
54)	cis-1,3-Dichloropropene	7.275	75	558773	9.72	ug/L	98
57)	Ethyl methacrylate	7.693	69	377587	10.04	ug/L	95
58)	Toluene	7.693	91	1291225	10.34	ug/l	100
59)	trans-1,3-Dichloropropene	7.814	75	571984	10.70	ug/l	99
60)	2-Hexanone	7.935	43	934321	41.37	ug/l	100
61)	1,1,2-Trichloroethane	8.045	97	284396	9.59	ug/l	96
62)	1,3-Dichloropropane	8.353	76	450358	10.23	ug/l	99
63)	Tetrachloroethene	8.508	164	265229	9.71	ug/l	98
64)	Dibromochloromethane	8.783	129	402619	9.05	ug/l	98
65)	1,2-Dibromoethane	9.069	107	289885	9.07	ug/l	99
66)	1-Chlorohexane	9.124	91	429380	10.39	ug/l	99
67)	Chlorobenzene	9.619	112	829948	10.06	ug/l	100
68)	1,1,1,2-Tetrachloroethane	9.641	131	352598	10.04	ug/l	99
69)	Ethylbenzene	9.641	91	1564560	10.36	ug/l	98
70)	m-Xylene & p-Xylene	9.740	91	2486658	20.19	ug/l	98
71)	o-Xylene	10.411	91	1230876	10.56	ug/l	100
72)	Styrene	10.455	104	841026	10.32	ug/l	95
73)	Isopropylbenzene	10.940	105	1404173	10.57	ug/L	99
75)	Bromoform	11.061	173	252254	8.10	ug/l	98
76)	1,1,2,2-Tetrachloroethane	11.204	83	353612	8.89	ug/l	95
78)	1,2,3-Trichloropropane	11.446	110	103207	9.40	ug/l	92
79)	trans-1,4-Dichloro-2-b...	11.512	53	98217	8.84	ug/l	94
80)	n-Propylbenzene	11.578	91	1746437	9.66	ug/l	98
81)	Bromobenzene	11.732	156	360780	9.09	ug/l	98
82)	1,3,5-Trimethylbenzene	11.820	105	1203026	9.68	ug/l	97
83)	2-Chlorotoluene	11.919	91	1047325	9.38	ug/l	96
84)	4-Chlorotoluene	11.974	91	1126160	11.97	ug/l	96
85)	tert-Butylbenzene	12.403	134	181405	9.43	ug/l	97
86)	1,2,4-Trimethylbenzene	12.469	105	1192047	9.80	ug/l	97
87)	sec-Butylbenzene	12.745	105	1337130	9.49	ug/l	99
88)	p-Isopropyltoluene	12.954	119	1112699	9.41	ug/l	98
89)	1,3-Dichlorobenzene	13.163	146	600613	10.56	ug/l	98
90)	1,2,3-Trimethylbenzene	13.251	105	1168204	9.70	ug/L	98
91)	1,4-Dichlorobenzene	13.328	146	609827	10.32	ug/l	98
92)	n-Butylbenzene	13.614	91	1101247	9.79	ug/l	99
93)	1,2-Dichlorobenzene	13.933	146	570193	9.15	ug/l	99
94)	1,2-Dibromo-3-chloropr...	15.133	157	61363	7.59	ug/l	99
95)	1,2,4-Trichlorobenzene	16.464	180	363876	9.58	ug/l	97
96)	Hexachlorobutadiene	16.662	225	211631	9.83	ug/l	98
97)	Naphthalene	16.871	128	805049	8.36	ug/l	99
98)	1,2,3-Trichlorobenzene	17.224	180	343180	9.50	ug/l	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG094.D Vial: 4
Acq On : 11 Jun 2024 14:39 Operator: DNguye
Sample : VOE2F04C Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 18 18:21:10 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



INITIAL CALIBRATION(S)

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: REG116 BFB Injection Date: 05/17/24

Instrument ID: E2 BFB Injection Time: 11:23

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.276
75	30 - 60% of mass 95	50.050
95	Base Peak, 100% relative Abundance	100.000
96	5 - 9% of mass 95	6.720
173	Less than 2% of mass 174	0.804(.96)1
174	Greater than 50% of mass 95	83.334
175	5 - 9% of mass 174	6.219(7.49)1
176	95 - 101% % of mass 174	81.293(97.55)1
177	5 - 9% % of mass 176	5.264(6.48)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD0.5	VOE2E172	REG118	05/17/24	12:33
2	VSTD1	VOE2E173	REG119	05/17/24	12:57
3	VSTD2	VOE2E174	REG120	05/17/24	13:21
4	VSTD5	VOE2E175	REG121	05/17/24	13:45
5	VSTD10	VOE2E176	REG122	05/17/24	14:09
6	VSTD30	VOE2E177	REG123	05/17/24	14:33
7	VSTD50	VOE2E178	REG124	05/17/24	14:57
8	VSTD100	VOE2E179	REG125	05/17/24	15:21
9	VSTD200	VOE2E1710	REG126	05/17/24	15:44

Sw

5/24/24

INITIAL_CALIBRATION - RELATIVE RESPONSE_FACTOR

Instrument_ID :E2
Beginning DateTime :05/17/24 12:33
Spike Units :PPB
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
Ending DateTime :05/17/24 15:44
HPChem Method :VOE2E17

M	IDX	Parameters	.5 12:33 REG118	1 12:57 REG119	2 13.21 REG120	5 13:45 REG121	10 14:09 REG122	30 14:33 REG123	50 14:57 REG124	100 15:22 REG125	200 15:44 REG126	Av_RRF	%_RSD	Av_Rt_M
	1	1,4 DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	0	5.9874
	2	Dichlorodifluoromethane	0.621	0.637	0.579	0.504	0.509	0.610	0.570	0.578	0.556	0.574	8.06	2.7078
	3	Chloromethane	0.526	0.465	0.434	0.380	0.373	0.377	0.368	0.382	0.398	0.412	13.00	2.9059
	4	Vinyl chloride	0.419	0.490	0.461	0.376	0.416	0.439	0.449	0.449	0.415	0.435	7.58	2.9903
	5	Bromomethane	0.348	0.325	0.293	0.268	0.264	0.267	0.278	0.296	0.330	0.294	11.62	3.3131
	6	Dichlorofluoromethane	1.071	1.087	0.974	1.099	0.990	1.025	0.930	0.904	0.865	0.994	8.41	3.3523
	7	Chloroethane	0.222	0.255	0.216	0.196	0.204	0.219	0.205	0.207	0.193	0.215	8.74	3.3461
	8	Trichlorofluoromethane	1.076	1.027	0.981	0.846	0.898	1.033	0.988	0.997	0.949	0.977	7.24	3.5112
5	9	Acrolein	0.074	0.076	0.063	0.070	0.064	0.060	0.059	0.060	0.059	0.065	10.21	3.7423
	10	1,1,2 Trichloro-1,2,2-Trifluoroethane	0.510	0.445	0.389	0.475	0.409	0.418	0.409	0.396	0.383	0.426	10.04	3.7521
5	11	Acetone	0.325	0.240	0.182	0.149	0.137	0.118	0.119	------	------	0.181	42.17	3.7690
25	12	tert-Butyl alcohol	0.075	0.070	0.063	0.057	0.061	0.056	0.057	0.055	0.054	0.061	11.83	3.8744
	13	1,1-Dichloroethene	0.972	0.970	0.870	1.007	0.889	0.901	0.818	0.823	0.795	0.894	8.46	3.9025
10	14	Acetonitrile	------	0.037	0.031	0.030	0.031	0.026	0.027	------	------	0.030	12.37	3.8744
	15	Allyl chloride	0.262	0.270	0.227	0.265	0.239	0.241	0.223	0.204	0.194	0.236	11.27	4.1055
	16	Iodomethane	0.335	0.312	0.310	0.409	0.432	0.563	0.530	0.509	0.459	0.429	22.23	4.1434
	17	Methyl acetate	------	0.410	0.337	0.344	0.341	0.293	0.304	------	------	0.338	12.15	4.0285
	18	Methylene chloride	1.122	1.095	0.930	0.852	0.731	0.698	0.612	0.596	0.570	0.801	26.33	4.1825
5	19	Acrylonitrile	0.187	0.165	0.144	0.156	0.158	0.140	0.134	0.135	0.136	0.150	11.69	4.2156
	20	tert-Butyl methyl ether (MTBE)	1.687	1.599	1.508	1.603	1.504	1.453	1.377	1.365	1.352	1.494	7.94	4.2266
	21	Carbon disulfide	1.587	1.493	1.289	1.218	1.375	1.338	1.287	------	------	1.370	9.42	4.3052
	22	trans-1,2-Dichloroethene	0.536	0.534	0.472	0.542	0.468	0.442	0.442	0.426	0.429	0.477	10.07	4.3696
	23	Isopropyl ether (DIPE)	1.738	1.638	1.535	1.682	1.513	1.489	1.394	1.379	1.317	1.520	9.47	4.4601
	24	Vinyl acetate	0.905	0.932	0.893	0.899	0.928	0.816	0.810	0.820	0.793	0.866	6.41	4.5457
	25	1,1-Dichloroethane	1.123	1.084	0.958	1.041	0.935	0.964	0.901	0.851	0.823	0.965	10.57	4.6338
	26	tert Butyl ethyl ether (ETBE)	2.025	2.049	1.829	2.024	1.854	1.711	1.759	1.666	1.701	1.846	8.21	4.7328
5	27	2-Butanone	------	0.059	0.048	0.048	0.049	0.043	0.043	0.042	0.042	0.047	12.56	4.8539
10	28	Propionitrile	0.067	0.061	0.059	0.057	0.053	0.051	0.051	0.048	0.050	0.055	11.17	4.9101
20	29	Isobutyl alcohol	------	0.024	0.020	0.019	0.020	0.018	0.019	0.017	------	0.020	12.47	5.0299
	30	2,2-Dichloropropane	1.070	1.031	0.913	1.100	0.993	0.952	0.921	0.878	0.831	0.966	9.30	5.0202
10	31	Methacrylonitrile	0.105	0.103	0.092	0.099	0.089	0.088	0.084	0.080	0.076	0.091	11.02	5.0568
	32	cis-1,2-Dichloroethene	0.592	0.622	0.541	0.585	0.519	0.520	0.508	0.491	0.507	0.543	8.40	5.0630
	33	Chloroform	1.500	1.398	1.172	1.238	1.117	1.090	1.041	1.012	------	1.196	14.51	5.1730
	34	Bromochloromethane	0.354	0.366	0.325	0.348	0.326	0.321	0.296	0.275	0.259	0.319	11.29	5.3271
	35	Tetrahydrofuran	------	0.140	0.129	0.132	0.124	0.122	0.118	0.116	------	0.126	6.67	5.3192
	36	Dibromofluoromethane	0.677	0.642	0.571	0.613	0.624	0.588	0.573	------	------	0.612	6.30	5.3381
	37	1,1,1-Trichloroethane	1.191	1.165	1.010	1.192	1.074	1.094	1.020	0.999	0.960	1.079	8.19	5.4971
	38	Cyclohexane	0.684	0.625	0.466	0.628	0.461	0.515	0.544	0.500	0.528	0.550	14.22	5.5484
	39	tert-Amyl methyl ether (TAME)	0.340	0.348	0.314	0.372	0.345	0.297	0.329	0.313	0.306	0.329	7.33	5.6144
	40	1,1-Dichloropropene	0.262	0.251	0.222	0.266	0.242	0.218	0.228	0.219	0.217	0.236	8.29	5.6132
	41	1,2-Dichloroethane-d4	0.972	0.902	0.780	0.802	0.781	0.709	0.720	------	------	0.809	11.80	5.7233
	42	Carbon tetrachloride	0.945	0.992	0.834	1.044	0.930	0.901	0.890	0.840	0.838	0.913	8.01	5.7343
	43	1,2-Dichloroethane	1.036	1.026	0.936	1.027	0.937	0.846	0.859	0.810	0.796	0.919	10.41	5.8003
	44	Benzene	2.100	2.054	1.772	1.904	1.819	1.719	1.753	1.684	1.662	1.830	8.64	5.8663
	45	Trichloroethene	0.573	0.564	0.458	0.553	0.494	0.496	0.481	0.460	0.468	0.505	9.09	6.3714
	46	Methyl methacrylate	0.521	0.497	0.421	0.494	0.427	0.401	0.430	0.422	0.415	0.448	9.77	6.4386
	47	Methylcyclohexane	------	0.701	0.528	0.712	0.530	0.546	0.606	0.586	0.600	0.601	11.92	6.4537
	48	1,2-Dichloropropane	0.559	0.532	0.465	0.483	0.464	0.418	0.437	0.427	0.418	0.467	10.74	6.5266
20	49	1,4-Dioxane	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	50	Bromodichloromethane	------	1.077	0.909	0.968	0.886	0.841	0.821	0.796	0.773	0.884	11.38	6.7687
	51	Dibromomethane	0.454	0.430	0.373	0.417	0.371	0.368	0.349	0.344	0.315	0.380	11.79	6.8568
	52	2-Chloroethyl vinyl ether	0.233	0.250	0.232	0.253	0.238	0.229	0.224	0.216	0.206	0.231	6.45	6.9338
5	53	4-Methyl-2-pentanone	0.581	0.572	0.495	0.557	0.534	0.467	0.473	0.467	0.447	0.512	10.35	6.9571
	54	cis-1,3-Dichloropropene	0.921	0.873	0.791	0.882	0.822	0.782	0.775	0.759	0.743	0.817	7.57	7.2750
	55	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	0	9.5641
	56	Toluene-d8	------	2.328	1.900	1.960	2.006	1.860	1.868	------	------	1.987	8.88	7.5941
	57	Ethyl methacrylate	0.687	0.714	0.662	0.753	0.707	0.647	0.685	0.635	0.651	0.682	5.59	7.6932
	58	Toluene	2.522	2.598	2.196	2.483	2.250	2.053	2.185	2.012	2.114	2.268	9.46	7.6932
	59	trans-1,3-Dichloropropene	1.019	1.031	0.921	1.072	0.988	0.969	0.957	0.878	0.899	0.970	6.61	7.8143
5	60	2-Hexanone	0.494	0.448	0.391	0.437	0.433	0.389	0.385	0.352	0.362	0.410	11.13	7.9378
	61	1,1,2-Trichloroethane	0.616	0.606	0.548	0.580	0.535	0.538	0.494	0.461	0.466	0.538	10.51	8.0454
	62	1,3-Dichloropropane	0.881	0.932	0.787	0.866	0.785	0.770	0.765	0.707	0.701	0.799	9.83	8.3535
	63	Tetrachloroethene	0.591	0.595	0.434	0.529	0.477	0.495	0.463	0.431	0.448	0.496	12.71	8.5088
	64	Dibromochloromethane	------	1.038	0.826	0.858	0.788	0.824	0.742	0.693	0.690	0.807	13.87	8.7827
	65	1,2-Dibromoethane	0.651	0.619	0.556	0.621	0.592	0.594	0.549	0.522	0.516	0.580	8.08	9.0688
	66	1-Chlorohexane	0.844	0.848	0.651	0.843	0.747	0.751	0.722	0.671	0.677	0.751	10.45	9.1239
	67	Chlorobenzene	1.802	1.685	1.395	1.599	1.466	1.486	1.389	1.323	1.338	1.498	11.00	9.6191
	68	1,1,1,2-Tetrachloroethane	0.713	0.709	0.595	0.685	0.647	0.654	0.606	0.565	0.563	0.637	9.12	9.6460
	69	Ethylbenzene	3.192	3.179	2.449	2.920	2.662	2.734	2.599	2.475	2.468	2.742	10.66	9.6411
2	70	m-Xylene & p-Xylene	2.549	2.503	1.987	2.323	2.078	2.117	2.094	------	------	2.236	9.97	9.7496
	71	o-Xylene	2.536	2.361	1.926	2.321	2.112	1.978	2.058	1.894	1.863	2.117	11.21	10.4127
	72	Styrene	1.648	1.724	1.354	1.615	1.493	1.415	1.441	1.328	1.303	1.480	10.19	10.4580
	73	Isopropylbenzene	2.835	2.945	2.240	2.644	2.424	2.142	2.250	2.149	2.077	2.412	13.33	10.9397
	74	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	0	13.8891
	75	Bromoform	1.246	1.192	1.112	1.177	1.072	1.033	1.055	0.974	0.961	1.091	9.03	11.0608
	76	1,1,2,2-Tetrachloroethane	1.731	1.658	1.370	1.490	1.349	1.248	1.296	1.218	1.184	1.394	13.93	11.2026
	77	4-Bromofluorobenzene	------	1.901	1.601	1.620	1.559	1.327	1.516	------	------	1.587	11.73	11.3689
	78	1,2,3-Trichloropropane	0.441	0.449	0.384	0.439	0.374	0.344	0.366	0.344	0.322	0.385	12.26	11.4460
	79	trans-1,4-Dichloro-2-butene	0.345	0.390	0.351	0.456	0.395	0.395	0.414	0.380	0.379	0.389	8.47	11.5132
	80	n-Propylbenzene	7.684	7.739	5.851	7.164	6.006	5.607	5.968	5.582	5.465	6.341	14.55	11.5780
	81	Bromobenzene	1.646	1.681	1.348	1.563	1.386	1.206	1.293	1.208	1.192	1.392	13.87	11.7321
	82	1,3,5 Trimethylbenzene	5.366	5.227	4.073	4.881	4.205	3.892	4.064	3.785	3.738	4.359	14.43	11.8287
	83	2-Chlorotoluene	------	4.800	3.579	4.665	3.673	3.653	3.858	3.598	3.483	3.914	13.23	11.9192
	84	4-Chlorotoluene	4.791	5.151	3.841	3.940	3.868	3.881	3.359	3.161	3.176	3.796	20.12	11.9754
	85	tert-Butylbenzene	0.747	0.829	0.605	0.740	0.648	0.561	0.592	------	------	0.675	14.63	12.4081
	86	1,2,4-Trimethylbenzene	5.058	5.235	4.012	4.761	4.182	3.747	3.973	3.721	3.680	4.263	14.07	12.4780
	87	sec-Butylbenzene	------	6.256	4.523	5.517	4.832	4.450	4.638	4.362	------	4.940	14.11	12.7493
	88	p-Isopropyltoluene	5.045	5.046	3.819	4.703	3.968	3.664	3.821	3.689	3.551	4.145	14.69	12.9549
	89	1,3-Dichlorobenzene	3.020	2.992	2.191	2.485	2.182	2.011	2.088	1.908	1.849	2.303	19.08	13.1652
	90	1,2,3-Trimethylbenzene	4.849	5.175	3.973	4.777	4.170	3.766	3.928	3.729	3.652	4.224	13.33	13.2545
	91	1,4-Dichlorobenzene	3.022	3.108	2.117	2.540	2.221	2.073	2.138	1.953	1.965	2.349	18.81	13.3278
	92	n-Butylbenzene	4.979	4.820	3.500	4.168	3.792	3.621	3.712	3.405	3.483	3.942	14.93	13.6140
	93	1,2-Dichlorobenzene	------	2.697	2.183	2.392	2.013	1.895	1.926	------	------	2.184	14.28	13.9331
	94	1,2-Dibromo-3-chloropropane	0.324	0.328	0.262	0.286	0.265	0.273	0.269	0.273	0.271	0.283	8.87	15.1339
	95	1,2,4-Trichlorobenzene	2.154	2.073	1.349	1.477	1.289	1.277	1.274	1.228	1.317	1.493	24.05	16.4643
	96	Hexachlorobutadiene	------	0.968	0.705	0.840	0.750	0.697	0.696	0.668	0.717	0.755	13.33	16.6624
	97	Naphthalene	------	4.357	3.062	3.424	3.316	3.128	3.237	3.113	3.378	3.377	12.35	16.8715
	98	1,2,3-Trichlorobenzene	2.077	1.941	1.298	1.377	1.232	1.225	1.192	1.180	1.249	1.419	24.06	17.2310

Spike Amount = Nominal Amount * M
Ave_%RSD = 11.8 Max_%RSD = 42.2

Use Least Square Linear Regression with weighting factor of inverse concentration for comps with %_RSD > 15
Resp Ratio = x0 + x1 * Amt_Ratio

IDX	Parameter	x0	x1	CCF
11	Acetone	0.05832	0.11706	0.9992
16	Iodomethane	-0.01197	0.48870	0.9969
18	Methylene chloride	0.04858	0.59178	0.9974
84	4-Chlorotoluene	0.14395	3.17771	0.9987
89	1,3-Dichlorobenzene	0.09201	1.90749	0.9986
91	1,4-Dichlorobenzene	0.08306	1.99157	0.9991
95	1,2,4-Trichlorobenzene	0.04972	1.27956	0.9993
98	1,2,3 Trichlorobenzene	0.04722	1.21614	0.9995

5/24/24

Instrument ID :E2
Beginning DateTime :05/17/24 12:33
Spike Units :PPB
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
Ending DateTime :05/17/24 15:44
HPChem Method :VOE2E17

M	IDX	Parameters	.5 12:33 REG118	1 12:57 REG119	2 13:21 REG120	5 13:45 REG121	10 14:09 REG122	30 14:33 REG123	50 14:57 REG124	100 15:21 REG125	200 15:44 REG126	AvDRec	%_RSD	AV_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	0	5.9874
	2	Dichlorodifluoromethane	108	111	101	88	89	106	99	101	97	6	8.06	2.7078
	3	Chloromethane	128	113	105	93	91	92	89	93	97	10.2	13.00	2.9059
	4	Vinyl chloride	96	113	106	86	96	101	103	103	95	5.8	7.58	2.9903
	5	Bromomethane	118	111	99	91	83	91	95	101	112	9.3	11.62	3.3131
	6	Dichlorofluoromethane	108	109	98	111	100	103	94	91	87	6.9	8.41	3.3523
	7	Chloroethane	104	120	101	92	96	103	96	97	91	6.3	8.74	3.3461
	8	Trichlorofluoromethane	110	105	100	87	92	106	101	102	97	5.4	7.24	3.5112
5	9	Acrolein	114	117	97	108	98	92	91	92	91	8.5	10.21	3.7423
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	120	104	91	112	96	98	96	93	90	7.9	10.04	3.7521
5	11	Acetone	78	105	105	107	107	97	99	------	------	31.9	42.17	3.7690
25	12	tert-Butyl alcohol	123	115	103	93	100	92	93	90	89	9.3	11.83	3.8744
	13	1,1 Dichloroethene	109	109	97	113	99	101	91	92	89	6.8	8.46	3.9025
10	14	Acetonitrile	------	123	103	100	103	87	90	------	------	8.9	12.37	3.8744
	15	Allyl chloride	111	114	96	112	101	102	94	86	82	9.1	11.27	4.1055
	16	Iodomethane	126	92	78	89	91	116	109	104	94	18.1	22.23	4.1434
	17	Methyl acetate	------	121	100	102	101	87	90	------	------	7.9	12.15	4.0285
	18	Methylene chloride	26	103	116	128	115	115	102	100	96	22.1	26.33	4.1825
5	19	Acrylonitrile	125	110	96	103	105	93	89	90	91	9.3	11.69	4.2156
	20	tert-Butyl methyl ether (MTBE)	113	107	101	107	101	97	92	91	90	6.4	7.94	4.2266
	21	Carbon disulfide	116	109	94	89	100	98	94	------	------	7.2	9.42	4.3052
	22	trans-1,2-Dichloroethene	112	112	99	114	98	93	93	89	90	8.5	10.07	4.3696
	23	Isopropyl ether (DIPE)	114	108	101	111	100	98	92	91	87	7.5	9.47	4.4601
	24	Vinyl acetate	105	108	103	104	107	94	94	95	92	5.8	6.41	4.5457
	25	1,1-Dichloroethane	116	112	99	108	97	100	93	88	85	8.2	10.57	4.6338
	26	tert-Butyl ethyl ether (ETBE)	110	111	99	110	100	93	95	90	92	6.8	8.21	4.7328
5	27	2-Butanone	------	126	102	102	104	91	91	89	89	9	12.56	4.8539
10	28	Propionitrile	122	111	107	104	96	93	93	87	91	9.3	11.17	4.9101
20	29	Isobutyl alcohol	------	120	100	95	100	90	95	85	------	7.9	12.47	5.0299
	30	2,2-Dichloropropane	111	107	95	114	103	99	95	91	86	7.6	9.30	5.0202
10	31	Methacrylonitrile	115	113	101	109	98	97	92	88	84	8.9	11.02	5.0568
	32	cis-1,2-Dichloroethene	109	115	100	108	96	96	94	90	93	7	8.40	5.0630
	33	Chloroform	125	117	98	104	93	91	87	85	------	11.5	14.51	5.1730
	34	Bromochloromethane	111	115	102	109	102	101	93	86	81	8.8	11.29	5.3271
	35	Tetrahydrofuran	------	111	102	105	98	97	94	92	------	5.3	6.67	5.3192
	36	Dibromofluoromethane	111	105	93	100	102	96	94	------	------	4.9	6.30	5.3381
	37	1,1,1-Trichloroethane	111	108	94	110	100	101	95	93	89	6.8	8.19	5.4971
	38	Cyclohexane	124	114	85	114	84	94	99	91	96	11.6	14.22	5.5484
	39	tert-Amyl methyl ether (TAME)	103	106	95	113	105	90	100	95	93	5.9	7.33	5.6144
	40	1,1-Dichloropropene	111	106	94	113	103	92	97	93	92	7.2	8.29	5.6132
	41	1,2-Dichloroethane-d4	120	111	96	99	97	88	89	------	------	9	11.80	5.7233
	42	Carbon tetrachloride	104	109	91	114	102	99	97	92	92	6.3	8.01	5.7343
	43	1,2-Dichloroethane	113	112	102	112	102	92	93	88	87	8.9	10.41	5.8003
	44	Benzene	115	112	97	104	99	94	96	92	91	6.9	8.64	5.8663
	45	Trichloroethene	113	112	91	110	98	98	95	91	93	7.7	9.09	6.3714
	46	Methyl methacrylate	116	111	94	110	95	90	96	94	93	8.4	9.77	6.4386
	47	Methylcyclohexane	------	117	88	118	88	91	101	98	100	9	11.92	6.4537
	48	1,2-Dichloropropane	120	114	100	103	99	90	94	91	90	8.2	10.74	6.5266
20	49	1,4-Dioxane	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	50	Bromodichloromethane	------	122	103	110	100	95	93	90	87	8.6	11.38	6.7687
	51	Dibromomethane	119	113	98	110	98	97	92	91	83	9.4	11.79	6.8568
	52	2-Chloroethyl vinyl ether	101	108	100	110	103	99	97	94	89	4.8	6.45	6.9338
5	53	4-Methyl-2-pentanone	115	112	97	109	104	91	92	91	87	9	10.35	6.9571
	54	cis-1,3-Dichloropropene	113	107	97	108	101	96	95	93	91	6.3	7.57	7.2750
	55	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	0	9.5641
	56	Toluene-d8	------	117	96	99	101	94	94	------	------	6	8.88	7.5941
	57	Ethyl methacrylate	101	105	97	110	104	95	100	93	95	4.4	5.59	7.6932
	58	Toluene	111	115	97	109	99	91	96	89	93	7.8	9.46	7.6932
	59	trans-1,3-Dichloropropene	105	106	95	111	102	100	99	91	93	5.2	6.61	7.8143
5	60	2-Hexanone	120	109	95	107	106	95	94	86	88	9.3	11.13	7.9378
	61	1,1,2-Trichloroethane	114	113	102	108	99	100	92	86	87	8.1	10.51	8.0454
	62	1,3-Dichloropropane	110	117	98	108	98	96	96	88	88	7.8	9.83	8.3535
	63	Tetrachloroethene	119	120	88	107	96	100	93	87	90	10.2	12.71	8.5088
	64	Dibromochloromethane	------	129	102	106	98	102	92	86	86	9.8	13.87	8.7827
	65	1,2-Dibromoethane	112	107	96	107	102	102	95	90	89	6.8	8.08	9.0688
	66	1-Chlorohexane	112	113	87	112	99	100	96	89	90	8.4	10.45	9.1239
	67	Chlorobenzene	120	112	93	107	98	99	93	88	89	8.8	11.00	9.6191
	68	1,1,1,2-Tetrachloroethane	112	111	93	108	102	103	95	89	88	7.7	9.12	9.6460
	69	Ethylbenzene	116	116	89	106	97	100	95	90	90	8.6	10.66	9.6411
2	70	m-Xylene & p-Xylene	114	112	89	104	93	95	94	------	------	8.5	9.97	9.7496
	71	o-Xylene	120	112	91	110	100	93	97	89	88	9.1	11.21	10.4127
	72	Styrene	111	116	91	109	101	96	97	90	88	8.4	10.19	10.4580
	73	Isopropylbenzene	118	122	93	110	100	89	93	89	86	11.1	13.33	10.9397
	74	1,2-DICHLOROBENZENE D4	1	1	1	1	1	1	1	1	1	1	0	13.8891
	75	Bromoform	114	109	102	108	98	95	97	89	88	7.4	9.03	11.0608
	76	1,1,2,2-Tetrachloroethane	124	119	98	107	97	90	93	87	85	11.1	13.93	11.2026
	77	4-Bromofluorobenzene	------	120	101	102	98	84	96	------	------	7.6	11.73	11.3689
	78	1,2,3-Trichloropropane	115	117	100	114	97	89	95	89	84	10.1	12.26	11.4460
	79	trans-1,4-Dichloro-2-butene	89	100	90	117	102	102	106	98	97	5.9	8.47	11.5132
	80	n-Propylbenzene	121	122	92	113	95	88	94	88	86	12.5	14.55	11.5780
	81	Bromobenzene	118	121	97	112	100	87	93	87	86	11.4	13.87	11.7321
	82	1,3,5-Trimethylbenzene	123	120	93	112	96	89	93	87	86	12.2	14.43	11.8287
	83	2-Chlorotoluene	------	123	91	119	94	93	99	92	89	10.5	13.23	11.9192
	84	4-Chlorotoluene	60	117	98	115	117	89	105	99	100	15.3	20.12	11.9754
	85	tert-Butylbenzene	111	123	90	110	96	83	88	------	------	12.4	14.63	12.4081
	86	1,2,4-Trimethylbenzene	119	123	94	112	98	88	93	87	86	11.8	14.07	12.4780
	87	sec-Butylbenzene	------	127	92	112	98	90	94	88	------	11	14.11	12.7493
	88	p-Isopropyltoluene	122	122	92	113	96	88	92	89	86	12.6	14.69	12.9549
	89	1,3-Dichlorobenzene	62	109	90	120	110	104	108	100	97	15.3	19.08	13.1652
	90	1,2,3-Trimethylbenzene	115	123	94	113	99	89	93	88	86	11.2	13.33	13.2545
	91	1,4-Dichlorobenzene	126	114	86	119	107	103	106	98	98	15.4	18.81	13.3278
	92	n-Butylbenzene	126	122	89	106	96	92	94	86	88	12.1	14.93	13.6140
	93	1,2-Dichlorobenzene	------	123	100	110	92	87	88	------	------	11	14.28	13.9331
	94	1,2-Dibromo-3-chloropropane	114	116	93	101	94	96	95	96	96	6.8	8.87	15.1339
	95	1,2,4-Trichlorobenzene	90	123	86	108	97	98	99	90	103	18.5	24.05	16.4643
	96	Hexachlorobutadiene	------	128	93	111	99	92	92	88	95	9.9	13.33	16.6624
	97	Naphthalene	------	129	91	101	98	93	96	92	100	7.6	12.35	16.8715
	98	1,2,3-Trichlorobenzene	94	121	88	105	97	97	97	97	102	18.5	24.06	17.2310

For 8260C
SCC
5/24/24

Compound List Report E2

Method Path : C:\MSDCHEM\1\METHODS\
Method File : VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024
Response Via : Initial Calibration

Total Cpnds : 98

PK#		Compound Name	QIon	Exp_RT	Rel_RT	Cal	#Qual	A/H	ID
1	I	1,4-DIFLUOROBENZENE	114	5.987	1.000	A	1	A	B
2	T	Dichlorodifluoromethane	85	2.708	0.452	A	1	A	B
3	T	Chloromethane	50	2.906	0.485	A	1	A	B
4	T	Vinyl chloride	62	2.994	0.500	A	1	A	B
5	T	Bromomethane	94	3.313	0.553	A	1	A	B
6	T	Dichlorofluoromethane	67	3.357	0.561	A	1	A	B
7	T	Chloroethane	64	3.346	0.559	A	1	A	B
8	T	Trichlorofluoromethane	101	3.511	0.586	A	1	A	B
9	T	Acrolein	56	3.742	0.625	A	1	A	B
10	T	1,1,2-Trichloro-1,2,2-Trifl...	151	3.753	0.627	A	1	A	B
11	T	Acetone	43	3.764	0.629	L	1	A	B
12	T	tert-Butyl alcohol	59	3.874	0.647	A	1	A	B
13	T	1,1-Dichloroethene	61	3.908	0.653	A	2	A	B
14	T	Acetonitrile	41	3.874	0.647	A	1	A	B
15	T	Allyl chloride	76	4.106	0.686	A	1	A	B
16	T	Iodomethane	142	4.150	0.693	I	1	A	B
17	T	Methyl acetate	43	4.029	0.673	A	1	A	B
18	T	Methylene chloride	49	4.183	0.699	I	2	A	B
19	T	Acrylonitrile	53	4.216	0.704	A	2	A	B
20	T	tert-Butyl methyl ether (MTBE)	73	4.227	0.706	A	1	A	B
21	T	Carbon disulfide	76	4.304	0.719	A	1	A	B
22	T	trans-1,2-Dichloroethene	96	4.370	0.730	A	1	A	B
23	T	Isopropyl ether (DIPE)	45	4.458	0.745	A	1	A	B
24	T	Vinyl acetate	43	4.546	0.759	A	1	A	B
25	T	1,1-Dichloroethane	63	4.634	0.774	A	2	A	B
26	T	tert-Butyl ethyl ether (ETBE)	59	4.733	0.791	A	1	A	B
27	T	2-Butanone	72	4.854	0.811	A	1	A	B
28	T	Propionitrile	54	4.909	0.820	A	1	A	B
29	T	Isobutyl alcohol	43	5.030	0.840	A	1	A	B
30	T	2,2-Dichloropropane	77	5.019	0.838	A	2	A	B
31	T	Methacrylonitrile	52	5.052	0.844	A	1	A	B
32	T	cis-1,2-Dichloroethene	96	5.063	0.846	A	1	A	B
33	T	Chloroform	83	5.173	0.864	A	2	A	B
34	T	Bromochloromethane	130	5.327	0.890	A	1	A	B
35	T	Tetrahydrofuran	42	5.327	0.890	A	2	A	B
36	S	Dibromofluoromethane	111	5.338	0.892	A	1	A	B
37	T	1,1,1-Trichloroethane	97	5.492	0.917	A	2	A	B
38	T	Cyclohexane	84	5.547	0.927	A	1	A	B
39	T	tert-Amyl methyl ether (TAME)	87	5.613	0.938	A	1	A	B
40	T	1,1-Dichloropropene	110	5.613	0.938	A	1	A	B
41	S	1,2-Dichloroethane-d4	65	5.723	0.956	A	1	A	B
42	T	Carbon tetrachloride	119	5.734	0.958	A	1	A	B
43	T	1,2-Dichloroethane	62	5.800	0.969	A	1	A	B
44	T	Benzene	78	5.866	0.980	A	2	A	B
45	T	Trichloroethene	130	6.373	1.064	A	3	A	B
46	T	Methyl methacrylate	69	6.439	1.075	A	1	A	B
47	T	Methylcyclohexane	83	6.450	1.077	A	2	A	B
48	T	1,2-Dichloropropane	63	6.527	1.090	A	1	A	B
49	T	1,4-Dioxane	88	6.725	1.123	A	1	A	B
50	T	Bromodichloromethane	83	6.769	1.131	A	1	A	B
51	T	Dibromomethane	93	6.857	1.145	A	2	A	B
52	T	2-Chloroethyl vinyl ether	63	6.934	1.158	A	1	A	B
53	T	4-Methyl-2-pentanone	43	6.956	1.162	A	3	A	B
54	T	cis-1,3-Dichloropropene	75	7.275	1.215	A	3	A	B
55	I	CHLOROBENZENE-D5	117	9.564	1.000	A	2	A	B

5/24/24

56	S	Toluene-d8	98	7.594	0.794	A	1	A	B
57	T	Ethyl methacrylate	69	7.693	0.804	A	1	A	B
58	T	Toluene	91	7.693	0.804	A	1	A	B
59	T	trans-1,3-Dichloropropene	75	7.814	0.817	A	1	A	B
60	T	2-Hexanone	43	7.935	0.830	A	1	A	B
61	T	1,1,2-Trichloroethane	97	8.045	0.841	A	2	A	B
62	T	1,3-Dichloropropane	76	8.354	0.873	A	1	A	B
63	T	Tetrachloroethene	164	8.508	0.890	A	3	A	B
64	T	Dibromochloromethane	129	8.783	0.918	A	1	A	B
65	T	1,2-Dibromoethane	107	9.069	0.948	A	1	A	B
66	T	1-Chlorohexane	91	9.124	0.954	A	1	A	B
67	T	Chlorobenzene	112	9.619	1.006	A	1	A	B
68	T	1,1,1,2-Tetrachloroethane	131	9.652	1.009	A	1	A	B
69	T	Ethylbenzene	91	9.641	1.008	A	1	A	B
70	T	m-Xylene & p-Xylene	91	9.740	1.018	A	1	A	B
71	T	o-Xylene	91	10.412	1.089	A	1	A	B
72	T	Styrene	104	10.456	1.093	A	2	A	B
73	T	Isopropylbenzene	105	10.940	1.144	A	3	A	B
74	I	1,2-DICHLOROBENZENE-D4	152	13.889	1.000	A	1	A	B
75	T	Bromoform	173	11.061	0.796	A	2	A	B
76	T	1,1,2,2-Tetrachloroethane	83	11.204	0.807	A	1	A	B
77	S	4-Bromofluorobenzene	95	11.369	0.819	A	2	A	B
78	T	1,2,3-Trichloropropane	110	11.446	0.824	A	1	A	B
79	T	trans-1,4-Dichloro-2-butene	53	11.512	0.829	A	1	A	B
80	T	n-Propylbenzene	91	11.578	0.834	A	2	A	B
81	T	Bromobenzene	156	11.732	0.845	A	1	A	B
82	T	1,3,5-Trimethylbenzene	105	11.831	0.852	A	2	A	B
83	T	2-Chlorotoluene	91	11.919	0.858	A	1	A	B
84	T	4-Chlorotoluene	91	11.974	0.862	L	1	A	B
85	T	tert-Butylbenzene	134	12.415	0.894	A	1	A	B
86	T	1,2,4-Trimethylbenzene	105	12.470	0.898	A	1	A	B
87	T	sec-Butylbenzene	105	12.745	0.918	A	1	A	B
88	T	p-Isopropyltoluene	119	12.954	0.933	A	2	A	B
89	T	1,3-Dichlorobenzene	146	13.163	0.948	L	2	A	B
90	T	1,2,3-Trimethylbenzene	105	13.251	0.954	A	2	A	B
91	T	1,4-Dichlorobenzene	146	13.328	0.960	L	2	A	B
92	T	n-Butylbenzene	91	13.614	0.980	A	2	A	B
93	T	1,2-Dichlorobenzene	146	13.933	1.003	A	1	A	B
94	T	1,2-Dibromo-3-chloropropane	157	15.133	1.090	A	1	A	B
95	T	1,2,4-Trichlorobenzene	180	16.464	1.185	L	2	A	B
96	T	Hexachlorobutadiene	225	16.663	1.200	A	2	A	B
97	T	Naphthalene	128	16.872	1.215	A	1	A	B
98	T	1,2,3-Trichlorobenzene	180	17.224	1.240	L	2	A	B

Cal A = Average L = Linear LO = Linear w/origin Q = Quad QO = Quad w/origin
#Qual = number of qualifiers
A/H = Area or Height
ID R = R.T. B = R.T. & Q Q = Qvalue L = Largest A = All


VOE2E17.M Tue May 21 20:46:28 2024

5/24/24

Data Path : D:\Data\24E17\
Data File : REG116.D
Acq On : 17 May 2024 11:23
Operator : DNguye
Sample : BFBE2E09
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



AutoFind: Scans 797, 798, 799; Background Corrected with Scan 791

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	20.3	11125	PASS
75	95	30	60	50.1	27461	PASS
95	95	100	100	100.0	54867	PASS
96	95	5	9	6.7	3687	PASS
173	174	0.00	2	1.0	441	PASS
174	95	50	100	83.3	45723	PASS
175	174	5	9	7.5	3423	PASS
176	174	95	101	97.6	44603	PASS
177	176	5	9	6.5	2888	PASS

SU 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG118.D
Acq On : 17 May 2024 12:33
Sample : VOE2E172 0.02
Misc : 0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	549104	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	464476	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	212499	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	18576	0.55	ug/l	0.00
Spiked Amount 10.000			Recovery =	5.50%		
41) 1,2-Dichloroethane-d4	5.723	65	26686	0.60	ug/L	0.00
Spiked Amount 10.000			Recovery =	6.00%		
56) Toluene-d8	7.594	98	57312	0.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	6.20%		
77) 4-Bromofluorobenzene	11.369	95	22723	0.67	ug/l	0.00
Spiked Amount 10.000			Recovery =	6.70%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	17056	0.54	ug/l	98
3) Chloromethane	2.906	50	14446	0.64	ug/l	99
4) Vinyl chloride	2.994	62	11508	0.48	ug/l	73
5) Bromomethane	3.313	94	9554	0.59	ug/l	94
6) Dichlorofluoromethane	3.357	67	29410	0.54	ug/L	96
7) Chloroethane	3.346	64	6087	0.52	ug/l	85
8) Trichlorofluoromethane	3.511	101	29529	0.55	ug/l	98
9) Acrolein	3.742	56	10194	2.85	ug/l	91
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	14012	0.60	ug/l	91
11) Acetone	3.764	43	44639	1.96	ug/l	96
12) tert-Butyl alcohol	3.874	59	51406	15.40	ug/L	97
13) 1,1-Dichloroethene	3.907	61	26690	0.54	ug/l	96
14) Acetonitrile	3.874	41	10893	6.57	ug/L	98
15) Allyl chloride	4.106	76	7180	0.55	ug/L	98
16) Iodomethane	4.139	142	9193	0.63	ug/l	87
17) Methyl acetate	4.029	43	14730	0.79	ug/L	85
18) Methylene chloride	4.183	49	30803	0.13	ug/l	98
19) Acrylonitrile	4.216	53	25634	3.11	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	46315	0.56	ug/L	96
21) Carbon disulfide	4.304	76	43578	0.58	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	14728	0.56	ug/l	97
23) Isopropyl ether (DIPE)	4.469	45	47724	0.57	ug/l	94
24) Vinyl acetate	4.546	43	24849	0.52	ug/l	95
25) 1,1-Dichloroethane	4.634	63	30845	0.58	ug/l	92
26) tert-Butyl ethyl ether...	4.733	59	55588	0.55	ug/l	98
27) 2-Butanone	4.854	72	11165	4.33	ug/l	86
28) Propionitrile	4.909	54	18460	6.08	ug/L	91
29) Isobutyl alcohol	5.030	43	14416	13.44	ug/L	87
30) 2,2-Dichloropropane	5.019	77	29380	0.55	ug/l	97
31) Methacrylonitrile	5.052	52	28918	5.80	ug/L	100
32) cis-1,2-Dichloroethene	5.063	96	16247	0.54	ug/l	98
33) Chloroform	5.173	83	41179	0.63	ug/l	98
34) Bromochloromethane	5.327	130	9713	0.55	ug/l	96
35) Tetrahydrofuran	5.316	42	5046	0.73	ug/L	71
37) 1,1,1-Trichloroethane	5.492	97	32762	0.55	ug/l	99
38) Cyclohexane	5.547	84	18767	0.62	ug/L	95
39) tert-Amyl methyl ether...	5.613	87	9348	0.52	ug/l	84
40) 1,1-Dichloropropene	5.613	110	7182	0.55	ug/L	93
42) Carbon tetrachloride	5.734	119	25943	0.52	ug/L	94

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG118.D
Acq On : 17 May 2024 12:33
Sample : VOE2E172 0.02
Misc : 0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	28450	0.56 ug/L	98
44) Benzene	5.866	78	57665	0.57 ug/L	99
45) Trichloroethene	6.362	130	15745	0.57 ug/L	92
46) Methyl methacrylate	6.439	69	14294	0.58 ug/L	92
47) Methylcyclohexane	6.450	83	24801	0.75 ug/L	98
48) 1,2-Dichloropropane	6.527	63	15344	0.60 ug/L	87
50) Bromodichloromethane	6.769	83	36002	0.74 ug/L	94
51) Dibromomethane	6.857	93	12457	0.60 ug/L	89
52) 2-Chloroethyl vinyl ether	6.934	63	6395	0.50 ug/L	87
53) 4-Methyl-2-pentanone	6.967	43	81159	2.89 ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	25278	0.56 ug/L	99
57) Ethyl methacrylate	7.693	69	15961	0.50 ug/L	97
58) Toluene	7.693	91	58579	0.56 ug/l	98
59) trans-1,3-Dichloropropene	7.814	75	23673	0.53 ug/l	98
60) 2-Hexanone	7.946	43	57309	3.01 ug/l	96
61) 1,1,2-Trichloroethane	8.045	97	14308	0.57 ug/l	96
62) 1,3-Dichloropropane	8.354	76	20459	0.55 ug/l	96
63) Tetrachloroethene	8.508	164	13727	0.60 ug/l	96
64) Dibromochloromethane	8.783	129	29407	0.78 ug/l	97
65) 1,2-Dibromoethane	9.069	107	15125	0.56 ug/l	99
66) 1-Chlorohexane	9.124	91	19608	0.56 ug/l	96
67) Chlorobenzene	9.619	112	41842	0.60 ug/l	98
68) 1,1,1,2-Tetrachloroethane	9.641	131	16551	0.56 ug/l	98
69) Ethylbenzene	9.641	91	74129	0.58 ug/l	99
70) m-Xylene & p-Xylene	9.751	91	118397	1.14 ug/l	100
71) o-Xylene	10.423	91	58892	0.60 ug/l	99
72) Styrene	10.467	104	38267	0.56 ug/l	96
73) Isopropylbenzene	10.940	105	65839	0.59 ug/L	99
75) Bromoform	11.061	173	13240	0.57 ug/l	96
76) 1,1,2,2-Tetrachloroethane	11.204	83	18390	0.62 ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	4683	0.57 ug/l	89
79) trans-1,4-Dichloro-2-b...	11.512	53	3669	0.44 ug/l	65
80) n-Propylbenzene	11.578	91	81637	0.61 ug/l	99
81) Bromobenzene	11.732	156	17493	0.59 ug/l	90
82) 1,3,5-Trimethylbenzene	11.820	105	57014	0.62 ug/l	98
83) 2-Chlorotoluene	11.919	91	55924	0.67 ug/l	97
84) 4-Chlorotoluene	11.974	91	50900	0.30 ug/l	88
85) tert-Butylbenzene	12.414	134	7933	0.55 ug/l	81
86) 1,2,4-Trimethylbenzene	12.480	105	53741	0.59 ug/l	100
87) sec-Butylbenzene	12.756	105	65405	0.62 ug/l	99
88) p-Isopropyltoluene	12.965	119	53602	0.61 ug/l	97
89) 1,3-Dichlorobenzene	13.163	146	32090	0.31 ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	51524	0.57 ug/L	99
91) 1,4-Dichlorobenzene	13.328	146	32107	0.34 ug/l	100
92) n-Butylbenzene	13.614	91	52899	0.63 ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	31197	0.67 ug/l	99
94) 1,2-Dibromo-3-chloropr...	15.133	157	3444	0.57 ug/l	77
95) 1,2,4-Trichlorobenzene	16.464	180	22885	0.45 ug/l	96
96) Hexachlorobutadiene	16.651	225	14673	0.91 ug/l	99
97) Naphthalene	16.872	128	48991	0.68 ug/l	95
98) 1,2,3-Trichlorobenzene	17.224	180	22069	0.47 ug/l	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


SA 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG118.D
Acq On : 17 May 2024 12:33
Sample : VOE2E1?2 0.02
Misc : 0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:44:53 2024

SM 5/24/24

Page: 3

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG119.D Vial: 4
Acq On : 17 May 2024 12:57 Operator: DNguye
Sample : VOE2E173 0.04 Inst : E2
Misc : 1.0ppb 8260/5.0ppb KET-AA/25ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:47 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	528810	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	434355	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	203881	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	33928	1.05	ug/l	0.00
Spiked Amount 10.000			Recovery = 10.50%			
41) 1,2-Dichloroethane-d4	5.723	65	47681	1.11	ug/L	0.00
Spiked Amount 10.000			Recovery = 11.10%			
56) Toluene-d8	7.594	98	101137	1.17	ug/l	0.00
Spiked Amount 10.000			Recovery = 11.70%			
77) 4-Bromofluorobenzene	11.369	95	38761	1.20	ug/l	0.00
Spiked Amount 10.000			Recovery = 12.00%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	33711	1.11	ug/l	97
3) Chloromethane	2.906	50	24615	1.13	ug/l	97
4) Vinyl chloride	2.994	62	25933	1.13	ug/l	99
5) Bromomethane	3.313	94	17186	1.10	ug/l	98
6) Dichlorofluoromethane	3.357	67	57478	1.09	ug/L	98
7) Chloroethane	3.346	64	13510	1.20	ug/l	94
8) Trichlorofluoromethane	3.511	101	54306	1.05	ug/l	91
9) Acrolein	3.742	56	20066	5.83	ug/l	93
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	23511	1.04	ug/l	98
11) Acetone	3.775	43	63395	5.26	ug/l	97
12) tert-Butyl alcohol	3.874	59	92364	28.72	ug/L	99
13) 1,1-Dichloroethene	3.907	61	51276	1.08	ug/l	98
14) Acetonitrile	3.874	41	19387	12.15	ug/L	92
15) Allyl chloride	4.105	76	14259	1.14	ug/L	90
16) Iodomethane	4.149	142	16513	0.92	ug/l	95
17) Methyl acetate	4.028	43	21690	1.21	ug/L	99
18) Methylene chloride	4.183	49	57918	1.03	ug/l	99
19) Acrylonitrile	4.216	53	43571	5.48	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	84545	1.07	ug/L	98
21) Carbon disulfide	4.304	76	78967	1.09	ug/l	98
22) trans-1,2-Dichloroethene	4.370	96	28258	1.12	ug/l	93
23) Isopropyl ether (DIPE)	4.458	45	86599	1.08	ug/l	100
24) Vinyl acetate	4.546	43	49261	1.08	ug/l	97
25) 1,1-Dichloroethane	4.634	63	57329	1.12	ug/l	96
26) tert-Butyl ethyl ether...	4.733	59	108334	1.11	ug/l	99
27) 2-Butanone	4.854	72	15702	6.33	ug/l	98
28) Propionitrile	4.909	54	32216	11.02	ug/L	98
29) Isobutyl alcohol	5.030	43	25893	25.07	ug/L	94
30) 2,2-Dichloropropane	5.019	77	54501	1.07	ug/l	99
31) Methacrylonitrile	5.063	52	54305	11.31	ug/L	99
32) cis-1,2-Dichloroethene	5.063	96	32895	1.15	ug/l	94
33) Chloroform	5.173	83	73903	1.17	ug/l	96
34) Bromochloromethane	5.327	130	19362	1.15	ug/l	97
35) Tetrahydrofuran	5.327	42	7423	1.11	ug/L	88
37) 1,1,1-Trichloroethane	5.503	97	61622	1.08	ug/l	99
38) Cyclohexane	5.558	84	33028	1.14	ug/L	99
39) tert-Amyl methyl ether...	5.613	87	18421	1.06	ug/l	94
40) 1,1-Dichloropropene	5.613	110	13272	1.06	ug/L	97
42) Carbon tetrachloride	5.734	119	52471	1.09	ug/L	99

SH 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG119.D Vial: 4
Acq On : 17 May 2024 12:57 Operator: DNguye
Sample : VOE2E173 0.04 Inst : E2
Misc : 1.0ppb 8260/5.0ppb KET-AA/25ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:47 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	54277	1.12	ug/L	96
44) Benzene	5.866	78	108613	1.12	ug/L	99
45) Trichloroethene	6.373	130	29804	1.12	ug/L	97
46) Methyl methacrylate	6.439	69	26306	1.11	ug/L	98
47) Methylcyclohexane	6.450	83	37063	1.17	ug/L	98
48) 1,2-Dichloropropane	6.527	63	28108	1.14	ug/L	100
50) Bromodichloromethane	6.769	83	56931	1.22	ug/L	98
51) Dibromomethane	6.857	93	22728	1.13	ug/L	92
52) 2-Chloroethyl vinyl ether	6.934	63	13231	1.08	ug/L	90
53) 4-Methyl-2-pentanone	6.956	43	151354	5.59	ug/L	99
54) cis-1,3-Dichloropropene	7.275	75	46187	1.07	ug/L	99
57) Ethyl methacrylate	7.693	69	31012	1.05	ug/L	98
58) Toluene	7.693	91	112834	1.15	ug/l	97
59) trans-1,3-Dichloropropene	7.814	75	44780	1.06	ug/l	97
60) 2-Hexanone	7.935	43	97204	5.46	ug/l	98
61) 1,1,2-Trichloroethane	8.045	97	26335	1.13	ug/l	98
62) 1,3-Dichloropropane	8.353	76	40485	1.17	ug/l	97
63) Tetrachloroethene	8.508	164	25854	1.20	ug/l	93
64) Dibromochloromethane	8.783	129	45093	1.29	ug/l	97
65) 1,2-Dibromoethane	9.069	107	26886	1.07	ug/l	93
66) 1-Chlorohexane	9.124	91	36853	1.13	ug/l	94
67) Chlorobenzene	9.619	112	73176	1.12	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	30816	1.11	ug/l	100
69) Ethylbenzene	9.641	91	138084	1.16	ug/l	100
70) m-Xylene & p-Xylene	9.751	91	217417	2.24	ug/l	99
71) o-Xylene	10.411	91	102543	1.12	ug/l	99
72) Styrene	10.455	104	74867	1.16	ug/l	96
73) Isopropylbenzene	10.940	105	127896	1.22	ug/L	99
75) Bromoform	11.061	173	24303	1.09	ug/l	98
76) 1,1,2,2-Tetrachloroethane	11.204	83	33812	1.19	ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	9149	1.17	ug/l	96
79) trans-1,4-Dichloro-2-b...	11.512	53	7950	1.00	ug/l	84
80) n-Propylbenzene	11.578	91	157786	1.22	ug/l	98
81) Bromobenzene	11.732	156	34281	1.21	ug/l	98
82) 1,3,5-Trimethylbenzene	11.820	105	106571	1.20	ug/l	98
83) 2-Chlorotoluene	11.919	91	97870	1.23	ug/l	99
84) 4-Chlorotoluene	11.974	91	105023	1.17	ug/l	98
85) tert-Butylbenzene	12.414	134	16901	1.23	ug/l	88
86) 1,2,4-Trimethylbenzene	12.480	105	106726	1.23	ug/l	99
87) sec-Butylbenzene	12.745	105	127554	1.27	ug/l	98
88) p-Isopropyltoluene	12.954	119	102878	1.22	ug/l	98
89) 1,3-Dichlorobenzene	13.163	146	61010	1.09	ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	105503	1.22	ug/L	99
91) 1,4-Dichlorobenzene	13.328	146	63367	1.14	ug/l	99
92) n-Butylbenzene	13.614	91	98269	1.22	ug/l	100
93) 1,2-Dichlorobenzene	13.933	146	54994	1.23	ug/l	94
94) 1,2-Dibromo-3-chloropr...	15.133	157	6688	1.16	ug/l	90
95) 1,2,4-Trichlorobenzene	16.464	180	42271	1.23	ug/l	95
96) Hexachlorobutadiene	16.662	225	19735	1.28	ug/l	96
97) Naphthalene	16.871	128	88837	1.29	ug/l	100
98) 1,2,3-Trichlorobenzene	17.235	180	39581	1.21	ug/l	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG119.D Vial: 4
Acq On : 17 May 2024 12:57 Operator: DNguye
Sample : VOE2E173 0.04 Inst : E2
Misc : 1.0ppb 8260/5.0ppb KET-AA/25ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:47 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:45:03 2024 5/24/24 Page: 3

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG120.D
Acq On : 17 May 2024 13:21
Sample : VOE2E174 0.08
Misc : 2.0ppb 8260/10ppb KET-AA/50ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:50 2024
Quant Results File: VOE2E17.RES

Vial: 5
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	504172	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	426041	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	198013	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	57595	1.87	ug/l	0.00
Spiked Amount 10.000			Recovery = 18.70%			
41) 1,2-Dichloroethane-d4	5.723	65	78644	1.93	ug/L	0.00
Spiked Amount 10.000			Recovery = 19.30%			
56) Toluene-d8	7.594	98	161890	1.91	ug/l	0.00
Spiked Amount 10.000			Recovery = 19.10%			
77) 4-Bromofluorobenzene	11.369	95	63415	2.02	ug/l	0.00
Spiked Amount 10.000			Recovery = 20.20%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	58393	2.02	ug/l	96
3) Chloromethane	2.906	50	43714	2.11	ug/l	98
4) Vinyl chloride	2.994	62	46513	2.12	ug/l	99
5) Bromomethane	3.313	94	29298	1.98	ug/l	98
6) Dichlorofluoromethane	3.357	67	98226	1.96	ug/L	100
7) Chloroethane	3.346	64	21773	2.03	ug/l	96
8) Trichlorofluoromethane	3.511	101	98938	2.01	ug/l	99
9) Acrolein	3.742	56	31812	9.70	ug/l	96
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	39243	1.83	ug/l	92
11) Acetone	3.764	43	91425	10.51	ug/l	95
12) tert-Butyl alcohol	3.874	59	158265	51.62	ug/L	99
13) 1,1-Dichloroethene	3.907	61	87690	1.95	ug/l	99
14) Acetonitrile	3.874	41	31277	20.56	ug/L	94
15) Allyl chloride	4.106	76	22925	1.93	ug/L	99
16) Iodomethane	4.150	142	31220	1.55	ug/l	89
17) Methyl acetate	4.028	43	33958	1.99	ug/L	99
18) Methylene chloride	4.183	49	93752	2.32	ug/l	95
19) Acrylonitrile	4.216	53	72852	9.61	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	152103	2.02	ug/L	99
21) Carbon disulfide	4.304	76	130016	1.88	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	47642	1.98	ug/l	99
23) Isopropyl ether (DIPE)	4.458	45	154819	2.02	ug/l	99
24) Vinyl acetate	4.546	43	90028	2.06	ug/l	99
25) 1,1-Dichloroethane	4.634	63	96551	1.99	ug/l	97
26) tert-Butyl ethyl ether...	4.733	59	184438	1.98	ug/l	97
27) 2-Butanone	4.854	72	24326	10.28	ug/l	96
28) Propionitrile	4.909	54	59115	21.21	ug/L	99
29) Isobutyl alcohol	5.030	43	40617	41.24	ug/L	98
30) 2,2-Dichloropropane	5.019	77	92101	1.89	ug/l	98
31) Methacrylonitrile	5.063	52	93184	20.36	ug/L	99
32) cis-1,2-Dichloroethene	5.063	96	54578	1.99	ug/l	97
33) Chloroform	5.173	83	118215	1.96	ug/l	98
34) Bromochloromethane	5.327	130	32779	2.04	ug/l	93
35) Tetrahydrofuran	5.316	42	13038	2.05	ug/L	90
37) 1,1,1-Trichloroethane	5.492	97	101793	1.87	ug/l	99
38) Cyclohexane	5.547	84	46966	1.69	ug/L	97
39) tert-Amyl methyl ether...	5.613	87	31686	1.91	ug/l	99
40) 1,1-Dichloropropene	5.613	110	22400	1.88	ug/L	99
42) Carbon tetrachloride	5.734	119	84046	1.83	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG120.D
Acq On : 17 May 2024 13:21
Sample : VOE2E174 0.08
Misc : 2.0ppb 8260/10ppb KET-AA/50ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:50 2024
Quant Results File: VOE2E17.RES

Vial: 5
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	94348	2.04	ug/L	97
44) Benzene	5.866	78	178713	1.94	ug/L	99
45) Trichloroethene	6.373	130	46157	1.81	ug/L	99
46) Methyl methacrylate	6.439	69	42439	1.88	ug/L	99
47) Methylcyclohexane	6.450	83	53240	1.76	ug/L	98
48) 1,2-Dichloropropane	6.527	63	46865	1.99	ug/L	96
50) Bromodichloromethane	6.769	83	91675	2.06	ug/L	100
51) Dibromomethane	6.857	93	37625	1.96	ug/L	98
52) 2-Chloroethyl vinyl ether	6.934	63	23373	2.00	ug/L	93
53) 4-Methyl-2-pentanone	6.956	43	249599	9.68	ug/L	99
54) cis-1,3-Dichloropropene	7.275	75	79803	1.94	ug/L	98
57) Ethyl methacrylate	7.693	69	56408	1.94	ug/L	95
58) Toluene	7.693	91	187086	1.94	ug/l	97
59) trans-1,3-Dichloropropene	7.814	75	78497	1.90	ug/l	99
60) 2-Hexanone	7.935	43	166637	9.54	ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	46722	2.04	ug/l	94
62) 1,3-Dichloropropane	8.353	76	67082	1.97	ug/l	99
63) Tetrachloroethene	8.519	164	36950	1.75	ug/l	98
64) Dibromochloromethane	8.783	129	70358	2.05	ug/l	100
65) 1,2-Dibromoethane	9.069	107	47406	1.92	ug/l	95
66) 1-Chlorohexane	9.124	91	55496	1.74	ug/l	97
67) Chlorobenzene	9.619	112	118853	1.86	ug/l	99
68) 1,1,1,2-Tetrachloroethane	9.652	131	50691	1.87	ug/l	99
69) Ethylbenzene	9.641	91	208714	1.79	ug/l	97
70) m-Xylene & p-Xylene	9.751	91	338673	3.56	ug/l	98
71) o-Xylene	10.411	91	164095	1.82	ug/l	100
72) Styrene	10.466	104	115396	1.83	ug/l	99
73) Isopropylbenzene	10.940	105	190859	1.86	ug/L	98
75) Bromoform	11.061	173	44022	2.04	ug/l	95
76) 1,1,2,2-Tetrachloroethane	11.193	83	54240	1.97	ug/l	97
78) 1,2,3-Trichloropropane	11.446	110	15209	2.00	ug/l	95
79) trans-1,4-Dichloro-2-b...	11.512	53	13882	1.80	ug/l	85
80) n-Propylbenzene	11.578	91	231734	1.85	ug/l	99
81) Bromobenzene	11.732	156	53404	1.94	ug/l	100
82) 1,3,5-Trimethylbenzene	11.831	105	161315	1.87	ug/l	100
83) 2-Chlorotoluene	11.919	91	141734	1.83	ug/l	97
84) 4-Chlorotoluene	11.974	91	152101	1.96	ug/l	97
85) tert-Butylbenzene	12.403	134	23967	1.79	ug/l	96
86) 1,2,4-Trimethylbenzene	12.469	105	158867	1.88	ug/l	98
87) sec-Butylbenzene	12.745	105	179127	1.83	ug/l	98
88) p-Isopropyltoluene	12.954	119	151252	1.84	ug/l	99
89) 1,3-Dichlorobenzene	13.163	146	86761	1.81	ug/l	98
90) 1,2,3-Trimethylbenzene	13.262	105	157347	1.88	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	83842	1.71	ug/l	98
92) n-Butylbenzene	13.614	91	138593	1.78	ug/l	97
93) 1,2-Dichlorobenzene	13.933	146	86457	2.00	ug/l	94
94) 1,2-Dibromo-3-chloropr...	15.144	157	10369	1.85	ug/l	98
95) 1,2,4-Trichlorobenzene	16.464	180	53437	1.72	ug/l	96
96) Hexachlorobutadiene	16.662	225	27904	1.87	ug/l	93
97) Naphthalene	16.872	128	121259	1.81	ug/l	98
98) 1,2,3-Trichlorobenzene	17.235	180	51397	1.75	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG120.D
Acq On : 17 May 2024 13:21
Sample : VOE2E174 0.08
Misc : 2.0ppb 8260/10ppb KET-AA/50ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:50 2024
Quant Results File: VOE2E17.RES

Vial: 5
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:45:26 2024 Page: 3

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG121.D
Acq On : 17 May 2024 13:45
Sample : VOE2E175 0.2
Misc : 5.0ppb 8260/25ppb KET-AA/125ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:53 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	487048	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	411703	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	191679	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	149306	5.01	ug/l	0.00
Spiked Amount 10.000			Recovery =	50.10%		
41) 1,2-Dichloroethane-d4	5.723	65	195277	4.95	ug/L	0.00
Spiked Amount 10.000			Recovery =	49.50%		
56) Toluene-d8	7.594	98	403502	4.93	ug/l	0.00
Spiked Amount 10.000			Recovery =	49.30%		
77) 4-Bromofluorobenzene	11.369	95	155282	5.10	ug/l	0.00
Spiked Amount 10.000			Recovery =	51.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	122648	4.39	ug/l	97
3) Chloromethane	2.906	50	93317	4.65	ug/l	98
4) Vinyl chloride	2.994	62	91465	4.32	ug/l	100
5) Bromomethane	3.313	94	65335	4.56	ug/l	94
6) Dichlorofluoromethane	3.357	67	267634	5.53	ug/L	99
7) Chloroethane	3.346	64	47747	4.60	ug/l	99
8) Trichlorofluoromethane	3.511	101	206005	4.33	ug/l	99
9) Acrolein	3.742	56	85202	26.90	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	115708	5.58	ug/l	99
11) Acetone	3.775	43	181295	26.82	ug/l	99
12) tert-Butyl alcohol	3.874	59	344659	116.37	ug/L	98
13) 1,1-Dichloroethene	3.907	61	245176	5.63	ug/l	99
14) Acetonitrile	3.874	41	72381	49.24	ug/L	98
15) Allyl chloride	4.106	76	64414	5.60	ug/L	96
16) Iodomethane	4.150	142	99500	4.47	ug/l	98
17) Methyl acetate	4.028	43	83812	5.09	ug/L	98
18) Methylene chloride	4.183	49	207529	6.38	ug/l	99
19) Acrylonitrile	4.216	53	188186	25.70	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	390334	5.36	ug/L	99
21) Carbon disulfide	4.315	76	296530	4.45	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	131904	5.68	ug/l	99
23) Isopropyl ether (DIPE)	4.469	45	409571	5.53	ug/l	99
24) Vinyl acetate	4.546	43	218833	5.19	ug/l	99
25) 1,1-Dichloroethane	4.634	63	253600	5.40	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	492810	5.48	ug/l	98
27) 2-Butanone	4.854	72	58944	25.79	ug/l	99
28) Propionitrile	4.909	54	138597	51.47	ug/L	99
29) Isobutyl alcohol	5.030	43	91136	95.79	ug/L	90
30) 2,2-Dichloropropane	5.019	77	267884	5.70	ug/l	100
31) Methacrylonitrile	5.052	52	241029	54.52	ug/L	98
32) cis-1,2-Dichloroethene	5.063	96	142504	5.39	ug/l	99
33) Chloroform	5.173	83	301423	5.17	ug/l	100
34) Bromochloromethane	5.327	130	84672	5.45	ug/l	98
35) Tetrahydrofuran	5.316	42	32093	5.23	ug/L	97
37) 1,1,1-Trichloroethane	5.492	97	290344	5.53	ug/l	99
38) Cyclohexane	5.547	84	153001	5.71	ug/L	99
39) tert-Amyl methyl ether...	5.613	87	90625	5.65	ug/l	97
40) 1,1-Dichloropropene	5.613	110	64894	5.64	ug/L	99
42) Carbon tetrachloride	5.734	119	254324	5.72	ug/L	99

5/29/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG121.D
Acq On : 17 May 2024 13:45
Sample : VOE2E175 0.2
Misc : 5.0ppb 8260/25ppb KET-AA/125ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:53 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	249997	5.58	ug/L	98
44) Benzene	5.866	78	463725	5.20	ug/L	99
45) Trichloroethene	6.373	130	134582	5.47	ug/L	99
46) Methyl methacrylate	6.439	69	120215	5.52	ug/L	98
47) Methylcyclohexane	6.461	83	173338	5.92	ug/L	100
48) 1,2-Dichloropropane	6.527	63	117555	5.17	ug/L	98
50) Bromodichloromethane	6.769	83	235788	5.48	ug/L	100
51) Dibromomethane	6.857	93	101452	5.48	ug/L	97
52) 2-Chloroethyl vinyl ether	6.934	63	61615	5.47	ug/L	99
53) 4-Methyl-2-pentanone	6.956	43	678153	27.22	ug/L	99
54) cis-1,3-Dichloropropene	7.275	75	214825	5.40	ug/L	98
57) Ethyl methacrylate	7.693	69	155089	5.52	ug/L	99
58) Toluene	7.693	91	511175	5.47	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	220626	5.52	ug/l	97
60) 2-Hexanone	7.935	43	449735	26.64	ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	119322	5.38	ug/l	99
62) 1,3-Dichloropropane	8.354	76	178297	5.42	ug/l	100
63) Tetrachloroethene	8.508	164	108809	5.33	ug/l	98
64) Dibromochloromethane	8.783	129	176521	5.31	ug/l	100
65) 1,2-Dibromoethane	9.069	107	127798	5.35	ug/l	96
66) 1-Chlorohexane	9.124	91	173438	5.61	ug/l	98
67) Chlorobenzene	9.619	112	329167	5.34	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	141011	5.37	ug/l	97
69) Ethylbenzene	9.641	91	601100	5.32	ug/l	100
70) m-Xylene & p-Xylene	9.751	91	956464	10.39	ug/l	100
71) o-Xylene	10.411	91	477831	5.48	ug/l	100
72) Styrene	10.456	104	332459	5.46	ug/l	98
73) Isopropylbenzene	10.940	105	544298	5.48	ug/L	100
75) Bromoform	11.061	173	112822	5.39	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	142828	5.35	ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	42035	5.70	ug/l	97
79) trans-1,4-Dichloro-2-b...	11.512	53	43660	5.85	ug/l	88
80) n-Propylbenzene	11.578	91	686564	5.65	ug/l	100
81) Bromobenzene	11.732	156	149808	5.62	ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	467836	5.60	ug/l	99
83) 2-Chlorotoluene	11.919	91	447056	5.96	ug/l	93
84) 4-Chlorotoluene	11.974	91	377625	5.75	ug/l	93
85) tert-Butylbenzene	12.403	134	70940	5.49	ug/l	98
86) 1,2,4-Trimethylbenzene	12.480	105	456338	5.58	ug/l	99
87) sec-Butylbenzene	12.756	105	528792	5.58	ug/l	98
88) p-Isopropyltoluene	12.954	119	450688	5.67	ug/l	99
89) 1,3-Dichlorobenzene	13.163	146	238171	6.03	ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	457826	5.65	ug/L	99
91) 1,4-Dichlorobenzene	13.328	146	243444	5.96	ug/l	99
92) n-Butylbenzene	13.614	91	399502	5.29	ug/l	100
93) 1,2-Dichlorobenzene	13.933	146	229291	5.48	ug/l	97
94) 1,2-Dibromo-3-chloropr...	15.133	157	27435	5.05	ug/l	92
95) 1,2,4-Trichlorobenzene	16.464	180	141573	5.38	ug/l	98
96) Hexachlorobutadiene	16.662	225	80493	5.56	ug/l	98
97) Naphthalene	16.872	128	328141	5.07	ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	131993	5.27	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG121.D
Acq On : 17 May 2024 13:45
Sample : VOE2E175 0.2
Misc : 5.0ppb 8260/25ppb KET-AA/125ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:53 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:45:41 2024 5/24/24 Page: 3

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG122.D Vial: 7
Acq On : 17 May 2024 14:09 Operator: DNguyc
Sample : VOE2E176 0.4 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:56 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	483746	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	409470	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	197951	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	301711	10.18	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.80%		
41) 1,2-Dichloroethane-d4	5.723	65	377680	9.65	ug/L	0.00
Spiked Amount 10.000			Recovery =	96.50%		
56) Toluene-d8	7.594	98	821380	10.10	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.00%		
77) 4-Bromofluorobenzene	11.369	95	308588	9.82	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.20%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	246373	8.87	ug/l	100
3) Chloromethane	2.906	50	180605	9.07	ug/l	100
4) Vinyl chloride	2.994	62	201033	9.56	ug/l	100
5) Bromomethane	3.313	94	118097	8.30	ug/l	100
6) Dichlorofluoromethane	3.357	67	478884	9.96	ug/L	100
7) Chloroethane	3.346	64	98570	9.56	ug/l	100
8) Trichlorofluoromethane	3.511	101	434256	9.19	ug/l	100
9) Acrolein	3.742	56	154311	49.05	ug/l	100
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	197908	9.60	ug/l	100
11) Acetone	3.764	43	331949	53.64	ug/l	100
12) tert-Butyl alcohol	3.874	59	735955	250.18	ug/L	100
13) 1,1-Dichloroethene	3.908	61	429898	9.94	ug/l	100
14) Acetonitrile	3.874	41	147981	101.37	ug/L	100
15) Allyl chloride	4.106	76	115842	10.15	ug/L	100
16) Iodomethane	4.150	142	208961	9.12	ug/l	100
17) Methyl acetate	4.029	43	164848	10.08	ug/L	100
18) Methylene chloride	4.183	49	353501	11.53	ug/l	100
19) Acrylonitrile	4.216	53	382339	52.57	ug/l	100
20) tert-Butyl methyl ethe...	4.227	73	727615	10.07	ug/L	100
21) Carbon disulfide	4.304	76	664916	10.04	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	226218	9.81	ug/l	100
23) Isopropyl ether (DIPE)	4.458	45	731712	9.95	ug/l	100
24) Vinyl acetate	4.546	43	449067	10.72	ug/l	100
25) 1,1-Dichloroethane	4.634	63	452304	9.69	ug/l	100
26) tert-Butyl ethyl ether...	4.733	59	897009	10.04	ug/l	100
27) 2-Butanone	4.854	72	119149	52.49	ug/l	100
28) Propionitrile	4.909	54	258325	96.59	ug/L	100
29) Isobutyl alcohol	5.030	43	190070	201.14	ug/L	100
30) 2,2-Dichloropropane	5.019	77	480537	10.29	ug/l	100
31) Methacrylonitrile	5.052	52	430956	98.15	ug/L	100
32) cis-1,2-Dichloroethene	5.063	96	250974	9.56	ug/l	100
33) Chloroform	5.173	83	540252	9.34	ug/l	100
34) Bromochloromethane	5.327	130	157824	10.23	ug/l	100
35) Tetrahydrofuran	5.327	42	59974	9.84	ug/L	100
37) 1,1,1-Trichloroethane	5.492	97	519526	9.96	ug/l	100
38) Cyclohexane	5.547	84	222928	8.38	ug/L	100
39) tert-Amyl methyl ether...	5.613	87	167095	10.48	ug/l	100
40) 1,1-Dichloropropene	5.613	110	116920	10.24	ug/L	100
42) Carbon tetrachloride	5.734	119	449910	10.19	ug/L	100

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG122.D Vial: 7
Acq On : 17 May 2024 14:09 Operator: DNguye
Sample : VOE2E176 0.4 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:56 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	453385	10.20	ug/L	100
44) Benzene	5.866	78	879735	9.94	ug/L	100
45) Trichloroethene	6.373	130	238953	9.78	ug/L	100
46) Methyl methacrylate	6.439	69	206743	9.55	ug/L	100
47) Methylcyclohexane	6.450	83	256180	8.81	ug/L	100
48) 1,2-Dichloropropane	6.527	63	224657	9.94	ug/L	100
50) Bromodichloromethane	6.769	83	428587	10.02	ug/L	100
51) Dibromomethane	6.857	93	179645	9.77	ug/L	100
52) 2-Chloroethyl vinyl ether	6.934	63	115157	10.29	ug/L	100
53) 4-Methyl-2-pentanone	6.956	43	1291475	52.18	ug/L	100
54) cis-1,3-Dichloropropene	7.275	75	397661	10.07	ug/L	100
57) Ethyl methacrylate	7.693	69	289621	10.36	ug/L	100
58) Toluene	7.693	91	921140	9.92	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	404411	10.18	ug/l	100
60) 2-Hexanone	7.935	43	885849	52.76	ug/l	100
61) 1,1,2-Trichloroethane	8.045	97	219004	9.94	ug/l	100
62) 1,3-Dichloropropane	8.354	76	321452	9.82	ug/l	100
63) Tetrachloroethene	8.508	164	195205	9.62	ug/l	100
64) Dibromochloromethane	8.783	129	322653	9.76	ug/l	100
65) 1,2-Dibromoethane	9.069	107	242214	10.20	ug/l	100
66) 1-Chlorohexane	9.124	91	305963	9.96	ug/l	100
67) Chlorobenzene	9.619	112	600211	9.79	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.652	131	264761	10.14	ug/l	100
69) Ethylbenzene	9.641	91	1089978	9.71	ug/l	100
70) m-Xylene & p-Xylene	9.740	91	1701702	18.59	ug/l	100
71) o-Xylene	10.412	91	864880	9.98	ug/l	100
72) Styrene	10.456	104	611307	10.09	ug/l	100
73) Isopropylbenzene	10.940	105	992355	10.05	ug/L	100
75) Bromoform	11.061	173	212173	9.82	ug/l	100
76) 1,1,2,2-Tetrachloroethane	11.204	83	266964	9.68	ug/l	100
78) 1,2,3-Trichloropropane	11.446	110	74100	9.73	ug/l	100
79) trans-1,4-Dichloro-2-b...	11.512	53	78273	10.15	ug/l	100
80) n-Propylbenzene	11.578	91	1188848	9.47	ug/l	100
81) Bromobenzene	11.732	156	274398	9.96	ug/l	100
82) 1,3,5-Trimethylbenzene	11.831	105	832454	9.65	ug/l	100
83) 2-Chlorotoluene	11.919	91	727012	9.38	ug/l	100
84) 4-Chlorotoluene	11.974	91	765752	11.72	ug/l	100
85) tert-Butylbenzene	12.415	134	128240	9.60	ug/l	100
86) 1,2,4-Trimethylbenzene	12.470	105	827835	9.81	ug/l	100
87) sec-Butylbenzene	12.745	105	956488	9.78	ug/l	100
88) p-Isopropyltoluene	12.954	119	785422	9.57	ug/l	100
89) 1,3-Dichlorobenzene	13.163	146	431882	10.96	ug/l	100
90) 1,2,3-Trimethylbenzene	13.251	105	825411	9.87	ug/L	100
91) 1,4-Dichlorobenzene	13.328	146	439674	10.74	ug/l	100
92) n-Butylbenzene	13.614	91	750645	9.62	ug/l	100
93) 1,2-Dichlorobenzene	13.933	146	398438	9.21	ug/l	100
94) 1,2-Dibromo-3-chloropr...	15.133	157	52427	9.34	ug/l	100
95) 1,2,4-Trichlorobenzene	16.464	180	255192	9.69	ug/l	100
96) Hexachlorobutadiene	16.663	225	148449	9.93	ug/l	100
97) Naphthalene	16.872	128	656492	9.82	ug/l	100
98) 1,2,3-Trichlorobenzene	17.224	180	243924	9.74	ug/l	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


SV 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG122.D
Acq On : 17 May 2024 14:09
Sample : VOE2E176 0.4
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:56 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:46:00 2024 Page: 3

5W 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG123.D
Acq On : 17 May 2024 14:33
Sample : VOE2E177 1.2uL
Misc : 30ppb 8260/150ppb KET-AA/750ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:59 2024
Quant Results File: VOE2E17.RES

Vial: 8
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	462286	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	374024	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	201423	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	815119	28.79	ug/l	0.00
Spiked Amount 10.000			Recovery =	287.90%		
41) 1,2-Dichloroethane-d4	5.723	65	982827	26.27	ug/L	0.00
Spiked Amount 10.000			Recovery =	262.70%		
56) Toluene-d8	7.594	98	2087230	28.08	ug/l	0.00
Spiked Amount 10.000			Recovery =	280.80%		
77) 4-Bromofluorobenzene	11.369	95	802113	25.09	ug/l	0.00
Spiked Amount 10.000			Recovery =	250.90%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	846669	31.91	ug/l	99
3) Chloromethane	2.906	50	522797	27.46	ug/l	99
4) Vinyl chloride	2.994	62	609327	30.31	ug/l	99
5) Bromomethane	3.313	94	369689	27.19	ug/l	98
6) Dichlorofluoromethane	3.346	67	1420838	30.93	ug/L	99
7) Chloroethane	3.346	64	303543	30.82	ug/l	98
8) Trichlorofluoromethane	3.511	101	1432296	31.71	ug/l	99
9) Acrolein	3.742	56	417245	138.78	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	579513	29.43	ug/l	100
11) Acetone	3.764	43	817529	146.08	ug/l	98
12) tert-Butyl alcohol	3.874	59	1936975	689.03	ug/L	98
13) 1,1-Dichloroethene	3.896	61	1249367	30.24	ug/l	99
14) Acetonitrile	3.874	41	365485	261.98	ug/L	96
15) Allyl chloride	4.105	76	333837	30.59	ug/L	100
16) Iodomethane	4.138	142	780631	34.84	ug/l	100
17) Methyl acetate	4.028	43	406413	26.00	ug/L	99
18) Methylene chloride	4.182	49	967460	34.54	ug/l	100
19) Acrylonitrile	4.215	53	969202	139.45	ug/l	99
20) tert-Butyl methyl ethe...	4.226	73	2015467	29.18	ug/L	99
21) Carbon disulfide	4.304	76	1855534	29.31	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	612820	27.80	ug/l	98
23) Isopropyl ether (DIPE)	4.458	45	2064589	29.37	ug/l	100
24) Vinyl acetate	4.546	43	1131522	28.26	ug/l	99
25) 1,1-Dichloroethane	4.634	63	1337320	29.99	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	2373481	27.81	ug/l	99
27) 2-Butanone	4.854	72	300066	138.32	ug/l	99
28) Propionitrile	4.909	54	714086	279.39	ug/L	99
29) Isobutyl alcohol	5.030	43	493388	546.37	ug/L	95
30) 2,2-Dichloropropane	5.019	77	1320182	29.57	ug/l	99
31) Methacrylonitrile	5.052	52	1220341	290.82	ug/L	99
32) cis-1,2-Dichloroethene	5.063	96	721585	28.75	ug/l	100
33) Chloroform	5.173	83	1512101	27.35	ug/l	99
34) Bromochloromethane	5.327	130	444977	30.18	ug/l	99
35) Tetrahydrofuran	5.316	42	169251	29.05	ug/L	99
37) 1,1,1-Trichloroethane	5.503	97	1516650	30.42	ug/l	99
38) Cyclohexane	5.547	84	713565	28.07	ug/L	100
39) tert-Amyl methyl ether...	5.624	87	411481	27.01	ug/l	97
40) 1,1-Dichloropropene	5.613	110	302266	27.69	ug/L	99
42) Carbon tetrachloride	5.734	119	1249927	29.62	ug/L	100

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG123.D Vial: 8
Acq On : 17 May 2024 14:33 Operator: DNguye
Sample : VOE2E177 1.2uL Inst : E2
Misc : 30ppb 8260/150ppb KET-AA/750ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:59 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	1173740	27.62 ug/L	98
44) Benzene	5.866	78	2384286	28.19 ug/L	99
45) Trichloroethene	6.372	130	687887	29.46 ug/L	99
46) Methyl methacrylate	6.439	69	555814	26.87 ug/L	98
47) Methylcyclohexane	6.450	83	757727	27.27 ug/L	99
48) 1,2-Dichloropropane	6.527	63	580328	26.88 ug/L	99
50) Bromodichloromethane	6.769	83	1166514	28.55 ug/L	100
51) Dibromomethane	6.857	93	509682	29.01 ug/L	99
52) 2-Chloroethyl vinyl ether	6.934	63	318157	29.75 ug/L	98
53) 4-Methyl-2-pentanone	6.956	43	3236906	136.87 ug/L	99
54) cis-1,3-Dichloropropene	7.275	75	1085125	28.74 ug/L	99
57) Ethyl methacrylate	7.693	69	725765	28.43 ug/L	99
58) Toluene	7.693	91	2303744	27.16 ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	1087593	29.96 ug/l	96
60) 2-Hexanone	7.935	43	2184077	142.41 ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	603118	29.96 ug/l	98
62) 1,3-Dichloropropane	8.353	76	863785	28.89 ug/l	99
63) Tetrachloroethene	8.508	164	555090	29.93 ug/l	99
64) Dibromochloromethane	8.783	129	924244	30.61 ug/l	99
65) 1,2-Dibromoethane	9.069	107	666966	30.74 ug/l	99
66) 1-Chlorohexane	9.124	91	842844	30.02 ug/l	99
67) Chlorobenzene	9.619	112	1667775	29.77 ug/l	99
68) 1,1,1,2-Tetrachloroethane	9.641	131	734053	30.79 ug/l	99
69) Ethylbenzene	9.641	91	3067459	29.91 ug/l	100
70) m-Xylene & p-Xylene	9.751	91	4750507	56.81 ug/l	100
71) o-Xylene	10.411	91	2219339	28.03 ug/l	100
72) Styrene	10.455	104	1588178	28.69 ug/l	99
73) Isopropylbenzene	10.940	105	2403503	26.65 ug/L	99
75) Bromoform	11.061	173	624115	28.39 ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	753832	26.85 ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	208161	26.86 ug/l	97
79) trans-1,4-Dichloro-2-b...	11.512	53	238944	30.47 ug/l	94
80) n-Propylbenzene	11.578	91	3388197	26.53 ug/l	99
81) Bromobenzene	11.732	156	728501	25.99 ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	2352083	26.79 ug/l	99
83) 2-Chlorotoluene	11.919	91	2207144	28.00 ug/l	95
84) 4-Chlorotoluene	11.974	91	1740784	26.74 ug/l	92
85) tert-Butylbenzene	12.403	134	339280	24.97 ug/l	96
86) 1,2,4-Trimethylbenzene	12.480	105	2264161	26.37 ug/l	97
87) sec-Butylbenzene	12.745	105	2689041	27.03 ug/l	98
88) p-Isopropyltoluene	12.954	119	2214069	26.52 ug/l	99
89) 1,3-Dichlorobenzene	13.174	146	1215294	31.15 ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	2275474	26.74 ug/L	100
91) 1,4-Dichlorobenzene	13.328	146	1252767	30.81 ug/l	99
92) n-Butylbenzene	13.614	91	2188046	27.56 ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	1144996	26.02 ug/l	97
94) 1,2-Dibromo-3-chloropr...	15.133	157	164843	28.88 ug/l	98
95) 1,2,4-Trichlorobenzene	16.464	180	771713	29.55 ug/l	97
96) Hexachlorobutadiene	16.662	225	421350	27.70 ug/l	98
97) Naphthalene	16.871	128	1890327	27.79 ug/l	99
98) 1,2,3-Trichlorobenzene	17.224	180	740467	29.84 ug/l	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

SW 5/29/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG123.D Vial: 8
Acq On : 17 May 2024 14:33 Operator: DNguye
Sample : VOE2E177 1.2uL Inst : E2
Misc : 30ppb 8260/150ppb KET-AA/750ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:59 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 14:09:59 2024 Page: 3

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG124.D
Acq On : 17 May 2024 14:57
Sample : VOE2E178 2uL
Misc : 50ppb 8260/250pb KET-AA/1250ppb TBA
Integrator: RTE
Quant Time: May 21 20:53:02 2024
Quant Results File: VOE2E17.RES

Vial: 9
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	519193	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	435004	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	207868	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	1488511	46.81	ug/l	0.00
Spiked Amount 10.000			Recovery =	468.10%		
41) 1,2-Dichloroethane-d4	5.723	65	1870338	44.51	ug/L	0.00
Spiked Amount 10.000			Recovery =	445.10%		
56) Toluene-d8	7.594	98	4062552	47.00	ug/l	0.00
Spiked Amount 10.000			Recovery =	470.00%		
77) 4-Bromofluorobenzene	11.369	95	1575222	47.74	ug/l	0.00
Spiked Amount 10.000			Recovery =	477.40%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	1479243	49.64	ug/l	100
3) Chloromethane	2.906	50	955064	44.67	ug/l	100
4) Vinyl chloride	2.983	62	1164938	51.59	ug/l	98
5) Bromomethane	3.313	94	722857	47.33	ug/l	98
6) Dichlorofluoromethane	3.346	67	2413767	46.78	ug/L	100
7) Chloroethane	3.346	64	533177	48.20	ug/l	97
8) Trichlorofluoromethane	3.511	101	2564523	50.55	ug/l	100
9) Acrolein	3.742	56	769072	227.77	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	1060995	47.97	ug/l	99
11) Acetone	3.775	43	1539021	248.23	ug/l	100
12) tert-Butyl alcohol	3.874	59	3674847	1163.95	ug/L	97
13) 1,1-Dichloroethene	3.896	61	2124315	45.78	ug/l	99
14) Acetonitrile	3.874	41	693695	442.74	ug/L	94
15) Allyl chloride	4.105	76	579274	47.27	ug/L	99
16) Iodomethane	4.138	142	1375743	54.51	ug/l	100
17) Methyl acetate	4.028	43	788773	44.93	ug/L	98
18) Methylene chloride	4.182	49	1589617	50.92	ug/l	100
19) Acrylonitrile	4.215	53	1740099	222.92	ug/l	100
20) tert-Butyl methyl ethe...	4.226	73	3575082	46.08	ug/L	99
21) Carbon disulfide	4.303	76	3342224	47.00	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	1147795	46.36	ug/l	100
23) Isopropyl ether (DIPE)	4.458	45	3617921	45.83	ug/l	100
24) Vinyl acetate	4.546	43	2102404	46.76	ug/l	100
25) 1,1-Dichloroethane	4.634	63	2339494	46.71	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	4566707	47.64	ug/l	99
27) 2-Butanone	4.854	72	553401	227.15	ug/l	100
28) Propionitrile	4.909	54	1317994	459.16	ug/L	98
29) Isobutyl alcohol	5.030	43	988293	974.46	ug/L	99
30) 2,2-Dichloropropane	5.019	77	2391738	47.71	ug/l	98
31) Methacrylonitrile	5.052	52	2175906	461.71	ug/L	97
32) cis-1,2-Dichloroethene	5.063	96	1319898	46.82	ug/l	99
33) Chloroform	5.173	83	2702356	43.52	ug/l	100
34) Bromochloromethane	5.327	130	769499	46.47	ug/l	98
35) Tetrahydrofuran	5.316	42	306572	46.86	ug/L	98
37) 1,1,1-Trichloroethane	5.503	97	2648310	47.29	ug/l	99
38) Cyclohexane	5.547	84	1410911	49.43	ug/L	99
39) tert-Amyl methyl ether...	5.613	87	853815	49.91	ug/l	99
40) 1,1-Dichloropropene	5.613	110	592546	48.33	ug/L	100
42) Carbon tetrachloride	5.734	119	2310426	48.76	ug/L	100

SW 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG124.D
Acq On : 17 May 2024 14:57
Sample : VOE2E178 2uL
Misc : 50ppb 8260/250pb KET-AA/1250ppb TBA
Integrator: RTE
Quant Time: May 21 20:53:02 2024
Quant Results File: VOE2E17.RES

Vial: 9
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	Qlon	Response	Conc Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	2230254	46.73 ug/L	100
44) Benzene	5.866	78	4549753	47.89 ug/L	100
45) Trichloroethene	6.372	130	1248919	47.63 ug/L	98
46) Methyl methacrylate	6.438	69	1116578	48.06 ug/L	99
47) Methylcyclohexane	6.460	83	1574183	50.44 ug/L	99
48) 1,2-Dichloropropane	6.527	63	1135307	46.83 ug/L	99
50) Bromodichloromethane	6.769	83	2131356	46.45 ug/L	100
51) Dibromomethane	6.857	93	905758	45.91 ug/L	98
52) 2-Chloroethyl vinyl ether	6.934	63	580351	48.33 ug/L	100
53) 4-Methyl-2-pentanone	6.956	43	6139474	231.14 ug/L	99
54) cis-1,3-Dichloropropene	7.275	75	2011227	47.44 ug/L	100
57) Ethyl methacrylate	7.693	69	1490762	50.22 ug/L	98
58) Toluene	7.693	91	4751397	48.16 ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	2080692	49.29 ug/l	95
60) 2-Hexanone	7.935	43	4186045	234.68 ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	1074823	45.90 ug/l	99
62) 1,3-Dichloropropane	8.353	76	1663404	47.84 ug/l	100
63) Tetrachloroethene	8.507	164	1006550	46.67 ug/l	98
64) Dibromochloromethane	8.783	129	1614400	45.97 ug/l	99
65) 1,2-Dibromoethane	9.069	107	1193470	47.30 ug/l	97
66) 1-Chlorohexane	9.124	91	1569873	48.08 ug/l	90
67) Chlorobenzene	9.619	112	3021039	46.36 ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.652	131	1317171	47.50 ug/l	99
69) Ethylbenzene	9.641	91	5652766	47.39 ug/l	100
70) m-Xylene & p-Xylene	9.751	91	9107135	93.64 ug/l	99
71) o-Xylene	10.411	91	4475134	48.61 ug/l	100
72) Styrene	10.455	104	3133556	48.67 ug/l	99
73) Isopropylbenzene	10.940	105	4893403	46.64 ug/L	100
75) Bromoform	11.061	173	1096997	48.36 ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	1347228	46.50 ug/l	100
78) 1,2,3-Trichloropropane	11.446	110	380448	47.56 ug/l	100
79) trans-1,4-Dichloro-2-b...	11.512	53	430046	53.13 ug/l	97
80) n-Propylbenzene	11.578	91	6203059	47.06 ug/l	99
81) Bromobenzene	11.732	156	1344022	46.46 ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	4223916	46.62 ug/l	100
83) 2-Chlorotoluene	11.919	91	4010267	49.30 ug/l	94
84) 4-Chlorotoluene	11.974	91	3491289	52.40 ug/l	94
85) tert-Butylbenzene	12.403	134	615516	43.89 ug/l	97
86) 1,2,4-Trimethylbenzene	12.480	105	4129361	46.60 ug/l	97
87) sec-Butylbenzene	12.755	105	4820712	46.95 ug/l	99
88) p-Isopropyltoluene	12.954	119	3971026	46.09 ug/l	99
89) 1,3-Dichlorobenzene	13.163	146	2170399	54.26 ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	4082930	46.50 ug/L	99
91) 1,4-Dichlorobenzene	13.328	146	2222053	53.26 ug/l	99
92) n-Butylbenzene	13.614	91	3858008	47.08 ug/l	100
93) 1,2-Dichlorobenzene	13.933	146	2002007	44.09 ug/l	98
94) 1,2-Dibromo-3-chloropr...	15.133	157	279717	47.48 ug/l	99
95) 1,2,4-Trichlorobenzene	16.464	180	1324327	49.40 ug/l	98
96) Hexachlorobutadiene	16.662	225	723810	46.11 ug/l	100
97) Naphthalene	16.871	128	3364432	47.93 ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	1238496	48.60 ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG124.D
Acq On : 17 May 2024 14:57
Sample : VOE2E178 2uL
Misc : 50ppb 8260/250pb KET-AA/1250ppb TBA
Integrator: RTE
Quant Time: May 21 20:53:02 2024
Quant Results File: VOE2E17.RES

Vial: 9
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:46:39 2024 Page: 3

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG125.D
Acq On : 17 May 2024 15:21
Sample : VOE2E179 4uL
Misc : 100ppb 8260/500ppb KET-AA/2500ppb TBA
Integrator: RTE
Quant Time: May 21 21:04:40 2024
Quant Results File: VOE2E17.RES

Vial: 10
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	530663	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	467581	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	221369	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	0.000	111	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
41) 1,2-Dichloroethane-d4	0.000	65	0d	0.00	ug/L	
Spiked Amount 10.000			Recovery =	0.00%		
56) Toluene-d8	0.000	98	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
77) 4-Bromofluorobenzene	0.000	95	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	3067931	100.74	ug/l	99
3) Chloromethane	2.906	50	2028894	92.84	ug/l	100
4) Vinyl chloride	2.983	62	2380759	103.16	ug/l	99
5) Bromomethane	3.313	94	1571626	100.69	ug/l	97
6) Dichlorofluoromethane	3.346	67	4798406	90.99	ug/L	100
7) Chloroethane	3.346	64	1099847	97.27	ug/l	95
8) Trichlorofluoromethane	3.511	101	5289775	102.02	ug/l	99
9) Acrolein	3.742	56	1588198	460.20	ug/l	100
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	2101530	92.96	ug/l	100
11) Acetone	3.775	43	3043527	484.95	ug/l	99
12) tert-Butyl alcohol	3.874	59	7338860	2274.23	ug/L	96
13) 1,1-Dichloroethene	3.897	61	4369062	92.11	ug/l	99
14) Acetonitrile	3.874	41	1342024	838.01	ug/L	93
15) Allyl chloride	4.106	76	1084703	86.60	ug/L	100
16) Iodomethane	4.139	142	2702905	104.51	ug/l	99
17) Methyl acetate	4.029	43	1545614	86.14	ug/L	97
18) Methylene chloride	4.183	49	3160599	99.82	ug/l	99
19) Acrylonitrile	4.216	53	3580875	448.82	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	7241359	91.32	ug/L	100
22) trans-1,2-Dichloroethene	4.370	96	2262018	89.39	ug/l	99
23) Isopropyl ether (DIPE)	4.458	45	7317542	90.69	ug/l	99
24) Vinyl acetate	4.546	43	4349944	94.65	ug/l	100
25) 1,1-Dichloroethane	4.634	63	4518247	88.27	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	8843448	90.25	ug/l	99
27) 2-Butanone	4.854	72	1115192	447.84	ug/l	98
28) Propionitrile	4.909	54	2553924	870.50	ug/L	98
29) Isobutyl alcohol	5.030	43	1797348	1733.89	ug/L	98
30) 2,2-Dichloropropane	5.019	77	4661696	90.97	ug/l	98
31) Methacrylonitrile	5.063	52	4255107	883.38	ug/L	91
32) cis-1,2-Dichloroethene	5.063	96	2606989	90.49	ug/l	99
33) Chloroform	5.173	83	5369253	84.60	ug/l	99
34) Bromochloromethane	5.327	130	1457459	86.12	ug/l	99
35) Tetrahydrofuran	5.316	42	618202	92.45	ug/L	98
37) 1,1,1-Trichloroethane	5.492	97	5302638	92.64	ug/l	99
38) Cyclohexane	5.547	84	2651727	90.88	ug/L	99
39) tert-Amyl methyl ether...	5.613	87	1661857	95.04	ug/l	97
40) 1,1-Dichloropropene	5.613	110	1162092	92.74	ug/L	99
42) Carbon tetrachloride	5.734	119	4455455	91.99	ug/L	99
43) 1,2-Dichloroethane	5.800	62	4297408	88.09	ug/L	100

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG125.D
Acq On : 17 May 2024 15:21
Sample : VOE2E179 4uL
Misc : 100ppb 8260/500ppb KET-AA/2500ppb TBA
Integrator: RTE
Quant Time: May 21 21:04:40 2024
Quant Results File: VOE2E17.RES

Vial: 10
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) Benzene	5.866	78	8937713	92.05	ug/L	100
45) Trichloroethene	6.373	130	2438563	90.98	ug/L	99
46) Methyl methacrylate	6.439	69	2241240	94.37	ug/L	99
47) Methylcyclohexane	6.461	83	3107286	97.41	ug/L	99
48) 1,2-Dichloropropane	6.527	63	2264058	91.36	ug/L	99
50) Bromodichloromethane	6.769	83	4222210	90.02	ug/L	99
51) Dibromomethane	6.857	93	1826509	90.58	ug/L	99
52) 2-Chloroethyl vinyl ether	6.934	63	1147941	93.52	ug/L	100
53) 4-Methyl-2-pentanone	6.956	43	12403774	456.89	ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	4029626	92.99	ug/L	99
57) Ethyl methacrylate	7.693	69	2968033	93.01	ug/L	95
58) Toluene	7.693	91	9406948	88.71	ug/l	99
59) trans-1,3-Dichloropropene	7.814	75	4103485	90.43	ug/l	95
60) 2-Hexanone	7.935	43	8232244	429.36	ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	2157642	85.73	ug/l	98
62) 1,3-Dichloropropane	8.354	76	3303675	88.39	ug/l	100
63) Tetrachloroethene	8.508	164	2015675	86.95	ug/l	99
64) Dibromochloromethane	8.783	129	3239932	85.83	ug/l	100
65) 1,2-Dibromoethane	9.069	107	2441979	90.04	ug/l	98
66) 1-Chlorohexane	9.124	91	3137545	89.40	ug/l	99
67) Chlorobenzene	9.619	112	6186547	88.32	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	2643624	88.70	ug/l	99
69) Ethylbenzene	9.641	91	11573797	90.27	ug/l	100
70) m-Xylene & p-Xylene	9.751	91	17534518	167.73	ug/l	99
71) o-Xylene	10.412	91	8856439	89.49	ug/l	100
72) Styrene	10.456	104	6210039	89.73	ug/l	99
73) Isopropylbenzene	10.940	105	10049530	89.12	ug/L	100
75) Bromoform	11.061	173	2156497	89.26	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	2695878	87.38	ug/l	100
78) 1,2,3-Trichloropropane	11.446	110	761761	89.43	ug/l	98
79) trans-1,4-Dichloro-2-b...	11.512	53	840320	97.49	ug/l	98
80) n-Propylbenzene	11.578	91	12355923	88.03	ug/l	99
81) Bromobenzene	11.732	156	2673805	86.79	ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	8378024	86.82	ug/l	100
83) 2-Chlorotoluene	11.919	91	7964931	91.94	ug/l	93
84) 4-Chlorotoluene	11.974	91	6997858	99.03	ug/l	94
85) tert-Butylbenzene	12.415	134	1260545	84.40	ug/l	92
86) 1,2,4-Trimethylbenzene	12.481	105	8236098	87.27	ug/l	97
87) sec-Butylbenzene	12.756	105	9656129	88.30	ug/l	98
88) p-Isopropyltoluene	12.954	119	8166087	89.00	ug/l	99
89) 1,3-Dichlorobenzene	13.163	146	4224212	99.56	ug/l	99
90) 1,2,3-Trimethylbenzene	13.262	105	8254841	88.27	ug/L	100
91) 1,4-Dichlorobenzene	13.328	146	4323656	97.65	ug/l	99
92) n-Butylbenzene	13.614	91	7538294	86.38	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	4025253	83.24	ug/l	98
94) 1,2-Dibromo-3-chloropr...	15.133	157	603619	96.21	ug/l	100
95) 1,2,4-Trichlorobenzene	16.464	180	2718505	95.58	ug/l	98
96) Hexachlorobutadiene	16.663	225	1478191	88.43	ug/l	99
97) Naphthalene	16.872	128	6891495	92.19	ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	2612770	96.66	ug/l	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG125.D Vial: 10
Acq On : 17 May 2024 15:21 Operator: DNguye
Sample : VOE2E179 4uL Inst : E2
Misc : 100ppb 8260/500ppb KET-AA/2500ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 21:04:40 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:47:14 2024 SU 5/24/24 Page: 3

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG126.D
Acq On : 17 May 2024 15:44
Sample : VOE2E1710 8uL
Misc : 200ppb 8260/1000ppb KET-AA/5000ppb TBA
Integrator: RTE
Quant Time: May 21 21:00:50 2024
Quant Results File: VOE2E17.RES

Vial: 11
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	568040	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	471885	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	217867	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	3002	0.09	ug/l	0.00
Spiked Amount 10.000			Recovery =	0.90%		
41) 1,2-Dichloroethane-d4	0.000	65	0d	0.00	ug/L	
Spiked Amount 10.000			Recovery =	0.00%		
56) Toluene-d8	0.000	98	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
77) 4-Bromofluorobenzene	0.000	95	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	6316101	193.74	ug/l	98
3) Chloromethane	2.906	50	4516405	193.06	ug/l	99
4) Vinyl chloride	2.983	62	4720259	191.07	ug/l	99
5) Bromomethane	3.313	94	3750895	224.49	ug/l	97
6) Dichlorofluoromethane	3.346	67	9822700	174.00	ug/L	100
7) Chloroethane	3.346	64	2195455	181.39	ug/l	94
8) Trichlorofluoromethane	3.511	101	10783113	194.28	ug/l	99
9) Acrolein	3.742	56	3351589	907.26	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.742	151	4350512	179.79	ug/l	100
11) Acetone	3.764	43	6603563	988.07	ug/l	99
12) tert-Butyl alcohol	3.874	59	15471302	4478.91	ug/L	95
13) 1,1-Dichloroethene	3.896	61	9033271	177.91	ug/l	99
14) Acetonitrile	3.874	41	2754507	1606.85	ug/L	93
15) Allyl chloride	4.106	76	2199904	164.07	ug/L	99
16) Iodomethane	4.139	142	5209397	187.95	ug/l	97
17) Methyl acetate	4.029	43	3232214	168.28	ug/L	97
18) Methylene chloride	4.183	49	6476225	191.83	ug/l	97
19) Acrylonitrile	4.216	53	7708060	902.54	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	15360383	180.97	ug/L	100
22) trans-1,2-Dichloroethene	4.370	96	4873441	179.91	ug/l	99
23) Isopropyl ether (DIPE)	4.458	45	14962789	173.25	ug/l	99
24) Vinyl acetate	4.546	43	9004493	183.04	ug/l	100
25) 1,1-Dichloroethane	4.634	63	9351400	170.66	ug/l	100
26) tert-Butyl ethyl ether...	4.733	59	19320797	184.21	ug/l	99
27) 2-Butanone	4.854	72	2394701	898.39	ug/l	98
28) Propionitrile	4.920	54	5691397	1812.25	ug/L	97
29) Isobutyl alcohol	5.030	43	3586105	3231.85	ug/L	98
30) 2,2-Dichloropropane	5.030	77	9444935	172.19	ug/l	99
31) Methacrylonitrile	5.063	52	8684556	1684.31	ug/L	89
32) cis-1,2-Dichloroethene	5.063	96	5762701	186.86	ug/l	99
33) Chloroform	5.173	83	11032078	162.40	ug/l	98
34) Bromochloromethane	5.327	130	2946762	162.66	ug/l	99
35) Tetrahydrofuran	5.316	42	1229234	171.73	ug/L	96
37) 1,1,1-Trichloroethane	5.503	97	10907828	178.03	ug/l	99
38) Cyclohexane	5.547	84	5994629	191.94	ug/L	98
39) tert-Amyl methyl ether...	5.613	87	3477493	185.79	ug/l	98
40) 1,1-Dichloropropene	5.613	110	2466827	183.91	ug/L	100
42) Carbon tetrachloride	5.734	119	9523903	183.70	ug/L	99
43) 1,2-Dichloroethane	5.800	62	9046789	173.24	ug/L	99

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG126.D Vial: 11
Acq On : 17 May 2024 15:44 Operator: DNguye
Sample : VOE2E1710 8uL Inst : E2
Misc : 200ppb 8260/1000ppb KET-AA/5000ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 21:00:50 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) Benzene	5.866	78	18878615	181.64	ug/L	99
45) Trichloroethene	6.373	130	5312995	185.18	ug/L	98
46) Methyl methacrylate	6.439	69	4709153	185.24	ug/L	97
47) Methylcyclohexane	6.450	83	6821475	199.77	ug/L	99
48) 1,2-Dichloropropane	6.527	63	4750541	179.08	ug/L	98
50) Bromodichloromethane	6.769	83	8780457	174.89	ug/L	99
51) Dibromomethane	6.857	93	3575305	165.64	ug/L	98
52) 2-Chloroethyl vinyl ether	6.934	63	2345513	178.52	ug/L	99
53) 4-Methyl-2-pentanone	6.956	43	25417872	874.65	ug/L	96
54) cis-1,3-Dichloropropene	7.275	75	8445639	182.07	ug/L	98
57) Ethyl methacrylate	7.693	69	6144909	190.81	ug/L	93
58) Toluene	7.693	91	19948069	186.39	ug/l	99
59) trans-1,3-Dichloropropene	7.814	75	8489181	185.38	ug/l	94
60) 2-Hexanone	7.946	43	17094335	883.44	ug/l	98
61) 1,1,2-Trichloroethane	8.045	97	4397367	173.13	ug/l	98
62) 1,3-Dichloropropane	8.354	76	6618515	175.47	ug/l	100
63) Tetrachloroethene	8.508	164	4231743	180.87	ug/l	99
64) Dibromochloromethane	8.783	129	6516219	171.04	ug/l	100
65) 1,2-Dibromoethane	9.069	107	4870080	177.93	ug/l	98
66) 1-Chlorohexane	9.124	91	6393588	180.51	ug/l	100
67) Chlorobenzene	9.619	112	12624825	178.60	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.652	131	5312112	176.61	ug/l	99
69) Ethylbenzene	9.641	91	23292033	180.01	ug/l	100
70) m-Xylene & p-Xylene	9.740	91	28701191	272.04	ug/l	84
71) o-Xylene	10.412	91	17586293	176.08	ug/l	99
72) Styrene	10.456	104	12296252	176.06	ug/l	99
73) Isopropylbenzene	10.940	105	19602688	172.25	ug/L	99
75) Bromoform	11.061	173	4187827	176.13	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	5159996	169.93	ug/l	100
78) 1,2,3-Trichloropropane	11.446	110	1403346	167.39	ug/l	96
79) trans-1,4-Dichloro-2-b...	11.523	53	1650960	194.61	ug/l	98
80) n-Propylbenzene	11.578	91	23810922	172.37	ug/l	99
81) Bromobenzene	11.732	156	5195205	171.35	ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	16287234	171.50	ug/l	99
83) 2-Chlorotoluene	11.919	91	15174863	177.98	ug/l	93
84) 4-Chlorotoluene	11.985	91	13838106	199.43	ug/l	95
85) tert-Butylbenzene	12.414	134	2339593	159.17	ug/l	91
86) 1,2,4-Trimethylbenzene	12.480	105	16036674	172.66	ug/l	97
87) sec-Butylbenzene	12.756	105	18845003	175.10	ug/l	98
88) p-Isopropyltoluene	12.954	119	15471204	171.32	ug/l	98
89) 1,3-Dichlorobenzene	13.174	146	8054938	193.34	ug/l	99
90) 1,2,3-Trimethylbenzene	13.262	105	15911955	172.89	ug/L	100
91) 1,4-Dichlorobenzene	13.328	146	8560916	196.89	ug/l	98
92) n-Butylbenzene	13.614	91	15176896	176.71	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	7971920	167.50	ug/l	97
94) 1,2-Dibromo-3-chloropr...	15.133	157	1180945	191.26	ug/l	99
95) 1,2,4-Trichlorobenzene	16.464	180	5739206	205.48	ug/l	97
96) Hexachlorobutadiene	16.662	225	3124401	189.92	ug/l	99
97) Naphthalene	16.872	128	14719954	200.07	ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	5440683	204.95	ug/l	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


VOE2E17.M Thu May 23 12:47:29 2024 5/24/24 Page: 2

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG126.D
Acq On : 17 May 2024 15:44
Sample : VOE2E1710 8uL
Misc : 200ppb 8260/1000ppb KET-AA/5000ppb TBA
Integrator: RTE
Quant Time: May 21 21:00:50 2024
Quant Results File: VOE2E17.RES

Vial: 11
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:47:29 2024 Page: 3

5/24/24

SECOND SOURCE VERIFICATION

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: REG130 BFB Injection Date: 05/18/24

Instrument ID: E2 BFB Injection Time: 09:16

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	19.254
75	30 - 60% of mass 95	50.320
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.311
173	Less than 2% of mass 174	0.912(.61)1
174	Greater than 50% of mass 95	84.221
175	5 - 9% of mass 174	6.661(7.91)1
176	95 - 101% % of mass 174	81.783(97.11)1
177	5 - 9% % of mass 176	6.306(7.71)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	IVOE2R1702	REG111	05/18/24	09:57

5/24/24

CONTINUE CALIBRATION - CALIBRATION VERIFICATION

Instrument ID :E2
IC Beginning DateTime :05/17/24 12:33
Spike Amount :10 PPB
CC/CV File :REG131
IC File :REG122

Column Spec :RTX 502.2 ID :0.32MM
IC Ending DateTime :05/17/24 15:44
HPChem Method :V0E2E17
Date Time :05/18/24 09:57

X	IDX	Parameters	CC_Con	CC%_D	CC_Resp	CCRRF	AVRRF	CC_RTm	AVRTm	%_RSD	Co_X0	Co_X1	Co_X2	Co_Cof
	1	1,4-DIFLUOROBENZENE	10.000	0	647637	1	1	5.988	5.987	0				
	2	Dichlorodifluoromethane	10.420	4.2	387316	0.598	0.574	2.708	2.708	8.06				
	3	Chloromethane	10.034	0.3	267638	0.413	0.412	2.906	2.906	13.00				
	4	Vinyl chloride	10.450	4.5	294360	0.455	0.435	2.994	2.990	7.58				
	5	Bromomethane	10.726	7.3	204345	0.316	0.294	3.313	3.313	11.62				
	6	Dichlorofluoromethane	9.831	-1.7	632775	0.977	0.994	3.357	3.352	8.41				
	7	Chloroethane	11.738	17.4	161985	0.250	0.213	3.346	3.346	8.74				
	8	Trichlorofluoromethane	10.360	3.6	655613	1.012	0.977	3.511	3.511	7.24				
5	9	Acrolein	53.498	7.0	225327	0.070	0.065	3.743	3.742	10.21				
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	9.863	-1.4	272122	0.420	0.426	3.753	3.752	10.04				
5	11	Acetone	55.179	10.4	456111	0.141	0.181	3.764	3.769	42.17	0.0583	0.1171		0.9992
25	12	tert-Butyl alcohol	274.988	10.0	1082983	0.067	0.061	3.875	3.874	11.83				
	13	1,1-Dichloroethene	9.763	-2.5	564613	0.872	0.894	3.908	3.902	8.46				
10	14	Acetonitrile	109.003	9.0	213040	0.033	0.030	3.875	3.874	12.37				
	15	Allyl chloride	10.843	8.4	165769	0.256	0.236	4.106	4.106	11.27				
	16	Iodomethane	8.785	-12.2	268999	0.415	0.429	4.150	4.143	22.23	-0.0140	0.4887		0.9969
	17	Methyl acetate	10.001	0.0	219009	0.338	0.338	4.029	4.029	12.15				
	18	Methylene chloride	11.388	13.9	467946	0.723	0.801	4.183	4.182	26.33	0.0486	0.5918		0.9974
5	19	Acrylonitrile	52.272	4.5	508984	0.157	0.150	4.216	4.216	11.69				
	20	tert-Butyl methyl ether (MTBE)	10.647	6.5	1030417	1.591	1.494	4.227	4.227	7.94				
	21	Carbon disulfide	9.831	-1.7	872085	1.347	1.370	4.315	4.305	9.42				
	22	trans-1,2-Dichloroethene	10.193	1.9	314802	0.486	0.477	4.370	4.370	10.07				
	23	Isopropyl ether (DIPE)	10.521	5.2	1036035	1.600	1.520	4.469	4.460	9.47				
	24	Vinyl acetate	11.461	14.6	642883	0.993	0.866	4.546	4.546	6.41				
	25	1,1-Dichloroethane	9.919	-0.8	619716	0.957	0.965	4.634	4.634	10.57				
	26	tert-Butyl ethyl ether (ETBE)	10.412	4.3	1247585	1.926	1.846	4.733	4.733	8.21				
5	27	2-Butanone	54.888	9.8	166808	0.052	0.047	4.854	4.854	12.56				
10	28	Propionitrile	114.244	14.2	409063	0.063	0.055	4.909	4.910	11.17				
20	29	Isobutyl alcohol	228.221	14.1	288723	0.022	0.020	5.030	5.030	12.47				
	30	2,2-Dichloropropane	9.835	-1.6	615087	0.950	0.966	5.019	5.020	9.30				
10	31	Methacrylonitrile	106.760	6.8	627605	0.097	0.091	5.052	5.057	11.02				
	32	cis-1,2-Dichloroethene	10.190	1.9	358317	0.553	0.543	5.063	5.063	8.40				
	33	Chloroform	9.159	-8.4	709429	1.095	1.196	5.173	5.173	14.52				
	34	Bromochloromethane	10.418	4.2	215189	0.332	0.319	5.327	5.327	11.29				
	35	Tetrahydrofuran	11.049	10.5	90175	0.139	0.126	5.316	5.319	6.67				
	36	Dibromofluoromethane	9.254	-7.5	367086	0.567	0.612	5.338	5.338	6.30				
	37	1,1,1-Trichloroethane	9.563	-4.4	668020	1.031	1.079	5.503	5.497	8.19				
	38	Cyclohexane	10.101	1.0	359700	0.555	0.550	5.547	5.548	24.22				
	39	tert-Amyl methyl ether (TAME)	10.845	8.5	231432	0.357	0.329	5.613	5.614	7.33				
	40	1,1-Dichloropropene	9.880	-1.2	151104	0.233	0.236	5.613	5.613	8.29				
	41	1,2-Dichloroethane-d4	8.914	-10.9	467273	0.722	0.809	5.723	5.723	11.80				
	42	Carbon tetrachloride	9.430	-5.7	557403	0.861	0.913	5.734	5.734	8.01				
	43	1,2-Dichloroethane	9.596	-4.0	571321	0.882	0.919	5.800	5.800	10.41				
	44	Benzene	10.262	2.6	1216026	1.878	1.830	5.866	5.866	8.64				
	45	Trichloroethene	9.910	-0.9	324173	0.501	0.505	6.373	6.371	9.09				
	46	Methyl methacrylate	10.822	8.2	313684	0.484	0.448	6.439	6.439	9.77				
	47	Methylcyclohexane	10.456	4.6	407082	0.629	0.601	6.450	6.454	11.92				
	48	1,2-Dichloropropane	10.391	3.9	314276	0.485	0.467	6.527	6.527	10.74				
20	49	1,4 Dioxane												
	50	Bromodichloromethane	9.851	-1.5	563896	0.871	0.804	6.780	6.769	11.38				
	51	Dibromomethane	9.836	-1.6	242061	0.374	0.380	6.857	6.857	11.79				
	52	2-Chloroethyl vinyl ether	8.988	-10.1	134655	0.208	0.231	6.934	6.934	6.45				
5	53	4-Methyl-2-pentanone	51.435	2.9	1704193	0.526	0.512	6.956	6.957	10.35				
	54	cis-1,3-Dichloropropene	10.439	4.4	552132	0.853	0.817	7.275	7.275	7.57				
	55	CHLOROBENZENE-D5	10.000	0	555845	1	1	9.564	9.564	0				
	56	Toluene-d8	9.506	-4.9	1050036	1.889	1.987	7.594	7.594	8.88				
	57	Ethyl methacrylate	11.236	12.4	426233	0.767	0.682	7.693	7.693	5.59				
	58	Toluene	10.086	0.9	1271585	2.288	2.268	7.693	7.693	9.46				
	59	trans-1,3-Dichloropropene	10.278	2.8	554416	0.997	0.970	7.814	7.814	6.61				
5	60	2-Hexanone	50.761	1.5	1156980	0.416	0.410	7.946	7.938	11.13				
	61	1,1,2-Trichloroethane	10.111	1.1	302512	0.544	0.538	8.045	8.045	10.51				
	62	1,3-Dichloropropane	10.361	3.6	460356	0.828	0.799	8.354	8.354	9.83				
	63	Tetrachloroethene	9.524	-4.8	262477	0.472	0.496	8.519	8.509	12.71				
	64	Dibromochloromethane	9.409	-5.9	422250	0.760	0.807	8.783	8.783	13.87				
	65	1,2-Dibromoethane	10.137	1.4	326860	0.588	0.580	9.069	9.069	8.08				
	66	1-Chlorohexane	10.040	0.4	418878	0.754	0.751	9.124	9.124	10.45				
	67	Chlorobenzene	9.723	-2.8	809661	1.457	1.498	9.619	9.619	11.00				
	68	1,1,1,2-Tetrachloroethane	9.599	-4.0	340100	0.612	0.637	9.652	9.646	9.12				
	69	Ethylbenzene	9.758	-2.4	1487392	2.676	2.742	9.641	9.641	10.66				
2	70	m-Xylene & p-Xylene	18.880	-5.6	2346333	2.111	2.236	9.751	9.750	9.97				
	71	o-Xylene	10.096	1.0	1187781	2.137	2.117	10.412	10.413	11.21				
	72	Styrene	10.151	1.5	835184	1.503	1.480	10.467	10.458	10.19				
	73	Isopropylbenzene	9.879	-1.2	1324380	2.383	2.412	10.940	10.940	13.33				
	74	1,2-DICHLOROBENZENE-D4	10.000	0	262396	1	1	13.889	13.889	0				
	75	Bromoform	9.959	-0.4	285204	1.087	1.091	11.061	11.061	9.03				
	76	1,1,2,2-Tetrachloroethane	10.875	8.8	397736	1.516	1.394	11.204	11.203	13.93				
	77	4-Bromofluorobenzene	10.006	0.1	416821	1.589	1.587	11.369	11.369	11.73				
	78	1,2,3-Trichloropropane	10.854	8.5	109593	0.418	0.385	11.446	11.446	12.26				
	79	trans-1,4-Dichloro-2-butene	11.666	16.7	119204	0.454	0.389	11.523	11.513	8.47				
	80	n-Propylbenzene	9.908	-0.9	1648572	6.283	6.341	11.578	11.578	14.55				
	81	Bromobenzene	10.166	1.7	371222	1.415	1.392	11.732	11.732	13.87				
	82	1,3,5-Trimethylbenzene	9.826	-1.7	1123998	4.284	4.359	11.831	11.829	14.43				
	83	2-Chlorotoluene	10.515	5.2	1079812	4.115	3.914	11.919	11.919	13.23				
	84	4-Chlorotoluene	11.112	11.1	964334	3.675	3.796	11.974	11.975	20.12	0.1440	3.1777		0.9987
	85	tert-Butylbenzene	9.977	-0.2	176618	0.673	0.675	12.415	12.408	14.63				
	86	1,2,4-Trimethylbenzene	10.070	0.7	1126508	4.293	4.263	12.481	12.478	14.07				
	87	sec-Butylbenzene	9.921	-0.8	1286003	4.901	4.940	12.756	12.749	14.11				
	88	p Isopropyltoluene	9.947	-0.5	1081873	4.123	4.145	12.954	12.955	14.69				
	89	1,3-Dichlorobenzene	11.402	14.0	594859	2.267	2.303	13.174	13.165	19.08	0.0920	1.9075		0.9986
	90	1,2,3-Trimethylbenzene	10.087	0.9	1118089	4.261	4.224	13.262	13.255	13.33				
	91	1,4-Dichlorobenzene	11.077	10.8	600654	2.289	2.349	13.328	13.328	18.81	0.0831	1.9916		0.9991
	92	n-Butylbenzene	9.895	-1.0	1023631	3.901	3.942	13.614	13.614	14.93				
	93	1,2-Dichlorobenzene	9.725	-2.7	557437	2.124	2.184	13.933	13.933	14.28				
	94	1,2-Dibromo-3-chloropropane	10.796	8.0	80292	0.306	0.283	15.144	15.134	8.87				
	95	1,2,4-Trichlorobenzene	10.262	2.6	357605	1.363	1.493	16.475	16.464	24.05	0.0497	1.2796		0.9993
	96	Hexachlorobutadiene	10.669	6.7	211409	0.806	0.755	16.663	16.662	13.33				
	97	Naphthalene	10.446	4.5	925673	3.528	3.377	16.872	16.872	12.35				
	98	1,2,3-Trichlorobenzene	10.036	0.4	332666	1.268	1.419	17.235	17.231	24.06	0.0472	1.2161		0.9995


Spike Amount = Nominal Amount * M

SM 5/24/24

Data Path : D:\Data\24E18\
Data File : REG130.D
Acq On : 18 May 2024 9:16
Operator : DNguyc
Sample : BFBE2E09
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



AutoFind: Scans 797, 798, 799; Background Corrected with Scan 791

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	19.3	10614	PASS
75	95	30	60	50.3	27739	PASS
95	95	100	100	100.0	55125	PASS
96	95	5	9	6.3	3479	PASS
173	174	0.00	2	0.6	282	PASS
174	95	50	100	84.2	46427	PASS
175	174	5	9	7.9	3672	PASS
176	174	95	101	97.1	45083	PASS
177	176	5	9	7.7	3476	PASS

SC 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	134	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.421	-4.2	157	0.00
3	P,T,M	Chloromethane	10.000	10.035	-0.4	148	0.00
4	C,T,M	Vinyl chloride	10.000	10.451	-4.5	146	0.00
5	T,M	Bromomethane	10.000	10.727	-7.3	173	0.00
6	T,M	Dichlorofluoromethane	10.000	9.831	1.7	132	0.00
7	T,M	Chloroethane	10.000	11.738	-17.4	164	0.00
8	T,M	Trichlorofluoromethane	10.000	10.360	-3.6	151	0.00
9	T,M	Acrolein	50.000	53.499	-7.0	146	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	9.863	1.4	137	0.00
11	T,M	Acetone	50.000	55.179	-10.4	137	0.00
12	T,M	tert-Butyl alcohol	250.000	274.989	-10.0	147	0.00
13	C,T,M	1,1-Dichloroethene	10.000	9.754	2.5	131	0.00
14	T,M	Acetonitrile	100.000	109.003	-9.0	144	0.00
15	T,M	Allyl chloride	10.000	10.844	-8.4	143	0.00
16	T,M	Iodomethane	10.000	8.785	12.1	129	0.00
17	T,M	Methyl acetate	10.000	10.001	-0.0	133	0.00
18	T,M	Methylene chloride	10.000	11.389	-13.9	132	0.00
19	T,M	Acrylonitrile	50.000	52.273	-4.5	133	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.648	-6.5	142	0.00
21	T,M	Carbon disulfide	10.000	9.831	1.7	131	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	10.193	-1.9	139	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	10.521	-5.2	142	0.01
24	T,M	Vinyl acetate	10.000	11.462	-14.6	143	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.920	0.8	137	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	10.433	-4.3	139	0.00
27	T,M	2-Butanone	50.000	54.888	-9.8	140	0.00
28	T,M	Propionitrile	100.000	114.245	-14.2	158	0.00
29	T,M	Isobutyl alcohol	200.000	228.222	-14.1	152	0.00
30	T,M	2,2-Dichloropropane	10.000	9.836	1.6	128	0.00
31	T,M	Methacrylonitrile	100.000	106.760	-6.8	146	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	10.190	-1.9	143	0.00
33	C,T,M	Chloroform	10.000	9.160	8.4	131	0.00
34	T,M	Bromochloromethane	10.000	10.419	-4.2	136	0.00
35	T,M	Tetrahydrofuran	10.000	11.050	-10.5	150	-0.01
36	S	Dibromofluoromethane	10.000	9.254	7.5	122	0.00
37	T,M	1,1,1-Trichloroethane	10.000	9.563	4.4	129	0.01
38	T,M	Cyclohexane	10.000	10.102	-1.0	161	0.00
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.845	-8.5	139	0.00
40	T,M	1,1-Dichloropropene	10.000	9.881	1.2	129	0.00
41	S	1,2-Dichloroethane-d4	10.000	8.915	10.9	124	0.00
42	T,M	Carbon tetrachloride	10.000	9.430	5.7	124	0.00
43	T,M	1,2-Dichloroethane	10.000	9.596	4.0	126	0.00
44	T,M	Benzene	10.000	10.262	-2.6	138	0.00
45	T,M	Trichloroethene	10.000	9.910	0.9	136	0.00
46	T,M	Methyl methacrylate	10.000	10.823	-8.2	152	0.00
47	T,M	Methylcyclohexane	10.000	10.457	-4.6	159	0.00
48	C,T,M	1,2-Dichloropropane	10.000	10.391	-3.9	140	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	9.851	1.5	132	0.01
51	T,M	Dibromomethane	10.000	9.836	1.6	135	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	8.989	10.1	117	0.00
53	T,M	4-Methyl-2-pentanone	50.000	51.435	-2.9	132	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.440	-4.4	139	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	136	0.00
56	S	Toluene-d8	10.000	9.507	4.9	128	0.00
57	T,M	Ethyl methacrylate	10.000	11.236	-12.4	147	0.00
58	C,T,M	Toluene	10.000	10.087	-0.9	138	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	10.278	-2.8	137	0.00
60	T,M	2-Hexanone	50.000	50.761	-1.5	131	0.01
61	T,M	1,1,2-Trichloroethane	10.000	10.111	-1.1	138	0.00
62	T,M	1,3-Dichloropropane	10.000	10.361	-3.6	143	0.00
63	T,M	Tetrachloroethene	10.000	9.524	4.8	134	0.01
64	T,M	Dibromochloromethane	10.000	9.409	5.9	131	0.00
65	T,M	1,2-Dibromoethane	10.000	10.138	-1.4	135	0.00
66	T,M	1-Chlorohexane	10.000	10.040	-0.4	137	0.00
67	P,T,M	Chlorobenzene	10.000	9.724	2.8	135	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.599	4.0	128	0.00
69	C,T,M	Ethylbenzene	10.000	9.759	2.4	136	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.880	5.6	138	0.01
71	T,M	o-Xylene	10.000	10.096	-1.0	137	0.00
72	T,M	Styrene	10.000	10.152	-1.5	137	0.01
73	T,M	Isopropylbenzene	10.000	9.880	1.2	133	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	133	0.00
75	P,T,M	Bromoform	10.000	9.959	0.4	134	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.876	-8.8	149	0.00
77	S	4-Bromofluorobenzene	10.000	10.007	-0.1	135	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.854	-8.5	148	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	11.667	-16.7	152	0.01
80	T,M	n-Propylbenzene	10.000	9.909	0.9	139	0.00
81	T,M	Bromobenzene	10.000	10.166	-1.7	135	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.827	1.7	135	0.00
83	T,M	2-Chlorotoluene	10.000	10.515	-5.2	149	0.00
84	T,M	4-Chlorotoluene	10.000	11.112	-11.1	126	0.00
85	T,M	tert-Butylbenzene	10.000	9.977	0.2	138	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	10.070	-0.7	136	0.01
87	T,M	sec-Butylbenzene	10.000	9.921	0.8	134	0.01
88	T,M	p-Isopropyltoluene	10.000	9.947	0.5	138	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.403	-14.0	138	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	10.087	-0.9	135	0.01
91	T,M	1,4-Dichlorobenzene	10.000	11.077	-10.8	137	0.00
92	T,M	n-Butylbenzene	10.000	9.896	1.0	136	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.725	2.8	140	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	10.797	-8.0	153	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	10.262	-2.6	140	0.01
96	T,M	Hexachlorobutadiene	10.000	10.670	-6.7	142	0.00
97	T,M	Naphthalene	10.000	10.446	-4.5	141	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.037	-0.4	136	0.01

5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

SY 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	134	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.598	-4.2	157	0.00
3	P,T,M	Chloromethane	0.412	0.413	-0.2	148	0.00
4	C,T,M	Vinyl chloride	0.435	0.455	-4.6	146	0.00
5	T,M	Bromomethane	0.294	0.316	-7.5	173	0.00
6	T,M	Dichlorofluoromethane	0.994	0.977	1.7	132	0.00
7	T,M	Chloroethane	0.213	0.250	-17.4	164	0.00
8	T,M	Trichlorofluoromethane	0.977	1.012	-3.6	151	0.00
9	T,M	Acrolein	0.065	0.070	-7.7	146	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.420	1.4	137	0.00
11	T,M	Acetone	0.181	0.141	22.1#	137	0.00
12	T,M	tert-Butyl alcohol	0.061	0.067	-9.8	147	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.872	2.5	131	0.00
14	T,M	Acetonitrile	0.030	0.033	-10.0	144	0.00
15	T,M	Allyl chloride	0.236	0.256	-8.5	143	0.00
16	T,M	Iodomethane	0.429	0.415	3.3	129	0.00
17	T,M	Methyl acetate	0.338	0.338	0.0	133	0.00
18	T,M	Methylene chloride	0.801	0.723	9.7	132	0.00
19	T,M	Acrylonitrile	0.150	0.157	-4.7	133	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.591	-6.5	142	0.00
21	T,M	Carbon disulfide	1.370	1.347	1.7	131	0.01
22	T,M	trans-1,2-Dichloroethene	0.477	0.486	-1.9	139	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.600	-5.3	142	0.01
24	T,M	Vinyl acetate	0.866	0.993	-14.7	143	0.00
25	P,T,M	1,1-Dichloroethane	0.965	0.957	0.8	137	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.926	-4.3	139	0.00
27	T,M	2-Butanone	0.047	0.052	-10.6	140	0.00
28	T,M	Propionitrile	0.055	0.063	-14.5	158	0.00
29	T,M	Isobutyl alcohol	0.020	0.022	-10.0	152	0.00
30	T,M	2,2-Dichloropropane	0.966	0.950	1.7	128	0.00
31	T,M	Methacrylonitrile	0.091	0.097	-6.6	146	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.553	-1.8	143	0.00
33	C,T,M	Chloroform	1.196	1.095	8.4	131	0.00
34	T,M	Bromochloromethane	0.319	0.332	-4.1	136	0.00
35	T,M	Tetrahydrofuran	0.126	0.139	-10.3	150	-0.01
36	S	Dibromofluoromethane	0.612	0.567	7.4	122	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.031	4.4	129	0.01
38	T,M	Cyclohexane	0.550	0.555	-0.9	161	0.00
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.357	-8.5	139	0.00
40	T,M	1,1-Dichloropropene	0.236	0.233	1.3	129	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.722	10.8	124	0.00
42	T,M	Carbon tetrachloride	0.913	0.861	5.7	124	0.00
43	T,M	1,2-Dichloroethane	0.919	0.882	4.0	126	0.00
44	T,M	Benzene	1.830	1.878	-2.6	138	0.00
45	T,M	Trichloroethene	0.505	0.501	0.8	136	0.00
46	T,M	Methyl methacrylate	0.448	0.484	-8.0	152	0.00
47	T,M	Methylcyclohexane	0.601	0.629	-4.7	159	0.00
48	C,T,M	1,2-Dichloropropane	0.467	0.485	-3.9	140	0.00
49	T,M	1,4-Dioxane	0.000	0.002	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	0.871	1.5	132	0.01
51	T,M	Dibromomethane	0.380	0.374	1.6	135	0.00

SC 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.208	10.0	117	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.526	-2.7	132	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.853	-4.4	139	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	136	0.00
56	S	Toluene-d8	1.987	1.889	4.9	128	0.00
57	T,M	Ethyl methacrylate	0.682	0.767	-12.5	147	0.00
58	C,T,M	Toluene	2.268	2.288	-0.9	138	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.997	-2.8	137	0.00
60	T,M	2-Hexanone	0.410	0.416	-1.5	131	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.544	-1.1	138	0.00
62	T,M	1,3-Dichloropropane	0.799	0.828	-3.6	143	0.00
63	T,M	Tetrachloroethene	0.496	0.472	4.8	134	0.01
64	T,M	Dibromochloromethane	0.807	0.760	5.8	131	0.00
65	T,M	1,2-Dibromoethane	0.580	0.588	-1.4	135	0.00
66	T,M	1-Chlorohexane	0.751	0.754	-0.4	137	0.00
67	P,T,M	Chlorobenzene	1.498	1.457	2.7	135	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.612	3.9	128	0.00
69	C,T,M	Ethylbenzene	2.742	2.676	2.4	136	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.111	5.6	138	0.01
71	T,M	o-Xylene	2.117	2.137	-0.9	137	0.00
72	T,M	Styrene	1.480	1.503	-1.6	137	0.01
73	T,M	Isopropylbenzene	2.412	2.383	1.2	133	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	133	0.00
75	P,T,M	Bromoform	1.091	1.087	0.4	134	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.516	-8.8	149	0.00
77	S	4-Bromofluorobenzene	1.587	1.589	-0.1	135	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.418	-8.6	148	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.454	-16.7	152	0.01
80	T,M	n-Propylbenzene	6.341	6.283	0.9	139	0.00
81	T,M	Bromobenzene	1.392	1.415	-1.7	135	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.284	1.7	135	0.00
83	T,M	2-Chlorotoluene	3.914	4.115	-5.1	149	0.00
84	T,M	4-Chlorotoluene	3.796	3.675	3.2	126	0.00
85	T,M	tert-Butylbenzene	0.675	0.673	0.3	138	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	4.293	-0.7	136	0.01
87	T,M	sec-Butylbenzene	4.940	4.901	0.8	134	0.01
88	T,M	p-Isopropyltoluene	4.145	4.123	0.5	138	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.267	1.6	138	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	4.261	-0.9	135	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.289	2.6	137	0.00
92	T,M	n-Butylbenzene	3.942	3.901	1.0	136	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.124	2.7	140	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.306	-8.1	153	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.363	8.7	140	0.01
96	T,M	Hexachlorobutadiene	0.755	0.806	-6.8	142	0.00
97	T,M	Naphthalene	3.377	3.528	-4.5	141	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.268	10.6	136	0.01

SU 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

SW 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	647637	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	555845	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	262396	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	367086	9.25	ug/l	0.00
Spiked Amount 10.000			Recovery =	92.50%		
41) 1,2-Dichloroethane-d4	5.723	65	467273	8.91	ug/L	0.00
Spiked Amount 10.000			Recovery =	89.10%		
56) Toluene-d8	7.594	98	1050036	9.51	ug/l	0.00
Spiked Amount 10.000			Recovery =	95.10%		
77) 4-Bromofluorobenzene	11.369	95	416821	10.01	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.10%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	387316	10.42	ug/l	100
3) Chloromethane	2.906	50	267638	10.03	ug/l	100
4) Vinyl chloride	2.994	62	294360	10.45	ug/l	100
5) Bromomethane	3.313	94	204345	10.73	ug/l	96
6) Dichlorofluoromethane	3.357	67	632775	9.83	ug/L	99
7) Chloroethane	3.346	64	161985	11.74	ug/l	88
8) Trichlorofluoromethane	3.511	101	655613	10.36	ug/l	99
9) Acrolein	3.742	56	225327	53.50	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	272122	9.86	ug/l	99
11) Acetone	3.764	43	456111	55.18	ug/l	99
12) tert-Butyl alcohol	3.875	59	1082983	274.99	ug/L	99
13) 1,1-Dichloroethene	3.908	61	564613	9.75	ug/l	98
14) Acetonitrile	3.875	41	213040	109.00	ug/L	96
15) Allyl chloride	4.106	76	165769	10.84	ug/L	100
16) Iodomethane	4.150	142	268999	8.79	ug/l	94
17) Methyl acetate	4.029	43	219009	10.00	ug/L	98
18) Methylene chloride	4.183	49	467946	11.39	ug/l	97
19) Acrylonitrile	4.216	53	508984	52.27	ug/l	98
20) tert-Butyl methyl ethe...	4.227	73	1030417	10.65	ug/L	99
21) Carbon disulfide	4.315	76	872085	9.83	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	314802	10.19	ug/l	99
23) Isopropyl ether (DIPE)	4.469	45	1036035	10.52	ug/l	98
24) Vinyl acetate	4.546	43	642883	11.46	ug/l	99
25) 1,1-Dichloroethane	4.634	63	619716	9.92	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	1247585	10.43	ug/l	96
27) 2-Butanone	4.854	72	166808	54.89	ug/l	95
28) Propionitrile	4.909	54	409063	114.24	ug/L	98
29) Isobutyl alcohol	5.030	43	288723	228.22	ug/L	98
30) 2,2-Dichloropropane	5.019	77	615087	9.84	ug/l	98
31) Methacrylonitrile	5.052	52	627605	106.76	ug/L	94
32) cis-1,2-Dichloroethene	5.063	96	358317	10.19	ug/l	100
33) Chloroform	5.173	83	709429	9.16	ug/l	99
34) Bromochloromethane	5.327	130	215189	10.42	ug/l	98
35) Tetrahydrofuran	5.316	42	90175	11.05	ug/L	99
37) 1,1,1-Trichloroethane	5.503	97	668020	9.56	ug/l	99
38) Cyclohexane	5.547	84	359700	10.10	ug/L	98
39) tert-Amyl methyl ether...	5.613	87	231432	10.85	ug/l	99
40) 1,1-Dichloropropene	5.613	110	151104	9.88	ug/L	99
42) Carbon tetrachloride	5.734	119	557403	9.43	ug/L	100

SH 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	571321	9.60	ug/L	99
44) Benzene	5.866	78	1216026	10.26	ug/L	99
45) Trichloroethene	6.373	130	324173	9.91	ug/L	98
46) Methyl methacrylate	6.439	69	313684	10.82	ug/L	94
47) Methylcyclohexane	6.450	83	407082	10.46	ug/L	98
48) 1,2-Dichloropropane	6.527	63	314276	10.39	ug/L	94
50) Bromodichloromethane	6.780	83	563896	9.85	ug/L	99
51) Dibromomethane	6.857	93	242061	9.84	ug/L	100
52) 2-Chloroethyl vinyl ether	6.934	63	134655	8.99	ug/L	99
53) 4-Methyl-2-pentanone	6.956	43	1704193	51.44	ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	552132	10.44	ug/L	98
57) Ethyl methacrylate	7.693	69	426233	11.24	ug/L	93
58) Toluene	7.693	91	1271585	10.09	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	554416	10.28	ug/l	93
60) 2-Hexanone	7.946	43	1156980	50.76	ug/l	98
61) 1,1,2-Trichloroethane	8.045	97	302512	10.11	ug/l	100
62) 1,3-Dichloropropane	8.354	76	460356	10.36	ug/l	100
63) Tetrachloroethene	8.519	164	262477	9.52	ug/l	98
64) Dibromochloromethane	8.783	129	422250	9.41	ug/l	100
65) 1,2-Dibromoethane	9.069	107	326860	10.14	ug/l	98
66) 1-Chlorohexane	9.124	91	418878	10.04	ug/l	92
67) Chlorobenzene	9.619	112	809661	9.72	ug/l	99
68) 1,1,1,2-Tetrachloroethane	9.652	131	340100	9.60	ug/l	99
69) Ethylbenzene	9.641	91	1487392	9.76	ug/l	100
70) m-Xylene & p-Xylene	9.751	91	2346333	18.88	ug/l	99
71) o-Xylene	10.412	91	1187781	10.10	ug/l	99
72) Styrene	10.467	104	835184	10.15	ug/l	99
73) Isopropylbenzene	10.940	105	1324380	9.88	ug/L	99
75) Bromoform	11.061	173	285204	9.96	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	397736	10.88	ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	109593	10.85	ug/l	99
79) trans-1,4-Dichloro-2-b...	11.523	53	119204	11.67	ug/l	89
80) n-Propylbenzene	11.578	91	1648572	9.91	ug/l	98
81) Bromobenzene	11.732	156	371222	10.17	ug/l	100
82) 1,3,5-Trimethylbenzene	11.831	105	1123998	9.83	ug/l	99
83) 2-Chlorotoluene	11.919	91	1079812	10.52	ug/l	93
84) 4-Chlorotoluene	11.974	91	964334	11.11	ug/l	94
85) tert-Butylbenzene	12.415	134	176618	9.98	ug/l	95
86) 1,2,4-Trimethylbenzene	12.481	105	1126508	10.07	ug/l	99
87) sec-Butylbenzene	12.756	105	1286003	9.92	ug/l	100
88) p-Isopropyltoluene	12.954	119	1081873	9.95	ug/l	98
89) 1,3-Dichlorobenzene	13.174	146	594859	11.40	ug/l	99
90) 1,2,3-Trimethylbenzene	13.262	105	1118089	10.09	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	600654	11.08	ug/l	100
92) n-Butylbenzene	13.614	91	1023631	9.90	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	557437	9.73	ug/l	98
94) 1,2-Dibromo-3-chloropr...	15.144	157	80292	10.80	ug/l	97
95) 1,2,4-Trichlorobenzene	16.475	180	357605	10.26	ug/l	98
96) Hexachlorobutadiene	16.663	225	211409	10.67	ug/l	98
97) Naphthalene	16.872	128	925673	10.45	ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	332666	10.04	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

VOE2E17.M Tue May 21 21:07:50 2024


5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Tue May 21 21:07:50 2024

5/24/24

Page: 3

DAILY CALIBRATIONS

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F003
Lab File ID: RFG061 BFB Injection Date: 06/10/24
Instrument ID: E2 BFB Injection Time: 15:55

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.420
75	30 - 60% of mass 95	52.039
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	7.244
173	Less than 2% of mass 174	1.243(1.64)1
174	Greater than 50% of mass 95	75.606
175	5 - 9% of mass 174	5.475(7.24)1
176	95 - 101% % of mass 174	73.387(97.07)1
177	5 - 9% % of mass 176	4.772(6.5)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1706	RFG062	06/10/24	16:35
2	LCS1W	VOE2F03L	RFG063	06/10/24	17:13
3	LCD1W	VOE2F03C	RFG064	06/10/24	17:37
4	MBLK1W	VOE2F03B	RFG067	06/10/24	18:25
5	TB-1_MAY24	24F003-18	RFG073	06/10/24	20:48
6	TB-2_MAY24	24F003-19	RFG074	06/10/24	21:11
7	T1AMF-MW059-MAY24	24F003-01N	RFG075	06/10/24	21:35
8	T1AMF-MW044-MAY24	24F003-02N	RFG076	06/10/24	21:59
9	T1AMF-MW047-MAY24	24F003-03N	RFG077	06/10/24	22:23
10	T1AMF-MW046-MAY24	24F003-04N	RFG078	06/10/24	22:46
11	T1AMF-MW050-MAY24	24F003-05N	RFG079	06/10/24	23:10
12	T1AMF-MW052-MAY24	24F003-06N	RFG080	06/10/24	23:33
13	T1AMF-MW052-MAY24_FD	24F003-07N	RFG081	06/10/24	23:57
14	T1AMF-MW060-MAY24	24F003-08N	RFG082	06/11/24	00:20
15	T1AMF-MW017-MAY24	24F003-09N	RFG083	06/11/24	00:44
16	T1AMF-MW011-MAY24	24F003-10N	RFG084	06/11/24	01:08
17	T1AMF-MW016-MAY24	24F003-11	RFG085	06/11/24	01:32
18	T1AMF-MW016-MAY24_FD	24F003-12	RFG086	06/11/24	01:56
19	T1AMF-MW049-MAY24	24F003-13	RFG087	06/11/24	02:19
20	VSTD10	EVOE2E1706	RFG088	06/11/24	02:43

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F003
Date Analyzed: 05/17/24
Time Analyzed: 14:09


	INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
		Area #	RT #	Area #	RT #	Area #	RT #
	12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
	UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
	LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
		Area #	RT #	Area #	RT #	Area #	RT #
1	VSTD10	754319	5.99	601845	9.56	305181	13.89
2	LCS1W	792750	5.99	646227	9.56	321378	13.89
3	LCD1W	821664	5.99	645570	9.56	324769	13.89
4	MBLK1W	727124	5.99	552730	9.56	266282	13.89
5	TB-1_MAY24	558266	5.99	422620	9.56	206204	13.89
6	TB-2_MAY24	532753	5.99	414099	9.56	187690	13.89
7	T1AMF-MW059-MAY24	517077	5.99	404842	9.56	199904	13.89
8	T1AMF-MW044-MAY24	505402	5.99	390333	9.56	183981	13.89
9	T1AMF-MW047-MAY24	493646	5.99	384955	9.56	184007	13.89
10	T1AMF-MW046-MAY24	484255	5.99	379562	9.56	181666	13.89
11	T1AMF-MW050-MAY24	468785	5.99	377159	9.56	180466	13.89
12	T1AMF-MW052-MAY24	476344	5.99	367398	9.56	172504	13.89
13	T1AMF-MW052-MAY24_FD	466794	5.99	360921	9.56	173390	13.88
14	T1AMF-MW060-MAY24	482092	5.99	384233	9.56	184090	13.89
15	T1AMF-MW017-MAY24	468845	5.99	366412	9.56	177214	13.89
16	T1AMF-MW011-MAY24	457705	5.99	362030	9.56	168731	13.89
17	T1AMF-MW016-MAY24	457099	5.99	363853	9.56	174264	13.89
18	T1AMF-MW016-MAY24_FD	466426	5.99	362719	9.56	175336	13.89
19	T1AMF-MW049-MAY24	455017	5.99	364511	9.56	174043	13.89
20	VSTD10	493624	5.99	398955	9.56	221976	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Data Path : D:\Data\24F10\
Data File : RFG061.D
Acq On : 10 Jun 2024 15:55
Operator : DNguye
Sample : BFBF03
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



Spectrum Information: Scan 798

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	20.4	15825	PASS
75	95	30	60	52.0	40328	PASS
95	95	100	100	100.0	77496	PASS
96	95	5	9	7.2	5614	PASS
173	174	0.00	2	1.6	963	PASS
174	95	50	100	75.6	58592	PASS
175	174	5	9	7.2	4243	PASS
176	174	95	101	97.1	56872	PASS
177	176	5	9	6.5	3698	PASS

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	156	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.839	-8.4	190	0.00
3	P,T,M	Chloromethane	10.000	7.384	26.2#	127	0.00
4	C,T,M	Vinyl chloride	10.000	10.461	-4.6	171	0.00
5	T,M	Bromomethane	10.000	8.230	17.7	155	0.00
6	T,M	Dichlorofluoromethane	10.000	11.096	-11.0	174	0.00
7	T,M	Chloroethane	10.000	9.062	9.4	148	0.00
8	T,M	Trichlorofluoromethane	10.000	8.401	16.0	143	0.00
9	T,M	Acrolein	50.000	42.007	16.0	134	0.01
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	10.274	-2.7	167	0.00
11	T,M	Acetone	50.000	50.666	-1.3	148	0.01
12	T,M	tert-Butyl alcohol	250.000	250.165	-0.1	156	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.483	-4.8	164	0.00
14	T,M	Acetonitrile	100.000	105.761	-5.8	163	0.00
15	T,M	Allyl chloride	10.000	11.506	-15.1	177	0.00
16	T,M	Iodomethane	10.000	10.464	-4.6	180	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	10.912	-9.1	148	0.00
19	T,M	Acrylonitrile	50.000	43.827	12.3	130	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	11.065	-10.6	171	0.00
21	T,M	Carbon disulfide	10.000	10.264	-2.6	159	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	10.442	-4.4	166	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	10.383	-3.8	163	0.01
24	T,M	Vinyl acetate	10.000	5.910	40.9#	86	0.00
25	P,T,M	1,1-Dichloroethane	10.000	10.570	-5.7	170	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.692	3.1	150	0.00
27	T,M	2-Butanone	50.000	48.961	2.1	145	0.00
28	T,M	Propionitrile	100.000	102.751	-2.8	166	0.00
29	T,M	Isobutyl alcohol	200.000	206.376	-3.2	160	0.00
30	T,M	2,2-Dichloropropane	10.000	11.544	-15.4	175	0.01
31	T,M	Methacrylonitrile	100.000	101.779	-1.8	162	0.01
32	T,M	cis-1,2-Dichloroethene	10.000	10.795	-7.9	176	0.00
33	C,T,M	Chloroform	10.000	10.372	-3.7	173	0.00
34	T,M	Bromochloromethane	10.000	9.972	0.3	152	0.00
35	T,M	Tetrahydrofuran	10.000	9.418	5.8	149	0.00
36	S	Dibromofluoromethane	10.000	9.786	2.1	150	0.00
37	T,M	1,1,1-Trichloroethane	10.000	11.146	-11.5	175	0.01
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.879	-8.8	162	0.01
40	T,M	1,1-Dichloropropene	10.000	10.561	-5.6	161	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.246	-2.5	166	0.00
42	T,M	Carbon tetrachloride	10.000	10.875	-8.8	166	0.00
43	T,M	1,2-Dichloroethane	10.000	11.160	-11.6	171	0.00
44	T,M	Benzene	10.000	10.938	-9.4	172	0.00
45	T,M	Trichloroethene	10.000	9.816	1.8	157	0.00
46	T,M	Methyl methacrylate	10.000	7.438	25.6#	121	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.384	-3.8	163	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.01
50	T,M	Bromodichloromethane	10.000	11.013	-10.1	171	0.01
51	T,M	Dibromomethane	10.000	9.735	2.7	155	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D Vial: 2
Acq On : 10 Jun 2024 16:35 Operator: DNguye
Sample : CVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	7.494	25.1#	114	0.00
53	T,M	4-Methyl-2-pentanone	50.000	45.062	9.9	135	0.01
54	T,M	cis-1,3-Dichloropropene	10.000	10.952	-9.5	170	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	147	0.00
56	S	Toluene-d8	10.000	10.822	-8.2	158	0.00
57	T,M	Ethyl methacrylate	10.000	11.395	-13.9	162	0.00
58	C,T,M	Toluene	10.000	11.605	-16.1	172	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.830	-18.3	171	0.01
60	T,M	2-Hexanone	50.000	48.545	2.9	135	0.01
61	T,M	1,1,2-Trichloroethane	10.000	10.893	-8.9	161	0.00
62	T,M	1,3-Dichloropropane	10.000	11.701	-17.0	175	0.00
63	T,M	Tetrachloroethene	10.000	10.713	-7.1	164	0.00
64	T,M	Dibromochloromethane	10.000	9.946	0.5	150	0.00
65	T,M	1,2-Dibromoethane	10.000	10.079	-0.8	145	0.00
66	T,M	1-Chlorohexane	10.000	11.139	-11.4	164	0.00
67	P,T,M	Chlorobenzene	10.000	11.006	-10.1	165	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.857	-8.6	157	0.00
69	C,T,M	Ethylbenzene	10.000	11.321	-13.2	171	0.01
70	T,M	m-Xylene & p-Xylene	20.000	22.224	-11.1	176	0.01
71	T,M	o-Xylene	10.000	11.637	-16.4	171	0.01
72	T,M	Styrene	10.000	11.262	-12.6	164	0.01
73	T,M	Isopropylbenzene	10.000	11.542	-15.4	169	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	154	0.00
75	P,T,M	Bromoform	10.000	9.719	2.8	153	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.388	-3.9	166	0.00
77	S	4-Bromofluorobenzene	10.000	10.724	-7.2	168	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.516	-5.2	167	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	11.659	-16.6	177	0.01
80	T,M	n-Propylbenzene	10.000	10.935	-9.4	178	0.01
81	T,M	Bromobenzene	10.000	10.357	-3.6	160	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	10.732	-7.3	172	0.00
83	T,M	2-Chlorotoluene	10.000	11.463	-14.6	188	0.00
84	T,M	4-Chlorotoluene	10.000	12.523	-25.2#	164	0.01
85	T,M	tert-Butylbenzene	10.000	10.821	-8.2	174	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	11.023	-10.2	173	0.01
87	T,M	sec-Butylbenzene	10.000	10.973	-9.7	173	0.01
88	T,M	p-Isopropyltoluene	10.000	10.624	-6.2	171	0.00
89	T,M	1,3-Dichlorobenzene	10.000	12.000	-20.0	168	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	10.904	-9.0	170	0.01
91	T,M	1,4-Dichlorobenzene	10.000	11.553	-15.5	165	0.00
92	T,M	n-Butylbenzene	10.000	11.020	-10.2	177	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.313	-3.1	173	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	9.616	3.8	159	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	11.452	-14.5	181	0.00
96	T,M	Hexachlorobutadiene	10.000	11.051	-10.5	172	0.00
97	T,M	Naphthalene	10.000	10.389	-3.9	163	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.820	-8.2	171	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	156	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.622	-8.4	190	0.00
3	P,T,M	Chloromethane	0.412	0.304	26.2#	127	0.00
4	C,T,M	Vinyl chloride	0.435	0.455	-4.6	171	0.00
5	T,M	Bromomethane	0.294	0.242	17.7	155	0.00
6	T,M	Dichlorofluoromethane	0.994	1.103	-11.0	174	0.00
7	T,M	Chloroethane	0.213	0.193	9.4	148	0.00
8	T,M	Trichlorofluoromethane	0.977	0.821	16.0	143	0.00
9	T,M	Acrolein	0.065	0.055	15.4	134	0.01
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.438	-2.8	167	0.00
11	T,M	Acetone	0.181	0.130	28.2#	148	0.01
12	T,M	tert-Butyl alcohol	0.061	0.061	0.0	156	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.937	-4.8	164	0.00
14	T,M	Acetonitrile	0.030	0.032	-6.7	163	0.00
15	T,M	Allyl chloride	0.236	0.272	-15.3	177	0.00
16	T,M	Iodomethane	0.429	0.497	-15.9	180	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.694	13.4	148	0.00
19	T,M	Acrylonitrile	0.150	0.132	12.0	130	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.653	-10.6	171	0.00
21	T,M	Carbon disulfide	1.370	1.406	-2.6	159	0.01
22	T,M	trans-1,2-Dichloroethene	0.477	0.498	-4.4	166	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.579	-3.9	163	0.01
24	T,M	Vinyl acetate	0.866	0.512	40.9#	86	0.00
25	P,T,M	1,1-Dichloroethane	0.965	1.020	-5.7	170	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.790	3.0	150	0.00
27	T,M	2-Butanone	0.047	0.046	2.1	145	0.00
28	T,M	Propionitrile	0.055	0.057	-3.6	166	0.00
29	T,M	Isobutyl alcohol	0.020	0.020	0.0	160	0.00
30	T,M	2,2-Dichloropropane	0.966	1.115	-15.4	175	0.01
31	T,M	Methacrylonitrile	0.091	0.092	-1.1	162	0.01
32	T,M	cis-1,2-Dichloroethene	0.543	0.586	-7.9	176	0.00
33	C,T,M	Chloroform	1.196	1.240	-3.7	173	0.00
34	T,M	Bromochloromethane	0.319	0.318	0.3	152	0.00
35	T,M	Tetrahydrofuran	0.126	0.119	5.6	149	0.00
36	S	Dibromofluoromethane	0.612	0.599	2.1	150	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.202	-11.4	175	0.01
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.358	-8.8	162	0.01
40	T,M	1,1-Dichloropropene	0.236	0.249	-5.5	161	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.829	-2.5	166	0.00
42	T,M	Carbon tetrachloride	0.913	0.993	-8.8	166	0.00
43	T,M	1,2-Dichloroethane	0.919	1.026	-11.6	171	0.00
44	T,M	Benzene	1.830	2.001	-9.3	172	0.00
45	T,M	Trichloroethene	0.505	0.496	1.8	157	0.00
46	T,M	Methyl methacrylate	0.448	0.333	25.7#	121	0.00
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.485	-3.9	163	0.00
49	T,M	1,4-Dioxane	0.000	0.002	0.0	0#	0.01
50	T,M	Bromodichloromethane	0.884	0.973	-10.1	171	0.01
51	T,M	Dibromomethane	0.380	0.370	2.6	155	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D Vial: 2
Acq On : 10 Jun 2024 16:35 Operator: DNguye
Sample : CVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.173	25.1#	114	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.461	10.0	135	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.894	-9.4	170	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	147	0.00
56	S	Toluene-d8	1.987	2.150	-8.2	158	0.00
57	T,M	Ethyl methacrylate	0.682	0.778	-14.1	162	0.00
58	C,T,M	Toluene	2.268	2.632	-16.0	172	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.148	-18.4	171	0.01
60	T,M	2-Hexanone	0.410	0.398	2.9	135	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.586	-8.9	161	0.00
62	T,M	1,3-Dichloropropane	0.799	0.935	-17.0	175	0.00
63	T,M	Tetrachloroethene	0.496	0.531	-7.1	164	0.00
64	T,M	Dibromochloromethane	0.807	0.803	0.5	150	0.00
65	T,M	1,2-Dibromoethane	0.580	0.585	-0.9	145	0.00
66	T,M	1-Chlorohexane	0.751	0.836	-11.3	164	0.00
67	P,T,M	Chlorobenzene	1.498	1.649	-10.1	165	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.692	-8.6	157	0.00
69	C,T,M	Ethylbenzene	2.742	3.104	-13.2	171	0.01
70	T,M	m-Xylene & p-Xylene	2.236	2.484	-11.1	176	0.01
71	T,M	o-Xylene	2.117	2.463	-16.3	171	0.01
72	T,M	Styrene	1.480	1.667	-12.6	164	0.01
73	T,M	Isopropylbenzene	2.412	2.784	-15.4	169	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	154	0.00
75	P,T,M	Bromoform	1.091	1.061	2.7	153	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.448	-3.9	166	0.00
77	S	4-Bromofluorobenzene	1.587	1.702	-7.2	168	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.405	-5.2	167	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.454	-16.7	177	0.01
80	T,M	n-Propylbenzene	6.341	6.934	-9.4	178	0.01
81	T,M	Bromobenzene	1.392	1.441	-3.5	160	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.678	-7.3	172	0.00
83	T,M	2-Chlorotoluene	3.914	4.486	-14.6	188	0.00
84	T,M	4-Chlorotoluene	3.796	4.123	-8.6	164	0.01
85	T,M	tert-Butylbenzene	0.675	0.730	-8.1	174	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	4.699	-10.2	173	0.01
87	T,M	sec-Butylbenzene	4.940	5.421	-9.7	173	0.01
88	T,M	p-Isopropyltoluene	4.145	4.404	-6.2	171	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.381	-3.4	168	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	4.606	-9.0	170	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.384	-1.5	165	0.00
92	T,M	n-Butylbenzene	3.942	4.344	-10.2	177	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.253	-3.2	173	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.273	3.5	159	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.515	-1.5	181	0.00
96	T,M	Hexachlorobutadiene	0.755	0.834	-10.5	172	0.00
97	T,M	Naphthalene	3.377	3.508	-3.9	163	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.363	3.9	171	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG062.D Vial: 2
Acq On : 10 Jun 2024 16:35 Operator: DNguye
Sample : CVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	754319	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	601845	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	305181	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	452117	9.79	ug/l	0.00
Spiked Amount 10.000			Recovery =	97.90%		
41) 1,2-Dichloroethane-d4	5.723	65	625523	10.25	ug/L	0.00
Spiked Amount 10.000			Recovery =	102.50%		
56) Toluene-d8	7.594	98	1294158	10.82	ug/l	0.00
Spiked Amount 10.000			Recovery =	108.20%		
77) 4-Bromofluorobenzene	11.369	95	519549	10.72	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.20%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	469229	10.84	ug/l	99
3) Chloromethane	2.906	50	229389	7.38	ug/l	99
4) Vinyl chloride	2.994	62	343187	10.46	ug/l	97
5) Bromomethane	3.313	94	182597	8.23	ug/l	97
6) Dichlorofluoromethane	3.357	67	831783	11.10	ug/L	98
7) Chloroethane	3.346	64	145650	9.06	ug/l	98
8) Trichlorofluoromethane	3.511	101	619212	8.40	ug/l	99
9) Acrolein	3.753	56	206070	42.01	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	330151	10.27	ug/l	100
11) Acetone	3.775	43	491394	50.67	ug/l	100
12) tert-Butyl alcohol	3.874	59	1147510	250.16	ug/L	99
13) 1,1-Dichloroethene	3.907	61	706835	10.48	ug/l	99
14) Acetonitrile	3.874	41	240752	105.76	ug/L	100
15) Allyl chloride	4.105	76	204867	11.51	ug/L	99
16) Iodomethane	4.149	142	375194	10.46	ug/l	95
18) Methylene chloride	4.182	49	523735	10.91	ug/l	95
19) Acrylonitrile	4.215	53	497046	43.83	ug/l	98
20) tert-Butyl methyl ethe...	4.226	73	1247173	11.06	ug/L	98
21) Carbon disulfide	4.314	76	1060379	10.26	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	375609	10.44	ug/l	99
23) Isopropyl ether (DIPE)	4.469	45	1190865	10.38	ug/l	96
24) Vinyl acetate	4.546	43	386080	5.91	ug/l	99
25) 1,1-Dichloroethane	4.634	63	769127	10.57	ug/l	100
26) tert-Butyl ethyl ether...	4.733	59	1349971	9.69	ug/l	90
27) 2-Butanone	4.854	72	173305	48.96	ug/l	90
28) Propionitrile	4.909	54	428512	102.75	ug/L	96
29) Isobutyl alcohol	5.030	43	304093	206.38	ug/L	100
30) 2,2-Dichloropropane	5.030	77	840828	11.54	ug/l	99
31) Methacrylonitrile	5.063	52	696880	101.78	ug/L	89
32) cis-1,2-Dichloroethene	5.063	96	442114	10.80	ug/l	99
33) Chloroform	5.173	83	935634	10.37	ug/l	97
34) Bromochloromethane	5.327	130	239902	9.97	ug/l	99
35) Tetrahydrofuran	5.327	42	89524	9.42	ug/L	97
37) 1,1,1-Trichloroethane	5.503	97	906842	11.15	ug/l	98
39) tert-Amyl methyl ether...	5.624	87	270385	10.88	ug/l	96
40) 1,1-Dichloropropene	5.613	110	188107	10.56	ug/L	98
42) Carbon tetrachloride	5.734	119	748686	10.87	ug/L	99
43) 1,2-Dichloroethane	5.800	62	773876	11.16	ug/L	96
44) Benzene	5.866	78	1509668	10.94	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG062.D Vial: 2
Acq On : 10 Jun 2024 16:35 Operator: DNguye
Sample : CVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) Trichloroethene	6.372	130	373994	9.82	ug/L		97
46) Methyl methacrylate	6.439	69	251107	7.44	ug/L	#	73
48) 1,2-Dichloropropane	6.527	63	365789	10.38	ug/L		92
50) Bromodichloromethane	6.780	83	734197	11.01	ug/L		97
51) Dibromomethane	6.868	93	279048	9.74	ug/L		99
52) 2-Chloroethyl vinyl ether	6.934	63	130748	7.49	ug/L		98
53) 4-Methyl-2-pentanone	6.967	43	1738962	45.06	ug/L		97
54) cis-1,3-Dichloropropene	7.275	75	674652	10.95	ug/L		99
57) Ethyl methacrylate	7.693	69	468006	11.39	ug/L		93
58) Toluene	7.693	91	1584004	11.60	ug/l		100
59) trans-1,3-Dichloropropene	7.825	75	690962	11.83	ug/l		96
60) 2-Hexanone	7.946	43	1198030	48.54	ug/l		99
61) 1,1,2-Trichloroethane	8.045	97	352879	10.89	ug/l		98
62) 1,3-Dichloropropane	8.353	76	562912	11.70	ug/l		100
63) Tetrachloroethene	8.507	164	319675	10.71	ug/l		97
64) Dibromochloromethane	8.783	129	483253	9.95	ug/l		98
65) 1,2-Dibromoethane	9.069	107	351856	10.08	ug/l		98
66) 1-Chlorohexane	9.124	91	503176	11.14	ug/l		90
67) Chlorobenzene	9.619	112	992318	11.01	ug/l		99
68) 1,1,1,2-Tetrachloroethane	9.652	131	416515	10.86	ug/l		99
69) Ethylbenzene	9.652	91	1868301	11.32	ug/l		99
70) m-Xylene & p-Xylene	9.751	91	2990434	22.22	ug/l		98
71) o-Xylene	10.422	91	1482291	11.64	ug/l		99
72) Styrene	10.466	104	1003167	11.26	ug/l		96
73) Isopropylbenzene	10.940	105	1675316	11.54	ug/L		99
75) Bromoform	11.061	173	323699	9.72	ug/l		99
76) 1,1,2,2-Tetrachloroethane	11.204	83	441834	10.39	ug/l		98
78) 1,2,3-Trichloropropane	11.446	110	123489	10.52	ug/l		100
79) trans-1,4-Dichloro-2-b...	11.523	53	138552	11.66	ug/l		95
80) n-Propylbenzene	11.589	91	2116018	10.94	ug/l		99
81) Bromobenzene	11.732	156	439857	10.36	ug/l		98
82) 1,3,5-Trimethylbenzene	11.831	105	1427725	10.73	ug/l		98
83) 2-Chlorotoluene	11.919	91	1369023	11.46	ug/l		90
84) 4-Chlorotoluene	11.985	91	1258359	12.52	ug/l		98
85) tert-Butylbenzene	12.414	134	222783	10.82	ug/l		95
86) 1,2,4-Trimethylbenzene	12.480	105	1434177	11.02	ug/l		97
87) sec-Butylbenzene	12.755	105	1654238	10.97	ug/l		100
88) p-Isopropyltoluene	12.954	119	1343889	10.62	ug/l		98
89) 1,3-Dichlorobenzene	13.174	146	726658	12.00	ug/l		99
90) 1,2,3-Trimethylbenzene	13.262	105	1405688	10.90	ug/L		99
91) 1,4-Dichlorobenzene	13.328	146	727512	11.55	ug/l		97
92) n-Butylbenzene	13.614	91	1325754	11.02	ug/l		99
93) 1,2-Dichlorobenzene	13.933	146	687518	10.31	ug/l		98
94) 1,2-Dibromo-3-chloropr...	15.144	157	83174	9.62	ug/l		100
95) 1,2,4-Trichlorobenzene	16.464	180	462389	11.45	ug/l		98
96) Hexachlorobutadiene	16.662	225	254657	11.05	ug/l		98
97) Naphthalene	16.871	128	1070687	10.39	ug/l		99
98) 1,2,3-Trichlorobenzene	17.235	180	416001	10.82	ug/l		98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG062.D Vial: 2
Acq On : 10 Jun 2024 16:35 Operator: DNguye
Sample : CVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	102	0.00
2	T,M	Dichlorodifluoromethane	10.000	11.887	-18.9	137	0.00
3	P,T,M	Chloromethane	10.000	7.594	24.1#	85	0.00
4	C,T,M	Vinyl chloride	10.000	11.793	-17.9	126	0.00
5	T,M	Bromomethane	10.000	7.870	21.3#	97	0.00
6	T,M	Dichlorofluoromethane	10.000	11.101	-11.0	114	0.00
7	T,M	Chloroethane	10.000	8.971	10.3	96	0.00
8	T,M	Trichlorofluoromethane	10.000	9.688	3.1	108	0.00
9	T,M	Acrolein	50.000	30.859	38.3#	64	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	10.267	-2.7	109	0.00
11	T,M	Acetone	50.000	45.965	8.1	89	0.00
12	T,M	tert-Butyl alcohol	250.000	221.073	11.6	90	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.645	-6.4	109	-0.01
14	T,M	Acetonitrile	100.000	93.870	6.1	94	0.00
15	T,M	Allyl chloride	10.000	10.251	-2.5	103	0.00
16	T,M	Iodomethane	10.000	9.908	0.9	111	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	10.752	-7.5	96	0.00
19	T,M	Acrylonitrile	50.000	39.058	21.9#	76	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	11.091	-10.9	112	0.00
21	T,M	Carbon disulfide	10.000	10.324	-3.2	105	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	10.113	-1.1	105	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	9.568	4.3	98	0.00
24	T,M	Vinyl acetate	10.000	5.404	46.0#	51	0.00
25	P,T,M	1,1-Dichloroethane	10.000	10.284	-2.8	108	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.409	5.9	96	0.00
27	T,M	2-Butanone	50.000	41.369	17.3	80	0.00
28	T,M	Propionitrile	100.000	89.785	10.2	95	0.00
29	T,M	Isobutyl alcohol	200.000	159.210	20.4#	81	0.00
30	T,M	2,2-Dichloropropane	10.000	10.746	-7.5	107	0.01
31	T,M	Methacrylonitrile	100.000	106.105	-6.1	110	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	10.413	-4.1	111	0.00
33	C,T,M	Chloroform	10.000	11.008	-10.1	120	0.00
34	T,M	Bromochloromethane	10.000	9.934	0.7	99	0.00
35	T,M	Tetrahydrofuran	10.000	8.603	14.0	89	-0.01
36	S	Dibromofluoromethane	10.000	10.156	-1.6	102	0.00
37	T,M	1,1,1-Trichloroethane	10.000	11.974	-19.7	123	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	11.177	-11.8	109	0.00
40	T,M	1,1-Dichloropropene	10.000	10.196	-2.0	102	0.00
41	S	1,2-Dichloroethane-d4	10.000	11.563	-15.6	122	0.00
42	T,M	Carbon tetrachloride	10.000	12.288	-22.9#	123	0.00
43	T,M	1,2-Dichloroethane	10.000	12.625	-26.3#	126	0.00
44	T,M	Benzene	10.000	10.550	-5.5	108	0.00
45	T,M	Trichloroethene	10.000	9.701	3.0	101	0.00
46	T,M	Methyl methacrylate	10.000	6.971	30.3#	74	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	9.931	0.7	102	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	11.780	-17.8	120	0.00
51	T,M	Dibromomethane	10.000	10.241	-2.4	107	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D Vial: 37
Acq On : 11 Jun 2024 2:43 Operator: DNguye
Sample : EVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	6.774	32.3#	67	0.00
53	T,M	4-Methyl-2-pentanone	50.000	42.974	14.1	84	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.201	-2.0	103	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	97	0.00
56	S	Toluene-d8	10.000	10.488	-4.9	101	0.00
57	T,M	Ethyl methacrylate	10.000	10.597	-6.0	100	0.00
58	C,T,M	Toluene	10.000	11.165	-11.6	110	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.571	-15.7	111	0.00
60	T,M	2-Hexanone	50.000	45.973	8.1	85	0.00
61	T,M	1,1,2-Trichloroethane	10.000	10.495	-4.9	103	0.00
62	T,M	1,3-Dichloropropane	10.000	11.309	-13.1	112	0.00
63	T,M	Tetrachloroethene	10.000	10.756	-7.6	109	0.00
64	T,M	Dibromochloromethane	10.000	10.244	-2.4	102	0.00
65	T,M	1,2-Dibromoethane	10.000	9.749	2.5	93	0.00
66	T,M	1-Chlorohexane	10.000	10.660	-6.6	104	0.00
67	P,T,M	Chlorobenzene	10.000	10.925	-9.3	109	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	11.367	-13.7	109	0.00
69	C,T,M	Ethylbenzene	10.000	11.446	-14.5	115	0.00
70	T,M	m-Xylene & p-Xylene	20.000	22.476	-12.4	118	0.00
71	T,M	o-Xylene	10.000	11.602	-16.0	113	0.00
72	T,M	Styrene	10.000	11.297	-13.0	109	0.00
73	T,M	Isopropylbenzene	10.000	11.578	-15.8	112	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	112	0.00
75	P,T,M	Bromoform	10.000	9.170	8.3	105	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	9.421	5.8	109	-0.01
77	S	4-Bromofluorobenzene	10.000	10.050	-0.5	115	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.191	-1.9	117	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	10.164	-1.6	112	0.00
80	T,M	n-Propylbenzene	10.000	9.998	0.0	118	0.00
81	T,M	Bromobenzene	10.000	9.712	2.9	109	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.988	0.1	116	-0.01
83	T,M	2-Chlorotoluene	10.000	9.957	0.4	119	0.00
84	T,M	4-Chlorotoluene	10.000	12.324	-23.2#	118	0.00
85	T,M	tert-Butylbenzene	10.000	9.778	2.2	114	-0.01
86	T,M	1,2,4-Trimethylbenzene	10.000	10.501	-5.0	120	0.00
87	T,M	sec-Butylbenzene	10.000	10.061	-0.6	115	0.00
88	T,M	p-Isopropyltoluene	10.000	9.858	1.4	115	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.232	-12.3	115	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	10.228	-2.3	116	0.00
91	T,M	1,4-Dichlorobenzene	10.000	11.060	-10.6	115	0.00
92	T,M	n-Butylbenzene	10.000	9.908	0.9	116	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.015	-0.2	122	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.737	12.6	105	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	9.598	4.0	111	0.00
96	T,M	Hexachlorobutadiene	10.000	10.173	-1.7	115	0.00
97	T,M	Naphthalene	10.000	8.798	12.0	100	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	9.964	0.4	115	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D Vial: 37
Acq On : 11 Jun 2024 2:43 Operator: DNguye
Sample : EVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	102	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.682	-18.8	137	0.00
3	P,T,M	Chloromethane	0.412	0.313	24.0#	85	0.00
4	C,T,M	Vinyl chloride	0.435	0.513	-17.9	126	0.00
5	T,M	Bromomethane	0.294	0.231	21.4#	97	0.00
6	T,M	Dichlorofluoromethane	0.994	1.103	-11.0	114	0.00
7	T,M	Chloroethane	0.213	0.191	10.3	96	0.00
8	T,M	Trichlorofluoromethane	0.977	0.947	3.1	108	0.00
9	T,M	Acrolein	0.065	0.040	38.5#	64	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.437	-2.6	109	0.00
11	T,M	Acetone	0.181	0.119	34.3#	89	0.00
12	T,M	tert-Butyl alcohol	0.061	0.054	11.5	90	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.951	-6.4	109	-0.01
14	T,M	Acetonitrile	0.030	0.028	6.7	94	0.00
15	T,M	Allyl chloride	0.236	0.242	-2.5	103	0.00
16	T,M	Iodomethane	0.429	0.470	-9.6	111	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.685	14.5	96	0.00
19	T,M	Acrylonitrile	0.150	0.117	22.0#	76	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.657	-10.9	112	0.00
21	T,M	Carbon disulfide	1.370	1.414	-3.2	105	0.00
22	T,M	trans-1,2-Dichloroethene	0.477	0.482	-1.0	105	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.455	4.3	98	0.00
24	T,M	Vinyl acetate	0.866	0.468	46.0#	51	0.00
25	P,T,M	1,1-Dichloroethane	0.965	0.992	-2.8	108	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.737	5.9	96	0.00
27	T,M	2-Butanone	0.047	0.039	17.0	80	0.00
28	T,M	Propionitrile	0.055	0.050	9.1	95	0.00
29	T,M	Isobutyl alcohol	0.020	0.016	20.0	81	0.00
30	T,M	2,2-Dichloropropane	0.966	1.038	-7.5	107	0.01
31	T,M	Methacrylonitrile	0.091	0.096	-5.5	110	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.565	-4.1	111	0.00
33	C,T,M	Chloroform	1.196	1.317	-10.1	120	0.00
34	T,M	Bromochloromethane	0.319	0.317	0.6	99	0.00
35	T,M	Tetrahydrofuran	0.126	0.108	14.3	89	-0.01
36	S	Dibromofluoromethane	0.612	0.622	-1.6	102	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.292	-19.7	123	0.00
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.368	-11.9	109	0.00
40	T,M	1,1-Dichloropropene	0.236	0.241	-2.1	102	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.936	-15.7	122	0.00
42	T,M	Carbon tetrachloride	0.913	1.122	-22.9#	123	0.00
43	T,M	1,2-Dichloroethane	0.919	1.161	-26.3#	126	0.00
44	T,M	Benzene	1.830	1.930	-5.5	108	0.00
45	T,M	Trichloroethene	0.505	0.490	3.0	101	0.00
46	T,M	Methyl methacrylate	0.448	0.312	30.4#	74	0.00
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.464	0.6	102	0.00
49	T,M	1,4-Dioxane	0.000	0.001	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	1.041	-17.8	120	0.00
51	T,M	Dibromomethane	0.380	0.389	-2.4	107	0.01

Data File : D:\Data\24F10\RFG088.D Vial: 37
Acq On : 11 Jun 2024 2:43 Operator: DNguye
Sample : EVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.157	32.0#	67	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.440	14.1	84	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.833	-2.0	103	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	97	0.00
56	S	Toluene-d8	1.987	2.084	-4.9	101	0.00
57	T,M	Ethyl methacrylate	0.682	0.723	-6.0	100	0.00
58	C,T,M	Toluene	2.268	2.532	-11.6	110	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.123	-15.8	111	0.00
60	T,M	2-Hexanone	0.410	0.377	8.0	85	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.565	-5.0	103	0.00
62	T,M	1,3-Dichloropropane	0.799	0.904	-13.1	112	0.00
63	T,M	Tetrachloroethene	0.496	0.533	-7.5	109	0.00
64	T,M	Dibromochloromethane	0.807	0.827	-2.5	102	0.00
65	T,M	1,2-Dibromoethane	0.580	0.565	2.6	93	0.00
66	T,M	1-Chlorohexane	0.751	0.800	-6.5	104	0.00
67	P,T,M	Chlorobenzene	1.498	1.637	-9.3	109	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.725	-13.8	109	0.00
69	C,T,M	Ethylbenzene	2.742	3.138	-14.4	115	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.513	-12.4	118	0.00
71	T,M	o-Xylene	2.117	2.456	-16.0	113	0.00
72	T,M	Styrene	1.480	1.672	-13.0	109	0.00
73	T,M	Isopropylbenzene	2.412	2.792	-15.8	112	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	112	0.00
75	P,T,M	Bromoform	1.091	1.001	8.2	105	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.313	5.8	109	-0.01
77	S	4-Bromofluorobenzene	1.587	1.595	-0.5	115	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.392	-1.8	117	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.396	-1.8	112	0.00
80	T,M	n-Propylbenzene	6.341	6.339	0.0	118	0.00
81	T,M	Bromobenzene	1.392	1.352	2.9	109	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.354	0.1	116	-0.01
83	T,M	2-Chlorotoluene	3.914	3.897	0.4	119	0.00
84	T,M	4-Chlorotoluene	3.796	4.060	-7.0	118	0.00
85	T,M	tert-Butylbenzene	0.675	0.660	2.2	114	-0.01
86	T,M	1,2,4-Trimethylbenzene	4.263	4.477	-5.0	120	0.00
87	T,M	sec-Butylbenzene	4.940	4.970	-0.6	115	0.00
88	T,M	p-Isopropyltoluene	4.145	4.086	1.4	115	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.234	3.0	115	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.321	-2.3	116	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.286	2.7	115	0.00
92	T,M	n-Butylbenzene	3.942	3.906	0.9	116	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.188	-0.2	122	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.248	12.4	105	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.278	14.4	111	0.00
96	T,M	Hexachlorobutadiene	0.755	0.768	-1.7	115	0.00
97	T,M	Naphthalene	3.377	2.971	12.0	100	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.259	11.3	115	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D Vial: 37
Acq On : 11 Jun 2024 2:43 Operator: DNguye
Sample : EVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG088.D Vial: 37
Acq On : 11 Jun 2024 2:43 Operator: DNguye
Sample : EVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	493624	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	398955	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	221976	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	307056	10.16	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.60%		
41) 1,2-Dichloroethane-d4	5.723	65	461960	11.56	ug/L	0.00
Spiked Amount 10.000			Recovery =	115.60%		
56) Toluene-d8	7.594	98	831462	10.49	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.90%		
77) 4-Bromofluorobenzene	11.369	95	354126	10.05	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.50%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	336748	11.89	ug/l	98
3) Chloromethane	2.906	50	154384	7.59	ug/l	98
4) Vinyl chloride	2.994	62	253169	11.79	ug/l	95
5) Bromomethane	3.313	94	114270	7.87	ug/l	97
6) Dichlorofluoromethane	3.357	67	544565	11.10	ug/L	99
7) Chloroethane	3.346	64	94354	8.97	ug/l	98
8) Trichlorofluoromethane	3.511	101	467257	9.69	ug/l	99
9) Acrolein	3.742	56	99065	30.86	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	215886	10.27	ug/l	98
11) Acetone	3.764	43	294402	45.97	ug/l	97
12) tert-Butyl alcohol	3.874	59	663600	221.07	ug/L	98
13) 1,1-Dichloroethene	3.896	61	469668	10.64	ug/l	97
14) Acetonitrile	3.874	41	139835	93.87	ug/L	94
15) Allyl chloride	4.105	76	119441	10.25	ug/L	100
16) Iodomethane	4.149	142	232127	9.91	ug/l	82
18) Methylene chloride	4.182	49	338081	10.75	ug/l	98
19) Acrylonitrile	4.215	53	289871	39.06	ug/l	97
20) tert-Butyl methyl ethe...	4.226	73	818095	11.09	ug/L	94
21) Carbon disulfide	4.304	76	697990	10.32	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	238047	10.11	ug/l	98
23) Isopropyl ether (DIPE)	4.458	45	718115	9.57	ug/l	95
24) Vinyl acetate	4.546	43	231013	5.40	ug/l	100
25) 1,1-Dichloroethane	4.634	63	489675	10.28	ug/l	98
26) tert-Butyl ethyl ether...	4.733	59	857587	9.41	ug/l	87
27) 2-Butanone	4.854	72	95825	41.37	ug/l	97
28) Propionitrile	4.909	54	245032	89.79	ug/L	98
29) Isobutyl alcohol	5.030	43	153518	159.21	ug/L	87
30) 2,2-Dichloropropane	5.030	77	512217	10.75	ug/l	99
31) Methacrylonitrile	5.052	52	475421	106.11	ug/L	99
32) cis-1,2-Dichloroethene	5.063	96	279078	10.41	ug/l	99
33) Chloroform	5.173	83	649869	11.01	ug/l	97
34) Bromochloromethane	5.327	130	156386	9.93	ug/l	98
35) Tetrahydrofuran	5.316	42	53512	8.60	ug/L	95
37) 1,1,1-Trichloroethane	5.492	97	637547	11.97	ug/l	98
39) tert-Amyl methyl ether...	5.613	87	181798	11.18	ug/l	96
40) 1,1-Dichloropropene	5.613	110	118844	10.20	ug/L	98
42) Carbon tetrachloride	5.734	119	553612	12.29	ug/L	100
43) 1,2-Dichloroethane	5.800	62	572901	12.62	ug/L	98
44) Benzene	5.866	78	952887	10.55	ug/L	98

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG088.D Vial: 37
Acq On : 11 Jun 2024 2:43 Operator: DNguye
Sample : EVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45)	Trichloroethene	6.372	130	241877	9.70	ug/L	98
46)	Methyl methacrylate	6.439	69	153988	6.97	ug/L	79
48)	1,2-Dichloropropane	6.527	63	228917	9.93	ug/L	82
50)	Bromodichloromethane	6.769	83	513918	11.78	ug/L	96
51)	Dibromomethane	6.868	93	192093	10.24	ug/L	96
52)	2-Chloroethyl vinyl ether	6.934	63	77348	6.77	ug/L	98
53)	4-Methyl-2-pentanone	6.956	43	1085247	42.97	ug/L	98
54)	cis-1,3-Dichloropropene	7.275	75	411208	10.20	ug/L	94
57)	Ethyl methacrylate	7.693	69	288509	10.60	ug/L	100
58)	Toluene	7.693	91	1010214	11.16	ug/l	100
59)	trans-1,3-Dichloropropene	7.814	75	447982	11.57	ug/l	96
60)	2-Hexanone	7.935	43	752080	45.97	ug/l	96
61)	1,1,2-Trichloroethane	8.045	97	225374	10.50	ug/l	96
62)	1,3-Dichloropropane	8.353	76	360623	11.31	ug/l	99
63)	Tetrachloroethene	8.508	164	212760	10.76	ug/l	97
64)	Dibromochloromethane	8.783	129	329948	10.24	ug/l	100
65)	1,2-Dibromoethane	9.069	107	225594	9.75	ug/l	97
66)	1-Chlorohexane	9.124	91	319202	10.66	ug/l	100
67)	Chlorobenzene	9.619	112	652933	10.93	ug/l	100
68)	1,1,1,2-Tetrachloroethane	9.652	131	289052	11.37	ug/l	98
69)	Ethylbenzene	9.641	91	1252113	11.45	ug/l	99
70)	m-Xylene & p-Xylene	9.740	91	2004788	22.48	ug/l	97
71)	o-Xylene	10.411	91	979707	11.60	ug/l	98
72)	Styrene	10.455	104	667081	11.30	ug/l	93
73)	Isopropylbenzene	10.940	105	1113978	11.58	ug/L	99
75)	Bromoform	11.061	173	222145	9.17	ug/l	98
76)	1,1,2,2-Tetrachloroethane	11.193	83	291455	9.42	ug/l	96
78)	1,2,3-Trichloropropane	11.446	110	87045	10.19	ug/l	96
79)	trans-1,4-Dichloro-2-b...	11.512	53	87849	10.16	ug/l	100
80)	n-Propylbenzene	11.578	91	1407148	10.00	ug/l	99
81)	Bromobenzene	11.732	156	300002	9.71	ug/l	99
82)	1,3,5-Trimethylbenzene	11.820	105	966431	9.99	ug/l	98
83)	2-Chlorotoluene	11.919	91	865017	9.96	ug/l	96
84)	4-Chlorotoluene	11.974	91	901250	12.32	ug/l	97
85)	tert-Butylbenzene	12.403	134	146427	9.78	ug/l	100
86)	1,2,4-Trimethylbenzene	12.469	105	993689	10.50	ug/l	96
87)	sec-Butylbenzene	12.745	105	1103222	10.06	ug/l	100
88)	p-Isopropyltoluene	12.954	119	907042	9.86	ug/l	96
89)	1,3-Dichlorobenzene	13.163	146	495985	11.23	ug/l	99
90)	1,2,3-Trimethylbenzene	13.251	105	959108	10.23	ug/L	99
91)	1,4-Dichlorobenzene	13.328	146	507369	11.06	ug/l	98
92)	n-Butylbenzene	13.614	91	867017	9.91	ug/l	99
93)	1,2-Dichlorobenzene	13.933	146	485604	10.01	ug/l	96
94)	1,2-Dibromo-3-chloropr...	15.133	157	54964	8.74	ug/l	100
95)	1,2,4-Trichlorobenzene	16.464	180	283643	9.60	ug/l	99
96)	Hexachlorobutadiene	16.662	225	170511	10.17	ug/l	97
97)	Naphthalene	16.871	128	659535	8.80	ug/l	99
98)	1,2,3-Trichlorobenzene	17.235	180	279461	9.96	ug/l	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG088.D Vial: 37
Acq On : 11 Jun 2024 2:43 Operator: DNguye
Sample : EVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F003
Lab File ID: RFG091 BFB Injection Date: 06/11/24
Instrument ID: E2 BFB Injection Time: 12:47

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.430
75	30 - 60% of mass 95	58.855
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	7.042
173	Less than 2% of mass 174	0.000(0)1
174	Greater than 50% of mass 95	86.589
175	5 - 9% of mass 174	6.114(7.06)1
176	95 - 101% % of mass 174	82.804(95.63)1
177	5 - 9% % of mass 176	6.481(7.83)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1707	RFG092	06/11/24	13:35
2	LCS2W	VOE2F04L	RFG093	06/11/24	14:15
3	LCD2W	VOE2F04C	RFG094	06/11/24	14:39
4	MBLK2W	VOE2F04B	RFG096	06/11/24	15:26
5	T1AMF-MW029-MAY24	24F003-14	RFG101	06/11/24	17:25
6	T1AMF-MW030-MAY24	24F003-15	RFG102	06/11/24	17:49
7	T1AMF-MW030-MAY24_FD	24F003-16	RFG103	06/11/24	18:13
8	T1AMF-MW057-MAY24	24F003-17	RFG104	06/11/24	18:37
9	VSTD10	EVOE2E1707	RFG119	06/12/24	00:30

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F003
Date Analyzed: 05/17/24
Time Analyzed: 14:09

INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
	Area #	RT #	Area #	RT #	Area #	RT #
12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
	Area #	RT #	Area #	RT #	Area #	RT #
1|VSTD10	670311	5.99	536256	9.56	276585	13.89
2|LCS2W	700127	5.99	552821	9.56	279028	13.89
3|LCD2W	703905	5.99	550837	9.56	285241	13.89
4|MBLK2W	600187	5.99	469288	9.56	222326	13.89
5|T1AMF-MW029-MAY24	496966	5.99	393665	9.56	192105	13.89
6|T1AMF-MW030-MAY24	484161	5.99	392148	9.56	178457	13.89
7|T1AMF-MW030-MAY24_FD	468619	5.99	374980	9.56	178942	13.89
8|T1AMF-MW057-MAY24	462451	5.99	362871	9.56	175655	13.89
9|VSTD10	558649	5.99	454298	9.56	253559	13.89


Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

BFB

Data Path : D:\Data\24F11\
Data File : RFG091.D
Acq On : 11 Jun 2024 12:47
Operator : DNguye
Sample : BFBF04
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



AutoFind: Scans 797, 798, 799; Background Corrected with Scan 791

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	20.4	8738	PASS
75	95	30	60	58.9	25173	PASS
95	95	100	100	100.0	42771	PASS
96	95	5	9	7.0	3012	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	100	86.6	37035	PASS
175	174	5	9	7.1	2615	PASS
176	174	95	101	95.6	35416	PASS
177	176	5	9	7.8	2772	PASS

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.		%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000		0.0	139	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.649		-6.5	166	0.00
3	P,T,M	Chloromethane	10.000	8.586		14.1	131	0.00
4	C,T,M	Vinyl chloride	10.000	10.811	/	-8.1	157	0.00
5	T,M	Bromomethane	10.000	9.771		2.3	163	0.00
6	T,M	Dichlorofluoromethane	10.000	9.548		4.5	133	0.00
7	T,M	Chloroethane	10.000	8.924		10.8	129	0.00
8	T,M	Trichlorofluoromethane	10.000	8.783		12.2	132	0.00
9	T,M	Acrolein	50.000	34.629		30.7#	98	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	8.679		13.2	125	0.00
11	T,M	Acetone	50.000	43.317		13.4	114	0.00
12	T,M	tert-Butyl alcohol	250.000	188.868		24.5#	105	0.00
13	C,T,M	1,1-Dichloroethene	10.000	8.941	/	10.6	125	0.00
14	T,M	Acetonitrile	100.000	81.614		18.4	112	0.00
15	T,M	Allyl chloride	10.000	9.379		6.2	128	0.00
16	T,M	Iodomethane	10.000	11.646		-16.5	178	0.00
17	T,M	Methyl acetate	10.000	0.000		100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	10.524		-5.2	127	0.00
19	T,M	Acrylonitrile	50.000	36.443		27.1#	96	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	9.529		4.7	131	0.00
21	T,M	Carbon disulfide	10.000	8.924		10.8	123	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	8.687		13.1	123	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	8.519		14.8	119	0.01
24	T,M	Vinyl acetate	10.000	6.518		34.8#	84	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.014		9.9	129	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	8.169		18.3	113	0.00
27	T,M	2-Butanone	50.000	37.923		24.2#	100	0.00
28	T,M	Propionitrile	100.000	81.332		18.7	117	0.00
29	T,M	Isobutyl alcohol	200.000	151.186		24.4#	104	0.00
30	T,M	2,2-Dichloropropane	10.000	10.189		-1.9	137	0.00
31	T,M	Methacrylonitrile	100.000	87.958		12.0	124	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.028		9.7	131	0.00
33	C,T,M	Chloroform	10.000	9.138	/	8.6	136	0.00
34	T,M	Bromochloromethane	10.000	8.446		15.5	114	0.00
35	T,M	Tetrahydrofuran	10.000	7.721		22.8#	109	-0.01
36	S	Dibromofluoromethane	10.000	9.705		2.9	132	0.00
37	T,M	1,1,1-Trichloroethane	10.000	9.866		1.3	137	0.00
38	T,M	Cyclohexane	10.000	0.000		100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	9.277		7.2	123	0.00
40	T,M	1,1-Dichloropropene	10.000	8.871		11.3	120	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.597		-6.0	152	0.00
42	T,M	Carbon tetrachloride	10.000	9.739		2.6	132	0.00
43	T,M	1,2-Dichloroethane	10.000	10.080		-0.8	137	0.00
44	T,M	Benzene	10.000	9.061		9.4	126	0.00
45	T,M	Trichloroethene	10.000	8.246		17.5	117	0.00
46	T,M	Methyl methacrylate	10.000	5.935		40.7#	86	0.00
47	T,M	Methylcyclohexane	10.000	0.000		100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	8.839	/	11.6	123	0.00
49	T,M	1,4-Dioxane	200.000	0.000	/	100.0#	0	0.01
50	T,M	Bromodichloromethane	10.000	9.636		3.6	133	0.01
51	T,M	Dibromomethane	10.000	8.470		15.3	120	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	5.920	40.8#	80	0.00
53	T,M	4-Methyl-2-pentanone	50.000	37.966	24.1#	101	0.01
54	T,M	cis-1,3-Dichloropropene	10.000	8.995	10.1	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	131	0.00
56	S	Toluene-d8	10.000	10.547	-5.5	137	0.00
57	T,M	Ethyl methacrylate	10.000	9.244	7.6	117	0.00
58	C,T,M	Toluene	10.000	9.752	2.5	129	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	9.861	1.4	127	0.00
60	T,M	2-Hexanone	50.000	40.672	18.7	101	0.01
61	T,M	1,1,2-Trichloroethane	10.000	9.121	8.8	120	0.00
62	T,M	1,3-Dichloropropane	10.000	9.625	3.8	128	0.00
63	T,M	Tetrachloroethene	10.000	9.050	9.5	123	0.01
64	T,M	Dibromochloromethane	10.000	8.470	15.3	114	0.00
65	T,M	1,2-Dibromoethane	10.000	8.250	17.5	106	0.00
66	T,M	1-Chlorohexane	10.000	9.359	6.4	123	0.00
67	P,T,M	Chlorobenzene	10.000	9.312	6.9	125	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.481	5.2	122	0.00
69	C,T,M	Ethylbenzene	10.000	9.633	3.7	130	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.700	6.5	132	0.01
71	T,M	o-Xylene	10.000	9.826	1.7	129	0.01
72	T,M	Styrene	10.000	9.591	4.1	125	0.01
73	T,M	Isopropylbenzene	10.000	9.667	3.3	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	140	0.00
75	P,T,M	Bromoform	10.000	7.979	20.2#	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.290	17.1	120	0.00
77	S	4-Bromofluorobenzene	10.000	10.427	-4.3	148	0.00
78	T,M	1,2,3-Trichloropropane	10.000	8.633	13.7	124	0.01
79	T,M	trans-1,4-Dichloro-2-butene	10.000	8.773	12.3	121	0.01
80	T,M	n-Propylbenzene	10.000	9.032	9.7	133	0.00
81	T,M	Bromobenzene	10.000	8.711	12.9	122	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	8.948	10.5	130	0.00
83	T,M	2-Chlorotoluene	10.000	9.622	3.8	143	0.00
84	T,M	4-Chlorotoluene	10.000	10.110	-1.1	121	0.01
85	T,M	tert-Butylbenzene	10.000	9.022	9.8	131	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	8.989	10.1	128	0.01
87	T,M	sec-Butylbenzene	10.000	9.033	9.7	129	0.01
88	T,M	p-Isopropyltoluene	10.000	8.762	12.4	128	0.00
89	T,M	1,3-Dichlorobenzene	10.000	9.940	0.6	127	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	8.965	10.4	127	0.01
91	T,M	1,4-Dichlorobenzene	10.000	9.670	3.3	126	0.00
92	T,M	n-Butylbenzene	10.000	8.962	10.4	130	0.00
93	T,M	1,2-Dichlorobenzene	10.000	8.707	12.9	132	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.548	24.5#	113	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	9.068	9.3	131	0.00
96	T,M	Hexachlorobutadiene	10.000	9.359	6.4	132	0.00
97	T,M	Naphthalene	10.000	8.020	19.8	114	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.765	12.3	126	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	139	0.00
2	T,M Dichlorodifluoromethane	0.574	0.611	-6.4	166	0.00
3	P,T,M Chloromethane	0.412	0.354	14.1	131	0.00
4	C,T,M Vinyl chloride	0.435	0.470	-8.0	157	0.00
5	T,M Bromomethane	0.294	0.287	2.4	163	0.00
6	T,M Dichlorofluoromethane	0.994	0.949	4.5	133	0.00
7	T,M Chloroethane	0.213	0.190	10.8	129	0.00
8	T,M Trichlorofluoromethane	0.977	0.858	12.2	132	0.00
9	T,M Acrolein	0.065	0.045	30.8#	98	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.370	13.1	125	0.00
11	T,M Acetone	0.181	0.113	37.6#	114	0.00
12	T,M tert-Butyl alcohol	0.061	0.046	24.6#	105	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.799	10.6	125	0.00
14	T,M Acetonitrile	0.030	0.025	16.7	112	0.00
15	T,M Allyl chloride	0.236	0.221	6.4	128	0.00
16	T,M Iodomethane	0.429	0.555	-29.4#	178	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.671	16.2	127	0.00
19	T,M Acrylonitrile	0.150	0.110	26.7#	96	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.424	4.7	131	0.00
21	T,M Carbon disulfide	1.370	1.222	10.8	123	0.01
22	T,M trans-1,2-Dichloroethene	0.477	0.414	13.2	123	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.295	14.8	119	0.01
24	T,M Vinyl acetate	0.866	0.564	34.9#	84	0.00
25	P,T,M 1,1-Dichloroethane	0.965	0.870	9.8	129	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	1.508	18.3	113	0.00
27	T,M 2-Butanone	0.047	0.036	23.4#	100	0.00
28	T,M Propionitrile	0.055	0.045	18.2	117	0.00
29	T,M Isobutyl alcohol	0.020	0.015	25.0#	104	0.00
30	T,M 2,2-Dichloropropane	0.966	0.984	-1.9	137	0.00
31	T,M Methacrylonitrile	0.091	0.080	12.1	124	0.00
32	T,M cis-1,2-Dichloroethene	0.543	0.490	9.8	131	0.00
33	C,T,M Chloroform	1.196	1.093	8.6	136	0.00
34	T,M Bromochloromethane	0.319	0.269	15.7	114	0.00
35	T,M Tetrahydrofuran	0.126	0.097	23.0#	109	-0.01
36	S Dibromofluoromethane	0.612	0.594	2.9	132	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.064	1.4	137	0.00
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.306	7.0	123	0.00
40	T,M 1,1-Dichloropropene	0.236	0.209	11.4	120	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.858	-6.1	152	0.00
42	T,M Carbon tetrachloride	0.913	0.889	2.6	132	0.00
43	T,M 1,2-Dichloroethane	0.919	0.927	-0.9	137	0.00
44	T,M Benzene	1.830	1.658	9.4	126	0.00
45	T,M Trichloroethene	0.505	0.416	17.6	117	0.00
46	T,M Methyl methacrylate	0.448	0.266	40.6#	86	0.00
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.413	11.6	123	0.00
49	T,M 1,4-Dioxane	0.000	0.002	0.0	0#	0.01
50	T,M Bromodichloromethane	0.884	0.852	3.6	133	0.01
51	T,M Dibromomethane	0.380	0.322	15.3	120	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.137	40.7#	80	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.388	24.2#	101	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.735	10.0	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	131	0.00
56	S	Toluene-d8	1.987	2.096	-5.5	137	0.00
57	T,M	Ethyl methacrylate	0.682	0.631	7.5	117	0.00
58	C,T,M	Toluene	2.268	2.212	2.5	129	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.957	1.3	127	0.00
60	T,M	2-Hexanone	0.410	0.334	18.5	101	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.491	8.7	120	0.00
62	T,M	1,3-Dichloropropane	0.799	0.769	3.8	128	0.00
63	T,M	Tetrachloroethene	0.496	0.449	9.5	123	0.01
64	T,M	Dibromochloromethane	0.807	0.684	15.2	114	0.00
65	T,M	1,2-Dibromoethane	0.580	0.479	17.4	106	0.00
66	T,M	1-Chlorohexane	0.751	0.702	6.5	123	0.00
67	P,T,M	Chlorobenzene	1.498	1.395	6.9	125	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.604	5.2	122	0.00
69	C,T,M	Ethylbenzene	2.742	2.641	3.7	130	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.090	6.5	132	0.01
71	T,M	o-Xylene	2.117	2.080	1.7	129	0.01
72	T,M	Styrene	1.480	1.420	4.1	125	0.01
73	T,M	Isopropylbenzene	2.412	2.331	3.4	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	140	0.00
75	P,T,M	Bromoform	1.091	0.871	20.2#	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.155	17.1	120	0.00
77	S	4-Bromofluorobenzene	1.587	1.655	-4.3	148	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.332	13.8	124	0.01
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.342	12.1	121	0.01
80	T,M	n-Propylbenzene	6.341	5.727	9.7	133	0.00
81	T,M	Bromobenzene	1.392	1.212	12.9	122	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.901	10.5	130	0.00
83	T,M	2-Chlorotoluene	3.914	3.765	3.8	143	0.00
84	T,M	4-Chlorotoluene	3.796	3.357	11.6	121	0.01
85	T,M	tert-Butylbenzene	0.675	0.609	9.8	131	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.832	10.1	128	0.01
87	T,M	sec-Butylbenzene	4.940	4.462	9.7	129	0.01
88	T,M	p-Isopropyltoluene	4.145	3.632	12.4	128	0.00
89	T,M	1,3-Dichlorobenzene	2.303	1.988	13.7	127	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	3.787	10.3	127	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.009	14.5	126	0.00
92	T,M	n-Butylbenzene	3.942	3.533	10.4	130	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.902	12.9	132	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.214	24.4#	113	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.210	19.0	131	0.00
96	T,M	Hexachlorobutadiene	0.755	0.707	6.4	132	0.00
97	T,M	Naphthalene	3.377	2.709	19.8	114	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.113	21.6#	126	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	670311	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	536256	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	276585	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	398438	9.71	ug/l	0.00
Spiked Amount 10.000			Recovery = 97.10%			
41) 1,2-Dichloroethane-d4	5.723	65	574875	10.60	ug/L	0.00
Spiked Amount 10.000			Recovery = 106.00%			
56) Toluene-d8	7.594	98	1123862	10.55	ug/l	0.00
Spiked Amount 10.000			Recovery = 105.50%			
77) 4-Bromofluorobenzene	11.369	95	457799	10.43	ug/l	0.00
Spiked Amount 10.000			Recovery = 104.30%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	409663	10.65	ug/l	100
3) Chloromethane	2.906	50	237016	8.59	ug/l	99
4) Vinyl chloride	2.994	62	315166	10.81	ug/l	98
5) Bromomethane	3.313	94	192654	9.77	ug/l	94
6) Dichlorofluoromethane	3.357	67	636053	9.55	ug/L	99
7) Chloroethane	3.346	64	127455	8.92	ug/l	99
8) Trichlorofluoromethane	3.511	101	575223	8.78	ug/l	99
9) Acrolein	3.742	56	150956	34.63	ug/l	97
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	247835	8.68	ug/l	100
11) Acetone	3.764	43	379001	43.32	ug/l	97
12) tert-Butyl alcohol	3.874	59	769858	188.87	ug/L	98
13) 1,1-Dichloroethene	3.907	61	535676	8.94	ug/l	97
14) Acetonitrile	3.874	41	165094	81.61	ug/L	99
15) Allyl chloride	4.105	76	148396	9.38	ug/L	97
16) Iodomethane	4.149	142	372132	11.65	ug/l	91
18) Methylene chloride	4.182	49	450035	10.52	ug/l	98
19) Acrylonitrile	4.215	53	367270	36.44	ug/l	99
20) tert-Butyl methyl ethe...	4.226	73	954476	9.53	ug/L	96
21) Carbon disulfide	4.315	76	819282	8.92	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	277671	8.69	ug/l	98
23) Isopropyl ether (DIPE)	4.469	45	868254	8.52	ug/l	96
24) Vinyl acetate	4.546	43	378357	6.52	ug/l	98
25) 1,1-Dichloroethane	4.634	63	582840	9.01	ug/l	98
26) tert-Butyl ethyl ether...	4.733	59	1011074	8.17	ug/l	89
27) 2-Butanone	4.854	72	119284	37.92	ug/l	100
28) Propionitrile	4.909	54	301411	81.33	ug/L	97
29) Isobutyl alcohol	5.030	43	197961	151.19	ug/L	93
30) 2,2-Dichloropropane	5.019	77	659505	10.19	ug/l	97
31) Methacrylonitrile	5.052	52	535175	87.96	ug/L	98
32) cis-1,2-Dichloroethene	5.063	96	328565	9.03	ug/l	99
33) Chloroform	5.173	83	732545	9.14	ug/l	96
34) Bromochloromethane	5.327	130	180551	8.45	ug/l	100
35) Tetrahydrofuran	5.316	42	65214	7.72	ug/L	96
37) 1,1,1-Trichloroethane	5.492	97	713285	9.87	ug/l	98
39) tert-Amyl methyl ether...	5.613	87	204906	9.28	ug/l	98
40) 1,1-Dichloropropene	5.613	110	140416	8.87	ug/L	99
42) Carbon tetrachloride	5.734	119	595828	9.74	ug/L	99
43) 1,2-Dichloroethane	5.800	62	621168	10.08	ug/L	98
44) Benzene	5.866	78	1111269	9.06	ug/L	98

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG092.D Vial: 2
Acq On : 11 Jun 2024 13:35 Operator: DNguye
Sample : CVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) Trichloroethene	6.372	130	279167	8.25	ug/L		97
46) Methyl methacrylate	6.439	69	178027	5.93	ug/L	#	76
48) 1,2-Dichloropropane	6.527	63	276700	8.84	ug/L		87
50) Bromodichloromethane	6.780	83	570890	9.64	ug/L		97
51) Dibromomethane	6.868	93	215734	8.47	ug/L		97
52) 2-Chloroethyl vinyl ether	6.934	63	91785	5.92	ug/L		97
53) 4-Methyl-2-pentanone	6.967	43	1301951	37.97	ug/L		98
54) cis-1,3-Dichloropropene	7.275	75	492380	8.99	ug/L		96
57) Ethyl methacrylate	7.693	69	338297	9.24	ug/L		97
58) Toluene	7.693	91	1185996	9.75	ug/l		100
59) trans-1,3-Dichloropropene	7.814	75	513164	9.86	ug/l		99
60) 2-Hexanone	7.946	43	894344	40.67	ug/l		99
61) 1,1,2-Trichloroethane	8.045	97	263259	9.12	ug/l		97
62) 1,3-Dichloropropane	8.353	76	412550	9.62	ug/l		99
63) Tetrachloroethene	8.518	164	240605	9.05	ug/l		96
64) Dibromochloromethane	8.783	129	366701	8.47	ug/l		100
65) 1,2-Dibromoethane	9.069	107	256623	8.25	ug/l		95
66) 1-Chlorohexane	9.124	91	376692	9.36	ug/l		100
67) Chlorobenzene	9.619	112	748031	9.31	ug/l		100
68) 1,1,1,2-Tetrachloroethane	9.652	131	324067	9.48	ug/l		100
69) Ethylbenzene	9.641	91	1416491	9.63	ug/l		99
70) m-Xylene & p-Xylene	9.751	91	2242038	18.70	ug/l		99
71) o-Xylene	10.422	91	1115243	9.83	ug/l		98
72) Styrene	10.466	104	761260	9.59	ug/l		95
73) Isopropylbenzene	10.940	105	1250251	9.67	ug/L		98
75) Bromoform	11.061	173	240858	7.98	ug/l		99
76) 1,1,2,2-Tetrachloroethane	11.204	83	319581	8.29	ug/l		97
78) 1,2,3-Trichloropropane	11.457	110	91884	8.63	ug/l		98
79) trans-1,4-Dichloro-2-b...	11.523	53	94487	8.77	ug/l		97
80) n-Propylbenzene	11.578	91	1583919	9.03	ug/l		99
81) Bromobenzene	11.732	156	335303	8.71	ug/l		99
82) 1,3,5-Trimethylbenzene	11.831	105	1078870	8.95	ug/l		98
83) 2-Chlorotoluene	11.919	91	1041463	9.62	ug/l		90
84) 4-Chlorotoluene	11.985	91	928419	10.11	ug/l		99
85) tert-Butylbenzene	12.414	134	168345	9.02	ug/l		96
86) 1,2,4-Trimethylbenzene	12.480	105	1059907	8.99	ug/l		98
87) sec-Butylbenzene	12.756	105	1234139	9.03	ug/l		100
88) p-Isopropyltoluene	12.954	119	1004481	8.76	ug/l		97
89) 1,3-Dichlorobenzene	13.174	146	549879	9.94	ug/l		99
90) 1,2,3-Trimethylbenzene	13.262	105	1047396	8.96	ug/L		99
91) 1,4-Dichlorobenzene	13.328	146	555648	9.67	ug/l		99
92) n-Butylbenzene	13.614	91	977189	8.96	ug/l		100
93) 1,2-Dichlorobenzene	13.933	146	526048	8.71	ug/l		97
94) 1,2-Dibromo-3-chloropr...	15.144	157	59164	7.55	ug/l		93
95) 1,2,4-Trichlorobenzene	16.464	180	334686	9.07	ug/l		98
96) Hexachlorobutadiene	16.662	225	195472	9.36	ug/l		98
97) Naphthalene	16.871	128	749136	8.02	ug/l		99
98) 1,2,3-Trichlorobenzene	17.235	180	307886	8.77	ug/l		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG092.D Vial: 2
Acq On : 11 Jun 2024 13:35 Operator: DNguye
Sample : CVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	10.000	10.000	0.0	115	0.00
2	T,M Dichlorodifluoromethane	10.000	10.899	-9.0	142	0.00
3	P,T,M Chloromethane	10.000	10.507	-5.1	134	0.00
4	C,T,M Vinyl chloride	10.000	14.645	-46.4#	177	0.00
5	T,M Bromomethane	10.000	5.366	46.3#	75	0.00
6	T,M Dichlorofluoromethane	10.000	10.635	-6.3	123	0.00
7	T,M Chloroethane	10.000	8.983	10.2	108	0.00
8	T,M Trichlorofluoromethane	10.000	8.845	11.5	111	0.00
9	T,M Acrolein	50.000	27.725	44.5#	65	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	10.000	9.660	3.4	116	0.00
11	T,M Acetone	50.000	43.732	12.5	96	0.00
12	T,M tert-Butyl alcohol	250.000	220.530	11.8	102	0.00
13	C,T,M 1,1-Dichloroethene	10.000	10.041	-0.4	117	0.00
14	T,M Acetonitrile	100.000	96.026	4.0	109	0.00
15	T,M Allyl chloride	10.000	10.309	-3.1	117	0.00
16	T,M Iodomethane	10.000	6.669	33.3#	83	0.00
17	T,M Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M Methylene chloride	10.000	11.646	-16.5	117	0.00
19	T,M Acrylonitrile	50.000	37.860	24.3#	83	0.00
20	T,M tert-Butyl methyl ether (MT	10.000	10.448	-4.5	120	0.00
21	T,M Carbon disulfide	10.000	9.631	3.7	111	0.00
22	T,M trans-1,2-Dichloroethene	10.000	9.302	7.0	110	0.00
23	T,M Isopropyl ether (DIPE)	10.000	9.475	5.3	110	0.00
24	T,M Vinyl acetate	10.000	4.668	53.3#	50	0.00
25	P,T,M 1,1-Dichloroethane	10.000	9.917	0.8	118	0.00
26	T,M tert-Butyl ethyl ether (ETB	10.000	9.146	8.5	105	0.00
27	T,M 2-Butanone	50.000	38.964	22.1#	86	0.00
28	T,M Propionitrile	100.000	87.169	12.8	104	0.00
29	T,M Isobutyl alcohol	200.000	162.595	18.7	93	0.00
30	T,M 2,2-Dichloropropane	10.000	9.936	0.6	112	0.00
31	T,M Methacrylonitrile	100.000	98.112	1.9	115	0.00
32	T,M cis-1,2-Dichloroethene	10.000	9.823	1.8	119	0.00
33	C,T,M Chloroform	10.000	10.263	-2.6	127	0.00
34	T,M Bromochloromethane	10.000	9.343	6.6	105	0.00
35	T,M Tetrahydrofuran	10.000	8.042	19.6	94	-0.01
36	S Dibromofluoromethane	10.000	9.797	2.0	111	0.00
37	T,M 1,1,1-Trichloroethane	10.000	11.196	-12.0	130	0.00
38	T,M Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M tert-Amyl methyl ether (TAM	10.000	10.723	-7.2	118	0.00
40	T,M 1,1-Dichloropropene	10.000	9.737	2.6	110	0.00
41	S 1,2-Dichloroethane-d4	10.000	10.807	-8.1	129	0.00
42	T,M Carbon tetrachloride	10.000	10.964	-9.6	124	0.00
43	T,M 1,2-Dichloroethane	10.000	11.513	-15.1	130	0.00
44	T,M Benzene	10.000	10.133	-1.3	118	0.00
45	T,M Trichloroethene	10.000	9.332	6.7	110	0.00
46	T,M Methyl methacrylate	10.000	7.356	26.4#	89	-0.01
47	T,M Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M 1,2-Dichloropropane	10.000	10.808	-8.1	126	0.00
49	T,M 1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M Bromodichloromethane	10.000	11.853	-18.5	137	0.00
51	T,M Dibromomethane	10.000	10.325	-3.2	122	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	6.922	30.8#	78	0.00
53	T,M	4-Methyl-2-pentanone	50.000	50.000	0.0	111	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.839	-8.4	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	111	0.00
56	S	Toluene-d8	10.000	10.731	-7.3	118	0.00
57	T,M	Ethyl methacrylate	10.000	11.287	-12.9	121	0.00
58	C,T,M	Toluene	10.000	11.162	-11.6	125	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.206	-12.1	122	0.00
60	T,M	2-Hexanone	50.000	46.086	7.8	97	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.767	2.3	109	0.00
62	T,M	1,3-Dichloropropane	10.000	10.557	-5.6	119	0.00
63	T,M	Tetrachloroethene	10.000	9.984	0.2	115	0.00
64	T,M	Dibromochloromethane	10.000	9.345	6.5	106	0.00
65	T,M	1,2-Dibromoethane	10.000	9.352	6.5	102	0.00
66	T,M	1-Chlorohexane	10.000	10.235	-2.3	114	0.00
67	P,T,M	Chlorobenzene	10.000	10.045	-0.4	114	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.661	-6.6	117	-0.01
69	C,T,M	Ethylbenzene	10.000	10.555	-5.5	121	0.00
70	T,M	m-Xylene & p-Xylene	20.000	20.592	-3.0	123	0.00
71	T,M	o-Xylene	10.000	10.863	-8.6	121	0.00
72	T,M	Styrene	10.000	10.638	-6.4	117	0.00
73	T,M	Isopropylbenzene	10.000	10.626	-6.3	117	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	128	0.00
75	P,T,M	Bromoform	10.000	7.882	21.2#	103	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.414	15.9	111	-0.01
77	S	4-Bromofluorobenzene	10.000	9.596	4.0	125	0.00
78	T,M	1,2,3-Trichloropropane	10.000	9.239	7.6	122	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	7.310	26.9#	92	0.00
80	T,M	n-Propylbenzene	10.000	9.067	9.3	123	0.00
81	T,M	Bromobenzene	10.000	8.800	12.0	113	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.018	9.8	120	-0.01
83	T,M	2-Chlorotoluene	10.000	9.124	8.8	125	0.00
84	T,M	4-Chlorotoluene	10.000	11.052	-10.5	121	0.00
85	T,M	tert-Butylbenzene	10.000	9.334	6.7	125	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	9.256	7.4	121	0.00
87	T,M	sec-Butylbenzene	10.000	8.968	10.3	117	0.00
88	T,M	p-Isopropyltoluene	10.000	9.112	8.9	122	0.00
89	T,M	1,3-Dichlorobenzene	10.000	10.374	-3.7	122	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	9.762	2.4	127	0.00
91	T,M	1,4-Dichlorobenzene	10.000	10.438	-4.4	125	0.00
92	T,M	n-Butylbenzene	10.000	9.705	2.9	129	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.067	9.3	126	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.358	26.4#	101	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	8.528	14.7	113	0.00
96	T,M	Hexachlorobutadiene	10.000	8.779	12.2	113	-0.01
97	T,M	Naphthalene	10.000	8.048	19.5	105	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.570	14.3	113	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D Vial: 29
Acq On : 12 Jun 2024 00:30 Operator: DNguye
Sample : EVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	115	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.625	-8.9	142	0.00
3	P,T,M	Chloromethane	0.412	0.433	-5.1	134	0.00
4	C,T,M	Vinyl chloride	0.435	0.637	-46.4#	177	0.00
5	T,M	Bromomethane	0.294	0.158	46.3#	75	0.00
6	T,M	Dichlorofluoromethane	0.994	1.057	-6.3	123	0.00
7	T,M	Chloroethane	0.213	0.191	10.3	108	0.00
8	T,M	Trichlorofluoromethane	0.977	0.864	11.6	111	0.00
9	T,M	Acrolein	0.065	0.036	44.6#	65	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.411	3.5	116	0.00
11	T,M	Acetone	0.181	0.114	37.0#	96	0.00
12	T,M	tert-Butyl alcohol	0.061	0.054	11.5	102	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.897	-0.3	117	0.00
14	T,M	Acetonitrile	0.030	0.029	3.3	109	0.00
15	T,M	Allyl chloride	0.236	0.243	-3.0	117	0.00
16	T,M	Iodomethane	0.429	0.312	27.3#	83	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.738	7.9	117	0.00
19	T,M	Acrylonitrile	0.150	0.114	24.0#	83	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.561	-4.5	120	0.00
21	T,M	Carbon disulfide	1.370	1.319	3.7	111	0.00
22	T,M	trans-1,2-Dichloroethene	0.477	0.444	6.9	110	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.441	5.2	110	0.00
24	T,M	Vinyl acetate	0.866	0.404	53.3#	50	0.00
25	P,T,M	1,1-Dichloroethane	0.965	0.957	0.8	118	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.689	8.5	105	0.00
27	T,M	2-Butanone	0.047	0.037	21.3#	86	0.00
28	T,M	Propionitrile	0.055	0.048	12.7	104	0.00
29	T,M	Isobutyl alcohol	0.020	0.016	20.0	93	0.00
30	T,M	2,2-Dichloropropane	0.966	0.959	0.7	112	0.00
31	T,M	Methacrylonitrile	0.091	0.089	2.2	115	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.533	1.8	119	0.00
33	C,T,M	Chloroform	1.196	1.227	-2.6	127	0.00
34	T,M	Bromochloromethane	0.319	0.298	6.6	105	0.00
35	T,M	Tetrahydrofuran	0.126	0.101	19.8	94	-0.01
36	S	Dibromofluoromethane	0.612	0.600	2.0	111	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.208	-12.0	130	0.00
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.353	-7.3	118	0.00
40	T,M	1,1-Dichloropropene	0.236	0.230	2.5	110	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.875	-8.2	129	0.00
42	T,M	Carbon tetrachloride	0.913	1.001	-9.6	124	0.00
43	T,M	1,2-Dichloroethane	0.919	1.058	-15.1	130	0.00
44	T,M	Benzene	1.830	1.854	-1.3	118	0.00
45	T,M	Trichloroethene	0.505	0.471	6.7	110	0.00
46	T,M	Methyl methacrylate	0.448	0.329	26.6#	89	-0.01
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.505	-8.1	126	0.00
49	T,M	1,4-Dioxane	0.000	0.003	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	1.048	-18.6	137	0.00
51	T,M	Dibromomethane	0.380	0.392	-3.2	122	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.160	30.7#	78	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.512	0.0	111	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.885	-8.3	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	111	0.00
56	S	Toluene-d8	1.987	2.132	-7.3	118	0.00
57	T,M	Ethyl methacrylate	0.682	0.770	-12.9	121	0.00
58	C,T,M	Toluene	2.268	2.531	-11.6	125	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.087	-12.1	122	0.00
60	T,M	2-Hexanone	0.410	0.378	7.8	97	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.526	2.2	109	0.00
62	T,M	1,3-Dichloropropane	0.799	0.844	-5.6	119	0.00
63	T,M	Tetrachloroethene	0.496	0.495	0.2	115	0.00
64	T,M	Dibromochloromethane	0.807	0.754	6.6	106	0.00
65	T,M	1,2-Dibromoethane	0.580	0.542	6.6	102	0.00
66	T,M	1-Chlorohexane	0.751	0.768	-2.3	114	0.00
67	P,T,M	Chlorobenzene	1.498	1.505	-0.5	114	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.680	-6.8	117	-0.01
69	C,T,M	Ethylbenzene	2.742	2.894	-5.5	121	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.302	-3.0	123	0.00
71	T,M	o-Xylene	2.117	2.299	-8.6	121	0.00
72	T,M	Styrene	1.480	1.575	-6.4	117	0.00
73	T,M	Isopropylbenzene	2.412	2.563	-6.3	117	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	128	0.00
75	P,T,M	Bromoform	1.091	0.860	21.2#	103	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.173	15.9	111	-0.01
77	S	4-Bromofluorobenzene	1.587	1.523	4.0	125	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.356	7.5	122	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.285	26.7#	92	0.00
80	T,M	n-Propylbenzene	6.341	5.749	9.3	123	0.00
81	T,M	Bromobenzene	1.392	1.225	12.0	113	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.931	9.8	120	-0.01
83	T,M	2-Chlorotoluene	3.914	3.571	8.8	125	0.00
84	T,M	4-Chlorotoluene	3.796	3.656	3.7	121	0.00
85	T,M	tert-Butylbenzene	0.675	0.630	6.7	125	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.946	7.4	121	0.00
87	T,M	sec-Butylbenzene	4.940	4.430	10.3	117	0.00
88	T,M	p-Isopropyltoluene	4.145	3.777	8.9	122	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.071	10.1	122	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.124	2.4	127	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.162	8.0	125	0.00
92	T,M	n-Butylbenzene	3.942	3.826	2.9	129	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.981	9.3	126	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.209	26.1#	101	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.141	23.6#	113	0.00
96	T,M	Hexachlorobutadiene	0.755	0.663	12.2	113	-0.01
97	T,M	Naphthalene	3.377	2.718	19.5	105	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.089	23.3#	113	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	558649	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	454298	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	253559	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	335211	9.80	ug/l	0.00
Spiked Amount 10.000			Recovery = 98.00%			
41) 1,2-Dichloroethane-d4	5.723	65	488608	10.81	ug/L	0.00
Spiked Amount 10.000			Recovery = 108.10%			
56) Toluene-d8	7.594	98	968731	10.73	ug/l	0.00
Spiked Amount 10.000			Recovery = 107.30%			
77) 4-Bromofluorobenzene	11.369	95	386253	9.60	ug/l	0.00
Spiked Amount 10.000			Recovery = 96.00%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	349427	10.90	ug/l	97
3) Chloromethane	2.906	50	241726	10.51	ug/l	99
4) Vinyl chloride	2.994	62	355831	14.65	ug/l	99
5) Bromomethane	3.313	94	88173	5.37	ug/l	95
6) Dichlorofluoromethane	3.357	67	590451	10.63	ug/L	99
7) Chloroethane	3.346	64	106926	8.98	ug/l	100
8) Trichlorofluoromethane	3.511	101	482838	8.85	ug/l	100
9) Acrolein	3.742	56	100727	27.72	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	229878	9.66	ug/l	99
11) Acetone	3.764	43	318575	43.73	ug/l	97
12) tert-Butyl alcohol	3.874	59	749171	220.53	ug/L	99
13) 1,1-Dichloroethene	3.907	61	501386	10.04	ug/l	97
14) Acetonitrile	3.874	41	161890	96.03	ug/L	92
15) Allyl chloride	4.105	76	135942	10.31	ug/L	97
16) Iodomethane	4.149	142	174271	6.67	ug/l	89
18) Methylene chloride	4.182	49	412143	11.65	ug/l	97
19) Acrylonitrile	4.215	53	317994	37.86	ug/l	98
20) tert-Butyl methyl ethe...	4.226	73	872149	10.45	ug/L	96
21) Carbon disulfide	4.304	76	736880	9.63	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	247820	9.30	ug/l	100
23) Isopropyl ether (DIPE)	4.458	45	804763	9.47	ug/l	97
24) Vinyl acetate	4.546	43	225842	4.67	ug/l	99
25) 1,1-Dichloroethane	4.634	63	534398	9.92	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	943389	9.15	ug/l	89
27) 2-Butanone	4.854	72	102142	38.96	ug/l	100
28) Propionitrile	4.909	54	269229	87.17	ug/L	99
29) Isobutyl alcohol	5.030	43	177435	162.60	ug/L	90
30) 2,2-Dichloropropane	5.019	77	535968	9.94	ug/l	99
31) Methacrylonitrile	5.052	52	497516	98.11	ug/L	100
32) cis-1,2-Dichloroethene	5.063	96	297945	9.82	ug/l	99
33) Chloroform	5.173	83	685656	10.26	ug/l	97
34) Bromochloromethane	5.327	130	166465	9.34	ug/l	100
35) Tetrahydrofuran	5.316	42	56611	8.04	ug/L	96
37) 1,1,1-Trichloroethane	5.492	97	674612	11.20	ug/l	100
39) tert-Amyl methyl ether...	5.613	87	197374	10.72	ug/l	99
40) 1,1-Dichloropropene	5.613	110	128447	9.74	ug/L	96
42) Carbon tetrachloride	5.734	119	559012	10.96	ug/L	99
43) 1,2-Dichloroethane	5.800	62	591281	11.51	ug/L	97
44) Benzene	5.866	78	1035783	10.13	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Trichloroethene	6.372	130	263323	9.33	ug/L	94
46) Methyl methacrylate	6.428	69	183918	7.36	ug/L	87
48) 1,2-Dichloropropane	6.527	63	281960	10.81	ug/L	87
50) Bromodichloromethane	6.769	83	585219	11.85	ug/L	95
51) Dibromomethane	6.857	93	219174	10.32	ug/L	93
52) 2-Chloroethyl vinyl ether	6.934	63	89448	6.92	ug/L	99
53) 4-Methyl-2-pentanone	6.956	43	1429003	50.00	ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	494478	10.84	ug/L	94
57) Ethyl methacrylate	7.693	69	349925	11.29	ug/L	97
58) Toluene	7.693	91	1150015	11.16	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	494019	11.21	ug/l	94
60) 2-Hexanone	7.935	43	858508	46.09	ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	238823	9.77	ug/l	97
62) 1,3-Dichloropropane	8.353	76	383359	10.56	ug/l	100
63) Tetrachloroethene	8.508	164	224880	9.98	ug/l	96
64) Dibromochloromethane	8.783	129	342734	9.34	ug/l	99
65) 1,2-Dibromoethane	9.069	107	246445	9.35	ug/l	100
66) 1-Chlorohexane	9.124	91	348988	10.23	ug/l	99
67) Chlorobenzene	9.619	112	683636	10.05	ug/l	99
68) 1,1,1,2-Tetrachloroethane	9.641	131	308705	10.66	ug/l	99
69) Ethylbenzene	9.641	91	1314796	10.55	ug/l	99
70) m-Xylene & p-Xylene	9.740	91	2091623	20.59	ug/l	98
71) o-Xylene	10.411	91	1044565	10.86	ug/l	97
72) Styrene	10.455	104	715326	10.64	ug/l	95
73) Isopropylbenzene	10.940	105	1164206	10.63	ug/L	99
75) Bromoform	11.061	173	218105	7.88	ug/l	98
76) 1,1,2,2-Tetrachloroethane	11.193	83	297360	8.41	ug/l	96
78) 1,2,3-Trichloropropane	11.446	110	90145	9.24	ug/l	94
79) trans-1,4-Dichloro-2-b...	11.512	53	72176	7.31	ug/l	92
80) n-Propylbenzene	11.578	91	1457639	9.07	ug/l	98
81) Bromobenzene	11.732	156	310504	8.80	ug/l	95
82) 1,3,5-Trimethylbenzene	11.820	105	996755	9.02	ug/l	97
83) 2-Chlorotoluene	11.919	91	905394	9.12	ug/l	90
84) 4-Chlorotoluene	11.974	91	927005	11.05	ug/l	98
85) tert-Butylbenzene	12.414	134	159661	9.33	ug/l	99
86) 1,2,4-Trimethylbenzene	12.469	105	1000574	9.26	ug/l	97
87) sec-Butylbenzene	12.745	105	1123312	8.97	ug/l	100
88) p-Isopropyltoluene	12.954	119	957681	9.11	ug/l	95
89) 1,3-Dichlorobenzene	13.163	146	525095	10.37	ug/l	98
90) 1,2,3-Trimethylbenzene	13.251	105	1045617	9.76	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	548137	10.44	ug/l	98
92) n-Butylbenzene	13.614	91	970067	9.70	ug/l	99
93) 1,2-Dichlorobenzene	13.922	146	502195	9.07	ug/l	99
94) 1,2-Dibromo-3-chloropr...	15.133	157	52878	7.36	ug/l	98
95) 1,2,4-Trichlorobenzene	16.464	180	289302	8.53	ug/l	98
96) Hexachlorobutadiene	16.651	225	168078	8.78	ug/l	98
97) Naphthalene	16.871	128	689109	8.05	ug/l	98
98) 1,2,3-Trichlorobenzene	17.224	180	276227	8.57	ug/l	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



ANALYTICAL LOG(S)

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 05/19/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge Book #: AE2-031

BATCH VOE2E19

Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W Cl_2 <5ppm	Matrix S	Notes
01								
02								
03								
04								
05								
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/19/24
ICAL ID	VOE2E17

STANDARDS

NAME	ID	Amount (µL)	Conc (mg/L)
DCC CS_2	SVL-43-98-01	*	250
DCC GAS	-98-03	↓	250
DCC ~~METHANE~~	-97-02	↓	250/6250
DCC 8260	-97-01	↓	250
BFB	-96-02	1	50
IS/SURR	-96-02	5	20
	-96-03	X	250
ICV/LCS	-94-02	0.4	250
ICV/LCS	-94-01	1.4	250
ICV/LCS	-90-01	2	250
	-91-02	2	50
ICV/LCS	-85-02	2	50
Data File Folder	24E19		

	LOT #	Syringe Lot #
pH strip		1451 03-04-14-6
Chlorine strip		-04-13-3
Methanol		-03-25
$NaHSO_4$		-02-25
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments: * Varied amount

Analyzed By: DN

Date Disposed: 5/18/24 Disposed By: DN

Injection Log

Directory: d:\Data\24E17

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Reg116.d	1.	BFBE2E09	T/CHK	17 May 2024 11:2
2	2	Reg117.d	1.	VOE2E161 0.012 WRONG SPIKE	0.3ppb 8260/1.5pp...	17 May 2024 12:1
3	3	Reg118.d	1.	VOE2E172 0.02	0.5ppb 8260/2.5pp...	17 May 2024 12:3
4	4	Reg119.d	1.	VOE2E173 0.04	1.0ppb 8260/5.0pp...	17 May 2024 12:5
5	5	Reg120.d	1.	VOE2E174 0.08	2.0ppb 8260/10ppb...	17 May 2024 13:2
6	6	Reg121.d	1.	VOE2E175 0.2	5.0ppb 8260/25ppb...	17 May 2024 13:4
7	7	Reg122.d	1.	VOE2E176 0.4	10ppb 8260/50ppb ...	17 May 2024 14:0
8	8	Reg123.d	1.	VOE2E177 1.2uL	30ppb 8260/150ppb...	17 May 2024 14:3
9	9	Reg124.d	1.	VOE2E178 2uL	50ppb 8260/250pb ...	17 May 2024 14:5
10	10	Reg125.d	1.	VOE2E179 4uL	100ppb 8260/500pp...	17 May 2024 15:2
11	11	Reg126.d	1.	VOE2E1710 8uL	200ppb 8260/1000p...	17 May 2024 15:4
12	12	Reg127.d	1.	RINSE		17 May 2024 16:0
13	13	Reg128.d	1.	RINSE		17 May 2024 16:3
14	14	Reg129.d	1.	IVOE2E1701 %REC>20	10ppb 8260/50ppb ...	17 May 2024 21:0

ZL 5/23/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 05/18/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH 10E2E102

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W Cl_2 <5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

24 5/23/24

Instrument No.	E2		
INITIAL CALIBRATION REFERENCE			
DATE	5/17/24		
ICAL ID	10E2E17		
STANDARDS			
NAME	ID	Amount (µl)	Conc (µg/L)
DCC			
DCC			
DCC			
DCC			
BFB	SVI-43-76-02	1	50
IS/SURR.	-96-02	5	20
	-96-03	4	250
ICV/LCS	-94-02	4	250
ICV/LCS	-94-01	4	250
ICV/LCS	-90-01	2	250
	-94-02	2	50
ICV/LCS	↓ -85-02	2	50
Data File Folder	24E18		
	LOT #	Syringe Lot #	
pH strip		MSV-03-04-14-6	
Chlorine strip		↓ -04-13-3	
Methanol			
$NaHSO_4$			
Reagent Water	RW4-23-001		
Sand			
Electronic Data Archival Location		Date	
HPCHEM_VOA/10E2			

Comments:

Analyzed By: DN

Date Disposed: 5/20/24 Disposed By: DN

Injection Log

Directory: d:\Data\24E18

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Reg130.d	1.	BFBE2E09	T/CHK	18 May 2024 09:1
2	2	Reg131.d	1.	IVOE2E1702	10ppb 8260/50ppb ...	18 May 2024 09:5

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☐ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/10/14 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	6/17/14
ICAL ID	VOE2E17

STANDARDS

NAME	ID	Amount [µl]	Conc. [mg/L]
DCC	SVI-43-94-02	.4	
DCC	-98-03	.4	
DCC	-93-03	2	50/50
DCC	-86-01	2	
BFB	-38-02	1	
IS/SURR.	SVI-45-04-02	5	20
ICV/LCS	SVI-43-79-02	.4	
ICV/LCS	-82-01	.4	50/50
ICV/LCS	-92-01	2	
ICV/LCS	-77-01	2	
Data File Folder	24F10		

	LOT #	Syringe Lot #
pH strip	HC210330	MSVI-03-04-14-6
Chlorine strip	319171B	-13-3
Methanol		
$NaHSO_3$		
Reagent Water	RWH-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:

Analyzed By: DH

Date Disposed: 6/11/14 Disposed By: DH

Injection Log

Directory: d:\Data\24F10

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg061.d	1.	BFBF03	T/CHK	10 Jun 2024 15:55
2	2	Rfg062.d	1.	CVOE2E1706	10ppb 8260/50ppb ...	10 Jun 2024 16:35
3	3	Rfg063.d	1.	VOE2F03L	10ppb 8260/50ppb ...	10 Jun 2024 17:13
4	4	Rfg064.d	1.	VOE2F03C	10ppb 8260/50ppb ...	10 Jun 2024 17:37
5	5	Rfg065.d	1.	RINSE	10mL	10 Jun 2024 18:01
6	7	Rfg067.d	1.	VOE2F03B	10.0mL	10 Jun 2024 18:25
7	8	Rfg068.d	1.	24F004-05N	10.0mL	10 Jun 2024 18:48
8	9	Rfg069.d	1.	24F004-06I 10X	1.0mL	10 Jun 2024 19:12
9	10	Rfg070.d	1.	24F004-07I 10X	1.0mL	10 Jun 2024 19:36
10	11	Rfg071.d	1.	24F004-09N	10mL	10 Jun 2024 20:00
11	12	Rfg072.d	1.	24F004-10N	10mL	10 Jun 2024 20:24
12	13	Rfg073.d	1.	24F003-18	10mL	10 Jun 2024 20:48
13	14	Rfg074.d	1.	24F003-19	10mL	10 Jun 2024 21:11
14	15	Rfg075.d	1.	24F003-01N	10mL	10 Jun 2024 21:35
15	16	Rfg076.d	1.	24F003-02N	10mL	10 Jun 2024 21:59
16	17	Rfg077.d	1.	24F003-03N	10mL	10 Jun 2024 22:23
17	18	Rfg078.d	1.	24F003-04N	10mL	10 Jun 2024 22:46
18	19	Rfg079.d	1.	24F003-05N	10mL	10 Jun 2024 23:10
19	20	Rfg080.d	1.	24F003-06N	10mL	10 Jun 2024 23:33
20	21	Rfg081.d	1.	24F003-07N	10mL	10 Jun 2024 23:57
21	22	Rfg082.d	1.	24F003-08N	10mL	11 Jun 2024 00:20
22	23	Rfg083.d	1.	24F003-09N	10mL	11 Jun 2024 00:44
23	24	Rfg084.d	1.	24F003-10N	1.0mL	11 Jun 2024 01:08
24	25	Rfg085.d	1.	24F003-11	10mL	11 Jun 2024 01:32
25	26	Rfg086.d	1.	24F003-12	10mL	11 Jun 2024 01:56
26	27	Rfg087.d	1.	24F003-13	10mL	11 Jun 2024 02:19
27	37	Rfg088.d	1.	EVOE2E1706 ✓	10ppb 8260/50ppb ...	11 Jun 2024 02:43
28	38	Rfg089.d	1.	EVOE2E17061	10ppb 8260/50ppb ...	11 Jun 2024 03:06
29	39	Rfg090.d	1.	EVOE2E17062	10ppb 8260/50ppb ...	11 Jun 2024 03:30

pH < 2 Cl < 5

DK 6/18/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☐ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/11/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W Cl_2 <5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	VOE2F17

STANDARDS

NAME	ID	Amount (µl)	Conc. (ng/L)
DCC	SV1-43-94-02	.4	
DCC	-98-03	.4	
DCC	-93-03	2	
DCC	-86-01	2	50/250
BFB	-38-02	1	
IS/SURR.	SV1-45-04-02	5	20
ICV/LCS	SV1-43-79-02	.4	
ICV/LCS	-82-01	.4	50/250
ICV/LCS	-92-01	2	
ICV/LCS	-77-01	2	
Data File Folder			

	LOT #	Syringe Lot #
pH strip	HC210330	MGV-03-01-14-6
Chlorine strip	319117B	-13-3
Methanol		
$NaHSO_4$		
Reagent Water	RWH-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:


Analyzed By: DH

Date Disposed: 6/12/24 Disposed By: DH

Injection Log

Directory: d:\Data\24F11

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg091.d	1.	BFBF04	T/CHK	11 Jun 2024 12:47
2	2	Rfg092.d	1.	CVOE2E1707	10ppb 8260/50ppb ...	11 Jun 2024 13:35
3	3	Rfg093.d	1.	VOE2F04L	10ppb 8260/50ppb ...	11 Jun 2024 14:15
4	4	Rfg094.d	1.	VOE2F04C	10ppb 8260/50ppb ...	11 Jun 2024 14:39
5	5	Rfg095.d	1.	RINSE	10ppb 8260/50ppb ...	11 Jun 2024 15:03
6	6	Rfg096.d	1.	VOE2F04B	10.0mL	11 Jun 2024 15:26
7	7	Rfg097.d	1.	24F004-06N	10.0mL	11 Jun 2024 15:50
8	8	Rfg098.d	1.	24F004-01N	10.0mL	11 Jun 2024 16:14
9	9	Rfg099.d	1.	PV-004-08-03	10.0mL	11 Jun 2024 16:37
10	10	Rfg100.d	1.	24F004-08I 10X	1.0mL	11 Jun 2024 17:01
11	11	Rfg101.d	1.	24F003-14	10mL	11 Jun 2024 17:25
12	12	Rfg102.d	1.	24F003-15	10mL	11 Jun 2024 17:49
13	13	Rfg103.d	1.	24F003-16	10mL	11 Jun 2024 18:13
14	14	Rfg104.d	1.	24F003-17	10mL	11 Jun 2024 18:37
15	15	Rfg105.d	1.	24F038-01	10mL	11 Jun 2024 19:00
16	16	Rfg106.d	1.	RIMSE	1.0mL	11 Jun 2024 19:24
17	17	Rfg107.d	1.	24F019-01	10mL	11 Jun 2024 19:47
18	18	Rfg108.d	1.	24F019-02	10mL	11 Jun 2024 20:11
19	19	Rfg109.d	1.	24F019-04	10mL	11 Jun 2024 20:34
20	20	Rfg110.d	1.	24F019-05	10mL	11 Jun 2024 20:58
21	21	Rfg111.d	1.	24F019-06	10mL	11 Jun 2024 21:21
22	22	Rfg112.d	1.	24F019-07	10mL	11 Jun 2024 21:45
23	23	Rfg113.d	1.	24F019-08	10mL	11 Jun 2024 22:09
24	24	Rfg114.d	1.	24F019-09	10mL	11 Jun 2024 22:32
25	25	Rfg115.d	1.	24F019-10	10mL	11 Jun 2024 22:56
26	26	Rfg116.d	1.	24F019-11	10mL	11 Jun 2024 23:19
27	27	Rfg117.d	1.	24F019-02M	10mL	11 Jun 2024 23:42
28	28	Rfg118.d	1.	24F019-02S	10mL	12 Jun 2024 00:06
29	29	Rfg119.d	1.	EVOE2E1707 /	10ppb 8260/50ppb ...	12 Jun 2024 00:30
30	30	Rfg120.d	1.	EVOE2E17071	10ppb 8260/50ppb ...	12 Jun 2024 00:53
31	31	Rfg121.d	1.	EVOE2E17072	10ppb 8260/50ppb ...	12 Jun 2024 01:17



DK 6/18/24

STANDARD LOGS

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-10	CARBON DISULFIDE	5000 ppm	500 µL	250ppm
			IR	5/16/24

Standard ID	SV1-43-98-01
Name	CS_2 (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	IR

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-10	CARBON DISULFIDE	5000ppm	500µL	250ppm
			IR	5/16/24

Standard ID	SV1-43-98-02
Name	CS_2 (1°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	IR

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-19	VOC Gas Std.	2000ppm	1250 µL	250ppm
↓ -15-18	Vinyl Acetate	2500ppm	1000 µL	↓
			IR	5/16/24

Standard ID	SV1-43-98-03
Name	GAS (1°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	IR

Syringe ID: MSV-03-01-16
-03-03-05

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc. ppm	Aliquot µL	Final Conc. ppm
SV1-08-12-11	TBA	5000	200	500
09-07	1,2,3-TMB	2500	↓	250
13-20	0 Gas Add Std	2000	250	250
13-08	2- CLEVE	↓	↓	↓
13-18	1 Chlorohexane			
↓ 11-11	Cust. VOA Mix			
			DH 5/17/24	

Standard ID	SV1-43-97-01
Name	8260 (1)
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	DN

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc. ppm	Aliquot µL	Final Conc.
SV1-08-14-05	VOA Mix 1	5000	500	250 ppm
15-12	Acrolein & Acrylonitrile	↓	↓	↓
11-07	2-butanol	50000	250	6250 ppm
12-12	Cyclohexane	2000	↓	250 ppm
14-01	Methyl Acetate	2500	2500	↓
↓ 14-03	Methyl Cyclohexane	↓	↓	
			DH 5/17/24	

Standard ID	SV1-43-97-02
Name	Ref. AA - Mid.
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	DN

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-43-85-02	8260 (2°)	50 ppm	200 µL	5.0 ppm
↓ -85-02	624 (2°)	250 ppm	40 µL	↓
			IR 5/16/24	

Standard ID	SV1-43-97-03
Name	SIM (2°)
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/16/24
Exp. Date	9/22/24
Prepared By	IR

Syringe ID: MSV-03-03-05
-03-03-05

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-14-05	VOA Calibration Mix #1	5000ppm	0.5mL	250ppm
↓ 38-15-04	Acrolein + Acrylonitrile	↓	↓	↓
			DH 2/26/24	

Standard ID	SV1-43-76-01
Name	Ket-AA (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-11-24-02
Prep. Date	2/26/24
Exp. Date	5/26/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-30-02-02	VOA TUNING CMPD MIX	5000ppm	100mL	50ppm
			BL 2/26/24	

Standard ID	SV1-43-76-02
Name	BFB
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	2/26/24
Exp. Date	8/26/24
Prepared By	BL

Syringe ID: MSV-03-02-25

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-13-17	vinyl acetate	2000ppm	1.25mL	250 ppm
↓ -12-05	8260 gases	↓	↓	↓

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-10	Carbon Disulfide	5000ppm	250µL	250ppm
				LAP 3/11/24

Standard ID	SV1-43-79-01
Name	CS2 (1°)
Final Volume	10mL
MeOH Solvent ID	SVIA-011-24-01
Prep. Date	3/11/24
Exp. Date	9/11/24
Prepared By	LAP

Syringe ID: MSV-03-02-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-08-06	Carbon Disulfide	5000ppm	0.5mL	250 ppm
				LAP 3/11/24

Standard ID	SV1-43-79-02
Name	CS2 (2°)
Final Volume	10mL
MeOH Solvent ID	SVIA-011-24-01
Prep. Date	3/11/24
Exp. Date	9/11/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-19	VOC GAS Std	2000ppm	1.26mL	250ppm
↓ -14-09	Vinyl acetate	2500ppm	1.0mL	↓
				3/12/24

Standard ID	SV1-43-79-03
Name	GAS (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	03/12/24
Exp. Date	09/12/24
Prepared By	DM

Syringe ID: MSV-01-02-20-2

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-10-08	methyl acetate	1000ppm	0.5mL	50ppm
↓ -14-20	cyclohexane	↓	↓	↓
↓ -14-11	methylcyclohexane			
			N 2/7/24	

Standard ID	SV1-43-70-01
Name	3add (2°)
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-02
Prep. Date	2/7/24
Exp. Date	8/7/24
Prepared By	N

Syringe ID: MSV-03-03-04

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-15	methyl acetate	2500ppm	1.0mL	250ppm
↓ -14-03	methylcyclohexane	↓	↓	↓
↓ -12-12	cyclohexane	2000ppm	1.25mL	↓
↓ -08-11	2-butanol	50,000ppm	↓	6250ppm
			N 2/7/24	

Standard ID	SV1-43-70-02
Name	4add (1°)
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-02
Prep. Date	2/7/24
Exp. Date	8/7/24
Prepared By	N

Syringe ID: MSV-03-03-04

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-15	methyl acetate	2500ppm	1.0mL	250ppm
↓ -14-03	methylcyclohexane	↓	↓	↓
↓ -12-12	cyclohexane	2000ppm	1.25mL	↓
↓ -08-11	2-butanol	50,000ppm	↓	6250ppm
			N 2/7/24	

Standard ID	SV1-43-70-03
Name	4add (1°)
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-02
Prep. Date	2/7/24
Exp. Date	8/7/24
Prepared By	N

Syringe ID: MSV-03-03-04

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-15-10	8260 gases	2000 ppm	1.25 mL	250 ppm
↓ -38-15-13	vinyl acetate	↓	↓	↓
			DH 5/8/24	

Standard ID	SV1-43-94-01
Name	GAS (2°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/8/24
Exp. Date	11/8/24
Prepared By	LAP

Syringe ID: MSV-02-02-11
↓ -03-02-23

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-15-09	Ketones soln.	2500 ppm	1.0 mL	250 ppm
SV1-38-15-14	Acrolein & Acrylonitrile	↓	1.25 mL	↓
			DH 5/8/24	

Standard ID	SV1-43-94-02
Name	KET-AA (2°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/8/24
Exp. Date	7/31/24
Prepared By	LAP

Syringe ID: MSV-03-03-11
↓ ~~03-03~~ DH 5/8/24
MSV-0302-23

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-13-12	8260 IS Mix, 3-30	2500 ppm	1.0 mL	250 ppm
			LAP 5/10/24	

Standard ID	SV1-43-94-03
Name	IS
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/10/24
Exp. Date	11/10/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

DH 5/15/24

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SVL-38-13-12 ↓ 38-15-15	8260 IS Mix 8260A Surr Mix	2500ppm ↓	200µL ↓	50ppm ↓
			DH 5/13/24	

Standard ID	SV1-43-96-01
Name	IS/SS
Final Volume	10mL
MeOH Solvent ID	SWA-011-24-01
Prep. Date	5/13/24
Exp. Date	11/12/24
Prepared By	DH

Syringe ID: MSV-03-03-11 ↓ 02-03

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SVL-38-19-02	8260 IS	2500ppm	4µl	20ppm
			DH 5/16/24	

Standard ID	SV1-43-96-02
Name	IS (CF2)
Final Volume	5mL
MeOH Solvent ID	SVIA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/5/24
Prepared By	DH

Syringe ID: MSV-03-02-21

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SVL-38-10-13	8260A SU	2500ppm	1.0mL	250ppm
			DH 5/16/24	

Standard ID	SV1-43-96-03
Name	SS
Final Volume	10mL
MeOH Solvent ID	SWA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	DH

Syringe ID: MSV-03-01-14

Comments:

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

SM-38-10-B

Certificate of Analysis

chromatographic plus

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30240 **Lot No.:** A0192204

Description : 8260A Surrogate Mix

8260A Surrogate Mix 2,500µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : December 31, 2027 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dibromofluoromethane	1868-53-7	022013	99%	2,517.6 µg/mL	+/- 141.4279
2	1,2-Dichloroethane-d4	17060-07-0	PR-32845	99%	2,507.6 µg/mL	+/- 140.8661
3	Toluene-d8	2037-26-5	I-27008	99%	2,511.4 µg/mL	+/- 141.0796
4	1-Bromo-4-fluorobenzene (BFB)	460-00-4	184975	99%	2,517.8 µg/mL	+/- 141.4391

* Expanded Uncertainty displayed in same units as Grav. Cor

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)

Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)


Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID

Split Vent:
40 ml/min

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Daniel Wasson - Operations Tech I

Date Mixed: 02-Dec-2022 **Balance Serial #** 1128342314

Christie Mills - Operations Tech II - ARM QC

Date Passed: 06-Dec-2022

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k\sqrt{u^2_{gravimetric} + u^2_{homogeneity} + u^2_{storage\ stability} + u^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

SV1-38-13-12

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 7/13/2022
Original issue date: 7/13/2022

Certificate of Analysis

Date Received: 10/6/23

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -122455-05	484785	-18°C +/- 4°C	P/T Methanol	12-Jul-2027	Method 8260 Internal Standard Mix, 3-30, 2,500 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
chlorobenzene-d5	3114-55-4	99.5	128.120.1P	2504 ± 130
1,2-dichlorobenzene-d_4	2199-69-1	99.7	247.29.3P	2514 ± 130
1,4-difluorobenzene	540-36-3	99.3	129.158.1.2P	2523 ± 140

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

SVI-38-13-12

Certificate of Analysis

Catalog No.: Z-G34-122455-05 **Lot No.:** 484785 **Expiration Date:** 7/12/2027

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 12-Jul-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Bradley Richter	Jared Ball	Susan Mathews
Production Chemist I	**Quality Control Chemist II**	**Quality Control Team Lead**

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-01-20	Cont. Rev. 8260 Megamix	2000 ppm	250 µL	50 ppm
-02-03	Oxygenated Gas mix #1	↓	↓	↓
-11-19	2-CLEVE	↓	↓	↓
-12-20	1-Chlorohexane	1000	0.5 mL	↓
-12-06	1,2,3 TMB	2500	200 µL	↓
-11-18	TBA	50000	50 µL	500 ppm
↓ -12-19	Acetonitrile	20000	250 µL	↓
			IR	4/12/24

Standard ID	SV1-43-85-01
Name	8260 (2°) Soil
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	4/12/24
Exp. Date	10/12/24
Prepared By	IR

Syringe ID: MSV-03-03-05 ~~-18~~ IR 4/12/24
-03-03-03

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-01-20	Cont. Rev. 8260 Megamix	2000 ppm	250 µL	50 ppm
-02-03	Cont. Oxy. Gas Mix #1	↓	↓	↓
-11-19	2-CLEVE	↓	↓	↓
-12-20	1-chlorohexane	1000 ppm	0.5 mL	↓
-12-06	1,2,3 TMB	2500 ppm	200 µL	↓
↓ -11-18	TBA	50000 ppm	↓	1000 ppm
			IR 4/12/24	

Standard ID	SV1-43-85-02
Name	8260 (2°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	4/12/24
Exp. Date	10/12/24
Prepared By	IR

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-11	Cont. VOA mix 73-6047	2000 ppm	250 µL	50 ppm
-13-20	Oxy. Gas Acid.	↓	↓	↓
-13-05	2-CLEVE	↓	↓	↓
-13-18	1-chlorohexane	↓	↓	↓
-13-13	1,2,3 TMB	2500 ppm	200 µL	↓
↓ -12-11	TBA	50000 ppm	↓	1000 ppm

Standard ID	SV1-43-85-03
Name	8260 (1°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	4/12/24
Exp. Date	10/12/24
Prepared By	IR

Syringe ID: MSV-03-03-05

Comments:

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 575702 **Lot No.:** A0191824

Description : Custom Revised 8260 Megamix

Custom Revised 8260 Megamix 2,000 - 40,000µg/mL, P&T Methanol, 1mL/ampul

SVI-38-09-20

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : November 30, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dichlorofluoromethane (CFC-21)	75-43-4	12841600	99%	2,000.0 µg/mL	+/- 69.1292
2	Diethyl ether (ethyl ether)	60-29-7	SHBP5008	99%	2,011.0 µg/mL	+/- 69.5094
3	1,1,2-Trichlorotrifluoroethane (CFC-113)	76-13-1	00016133	99%	2,008.0 µg/mL	+/- 69.4057
4	1,1-dichloroethene	75-35-4	SHBG8609V	99%	2,001.6 µg/mL	+/- 69.9029
5	Iodomethane (methyl iodide)	74-88-4	RD220125	99%	2,007.5 µg/mL	+/- 69.3884
6	Allyl chloride (3-chloropropene)	107-05-1	RP220405A	99%	2,011.0 µg/mL	+/- 69.5094
7	Methylene chloride (dichloromethane)	75-09-2	SHBP1417	99%	2,001.6 µg/mL	+/- 69.9056
8	trans-1,2-Dichloroethene	156-60-5	MKBH9850V	99%	2,001.7 µg/mL	+/- 69.9064
9	1,1-Dichloroethane	75-34-3	760200	99%	2,001.1 µg/mL	+/- 69.8864
10	Chloroprene (2-chloro-1,3-butadiene)	126-99-8	220712JLM	99%	2,014.0 µg/mL	+/- 69.6131
11	Propionitrile	107-12-0	BCCF4167	99%	20,009.5 µg/mL	+/- 691.5748
12	2,2-Dichloropropane	594-20-7	RD220812	99%	2,004.3 µg/mL	+/- 70.0110
13	cis-1,2-Dichloroethene	156-59-2	MKCP7830	99%	2,014.0 µg/mL	+/- 70.3516
14	Methacrylonitrile	126-98-7	1012014	99%	20,031.5 µg/mL	+/- 692.3351
15	Methyl acrylate	96-33-3	SHBG6616V	99%	2,007.0 µg/mL	+/- 69.3711
16	Isobutanol (2-Methyl-1-propanol)	78-83-1	SHBP7066	99%	40,013.5 µg/mL	+/- 1,382.9594

17	chloroform	67-66-3	SHBN8469	99%	2,002.3	µg/mL	+/- 69.9291
18	Bromochloromethane	74-97-5	00008541	99%	2,011.9	µg/mL	+/- 70.2782
19	Tetrahydrofuran	109-99-9	SHBP0039	99%	2,005.0	µg/mL	+/- 69.3020
20	1,1,1-trichloroethane	71-55-6	RD220613	98%	2,001.2	µg/mL	+/- 69.8893
21	1,1-Dichloropropene	563-58-6	220617JLM	99%	2,014.0	µg/mL	+/- 70.3498
22	carbon tetrachloride	56-23-5	SHBL8097	99%	2,000.1	µg/mL	+/- 69.8514
23	1,2-Dichloroethane	107-06-2	MKCN9758	99%	2,001.6	µg/mL	+/- 69.9056
24	Benzene	71-43-2	MKCQ2104	99%	2,010.5	µg/mL	+/- 70.2293
25	2-Chloroethanol	107-07-3	RD220606A	99%	2,002.5	µg/mL	+/- 69.2156
26	Trichloroethene	79-01-6	SHBN3720	99%	2,001.6	µg/mL	+/- 69.9047
27	1,2-Dichloropropane	78-87-5	BCBR0882V	99%	2,001.8	µg/mL	+/- 69.9125
28	Methyl methacrylate	80-62-6	MKCQ2755	99%	2,007.5	µg/mL	+/- 69.3884
29	bromodichloromethane	75-27-4	MKCF8470	99%	2,001.7	µg/mL	+/- 69.9082
30	1,4-Dioxane	123-91-1	SHBP8653	99%	40,041.0	µg/mL	+/- 1,383.9099
31	2-Nitropropane	79-46-9	BCCB9352	97%	2,003.5	µg/mL	+/- 69.2514
32	Dibromomethane	74-95-3	10233302	99%	2,013.0	µg/mL	+/- 70.3149
33	cis-1,3-Dichloropropene	10061-01-5	RD220311	99%	2,001.9	µg/mL	+/- 69.9152
34	Toluene	108-88-3	ED097-US	99%	2,011.4	µg/mL	+/- 70.2608
35	Ethyl methacrylate	97-63-2	MKCN6206	97%	2,004.0	µg/mL	+/- 69.2681
36	trans-1,3-Dichloropropene	10061-02-6	RD220816	99%	2,000.5	µg/mL	+/- 69.8671
37	1,1,2-Trichloroethane	79-00-5	FGB01	99%	2,001.9	µg/mL	+/- 69.9134
38	1,3-Dichloropropane	142-28-9	BCCB9817	99%	2,011.1	µg/mL	+/- 70.2485
39	Tetrachloroethene	127-18-4	SHBJ7422	99%	2,001.2	µg/mL	+/- 69.8890
40	dibromochloromethane	124-48-1	MKCM8659	99%	2,002.2	µg/mL	+/- 69.9256
41	1,2-Dibromoethane (EDB)	106-93-4	BCCF5058	99%	2,006.0	µg/mL	+/- 70.0704
42	Chlorobenzene	108-90-7	SHBN6640	99%	2,000.1	µg/mL	+/- 69.8506
43	1,1,1,2-Tetrachloroethane	630-20-6	GC01	99%	2,009.8	µg/mL	+/- 70.2031
44	Ethylbenzene	100-41-4	094632L21G	99%	2,016.4	µg/mL	+/- 70.4337
45	m-Xylene	108-38-3	SHBN6673	98%	2,012.6	µg/mL	+/- 70.3019
46	p-Xylene	106-42-3	10234437	99%	2,009.1	µg/mL	+/- 70.1787
47	o-Xylene	95-47-6	SHBN5105	98%	2,010.1	µg/mL	+/- 70.2163
48	Styrene	100-42-5	MKCQ3390	99%	2,012.6	µg/mL	+/- 70.3027
49	Isopropylbenzene (cumene)	98-82-8	Z20D022	99%	2,009.3	µg/mL	+/- 70.1874
50	bromoform	75-25-2	MKCR0680	99%	2,000.8	µg/mL	+/- 69.8750
51	cis-1,4-Dichloro-2-butene	1476-11-5	RD220907	97%	2,000.0	µg/mL	+/- 69.1290
52	1,1,2,2-Tetrachloroethane	79-34-5	OXACF	99%	2,002.8	µg/mL	+/- 69.9466

53	1,2,3-Trichloropropane	96-18-4	332900	99%	2,010.3	µg/mL	+/- 70.2206
54	trans-1,4-dichloro-2-butene	110-57-6	RD220921RSR	94%	1,999.9	µg/mL	+/- 69.1240
55	n-Propylbenzene	103-65-1	MKCN1126	99%	2,009.1	µg/mL	+/- 70.1804
56	Bromobenzene	108-86-1	WXBC5147V	99%	2,012.5	µg/mL	+/- 70.2992
57	1,3,5-Trimethylbenzene	108-67-8	BCCF4166	99%	2,010.8	µg/mL	+/- 70.2381
58	2-Chlorotoluene	95-49-8	MKCF5243	99%	2,007.5	µg/mL	+/- 70.1228
59	4-Chlorotoluene	106-43-4	MKCC8496	99%	2,012.4	µg/mL	+/- 70.2957
60	tert-Butylbenzene	98-06-6	STBJ1937	99%	2,009.0	µg/mL	+/- 70.1769
61	1,2,4-Trimethylbenzene	95-63-6	WXBC9428V	98%	2,004.8	µg/mL	+/- 70.0297
62	sec-Butylbenzene	135-98-8	MKCP2266	99%	2,009.2	µg/mL	+/- 70.1839
63	p-Isopropyltoluene (p-Cymene)	99-87-6	MKCR6143	99%	2,007.6	µg/mL	+/- 70.1280
64	1,3-Dichlorobenzene	541-73-1	BCCD5315	99%	2,000.7	µg/mL	+/- 69.8715
65	1,4-Dichlorobenzene	106-46-7	MKBS4401V	99%	2,002.0	µg/mL	+/- 69.9195
66	n-Butylbenzene	104-51-8	09804AE	99%	2,006.9	µg/mL	+/- 70.1036
67	1,2-Dichlorobenzene	95-50-1	SHBN3835	99%	2,001.2	µg/mL	+/- 69.8898
68	1,2-Dibromo-3-chloropropane	96-12-8	HBMVB	97%	2,006.3	µg/mL	+/- 70.0843
69	Nitrobenzene	98-95-3	10224044	99%	2,004.0	µg/mL	+/- 69.2674
70	1,2,4-Trichlorobenzene	120-82-1	SHBM0526	99%	2,009.7	µg/mL	+/- 70.1996
71	Hexachlorobutadiene	87-68-3	X05J	99%	2,007.4	µg/mL	+/- 70.1210
72	Naphthalene	91-20-3	MKCH0219	99%	2,001.5	µg/mL	+/- 69.9132
73	1,2,3-Trichlorobenzene	87-61-6	MKBX7627V	99%	2,015.7	µg/mL	+/- 70.4092

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
60m x 0.25mm x 1.4µm
Rtx-502.2 (cat.#10916)

Carrier Gas:
helium-constant pressure 30 psi

Temp. Program:
40°C (hold 6 min.) to 240°C
@ 6°C/min. (hold 10 min.)


Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
MSD

Split Vent:
20.0 ml/min.

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Cathleen Soltis – Mix Technician

Date Mixed: 18-Nov-2022 **Balance Serial #** B251644995

Jennifer Polkino - Operations Tech III - ARM QC

Date Passed: 05-Dec-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k\sqrt{u^2_{gravimetric} + u^2_{homogeneity} + u^2_{storage\ stability} + u^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

SVI-38-02-03

RESTEK® CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

Certificate of Analysis

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30465 **Lot No.:** A0168072

Description : California Oxygenates Mixture #1

California Oxygenates Mixture #1 2000-10000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : January 31, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound		Grav. Conc. (weight/volume)		Expanded Uncertainty (95% C.L.; K=2)		
1	tert-Butanol (TBA) CAS # 75-65-0 Purity 99%	(Lot SHBL5806)	10,038.8	µg/mL	+/- 58.7794 +/- 215.0444 +/- 221.2897	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
2	Methyl-tert-butyl ether (MTBE) CAS # 1634-04-4 Purity 99%	(Lot SHBL0822)	2,005.6	µg/mL	+/- 11.7700 +/- 42.9699 +/- 44.2174	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
3	Diisopropyl ether (DIPE) CAS # 108-20-3 Purity 99%	(Lot SHBH1927V)	2,009.6	µg/mL	+/- 11.7935 +/- 43.0556 +/- 44.3056	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
4	Ethyl-tert-butyl ether (ETBE) CAS # 637-92-3 Purity 99%	(Lot MKCM3774)	2,006.0	µg/mL	+/- 11.7723 +/- 42.9785 +/- 44.2263	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
5	tert-Amyl methyl ether (TAME) CAS # 994-05-8 Purity 99%	(Lot HMBG7745V)	2,007.2	µg/mL	+/- 11.7794 +/- 43.0042 +/- 44.2527	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Miranda Kline - Operations Technician I

Date Mixed: 12-Jan-2021 **Balance:** B442140311

Justine Albertson - Operations Tech, ATM QC

Date Passed: 14-Jan-2021

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: M-601C-10X
Description: 2-Chloroethylvinyl ether
Lot: 223041132
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Apr 11, 2023
Expiration: Apr 11, 2026
Sample Size: 1 mL
Components: 1
Storage Condition: Freeze (<-10 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
2-Chloroethylvinyl ether	110-75-8	100.0	2005	2005

SV1-38-11-19

Reference Standard

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

SVI-38-11-19

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(\mathrm{V}))^2 + (u(\mathrm{m}))^2 + (u(\mathrm{IV}))^2 + (u(\mathrm{RO}))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of k=2 is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

SV1-38-11-18

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30470 **Lot No.:** A0188432

Description : tert-Butanol Standard

tert-Butanol Std 50,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : August 31, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Given Conc. (weight/volume)	Expanded Uncertainty (95% C.L., k=2)		
1	tert-Butanol (TBA)	50,300.0 µg/mL	+/- 294.5176	µg/mL	Gravimetric
	CAS # 75-65-0 (Lot I01619K21F-1)		+/- 1,077.4927	µg/mL	Unstressed
	Purity 99%		+/- 1,108.7850	µg/mL	Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

SVI-38-11-18

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Malina Homan - Operations Technician I **Date Mixed:** 11-Aug-2022 **Balance:** B251644995

Marlina Cowan – Operations Tech II ARM QC **Date Passed:** 15-Aug-2022

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

SVL-3871-18

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

Ibis Scientific, 7330 Smoke Ranch Rd., Suite B, Las Vegas, NV 89128 (855)390-4202

Date manufactured: 6/24/2022
Original issue date: 6/24/2022

Certificate of Analysis

Date Received: _____

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
3200-44	503601	≤ -10 °C	P/T Methanol	23-Jun-2027	1,2,3-Trimethylbenzene Solution, 2500 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
1,2,3-trimethylbenzene	526-73-8	92.7	869.8.4.1P	2536 ± 32.33

SVI-38-12-06

SM-38-12-20

Agilent

Trusted Answers

ISO 17034

Reference Material Certificate

Product Information Sheet

Product Name: 1-Chlorohexane Standard

Product Number: EPA-1208-1

Storage Conditions: Store at Room Temperature (15° to 30°C).

Lot Number: 0006735507

Lot Issue Date: 20-Mar-2023

Expiration Date: 30-Apr-2026

Chemical Name	Concentration	Uncertainty	CAS #	Analysis ID
1-chlorohexane	1000	± 5 µg/mL	000544-10-5	RM04313

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material (RM) standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above. Purity values are taken from approved vendor raw material certificates.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference (RM) standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference (RM) standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Expiration of Certification:
The certification of this analytical reference standard (RM) is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

Agilent

Trusted Answers

SM-38-12-20

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB
ACCREDITED
REFERENCE MATERIAL PRODUCER

ISO 17034 Cert
No. AR-1936

RM was produced in accordance with the TUV/SUD registered ISO 9001:2015 Quality Management System. Cert# 951215321

www.agilent.com/quality/
CSD-QA-015.1

ISO 17025

Agilent

Trusted Answers

ISO 17034

Reference Material Certificate

Product Information Sheet

Product Name:	Acrolein and Acrylonitrile Standard	**Lot Number:**	0006788822
Product Number:	AMN-623-1	**Lot Issue Date:**	20-Mar-2024
Storage Conditions:	Store Frozen (-25° to -10°C). SVI-38-15-14	**Expiration Date:**	31-Jul-2024

Component Name	Concentration		Uncertainty	CAS#	Analyte Lot
~~acrolein~~	2009	±	10 µg/mL	000107-02-8	RM20527
acrylonitrile	2009	±	10 µg/mL	000107-13-1	RM20527

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Expiration of Certification:
The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

CSD-QA-015.2

ISO 17025
Cert No. AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 **www.agilent.com/quality**

Agilent

Trusted Answers

SV1-38-15-K

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB
ACCREDITED
ISO 17034
REFERENCE MATERIAL PRODUCER

RM was produced in accordance with the TUV/SUD registered ISO 9001:2015 Quality Management System. Cert# 951215321

www.agilent.com/quality/
CSD-QA-015.2

ISO 17034
Cert No. AR-1936

ISO 17025
Cert No. AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 **www.agilent.com/quality**

SVI-38-15-09

14271 Jeffrey Road
#223
Irvine, CA 92620

ibis scientific

For Chemical Emergency, Spill, Leak, Fire Exposure or Accident Call Chromanex Day or Night 800.390.4202

Quality System Audited & Registered by TUV USA to ISO 9001:2015

Date Received: 2/8/24

Certificate of Analysis

Rev 0 Page

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
G34-3200-121020 -17	480682	≤ -10 °C	P/T MeOH:Water 9:1	4/28/2027	Ketones Solution, 2500 mg/L, 1 ml ISO17034

Compound	CAS No	Purity (%)	Compound Lot No	Concentration, mg/L
acetone	67-64-1	99.6	196.271.4P	2498 ± 53.47 mg/L
2-butanone (MEK)	78-93-3	99.9	197.1.2P	2498 ± 53.51 mg/L
4-methyl-2-pentanone (MIBK)	108-10-1	99.88	198.421.1.2P	2500 ± 54.02 mg/L
2-hexanone	591-78-6	100	199.7.3P	2501 ± 53.58 mg/L

Certified By: Melissa Workoff

Melissa Workoff

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: APP-9-211-20X
Description: Vinyl acetate
Lot: 224031313
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*

Date Certified: Mar 22, 2024
Expiration: Sep 22, 2024
Sample Size: 1 mL
Components: 1
Storage Condition: Freeze (<-10 °C)



Signal Word: Danger

SVI-38.15-13

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Vinyl acetate	108-05-4	100.0	2006	2006

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4% and was determined in accordance with ISO 17034. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/IND-001
Rev. 7/20

SVI-38-15-10

Ibis Scientific, 7330 Smoke Ranch Rd., Suite B, Las Vegas, NV 89128 (855) 390-4202

Date manufactured: 12/14/2023
Original issue date: 12/14/2023

Certificate of Analysis

Date Received: 2/8/24
Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
3200-G34 -120016-03	513798	≤ -10 °C	P/T Methanol	12-Dec-2028	ISO 17034 - Method 8260 Gases, 2,000 mg/L, 2 x 0.6 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC), gas chromatography/mass spectrometry (GC/MS), or High Pressure Liquid Chromatography (HPLC) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
bromomethane	74-83-9	99.9	139.158.2.1P	1962 ± 23
chloroethane	75-00-3	99.94	141.2.3P	1995 ± 23
chloromethane	74-87-3	99.7	140.158.3P	2018 ± 24
dichlorodifluoromethane	75-71-8	99	142.158.5.1P	2026 ± 47
trichlorofluoromethane	75-69-4	99	144.1.3P	1995 ± 38
vinyl chloride	75-01-4	99	143.158.5.3P	1962 ± 45

Second Source standards are prepared according to NELAC requirements.

Intended Use:

This certified reference material (CRM) is intended for use as a calibration standard or a quality control standard for chromatography instrumentation such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various USEPA, NIOSH, and ASTM methods.

Recommended storage container for ampouled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix
y = boiling point of the solvent

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened

Certificate of Analysis

Catalog No.: 3200-G34-120016 **Lot No.:** 513798 **Expiration Date:** 12/12/2028

ampoule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricllly.

Packaging and Storage:

The solution should be stored according to the following storage requirements: **≤ -10 °C**
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a sealed ampoule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

This standard was prepared gravimetrically using balances that are calibrated to the requirements of ISO/IEC 17025. All balances are calibrated externally by an accredited ISO/IEC 17025 calibration laboratory using weight sets traceable to the International System of Units (SI) through the national reference standards maintained by NIST.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025 and ISO 17034.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $U=ku_c$; U=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 12-Dec-2028

Manufactured By:	**Certified By:**	**Released By:**
Melissa Workoff		Susan Mathews
Melissa Workoff Production Chemist II	Dominique Lindner Quality Control Chemist I	Susan Mathews Quality Control Team Lead

Certificate of Analysis

Catalog No.: 3200-G34-120016 **Lot No.:** 513798 **Expiration Date:** 12/12/2028

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	Quality Control Chemist I	Quality Control Team Lead

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SVL-38-11-11

Date manufactured: 3/13/2023
Original issue date: 3/13/2023

Certificate of Analysis

Date Received:

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -126047-01	498957	≤ -10 °C	P/T Methanol	13-Sep-2024	Custom Volatiles Mix, 73-6047, Various Concentrations, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-nitropropane	79-46-9	97.7	219.1.2P	2003 ± 110
allyl chloride	107-05-1	98.9	227.1.2P	2024 ± 120
benzene	71-43-2	99.99	146.1.10P	1997 ± 110
bromobenzene	108-86-1	100	147.7.1P	1999 ± 140
bromochloromethane	74-97-5	99.7	148.1.3P	1998 ± 110
bromodichloromethane	75-27-4	99.2	149.1.12P	1988 ± 110
bromoform	75-25-2	99.3	150.7.2P	1989 ± 110
n-butylbenzene	104-51-8	99.2	151.7.3.2P	1997 ± 110
sec-butylbenzene	135-98-8	99.5	152.1.2.1P	1999 ± 110
tert-butylbenzene	98-06-6	99.9	153.29.1P	1999 ± 110
carbon tetrachloride	56-23-5	100	154.9.1P	1997 ± 110
chlorobenzene	108-90-7	99.9	155.29.1P	2001 ± 110
2-chloroethanol	107-07-3	99.5	217.1.3P	2000 ± 110
chloroform	67-66-3	99.8	156.7.1P	1998 ± 110
chloroprene	126-99-8	98.9	315.5.22P	1982 ± 140
2-chlorotoluene	95-49-8	99.5	157.7.1P	1998 ± 110
4-chlorotoluene	106-43-4	99.9	158.9.3P	2000 ± 110

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

cis-1,2-dichloroethylene	156-59-2	98.5	166.1.7.1P	1997 ± 110
dibromochloromethane	124-48-1	98.6	159.1.8.1P	2013 ± 110
1,2-dibromo-3-chloropropane	96-12-8	98.6	160.7.2.3P	2000 ± 110
1,2-dibromoethane	106-93-4	99.9	161.9.1P	2008 ± 110
dibromomethane	74-95-3	99.8	162.1.2P	1996 ± 120
1,2-dichlorobenzene	95-50-1	99.5	43.1.2P	1999 ± 110
1,3-dichlorobenzene	541-73-1	99.5	44.1.3P	2001 ± 110
1,4-dichlorobenzene	106-46-7	99.9	45.29.1P	2000 ± 110
cis-1,4-dichloro-2-butene	1476-11-5	98	209.1.5P	2004 ± 110
trans-1,4-dichloro-2-butene	110-57-6	93.5	201.1.17.1P	1991 ± 110
1,1-dichloroethane	75-34-3	98.1	163.247.1.2P	1992 ± 110
1,2-dichloroethane	107-06-2	99.9	164.158.1P	2001 ± 110
1,1-dichloroethylene	75-35-4	99.98	165.1.4P	1999 ± 110
trans-1,2-dichloroethylene	156-60-5	99.7	167.1.7P	1999 ± 110
dichlorofluoromethane (Freon 21)	75-43-4	98	986.5.4.2P	1960 ± 140
1,2-dichloropropane	78-87-5	99.7	168.8.1.1P	2001 ± 120
1,3-dichloropropane	142-28-9	100	169.7.3P	1971 ± 140
2,2-dichloropropane	594-20-7	98.1	170.7.4P	2002 ± 110
1,1-dichloropropylene	563-58-6	99	171.158.2.4P	2001 ± 120
cis-1,3-dichloropropylene	10061-01-5	99.5	172.7.6.1P	2010 ± 110
trans-1,3-dichloropropylene	10061-02-6	98.8	173.7.4.12P	1991 ± 110
1,4-dioxane	123-91-1	99.93	223.1.4P	40750 ± 2100
ethyl ether	60-29-7	99.8	226.9.1P	2000 ± 110
ethyl methacrylate	97-63-2	99.5	216.7.1P	2004 ± 110
ethylbenzene	100-41-4	100	174.7.1P	1998 ± 110

Manufactured By:

Sanquetta Coakley
Production Chemist I

Certified By:

Dominique Lindner
Quality Control Chemist I

Released By:

Susan Mathews
Quality Control Team Lead

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

hexachlorobutadiene	87-68-3	98	47.158.3P	2000 ± 120
iodomethane	74-88-4	99.9	203.29.2P	2000 ± 110
isobutyl alcohol	78-83-1	99.8	220.7.3P	39990 ± 2100
isopropylbenzene	98-82-8	99.9	176.9.3P	2004 ± 110
4-isopropyltoluene	99-87-6	99.9	177.9.3P	1988 ± 110
methyl acrylonitrile	126-98-7	98	212.286.1.2P	19960 ± 1300
methyl methacrylate	80-62-6	100	231.7.4P	2043 ± 110
methyl acrylate	96-33-3	98.5	349.7.1P	1999 ± 110
methylene chloride	75-09-2	99.9	178.24.4P	1999 ± 110
naphthalene	91-20-3	99.8	26.9.1P	2020 ± 110
nitrobenzene	98-95-3	100	94.7.1P	2002 ± 110
propionitrile	107-12-0	99.7	218.7.2.1P	19950 ± 1000
n-propylbenzene	103-65-1	99.7	179.7.2.2P	1998 ± 110
styrene	100-42-5	99.5	180.9.4P	1999 ± 110
1,1,1,2-tetrachloroethane	630-20-6	99.8	181.7.2.9P	2003 ± 110
1,1,2,2-tetrachloroethane	79-34-5	99.4	182.8.2P	2000 ± 120
tetrachloroethylene	127-18-4	100	183.1.2VP	2004 ± 110
tetrahydrofuran (THF)	109-99-9	100	299.7.1P	1996 ± 110
toluene	108-88-3	100	184.48.1P	2000 ± 110
1,2,3-trichlorobenzene	87-61-6	99.8	185.1.2P	1999 ± 110
1,2,4-trichlorobenzene	120-82-1	99.6	54.29.1P	1987 ± 110
1,1,1-trichloroethane	71-55-6	99	187.1.1P	1998 ± 120
1,1,2-trichloroethane	79-00-5	99.6	195.7.1.6P	1997 ± 110
trichloroethylene	79-01-6	100	188.29.2P	1998 ± 110
1,2,3-trichloropropane	96-18-4	99.5	189.1.3P	1998 ± 110

Manufactured By:

Sanquetta Coakley
Production Chemist I

Certified By:

Dominique Lindner
Quality Control Chemist I

Released By:

Susan Mathews
Quality Control Team Lead

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	76-13-1	99	270.158.3.1P	2002 ± 120
1,2,4-trimethylbenzene	95-63-6	98.7	190.7.1P	1999 ± 110
1,3,5-trimethylbenzene	108-67-8	99.5	191.7.1P	2001 ± 110
m-xylene	108-38-3	99.7	193.7.1.2P	1999 ± 110
o-xylene	95-47-6	99	192.29.3P	1998 ± 120
p-xylene	106-42-3	99.9	194.7.1P	1999 ± 110

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)

y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Manufactured By:	Certified By:	Released By:
Sanquetta Coakley	Dominique Lindner	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 13-Sep-2024

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Sanquetta Coakley	Dominique Lindner	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

GM - 38-12-11

Date manufactured: 11/16/2022
Original issue date: 11/16/2022

Certificate of Analysis

Date Received:
Page 1 of 2 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020511-06	492310	≤ -10 °C	P/T Methanol	15-Nov-2027	t-Butyl Alcohol Solution, 50,000 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
tert-butyl alcohol	75-65-0	100	511.7.2P	50110 ± 2600

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

Certificate of Analysis

Catalog No.: Z-G34-020511-06 **Lot No.:** 492310 **Expiration Date:** 11/15/2027

(95% confidence) values listed are determined gravimetricllly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 15-Nov-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	**Quality Control Chemist I**	**Quality Control Team Lead**

SVI-38-B-08

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 8/24/2022
Original issue date: 8/24/2022

Certificate of Analysis

Date Received: 10/6/23
 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020145-02	492308	≤ -10 °C	P/T Methanol	23-Aug-2027	2-Chloroethyl Vinyl Ether Solution, 2,000 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-chloroethylvinyl ether	110-75-8	99.8	145.1.5P	2010 ± 110

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

SN-39-13-08

Certificate of Analysis

Catalog No.: Z-G34-020145-02 **Lot No.:** 492308 **Expiration Date:** 8/23/2027

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 23-Aug-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Sanquetta Coakley	Dominique Lindner	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SVI-38-09-07

Date manufactured: 6/24/2022
Original issue date: 6/24/2022

Certificate of Analysis

Date Received:

 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020869-08	484154	≤ -10 °C	P/T Methanol	23-Jun-2027	1,2,3-Trimethylbenzene Solution, 2,500 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
1,2,3-trimethylbenzene	526-73-8	92.7	869.8.4.1P	2536 ± 140

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVr38-09-05

Certificate of Analysis

Catalog No.: Z-G34-020869-08 **Lot No.:** 484154 **Expiration Date:** 6/23/2027

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 23-Jun-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Brian Stokes	J Ball	Susan Mathews
Brian Stokes	Jared Ball	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

SV1-30-02-02

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ilac-MRA

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30003 **Lot No.:** A0150458

Description : VOA Tuning Compound Mix

VOA Tuning Compound Mix 5,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2024 **Storage:** 0°C or colder

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)		
1	1-Bromo-4-fluorobenzene (BFB)	5,030.0 µg/mL	+/- 29.5189	µg/mL	Gravimetric
	CAS # 460-00-4 (Lot 20401KO)		+/- 282.0557	µg/mL	Unstressed
	Purity 99%		+/- 288.6541	µg/mL	Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Walker Workman - Operations Technician I

Date Mixed: 27-Jun-2019 **Balance:** 1128342314

Justine Albertson - Operations Tech-RTM GC

Date Passed: 01-Jul-2019

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 3/10/2023
Original issue date: 3/10/2023

Certificate of Analysis

Date Received:

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020200-04	498954	≤ -10 °C	P/T Methanol	8-Mar-2028	Carbon Disulfide Solution, 5,000 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
carbon disulfide	75-15-0	99.9	200.24.1VP	5075 ± 260

*Not a certified value

SVL-38-11-10

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVI-38110

Certificate of Analysis

Catalog No.: Z-G34-020200-04 **Lot No.:** 498954 **Expiration Date:** 3/8/2028

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 8-Mar-2028

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	**Quality Control Chemist I**	**Quality Control Team Lead**

SVI-38-12-19

Agilent

Trusted Answers

ISO 17034

Reference Material Certificate

Product Information Sheet

Product Name: VOC Gas Standard

Product Number: DWM-544-1

Storage Conditions: Store Frozen (-25° to -10°C).

Lot Number: 0006744131

Lot Issue Date: 23-May-2023

Expiration Date: 30-Jun-2025

Component Name	Concentration		Uncertainty	CAS#	Analyte Cat#
bromomethane	2009	±	10 µg/mL	000074-83-9	RM00064
chloroethane	2008	±	10 µg/mL	000075-00-3	RM00065
chloromethane	2006	±	10 µg/mL	000074-87-3	RM12571
dichlorodifluoromethane	2010	±	10 µg/mL	000075-71-8	RM05289
trichlorofluoromethane	2009	±	10 µg/mL	000075-69-4	RM00017
vinyl chloride	2009	±	10 µg/mL	000075-01-4	RM05458

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

SVI-38-12-19

Agilent

Trusted Answers

Expiration of Certification:
The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER

ISO 17034
Cert No. AR-1936

RM was produced in accordance with the TUV/SUD registered ISO 9001:2015 Quality Management System. Cert# 951215321

www.agilent.com/quality/
CSD-QA-015.2

ISO 17025
Cert No. AT-1937

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SVI-38-15-18

Date manufactured: 11/16/2022
Original issue date: 11/16/2022

Certificate of Analysis

Date Received:

 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020232-10	492307	≤ -10 °C	P/T Methanol	20-Nov-2025	Vinyl Acetate Solution, 2,500 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
vinyl acetate	108-05-4	99.9	232.7.1P	2496 ± 160

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVI-38.15-18

Certificate of Analysis

Catalog No.: Z-G34-020232-10 **Lot No.:** 492307 **Expiration Date:** 11/20/2025

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 20-Nov-2025

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (Certificate number 3031.02) accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	**Quality Control Chemist II**	**Quality Control Team Lead**

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SVI-30-13-20

CERTIFICATE OF ANALYSIS

Catalog No: OGAD-001
Description: Oxygenate Gasoline Additive Standard
Lot: 222081419
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 29, 2022
Expiration: Aug 29, 2025
Sample Size: 1 mL
Components: 5
Storage Condition: Refrig (0-5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity % (GC/MS)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
MtBE	1634-04-4	99.8	2001	1997
EtBE	637-92-3	99.9	2004	2002
Isopropyl ether	108-20-3	100.0	2010	2010
TAME	994-05-8	99.0	2000	1980
t-Butanol	75-65-0	99.6	10005	9965

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SVI - 38-13-18

CERTIFICATE OF ANALYSIS

Catalog No: M-8010R-1-04-10X
Description: 1-Chlorohexane
Lot: 223031117
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 8, 2023
Expiration: Mar 8, 2033
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
1-Chlorohexane	544-10-5	98.0	2024	1984

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/ND-001
Rev. 7/20

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ~~ISO 9001:2015 – Quality Management System -- Requirements~~ Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

SVI-38-08-06

Agilent

Certificate of Analysis

Product Name: Carbon Disulfide Standard

Product Number: EPA-1012-1 **Lot Issue Date:** 21-Sep-2020

Lot Number: 0006557585 **Expiration Date:** 30-Sep-2024

Description:
This analytical reference material (RM) was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	Concentration ± Uncertainty
carbon disulfide	000075-15-0	RM08158	5023 ± 25 µg/mL

Matrix: methanol (methyl alcohol)

Storage Conditions: Store Frozen (-25° to -10°C).

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This RM was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Intended Use:
This RM is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Hazards:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this RM.

Expiration of Certification:
The certification of this RM is valid until the expiration date specified above, provided the RM is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the RM is damaged, contaminated, or otherwise modified.

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER
ISO 17034 Cert
No. AR-1936

RM was produced in accordance with TUV USA Inc registered ISO 9001 Quality Management System. Cert # 56 100 18560026

www.agilent.com/quality/
CSD-QA-015.1

ANAB ACCREDITED TESTING LABORATORY
ISO 17025 Cert
No. AT-1937

spex certiprep
ACCREDITED
Reference Materials Producer
Cert #2495.01

SPEXertificate®
Certificate of Reference Material

ACCREDITED
Chemical Testing
Cert #2495.02

Catalog Number: S-3893 **Lot No.** ND210224010

Description: Methyl acetate

Matrix: Methanol (Purge & Trap Grade)

Ship Date: January 5, 2023
Expiration Date: January 4, 2026

This **SPEXOrganics®** Certified Reference Material, CRM, is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled	Purity	Certified†	Uncertainty
Methyl acetate	79-20-9	1000 µg/mL	99.5%	1015 µg/mL	± 36 µg/mL

SVI-38-10-08

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified by Gas Chromatography/Mass Spectrometry. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration based on gravimetric weights and corrected for the purity of the compound(s) used to prepare the standard. Analytical balance calibration is verified daily and traceable to NIST and NJ Division of Weights and Measures.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: January 5, 2023

Certifying Officer: Shannon Mace

Shannon Macieira, Operations Manager

© 2021 | Spex, an Antylia Scientific company.

Report of Certification

SVI-38-10-08

Catalog Number: S-3893 **Lot No.** ND210224010

Description: Methyl acetate

Matrix: Methanol (Purge & Trap Grade)

Ship Date: January 5, 2023

Expiration Date: January 4, 2026

This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by DQS), ISO/IEC 17025 (accredited by A2LA) and ISO 17034 (accredited by A2LA) quality system consistent with the following standards:

- ISO 9001: Quality management systems - Requirements
- ISO/IEC 17025: General requirements for the competence of testing and calibration laboratories
- ISO 17034: General requirements for the competence of reference material producers
- ISO Guide 31: Reference Materials - Contents of certificates, labels, and accompanying documentation
- ISO Guide 30: Reference Materials - Selected terms and definitions
- ISO Guide 35: Reference Materials - General and Statistical principles for certification
- Guide to the Expression of Uncertainty in Measurement
- EURACHEM/CITAC Guide: Qualifying Uncertainty in Analytical Measurement
- NIST Technical Note 1297

Storage Requirements:

To ensure the stability of the product once it arrives in your laboratory, please store this product in ambient conditions (18°C to 27°C). Note: Shipping conditions may differ from storage conditions. The EXPIRATION DATE is calculated from the SHIPPED DATE using our stability data and is applicable only if the product is stored under the laboratory specified conditions.

Instructions for Use:

Let material come to room temperature before use. Check for precipitate and if necessary sonicate for one minute. If compounds do not dissolve after one minute then sonicate further until the product is dissolved. A clear appearance is acceptable. The minimum recommended amount that should be removed from this vial is 5µL with a 25µL gas tight syringe. All solutions should be thoroughly mixed, by shaking, prior to use. All surfaces that come in contact with the solution must be thoroughly cleaned prior to use. Dilutions should be performed only with Class A volumetric glassware.

Material Source:

All analytes and matrix materials are obtained and verified by SPEX CertiPrep from pre-qualified vendors as per ISO guidelines. Vendor identifications are proprietary, however sources of all materials used in the preparation and testing of SPEX CertiPrep CRMs are tracked and documented. For assistance, please contact sales support at crmsales@spexcsp.com.

Method of Preparation:

Clean laboratory procedures and techniques have been used throughout the preparation. All materials, equipment, and analytical instrumentation have been qualified prior to use. The highest purity solvents and Class A / calibrated volumetrics have been used in all preparations.

Homogeneity:

The homogeneity of this CRM has been confirmed by procedures consistent with ISO 17025, ISO 17034, and ASTM D6362-98 Appendix X2. Random, replicate samples of the final, packaged material have been analyzed to prove homogeneity in accordance with our internal procedure. This is consistent with the intended use of this CRM. The Degree of Homogeneity, as expressed as maximum between-bottle variation, is 1.2%

Statistical Estimator and Confidence Limits:

The Certified value 'X' as listed on the reverse of this document is at the 95% level of confidence and can be expressed as:

- $X = x \pm U$ where X=certified value, U=expanded uncertainty, x=property value
- $U = ku_c$ where k=2 is the coverage factor at the 95% confidence level
- u_c = combined standard uncertainty obtained by combining the individual compound standard uncertainty components u_i where $u_c=\sqrt{\sum u_i^2}$

Legal Notice:

SPEX CertiPrep Certified Reference Materials are not for any cosmetic, drug, or household application and are to be used only by qualified individuals who are trained in appropriate procedures. No claims against SPEX CertiPrep of any kind whatsoever, whether based on breech of warranty, alleged negligence, or otherwise, with respect to this Reference Material shall be greater than the purchase price. In no event shall SPEX CertiPrep be liable for any loss of profits or any incidental, special, or consequential damages.

SPEX CertiPrep.
Your Science is Our Passion.®

203 Norcross Ave. Metuchen, NJ 08840
www.spexcertiprep.com • E-mail: crmsales@spexcsp.com
Phone: 1-732-549-7144 • Fax 1-732-603-9647

SV1-38-14-11

SPEXertificate®

Certificate of Reference Material

Catalog Number: S-2470 **Lot No.** NSI231116202
Description: Methylcyclohexane
Matrix: P&T Methanol
Manufactured Date: 11/16/2023
Expiration Date: 11/30/2026

This **SPEXOrganics®** Certified Reference Material, CRM, was manufactured by NSI Lab Solutions (www.nsilabsolutions.com) and is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled (ug/mL)	Purity	Certified† (ug/mL)		Uncertainty (ug/mL)
Methylcyclohexane	108-87-2	1000	98.0%	1000	±	7.05

SV1-38-14-11

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified Volumetrically and Analytically. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration is based on gravimetric or volumetric measurements. All balances are checked daily by an in-house standard operating procedure. The weights used for this daily verification are calibrated annually by an ISO/IEC 17025 accredited calibration laboratory and are certified traceable to NIST. Certificate of Calibration and Traceability available upon request. All glassware used in the manufacturing of this standard is Class A. Volumetric pipettors are calibrated every four months by an ISO/IEC 17025 accredited calibration laboratory.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: 11/16/2023 Certifying Officer: Kenneth Grzybowski

Report of Certification

This Certified Reference Material (CRM) has been produced by NSI Lab Solutions (www.nsilabsolutions.com) and certified under an ISO 9001 (certified by DQS) and ISO 17025 (accredited by ANAB AT-1690), and ISO 17034 (accredited by ANAB AR-1571) quality system consistent with the following standards:

- ISO 9001: Quality management systems - Requirements
- ISO/IEC 17025: General requirements for the competence of testing and calibration laboratories
- ISO 17034: General requirements for the competence of reference material producers
- ISO Guide 30: Reference Materials - Selected terms and definitions
- ISO Guide 31: Reference Materials - Contents of certificates and tables
- ISO Guide 35: Refernece Materials - General and Statistical principals for certification
- Guide to the Expression of Uncertainty in Measurement, 2008
- EURACHEM/CITAC Guide: Qualifying Uncertainty in Analytical Measurement - Third Edition
- NIST Technical Note 1297

Storage Requirements:

To ensure the stability of the product once it arrives in your laboratory, please store this product at 15°C to 30°C. Note: Shipping conditions may differ from storage conditions. The EXPIRATION DATE is calculated from the MANUFACTURED DATE using our stability data and is applicable only if the product is stored under the laboratory specified

Instructions for Use:

Let material come to room temperature before use. Check for precipitate and if necessary sonicate for one minute. If compounds do not dissolve after one minute then sonicate further until the product is dissolved. A clear appearance is acceptable. The minimum recommended amount that should be removed from this vial is 5µL with a 25µL gas tight syringe. All solutions should be thoroughly mixed, by shaking, prior to use. All surfaces that come in contact with the solution must be thoroughly cleaned prior to use. Dilutions should be performed only with Class A volumetric glassware.

Material Source:

All analytes and matrix materials are obtained and verified by NSI from pre-qualified vendors as per ISO guidelines. Vendor identifications are proprietary, however sources of all materials used in the preparation and testing of SPEX CertiPrep CRMs are tracked and documented. For assistance, please contact sales support at crmsales@spexcsp.com.

Method of Preparation:

Clean laboratory procedures and techniques have been used throughout the preparation. All materials, equipment, and analytical instrumentation have been qualified prior to use. The highest purity solvents and Class A / calibrated volumetrics have been used in all preparations.

Homogeneity:

The homogeneity of this CRM has been confirmed by procedures consistent with ISO 17025 and ISO 17034. Random, replicate samples of the final, packaged material have been analyzed to prove homogeneity in accordance with our internal procedures. This is consistent with the intended use of this CRM. The Degree of Homogeneity, as expressed as maximum between-bottle variation, is 1.2%

Statistical Estimator and Confidence Limits:

The Certified value 'X' as listed on the reverse of this document is at the 95% level of confidence and can be expressed as:

- $X = x \pm U$ where X=certified value, U=expanded uncertainty, x=property value
- $U = kuc$ where k=2 is the coverage factor at the 95% confidence level
- uc = combined standard uncertainty obtained by combining the individual compound standard uncertainty components ui, where $uc=\sqrt{\sum u^2}$

Legal Notice:

SPEX CertiPrep Certified Reference Materials are not for any cosmetic, drug, or household application and are to be used only by qualified individuals who are trained in appropriate procedures. No claims against SPEX CertiPrep of any kind whatsoever, whether based on breech of warranty, alleged negligence, or otherwise, with respect to this Reference Material shall be greater than the purchase price. In no event shall SPEX CertiPrep be liable for any loss of profits or any incidental, special, or consequential damages.

SPEX CertiPrep.®
Your Science is Our Passion.®

203 Norcross Ave. Metuchen, NJ 08840
www.spexcertiprep.com • E mail: crmsales@spexcsp.com
Phone: 1 732 549 7144 • Fax 1 732 603 9647

SVI-38-14-20

SPEXertificate®

Certificate of Reference Material

Catalog Number: S-1015 **Lot No.** NSI231122602
Description: Cyclohexane
Matrix: Methanol (Purge & Trap Grade) **Manufactured Date:** 11/22/2023
Expiration Date: 11/30/2026

This **SPEXOrganics®** Certified Reference Material, CRM, was manufactured by NSI Lab Solutions (www.nsilabsolutions.com) and is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled (ug/mL)	Purity	Certified† (ug/mL)		Uncertainty (ug/mL)
Cyclohexane	110-82-7	1000	100.0%	999	±	7.05

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified Volumetrically and Analytically. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration is based on gravimetric or volumetric measurements. All balances are checked daily by an in-house standard operating procedure. The weights used for this daily verification are calibrated annually by an ISO/IEC 17025 accredited calibration laboratory and are certified traceable to NIST. Certificate of Calibration and Traceability available upon request. All glassware used in the manufacturing of this standard is Class A. Volumetric pipettors are calibrated every four months by an ISO/IEC 17025 accredited calibration laboratory.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: 11/22/2023 Certifying Officer: Kenneth Grzybowski

Report of Certification

This Certified Reference Material (CRM) has been produced by NSI Lab Solutions (www.nsilabsolutions.com) and certified under an ISO 9001 (certified by DQS) and ISO 17025 (accredited by ANAB AT-1690), and ISO 17034 (accredited by ANAB AR-1571) quality system consistent with the following standards:

- ISO 9001: Quality management systems - Requirements
- ISO/IEC 17025: General requirements for the competence of testing and calibration laboratories
- ISO 17034: General requirements for the competence of reference material producers
- ISO Guide 30: Reference Materials - Selected terms and definitions
- ISO Guide 31: Reference Materials - Contents of certificates and labtes
- ISO Guide 35: Refernece Materials - General and Statistical principals for certification
- Guide to the Expression of Uncertainty in Measurement, 2008
- EURACHEM/CITAC Guide: Qualifying Uncertainty in Analytical Measurement - Third Edition
- NIST Technical Note 1297

Storage Requirements:

To ensure the stability of the product once it arrives in your laboratory, please store this product at 15°C to 30°C. Note: Shipping conditions may differ from storage conditions. The EXPIRATION DATE is calculated from the MANUFACTURED DATE using our stability data and is applicable only if the product is stored under the laboratory specified

Instructions for Use:

Let material come to room temperature before use. Check for precipitate and if necessary sonicate for one minute. If compounds do not dissolve after one minute then sonicate further until the product is dissolved. A clear appearance is acceptable. The minimum recommended amount that should be removed from this vial is 5µl. with a 25µL gas tight syringe. All solutions should be thoroughly mixed, by shaking, prior to use. All surfaces that come in contact with the solution must be thoroughly cleaned prior to use. Dilutions should be performed only with Class A volumetric glassware.

Material Source:

All analytes and matrix materials are obtained and verified by NSI from pre-qualified vendors as per ISO guidelines. Vendor identifications are proprietary, however sources of all materials used in the preparation and testing of SPEX CertiPrep CRMs are tracked and documented. For assistance, please contact sales support at crmsales@spexcsp.com.

Method of Preparation:

Clean laboratory procedures and techniques have been used throughout the preparation. All materials, equipment, and analytical instrumentation have been qualified prior to use. The highest purity solvents and Class A / calibrated volumetrics have been used in all preparations.

Homogeneity:

The homogeneity of this CRM has been confirmed by procedures consistent with ISO 17025 and ISO 17034. Random, replicate samples of the final, packaged material have been analyzed to prove homogeneity in accordance with our internal procedures. This is consistent with the intended use of this CRM. The Degree of Homogeneity, as expressed as maximum between-bottle variation, is 1.2%

Statistical Estimator and Confidence Limits:

The Certified value 'X' as listed on the reverse of this document is at the 95% level of confidence and can be expressed as:

- $X = x \pm U$ where X=certified value, U=expanded uncertainty, x=property value
- $U = kuc$ where k=2 is the coverage factor at the 95% confidence level
- uc = combined standard uncertainty obtained by combining the individual compound standard uncertainty components ui, where $uc=\sqrt{\sum ui^2}$

Legal Notice:

SPEX CertiPrep Certified Reference Materials are not for any cosmetic, drug, or household application and are to be used only by qualified individuals who are trained in appropriate procedures. No claims against SPEX CertiPrep of any kind whatsoever, whether based on breech of warranty, alleged negligence, or otherwise, with respect to this Reference Material shall be greater than the purchase price. In no event shall SPEX CertiPrep be liable for any loss of profits or any incidental, special, or consequential damages.

SPEX CertiPrep
Your Science is Our Passion.®

203 Norcross Ave. Metuchen, NJ 08840
www.spexcertiprep.com • E mail: crmsales@spexcsp.com
Phone: 1 732 549 7144 • Fax 1 732 603 9647

SV1-38-14-05

RESTEK

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30006 **Lot No.:** A0198760

Description : VOA Calibration Mix #1

VOA Calibration Mix #1 5,000µg/mL, P&T Methanol/Water(90:10), 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Acetone	67-64-1	27D1062005	99%	5,000.2 µg/mL	+/- 172.7826
2	2-Butanone (MEK)	78-93-3	SHBL5543	99%	5,006.0 µg/mL	+/- 172.9842
3	4-Methyl-2-pentanone (MIBK)	108-10-1	SHBN3601	99%	5,009.5 µg/mL	+/- 173.1052
4	2-Hexanone	591-78-6	MKCQ6663	99%	5,009.3 µg/mL	+/- 173.0994

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol/Water (90:10)
CAS # 67-56-1/7732-18-5
Purity 99%

Quality Confirmation Test

Column:
105m x 0.53mm x 3.0µm
Rtx 502.2 (cat.#10910)

Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)


Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID

Split Vent:
40 ml/min

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Laith Clemente - Operations Technician I **Date Mixed:** 07-Jun-2023 **Balance Serial #** B707717271

Martina Cowan – Operations Tech II ARM QC **Date Passed:** 12-Jun-2023

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS SVI-38-14-03

Catalog No: TK-102-09S-12.5X
Description: Methylcyclohexane
Lot: 222031009
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 8, 2022
Expiration: Mar 8, 2032
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity % (GC/FID)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Methylcyclohexane	108-87-2	100.0	2507	2507

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No: 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SM-38-14-01

Catalog No: S-6524-0.25X
Description: Methyl acetate
Lot: 223081092
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 7, 2023
Expiration: Aug 7, 2033
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Methyl acetate	79-20-9	100.0	2506	2506

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_c = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: M-603-M-5X
Description: Acrolein & Acrylonitrile
Lot: 224031415
Solvent: Methanol (90%)
Water (10%)
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 26, 2024
Expiration: Jul 26, 2024
Sample Size: 1 mL
Components: 2
Storage Condition: Freeze (<-10 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

SV1-38-15-12

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Acrolein	107-02-8	90.5	5530*	5005
Acrylonitrile	107-13-1	99.8	5060	5050

Reagent Grade

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

* Weight compensated to 100% purity.

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4% and was determined in accordance with ISO 17034. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST; Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SVI-38-12-12

Catalog No: TK-102-08S-10X
Description: Cyclohexane
Lot: 221101280
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Oct 19, 2021
Expiration: Oct 19, 2031
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity % (GC/MS)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Cyclohexane	110-82-7	100.0	2008	2008

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_s = \sqrt{(u(\mathrm{V}))^2 + (u(\mathrm{m}))^2 + (u(\mathrm{IV}))^2 + (u(\mathrm{RO}))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 10/4/2022
Original issue date: 10/4/2022

Certificate of Analysis

Date Received:

 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020354-09	489953	≤ -10 °C	P/T Methanol	3-Oct-2027	2-Butanol Solution, 50000 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-butanol	78-92-2	99.8	354.7.1P	50000 ± 2600

SV1-38-11-07

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVF3811-07

Certificate of Analysis

Catalog No.: Z-G34-020354-09 **Lot No.:** 489953 **Expiration Date:** 10/3/2027

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 3-Oct-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Jared Ball	Susan Mathews
Production Chemist II	**Quality Control Chemist I**	**Quality Control Team Lead**

EMAX
LABORATORIES, INC.
3051 Fujita Street
Torrance, CA 90505
Tel: (310)-618-8889

Date: 07-10-2024
EMAX Batch No.: 24F004_R1

Attn: Mark Rigby

Parsons
75 W Towne Ridge Pkway # 200
Sandy UT 84070

Subject: Revised Laboratory Report
Project: TITAN 1-A

Enclosed is the Revised Laboratory report for samples received on 06/01/24.
The data reported relate only to samples listed below :

Sample ID	Control #	Col Date	Matrix	Analysis
T1AMF-MW019-MAY24	F004-01	05/28/24	WATER	VOCS BY 8260C
T1AMF-MW054-MAY24	F004-02	05/28/24	WATER	VOCS BY 8260C
T1AMF-MW042-MAY24	F004-03	05/28/24	WATER	VOCS BY 8260C
T1AMF-MW055-MAY24	F004-04	05/28/24	WATER	VOCS BY 8260C
T1AMF-MW043-MAY24	F004-05	05/28/24	WATER	VOCS BY 8260C
T1AMF-MW022-MAY24	F004-06	05/28/24	WATER	VOCS BY 8260C
T1AMF-MW045-MAY24	F004-07	05/28/24	WATER	VOCS BY 8260C
T1AMF-EW001-MAY24	F004-08	05/29/24	WATER	VOCS BY 8260C
T1AMF-MW048-MAY24	F004-09	05/29/24	WATER	VOCS BY 8260C
T1AMF-MW056-MAY24	F004-10	05/29/24	WATER	VOCS BY 8260C
AB-1-MAY24	F004-11	05/28/24	WATER	CANCELLED
EB-1-MAY24	F004-12	05/28/24	WATER	CANCELLED

Note: Report was revised to update the purge and trap method from SW5030B to SW5030C.

The results are summarized on the following pages.

Please feel free to call if you have any questions concerning
these results.

Sincerely yours,

for CP

Caspar J. Pang
Laboratory Director

This report is confidential and intended solely for the use of the individual or entity to whom it is addressed. This report shall not be reproduced except in full or without the written approval of EMAX.

EMAX certifies that results included in this report meets all TNI & DOD requirements unless noted in the Case Narrative.

NELAP Accredited Certificate Number CA002912023-25
ANAB Accredited DoD ELAP and ISO/IEC 17025 Certificate Number L2278 Testing
California ELAP Accredited Certificate Number 2672

CHAIN OF CUSTODY

3051 Fujita St., Torrance, CA 90505 Tel #: 310-618-8889 FAX#: 310-618-0818 Email: info@emaxlabs.com	PO NUMBER: 0015461 SAMPLE STORAGE	EMAX CONTROL NO. 24F004 PROJECT CODE:	

CLIENT: Parsons

PROJECT: Titan 1-A Semi-Annual Groundwater and Soil Vapor Sampling

COORDINATOR: Carrie Ross@Parsons.us

TEL: 303-345-8152 FAX EMAIL: CarrieRoss@parsons.us

SEND REPORT TO: carrie.ross@parsons.com; mark.rigby@parsons.com; sandra.delagfuentes@parsons.us

COMPANY

ADDRESS

EMAX PM

MATRIX CODE	PRESERVATIVE CODE
DW=Drinking Water	IC = Ice
GW=Ground Water	HC = HCl
WW=Waste Water	HN=HNO3
SO=Solid Waste SL=Sludge	SH=NaOH
SD=Soil/Sediment	ST=Na2S2O3
WP=Wiper FP=Pure Product	ZA=Zinc Acetate
AIR=Air	HS=H2SO4
O=	

ANALYSIS REQUIRED: VOCs via SW8260; Title 22 metals via SW6010/7471; TCLP VOCs via SW1311/8260; TCLP metals via SW1311/6010/7471; STLC metals via SW1311/6010/7471

TAT: ☐ Rush__24__hrs. ☐ Rush__48_hrs ☐ Rush_72_hrs ☐ 7 days ☐ 14 days ☐ 21 days

LAB	SAMPLE ID: CLIENT	SAMPLING: LOCATION	DATE	TIME	CONTAINER: NO.	SIZE	TYPE	MATRIX CODE	QC	PRESERVATIVE CODE: HC	COMMENTS
1	T1AMF-MW19-MAY24	Titan 1-A	5/28/2024	1205	3		VOA	GW		X	
2	T1AMF-MW54-MAY24	Titan 1-A	5/28/2024	1208	3		VOA	GW		X	
3	T1AMF-MW42-MAY24	Titan 1-A	5/28/2024	1252	3		VOA	GW		X	
4	T1AMF-MW55-MAY24	Titan 1-A	5/28/2024	1257	3		VOA	GW		X	
5	T1AMF-MW43-MAY24	Titan 1-A	5/28/2024	1331	3		VOA	GW		X	
6	T1AMF-MW-22-MAY24	Titan 1-A	5/28/2024	1453	3		VOA	GW		X	
7	T1AMF-MW45-MAY24	Titan 1-A	5/28/2024	1501	3		VOA	GW		X	
8	T1AMF-EW01-MAY24	Titan 1-A	5/29/2024	824	3		VOA	GW		X	
9	T1AMF-MW48-MAY24	Titan 1-A	5/29/2024	900	3		VOA	GW		X	
10	T1AMF-MW56-MAY24	Titan 1-A	5/29/2024	945	3		VOA	GW		X	

Instructions: Please have the analytical results sent to

Mark.rigby@parsons.com

carrie.ross@parsons.com

sandra.delagfuentes@parsons.us

Cooler # 1 Temp. (°C) 1.2 Sample #s

SAMPLER

COURIER/AIRBILL

RELINQUISHED BY	Date	Time	RECEIVED BY
Erin Kilgore	5-31-24	1145	Arnold Pimentel
Arnold Pimentel	5/31/24	1210	
	06/01/24	1025	

NOTICE: Turnaround time (TAT) for samples that not begin until all discrepancies have been resolved. For samples received and discrepancies noticed after 1500 hrs, TAT shall start at 0800 hrs the next business day. The client is responsible for all cost associated with sample disposal. Samples shall be disposed of as soon as practical (but not prior to fifteen (15) calendar days) after issuance of analytical report unless a different sample disposal schedule is pre-arranged with EMAX. Disposal fee for samples defined by CA Title 22 as non-hazardous shall be $5.00 per sample. EMAX will return hazardous samples to the client at the client's expense unless directed in writing otherwise.

Project J09CA1108-01

EMAX LABORATORIES, INC.

REFERENCE: EMAX-SM02 Rev. 12

SAMPLE RECEIPT FORM 1

Type of Delivery	Airbill / Tracking Number	ECN 24F004
☑ Fedex ☐ UPS ☐ GSO ☐ Others	2793 6091 3001	Recipient Nandeen Nacana
☐ EMAX Courier ☐ Client Delivery		Date 06/01/24 Time 1029

COC INSPECTION

☑ Client Name	☑ Client PM/FC	☐ Sampler Name	☑ Sampling Date/Time	☑ Sample ID	☑ Matrix
☐ Address	☑ Tel # / Fax #	☐ Courier Signature	☑ Analysis Required	☑ Preservative (if any)	☐ TAT
Safety Issues (if any)	☐ High concentrations expected	☐ From Superfund Site	☐ Rad screening required		

Note: _____

PACKAGING INSPECTION

Container	☑ Cooler	☐ Box	☐ Other		
Condition	☐ Custody Seal	☐ Intact	☐ Damaged		
Packaging	☑ Bubble Pack	☐ Styrofoam	☐ Popcorn	☐ Sufficient	☐ _____
Temperatures (Cool. ≤6 °C but not frozen)	☑ Cooler 1 2.2 °C	☐ Cooler 2 _____ °C	☐ Cooler 3 _____ °C	☐ Cooler 4 _____ °C	☐ Cooler 5 _____ °C
	☐ Cooler 6 _____ °C	☐ Cooler 7 _____ °C	☐ Cooler 8 _____ °C	☐ Cooler 9 _____ °C	☐ Cooler 10 _____ °C
Thermometer:	*A - S/N* 210706272	*B - S/N* 230044860	*C - S/N* 230044897	(D) *S/N* 230044857	

Comments: ☐ Temperature is out of range. PM was informed IMMEDIATELY.

Note: _____

DISCREPANCIES

LabSampleID	LabSampleContainerID	Code	ClientSample Label ID / Information	Corrective Action
1-7, 9, 10	1-21, 25-30	D3	ID: "TIAMF-MW0..." on label	R9, R2
8	22-24	D3	ID: "TIAMF_EW001_MAY24" on label	R9
10	28, 30	D10		R1
11	31-33	D9	ID: AB-1_MAY24 time: 1420	R9, R2, R9
			date: 5/28/24	
12	34-36	D9	ID: EB-1-MAY24 time: 1425	R9, R2, R9
			date: 5/28/24	
1-12	1-36	D1		R9, R1

☐ pH holding time requirement for water samples is 15 mins. Water samples for pH analysis are received beyond 15 minutes from sampling time. DF 6/3/24

NOTES/OBSERVATIONS: Trip blanks tagged under SDG: 24F003

SAMPLE MATRIX IS DRINKING WATER? ☐ YES ☐ NO

LEGEND:

☐ Continue to next page.

Code	Description- Sample Management
(D1)	Analysis is not indicated in label
D2	Analysis mismatch COC vs label
(D3)	Sample ID mismatch COC vs label
D4	Sample ID is not indicated in _____
D5	Container -[improper] [leaking] [broken]
D6	Date/Time is not indicated in _____
D7	Date/Time mismatch COC vs label
D8	Sample listed in COC is not received
(D9)	Sample received is not listed in COC
(D10)	No initial/date on corrections in COC/label
D11	Container count mismatch COC vs received
D12	Container size mismatch COC vs received

Code	Description-Sample Management
D13	Out of Holding Time
D14	Bubble is >6mm
D15	No trip blank in cooler
D16	Preservation not indicated in _____
D17	Preservation mismatch COC vs label
D18	Insufficient chemical preservative
D19	Insufficient Sample
D20	No filtration info for dissolved analysis
D21	No sample for moisture determination
D22	_____
D23	_____
D24	_____

Code	Description-Sample Management
R1	Proceed as indicated in ☑ COC ☐ Label
R2	Refer to attached instruction
R3	Cancel the analysis
R4	Use vial with smallest bubble first
R5	Log-in with latest sampling date and time+1 min
R6	Adjust pH as necessary
R7	Filter and preserved as necessary
R8	Informed client
R9	Discard sample
R10	_____
R11	_____
R12	_____

REVIEWS:

Sample Labeling Nandeen Nacana Date 06/03/24 | 6/3/24

SRF _____ Date 6/3/24

PM DF Date 6/3/24

Dilukshi Fernando

From: Arnoldo.Pimentel@parsons.com
Sent: Monday, June 03, 2024 2:57 PM
To: Dilukshi Fernando; Mark.Rigby@parsons.com; Richard Beauvil
Cc: Carrie.Ross@parsons.us; Beth.Driskill@parsons.us
Subject: Re: Titan 1-A GW samples SDG 24F004 Discrepancies

Hi Dilukshi,

See answers to your questions below:

1. Please use label as the correct name for samples. I mistakenly did not add the zero to COC.
2. Please do not analyze sample #11. The sample was mistakenly taken. Sample should be discarded.
3. Please do not analyze sample #12. The sample was mistakenly taken. Sample should be discarded.

Thanks,

Arnold Pimentel
Senior Geologist
100 Pringle Avenue, Ste 525
Walnut Creek, CA 94596
Arnoldo.pimentel@parsons.com -
Cell: 626.710.7746

From: Dilukshi Fernando <DFernando@emaxlabs.com>
Sent: Monday, June 3, 2024 14:46
To: Pimentel, Arnoldo [US-US] <Arnoldo.Pimentel@parsons.com>; Rigby, Mark [US-US] <Mark.Rigby@parsons.com>; Richard Beauvil <RBeauvil@emaxlabs.com>
Cc: Ross, Carrie [US-US] <Carrie.Ross@parsons.us>; Driskill, Beth [US-US] <Beth.Driskill@parsons.us>
Subject: [EXTERNAL] RE: Titan 1-A GW samples SDG 24F004 Discrepancies

Hello Mark,

The following discrepancies were noted for SDG 24F004.

Sample ID mismatch for sample #1 - #7, #9, #10.
COC: T1AMF-MW...
Label: T1AMF-MW0
Sample ID mismatch for sample #8.
COC: T1AMF-EW01-MAY24
Label: T1AMF-EW001-MAY24
Sample #11 was received but is not listed in COC. Please confirm that VOCs SW8260 analysis is required for sample #11.
Sample ID: AB-1-MAY24

Collection date: 5/28/24
Collection time: 1420

Sample #12 was received but is not listed in COC. Please confirm that VOCs SW8260 analysis is required for sample #12.

Sample ID: EB-1-MAY24
Collection date: 5/28/24
Collection time: 1425

I have attached the COCs and SRFs for your reference.

Thank you!

Dilukshi Fernando
Project Coordinator
3051 Fujita Street
Torrance, CA 90505
Tel: 310-618-8889 X132
dfernando@emaxlabs.com

From: Arnoldo.Pimentel@parsons.com <Arnoldo.Pimentel@parsons.com>
Sent: Friday, May 31, 2024 1:17 PM
To: Mark.Rigby@parsons.com; Richard Beauvil <RBeauvil@emaxlabs.com>; Dilukshi Fernando <DFernando@emaxlabs.com>
Cc: Jim Carter <JCarter@emaxlabs.com>; Caspar Pang <CPang@emaxlabs.com>; Carrie.Ross@parsons.us; Beth.Driskill@parsons.us; Cecilia Chavez <CChavez@emaxlabs.com>; Tyler Kosaka <TKosaka@emaxlabs.com>
Subject: Re: Titan 1-A GW samples - Saturday delivery?

Hi Team,

Please see attached COC for samples shipped today to arrive tomorrow (Saturday).

FedEx tracking #: 275360513001

Thanks,

Arnold Pimentel
Senior Geologist
100 Pringle Avenue, Ste 525
Walnut Creek, CA 94596
Arnoldo.pimentel@parsons.com -
Cell: 626.710.7746

From: Rigby, Mark [US-US] <Mark.Rigby@parsons.com>
Sent: Friday, May 31, 2024 12:27:45 PM
To: Richard Beauvil <RBeauvil@emaxlabs.com>; Dilukshi Fernando <DFernando@emaxlabs.com>
Cc: Jim Carter <JCarter@emaxlabs.com>; Caspar Pang <CPang@emaxlabs.com>; Ross, Carrie [US-US] <Carrie.Ross@parsons.us>; Pimentel, Arnoldo [US-US] <Arnoldo.Pimentel@parsons.com>; Driskill, Beth [US-US] <Beth.Driskill@parsons.us>; Cecilia Chavez <CChavez@emaxlabs.com>; Tyler Kosaka <TKosaka@emaxlabs.com>
Subject: RE: Titan 1-A GW samples - Saturday delivery?

REPORTING CONVENTIONS

DATA QUALIFIERS:

Lab Qualifier	AFCEE Qualifier	Description
J	F	Indicates that the analyte is positively identified and the result is less than LOQ/RL but greater than LOD/MDL/DL.
N		Indicates presumptive evidence of a compound.
B	B	Indicates that the analyte is found in the associated method blank as well as in the sample at above QC level.
E	J	Indicates that the result is above the maximum calibration range or estimated value.
*	*	Out of QC limit.

Note: The above qualifiers are used to flag the results unless the project requires a different set of qualification criteria.

ACRONYMS AND ABBREVIATIONS:

CRDL	Contract Required Detection Limit
RL	Reporting Limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
DL	Detection Limit
LOD	Limit of Detection
LOQ	Limit of Quantitation
DO	Diluted out

DATES

The date and time information for leaching and preparation reflect the beginning date and time of the procedure unless the method, protocol, or project specifically requires otherwise.

SUMMARY PACKAGE
VOLATILE ORGANICS

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F004

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

A total of ten(10) water samples were received on 06/01/24 to be analyzed for Volatile Organics by GC/MS in accordance with Method SW5030C/8260C and project specific requirements.

Holding Time
Samples were analyzed within the prescribed holding time.

Instrument Performance and Calibration
Instrument tune check was performed prior to calibration. Result was within acceptance criteria. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried out at a frequency required by the project. There were six(6)CCVs (Data File IDs: RFG033, RFG058, RFG062, RFG088, RFG092 and RFG119) associated with this SDG. All calibration requirements were satisfied. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, three(3) method blanks were analyzed. VOE2F02B, VOE2F03B and VOE2F04B were compliant to project requirement. Refer to sample result summary forms for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, three(3) sets of LCS/LCD were analyzed. VOE2F02L/VOE2F02C, VOE2F03L/VOE2F03C and VOE2F04L/VOE2F04C were within LCS limits. Refer to LCS summary forms for details.

Matrix QC Sample
No matrix QC sample was provided on this SDG.

Surrogate
Surrogates were added on QC and field samples. For this SDG, all surrogate recoveries were within QC limits except for 1,2-Dichloroethane-D4 in F004-04. Sample result was reported because the surrogate recovery was biased high and no associated target analytes were detected in sample. It was also noted that Dibromofluoromethane surrogate, an alternate surrogate for 1,2-Dichloroethane-D4, was in control. Hence, result was reported. Refer to sample result summary forms for details.

Sample Analysis
Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met with the exception of those that were discussed within the associated QC parameter.

LAB CHRONICLE
VOLATILE ORGANICS BY GC/MS

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F004
Instrument ID : E2

WATER

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
LCS1W	VOE2F02L	1	NA	06/08/2415:04	05/08/2415:04	RFG034	REG122	VOE2F02	Lab Control Sample (LCS)
LCD1W	VOE2F02C	1	NA	06/08/2415:28	05/08/2415:28	RFG035	REG122	VOE2F02	LCS Duplicate
MBLK1W	VOE2F02B	1	NA	06/08/2416:16	05/08/2416:16	RFG037	REG122	VOE2F02	Method Blank
T1AMF-MW054-MAY24	24F004-02	1	NA	06/08/2417:04	05/08/2417:04	RFG039	REG122	VOE2F02	Field Sample
T1AMF-MW042-MAY24	24F004-03	1	NA	06/08/2417:27	05/08/2417:27	RFG040	REG122	VOE2F02	Field Sample
T1AMF-MW055-MAY24	24F004-04	1	NA	06/08/2417:51	05/08/2417:51	RFG041	REG122	VOE2F02	Field Sample
T1AMF-MW045-MAY24	24F004-07	1	NA	06/08/2419:03	05/08/2419:03	RFG044	REG122	VOE2F02	Field Sample
T1AMF-EW001-MAY24	24F004-08	1	NA	06/08/2419:27	05/08/2419:27	RFG045	REG122	VOE2F02	Field Sample
LCS2W	VOE2F03L	1	NA	06/10/2417:13	05/10/2417:13	RFG063	REG122	VOE2F03	Lab Control Sample (LCS)
LCD2W	VOE2F03C	1	NA	06/10/2417:37	05/10/2417:37	RFG064	REG122	VOE2F03	LCS Duplicate
MBLK2W	VOE2F03B	1	NA	06/10/2418:25	05/10/2418:25	RFG067	REG122	VOE2F03	Method Blank
T1AMF-MW043-MAY24	24F004-05N	1	NA	06/10/2418:48	05/10/2418:48	RFG068	REG122	VOE2F03	Field Sample
T1AMF-MW045-MAY24	24F004-07I	10	NA	06/10/2419:36	05/10/2419:36	RFG070	REG122	VOE2F03	Dilutec Sample
T1AMF-MW048-MAY24	24F004-09N	1	NA	06/10/2420:00	05/10/2420:00	RFG071	REG122	VOE2F03	Field Sample
T1AMF-MW056-MAY24	24F004-10N	1	NA	06/10/2420:24	05/10/2420:24	RFG072	REG122	VOE2F03	Field Sample
LCS3W	VOE2F04L	1	NA	06/11/2414:15	05/11/2414:15	RFG093	REG122	VOE2F04	Lab Control Sample (LCS)
LCD3W	VOE2F04C	1	NA	06/11/2414:39	05/11/2414:39	RFG094	REG122	VOE2F04	LCS Duplicate
MBLK3W	VOE2F04B	1	NA	06/11/2415:26	05/11/2415:26	RFG096	REG122	VOE2F04	Method Blank
T1AMF-MW022-MAY24	24F004-06N	1	NA	06/11/2415:50	05/11/2415:50	RFG097	REG122	VOE2F04	Field Sample
T1AMF-MW019-MAY24	24F004-01N	1	NA	06/11/2416:14	05/11/2416:14	RFG098	REG122	VOE2F04	Field Sample
T1AMF-EW001-MAY24	24F004-08I	10	NA	06/11/2417:01	05/11/2417:01	RFG100	REG122	VOE2F04	Dilutec Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 12:05
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/11/24 16:14
Sample ID	: T1AMF-MW019-MAY24	Date Analyzed:	06/11/24 16:14
Lab Samp ID:	24F004-01N	Dilution Factor:	1
Lab File ID:	RFG098	Matrix:	WATER
Ext Btch ID:	V0E2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.31J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	0.35J	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.6	10.0	106	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.66	10.0	97	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 12:08
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 17:04
Sample ID	: T1AMF-MW054-MAY24	Date Analyzed:	06/08/24 17:04
Lab Samp ID:	24F004-02	Dilution Factor:	1
Lab File ID:	RFG039	Matrix:	WATER
Ext Btch ID:	VOE2F02	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.70J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	0.35J	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.2	10.0	112	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	10.7	10.0	107	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 12:52
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 17:27
Sample ID	: T1AMF-MW042-MAY24	Date Analyzed:	06/08/24 17:27
Lab Samp ID:	24F004-03	Dilution Factor:	1
Lab File ID:	RFG040	Matrix:	WATER
Ext Btch ID:	VOE2F02	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.0	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	46	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.3	10.0	113	81-118
4-Bromofluorobenzene	9.86	10.0	99	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	11.0	10.0	110	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 12:57
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 17:51
Sample ID	: T1AMF-MW055-MAY24	Date Analyzed:	06/08/24 17:51
Lab Samp ID:	24F004-04	Dilution Factor:	1
Lab File ID:	RFG041	Matrix:	WATER
Ext Btch ID:	VOE2F02	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.9	10.0	119*	81-118
4-Bromofluorobenzene	10.0	10.0	100	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	11.0	10.0	110	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 13:31
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/10/24 18:48
Sample ID	: T1AMF-MW043-MAY24	Date Analyzed:	06/10/24 18:48
Lab Samp ID:	24F004-05N	Dilution Factor:	1
Lab File ID:	RFG068	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	0.13J	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.4	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.14J	1.0	0.10	0.20
Trichloroethene	26	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.7	10.0	107	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.8	10.0	108	89-112
Dibromofluoromethane	9.69	10.0	97	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 14:53
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/11/24 15:50
Sample ID	: T1AMF-MW022-MAY24	Date Analyzed:	06/11/24 15:50
Lab Samp ID:	24F004-06N	Dilution Factor:	1
Lab File ID:	RFG097	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.97J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	43	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.7	10.0	107	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.66	10.0	97	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 15:01
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 19:03 # 06/10/24 19:36
Sample ID	: T1AMF-MW045-MAY24	Date Analyzed:	06/08/24 19:03 # 06/10/24 19:36
Lab Samp ID:	F004-07 #F004-07I	Dilution Factor:	1 # 10
Lab File ID:	RFG044 #RFG070	Matrix:	WATER
Ext Btch ID:	VOE2F02 #VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122 #REG122	Instrument ID:	E2 # E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	5.7	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.34J	1.0	0.10	0.20
# Trichloroethene	220	10	1.0	2.0
Vinyl Chloride	0.12J	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.7	10.0	117	81-118
4-Bromofluorobenzene	9.72	10.0	97	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	11.1	10.0	111	80-119
# 1,2-Dichloroethane-d4	104	100	104	81-118
# 4-Bromofluorobenzene	106	100	106	85-114
# Toluene-d8	106	100	106	89-112
# Dibromofluoromethane	97.0	100	97	80-119

Result(s) associated as marked on the header

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye
# Sample Amount	: 1.0ml	Final Volume	: 10ml
# Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 15:01
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 19:03
Sample ID	: T1AMF-MW045-MAY24	Date Analyzed:	06/08/24 19:03
Lab Samp ID:	24F004-07	Dilution Factor:	1
Lab File ID:	RFG044	Matrix:	WATER
Ext Btch ID:	VOE2F02	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	5.7	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.34J	1.0	0.10	0.20
Trichloroethene	260E	1.0	0.10	0.20
Vinyl Chloride	0.12J	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.7	10.0	117	81-118
4-Bromofluorobenzene	9.72	10.0	97	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	11.1	10.0	111	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 15:01
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/10/24 19:36
Sample ID	: T1AMF-MW045-MAY24	Date Analyzed:	06/10/24 19:36
Lab Samp ID:	24F004-07I	Dilution Factor:	10
Lab File ID:	RFG070	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	10	1.0	2.0
1,4-Dichlorobenzene	ND	10	1.0	2.0
Benzene	ND	10	1.0	2.0
cis-1,2-Dichloroethene	6.0J	10	1.0	2.0
Ethylbenzene	ND	10	1.0	2.0
m,p-Xylene	ND	20	2.1	5.0
o-Xylene	ND	10	1.0	2.0
Toluene	ND	10	1.0	2.0
Trans-1,2-Dichloroethene	ND	10	1.0	2.0
Trichloroethene	220	10	1.0	2.0
Vinyl Chloride	ND	10	1.1	3.0

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	104	100	104	81-118
4-Bromofluorobenzene	106	100	106	85-114
Toluene-d8	106	100	106	89-112
Dibromofluoromethane	97.0	100	97	80-119

Notes:
Sample Amount : 1.0ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 08:24
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 19:27 # 06/11/24 17:01
Sample ID	: T1AMF-EW001-MAY24	Date Analyzed:	06/08/24 19:27 # 06/11/24 17:01
Lab Samp ID:	F004-08 #F004-08I	Dilution Factor:	1 # 10
Lab File ID:	RFG045 #RFG100	Matrix:	WATER
Ext Btch ID:	VOE2F02 #VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122 #REG122	Instrument ID:	E2 # E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	11	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
# Trichloroethene	320	10	1.0	2.0
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.6	10.0	116	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	10.8	10.0	108	80-119
# 1,2-Dichloroethane-d4	111	100	111	81-118
# 4-Bromofluorobenzene	100	100	100	85-114
# Toluene-d8	105	100	105	89-112
# Dibromofluoromethane	99.9	100	100	80-119

Result(s) associated as marked on the header

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye
# Sample Amount	: 1.0ml	Final Volume :	10ml
# Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 08:24
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 19:27
Sample ID	: T1AMF-EW001-MAY24	Date Analyzed:	06/08/24 19:27
Lab Samp ID:	24F004-08	Dilution Factor:	1
Lab File ID:	RFG045	Matrix:	WATER
Ext Btch ID:	VOE2F02	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	11	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	370E	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.6	10.0	116	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	10.8	10.0	108	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 08:24
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/11/24 17:01
Sample ID	: T1AMF-EW001-MAY24	Date Analyzed:	06/11/24 17:01
Lab Samp ID:	24F004-08I	Dilution Factor:	10
Lab File ID:	RFG100	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	10	1.0	2.0
1,4-Dichlorobenzene	ND	10	1.0	2.0
Benzene	ND	10	1.0	2.0
cis-1,2-Dichloroethene	11	10	1.0	2.0
Ethylbenzene	ND	10	1.0	2.0
m,p-Xylene	ND	20	2.1	5.0
o-Xylene	ND	10	1.0	2.0
Toluene	ND	10	1.0	2.0
Trans-1,2-Dichloroethene	ND	10	1.0	2.0
Trichloroethene	320	10	1.0	2.0
Vinyl Chloride	ND	10	1.1	3.0

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	111	100	111	81-118
4-Bromofluorobenzene	100	100	100	85-114
Toluene-d8	105	100	105	89-112
Dibromofluoromethane	99.9	100	100	80-119

Notes:
Sample Amount : 1.0ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 09:00
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/10/24 20:00
Sample ID	: T1AMF-MW048-MAY24	Date Analyzed:	06/10/24 20:00
Lab Samp ID:	24F004-09N	Dilution Factor:	1
Lab File ID:	RFG071	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.7	10.0	107	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	9.62	10.0	96	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 09:45
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/10/24 20:24
Sample ID	: T1AMF-MW056-MAY24	Date Analyzed:	06/10/24 20:24
Lab Samp ID:	24F004-10N	Dilution Factor:	1
Lab File ID:	RFG072	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.20J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	13	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.8	10.0	108	81-118
4-Bromofluorobenzene	10.2	10.0	102	85-114
Toluene-d8	10.8	10.0	108	89-112
Dibromofluoromethane	9.68	10.0	97	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

QC SUMMARIES

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/08/24 16:16
Project	: TITAN 1-A	Date Received:	06/08/24
Batch No.	: 24F004	Date Extracted:	06/08/24 16:16
Sample ID	: MBLK1W	Date Analyzed:	06/08/24 16:16
Lab Samp ID:	VOE2F02B	Dilution Factor:	1
Lab File ID:	RFG037	Matrix:	WATER
Ext Btch ID:	VOE2F02	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.6	10.0	106	81-118
4-Bromofluorobenzene	9.97	10.0	100	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	10.7	10.0	107	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F004
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: VOE2F02B	VOE2F02L	VOE2F02C
LAB FILE ID	: RFG037	RFG034	RFG035
DATE PREPARED	: 06/08/24 16:16	06/08/24 15:04	06/08/24 15:28
DATE ANALYZED	: 06/08/24 16:16	06/08/24 15:04	06/08/24 15:28
PREP BATCH	: VOE2F02	VOE2F02	VOE2F02
CALIBRATION REF:	REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	10.3	103	10.0	10.3	103	0	71-131	20
1,4-Dichlorobenzene	ND	10.0	11.7	117	10.0	11.2	112	4	79-118	20
Benzene	ND	10.0	10.5	105	10.0	10.2	102	3	79-120	20
cis-1,2-Dichloroethene	ND	10.0	10.3	103	10.0	10.2	102	1	78-123	20
Ethylbenzene	ND	10.0	10.1	101	10.0	9.84	98	3	79-121	20
m,p-Xylene	ND	20.0	19.3	97	20.0	18.6	93	4	80-121	20
o-Xylene	ND	10.0	10.2	102	10.0	9.99	100	2	78-122	20
Toluene	ND	10.0	10.3	103	10.0	9.99	100	3	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	9.88	99	10.0	9.89	99	0	75-124	20
Trichloroethene	ND	10.0	10.2	102	10.0	10.3	103	1	79-123	20
Vinyl Chloride	ND	10.0	10.5	105	10.0	9.50	95	10	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.5	105	10.0	10.5	105	81-118
4-Bromofluorobenzene	10.0	10.0	100	10.0	9.98	100	85-114
Toluene-d8	10.0	10.2	102	10.0	10.3	103	89-112
Dibromofluoromethane	10.0	10.5	105	10.0	10.7	107	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/10/24 18:25
Project	: TITAN 1-A	Date Received:	06/10/24
Batch No.	: 24F004	Date Extracted:	06/10/24 18:25
Sample ID	: MBLK2W	Date Analyzed:	06/10/24 18:25
Lab Samp ID:	VOE2F03B	Dilution Factor:	1
Lab File ID:	RFG067	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.3	10.0	103	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.8	10.0	108	89-112
Dibromofluoromethane	9.60	10.0	96	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F004
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK2W	LCS2W	LCD2W
LAB SAMPLE ID	: VOE2F03B	VOE2F03L	VOE2F03C
LAB FILE ID	: RFG067	RFG063	RFG064
DATE PREPARED	: 06/10/24 18:25	06/10/24 17:13	06/10/24 17:37
DATE ANALYZED	: 06/10/24 18:25	06/10/24 17:13	06/10/24 17:37
PREP BATCH	: VOE2F03	VOE2F03	VOE2F03
CALIBRATION REF:	REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	10.3	103	10.0	10.6	106	3	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.9	109	10.0	11.5	115	5	79-118	20
Benzene	ND	10.0	10.7	107	10.0	11.1	111	4	79-120	20
cis-1,2-Dichloroethene	ND	10.0	10.2	102	10.0	10.6	106	4	78-123	20
Ethylbenzene	ND	10.0	10.7	107	10.0	11.4	114	6	79-121	20
m,p-Xylene	ND	20.0	20.8	104	20.0	22.2	111	7	80-121	20
o-Xylene	ND	10.0	10.9	109	10.0	11.8	118	8	78-122	20
Toluene	ND	10.0	10.8	108	10.0	11.7	117	8	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	10.1	101	10.0	10.2	102	1	75-124	20
Trichloroethene	ND	10.0	9.31	93	10.0	9.74	97	5	79-123	20
Vinyl Chloride	ND	10.0	10.1	101	10.0	9.12	91	10	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	9.95	100	10.0	9.88	99	81-118
4-Bromofluorobenzene	10.0	10.4	104	10.0	10.8	108	85-114
Toluene-d8	10.0	10.5	105	10.0	10.5	105	89-112
Dibromofluoromethane	10.0	9.84	98	10.0	9.40	94	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/11/24 15:26
Project	: TITAN 1-A	Date Received:	06/11/24
Batch No.	: 24F004	Date Extracted:	06/11/24 15:26
Sample ID	: MBLK3W	Date Analyzed:	06/11/24 15:26
Lab Samp ID:	VOE2F04B	Dilution Factor:	1
Lab File ID:	RFG096	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.8	10.0	108	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.95	10.0	100	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F004
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: MBLK3W	LCS3W	LCD3W
LAB SAMPLE ID	: VOE2F04B	VOE2F04L	VOE2F04C
LAB FILE ID	: RFG096	RFG093	RFG094
DATE PREPARED	: 06/11/24 15:26	06/11/24 14:15	06/11/24 14:39
DATE ANALYZED	: 06/11/24 15:26	06/11/24 14:15	06/11/24 14:39
PREP BATCH	: VOE2F04	VOE2F04	VOE2F04
CALIBRATION REF	: REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	9.69	97	10.0	9.34	93	4	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.7	107	10.0	10.3	103	4	79-118	20
Benzene	ND	10.0	9.98	100	10.0	9.74	97	2	79-120	20
cis-1,2-Dichloroethene	ND	10.0	9.91	99	10.0	9.49	95	4	78-123	20
Ethylbenzene	ND	10.0	10.5	105	10.0	10.4	104	1	79-121	20
m,p-Xylene	ND	20.0	20.4	102	20.0	20.2	101	1	80-121	20
o-Xylene	ND	10.0	10.7	107	10.0	10.6	106	1	78-122	20
Toluene	ND	10.0	10.4	104	10.0	10.3	103	1	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	9.39	94	10.0	9.07	91	3	75-124	20
Trichloroethene	ND	10.0	9.00	90	10.0	8.65	87	4	79-123	20
Vinyl Chloride	ND	10.0	11.0	110	10.0	10.4	104	6	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.6	106	10.0	10.1	101	81-118
4-Bromofluorobenzene	10.0	11.1	111	10.0	10.6	106	85-114
Toluene-d8	10.0	10.6	106	10.0	10.6	106	89-112
Dibromofluoromethane	10.0	9.84	98	10.0	9.56	96	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

INITIAL CALIBRATION(S)

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: REG116 BFB Injection Date: 05/17/24

Instrument ID: E2 BFB Injection Time: 11:23

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.276
75	30 - 60% of mass 95	50.050
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.720
173	Less than 2% of mass 174	0.804(1.96)1
174	Greater than 50% of mass 95	83.334
175	5 - 9% of mass 174	6.239(7.49)1
176	95 - 101% % of mass 174	81.293(97.55)1
177	5 - 9% % of mass 176	5.264(6.48)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD0.5	VOE2E172	REG118	05/17/24	12:33
2	VSTD1	VOE2E173	REG119	05/17/24	12:57
3	VSTD2	VOE2E174	REG120	05/17/24	13:21
4	VSTD5	VOE2E175	REG121	05/17/24	13:45
5	VSTD10	VOE2E176	REG122	05/17/24	14:09
6	VSTD30	VOE2E177	REG123	05/17/24	14:33
7	VSTD50	VOE2E178	REG124	05/17/24	14:57
8	VSTD100	VOE2E179	REG125	05/17/24	15:21
9	VSTD200	VOE2E1710	REG126	05/17/24	15:44

Sm

5/24/24

INITIAL_CALIBRATION - RELATIVE_RESPONSE_FACTOR

Instrument ID :R2
Beginning DateTime :05/17/24 12:33
Spike Units :PPB
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
Ending DateTime :05/17/24 15:44
HPChem Method :VOE2E17

M	IDX	Parameters	.5 12:33 REG118	1 12:57 REG119	2 13:21 REG120	5 13:45 REG121	10 14:09 REG122	30 14:33 REG123	50 14:57 REG124	100 15:21 REG125	200 15:44 REG126	Av_RRF	%_RSD	Av_Rt_M
	1	1,4 DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	0	5.9874
	2	Dichlorodifluoromethane	0.621	0.637	0.579	0.504	0.509	0.610	0.570	0.578	0.556	0.574	8.06	2.7078
	3	Chloromethane	0.526	0.465	0.434	0.383	0.373	0.377	0.368	0.382	0.398	0.412	13.00	2.9059
	4	Vinyl chloride	0.419	0.490	0.461	0.376	0.416	0.439	0.449	0.449	0.415	0.435	7.58	2.9903
	5	Bromomethane	0.348	0.325	0.291	0.268	0.244	0.267	0.278	0.296	0.330	0.294	11.62	3.3131
	6	Dichlorofluoromethane	1.071	1.087	0.974	1.099	0.990	1.025	0.930	0.904	0.865	0.994	8.41	3.3523
	7	Chloroethane	0.222	0.255	0.216	0.196	0.204	0.219	0.205	0.207	0.193	0.213	8.74	3.3461
	8	Trichlorofluoromethane	1.076	1.027	0.981	0.846	0.898	1.033	0.988	0.997	0.949	0.977	7.24	3.5112
5	9	Acrolein	0.074	0.076	0.063	0.070	0.064	0.060	0.059	0.060	0.059	0.065	10.21	3.7423
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	0.510	0.445	0.389	0.475	0.409	0.418	0.409	0.396	0.383	0.426	10.04	3.7521
5	11	Acetone	0.325	0.240	0.181	0.149	0.137	0.118	0.119	------	------	0.181	42.17	3.7690
25	12	tert-Butyl alcohol	0.075	0.070	0.063	0.057	0.061	0.056	0.057	0.055	0.054	0.061	11.83	3.8744
	13	1,1-Dichloroethene	0.972	0.970	0.870	1.007	0.889	0.901	0.818	0.823	0.795	0.894	8.46	3.9025
10	14	Acetonitrile	------	0.037	0.031	0.030	0.031	0.026	0.027	------	------	0.030	12.37	3.8744
	15	Allyl chloride	0.262	0.270	0.227	0.265	0.239	0.241	0.223	0.204	0.194	0.236	11.27	4.1055
	16	Iodomethane	0.335	0.312	0.310	0.409	0.432	0.563	0.530	0.509	0.459	0.429	22.23	4.1434
	17	Methyl acetate	--	0.410	0.337	0.344	0.341	0.293	0.304	------	------	0.338	12.15	4.0255
	18	Methylene chloride	1.122	1.095	0.930	0.852	0.731	0.698	0.612	0.596	0.570	0.801	26.33	4.1825
5	19	Acrylonitrile	0.187	0.165	0.144	0.155	0.158	0.140	0.134	0.135	0.136	0.150	11.69	4.2156
	20	tert-Butyl methyl ether (MTBE)	1.687	1.599	1.508	1.603	1.504	1.453	1.377	1.365	1.352	1.494	7.94	4.2266
	21	Carbon disulfide	1.587	1.493	1.289	1.218	1.375	1.338	1.287	------	------	1.370	9.42	4.3052
	22	trans-1,2-Dichloroethene	0.536	0.534	0.472	0.542	0.468	0.442	0.442	0.426	0.429	0.477	10.07	4.3696
	23	Isopropyl ether (DIPE)	1.738	1.638	1.535	1.682	1.513	1.489	1.394	1.379	1.317	1.520	9.47	4.4601
	24	Vinyl acetate	0.905	0.932	0.893	0.899	0.928	0.816	0.810	0.820	0.793	0.866	6.41	4.5457
	25	1,1-Dichloroethane	1.123	1.084	0.968	1.041	0.935	0.964	0.901	0.851	0.823	0.965	10.57	4.6338
	26	tert Butyl ethyl ether (ETBE)	2.025	2.049	1.829	2.024	1.854	1.711	1.759	1.666	1.701	1.846	8.21	4.7028
5	27	2-Butanone	------	0.059	0.048	0.048	0.049	0.043	0.043	0.042	0.042	0.047	12.56	4.8539
10	28	Propionitrile	0.067	0.061	0.059	0.057	0.053	0.051	0.051	0.048	0.050	0.055	11.17	4.9101
70	29	Isobutyl alcohol	------	0.024	0.020	0.019	0.020	0.018	0.019	0.017	------	0.020	12.47	5.0299
	30	2,2-Dichloropropane	1.070	1.031	0.913	1.100	0.993	0.952	0.921	0.878	0.831	0.966	9.30	5.0202
10	31	Methacrylonitrile	0.105	0.103	0.092	0.099	0.089	0.088	0.084	0.080	0.076	0.091	11.02	5.0568
	32	Cis-1,2-Dichloroethene	0.592	0.622	0.541	0.585	0.519	0.520	0.508	0.491	0.507	0.543	8.40	5.0630
	33	Chloroform	1.500	1.398	1.172	1.238	1.117	1.090	1.041	1.012	------	1.196	14.51	5.1700
	34	Bromochloromethane	0.354	0.366	0.325	0.348	0.326	0.321	0.296	0.275	0.259	0.319	11.29	5.3271
	35	Tetrahydrofuran	------	0.140	0.129	0.132	0.124	0.122	0.118	0.116	------	0.126	6.67	5.3192
	36	Dibromofluoromethane	0.677	0.642	0.571	0.613	0.624	0.588	0.573	------	------	0.612	6.30	5.3381
	37	1,1,1-Trichloroethane	1.193	1.165	1.010	1.192	1.074	1.094	1.020	0.999	0.960	1.079	8.19	5.4971
	38	Cyclohexane	0.684	0.625	0.466	0.628	0.461	0.515	0.544	0.500	0.528	0.550	14.22	5.5484
	39	tert-Amyl methyl ether (TAME)	0.340	0.348	0.314	0.372	0.345	0.297	0.329	0.313	0.306	0.329	7.33	5.6144
	40	1,1-Dichloropropene	0.262	0.251	0.222	0.266	0.242	0.218	0.228	0.219	0.217	0.236	8.29	5.6132
	41	1,2-Dichloroethane d4	0.972	0.902	0.780	0.802	0.781	0.709	0.720	------	------	0.809	13.80	5.7233
	42	Carbon tetrachloride	0.945	0.992	0.834	1.044	0.930	0.901	0.890	0.840	0.838	0.913	8.01	5.7343
	43	1,2 Dichloroethane	1.036	1.026	0.936	1.027	0.937	0.846	0.859	0.810	0.796	0.919	10.41	5.8003
	44	Benzene	2.100	2.054	1.772	1.904	1.819	1.719	1.753	1.684	1.662	1.830	8.64	5.8663
	45	Trichloroethene	0.573	0.564	0.458	0.553	0.494	0.496	0.481	0.460	0.468	0.505	9.09	6.3714
	46	Methyl methacrylate	0.521	0.497	0.421	0.494	0.427	0.401	0.430	0.422	0.415	0.448	9.77	6.4386
	47	Methylcyclohexane	------	0.701	0.528	0.712	0.530	0.546	0.606	0.586	0.600	0.601	11.92	6.4537
	48	1,2-Dichloropropane	0.559	0.532	0.469	0.483	0.464	0.418	0.437	0.427	0.418	0.467	10.74	6.5266
20	49	1,4 Dioxane	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	50	Bromodichloromethane	------	1.077	0.909	0.968	0.886	0.841	0.821	0.796	0.773	0.884	11.38	6.7687
	51	Dibromomethane	0.454	0.430	0.373	0.417	0.371	0.368	0.349	0.344	0.315	0.380	11.79	6.8568
	52	2-Chloroethyl vinyl ether	0.233	0.250	0.232	0.253	0.238	0.229	0.224	0.216	0.206	0.231	6.45	6.9338
5	53	4-Methyl-2-pentanone	0.591	0.572	0.495	0.557	0.534	0.467	0.473	0.467	0.447	0.512	10.35	6.9571
	54	cis-1,3-Dichloropropene	0.921	0.873	0.791	0.882	0.822	0.782	0.775	0.759	0.743	0.817	7.57	7.2750
	55	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	0	9.5641
	56	Toluene-d8	------	2.328	1.900	1.960	2.006	1.860	1.868	------	------	1.987	8.88	7.5941
	57	Ethyl methacrylate	0.687	0.714	0.662	0.753	0.707	0.647	0.685	0.635	0.651	0.682	5.59	7.6932
	58	Toluene	2.522	2.598	2.196	2.483	2.250	2.053	2.185	2.012	2.114	2.268	9.46	7.6932
	59	trans-1,3-Dichloropropene	1.019	1.031	0.921	1.072	0.988	0.969	0.957	0.878	0.899	0.970	6.61	7.8143
5	60	2-Hexanone	0.494	0.448	0.391	0.437	0.433	0.389	0.385	0.352	0.362	0.410	11.13	7.9378
	61	1,1,2-Trichloroethane	0.616	0.606	0.548	0.580	0.535	0.538	0.494	0.461	0.466	0.538	10.51	8.0454
	62	1,3-Dichloropropane	0.881	0.932	0.787	0.866	0.785	0.770	0.765	0.707	0.701	0.799	9.83	8.3535
	63	Tetrachloroethene	0.591	0.595	0.434	0.529	0.477	0.495	0.463	0.431	0.448	0.496	12.71	8.5088
	64	Dibromochloromethane	------	1.038	0.826	0.858	0.788	0.824	0.742	0.693	0.690	0.807	13.87	8.7827
	65	1,2-Dibromoethane	0.651	0.619	0.556	0.621	0.592	0.594	0.549	0.522	0.516	0.580	8.08	9.0688
	66	1-Chlorohexane	0.844	0.848	0.651	0.843	0.747	0.751	0.722	0.671	0.677	0.751	10.45	9.1239
	67	Chlorobenzene	1.802	1.685	1.395	1.599	1.466	1.486	1.389	1.323	1.338	1.498	11.00	9.6191
	68	1,1,1,2-Tetrachloroethane	0.713	0.709	0.595	0.685	0.647	0.654	0.606	0.565	0.563	0.637	9.12	9.6460
	69	Ethylbenzene	3.192	3.179	2.449	2.920	2.662	2.734	2.599	2.475	2.468	2.742	10.66	9.6411
2	70	m-Xylene & p-Xylene	2.549	2.503	1.987	2.323	2.078	2.117	2.094	------	------	2.236	9.97	9.7496
	71	o-Xylene	2.536	2.361	1.926	2.321	2.112	1.978	2.058	1.894	1.863	2.117	11.21	10.4127
	72	Styrene	1.648	1.724	1.354	1.615	1.493	1.415	1.441	1.328	1.303	1.480	10.19	10.4580
	73	Isopropylbenzene	2.835	2.945	2.240	2.644	2.424	2.142	2.250	2.149	2.077	2.412	13.33	10.9397
	74	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	0	13.8891
	75	Bromoform	1.246	1.192	1.112	1.177	1.072	1.033	1.055	0.974	0.961	1.091	9.03	11.0608
	76	1,1,2,2-Tetrachloroethane	1.731	1.658	1.370	1.490	1.349	1.248	1.296	1.218	1.184	1.394	13.93	11.2026
	77	4-Bromofluorobenzene	------	1.901	1.601	1.620	1.559	1.327	1.516	------	------	1.587	11.73	11.3689
	78	1,2,3-Trichloropropane	0.441	0.449	0.384	0.439	0.374	0.344	0.366	0.344	0.322	0.385	12.26	11.4460
	79	trans-1,4 Dichloro-2-butene	0.349	0.390	0.351	0.456	0.395	0.395	0.414	0.380	0.379	0.389	8.47	11.5132
	80	n-Propylbenzene	7.684	7.739	5.851	7.164	6.006	5.607	5.968	5.582	5.465	6.341	14.55	11.5780
	81	Bromobenzene	1.646	1.681	1.348	1.563	1.386	1.206	1.293	1.208	1.192	1.392	13.87	11.7321
	82	1,3,5-Trimethylbenzene	5.366	5.227	4.073	4.881	4.205	3.892	4.064	3.785	3.738	4.359	14.43	11.8287
	83	2-Chlorotoluene	------	4.800	3.579	4.665	3.673	3.653	3.858	3.598	3.483	3.914	13.23	11.9192
	84	4-Chlorotoluene	4.791	5.151	3.841	3.940	3.868	2.881	3.359	3.161	3.176	3.796	20.12	11.9754
	85	tert-Butylbenzene	0.747	0.829	0.605	0.740	0.648	0.561	0.592	------	------	0.675	14.63	12.4081
	86	1,2,4-Trimethylbenzene	5.058	5.235	4.012	4.761	4.182	3.747	3.973	3.721	3.680	4.263	14.07	12.4780
	87	sec-Butylbenzene	------	6.256	4.523	5.517	4.832	4.450	4.638	4.362	------	4.940	14.11	12.7403
	88	p-Isopropyltoluene	5.045	5.046	3.819	4.703	3.968	3.664	3.821	3.689	3.551	4.145	14.69	12.9549
	89	1,3 Dichlorobenzene	3.020	2.992	2.191	2.485	2.182	2.011	2.088	1.908	1.849	2.303	19.08	13.1652
	90	1,2,3-Trimethylbenzene	4.849	5.175	3.973	4.777	4.170	3.766	3.928	3.729	3.652	4.224	13.33	13.2545
	91	1,4-Dichlorobenzene	3.022	3.108	2.117	2.540	2.221	2.073	2.138	1.953	1.965	2.349	18.81	13.3278
	92	n-Butylbenzene	4.979	4.820	3.500	4.168	3.792	3.621	3.712	3.405	3.483	3.942	14.93	13.6140
	93	1,2-Dichlorobenzene	------	2.697	2.183	2.392	2.013	1.895	1.926	------	------	2.184	14.28	13.9331
	94	1,2-Dibromo-3-chloropropane	0.324	0.328	0.262	0.286	0.265	0.273	0.269	0.273	0.272	0.283	8.87	15.1339
	95	1,2,4-Trichlorobenzene	2.154	2.073	1.349	1.477	1.289	1.277	1.274	1.228	1.317	1.493	24.05	16.4643
	96	Hexachlorobutadiene	------	0.968	0.705	0.840	0.750	0.697	0.696	0.668	0.717	0.755	13.33	16.6624
	97	Naphthalene	------	4.357	3.062	3.424	3.316	3.128	3.237	3.113	3.378	3.377	12.35	16.8715
	98	1,2,3-Trichlorobenzene	2.077	1.941	1.298	1.377	1.232	1.225	1.192	1.180	1.249	1.419	24.06	17.2310

SpiKe Amount = Nominal Amount * M
Ave_%RSD : 11.8 Max_%RSD : 42.2

Use Least Square Linear Regression with weighting factor of inverse concentration for comps with %_RSD > 15
Resp_Ratio = x0 + x1 * Amt_Ratio

IDX	Parameter	x0	x1	CCF
11	Acetone	0.05832	0.11706	0.9992
16	Iodomethane	-0.01397	0.48870	0.9969
18	Methylene chloride	0.04858	0.59178	0.9974
84	4-Chlorotoluene	0.14395	3.17721	0.9987
89	1,3 Dichlorobenzene	0.05201	1.90749	0.9986
91	1,4 Dichlorobenzene	0.08306	1.99157	0.9991
95	1,2,4-Trichlorobenzene	0.04972	1.27956	0.9993
98	1,2,3-Trichlorobenzene	0.04722	1.21614	0.9995

5/24/24

INITIAL_CALIBRATION - RELATIVE_RESPONSE_FACTOR(%REC)

Instrument ID :E2
Beginning DateTime :05/17/24 12:33
Spike Units :PPB
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
Ending DateTime :05/17/24 15:44
HPChem Method :VOE2E17

M	IDX	Parameters	.5 12:33 REG118	1 12:57 REG119	2 13:21 REG120	5 13:45 REG121	10 14:09 REG122	30 14:33 REG123	50 14:57 REG124	100 15:21 REG125	200 15:44 REG126	AvDRec	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	0	5.9874
	2	Dichlorodifluoromethane	108	111	101	88	89	106	99	101	97	6	8.06	2.7078
	3	Chloromethane	128	113	105	93	91	92	89	93	97	10.2	13.00	2.9059
	4	Vinyl chloride	96	113	106	86	96	101	103	103	95	5.8	7.58	2.9903
	5	Bromomethane	118	111	99	91	83	91	95	101	112	9.3	11.62	3.3131
	6	Dichlorofluoromethane	108	109	98	111	100	103	94	91	87	6.9	8.41	3.3523
	7	Chloroethane	104	120	101	92	96	103	96	97	91	6.3	8.74	3.3461
	8	Trichlorofluoromethane	110	105	100	87	92	106	101	102	97	5.4	7.24	3.5112
5	9	Acrolein	114	117	97	108	98	92	91	92	91	8.5	10.21	3.7423
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	120	104	91	112	96	98	96	93	90	7.9	10.04	3.7521
5	11	Acetone	78	105	105	107	107	97	99	------	------	31.9	42.17	3.7690
25	12	tert-Butyl alcohol	123	115	103	93	100	92	93	90	89	9.3	11.83	3.8744
	13	1,1-Dichloroethene	109	109	97	113	99	101	91	92	89	6.8	8.46	3.9025
10	14	Acetonitrile	------	123	103	100	103	87	90	------	------	8.9	12.37	3.8744
	15	Allyl chloride	111	114	96	112	101	102	94	86	82	9.1	11.27	4.1055
	16	Iodomethane	126	92	78	89	91	116	109	104	94	18.1	22.23	4.1434
	17	Methyl acetate	------	121	100	102	101	87	90	------	------	7.9	12.15	4.0285
	18	Methylene chloride	26	103	116	128	115	115	102	100	96	22.1	26.33	4.1825
5	19	Acrylonitrile	125	110	96	103	105	93	89	90	91	9.3	11.69	4.2156
	20	tert-Butyl methyl ether (MTBE)	113	107	101	107	101	97	92	91	90	6.4	7.94	4.2266
	21	Carbon disulfide	116	109	94	89	100	98	94	------	------	7.2	9.42	4.3052
	22	trans-1,2-Dichloroethene	112	112	99	114	98	93	93	89	90	8.5	10.07	4.3696
	23	Isopropyl ether (DIPE)	114	108	101	111	100	98	92	91	87	7.5	9.47	4.4601
	24	Vinyl acetate	105	108	103	104	107	94	94	95	92	5.8	6.41	4.5457
	25	1,1-Dichloroethane	116	112	99	108	97	100	93	88	85	8.2	10.57	4.6338
	26	tert-Butyl ethyl ether (ETBE)	110	111	99	110	100	93	95	90	92	6.8	8.21	4.7328
5	27	2-Butanone	------	126	102	102	104	91	91	89	89	9	12.56	4.8539
10	28	Propionitrile	122	111	107	104	96	93	93	87	91	9.3	11.17	4.9101
20	29	Isobutyl alcohol	------	120	100	95	100	90	95	85	------	7.9	12.47	5.0299
	30	2,2-Dichloropropane	111	107	95	114	103	99	95	91	86	7.6	9.30	5.0202
10	31	Methacrylonitrile	115	113	101	109	98	97	92	88	84	8.9	11.02	5.0568
	32	cis-1,2-Dichloroethene	109	115	100	108	96	96	94	90	93	7	8.40	5.0630
	33	Chloroform	125	117	98	104	93	91	87	85	------	11.5	14.51	5.1730
	34	Bromochloromethane	111	115	102	109	102	101	93	86	81	8.8	11.29	5.3271
	35	Tetrahydrofuran	------	111	102	105	98	97	94	92	------	5.3	6.67	5.3192
	36	Dibromofluoromethane	111	105	93	100	102	96	94	------	------	4.9	6.30	5.3381
	37	1,1,1-Trichloroethane	111	108	94	110	100	101	95	93	89	6.8	8.19	5.4971
	38	Cyclohexane	124	114	85	114	84	94	99	91	96	11.6	14.22	5.5484
	39	tert-Amyl methyl ether (TAME)	103	106	95	113	105	90	100	95	93	5.9	7.33	5.6144
	40	1,1-Dichloropropene	111	106	94	113	103	92	97	93	92	7.2	8.29	5.6132
	41	1,2-Dichloroethane-d4	120	111	96	99	97	88	89	------	------	9	11.80	5.7233
	42	Carbon tetrachloride	104	109	91	114	102	99	97	92	92	6.3	8.01	5.7343
	43	1,2-Dichloroethane	113	112	102	112	102	92	93	88	87	8.9	10.41	5.8003
	44	Benzene	115	112	97	104	99	94	96	92	91	6.9	8.64	5.8663
	45	Trichloroethene	113	112	91	110	98	98	95	91	93	7.7	9.09	6.3714
	46	Methyl methacrylate	116	111	94	110	95	90	96	94	93	8.4	9.77	6.4386
	47	Methylcyclohexane	------	117	88	118	88	91	101	98	100	9	11.92	6.4537
	48	1,2-Dichloropropane	120	114	100	103	99	90	94	91	90	8.2	10.74	6.5266
20	49	1,4-Dioxane	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	50	Bromodichloromethane	------	122	103	110	100	95	93	90	87	8.6	11.38	6.7687
	51	Dibromomethane	119	113	98	110	98	97	92	91	83	9.4	11.79	6.8568
	52	2-Chloroethyl vinyl ether	101	108	100	110	103	99	97	94	89	4.8	6.45	6.9338
5	53	4-Methyl-2-pentanone	115	112	97	109	104	91	92	91	87	9	10.35	6.9571
	54	cis-1,3-Dichloropropene	113	107	97	108	101	96	95	93	91	6.3	7.57	7.2750
	55	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	0	9.5641
	56	Toluene-d8	------	117	96	99	101	94	94	------	------	6	8.88	7.5941
	57	Ethyl methacrylate	101	105	97	110	104	95	100	93	95	4.4	5.59	7.6932
	58	Toluene	111	115	97	109	99	91	96	89	93	7.8	9.46	7.6932
	59	trans-1,3-Dichloropropene	105	106	95	111	102	100	99	91	93	5.2	6.61	7.8143
5	60	2-Hexanone	120	109	95	107	106	95	94	86	88	9.3	11.13	7.9378
	61	1,1,2-Trichloroethane	114	113	102	108	99	100	92	86	87	8.1	10.51	8.0454
	62	1,3-Dichloropropane	110	117	98	108	98	96	96	88	88	7.8	9.83	8.3535
	63	Tetrachloroethene	119	120	88	107	96	100	93	87	90	10.2	12.71	8.5088
	64	Dibromochloromethane	------	129	102	106	98	102	92	86	86	9.8	13.87	8.7827
	65	1,2-Dibromoethane	112	107	96	107	102	102	95	90	89	6.8	8.08	9.0688
	66	1-Chlorohexane	112	113	87	112	99	100	96	89	90	8.4	10.45	9.1239
	67	Chlorobenzene	120	112	93	107	98	99	93	88	89	8.8	11.00	9.6191
	68	1,1,1,2-Tetrachloroethane	112	111	93	108	102	103	95	89	88	7.7	9.12	9.6460
	69	Ethylbenzene	116	116	89	106	97	100	95	90	90	8.6	10.66	9.6411
2	70	m-Xylene & p-Xylene	114	112	89	104	93	95	94	------	------	8.5	9.97	9.7496
	71	o-Xylene	120	112	91	110	100	93	97	89	88	9.1	11.21	10.4127
	72	Styrene	111	116	91	109	101	96	97	90	88	8.4	10.19	10.4580
	73	Isopropylbenzene	118	122	93	110	100	89	93	89	86	11.1	13.33	10.9397
	74	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	0	13.8891
	75	Bromoform	114	109	102	108	98	95	97	89	88	7.4	9.03	11.0608
	76	1,1,2,2-Tetrachloroethane	124	119	98	107	97	90	93	87	85	11.1	13.93	11.2026
	77	4-Bromofluorobenzene	------	120	101	102	98	84	96	------	------	7.6	11.73	11.3689
	78	1,2,3-Trichloropropane	115	117	100	114	97	89	95	89	84	10.1	12.26	11.4460
	79	trans-1,4-Dichloro-2-butene	89	100	90	117	102	102	106	98	97	5.9	8.47	11.5132
	80	n-Propylbenzene	121	122	92	113	95	88	94	88	86	12.5	14.55	11.5780
	81	Bromobenzene	118	121	97	112	100	87	93	87	86	11.4	13.87	11.7321
	82	1,3,5-Trimethylbenzene	123	120	93	112	96	89	93	87	86	12.2	14.43	11.8287
	83	2-Chlorotoluene	------	123	91	119	94	93	99	92	89	10.5	13.23	11.9192
	84	4-Chlorotoluene	60	117	98	115	117	89	105	99	100	15.3	20.12	11.9754
	85	tert-Butylbenzene	111	123	90	110	96	83	88	------	------	12.4	14.63	12.4081
	86	1,2,4-Trimethylbenzene	119	123	94	112	98	88	93	87	86	11.8	14.07	12.4780
	87	sec-Butylbenzene	------	127	92	112	98	90	94	88	------	11	14.11	12.7493
	88	p-Isopropyltoluene	122	122	92	113	96	88	92	89	86	12.6	14.69	12.9549
	89	1,3-Dichlorobenzene	62	109	90	120	110	104	108	100	97	15.3	19.08	13.1652
	90	1,2,3-Trimethylbenzene	115	123	94	113	99	89	93	88	86	11.2	13.33	13.2545
	91	1,4-Dichlorobenzene	126	114	86	119	107	103	106	98	98	15.4	18.81	13.3278
	92	n-Butylbenzene	126	122	89	106	96	92	94	86	88	12.1	14.93	13.6140
	93	1,2-Dichlorobenzene	------	123	100	110	92	87	88	------	------	11	14.28	13.9331
	94	1,2-Dibromo-3-chloropropane	114	116	93	101	94	96	95	96	96	6.8	8.87	15.1339
	95	1,2,4-Trichlorobenzene	90	123	86	108	97	98	99	90	103	18.5	24.05	16.4643
	96	Hexachlorobutadiene	------	128	93	111	99	92	92	88	95	9.9	13.33	16.6624
	97	Naphthalene	------	129	91	101	98	93	96	92	100	7.6	12.36	16.8715
	98	1,2,3-Trichlorobenzene	94	121	88	105	97	97	97	97	102	18.5	24.06	17.2310

For 8260C
SW
5/24/24

Compound List Report E2

Method Path : C:\MSDCHEM\1\METHODS\
Method File : VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024
Response Via : Initial Calibration

Total Cpnds : 98

PK#		Compound Name	QIon	Exp_RT	Rel_RT	Cal	#Qual	A/H	ID
1	I	1,4-DIFLUOROBENZENE	114	5.987	1.000	A	1	A	B
2	T	Dichlorodifluoromethane	85	2.708	0.452	A	1	A	B
3	T	Chloromethane	50	2.906	0.485	A	1	A	B
4	T	Vinyl chloride	62	2.994	0.500	A	1	A	B
5	T	Bromomethane	94	3.313	0.553	A	1	A	B
6	T	Dichlorofluoromethane	67	3.357	0.561	A	1	A	B
7	T	Chloroethane	64	3.346	0.559	A	1	A	B
8	T	Trichlorofluoromethane	101	3.511	0.586	A	1	A	B
9	T	Acrolein	56	3.742	0.625	A	1	A	B
10	T	1,1,2-Trichloro-1,2,2-Trifl...	151	3.753	0.627	A	1	A	B
11	T	Acetone	43	3.764	0.629	L	1	A	B
12	T	tert-Butyl alcohol	59	3.874	0.647	A	1	A	B
13	T	1,1-Dichloroethene	61	3.908	0.653	A	2	A	B
14	T	Acetonitrile	41	3.874	0.647	A	1	A	B
15	T	Allyl chloride	76	4.106	0.686	A	1	A	B
16	T	Iodomethane	142	4.150	0.693	L	1	A	B
17	T	Methyl acetate	43	4.029	0.673	A	1	A	B
18	T	Methylene chloride	49	4.183	0.699	L	2	A	B
19	T	Acrylonitrile	53	4.216	0.704	A	2	A	B
20	T	tert-Butyl methyl ether (MTBE)	73	4.227	0.706	A	1	A	B
21	T	Carbon disulfide	76	4.304	0.719	A	1	A	B
22	T	trans-1,2-Dichloroethene	96	4.370	0.730	A	1	A	B
23	T	Isopropyl ether (DIPE)	45	4.458	0.745	A	1	A	B
24	T	Vinyl acetate	43	4.546	0.759	A	1	A	B
25	T	1,1-Dichloroethane	63	4.634	0.774	A	2	A	B
26	T	tert-Butyl ethyl ether (ETBE)	59	4.733	0.791	A	1	A	B
27	T	2-Butanone	72	4.854	0.811	A	1	A	B
28	T	Propionitrile	54	4.909	0.820	A	1	A	B
29	T	Isobutyl alcohol	43	5.030	0.840	A	1	A	B
30	T	2,2-Dichloropropane	77	5.019	0.838	A	2	A	B
31	T	Methacrylonitrile	52	5.052	0.844	A	1	A	B
32	T	cis-1,2-Dichloroethene	96	5.063	0.846	A	1	A	B
33	T	Chloroform	83	5.173	0.864	A	2	A	B
34	T	Bromochloromethane	130	5.327	0.890	A	1	A	B
35	T	Tetrahydrofuran	42	5.327	0.890	A	2	A	B
36	S	Dibromofluoromethane	111	5.338	0.892	A	1	A	B
37	T	1,1,1-Trichloroethane	97	5.492	0.917	A	2	A	B
38	T	Cyclohexane	84	5.547	0.927	A	1	A	B
39	T	tert-Amyl methyl ether (TAME)	87	5.613	0.938	A	1	A	B
40	T	1,1-Dichloropropene	110	5.613	0.938	A	1	A	B
41	S	1,2-Dichloroethane-d4	65	5.723	0.956	A	1	A	B
42	T	Carbon tetrachloride	119	5.734	0.958	A	1	A	B
43	T	1,2-Dichloroethane	62	5.800	0.969	A	1	A	B
44	T	Benzene	78	5.866	0.980	A	2	A	B
45	T	Trichloroethene	130	6.373	1.064	A	3	A	B
46	T	Methyl methacrylate	69	6.439	1.075	A	1	A	B
47	T	Methylcyclohexane	83	6.450	1.077	A	2	A	B
48	T	1,2-Dichloropropane	63	6.527	1.090	A	1	A	B
49	T	1,4-Dioxane	88	6.725	1.123	A	1	A	B
50	T	Bromodichloromethane	83	6.769	1.131	A	1	A	B
51	T	Dibromomethane	93	6.857	1.145	A	2	A	B
52	T	2-Chloroethyl vinyl ether	63	6.934	1.158	A	1	A	B
53	T	4-Methyl-2-pentanone	43	6.956	1.162	A	3	A	B
54	T	cis-1,3-Dichloropropene	75	7.275	1.215	A	3	A	B
55	I	CHLOROBENZENE-D5	117	9.564	1.000	A	2	A	B

5/24/24

56	S	Toluene-d8	98	7.594	0.794	A	1	A	B
57	T	Ethyl methacrylate	69	7.693	0.804	A	1	A	B
58	T	Toluene	91	7.693	0.804	A	1	A	B
59	T	trans-1,3-Dichloropropene	75	7.814	0.817	A	1	A	B
60	T	2-Hexanone	43	7.935	0.830	A	1	A	B
61	T	1,1,2-Trichloroethane	97	8.045	0.841	A	2	A	B
62	T	1,3-Dichloropropane	76	8.354	0.873	A	1	A	B
63	T	Tetrachloroethene	164	8.508	0.890	A	3	A	B
64	T	Dibromochloromethane	129	8.783	0.918	A	1	A	B
65	T	1,2-Dibromoethane	107	9.069	0.948	A	1	A	B
66	T	1-Chlorohexane	91	9.124	0.954	A	1	A	B
67	T	Chlorobenzene	112	9.619	1.006	A	1	A	B
68	T	1,1,1,2-Tetrachloroethane	131	9.652	1.009	A	1	A	B
69	T	Ethylbenzene	91	9.641	1.008	A	1	A	B
70	T	m-Xylene & p-Xylene	91	9.740	1.018	A	1	A	B
71	T	o-Xylene	91	10.412	1.089	A	1	A	B
72	T	Styrene	104	10.456	1.093	A	2	A	B
73	T	Isopropylbenzene	105	10.940	1.144	A	3	A	B
74	I	1,2-DICHLOROBENZENE-D4	152	13.889	1.000	A	1	A	B
75	T	Bromoform	173	11.061	0.796	A	2	A	B
76	T	1,1,2,2-Tetrachloroethane	83	11.204	0.807	A	1	A	B
77	S	4-Bromofluorobenzene	95	11.369	0.819	A	2	A	B
78	T	1,2,3-Trichloropropane	110	11.446	0.824	A	1	A	B
79	T	trans-1,4-Dichloro-2-butene	53	11.512	0.829	A	1	A	B
80	T	n-Propylbenzene	91	11.578	0.834	A	2	A	B
81	T	Bromobenzene	156	11.732	0.845	A	1	A	B
82	T	1,3,5-Trimethylbenzene	105	11.831	0.852	A	2	A	B
83	T	2-Chlorotoluene	91	11.919	0.858	A	1	A	B
84	T	4-Chlorotoluene	91	11.974	0.862	L	1	A	B
85	T	tert-Butylbenzene	134	12.415	0.894	A	1	A	B
86	T	1,2,4-Trimethylbenzene	105	12.470	0.898	A	1	A	B
87	T	sec-Butylbenzene	105	12.745	0.918	A	1	A	B
88	T	p-Isopropyltoluene	119	12.954	0.933	A	2	A	B
89	T	1,3-Dichlorobenzene	146	13.163	0.948	L	2	A	B
90	T	1,2,3-Trimethylbenzene	105	13.251	0.954	A	2	A	B
91	T	1,4-Dichlorobenzene	146	13.328	0.960	L	2	A	B
92	T	n-Butylbenzene	91	13.614	0.980	A	2	A	B
93	T	1,2-Dichlorobenzene	146	13.933	1.003	A	1	A	B
94	T	1,2-Dibromo-3-chloropropane	157	15.133	1.090	A	1	A	B
95	T	1,2,4-Trichlorobenzene	180	16.464	1.185	L	2	A	B
96	T	Hexachlorobutadiene	225	16.663	1.200	A	2	A	B
97	T	Naphthalene	128	16.872	1.215	A	1	A	B
98	T	1,2,3-Trichlorobenzene	180	17.224	1.240	L	2	A	B

Cal A = Average L = Linear LO = Linear w/origin Q = Quad QO = Quad w/origin
#Qual = number of qualifiers
A/H = Area or Height
ID R = R.T. B = R.T. & Q Q = Qvalue L = Largest A = All

VOE2E17.M Tue May 21 20:46:28 2024

5/28/24

SECOND SOURCE VERIFICATION

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUORODENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: REG130 BFB Injection Date: 05/18/24

Instrument ID: E2 BFB Injection Time: 09:16

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	19.254
75	30 - 60% of mass 95	50.320
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.311
173	Less than 2% of mass 174	0.512(.61)1
174	Greater than 50% of mass 95	84.221
175	5 - 9% of mass 174	6.661(7.91)1
176	95 - 101% % of mass 174	81.783(97.11)1
177	5 - 9% % of mass 176	6.306(7.71)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	IVOE2E1702	REG131	05/18/24	09:57

5/24/24

CONTINUE_CALIBRATION - CALIBRATION VERIFICATION

Instrument ID :E2
IC_Beginning DateTime :05/17/24 12:33
Spike Amount :10 PPB
CC/CV File :REG131
IC File :REG122

Column_Spec :RTX-502.2 ID :0.32MM
IC_Ending DateTime :05/17/24 15:44
HPChem Method :VOS2E17
Date_Time :05/18/24 09:57

M	IDX	Parameters	CC_Con	CC%_D	CC_Resp	CCRRF	AVRRF	CC_RUm	AVRUm	%_RSD	CO_X0	CO_X1	CO_X2	CO_COF
	1	1,4 DIFLUOROBENZENE	10.000	0	647637	1	1	5.988	5.987	0				
	2	Dichlorodifluoromethane	10.420	4.2	387316	0.598	0.574	2.708	2.708	8.06				
	3	Chloromethane	10.034	0.3	267638	0.413	0.412	2.906	2.906	13.00				
	4	Vinyl chloride	10.450	4.5	294360	0.455	0.435	2.994	2.990	7.58				
	5	Bromomethane	10.726	7.3	204345	0.316	0.294	3.313	3.313	11.62				
	6	Dichlorofluoromethane	9.831	-1.7	632775	0.977	0.994	3.357	3.352	8.41				
	7	Chloroethane	11.738	17.4	161985	0.250	0.213	3.346	3.346	8.74				
	8	Trichlorofluoromethane	10.360	3.6	655613	1.012	0.977	3.511	3.511	7.24				
5	9	Acrolein	53.498	7.0	225327	0.070	0.065	3.743	3.742	10.21				
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	9.863	1.4	272122	0.420	0.426	3.753	3.752	10.04				
5	11	Acetone	55.179	10.4	456111	0.141	0.181	3.764	3.769	42.17	0.0583	0.1171		0.9992
25	12	tert-Butyl alcohol	274.988	10.0	1082983	0.067	0.061	3.875	3.874	11.83				
	13	1,1-Dichloroethene	9.753	-2.5	564613	0.872	0.894	3.908	3.902	8.46				
10	14	Acetonitrile	109.003	9.0	213040	0.033	0.030	3.875	3.874	12.37				
	15	Allyl chloride	10.843	8.4	165769	0.256	0.236	4.106	4.106	11.27				
	16	Iodomethane	8.785	-12.2	268999	0.415	0.429	4.150	4.143	22.23	-0.0140	0.4887		0.9969
	17	Methyl acetate	10.001	0.0	219009	0.338	0.338	4.029	4.029	12.15				
	18	Methylene chloride	11.388	13.9	467946	0.723	0.801	4.183	4.182	26.33	0.0486	0.5918		0.9974
5	19	Acrylonitrile	52.272	4.5	508988	0.157	0.150	4.216	4.216	11.69				
	20	tert-Butyl methyl ether (MTBE)	10.647	6.5	1030417	1.591	1.494	4.227	4.227	7.94				
	21	Carbon disulfide	9.831	-1.7	872085	1.347	1.370	4.315	4.305	9.42				
	22	trans-1,2-Dichloroethene	10.393	1.9	314802	0.486	0.477	4.370	4.370	10.07				
	23	Isopropyl ether (DIPE)	10.521	5.2	1036035	1.600	1.520	4.469	4.460	9.47				
	24	Vinyl acetate	11.461	14.6	642883	0.993	0.866	4.546	4.546	6.41				
	25	1,1-Dichloroethane	9.919	-0.8	619716	0.957	0.965	4.634	4.634	10.57				
	26	tert-Butyl ethyl ether (ETBE)	10.432	4.3	1247585	1.926	1.846	4.733	4.733	8.21				
5	27	2 Butanone	54.888	9.8	166808	0.052	0.047	4.854	4.854	12.56				
10	28	Propionitrile	114.244	14.2	409063	0.061	0.056	4.909	4.910	11.17				
20	29	Isobutyl alcohol	228.221	14.1	288723	0.022	0.020	5.030	5.030	12.67				
	30	2,2-Dichloropropane	9.835	-1.6	615087	0.950	0.966	5.019	5.020	9.30				
10	31	Methacrylonitrile	106.760	6.8	627605	0.097	0.091	5.052	5.057	11.02				
	32	cis-1,2-Dichloroethene	10.190	1.9	358317	0.553	0.543	5.063	5.063	8.60				
	33	Chloroform	9.159	-8.4	709429	1.095	1.196	5.173	5.173	14.51				
	34	Bromochloromethane	10.418	4.2	215189	0.332	0.319	5.327	5.327	11.29				
	35	Tetrahydrofuran	11.049	10.5	90175	0.139	0.126	5.316	5.319	6.67				
	36	Dibromofluoromethane	9.254	-7.5	367086	0.567	0.612	5.338	5.338	6.30				
	37	1,1,1-Trichloroethane	9.563	-4.4	668020	1.031	1.079	5.503	5.497	8.19				
	38	Cyclohexane	10.101	1.0	359700	0.555	0.550	5.547	5.548	14.22				
	39	tert-Amyl methyl ether (TAME)	10.845	8.5	231432	0.357	0.329	5.613	5.614	7.33				
	40	1,1-Dichloropropene	9.880	-1.2	151104	0.233	0.236	5.613	5.613	8.29				
	41	1,2-Dichloroethane-d4	8.914	-10.9	467273	0.722	0.809	5.723	5.723	11.80				
	42	Carbon tetrachloride	9.430	-5.7	557403	0.861	0.913	5.734	5.734	8.01				
	43	1,2-Dichloroethane	9.596	-4.0	571321	0.882	0.919	5.800	5.800	10.41				
	44	Benzene	10.262	2.6	1216026	1.878	1.830	5.866	5.866	8.64				
	45	Trichloroethene	9.910	-0.9	324173	0.501	0.505	6.373	6.371	9.09				
	46	Methyl methacrylate	10.822	8.2	313684	0.484	0.448	6.439	6.439	9.77				
	47	Methylcyclohexane	10.456	4.6	407082	0.629	0.601	6.450	6.454	11.92				
	48	1,2-Dichloropropane	10.391	3.9	314276	0.485	0.467	6.527	6.527	10.74				
20	49	1,4-Dioxane												
	50	Bromodichloromethane	9.851	-1.5	563896	0.871	0.884	6.780	6.769	11.38				
	51	Dibromomethane	9.836	-1.6	242061	0.374	0.380	6.857	6.857	11.79				
	52	2-Chloroethyl vinyl ether	8.988	-10.1	134655	0.208	0.221	6.934	6.934	6.45				
5	53	4-Methyl-2-pentanone	51.435	2.9	1704193	0.526	0.512	6.956	6.957	10.35				
	54	cis-1,3-Dichloropropene	10.439	4.4	552132	0.853	0.817	7.275	7.275	7.57				
	55	CHLOROBENZENE-D5	10.000	0	555845	1	1	9.564	9.564	0				
	56	Toluene-d8	9.506	-4.9	1050036	1.089	1.987	7.594	7.594	8.88				
	57	Ethyl methacrylate	11.236	12.4	426233	0.767	0.682	7.693	7.693	5.59				
	58	Toluene	10.086	0.9	1271585	2.288	2.268	7.693	7.693	9.46				
	59	trans-1,3-Dichloropropene	10.278	2.8	554416	0.997	0.970	7.814	7.814	6.61				
5	60	2-Hexanone	50.761	1.5	1156900	0.416	0.410	7.946	7.938	11.13				
	61	1,1,2-Trichloroethane	10.111	1.1	302512	0.544	0.538	8.045	8.045	10.51				
	62	1,3-Dichloropropane	10.361	3.6	460356	0.828	0.799	8.354	8.354	9.83				
	63	Tetrachloroethene	9.524	-4.8	262477	0.472	0.496	8.519	8.509	12.72				
	64	Dibromochloromethane	9.409	-5.9	422250	0.760	0.807	8.783	8.783	13.87				
	65	1,2-Dibromoethane	10.137	1.4	326860	0.588	0.580	9.069	9.069	8.08				
	66	1-Chlorohexane	10.040	0.4	418878	0.754	0.751	9.124	9.124	10.45				
	67	Chlorobenzene	9.723	-2.8	809661	1.457	1.498	9.619	9.619	11.00				
	68	1,1,1,2-Tetrachloroethane	9.599	-4.0	340100	0.612	0.637	9.652	9.646	9.12				
	69	Ethylbenzene	9.758	-2.4	1487392	2.676	2.742	9.641	9.641	10.66				
2	70	m-Xylene & p-Xylene	18.880	-5.6	2346333	2.111	2.236	9.751	9.750	9.97				
	71	o-Xylene	10.096	1.0	1187781	2.137	2.117	10.412	10.413	11.21				
	72	Styrene	10.151	1.5	835184	1.503	1.480	10.467	10.458	10.19				
	73	Isopropylbenzene	9.879	-1.2	1324380	2.383	2.412	10.940	10.940	13.33				
	74	1,2-DICHLOROBENZENE-D4	10.000	0	262396	1	1	13.889	13.889	0				
	75	Bromoform	9.959	-0.4	285204	1.087	1.091	11.061	11.061	9.03				
	76	1,1,2,2-Tetrachloroethane	10.875	8.8	397736	1.516	1.394	11.204	11.203	13.93				
	77	4-Bromofluorobenzene	10.006	0.1	416821	1.589	1.587	11.369	11.369	11.73				
	78	1,2,3-Trichloropropane	10.854	8.5	109593	0.418	0.385	11.446	11.446	12.26				
	79	trans-1,4-Dichloro-2-butene	11.666	16.7	119204	0.454	0.389	11.523	11.513	8.47				
	80	n-Propylbenzene	9.908	-0.9	1648572	6.283	6.341	11.578	11.578	14.55				
	81	Bromobenzene	10.166	1.7	371222	1.415	1.392	11.732	11.732	13.87				
	82	1,3,5-Trimethylbenzene	9.826	-1.7	1123998	4.284	4.359	11.831	11.829	14.43				
	83	2-Chlorotoluene	10.515	5.2	1079812	4.115	3.914	11.919	11.919	13.23				
	84	4-Chlorotoluene	11.112	11.1	964334	3.675	3.796	11.974	11.975	20.12	0.1440	3.1777		0.9987
	85	tert-Butylbenzene	9.977	-0.2	176618	0.673	0.675	12.415	12.408	14.63				
	86	1,2,4-Trimethylbenzene	10.070	0.7	1126508	4.293	4.263	12.481	12.478	14.07				
	87	sec-Butylbenzene	9.921	-0.8	1286003	4.901	4.940	12.756	12.749	14.11				
	88	p-Isopropyltoluene	9.947	-0.5	1081873	4.123	4.145	12.954	12.955	14.69				
	89	1,3-Dichlorobenzene	11.402	14.0	594859	2.267	2.303	13.174	13.165	19.08	0.0920	1.9075		0.9986
	90	1,2,3-Trimethylbenzene	10.087	0.9	1118089	4.261	4.224	13.262	13.255	13.33				
	91	1,4-Dichlorobenzene	11.077	10.8	600654	2.289	2.349	13.328	13.328	18.81	0.0831	1.9916		0.9991
	92	n-Butylbenzene	9.895	-1.0	1023631	3.901	3.942	13.614	13.614	14.93				
	93	1,2-Dichlorobenzene	9.725	-2.7	557437	2.124	2.184	13.933	13.933	14.28				
	94	1,2-Dibromo-3-chloropropane	10.796	8.0	80292	0.306	0.283	15.144	15.134	8.87				
	95	1,2,4-Trichlorobenzene	10.262	2.6	357605	1.363	1.493	16.475	16.464	24.05	0.0497	1.2796		0.9993
	96	Hexachlorobutadiene	10.669	6.7	211409	0.806	0.755	16.663	16.662	13.33				
	97	Naphthalene	10.446	4.5	925673	3.528	3.377	16.872	16.872	12.35				
	98	1,2,3-Trichlorobenzene	10.036	0.4	332666	1.268	1.419	17.235	17.231	24.06	0.0472	1.2161		0.9995

Spike Amount 'E' Nominal Amount * M

SM 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	134	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.421	-4.2	157	0.00
3	P,T,M	Chloromethane	10.000	10.035	-0.4	148	0.00
4	C,T,M	Vinyl chloride	10.000	10.451	-4.5	146	0.00
5	T,M	Bromomethane	10.000	10.727	-7.3	173	0.00
6	T,M	Dichlorofluoromethane	10.000	9.831	1.7	132	0.00
7	T,M	Chloroethane	10.000	11.738	-17.4	164	0.00
8	T,M	Trichlorofluoromethane	10.000	10.360	-3.6	151	0.00
9	T,M	Acrolein	50.000	53.499	-7.0	146	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	9.863	1.4	137	0.00
11	T,M	Acetone	50.000	55.179	-10.4	137	0.00
12	T,M	tert-Butyl alcohol	250.000	274.989	-10.0	147	0.00
13	C,T,M	1,1-Dichloroethene	10.000	9.754	2.5	131	0.00
14	T,M	Acetonitrile	100.000	109.003	-9.0	144	0.00
15	T,M	Allyl chloride	10.000	10.844	-8.4	143	0.00
16	T,M	Iodomethane	10.000	8.785	12.1	129	0.00
17	T,M	Methyl acetate	10.000	10.001	-0.0	133	0.00
18	T,M	Methylene chloride	10.000	11.389	-13.9	132	0.00
19	T,M	Acrylonitrile	50.000	52.273	-4.5	133	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.648	-6.5	142	0.00
21	T,M	Carbon disulfide	10.000	9.831	1.7	131	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	10.193	-1.9	139	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	10.521	-5.2	142	0.01
24	T,M	Vinyl acetate	10.000	11.462	-14.6	143	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.920	0.8	137	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	10.433	-4.3	139	0.00
27	T,M	2-Butanone	50.000	54.888	-9.8	140	0.00
28	T,M	Propionitrile	100.000	114.245	-14.2	158	0.00
29	T,M	Isobutyl alcohol	200.000	228.222	-14.1	152	0.00
30	T,M	2,2-Dichloropropane	10.000	9.836	1.6	128	0.00
31	T,M	Methacrylonitrile	100.000	106.760	-6.8	146	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	10.190	-1.9	143	0.00
33	C,T,M	Chloroform	10.000	9.160	8.4	131	0.00
34	T,M	Bromochloromethane	10.000	10.419	-4.2	136	0.00
35	T,M	Tetrahydrofuran	10.000	11.050	-10.5	150	-0.01
36	S	Dibromofluoromethane	10.000	9.254	7.5	122	0.00
37	T,M	1,1,1-Trichloroethane	10.000	9.563	4.4	129	0.01
38	T,M	Cyclohexane	10.000	10.102	-1.0	161	0.00
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.845	-8.5	139	0.00
40	T,M	1,1-Dichloropropene	10.000	9.881	1.2	129	0.00
41	S	1,2-Dichloroethane-d4	10.000	8.915	10.9	124	0.00
42	T,M	Carbon tetrachloride	10.000	9.430	5.7	124	0.00
43	T,M	1,2-Dichloroethane	10.000	9.596	4.0	126	0.00
44	T,M	Benzene	10.000	10.262	-2.6	138	0.00
45	T,M	Trichloroethene	10.000	9.910	0.9	136	0.00
46	T,M	Methyl methacrylate	10.000	10.823	-8.2	152	0.00
47	T,M	Methylcyclohexane	10.000	10.457	-4.6	159	0.00
48	C,T,M	1,2-Dichloropropane	10.000	10.391	-3.9	140	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	9.851	1.5	132	0.01
51	T,M	Dibromomethane	10.000	9.836	1.6	135	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguyc
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	8.989	10.1	117	0.00
53	T,M	4-Methyl-2-pentanone	50.000	51.435	-2.9	132	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.440	-4.4	139	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	136	0.00
56	S	Toluene-d8	10.000	9.507	4.9	128	0.00
57	T,M	Ethyl methacrylate	10.000	11.236	-12.4	147	0.00
58	C,T,M	Toluene	10.000	10.087	-0.9	138	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	10.278	-2.8	137	0.00
60	T,M	2-Hexanone	50.000	50.761	-1.5	131	0.01
61	T,M	1,1,2-Trichloroethane	10.000	10.111	-1.1	138	0.00
62	T,M	1,3-Dichloropropane	10.000	10.361	-3.6	143	0.00
63	T,M	Tetrachloroethene	10.000	9.524	4.8	134	0.01
64	T,M	Dibromochloromethane	10.000	9.409	5.9	131	0.00
65	T,M	1,2-Dibromoethane	10.000	10.138	-1.4	135	0.00
66	T,M	1-Chlorohexane	10.000	10.040	-0.4	137	0.00
67	P,T,M	Chlorobenzene	10.000	9.724	2.8	135	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.599	4.0	128	0.00
69	C,T,M	Ethylbenzene	10.000	9.759	2.4	136	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.880	5.6	138	0.01
71	T,M	o-Xylene	10.000	10.096	-1.0	137	0.00
72	T,M	Styrene	10.000	10.152	-1.5	137	0.01
73	T,M	Isopropylbenzene	10.000	9.880	1.2	133	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	133	0.00
75	P,T,M	Bromoform	10.000	9.959	0.4	134	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.876	-8.8	149	0.00
77	S	4-Bromofluorobenzene	10.000	10.007	-0.1	135	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.854	-8.5	148	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	11.667	-16.7	152	0.01
80	T,M	n-Propylbenzene	10.000	9.909	0.9	139	0.00
81	T,M	Bromobenzene	10.000	10.166	-1.7	135	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.827	1.7	135	0.00
83	T,M	2-Chlorotoluene	10.000	10.515	-5.2	149	0.00
84	T,M	4-Chlorotoluene	10.000	11.112	-11.1	126	0.00
85	T,M	tert-Butylbenzene	10.000	9.977	0.2	138	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	10.070	-0.7	136	0.01
87	T,M	sec-Butylbenzene	10.000	9.921	0.8	134	0.01
88	T,M	p-Isopropyltoluene	10.000	9.947	0.5	138	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.403	-14.0	138	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	10.087	-0.9	135	0.01
91	T,M	1,4-Dichlorobenzene	10.000	11.077	-10.8	137	0.00
92	T,M	n-Butylbenzene	10.000	9.896	1.0	136	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.725	2.8	140	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	10.797	-8.0	153	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	10.262	-2.6	140	0.01
96	T,M	Hexachlorobutadiene	10.000	10.670	-6.7	142	0.00
97	T,M	Naphthalene	10.000	10.446	-4.5	141	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.037	-0.4	136	0.01

5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

5/24/24

DAILY CALIBRATIONS

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F004
Lab File ID: RFG031 BFB Injection Date: 06/08/24
Instrument ID: E2 BFB Injection Time: 12:09

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	22.071
75	30 - 60% of mass 95	51.971
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.542
173	Less than 2% of mass 174	1.709(1.73)1
174	Greater than 50% of mass 95	98.721
175	5 - 9% of mass 174	8.812(8.93)1
176	95 - 101% % of mass 174	98.535(99.81)1
177	5 - 9% % of mass 176	7.072(7.18)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1705	RFG033	06/08/24	14:28
2	LCS1W	VOE2F02L	RFG034	06/08/24	15:04
3	LCD1W	VOE2F02C	RFG035	06/08/24	15:28
4	MBLK1W	VOE2F02B	RFG037	06/08/24	16:16
5	T1AMF-MW054-MAY24	24F004-02	RFG039	06/08/24	17:04
6	T1AMF-MW042-MAY24	24F004-03	RFG040	06/08/24	17:27
7	T1AMF-MW055-MAY24	24F004-04	RFG041	06/08/24	17:51
8	T1AMF-MW045-MAY24	24F004-07	RFG044	06/08/24	19:03
9	T1AMF-EW001-MAY24	24F004-08	RFG045	06/08/24	19:27
10	VSTD10	EVOE2E1705	RFG058	06/09/24	00:35

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F004
Date Analyzed: 05/17/24
Time Analyzed: 14:09

	INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
		Area #	RT #	Area #	RT #	Area #	RT #
	12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
	UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
	LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
		Area #	RT #	Area #	RT #	Area #	RT #
1	VSTD10	759396	5.99	659881	9.56	351346	13.89
2	LCS1W	804216	5.99	688163	9.56	361553	13.89
3	LCD1W	788614	5.99	686122	9.56	360055	13.89
4	MBLK1W	702533	5.99	598134	9.56	288194	13.89
5	T1AMF-MW054-MAY24	604704	5.99	515586	9.56	241202	13.89
6	T1AMF-MW042-MAY24	585872	5.99	507180	9.56	244053	13.89
7	T1AMF-MW055-MAY24	544754	5.99	461819	9.56	224403	13.89
8	T1AMF-MW045-MAY24	505850	5.99	420589	9.56	206594	13.89
9	T1AMF-EW001-MAY24	493129	5.99	412092	9.56	195843	13.89
10	VSTD10	446913	5.99	398856	9.56	235443	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG033.D
Acq On : 8 Jun 2024 14:28
Sample : CVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	157	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.917	-9.2	193	0.00
3	P,T,M	Chloromethane	10.000	8.757	12.4	152	0.00
4	C,T,M	Vinyl chloride	10.000	10.879	-8.8	179	0.00
5	T,M	Bromomethane	10.000	7.609	23.9#	144	0.00
6	T,M	Dichlorofluoromethane	10.000	10.391	-3.9	164	0.00
7	T,M	Chloroethane	10.000	9.950	0.5	163	0.00
8	T,M	Trichlorofluoromethane	10.000	8.165	18.4	140	0.00
9	T,M	Acrolein	50.000	41.766	16.5	134	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	10.353	-3.5	169	0.00
11	T,M	Acetone	50.000	53.271	-6.5	156	0.01
12	T,M	tert-Butyl alcohol	250.000	205.813	17.7	129	0.00
13	C,T,M	1,1-Dichloroethene	10.000	9.978	0.2	158	0.00
14	T,M	Acetonitrile	100.000	89.402	10.6	138	0.00
15	T,M	Allyl chloride	10.000	10.640	-6.4	165	0.00
16	T,M	Iodomethane	10.000	10.989	-9.9	190	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	10.895	-8.9	149	0.00
19	T,M	Acrylonitrile	50.000	44.205	11.6	132	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	9.644	3.6	150	0.00
21	T,M	Carbon disulfide	10.000	10.412	-4.1	163	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	9.482	5.2	152	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	10.714	-7.1	169	0.01
24	T,M	Vinyl acetate	10.000	7.360	26.4#	108	0.00
25	P,T,M	1,1-Dichloroethane	10.000	10.237	-2.4	166	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	8.744	12.6	137	0.00
27	T,M	2-Butanone	50.000	46.101	7.8	138	0.00
28	T,M	Propionitrile	100.000	90.522	9.5	147	0.00
29	T,M	Isobutyl alcohol	200.000	199.417	0.3	156	0.00
30	T,M	2,2-Dichloropropane	10.000	10.236	-2.4	156	0.01
31	T,M	Methacrylonitrile	100.000	95.404	4.6	153	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.659	3.4	159	0.00
33	C,T,M	Chloroform	10.000	9.166	8.3	154	0.00
34	T,M	Bromochloromethane	10.000	9.816	1.8	151	0.00
35	T,M	Tetrahydrofuran	10.000	9.864	1.4	157	0.00
36	S	Dibromofluoromethane	10.000	10.724	-7.2	165	0.00
37	T,M	1,1,1-Trichloroethane	10.000	9.824	1.8	155	0.01
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	9.703	3.0	145	0.00
40	T,M	1,1-Dichloropropene	10.000	9.938	0.6	152	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.726	-7.3	175	0.00
42	T,M	Carbon tetrachloride	10.000	10.297	-3.0	159	0.00
43	T,M	1,2-Dichloroethane	10.000	10.208	-2.1	157	0.00
44	T,M	Benzene	10.000	9.819	1.8	155	0.00
45	T,M	Trichloroethene	10.000	9.800	2.0	157	0.00
46	T,M	Methyl methacrylate	10.000	6.686	33.1#	110	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.347	-3.5	163	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	9.981	0.2	156	0.01
51	T,M	Dibromomethane	10.000	9.236	7.6	148	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG033.D
Acq On : 8 Jun 2024 14:28
Sample : CVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: °RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	7.156	28.4#	109	0.00
53	T,M	4-Methyl-2-pentanone	50.000	49.584	0.8	149	0.01
54	T,M	cis-1,3-Dichloropropene	10.000	10.044	-0.4	157	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	161	0.00
56	S	Toluene-d8	10.000	10.296	-3.0	164	0.00
57	T,M	Ethyl methacrylate	10.000	9.483	5.2	147	0.00
58	C,T,M	Toluene	10.000	9.620	3.8	156	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	9.738	2.6	154	0.00
60	T,M	2-Hexanone	50.000	48.880	2.2	149	0.01
61	T,M	1,1,2-Trichloroethane	10.000	9.159	8.4	149	0.00
62	T,M	1,3-Dichloropropane	10.000	9.833	1.7	161	0.00
63	T,M	Tetrachloroethene	10.000	11.002	-10.0	184	0.01
64	T,M	Dibromochloromethane	10.000	9.090	9.1	150	0.00
65	T,M	1,2-Dibromoethane	10.000	8.916	10.8	141	0.00
66	T,M	1-Chlorohexane	10.000	9.660	3.4	156	0.00
67	P,T,M	Chlorobenzene	10.000	9.453	5.5	156	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.719	2.8	154	0.00
69	C,T,M	Ethylbenzene	10.000	9.519	4.8	158	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.082	9.6	157	0.01
71	T,M	o-Xylene	10.000	9.493	5.1	153	0.01
72	T,M	Styrene	10.000	9.763	2.4	156	0.01
73	T,M	Isopropylbenzene	10.000	9.860	1.4	158	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	177	0.00
75	P,T,M	Bromoform	10.000	9.290	7.1	168	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.272	17.3	152	0.00
77	S	4-Bromofluorobenzene	10.000	9.824	1.8	178	0.00
78	T,M	1,2,3-Trichloropropane	10.000	8.442	15.6	154	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	9.458	5.4	165	0.00
80	T,M	n-Propylbenzene	10.000	8.676	13.2	163	0.00
81	T,M	Bromobenzene	10.000	9.733	2.7	173	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	8.626	13.7	159	0.00
83	T,M	2-Chlorotoluene	10.000	9.037	9.6	171	0.00
84	T,M	4-Chlorotoluene	10.000	9.424	5.8	144	0.01
85	T,M	tert-Butylbenzene	10.000	8.746	12.5	162	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	8.764	12.4	159	0.01
87	T,M	sec-Butylbenzene	10.000	8.943	10.6	162	0.01
88	T,M	p-Isopropyltoluene	10.000	8.862	11.4	164	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.045	-10.4	179	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	8.719	12.8	157	0.01
91	T,M	1,4-Dichlorobenzene	10.000	10.796	-8.0	178	0.00
92	T,M	n-Butylbenzene	10.000	9.008	9.9	166	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.792	2.1	189	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.942	10.6	170	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	11.017	-10.2	201	0.00
96	T,M	Hexachlorobutadiene	10.000	11.173	-11.7	200	0.00
97	T,M	Naphthalene	10.000	8.682	13.2	157	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.865	-8.7	197	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG033.D
Acq On : 8 Jun 2024 14:28
Sample : CVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG033.D
Acq On : 8 Jun 2024 14:28
Sample : CVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	157	0.00
2	T,M Dichlorodifluoromethane	0.574	0.627	-9.2	193	0.00
3	P,T,M Chloromethane	0.412	0.361	12.4	152	0.00
4	C,T,M Vinyl chloride	0.435	0.473	-8.7	179	0.00
5	T,M Bromomethane	0.294	0.224	23.8#	144	0.00
6	T,M Dichlorofluoromethane	0.994	1.033	-3.9	164	0.00
7	T,M Chloroethane	0.213	0.212	0.5	163	0.00
8	T,M Trichlorofluoromethane	0.977	0.798	18.3	140	0.00
9	T,M Acrolein	0.065	0.054	16.9	134	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.441	-3.5	169	0.00
11	T,M Acetone	0.181	0.136	24.9#	156	0.01
12	T,M tert-Butyl alcohol	0.061	0.050	18.0	129	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.892	0.2	158	0.00
14	T,M Acetonitrile	0.030	0.027	10.0	138	0.00
15	T,M Allyl chloride	0.236	0.251	-6.4	165	0.00
16	T,M Iodomethane	0.429	0.523	-21.9#	190	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.693	13.5	149	0.00
19	T,M Acrylonitrile	0.150	0.133	11.3	132	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.441	3.5	150	0.00
21	T,M Carbon disulfide	1.370	1.426	-4.1	163	0.01
22	T,M trans-1,2-Dichloroethene	0.477	0.452	5.2	152	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.629	-7.2	169	0.01
24	T,M Vinyl acetate	0.866	0.637	26.4#	108	0.00
25	P,T,M 1,1-Dichloroethane	0.965	0.987	-2.3	166	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	1.614	12.6	137	0.00
27	T,M 2-Butanone	0.047	0.043	8.5	138	0.00
28	T,M Propionitrile	0.055	0.050	9.1	147	0.00
29	T,M Isobutyl alcohol	0.020	0.019	5.0	156	0.00
30	T,M 2,2-Dichloropropane	0.966	0.988	-2.3	156	0.01
31	T,M Methacrylonitrile	0.091	0.087	4.4	153	0.00
32	T,M cis-1,2-Dichloroethene	0.543	0.524	3.5	159	0.00
33	C,T,M Chloroform	1.196	1.096	8.4	154	0.00
34	T,M Bromochloromethane	0.319	0.313	1.9	151	0.00
35	T,M Tetrahydrofuran	0.126	0.124	1.6	157	0.00
36	S Dibromofluoromethane	0.612	0.657	-7.4	165	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.060	1.8	155	0.01
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.320	2.7	145	0.00
40	T,M 1,1-Dichloropropene	0.236	0.235	0.4	152	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.868	-7.3	175	0.00
42	T,M Carbon tetrachloride	0.913	0.940	-3.0	159	0.00
43	T,M 1,2-Dichloroethane	0.919	0.938	-2.1	157	0.00
44	T,M Benzene	1.830	1.797	1.8	155	0.00
45	T,M Trichloroethene	0.505	0.495	2.0	157	0.00
46	T,M Methyl methacrylate	0.448	0.299	33.3#	110	0.00
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.483	-3.4	163	0.00
49	T,M 1,4-Dioxane	0.000	0.002	0.0	0#	0.00
50	T,M Bromodichloromethane	0.884	0.882	0.2	156	0.01
51	T,M Dibromomethane	0.380	0.351	7.6	148	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG033.D
Acq On : 8 Jun 2024 14:28
Sample : CVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.166	28.1#	109	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.507	1.0	149	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.820	-0.4	157	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	161	0.00
56	S	Toluene-d8	1.987	2.046	-3.0	164	0.00
57	T,M	Ethyl methacrylate	0.682	0.647	5.1	147	0.00
58	C,T,M	Toluene	2.268	2.182	3.8	156	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.945	2.6	154	0.00
60	T,M	2-Hexanone	0.410	0.401	2.2	149	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.493	8.4	149	0.00
62	T,M	1,3-Dichloropropane	0.799	0.786	1.6	161	0.00
63	T,M	Tetrachloroethene	0.496	0.545	-9.9	184	0.01
64	T,M	Dibromochloromethane	0.807	0.734	9.0	150	0.00
65	T,M	1,2-Dibromoethane	0.580	0.517	10.9	141	0.00
66	T,M	1-Chlorohexane	0.751	0.725	3.5	156	0.00
67	P,T,M	Chlorobenzene	1.498	1.416	5.5	156	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.620	2.7	154	0.00
69	C,T,M	Ethylbenzene	2.742	2.610	4.8	158	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.021	9.6	157	0.01
71	T,M	o-Xylene	2.117	2.009	5.1	153	0.01
72	T,M	Styrene	1.480	1.445	2.4	156	0.01
73	T,M	Isopropylbenzene	2.412	2.378	1.4	158	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	177	0.00
75	P,T,M	Bromoform	1.091	1.014	7.1	168	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.153	17.3	152	0.00
77	S	4-Bromofluorobenzene	1.587	1.559	1.8	178	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.325	15.6	154	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.368	5.4	165	0.00
80	T,M	n-Propylbenzene	6.341	5.501	13.2	163	0.00
81	T,M	Bromobenzene	1.392	1.354	2.7	173	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.760	13.7	159	0.00
83	T,M	2-Chlorotoluene	3.914	3.537	9.6	171	0.00
84	T,M	4-Chlorotoluene	3.796	3.139	17.3	144	0.01
85	T,M	tert-Butylbenzene	0.675	0.590	12.6	162	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.736	12.4	159	0.01
87	T,M	sec-Butylbenzene	4.940	4.418	10.6	162	0.01
88	T,M	p-Isopropyltoluene	4.145	3.673	11.4	164	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.199	4.5	179	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	3.683	12.8	157	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.233	4.9	178	0.00
92	T,M	n-Butylbenzene	3.942	3.551	9.9	166	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.139	2.1	189	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.253	10.6	170	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.459	2.3	201#	0.00
96	T,M	Hexachlorobutadiene	0.755	0.844	-11.8	200	0.00
97	T,M	Naphthalene	3.377	2.932	13.2	157	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.369	3.5	197	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG033.D
Acq On : 8 Jun 2024 14:28
Sample : CVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG058.D Vial: 28
Acq On : 9 Jun 2024 00:35 Operator: DNguye
Sample : EVOE2E1705 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	92	0.00
2	T,M	Dichlorodifluoromethane	10.000	11.154	-11.5	116	0.00
3	P,T,M	Chloromethane	10.000	8.702	13.0	89	0.00
4	C,T,M	Vinyl chloride	10.000	12.358	-23.6#	119	0.00
5	T,M	Bromomethane	10.000	7.515	24.9#	84	0.00
6	T,M	Dichlorofluoromethane	10.000	11.797	-18.0	109	0.00
7	T,M	Chloroethane	10.000	8.766	12.3	85	0.00
8	T,M	Trichlorofluoromethane	10.000	9.065	9.4	91	0.00
9	T,M	Acrolein	50.000	30.600	38.8#	58	0.01
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	11.370	-13.7	109	0.00
11	T,M	Acetone	50.000	52.038	-4.1	90	0.00
12	T,M	tert-Butyl alcohol	250.000	222.847	10.9	82	0.00
13	C,T,M	1,1-Dichloroethene	10.000	11.059	-10.6	103	0.00
14	T,M	Acetonitrile	100.000	103.032	-3.0	94	0.00
15	T,M	Allyl chloride	10.000	10.308	-3.1	94	0.00
16	T,M	Iodomethane	10.000	11.012	-10.1	112	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	11.677	-16.8	94	0.00
19	T,M	Acrylonitrile	50.000	39.039	21.9#	69	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.201	-2.0	94	0.00
21	T,M	Carbon disulfide	10.000	9.704	3.0	89	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	10.173	-1.7	96	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	10.316	-3.2	96	0.01
24	T,M	Vinyl acetate	10.000	5.668	43.3#	49	0.00
25	P,T,M	1,1-Dichloroethane	10.000	10.774	-7.7	103	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.356	6.4	86	0.00
27	T,M	2-Butanone	50.000	38.217	23.6#	67	0.00
28	T,M	Propionitrile	100.000	89.489	10.5	86	0.00
29	T,M	Isobutyl alcohol	200.000	189.208	5.4	87	0.00
30	T,M	2,2-Dichloropropane	10.000	10.218	-2.2	92	0.01
31	T,M	Methacrylonitrile	100.000	103.527	-3.5	97	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	10.569	-5.7	102	0.00
33	C,T,M	Chloroform	10.000	10.633	-6.3	105	0.00
34	T,M	Bromochloromethane	10.000	10.650	-6.5	96	0.00
35	T,M	Tetrahydrofuran	10.000	9.735	2.7	91	0.00
36	S	Dibromofluoromethane	10.000	11.143	-11.4	101	0.00
37	T,M	1,1,1-Trichloroethane	10.000	12.025	-20.3#	112	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.317	-3.2	91	0.00
40	T,M	1,1-Dichloropropene	10.000	10.702	-7.0	97	0.00
41	S	1,2-Dichloroethane-d4	10.000	12.094	-20.9#	116	0.00
42	T,M	Carbon tetrachloride	10.000	12.788	-27.9#	116	0.00
43	T,M	1,2-Dichloroethane	10.000	12.527	-25.3#	114	0.00
44	T,M	Benzene	10.000	10.171	-1.7	95	0.00
45	T,M	Trichloroethene	10.000	10.424	-4.2	98	0.00
46	T,M	Methyl methacrylate	10.000	6.725	32.8#	65	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.373	-3.7	96	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	11.245	-12.4	104	0.00
51	T,M	Dibromomethane	10.000	10.371	-3.7	98	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG058.D
Acq On : 9 Jun 2024 00:35
Sample : EVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	6.712	32.9#	60	0.00
53	T,M	4-Methyl-2-pentanone	50.000	47.387	5.2	84	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.149	-1.5	93	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	97	0.00
56	S	Toluene-d8	10.000	10.091	-0.9	97	0.00
57	T,M	Ethyl methacrylate	10.000	9.399	6.0	88	0.00
58	C,T,M	Toluene	10.000	10.206	-2.1	100	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	10.292	-2.9	99	0.00
60	T,M	2-Hexanone	50.000	44.976	10.0	83	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.622	3.8	94	0.00
62	T,M	1,3-Dichloropropane	10.000	10.073	-0.7	100	0.00
63	T,M	Tetrachloroethene	10.000	12.019	-20.2#	122	0.00
64	T,M	Dibromochloromethane	10.000	10.114	-1.1	101	0.00
65	T,M	1,2-Dibromoethane	10.000	9.297	7.0	89	0.00
66	T,M	1-Chlorohexane	10.000	9.504	5.0	93	0.00
67	P,T,M	Chlorobenzene	10.000	10.372	-3.7	103	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.774	-7.7	103	-0.01
69	C,T,M	Ethylbenzene	10.000	9.971	0.3	100	0.00
70	T,M	m-Xylene & p-Xylene	20.000	19.782	1.1	104	0.00
71	T,M	o-Xylene	10.000	10.433	-4.3	102	0.00
72	T,M	Styrene	10.000	10.614	-6.1	103	0.00
73	T,M	Isopropylbenzene	10.000	10.731	-7.3	104	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	119	0.00
75	P,T,M	Bromoform	10.000	9.427	5.7	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	7.763	22.4#	95	-0.01
77	S	4-Bromofluorobenzene	10.000	9.158	8.4	111	0.00
78	T,M	1,2,3-Trichloropropane	10.000	8.800	12.0	108	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	9.012	9.9	106	0.00
80	T,M	n-Propylbenzene	10.000	8.621	13.8	108	0.00
81	T,M	Bromobenzene	10.000	9.710	2.9	116	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	8.503	15.0	105	-0.01
83	T,M	2-Chlorotoluene	10.000	8.241	17.6	104	0.00
84	T,M	4-Chlorotoluene	10.000	10.138	-1.4	103	0.00
85	T,M	tert-Butylbenzene	10.000	9.313	6.9	115	-0.01
86	T,M	1,2,4-Trimethylbenzene	10.000	8.885	11.2	108	0.00
87	T,M	sec-Butylbenzene	10.000	8.724	12.8	106	0.00
88	T,M	p-Isopropyltoluene	10.000	8.671	13.3	108	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.498	-15.0	125	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	8.851	11.5	107	0.00
91	T,M	1,4-Dichlorobenzene	10.000	11.109	-11.1	123	0.00
92	T,M	n-Butylbenzene	10.000	8.375	16.3	104	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.965	0.4	129	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.978	20.2#	102	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	10.612	-6.1	130	0.00
96	T,M	Hexachlorobutadiene	10.000	11.000	-10.0	132	0.00
97	T,M	Naphthalene	10.000	7.733	22.7#	94	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.543	-5.4	128	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG058.D
Acq On : 9 Jun 2024 00:35
Sample : EVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG058.D
Acq On : 9 Jun 2024 00:35
Sample : EVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	92	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.640	-11.5	116	0.00
3	P,T,M	Chloromethane	0.412	0.358	13.1	89	0.00
4	C,T,M	Vinyl chloride	0.435	0.537	-23.4#	119	0.00
5	T,M	Bromomethane	0.294	0.221	24.8#	84	0.00
6	T,M	Dichlorofluoromethane	0.994	1.172	-17.9	109	0.00
7	T,M	Chloroethane	0.213	0.187	12.2	85	0.00
8	T,M	Trichlorofluoromethane	0.977	0.886	9.3	91	0.00
9	T,M	Acrolein	0.065	0.040	38.5#	58	0.01
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.484	-13.6	109	0.00
11	T,M	Acetone	0.181	0.133	26.5#	90	0.00
12	T,M	tert-Butyl alcohol	0.061	0.054	11.5	82	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.989	-10.6	103	0.00
14	T,M	Acetonitrile	0.030	0.031	-3.3	94	0.00
15	T,M	Allyl chloride	0.236	0.243	-3.0	94	0.00
16	T,M	Iodomethane	0.429	0.524	-22.1#	112	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.740	7.6	94	0.00
19	T,M	Acrylonitrile	0.150	0.117	22.0#	69	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.524	-2.0	94	0.00
21	T,M	Carbon disulfide	1.370	1.329	3.0	89	0.00
22	T,M	trans-1,2-Dichloroethene	0.477	0.485	-1.7	96	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.568	-3.2	96	0.01
24	T,M	Vinyl acetate	0.866	0.491	43.3#	49#	0.00
25	P,T,M	1,1-Dichloroethane	0.965	1.039	-7.7	103	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.728	6.4	86	0.00
27	T,M	2-Butanone	0.047	0.036	23.4#	67	0.00
28	T,M	Propionitrile	0.055	0.049	10.9	86	0.00
29	T,M	Isobutyl alcohol	0.020	0.018	10.0	87	0.00
30	T,M	2,2-Dichloropropane	0.966	0.987	-2.2	92	0.01
31	T,M	Methacrylonitrile	0.091	0.094	-3.3	97	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.574	-5.7	102	0.00
33	C,T,M	Chloroform	1.196	1.272	-6.4	105	0.00
34	T,M	Bromochloromethane	0.319	0.340	-6.6	96	0.00
35	T,M	Tetrahydrofuran	0.126	0.123	2.4	91	0.00
36	S	Dibromofluoromethane	0.612	0.682	-11.4	101	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.297	-20.2#	112	0.00
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.340	-3.3	91	0.00
40	T,M	1,1-Dichloropropene	0.236	0.253	-7.2	97	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.979	-21.0#	116	0.00
42	T,M	Carbon tetrachloride	0.913	1.167	-27.8#	116	0.00
43	T,M	1,2-Dichloroethane	0.919	1.152	-25.4#	114	0.00
44	T,M	Benzene	1.830	1.861	-1.7	95	0.00
45	T,M	Trichloroethene	0.505	0.527	-4.4	98	0.00
46	T,M	Methyl methacrylate	0.448	0.301	32.8#	65	0.00
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.484	-3.6	96	0.00
49	T,M	1,4-Dioxane	0.000	0.002	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	0.994	-12.4	104	0.00
51	T,M	Dibromomethane	0.380	0.394	-3.7	98	0.00

Data File : D:\Data\24F08\RFG058.D
Acq On : 9 Jun 2024 00:35
Sample : EVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.155	32.9#	60	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.485	5.3	84	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.829	-1.5	93	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	97	0.00
56	S	Toluene-d8	1.987	2.005	-0.9	97	0.00
57	T,M	Ethyl methacrylate	0.682	0.641	6.0	88	0.00
58	C,T,M	Toluene	2.268	2.315	-2.1	100	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.999	-3.0	99	0.00
60	T,M	2-Hexanone	0.410	0.369	10.0	83	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.518	3.7	94	0.00
62	T,M	1,3-Dichloropropane	0.799	0.805	-0.8	100	0.00
63	T,M	Tetrachloroethene	0.496	0.596	-20.2#	122	0.00
64	T,M	Dibromochloromethane	0.807	0.817	-1.2	101	0.00
65	T,M	1,2-Dibromoethane	0.580	0.539	7.1	89	0.00
66	T,M	1-Chlorohexane	0.751	0.713	5.1	93	0.00
67	P,T,M	Chlorobenzene	1.498	1.554	-3.7	103	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.687	-7.8	103	-0.01
69	C,T,M	Ethylbenzene	2.742	2.734	0.3	100	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.211	1.1	104	0.00
71	T,M	o-Xylene	2.117	2.208	-4.3	102	0.00
72	T,M	Styrene	1.480	1.571	-6.1	103	0.00
73	T,M	Isopropylbenzene	2.412	2.588	-7.3	104	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	119	0.00
75	P,T,M	Bromoform	1.091	1.029	5.7	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.082	22.4#	95	-0.01
77	S	4-Bromofluorobenzene	1.587	1.454	8.4	111	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.339	11.9	108	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.351	9.8	106	0.00
80	T,M	n-Propylbenzene	6.341	5.466	13.8	108	0.00
81	T,M	Bromobenzene	1.392	1.351	2.9	116	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.707	15.0	105	-0.01
83	T,M	2-Chlorotoluene	3.914	3.225	17.6	104	0.00
84	T,M	4-Chlorotoluene	3.796	3.366	11.3	103	0.00
85	T,M	tert-Butylbenzene	0.675	0.628	7.0	115	-0.01
86	T,M	1,2,4-Trimethylbenzene	4.263	3.788	11.1	108	0.00
87	T,M	sec-Butylbenzene	4.940	4.309	12.8	106	0.00
88	T,M	p-Isopropyltoluene	4.145	3.594	13.3	108	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.285	0.8	125	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	3.739	11.5	107	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.295	2.3	123	0.00
92	T,M	n-Butylbenzene	3.942	3.302	16.2	104	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.177	0.3	129	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.226	20.1#	102	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.408	5.7	130	0.00
96	T,M	Hexachlorobutadiene	0.755	0.831	-10.1	132	0.00
97	T,M	Naphthalene	3.377	2.611	22.7#	94	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.329	6.3	128	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG058.D
Acq On : 9 Jun 2024 00:35
Sample : EVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F004
Lab File ID: RFG061 BFB Injection Date: 06/10/24
Instrument ID: E2 BFB Injection Time: 15:55

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.420
75	30 - 60% of mass 95	52.039
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	7.244
173	Less than 2% of mass 174	1.243(1.64)1
174	Greater than 50% of mass 95	75.606
175	5 - 9% of mass 174	5.475(7.24)1
176	95 - 101% % of mass 174	73.387(97.07)1
177	5 - 9% % of mass 176	4.772(6.5)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1706	RFG062	06/10/24	16:35
2	LCS2W	VOE2F03L	RFG063	06/10/24	17:13
3	LCD2W	VOE2F03C	RFG064	06/10/24	17:37
4	MBLK2W	VOE2F03B	RFG067	06/10/24	18:25
5	T1AMF-MW043-MAY24	24F004-05N	RFG068	06/10/24	18:48
6	T1AMF-MW045-MAY24	24F004-07I	RFG070	06/10/24	19:36
7	T1AMF-MW048-MAY24	24F004-09N	RFG071	06/10/24	20:00
8	T1AMF-MW056-MAY24	24F004-10N	RFG072	06/10/24	20:24
9	VSTD10	EVOE2E1706	RFG088	06/11/24	02:43

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F004
Date Analyzed: 05/17/24
Time Analyzed: 14:09

INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
	Area #	RT #	Area #	RT #	Area #	RT #
12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
	Area #	RT #	Area #	RT #	Area #	RT #
1 VSTD10	754319	5.99	601845	9.56	305181	13.89
2 LCS2W	792750	5.99	646227	9.56	321378	13.89
3 LCD2W	821664	5.99	645570	9.56	324769	13.89
4 MBLK2W	727124	5.99	552730	9.56	266282	13.89
5 T1AMF-MW043-MAY24	660379	5.99	508072	9.56	238614	13.89
6 T1AMF-MW045-MAY24	598016	5.99	459152	9.56	215050	13.89
7 T1AMF-MW048-MAY24	570196	5.99	441677	9.56	207331	13.89
8 T1AMF-MW056-MAY24	552850	5.99	420958	9.56	212301	13.89
9 VSTD10	493624	5.99	398955	9.56	221976	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.		%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000		0.0	156	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.839		-8.4	190	0.00
3	P,T,M	Chloromethane	10.000	7.384		26.2#	127	0.00
4	C,T,M	Vinyl chloride	10.000	10.461	✓	-4.6	171	0.00
5	T,M	Bromomethane	10.000	8.230		17.7	155	0.00
6	T,M	Dichlorofluoromethane	10.000	11.096		-11.0	174	0.00
7	T,M	Chloroethane	10.000	9.062		9.4	148	0.00
8	T,M	Trichlorofluoromethane	10.000	8.401		16.0	143	0.00
9	T,M	Acrolein	50.000	42.007		16.0	134	0.01
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	10.274		-2.7	167	0.00
11	T,M	Acetone	50.000	50.666		-1.3	148	0.01
12	T,M	tert-Butyl alcohol	250.000	250.165	✓	-0.1	156	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.483	✓	-4.8	164	0.00
14	T,M	Acetonitrile	100.000	105.761		-5.8	163	0.00
15	T,M	Allyl chloride	10.000	11.506		-15.1	177	0.00
16	T,M	Iodomethane	10.000	10.464		-4.6	180	0.00
17	T,M	Methyl acetate	10.000	0.000		100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	10.912		-9.1	148	0.00
19	T,M	Acrylonitrile	50.000	43.827		12.3	130	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	11.065		-10.6	171	0.00
21	T,M	Carbon disulfide	10.000	10.264		-2.6	159	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	10.442		-4.4	166	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	10.383		-3.8	163	0.01
24	T,M	Vinyl acetate	10.000	5.910		40.9#	86	0.00
25	P,T,M	1,1-Dichloroethane	10.000	10.570		-5.7	170	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.692		3.1	150	0.00
27	T,M	2-Butanone	50.000	48.961		2.1	145	0.00
28	T,M	Propionitrile	100.000	102.751		-2.8	166	0.00
29	T,M	Isobutyl alcohol	200.000	206.376		-3.2	160	0.00
30	T,M	2,2-Dichloropropane	10.000	11.544		-15.4	175	0.01
31	T,M	Methacrylonitrile	100.000	101.779		-1.8	162	0.01
32	T,M	cis-1,2-Dichloroethene	10.000	10.795		-7.9	176	0.00
33	C,T,M	Chloroform	10.000	10.372	✓	-3.7	173	0.00
34	T,M	Bromochloromethane	10.000	9.972		0.3	152	0.00
35	T,M	Tetrahydrofuran	10.000	9.418		5.8	149	0.00
36	S	Dibromofluoromethane	10.000	9.786		2.1	150	0.00
37	T,M	1,1,1-Trichloroethane	10.000	11.146		-11.5	175	0.01
38	T,M	Cyclohexane	10.000	0.000		100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.879		-8.8	162	0.01
40	T,M	1,1-Dichloropropene	10.000	10.561		-5.6	161	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.246		-2.5	166	0.00
42	T,M	Carbon tetrachloride	10.000	10.875		-8.8	166	0.00
43	T,M	1,2-Dichloroethane	10.000	11.160		-11.6	171	0.00
44	T,M	Benzene	10.000	10.938		-9.4	172	0.00
45	T,M	Trichloroethene	10.000	9.816		1.8	157	0.00
46	T,M	Methyl methacrylate	10.000	7.438		25.6#	121	0.00
47	T,M	Methylcyclohexane	10.000	0.000		100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.384		-3.8	163	0.00
49	T,M	1,4-Dioxane	200.000	0.000	✓	100.0#	0	0.01
50	T,M	Bromodichloromethane	10.000	11.013		-10.1	171	0.01
51	T,M	Dibromomethane	10.000	9.735		2.7	155	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	7.494	25.1#	114	0.00
53	T,M	4-Methyl-2-pentanone	50.000	45.062	9.9	135	0.01
54	T,M	cis-1,3-Dichloropropene	10.000	10.952	-9.5	170	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	147	0.00
56	S	Toluene-d8	10.000	10.822	-8.2	158	0.00
57	T,M	Ethyl methacrylate	10.000	11.395	-13.9	162	0.00
58	C,T,M	Toluene	10.000	11.605	-16.1	172	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.830	-18.3	171	0.01
60	T,M	2-Hexanone	50.000	48.545	2.9	135	0.01
61	T,M	1,1,2-Trichloroethane	10.000	10.893	-8.9	161	0.00
62	T,M	1,3-Dichloropropane	10.000	11.701	-17.0	175	0.00
63	T,M	Tetrachloroethene	10.000	10.713	-7.1	164	0.00
64	T,M	Dibromochloromethane	10.000	9.946	0.5	150	0.00
65	T,M	1,2-Dibromoethane	10.000	10.079	-0.8	145	0.00
66	T,M	1-Chlorohexane	10.000	11.139	-11.4	164	0.00
67	P,T,M	Chlorobenzene	10.000	11.006	-10.1	165	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.857	-8.6	157	0.00
69	C,T,M	Ethylbenzene	10.000	11.321	-13.2	171	0.01
70	T,M	m-Xylene & p-Xylene	20.000	22.224	-11.1	176	0.01
71	T,M	o-Xylene	10.000	11.637	-16.4	171	0.01
72	T,M	Styrene	10.000	11.262	-12.6	164	0.01
73	T,M	Isopropylbenzene	10.000	11.542	-15.4	169	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	154	0.00
75	P,T,M	Bromoform	10.000	9.719	2.8	153	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.388	-3.9	166	0.00
77	S	4-Bromofluorobenzene	10.000	10.724	-7.2	168	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.516	-5.2	167	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	11.659	-16.6	177	0.01
80	T,M	n-Propylbenzene	10.000	10.935	-9.4	178	0.01
81	T,M	Bromobenzene	10.000	10.357	-3.6	160	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	10.732	-7.3	172	0.00
83	T,M	2-Chlorotoluene	10.000	11.463	-14.6	188	0.00
84	T,M	4-Chlorotoluene	10.000	12.523	-25.2#	164	0.01
85	T,M	tert-Butylbenzene	10.000	10.821	-8.2	174	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	11.023	-10.2	173	0.01
87	T,M	sec-Butylbenzene	10.000	10.973	-9.7	173	0.01
88	T,M	p-Isopropyltoluene	10.000	10.624	-6.2	171	0.00
89	T,M	1,3-Dichlorobenzene	10.000	12.000	-20.0	168	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	10.904	-9.0	170	0.01
91	T,M	1,4-Dichlorobenzene	10.000	11.553	-15.5	165	0.00
92	T,M	n-Butylbenzene	10.000	11.020	-10.2	177	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.313	-3.1	173	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	9.616	3.8	159	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	11.452	-14.5	181	0.00
96	T,M	Hexachlorobutadiene	10.000	11.051	-10.5	172	0.00
97	T,M	Naphthalene	10.000	10.389	-3.9	163	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.820	-8.2	171	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	156	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.622	-8.4	190	0.00
3	P,T,M	Chloromethane	0.412	0.304	26.2#	127	0.00
4	C,T,M	Vinyl chloride	0.435	0.455	-4.6	171	0.00
5	T,M	Bromomethane	0.294	0.242	17.7	155	0.00
6	T,M	Dichlorofluoromethane	0.994	1.103	-11.0	174	0.00
7	T,M	Chloroethane	0.213	0.193	9.4	148	0.00
8	T,M	Trichlorofluoromethane	0.977	0.821	16.0	143	0.00
9	T,M	Acrolein	0.065	0.055	15.4	134	0.01
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.438	-2.8	167	0.00
11	T,M	Acetone	0.181	0.130	28.2#	148	0.01
12	T,M	tert-Butyl alcohol	0.061	0.061	0.0	156	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.937	-4.8	164	0.00
14	T,M	Acetonitrile	0.030	0.032	-6.7	163	0.00
15	T,M	Allyl chloride	0.236	0.272	-15.3	177	0.00
16	T,M	Iodomethane	0.429	0.497	-15.9	180	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.694	13.4	148	0.00
19	T,M	Acrylonitrile	0.150	0.132	12.0	130	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.653	-10.6	171	0.00
21	T,M	Carbon disulfide	1.370	1.406	-2.6	159	0.01
22	T,M	trans-1,2-Dichloroethene	0.477	0.498	-4.4	166	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.579	-3.9	163	0.01
24	T,M	Vinyl acetate	0.866	0.512	40.9#	86	0.00
25	P,T,M	1,1-Dichloroethane	0.965	1.020	-5.7	170	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.790	3.0	150	0.00
27	T,M	2-Butanone	0.047	0.046	2.1	145	0.00
28	T,M	Propionitrile	0.055	0.057	-3.6	166	0.00
29	T,M	Isobutyl alcohol	0.020	0.020	0.0	160	0.00
30	T,M	2,2-Dichloropropane	0.966	1.115	-15.4	175	0.01
31	T,M	Methacrylonitrile	0.091	0.092	-1.1	162	0.01
32	T,M	cis-1,2-Dichloroethene	0.543	0.586	-7.9	176	0.00
33	C,T,M	Chloroform	1.196	1.240	-3.7	173	0.00
34	T,M	Bromochloromethane	0.319	0.318	0.3	152	0.00
35	T,M	Tetrahydrofuran	0.126	0.119	5.6	149	0.00
36	S	Dibromofluoromethane	0.612	0.599	2.1	150	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.202	-11.4	175	0.01
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.358	-8.8	162	0.01
40	T,M	1,1-Dichloropropene	0.236	0.249	-5.5	161	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.829	-2.5	166	0.00
42	T,M	Carbon tetrachloride	0.913	0.993	-8.8	166	0.00
43	T,M	1,2-Dichloroethane	0.919	1.026	-11.6	171	0.00
44	T,M	Benzene	1.830	2.001	-9.3	172	0.00
45	T,M	Trichloroethene	0.505	0.496	1.8	157	0.00
46	T,M	Methyl methacrylate	0.448	0.333	25.7#	121	0.00
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.485	-3.9	163	0.00
49	T,M	1,4-Dioxane	0.000	0.002	0.0	0#	0.01
50	T,M	Bromodichloromethane	0.884	0.973	-10.1	171	0.01
51	T,M	Dibromomethane	0.380	0.370	2.6	155	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.173	25.1#	114	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.461	10.0	135	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.894	-9.4	170	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	147	0.00
56	S	Toluene-d8	1.987	2.150	-8.2	158	0.00
57	T,M	Ethyl methacrylate	0.682	0.778	-14.1	162	0.00
58	C,T,M	Toluene	2.268	2.632	-16.0	172	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.148	-18.4	171	0.01
60	T,M	2-Hexanone	0.410	0.398	2.9	135	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.586	-8.9	161	0.00
62	T,M	1,3-Dichloropropane	0.799	0.935	-17.0	175	0.00
63	T,M	Tetrachloroethene	0.496	0.531	-7.1	164	0.00
64	T,M	Dibromochloromethane	0.807	0.803	0.5	150	0.00
65	T,M	1,2-Dibromoethane	0.580	0.585	-0.9	145	0.00
66	T,M	1-Chlorohexane	0.751	0.836	-11.3	164	0.00
67	P,T,M	Chlorobenzene	1.498	1.649	-10.1	165	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.692	-8.6	157	0.00
69	C,T,M	Ethylbenzene	2.742	3.104	-13.2	171	0.01
70	T,M	m-Xylene & p-Xylene	2.236	2.484	-11.1	176	0.01
71	T,M	o-Xylene	2.117	2.463	-16.3	171	0.01
72	T,M	Styrene	1.480	1.667	-12.6	164	0.01
73	T,M	Isopropylbenzene	2.412	2.784	-15.4	169	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	154	0.00
75	P,T,M	Bromoform	1.091	1.061	2.7	153	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.448	-3.9	166	0.00
77	S	4-Bromofluorobenzene	1.587	1.702	-7.2	168	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.405	-5.2	167	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.454	-16.7	177	0.01
80	T,M	n-Propylbenzene	6.341	6.934	-9.4	178	0.01
81	T,M	Bromobenzene	1.392	1.441	-3.5	160	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.678	-7.3	172	0.00
83	T,M	2-Chlorotoluene	3.914	4.486	-14.6	188	0.00
84	T,M	4-Chlorotoluene	3.796	4.123	-8.6	164	0.01
85	T,M	tert-Butylbenzene	0.675	0.730	-8.1	174	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	4.699	-10.2	173	0.01
87	T,M	sec-Butylbenzene	4.940	5.421	-9.7	173	0.01
88	T,M	p-Isopropyltoluene	4.145	4.404	-6.2	171	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.381	-3.4	168	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	4.606	-9.0	170	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.384	-1.5	165	0.00
92	T,M	n-Butylbenzene	3.942	4.344	-10.2	177	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.253	-3.2	173	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.273	3.5	159	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.515	-1.5	181	0.00
96	T,M	Hexachlorobutadiene	0.755	0.834	-10.5	172	0.00
	T,M	Naphthalene	3.377	3.508	-3.9	163	0.00
	M	1,2,3-Trichlorobenzene	1.419	1.363	3.9	171	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	102	0.00
2	T,M	Dichlorodifluoromethane	10.000	11.887	-18.9	137	0.00
3	P,T,M	Chloromethane	10.000	7.594	24.1#	85	0.00
4	C,T,M	Vinyl chloride	10.000	11.793	-17.9	126	0.00
5	T,M	Bromomethane	10.000	7.870	21.3#	97	0.00
6	T,M	Dichlorofluoromethane	10.000	11.101	-11.0	114	0.00
7	T,M	Chloroethane	10.000	8.971	10.3	96	0.00
8	T,M	Trichlorofluoromethane	10.000	9.688	3.1	108	0.00
9	T,M	Acrolein	50.000	30.859	38.3#	64	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	10.267	-2.7	109	0.00
11	T,M	Acetone	50.000	45.965	8.1	89	0.00
12	T,M	tert-Butyl alcohol	250.000	221.073	11.6	90	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.645	-6.4	109	-0.01
14	T,M	Acetonitrile	100.000	93.870	6.1	94	0.00
15	T,M	Allyl chloride	10.000	10.251	-2.5	103	0.00
16	T,M	Iodomethane	10.000	9.908	0.9	111	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	10.752	-7.5	96	0.00
19	T,M	Acrylonitrile	50.000	39.058	21.9#	76	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	11.091	-10.9	112	0.00
21	T,M	Carbon disulfide	10.000	10.324	-3.2	105	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	10.113	-1.1	105	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	9.568	4.3	98	0.00
24	T,M	Vinyl acetate	10.000	5.404	46.0#	51	0.00
25	P,T,M	1,1-Dichloroethane	10.000	10.284	-2.8	108	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.409	5.9	96	0.00
27	T,M	2-Butanone	50.000	41.369	17.3	80	0.00
28	T,M	Propionitrile	100.000	89.785	10.2	95	0.00
29	T,M	Isobutyl alcohol	200.000	159.210	20.4#	81	0.00
30	T,M	2,2-Dichloropropane	10.000	10.746	-7.5	107	0.01
31	T,M	Methacrylonitrile	100.000	106.105	-6.1	110	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	10.413	-4.1	111	0.00
33	C,T,M	Chloroform	10.000	11.008	-10.1	120	0.00
34	T,M	Bromochloromethane	10.000	9.934	0.7	99	0.00
35	T,M	Tetrahydrofuran	10.000	8.603	14.0	89	-0.01
36	S	Dibromofluoromethane	10.000	10.156	-1.6	102	0.00
37	T,M	1,1,1-Trichloroethane	10.000	11.974	-19.7	123	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	11.177	-11.8	109	0.00
40	T,M	1,1-Dichloropropene	10.000	10.196	-2.0	102	0.00
41	S	1,2-Dichloroethane-d4	10.000	11.563	-15.6	122	0.00
42	T,M	Carbon tetrachloride	10.000	12.288	-22.9#	123	0.00
43	T,M	1,2-Dichloroethane	10.000	12.625	-26.3#	126	0.00
44	T,M	Benzene	10.000	10.550	-5.5	108	0.00
45	T,M	Trichloroethene	10.000	9.701	3.0	101	0.00
46	T,M	Methyl methacrylate	10.000	6.971	30.3#	74	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	9.931	0.7	102	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	11.780	-17.8	120	0.00
51	T,M	Dibromomethane	10.000	10.241	-2.4	107	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	6.774	32.3#	67	0.00
53	T,M	4-Methyl-2-pentanone	50.000	42.974	14.1	84	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.201	-2.0	103	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	97	0.00
56	S	Toluene-d8	10.000	10.488	-4.9	101	0.00
57	T,M	Ethyl methacrylate	10.000	10.597	-6.0	100	0.00
58	C,T,M	Toluene	10.000	11.165	-11.6	110	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.571	-15.7	111	0.00
60	T,M	2-Hexanone	50.000	45.973	8.1	85	0.00
61	T,M	1,1,2-Trichloroethane	10.000	10.495	-4.9	103	0.00
62	T,M	1,3-Dichloropropane	10.000	11.309	-13.1	112	0.00
63	T,M	Tetrachloroethene	10.000	10.756	-7.6	109	0.00
64	T,M	Dibromochloromethane	10.000	10.244	-2.4	102	0.00
65	T,M	1,2-Dibromoethane	10.000	9.749	2.5	93	0.00
66	T,M	1-Chlorohexane	10.000	10.660	-6.6	104	0.00
67	P,T,M	Chlorobenzene	10.000	10.925	-9.3	109	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	11.367	-13.7	109	0.00
69	C,T,M	Ethylbenzene	10.000	11.446	-14.5	115	0.00
70	T,M	m-Xylene & p-Xylene	20.000	22.476	-12.4	118	0.00
71	T,M	o-Xylene	10.000	11.602	-16.0	113	0.00
72	T,M	Styrene	10.000	11.297	-13.0	109	0.00
73	T,M	Isopropylbenzene	10.000	11.578	-15.8	112	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	112	0.00
75	P,T,M	Bromoform	10.000	9.170	8.3	105	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	9.421	5.8	109	-0.01
77	S	4-Bromofluorobenzene	10.000	10.050	-0.5	115	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.191	-1.9	117	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	10.164	-1.6	112	0.00
80	T,M	n-Propylbenzene	10.000	9.998	0.0	118	0.00
81	T,M	Bromobenzene	10.000	9.712	2.9	109	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.988	0.1	116	-0.01
83	T,M	2-Chlorotoluene	10.000	9.957	0.4	119	0.00
84	T,M	4-Chlorotoluene	10.000	12.324	-23.2#	118	0.00
85	T,M	tert-Butylbenzene	10.000	9.778	2.2	114	-0.01
86	T,M	1,2,4-Trimethylbenzene	10.000	10.501	-5.0	120	0.00
87	T,M	sec-Butylbenzene	10.000	10.061	-0.6	115	0.00
88	T,M	p-Isopropyltoluene	10.000	9.858	1.4	115	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.232	-12.3	115	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	10.228	-2.3	116	0.00
91	T,M	1,4-Dichlorobenzene	10.000	11.060	-10.6	115	0.00
92	T,M	n-Butylbenzene	10.000	9.908	0.9	116	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.015	-0.2	122	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.737	12.6	105	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	9.598	4.0	111	0.00
96	T,M	Hexachlorobutadiene	10.000	10.173	-1.7	115	0.00
97	T,M	Naphthalene	10.000	8.798	12.0	100	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	9.964	0.4	115	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	102	0.00
2	T,M Dichlorodifluoromethane	0.574	0.682	-18.8	137	0.00
3	P,T,M Chloromethane	0.412	0.313	24.0#	85	0.00
4	C,T,M Vinyl chloride	0.435	0.513	-17.9	126	0.00
5	T,M Bromomethane	0.294	0.231	21.4#	97	0.00
6	T,M Dichlorofluoromethane	0.994	1.103	-11.0	114	0.00
7	T,M Chloroethane	0.213	0.191	10.3	96	0.00
8	T,M Trichlorofluoromethane	0.977	0.947	3.1	108	0.00
9	T,M Acrolein	0.065	0.040	38.5#	64	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.437	-2.6	109	0.00
11	T,M Acetone	0.181	0.119	34.3#	89	0.00
12	T,M tert-Butyl alcohol	0.061	0.054	11.5	90	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.951	-6.4	109	-0.01
14	T,M Acetonitrile	0.030	0.028	6.7	94	0.00
15	T,M Allyl chloride	0.236	0.242	-2.5	103	0.00
16	T,M Iodomethane	0.429	0.470	-9.6	111	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.685	14.5	96	0.00
19	T,M Acrylonitrile	0.150	0.117	22.0#	76	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.657	-10.9	112	0.00
21	T,M Carbon disulfide	1.370	1.414	-3.2	105	0.00
22	T,M trans-1,2-Dichloroethene	0.477	0.482	-1.0	105	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.455	4.3	98	0.00
24	T,M Vinyl acetate	0.866	0.468	46.0#	51	0.00
25	P,T,M 1,1-Dichloroethane	0.965	0.992	-2.8	108	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	1.737	5.9	96	0.00
27	T,M 2-Butanone	0.047	0.039	17.0	80	0.00
28	T,M Propionitrile	0.055	0.050	9.1	95	0.00
29	T,M Isobutyl alcohol	0.020	0.016	20.0	81	0.00
30	T,M 2,2-Dichloropropane	0.966	1.038	-7.5	107	0.01
31	T,M Methacrylonitrile	0.091	0.096	-5.5	110	0.00
32	T,M cis-1,2-Dichloroethene	0.543	0.565	-4.1	111	0.00
33	C,T,M Chloroform	1.196	1.317	-10.1	120	0.00
34	T,M Bromochloromethane	0.319	0.317	0.6	99	0.00
35	T,M Tetrahydrofuran	0.126	0.108	14.3	89	-0.01
36	S Dibromofluoromethane	0.612	0.622	-1.6	102	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.292	-19.7	123	0.00
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.368	-11.9	109	0.00
40	T,M 1,1-Dichloropropene	0.236	0.241	-2.1	102	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.936	-15.7	122	0.00
42	T,M Carbon tetrachloride	0.913	1.122	-22.9#	123	0.00
43	T,M 1,2-Dichloroethane	0.919	1.161	-26.3#	126	0.00
44	T,M Benzene	1.830	1.930	-5.5	108	0.00
45	T,M Trichloroethene	0.505	0.490	3.0	101	0.00
46	T,M Methyl methacrylate	0.448	0.312	30.4#	74	0.00
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.464	0.6	102	0.00
49	T,M 1,4-Dioxane	0.000	0.001	0.0	0#	0.00
50	T,M Bromodichloromethane	0.884	1.041	-17.8	120	0.00
51	T,M Dibromomethane	0.380	0.389	-2.4	107	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.157	32.0#	67	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.440	14.1	84	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.833	-2.0	103	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	97	0.00
56	S	Toluene-d8	1.987	2.084	-4.9	101	0.00
57	T,M	Ethyl methacrylate	0.682	0.723	-6.0	100	0.00
58	C,T,M	Toluene	2.268	2.532	-11.6	110	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.123	-15.8	111	0.00
60	T,M	2-Hexanone	0.410	0.377	8.0	85	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.565	-5.0	103	0.00
62	T,M	1,3-Dichloropropane	0.799	0.904	-13.1	112	0.00
63	T,M	Tetrachloroethene	0.496	0.533	-7.5	109	0.00
64	T,M	Dibromochloromethane	0.807	0.827	-2.5	102	0.00
65	T,M	1,2-Dibromoethane	0.580	0.565	2.6	93	0.00
66	T,M	1-Chlorohexane	0.751	0.800	-6.5	104	0.00
67	P,T,M	Chlorobenzene	1.498	1.637	-9.3	109	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.725	-13.8	109	0.00
69	C,T,M	Ethylbenzene	2.742	3.138	-14.4	115	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.513	-12.4	118	0.00
71	T,M	o-Xylene	2.117	2.456	-16.0	113	0.00
72	T,M	Styrene	1.480	1.672	-13.0	109	0.00
73	T,M	Isopropylbenzene	2.412	2.792	-15.8	112	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	112	0.00
75	P,T,M	Bromoform	1.091	1.001	8.2	105	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.313	5.8	109	-0.01
77	S	4-Bromofluorobenzene	1.587	1.595	-0.5	115	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.392	-1.8	117	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.396	-1.8	112	0.00
80	T,M	n-Propylbenzene	6.341	6.339	0.0	118	0.00
81	T,M	Bromobenzene	1.392	1.352	2.9	109	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.354	0.1	116	-0.01
83	T,M	2-Chlorotoluene	3.914	3.897	0.4	119	0.00
84	T,M	4-Chlorotoluene	3.796	4.060	-7.0	118	0.00
85	T,M	tert-Butylbenzene	0.675	0.660	2.2	114	-0.01
86	T,M	1,2,4-Trimethylbenzene	4.263	4.477	-5.0	120	0.00
87	T,M	sec-Butylbenzene	4.940	4.970	-0.6	115	0.00
88	T,M	p-Isopropyltoluene	4.145	4.086	1.4	115	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.234	3.0	115	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.321	-2.3	116	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.286	2.7	115	0.00
92	T,M	n-Butylbenzene	3.942	3.906	0.9	116	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.188	-0.2	122	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.248	12.4	105	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.278	14.4	111	0.00
96	T,M	Hexachlorobutadiene	0.755	0.768	-1.7	115	0.00
97	T,M	Naphthalene	3.377	2.971	12.0	100	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.259	11.3	115	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : ENAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : ENAX SDG No : 24F004
Lab File ID: RFG091 BFB Injection Date: 06/11/24
Instrument ID: E2 BFB Injection Time: 12:47

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.430
75	30 - 60% of mass 95	58.855
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	7.042
173	Less than 2% of mass 174	0.000(0)1
174	Greater than 50% of mass 95	86.589
175	5 - 9% of mass 174	6.114(7.06)1
176	95 - 101% % of mass 174	82.804(95.63)1
177	5 - 9% % of mass 176	6.481(7.83)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1707	RFG092	06/11/24	13:35
2	LCS3W	VOE2F04L	RFG093	06/11/24	14:15
3	LCD3W	VOE2F04C	RFG094	06/11/24	14:39
4	MBLK3W	VOE2F04B	RFG096	06/11/24	15:26
5	T1AMF-MW022-MAY24	24F004-06N	RFG097	06/11/24	15:50
6	T1AMF-MW019-MAY24	24F004-01N	RFG098	06/11/24	16:14
7	T1AMF-EW001-MAY24	24F004-08I	RFG100	06/11/24	17:01
8	VSTD10	EVOE2E1707	RFG119	06/12/24	00:30

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F004
Date Analyzed: 05/17/24
Time Analyzed: 14:09

	INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
		Area #	RT #	Area #	RT #	Area #	RT #
	12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
	UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
	LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
		Area #	RT #	Area #	RT #	Area #	RT #
1	VSTD10	670311	5.99	536256	9.56	276585	13.89
2	LCS3W	700127	5.99	552821	9.56	279028	13.89
3	LCD3W	703905	5.99	550837	9.56	285241	13.89
4	MBLK3W	600187	5.99	469288	9.56	222326	13.89
5	T1AMF-MW022-MAY24	566942	5.99	442190	9.56	207301	13.89
6	T1AMF-MW019-MAY24	544038	5.99	426447	9.56	204205	13.88
7	T1AMF-EW001-MAY24	506438	5.99	398590	9.56	193637	13.89
8	VSTD10	558649	5.99	454298	9.56	253559	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	139	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.649	-6.5	166	0.00
3	P,T,M	Chloromethane	10.000	8.586	14.1	131	0.00
4	C,T,M	Vinyl chloride	10.000	10.811	-8.1	157	0.00
5	T,M	Bromomethane	10.000	9.771	2.3	163	0.00
6	T,M	Dichlorofluoromethane	10.000	9.548	4.5	133	0.00
7	T,M	Chloroethane	10.000	8.924	10.8	129	0.00
8	T,M	Trichlorofluoromethane	10.000	8.783	12.2	132	0.00
9	T,M	Acrolein	50.000	34.629	30.7#	98	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	8.679	13.2	125	0.00
11	T,M	Acetone	50.000	43.317	13.4	114	0.00
12	T,M	tert-Butyl alcohol	250.000	188.868	24.5#	105	0.00
13	C,T,M	1,1-Dichloroethene	10.000	8.941	10.6	125	0.00
14	T,M	Acetonitrile	100.000	81.614	18.4	112	0.00
15	T,M	Allyl chloride	10.000	9.379	6.2	128	0.00
16	T,M	Iodomethane	10.000	11.646	-16.5	178	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	10.524	-5.2	127	0.00
19	T,M	Acrylonitrile	50.000	36.443	27.1#	96	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	9.529	4.7	131	0.00
21	T,M	Carbon disulfide	10.000	8.924	10.8	123	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	8.687	13.1	123	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	8.519	14.8	119	0.01
24	T,M	Vinyl acetate	10.000	6.518	34.8#	84	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.014	9.9	129	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	8.169	18.3	113	0.00
27	T,M	2-Butanone	50.000	37.923	24.2#	100	0.00
28	T,M	Propionitrile	100.000	81.332	18.7	117	0.00
29	T,M	Isobutyl alcohol	200.000	151.186	24.4#	104	0.00
30	T,M	2,2-Dichloropropane	10.000	10.189	-1.9	137	0.00
31	T,M	Methacrylonitrile	100.000	87.958	12.0	124	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.028	9.7	131	0.00
33	C,T,M	Chloroform	10.000	9.138	8.6	136	0.00
34	T,M	Bromochloromethane	10.000	8.446	15.5	114	0.00
35	T,M	Tetrahydrofuran	10.000	7.721	22.8#	109	-0.01
36	S	Dibromofluoromethane	10.000	9.705	2.9	132	0.00
37	T,M	1,1,1-Trichloroethane	10.000	9.866	1.3	137	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	9.277	7.2	123	0.00
40	T,M	1,1-Dichloropropene	10.000	8.871	11.3	120	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.597	-6.0	152	0.00
42	T,M	Carbon tetrachloride	10.000	9.739	2.6	132	0.00
43	T,M	1,2-Dichloroethane	10.000	10.080	-0.8	137	0.00
44	T,M	Benzene	10.000	9.061	9.4	126	0.00
45	T,M	Trichloroethene	10.000	8.246	17.5	117	0.00
46	T,M	Methyl methacrylate	10.000	5.935	40.7#	86	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	8.839	11.6	123	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.01
50	T,M	Bromodichloromethane	10.000	9.636	3.6	133	0.01
51	T,M	Dibromomethane	10.000	8.470	15.3	120	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	5.920	40.8#	80	0.00
53	T,M	4-Methyl-2-pentanone	50.000	37.966	24.1#	101	0.01
54	T,M	cis-1,3-Dichloropropene	10.000	8.995	10.1	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	131	0.00
56	S	Toluene-d8	10.000	10.547	-5.5	137	0.00
57	T,M	Ethyl methacrylate	10.000	9.244	7.6	117	0.00
58	C,T,M	Toluene	10.000	9.752	2.5	129	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	9.861	1.4	127	0.00
60	T,M	2-Hexanone	50.000	40.672	18.7	101	0.01
61	T,M	1,1,2-Trichloroethane	10.000	9.121	8.8	120	0.00
62	T,M	1,3-Dichloropropane	10.000	9.625	3.8	128	0.00
63	T,M	Tetrachloroethene	10.000	9.050	9.5	123	0.01
64	T,M	Dibromochloromethane	10.000	8.470	15.3	114	0.00
65	T,M	1,2-Dibromoethane	10.000	8.250	17.5	106	0.00
66	T,M	1-Chlorohexane	10.000	9.359	6.4	123	0.00
67	P,T,M	Chlorobenzene	10.000	9.312	6.9	125	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.481	5.2	122	0.00
69	C,T,M	Ethylbenzene	10.000	9.633	3.7	130	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.700	6.5	132	0.01
71	T,M	o-Xylene	10.000	9.826	1.7	129	0.01
72	T,M	Styrene	10.000	9.591	4.1	125	0.01
73	T,M	Isopropylbenzene	10.000	9.667	3.3	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	140	0.00
75	P,T,M	Bromoform	10.000	7.979	20.2#	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.290	17.1	120	0.00
77	S	4-Bromofluorobenzene	10.000	10.427	-4.3	148	0.00
78	T,M	1,2,3-Trichloropropane	10.000	8.633	13.7	124	0.01
79	T,M	trans-1,4-Dichloro-2-butene	10.000	8.773	12.3	121	0.01
80	T,M	n-Propylbenzene	10.000	9.032	9.7	133	0.00
81	T,M	Bromobenzene	10.000	8.711	12.9	122	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	8.948	10.5	130	0.00
83	T,M	2-Chlorotoluene	10.000	9.622	3.8	143	0.00
84	T,M	4-Chlorotoluene	10.000	10.110	-1.1	121	0.01
85	T,M	tert-Butylbenzene	10.000	9.022	9.8	131	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	8.989	10.1	128	0.01
87	T,M	sec-Butylbenzene	10.000	9.033	9.7	129	0.01
88	T,M	p-Isopropyltoluene	10.000	8.762	12.4	128	0.00
89	T,M	1,3-Dichlorobenzene	10.000	9.940	0.6	127	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	8.965	10.4	127	0.01
91	T,M	1,4-Dichlorobenzene	10.000	9.670	3.3	126	0.00
92	T,M	n-Butylbenzene	10.000	8.962	10.4	130	0.00
93	T,M	1,2-Dichlorobenzene	10.000	8.707	12.9	132	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.548	24.5#	113	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	9.068	9.3	131	0.00
96	T,M	Hexachlorobutadiene	10.000	9.359	6.4	132	0.00
97	T,M	Naphthalene	10.000	8.020	19.8	114	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.765	12.3	126	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	139	0.00
2	T,M Dichlorodifluoromethane	0.574	0.611	-6.4	166	0.00
3	P,T,M Chloromethane	0.412	0.354	14.1	131	0.00
4	C,T,M Vinyl chloride	0.435	0.470	-8.0	157	0.00
5	T,M Bromomethane	0.294	0.287	2.4	163	0.00
6	T,M Dichlorofluoromethane	0.994	0.949	4.5	133	0.00
7	T,M Chloroethane	0.213	0.190	10.8	129	0.00
8	T,M Trichlorofluoromethane	0.977	0.858	12.2	132	0.00
9	T,M Acrolein	0.065	0.045	30.8#	98	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.370	13.1	125	0.00
11	T,M Acetone	0.181	0.113	37.6#	114	0.00
12	T,M tert-Butyl alcohol	0.061	0.046	24.6#	105	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.799	10.6	125	0.00
14	T,M Acetonitrile	0.030	0.025	16.7	112	0.00
15	T,M Allyl chloride	0.236	0.221	6.4	128	0.00
16	T,M Iodomethane	0.429	0.555	-29.4#	178	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.671	16.2	127	0.00
19	T,M Acrylonitrile	0.150	0.110	26.7#	96	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.424	4.7	131	0.00
21	T,M Carbon disulfide	1.370	1.222	10.8	123	0.01
22	T,M trans-1,2-Dichloroethene	0.477	0.414	13.2	123	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.295	14.8	119	0.01
24	T,M Vinyl acetate	0.866	0.564	34.9#	84	0.00
25	P,T,M 1,1-Dichloroethane	0.965	0.870	9.8	129	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	1.508	18.3	113	0.00
27	T,M 2-Butanone	0.047	0.036	23.4#	100	0.00
28	T,M Propionitrile	0.055	0.045	18.2	117	0.00
29	T,M Isobutyl alcohol	0.020	0.015	25.0#	104	0.00
30	T,M 2,2-Dichloropropane	0.966	0.984	-1.9	137	0.00
31	T,M Methacrylonitrile	0.091	0.080	12.1	124	0.00
32	T,M cis-1,2-Dichloroethene	0.543	0.490	9.8	131	0.00
33	C,T,M Chloroform	1.196	1.093	8.6	136	0.00
34	T,M Bromochloromethane	0.319	0.269	15.7	114	0.00
35	T,M Tetrahydrofuran	0.126	0.097	23.0#	109	-0.01
36	S Dibromofluoromethane	0.612	0.594	2.9	132	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.064	1.4	137	0.00
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.306	7.0	123	0.00
40	T,M 1,1-Dichloropropene	0.236	0.209	11.4	120	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.858	-6.1	152	0.00
42	T,M Carbon tetrachloride	0.913	0.889	2.6	132	0.00
43	T,M 1,2-Dichloroethane	0.919	0.927	-0.9	137	0.00
44	T,M Benzene	1.830	1.658	9.4	126	0.00
45	T,M Trichloroethene	0.505	0.416	17.6	117	0.00
46	T,M Methyl methacrylate	0.448	0.266	40.6#	86	0.00
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.413	11.6	123	0.00
49	T,M 1,4-Dioxane	0.000	0.002	0.0	0#	0.01
50	T,M Bromodichloromethane	0.884	0.852	3.6	133	0.01
51	T,M Dibromomethane	0.380	0.322	15.3	120	0.01

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.137	40.7#	80	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.388	24.2#	101	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.735	10.0	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	131	0.00
56	S	Toluene-d8	1.987	2.096	-5.5	137	0.00
57	T,M	Ethyl methacrylate	0.682	0.631	7.5	117	0.00
58	C,T,M	Toluene	2.268	2.212	2.5	129	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.957	1.3	127	0.00
60	T,M	2-Hexanone	0.410	0.334	18.5	101	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.491	8.7	120	0.00
62	T,M	1,3-Dichloropropane	0.799	0.769	3.8	128	0.00
63	T,M	Tetrachloroethene	0.496	0.449	9.5	123	0.01
64	T,M	Dibromochloromethane	0.807	0.684	15.2	114	0.00
65	T,M	1,2-Dibromoethane	0.580	0.479	17.4	106	0.00
66	T,M	1-Chlorohexane	0.751	0.702	6.5	123	0.00
67	P,T,M	Chlorobenzene	1.498	1.395	6.9	125	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.604	5.2	122	0.00
69	C,T,M	Ethylbenzene	2.742	2.641	3.7	130	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.090	6.5	132	0.01
71	T,M	o-Xylene	2.117	2.080	1.7	129	0.01
72	T,M	Styrene	1.480	1.420	4.1	125	0.01
73	T,M	Isopropylbenzene	2.412	2.331	3.4	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	140	0.00
75	P,T,M	Bromoform	1.091	0.871	20.2#	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.155	17.1	120	0.00
77	S	4-Bromofluorobenzene	1.587	1.655	-4.3	148	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.332	13.8	124	0.01
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.342	12.1	121	0.01
80	T,M	n-Propylbenzene	6.341	5.727	9.7	133	0.00
81	T,M	Bromobenzene	1.392	1.212	12.9	122	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.901	10.5	130	0.00
83	T,M	2-Chlorotoluene	3.914	3.765	3.8	143	0.00
84	T,M	4-Chlorotoluene	3.796	3.357	11.6	121	0.01
85	T,M	tert-Butylbenzene	0.675	0.609	9.8	131	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.832	10.1	128	0.01
87	T,M	sec-Butylbenzene	4.940	4.462	9.7	129	0.01
88	T,M	p-Isopropyltoluene	4.145	3.632	12.4	128	0.00
89	T,M	1,3-Dichlorobenzene	2.303	1.988	13.7	127	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	3.787	10.3	127	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.009	14.5	126	0.00
92	T,M	n-Butylbenzene	3.942	3.533	10.4	130	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.902	12.9	132	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.214	24.4#	113	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.210	19.0	131	0.00
96	T,M	Hexachlorobutadiene	0.755	0.707	6.4	132	0.00
97	T,M	Naphthalene	3.377	2.709	19.8	114	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.113	21.6#	126	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E17/07
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	115	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.899	-9.0	142	0.00
3	P,T,M	Chloromethane	10.000	10.507	-5.1	134	0.00
4	C,T,M	Vinyl chloride	10.000	14.645	-46.4#	177	0.00
5	T,M	Bromomethane	10.000	5.366	46.3#	75	0.00
6	T,M	Dichlorofluoromethane	10.000	10.635	-6.3	123	0.00
7	T,M	Chloroethane	10.000	8.983	10.2	108	0.00
8	T,M	Trichlorofluoromethane	10.000	8.845	11.5	111	0.00
9	T,M	Acrolein	50.000	27.725	44.5#	65	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	9.660	3.4	116	0.00
11	T,M	Acetone	50.000	43.732	12.5	96	0.00
12	T,M	tert-Butyl alcohol	250.000	220.530	11.8	102	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.041	-0.4	117	0.00
14	T,M	Acetonitrile	100.000	96.026	4.0	109	0.00
15	T,M	Allyl chloride	10.000	10.309	-3.1	117	0.00
16	T,M	Iodomethane	10.000	6.669	33.3#	83	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	11.646	-16.5	117	0.00
19	T,M	Acrylonitrile	50.000	37.860	24.3#	83	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.448	-4.5	120	0.00
21	T,M	Carbon disulfide	10.000	9.631	3.7	111	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	9.302	7.0	110	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	9.475	5.3	110	0.00
24	T,M	Vinyl acetate	10.000	4.668	53.3#	50	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.917	0.8	118	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.146	8.5	105	0.00
27	T,M	2-Butanone	50.000	38.964	22.1#	86	0.00
28	T,M	Propionitrile	100.000	87.169	12.8	104	0.00
29	T,M	Isobutyl alcohol	200.000	162.595	18.7	93	0.00
30	T,M	2,2-Dichloropropane	10.000	9.936	0.6	112	0.00
31	T,M	Methacrylonitrile	100.000	98.112	1.9	115	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.823	1.8	119	0.00
33	C,T,M	Chloroform	10.000	10.263	-2.6	127	0.00
34	T,M	Bromochloromethane	10.000	9.343	6.6	105	0.00
35	T,M	Tetrahydrofuran	10.000	8.042	19.6	94	-0.01
36	S	Dibromofluoromethane	10.000	9.797	2.0	111	0.00
37	T,M	1,1,1-Trichloroethane	10.000	11.196	-12.0	130	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.723	-7.2	118	0.00
40	T,M	1,1-Dichloropropene	10.000	9.737	2.6	110	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.807	-8.1	129	0.00
42	T,M	Carbon tetrachloride	10.000	10.964	-9.6	124	0.00
43	T,M	1,2-Dichloroethane	10.000	11.513	-15.1	130	0.00
44	T,M	Benzene	10.000	10.133	-1.3	118	0.00
45	T,M	Trichloroethene	10.000	9.332	6.7	110	0.00
46	T,M	Methyl methacrylate	10.000	7.356	26.4#	89	-0.01
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.808	-8.1	126	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	11.853	-18.5	137	0.00
51	T,M	Dibromomethane	10.000	10.325	-3.2	122	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	6.922	30.8#	78	0.00
53	T,M	4-Methyl-2-pentanone	50.000	50.000	0.0	111	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.839	-8.4	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	111	0.00
56	S	Toluene-d8	10.000	10.731	-7.3	118	0.00
57	T,M	Ethyl methacrylate	10.000	11.287	-12.9	121	0.00
58	C,T,M	Toluene	10.000	11.162	-11.6	125	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.206	-12.1	122	0.00
60	T,M	2-Hexanone	50.000	46.086	7.8	97	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.767	2.3	109	0.00
62	T,M	1,3-Dichloropropane	10.000	10.557	-5.6	119	0.00
63	T,M	Tetrachloroethene	10.000	9.984	0.2	115	0.00
64	T,M	Dibromochloromethane	10.000	9.345	6.5	106	0.00
65	T,M	1,2-Dibromoethane	10.000	9.352	6.5	102	0.00
66	T,M	1-Chlorohexane	10.000	10.235	-2.3	114	0.00
67	P,T,M	Chlorobenzene	10.000	10.045	-0.4	114	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.661	-6.6	117	-0.01
69	C,T,M	Ethylbenzene	10.000	10.555	-5.5	121	0.00
70	T,M	m-Xylene & p-Xylene	20.000	20.592	-3.0	123	0.00
71	T,M	o-Xylene	10.000	10.863	-8.6	121	0.00
72	T,M	Styrene	10.000	10.638	-6.4	117	0.00
73	T,M	Isopropylbenzene	10.000	10.626	-6.3	117	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	128	0.00
75	P,T,M	Bromoform	10.000	7.882	21.2#	103	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.414	15.9	111	-0.01
77	S	4-Bromofluorobenzene	10.000	9.596	4.0	125	0.00
78	T,M	1,2,3-Trichloropropane	10.000	9.239	7.6	122	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	7.310	26.9#	92	0.00
80	T,M	n-Propylbenzene	10.000	9.067	9.3	123	0.00
81	T,M	Bromobenzene	10.000	8.800	12.0	113	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.018	9.8	120	-0.01
83	T,M	2-Chlorotoluene	10.000	9.124	8.8	125	0.00
84	T,M	4-Chlorotoluene	10.000	11.052	-10.5	121	0.00
85	T,M	tert-Butylbenzene	10.000	9.334	6.7	125	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	9.256	7.4	121	0.00
87	T,M	sec-Butylbenzene	10.000	8.968	10.3	117	0.00
88	T,M	p-Isopropyltoluene	10.000	9.112	8.9	122	0.00
89	T,M	1,3-Dichlorobenzene	10.000	10.374	-3.7	122	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	9.762	2.4	127	0.00
91	T,M	1,4-Dichlorobenzene	10.000	10.438	-4.4	125	0.00
92	T,M	n-Butylbenzene	10.000	9.705	2.9	129	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.067	9.3	126	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.358	26.4#	101	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	8.528	14.7	113	0.00
96	T,M	Hexachlorobutadiene	10.000	8.779	12.2	113	-0.01
97	T,M	Naphthalene	10.000	8.048	19.5	105	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.570	14.3	113	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	115	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.625	-8.9	142	0.00
3	P,T,M	Chloromethane	0.412	0.433	-5.1	134	0.00
4	C,T,M	Vinyl chloride	0.435	0.637	-46.4#	177	0.00
5	T,M	Bromomethane	0.294	0.158	46.3#	75	0.00
6	T,M	Dichlorofluoromethane	0.994	1.057	-6.3	123	0.00
7	T,M	Chloroethane	0.213	0.191	10.3	108	0.00
8	T,M	Trichlorofluoromethane	0.977	0.864	11.6	111	0.00
9	T,M	Acrolein	0.065	0.036	44.6#	65	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.411	3.5	116	0.00
11	T,M	Acetone	0.181	0.114	37.0#	96	0.00
12	T,M	tert-Butyl alcohol	0.061	0.054	11.5	102	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.897	-0.3	117	0.00
14	T,M	Acetonitrile	0.030	0.029	3.3	109	0.00
15	T,M	Allyl chloride	0.236	0.243	-3.0	117	0.00
16	T,M	Iodomethane	0.429	0.312	27.3#	83	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.738	7.9	117	0.00
19	T,M	Acrylonitrile	0.150	0.114	24.0#	83	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.561	-4.5	120	0.00
21	T,M	Carbon disulfide	1.370	1.319	3.7	111	0.00
22	T,M	trans-1,2-Dichloroethene	0.477	0.444	6.9	110	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.441	5.2	110	0.00
24	T,M	Vinyl acetate	0.866	0.404	53.3#	50	0.00
25	P,T,M	1,1-Dichloroethane	0.965	0.957	0.8	118	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.689	8.5	105	0.00
27	T,M	2-Butanone	0.047	0.037	21.3#	86	0.00
28	T,M	Propionitrile	0.055	0.048	12.7	104	0.00
29	T,M	Isobutyl alcohol	0.020	0.016	20.0	93	0.00
30	T,M	2,2-Dichloropropane	0.966	0.959	0.7	112	0.00
31	T,M	Methacrylonitrile	0.091	0.089	2.2	115	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.533	1.8	119	0.00
33	C,T,M	Chloroform	1.196	1.227	-2.6	127	0.00
34	T,M	Bromochloromethane	0.319	0.298	6.6	105	0.00
35	T,M	Tetrahydrofuran	0.126	0.101	19.8	94	-0.01
36	S	Dibromofluoromethane	0.612	0.600	2.0	111	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.208	-12.0	130	0.00
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.353	-7.3	118	0.00
40	T,M	1,1-Dichloropropene	0.236	0.230	2.5	110	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.875	-8.2	129	0.00
42	T,M	Carbon tetrachloride	0.913	1.001	-9.6	124	0.00
43	T,M	1,2-Dichloroethane	0.919	1.058	-15.1	130	0.00
44	T,M	Benzene	1.830	1.854	-1.3	118	0.00
45	T,M	Trichloroethene	0.505	0.471	6.7	110	0.00
46	T,M	Methyl methacrylate	0.448	0.329	26.6#	89	-0.01
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.505	-8.1	126	0.00
49	T,M	1,4-Dioxane	0.000	0.003	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	1.048	-18.6	137	0.00
51	T,M	Dibromomethane	0.380	0.392	-3.2	122	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.160	30.7#	78	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.512	0.0	111	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.885	-8.3	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	111	0.00
56	S	Toluene-d8	1.987	2.132	-7.3	118	0.00
57	T,M	Ethyl methacrylate	0.682	0.770	-12.9	121	0.00
58	C,T,M	Toluene	2.268	2.531	-11.6	125	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.087	-12.1	122	0.00
60	T,M	2-Hexanone	0.410	0.378	7.8	97	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.526	2.2	109	0.00
62	T,M	1,3-Dichloropropane	0.799	0.844	-5.6	119	0.00
63	T,M	Tetrachloroethene	0.496	0.495	0.2	115	0.00
64	T,M	Dibromochloromethane	0.807	0.754	6.6	106	0.00
65	T,M	1,2-Dibromoethane	0.580	0.542	6.6	102	0.00
66	T,M	1-Chlorohexane	0.751	0.768	-2.3	114	0.00
67	P,T,M	Chlorobenzene	1.498	1.505	-0.5	114	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.680	-6.8	117	-0.01
69	C,T,M	Ethylbenzene	2.742	2.894	-5.5	121	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.302	-3.0	123	0.00
71	T,M	o-Xylene	2.117	2.299	-8.6	121	0.00
72	T,M	Styrene	1.480	1.575	-6.4	117	0.00
73	T,M	Isopropylbenzene	2.412	2.563	-6.3	117	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	128	0.00
75	P,T,M	Bromoform	1.091	0.860	21.2#	103	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.173	15.9	111	-0.01
77	S	4-Bromofluorobenzene	1.587	1.523	4.0	125	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.356	7.5	122	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.285	26.7#	92	0.00
80	T,M	n-Propylbenzene	6.341	5.749	9.3	123	0.00
81	T,M	Bromobenzene	1.392	1.225	12.0	113	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.931	9.8	120	-0.01
83	T,M	2-Chlorotoluene	3.914	3.571	8.8	125	0.00
84	T,M	4-Chlorotoluene	3.796	3.656	3.7	121	0.00
85	T,M	tert-Butylbenzene	0.675	0.630	6.7	125	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.946	7.4	121	0.00
87	T,M	sec-Butylbenzene	4.940	4.430	10.3	117	0.00
88	T,M	p-Isopropyltoluene	4.145	3.777	8.9	122	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.071	10.1	122	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.124	2.4	127	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.162	8.0	125	0.00
92	T,M	n-Butylbenzene	3.942	3.826	2.9	129	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.981	9.3	126	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.209	26.1#	101	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.141	23.6#	113	0.00
96	T,M	Hexachlorobutadiene	0.755	0.663	12.2	113	-0.01
97	T,M	Naphthalene	3.377	2.718	19.5	105	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.089	23.3#	113	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

ANALYTICAL LOG(S)

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 05/17/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge Book #: AE2-031

BATCH VOE2E17

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W Cl_2 <5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	VOE2E17

STANDARDS

NAME	ID	Amount (µl)	Conc (mg/L)
DCC CS_2	SV1-43-98-01	*	250
DCC GAS	-98-03		250
DCC ~~METHANOL~~	-97-02		250/6250
DCC 8260	-97-01		250
BFB	-76-02	1	50
IS/SURR.	-96-02	5	20
	-96-03	1	250
ICV/LCS	-71-02	0.4	250
ICV/LCS	-94-01	.4	250
ICV/LCS	-90-01	2	250
	-91-02	2	50
ICV/LCS	-85-02	2	50
Data File Folder	24E17		

	LOT #	Syringe Lot #
pH strip		1451A 03-04-14-6
Chlorine strip		-04-13-3
Methanol		-03-25
$NaHSO_4$		-02-25
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments: * Varied amount

Analyzed By: DN

Date Disposed: 5/18/24 Disposed By DN

Injection Log

Directory: d:\Data\24E17

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Reg116.d	1.	BFBE2E09	T/CHK	17 May 2024 11:2
2	2	Reg117.d	1.	VOE2E161 0.012 WRONG SPIKE	0.3ppb 8260/1.5pp...	17 May 2024 12:1
3	3	Reg118.d	1.	VOE2E172 0.02	0.5ppb 8260/2.5pp...	17 May 2024 12:3
4	4	Reg119.d	1.	VOE2E173 0.04	1.0ppb 8260/5.0pp...	17 May 2024 12:5
5	5	Reg120.d	1.	VOE2E174 0.08	2.0ppb 8260/10ppb...	17 May 2024 13:2
6	6	Reg121.d	1.	VOE2E175 0.2	5.0ppb 8260/25ppb...	17 May 2024 13:4
7	7	Reg122.d	1.	VOE2E176 0.4	10ppb 8260/50ppb ...	17 May 2024 14:0
8	8	Reg123.d	1.	VOE2E177 1.2uL	30ppb 8260/150ppb...	17 May 2024 14:3
9	9	Reg124.d	1.	VOE2E178 2uL	50ppb 8260/250pb ...	17 May 2024 14:5
10	10	Reg125.d	1.	VOE2E179 4uL	100ppb 8260/500pp...	17 May 2024 15:2
11	11	Reg126.d	1.	VOE2E1710 8uL	200ppb 8260/1000p...	17 May 2024 15:4
12	12	Reg127.d	1.	RINSE		17 May 2024 16:0
13	13	Reg128.d	1.	RINSE		17 May 2024 16:3
14	14	Reg129.d	1.	!VOE2E1701 %REC>20	10ppb 8260/50ppb ...	17 May 2024 21:0

JL 5/23/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 05/18/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH IV02E702

Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W Cl_2 <5ppm	Matrix S	Notes
01								
02								
03								
04								
05								
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								

5/23/24

Instrument No.	E2		
INITIAL CALIBRATION REFERENCE			
DATE	5/17/24		
ICAL ID	V0E2E17		
STANDARDS			
NAME	ID	Amount (µl)	Conc (mg/L)
DCC			
DCC			
DCC			
DCC			
BFB	SVI-43-76-02	1	50
IS/SURR.	-96-02	5	20
	-96-03	4	250
ICV/LCS	-71-02	4	250
ICV/LCS	-94-01	4	250
ICV/LCS	-70-01	2	250
	-44-02	2	50
ICV/LCS	-85-02	2	50
Data File Folder	24E18		
	LOT #	Syringe Lot #	
pH strip		MSV-03-04-14-6	
Chlorine strip		-04-13-3	
Methanol			
$NaHSO_4$			
Reagent Water	RW4-23-001		
Sand			
Electronic Data Archival Location		Date	
HPCHEM_VOA/TOE2			

Comments:

Analyzed By: DN

Date Disposed: 5/20/24 Disposed By: DN

Injection Log

Directory: d:\Data\24E18

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Reg130.d	1.	BFBE2E09	T/CHK	18 May 2024 09:1
2	2	Reg131.d	1.	IVOE2E1702	10ppb 8260/50ppb ...	18 May 2024 09:5

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☐ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/11/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH

	Samp. & Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH < 2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2		
INITIAL CALIBRATION REFERENCE			
DATE	5/17/24		
ICAL ID	VOE2-17		
STANDARDS			
NAME	ID	Amount [µL]	Conc. [mg/L]
DCC	SVI-43-94-02	.4	50/250
DCC	-98-03	.4	
DCC	-93-03	2	
DCC	-86-01	2	
BFB	-38-02	1	
IS/SURR.	SVI-45-04-02	5	20
ICV/LCS	SVI-43-79-02	.4	50/250
ICV/LCS	-82-01	.4	
ICV/LCS	-92-01	2	
ICV/LCS	-77-01	2	
Data File Folder	24F11		
	LOT #	Syringe Lot #	
pH strip	HC210330	MGV-03-04-14-6	
Chlorine strip	314117B	-13-3	
Methanol			
$NaHSO_4$			
Reagent Water	RWH-23-001		
Sand			
Electronic Data Archival Location		Date	
HPCHEM_VOA/TOE2			

Comments:


Analyzed By: DH

Date Disposed: 6/12/24 Disposed By: DH

Injection Log

Directory: d:\Data\24F11

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg091.d	1.	BFBF04	T/CHK	11 Jun 2024 12:47
2	2	Rfg092.d	1.	CVOE2E1707	10ppb 8260/50ppb ...	11 Jun 2024 13:35
3	3	Rfg093.d	1.	VOE2F04L	10ppb 8260/50ppb ...	11 Jun 2024 14:15
4	4	Rfg094.d	1.	VOE2F04C	10ppb 8260/50ppb ...	11 Jun 2024 14:39
5	5	Rfg095.d	1.	RINSE	10ppb 8260/50ppb ...	11 Jun 2024 15:03
6	6	Rfg096.d	1.	VOE2F04B	10.0mL	11 Jun 2024 15:26
7	7	Rfg097.d	1.	24F004-06N	10.0mL	11 Jun 2024 15:50
8	8	Rfg098.d	1.	24F004-01N	10.0mL	11 Jun 2024 16:14
9	9	Rfg099.d	1.	PV-004-08-03	10.0mL	11 Jun 2024 16:37
10	10	Rfg100.d	1.	24F004-08I 10X	1.0mL	11 Jun 2024 17:01
11	11	Rfg101.d	1.	24F003-14	10mL	11 Jun 2024 17:25
12	12	Rfg102.d	1.	24F003-15	10mL	11 Jun 2024 17:49
13	13	Rfg103.d	1.	24F003-16	10mL	11 Jun 2024 18:13
14	14	Rfg104.d	1.	24F003-17	10mL	11 Jun 2024 18:37
15	15	Rfg105.d	1.	24F038-01	10mL	11 Jun 2024 19:00
16	16	Rfg106.d	1.	RIMSE	1.0mL	11 Jun 2024 19:24
17	17	Rfg107.d	1.	24F019-01	10mL	11 Jun 2024 19:47
18	18	Rfg108.d	1.	24F019-02	10mL	11 Jun 2024 20:11
19	19	Rfg109.d	1.	24F019-04	10mL	11 Jun 2024 20:34
20	20	Rfg110.d	1.	24F019-05	10mL	11 Jun 2024 20:58
21	21	Rfg111.d	1.	24F019-06	10mL	11 Jun 2024 21:21
22	22	Rfg112.d	1.	24F019-07	10mL	11 Jun 2024 21:45
23	23	Rfg113.d	1.	24F019-08	10mL	11 Jun 2024 22:09
24	24	Rfg114.d	1.	24F019-09	10mL	11 Jun 2024 22:32
25	25	Rfg115.d	1.	24F019-10	10mL	11 Jun 2024 22:56
26	26	Rfg116.d	1.	24F019-11	10mL	11 Jun 2024 23:19
27	27	Rfg117.d	1.	24F019-02M	10mL	11 Jun 2024 23:42
28	28	Rfg118.d	1.	24F019-02S	10mL	12 Jun 2024 00:06
29	29	Rfg119.d	1.	EVOE2E1707	10ppb 8260/50ppb ...	12 Jun 2024 00:30
30	30	Rfg120.d	1.	EVOE2E17071	10ppb 8260/50ppb ...	12 Jun 2024 00:53
31	31	Rfg121.d	1.	EVOE2E17072	10ppb 8260/50ppb ...	12 Jun 2024 01:17



DH 6/18/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☐ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/10/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W Cl_2 <5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	6/17/24
ICAL ID	VOE2E17

STANDARDS

NAME	ID	Amount (µl)	Conc. (mg/L)
DCC	SVI-43-04-02	.4	50/50
DCC	-98-03	.4	
DCC	-93-03	2	
DCC	-86-01	2	
BFB	-38-02	1	
IS/SURR	SVI-45-04-02	5	20
ICV/LCS	SVI-43-79-02	.4	50/50
ICV/LCS	-82-01	.4	
ICV/LCS	-92-01	2	
ICV/LCS	-77-01	2	
Data File Folder	24F10		

	LOT #	Syringe Lot #
pH strip	HC210330	WSVI-03-04-14-6
Chlorine strip	3191718	-13-3
Methanol		
$NaHSO_4$		
Reagent Water	RWH-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:

Analyzed By: DM

Date Disposed: 6/11/24 Disposed By: DM

Injection Log

Directory: d:\Data\24F10

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg061.d	1.	BFBF03	T/CHK	10 Jun 2024 15:55
2	2	Rfg062.d	1.	CVOE2E1706	10ppb 8260/50ppb ...	10 Jun 2024 16:35
3	3	Rfg063.d	1.	VOE2F03L	10ppb 8260/50ppb ...	10 Jun 2024 17:13
4	4	Rfg064.d	1.	VOE2F03C	10ppb 8260/50ppb ...	10 Jun 2024 17:37
5	5	Rfg065.d	1.	RINSE	10mL	10 Jun 2024 18:01
6	7	Rfg067.d	1.	VOE2F03B	10.0mL	10 Jun 2024 18:25
7	8	Rfg068.d	1.	24F004-05N	10.0mL	10 Jun 2024 18:48
8	9	Rfg069.d	1.	24F004-06I 10X	1.0mL	10 Jun 2024 19:12
9	10	Rfg070.d	1.	24F004-07I 10X	1.0mL	10 Jun 2024 19:36
10	11	Rfg071.d	1.	24F004-09N	10mL	10 Jun 2024 20:00
11	12	Rfg072.d	1.	24F004-10N	10mL	10 Jun 2024 20:24
12	13	Rfg073.d	1.	24F003-18	10mL	10 Jun 2024 20:48
13	14	Rfg074.d	1.	24F003-19	10mL	10 Jun 2024 21:11
14	15	Rfg075.d	1.	24F003-01N	10mL	10 Jun 2024 21:35
15	16	Rfg076.d	1.	24F003-02N	10mL	10 Jun 2024 21:59
16	17	Rfg077.d	1.	24F003-03N	10mL	10 Jun 2024 22:23
17	18	Rfg078.d	1.	24F003-04N	10mL	10 Jun 2024 22:46
18	19	Rfg079.d	1.	24F003-05N	10mL	10 Jun 2024 23:10
19	20	Rfg080.d	1.	24F003-06N	10mL	10 Jun 2024 23:33
20	21	Rfg081.d	1.	24F003-07N	10mL	10 Jun 2024 23:57
21	22	Rfg082.d	1.	24F003-08N	10mL	11 Jun 2024 00:20
22	23	Rfg083.d	1.	24F003-09N	10mL	11 Jun 2024 00:44
23	24	Rfg084.d	1.	24F003-10N	1.0mL	11 Jun 2024 01:08
24	25	Rfg085.d	1.	24F003-11	10mL	11 Jun 2024 01:32
25	26	Rfg086.d	1.	24F003-12	10mL	11 Jun 2024 01:56
26	27	Rfg087.d	1.	24F003-13	10mL	11 Jun 2024 02:19
27	37	Rfg088.d	1.	EVOE2E1706 ✓	10ppb 8260/50ppb ...	11 Jun 2024 02:43
28	38	Rfg089.d	1.	EVOE2E17061	10ppb 8260/50ppb ...	11 Jun 2024 03:06
29	39	Rfg090.d	1.	EVOE2E17062	10ppb 8260/50ppb ...	11 Jun 2024 03:30

PM L2 CL<5

DM 6/18/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-MB260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/8/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge **Book #:** AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W Cl_2 <5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No. E2

INITIAL CALIBRATION REFERENCE

DATE 5/17/24

ICAL ID VOE2E17

STANDARDS

NAME	ID	Amount (µL)	Conc. (mg/L)
DCC	SVI-43-94-02	.4	50/50
DCC	-98-03	.4	
DCC	-93-03	2	
DCC	-86-01	2	
BFB	-38-02	1	
IS/SURR.	SVI-45-04-02	5	20
ICV/LCS	SVI-43-79-02	.4	
ICV/LCS	-82-01	.4	50/50
ICV/LCS	-92-01	2	
ICV/LCS	-77-01	2	
Data File Folder	24E08		

	LOT #	Syringe Lot #
pH strip	HC210330	MBV-03-04-14-6
Chlorine strip	319117B	-17-3
Methanol		
$NaHSO_4$		
Reagent Water	RWU-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:


Analyzed By: DN

Date Disposed: 6/10/24 Disposed By: DN

Injection Log

Directory: d:\Data\24F08

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg031.d	1.	BFBF02	T/CHK	8 Jun 2024 12:09
2	2	Rfg032.d	1.	TEST	10ppb 8260/50ppb ...	8 Jun 2024 13:50
3	3	Rfg033.d	1.	CVOE2E1705	10ppb 8260/50ppb ...	8 Jun 2024 14:28
4	4	Rfg034.d	1.	VOE2F02L	10ppb 8260/50ppb ...	8 Jun 2024 15:04
5	5	Rfg035.d	1.	VOE2F02C	10ppb 8260/50ppb ...	8 Jun 2024 15:28
6	6	Rfg036.d	1.	RINSE	10.0mL	8 Jun 2024 15:52
7	7	Rfg037.d	1.	V0E2F02B	10.0mL	8 Jun 2024 16:16
8	8	Rfg038.d	1.	24F004-01	10.0mL	8 Jun 2024 16:39
9	9	Rfg039.d	1.	24F004-02	10.0mL	8 Jun 2024 17:04
10	10	Rfg040.d	1.	24F004-03	10.0mL	8 Jun 2024 17:27
11	11	Rfg041.d	1.	24F004-04	10.0mL	8 Jun 2024 17:51
12	12	Rfg042.d	1.	24F004-05	10.0mL	8 Jun 2024 18:15
13	13	Rfg043.d	1.	24F004-06	10.0mL	8 Jun 2024 18:39
14	14	Rfg044.d	1.	24F004-07	10.0mL	8 Jun 2024 19:03
15	15	Rfg045.d	1.	24F004-08	10.0mL	8 Jun 2024 19:27
16	16	Rfg046.d	1.	24F004-09	10.0mL	8 Jun 2024 19:50
17	17	Rfg047.d	1.	24F004-10	10.0mL	8 Jun 2024 20:14
18	18	Rfg048.d	1.	24F003-01	10.0mL	8 Jun 2024 20:38
19	19	Rfg049.d	1.	24F003-02	10.0mL	8 Jun 2024 21:01
20	20	Rfg050.d	1.	24F003-03	10.0mL	8 Jun 2024 21:25
21	21	Rfg051.d	1.	24F003-04	10.0mL	8 Jun 2024 21:49
22	22	Rfg052.d	1.	24F003-05	10.0mL	8 Jun 2024 22:13
23	23	Rfg053.d	1.	24F003-06	10.0mL	8 Jun 2024 22:37
24	24	Rfg054.d	1.	24F003-07	10.0mL	8 Jun 2024 23:01
25	25	Rfg055.d	1.	24F003-08	10.0mL	8 Jun 2024 23:24
26	26	Rfg056.d	1.	24F003-09	10.0mL	8 Jun 2024 23:48
27	27	Rfg057.d	1.	24F003-10	10.0mL	9 Jun 2024 00:12
28	28	Rfg058.d	1.	EVOE2E1705	10ppb 8260/50ppb ...	9 Jun 2024 00:35
29	29	Rfg059.d	1.	EVOE2E17051	10ppb 8260/50ppb ...	9 Jun 2024 00:59
30	30	Rfg060.d	1.	EVOE2E17052	10ppb 8260/50ppb ...	9 Jun 2024 01:22



RAW DATA
VOLATILE ORGANICS

LABORATORY REPORT FOR

PARSONS

TITAN 1-A

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

SDG#: 24F004

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F004

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

A total of ten(10) water samples were received on 06/01/24 to be analyzed for Volatile Organics by GC/MS in accordance with Method SW5030C/8260C and project specific requirements.

Holding Time
Samples were analyzed within the prescribed holding time.

Instrument Performance and Calibration
Instrument tune check was performed prior to calibration. Result was within acceptance criteria. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried out at a frequency required by the project. There were six(6)CCVs (Data File IDs: RFG033, RFG058, RFG062, RFG088, RFG092 and RFG119) associated with this SDG. All calibration requirements were satisfied. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, three(3) method blanks were analyzed. VOE2F02B, VOE2F03B and VOE2F04B were compliant to project requirement. Refer to sample result summary forms for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, three(3) sets of LCS/LCD were analyzed. VOE2F02L/VOE2F02C, VOE2F03L/VOE2F03C and VOE2F04L/VOE2F04C were within LCS limits. Refer to LCS summary forms for details.

Matrix QC Sample
No matrix QC sample was provided on this SDG.

Surrogate
Surrogates were added on QC and field samples. For this SDG, all surrogate recoveries were within QC limits except for 1,2-Dichloroethane-D4 in F004-04. Sample result was reported because the surrogate recovery was biased high and no associated target analytes were detected in sample. It was also noted that Dibromofluoromethane surrogate, an alternate surrogate for 1,2-Dichloroethane-D4, was in control. Hence, result was reported. Refer to sample result summary forms for details.

Sample Analysis
Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met with the exception of those that were discussed within the associated QC parameter.

LAB CHRONICLE
VOLATILE ORGANICS BY GC/MS

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F004
Instrument ID : E2

WATER

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
LCS1W	VOE2F02L	1	NA	06/08/2415:04	06/08/2415:04	RFG034	REG122	VOE2F02	Lab Control Sample (LCS)
LCD1W	VOE2F02C	1	NA	06/08/2415:28	06/08/2415:28	RFG035	REG122	VOE2F02	LCS Duplicate
MBLK1W	VOE2F02B	1	NA	06/08/2416:16	06/08/2416:16	RFG037	REG122	VOE2F02	Method Blank
T1AMF-MW054-MAY24	24F004-02	1	NA	06/08/2417:04	06/08/2417:04	RFG039	REG122	VOE2F02	Field Sample
T1AMF-MW042-MAY24	24F004-03	1	NA	06/08/2417:27	06/08/2417:27	RFG040	REG122	VOE2F02	Field Sample
T1AMF-MW055-MAY24	24F004-04	1	NA	06/08/2417:51	06/08/2417:51	RFG041	REG122	VOE2F02	Field Sample
T1AMF-MW045-MAY24	24F004-07	1	NA	06/08/2419:03	06/08/2419:03	RFG044	REG122	VOE2F02	Field Sample
T1AMF-EW001-MAY24	24F004-08	1	NA	06/08/2419:27	06/08/2419:27	RFG045	REG122	VOE2F02	Field Sample
LCS2W	VOE2F03L	1	NA	06/10/2417:13	06/10/2417:13	RFG063	REG122	VOE2F03	Lab Control Sample (LCS)
LCD2W	VOE2F03C	1	NA	06/10/2417:37	06/10/2417:37	RFG064	REG122	VOE2F03	LCS Duplicate
MBLK2W	VOE2F03B	1	NA	06/10/2418:25	06/10/2418:25	RFG067	REG122	VOE2F03	Method Blank
T1AMF-MW043-MAY24	24F004-05N	1	NA	06/10/2418:48	06/10/2418:48	RFG068	REG122	VOE2F03	Field Sample
T1AMF-MW045-MAY24	24F004-07I	10	NA	06/10/2419:36	06/10/2419:36	RFG070	REG122	VOE2F03	Diluted Sample
T1AMF-MW048-MAY24	24F004-09N	1	NA	06/10/2420:00	06/10/2420:00	RFG071	REG122	VOE2F03	Field Sample
T1AMF-MW056-MAY24	24F004-10N	1	NA	06/10/2420:24	06/10/2420:24	RFG072	REG122	VOE2F03	Field Sample
LCS3W	VOE2F04L	1	NA	06/11/2414:15	06/11/2414:15	RFG093	REG122	VOE2F04	Lab Control Sample (LCS)
LCD3W	VOE2F04C	1	NA	06/11/2414:39	06/11/2414:39	RFG094	REG122	VOE2F04	LCS Duplicate
MBLK3W	VOE2F04B	1	NA	06/11/2415:26	06/11/2415:26	RFG096	REG122	VOE2F04	Method Blank
T1AMF-MW022-MAY24	24F004-06N	1	NA	06/11/2415:50	06/11/2415:50	RFG097	REG122	VOE2F04	Field Sample
T1AMF-MW019-MAY24	24F004-01N	1	NA	06/11/2416:14	06/11/2416:14	RFG098	REG122	VOE2F04	Field Sample
T1AMF-EW001-MAY24	24F004-08I	10	NA	06/11/2417:01	06/11/2417:01	RFG100	REG122	VOE2F04	Diluted Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 12:05
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/11/24 16:14
Sample ID	: T1AMF-MW019-MAY24	Date Analyzed:	06/11/24 16:14
Lab Samp ID:	24F004-01N	Dilution Factor:	1
Lab File ID:	RFG098	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.31J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	0.35J	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.6	10.0	106	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.66	10.0	97	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG098.D
Acq On : 11 Jun 2024 16:14
Sample : 24F004-01N
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 17:25:30 2024
Quant Results File: VOE2E17.RES

Vial: 8
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	544038	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	426447	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.878	152	204205	10.00	ug/l	-0.01
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	322034	9.66	ug/l	0.00
Spiked Amount 10.000			Recovery =	96.60%		
41) 1,2-Dichloroethane-d4	5.723	65	468887	10.65	ug/L	0.00
Spiked Amount 10.000			Recovery =	106.50%		
56) Toluene-d8	7.594	98	900024	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.20%		
77) 4-Bromofluorobenzene	11.369	95	333530	10.29	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.90%		
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.063	96	9066	0.31	ug/l	99
45) Trichloroethene	6.373	130	9574	0.35	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG098.D
Acq On : 11 Jun 2024 16:14
Sample : 24F004-01N
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 17:25:30 2024
Quant Results File: VOE2E17.RES

Vial: 8
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 0.31 ug/l
RT: 5.063 min Scan# 225
Delta R.T. -0.000 min
Lab File: RFG098.D
Acq: 11 Jun 2024 16:14

Tgt Ion: 96 Resp: 9066

Ion	Ratio	Lower	Upper
96	100		
98	63.0	33.9	93.9






#45
Trichloroethene
Concen: 0.35 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG098.D
Acq: 11 Jun 2024 16:14

Tgt Ion:130 Resp: 9574

Ion	Ratio	Lower	Upper
130	100		
132	94.1	67.6	127.6
95	112.3	82.6	142.6
97	81.7	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 12:08
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 17:04
Sample ID	: T1AMF-MW054-MAY24	Date Analyzed:	06/08/24 17:04
Lab Samp ID:	24F004-02	Dilution Factor:	1
Lab File ID:	RFG039	Matrix:	WATER
Ext Btch ID:	VOE2F02	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.70J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	0.35J	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.2	10.0	112	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	10.7	10.0	107	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG039.D
Acq On : 8 Jun 2024 17:04
Sample : 24F004-02
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 10:15:41 2024
Quant Results File: VOE2E17.RES

Vial: 9
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	604704	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	515586	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	241202	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	395000	10.67	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.70%		
41) 1,2-Dichloroethane-d4	5.723	65	547993	11.20	ug/L	0.00
Spiked Amount 10.000			Recovery =	112.00%		
56) Toluene-d8	7.594	98	1041538	10.17	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.70%		
77) 4-Bromofluorobenzene	11.369	95	401493	10.49	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.90%		
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.063	96	22962	0.70	ug/l	96
45) Trichloroethene	6.373	130	10661	0.35	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG039.D
Acq On : 8 Jun 2024 17:04
Sample : 24F004-02
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 10:15:41 2024
Quant Results File: VOE2E17.RES

Vial: 9
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 0.70 ug/l
RT: 5.063 min Scan# 225
Delta R.T. 0.000 min
Lab File: RFG039.D
Acq: 8 Jun 2024 17:04

Tgt Ion: 96 Resp: 22962

Ion	Ratio	Lower	Upper
96	100		
98	61.1	33.9	93.9






#45
Trichloroethene
Concen: 0.35 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG039.D
Acq: 8 Jun 2024 17:04

Tgt Ion:130 Resp: 10661

Ion	Ratio	Lower	Upper
130	100		
132	102.0	67.6	127.6
95	104.6	82.6	142.6
97	69.1	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 12:52
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 17:27
Sample ID	: T1AMF-MW042-MAY24	Date Analyzed:	06/08/24 17:27
Lab Samp ID:	24F004-03	Dilution Factor:	1
Lab File ID:	RFG040	Matrix:	WATER
Ext Btch ID:	VOE2F02	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.0	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	46	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.3	10.0	113	81-118
4-Bromofluorobenzene	9.86	10.0	99	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	11.0	10.0	110	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG040.D
Acq On : 8 Jun 2024 17:27
Sample : 24F004-03
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 10:17:47 2024
Quant Results File: VOE2E17.RES

Vial: 10
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	585872	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	507180	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	244053	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	393123	10.96	ug/l	0.00
Spiked Amount 10.000			Recovery =	109.60%		
41) 1,2-Dichloroethane-d4	5.723	65	536424	11.31	ug/L	0.00
Spiked Amount 10.000			Recovery =	113.10%		
56) Toluene-d8	7.594	98	1034219	10.26	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.60%		
77) 4-Bromofluorobenzene	11.369	95	382178	9.86	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.60%		
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.063	96	32720	1.03	ug/l	99
45) Trichloroethene	6.373	130	1360606	45.98	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG040.D
Acq On : 8 Jun 2024 17:27
Sample : 24F004-03
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 10:17:47 2024
Quant Results File: VOE2E17.RES

Vial: 10
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 1.03 ug/l
RT: 5.063 min Scan# 225
Delta R.T. 0.000 min
Lab File: RFG040.D
Acq: 8 Jun 2024 17:27

Tgt Ion: 96 Resp: 32720

Ion	Ratio	Lower	Upper
96	100		
98	63.4	33.9	93.9






#45
Trichloroethene
Concen: 45.98 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG040.D
Acq: 8 Jun 2024 17:27

Tgt Ion:130 Resp: 1360606

Ion	Ratio	Lower	Upper
130	100		
132	96.5	67.6	127.6
95	108.5	82.6	142.6
97	69.6	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 12:57
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 17:51
Sample ID	: T1AMF-MW055-MAY24	Date Analyzed:	06/08/24 17:51
Lab Samp ID:	24F004-04	Dilution Factor:	1
Lab File ID:	RFG041	Matrix:	WATER
Ext Btch ID:	VOE2F02	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.9	10.0	119*	81-118
4-Bromofluorobenzene	10.0	10.0	100	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	11.0	10.0	110	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG041.D
Acq On : 8 Jun 2024 17:51
Sample : 24F004-04
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 11 15:31:16 2024
Quant Results File: VOE2E17.RES

Vial: 11
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	544754	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	461819	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	224403	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	366025	10.97	ug/l	0.00
Spiked Amount 10.000			Recovery =	109.70%		
41) 1,2-Dichloroethane-d4	5.723	65	522812	11.86	ug/L	0.00
Spiked Amount 10.000			Recovery =	118.60%		
56) Toluene-d8	7.594	98	941486	10.26	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.60%		
77) 4-Bromofluorobenzene	11.369	95	356225	10.00	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.00%		
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG041.D
Acq On : 8 Jun 2024 17:51
Sample : 24F004-04
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 11 15:31:16 2024
Quant Results File: VOE2E17.RES

Vial: 11
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 13:31
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/10/24 18:48
Sample ID	: T1AMF-MW043-MAY24	Date Analyzed:	06/10/24 18:48
Lab Samp ID:	24F004-05N	Dilution Factor:	1
Lab File ID:	RFG068	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	0.13J	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.4	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.14J	1.0	0.10	0.20
Trichloroethene	26	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.7	10.0	107	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.8	10.0	108	89-112
Dibromofluoromethane	9.69	10.0	97	80-119

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG068.D
Acq On : 10 Jun 2024 18:48
Sample : 24F004-05N
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 14:28:47 2024
Quant Results File: VOE2E17.RES

Vial: 8
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	660379	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	508072	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	238614	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	391928	9.69	ug/l	0.00
Spiked Amount 10.000			Recovery =	96.90%		
41) 1,2-Dichloroethane-d4	5.723	65	570069	10.67	ug/L	0.00
Spiked Amount 10.000			Recovery =	106.70%		
56) Toluene-d8	7.594	98	1085395	10.75	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.50%		
77) 4-Bromofluorobenzene	11.369	95	401470	10.60	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.00%		
Target Compounds						Qvalue
4) Vinyl chloride	2.994	62	3151	0.11	ug/l	86
13) 1,1-Dichloroethene	3.897	61	7451	0.13	ug/l	87
22) trans-1,2-Dichloroethene	4.370	96	4351	0.14	ug/l	93
32) cis-1,2-Dichloroethene	5.063	96	51083	1.42	ug/l	98
45) Trichloroethene	6.373	130	862271	25.85	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG068.D
Acq On : 10 Jun 2024 18:48
Sample : 24F004-05N
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 14:28:47 2024
Quant Results File: VOE2E17.RES

Vial: 8
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#4
Vinyl chloride
Concen: 0.11 ug/l
RT: 2.994 min Scan# 37
Delta R.T. 0.000 min
Lab File: RFG068.D
Acq: 10 Jun 2024 18:48

Tgt Ion: 62 Resp: 3151

Ion	Ratio	Lower	Upper
62	100		
64	41.3	3.2	63.2







#13
1,1-Dichloroethene
Concen: 0.13 ug/l
RT: 3.897 min Scan# 119
Delta R.T. -0.011 min
Lab File: RFG068.D
Acq: 10 Jun 2024 18:48

Tgt Ion: 61 Resp: 7451

Ion	Ratio	Lower	Upper
61	100		
96	44.9	19.2	79.2
63	18.4	1.6	61.6







#22
trans-1,2-Dichloroethene
Concen: 0.14 ug/l
RT: 4.370 min Scan# 162
Delta R.T. 0.000 min
Lab File: RFG068.D
Acq: 10 Jun 2024 18:48

Tgt Ion: 96 Resp: 4351

Ion	Ratio	Lower	Upper
96	100		
98	59.2	34.4	94.4







#32
cis-1,2-Dichloroethene
Concen: 1.42 ug/l
RT: 5.063 min Scan# 225
Delta R.T. 0.000 min
Lab File: RFG068.D
Acq: 10 Jun 2024 18:48

Tgt Ion: 96 Resp: 51083

Ion	Ratio	Lower	Upper
96	100		
98	65.8	33.9	93.9






#45
Trichloroethene
Concen: 25.85 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG068.D
Acq: 10 Jun 2024 18:48

Tgt Ion:130 Resp: 862271

Ion	Ratio	Lower	Upper
130	100		
132	96.9	67.6	127.6
95	118.0	82.6	142.6
97	76.7	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 14:53
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/11/24 15:50
Sample ID	: T1AMF-MW022-MAY24	Date Analyzed:	06/11/24 15:50
Lab Samp ID:	24F004-06N	Dilution Factor:	1
Lab File ID:	RFG097	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.97J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	43	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.7	10.0	107	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.66	10.0	97	80-119

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG097.D
Acq On : 11 Jun 2024 15:50
Sample : 24F004-06N
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 17:30:17 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	566942	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	442190	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	207301	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	335271	9.66	ug/l	0.00
Spiked Amount 10.000			Recovery = 96.60%			
41) 1,2-Dichloroethane-d4	5.723	65	489601	10.67	ug/L	0.00
Spiked Amount 10.000			Recovery = 106.70%			
56) Toluene-d8	7.594	98	930549	10.59	ug/l	0.00
Spiked Amount 10.000			Recovery = 105.90%			
77) 4-Bromofluorobenzene	11.369	95	349014	10.61	ug/l	0.00
Spiked Amount 10.000			Recovery = 106.10%			
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.063	96	29927	0.97	ug/l	94
45) Trichloroethene	6.373	130	1239331	43.28	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG097.D
Acq On : 11 Jun 2024 15:50
Sample : 24F004-06N
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 17:30:17 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 0.97 ug/l
RT: 5.063 min Scan# 225
Delta R.T. -0.000 min
Lab File: RFG097.D
Acq: 11 Jun 2024 15:50

Tgt Ion: 96 Resp: 29927

Ion	Ratio	Lower	Upper
96	100		
98	59.6	33.9	93.9






#45
Trichloroethene
Concen: 43.28 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG097.D
Acq: 11 Jun 2024 15:50

Tgt Ion:130 Resp: 1239331

Ion	Ratio	Lower	Upper
130	100		
132	96.3	67.6	127.6
95	119.0	82.6	142.6
97	78.2	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 15:01
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 19:03 # 06/10/24 19:36
Sample ID	: T1AMF-MW045-MAY24	Date Analyzed:	06/08/24 19:03 # 06/10/24 19:36
Lab Samp ID:	F004-07 #F004-07I	Dilution Factor:	1 # 10
Lab File ID:	RFG044 #RFG070	Matrix:	WATER
Ext Btch ID:	VOE2F02 #VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122 #REG122	Instrument ID:	E2 # E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	5.7	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.34J	1.0	0.10	0.20
# Trichloroethene	220	10	1.0	2.0
Vinyl Chloride	0.12J	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.7	10.0	117	81-118
4-Bromofluorobenzene	9.72	10.0	97	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	11.1	10.0	111	80-119
# 1,2-Dichloroethane-d4	104	100	104	81-118
# 4-Bromofluorobenzene	106	100	106	85-114
# Toluene-d8	106	100	106	89-112
# Dibromofluoromethane	97.0	100	97	80-119

Result(s) associated as marked on the header

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye
# Sample Amount	: 1.0ml	Final Volume :	10ml
# Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 15:01
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 19:03
Sample ID	: T1AMF-MW045-MAY24	Date Analyzed:	06/08/24 19:03
Lab Samp ID:	24F004-07	Dilution Factor:	1
Lab File ID:	RFG044	Matrix:	WATER
Ext Btch ID:	VOE2F02	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	5.7	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	0.34J	1.0	0.10	0.20
Trichloroethene	260E	1.0	0.10	0.20
Vinyl Chloride	0.12J	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.7	10.0	117	81-118
4-Bromofluorobenzene	9.72	10.0	97	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	11.1	10.0	111	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG044.D
Acq On : 8 Jun 2024 19:03
Sample : 24F004-07
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 10:23:43 2024
Quant Results File: VOE2E17.RES

Vial: 14
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	505850	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	420589	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	206594	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	343133	11.08	ug/l	0.00
Spiked Amount 10.000			Recovery =	110.80%		
41) 1,2-Dichloroethane-d4	5.723	65	480283	11.73	ug/L	0.00
Spiked Amount 10.000			Recovery =	117.30%		
56) Toluene-d8	7.594	98	855043	10.23	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.30%		
77) 4-Bromofluorobenzene	11.369	95	318697	9.72	ug/l	0.00
Spiked Amount 10.000			Recovery =	97.20%		
Target Compounds						Qvalue
4) Vinyl chloride	2.994	62	2595	0.12	ug/l	77
22) trans-1,2-Dichloroethene	4.370	96	8150	0.34	ug/l	88
32) cis-1,2-Dichloroethene	5.063	96	156282	5.69	ug/l	98
33) Chloroform	5.173	83	12674	0.21	ug/l	91
45) Trichloroethene	6.373	130	6530553	255.60	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG044.D
Acq On : 8 Jun 2024 19:03
Sample : 24F004-07
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 10:23:43 2024
Quant Results File: VOE2E17.RES

Vial: 14
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#4
Vinyl chloride
Concen: 0.12 ug/l
RT: 2.994 min Scan# 37
Delta R.T. -0.000 min
Lab File: RFG044.D
Acq: 8 Jun 2024 19:03

Tgt Ion: 62 Resp: 2595

Ion	Ratio	Lower	Upper
62	100		
64	20.4	3.2	63.2







#22
trans-1,2-Dichloroethene
Concen: 0.34 ug/l
RT: 4.370 min Scan# 162
Delta R.T. -0.000 min
Lab File: RFG044.D
Acq: 8 Jun 2024 19:03

Tgt Ion: 96 Resp: 8150

Ion	Ratio	Lower	Upper
96	100		
98	54.9	34.4	94.4







#32
cis-1,2-Dichloroethene
Concen: 5.69 ug/l
RT: 5.063 min Scan# 225
Delta R.T. -0.000 min
Lab File: RFG044.D
Acq: 8 Jun 2024 19:03

Tgt Ion: 96 Resp: 156282

Ion	Ratio	Lower	Upper
96	100		
98	65.8	33.9	93.9







#33
Chloroform
Concen: 0.21 ug/l
RT: 5.173 min Scan# 235
Delta R.T. -0.000 min
Lab File: RFG044.D
Acq: 8 Jun 2024 19:03

Tgt Ion: 83 Resp: 12674

Ion	Ratio	Lower	Upper
83	100		
85	72.9	35.4	95.4
47	29.3	0.0	55.4






#45
Trichloroethene
Concen: 255.60 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG044.D
Acq: 8 Jun 2024 19:03

Tgt Ion:130 Resp: 6530553

Ion	Ratio	Lower	Upper
130	100		
132	97.0	67.6	127.6
95	110.3	82.6	142.6
97	71.1	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/28/24 15:01
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/10/24 19:36
Sample ID	: T1AMF-MW045-MAY24	Date Analyzed:	06/10/24 19:36
Lab Samp ID:	24F004-071	Dilution Factor:	10
Lab File ID:	RFG070	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	10	1.0	2.0
1,4-Dichlorobenzene	ND	10	1.0	2.0
Benzene	ND	10	1.0	2.0
cis-1,2-Dichloroethene	6.0J	10	1.0	2.0
Ethylbenzene	ND	10	1.0	2.0
m,p-Xylene	ND	20	2.1	5.0
o-Xylene	ND	10	1.0	2.0
Toluene	ND	10	1.0	2.0
Trans-1,2-Dichloroethene	ND	10	1.0	2.0
Trichloroethene	220	10	1.0	2.0
Vinyl Chloride	ND	10	1.1	3.0

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	104	100	104	81-118
4-Bromofluorobenzene	106	100	106	85-114
Toluene-d8	106	100	106	89-112
Dibromofluoromethane	97.0	100	97	80-119

Notes:
Sample Amount : 1.0ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG070.D
Acq On : 10 Jun 2024 19:36
Sample : 24F004-07I 10X
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 14:30:27 2024
Quant Results File: VOE2E17.RES

Vial: 10
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	598016	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	459152	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	215050	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	355357	9.70	ug/l	0.00
Spiked Amount 10.000			Recovery = 97.00%			
41) 1,2-Dichloroethane-d4	5.723	65	501515	10.36	ug/L	0.00
Spiked Amount 10.000			Recovery = 103.60%			
56) Toluene-d8	7.594	98	966286	10.59	ug/l	0.00
Spiked Amount 10.000			Recovery = 105.90%			
77) 4-Bromofluorobenzene	11.369	95	363395	10.64	ug/l	0.00
Spiked Amount 10.000			Recovery = 106.40%			
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.063	96	19321	0.60	ug/l	98
45) Trichloroethene	6.373	130	663529	21.97	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG070.D
Acq On : 10 Jun 2024 19:36
Sample : 24F004-07I 10X
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 14:30:27 2024
Quant Results File: VOE2E17.RES

Vial: 10
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 0.60 ug/l
RT: 5.063 min Scan# 225
Delta R.T. -0.000 min
Lab File: RFG070.D
Acq: 10 Jun 2024 19:36

Tgt Ion: 96 Resp: 19321

Ion	Ratio	Lower	Upper
96	100		
98	65.2	33.9	93.9






#45
Trichloroethene
Concen: 21.97 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG070.D
Acq: 10 Jun 2024 19:36

Tgt Ion:130 Resp: 663529

Ion	Ratio	Lower	Upper
130	100		
132	96.4	67.6	127.6
95	117.4	82.6	142.6
97	76.9	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 08:24
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 19:27 # 06/11/24 17:01
Sample ID	: T1AMF-EW001-MAY24	Date Analyzed:	06/08/24 19:27 # 06/11/24 17:01
Lab Samp ID:	F004-08 #F004-081	Dilution Factor:	1 # 10
Lab File ID:	RFG045 #RFG100	Matrix:	WATER
Ext Btch ID:	VOE2F02 #VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122 #REG122	Instrument ID:	E2 # E2

	PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
	1,1-Dichloroethene	ND	1.0	0.10	0.20
	1,4-Dichlorobenzene	ND	1.0	0.10	0.20
	Benzene	ND	1.0	0.10	0.20
	cis-1,2-Dichloroethene	11	1.0	0.10	0.20
	Ethylbenzene	ND	1.0	0.10	0.20
	m,p-Xylene	ND	2.0	0.21	0.50
	o-Xylene	ND	1.0	0.10	0.20
	Toluene	ND	1.0	0.10	0.20
	Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
#	Trichloroethene	320	10	1.0	2.0
	Vinyl Chloride	ND	1.0	0.11	0.30

	SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
	1,2-Dichloroethane-d4	11.6	10.0	116	81-118
	4-Bromofluorobenzene	10.3	10.0	103	85-114
	Toluene-d8	10.3	10.0	103	89-112
	Dibromofluoromethane	10.8	10.0	108	80-119
#	1,2-Dichloroethane-d4	111	100	111	81-118
#	4-Bromofluorobenzene	100	100	100	85-114
#	Toluene-d8	105	100	105	89-112
#	Dibromofluoromethane	99.9	100	100	80-119

Result(s) associated as marked on the header

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye
# Sample Amount	: 1.0ml	Final Volume :	10ml
# Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 08:24
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/08/24 19:27
Sample ID	: T1AMF-EW001-MAY24	Date Analyzed:	06/08/24 19:27
Lab Samp ID:	24F004-08	Dilution Factor:	1
Lab File ID:	RFG045	Matrix:	WATER
Ext Btch ID:	VOE2F02	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	11	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	370E	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.6	10.0	116	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	10.8	10.0	108	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG045.D
Acq On : 8 Jun 2024 19:27
Sample : 24F004-08
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 10:26:06 2024
Quant Results File: VOE2E17.RES

Vial: 15
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	493129	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	412092	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	195843	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	326757	10.82	ug/l	0.00
Spiked Amount 10.000			Recovery =	108.20%		
41) 1,2-Dichloroethane-d4	5.723	65	462449	11.59	ug/L	0.00
Spiked Amount 10.000			Recovery =	115.90%		
56) Toluene-d8	7.594	98	841308	10.27	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.70%		
77) 4-Bromofluorobenzene	11.369	95	319038	10.26	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.60%		
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.063	96	287721	10.75	ug/l	99
33) Chloroform	5.173	83	22627	0.38	ug/l	97
45) Trichloroethene	6.373	130	9153889	367.52	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG045.D
Acq On : 8 Jun 2024 19:27
Sample : 24F004-08
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 10:26:06 2024
Quant Results File: VOE2E17.RES

Vial: 15
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 10.75 ug/l
RT: 5.063 min Scan# 225
Delta R.T. 0.000 min
Lab File: RFG045.D
Acq: 8 Jun 2024 19:27

Tgt Ion: 96 Resp: 287721

Ion	Ratio	Lower	Upper
96	100		
98	64.9	33.9	93.9







#33
Chloroform
Concen: 0.38 ug/l
RT: 5.173 min Scan# 235
Delta R.T. 0.000 min
Lab File: RFG045.D
Acq: 8 Jun 2024 19:27

Tgt Ion: 83 Resp: 22627

Ion	Ratio	Lower	Upper
83	100		
85	63.1	35.4	95.4
47	26.9	0.0	55.4






#45
Trichloroethene
Concen: 367.52 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG045.D
Acq: 8 Jun 2024 19:27

Tgt Ion:130 Resp: 9153889

Ion	Ratio	Lower	Upper
130	100		
132	97.2	67.6	127.6
95	110.6	82.6	142.6
97	71.5	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 08:24
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/11/24 17:01
Sample ID	: TIAMF-EW001-MAY24	Date Analyzed:	06/11/24 17:01
Lab Samp ID:	24F004-081	Dilution Factor:	10
Lab File ID:	RFG100	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	10	1.0	2.0
1,4-Dichlorobenzene	ND	10	1.0	2.0
Benzene	ND	10	1.0	2.0
cis-1,2-Dichloroethene	11	10	1.0	2.0
Ethylbenzene	ND	10	1.0	2.0
m,p-Xylene	ND	20	2.1	5.0
o-Xylene	ND	10	1.0	2.0
Toluene	ND	10	1.0	2.0
Trans-1,2-Dichloroethene	ND	10	1.0	2.0
Trichloroethene	320	10	1.0	2.0
Vinyl Chloride	ND	10	1.1	3.0

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	111	100	111	81-118
4-Bromofluorobenzene	100	100	100	85-114
Toluene-d8	105	100	105	89-112
Dibromofluoromethane	99.9	100	100	80-119

Notes:
Sample Amount : 1.0ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG100.D
Acq On : 11 Jun 2024 17:01
Sample : 24F004-08I 10X
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 17:26:59 2024
Quant Results File: VOE2E17.RES

Vial: 10
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	506438	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	398590	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	193637	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	309887	9.99	ug/l	0.00
Spiked Amount 10.000			Recovery = 99.90%			
41) 1,2-Dichloroethane-d4	5.723	65	455083	11.10	ug/L	0.00
Spiked Amount 10.000			Recovery = 111.00%			
56) Toluene-d8	7.594	98	834479	10.54	ug/l	0.00
Spiked Amount 10.000			Recovery = 105.40%			
77) 4-Bromofluorobenzene	11.369	95	307818	10.01	ug/l	0.00
Spiked Amount 10.000			Recovery = 100.10%			
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.063	96	30795	1.12	ug/l	99
45) Trichloroethene	6.373	130	819820	32.05	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG100.D
Acq On : 11 Jun 2024 17:01
Sample : 24F004-08I 10X
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 17:26:59 2024
Quant Results File: VOE2E17.RES

Vial: 10
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 1.12 ug/l
RT: 5.063 min Scan# 225
Delta R.T. 0.000 min
Lab File: RFG100.D
Acq: 11 Jun 2024 17:01

Tgt Ion: 96 Resp: 30795

Ion	Ratio	Lower	Upper
96	100		
98	64.7	33.9	93.9






#45
Trichloroethene
Concen: 32.05 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG100.D
Acq: 11 Jun 2024 17:01

Tgt Ion:130 Resp: 819820

Ion	Ratio	Lower	Upper
130	100		
132	96.1	67.6	127.6
95	116.6	82.6	142.6
97	77.3	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 09:00
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/10/24 20:00
Sample ID	: T1AMF-MW048-MAY24	Date Analyzed:	06/10/24 20:00
Lab Samp ID:	24F004-09N	Dilution Factor:	1
Lab File ID:	RFG071	Matrix:	WATER
Ext Btch ID:	VQE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.7	10.0	107	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	9.62	10.0	96	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG071.D
Acq On : 10 Jun 2024 20:00
Sample : 24F004-09N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 14:17:40 2024
Quant Results File: VOE2E17.RES

Vial: 11
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	570196	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	441677	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	207331	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	335810	9.62	ug/l	0.00
Spiked Amount 10.000			Recovery = 96.20%			
41) 1,2-Dichloroethane-d4	5.723	65	495802	10.74	ug/L	0.00
Spiked Amount 10.000			Recovery = 107.40%			
56) Toluene-d8	7.594	98	919874	10.48	ug/l	0.00
Spiked Amount 10.000			Recovery = 104.80%			
77) 4-Bromofluorobenzene	11.369	95	346467	10.53	ug/l	0.00
Spiked Amount 10.000			Recovery = 105.30%			
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG071.D
Acq On : 10 Jun 2024 20:00
Sample : 24F004-09N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 14:17:40 2024
Quant Results File: VOE2E17.RES

Vial: 11
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/29/24 09:45
Project	: TITAN 1-A	Date Received:	06/01/24
Batch No.	: 24F004	Date Extracted:	06/10/24 20:24
Sample ID	: T1AMF-MW056-MAY24	Date Analyzed:	06/10/24 20:24
Lab Samp ID:	24F004-10N	Dilution Factor:	1
Lab File ID:	RFG072	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.20J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	13	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.8	10.0	108	81-118
4-Bromofluorobenzene	10.2	10.0	102	85-114
Toluene-d8	10.8	10.0	108	89-112
Dibromofluoromethane	9.68	10.0	97	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG072.D
Acq On : 10 Jun 2024 20:24
Sample : 24F004-10N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 14:26:27 2024
Quant Results File: VOE2E17.RES

Vial: 12
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	552850	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	420958	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	212301	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	327919	9.68	ug/l	0.00
Spiked Amount 10.000			Recovery = 96.80%			
41) 1,2-Dichloroethane-d4	5.723	65	485270	10.85	ug/L	0.00
Spiked Amount 10.000			Recovery = 108.50%			
56) Toluene-d8	7.594	98	906129	10.83	ug/l	0.00
Spiked Amount 10.000			Recovery = 108.30%			
77) 4-Bromofluorobenzene	11.369	95	343139	10.18	ug/l	0.00
Spiked Amount 10.000			Recovery = 101.80%			
Target Compounds						Qvalue
32) cis-1,2-Dichloroethene	5.063	96	6091	0.20	ug/l	95
45) Trichloroethene	6.373	130	370919	13.28	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG072.D
Acq On : 10 Jun 2024 20:24
Sample : 24F004-10N
Misc : 1.0mL
Integrator: RTE
Quant Time: Jun 13 14:26:27 2024
Quant Results File: VOE2E17.RES

Vial: 12
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#32
cis-1,2-Dichloroethene
Concen: 0.20 ug/l
RT: 5.063 min Scan# 225
Delta R.T. -0.000 min
Lab File: RFG072.D
Acq: 10 Jun 2024 20:24

Tgt Ion: 96 Resp: 6091

Ion	Ratio	Lower	Upper
96	100		
98	60.0	33.9	93.9






#45
Trichloroethene
Concen: 13.28 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG072.D
Acq: 10 Jun 2024 20:24

Tgt Ion:130 Resp: 370919

Ion	Ratio	Lower	Upper
130	100		
132	98.3	67.6	127.6
95	122.5	82.6	142.6
97	76.9	46.9	106.9



QC SUMMARIES

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/08/24 16:16
Project	: TITAN 1-A	Date Received:	06/08/24
Batch No.	: 24F004	Date Extracted:	06/08/24 16:16
Sample ID	: MBLK1W	Date Analyzed:	06/08/24 16:16
Lab Samp ID:	VOE2F02B	Dilution Factor:	1
Lab File ID:	RFG037	Matrix:	WATER
Ext Btch ID:	VOE2F02	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.6	10.0	106	81-118
4-Bromofluorobenzene	9.97	10.0	100	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	10.7	10.0	107	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F004
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: VOE2F02B	VOE2F02L	VOE2F02C
LAB FILE ID	: RFG037	RFG034	RFG035
DATE PREPARED	: 06/08/24 16:16	06/08/24 15:04	06/08/24 15:28
DATE ANALYZED	: 06/08/24 16:16	06/08/24 15:04	06/08/24 15:28
PREP BATCH	: VOE2F02	VOE2F02	VOE2F02
CALIBRATION REF:	REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	10.3	103	10.0	10.3	103	0	71-131	20
1,4-Dichlorobenzene	ND	10.0	11.7	117	10.0	11.2	112	4	79-118	20
Benzene	ND	10.0	10.5	105	10.0	10.2	102	3	79-120	20
cis-1,2-Dichloroethene	ND	10.0	10.3	103	10.0	10.2	102	1	78-123	20
Ethylbenzene	ND	10.0	10.1	101	10.0	9.84	98	3	79-121	20
m,p-Xylene	ND	20.0	19.3	97	20.0	18.6	93	4	80-121	20
o-Xylene	ND	10.0	10.2	102	10.0	9.99	100	2	78-122	20
Toluene	ND	10.0	10.3	103	10.0	9.99	100	3	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	9.88	99	10.0	9.89	99	0	75-124	20
Trichloroethene	ND	10.0	10.2	102	10.0	10.3	103	1	79-123	20
Vinyl Chloride	ND	10.0	10.5	105	10.0	9.50	95	10	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.5	105	10.0	10.5	105	81-118
4-Bromofluorobenzene	10.0	10.0	100	10.0	9.98	100	85-114
Toluene-d8	10.0	10.2	102	10.0	10.3	103	89-112
Dibromofluoromethane	10.0	10.5	105	10.0	10.7	107	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/10/24 18:25
Project	: TITAN 1-A	Date Received:	06/10/24
Batch No.	: 24F004	Date Extracted:	06/10/24 18:25
Sample ID	: MBLK2W	Date Analyzed:	06/10/24 18:25
Lab Samp ID:	VOE2F03B	Dilution Factor:	1
Lab File ID:	RFG067	Matrix:	WATER
Ext Btch ID:	VOE2F03	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.3	10.0	103	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.8	10.0	108	89-112
Dibromofluoromethane	9.60	10.0	96	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

ENAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F004
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK2W	LCS2W	LCD2W
LAB SAMPLE ID	: VOE2F03B	VOE2F03L	VOE2F03C
LAB FILE ID	: RFG067	RFG063	RFG064
DATE PREPARED	: 06/10/24 18:25	06/10/24 17:13	06/10/24 17:37
DATE ANALYZED	: 06/10/24 18:25	06/10/24 17:13	06/10/24 17:37
PREP BATCH	: VOE2F03	VOE2F03	VOE2F03
CALIBRATION REF:	REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	10.3	103	10.0	10.6	106	3	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.9	109	10.0	11.5	115	5	79-118	20
Benzene	ND	10.0	10.7	107	10.0	11.1	111	4	79-120	20
cis-1,2-Dichloroethene	ND	10.0	10.2	102	10.0	10.6	106	4	78-123	20
Ethylbenzene	ND	10.0	10.7	107	10.0	11.4	114	6	79-121	20
m,p-Xylene	ND	20.0	20.8	104	20.0	22.2	111	7	80-121	20
o-Xylene	ND	10.0	10.9	109	10.0	11.8	118	8	78-122	20
Toluene	ND	10.0	10.8	108	10.0	11.7	117	8	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	10.1	101	10.0	10.2	102	1	75-124	20
Trichloroethene	ND	10.0	9.31	93	10.0	9.74	97	5	79-123	20
Vinyl Chloride	ND	10.0	10.1	101	10.0	9.12	91	10	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	9.95	100	10.0	9.88	99	81-118
4-Bromofluorobenzene	10.0	10.4	104	10.0	10.8	108	85-114
Toluene-d8	10.0	10.5	105	10.0	10.5	105	89-112
Dibromofluoromethane	10.0	9.84	98	10.0	9.40	94	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/11/24 15:26
Project	: TITAN 1-A	Date Received:	06/11/24
Batch No.	: 24F004	Date Extracted:	06/11/24 15:26
Sample ID	: MBLK3W	Date Analyzed:	06/11/24 15:26
Lab Samp ID:	VOE2F04B	Dilution Factor:	1
Lab File ID:	RFG096	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.8	10.0	108	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.95	10.0	100	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

ENAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F004
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK3W	LCS3W	LCD3W
LAB SAMPLE ID	: VOE2F04B	VOE2F04L	VOE2F04C
LAB FILE ID	: RFG096	RFG093	RFG094
DATE PREPARED	: 06/11/24 15:26	06/11/24 14:15	06/11/24 14:39
DATE ANALYZED	: 06/11/24 15:26	06/11/24 14:15	06/11/24 14:39
PREP BATCH	: VOE2F04	VOE2F04	VOE2F04
CALIBRATION REF:	REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	9.69	97	10.0	9.34	93	4	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.7	107	10.0	10.3	103	4	79-118	20
Benzene	ND	10.0	9.98	100	10.0	9.74	97	2	79-120	20
cis-1,2-Dichloroethene	ND	10.0	9.91	99	10.0	9.49	95	4	78-123	20
Ethylbenzene	ND	10.0	10.5	105	10.0	10.4	104	1	79-121	20
m,p-Xylene	ND	20.0	20.4	102	20.0	20.2	101	1	80-121	20
o-Xylene	ND	10.0	10.7	107	10.0	10.6	106	1	78-122	20
Toluene	ND	10.0	10.4	104	10.0	10.3	103	1	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	9.39	94	10.0	9.07	91	3	75-124	20
Trichloroethene	ND	10.0	9.00	90	10.0	8.65	87	4	79-123	20
Vinyl Chloride	ND	10.0	11.0	110	10.0	10.4	104	6	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.6	106	10.0	10.1	101	81-118
4-Bromofluorobenzene	10.0	11.1	111	10.0	10.6	106	85-114
Toluene-d8	10.0	10.6	106	10.0	10.6	106	89-112
Dibromofluoromethane	10.0	9.84	98	10.0	9.56	96	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

QC DATA

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG037.D
Acq On : 8 Jun 2024 16:16
Sample : VOE2F02B
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 10:09:30 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	702533	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	598134	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	288194	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	461894	10.73	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.30%		
41) 1,2-Dichloroethane-d4	5.723	65	605458	10.65	ug/L	0.00
Spiked Amount 10.000			Recovery =	106.50%		
56) Toluene-d8	7.594	98	1215479	10.23	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.30%		
77) 4-Bromofluorobenzene	11.369	95	456219	9.97	ug/l	0.00
Spiked Amount 10.000			Recovery =	99.70%		
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG037.D
Acq On : 8 Jun 2024 16:16
Sample : VOE2F02B
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 10:09:30 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG034.D Vial: 4
Acq On : 8 Jun 2024 15:04 Operator: DNguye
Sample : VOE2F02L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 12 12:59:46 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	804216	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	688163	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	361553	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	517441	10.51	ug/l	0.00
Spiked Amount 10.000			Recovery =	105.10%		
41) 1,2-Dichloroethane-d4	5.723	65	682818	10.49	ug/L	0.00
Spiked Amount 10.000			Recovery =	104.90%		
56) Toluene-d8	7.594	98	1399192	10.23	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.30%		
77) 4-Bromofluorobenzene	11.369	95	574077	10.00	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	487772	10.57	ug/l	98
3) Chloromethane	2.906	50	273464	8.26	ug/l	99
4) Vinyl chloride	2.994	62	366433	10.48	ug/l	100
5) Bromomethane	3.313	94	188606	7.97	ug/l	99
6) Dichlorofluoromethane	3.357	67	882065	11.04	ug/L	98
7) Chloroethane	3.346	64	152032	8.87	ug/l	98
8) Trichlorofluoromethane	3.511	101	617669	7.86	ug/l	100
9) Acrolein	3.742	56	207034	39.59	ug/l	95
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	357353	10.43	ug/l	95
11) Acetone	3.775	43	541181	52.50	ug/l	97
12) tert-Butyl alcohol	3.874	59	1084370	221.73	ug/L	95
13) 1,1-Dichloroethene	3.907	61	742944	10.34	ug/l	97
14) Acetonitrile	3.874	41	246890	101.73	ug/L	98
15) Allyl chloride	4.105	76	210583	11.09	ug/L	100
16) Iodomethane	4.149	142	467381	12.18	ug/l	97
18) Methylene chloride	4.182	49	590980	11.60	ug/l	97
19) Acrylonitrile	4.215	53	517321	42.78	ug/l	98
20) tert-Butyl methyl ethe...	4.226	73	1226873	10.21	ug/L	100
21) Carbon disulfide	4.315	76	1061248	9.63	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	379003	9.88	ug/l	100
23) Isopropyl ether (DIPE)	4.469	45	1392888	11.39	ug/l	97
24) Vinyl acetate	4.546	43	466600	6.70	ug/l	99
25) 1,1-Dichloroethane	4.634	63	827459	10.67	ug/l	98
26) tert-Butyl ethyl ether...	4.733	59	1393527	9.38	ug/l	91
27) 2-Butanone	4.854	72	161850	42.89	ug/l	98
28) Propionitrile	4.909	54	428436	96.36	ug/L	99
29) Isobutyl alcohol	5.030	43	336578	214.25	ug/L	97
30) 2,2-Dichloropropane	5.030	77	836439	10.77	ug/l	99
31) Methacrylonitrile	5.052	52	730370	100.05	ug/L	94
32) cis-1,2-Dichloroethene	5.063	96	449428	10.29	ug/l	99
33) Chloroform	5.173	83	956761	9.95	ug/l	98
34) Bromochloromethane	5.327	130	268659	10.47	ug/l	100
35) Tetrahydrofuran	5.316	42	107408	10.60	ug/L	92
37) 1,1,1-Trichloroethane	5.503	97	894852	10.32	ug/l	99
39) tert-Amyl methyl ether...	5.613	87	278929	10.53	ug/l	100
40) 1,1-Dichloropropene	5.613	110	192672	10.15	ug/L	99
42) Carbon tetrachloride	5.734	119	788349	10.74	ug/L	100
43) 1,2-Dichloroethane	5.800	62	789620	10.68	ug/L	100
44) Benzene	5.866	78	1546406	10.51	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG034.D Vial: 4
Acq On : 8 Jun 2024 15:04 Operator: DNguye
Sample : VOE2F02L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 12 12:59:46 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45)	Trichloroethene	6.373	130	413995	10.19	ug/L	96
46)	Methyl methacrylate	6.439	69	249501	6.93	ug/L	91
48)	1,2-Dichloropropane	6.527	63	414489	11.04	ug/L	95
50)	Bromodichloromethane	6.780	83	729489	10.26	ug/L	99
51)	Dibromomethane	6.868	93	295986	9.69	ug/L	91
52)	2-Chloroethyl vinyl ether	6.934	63	140266	7.54	ug/L	100
53)	4-Methyl-2-pentanone	6.967	43	1978662	48.09	ug/L	97
54)	cis-1,3-Dichloropropene	7.275	75	696795	10.61	ug/L	96
57)	Ethyl methacrylate	7.693	69	470553	10.02	ug/L	91
58)	Toluene	7.693	91	1607420	10.30	ug/l	99
59)	trans-1,3-Dichloropropene	7.814	75	691172	10.35	ug/l	94
60)	2-Hexanone	7.946	43	1362585	48.29	ug/l	94
61)	1,1,2-Trichloroethane	8.045	97	362664	9.79	ug/l	98
62)	1,3-Dichloropropane	8.353	76	576787	10.49	ug/l	100
63)	Tetrachloroethene	8.508	164	397877	11.66	ug/l	90
64)	Dibromochloromethane	8.794	129	537263	9.67	ug/l	99
65)	1,2-Dibromoethane	9.069	107	389300	9.75	ug/l	98
66)	1-Chlorohexane	9.124	91	529354	10.25	ug/l	97
67)	Chlorobenzene	9.619	112	1047704	10.16	ug/l	100
68)	1,1,1,2-Tetrachloroethane	9.652	131	449676	10.25	ug/l	100
69)	Ethylbenzene	9.641	91	1911083	10.13	ug/l	99
70)	m-Xylene & p-Xylene	9.751	91	2974366	19.33	ug/l	99
71)	o-Xylene	10.422	91	1490148	10.23	ug/l	98
72)	Styrene	10.455	104	1061944	10.43	ug/l	98
73)	Isopropylbenzene	10.940	105	1743378	10.50	ug/L	98
75)	Bromoform	11.061	173	387157	9.81	ug/l	97
76)	1,1,2,2-Tetrachloroethane	11.204	83	459297	9.11	ug/l	99
78)	1,2,3-Trichloropropane	11.457	110	127239	9.15	ug/l	97
79)	trans-1,4-Dichloro-2-b...	11.523	53	138484	9.84	ug/l	92
80)	n-Propylbenzene	11.578	91	2162370	9.43	ug/l	99
81)	Bromobenzene	11.732	156	522254	10.38	ug/l	99
82)	1,3,5-Trimethylbenzene	11.831	105	1448938	9.19	ug/l	97
83)	2-Chlorotoluene	11.919	91	1378164	9.74	ug/l	95
84)	4-Chlorotoluene	11.985	91	1253039	10.45	ug/l	92
85)	tert-Butylbenzene	12.414	134	229472	9.41	ug/l	96
86)	1,2,4-Trimethylbenzene	12.480	105	1465105	9.51	ug/l	100
87)	sec-Butylbenzene	12.756	105	1702753	9.53	ug/l	100
88)	p-Isopropyltoluene	12.954	119	1418621	9.47	ug/l	98
89)	1,3-Dichlorobenzene	13.174	146	862467	12.02	ug/l	97
90)	1,2,3-Trimethylbenzene	13.262	105	1431729	9.37	ug/L	97
91)	1,4-Dichlorobenzene	13.328	146	872351	11.70	ug/l	98
92)	n-Butylbenzene	13.614	91	1345123	9.44	ug/l	99
93)	1,2-Dichlorobenzene	13.933	146	822850	10.42	ug/l	98
94)	1,2-Dibromo-3-chloropr...	15.144	157	91936	8.97	ug/l	99
95)	1,2,4-Trichlorobenzene	16.464	180	544400	11.38	ug/l	96
96)	Hexachlorobutadiene	16.662	225	308450	11.30	ug/l	99
97)	Naphthalene	16.871	128	1061974	8.70	ug/l	99
98)	1,2,3-Trichlorobenzene	17.235	180	506922	11.14	ug/l	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG034.D Vial: 4
Acq On : 8 Jun 2024 15:04 Operator: DNguye
Sample : VOE2F02L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 12 12:59:46 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG035.D
Acq On : 8 Jun 2024 15:28
Sample : VOE2F02C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 12 17:26:14 2024
Quant Results File: VOE2E17.RES

Vial: 5
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	788614	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	686122	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	360055	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	515443	10.67	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.70%		
41) 1,2-Dichloroethane-d4	5.723	65	669303	10.49	ug/L	0.00
Spiked Amount 10.000			Recovery =	104.90%		
56) Toluene-d8	7.594	98	1400819	10.27	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.70%		
77) 4-Bromofluorobenzene	11.369	95	570302	9.98	ug/l	0.00
Spiked Amount 10.000			Recovery =	99.80%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	411635	9.10	ug/l	98
3) Chloromethane	2.906	50	246041	7.58	ug/l	98
4) Vinyl chloride	2.994	62	325969	9.50	ug/l	96
5) Bromomethane	3.313	94	181868	7.84	ug/l	98
6) Dichlorofluoromethane	3.357	67	850864	10.86	ug/L	99
7) Chloroethane	3.346	64	141672	8.43	ug/l	96
8) Trichlorofluoromethane	3.511	101	536371	6.96	ug/l	99
9) Acrolein	3.742	56	221542	43.20	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	358008	10.66	ug/l	98
11) Acetone	3.775	43	542959	53.83	ug/l	97
12) tert-Butyl alcohol	3.874	59	1094032	228.13	ug/L	95
13) 1,1-Dichloroethene	3.907	61	727304	10.32	ug/l	99
14) Acetonitrile	3.874	41	238983	100.42	ug/L	94
15) Allyl chloride	4.106	76	201636	10.83	ug/L	100
16) Iodomethane	4.150	142	466685	12.40	ug/l	97
18) Methylene chloride	4.183	49	578598	11.58	ug/l	96
19) Acrylonitrile	4.216	53	544046	45.89	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	1174679	9.97	ug/L	100
21) Carbon disulfide	4.304	76	890734	8.25	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	371808	9.89	ug/l	99
23) Isopropyl ether (DIPE)	4.469	45	1340576	11.18	ug/l	96
24) Vinyl acetate	4.546	43	439101	6.43	ug/l	98
25) 1,1-Dichloroethane	4.634	63	802785	10.55	ug/l	98
26) tert-Butyl ethyl ether...	4.733	59	1335540	9.17	ug/l	91
27) 2-Butanone	4.854	72	173093	46.77	ug/l	95
28) Propionitrile	4.909	54	415172	95.22	ug/L	98
29) Isobutyl alcohol	5.030	43	329257	213.74	ug/L	97
30) 2,2-Dichloropropane	5.019	77	797281	10.47	ug/l	99
31) Methacrylonitrile	5.052	52	684968	95.69	ug/L	88
32) cis-1,2-Dichloroethene	5.063	96	435601	10.17	ug/l	99
33) Chloroform	5.173	83	904065	9.59	ug/l	99
34) Bromochloromethane	5.327	130	257669	10.25	ug/l	97
35) Tetrahydrofuran	5.327	42	106843	10.75	ug/L	89
37) 1,1,1-Trichloroethane	5.503	97	864947	10.17	ug/l	98
39) tert-Amyl methyl ether...	5.613	87	266012	10.24	ug/l	97
40) 1,1-Dichloropropene	5.613	110	190850	10.25	ug/L	99
42) Carbon tetrachloride	5.734	119	773713	10.75	ug/L	99
43) 1,2-Dichloroethane	5.800	62	755347	10.42	ug/L	99
44) Benzene	5.866	78	1476414	10.23	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG035.D Vial: 5
Acq On : 8 Jun 2024 15:28 Operator: DNguye
Sample : VOE2F02C Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 12 17:26:14 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Trichloroethene	6.373	130	408856	10.26	ug/L	95
46) Methyl methacrylate	6.439	69	249939	7.08	ug/L	86
48) 1,2-Dichloropropane	6.527	63	400366	10.87	ug/L	96
50) Bromodichloromethane	6.769	83	703163	10.09	ug/L	99
51) Dibromomethane	6.857	93	289664	9.67	ug/L	91
52) 2-Chloroethyl vinyl ether	6.934	63	137166	7.52	ug/L	96
53) 4-Methyl-2-pentanone	6.956	43	2071318	51.34	ug/L	97
54) cis-1,3-Dichloropropene	7.275	75	676012	10.50	ug/L	96
57) Ethyl methacrylate	7.693	69	471425	10.07	ug/L	95
58) Toluene	7.693	91	1555246	9.99	ug/l	99
59) trans-1,3-Dichloropropene	7.814	75	665401	9.99	ug/l	97
60) 2-Hexanone	7.935	43	1411671	50.18	ug/l	93
61) 1,1,2-Trichloroethane	8.045	97	344914	9.34	ug/l	98
62) 1,3-Dichloropropane	8.354	76	556058	10.14	ug/l	98
63) Tetrachloroethene	8.508	164	385111	11.32	ug/l	90
64) Dibromochloromethane	8.783	129	526232	9.50	ug/l	99
65) 1,2-Dibromoethane	9.069	107	382194	9.60	ug/l	99
66) 1-Chlorohexane	9.124	91	525617	10.21	ug/l	100
67) Chlorobenzene	9.619	112	1007997	9.81	ug/l	99
68) 1,1,1,2-Tetrachloroethane	9.641	131	441991	10.11	ug/l	99
69) Ethylbenzene	9.641	91	1851851	9.84	ug/l	99
70) m-Xylene & p-Xylene	9.751	91	2845702	18.55	ug/l	98
71) o-Xylene	10.412	91	1451281	9.99	ug/l	100
72) Styrene	10.456	104	1015097	10.00	ug/l	99
73) Isopropylbenzene	10.940	105	1666082	10.07	ug/L	99
75) Bromoform	11.061	173	374898	9.54	ug/l	98
76) 1,1,2,2-Tetrachloroethane	11.204	83	440137	8.77	ug/l	98
78) 1,2,3-Trichloropropane	11.446	110	125548	9.06	ug/l	100
79) trans-1,4-Dichloro-2-b...	11.512	53	131788	9.40	ug/l	93
80) n-Propylbenzene	11.578	91	2085652	9.14	ug/l	99
81) Bromobenzene	11.732	156	501473	10.01	ug/l	98
82) 1,3,5-Trimethylbenzene	11.831	105	1414752	9.01	ug/l	98
83) 2-Chlorotoluene	11.919	91	1222689	8.68	ug/l	99
84) 4-Chlorotoluene	11.974	91	1312967	11.02	ug/l	100
85) tert-Butylbenzene	12.403	134	230033	9.47	ug/l	97
86) 1,2,4-Trimethylbenzene	12.470	105	1412017	9.20	ug/l	99
87) sec-Butylbenzene	12.745	105	1646008	9.25	ug/l	100
88) p-Isopropyltoluene	12.954	119	1381522	9.26	ug/l	98
89) 1,3-Dichlorobenzene	13.163	146	825485	11.54	ug/l	97
90) 1,2,3-Trimethylbenzene	13.251	105	1385103	9.11	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	835511	11.23	ug/l	96
92) n-Butylbenzene	13.614	91	1292631	9.11	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	795205	10.11	ug/l	96
94) 1,2-Dibromo-3-chloropr...	15.133	157	88959	8.72	ug/l	99
95) 1,2,4-Trichlorobenzene	16.464	180	524646	11.00	ug/l	94
96) Hexachlorobutadiene	16.662	225	300582	11.06	ug/l	98
97) Naphthalene	16.872	128	1047842	8.62	ug/l	99
98) 1,2,3-Trichlorobenzene	17.224	180	499957	11.03	ug/l	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG035.D Vial: 5
Acq On : 8 Jun 2024 15:28 Operator: DNguye
Sample : VOE2F02C Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 12 17:26:14 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG067.D
Acq On : 10 Jun 2024 18:25
Sample : VOE2F03B
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 13:49:41 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	727124	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	552730	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	266282	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	427619	9.60	ug/l	0.00
Spiked Amount 10.000			Recovery =	96.00%		
41) 1,2-Dichloroethane-d4	5.723	65	605141	10.28	ug/L	0.00
Spiked Amount 10.000			Recovery =	102.80%		
56) Toluene-d8	7.594	98	1181499	10.76	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.60%		
77) 4-Bromofluorobenzene	11.369	95	441902	10.45	ug/L	0.00
Spiked Amount 10.000			Recovery =	104.50%		
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG067.D
Acq On : 10 Jun 2024 18:25
Sample : VOE2F03B
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 13:49:41 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG063.D Vial: 3
Acq On : 10 Jun 2024 17:13 Operator: DNguye
Sample : VOE2F03L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:51:42 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	792750	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	646227	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	321378	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	477546	9.84	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.40%		
41) 1,2-Dichloroethane-d4	5.723	65	638295	9.95	ug/L	0.00
Spiked Amount 10.000			Recovery =	99.50%		
56) Toluene-d8	7.594	98	1343222	10.46	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.60%		
77) 4-Bromofluorobenzene	11.369	95	531007	10.41	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.10%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	478859	10.53	ug/l	100
3) Chloromethane	2.906	50	233171	7.14	ug/l	98
4) Vinyl chloride	2.994	62	348108	10.10	ug/l	99
5) Bromomethane	3.313	94	181644	7.79	ug/l	94
6) Dichlorofluoromethane	3.357	67	832894	10.57	ug/L	100
7) Chloroethane	3.346	64	155704	9.22	ug/l	97
8) Trichlorofluoromethane	3.511	101	617653	7.97	ug/l	99
9) Acrolein	3.753	56	205312	39.82	ug/l	100
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	332677	9.85	ug/l	98
11) Acetone	3.775	43	489540	47.77	ug/l	100
12) tert-Butyl alcohol	3.874	59	1100962	228.38	ug/L	100
13) 1,1-Dichloroethene	3.907	61	727261	10.26	ug/l	99
14) Acetonitrile	3.874	41	219682	91.83	ug/L	97
15) Allyl chloride	4.105	76	207943	11.11	ug/L	99
16) Iodomethane	4.149	142	374701	9.96	ug/l	99
18) Methylene chloride	4.182	49	535107	10.59	ug/l	95
19) Acrylonitrile	4.215	53	513308	43.07	ug/l	99
20) tert-Butyl methyl ethe...	4.226	73	1253699	10.58	ug/L	97
21) Carbon disulfide	4.315	76	1128646	10.39	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	381609	10.09	ug/l	97
23) Isopropyl ether (DIPE)	4.469	45	1226107	10.17	ug/l	98
24) Vinyl acetate	4.546	43	414166	6.03	ug/l	99
25) 1,1-Dichloroethane	4.634	63	784954	10.26	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	1370234	9.36	ug/l	89
27) 2-Butanone	4.854	72	172408	46.35	ug/l	94
28) Propionitrile	4.909	54	436654	99.63	ug/L	95
29) Isobutyl alcohol	5.030	43	285794	184.55	ug/L	92
30) 2,2-Dichloropropane	5.019	77	851307	11.12	ug/l	100
31) Methacrylonitrile	5.063	52	680896	94.62	ug/L	86
32) cis-1,2-Dichloroethene	5.063	96	438573	10.19	ug/l	99
33) Chloroform	5.173	83	942656	9.94	ug/l	96
34) Bromochloromethane	5.327	130	235437	9.31	ug/l	97
35) Tetrahydrofuran	5.327	42	95717	9.58	ug/L	94
37) 1,1,1-Trichloroethane	5.503	97	911404	10.66	ug/l	99
39) tert-Amyl methyl ether...	5.613	87	286008	10.95	ug/l	99
40) 1,1-Dichloropropene	5.613	110	183599	9.81	ug/L	97
42) Carbon tetrachloride	5.734	119	744710	10.29	ug/L	99
43) 1,2-Dichloroethane	5.800	62	770942	10.58	ug/L	99
44) Benzene	5.866	78	1552522	10.70	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG063.D Vial: 3
Acq On : 10 Jun 2024 17:13 Operator: DNguye
Sample : VOE2F03L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:51:42 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) Trichloroethene	6.372	130	372826	9.31	ug/L		96
46) Methyl methacrylate	6.439	69	247156	6.97	ug/L	#	75
48) 1,2-Dichloropropane	6.527	63	378642	10.23	ug/L		97
50) Bromodichloromethane	6.780	83	735082	10.49	ug/L		97
51) Dibromomethane	6.868	93	285885	9.49	ug/L		97
52) 2-Chloroethyl vinyl ether	6.934	63	133183	7.26	ug/L		99
53) 4-Methyl-2-pentanone	6.967	43	1765852	43.54	ug/L		98
54) cis-1,3-Dichloropropene	7.275	75	686899	10.61	ug/L		99
57) Ethyl methacrylate	7.693	69	468696	10.63	ug/L		94
58) Toluene	7.693	91	1588600	10.84	ug/l		100
59) trans-1,3-Dichloropropene	7.814	75	687479	10.96	ug/l		96
60) 2-Hexanone	7.946	43	1204034	45.44	ug/l		100
61) 1,1,2-Trichloroethane	8.045	97	351436	10.10	ug/l		96
62) 1,3-Dichloropropane	8.353	76	563627	10.91	ug/l		98
63) Tetrachloroethene	8.518	164	320887	10.02	ug/l		98
64) Dibromochloromethane	8.783	129	484738	9.29	ug/l		100
65) 1,2-Dibromoethane	9.069	107	354988	9.47	ug/l		97
66) 1-Chlorohexane	9.124	91	525115	10.83	ug/l		92
67) Chlorobenzene	9.619	112	989338	10.22	ug/l		99
68) 1,1,1,2-Tetrachloroethane	9.652	131	419449	10.18	ug/l		99
69) Ethylbenzene	9.641	91	1896279	10.70	ug/l		99
70) m-Xylene & p-Xylene	9.751	91	3005719	20.80	ug/l		97
71) o-Xylene	10.411	91	1488798	10.88	ug/l		99
72) Styrene	10.466	104	1007131	10.53	ug/l		95
73) Isopropylbenzene	10.940	105	1676815	10.76	ug/L		99
75) Bromoform	11.061	173	312344	8.91	ug/l		99
76) 1,1,2,2-Tetrachloroethane	11.204	83	446381	9.97	ug/l		94
78) 1,2,3-Trichloropropane	11.457	110	124811	10.09	ug/l		100
79) trans-1,4-Dichloro-2-b...	11.512	53	123107	9.84	ug/l		98
80) n-Propylbenzene	11.589	91	2135717	10.48	ug/l		98
81) Bromobenzene	11.732	156	438689	9.81	ug/l		97
82) 1,3,5-Trimethylbenzene	11.831	105	1439701	10.28	ug/l		97
83) 2-Chlorotoluene	11.919	91	1363566	10.84	ug/l		91
84) 4-Chlorotoluene	11.985	91	1241041	11.70	ug/l		98
85) tert-Butylbenzene	12.414	134	223517	10.31	ug/l		91
86) 1,2,4-Trimethylbenzene	12.480	105	1456697	10.63	ug/l		94
87) sec-Butylbenzene	12.755	105	1649768	10.39	ug/l		99
88) p-Isopropyltoluene	12.965	119	1339055	10.05	ug/l		98
89) 1,3-Dichlorobenzene	13.174	146	715813	11.19	ug/l		98
90) 1,2,3-Trimethylbenzene	13.262	105	1396943	10.29	ug/L		98
91) 1,4-Dichlorobenzene	13.328	146	726522	10.93	ug/l		98
92) n-Butylbenzene	13.614	91	1336368	10.55	ug/l		98
93) 1,2-Dichlorobenzene	13.933	146	680865	9.70	ug/l		98
94) 1,2-Dibromo-3-chloropr...	15.144	157	78629	8.63	ug/l		100
95) 1,2,4-Trichlorobenzene	16.464	180	449545	10.54	ug/l		98
96) Hexachlorobutadiene	16.662	225	249558	10.28	ug/l		99
97) Naphthalene	16.871	128	1024859	9.44	ug/l		99
98) 1,2,3-Trichlorobenzene	17.235	180	417961	10.31	ug/l		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG063.D Vial: 3
Acq On : 10 Jun 2024 17:13 Operator: DNguye
Sample : VOE2F03L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:51:42 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG064.D Vial: 4
Acq On : 10 Jun 2024 17:37 Operator: DNguye
Sample : VOE2F03C Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:52:36 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	821664	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	645570	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	324769	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	472839	9.40	ug/l	0.00
Spiked Amount 10.000			Recovery =	94.00%		
41) 1,2-Dichloroethane-d4	5.723	65	656812	9.88	ug/L	0.00
Spiked Amount 10.000			Recovery =	98.80%		
56) Toluene-d8	7.594	98	1349262	10.52	ug/l	0.00
Spiked Amount 10.000			Recovery =	105.20%		
77) 4-Bromofluorobenzene	11.369	95	556714	10.80	ug/l	0.00
Spiked Amount 10.000			Recovery =	108.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	453005	9.61	ug/l	97
3) Chloromethane	2.906	50	237268	7.01	ug/l	99
4) Vinyl chloride	2.994	62	326070	9.12	ug/l	98
5) Bromomethane	3.313	94	192889	7.98	ug/l	97
6) Dichlorofluoromethane	3.357	67	895959	10.97	ug/L	99
7) Chloroethane	3.346	64	148891	8.50	ug/l	98
8) Trichlorofluoromethane	3.511	101	586245	7.30	ug/l	100
9) Acrolein	3.753	56	220691	41.30	ug/l	95
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	347771	9.94	ug/l	100
11) Acetone	3.775	43	535937	50.74	ug/l	99
12) tert-Butyl alcohol	3.875	59	1287593	257.70	ug/L	99
13) 1,1-Dichloroethene	3.908	61	776635	10.57	ug/l	98
14) Acetonitrile	3.875	41	246403	99.37	ug/L	96
15) Allyl chloride	4.106	76	224772	11.59	ug/L	97
16) Iodomethane	4.150	142	421560	10.78	ug/l	98
18) Methylene chloride	4.183	49	576729	11.04	ug/l	97
19) Acrylonitrile	4.216	53	557291	45.11	ug/l	97
20) tert-Butyl methyl ethe...	4.227	73	1375786	11.21	ug/L	98
21) Carbon disulfide	4.315	76	1235125	10.98	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	401252	10.24	ug/l	99
23) Isopropyl ether (DIPE)	4.458	45	1306484	10.46	ug/l	95
24) Vinyl acetate	4.546	43	462515	6.50	ug/l	98
25) 1,1-Dichloroethane	4.634	63	848741	10.71	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	1475247	9.72	ug/l	89
27) 2-Butanone	4.854	72	179219	46.48	ug/l	98
28) Propionitrile	4.909	54	485890	106.96	ug/L	96
29) Isobutyl alcohol	5.030	43	337014	209.97	ug/L	99
30) 2,2-Dichloropropane	5.019	77	903272	11.38	ug/l	99
31) Methacrylonitrile	5.063	52	780905	104.70	ug/L	87
32) cis-1,2-Dichloroethene	5.063	96	471856	10.58	ug/l	99
33) Chloroform	5.173	83	1017866	10.36	ug/l	97
34) Bromochloromethane	5.327	130	259303	9.90	ug/l	99
35) Tetrahydrofuran	5.327	42	106402	10.28	ug/L	98
37) 1,1,1-Trichloroethane	5.503	97	981117	11.07	ug/l	99
39) tert-Amyl methyl ether...	5.613	87	301193	11.12	ug/l	96
40) 1,1-Dichloropropene	5.613	110	199530	10.28	ug/L	99
42) Carbon tetrachloride	5.734	119	800823	10.68	ug/L	100
43) 1,2-Dichloroethane	5.800	62	835542	11.06	ug/L	100
44) Benzene	5.866	78	1668033	11.10	ug/L	98

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG064.D Vial: 4
Acq On : 10 Jun 2024 17:37 Operator: DNguye
Sample : VOE2F03C Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:52:36 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) Trichloroethene	6.373	130	404017	9.74	ug/L		97
46) Methyl methacrylate	6.439	69	283019	7.70	ug/L	#	75
48) 1,2-Dichloropropane	6.527	63	421811	10.99	ug/L		98
50) Bromodichloromethane	6.769	83	801790	11.04	ug/L		95
51) Dibromomethane	6.857	93	311905	9.99	ug/L		98
52) 2-Chloroethyl vinyl ether	6.934	63	146731	7.72	ug/L		99
53) 4-Methyl-2-pentanone	6.956	43	1865373	44.38	ug/L		97
54) cis-1,3-Dichloropropene	7.275	75	733120	10.93	ug/L		98
57) Ethyl methacrylate	7.693	69	527493	11.97	ug/L		95
58) Toluene	7.693	91	1716084	11.72	ug/l		100
59) trans-1,3-Dichloropropene	7.814	75	753010	12.02	ug/l		95
60) 2-Hexanone	7.935	43	1318604	49.81	ug/l		99
61) 1,1,2-Trichloroethane	8.045	97	388988	11.19	ug/l		95
62) 1,3-Dichloropropane	8.354	76	626456	12.14	ug/l		100
63) Tetrachloroethene	8.508	164	347732	10.86	ug/l		97
64) Dibromochloromethane	8.783	129	532052	10.21	ug/l		99
65) 1,2-Dibromoethane	9.069	107	398916	10.65	ug/l		98
66) 1-Chlorohexane	9.124	91	564298	11.65	ug/l		90
67) Chlorobenzene	9.619	112	1074970	11.12	ug/l		99
68) 1,1,1,2-Tetrachloroethane	9.641	131	442460	10.75	ug/l		99
69) Ethylbenzene	9.641	91	2020341	11.41	ug/l		99
70) m-Xylene & p-Xylene	9.740	91	3208719	22.23	ug/l		99
71) o-Xylene	10.412	91	1614283	11.81	ug/l		98
72) Styrene	10.456	104	1088636	11.39	ug/l		96
73) Isopropylbenzene	10.940	105	1816420	11.67	ug/L		98
75) Bromoform	11.061	173	352673	9.95	ug/l		99
76) 1,1,2,2-Tetrachloroethane	11.204	83	505707	11.17	ug/l		96
78) 1,2,3-Trichloropropane	11.446	110	136147	10.89	ug/l		98
79) trans-1,4-Dichloro-2-b...	11.512	53	152024	12.02	ug/l		97
80) n-Propylbenzene	11.578	91	2285053	11.10	ug/l		99
81) Bromobenzene	11.732	156	482356	10.67	ug/l		97
82) 1,3,5-Trimethylbenzene	11.831	105	1549813	10.95	ug/l		98
83) 2-Chlorotoluene	11.919	91	1352671	10.64	ug/l		96
84) 4-Chlorotoluene	11.974	91	1454780	13.64	ug/l		96
85) tert-Butylbenzene	12.415	134	228460	10.43	ug/l		90
86) 1,2,4-Trimethylbenzene	12.470	105	1521336	10.99	ug/l		96
87) sec-Butylbenzene	12.756	105	1765384	11.00	ug/l		98
88) p-Isopropyltoluene	12.954	119	1447830	10.76	ug/l		99
89) 1,3-Dichlorobenzene	13.163	146	768869	11.93	ug/l		98
90) 1,2,3-Trimethylbenzene	13.251	105	1489959	10.86	ug/L		99
91) 1,4-Dichlorobenzene	13.328	146	772346	11.52	ug/l		98
92) n-Butylbenzene	13.614	91	1416978	11.07	ug/l		98
93) 1,2-Dichlorobenzene	13.933	146	721227	10.17	ug/l		100
94) 1,2-Dibromo-3-chloropr...	15.133	157	88450	9.61	ug/l		98
95) 1,2,4-Trichlorobenzene	16.464	180	457454	10.62	ug/l		99
96) Hexachlorobutadiene	16.663	225	259621	10.59	ug/l		99
97) Naphthalene	16.872	128	1123046	10.24	ug/l		98
98) 1,2,3-Trichlorobenzene	17.224	180	430678	10.52	ug/l		97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG064.D Vial: 4
Acq On : 10 Jun 2024 17:37 Operator: DNguye
Sample : VOE2F03C Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:52:36 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG096.D
Acq On : 11 Jun 2024 15:26
Sample : VOE2F04B
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 17:06:01 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	600187	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	469288	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	222326	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	365937	9.95	ug/l	0.00
Spiked Amount 10.000			Recovery =	99.50%		
41) 1,2-Dichloroethane-d4	5.723	65	524716	10.80	ug/L	0.00
Spiked Amount 10.000			Recovery =	108.00%		
56) Toluene-d8	7.594	98	987879	10.59	ug/l	0.00
Spiked Amount 10.000			Recovery =	105.90%		
77) 4-Bromofluorobenzene	11.369	95	374680	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.20%		
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG096.D
Acq On : 11 Jun 2024 15:26
Sample : VOE2F04B
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 17:06:01 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG093.D Vial: 3
Acq On : 11 Jun 2024 14:15 Operator: DNguye
Sample : VOE2F04L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 17:00:17 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	700127	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	552821	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	279028	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	421921	9.84	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.40%		
41) 1,2-Dichloroethane-d4	5.723	65	600152	10.59	ug/L	0.00
Spiked Amount 10.000			Recovery =	105.90%		
56) Toluene-d8	7.594	98	1166618	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.20%		
77) 4-Bromofluorobenzene	11.369	95	489887	11.06	ug/l	0.00
Spiked Amount 10.000			Recovery =	110.60%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	454089	11.30	ug/l	98
3) Chloromethane	2.906	50	263643	9.14	ug/l	99
4) Vinyl chloride	2.994	62	333714	10.96	ug/l	99
5) Bromomethane	3.313	94	252289	12.25	ug/l	97
6) Dichlorofluoromethane	3.357	67	719907	10.35	ug/L	99
7) Chloroethane	3.346	64	140485	9.42	ug/l	98
8) Trichlorofluoromethane	3.511	101	603142	8.82	ug/l	99
9) Acrolein	3.742	56	174984	38.43	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	283991	9.52	ug/l	99
11) Acetone	3.765	43	420709	46.35	ug/l	98
12) tert-Butyl alcohol	3.875	59	880251	206.75	ug/L	99
13) 1,1-Dichloroethene	3.908	61	606508	9.69	ug/l	98
14) Acetonitrile	3.875	41	179260	84.84	ug/L	92
15) Allyl chloride	4.106	76	172916	10.46	ug/L	99
16) Iodomethane	4.150	142	405519	12.14	ug/l	93
18) Methylene chloride	4.183	49	505043	11.37	ug/l	97
19) Acrylonitrile	4.216	53	426217	40.49	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	1076360	10.29	ug/L	97
21) Carbon disulfide	4.304	76	936457	9.77	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	313496	9.39	ug/l	98
23) Isopropyl ether (DIPE)	4.469	45	1010133	9.49	ug/l	97
24) Vinyl acetate	4.546	43	453098	7.47	ug/l	98
25) 1,1-Dichloroethane	4.634	63	666915	9.88	ug/l	98
26) tert-Butyl ethyl ether...	4.733	59	1176130	9.10	ug/l	90
27) 2-Butanone	4.854	72	140045	42.63	ug/l	96
28) Propionitrile	4.909	54	340372	87.93	ug/L	99
29) Isobutyl alcohol	5.030	43	213474	156.09	ug/L	87
30) 2,2-Dichloropropane	5.030	77	739363	10.94	ug/l	98
31) Methacrylonitrile	5.052	52	600892	94.55	ug/L	92
32) cis-1,2-Dichloroethene	5.063	96	376607	9.91	ug/l	100
33) Chloroform	5.173	83	822837	9.83	ug/l	98
34) Bromochloromethane	5.327	130	201585	9.03	ug/l	97
35) Tetrahydrofuran	5.316	42	76582	8.68	ug/L	97
37) 1,1,1-Trichloroethane	5.503	97	793370	10.51	ug/l	98
39) tert-Amyl methyl ether...	5.613	87	237534	10.30	ug/l	98
40) 1,1-Dichloropropene	5.613	110	157738	9.54	ug/L	100
42) Carbon tetrachloride	5.734	119	658836	10.31	ug/L	99
43) 1,2-Dichloroethane	5.800	62	683149	10.61	ug/L	99
44) Benzene	5.866	78	1278445	9.98	ug/L	98

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG093.D Vial: 3
Acq On : 11 Jun 2024 14:15 Operator: DNguye
Sample : VOE2F04L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 17:00:17 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45)	Trichloroethene	6.373	130	318340	9.00	ug/L		97
46)	Methyl methacrylate	6.439	69	212881	6.79	ug/L	#	71
48)	1,2-Dichloropropane	6.527	63	309313	9.46	ug/L		90
50)	Bromodichloromethane	6.769	83	641238	10.36	ug/L		97
51)	Dibromomethane	6.868	93	247594	9.31	ug/L		95
52)	2-Chloroethyl vinyl ether	6.934	63	108876	6.72	ug/L		96
53)	4-Methyl-2-pentanone	6.967	43	1489659	41.59	ug/L		98
54)	cis-1,3-Dichloropropene	7.275	75	569407	9.96	ug/L		98
57)	Ethyl methacrylate	7.693	69	384317	10.19	ug/L		98
58)	Toluene	7.693	91	1307264	10.43	ug/l		99
59)	trans-1,3-Dichloropropene	7.814	75	582395	10.86	ug/l		99
60)	2-Hexanone	7.935	43	1022146	45.09	ug/l		99
61)	1,1,2-Trichloroethane	8.046	97	294632	9.90	ug/l		98
62)	1,3-Dichloropropane	8.354	76	463223	10.48	ug/l		99
63)	Tetrachloroethene	8.508	164	273046	9.96	ug/l		98
64)	Dibromochloromethane	8.783	129	406992	9.12	ug/l		100
65)	1,2-Dibromoethane	9.069	107	298958	9.32	ug/l		99
66)	1-Chlorohexane	9.124	91	421550	10.16	ug/l		100
67)	Chlorobenzene	9.619	112	826544	9.98	ug/l		97
68)	1,1,1,2-Tetrachloroethane	9.652	131	363656	10.32	ug/l		98
69)	Ethylbenzene	9.641	91	1585307	10.46	ug/l		99
70)	m-Xylene & p-Xylene	9.751	91	2524452	20.42	ug/l		98
71)	o-Xylene	10.412	91	1249901	10.68	ug/l		97
72)	Styrene	10.467	104	864317	10.56	ug/l		96
73)	Isopropylbenzene	10.940	105	1400137	10.50	ug/L		98
75)	Bromoform	11.061	173	269912	8.86	ug/l		98
76)	1,1,2,2-Tetrachloroethane	11.204	83	369729	9.51	ug/l		97
78)	1,2,3-Trichloropropane	11.446	110	105995	9.87	ug/l		94
79)	trans-1,4-Dichloro-2-b...	11.523	53	113616	10.46	ug/l		97
80)	n-Propylbenzene	11.578	91	1759863	9.95	ug/l		98
81)	Bromobenzene	11.732	156	372634	9.60	ug/l		98
82)	1,3,5-Trimethylbenzene	11.831	105	1202750	9.89	ug/l		98
83)	2-Chlorotoluene	11.919	91	1155247	10.58	ug/l		90
84)	4-Chlorotoluene	11.974	91	1040173	11.28	ug/l		98
85)	tert-Butylbenzene	12.415	134	183905	9.77	ug/l		95
86)	1,2,4-Trimethylbenzene	12.481	105	1189538	10.00	ug/l		97
87)	sec-Butylbenzene	12.756	105	1353899	9.82	ug/l		100
88)	p-Isopropyltoluene	12.954	119	1115672	9.65	ug/l		98
89)	1,3-Dichlorobenzene	13.174	146	604225	10.87	ug/l		99
90)	1,2,3-Trimethylbenzene	13.262	105	1154202	9.79	ug/L		99
91)	1,4-Dichlorobenzene	13.328	146	620279	10.74	ug/l		99
92)	n-Butylbenzene	13.614	91	1095185	9.96	ug/l		99
93)	1,2-Dichlorobenzene	13.933	146	573597	9.41	ug/l		98
94)	1,2-Dibromo-3-chloropr...	15.144	157	66232	8.38	ug/l		99
95)	1,2,4-Trichlorobenzene	16.464	180	372683	10.05	ug/l		97
96)	Hexachlorobutadiene	16.663	225	214530	10.18	ug/l		98
97)	Naphthalene	16.872	128	856628	9.09	ug/l		99
98)	1,2,3-Trichlorobenzene	17.235	180	344018	9.75	ug/l		98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG093.D Vial: 3
Acq On : 11 Jun 2024 14:15 Operator: DNguye
Sample : VOE2F04L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 17:00:17 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG094.D Vial: 4
Acq On : 11 Jun 2024 14:39 Operator: DNguye
Sample : VOE2F04C Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 18 18:21:10 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	703905	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	550837	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	285241	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	412093	9.56	ug/l	0.00
Spiked Amount 10.000			Recovery =	95.60%		
41) 1,2-Dichloroethane-d4	5.723	65	576775	10.12	ug/L	0.00
Spiked Amount 10.000			Recovery =	101.20%		
56) Toluene-d8	7.594	98	1162432	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.20%		
77) 4-Bromofluorobenzene	11.369	95	480962	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.20%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	429087	10.62	ug/l	97
3) Chloromethane	2.906	50	257185	8.87	ug/l	98
4) Vinyl chloride	2.994	62	319492	10.44	ug/l	99
5) Bromomethane	3.313	94	265338	12.82	ug/l	99
6) Dichlorofluoromethane	3.357	67	691592	9.89	ug/L	100
7) Chloroethane	3.346	64	140113	9.34	ug/l	94
8) Trichlorofluoromethane	3.511	101	588714	8.56	ug/l	100
9) Acrolein	3.742	56	154395	33.73	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	270239	9.01	ug/l	99
11) Acetone	3.775	43	371678	40.12	ug/l	100
12) tert-Butyl alcohol	3.874	59	781645	182.61	ug/L	100
13) 1,1-Dichloroethene	3.907	61	587741	9.34	ug/l	98
14) Acetonitrile	3.874	41	159832	75.24	ug/L	97
15) Allyl chloride	4.105	76	170855	10.28	ug/L	98
16) Iodomethane	4.149	142	392698	11.70	ug/l	92
18) Methylene chloride	4.183	49	491995	10.99	ug/l	96
19) Acrylonitrile	4.216	53	391830	37.02	ug/l	98
20) tert-Butyl methyl ethe...	4.227	73	1042482	9.91	ug/L	96
21) Carbon disulfide	4.304	76	921603	9.56	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	304388	9.07	ug/l	97
23) Isopropyl ether (DIPE)	4.458	45	997004	9.32	ug/l	97
24) Vinyl acetate	4.546	43	408897	6.71	ug/l	98
25) 1,1-Dichloroethane	4.634	63	632418	9.31	ug/l	100
26) tert-Butyl ethyl ether...	4.733	59	1121655	8.63	ug/l	89
27) 2-Butanone	4.854	72	126722	38.36	ug/l	95
28) Propionitrile	4.909	54	306274	78.70	ug/L	98
29) Isobutyl alcohol	5.030	43	197729	143.80	ug/L	91
30) 2,2-Dichloropropane	5.019	77	719885	10.59	ug/l	99
31) Methacrylonitrile	5.052	52	555765	86.98	ug/L	92
32) cis-1,2-Dichloroethene	5.063	96	362567	9.49	ug/l	100
33) Chloroform	5.173	83	793893	9.43	ug/l	98
34) Bromochloromethane	5.327	130	194225	8.65	ug/l	97
35) Tetrahydrofuran	5.316	42	65118	7.34	ug/L	96
37) 1,1,1-Trichloroethane	5.503	97	774383	10.20	ug/l	99
39) tert-Amyl methyl ether...	5.613	87	233970	10.09	ug/l	99
40) 1,1-Dichloropropene	5.613	110	148685	8.95	ug/L	94
42) Carbon tetrachloride	5.734	119	645169	10.04	ug/L	99
43) 1,2-Dichloroethane	5.800	62	669808	10.35	ug/L	98
44) Benzene	5.866	78	1254363	9.74	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG094.D Vial: 4
Acq On : 11 Jun 2024 14:39 Operator: DNguye
Sample : VOE2F04C Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 18 18:21:10 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Trichloroethene	6.373	130	307489	8.65	ug/L	98
46) Methyl methacrylate	6.439	69	188126	5.97	ug/L	78
48) 1,2-Dichloropropane	6.527	63	309948	9.43	ug/L	91
50) Bromodichloromethane	6.769	83	630062	10.13	ug/L	97
51) Dibromomethane	6.857	93	235423	8.80	ug/L	97
52) 2-Chloroethyl vinyl ether	6.934	63	102188	6.28	ug/L	99
53) 4-Methyl-2-pentanone	6.956	43	1367442	37.97	ug/L	97
54) cis-1,3-Dichloropropene	7.275	75	558773	9.72	ug/L	98
57) Ethyl methacrylate	7.693	69	377587	10.04	ug/L	95
58) Toluene	7.693	91	1291225	10.34	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	571984	10.70	ug/l	99
60) 2-Hexanone	7.935	43	934321	41.37	ug/l	100
61) 1,1,2-Trichloroethane	8.045	97	284396	9.59	ug/l	96
62) 1,3-Dichloropropane	8.353	76	450358	10.23	ug/l	99
63) Tetrachloroethene	8.508	164	265229	9.71	ug/l	98
64) Dibromochloromethane	8.783	129	402619	9.05	ug/l	98
65) 1,2-Dibromoethane	9.069	107	289885	9.07	ug/l	99
66) 1-Chlorohexane	9.124	91	429380	10.39	ug/l	99
67) Chlorobenzene	9.619	112	829948	10.06	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	352598	10.04	ug/l	99
69) Ethylbenzene	9.641	91	1564560	10.36	ug/l	98
70) m-Xylene & p-Xylene	9.740	91	2486658	20.19	ug/l	98
71) o-Xylene	10.411	91	1230876	10.56	ug/l	100
72) Styrene	10.455	104	841026	10.32	ug/l	95
73) Isopropylbenzene	10.940	105	1404173	10.57	ug/L	99
75) Bromoform	11.061	173	252254	8.10	ug/l	98
76) 1,1,2,2-Tetrachloroethane	11.204	83	353612	8.89	ug/l	95
78) 1,2,3-Trichloropropane	11.446	110	103207	9.40	ug/l	92
79) trans-1,4-Dichloro-2-b...	11.512	53	98217	8.84	ug/l	94
80) n-Propylbenzene	11.578	91	1746437	9.66	ug/l	98
81) Bromobenzene	11.732	156	360780	9.09	ug/l	98
82) 1,3,5-Trimethylbenzene	11.820	105	1203026	9.68	ug/l	97
83) 2-Chlorotoluene	11.919	91	1047325	9.38	ug/l	96
84) 4-Chlorotoluene	11.974	91	1126160	11.97	ug/l	96
85) tert-Butylbenzene	12.403	134	181405	9.43	ug/l	97
86) 1,2,4-Trimethylbenzene	12.469	105	1192047	9.80	ug/l	97
87) sec-Butylbenzene	12.745	105	1337130	9.49	ug/l	99
88) p-Isopropyltoluene	12.954	119	1112699	9.41	ug/l	98
89) 1,3-Dichlorobenzene	13.163	146	600613	10.56	ug/l	98
90) 1,2,3-Trimethylbenzene	13.251	105	1168204	9.70	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	609827	10.32	ug/l	98
92) n-Butylbenzene	13.614	91	1101247	9.79	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	570193	9.15	ug/l	99
94) 1,2-Dibromo-3-chloropr...	15.133	157	61363	7.59	ug/l	99
95) 1,2,4-Trichlorobenzene	16.464	180	363876	9.58	ug/l	97
96) Hexachlorobutadiene	16.662	225	211631	9.83	ug/l	98
97) Naphthalene	16.871	128	805049	8.36	ug/l	99
98) 1,2,3-Trichlorobenzene	17.224	180	343180	9.50	ug/l	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG094.D Vial: 4
Acq On : 11 Jun 2024 14:39 Operator: DNguye
Sample : VOE2F04C Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 18 18:21:10 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



INITIAL CALIBRATION(S)

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: REG116 BFB Injection Date: 05/17/24

Instrument ID: E2 BFB Injection Time: 11:23

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.276
75	30 - 60% of mass 95	50.050
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.720
173	Less than 2% of mass 174	0.804(.96)1
174	Greater than 50% of mass 95	83.334
175	5 - 9% of mass 174	6.239(7.49)1
176	95 - 101% % of mass 174	81.293(97.55)1
177	5 - 9% % of mass 176	5.264(6.48)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD0.5	VOE2E172	REG118	05/17/24	12:33
2	VSTD1	VOE2E173	REG119	05/17/24	12:57
3	VSTD2	VOE2E174	REG120	05/17/24	13:21
4	VSTD5	VOE2E175	REG121	05/17/24	13:45
5	VSTD10	VOE2E176	REG122	05/17/24	14:09
6	VSTD30	VOE2E177	REG123	05/17/24	14:33
7	VSTD50	VOE2E178	REG124	05/17/24	14:57
8	VSTD100	VOE2E179	REG125	05/17/24	15:21
9	VSTD200	VOE2E1710	REG126	05/17/24	15:44

Sm

5/24/24

INITIAL_CALIBRATION - RELATIVE_RESPONSE_FACTOR

Instrument ID :G2
Beginning DateTime :05/17/24 12:33
Spike Units :PPB
IC File REG122

Column Spec :RTX-502.2 ID :0.32MM
Ending DateTime :05/17/24 15:44
HPChem Method :V0E2R17

M	IDX	Parameters	5 12:33 REG118	1 12:57 REG119	2 13:21 REG120	5 13:45 REG121	10 14:09 REG122	10 14:33 REG123	50 14:57 REG124	100 15:21 REG125	200 15:44 REG126	Av_RRF	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	0	5.9874
	2	Dichlorodifluoromethane	0.621	0.637	0.579	0.504	0.509	0.610	0.570	0.578	0.556	0.574	8.06	2.7078
	3	Chloromethane	0.526	0.465	0.434	0.383	0.373	0.477	0.368	0.382	0.398	0.412	13.00	2.9059
	4	Vinyl chloride	0.419	0.490	0.461	0.376	0.416	0.439	0.449	0.449	0.415	0.435	7.58	2.9903
	5	Bromomethane	0.348	0.326	0.291	0.268	0.244	0.267	0.278	0.296	0.330	0.294	11.62	3.3131
	6	Dichlorofluoromethane	1.071	1.087	0.974	1.099	0.990	1.025	0.930	0.904	0.865	0.994	8.41	3.3523
	7	Chloroethane	0.222	0.255	0.216	0.196	0.204	0.219	0.205	0.207	0.193	0.213	8.74	3.3461
	8	Trichlorofluoromethane	1.076	1.027	0.981	0.846	0.898	1.033	0.988	0.997	0.949	0.977	7.24	3.5112
5	9	Acrolein	0.074	0.076	0.063	0.070	0.064	0.060	0.059	0.060	0.059	0.065	10.21	3.7423
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	0.510	0.445	0.389	0.475	0.409	0.418	0.409	0.396	0.383	0.426	10.04	3.7521
5	11	Acetone	0.325	0.240	0.181	0.149	0.137	0.118	0.119	------	------	0.181	42.17	3.7690
25	12	tert-Butyl alcohol	0.075	0.070	0.063	0.057	0.061	0.056	0.057	0.055	0.054	0.061	11.83	3.8744
	13	1,1-Dichloroethene	0.972	0.970	0.870	1.007	0.889	0.901	0.818	0.823	0.795	0.894	8.46	3.9025
10	14	Acetonitrile	------	0.037	0.031	0.030	0.031	0.026	0.027	------	------	0.030	12.37	3.8744
	15	Allyl chloride	0.262	0.270	0.227	0.265	0.239	0.241	0.223	0.204	0.194	0.236	11.27	4.1055
	16	Iodomethane	0.335	0.312	0.310	0.409	0.432	0.563	0.530	0.509	0.459	0.429	22.23	4.1434
	17	Methyl acetate	------	0.410	0.337	0.344	0.341	0.293	0.304	------	------	0.338	12.15	4.0285
	18	Methylene chloride	1.122	1.095	0.930	0.852	0.731	0.698	0.612	0.596	0.570	0.801	26.33	4.1825
5	19	Acrylonitrile	0.187	0.165	0.144	0.155	0.158	0.140	0.134	0.135	0.136	0.150	11.69	4.2156
	20	tert-Butyl methyl ether (MTBE)	1.687	1.599	1.508	1.603	1.504	1.453	1.377	1.365	1.352	1.494	7.94	4.2266
	21	Carbon disulfide	1.587	1.493	1.289	1.218	1.375	1.338	1.287	------	------	1.370	9.42	4.3052
	22	trans-1,2-Dichloroethene	0.536	0.534	0.472	0.542	0.468	0.442	0.442	0.426	0.429	0.477	10.07	4.3696
	23	Isopropyl ether (DIPE)	1.738	1.638	1.535	1.682	1.513	1.489	1.394	1.379	1.317	1.520	9.47	4.4601
	24	Vinyl acetate	0.905	0.932	0.893	0.899	0.928	0.816	0.810	0.820	0.793	0.866	6.41	4.5457
	25	1,1-Dichloroethane	1.123	1.084	0.958	1.041	0.935	0.964	0.901	0.851	0.823	0.965	10.57	4.6338
	26	tert-Butyl ethyl ether (ETBE)	2.025	2.049	1.829	2.024	1.854	1.711	1.759	1.666	1.701	1.846	8.21	4.7328
5	27	2-Butanone	------	0.059	0.048	0.040	0.049	0.043	0.043	0.042	0.042	0.047	12.56	4.8539
10	28	Propionitrile	0.067	0.061	0.059	0.057	0.053	0.051	0.051	0.048	0.050	0.055	11.17	4.9101
20	29	Isobutyl alcohol	------	0.024	0.020	0.019	0.020	0.018	0.019	0.017	------	0.020	12.47	5.0299
	30	2,2-Dichloropropane	1.070	1.031	0.913	1.100	0.993	0.952	0.921	0.878	0.831	0.966	9.30	5.0202
10	31	Methacrylonitrile	0.105	0.103	0.092	0.099	0.089	0.088	0.084	0.080	0.076	0.091	11.02	5.0568
	32	cis-1,2-Dichloroethene	0.592	0.622	0.541	0.585	0.519	0.520	0.508	0.491	0.507	0.543	8.40	5.0630
	33	Chloroform	1.500	1.398	1.172	1.238	1.117	1.090	1.041	1.012	------	1.196	14.51	5.1730
	34	Bromochloromethane	0.354	0.366	0.325	0.348	0.326	0.321	0.296	0.275	0.259	0.319	11.29	5.3271
	35	Tetrahydrofuran	------	0.140	0.129	0.132	0.124	0.122	0.118	0.116	------	0.126	6.67	5.3192
	36	Dibromofluoromethane	0.677	0.642	0.571	0.613	0.624	0.588	0.573	------	------	0.612	6.30	5.3381
	37	1,1,1-Trichloroethane	1.193	1.165	1.010	1.192	1.074	1.094	1.020	0.999	0.960	1.079	8.19	5.4971
	38	Cyclohexane	0.684	0.625	0.466	0.628	0.461	0.515	0.544	0.500	0.528	0.550	14.22	5.5484
	39	tert-Amyl methyl ether (TAME)	0.340	0.348	0.314	0.372	0.345	0.297	0.329	0.313	0.306	0.329	7.33	5.6144
	40	1,1-Dichloropropene	0.262	0.251	0.222	0.266	0.242	0.218	0.228	0.219	0.217	0.236	8.29	5.6132
	41	1,2-Dichloroethane-d4	0.972	0.902	0.780	0.802	0.781	0.709	0.720	------	------	0.809	11.80	5.7233
	42	Carbon tetrachloride	0.945	0.992	0.834	1.044	0.930	0.901	0.890	0.840	0.838	0.913	8.01	5.7343
	43	1,2-Dichloroethane	1.036	1.026	0.936	1.027	0.937	0.846	0.859	0.810	0.796	0.919	10.41	5.8003
	44	Benzene	2.100	2.054	1.772	1.904	1.819	1.719	1.753	1.684	1.662	1.830	8.64	5.8663
	45	Trichloroethene	0.573	0.564	0.458	0.553	0.494	0.496	0.481	0.460	0.468	0.505	9.09	6.3714
	46	Methyl methacrylate	0.521	0.497	0.421	0.494	0.427	0.401	0.430	0.422	0.415	0.448	9.77	6.4386
	47	Methylcyclohexane	------	0.701	0.528	0.712	0.530	0.546	0.606	0.586	0.600	0.601	11.92	6.4537
	48	1,2-Dichloropropane	0.559	0.532	0.465	0.483	0.464	0.418	0.437	0.427	0.418	0.467	10.74	6.5266
20	49	1,4-Dioxane	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	50	Bromodichloromethane	------	1.077	0.909	0.968	0.886	0.841	0.821	0.796	0.773	0.884	11.38	6.7687
	51	Dibromomethane	0.454	0.430	0.373	0.417	0.371	0.368	0.349	0.344	0.315	0.380	11.79	6.8568
	52	2-Chloroethyl vinyl ether	0.233	0.250	0.232	0.253	0.238	0.229	0.224	0.216	0.206	0.231	6.45	6.9338
5	53	4-Methyl-2-pentanone	0.591	0.572	0.496	0.557	0.534	0.467	0.473	0.467	0.447	0.512	10.35	6.9571
	54	cis-1,3-Dichloropropene	0.921	0.873	0.791	0.882	0.822	0.782	0.775	0.759	0.743	0.817	7.57	7.2750
	55	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	0	9.5641
	56	Toluene-d8	------	2.328	1.900	1.960	2.006	1.860	1.868	------	------	1.987	8.88	7.5941
	57	Ethyl methacrylate	0.687	0.714	0.662	0.753	0.707	0.647	0.685	0.635	0.651	0.682	5.59	7.6932
	58	Toluene	2.522	2.598	2.196	2.483	2.250	2.053	2.185	2.012	2.114	2.268	9.46	7.6932
	59	trans-1,3-Dichloropropene	1.019	1.031	0.921	1.072	0.988	0.969	0.957	0.878	0.899	0.970	6.61	7.8143
5	60	2-Hexanone	0.494	0.448	0.391	0.437	0.433	0.389	0.385	0.352	0.362	0.410	11.13	7.9378
	61	1,1,2-Trichloroethane	0.616	0.606	0.548	0.580	0.535	0.538	0.494	0.461	0.466	0.538	10.51	8.0454
	62	1,3-Dichloropropane	0.881	0.932	0.787	0.866	0.785	0.770	0.765	0.707	0.701	0.799	9.83	8.3535
	63	Tetrachloroethene	0.591	0.595	0.494	0.529	0.477	0.495	0.463	0.431	0.448	0.496	12.71	8.5088
	64	Dibromochloromethane	------	1.038	0.826	0.858	0.788	0.824	0.742	0.693	0.690	0.807	13.87	8.7827
	65	1,2-Dibromoethane	0.651	0.619	0.556	0.621	0.592	0.594	0.549	0.522	0.516	0.580	8.08	9.0688
	66	1-Chlorohexane	0.844	0.848	0.651	0.843	0.747	0.751	0.722	0.671	0.677	0.751	10.45	9.1239
	67	Chlorobenzene	1.802	1.685	1.395	1.599	1.466	1.486	1.389	1.323	1.338	1.498	11.00	9.6191
	68	1,1,1,2-Tetrachloroethane	0.713	0.709	0.595	0.685	0.647	0.654	0.606	0.565	0.563	0.637	9.12	9.6460
	69	Ethylbenzene	3.192	3.179	2.449	2.920	2.662	2.734	2.599	2.475	2.468	2.742	10.66	9.6411
2	70	m-Xylene & p-Xylene	2.549	2.503	1.987	2.323	2.078	2.117	2.094	------	------	2.236	9.97	9.7496
	71	o-Xylene	2.536	2.361	1.926	2.321	2.112	1.978	2.058	1.894	1.863	2.117	11.21	10.4127
	72	Styrene	1.648	1.724	1.354	1.615	1.493	1.415	1.441	1.328	1.303	1.480	10.19	10.4580
	73	Isopropylbenzene	2.835	2.945	2.240	2.644	2.424	2.142	2.250	2.149	2.077	2.412	13.33	10.9397
	74	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	0	13.8891
	75	Bromoform	1.246	1.192	1.112	1.177	1.072	1.033	1.055	0.974	0.961	1.091	9.03	11.0608
	76	1,1,2,2-Tetrachloroethane	1.731	1.658	1.370	1.490	1.349	1.248	1.296	1.218	1.184	1.394	11.93	11.2026
	77	4-Bromofluorobenzene	------	1.901	1.601	1.620	1.559	1.327	1.516	------	------	1.587	11.73	11.3689
	78	1,2,3-Trichloropropane	0.441	0.449	0.384	0.439	0.374	0.344	0.366	0.344	0.322	0.385	12.26	11.4460
	79	trans-1,4-Dichloro-2-butene	0.345	0.390	0.351	0.456	0.395	0.395	0.414	0.380	0.379	0.389	8.47	11.5132
	80	n-Propylbenzene	7.684	7.739	5.851	7.164	6.006	5.607	5.968	5.582	5.465	6.341	14.55	11.5780
	81	Bromobenzene	1.646	1.681	1.348	1.563	1.386	1.206	1.293	1.208	1.192	1.392	13.87	11.7321
	82	1,3,5-Trimethylbenzene	5.366	5.227	4.073	4.881	4.205	3.892	4.064	3.785	3.738	4.359	14.43	11.8287
	83	2-Chlorotoluene	------	4.800	3.579	4.665	3.671	3.653	3.858	3.598	3.483	3.914	13.23	11.9192
	84	4-Chlorotoluene	4.791	5.151	3.841	3.940	3.868	2.881	3.359	3.161	3.176	3.796	20.12	11.9754
	85	tert-Butylbenzene	0.747	0.829	0.605	0.740	0.648	0.561	0.592	------	------	0.675	14.63	12.4081
	86	1,2,4-Trimethylbenzene	5.058	5.235	4.012	4.761	4.182	3.747	3.973	3.721	3.680	4.263	14.07	12.4780
	87	sec-Butylbenzene	------	6.256	4.523	5.517	4.832	4.450	4.638	4.362	------	4.940	14.11	12.7493
	88	p-Isopropyltoluene	5.045	5.046	3.819	4.703	3.968	3.664	3.821	3.689	3.551	4.145	14.69	12.9549
	89	1,3-Dichlorobenzene	3.020	2.992	2.191	2.485	2.182	2.011	2.088	1.908	1.849	2.303	19.08	13.1652
	90	1,2,3-Trimethylbenzene	4.849	5.175	3.973	4.777	4.170	3.766	3.928	3.729	3.652	4.224	13.33	13.2545
	91	1,4-Dichlorobenzene	3.022	3.108	2.117	2.540	2.221	2.073	2.138	1.953	1.965	2.349	18.81	13.3278
	92	n-Butylbenzene	4.979	4.820	3.500	4.168	3.792	3.621	3.712	3.405	3.483	3.942	14.93	13.6140
	93	1,2-Dichlorobenzene	------	2.697	2.183	2.392	2.013	1.895	1.926	------	------	2.184	14.28	13.9331
	94	1,2-Dibromo-3-chloropropane	0.324	0.328	0.262	0.286	0.265	0.273	0.269	0.273	0.271	0.283	8.87	15.1339
	95	1,2,4-Trichlorobenzene	2.154	2.073	1.349	1.477	1.289	1.277	1.274	1.228	1.317	1.493	24.05	16.4643
	96	Hexachlorobutadiene	------	0.968	0.705	0.840	0.750	0.697	0.696	0.668	0.717	0.755	13.33	16.6624
	97	Naphthalene	------	4.357	3.062	3.424	3.316	3.128	3.237	3.113	3.376	3.377	12.35	16.8715
	98	1,2,3-Trichlorobenzene	2.077	1.941	1.298	1.377	1.232	1.225	1.192	1.180	1.249	1.419	24.06	17.2310

Spike Amount = Nominal Amount * M
Ave_%RSD : 11.8 Max_%RSD : 42.2

Use Least Square Linear Regression with weighting factor of inverse concentration for comps with %_RSD > 15
Resp_Ratio = x0 + x1 * Amt_Ratio

IDX	Parameter	x0	x1	CCF
11	Acetone	0.05832	0.11706	0.9992
16	Iodomethane	-0.01397	0.48870	0.9969
18	Methylene chloride	0.04658	0.59178	0.9974
84	4-Chlorotoluene	0.14395	3.17771	0.9987
89	1,3-Dichlorobenzene	0.09201	1.90749	0.9986
91	1,4-Dichlorobenzene	0.08106	1.99157	0.9991
95	1,2,4-Trichlorobenzene	0.04972	1.27956	0.9993
98	1,2,3-Trichlorobenzene	0.04722	1.21614	0.9995

5/24/24

Instrument ID :E2
Beginning DateTime :05/17/24 12:33
Spike Units :PPB
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
Ending DateTime :05/17/24 15:44
HPChem Method :VOE2E17

M	IDX	Parameters	.5 12:33 REG118	1 12:57 REG119	2 13:21 REG120	5 13:45 REG121	10 14:09 REG122	30 14:33 REG123	50 14:57 REG124	100 15:21 REG125	200 15:44 REG126	AvDRec	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	0	5.9874
	2	Dichlorodifluoromethane	108	111	101	88	89	106	99	101	97	6	8.06	2.7078
	3	Chloromethane	128	113	105	93	91	92	89	93	97	10.2	13.00	2.9059
	4	Vinyl chloride	96	113	106	86	96	101	103	103	95	5.8	7.58	2.9903
	5	Bromomethane	118	111	99	91	83	91	95	101	112	9.3	11.62	3.3131
	6	Dichlorofluoromethane	108	109	98	111	100	103	94	91	87	6.9	8.41	3.3523
	7	Chloroethane	104	120	101	92	96	103	96	97	91	6.3	8.74	3.3461
	8	Trichlorofluoromethane	110	105	100	87	92	106	101	102	97	5.4	7.24	3.5112
5	9	Acrolein	114	117	97	108	98	92	91	92	91	8.5	10.21	3.7423
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	120	104	91	112	96	98	96	93	90	7.9	10.04	3.7521
5	11	Acetone	78	105	105	107	107	97	99	------	------	31.9	42.17	3.7690
25	12	tert-Butyl alcohol	123	115	103	93	100	92	93	90	89	9.3	11.83	3.8744
	13	1,1-Dichloroethene	109	109	97	113	99	101	91	92	89	6.8	8.46	3.9025
10	14	Acetonitrile	------	123	103	100	103	87	90	------	------	8.9	12.37	3.8744
	15	Allyl chloride	111	114	96	112	101	102	94	86	82	9.1	11.27	4.1055
	16	Iodomethane	126	92	78	89	91	116	109	104	94	18.1	22.23	4.1434
	17	Methyl acetate	------	121	100	102	101	87	90	------	------	7.9	12.15	4.0285
	18	Methylene chloride	26	103	116	128	115	115	102	100	96	22.1	26.33	4.1825
5	19	Acrylonitrile	125	110	96	103	105	93	89	90	91	9.3	11.69	4.2156
	20	tert-Butyl methyl ether (MTBE)	113	107	101	107	101	97	92	91	90	6.4	7.94	4.2266
	21	Carbon disulfide	116	109	94	89	100	98	94	------	------	7.2	9.42	4.3052
	22	trans-1,2-Dichloroethene	112	112	99	114	98	93	93	89	90	8.5	10.07	4.3696
	23	Isopropyl ether (DIPE)	114	108	101	111	100	98	92	91	87	7.5	9.47	4.4601
	24	Vinyl acetate	105	108	103	104	107	94	94	95	92	5.8	6.41	4.5457
	25	1,1-Dichloroethane	116	112	99	108	97	100	93	88	85	8.2	10.57	4.6338
	26	tert-Butyl ethyl ether (ETBE)	110	111	99	110	100	93	95	90	92	6.8	8.21	4.7328
5	27	2-Butanone	------	126	102	102	104	91	91	89	89	9	12.56	4.8539
10	28	Propionitrile	122	111	107	104	96	93	93	87	91	9.3	11.17	4.9101
20	29	Isobutyl alcohol	------	120	100	95	100	90	95	85	------	7.9	12.47	5.0299
	30	2,2-Dichloropropane	111	107	95	114	103	99	95	91	86	7.6	9.30	5.0202
10	31	Methacrylonitrile	115	113	101	109	98	97	92	88	84	8.9	11.02	5.0568
	32	cis-1,2-Dichloroethene	109	115	100	108	96	96	94	90	93	7	8.40	5.0630
	33	Chloroform	125	117	98	104	93	91	87	85	------	11.5	14.51	5.1730
	34	Bromochloromethane	111	115	102	109	102	101	93	86	81	8.8	11.29	5.3271
	35	Tetrahydrofuran	------	111	102	105	98	97	94	92	------	5.3	6.67	5.3102
	36	Dibromofluoromethane	111	105	93	100	102	96	94	------	------	4.9	6.30	5.3381
	37	1,1,1-Trichloroethane	111	108	94	110	100	101	95	93	89	6.8	8.19	5.4971
	38	Cyclohexane	124	114	85	114	84	94	99	91	96	11.6	14.22	5.5484
	39	tert-Amyl methyl ether (TAME)	103	106	95	113	105	90	100	95	93	5.9	7.33	5.6144
	40	1,1-Dichloropropene	111	106	94	113	103	92	97	93	92	7.2	8.29	5.6132
	41	1,2-Dichloroethane-d4	120	111	96	99	97	88	89	------	------	9	11.80	5.7233
	42	Carbon tetrachloride	104	109	91	114	102	99	97	92	92	6.3	8.01	5.7343
	43	1,2-Dichloroethane	113	112	102	112	102	92	93	88	87	8.9	10.41	5.8003
	44	Benzene	115	112	97	104	99	94	96	92	91	6.9	8.64	5.8663
	45	Trichloroethene	113	112	91	110	98	98	95	91	93	7.7	9.09	6.3714
	46	Methyl methacrylate	116	111	94	110	95	90	96	94	93	8.4	9.77	6.4386
	47	Methylcyclohexane	------	117	88	118	88	91	101	98	100	9	11.92	6.4537
	48	1,2-Dichloropropane	120	114	100	103	99	90	94	91	90	8.2	10.74	6.5266
20	49	1,4-Dioxane	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	50	Bromodichloromethane	------	122	103	110	100	95	93	90	87	8.6	11.38	6.7687
	51	Dibromomethane	119	113	98	110	98	97	92	91	83	9.4	11.79	6.8568
	52	2-Chloroethyl vinyl ether	101	108	100	110	103	99	97	94	89	4.8	6.45	6.9338
5	53	4-Methyl-2-pentanone	115	112	97	109	104	91	92	91	87	9	10.35	6.9571
	54	cis-1,3-Dichloropropene	113	107	97	108	101	96	95	93	91	6.3	7.57	7.2750
	55	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	0	9.5641
	56	Toluene-d8	------	117	96	99	101	94	94	------	------	6	8.88	7.5941
	57	Ethyl methacrylate	101	105	97	110	104	95	100	93	95	4.4	5.59	7.6932
	58	Toluene	111	115	97	109	99	91	96	89	93	7.8	9.46	7.6932
	59	trans-1,3-Dichloropropene	105	106	95	111	102	100	99	91	93	5.2	6.61	7.8143
5	60	2-Hexanone	120	109	95	107	106	95	94	86	88	9.3	11.13	7.9378
	61	1,1,2-Trichloroethane	114	113	102	108	99	100	92	86	87	8.1	10.51	8.0454
	62	1,3-Dichloropropane	110	117	98	108	98	96	96	88	88	7.8	9.83	8.3535
	63	Tetrachloroethene	119	120	88	107	96	100	93	87	90	10.2	12.71	8.5088
	64	Dibromochloromethane	------	129	102	106	98	102	92	86	86	9.8	13.87	8.7827
	65	1,2-Dibromoethane	112	107	96	107	102	102	95	90	89	6.8	8.08	9.0688
	66	1-Chlorohexane	112	113	87	112	99	100	96	89	90	8.4	10.45	9.1239
	67	Chlorobenzene	120	112	93	107	98	99	93	88	89	8.8	11.00	9.6191
	68	1,1,1,2-Tetrachloroethane	112	111	93	108	102	103	95	89	88	7.7	9.12	9.6460
	69	Ethylbenzene	116	116	89	106	97	100	95	90	90	8.6	10.66	9.6411
2	70	m-Xylene & p-Xylene	114	112	89	104	93	95	94	------	------	8.5	9.97	9.7496
	71	o-Xylene	120	112	91	110	100	93	97	89	88	9.1	11.21	10.4127
	72	Styrene	111	116	91	109	101	96	97	90	88	8.4	10.19	10.4580
	73	Isopropylbenzene	118	122	93	110	100	89	93	89	86	11.1	13.33	10.9397
	74	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	0	13.8891
	75	Bromoform	114	109	102	108	98	95	97	89	88	7.4	9.03	11.0608
	76	1,1,2,2-Tetrachloroethane	124	119	98	107	97	90	93	87	85	11.1	13.93	11.2026
	77	4-Bromofluorobenzene	------	120	101	102	98	84	96	------	------	7.6	11.73	11.3689
	78	1,2,3-Trichloropropane	115	117	100	114	97	89	95	89	84	10.1	12.26	11.4460
	79	trans-1,4-Dichloro-2-butene	89	100	90	117	102	102	106	98	97	5.9	8.47	11.5132
	80	n-Propylbenzene	121	122	92	113	95	88	94	88	86	12.5	14.55	11.5780
	81	Bromobenzene	118	121	97	112	100	87	93	87	86	11.4	13.87	11.7321
	82	1,3,5-Trimethylbenzene	123	120	93	112	96	89	93	87	86	12.2	14.43	11.8287
	83	2-Chlorotoluene	------	123	91	119	94	93	99	92	89	10.5	13.23	11.9192
	84	4-Chlorotoluene	60	117	98	115	117	89	105	99	100	15.3	20.12	11.9754
	85	tert-Butylbenzene	111	123	90	110	96	83	88	------	------	12.4	14.63	12.4081
	86	1,2,4-Trimethylbenzene	119	123	94	112	98	88	93	87	86	11.8	14.07	12.4780
	87	sec-Butylbenzene	------	127	92	112	98	90	94	88	------	11	14.11	12.7493
	88	p-Isopropyltoluene	122	122	92	113	96	88	92	89	86	12.6	14.69	12.9549
	89	1,3-Dichlorobenzene	62	109	90	120	110	104	108	100	97	15.3	19.08	13.1652
	90	1,2,3-Trimethylbenzene	115	123	94	113	99	89	93	88	86	11.2	13.33	13.2545
	91	1,4-Dichlorobenzene	126	114	86	119	107	103	106	98	98	15.4	18.81	13.3278
	92	n-Butylbenzene	126	122	89	106	96	92	94	86	88	12.1	14.93	13.6140
	93	1,2-Dichlorobenzene	------	123	100	110	92	87	88	------	------	11	14.28	13.9331
	94	1,2-Dibromo-3-chloropropane	114	116	93	101	94	96	95	96	96	6.8	8.87	15.1339
	95	1,2,4-Trichlorobenzene	90	123	86	108	97	98	99	90	103	18.5	24.05	16.4643
	96	Hexachlorobutadiene	------	128	93	111	99	92	92	88	95	9.9	13.33	16.6624
	97	Naphthalene	------	129	91	101	98	93	96	92	100	7.6	12.35	16.8715
	98	1,2,3-Trichlorobenzene	94	121	88	105	97	97	97	97	102	18.5	24.06	17.2310

For 8260C
SCC
5/29/24

Compound List Report E2

Method Path : C:\MSDCHEM\1\METHODS\
Method File : VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024
Response Via : Initial Calibration

Total Cpnds : 98

PK#		Compound Name	QIon	Exp_RT	Rel_RT	Cal	#Qual	A/H	ID
1	I	1,4-DIFLUOROBENZENE	114	5.987	1.000	A	1	A	B
2	T	Dichlorodifluoromethane	85	2.708	0.452	A	1	A	B
3	T	Chloromethane	50	2.906	0.485	A	1	A	B
4	T	Vinyl chloride	62	2.994	0.500	A	1	A	B
5	T	Bromomethane	94	3.313	0.553	A	1	A	B
6	T	Dichlorofluoromethane	67	3.357	0.561	A	1	A	B
7	T	Chloroethane	64	3.346	0.559	A	1	A	B
8	T	Trichlorofluoromethane	101	3.511	0.586	A	1	A	B
9	T	Acrolein	56	3.742	0.625	A	1	A	B
10	T	1,1,2-Trichloro-1,2,2-Trifl...	151	3.753	0.627	A	1	A	B
11	T	Acetone	43	3.764	0.629	L	1	A	B
12	T	tert-Butyl alcohol	59	3.874	0.647	A	1	A	B
13	T	1,1-Dichloroethene	61	3.908	0.653	A	2	A	B
14	T	Acetonitrile	41	3.874	0.647	A	1	A	B
15	T	Allyl chloride	76	4.106	0.686	A	1	A	B
16	T	Iodomethane	142	4.150	0.693	L	1	A	B
17	T	Methyl acetate	43	4.029	0.673	A	1	A	B
18	T	Methylene chloride	49	4.183	0.699	L	2	A	B
19	T	Acrylonitrile	53	4.216	0.704	A	2	A	B
20	T	tert-Butyl methyl ether (MTBE)	73	4.227	0.706	A	1	A	B
21	T	Carbon disulfide	76	4.304	0.719	A	1	A	B
22	T	trans-1,2-Dichloroethene	96	4.370	0.730	A	1	A	B
23	T	Isopropyl ether (DIPE)	45	4.458	0.745	A	1	A	B
24	T	Vinyl acetate	43	4.546	0.759	A	1	A	B
25	T	1,1-Dichloroethane	63	4.634	0.774	A	2	A	B
26	T	tert-Butyl ethyl ether (ETBE)	59	4.733	0.791	A	1	A	B
27	T	2-Butanone	72	4.854	0.811	A	1	A	B
28	T	Propionitrile	54	4.909	0.820	A	1	A	B
29	T	Isobutyl alcohol	43	5.030	0.840	A	1	A	B
30	T	2,2-Dichloropropane	77	5.019	0.838	A	2	A	B
31	T	Methacrylonitrile	52	5.052	0.844	A	1	A	B
32	T	cis-1,2-Dichloroethene	96	5.063	0.846	A	1	A	B
33	T	Chloroform	83	5.173	0.864	A	2	A	B
34	T	Bromochloromethane	130	5.327	0.890	A	1	A	B
35	T	Tetrahydrofuran	42	5.327	0.890	A	2	A	B
36	S	Dibromofluoromethane	111	5.338	0.892	A	1	A	B
37	T	1,1,1-Trichloroethane	97	5.492	0.917	A	2	A	B
38	T	Cyclohexane	84	5.547	0.927	A	1	A	B
39	T	tert-Amyl methyl ether (TAME)	87	5.613	0.938	A	1	A	B
40	T	1,1-Dichloropropene	110	5.613	0.938	A	1	A	B
41	S	1,2-Dichloroethane-d4	65	5.723	0.956	A	1	A	B
42	T	Carbon tetrachloride	119	5.734	0.958	A	1	A	B
43	T	1,2-Dichloroethane	62	5.800	0.969	A	1	A	B
44	T	Benzene	78	5.866	0.980	A	2	A	B
45	T	Trichloroethene	130	6.373	1.064	A	3	A	B
46	T	Methyl methacrylate	69	6.439	1.075	A	1	A	B
47	T	Methylcyclohexane	83	6.450	1.077	A	2	A	B
48	T	1,2-Dichloropropane	63	6.527	1.090	A	1	A	B
49	T	1,4-Dioxane	88	6.725	1.123	A	1	A	B
50	T	Bromodichloromethane	83	6.769	1.131	A	1	A	B
51	T	Dibromomethane	93	6.857	1.145	A	2	A	B
52	T	2-Chloroethyl vinyl ether	63	6.934	1.158	A	1	A	B
53	T	4-Methyl-2-pentanone	43	6.956	1.162	A	3	A	B
54	T	cis-1,3-Dichloropropene	75	7.275	1.215	A	3	A	B
55	I	CHLOROBENZENE-D5	117	9.564	1.000	A	2	A	B

5/24/24

56	S	Toluene-d8	98	7.594	0.794	A	1	A	B
57	T	Ethyl methacrylate	69	7.693	0.804	A	1	A	B
58	T	Toluene	91	7.693	0.804	A	1	A	B
59	T	trans-1,3-Dichloropropene	75	7.814	0.817	A	1	A	B
60	T	2-Hexanone	43	7.935	0.830	A	1	A	B
61	T	1,1,2-Trichloroethane	97	8.045	0.841	A	2	A	B
62	T	1,3-Dichloropropane	76	8.354	0.873	A	1	A	B
63	T	Tetrachloroethene	164	8.508	0.890	A	3	A	B
64	T	Dibromochloromethane	129	8.783	0.918	A	1	A	B
65	T	1,2-Dibromoethane	107	9.069	0.948	A	1	A	B
66	T	1-Chlorohexane	91	9.124	0.954	A	1	A	B
67	T	Chlorobenzene	112	9.619	1.006	A	1	A	B
68	T	1,1,1,2-Tetrachloroethane	131	9.652	1.009	A	1	A	B
69	T	Ethylbenzene	91	9.641	1.008	A	1	A	B
70	T	m-Xylene & p-Xylene	91	9.740	1.018	A	1	A	B
71	T	o-Xylene	91	10.412	1.089	A	1	A	B
72	T	Styrene	104	10.456	1.093	A	2	A	B
73	T	Isopropylbenzene	105	10.940	1.144	A	3	A	B
74	I	1,2-DICHLOROBENZENE-D4	152	13.889	1.000	A	1	A	B
75	T	Bromoform	173	11.061	0.796	A	2	A	B
76	T	1,1,2,2-Tetrachloroethane	83	11.204	0.807	A	1	A	B
77	S	4-Bromofluorobenzene	95	11.369	0.819	A	2	A	B
78	T	1,2,3-Trichloropropane	110	11.446	0.824	A	1	A	B
79	T	trans-1,4-Dichloro-2-butene	53	11.512	0.829	A	1	A	B
80	T	n-Propylbenzene	91	11.578	0.834	A	2	A	B
81	T	Bromobenzene	156	11.732	0.845	A	1	A	B
82	T	1,3,5-Trimethylbenzene	105	11.831	0.852	A	2	A	B
83	T	2-Chlorotoluene	91	11.919	0.858	A	1	A	B
84	T	4-Chlorotoluene	91	11.974	0.862	L	1	A	B
85	T	tert-Butylbenzene	134	12.415	0.894	A	1	A	B
86	T	1,2,4-Trimethylbenzene	105	12.470	0.898	A	1	A	B
87	T	sec-Butylbenzene	105	12.745	0.918	A	1	A	B
88	T	p-Isopropyltoluene	119	12.954	0.933	A	2	A	B
89	T	1,3-Dichlorobenzene	146	13.163	0.948	L	2	A	B
90	T	1,2,3-Trimethylbenzene	105	13.251	0.954	A	2	A	B
91	T	1,4-Dichlorobenzene	146	13.328	0.960	L	2	A	B
92	T	n-Butylbenzene	91	13.614	0.980	A	2	A	B
93	T	1,2-Dichlorobenzene	146	13.933	1.003	A	1	A	B
94	T	1,2-Dibromo-3-chloropropane	157	15.133	1.090	A	1	A	B
95	T	1,2,4-Trichlorobenzene	180	16.464	1.185	L	2	A	B
96	T	Hexachlorobutadiene	225	16.663	1.200	A	2	A	B
97	T	Naphthalene	128	16.872	1.215	A	1	A	B
98	T	1,2,3-Trichlorobenzene	180	17.224	1.240	L	2	A	B

Cal A = Average L = Linear LO = Linear w/origin Q = Quad QO = Quad w/origin
#Qual = number of qualifiers
A/H = Area or Height
ID R = R.T. B = R.T. & Q Q = Qvalue L = Largest A = All


VOE2E17.M Tue May 21 20:46:28 2024

5/24/24

Data Path : D:\Data\24E17\
Data File : REG116.D
Acq On : 17 May 2024 11:23
Operator : DNguye
Sample : BFBE2E09
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



AutoFind: Scans 797, 798, 799; Background Corrected with Scan 791

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	20.3	11125	PASS
75	95	30	60	50.1	27461	PASS
95	95	100	100	100.0	54867	PASS
96	95	5	9	6.7	3687	PASS
173	174	0.00	2	1.0	441	PASS
174	95	50	100	83.3	45723	PASS
175	174	5	9	7.5	3423	PASS
176	174	95	101	97.6	44603	PASS
177	176	5	9	6.5	2888	PASS

SU 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG118.D Vial: 3
Acq On : 17 May 2024 12:33 Operator: DNguye
Sample : VOE2E172 0.02 Inst : E2
Misc : 0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:44 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	549104	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	464476	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	212499	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	18576	0.55	ug/l	0.00
Spiked Amount 10.000			Recovery =	5.50%		
41) 1,2-Dichloroethane-d4	5.723	65	26686	0.60	ug/L	0.00
Spiked Amount 10.000			Recovery =	6.00%		
56) Toluene-d8	7.594	98	57312	0.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	6.20%		
77) 4-Bromofluorobenzene	11.369	95	22723	0.67	ug/l	0.00
Spiked Amount 10.000			Recovery =	6.70%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	17056	0.54	ug/l	98
3) Chloromethane	2.906	50	14446	0.64	ug/l	99
4) Vinyl chloride	2.994	62	11508	0.48	ug/l	73
5) Bromomethane	3.313	94	9554	0.59	ug/l	94
6) Dichlorofluoromethane	3.357	67	29410	0.54	ug/L	96
7) Chloroethane	3.346	64	6087	0.52	ug/l	85
8) Trichlorofluoromethane	3.511	101	29529	0.55	ug/l	98
9) Acrolein	3.742	56	10194	2.85	ug/l	91
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	14012	0.60	ug/l	91
11) Acetone	3.764	43	44639	1.96	ug/l	96
12) tert-Butyl alcohol	3.874	59	51406	15.40	ug/L	97
13) 1,1-Dichloroethene	3.907	61	26690	0.54	ug/l	96
14) Acetonitrile	3.874	41	10893	6.57	ug/L	98
15) Allyl chloride	4.106	76	7180	0.55	ug/L	98
16) Iodomethane	4.139	142	9193	0.63	ug/l	87
17) Methyl acetate	4.029	43	14730	0.79	ug/L	85
18) Methylene chloride	4.183	49	30803	0.13	ug/l	98
19) Acrylonitrile	4.216	53	25634	3.11	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	46315	0.56	ug/L	96
21) Carbon disulfide	4.304	76	43578	0.58	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	14728	0.56	ug/l	97
23) Isopropyl ether (DIPE)	4.469	45	47724	0.57	ug/l	94
24) Vinyl acetate	4.546	43	24849	0.52	ug/l	95
25) 1,1-Dichloroethane	4.634	63	30845	0.58	ug/l	92
26) tert-Butyl ethyl ether...	4.733	59	55588	0.55	ug/l	98
27) 2-Butanone	4.854	72	11165	4.33	ug/l	86
28) Propionitrile	4.909	54	18460	6.08	ug/L	91
29) Isobutyl alcohol	5.030	43	14416	13.44	ug/L	87
30) 2,2-Dichloropropane	5.019	77	29380	0.55	ug/l	97
31) Methacrylonitrile	5.052	52	28918	5.80	ug/L	100
32) cis-1,2-Dichloroethene	5.063	96	16247	0.54	ug/l	98
33) Chloroform	5.173	83	41179	0.63	ug/l	98
34) Bromochloromethane	5.327	130	9713	0.55	ug/l	96
35) Tetrahydrofuran	5.316	42	5046	0.73	ug/L	71
37) 1,1,1-Trichloroethane	5.492	97	32762	0.55	ug/l	99
38) Cyclohexane	5.547	84	18767	0.62	ug/L	95
39) tert-Amyl methyl ether...	5.613	87	9348	0.52	ug/l	84
40) 1,1-Dichloropropene	5.613	110	7182	0.55	ug/L	93
42) Carbon tetrachloride	5.734	119	25943	0.52	ug/L	94

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG118.D
Acq On : 17 May 2024 12:33
Sample : VOE2E172 0.02
Misc : 0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	28450	0.56	ug/L	98
44) Benzene	5.866	78	57665	0.57	ug/L	99
45) Trichloroethene	6.362	130	15745	0.57	ug/L	92
46) Methyl methacrylate	6.439	69	14294	0.58	ug/L	92
47) Methylcyclohexane	6.450	83	24801	0.75	ug/L	98
48) 1,2-Dichloropropane	6.527	63	15344	0.60	ug/L	87
50) Bromodichloromethane	6.769	83	36002	0.74	ug/L	94
51) Dibromomethane	6.857	93	12457	0.60	ug/L	89
52) 2-Chloroethyl vinyl ether	6.934	63	6395	0.50	ug/L	87
53) 4-Methyl-2-pentanone	6.967	43	81159	2.89	ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	25278	0.56	ug/L	99
57) Ethyl methacrylate	7.693	69	15961	0.50	ug/L	97
58) Toluene	7.693	91	58579	0.56	ug/l	98
59) trans-1,3-Dichloropropene	7.814	75	23673	0.53	ug/l	98
60) 2-Hexanone	7.946	43	57309	3.01	ug/l	96
61) 1,1,2-Trichloroethane	8.045	97	14308	0.57	ug/l	96
62) 1,3-Dichloropropane	8.354	76	20459	0.55	ug/l	96
63) Tetrachloroethene	8.508	164	13727	0.60	ug/l	96
64) Dibromochloromethane	8.783	129	29407	0.78	ug/l	97
65) 1,2-Dibromoethane	9.069	107	15125	0.56	ug/l	99
66) 1-Chlorohexane	9.124	91	19608	0.56	ug/l	96
67) Chlorobenzene	9.619	112	41842	0.60	ug/l	98
68) 1,1,1,2-Tetrachloroethane	9.641	131	16551	0.56	ug/l	98
69) Ethylbenzene	9.641	91	74129	0.58	ug/l	99
70) m-Xylene & p-Xylene	9.751	91	118397	1.14	ug/l	100
71) o-Xylene	10.423	91	58892	0.60	ug/l	99
72) Styrene	10.467	104	38267	0.56	ug/l	96
73) Isopropylbenzene	10.940	105	65839	0.59	ug/L	99
75) Bromoform	11.061	173	13240	0.57	ug/l	96
76) 1,1,2,2-Tetrachloroethane	11.204	83	18390	0.62	ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	4683	0.57	ug/l	89
79) trans-1,4-Dichloro-2-b...	11.512	53	3669	0.44	ug/l	65
80) n-Propylbenzene	11.578	91	81637	0.61	ug/l	99
81) Bromobenzene	11.732	156	17493	0.59	ug/l	90
82) 1,3,5-Trimethylbenzene	11.820	105	57014	0.62	ug/l	98
83) 2-Chlorotoluene	11.919	91	55924	0.67	ug/l	97
84) 4-Chlorotoluene	11.974	91	50900	0.30	ug/l	88
85) tert-Butylbenzene	12.414	134	7933	0.55	ug/l	81
86) 1,2,4-Trimethylbenzene	12.480	105	53741	0.59	ug/l	100
87) sec-Butylbenzene	12.756	105	65405	0.62	ug/l	99
88) p-Isopropyltoluene	12.965	119	53602	0.61	ug/l	97
89) 1,3-Dichlorobenzene	13.163	146	32090	0.31	ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	51524	0.57	ug/L	99
91) 1,4-Dichlorobenzene	13.328	146	32107	0.34	ug/l	100
92) n-Butylbenzene	13.614	91	52899	0.63	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	31197	0.67	ug/l	99
94) 1,2-Dibromo-3-chloropr...	15.133	157	3444	0.57	ug/l	77
95) 1,2,4-Trichlorobenzene	16.464	180	22885	0.45	ug/l	96
96) Hexachlorobutadiene	16.651	225	14673	0.91	ug/l	99
97) Naphthalene	16.872	128	48991	0.68	ug/l	95
98) 1,2,3-Trichlorobenzene	17.224	180	22069	0.47	ug/l	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

VOE2E17.M Thu May 23 12:44:53 2024


SU 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG118.D
Acq On : 17 May 2024 12:33
Sample : VOE2E172 0.02
Misc : 0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:44:53 2024

SU 5/24/24

Page: 3

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG119.D
Acq On : 17 May 2024 12:57
Sample : VOE2E173 0.04
Misc : 1.0ppb 8260/5.0ppb KET-AA/25ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:47 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	528810	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	434355	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	203881	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	33928	1.05	ug/l	0.00
Spiked Amount 10.000			Recovery =	10.50%		
41) 1,2-Dichloroethane-d4	5.723	65	47681	1.11	ug/L	0.00
Spiked Amount 10.000			Recovery =	11.10%		
56) Toluene-d8	7.594	98	101137	1.17	ug/l	0.00
Spiked Amount 10.000			Recovery =	11.70%		
77) 4-Bromofluorobenzene	11.369	95	38761	1.20	ug/l	0.00
Spiked Amount 10.000			Recovery =	12.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	33711	1.11	ug/l	97
3) Chloromethane	2.906	50	24615	1.13	ug/l	97
4) Vinyl chloride	2.994	62	25933	1.13	ug/l	99
5) Bromomethane	3.313	94	17186	1.10	ug/l	98
6) Dichlorofluoromethane	3.357	67	57478	1.09	ug/L	98
7) Chloroethane	3.346	64	13510	1.20	ug/l	94
8) Trichlorofluoromethane	3.511	101	54306	1.05	ug/l	91
9) Acrolein	3.742	56	20066	5.83	ug/l	93
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	23511	1.04	ug/l	98
11) Acetone	3.775	43	63395	5.26	ug/l	97
12) tert-Butyl alcohol	3.874	59	92364	28.72	ug/L	99
13) 1,1-Dichloroethene	3.907	61	51276	1.08	ug/l	98
14) Acetonitrile	3.874	41	19387	12.15	ug/L	92
15) Allyl chloride	4.105	76	14259	1.14	ug/L	90
16) Iodomethane	4.149	142	16513	0.92	ug/l	95
17) Methyl acetate	4.028	43	21690	1.21	ug/L	99
18) Methylene chloride	4.183	49	57918	1.03	ug/l	99
19) Acrylonitrile	4.216	53	43571	5.48	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	84545	1.07	ug/L	98
21) Carbon disulfide	4.304	76	78967	1.09	ug/l	98
22) trans-1,2-Dichloroethene	4.370	96	28258	1.12	ug/l	93
23) Isopropyl ether (DIPE)	4.458	45	86599	1.08	ug/l	100
24) Vinyl acetate	4.546	43	49261	1.08	ug/l	97
25) 1,1-Dichloroethane	4.634	63	57329	1.12	ug/l	96
26) tert-Butyl ethyl ether...	4.733	59	108334	1.11	ug/l	99
27) 2-Butanone	4.854	72	15702	6.33	ug/l	98
28) Propionitrile	4.909	54	32216	11.02	ug/L	98
29) Isobutyl alcohol	5.030	43	25893	25.07	ug/L	94
30) 2,2-Dichloropropane	5.019	77	54501	1.07	ug/l	99
31) Methacrylonitrile	5.063	52	54305	11.31	ug/L	99
32) cis-1,2-Dichloroethene	5.063	96	32895	1.15	ug/l	94
33) Chloroform	5.173	83	73903	1.17	ug/l	96
34) Bromochloromethane	5.327	130	19362	1.15	ug/l	97
35) Tetrahydrofuran	5.327	42	7423	1.11	ug/L	88
37) 1,1,1-Trichloroethane	5.503	97	61622	1.08	ug/l	99
38) Cyclohexane	5.558	84	33028	1.14	ug/L	99
39) tert-Amyl methyl ether...	5.613	87	18421	1.06	ug/l	94
40) 1,1-Dichloropropene	5.613	110	13272	1.06	ug/L	97
42) Carbon tetrachloride	5.734	119	52471	1.09	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG119.D
Acq On : 17 May 2024 12:57
Sample : VOE2E173 0.04
Misc : 1.0ppb 8260/5.0ppb KET-AA/25ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:47 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	54277	1.12	ug/L	96
44) Benzene	5.866	78	108613	1.12	ug/L	99
45) Trichloroethene	6.373	130	29804	1.12	ug/L	97
46) Methyl methacrylate	6.439	69	26306	1.11	ug/L	98
47) Methylcyclohexane	6.450	83	37063	1.17	ug/L	98
48) 1,2-Dichloropropane	6.527	63	28108	1.14	ug/L	100
50) Bromodichloromethane	6.769	83	56931	1.22	ug/L	98
51) Dibromomethane	6.857	93	22728	1.13	ug/L	92
52) 2-Chloroethyl vinyl ether	6.934	63	13231	1.08	ug/L	90
53) 4-Methyl-2-pentanone	6.956	43	151354	5.59	ug/L	99
54) cis-1,3-Dichloropropene	7.275	75	46187	1.07	ug/L	99
57) Ethyl methacrylate	7.693	69	31012	1.05	ug/L	98
58) Toluene	7.693	91	112834	1.15	ug/l	97
59) trans-1,3-Dichloropropene	7.814	75	44780	1.06	ug/l	97
60) 2-Hexanone	7.935	43	97204	5.46	ug/l	98
61) 1,1,2-Trichloroethane	8.045	97	26335	1.13	ug/l	98
62) 1,3-Dichloropropane	8.353	76	40485	1.17	ug/l	97
63) Tetrachloroethene	8.508	164	25854	1.20	ug/l	93
64) Dibromochloromethane	8.783	129	45093	1.29	ug/l	97
65) 1,2-Dibromoethane	9.069	107	26886	1.07	ug/l	93
66) 1-Chlorohexane	9.124	91	36853	1.13	ug/l	94
67) Chlorobenzene	9.619	112	73176	1.12	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	30816	1.11	ug/l	100
69) Ethylbenzene	9.641	91	138084	1.16	ug/l	100
70) m-Xylene & p-Xylene	9.751	91	217417	2.24	ug/l	99
71) o-Xylene	10.411	91	102543	1.12	ug/l	99
72) Styrene	10.455	104	74867	1.16	ug/l	96
73) Isopropylbenzene	10.940	105	127896	1.22	ug/L	99
75) Bromoform	11.061	173	24303	1.09	ug/l	98
76) 1,1,2,2-Tetrachloroethane	11.204	83	33812	1.19	ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	9149	1.17	ug/l	96
79) trans-1,4-Dichloro-2-b...	11.512	53	7950	1.00	ug/l	84
80) n-Propylbenzene	11.578	91	157786	1.22	ug/l	98
81) Bromobenzene	11.732	156	34281	1.21	ug/l	98
82) 1,3,5-Trimethylbenzene	11.820	105	106571	1.20	ug/l	98
83) 2-Chlorotoluene	11.919	91	97870	1.23	ug/l	99
84) 4-Chlorotoluene	11.974	91	105023	1.17	ug/l	98
85) tert-Butylbenzene	12.414	134	16901	1.23	ug/l	88
86) 1,2,4-Trimethylbenzene	12.480	105	106726	1.23	ug/l	99
87) sec-Butylbenzene	12.745	105	127554	1.27	ug/l	98
88) p-Isopropyltoluene	12.954	119	102878	1.22	ug/l	98
89) 1,3-Dichlorobenzene	13.163	146	61010	1.09	ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	105503	1.22	ug/L	99
91) 1,4-Dichlorobenzene	13.328	146	63367	1.14	ug/l	99
92) n-Butylbenzene	13.614	91	98269	1.22	ug/l	100
93) 1,2-Dichlorobenzene	13.933	146	54994	1.23	ug/l	94
94) 1,2-Dibromo-3-chloropr...	15.133	157	6688	1.16	ug/l	90
95) 1,2,4-Trichlorobenzene	16.464	180	42271	1.23	ug/l	95
96) Hexachlorobutadiene	16.662	225	19735	1.28	ug/l	96
97) Naphthalene	16.871	128	88837	1.29	ug/l	100
98) 1,2,3-Trichlorobenzene	17.235	180	39581	1.21	ug/l	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG119.D Vial: 4
Acq On : 17 May 2024 12:57 Operator: DNguye
Sample : VOE2E173 0.04 Inst : E2
Misc : 1.0ppb 8260/5.0ppb KET-AA/25ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:47 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



5a 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG120.D
Acq On : 17 May 2024 13:21
Sample : VOE2E174 0.08
Misc : 2.0ppb 8260/10ppb KET-AA/50ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:50 2024
Quant Results File: VOE2E17.RES

Vial: 5
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	504172	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	426041	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	198013	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	57595	1.87	ug/l	0.00
Spiked Amount 10.000			Recovery =	18.70%		
41) 1,2-Dichloroethane-d4	5.723	65	78644	1.93	ug/L	0.00
Spiked Amount 10.000			Recovery =	19.30%		
56) Toluene-d8	7.594	98	161890	1.91	ug/l	0.00
Spiked Amount 10.000			Recovery =	19.10%		
77) 4-Bromofluorobenzene	11.369	95	63415	2.02	ug/l	0.00
Spiked Amount 10.000			Recovery =	20.20%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	58393	2.02	ug/l	96
3) Chloromethane	2.906	50	43714	2.11	ug/l	98
4) Vinyl chloride	2.994	62	46513	2.12	ug/l	99
5) Bromomethane	3.313	94	29298	1.98	ug/l	98
6) Dichlorofluoromethane	3.357	67	98226	1.96	ug/L	100
7) Chloroethane	3.346	64	21773	2.03	ug/l	96
8) Trichlorofluoromethane	3.511	101	98938	2.01	ug/l	99
9) Acrolein	3.742	56	31812	9.70	ug/l	96
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	39243	1.83	ug/l	92
11) Acetone	3.764	43	91425	10.51	ug/l	95
12) tert-Butyl alcohol	3.874	59	158265	51.62	ug/L	99
13) 1,1-Dichloroethene	3.907	61	87690	1.95	ug/l	99
14) Acetonitrile	3.874	41	31277	20.56	ug/L	94
15) Allyl chloride	4.106	76	22925	1.93	ug/L	99
16) Iodomethane	4.150	142	31220	1.55	ug/l	89
17) Methyl acetate	4.028	43	33958	1.99	ug/L	99
18) Methylene chloride	4.183	49	93752	2.32	ug/l	95
19) Acrylonitrile	4.216	53	72852	9.61	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	152103	2.02	ug/L	99
21) Carbon disulfide	4.304	76	130016	1.88	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	47642	1.98	ug/l	99
23) Isopropyl ether (DIPE)	4.458	45	154819	2.02	ug/l	99
24) Vinyl acetate	4.546	43	90028	2.06	ug/l	99
25) 1,1-Dichloroethane	4.634	63	96551	1.99	ug/l	97
26) tert-Butyl ethyl ether...	4.733	59	184438	1.98	ug/l	97
27) 2-Butanone	4.854	72	24326	10.28	ug/l	96
28) Propionitrile	4.909	54	59115	21.21	ug/L	99
29) Isobutyl alcohol	5.030	43	40617	41.24	ug/L	98
30) 2,2-Dichloropropane	5.019	77	92101	1.89	ug/l	98
31) Methacrylonitrile	5.063	52	93184	20.36	ug/L	99
32) cis-1,2-Dichloroethene	5.063	96	54578	1.99	ug/l	97
33) Chloroform	5.173	83	118215	1.96	ug/l	98
34) Bromochloromethane	5.327	130	32779	2.04	ug/l	93
35) Tetrahydrofuran	5.316	42	13038	2.05	ug/L	90
37) 1,1,1-Trichloroethane	5.492	97	101793	1.87	ug/l	99
38) Cyclohexane	5.547	84	46966	1.69	ug/L	97
39) tert-Amyl methyl ether...	5.613	87	31686	1.91	ug/l	99
40) 1,1-Dichloropropene	5.613	110	22400	1.88	ug/L	99
42) Carbon tetrachloride	5.734	119	84046	1.83	ug/L	99

5/23/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG120.D
Acq On : 17 May 2024 13:21
Sample : VOE2E174 0.08
Misc : 2.0ppb 8260/10ppb KET-AA/50ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:50 2024
Quant Results File: VOE2E17.RES

Vial: 5
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	94348	2.04	ug/L	97
44) Benzene	5.866	78	178713	1.94	ug/L	99
45) Trichloroethene	6.373	130	46157	1.81	ug/L	99
46) Methyl methacrylate	6.439	69	42439	1.88	ug/L	99
47) Methylcyclohexane	6.450	83	53240	1.76	ug/L	98
48) 1,2-Dichloropropane	6.527	63	46865	1.99	ug/L	96
50) Bromodichloromethane	6.769	83	91675	2.06	ug/L	100
51) Dibromomethane	6.857	93	37625	1.96	ug/L	98
52) 2-Chloroethyl vinyl ether	6.934	63	23373	2.00	ug/L	93
53) 4-Methyl-2-pentanone	6.956	43	249599	9.68	ug/L	99
54) cis-1,3-Dichloropropene	7.275	75	79803	1.94	ug/L	98
57) Ethyl methacrylate	7.693	69	56408	1.94	ug/L	95
58) Toluene	7.693	91	187086	1.94	ug/l	97
59) trans-1,3-Dichloropropene	7.814	75	78497	1.90	ug/l	99
60) 2-Hexanone	7.935	43	166637	9.54	ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	46722	2.04	ug/l	94
62) 1,3-Dichloropropane	8.353	76	67082	1.97	ug/l	99
63) Tetrachloroethene	8.519	164	36950	1.75	ug/l	98
64) Dibromochloromethane	8.783	129	70358	2.05	ug/l	100
65) 1,2-Dibromoethane	9.069	107	47406	1.92	ug/l	95
66) 1-Chlorohexane	9.124	91	55496	1.74	ug/l	97
67) Chlorobenzene	9.619	112	118853	1.86	ug/l	99
68) 1,1,1,2-Tetrachloroethane	9.652	131	50691	1.87	ug/l	99
69) Ethylbenzene	9.641	91	208714	1.79	ug/l	97
70) m-Xylene & p-Xylene	9.751	91	338673	3.56	ug/l	98
71) o-Xylene	10.411	91	164095	1.82	ug/l	100
72) Styrene	10.466	104	115396	1.83	ug/l	99
73) Isopropylbenzene	10.940	105	190859	1.86	ug/L	98
75) Bromoform	11.061	173	44022	2.04	ug/l	95
76) 1,1,2,2-Tetrachloroethane	11.193	83	54240	1.97	ug/l	97
78) 1,2,3-Trichloropropane	11.446	110	15209	2.00	ug/l	95
79) trans-1,4-Dichloro-2-b...	11.512	53	13882	1.80	ug/l	85
80) n-Propylbenzene	11.578	91	231734	1.85	ug/l	99
81) Bromobenzene	11.732	156	53404	1.94	ug/l	100
82) 1,3,5-Trimethylbenzene	11.831	105	161315	1.87	ug/l	100
83) 2-Chlorotoluene	11.919	91	141734	1.83	ug/l	97
84) 4-Chlorotoluene	11.974	91	152101	1.96	ug/l	97
85) tert-Butylbenzene	12.403	134	23967	1.79	ug/l	96
86) 1,2,4-Trimethylbenzene	12.469	105	158867	1.88	ug/l	98
87) sec-Butylbenzene	12.745	105	179127	1.83	ug/l	98
88) p-Isopropyltoluene	12.954	119	151252	1.84	ug/l	99
89) 1,3-Dichlorobenzene	13.163	146	86761	1.81	ug/l	98
90) 1,2,3-Trimethylbenzene	13.262	105	157347	1.88	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	83842	1.71	ug/l	98
92) n-Butylbenzene	13.614	91	138593	1.78	ug/l	97
93) 1,2-Dichlorobenzene	13.933	146	86457	2.00	ug/l	94
94) 1,2-Dibromo-3-chloropr...	15.144	157	10369	1.85	ug/l	98
95) 1,2,4-Trichlorobenzene	16.464	180	53437	1.72	ug/l	96
96) Hexachlorobutadiene	16.662	225	27904	1.87	ug/l	93
97) Naphthalene	16.872	128	121259	1.81	ug/l	98
98) 1,2,3-Trichlorobenzene	17.235	180	51397	1.75	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG120.D
Acq On : 17 May 2024 13:21
Sample : VOE2E174 0.08
Misc : 2.0ppb 8260/10ppb KET-AA/50ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:50 2024
Quant Results File: VOE2E17.RES

Vial: 5
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG121.D
Acq On : 17 May 2024 13:45
Sample : VOE2E175 0.2
Misc : 5.0ppb 8260/25ppb KET-AA/125ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:53 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	487048	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	411703	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	191679	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	149306	5.01	ug/l	0.00
Spiked Amount 10.000			Recovery =	50.10%		
41) 1,2-Dichloroethane-d4	5.723	65	195277	4.95	ug/L	0.00
Spiked Amount 10.000			Recovery =	49.50%		
56) Toluene-d8	7.594	98	403502	4.93	ug/l	0.00
Spiked Amount 10.000			Recovery =	49.30%		
77) 4-Bromofluorobenzene	11.369	95	155282	5.10	ug/l	0.00
Spiked Amount 10.000			Recovery =	51.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	122648	4.39	ug/l	97
3) Chloromethane	2.906	50	93317	4.65	ug/l	98
4) Vinyl chloride	2.994	62	91465	4.32	ug/l	100
5) Bromomethane	3.313	94	65335	4.56	ug/l	94
6) Dichlorofluoromethane	3.357	67	267634	5.53	ug/L	99
7) Chloroethane	3.346	64	47747	4.60	ug/l	99
8) Trichlorofluoromethane	3.511	101	206005	4.33	ug/l	99
9) Acrolein	3.742	56	85202	26.90	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	115708	5.58	ug/l	99
11) Acetone	3.775	43	181295	26.82	ug/l	99
12) tert-Butyl alcohol	3.874	59	344659	116.37	ug/L	98
13) 1,1-Dichloroethene	3.907	61	245176	5.63	ug/l	99
14) Acetonitrile	3.874	41	72381	49.24	ug/L	98
15) Allyl chloride	4.106	76	64414	5.60	ug/L	96
16) Iodomethane	4.150	142	99500	4.47	ug/l	98
17) Methyl acetate	4.028	43	83812	5.09	ug/L	98
18) Methylene chloride	4.183	49	207529	6.38	ug/l	99
19) Acrylonitrile	4.216	53	188186	25.70	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	390334	5.36	ug/L	99
21) Carbon disulfide	4.315	76	296530	4.45	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	131904	5.68	ug/l	99
23) Isopropyl ether (DIPE)	4.469	45	409571	5.53	ug/l	99
24) Vinyl acetate	4.546	43	218833	5.19	ug/l	99
25) 1,1-Dichloroethane	4.634	63	253600	5.40	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	492810	5.48	ug/l	98
27) 2-Butanone	4.854	72	58944	25.79	ug/l	99
28) Propionitrile	4.909	54	138597	51.47	ug/L	99
29) Isobutyl alcohol	5.030	43	91136	95.79	ug/L	90
30) 2,2-Dichloropropane	5.019	77	267884	5.70	ug/l	100
31) Methacrylonitrile	5.052	52	241029	54.52	ug/L	98
32) cis-1,2-Dichloroethene	5.063	96	142504	5.39	ug/l	99
33) Chloroform	5.173	83	301423	5.17	ug/l	100
34) Bromochloromethane	5.327	130	84672	5.45	ug/l	98
35) Tetrahydrofuran	5.316	42	32093	5.23	ug/L	97
37) 1,1,1-Trichloroethane	5.492	97	290344	5.53	ug/l	99
38) Cyclohexane	5.547	84	153001	5.71	ug/L	99
39) tert-Amyl methyl ether...	5.613	87	90625	5.65	ug/l	97
40) 1,1-Dichloropropene	5.613	110	64894	5.64	ug/L	99
42) Carbon tetrachloride	5.734	119	254324	5.72	ug/L	99

SW 5/29/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG121.D
Acq On : 17 May 2024 13:45
Sample : VOE2E175 0.2
Misc : 5.0ppb 8260/25ppb KET-AA/125ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:53 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	249997	5.58	ug/L	98
44) Benzene	5.866	78	463725	5.20	ug/L	99
45) Trichloroethene	6.373	130	134582	5.47	ug/L	99
46) Methyl methacrylate	6.439	69	120215	5.52	ug/L	98
47) Methylcyclohexane	6.461	83	173338	5.92	ug/L	100
48) 1,2-Dichloropropane	6.527	63	117555	5.17	ug/L	98
50) Bromodichloromethane	6.769	83	235788	5.48	ug/L	100
51) Dibromomethane	6.857	93	101452	5.48	ug/L	97
52) 2-Chloroethyl vinyl ether	6.934	63	61615	5.47	ug/L	99
53) 4-Methyl-2-pentanone	6.956	43	678153	27.22	ug/L	99
54) cis-1,3-Dichloropropene	7.275	75	214825	5.40	ug/L	98
57) Ethyl methacrylate	7.693	69	155089	5.52	ug/L	99
58) Toluene	7.693	91	511175	5.47	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	220626	5.52	ug/l	97
60) 2-Hexanone	7.935	43	449735	26.64	ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	119322	5.38	ug/l	99
62) 1,3-Dichloropropane	8.354	76	178297	5.42	ug/l	100
63) Tetrachloroethene	8.508	164	108809	5.33	ug/l	98
64) Dibromochloromethane	8.783	129	176521	5.31	ug/l	100
65) 1,2-Dibromoethane	9.069	107	127798	5.35	ug/l	96
66) 1-Chlorohexane	9.124	91	173438	5.61	ug/l	98
67) Chlorobenzene	9.619	112	329167	5.34	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	141011	5.37	ug/l	97
69) Ethylbenzene	9.641	91	601100	5.32	ug/l	100
70) m-Xylene & p-Xylene	9.751	91	956464	10.39	ug/l	100
71) o-Xylene	10.411	91	477831	5.48	ug/l	100
72) Styrene	10.456	104	332459	5.46	ug/l	98
73) Isopropylbenzene	10.940	105	544298	5.48	ug/L	100
75) Bromoform	11.061	173	112822	5.39	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	142828	5.35	ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	42035	5.70	ug/l	97
79) trans-1,4-Dichloro-2-b...	11.512	53	43660	5.85	ug/l	88
80) n-Propylbenzene	11.578	91	686564	5.65	ug/l	100
81) Bromobenzene	11.732	156	149808	5.62	ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	467836	5.60	ug/l	99
83) 2-Chlorotoluene	11.919	91	447056	5.96	ug/l	93
84) 4-Chlorotoluene	11.974	91	377625	5.75	ug/l	93
85) tert-Butylbenzene	12.403	134	70940	5.49	ug/l	98
86) 1,2,4-Trimethylbenzene	12.480	105	456338	5.58	ug/l	99
87) sec-Butylbenzene	12.756	105	528792	5.58	ug/l	98
88) p-Isopropyltoluene	12.954	119	450688	5.67	ug/l	99
89) 1,3-Dichlorobenzene	13.163	146	238171	6.03	ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	457826	5.65	ug/L	99
91) 1,4-Dichlorobenzene	13.328	146	243444	5.96	ug/l	99
92) n-Butylbenzene	13.614	91	399502	5.29	ug/l	100
93) 1,2-Dichlorobenzene	13.933	146	229291	5.48	ug/l	97
94) 1,2-Dibromo-3-chloropr...	15.133	157	27435	5.05	ug/l	92
95) 1,2,4-Trichlorobenzene	16.464	180	141573	5.38	ug/l	98
96) Hexachlorobutadiene	16.662	225	80493	5.56	ug/l	98
97) Naphthalene	16.872	128	328141	5.07	ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	131993	5.27	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG121.D
Acq On : 17 May 2024 13:45
Sample : VOE2E175 0.2
Misc : 5.0ppb 8260/25ppb KET-AA/125ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:53 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:45:41 2024 5/24/24 Page: 3

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG122.D
Acq On : 17 May 2024 14:09
Sample : VOE2E176 0.4
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:56 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	483746	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	409470	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	197951	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	301711	10.18	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.80%		
41) 1,2-Dichloroethane-d4	5.723	65	377680	9.65	ug/L	0.00
Spiked Amount 10.000			Recovery =	96.50%		
56) Toluene-d8	7.594	98	821380	10.10	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.00%		
77) 4-Bromofluorobenzene	11.369	95	308588	9.82	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.20%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	246373	8.87	ug/l	100
3) Chloromethane	2.906	50	180605	9.07	ug/l	100
4) Vinyl chloride	2.994	62	201033	9.56	ug/l	100
5) Bromomethane	3.313	94	118097	8.30	ug/l	100
6) Dichlorofluoromethane	3.357	67	478884	9.96	ug/L	100
7) Chloroethane	3.346	64	98570	9.56	ug/l	100
8) Trichlorofluoromethane	3.511	101	434256	9.19	ug/l	100
9) Acrolein	3.742	56	154311	49.05	ug/l	100
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	197908	9.60	ug/l	100
11) Acetone	3.764	43	331949	53.64	ug/l	100
12) tert-Butyl alcohol	3.874	59	735955	250.18	ug/L	100
13) 1,1-Dichloroethene	3.908	61	429898	9.94	ug/l	100
14) Acetonitrile	3.874	41	147981	101.37	ug/L	100
15) Allyl chloride	4.106	76	115842	10.15	ug/L	100
16) Iodomethane	4.150	142	208961	9.12	ug/l	100
17) Methyl acetate	4.029	43	164848	10.08	ug/L	100
18) Methylene chloride	4.183	49	353501	11.53	ug/l	100
19) Acrylonitrile	4.216	53	382339	52.57	ug/l	100
20) tert-Butyl methyl ethe...	4.227	73	727615	10.07	ug/L	100
21) Carbon disulfide	4.304	76	664916	10.04	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	226218	9.81	ug/l	100
23) Isopropyl ether (DIPE)	4.458	45	731712	9.95	ug/l	100
24) Vinyl acetate	4.546	43	449067	10.72	ug/l	100
25) 1,1-Dichloroethane	4.634	63	452304	9.69	ug/l	100
26) tert-Butyl ethyl ether...	4.733	59	897009	10.04	ug/l	100
27) 2-Butanone	4.854	72	119149	52.49	ug/l	100
28) Propionitrile	4.909	54	258325	96.59	ug/L	100
29) Isobutyl alcohol	5.030	43	190070	201.14	ug/L	100
30) 2,2-Dichloropropane	5.019	77	480537	10.29	ug/l	100
31) Methacrylonitrile	5.052	52	430956	98.15	ug/L	100
32) cis-1,2-Dichloroethene	5.063	96	250974	9.56	ug/l	100
33) Chloroform	5.173	83	540252	9.34	ug/l	100
34) Bromochloromethane	5.327	130	157824	10.23	ug/l	100
35) Tetrahydrofuran	5.327	42	59974	9.84	ug/L	100
37) 1,1,1-Trichloroethane	5.492	97	519526	9.96	ug/l	100
38) Cyclohexane	5.547	84	222928	8.38	ug/L	100
39) tert-Amyl methyl ether...	5.613	87	167095	10.48	ug/l	100
40) 1,1-Dichloropropene	5.613	110	116920	10.24	ug/L	100
42) Carbon tetrachloride	5.734	119	449910	10.19	ug/L	100

VOE2E17.M Thu May 23 12:46:00 2024 Page: 1

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG122.D Vial: 7
Acq On : 17 May 2024 14:09 Operator: DNguyc
Sample : VOE2E176 0.4 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:56 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	453385	10.20	ug/L	100
44) Benzene	5.866	78	879735	9.94	ug/L	100
45) Trichloroethene	6.373	130	238953	9.78	ug/L	100
46) Methyl methacrylate	6.439	69	206743	9.55	ug/L	100
47) Methylcyclohexane	6.450	83	256180	8.81	ug/L	100
48) 1,2-Dichloropropane	6.527	63	224657	9.94	ug/L	100
50) Bromodichloromethane	6.769	83	428587	10.02	ug/L	100
51) Dibromomethane	6.857	93	179645	9.77	ug/L	100
52) 2-Chloroethyl vinyl ether	6.934	63	115157	10.29	ug/L	100
53) 4-Methyl-2-pentanone	6.956	43	1291475	52.18	ug/L	100
54) cis-1,3-Dichloropropene	7.275	75	397661	10.07	ug/L	100
57) Ethyl methacrylate	7.693	69	289621	10.36	ug/L	100
58) Toluene	7.693	91	921140	9.92	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	404411	10.18	ug/l	100
60) 2-Hexanone	7.935	43	885849	52.76	ug/l	100
61) 1,1,2-Trichloroethane	8.045	97	219004	9.94	ug/l	100
62) 1,3-Dichloropropane	8.354	76	321452	9.82	ug/l	100
63) Tetrachloroethene	8.508	164	195205	9.62	ug/l	100
64) Dibromochloromethane	8.783	129	322653	9.76	ug/l	100
65) 1,2-Dibromoethane	9.069	107	242214	10.20	ug/l	100
66) 1-Chlorohexane	9.124	91	305963	9.96	ug/l	100
67) Chlorobenzene	9.619	112	600211	9.79	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.652	131	264761	10.14	ug/l	100
69) Ethylbenzene	9.641	91	1089978	9.71	ug/l	100
70) m-Xylene & p-Xylene	9.740	91	1701702	18.59	ug/l	100
71) o-Xylene	10.412	91	864880	9.98	ug/l	100
72) Styrene	10.456	104	611307	10.09	ug/l	100
73) Isopropylbenzene	10.940	105	992355	10.05	ug/L	100
75) Bromoform	11.061	173	212173	9.82	ug/l	100
76) 1,1,2,2-Tetrachloroethane	11.204	83	266964	9.68	ug/l	100
78) 1,2,3-Trichloropropane	11.446	110	74100	9.73	ug/l	100
79) trans-1,4-Dichloro-2-b...	11.512	53	78273	10.15	ug/l	100
80) n-Propylbenzene	11.578	91	1188848	9.47	ug/l	100
81) Bromobenzene	11.732	156	274398	9.96	ug/l	100
82) 1,3,5-Trimethylbenzene	11.831	105	832454	9.65	ug/l	100
83) 2-Chlorotoluene	11.919	91	727012	9.38	ug/l	100
84) 4-Chlorotoluene	11.974	91	765752	11.72	ug/l	100
85) tert-Butylbenzene	12.415	134	128240	9.60	ug/l	100
86) 1,2,4-Trimethylbenzene	12.470	105	827835	9.81	ug/l	100
87) sec-Butylbenzene	12.745	105	956488	9.78	ug/l	100
88) p-Isopropyltoluene	12.954	119	785422	9.57	ug/l	100
89) 1,3-Dichlorobenzene	13.163	146	431882	10.96	ug/l	100
90) 1,2,3-Trimethylbenzene	13.251	105	825411	9.87	ug/L	100
91) 1,4-Dichlorobenzene	13.328	146	439674	10.74	ug/l	100
92) n-Butylbenzene	13.614	91	750645	9.62	ug/l	100
93) 1,2-Dichlorobenzene	13.933	146	398438	9.21	ug/l	100
94) 1,2-Dibromo-3-chloropr...	15.133	157	52427	9.34	ug/l	100
95) 1,2,4-Trichlorobenzene	16.464	180	255192	9.69	ug/l	100
96) Hexachlorobutadiene	16.663	225	148449	9.93	ug/l	100
97) Naphthalene	16.872	128	656492	9.82	ug/l	100
98) 1,2,3-Trichlorobenzene	17.224	180	243924	9.74	ug/l	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


SV 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG122.D
Acq On : 17 May 2024 14:09
Sample : VOE2E176 0.4
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:56 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:46:00 2024 Page: 3

5W 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG123.D
Acq On : 17 May 2024 14:33
Sample : VOE2E177 1.2uL
Misc : 30ppb 8260/150ppb KET-AA/750ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:59 2024
Quant Results File: VOE2E17.RES

Vial: 8
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	462286	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	374024	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	201423	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	815119	28.79	ug/l	0.00
Spiked Amount 10.000			Recovery =	287.90%		
41) 1,2-Dichloroethane-d4	5.723	65	982827	26.27	ug/L	0.00
Spiked Amount 10.000			Recovery =	262.70%		
56) Toluene-d8	7.594	98	2087230	28.08	ug/l	0.00
Spiked Amount 10.000			Recovery =	280.80%		
77) 4-Bromofluorobenzene	11.369	95	802113	25.09	ug/l	0.00
Spiked Amount 10.000			Recovery =	250.90%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	846669	31.91	ug/l	99
3) Chloromethane	2.906	50	522797	27.46	ug/l	99
4) Vinyl chloride	2.994	62	609327	30.31	ug/l	99
5) Bromomethane	3.313	94	369689	27.19	ug/l	98
6) Dichlorofluoromethane	3.346	67	1420838	30.93	ug/L	99
7) Chloroethane	3.346	64	303543	30.82	ug/l	98
8) Trichlorofluoromethane	3.511	101	1432296	31.71	ug/l	99
9) Acrolein	3.742	56	417245	138.78	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	579513	29.43	ug/l	100
11) Acetone	3.764	43	817529	146.08	ug/l	98
12) tert-Butyl alcohol	3.874	59	1936975	689.03	ug/L	98
13) 1,1-Dichloroethene	3.896	61	1249367	30.24	ug/l	99
14) Acetonitrile	3.874	41	365485	261.98	ug/L	96
15) Allyl chloride	4.105	76	333837	30.59	ug/L	100
16) Iodomethane	4.138	142	780631	34.84	ug/l	100
17) Methyl acetate	4.028	43	406413	26.00	ug/L	99
18) Methylene chloride	4.182	49	967460	34.54	ug/l	100
19) Acrylonitrile	4.215	53	969202	139.45	ug/l	99
20) tert-Butyl methyl ethe...	4.226	73	2015467	29.18	ug/L	99
21) Carbon disulfide	4.304	76	1855534	29.31	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	612820	27.80	ug/l	98
23) Isopropyl ether (DIPE)	4.458	45	2064589	29.37	ug/l	100
24) Vinyl acetate	4.546	43	1131522	28.26	ug/l	99
25) 1,1-Dichloroethane	4.634	63	1337320	29.99	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	2373481	27.81	ug/l	99
27) 2-Butanone	4.854	72	300066	138.32	ug/l	99
28) Propionitrile	4.909	54	714086	279.39	ug/L	99
29) Isobutyl alcohol	5.030	43	493388	546.37	ug/L	95
30) 2,2-Dichloropropane	5.019	77	1320182	29.57	ug/l	99
31) Methacrylonitrile	5.052	52	1220341	290.82	ug/L	99
32) cis-1,2-Dichloroethene	5.063	96	721585	28.75	ug/l	100
33) Chloroform	5.173	83	1512101	27.35	ug/l	99
34) Bromochloromethane	5.327	130	444977	30.18	ug/l	99
35) Tetrahydrofuran	5.316	42	169251	29.05	ug/L	99
37) 1,1,1-Trichloroethane	5.503	97	1516650	30.42	ug/l	99
38) Cyclohexane	5.547	84	713565	28.07	ug/L	100
39) tert-Amyl methyl ether...	5.624	87	411481	27.01	ug/l	97
40) 1,1-Dichloropropene	5.613	110	302266	27.69	ug/L	99
42) Carbon tetrachloride	5.734	119	1249927	29.62	ug/L	100

5/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG123.D
Acq On : 17 May 2024 14:33
Sample : VOE2E177 1.2uL
Misc : 30ppb 8260/150ppb KET-AA/750ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:59 2024
Quant Results File: VOE2E17.RES

Vial: 8
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	1173740	27.62	ug/L	98
44) Benzene	5.866	78	2384286	28.19	ug/L	99
45) Trichloroethene	6.372	130	687887	29.46	ug/L	99
46) Methyl methacrylate	6.439	69	555814	26.87	ug/L	98
47) Methylcyclohexane	6.450	83	757727	27.27	ug/L	99
48) 1,2-Dichloropropane	6.527	63	580328	26.88	ug/L	99
50) Bromodichloromethane	6.769	83	1166514	28.55	ug/L	100
51) Dibromomethane	6.857	93	509682	29.01	ug/L	99
52) 2-Chloroethyl vinyl ether	6.934	63	318157	29.75	ug/L	98
53) 4-Methyl-2-pentanone	6.956	43	3236906	136.87	ug/L	99
54) cis-1,3-Dichloropropene	7.275	75	1085125	28.74	ug/L	99
57) Ethyl methacrylate	7.693	69	725765	28.43	ug/L	99
58) Toluene	7.693	91	2303744	27.16	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	1087593	29.96	ug/l	96
60) 2-Hexanone	7.935	43	2184077	142.41	ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	603118	29.96	ug/l	98
62) 1,3-Dichloropropane	8.353	76	863785	28.89	ug/l	99
63) Tetrachloroethene	8.508	164	555090	29.93	ug/l	99
64) Dibromochloromethane	8.783	129	924244	30.61	ug/l	99
65) 1,2-Dibromoethane	9.069	107	666966	30.74	ug/l	99
66) 1-Chlorohexane	9.124	91	842844	30.02	ug/l	99
67) Chlorobenzene	9.619	112	1667775	29.77	ug/l	99
68) 1,1,1,2-Tetrachloroethane	9.641	131	734053	30.79	ug/l	99
69) Ethylbenzene	9.641	91	3067459	29.91	ug/l	100
70) m-Xylene & p-Xylene	9.751	91	4750507	56.81	ug/l	100
71) o-Xylene	10.411	91	2219339	28.03	ug/l	100
72) Styrene	10.455	104	1588178	28.69	ug/l	99
73) Isopropylbenzene	10.940	105	2403503	26.65	ug/L	99
75) Bromoform	11.061	173	624115	28.39	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	753832	26.85	ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	208161	26.86	ug/l	97
79) trans-1,4-Dichloro-2-b...	11.512	53	238944	30.47	ug/l	94
80) n-Propylbenzene	11.578	91	3388197	26.53	ug/l	99
81) Bromobenzene	11.732	156	728501	25.99	ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	2352083	26.79	ug/l	99
83) 2-Chlorotoluene	11.919	91	2207144	28.00	ug/l	95
84) 4-Chlorotoluene	11.974	91	1740784	26.74	ug/l	92
85) tert-Butylbenzene	12.403	134	339280	24.97	ug/l	96
86) 1,2,4-Trimethylbenzene	12.480	105	2264161	26.37	ug/l	97
87) sec-Butylbenzene	12.745	105	2689041	27.03	ug/l	98
88) p-Isopropyltoluene	12.954	119	2214069	26.52	ug/l	99
89) 1,3-Dichlorobenzene	13.174	146	1215294	31.15	ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	2275474	26.74	ug/L	100
91) 1,4-Dichlorobenzene	13.328	146	1252767	30.81	ug/l	99
92) n-Butylbenzene	13.614	91	2188046	27.56	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	1144996	26.02	ug/l	97
94) 1,2-Dibromo-3-chloropr...	15.133	157	164843	28.88	ug/l	98
95) 1,2,4-Trichlorobenzene	16.464	180	771713	29.55	ug/l	97
96) Hexachlorobutadiene	16.662	225	421350	27.70	ug/l	98
97) Naphthalene	16.871	128	1890327	27.79	ug/l	99
98) 1,2,3-Trichlorobenzene	17.224	180	740467	29.84	ug/l	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

SW
5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG123.D Vial: 8
Acq On : 17 May 2024 14:33 Operator: DNguye
Sample : VOE2E177 1.2uL Inst : E2
Misc : 30ppb 8260/150ppb KET-AA/750ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:59 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 14:09:59 2024 Page: 3

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG124.D
Acq On : 17 May 2024 14:57
Sample : VOE2E178 2uL
Misc : 50ppb 8260/250pb KET-AA/1250ppb TBA
Integrator: RTE
Quant Time: May 21 20:53:02 2024
Quant Results File: VOE2E17.RES

Vial: 9
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	519193	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	435004	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	207868	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	1488511	46.81	ug/l	0.00
Spiked Amount 10.000			Recovery =	468.10%		
41) 1,2-Dichloroethane-d4	5.723	65	1870338	44.51	ug/L	0.00
Spiked Amount 10.000			Recovery =	445.10%		
56) Toluene-d8	7.594	98	4062552	47.00	ug/l	0.00
Spiked Amount 10.000			Recovery =	470.00%		
77) 4-Bromofluorobenzene	11.369	95	1575222	47.74	ug/l	0.00
Spiked Amount 10.000			Recovery =	477.40%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	1479243	49.64	ug/l	100
3) Chloromethane	2.906	50	955064	44.67	ug/l	100
4) Vinyl chloride	2.983	62	1164938	51.59	ug/l	98
5) Bromomethane	3.313	94	722857	47.33	ug/l	98
6) Dichlorofluoromethane	3.346	67	2413767	46.78	ug/L	100
7) Chloroethane	3.346	64	533177	48.20	ug/l	97
8) Trichlorofluoromethane	3.511	101	2564523	50.55	ug/l	100
9) Acrolein	3.742	56	769072	227.77	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	1060995	47.97	ug/l	99
11) Acetone	3.775	43	1539021	248.23	ug/l	100
12) tert-Butyl alcohol	3.874	59	3674847	1163.95	ug/L	97
13) 1,1-Dichloroethene	3.896	61	2124315	45.78	ug/l	99
14) Acetonitrile	3.874	41	693695	442.74	ug/L	94
15) Allyl chloride	4.105	76	579274	47.27	ug/L	99
16) Iodomethane	4.138	142	1375743	54.51	ug/l	100
17) Methyl acetate	4.028	43	788773	44.93	ug/L	98
18) Methylene chloride	4.182	49	1589617	50.92	ug/l	100
19) Acrylonitrile	4.215	53	1740099	222.92	ug/l	100
20) tert-Butyl methyl ethe...	4.226	73	3575082	46.08	ug/L	99
21) Carbon disulfide	4.303	76	3342224	47.00	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	1147795	46.36	ug/l	100
23) Isopropyl ether (DIPE)	4.458	45	3617921	45.83	ug/l	100
24) Vinyl acetate	4.546	43	2102404	46.76	ug/l	100
25) 1,1-Dichloroethane	4.634	63	2339494	46.71	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	4566707	47.64	ug/l	99
27) 2-Butanone	4.854	72	553401	227.15	ug/l	100
28) Propionitrile	4.909	54	1317994	459.16	ug/L	98
29) Isobutyl alcohol	5.030	43	988293	974.46	ug/L	99
30) 2,2-Dichloropropane	5.019	77	2391738	47.71	ug/l	98
31) Methacrylonitrile	5.052	52	2175906	461.71	ug/L	97
32) cis-1,2-Dichloroethene	5.063	96	1319898	46.82	ug/l	99
33) Chloroform	5.173	83	2702356	43.52	ug/l	100
34) Bromochloromethane	5.327	130	769499	46.47	ug/l	98
35) Tetrahydrofuran	5.316	42	306572	46.86	ug/L	98
37) 1,1,1-Trichloroethane	5.503	97	2648310	47.29	ug/l	99
38) Cyclohexane	5.547	84	1410911	49.43	ug/L	99
39) tert-Amyl methyl ether...	5.613	87	853815	49.91	ug/l	99
40) 1,1-Dichloropropene	5.613	110	592546	48.33	ug/L	100
42) Carbon tetrachloride	5.734	119	2310426	48.76	ug/L	100

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG124.D
Acq On : 17 May 2024 14:57
Sample : VOE2E178 2uL
Misc : 50ppb 8260/250pb KET-AA/1250ppb TBA
Integrator: RTE
Quant Time: May 21 20:53:02 2024
Quant Results File: VOE2E17.RES

Vial: 9
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	2230254	46.73	ug/L	100
44) Benzene	5.866	78	4549753	47.89	ug/L	100
45) Trichloroethene	6.372	130	1248919	47.63	ug/L	98
46) Methyl methacrylate	6.438	69	1116578	48.06	ug/L	99
47) Methylcyclohexane	6.460	83	1574183	50.44	ug/L	99
48) 1,2-Dichloropropane	6.527	63	1135307	46.83	ug/L	99
50) Bromodichloromethane	6.769	83	2131356	46.45	ug/L	100
51) Dibromomethane	6.857	93	905758	45.91	ug/L	98
52) 2-Chloroethyl vinyl ether	6.934	63	580351	48.33	ug/L	100
53) 4-Methyl-2-pentanone	6.956	43	6139474	231.14	ug/L	99
54) cis-1,3-Dichloropropene	7.275	75	2011227	47.44	ug/L	100
57) Ethyl methacrylate	7.693	69	1490762	50.22	ug/L	98
58) Toluene	7.693	91	4751397	48.16	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	2080692	49.29	ug/l	95
60) 2-Hexanone	7.935	43	4186045	234.68	ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	1074823	45.90	ug/l	99
62) 1,3-Dichloropropane	8.353	76	1663404	47.84	ug/l	100
63) Tetrachloroethene	8.507	164	1006550	46.67	ug/l	98
64) Dibromochloromethane	8.783	129	1614400	45.97	ug/l	99
65) 1,2-Dibromoethane	9.069	107	1193470	47.30	ug/l	97
66) 1-Chlorohexane	9.124	91	1569873	48.08	ug/l	90
67) Chlorobenzene	9.619	112	3021039	46.36	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.652	131	1317171	47.50	ug/l	99
69) Ethylbenzene	9.641	91	5652766	47.39	ug/l	100
70) m-Xylene & p-Xylene	9.751	91	9107135	93.64	ug/l	99
71) o-Xylene	10.411	91	4475134	48.61	ug/l	100
72) Styrene	10.455	104	3133556	48.67	ug/l	99
73) Isopropylbenzene	10.940	105	4893403	46.64	ug/L	100
75) Bromoform	11.061	173	1096997	48.36	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	1347228	46.50	ug/l	100
78) 1,2,3-Trichloropropane	11.446	110	380448	47.56	ug/l	100
79) trans-1,4-Dichloro-2-b...	11.512	53	430046	53.13	ug/l	97
80) n-Propylbenzene	11.578	91	6203059	47.06	ug/l	99
81) Bromobenzene	11.732	156	1344022	46.46	ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	4223916	46.62	ug/l	100
83) 2-Chlorotoluene	11.919	91	4010267	49.30	ug/l	94
84) 4-Chlorotoluene	11.974	91	3491289	52.40	ug/l	94
85) tert-Butylbenzene	12.403	134	615516	43.89	ug/l	97
86) 1,2,4-Trimethylbenzene	12.480	105	4129361	46.60	ug/l	97
87) sec-Butylbenzene	12.755	105	4820712	46.95	ug/l	99
88) p-Isopropyltoluene	12.954	119	3971026	46.09	ug/l	99
89) 1,3-Dichlorobenzene	13.163	146	2170399	54.26	ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	4082930	46.50	ug/L	99
91) 1,4-Dichlorobenzene	13.328	146	2222053	53.26	ug/l	99
92) n-Butylbenzene	13.614	91	3858008	47.08	ug/l	100
93) 1,2-Dichlorobenzene	13.933	146	2002007	44.09	ug/l	98
94) 1,2-Dibromo-3-chloropr...	15.133	157	279717	47.48	ug/l	99
95) 1,2,4-Trichlorobenzene	16.464	180	1324327	49.40	ug/l	98
96) Hexachlorobutadiene	16.662	225	723810	46.11	ug/l	100
97) Naphthalene	16.871	128	3364432	47.93	ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	1238496	48.60	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG124.D
Acq On : 17 May 2024 14:57
Sample : VOE2E178 2uL
Misc : 50ppb 8260/250pb KET-AA/1250ppb TBA
Integrator: RTE
Quant Time: May 21 20:53:02 2024
Quant Results File: VOE2E17.RES

Vial: 9
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:46:39 2024 Page: 3

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG125.D
Acq On : 17 May 2024 15:21
Sample : VOE2E179 4uL
Misc : 100ppb 8260/500ppb KET-AA/2500ppb TBA
Integrator: RTE
Quant Time: May 21 21:04:40 2024
Quant Results File: VOE2E17.RES

Vial: 10
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	530663	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	467581	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	221369	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	0.000	111	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
41) 1,2-Dichloroethane-d4	0.000	65	0d	0.00	ug/L	
Spiked Amount 10.000			Recovery =	0.00%		
56) Toluene-d8	0.000	98	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
77) 4-Bromofluorobenzene	0.000	95	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	3067931	100.74	ug/l	99
3) Chloromethane	2.906	50	2028894	92.84	ug/l	100
4) Vinyl chloride	2.983	62	2380759	103.16	ug/l	99
5) Bromomethane	3.313	94	1571626	100.69	ug/l	97
6) Dichlorofluoromethane	3.346	67	4798406	90.99	ug/L	100
7) Chloroethane	3.346	64	1099847	97.27	ug/l	95
8) Trichlorofluoromethane	3.511	101	5289775	102.02	ug/l	99
9) Acrolein	3.742	56	1588198	460.20	ug/l	100
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	2101530	92.96	ug/l	100
11) Acetone	3.775	43	3043527	484.95	ug/l	99
12) tert-Butyl alcohol	3.874	59	7338860	2274.23	ug/L	96
13) 1,1-Dichloroethene	3.897	61	4369062	92.11	ug/l	99
14) Acetonitrile	3.874	41	1342024	838.01	ug/L	93
15) Allyl chloride	4.106	76	1084703	86.60	ug/L	100
16) Iodomethane	4.139	142	2702905	104.51	ug/l	99
17) Methyl acetate	4.029	43	1545614	86.14	ug/L	97
18) Methylene chloride	4.183	49	3160599	99.82	ug/l	99
19) Acrylonitrile	4.216	53	3580875	448.82	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	7241359	91.32	ug/L	100
22) trans-1,2-Dichloroethene	4.370	96	2262018	89.39	ug/l	99
23) Isopropyl ether (DIPE)	4.458	45	7317542	90.69	ug/l	99
24) Vinyl acetate	4.546	43	4349944	94.65	ug/l	100
25) 1,1-Dichloroethane	4.634	63	4518247	88.27	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	8843448	90.25	ug/l	99
27) 2-Butanone	4.854	72	1115192	447.84	ug/l	98
28) Propionitrile	4.909	54	2553924	870.50	ug/L	98
29) Isobutyl alcohol	5.030	43	1797348	1733.89	ug/L	98
30) 2,2-Dichloropropane	5.019	77	4661696	90.97	ug/l	98
31) Methacrylonitrile	5.063	52	4255107	883.38	ug/L	91
32) cis-1,2-Dichloroethene	5.063	96	2606989	90.49	ug/l	99
33) Chloroform	5.173	83	5369253	84.60	ug/l	99
34) Bromochloromethane	5.327	130	1457459	86.12	ug/l	99
35) Tetrahydrofuran	5.316	42	618202	92.45	ug/L	98
37) 1,1,1-Trichloroethane	5.492	97	5302638	92.64	ug/l	99
38) Cyclohexane	5.547	84	2651727	90.88	ug/L	99
39) tert-Amyl methyl ether...	5.613	87	1661857	95.04	ug/l	97
40) 1,1-Dichloropropene	5.613	110	1162092	92.74	ug/L	99
42) Carbon tetrachloride	5.734	119	4455455	91.99	ug/L	99
43) 1,2-Dichloroethane	5.800	62	4297408	88.09	ug/L	100

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG125.D
Acq On : 17 May 2024 15:21
Sample : VOE2E179 4uL
Misc : 100ppb 8260/500ppb KET-AA/2500ppb TBA
Integrator: RTE
Quant Time: May 21 21:04:40 2024
Quant Results File: VOE2E17.RES

Vial: 10
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) Benzene	5.866	78	8937713	92.05	ug/L	100
45) Trichloroethene	6.373	130	2438563	90.98	ug/L	99
46) Methyl methacrylate	6.439	69	2241240	94.37	ug/L	99
47) Methylcyclohexane	6.461	83	3107286	97.41	ug/L	99
48) 1,2-Dichloropropane	6.527	63	2264058	91.36	ug/L	99
50) Bromodichloromethane	6.769	83	4222210	90.02	ug/L	99
51) Dibromomethane	6.857	93	1826509	90.58	ug/L	99
52) 2-Chloroethyl vinyl ether	6.934	63	1147941	93.52	ug/L	100
53) 4-Methyl-2-pentanone	6.956	43	12403774	456.89	ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	4029626	92.99	ug/L	99
57) Ethyl methacrylate	7.693	69	2968033	93.01	ug/L	95
58) Toluene	7.693	91	9406948	88.71	ug/l	99
59) trans-1,3-Dichloropropene	7.814	75	4103485	90.43	ug/l	95
60) 2-Hexanone	7.935	43	8232244	429.36	ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	2157642	85.73	ug/l	98
62) 1,3-Dichloropropane	8.354	76	3303675	88.39	ug/l	100
63) Tetrachloroethene	8.508	164	2015675	86.95	ug/l	99
64) Dibromochloromethane	8.783	129	3239932	85.83	ug/l	100
65) 1,2-Dibromoethane	9.069	107	2441979	90.04	ug/l	98
66) 1-Chlorohexane	9.124	91	3137545	89.40	ug/l	99
67) Chlorobenzene	9.619	112	6186547	88.32	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	2643624	88.70	ug/l	99
69) Ethylbenzene	9.641	91	11573797	90.27	ug/l	100
70) m-Xylene & p-Xylene	9.751	91	17534518	167.73	ug/l	99
71) o-Xylene	10.412	91	8856439	89.49	ug/l	100
72) Styrene	10.456	104	6210039	89.73	ug/l	99
73) Isopropylbenzene	10.940	105	10049530	89.12	ug/L	100
75) Bromoform	11.061	173	2156497	89.26	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	2695878	87.38	ug/l	100
78) 1,2,3-Trichloropropane	11.446	110	761761	89.43	ug/l	98
79) trans-1,4-Dichloro-2-b...	11.512	53	840320	97.49	ug/l	98
80) n-Propylbenzene	11.578	91	12355923	88.03	ug/l	99
81) Bromobenzene	11.732	156	2673805	86.79	ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	8378024	86.82	ug/l	100
83) 2-Chlorotoluene	11.919	91	7964931	91.94	ug/l	93
84) 4-Chlorotoluene	11.974	91	6997858	99.03	ug/l	94
85) tert-Butylbenzene	12.415	134	1260545	84.40	ug/l	92
86) 1,2,4-Trimethylbenzene	12.481	105	8236098	87.27	ug/l	97
87) sec-Butylbenzene	12.756	105	9656129	88.30	ug/l	98
88) p-Isopropyltoluene	12.954	119	8166087	89.00	ug/l	99
89) 1,3-Dichlorobenzene	13.163	146	4224212	99.56	ug/l	99
90) 1,2,3-Trimethylbenzene	13.262	105	8254841	88.27	ug/L	100
91) 1,4-Dichlorobenzene	13.328	146	4323656	97.65	ug/l	99
92) n-Butylbenzene	13.614	91	7538294	86.38	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	4025253	83.24	ug/l	98
94) 1,2-Dibromo-3-chloropr...	15.133	157	603619	96.21	ug/l	100
95) 1,2,4-Trichlorobenzene	16.464	180	2718505	95.58	ug/l	98
96) Hexachlorobutadiene	16.663	225	1478191	88.43	ug/l	99
97) Naphthalene	16.872	128	6891495	92.19	ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	2612770	96.66	ug/l	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG125.D Vial: 10
Acq On : 17 May 2024 15:21 Operator: DNguye
Sample : VOE2E179 4uL Inst : E2
Misc : 100ppb 8260/500ppb KET-AA/2500ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 21:04:40 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:47:14 2024 SU 5/24/24 Page: 3

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG126.D Vial: 11
Acq On : 17 May 2024 15:44 Operator: DNguyc
Sample : VOE2E1710 8uL Inst : E2
Misc : 200ppb 8260/1000ppb KET-AA/5000ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 21:00:50 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	568040	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	471885	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	217867	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	3002	0.09	ug/l	0.00
Spiked Amount 10.000			Recovery =	0.90%		
41) 1,2-Dichloroethane-d4	0.000	65	0d	0.00	ug/L	
Spiked Amount 10.000			Recovery =	0.00%		
56) Toluene-d8	0.000	98	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
77) 4-Bromofluorobenzene	0.000	95	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	6316101	193.74	ug/l	98
3) Chloromethane	2.906	50	4516405	193.06	ug/l	99
4) Vinyl chloride	2.983	62	4720259	191.07	ug/l	99
5) Bromomethane	3.313	94	3750895	224.49	ug/l	97
6) Dichlorofluoromethane	3.346	67	9822700	174.00	ug/L	100
7) Chloroethane	3.346	64	2195455	181.39	ug/l	94
8) Trichlorofluoromethane	3.511	101	10783113	194.28	ug/l	99
9) Acrolein	3.742	56	3351589	907.26	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.742	151	4350512	179.79	ug/l	100
11) Acetone	3.764	43	6603563	988.07	ug/l	99
12) tert-Butyl alcohol	3.874	59	15471302	4478.91	ug/L	95
13) 1,1-Dichloroethene	3.896	61	9033271	177.91	ug/l	99
14) Acetonitrile	3.874	41	2754507	1606.85	ug/L	93
15) Allyl chloride	4.106	76	2199904	164.07	ug/L	99
16) Iodomethane	4.139	142	5209397	187.95	ug/l	97
17) Methyl acetate	4.029	43	3232214	168.28	ug/L	97
18) Methylene chloride	4.183	49	6476225	191.83	ug/l	97
19) Acrylonitrile	4.216	53	7708060	902.54	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	15360383	180.97	ug/L	100
22) trans-1,2-Dichloroethene	4.370	96	4873441	179.91	ug/l	99
23) Isopropyl ether (DIPE)	4.458	45	14962789	173.25	ug/l	99
24) Vinyl acetate	4.546	43	9004493	183.04	ug/l	100
25) 1,1-Dichloroethane	4.634	63	9351400	170.66	ug/l	100
26) tert-Butyl ethyl ether...	4.733	59	19320797	184.21	ug/l	99
27) 2-Butanone	4.854	72	2394701	898.39	ug/l	98
28) Propionitrile	4.920	54	5691397	1812.25	ug/L	97
29) Isobutyl alcohol	5.030	43	3586105	3231.85	ug/L	98
30) 2,2-Dichloropropane	5.030	77	9444935	172.19	ug/l	99
31) Methacrylonitrile	5.063	52	8684556	1684.31	ug/L	89
32) cis-1,2-Dichloroethene	5.063	96	5762701	186.86	ug/l	99
33) Chloroform	5.173	83	11032078	162.40	ug/l	98
34) Bromochloromethane	5.327	130	2946762	162.66	ug/l	99
35) Tetrahydrofuran	5.316	42	1229234	171.73	ug/L	96
37) 1,1,1-Trichloroethane	5.503	97	10907828	178.03	ug/l	99
38) Cyclohexane	5.547	84	5994629	191.94	ug/L	98
39) tert-Amyl methyl ether...	5.613	87	3477493	185.79	ug/l	98
40) 1,1-Dichloropropene	5.613	110	2466827	183.91	ug/L	100
42) Carbon tetrachloride	5.734	119	9523903	183.70	ug/L	99
43) 1,2-Dichloroethane	5.800	62	9046789	173.24	ug/L	99

VOE2E17.M Thu May 23 12:47:29 2024 5/24/24 Page: 1

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG126.D
Acq On : 17 May 2024 15:44
Sample : VOE2E1710 8uL
Misc : 200ppb 8260/1000ppb KET-AA/5000ppb TBA
Integrator: RTE
Quant Time: May 21 21:00:50 2024
Quant Results File: VOE2E17.RES

Vial: 11
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) Benzene	5.866	78	18878615	181.64	ug/L	99
45) Trichloroethene	6.373	130	5312995	185.18	ug/L	98
46) Methyl methacrylate	6.439	69	4709153	185.24	ug/L	97
47) Methylcyclohexane	6.450	83	6821475	199.77	ug/L	99
48) 1,2-Dichloropropane	6.527	63	4750541	179.08	ug/L	98
50) Bromodichloromethane	6.769	83	8780457	174.89	ug/L	99
51) Dibromomethane	6.857	93	3575305	165.64	ug/L	98
52) 2-Chloroethyl vinyl ether	6.934	63	2345513	178.52	ug/L	99
53) 4-Methyl-2-pentanone	6.956	43	25417872	874.65	ug/L	96
54) cis-1,3-Dichloropropene	7.275	75	8445639	182.07	ug/L	98
57) Ethyl methacrylate	7.693	69	6144909	190.81	ug/L	93
58) Toluene	7.693	91	19948069	186.39	ug/l	99
59) trans-1,3-Dichloropropene	7.814	75	8489181	185.38	ug/l	94
60) 2-Hexanone	7.946	43	17094335	883.44	ug/l	98
61) 1,1,2-Trichloroethane	8.045	97	4397367	173.13	ug/l	98
62) 1,3-Dichloropropane	8.354	76	6618515	175.47	ug/l	100
63) Tetrachloroethene	8.508	164	4231743	180.87	ug/l	99
64) Dibromochloromethane	8.783	129	6516219	171.04	ug/l	100
65) 1,2-Dibromoethane	9.069	107	4870080	177.93	ug/l	98
66) 1-Chlorohexane	9.124	91	6393588	180.51	ug/l	100
67) Chlorobenzene	9.619	112	12624825	178.60	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.652	131	5312112	176.61	ug/l	99
69) Ethylbenzene	9.641	91	23292033	180.01	ug/l	100
70) m-Xylene & p-Xylene	9.740	91	28701191	272.04	ug/l	84
71) o-Xylene	10.412	91	17586293	176.08	ug/l	99
72) Styrene	10.456	104	12296252	176.06	ug/l	99
73) Isopropylbenzene	10.940	105	19602688	172.25	ug/L	99
75) Bromoform	11.061	173	4187827	176.13	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	5159996	169.93	ug/l	100
78) 1,2,3-Trichloropropane	11.446	110	1403346	167.39	ug/l	96
79) trans-1,4-Dichloro-2-b...	11.523	53	1650960	194.61	ug/l	98
80) n-Propylbenzene	11.578	91	23810922	172.37	ug/l	99
81) Bromobenzene	11.732	156	5195205	171.35	ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	16287234	171.50	ug/l	99
83) 2-Chlorotoluene	11.919	91	15174863	177.98	ug/l	93
84) 4-Chlorotoluene	11.985	91	13838106	199.43	ug/l	95
85) tert-Butylbenzene	12.414	134	2339593	159.17	ug/l	91
86) 1,2,4-Trimethylbenzene	12.480	105	16036674	172.66	ug/l	97
87) sec-Butylbenzene	12.756	105	18845003	175.10	ug/l	98
88) p-Isopropyltoluene	12.954	119	15471204	171.32	ug/l	98
89) 1,3-Dichlorobenzene	13.174	146	8054938	193.34	ug/l	99
90) 1,2,3-Trimethylbenzene	13.262	105	15911955	172.89	ug/L	100
91) 1,4-Dichlorobenzene	13.328	146	8560916	196.89	ug/l	98
92) n-Butylbenzene	13.614	91	15176896	176.71	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	7971920	167.50	ug/l	97
94) 1,2-Dibromo-3-chloropr...	15.133	157	1180945	191.26	ug/l	99
95) 1,2,4-Trichlorobenzene	16.464	180	5739206	205.48	ug/l	97
96) Hexachlorobutadiene	16.662	225	3124401	189.92	ug/l	99
97) Naphthalene	16.872	128	14719954	200.07	ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	5440683	204.95	ug/l	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


VOE2E17.M Thu May 23 12:47:29 2024 5/29/24 Page: 2

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG126.D
Acq On : 17 May 2024 15:44
Sample : VOE2E1710 8uL
Misc : 200ppb 8260/1000ppb KET-AA/5000ppb TBA
Integrator: RTE
Quant Time: May 21 21:00:50 2024
Quant Results File: VOE2E17.RES

Vial: 11
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:47:29 2024

5/24/24

Page: 3

SECOND SOURCE VERIFICATION

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: REG130 BFB Injection Date: 05/18/24

Instrument ID: E2 BFB Injection Time: 09:16

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	19.254
75	30 - 60% of mass 95	50.320
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.311
173	Less than 2% of mass 174	0.512(.61)1
174	Greater than 50% of mass 95	84.221
175	5 - 9% of mass 174	6.661(7.91)1
176	95 - 101% % of mass 174	81.783(97.11)1
177	5 - 9% % of mass 176	6.306(7.71)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	IVOE2E1702	REG131	05/18/24	09:57

5/24/24

CONTINUE CALIBRATION - CALIBRATION VERIFICATION

Instrument ID :E2
IC Beginning DateTime :05/17/24 12:13
Spike Amount :10 PPM
CC/CV File :REG131
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
IC Ending DateTime :05/17/24 15:44
HPChem Method :VOE2R17
Date_Time :05/18/24 09:57

M	IDX	Parameters	CC_Con	CC%_Di	CC_Resp	CCRRF	AvRRF	CC_REm	AvREm	%_RSD	Co_X0	Co_X1	Co_X2	Co_Cor
	1	1,4-DIFLUOROBENZENE	10.000	0	647637	1	1	5.988	5.987	0				
	2	Dichlorodifluoromethane	10.420	4.2	387316	0.598	0.574	2.708	2.708	8.06				
	3	Chloromethane	10.034	0.3	267638	0.413	0.412	2.906	2.906	13.00				
	4	Vinyl chloride	10.450	4.5	294360	0.455	0.435	2.994	2.990	7.58				
	5	Bromomethane	10.726	7.3	204345	0.316	0.294	3.313	3.313	11.62				
	6	Dichlorofluoromethane	9.831	-1.7	632775	0.977	0.994	3.357	3.362	8.41				
	7	Chloroethane	11.738	17.4	161985	0.250	0.213	3.346	3.346	8.74				
	8	Trichlorofluoromethane	10.360	3.6	655613	1.012	0.977	3.511	3.511	7.24				
5	9	Acrolein	53.498	7.0	225327	0.070	0.065	3.743	3.742	10.21				
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	9.863	-1.4	272122	0.420	0.426	3.753	3.752	10.04				
5	11	Acetone	55.179	10.4	456111	0.141	0.181	3.764	3.769	42.17	0.0583	0.1171		0.9992
25	12	tert-Butyl alcohol	274.988	10.0	1082983	0.067	0.061	3.875	3.874	11.83				
	13	1,1-Dichloroethene	9.753	-2.5	564613	0.872	0.894	3.908	3.902	8.46				
10	14	Acetonitrile	109.003	9.0	213040	0.033	0.030	3.875	3.874	12.37				
	15	Allyl chloride	10.843	8.4	165769	0.256	0.236	4.106	4.106	11.27				
	16	Iodomethane	8.785	-12.2	268999	0.415	0.429	4.150	4.143	22.23	-0.0140	0.4887		0.9969
	17	Methyl acetate	10.001	0.0	219009	0.338	0.338	4.029	4.029	12.15				
	18	Methylene chloride	11.388	13.9	467946	0.723	0.801	4.183	4.182	26.33	0.0486	0.5918		0.9974
5	19	Acrylonitrile	52.272	4.5	508984	0.157	0.150	4.216	4.216	11.69				
	20	tert-Butyl methyl ether (MTBE)	10.647	6.5	1030417	1.591	1.494	4.227	4.227	7.94				
	21	Carbon disulfide	9.831	-1.7	872085	1.347	1.370	4.315	4.305	9.42				
	22	trans-1,2-Dichloroethene	10.193	1.9	314802	0.486	0.477	4.370	4.370	10.07				
	23	Isopropyl ether (DIPE)	10.521	5.2	1036035	1.600	1.520	4.469	4.460	9.47				
	24	Vinyl acetate	11.461	14.6	642883	0.993	0.866	4.546	4.546	6.41				
	25	1,1-Dichloroethane	9.919	-0.8	619716	0.957	0.965	4.634	4.634	10.57				
	26	tert-Butyl ethyl ether (ETBE)	10.432	4.3	1247585	1.926	1.846	4.733	4.733	8.21				
5	27	2-Butanone	54.888	9.8	166808	0.052	0.047	4.854	4.854	12.56				
10	28	Propionitrile	114.244	14.2	409063	0.063	0.055	4.909	4.910	11.17				
20	29	Isobutyl alcohol	228.221	14.1	288723	0.022	0.020	5.030	5.030	12.47				
	30	2,2-Dichloropropane	9.835	-1.6	615087	0.950	0.966	5.019	5.020	9.30				
10	31	Methacrylonitrile	106.760	6.8	627605	0.097	0.091	5.052	5.057	11.02				
	32	cis-1,2-Dichloroethene	10.190	1.9	358317	0.553	0.543	5.063	5.063	8.40				
	33	Chloroform	9.159	-8.4	709429	1.096	1.196	5.173	5.173	14.61				
	34	Bromochloromethane	10.418	4.2	215189	0.332	0.319	5.327	5.327	11.29				
	35	Tetrahydrofuran	11.049	10.5	90175	0.139	0.126	5.316	5.319	6.67				
	36	Dibromofluoromethane	9.254	-7.5	367086	0.567	0.612	5.338	5.338	6.30				
	37	1,1,1-Trichloroethane	9.563	-4.4	668020	1.031	1.079	5.503	5.497	8.19				
	38	Cyclohexane	10.101	1.0	359700	0.555	0.550	5.547	5.548	14.22				
	39	tert-Amyl methyl ether (TAME)	10.845	8.5	231432	0.357	0.329	5.613	5.614	7.33				
	40	1,1-Dichloropropene	9.880	-1.2	151104	0.233	0.236	5.613	5.613	8.29				
	41	1,2-Dichloroethane-d4	8.914	-10.9	467273	0.722	0.809	5.723	5.723	11.80				
	42	Carbon tetrachloride	9.430	-5.7	557403	0.861	0.913	5.734	5.734	8.01				
	43	1,2-Dichloroethane	9.596	-4.0	571321	0.882	0.919	5.800	5.800	10.41				
	44	Benzene	10.262	2.6	1216026	1.878	1.830	5.866	5.866	8.64				
	45	Trichloroethene	9.910	-0.9	324173	0.501	0.505	6.373	6.371	9.09				
	46	Methyl methacrylate	10.822	8.2	313684	0.484	0.448	6.439	6.439	9.77				
	47	Methylcyclohexane	10.456	4.6	407082	0.629	0.601	6.450	6.454	11.92				
	48	1,2-Dichloropropane	10.391	3.9	314276	0.485	0.467	6.527	6.527	10.74				
20	49	1,4-Dioxane												
	50	Bromodichloromethane	9.851	-1.5	563896	0.871	0.884	6.780	6.769	11.38				
	51	Dibromomethane	9.836	-1.6	242061	0.374	0.380	6.857	6.857	11.79				
	52	2-Chloroethyl vinyl ether	8.988	-10.1	134655	0.208	0.231	6.934	6.934	6.45				
5	53	4-Methyl-2-pentanone	51.435	2.9	1704193	0.526	0.512	6.956	6.957	10.35				
	54	cis-1,3-Dichloropropene	10.439	4.4	552132	0.853	0.817	7.275	7.275	7.57				
	55	CHLOROBENZENE-D5	10.000	0	555845	1	1	9.564	9.564	0				
	56	Toluene-d8	9.506	-4.9	1050036	1.889	1.987	7.594	7.594	8.88				
	57	Ethyl methacrylate	11.236	12.4	426233	0.767	0.682	7.693	7.693	5.59				
	58	Toluene	10.086	0.9	1271585	2.288	2.268	7.693	7.693	9.46				
	59	trans-1,3-Dichloropropene	10.278	2.8	554416	0.997	0.970	7.814	7.814	6.61				
5	60	2-Hexanone	50.761	1.5	1156980	0.416	0.410	7.946	7.938	11.13				
	61	1,1,2-Trichloroethane	10.111	1.1	302512	0.544	0.538	8.045	8.045	10.51				
	62	1,3-Dichloropropane	10.361	3.6	460356	0.828	0.799	8.354	8.354	9.83				
	63	Tetrachloroethene	9.524	-4.8	262477	0.472	0.496	8.519	8.509	12.71				
	64	Dibromochloromethane	9.409	-5.9	422250	0.760	0.807	8.783	8.783	13.87				
	65	1,2-Dibromoethane	10.137	1.4	326860	0.588	0.580	9.069	9.069	8.08				
	66	1-Chlorohexane	10.040	0.4	418878	0.754	0.751	9.124	9.124	10.45				
	67	Chlorobenzene	9.723	-2.8	809661	1.457	1.498	9.619	9.619	11.00				
	68	1,1,1,2-Tetrachloroethane	9.599	-4.0	340100	0.612	0.637	9.652	9.646	9.12				
	69	Ethylbenzene	9.758	-2.4	1487392	2.676	2.742	9.641	9.641	10.66				
2	70	m-Xylene & p-Xylene	18.880	-5.6	2346333	2.111	2.236	9.751	9.750	9.97				
	71	o-Xylene	10.096	1.0	1187781	2.137	2.117	10.412	10.413	11.21				
	72	Styrene	10.151	1.5	835184	1.503	1.480	10.467	10.458	10.19				
	73	Isopropylbenzene	9.879	-1.2	1324380	2.383	2.412	10.940	10.940	13.33				
	74	1,2-DICHLOROBENZENE-D4	10.000	0	262396	1	1	13.889	13.889	0				
	75	Bromoform	9.959	-0.4	285204	1.087	1.091	11.061	11.061	9.03				
	76	1,1,2,2-Tetrachloroethane	10.875	8.8	397736	1.516	1.394	11.204	11.203	13.93				
	77	4-Bromofluorobenzene	10.006	0.1	416821	1.589	1.587	11.369	11.369	11.73				
	78	1,2,3-Trichloropropane	10.854	8.5	109593	0.418	0.385	11.446	11.446	12.26				
	79	trans-1,4-Dichloro-2-butene	11.666	16.7	119204	0.454	0.389	11.523	11.513	8.47				
	80	n-Propylbenzene	9.908	-0.9	1648572	6.283	6.341	11.578	11.578	14.55				
	81	Bromobenzene	10.166	1.7	371222	1.415	1.392	11.732	11.732	13.87				
	82	1,3,5-Trimethylbenzene	9.826	-1.7	1123998	4.284	4.359	11.831	11.829	14.43				
	83	2-Chlorotoluene	10.515	5.2	1079812	4.115	3.914	11.919	11.919	13.23				
	84	4-Chlorotoluene	11.112	11.1	964334	3.675	3.796	11.974	11.975	20.12	0.1440	3.1777		0.9987
	85	tert-Butylbenzene	9.977	-0.2	176618	0.673	0.675	12.415	12.408	14.63				
	86	1,2,4-Trimethylbenzene	10.070	0.7	1126508	4.293	4.263	12.481	12.478	14.07				
	87	sec-Butylbenzene	9.921	-0.8	1286003	4.901	4.940	12.756	12.749	14.11				
	88	p-Isopropyltoluene	9.947	-0.5	1081873	4.123	4.145	12.954	12.955	14.69				
	89	1,3-Dichlorobenzene	11.402	14.0	594859	2.267	2.303	13.174	13.165	19.08	0.0920	1.9075		0.9986
	90	1,2,3-Trimethylbenzene	10.087	0.9	1118089	4.261	4.224	13.262	13.255	13.33				
	91	1,4-Dichlorobenzene	11.077	10.8	600654	2.289	2.349	13.328	13.328	18.81	0.0831	1.9916		0.9991
	92	n-Butylbenzene	9.895	-1.0	1023631	3.901	3.942	13.614	13.614	14.93				
	93	1,2-Dichlorobenzene	9.725	-2.7	557437	2.124	2.184	13.933	13.933	14.28				
	94	1,2-Dibromo-3-chloropropane	10.796	8.0	80292	0.306	0.283	15.144	15.134	8.87				
	95	1,2,4-Trichlorobenzene	10.262	2.6	357605	1.363	1.493	16.475	16.464	24.05	0.0497	1.2796		0.9993
	96	Hexachlorobutadiene	10.669	6.7	211409	0.806	0.755	16.663	16.662	13.33				
	97	Naphthalene	10.446	4.5	925673	1.528	3.377	16.872	16.872	12.35				
	98	1,2,3-Trichlorobenzene	10.036	0.4	332666	1.268	1.419	17.235	17.231	24.06	0.0472	1.2161		0.9995


Spike Amount = Nominal Amount * M

SM 5/24/24

Data Path : D:\Data\24E18\
Data File : REG130.D
Acq On : 18 May 2024 9:16
Operator : DNguyc
Sample : BFBE2E09
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



AutoFind: Scans 797, 798, 799; Background Corrected with Scan 791

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	19.3	10614	PASS
75	95	30	60	50.3	27739	PASS
95	95	100	100	100.0	55125	PASS
96	95	5	9	6.3	3479	PASS
173	174	0.00	2	0.6	282	PASS
174	95	50	100	84.2	46427	PASS
175	174	5	9	7.9	3672	PASS
176	174	95	101	97.1	45083	PASS
177	176	5	9	7.7	3476	PASS

SV 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	134	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.421	-4.2	157	0.00
3	P,T,M	Chloromethane	10.000	10.035	-0.4	148	0.00
4	C,T,M	Vinyl chloride	10.000	10.451	-4.5	146	0.00
5	T,M	Bromomethane	10.000	10.727	-7.3	173	0.00
6	T,M	Dichlorofluoromethane	10.000	9.831	1.7	132	0.00
7	T,M	Chloroethane	10.000	11.738	-17.4	164	0.00
8	T,M	Trichlorofluoromethane	10.000	10.360	-3.6	151	0.00
9	T,M	Acrolein	50.000	53.499	-7.0	146	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	9.863	1.4	137	0.00
11	T,M	Acetone	50.000	55.179	-10.4	137	0.00
12	T,M	tert-Butyl alcohol	250.000	274.989	-10.0	147	0.00
13	C,T,M	1,1-Dichloroethene	10.000	9.754	2.5	131	0.00
14	T,M	Acetonitrile	100.000	109.003	-9.0	144	0.00
15	T,M	Allyl chloride	10.000	10.844	-8.4	143	0.00
16	T,M	Iodomethane	10.000	8.785	12.1	129	0.00
17	T,M	Methyl acetate	10.000	10.001	-0.0	133	0.00
18	T,M	Methylene chloride	10.000	11.389	-13.9	132	0.00
19	T,M	Acrylonitrile	50.000	52.273	-4.5	133	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.648	-6.5	142	0.00
21	T,M	Carbon disulfide	10.000	9.831	1.7	131	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	10.193	-1.9	139	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	10.521	-5.2	142	0.01
24	T,M	Vinyl acetate	10.000	11.462	-14.6	143	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.920	0.8	137	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	10.433	-4.3	139	0.00
27	T,M	2-Butanone	50.000	54.888	-9.8	140	0.00
28	T,M	Propionitrile	100.000	114.245	-14.2	158	0.00
29	T,M	Isobutyl alcohol	200.000	228.222	-14.1	152	0.00
30	T,M	2,2-Dichloropropane	10.000	9.836	1.6	128	0.00
31	T,M	Methacrylonitrile	100.000	106.760	-6.8	146	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	10.190	-1.9	143	0.00
33	C,T,M	Chloroform	10.000	9.160	8.4	131	0.00
34	T,M	Bromochloromethane	10.000	10.419	-4.2	136	0.00
35	T,M	Tetrahydrofuran	10.000	11.050	-10.5	150	-0.01
36	S	Dibromofluoromethane	10.000	9.254	7.5	122	0.00
37	T,M	1,1,1-Trichloroethane	10.000	9.563	4.4	129	0.01
38	T,M	Cyclohexane	10.000	10.102	-1.0	161	0.00
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.845	-8.5	139	0.00
40	T,M	1,1-Dichloropropene	10.000	9.881	1.2	129	0.00
41	S	1,2-Dichloroethane-d4	10.000	8.915	10.9	124	0.00
42	T,M	Carbon tetrachloride	10.000	9.430	5.7	124	0.00
43	T,M	1,2-Dichloroethane	10.000	9.596	4.0	126	0.00
44	T,M	Benzene	10.000	10.262	-2.6	138	0.00
45	T,M	Trichloroethene	10.000	9.910	0.9	136	0.00
46	T,M	Methyl methacrylate	10.000	10.823	-8.2	152	0.00
47	T,M	Methylcyclohexane	10.000	10.457	-4.6	159	0.00
48	C,T,M	1,2-Dichloropropane	10.000	10.391	-3.9	140	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	9.851	1.5	132	0.01
51	T,M	Dibromomethane	10.000	9.836	1.6	135	0.00

5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	8.989	10.1	117	0.00
53	T,M	4-Methyl-2-pentanone	50.000	51.435	-2.9	132	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.440	-4.4	139	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	136	0.00
56	S	Toluene-d8	10.000	9.507	4.9	128	0.00
57	T,M	Ethyl methacrylate	10.000	11.236	-12.4	147	0.00
58	C,T,M	Toluene	10.000	10.087	-0.9	138	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	10.278	-2.8	137	0.00
60	T,M	2-Hexanone	50.000	50.761	-1.5	131	0.01
61	T,M	1,1,2-Trichloroethane	10.000	10.111	-1.1	138	0.00
62	T,M	1,3-Dichloropropane	10.000	10.361	-3.6	143	0.00
63	T,M	Tetrachloroethene	10.000	9.524	4.8	134	0.01
64	T,M	Dibromochloromethane	10.000	9.409	5.9	131	0.00
65	T,M	1,2-Dibromoethane	10.000	10.138	-1.4	135	0.00
66	T,M	1-Chlorohexane	10.000	10.040	-0.4	137	0.00
67	P,T,M	Chlorobenzene	10.000	9.724	2.8	135	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.599	4.0	128	0.00
69	C,T,M	Ethylbenzene	10.000	9.759	2.4	136	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.880	5.6	138	0.01
71	T,M	o-Xylene	10.000	10.096	-1.0	137	0.00
72	T,M	Styrene	10.000	10.152	-1.5	137	0.01
73	T,M	Isopropylbenzene	10.000	9.880	1.2	133	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	133	0.00
75	P,T,M	Bromoform	10.000	9.959	0.4	134	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.876	-8.8	149	0.00
77	S	4-Bromofluorobenzene	10.000	10.007	-0.1	135	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.854	-8.5	148	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	11.667	-16.7	152	0.01
80	T,M	n-Propylbenzene	10.000	9.909	0.9	139	0.00
81	T,M	Bromobenzene	10.000	10.166	-1.7	135	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.827	1.7	135	0.00
83	T,M	2-Chlorotoluene	10.000	10.515	-5.2	149	0.00
84	T,M	4-Chlorotoluene	10.000	11.112	-11.1	126	0.00
85	T,M	tert-Butylbenzene	10.000	9.977	0.2	138	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	10.070	-0.7	136	0.01
87	T,M	sec-Butylbenzene	10.000	9.921	0.8	134	0.01
88	T,M	p-Isopropyltoluene	10.000	9.947	0.5	138	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.403	-14.0	138	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	10.087	-0.9	135	0.01
91	T,M	1,4-Dichlorobenzene	10.000	11.077	-10.8	137	0.00
92	T,M	n-Butylbenzene	10.000	9.896	1.0	136	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.725	2.8	140	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	10.797	-8.0	153	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	10.262	-2.6	140	0.01
96	T,M	Hexachlorobutadiene	10.000	10.670	-6.7	142	0.00
97	T,M	Naphthalene	10.000	10.446	-4.5	141	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.037	-0.4	136	0.01

5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

SY
5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguyc
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	134	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.598	-4.2	157	0.00
3	P,T,M	Chloromethane	0.412	0.413	-0.2	148	0.00
4	C,T,M	Vinyl chloride	0.435	0.455	-4.6	146	0.00
5	T,M	Bromomethane	0.294	0.316	-7.5	173	0.00
6	T,M	Dichlorofluoromethane	0.994	0.977	1.7	132	0.00
7	T,M	Chloroethane	0.213	0.250	-17.4	164	0.00
8	T,M	Trichlorofluoromethane	0.977	1.012	-3.6	151	0.00
9	T,M	Acrolein	0.065	0.070	-7.7	146	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.420	1.4	137	0.00
11	T,M	Acetone	0.181	0.141	22.1#	137	0.00
12	T,M	tert-Butyl alcohol	0.061	0.067	-9.8	147	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.872	2.5	131	0.00
14	T,M	Acetonitrile	0.030	0.033	-10.0	144	0.00
15	T,M	Allyl chloride	0.236	0.256	-8.5	143	0.00
16	T,M	Iodomethane	0.429	0.415	3.3	129	0.00
17	T,M	Methyl acetate	0.338	0.338	0.0	133	0.00
18	T,M	Methylene chloride	0.801	0.723	9.7	132	0.00
19	T,M	Acrylonitrile	0.150	0.157	-4.7	133	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.591	-6.5	142	0.00
21	T,M	Carbon disulfide	1.370	1.347	1.7	131	0.01
22	T,M	trans-1,2-Dichloroethene	0.477	0.486	-1.9	139	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.600	-5.3	142	0.01
24	T,M	Vinyl acetate	0.866	0.993	-14.7	143	0.00
25	P,T,M	1,1-Dichloroethane	0.965	0.957	0.8	137	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.926	-4.3	139	0.00
27	T,M	2-Butanone	0.047	0.052	-10.6	140	0.00
28	T,M	Propionitrile	0.055	0.063	-14.5	158	0.00
29	T,M	Isobutyl alcohol	0.020	0.022	-10.0	152	0.00
30	T,M	2,2-Dichloropropane	0.966	0.950	1.7	128	0.00
31	T,M	Methacrylonitrile	0.091	0.097	-6.6	146	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.553	-1.8	143	0.00
33	C,T,M	Chloroform	1.196	1.095	8.4	131	0.00
34	T,M	Bromochloromethane	0.319	0.332	-4.1	136	0.00
35	T,M	Tetrahydrofuran	0.126	0.139	-10.3	150	-0.01
36	S	Dibromofluoromethane	0.612	0.567	7.4	122	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.031	4.4	129	0.01
38	T,M	Cyclohexane	0.550	0.555	-0.9	161	0.00
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.357	-8.5	139	0.00
40	T,M	1,1-Dichloropropene	0.236	0.233	1.3	129	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.722	10.8	124	0.00
42	T,M	Carbon tetrachloride	0.913	0.861	5.7	124	0.00
43	T,M	1,2-Dichloroethane	0.919	0.882	4.0	126	0.00
44	T,M	Benzene	1.830	1.878	-2.6	138	0.00
45	T,M	Trichloroethene	0.505	0.501	0.8	136	0.00
46	T,M	Methyl methacrylate	0.448	0.484	-8.0	152	0.00
47	T,M	Methylcyclohexane	0.601	0.629	-4.7	159	0.00
48	C,T,M	1,2-Dichloropropane	0.467	0.485	-3.9	140	0.00
49	T,M	1,4-Dioxane	0.000	0.002	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	0.871	1.5	132	0.01
51	T,M	Dibromomethane	0.380	0.374	1.6	135	0.00

SC 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.208	10.0	117	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.526	-2.7	132	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.853	-4.4	139	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	136	0.00
56	S	Toluene-d8	1.987	1.889	4.9	128	0.00
57	T,M	Ethyl methacrylate	0.682	0.767	-12.5	147	0.00
58	C,T,M	Toluene	2.268	2.288	-0.9	138	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.997	-2.8	137	0.00
60	T,M	2-Hexanone	0.410	0.416	-1.5	131	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.544	-1.1	138	0.00
62	T,M	1,3-Dichloropropane	0.799	0.828	-3.6	143	0.00
63	T,M	Tetrachloroethene	0.496	0.472	4.8	134	0.01
64	T,M	Dibromochloromethane	0.807	0.760	5.8	131	0.00
65	T,M	1,2-Dibromoethane	0.580	0.588	-1.4	135	0.00
66	T,M	1-Chlorohexane	0.751	0.754	-0.4	137	0.00
67	P,T,M	Chlorobenzene	1.498	1.457	2.7	135	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.612	3.9	128	0.00
69	C,T,M	Ethylbenzene	2.742	2.676	2.4	136	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.111	5.6	138	0.01
71	T,M	o-Xylene	2.117	2.137	-0.9	137	0.00
72	T,M	Styrene	1.480	1.503	-1.6	137	0.01
73	T,M	Isopropylbenzene	2.412	2.383	1.2	133	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	133	0.00
75	P,T,M	Bromoform	1.091	1.087	0.4	134	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.516	-8.8	149	0.00
77	S	4-Bromofluorobenzene	1.587	1.589	-0.1	135	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.418	-8.6	148	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.454	-16.7	152	0.01
80	T,M	n-Propylbenzene	6.341	6.283	0.9	139	0.00
81	T,M	Bromobenzene	1.392	1.415	-1.7	135	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.284	1.7	135	0.00
83	T,M	2-Chlorotoluene	3.914	4.115	-5.1	149	0.00
84	T,M	4-Chlorotoluene	3.796	3.675	3.2	126	0.00
85	T,M	tert-Butylbenzene	0.675	0.673	0.3	138	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	4.293	-0.7	136	0.01
87	T,M	sec-Butylbenzene	4.940	4.901	0.8	134	0.01
88	T,M	p-Isopropyltoluene	4.145	4.123	0.5	138	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.267	1.6	138	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	4.261	-0.9	135	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.289	2.6	137	0.00
92	T,M	n-Butylbenzene	3.942	3.901	1.0	136	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.124	2.7	140	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.306	-8.1	153	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.363	8.7	140	0.01
96	T,M	Hexachlorobutadiene	0.755	0.806	-6.8	142	0.00
97	T,M	Naphthalene	3.377	3.528	-4.5	141	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.268	10.6	136	0.01

SU 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

SW 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	647637	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	555845	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	262396	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	367086	9.25	ug/l	0.00
Spiked Amount 10.000			Recovery =	92.50%		
41) 1,2-Dichloroethane-d4	5.723	65	467273	8.91	ug/L	0.00
Spiked Amount 10.000			Recovery =	89.10%		
56) Toluene-d8	7.594	98	1050036	9.51	ug/l	0.00
Spiked Amount 10.000			Recovery =	95.10%		
77) 4-Bromofluorobenzene	11.369	95	416821	10.01	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.10%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	387316	10.42	ug/l	100
3) Chloromethane	2.906	50	267638	10.03	ug/l	100
4) Vinyl chloride	2.994	62	294360	10.45	ug/l	100
5) Bromomethane	3.313	94	204345	10.73	ug/l	96
6) Dichlorofluoromethane	3.357	67	632775	9.83	ug/L	99
7) Chloroethane	3.346	64	161985	11.74	ug/l	88
8) Trichlorofluoromethane	3.511	101	655613	10.36	ug/l	99
9) Acrolein	3.742	56	225327	53.50	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	272122	9.86	ug/l	99
11) Acetone	3.764	43	456111	55.18	ug/l	99
12) tert-Butyl alcohol	3.875	59	1082983	274.99	ug/L	99
13) 1,1-Dichloroethene	3.908	61	564613	9.75	ug/l	98
14) Acetonitrile	3.875	41	213040	109.00	ug/L	96
15) Allyl chloride	4.106	76	165769	10.84	ug/L	100
16) Iodomethane	4.150	142	268999	8.79	ug/l	94
17) Methyl acetate	4.029	43	219009	10.00	ug/L	98
18) Methylene chloride	4.183	49	467946	11.39	ug/l	97
19) Acrylonitrile	4.216	53	508984	52.27	ug/l	98
20) tert-Butyl methyl ethe...	4.227	73	1030417	10.65	ug/L	99
21) Carbon disulfide	4.315	76	872085	9.83	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	314802	10.19	ug/l	99
23) Isopropyl ether (DIPE)	4.469	45	1036035	10.52	ug/l	98
24) Vinyl acetate	4.546	43	642883	11.46	ug/l	99
25) 1,1-Dichloroethane	4.634	63	619716	9.92	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	1247585	10.43	ug/l	96
27) 2-Butanone	4.854	72	166808	54.89	ug/l	95
28) Propionitrile	4.909	54	409063	114.24	ug/L	98
29) Isobutyl alcohol	5.030	43	288723	228.22	ug/L	98
30) 2,2-Dichloropropane	5.019	77	615087	9.84	ug/l	98
31) Methacrylonitrile	5.052	52	627605	106.76	ug/L	94
32) cis-1,2-Dichloroethene	5.063	96	358317	10.19	ug/l	100
33) Chloroform	5.173	83	709429	9.16	ug/l	99
34) Bromochloromethane	5.327	130	215189	10.42	ug/l	98
35) Tetrahydrofuran	5.316	42	90175	11.05	ug/L	99
37) 1,1,1-Trichloroethane	5.503	97	668020	9.56	ug/l	99
38) Cyclohexane	5.547	84	359700	10.10	ug/L	98
39) tert-Amyl methyl ether...	5.613	87	231432	10.85	ug/l	99
40) 1,1-Dichloropropene	5.613	110	151104	9.88	ug/L	99
42) Carbon tetrachloride	5.734	119	557403	9.43	ug/L	100

SU 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	571321	9.60	ug/L	99
44) Benzene	5.866	78	1216026	10.26	ug/L	99
45) Trichloroethene	6.373	130	324173	9.91	ug/L	98
46) Methyl methacrylate	6.439	69	313684	10.82	ug/L	94
47) Methylcyclohexane	6.450	83	407082	10.46	ug/L	98
48) 1,2-Dichloropropane	6.527	63	314276	10.39	ug/L	94
50) Bromodichloromethane	6.780	83	563896	9.85	ug/L	99
51) Dibromomethane	6.857	93	242061	9.84	ug/L	100
52) 2-Chloroethyl vinyl ether	6.934	63	134655	8.99	ug/L	99
53) 4-Methyl-2-pentanone	6.956	43	1704193	51.44	ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	552132	10.44	ug/L	98
57) Ethyl methacrylate	7.693	69	426233	11.24	ug/L	93
58) Toluene	7.693	91	1271585	10.09	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	554416	10.28	ug/l	93
60) 2-Hexanone	7.946	43	1156980	50.76	ug/l	98
61) 1,1,2-Trichloroethane	8.045	97	302512	10.11	ug/l	100
62) 1,3-Dichloropropane	8.354	76	460356	10.36	ug/l	100
63) Tetrachloroethene	8.519	164	262477	9.52	ug/l	98
64) Dibromochloromethane	8.783	129	422250	9.41	ug/l	100
65) 1,2-Dibromoethane	9.069	107	326860	10.14	ug/l	98
66) 1-Chlorohexane	9.124	91	418878	10.04	ug/l	92
67) Chlorobenzene	9.619	112	809661	9.72	ug/l	99
68) 1,1,1,2-Tetrachloroethane	9.652	131	340100	9.60	ug/l	99
69) Ethylbenzene	9.641	91	1487392	9.76	ug/l	100
70) m-Xylene & p-Xylene	9.751	91	2346333	18.88	ug/l	99
71) o-Xylene	10.412	91	1187781	10.10	ug/l	99
72) Styrene	10.467	104	835184	10.15	ug/l	99
73) Isopropylbenzene	10.940	105	1324380	9.88	ug/L	99
75) Bromoform	11.061	173	285204	9.96	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	397736	10.88	ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	109593	10.85	ug/l	99
79) trans-1,4-Dichloro-2-b...	11.523	53	119204	11.67	ug/l	89
80) n-Propylbenzene	11.578	91	1648572	9.91	ug/l	98
81) Bromobenzene	11.732	156	371222	10.17	ug/l	100
82) 1,3,5-Trimethylbenzene	11.831	105	1123998	9.83	ug/l	99
83) 2-Chlorotoluene	11.919	91	1079812	10.52	ug/l	93
84) 4-Chlorotoluene	11.974	91	964334	11.11	ug/l	94
85) tert-Butylbenzene	12.415	134	176618	9.98	ug/l	95
86) 1,2,4-Trimethylbenzene	12.481	105	1126508	10.07	ug/l	99
87) sec-Butylbenzene	12.756	105	1286003	9.92	ug/l	100
88) p-Isopropyltoluene	12.954	119	1081873	9.95	ug/l	98
89) 1,3-Dichlorobenzene	13.174	146	594859	11.40	ug/l	99
90) 1,2,3-Trimethylbenzene	13.262	105	1118089	10.09	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	600654	11.08	ug/l	100
92) n-Butylbenzene	13.614	91	1023631	9.90	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	557437	9.73	ug/l	98
94) 1,2-Dibromo-3-chloropr...	15.144	157	80292	10.80	ug/l	97
95) 1,2,4-Trichlorobenzene	16.475	180	357605	10.26	ug/l	98
96) Hexachlorobutadiene	16.663	225	211409	10.67	ug/l	98
97) Naphthalene	16.872	128	925673	10.45	ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	332666	10.04	ug/l	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Tue May 21 21:07:50 2024

5u 5/24/24

Page: 3

DAILY CALIBRATIONS

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F004
Lab File ID: RFG031 BFB Injection Date: 06/08/24
Instrument ID: E2 BFB Injection Time: 12:09

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	22.071
75	30 - 60% of mass 95	51.971
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.542
173	Less than 2% of mass 174	1.709(1.73)1
174	Greater than 50% of mass 95	98.721
175	5 - 9% of mass 174	8.812(8.93)1
176	95 - 101% % of mass 174	98.535(99.81)1
177	5 - 9% % of mass 176	7.072(7.18)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1705	RFG033	06/08/24	14:28
2	LCS1W	VOE2F02L	RFG034	06/08/24	15:04
3	LCD1W	VOE2F02C	RFG035	06/08/24	15:28
4	MBLK1W	VOE2F02B	RFG037	06/08/24	16:16
5	T1AMF-MW054-MAY24	24F004-02	RFG039	06/08/24	17:04
6	T1AMF-MW042-MAY24	24F004-03	RFG040	06/08/24	17:27
7	T1AMF-MW055-MAY24	24F004-04	RFG041	06/08/24	17:51
8	T1AMF-MW045-MAY24	24F004-07	RFG044	06/08/24	19:03
9	T1AMF-EW001-MAY24	24F004-08	RFG045	06/08/24	19:27
10	VSTD10	EVOE2E1705	RFG058	06/09/24	00:35

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F004
Date Analyzed: 05/17/24
Time Analyzed: 14:09


	INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
		Area #	RT #	Area #	RT #	Area #	RT #
	12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
	UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
	LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
		Area #	RT #	Area #	RT #	Area #	RT #
1	VSTD10	759396	5.99	659881	9.56	351346	13.89
2	LCS1W	804216	5.99	688163	9.56	361553	13.89
3	LCD1W	788614	5.99	686122	9.56	360055	13.89
4	MBLK1W	702533	5.99	598134	9.56	288194	13.89
5	T1AMF-MW054-MAY24	604704	5.99	515586	9.56	241202	13.89
6	T1AMF-MW042-MAY24	585872	5.99	507180	9.56	244053	13.89
7	T1AMF-MW055-MAY24	544754	5.99	461819	9.56	224403	13.89
8	T1AMF-MW045-MAY24	505850	5.99	420589	9.56	206594	13.89
9	T1AMF-EW001-MAY24	493129	5.99	412092	9.56	195843	13.89
10	VSTD10	446913	5.99	398856	9.56	235443	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Data Path : D:\Data\24F08\
Data File : RFG031.D
Acq On : 8 Jun 2024 12:09
Operator : DNguye
Sample : BFBF02
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



AutoFind: Scans 797, 798, 799; Background Corrected with Scan 791

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	22.1	11404	PASS
75	95	30	60	52.0	26853	PASS
95	95	100	100	100.0	51669	PASS
96	95	5	9	6.5	3380	PASS
173	174	0.00	2	1.7	883	PASS
174	95	50	100	98.7	51008	PASS
175	174	5	9	8.9	4553	PASS
176	174	95	101	99.8	50912	PASS
177	176	5	9	7.2	3654	PASS

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG033.D Vial: 3
Acq On : 8 Jun 2024 14:28 Operator: DNguye
Sample : CVOE2E1705 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	157	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.917	-9.2	193	0.00
3	P,T,M	Chloromethane	10.000	8.757	12.4	152	0.00
4	C,T,M	Vinyl chloride	10.000	10.879	-8.8	179	0.00
5	T,M	Bromomethane	10.000	7.609	23.9#	144	0.00
6	T,M	Dichlorofluoromethane	10.000	10.391	-3.9	164	0.00
7	T,M	Chloroethane	10.000	9.950	0.5	163	0.00
8	T,M	Trichlorofluoromethane	10.000	8.165	18.4	140	0.00
9	T,M	Acrolein	50.000	41.766	16.5	134	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	10.353	-3.5	169	0.00
11	T,M	Acetone	50.000	53.271	-6.5	156	0.01
12	T,M	tert-Butyl alcohol	250.000	205.813	17.7	129	0.00
13	C,T,M	1,1-Dichloroethene	10.000	9.978	0.2	158	0.00
14	T,M	Acetonitrile	100.000	89.402	10.6	138	0.00
15	T,M	Allyl chloride	10.000	10.640	-6.4	165	0.00
16	T,M	Iodomethane	10.000	10.989	-9.9	190	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	10.895	-8.9	149	0.00
19	T,M	Acrylonitrile	50.000	44.205	11.6	132	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	9.644	3.6	150	0.00
21	T,M	Carbon disulfide	10.000	10.412	-4.1	163	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	9.482	5.2	152	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	10.714	-7.1	169	0.01
24	T,M	Vinyl acetate	10.000	7.360	26.4#	108	0.00
25	P,T,M	1,1-Dichloroethane	10.000	10.237	-2.4	166	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	8.744	12.6	137	0.00
27	T,M	2-Butanone	50.000	46.101	7.8	138	0.00
28	T,M	Propionitrile	100.000	90.522	9.5	147	0.00
29	T,M	Isobutyl alcohol	200.000	199.417	0.3	156	0.00
30	T,M	2,2-Dichloropropane	10.000	10.236	-2.4	156	0.01
31	T,M	Methacrylonitrile	100.000	95.404	4.6	153	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.659	3.4	159	0.00
33	C,T,M	Chloroform	10.000	9.166	8.3	154	0.00
34	T,M	Bromochloromethane	10.000	9.816	1.8	151	0.00
35	T,M	Tetrahydrofuran	10.000	9.864	1.4	157	0.00
36	S	Dibromofluoromethane	10.000	10.724	-7.2	165	0.00
37	T,M	1,1,1-Trichloroethane	10.000	9.824	1.8	155	0.01
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	9.703	3.0	145	0.00
40	T,M	1,1-Dichloropropene	10.000	9.938	0.6	152	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.726	-7.3	175	0.00
42	T,M	Carbon tetrachloride	10.000	10.297	-3.0	159	0.00
43	T,M	1,2-Dichloroethane	10.000	10.208	-2.1	157	0.00
44	T,M	Benzene	10.000	9.819	1.8	155	0.00
45	T,M	Trichloroethene	10.000	9.800	2.0	157	0.00
46	T,M	Methyl methacrylate	10.000	6.686	33.1#	110	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.347	-3.5	163	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	9.981	0.2	156	0.01
51	T,M	Dibromomethane	10.000	9.236	7.6	148	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG033.D
Acq On : 8 Jun 2024 14:28
Sample : CVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	7.156	28.4#	109	0.00
53	T,M	4-Methyl-2-pentanone	50.000	49.584	0.8	149	0.01
54	T,M	cis-1,3-Dichloropropene	10.000	10.044	-0.4	157	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	161	0.00
56	S	Toluene-d8	10.000	10.296	-3.0	164	0.00
57	T,M	Ethyl methacrylate	10.000	9.483	5.2	147	0.00
58	C,T,M	Toluene	10.000	9.620	3.8	156	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	9.738	2.6	154	0.00
60	T,M	2-Hexanone	50.000	48.880	2.2	149	0.01
61	T,M	1,1,2-Trichloroethane	10.000	9.159	8.4	149	0.00
62	T,M	1,3-Dichloropropane	10.000	9.833	1.7	161	0.00
63	T,M	Tetrachloroethene	10.000	11.002	-10.0	184	0.01
64	T,M	Dibromochloromethane	10.000	9.090	9.1	150	0.00
65	T,M	1,2-Dibromoethane	10.000	8.916	10.8	141	0.00
66	T,M	1-Chlorohexane	10.000	9.660	3.4	156	0.00
67	P,T,M	Chlorobenzene	10.000	9.453	5.5	156	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.719	2.8	154	0.00
69	C,T,M	Ethylbenzene	10.000	9.519	4.8	158	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.082	9.6	157	0.01
71	T,M	o-Xylene	10.000	9.493	5.1	153	0.01
72	T,M	Styrene	10.000	9.763	2.4	156	0.01
73	T,M	Isopropylbenzene	10.000	9.860	1.4	158	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	177	0.00
75	P,T,M	Bromoform	10.000	9.290	7.1	168	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.272	17.3	152	0.00
77	S	4-Bromofluorobenzene	10.000	9.824	1.8	178	0.00
78	T,M	1,2,3-Trichloropropane	10.000	8.442	15.6	154	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	9.458	5.4	165	0.00
80	T,M	n-Propylbenzene	10.000	8.676	13.2	163	0.00
81	T,M	Bromobenzene	10.000	9.733	2.7	173	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	8.626	13.7	159	0.00
83	T,M	2-Chlorotoluene	10.000	9.037	9.6	171	0.00
84	T,M	4-Chlorotoluene	10.000	9.424	5.8	144	0.01
85	T,M	tert-Butylbenzene	10.000	8.746	12.5	162	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	8.764	12.4	159	0.01
87	T,M	sec-Butylbenzene	10.000	8.943	10.6	162	0.01
88	T,M	p-Isopropyltoluene	10.000	8.862	11.4	164	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.045	-10.4	179	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	8.719	12.8	157	0.01
91	T,M	1,4-Dichlorobenzene	10.000	10.796	-8.0	178	0.00
92	T,M	n-Butylbenzene	10.000	9.008	9.9	166	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.792	2.1	189	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.942	10.6	170	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	11.017	-10.2	201	0.00
96	T,M	Hexachlorobutadiene	10.000	11.173	-11.7	200	0.00
97	T,M	Naphthalene	10.000	8.682	13.2	157	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.865	-8.7	197	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG033.D Vial: 3
Acq On : 8 Jun 2024 14:28 Operator: DNguye
Sample : CVOE2E1705 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG033.D Vial: 3
Acq On : 8 Jun 2024 14:28 Operator: DNguye
Sample : CVOE2E1705 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	157	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.627	-9.2	193	0.00
3	P,T,M	Chloromethane	0.412	0.361	12.4	152	0.00
4	C,T,M	Vinyl chloride	0.435	0.473	-8.7	179	0.00
5	T,M	Bromomethane	0.294	0.224	23.8#	144	0.00
6	T,M	Dichlorofluoromethane	0.994	1.033	-3.9	164	0.00
7	T,M	Chloroethane	0.213	0.212	0.5	163	0.00
8	T,M	Trichlorofluoromethane	0.977	0.798	18.3	140	0.00
9	T,M	Acrolein	0.065	0.054	16.9	134	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.441	-3.5	169	0.00
11	T,M	Acetone	0.181	0.136	24.9#	156	0.01
12	T,M	tert-Butyl alcohol	0.061	0.050	18.0	129	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.892	0.2	158	0.00
14	T,M	Acetonitrile	0.030	0.027	10.0	138	0.00
15	T,M	Allyl chloride	0.236	0.251	-6.4	165	0.00
16	T,M	Iodomethane	0.429	0.523	-21.9#	190	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.693	13.5	149	0.00
19	T,M	Acrylonitrile	0.150	0.133	11.3	132	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.441	3.5	150	0.00
21	T,M	Carbon disulfide	1.370	1.426	-4.1	163	0.01
22	T,M	trans-1,2-Dichloroethene	0.477	0.452	5.2	152	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.629	-7.2	169	0.01
24	T,M	Vinyl acetate	0.866	0.637	26.4#	108	0.00
25	P,T,M	1,1-Dichloroethane	0.965	0.987	-2.3	166	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.614	12.6	137	0.00
27	T,M	2-Butanone	0.047	0.043	8.5	138	0.00
28	T,M	Propionitrile	0.055	0.050	9.1	147	0.00
29	T,M	Isobutyl alcohol	0.020	0.019	5.0	156	0.00
30	T,M	2,2-Dichloropropane	0.966	0.988	-2.3	156	0.01
31	T,M	Methacrylonitrile	0.091	0.087	4.4	153	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.524	3.5	159	0.00
33	C,T,M	Chloroform	1.196	1.096	8.4	154	0.00
34	T,M	Bromochloromethane	0.319	0.313	1.9	151	0.00
35	T,M	Tetrahydrofuran	0.126	0.124	1.6	157	0.00
36	S	Dibromofluoromethane	0.612	0.657	-7.4	165	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.060	1.8	155	0.01
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.320	2.7	145	0.00
40	T,M	1,1-Dichloropropene	0.236	0.235	0.4	152	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.868	-7.3	175	0.00
42	T,M	Carbon tetrachloride	0.913	0.940	-3.0	159	0.00
43	T,M	1,2-Dichloroethane	0.919	0.938	-2.1	157	0.00
44	T,M	Benzene	1.830	1.797	1.8	155	0.00
45	T,M	Trichloroethene	0.505	0.495	2.0	157	0.00
46	T,M	Methyl methacrylate	0.448	0.299	33.3#	110	0.00
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.483	-3.4	163	0.00
49	T,M	1,4-Dioxane	0.000	0.002	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	0.882	0.2	156	0.01
51	T,M	Dibromomethane	0.380	0.351	7.6	148	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG033.D Vial: 3
Acq On : 8 Jun 2024 14:28 Operator: DNguye
Sample : CVOE2E1705 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.166	28.1#	109	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.507	1.0	149	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.820	-0.4	157	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	161	0.00
56	S	Toluene-d8	1.987	2.046	-3.0	164	0.00
57	T,M	Ethyl methacrylate	0.682	0.647	5.1	147	0.00
58	C,T,M	Toluene	2.268	2.182	3.8	156	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.945	2.6	154	0.00
60	T,M	2-Hexanone	0.410	0.401	2.2	149	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.493	8.4	149	0.00
62	T,M	1,3-Dichloropropane	0.799	0.786	1.6	161	0.00
63	T,M	Tetrachloroethene	0.496	0.545	-9.9	184	0.01
64	T,M	Dibromochloromethane	0.807	0.734	9.0	150	0.00
65	T,M	1,2-Dibromoethane	0.580	0.517	10.9	141	0.00
66	T,M	1-Chlorohexane	0.751	0.725	3.5	156	0.00
67	P,T,M	Chlorobenzene	1.498	1.416	5.5	156	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.620	2.7	154	0.00
69	C,T,M	Ethylbenzene	2.742	2.610	4.8	158	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.021	9.6	157	0.01
71	T,M	o-Xylene	2.117	2.009	5.1	153	0.01
72	T,M	Styrene	1.480	1.445	2.4	156	0.01
73	T,M	Isopropylbenzene	2.412	2.378	1.4	158	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	177	0.00
75	P,T,M	Bromoform	1.091	1.014	7.1	168	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.153	17.3	152	0.00
77	S	4-Bromofluorobenzene	1.587	1.559	1.8	178	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.325	15.6	154	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.368	5.4	165	0.00
80	T,M	n-Propylbenzene	6.341	5.501	13.2	163	0.00
81	T,M	Bromobenzene	1.392	1.354	2.7	173	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.760	13.7	159	0.00
83	T,M	2-Chlorotoluene	3.914	3.537	9.6	171	0.00
84	T,M	4-Chlorotoluene	3.796	3.139	17.3	144	0.01
85	T,M	tert-Butylbenzene	0.675	0.590	12.6	162	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.736	12.4	159	0.01
87	T,M	sec-Butylbenzene	4.940	4.418	10.6	162	0.01
88	T,M	p-Isopropyltoluene	4.145	3.673	11.4	164	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.199	4.5	179	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	3.683	12.8	157	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.233	4.9	178	0.00
92	T,M	n-Butylbenzene	3.942	3.551	9.9	166	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.139	2.1	189	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.253	10.6	170	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.459	2.3	201#	0.00
96	T,M	Hexachlorobutadiene	0.755	0.844	-11.8	200	0.00
97	T,M	Naphthalene	3.377	2.932	13.2	157	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.369	3.5	197	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG033.D Vial: 3
Acq On : 8 Jun 2024 14:28 Operator: DNguye
Sample : CVOE2E1705 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG033.D
Acq On : 8 Jun 2024 14:28
Sample : CVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	759396	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	659881	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	351346	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	498763	10.72	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.20%		
41) 1,2-Dichloroethane-d4	5.723	65	659238	10.73	ug/L	0.00
Spiked Amount 10.000			Recovery =	107.30%		
56) Toluene-d8	7.594	98	1350003	10.30	ug/l	0.00
Spiked Amount 10.000			Recovery =	103.00%		
77) 4-Bromofluorobenzene	11.369	95	547909	9.82	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.20%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	475780	10.92	ug/l	99
3) Chloromethane	2.906	50	273870	8.76	ug/l	97
4) Vinyl chloride	2.994	62	359289	10.88	ug/l	98
5) Bromomethane	3.313	94	169963	7.61	ug/l	98
6) Dichlorofluoromethane	3.357	67	784208	10.39	ug/L	98
7) Chloroethane	3.346	64	161005	9.95	ug/l	97
8) Trichlorofluoromethane	3.511	101	605860	8.17	ug/l	97
9) Acrolein	3.742	56	206268	41.77	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	334912	10.35	ug/l	99
11) Acetone	3.775	43	517859	53.27	ug/l	97
12) tert-Butyl alcohol	3.874	59	950422	205.81	ug/L	96
13) 1,1-Dichloroethene	3.907	61	677305	9.98	ug/l	98
14) Acetonitrile	3.874	41	204884	89.40	ug/L	97
15) Allyl chloride	4.106	76	190717	10.64	ug/L	99
16) Iodomethane	4.150	142	397208	10.99	ug/l	96
18) Methylene chloride	4.183	49	526508	10.89	ug/l	96
19) Acrylonitrile	4.216	53	504706	44.21	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	1094371	9.64	ug/L	100
21) Carbon disulfide	4.315	76	1082942	10.41	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	343392	9.48	ug/l	99
23) Isopropyl ether (DIPE)	4.469	45	1237081	10.71	ug/l	97
24) Vinyl acetate	4.546	43	484057	7.36	ug/l	98
25) 1,1-Dichloroethane	4.634	63	749869	10.24	ug/l	98
26) tert-Butyl ethyl ether...	4.733	59	1226027	8.74	ug/l	90
27) 2-Butanone	4.854	72	164281	46.10	ug/l	96
28) Propionitrile	4.909	54	380055	90.52	ug/L	96
29) Isobutyl alcohol	5.030	43	295817	199.42	ug/L	98
30) 2,2-Dichloropropane	5.030	77	750591	10.24	ug/l	99
31) Methacrylonitrile	5.052	52	657630	95.40	ug/L	94
32) cis-1,2-Dichloroethene	5.063	96	398224	9.66	ug/l	100
33) Chloroform	5.173	83	832400	9.17	ug/l	98
34) Bromochloromethane	5.327	130	237727	9.82	ug/l	99
35) Tetrahydrofuran	5.327	42	94386	9.86	ug/L	93
37) 1,1,1-Trichloroethane	5.503	97	804697	9.82	ug/l	98
39) tert-Amyl methyl ether...	5.613	87	242777	9.70	ug/l	97
40) 1,1-Dichloropropene	5.613	110	178214	9.94	ug/L	97
42) Carbon tetrachloride	5.734	119	713661	10.30	ug/L	97
43) 1,2-Dichloroethane	5.800	62	712657	10.21	ug/L	100
44) Benzene	5.866	78	1364358	9.82	ug/L	99

Data File : D:\Data\24F08\RFG033.D
Acq On : 8 Jun 2024 14:28
Sample : CVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Trichloroethene	6.373	130	375886	9.80	ug/L	95
46) Methyl methacrylate	6.439	69	227213	6.69	ug/L	83
48) 1,2-Dichloropropane	6.527	63	366926	10.35	ug/L	98
50) Bromodichloromethane	6.780	83	669890	9.98	ug/L	99
51) Dibromomethane	6.868	93	266530	9.24	ug/L	92
52) 2-Chloroethyl vinyl ether	6.934	63	125690	7.16	ug/L	99
53) 4-Methyl-2-pentanone	6.967	43	1926353	49.58	ug/L	96
54) cis-1,3-Dichloropropene	7.275	75	622873	10.04	ug/L	94
57) Ethyl methacrylate	7.693	69	427071	9.48	ug/L	92
58) Toluene	7.693	91	1439696	9.62	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	623585	9.74	ug/l	94
60) 2-Hexanone	7.946	43	1322630	48.88	ug/l	94
61) 1,1,2-Trichloroethane	8.045	97	325295	9.16	ug/l	97
62) 1,3-Dichloropropane	8.354	76	518636	9.83	ug/l	99
63) Tetrachloroethene	8.519	164	359946	11.00	ug/l	91
64) Dibromochloromethane	8.783	129	484269	9.09	ug/l	99
65) 1,2-Dibromoethane	9.069	107	341267	8.92	ug/l	99
66) 1-Chlorohexane	9.124	91	478431	9.66	ug/l	97
67) Chlorobenzene	9.619	112	934428	9.45	ug/l	99
68) 1,1,1,2-Tetrachloroethane	9.652	131	408808	9.72	ug/l	100
69) Ethylbenzene	9.641	91	1722332	9.52	ug/l	100
70) m-Xylene & p-Xylene	9.751	91	2667820	18.08	ug/l	99
71) o-Xylene	10.423	91	1325884	9.49	ug/l	99
72) Styrene	10.467	104	953560	9.76	ug/l	99
73) Isopropylbenzene	10.940	105	1569085	9.86	ug/L	99
75) Bromoform	11.061	173	356218	9.29	ug/l	98
76) 1,1,2,2-Tetrachloroethane	11.204	83	405070	8.27	ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	114139	8.44	ug/l	95
79) trans-1,4-Dichloro-2-b...	11.512	53	129388	9.46	ug/l	92
80) n-Propylbenzene	11.578	91	1932790	8.68	ug/l	99
81) Bromobenzene	11.732	156	475869	9.73	ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	1321099	8.63	ug/l	99
83) 2-Chlorotoluene	11.919	91	1242538	9.04	ug/l	95
84) 4-Chlorotoluene	11.985	91	1102793	9.42	ug/l	92
85) tert-Butylbenzene	12.414	134	207319	8.75	ug/l	98
86) 1,2,4-Trimethylbenzene	12.480	105	1312742	8.76	ug/l	100
87) sec-Butylbenzene	12.756	105	1552139	8.94	ug/l	99
88) p-Isopropyltoluene	12.954	119	1290654	8.86	ug/l	99
89) 1,3-Dichlorobenzene	13.174	146	772532	11.04	ug/l	97
90) 1,2,3-Trimethylbenzene	13.262	105	1294012	8.72	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	784584	10.80	ug/l	98
92) n-Butylbenzene	13.614	91	1247673	9.01	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	751569	9.79	ug/l	98
94) 1,2-Dibromo-3-chloropr...	15.144	157	89040	8.94	ug/l	99
95) 1,2,4-Trichlorobenzene	16.464	180	512770	11.02	ug/l	96
96) Hexachlorobutadiene	16.662	225	296436	11.17	ug/l	98
97) Naphthalene	16.872	128	1030100	8.68	ug/l	97
98) 1,2,3-Trichlorobenzene	17.235	180	480836	10.87	ug/l	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG033.D
Acq On : 8 Jun 2024 14:28
Sample : CVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 12 12:58:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG058.D Vial: 28
Acq On : 9 Jun 2024 00:35 Operator: DNguye
Sample : EVOE2E1705 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	92	0.00
2	T,M	Dichlorodifluoromethane	10.000	11.154	-11.5	116	0.00
3	P,T,M	Chloromethane	10.000	8.702	13.0	89	0.00
4	C,T,M	Vinyl chloride	10.000	12.358	-23.6#	119	0.00
5	T,M	Bromomethane	10.000	7.515	24.9#	84	0.00
6	T,M	Dichlorofluoromethane	10.000	11.797	-18.0	109	0.00
7	T,M	Chloroethane	10.000	8.766	12.3	85	0.00
8	T,M	Trichlorofluoromethane	10.000	9.065	9.4	91	0.00
9	T,M	Acrolein	50.000	30.600	38.8#	58	0.01
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	11.370	-13.7	109	0.00
11	T,M	Acetone	50.000	52.038	-4.1	90	0.00
12	T,M	tert-Butyl alcohol	250.000	222.847	10.9	82	0.00
13	C,T,M	1,1-Dichloroethene	10.000	11.059	-10.6	103	0.00
14	T,M	Acetonitrile	100.000	103.032	-3.0	94	0.00
15	T,M	Allyl chloride	10.000	10.308	-3.1	94	0.00
16	T,M	Iodomethane	10.000	11.012	-10.1	112	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	11.677	-16.8	94	0.00
19	T,M	Acrylonitrile	50.000	39.039	21.9#	69	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.201	-2.0	94	0.00
21	T,M	Carbon disulfide	10.000	9.704	3.0	89	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	10.173	-1.7	96	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	10.316	-3.2	96	0.01
24	T,M	Vinyl acetate	10.000	5.668	43.3#	49	0.00
25	P,T,M	1,1-Dichloroethane	10.000	10.774	-7.7	103	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.356	6.4	86	0.00
27	T,M	2-Butanone	50.000	38.217	23.6#	67	0.00
28	T,M	Propionitrile	100.000	89.489	10.5	86	0.00
29	T,M	Isobutyl alcohol	200.000	189.208	5.4	87	0.00
30	T,M	2,2-Dichloropropane	10.000	10.218	-2.2	92	0.01
31	T,M	Methacrylonitrile	100.000	103.527	-3.5	97	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	10.569	-5.7	102	0.00
33	C,T,M	Chloroform	10.000	10.633	-6.3	105	0.00
34	T,M	Bromochloromethane	10.000	10.650	-6.5	96	0.00
35	T,M	Tetrahydrofuran	10.000	9.735	2.7	91	0.00
36	S	Dibromofluoromethane	10.000	11.143	-11.4	101	0.00
37	T,M	1,1,1-Trichloroethane	10.000	12.025	-20.3#	112	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.317	-3.2	91	0.00
40	T,M	1,1-Dichloropropene	10.000	10.702	-7.0	97	0.00
41	S	1,2-Dichloroethane-d4	10.000	12.094	-20.9#	116	0.00
42	T,M	Carbon tetrachloride	10.000	12.788	-27.9#	116	0.00
43	T,M	1,2-Dichloroethane	10.000	12.527	-25.3#	114	0.00
44	T,M	Benzene	10.000	10.171	-1.7	95	0.00
45	T,M	Trichloroethene	10.000	10.424	-4.2	98	0.00
46	T,M	Methyl methacrylate	10.000	6.725	32.8#	65	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.373	-3.7	96	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	11.245	-12.4	104	0.00
51	T,M	Dibromomethane	10.000	10.371	-3.7	98	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG058.D Vial: 28
Acq On : 9 Jun 2024 00:35 Operator: DNguye
Sample : EVOE2E1705 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	6.712	32.9#	60	0.00
53	T,M	4-Methyl-2-pentanone	50.000	47.387	5.2	84	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.149	-1.5	93	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	97	0.00
56	S	Toluene-d8	10.000	10.091	-0.9	97	0.00
57	T,M	Ethyl methacrylate	10.000	9.399	6.0	88	0.00
58	C,T,M	Toluene	10.000	10.206	-2.1	100	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	10.292	-2.9	99	0.00
60	T,M	2-Hexanone	50.000	44.976	10.0	83	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.622	3.8	94	0.00
62	T,M	1,3-Dichloropropane	10.000	10.073	-0.7	100	0.00
63	T,M	Tetrachloroethene	10.000	12.019	-20.2#	122	0.00
64	T,M	Dibromochloromethane	10.000	10.114	-1.1	101	0.00
65	T,M	1,2-Dibromoethane	10.000	9.297	7.0	89	0.00
66	T,M	1-Chlorohexane	10.000	9.504	5.0	93	0.00
67	P,T,M	Chlorobenzene	10.000	10.372	-3.7	103	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.774	-7.7	103	-0.01
69	C,T,M	Ethylbenzene	10.000	9.971	0.3	100	0.00
70	T,M	m-Xylene & p-Xylene	20.000	19.782	1.1	104	0.00
71	T,M	o-Xylene	10.000	10.433	-4.3	102	0.00
72	T,M	Styrene	10.000	10.614	-6.1	103	0.00
73	T,M	Isopropylbenzene	10.000	10.731	-7.3	104	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	119	0.00
75	P,T,M	Bromoform	10.000	9.427	5.7	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	7.763	22.4#	95	-0.01
77	S	4-Bromofluorobenzene	10.000	9.158	8.4	111	0.00
78	T,M	1,2,3-Trichloropropane	10.000	8.800	12.0	108	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	9.012	9.9	106	0.00
80	T,M	n-Propylbenzene	10.000	8.621	13.8	108	0.00
81	T,M	Bromobenzene	10.000	9.710	2.9	116	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	8.503	15.0	105	-0.01
83	T,M	2-Chlorotoluene	10.000	8.241	17.6	104	0.00
84	T,M	4-Chlorotoluene	10.000	10.138	-1.4	103	0.00
85	T,M	tert-Butylbenzene	10.000	9.313	6.9	115	-0.01
86	T,M	1,2,4-Trimethylbenzene	10.000	8.885	11.2	108	0.00
87	T,M	sec-Butylbenzene	10.000	8.724	12.8	106	0.00
88	T,M	p-Isopropyltoluene	10.000	8.671	13.3	108	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.498	-15.0	125	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	8.851	11.5	107	0.00
91	T,M	1,4-Dichlorobenzene	10.000	11.109	-11.1	123	0.00
92	T,M	n-Butylbenzene	10.000	8.375	16.3	104	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.965	0.4	129	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.978	20.2#	102	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	10.612	-6.1	130	0.00
96	T,M	Hexachlorobutadiene	10.000	11.000	-10.0	132	0.00
97	T,M	Naphthalene	10.000	7.733	22.7#	94	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.543	-5.4	128	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG058.D Vial: 28
Acq On : 9 Jun 2024 00:35 Operator: DNguye
Sample : EVOE2E1705 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG058.D Vial: 28
Acq On : 9 Jun 2024 00:35 Operator: DNguye
Sample : EVOE2E1705 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	92	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.640	-11.5	116	0.00
3	P,T,M	Chloromethane	0.412	0.358	13.1	89	0.00
4	C,T,M	Vinyl chloride	0.435	0.537	-23.4#	119	0.00
5	T,M	Bromomethane	0.294	0.221	24.8#	84	0.00
6	T,M	Dichlorofluoromethane	0.994	1.172	-17.9	109	0.00
7	T,M	Chloroethane	0.213	0.187	12.2	85	0.00
8	T,M	Trichlorofluoromethane	0.977	0.886	9.3	91	0.00
9	T,M	Acrolein	0.065	0.040	38.5#	58	0.01
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.484	-13.6	109	0.00
11	T,M	Acetone	0.181	0.133	26.5#	90	0.00
12	T,M	tert-Butyl alcohol	0.061	0.054	11.5	82	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.989	-10.6	103	0.00
14	T,M	Acetonitrile	0.030	0.031	-3.3	94	0.00
15	T,M	Allyl chloride	0.236	0.243	-3.0	94	0.00
16	T,M	Iodomethane	0.429	0.524	-22.1#	112	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.740	7.6	94	0.00
19	T,M	Acrylonitrile	0.150	0.117	22.0#	69	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.524	-2.0	94	0.00
21	T,M	Carbon disulfide	1.370	1.329	3.0	89	0.00
22	T,M	trans-1,2-Dichloroethene	0.477	0.485	-1.7	96	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.568	-3.2	96	0.01
24	T,M	Vinyl acetate	0.866	0.491	43.3#	49#	0.00
25	P,T,M	1,1-Dichloroethane	0.965	1.039	-7.7	103	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.728	6.4	86	0.00
27	T,M	2-Butanone	0.047	0.036	23.4#	67	0.00
28	T,M	Propionitrile	0.055	0.049	10.9	86	0.00
29	T,M	Isobutyl alcohol	0.020	0.018	10.0	87	0.00
30	T,M	2,2-Dichloropropane	0.966	0.987	-2.2	92	0.01
31	T,M	Methacrylonitrile	0.091	0.094	-3.3	97	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.574	-5.7	102	0.00
33	C,T,M	Chloroform	1.196	1.272	-6.4	105	0.00
34	T,M	Bromochloromethane	0.319	0.340	-6.6	96	0.00
35	T,M	Tetrahydrofuran	0.126	0.123	2.4	91	0.00
36	S	Dibromofluoromethane	0.612	0.682	-11.4	101	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.297	-20.2#	112	0.00
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.340	-3.3	91	0.00
40	T,M	1,1-Dichloropropene	0.236	0.253	-7.2	97	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.979	-21.0#	116	0.00
42	T,M	Carbon tetrachloride	0.913	1.167	-27.8#	116	0.00
43	T,M	1,2-Dichloroethane	0.919	1.152	-25.4#	114	0.00
44	T,M	Benzene	1.830	1.861	-1.7	95	0.00
45	T,M	Trichloroethene	0.505	0.527	-4.4	98	0.00
46	T,M	Methyl methacrylate	0.448	0.301	32.8#	65	0.00
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.484	-3.6	96	0.00
49	T,M	1,4-Dioxane	0.000	0.002	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	0.994	-12.4	104	0.00
51	T,M	Dibromomethane	0.380	0.394	-3.7	98	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG058.D
Acq On : 9 Jun 2024 00:35
Sample : EVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.155	32.9#	60	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.485	5.3	84	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.829	-1.5	93	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	97	0.00
56	S	Toluene-d8	1.987	2.005	-0.9	97	0.00
57	T,M	Ethyl methacrylate	0.682	0.641	6.0	88	0.00
58	C,T,M	Toluene	2.268	2.315	-2.1	100	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.999	-3.0	99	0.00
60	T,M	2-Hexanone	0.410	0.369	10.0	83	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.518	3.7	94	0.00
62	T,M	1,3-Dichloropropane	0.799	0.805	-0.8	100	0.00
63	T,M	Tetrachloroethene	0.496	0.596	-20.2#	122	0.00
64	T,M	Dibromochloromethane	0.807	0.817	-1.2	101	0.00
65	T,M	1,2-Dibromoethane	0.580	0.539	7.1	89	0.00
66	T,M	1-Chlorohexane	0.751	0.713	5.1	93	0.00
67	P,T,M	Chlorobenzene	1.498	1.554	-3.7	103	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.687	-7.8	103	-0.01
69	C,T,M	Ethylbenzene	2.742	2.734	0.3	100	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.211	1.1	104	0.00
71	T,M	o-Xylene	2.117	2.208	-4.3	102	0.00
72	T,M	Styrene	1.480	1.571	-6.1	103	0.00
73	T,M	Isopropylbenzene	2.412	2.588	-7.3	104	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	119	0.00
75	P,T,M	Bromoform	1.091	1.029	5.7	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.082	22.4#	95	-0.01
77	S	4-Bromofluorobenzene	1.587	1.454	8.4	111	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.339	11.9	108	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.351	9.8	106	0.00
80	T,M	n-Propylbenzene	6.341	5.466	13.8	108	0.00
81	T,M	Bromobenzene	1.392	1.351	2.9	116	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.707	15.0	105	-0.01
83	T,M	2-Chlorotoluene	3.914	3.225	17.6	104	0.00
84	T,M	4-Chlorotoluene	3.796	3.366	11.3	103	0.00
85	T,M	tert-Butylbenzene	0.675	0.628	7.0	115	-0.01
86	T,M	1,2,4-Trimethylbenzene	4.263	3.788	11.1	108	0.00
87	T,M	sec-Butylbenzene	4.940	4.309	12.8	106	0.00
88	T,M	p-Isopropyltoluene	4.145	3.594	13.3	108	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.285	0.8	125	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	3.739	11.5	107	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.295	2.3	123	0.00
92	T,M	n-Butylbenzene	3.942	3.302	16.2	104	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.177	0.3	129	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.226	20.1#	102	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.408	5.7	130	0.00
96	T,M	Hexachlorobutadiene	0.755	0.831	-10.1	132	0.00
97	T,M	Naphthalene	3.377	2.611	22.7#	94	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.329	6.3	128	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F08\RFG058.D
Acq On : 9 Jun 2024 00:35
Sample : EVOE2E1705
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG058.D Vial: 28
Acq On : 9 Jun 2024 00:35 Operator: DNguye
Sample : EVOE2E1705 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	446913	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	398856	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	235443	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	304995	11.14	ug/l	0.00
Spiked Amount 10.000			Recovery =	111.40%		
41) 1,2-Dichloroethane-d4	5.723	65	437453	12.09	ug/L	0.00
Spiked Amount 10.000			Recovery =	120.90%		
56) Toluene-d8	7.594	98	799733	10.09	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.90%		
77) 4-Bromofluorobenzene	11.369	95	342274	9.16	ug/l	0.00
Spiked Amount 10.000			Recovery =	91.60%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	286087	11.15	ug/l	98
3) Chloromethane	2.906	50	160153	8.70	ug/l	98
4) Vinyl chloride	2.994	62	240197	12.36	ug/l	99
5) Bromomethane	3.313	94	98793	7.52	ug/l	96
6) Dichlorofluoromethane	3.357	67	523981	11.80	ug/L	97
7) Chloroethane	3.346	64	83473	8.77	ug/l	86
8) Trichlorofluoromethane	3.511	101	395868	9.07	ug/l	99
9) Acrolein	3.753	56	88938	30.60	ug/l	97
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	216467	11.37	ug/l	98
11) Acetone	3.764	43	298313	52.04	ug/l	90
12) tert-Butyl alcohol	3.874	59	605626	222.85	ug/L	94
13) 1,1-Dichloroethene	3.907	61	441785	11.06	ug/l	95
14) Acetonitrile	3.874	41	138959	103.03	ug/L	96
15) Allyl chloride	4.106	76	108736	10.31	ug/L	100
16) Iodomethane	4.150	142	234258	11.01	ug/l	90
18) Methylene chloride	4.183	49	330529	11.68	ug/l	95
19) Acrylonitrile	4.216	53	262315	39.04	ug/l	95
20) tert-Butyl methyl ethe...	4.227	73	681211	10.20	ug/L	99
21) Carbon disulfide	4.304	76	593978	9.70	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	216797	10.17	ug/l	97
23) Isopropyl ether (DIPE)	4.469	45	700951	10.32	ug/l	99
24) Vinyl acetate	4.546	43	219383	5.67	ug/l	99
25) 1,1-Dichloroethane	4.634	63	464467	10.77	ug/l	97
26) tert-Butyl ethyl ether...	4.733	59	772081	9.36	ug/l	89
27) 2-Butanone	4.854	72	80146	38.22	ug/l	100
28) Propionitrile	4.909	54	221114	89.49	ug/L	97
29) Isobutyl alcohol	5.030	43	165179	189.21	ug/L	92
30) 2,2-Dichloropropane	5.030	77	440959	10.22	ug/l	98
31) Methacrylonitrile	5.052	52	419974	103.53	ug/L	100
32) cis-1,2-Dichloroethene	5.063	96	256451	10.57	ug/l	99
33) Chloroform	5.173	83	568287	10.63	ug/l	97
34) Bromochloromethane	5.327	130	151796	10.65	ug/l	96
35) Tetrahydrofuran	5.327	42	54825	9.74	ug/L	92
37) 1,1,1-Trichloroethane	5.492	97	579657	12.03	ug/l	98
39) tert-Amyl methyl ether...	5.613	87	151926	10.32	ug/l	98
40) 1,1-Dichloropropene	5.613	110	112945	10.70	ug/L	98
42) Carbon tetrachloride	5.734	119	521609	12.79	ug/L	97
43) 1,2-Dichloroethane	5.800	62	514672	12.53	ug/L	96
44) Benzene	5.866	78	831720	10.17	ug/L	98

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG058.D Vial: 28
Acq On : 9 Jun 2024 00:35 Operator: DNguye
Sample : EVOE2E1705 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45)	Trichloroethene	6.373	130	235307	10.42	ug/L	96
46)	Methyl methacrylate	6.439	69	134507	6.73	ug/L	93
48)	1,2-Dichloropropane	6.527	63	216494	10.37	ug/L	87
50)	Bromodichloromethane	6.769	83	444169	11.24	ug/L	99
51)	Dibromomethane	6.857	93	176132	10.37	ug/L	90
52)	2-Chloroethyl vinyl ether	6.934	63	69388	6.71	ug/L	98
53)	4-Methyl-2-pentanone	6.956	43	1083440	47.39	ug/L	96
54)	cis-1,3-Dichloropropene	7.275	75	370384	10.15	ug/L	88
57)	Ethyl methacrylate	7.693	69	255834	9.40	ug/L	85
58)	Toluene	7.693	91	923188	10.21	ug/l	98
59)	trans-1,3-Dichloropropene	7.814	75	398356	10.29	ug/l	87
60)	2-Hexanone	7.935	43	735590	44.98	ug/l	91
61)	1,1,2-Trichloroethane	8.045	97	206579	9.62	ug/l	99
62)	1,3-Dichloropropane	8.354	76	321141	10.07	ug/l	99
63)	Tetrachloroethene	8.508	164	237682	12.02	ug/l	89
64)	Dibromochloromethane	8.783	129	325683	10.11	ug/l	98
65)	1,2-Dibromoethane	9.069	107	215084	9.30	ug/l	100
66)	1-Chlorohexane	9.124	91	284537	9.50	ug/l	99
67)	Chlorobenzene	9.619	112	619728	10.37	ug/l	100
68)	1,1,1,2-Tetrachloroethane	9.641	131	273918	10.77	ug/l	98
69)	Ethylbenzene	9.641	91	1090551	9.97	ug/l	99
70)	m-Xylene & p-Xylene	9.740	91	1764102	19.78	ug/l	99
71)	o-Xylene	10.412	91	880782	10.43	ug/l	100
72)	Styrene	10.456	104	626600	10.61	ug/l	97
73)	Isopropylbenzene	10.940	105	1032185	10.73	ug/L	99
75)	Bromoform	11.061	173	242236	9.43	ug/l	98
76)	1,1,2,2-Tetrachloroethane	11.193	83	254740	7.76	ug/l	97
78)	1,2,3-Trichloropropane	11.446	110	79723	8.80	ug/l	93
79)	trans-1,4-Dichloro-2-b...	11.512	53	82618	9.01	ug/l	93
80)	n-Propylbenzene	11.578	91	1286969	8.62	ug/l	98
81)	Bromobenzene	11.732	156	318150	9.71	ug/l	97
82)	1,3,5-Trimethylbenzene	11.820	105	872737	8.50	ug/l	98
83)	2-Chlorotoluene	11.919	91	759355	8.24	ug/l	97
84)	4-Chlorotoluene	11.974	91	792398	10.14	ug/l	99
85)	tert-Butylbenzene	12.403	134	147930	9.31	ug/l	92
86)	1,2,4-Trimethylbenzene	12.469	105	891810	8.88	ug/l	99
87)	sec-Butylbenzene	12.745	105	1014635	8.72	ug/l	99
88)	p-Isopropyltoluene	12.954	119	846213	8.67	ug/l	98
89)	1,3-Dichlorobenzene	13.163	146	538037	11.50	ug/l	95
90)	1,2,3-Trimethylbenzene	13.251	105	880280	8.85	ug/L	98
91)	1,4-Dichlorobenzene	13.328	146	540452	11.11	ug/l	98
92)	n-Butylbenzene	13.614	91	777368	8.38	ug/l	99
93)	1,2-Dichlorobenzene	13.933	146	512541	9.97	ug/l	97
94)	1,2-Dibromo-3-chloropr...	15.133	157	53233	7.98	ug/l	99
95)	1,2,4-Trichlorobenzene	16.464	180	331405	10.61	ug/l	92
96)	Hexachlorobutadiene	16.662	225	195562	11.00	ug/l	94
97)	Naphthalene	16.872	128	614850	7.73	ug/l	98
98)	1,2,3-Trichlorobenzene	17.235	180	312986	10.54	ug/l	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F08\RFG058.D Vial: 28
Acq On : 9 Jun 2024 00:35 Operator: DNguye
Sample : EVOE2E1705 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 18 18:27:03 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F004
Lab File ID: RFG061 BFB Injection Date: 06/10/24
Instrument ID: E2 BFB Injection Time: 15:55

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.420
75	30 - 60% of mass 95	52.039
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	7.244
173	Less than 2% of mass 174	1.243(1.64)1
174	Greater than 50% of mass 95	75.606
175	5 - 9% of mass 174	5.475(7.24)1
176	95 - 101% % of mass 174	73.387(97.07)1
177	5 - 9% % of mass 176	4.772(6.5)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1706	RFG062	06/10/24	16:35
2	LCS2W	VOE2F03L	RFG063	06/10/24	17:13
3	LCD2W	VOE2F03C	RFG064	06/10/24	17:37
4	MBLK2W	VOE2F03B	RFG067	06/10/24	18:25
5	T1AMF-MW043-MAY24	24F004-05N	RFG068	06/10/24	18:48
6	T1AMF-MW045-MAY24	24F004-07I	RFG070	06/10/24	19:36
7	T1AMF-MW048-MAY24	24F004-09N	RFG071	06/10/24	20:00
8	T1AMF-MW056-MAY24	24F004-10N	RFG072	06/10/24	20:24
9	VSTD10	EVOE2E1706	RFG088	06/11/24	02:43

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F004
Date Analyzed: 05/17/24
Time Analyzed: 14:09


	INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
		Area #	RT #	Area #	RT #	Area #	RT #
	12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
	UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
	LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
		Area #	RT #	Area #	RT #	Area #	RT #
1	VSTD10	754319	5.99	601845	9.56	305181	13.89
2	LCS2W	792750	5.99	646227	9.56	321378	13.89
3	LCD2W	821664	5.99	645570	9.56	324769	13.89
4	MBLK2W	727124	5.99	552730	9.56	266282	13.89
5	T1AMF-MW043-MAY24	660379	5.99	508072	9.56	238614	13.89
6	T1AMF-MW045-MAY24	598016	5.99	459152	9.56	215050	13.89
7	T1AMF-MW048-MAY24	570196	5.99	441677	9.56	207331	13.89
8	T1AMF-MW056-MAY24	552850	5.99	420958	9.56	212301	13.89
9	VSTD10	493624	5.99	398955	9.56	221976	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Data Path : D:\Data\24F10\
Data File : RFG061.D
Acq On : 10 Jun 2024 15:55
Operator : DNguye
Sample : BFBF03
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



Spectrum Information: Scan 798

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	20.4	15825	PASS
75	95	30	60	52.0	40328	PASS
95	95	100	100	100.0	77496	PASS
96	95	5	9	7.2	5614	PASS
173	174	0.00	2	1.6	963	PASS
174	95	50	100	75.6	58592	PASS
175	174	5	9	7.2	4243	PASS
176	174	95	101	97.1	56872	PASS
177	176	5	9	6.5	3698	PASS

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D Vial: 2
Acq On : 10 Jun 2024 16:35 Operator: DNguye
Sample : CVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.		%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000		0.0	156	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.839		-8.4	190	0.00
3	P,T,M	Chloromethane	10.000	7.384		26.2#	127	0.00
4	C,T,M	Vinyl chloride	10.000	10.461	✓	-4.6	171	0.00
5	T,M	Bromomethane	10.000	8.230		17.7	155	0.00
6	T,M	Dichlorofluoromethane	10.000	11.096		-11.0	174	0.00
7	T,M	Chloroethane	10.000	9.062		9.4	148	0.00
8	T,M	Trichlorofluoromethane	10.000	8.401		16.0	143	0.00
9	T,M	Acrolein	50.000	42.007		16.0	134	0.01
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	10.274		-2.7	167	0.00
11	T,M	Acetone	50.000	50.666		-1.3	148	0.01
12	T,M	tert-Butyl alcohol	250.000	250.165	✓	-0.1	156	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.483	✓	-4.8	164	0.00
14	T,M	Acetonitrile	100.000	105.761		-5.8	163	0.00
15	T,M	Allyl chloride	10.000	11.506		-15.1	177	0.00
16	T,M	Iodomethane	10.000	10.464		-4.6	180	0.00
17	T,M	Methyl acetate	10.000	0.000		100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	10.912		-9.1	148	0.00
19	T,M	Acrylonitrile	50.000	43.827		12.3	130	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	11.065		-10.6	171	0.00
21	T,M	Carbon disulfide	10.000	10.264		-2.6	159	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	10.442		-4.4	166	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	10.383		-3.8	163	0.01
24	T,M	Vinyl acetate	10.000	5.910		40.9#	86	0.00
25	P,T,M	1,1-Dichloroethane	10.000	10.570		-5.7	170	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.692		3.1	150	0.00
27	T,M	2-Butanone	50.000	48.961		2.1	145	0.00
28	T,M	Propionitrile	100.000	102.751		-2.8	166	0.00
29	T,M	Isobutyl alcohol	200.000	206.376		-3.2	160	0.00
30	T,M	2,2-Dichloropropane	10.000	11.544		-15.4	175	0.01
31	T,M	Methacrylonitrile	100.000	101.779		-1.8	162	0.01
32	T,M	cis-1,2-Dichloroethene	10.000	10.795		-7.9	176	0.00
33	C,T,M	Chloroform	10.000	10.372	✓	-3.7	173	0.00
34	T,M	Bromochloromethane	10.000	9.972		0.3	152	0.00
35	T,M	Tetrahydrofuran	10.000	9.418		5.8	149	0.00
36	S	Dibromofluoromethane	10.000	9.786		2.1	150	0.00
37	T,M	1,1,1-Trichloroethane	10.000	11.146		-11.5	175	0.01
38	T,M	Cyclohexane	10.000	0.000		100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.879		-8.8	162	0.01
40	T,M	1,1-Dichloropropene	10.000	10.561		-5.6	161	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.246		-2.5	166	0.00
42	T,M	Carbon tetrachloride	10.000	10.875		-8.8	166	0.00
43	T,M	1,2-Dichloroethane	10.000	11.160		-11.6	171	0.00
44	T,M	Benzene	10.000	10.938		-9.4	172	0.00
45	T,M	Trichloroethene	10.000	9.816		1.8	157	0.00
46	T,M	Methyl methacrylate	10.000	7.438		25.6#	121	0.00
47	T,M	Methylcyclohexane	10.000	0.000		100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.384		-3.8	163	0.00
49	T,M	1,4-Dioxane	200.000	0.000	✓	100.0#	0	0.01
50	T,M	Bromodichloromethane	10.000	11.013	✓	-10.1	171	0.01
51	T,M	Dibromomethane	10.000	9.735		2.7	155	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	7.494	25.1#	114	0.00
53	T,M	4-Methyl-2-pentanone	50.000	45.062	9.9	135	0.01
54	T,M	cis-1,3-Dichloropropene	10.000	10.952	-9.5	170	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	147	0.00
56	S	Toluene-d8	10.000	10.822	-8.2	158	0.00
57	T,M	Ethyl methacrylate	10.000	11.395	-13.9	162	0.00
58	C,T,M	Toluene	10.000	11.605	-16.1	172	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.830	-18.3	171	0.01
60	T,M	2-Hexanone	50.000	48.545	2.9	135	0.01
61	T,M	1,1,2-Trichloroethane	10.000	10.893	-8.9	161	0.00
62	T,M	1,3-Dichloropropane	10.000	11.701	-17.0	175	0.00
63	T,M	Tetrachloroethene	10.000	10.713	-7.1	164	0.00
64	T,M	Dibromochloromethane	10.000	9.946	0.5	150	0.00
65	T,M	1,2-Dibromoethane	10.000	10.079	-0.8	145	0.00
66	T,M	1-Chlorohexane	10.000	11.139	-11.4	164	0.00
67	P,T,M	Chlorobenzene	10.000	11.006	-10.1	165	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.857	-8.6	157	0.00
69	C,T,M	Ethylbenzene	10.000	11.321	-13.2	171	0.01
70	T,M	m-Xylene & p-Xylene	20.000	22.224	-11.1	176	0.01
71	T,M	o-Xylene	10.000	11.637	-16.4	171	0.01
72	T,M	Styrene	10.000	11.262	-12.6	164	0.01
73	T,M	Isopropylbenzene	10.000	11.542	-15.4	169	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	154	0.00
75	P,T,M	Bromoform	10.000	9.719	2.8	153	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.388	-3.9	166	0.00
77	S	4-Bromofluorobenzene	10.000	10.724	-7.2	168	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.516	-5.2	167	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	11.659	-16.6	177	0.01
80	T,M	n-Propylbenzene	10.000	10.935	-9.4	178	0.01
81	T,M	Bromobenzene	10.000	10.357	-3.6	160	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	10.732	-7.3	172	0.00
83	T,M	2-Chlorotoluene	10.000	11.463	-14.6	188	0.00
84	T,M	4-Chlorotoluene	10.000	12.523	-25.2#	164	0.01
85	T,M	tert-Butylbenzene	10.000	10.821	-8.2	174	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	11.023	-10.2	173	0.01
87	T,M	sec-Butylbenzene	10.000	10.973	-9.7	173	0.01
88	T,M	p-Isopropyltoluene	10.000	10.624	-6.2	171	0.00
89	T,M	1,3-Dichlorobenzene	10.000	12.000	-20.0	168	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	10.904	-9.0	170	0.01
91	T,M	1,4-Dichlorobenzene	10.000	11.553	-15.5	165	0.00
92	T,M	n-Butylbenzene	10.000	11.020	-10.2	177	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.313	-3.1	173	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	9.616	3.8	159	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	11.452	-14.5	181	0.00
96	T,M	Hexachlorobutadiene	10.000	11.051	-10.5	172	0.00
97	T,M	Naphthalene	10.000	10.389	-3.9	163	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.820	-8.2	171	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D Vial: 2
Acq On : 10 Jun 2024 16:35 Operator: DNguye
Sample : CVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	156	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.622	-8.4	190	0.00
3	P,T,M	Chloromethane	0.412	0.304	26.2#	127	0.00
4	C,T,M	Vinyl chloride	0.435	0.455	-4.6	171	0.00
5	T,M	Bromomethane	0.294	0.242	17.7	155	0.00
6	T,M	Dichlorofluoromethane	0.994	1.103	-11.0	174	0.00
7	T,M	Chloroethane	0.213	0.193	9.4	148	0.00
8	T,M	Trichlorofluoromethane	0.977	0.821	16.0	143	0.00
9	T,M	Acrolein	0.065	0.055	15.4	134	0.01
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.438	-2.8	167	0.00
11	T,M	Acetone	0.181	0.130	28.2#	148	0.01
12	T,M	tert-Butyl alcohol	0.061	0.061	0.0	156	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.937	-4.8	164	0.00
14	T,M	Acetonitrile	0.030	0.032	-6.7	163	0.00
15	T,M	Allyl chloride	0.236	0.272	-15.3	177	0.00
16	T,M	Iodomethane	0.429	0.497	-15.9	180	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.694	13.4	148	0.00
19	T,M	Acrylonitrile	0.150	0.132	12.0	130	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.653	-10.6	171	0.00
21	T,M	Carbon disulfide	1.370	1.406	-2.6	159	0.01
22	T,M	trans-1,2-Dichloroethene	0.477	0.498	-4.4	166	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.579	-3.9	163	0.01
24	T,M	Vinyl acetate	0.866	0.512	40.9#	86	0.00
25	P,T,M	1,1-Dichloroethane	0.965	1.020	-5.7	170	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.790	3.0	150	0.00
27	T,M	2-Butanone	0.047	0.046	2.1	145	0.00
28	T,M	Propionitrile	0.055	0.057	-3.6	166	0.00
29	T,M	Isobutyl alcohol	0.020	0.020	0.0	160	0.00
30	T,M	2,2-Dichloropropane	0.966	1.115	-15.4	175	0.01
31	T,M	Methacrylonitrile	0.091	0.092	-1.1	162	0.01
32	T,M	cis-1,2-Dichloroethene	0.543	0.586	-7.9	176	0.00
33	C,T,M	Chloroform	1.196	1.240	-3.7	173	0.00
34	T,M	Bromochloromethane	0.319	0.318	0.3	152	0.00
35	T,M	Tetrahydrofuran	0.126	0.119	5.6	149	0.00
36	S	Dibromofluoromethane	0.612	0.599	2.1	150	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.202	-11.4	175	0.01
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.358	-8.8	162	0.01
40	T,M	1,1-Dichloropropene	0.236	0.249	-5.5	161	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.829	-2.5	166	0.00
42	T,M	Carbon tetrachloride	0.913	0.993	-8.8	166	0.00
43	T,M	1,2-Dichloroethane	0.919	1.026	-11.6	171	0.00
44	T,M	Benzene	1.830	2.001	-9.3	172	0.00
45	T,M	Trichloroethene	0.505	0.496	1.8	157	0.00
46	T,M	Methyl methacrylate	0.448	0.333	25.7#	121	0.00
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.485	-3.9	163	0.00
49	T,M	1,4-Dioxane	0.000	0.002	0.0	0#	0.01
50	T,M	Bromodichloromethane	0.884	0.973	-10.1	171	0.01
51	T,M	Dibromomethane	0.380	0.370	2.6	155	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D Vial: 2
Acq On : 10 Jun 2024 16:35 Operator: DNguye
Sample : CVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.173	25.1#	114	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.461	10.0	135	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.894	-9.4	170	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	147	0.00
56	S	Toluene-d8	1.987	2.150	-8.2	158	0.00
57	T,M	Ethyl methacrylate	0.682	0.778	-14.1	162	0.00
58	C,T,M	Toluene	2.268	2.632	-16.0	172	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.148	-18.4	171	0.01
60	T,M	2-Hexanone	0.410	0.398	2.9	135	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.586	-8.9	161	0.00
62	T,M	1,3-Dichloropropane	0.799	0.935	-17.0	175	0.00
63	T,M	Tetrachloroethene	0.496	0.531	-7.1	164	0.00
64	T,M	Dibromochloromethane	0.807	0.803	0.5	150	0.00
65	T,M	1,2-Dibromoethane	0.580	0.585	-0.9	145	0.00
66	T,M	1-Chlorohexane	0.751	0.836	-11.3	164	0.00
67	P,T,M	Chlorobenzene	1.498	1.649	-10.1	165	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.692	-8.6	157	0.00
69	C,T,M	Ethylbenzene	2.742	3.104	-13.2	171	0.01
70	T,M	m-Xylene & p-Xylene	2.236	2.484	-11.1	176	0.01
71	T,M	o-Xylene	2.117	2.463	-16.3	171	0.01
72	T,M	Styrene	1.480	1.667	-12.6	164	0.01
73	T,M	Isopropylbenzene	2.412	2.784	-15.4	169	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	154	0.00
75	P,T,M	Bromoform	1.091	1.061	2.7	153	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.448	-3.9	166	0.00
77	S	4-Bromofluorobenzene	1.587	1.702	-7.2	168	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.405	-5.2	167	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.454	-16.7	177	0.01
80	T,M	n-Propylbenzene	6.341	6.934	-9.4	178	0.01
81	T,M	Bromobenzene	1.392	1.441	-3.5	160	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.678	-7.3	172	0.00
83	T,M	2-Chlorotoluene	3.914	4.486	-14.6	188	0.00
84	T,M	4-Chlorotoluene	3.796	4.123	-8.6	164	0.01
85	T,M	tert-Butylbenzene	0.675	0.730	-8.1	174	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	4.699	-10.2	173	0.01
87	T,M	sec-Butylbenzene	4.940	5.421	-9.7	173	0.01
88	T,M	p-Isopropyltoluene	4.145	4.404	-6.2	171	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.381	-3.4	168	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	4.606	-9.0	170	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.384	-1.5	165	0.00
92	T,M	n-Butylbenzene	3.942	4.344	-10.2	177	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.253	-3.2	173	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.273	3.5	159	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.515	-1.5	181	0.00
96	T,M	Hexachlorobutadiene	0.755	0.834	-10.5	172	0.00
97	T,M	Naphthalene	3.377	3.508	-3.9	163	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.363	3.9	171	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG062.D Vial: 2
Acq On : 10 Jun 2024 16:35 Operator: DNguye
Sample : CVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	754319	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	601845	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	305181	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	452117	9.79	ug/l	0.00
Spiked Amount 10.000			Recovery =	97.90%		
41) 1,2-Dichloroethane-d4	5.723	65	625523	10.25	ug/L	0.00
Spiked Amount 10.000			Recovery =	102.50%		
56) Toluene-d8	7.594	98	1294158	10.82	ug/l	0.00
Spiked Amount 10.000			Recovery =	108.20%		
77) 4-Bromofluorobenzene	11.369	95	519549	10.72	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.20%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	469229	10.84	ug/l	99
3) Chloromethane	2.906	50	229389	7.38	ug/l	99
4) Vinyl chloride	2.994	62	343187	10.46	ug/l	97
5) Bromomethane	3.313	94	182597	8.23	ug/l	97
6) Dichlorofluoromethane	3.357	67	831783	11.10	ug/L	98
7) Chloroethane	3.346	64	145650	9.06	ug/l	98
8) Trichlorofluoromethane	3.511	101	619212	8.40	ug/l	99
9) Acrolein	3.753	56	206070	42.01	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	330151	10.27	ug/l	100
11) Acetone	3.775	43	491394	50.67	ug/l	100
12) tert-Butyl alcohol	3.874	59	1147510	250.16	ug/L	99
13) 1,1-Dichloroethene	3.907	61	706835	10.48	ug/l	99
14) Acetonitrile	3.874	41	240752	105.76	ug/L	100
15) Allyl chloride	4.105	76	204867	11.51	ug/L	99
16) Iodomethane	4.149	142	375194	10.46	ug/l	95
18) Methylene chloride	4.182	49	523735	10.91	ug/l	95
19) Acrylonitrile	4.215	53	497046	43.83	ug/l	98
20) tert-Butyl methyl ethe...	4.226	73	1247173	11.06	ug/L	98
21) Carbon disulfide	4.314	76	1060379	10.26	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	375609	10.44	ug/l	99
23) Isopropyl ether (DIPE)	4.469	45	1190865	10.38	ug/l	96
24) Vinyl acetate	4.546	43	386080	5.91	ug/l	99
25) 1,1-Dichloroethane	4.634	63	769127	10.57	ug/l	100
26) tert-Butyl ethyl ether...	4.733	59	1349971	9.69	ug/l	90
27) 2-Butanone	4.854	72	173305	48.96	ug/l	90
28) Propionitrile	4.909	54	428512	102.75	ug/L	96
29) Isobutyl alcohol	5.030	43	304093	206.38	ug/L	100
30) 2,2-Dichloropropane	5.030	77	840828	11.54	ug/l	99
31) Methacrylonitrile	5.063	52	696880	101.78	ug/L	89
32) cis-1,2-Dichloroethene	5.063	96	442114	10.80	ug/l	99
33) Chloroform	5.173	83	935634	10.37	ug/l	97
34) Bromochloromethane	5.327	130	239902	9.97	ug/l	99
35) Tetrahydrofuran	5.327	42	89524	9.42	ug/L	97
37) 1,1,1-Trichloroethane	5.503	97	906842	11.15	ug/l	98
39) tert-Amyl methyl ether...	5.624	87	270385	10.88	ug/l	96
40) 1,1-Dichloropropene	5.613	110	188107	10.56	ug/L	98
42) Carbon tetrachloride	5.734	119	748686	10.87	ug/L	99
43) 1,2-Dichloroethane	5.800	62	773876	11.16	ug/L	96
44) Benzene	5.866	78	1509668	10.94	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG062.D Vial: 2
Acq On : 10 Jun 2024 16:35 Operator: DNguye
Sample : CVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45)	Trichloroethene	6.372	130	373994	9.82	ug/L		97
46)	Methyl methacrylate	6.439	69	251107	7.44	ug/L	#	73
48)	1,2-Dichloropropane	6.527	63	365789	10.38	ug/L		92
50)	Bromodichloromethane	6.780	83	734197	11.01	ug/L		97
51)	Dibromomethane	6.868	93	279048	9.74	ug/L		99
52)	2-Chloroethyl vinyl ether	6.934	63	130748	7.49	ug/L		98
53)	4-Methyl-2-pentanone	6.967	43	1738962	45.06	ug/L		97
54)	cis-1,3-Dichloropropene	7.275	75	674652	10.95	ug/L		99
57)	Ethyl methacrylate	7.693	69	468006	11.39	ug/L		93
58)	Toluene	7.693	91	1584004	11.60	ug/l		100
59)	trans-1,3-Dichloropropene	7.825	75	690962	11.83	ug/l		96
60)	2-Hexanone	7.946	43	1198030	48.54	ug/l		99
61)	1,1,2-Trichloroethane	8.045	97	352879	10.89	ug/l		98
62)	1,3-Dichloropropane	8.353	76	562912	11.70	ug/l		100
63)	Tetrachloroethene	8.507	164	319675	10.71	ug/l		97
64)	Dibromochloromethane	8.783	129	483253	9.95	ug/l		98
65)	1,2-Dibromoethane	9.069	107	351856	10.08	ug/l		98
66)	1-Chlorohexane	9.124	91	503176	11.14	ug/l		90
67)	Chlorobenzene	9.619	112	992318	11.01	ug/l		99
68)	1,1,1,2-Tetrachloroethane	9.652	131	416515	10.86	ug/l		99
69)	Ethylbenzene	9.652	91	1868301	11.32	ug/l		99
70)	m-Xylene & p-Xylene	9.751	91	2990434	22.22	ug/l		98
71)	o-Xylene	10.422	91	1482291	11.64	ug/l		99
72)	Styrene	10.466	104	1003167	11.26	ug/l		96
73)	Isopropylbenzene	10.940	105	1675316	11.54	ug/L		99
75)	Bromoform	11.061	173	323699	9.72	ug/l		99
76)	1,1,2,2-Tetrachloroethane	11.204	83	441834	10.39	ug/l		98
78)	1,2,3-Trichloropropane	11.446	110	123489	10.52	ug/l		100
79)	trans-1,4-Dichloro-2-b...	11.523	53	138552	11.66	ug/l		95
80)	n-Propylbenzene	11.589	91	2116018	10.94	ug/l		99
81)	Bromobenzene	11.732	156	439857	10.36	ug/l		98
82)	1,3,5-Trimethylbenzene	11.831	105	1427725	10.73	ug/l		98
83)	2-Chlorotoluene	11.919	91	1369023	11.46	ug/l		90
84)	4-Chlorotoluene	11.985	91	1258359	12.52	ug/l		98
85)	tert-Butylbenzene	12.414	134	222783	10.82	ug/l		95
86)	1,2,4-Trimethylbenzene	12.480	105	1434177	11.02	ug/l		97
87)	sec-Butylbenzene	12.755	105	1654238	10.97	ug/l		100
88)	p-Isopropyltoluene	12.954	119	1343889	10.62	ug/l		98
89)	1,3-Dichlorobenzene	13.174	146	726658	12.00	ug/l		99
90)	1,2,3-Trimethylbenzene	13.262	105	1405688	10.90	ug/L		99
91)	1,4-Dichlorobenzene	13.328	146	727512	11.55	ug/l		97
92)	n-Butylbenzene	13.614	91	1325754	11.02	ug/l		99
93)	1,2-Dichlorobenzene	13.933	146	687518	10.31	ug/l		98
94)	1,2-Dibromo-3-chloropr...	15.144	157	83174	9.62	ug/l		100
95)	1,2,4-Trichlorobenzene	16.464	180	462389	11.45	ug/l		98
96)	Hexachlorobutadiene	16.662	225	254657	11.05	ug/l		98
97)	Naphthalene	16.871	128	1070687	10.39	ug/l		99
98)	1,2,3-Trichlorobenzene	17.235	180	416001	10.82	ug/l		98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG062.D
Acq On : 10 Jun 2024 16:35
Sample : CVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 11:58:09 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	10.000	10.000	0.0	102	0.00
2	T,M Dichlorodifluoromethane	10.000	11.887	-18.9	137	0.00
3	P,T,M Chloromethane	10.000	7.594	24.1#	85	0.00
4	C,T,M Vinyl chloride	10.000	11.793	-17.9	126	0.00
5	T,M Bromomethane	10.000	7.870	21.3#	97	0.00
6	T,M Dichlorofluoromethane	10.000	11.101	-11.0	114	0.00
7	T,M Chloroethane	10.000	8.971	10.3	96	0.00
8	T,M Trichlorofluoromethane	10.000	9.688	3.1	108	0.00
9	T,M Acrolein	50.000	30.859	38.3#	64	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	10.000	10.267	-2.7	109	0.00
11	T,M Acetone	50.000	45.965	8.1	89	0.00
12	T,M tert-Butyl alcohol	250.000	221.073	11.6	90	0.00
13	C,T,M 1,1-Dichloroethene	10.000	10.645	-6.4	109	-0.01
14	T,M Acetonitrile	100.000	93.870	6.1	94	0.00
15	T,M Allyl chloride	10.000	10.251	-2.5	103	0.00
16	T,M Iodomethane	10.000	9.908	0.9	111	0.00
17	T,M Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M Methylene chloride	10.000	10.752	-7.5	96	0.00
19	T,M Acrylonitrile	50.000	39.058	21.9#	76	0.00
20	T,M tert-Butyl methyl ether (MT	10.000	11.091	-10.9	112	0.00
21	T,M Carbon disulfide	10.000	10.324	-3.2	105	0.00
22	T,M trans-1,2-Dichloroethene	10.000	10.113	-1.1	105	0.00
23	T,M Isopropyl ether (DIPE)	10.000	9.568	4.3	98	0.00
24	T,M Vinyl acetate	10.000	5.404	46.0#	51	0.00
25	P,T,M 1,1-Dichloroethane	10.000	10.284	-2.8	108	0.00
26	T,M tert-Butyl ethyl ether (ETB	10.000	9.409	5.9	96	0.00
27	T,M 2-Butanone	50.000	41.369	17.3	80	0.00
28	T,M Propionitrile	100.000	89.785	10.2	95	0.00
29	T,M Isobutyl alcohol	200.000	159.210	20.4#	81	0.00
30	T,M 2,2-Dichloropropane	10.000	10.746	-7.5	107	0.01
31	T,M Methacrylonitrile	100.000	106.105	-6.1	110	0.00
32	T,M cis-1,2-Dichloroethene	10.000	10.413	-4.1	111	0.00
33	C,T,M Chloroform	10.000	11.008	-10.1	120	0.00
34	T,M Bromochloromethane	10.000	9.934	0.7	99	0.00
35	T,M Tetrahydrofuran	10.000	8.603	14.0	89	-0.01
36	S Dibromofluoromethane	10.000	10.156	-1.6	102	0.00
37	T,M 1,1,1-Trichloroethane	10.000	11.974	-19.7	123	0.00
38	T,M Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M tert-Amyl methyl ether (TAM	10.000	11.177	-11.8	109	0.00
40	T,M 1,1-Dichloropropene	10.000	10.196	-2.0	102	0.00
41	S 1,2-Dichloroethane-d4	10.000	11.563	-15.6	122	0.00
42	T,M Carbon tetrachloride	10.000	12.288	-22.9#	123	0.00
43	T,M 1,2-Dichloroethane	10.000	12.625	-26.3#	126	0.00
44	T,M Benzene	10.000	10.550	-5.5	108	0.00
45	T,M Trichloroethene	10.000	9.701	3.0	101	0.00
46	T,M Methyl methacrylate	10.000	6.971	30.3#	74	0.00
47	T,M Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M 1,2-Dichloropropane	10.000	9.931	0.7	102	0.00
49	T,M 1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M Bromodichloromethane	10.000	11.780	-17.8	120	0.00
51	T,M Dibromomethane	10.000	10.241	-2.4	107	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D Vial: 37
Acq On : 11 Jun 2024 2:43 Operator: DNguye
Sample : EVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	6.774	32.3#	67	0.00
53	T,M	4-Methyl-2-pentanone	50.000	42.974	14.1	84	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.201	-2.0	103	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	97	0.00
56	S	Toluene-d8	10.000	10.488	-4.9	101	0.00
57	T,M	Ethyl methacrylate	10.000	10.597	-6.0	100	0.00
58	C,T,M	Toluene	10.000	11.165	-11.6	110	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.571	-15.7	111	0.00
60	T,M	2-Hexanone	50.000	45.973	8.1	85	0.00
61	T,M	1,1,2-Trichloroethane	10.000	10.495	-4.9	103	0.00
62	T,M	1,3-Dichloropropane	10.000	11.309	-13.1	112	0.00
63	T,M	Tetrachloroethene	10.000	10.756	-7.6	109	0.00
64	T,M	Dibromochloromethane	10.000	10.244	-2.4	102	0.00
65	T,M	1,2-Dibromoethane	10.000	9.749	2.5	93	0.00
66	T,M	1-Chlorohexane	10.000	10.660	-6.6	104	0.00
67	P,T,M	Chlorobenzene	10.000	10.925	-9.3	109	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	11.367	-13.7	109	0.00
69	C,T,M	Ethylbenzene	10.000	11.446	-14.5	115	0.00
70	T,M	m-Xylene & p-Xylene	20.000	22.476	-12.4	118	0.00
71	T,M	o-Xylene	10.000	11.602	-16.0	113	0.00
72	T,M	Styrene	10.000	11.297	-13.0	109	0.00
73	T,M	Isopropylbenzene	10.000	11.578	-15.8	112	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	112	0.00
75	P,T,M	Bromoform	10.000	9.170	8.3	105	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	9.421	5.8	109	-0.01
77	S	4-Bromofluorobenzene	10.000	10.050	-0.5	115	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.191	-1.9	117	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	10.164	-1.6	112	0.00
80	T,M	n-Propylbenzene	10.000	9.998	0.0	118	0.00
81	T,M	Bromobenzene	10.000	9.712	2.9	109	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.988	0.1	116	-0.01
83	T,M	2-Chlorotoluene	10.000	9.957	0.4	119	0.00
84	T,M	4-Chlorotoluene	10.000	12.324	-23.2#	118	0.00
85	T,M	tert-Butylbenzene	10.000	9.778	2.2	114	-0.01
86	T,M	1,2,4-Trimethylbenzene	10.000	10.501	-5.0	120	0.00
87	T,M	sec-Butylbenzene	10.000	10.061	-0.6	115	0.00
88	T,M	p-Isopropyltoluene	10.000	9.858	1.4	115	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.232	-12.3	115	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	10.228	-2.3	116	0.00
91	T,M	1,4-Dichlorobenzene	10.000	11.060	-10.6	115	0.00
92	T,M	n-Butylbenzene	10.000	9.908	0.9	116	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.015	-0.2	122	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.737	12.6	105	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	9.598	4.0	111	0.00
96	T,M	Hexachlorobutadiene	10.000	10.173	-1.7	115	0.00
97	T,M	Naphthalene	10.000	8.798	12.0	100	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	9.964	0.4	115	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	102	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.682	-18.8	137	0.00
3	P,T,M	Chloromethane	0.412	0.313	24.0#	85	0.00
4	C,T,M	Vinyl chloride	0.435	0.513	-17.9	126	0.00
5	T,M	Bromomethane	0.294	0.231	21.4#	97	0.00
6	T,M	Dichlorofluoromethane	0.994	1.103	-11.0	114	0.00
7	T,M	Chloroethane	0.213	0.191	10.3	96	0.00
8	T,M	Trichlorofluoromethane	0.977	0.947	3.1	108	0.00
9	T,M	Acrolein	0.065	0.040	38.5#	64	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.437	-2.6	109	0.00
11	T,M	Acetone	0.181	0.119	34.3#	89	0.00
12	T,M	tert-Butyl alcohol	0.061	0.054	11.5	90	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.951	-6.4	109	-0.01
14	T,M	Acetonitrile	0.030	0.028	6.7	94	0.00
15	T,M	Allyl chloride	0.236	0.242	-2.5	103	0.00
16	T,M	Iodomethane	0.429	0.470	-9.6	111	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.685	14.5	96	0.00
19	T,M	Acrylonitrile	0.150	0.117	22.0#	76	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.657	-10.9	112	0.00
21	T,M	Carbon disulfide	1.370	1.414	-3.2	105	0.00
22	T,M	trans-1,2-Dichloroethene	0.477	0.482	-1.0	105	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.455	4.3	98	0.00
24	T,M	Vinyl acetate	0.866	0.468	46.0#	51	0.00
25	P,T,M	1,1-Dichloroethane	0.965	0.992	-2.8	108	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.737	5.9	96	0.00
27	T,M	2-Butanone	0.047	0.039	17.0	80	0.00
28	T,M	Propionitrile	0.055	0.050	9.1	95	0.00
29	T,M	Isobutyl alcohol	0.020	0.016	20.0	81	0.00
30	T,M	2,2-Dichloropropane	0.966	1.038	-7.5	107	0.01
31	T,M	Methacrylonitrile	0.091	0.096	-5.5	110	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.565	-4.1	111	0.00
33	C,T,M	Chloroform	1.196	1.317	-10.1	120	0.00
34	T,M	Bromochloromethane	0.319	0.317	0.6	99	0.00
35	T,M	Tetrahydrofuran	0.126	0.108	14.3	89	-0.01
36	S	Dibromofluoromethane	0.612	0.622	-1.6	102	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.292	-19.7	123	0.00
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.368	-11.9	109	0.00
40	T,M	1,1-Dichloropropene	0.236	0.241	-2.1	102	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.936	-15.7	122	0.00
42	T,M	Carbon tetrachloride	0.913	1.122	-22.9#	123	0.00
43	T,M	1,2-Dichloroethane	0.919	1.161	-26.3#	126	0.00
44	T,M	Benzene	1.830	1.930	-5.5	108	0.00
45	T,M	Trichloroethene	0.505	0.490	3.0	101	0.00
46	T,M	Methyl methacrylate	0.448	0.312	30.4#	74	0.00
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.464	0.6	102	0.00
49	T,M	1,4-Dioxane	0.000	0.001	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	1.041	-17.8	120	0.00
51	T,M	Dibromomethane	0.380	0.389	-2.4	107	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D Vial: 37
Acq On : 11 Jun 2024 2:43 Operator: DNguye
Sample : EVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.157	32.0#	67	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.440	14.1	84	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.833	-2.0	103	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	97	0.00
56	S	Toluene-d8	1.987	2.084	-4.9	101	0.00
57	T,M	Ethyl methacrylate	0.682	0.723	-6.0	100	0.00
58	C,T,M	Toluene	2.268	2.532	-11.6	110	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.123	-15.8	111	0.00
60	T,M	2-Hexanone	0.410	0.377	8.0	85	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.565	-5.0	103	0.00
62	T,M	1,3-Dichloropropane	0.799	0.904	-13.1	112	0.00
63	T,M	Tetrachloroethene	0.496	0.533	-7.5	109	0.00
64	T,M	Dibromochloromethane	0.807	0.827	-2.5	102	0.00
65	T,M	1,2-Dibromoethane	0.580	0.565	2.6	93	0.00
66	T,M	1-Chlorohexane	0.751	0.800	-6.5	104	0.00
67	P,T,M	Chlorobenzene	1.498	1.637	-9.3	109	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.725	-13.8	109	0.00
69	C,T,M	Ethylbenzene	2.742	3.138	-14.4	115	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.513	-12.4	118	0.00
71	T,M	o-Xylene	2.117	2.456	-16.0	113	0.00
72	T,M	Styrene	1.480	1.672	-13.0	109	0.00
73	T,M	Isopropylbenzene	2.412	2.792	-15.8	112	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	112	0.00
75	P,T,M	Bromoform	1.091	1.001	8.2	105	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.313	5.8	109	-0.01
77	S	4-Bromofluorobenzene	1.587	1.595	-0.5	115	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.392	-1.8	117	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.396	-1.8	112	0.00
80	T,M	n-Propylbenzene	6.341	6.339	0.0	118	0.00
81	T,M	Bromobenzene	1.392	1.352	2.9	109	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.354	0.1	116	-0.01
83	T,M	2-Chlorotoluene	3.914	3.897	0.4	119	0.00
84	T,M	4-Chlorotoluene	3.796	4.060	-7.0	118	0.00
85	T,M	tert-Butylbenzene	0.675	0.660	2.2	114	-0.01
86	T,M	1,2,4-Trimethylbenzene	4.263	4.477	-5.0	120	0.00
87	T,M	sec-Butylbenzene	4.940	4.970	-0.6	115	0.00
88	T,M	p-Isopropyltoluene	4.145	4.086	1.4	115	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.234	3.0	115	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.321	-2.3	116	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.286	2.7	115	0.00
92	T,M	n-Butylbenzene	3.942	3.906	0.9	116	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.188	-0.2	122	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.248	12.4	105	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.278	14.4	111	0.00
96	T,M	Hexachlorobutadiene	0.755	0.768	-1.7	115	0.00
97	T,M	Naphthalene	3.377	2.971	12.0	100	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.259	11.3	115	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F10\RFG088.D Vial: 37
Acq On : 11 Jun 2024 2:43 Operator: DNguye
Sample : EVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG088.D
Acq On : 11 Jun 2024 2:43
Sample : EVOE2E1706
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Vial: 37
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	493624	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	398955	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	221976	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	307056	10.16	ug/l	0.00
Spiked Amount 10.000			Recovery = 101.60%			
41) 1,2-Dichloroethane-d4	5.723	65	461960	11.56	ug/L	0.00
Spiked Amount 10.000			Recovery = 115.60%			
56) Toluene-d8	7.594	98	831462	10.49	ug/l	0.00
Spiked Amount 10.000			Recovery = 104.90%			
77) 4-Bromofluorobenzene	11.369	95	354126	10.05	ug/l	0.00
Spiked Amount 10.000			Recovery = 100.50%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	336748	11.89	ug/l	98
3) Chloromethane	2.906	50	154384	7.59	ug/l	98
4) Vinyl chloride	2.994	62	253169	11.79	ug/l	95
5) Bromomethane	3.313	94	114270	7.87	ug/l	97
6) Dichlorofluoromethane	3.357	67	544565	11.10	ug/L	99
7) Chloroethane	3.346	64	94354	8.97	ug/l	98
8) Trichlorofluoromethane	3.511	101	467257	9.69	ug/l	99
9) Acrolein	3.742	56	99065	30.86	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	215886	10.27	ug/l	98
11) Acetone	3.764	43	294402	45.97	ug/l	97
12) tert-Butyl alcohol	3.874	59	663600	221.07	ug/L	98
13) 1,1-Dichloroethene	3.896	61	469668	10.64	ug/l	97
14) Acetonitrile	3.874	41	139835	93.87	ug/L	94
15) Allyl chloride	4.105	76	119441	10.25	ug/L	100
16) Iodomethane	4.149	142	232127	9.91	ug/l	82
18) Methylene chloride	4.182	49	338081	10.75	ug/l	98
19) Acrylonitrile	4.215	53	289871	39.06	ug/l	97
20) tert-Butyl methyl ethe...	4.226	73	818095	11.09	ug/L	94
21) Carbon disulfide	4.304	76	697990	10.32	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	238047	10.11	ug/l	98
23) Isopropyl ether (DIPE)	4.458	45	718115	9.57	ug/l	95
24) Vinyl acetate	4.546	43	231013	5.40	ug/l	100
25) 1,1-Dichloroethane	4.634	63	489675	10.28	ug/l	98
26) tert-Butyl ethyl ether...	4.733	59	857587	9.41	ug/l	87
27) 2-Butanone	4.854	72	95825	41.37	ug/l	97
28) Propionitrile	4.909	54	245032	89.79	ug/L	98
29) Isobutyl alcohol	5.030	43	153518	159.21	ug/L	87
30) 2,2-Dichloropropane	5.030	77	512217	10.75	ug/l	99
31) Methacrylonitrile	5.052	52	475421	106.11	ug/L	99
32) cis-1,2-Dichloroethene	5.063	96	279078	10.41	ug/l	99
33) Chloroform	5.173	83	649869	11.01	ug/l	97
34) Bromochloromethane	5.327	130	156386	9.93	ug/l	98
35) Tetrahydrofuran	5.316	42	53512	8.60	ug/L	95
37) 1,1,1-Trichloroethane	5.492	97	637547	11.97	ug/l	98
39) tert-Amyl methyl ether...	5.613	87	181798	11.18	ug/l	96
40) 1,1-Dichloropropene	5.613	110	118844	10.20	ug/L	98
42) Carbon tetrachloride	5.734	119	553612	12.29	ug/L	100
43) 1,2-Dichloroethane	5.800	62	572901	12.62	ug/L	98
44) Benzene	5.866	78	952887	10.55	ug/L	98

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG088.D Vial: 37
Acq On : 11 Jun 2024 2:43 Operator: DNguye
Sample : EVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Trichloroethene	6.372	130	241877	9.70	ug/L	98
46) Methyl methacrylate	6.439	69	153988	6.97	ug/L	79
48) 1,2-Dichloropropane	6.527	63	228917	9.93	ug/L	82
50) Bromodichloromethane	6.769	83	513918	11.78	ug/L	96
51) Dibromomethane	6.868	93	192093	10.24	ug/L	96
52) 2-Chloroethyl vinyl ether	6.934	63	77348	6.77	ug/L	98
53) 4-Methyl-2-pentanone	6.956	43	1085247	42.97	ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	411208	10.20	ug/L	94
57) Ethyl methacrylate	7.693	69	288509	10.60	ug/L	100
58) Toluene	7.693	91	1010214	11.16	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	447982	11.57	ug/l	96
60) 2-Hexanone	7.935	43	752080	45.97	ug/l	96
61) 1,1,2-Trichloroethane	8.045	97	225374	10.50	ug/l	96
62) 1,3-Dichloropropane	8.353	76	360623	11.31	ug/l	99
63) Tetrachloroethene	8.508	164	212760	10.76	ug/l	97
64) Dibromochloromethane	8.783	129	329948	10.24	ug/l	100
65) 1,2-Dibromoethane	9.069	107	225594	9.75	ug/l	97
66) 1-Chlorohexane	9.124	91	319202	10.66	ug/l	100
67) Chlorobenzene	9.619	112	652933	10.93	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.652	131	289052	11.37	ug/l	98
69) Ethylbenzene	9.641	91	1252113	11.45	ug/l	99
70) m-Xylene & p-Xylene	9.740	91	2004788	22.48	ug/l	97
71) o-Xylene	10.411	91	979707	11.60	ug/l	98
72) Styrene	10.455	104	667081	11.30	ug/l	93
73) Isopropylbenzene	10.940	105	1113978	11.58	ug/L	99
75) Bromoform	11.061	173	222145	9.17	ug/l	98
76) 1,1,2,2-Tetrachloroethane	11.193	83	291455	9.42	ug/l	96
78) 1,2,3-Trichloropropane	11.446	110	87045	10.19	ug/l	96
79) trans-1,4-Dichloro-2-b...	11.512	53	87849	10.16	ug/l	100
80) n-Propylbenzene	11.578	91	1407148	10.00	ug/l	99
81) Bromobenzene	11.732	156	300002	9.71	ug/l	99
82) 1,3,5-Trimethylbenzene	11.820	105	966431	9.99	ug/l	98
83) 2-Chlorotoluene	11.919	91	865017	9.96	ug/l	96
84) 4-Chlorotoluene	11.974	91	901250	12.32	ug/l	97
85) tert-Butylbenzene	12.403	134	146427	9.78	ug/l	100
86) 1,2,4-Trimethylbenzene	12.469	105	993689	10.50	ug/l	96
87) sec-Butylbenzene	12.745	105	1103222	10.06	ug/l	100
88) p-Isopropyltoluene	12.954	119	907042	9.86	ug/l	96
89) 1,3-Dichlorobenzene	13.163	146	495985	11.23	ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	959108	10.23	ug/L	99
91) 1,4-Dichlorobenzene	13.328	146	507369	11.06	ug/l	98
92) n-Butylbenzene	13.614	91	867017	9.91	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	485604	10.01	ug/l	96
94) 1,2-Dibromo-3-chloropr...	15.133	157	54964	8.74	ug/l	100
95) 1,2,4-Trichlorobenzene	16.464	180	283643	9.60	ug/l	99
96) Hexachlorobutadiene	16.662	225	170511	10.17	ug/l	97
97) Naphthalene	16.871	128	659535	8.80	ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	279461	9.96	ug/l	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F10\RFG088.D Vial: 37
Acq On : 11 Jun 2024 2:43 Operator: DNguye
Sample : EVOE2E1706 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 13:43:34 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F004
Lab File ID: RFG091 BFB Injection Date: 06/11/24
Instrument ID: E2 BFB Injection Time: 12:47

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.430
75	30 - 60% of mass 95	58.855
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	7.042
173	Less than 2% of mass 174	0.000(0)1
174	Greater than 50% of mass 95	86.589
175	5 - 9% of mass 174	6.114(7.06)1
176	95 - 101% % of mass 174	82.804(95.63)1
177	5 - 9% % of mass 176	6.481(7.83)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1707	RFG092	06/11/24	13:35
2	LCS3W	VOE2F04L	RFG093	06/11/24	14:15
3	LCD3W	VOE2F04C	RFG094	06/11/24	14:39
4	MBLK3W	VOE2F04B	RFG096	06/11/24	15:26
5	T1AMF-MW022-MAY24	24F004-06N	RFG097	06/11/24	15:50
6	T1AMF-MW019-MAY24	24F004-01N	RFG098	06/11/24	16:14
7	T1AMF-EW001-MAY24	24F004-08I	RFG100	06/11/24	17:01
8	VSTD10	EVOE2E1707	RFG119	06/12/24	00:30

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: ENAX Laboratories, Inc.
Lab Code: ENAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F004
Date Analyzed: 05/17/24
Time Analyzed: 14:09


	INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
		Area #	RT #	Area #	RT #	Area #	RT #
	12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
	UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
	LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
		Area #	RT #	Area #	RT #	Area #	RT #
1	VSTD10	670311	5.99	536256	9.56	276585	13.89
2	LCS3W	700127	5.99	552821	9.56	279028	13.89
3	LCD3W	703905	5.99	550837	9.56	285241	13.89
4	MBLK3W	600187	5.99	469288	9.56	222326	13.89
5	T1AMF-MW022-MAY24	566942	5.99	442190	9.56	207301	13.89
6	T1AMF-MW019-MAY24	544038	5.99	426447	9.56	204205	13.88
7	T1AMF-EW001-MAY24	506438	5.99	398590	9.56	193637	13.89
8	VSTD10	558649	5.99	454298	9.56	253559	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Data Path : D:\Data\24F11\
Data File : RFG091.D
Acq On : 11 Jun 2024 12:47
Operator : DNguye
Sample : BFBF04
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



AutoFind: Scans 797, 798, 799; Background Corrected with Scan 791

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	20.4	8738	PASS
75	95	30	60	58.9	25173	PASS
95	95	100	100	100.0	42771	PASS
96	95	5	9	7.0	3012	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	100	86.6	37035	PASS
175	174	5	9	7.1	2615	PASS
176	174	95	101	95.6	35416	PASS
177	176	5	9	7.8	2772	PASS

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D Vial: 2
Acq On : 11 Jun 2024 13:35 Operator: DNguye
Sample : CVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	139	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.649	-6.5	166	0.00
3	P,T,M	Chloromethane	10.000	8.586	14.1	131	0.00
4	C,T,M	Vinyl chloride	10.000	10.811	-8.1	157	0.00
5	T,M	Bromomethane	10.000	9.771	2.3	163	0.00
6	T,M	Dichlorofluoromethane	10.000	9.548	4.5	133	0.00
7	T,M	Chloroethane	10.000	8.924	10.8	129	0.00
8	T,M	Trichlorofluoromethane	10.000	8.783	12.2	132	0.00
9	T,M	Acrolein	50.000	34.629	30.7#	98	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	8.679	13.2	125	0.00
11	T,M	Acetone	50.000	43.317	13.4	114	0.00
12	T,M	tert-Butyl alcohol	250.000	188.868	24.5#	105	0.00
13	C,T,M	1,1-Dichloroethene	10.000	8.941	10.6	125	0.00
14	T,M	Acetonitrile	100.000	81.614	18.4	112	0.00
15	T,M	Allyl chloride	10.000	9.379	6.2	128	0.00
16	T,M	Iodomethane	10.000	11.646	-16.5	178	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	10.524	-5.2	127	0.00
19	T,M	Acrylonitrile	50.000	36.443	27.1#	96	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	9.529	4.7	131	0.00
21	T,M	Carbon disulfide	10.000	8.924	10.8	123	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	8.687	13.1	123	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	8.519	14.8	119	0.01
24	T,M	Vinyl acetate	10.000	6.518	34.8#	84	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.014	9.9	129	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	8.169	18.3	113	0.00
27	T,M	2-Butanone	50.000	37.923	24.2#	100	0.00
28	T,M	Propionitrile	100.000	81.332	18.7	117	0.00
29	T,M	Isobutyl alcohol	200.000	151.186	24.4#	104	0.00
30	T,M	2,2-Dichloropropane	10.000	10.189	-1.9	137	0.00
31	T,M	Methacrylonitrile	100.000	87.958	12.0	124	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.028	9.7	131	0.00
33	C,T,M	Chloroform	10.000	9.138	8.6	136	0.00
34	T,M	Bromochloromethane	10.000	8.446	15.5	114	0.00
35	T,M	Tetrahydrofuran	10.000	7.721	22.8#	109	-0.01
36	S	Dibromofluoromethane	10.000	9.705	2.9	132	0.00
37	T,M	1,1,1-Trichloroethane	10.000	9.866	1.3	137	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	9.277	7.2	123	0.00
40	T,M	1,1-Dichloropropene	10.000	8.871	11.3	120	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.597	-6.0	152	0.00
42	T,M	Carbon tetrachloride	10.000	9.739	2.6	132	0.00
43	T,M	1,2-Dichloroethane	10.000	10.080	-0.8	137	0.00
44	T,M	Benzene	10.000	9.061	9.4	126	0.00
45	T,M	Trichloroethene	10.000	8.246	17.5	117	0.00
46	T,M	Methyl methacrylate	10.000	5.935	40.7#	86	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	8.839	11.6	123	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.01
50	T,M	Bromodichloromethane	10.000	9.636	3.6	133	0.01
51	T,M	Dibromomethane	10.000	8.470	15.3	120	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D Vial: 2
Acq On : 11 Jun 2024 13:35 Operator: DNguye
Sample : CVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	5.920	40.8#	80	0.00
53	T,M	4-Methyl-2-pentanone	50.000	37.966	24.1#	101	0.01
54	T,M	cis-1,3-Dichloropropene	10.000	8.995	10.1	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	131	0.00
56	S	Toluene-d8	10.000	10.547	-5.5	137	0.00
57	T,M	Ethyl methacrylate	10.000	9.244	7.6	117	0.00
58	C,T,M	Toluene	10.000	9.752	2.5	129	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	9.861	1.4	127	0.00
60	T,M	2-Hexanone	50.000	40.672	18.7	101	0.01
61	T,M	1,1,2-Trichloroethane	10.000	9.121	8.8	120	0.00
62	T,M	1,3-Dichloropropane	10.000	9.625	3.8	128	0.00
63	T,M	Tetrachloroethene	10.000	9.050	9.5	123	0.01
64	T,M	Dibromochloromethane	10.000	8.470	15.3	114	0.00
65	T,M	1,2-Dibromoethane	10.000	8.250	17.5	106	0.00
66	T,M	1-Chlorohexane	10.000	9.359	6.4	123	0.00
67	P,T,M	Chlorobenzene	10.000	9.312	6.9	125	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.481	5.2	122	0.00
69	C,T,M	Ethylbenzene	10.000	9.633	3.7	130	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.700	6.5	132	0.01
71	T,M	o-Xylene	10.000	9.826	1.7	129	0.01
72	T,M	Styrene	10.000	9.591	4.1	125	0.01
73	T,M	Isopropylbenzene	10.000	9.667	3.3	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	140	0.00
75	P,T,M	Bromoform	10.000	7.979	20.2#	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.290	17.1	120	0.00
77	S	4-Bromofluorobenzene	10.000	10.427	-4.3	148	0.00
78	T,M	1,2,3-Trichloropropane	10.000	8.633	13.7	124	0.01
79	T,M	trans-1,4-Dichloro-2-butene	10.000	8.773	12.3	121	0.01
80	T,M	n-Propylbenzene	10.000	9.032	9.7	133	0.00
81	T,M	Bromobenzene	10.000	8.711	12.9	122	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	8.948	10.5	130	0.00
83	T,M	2-Chlorotoluene	10.000	9.622	3.8	143	0.00
84	T,M	4-Chlorotoluene	10.000	10.110	-1.1	121	0.01
85	T,M	tert-Butylbenzene	10.000	9.022	9.8	131	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	8.989	10.1	128	0.01
87	T,M	sec-Butylbenzene	10.000	9.033	9.7	129	0.01
88	T,M	p-Isopropyltoluene	10.000	8.762	12.4	128	0.00
89	T,M	1,3-Dichlorobenzene	10.000	9.940	0.6	127	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	8.965	10.4	127	0.01
91	T,M	1,4-Dichlorobenzene	10.000	9.670	3.3	126	0.00
92	T,M	n-Butylbenzene	10.000	8.962	10.4	130	0.00
93	T,M	1,2-Dichlorobenzene	10.000	8.707	12.9	132	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.548	24.5#	113	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	9.068	9.3	131	0.00
96	T,M	Hexachlorobutadiene	10.000	9.359	6.4	132	0.00
97	T,M	Naphthalene	10.000	8.020	19.8	114	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.765	12.3	126	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D Vial: 2
Acq On : 11 Jun 2024 13:35 Operator: DNguye
Sample : CVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	139	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.611	-6.4	166	0.00
3	P,T,M	Chloromethane	0.412	0.354	14.1	131	0.00
4	C,T,M	Vinyl chloride	0.435	0.470	-8.0	157	0.00
5	T,M	Bromomethane	0.294	0.287	2.4	163	0.00
6	T,M	Dichlorofluoromethane	0.994	0.949	4.5	133	0.00
7	T,M	Chloroethane	0.213	0.190	10.8	129	0.00
8	T,M	Trichlorofluoromethane	0.977	0.858	12.2	132	0.00
9	T,M	Acrolein	0.065	0.045	30.8#	98	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.370	13.1	125	0.00
11	T,M	Acetone	0.181	0.113	37.6#	114	0.00
12	T,M	tert-Butyl alcohol	0.061	0.046	24.6#	105	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.799	10.6	125	0.00
14	T,M	Acetonitrile	0.030	0.025	16.7	112	0.00
15	T,M	Allyl chloride	0.236	0.221	6.4	128	0.00
16	T,M	Iodomethane	0.429	0.555	-29.4#	178	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.671	16.2	127	0.00
19	T,M	Acrylonitrile	0.150	0.110	26.7#	96	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.424	4.7	131	0.00
21	T,M	Carbon disulfide	1.370	1.222	10.8	123	0.01
22	T,M	trans-1,2-Dichloroethene	0.477	0.414	13.2	123	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.295	14.8	119	0.01
24	T,M	Vinyl acetate	0.866	0.564	34.9#	84	0.00
25	P,T,M	1,1-Dichloroethane	0.965	0.870	9.8	129	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.508	18.3	113	0.00
27	T,M	2-Butanone	0.047	0.036	23.4#	100	0.00
28	T,M	Propionitrile	0.055	0.045	18.2	117	0.00
29	T,M	Isobutyl alcohol	0.020	0.015	25.0#	104	0.00
30	T,M	2,2-Dichloropropane	0.966	0.984	-1.9	137	0.00
31	T,M	Methacrylonitrile	0.091	0.080	12.1	124	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.490	9.8	131	0.00
33	C,T,M	Chloroform	1.196	1.093	8.6	136	0.00
34	T,M	Bromochloromethane	0.319	0.269	15.7	114	0.00
35	T,M	Tetrahydrofuran	0.126	0.097	23.0#	109	-0.01
36	S	Dibromofluoromethane	0.612	0.594	2.9	132	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.064	1.4	137	0.00
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.306	7.0	123	0.00
40	T,M	1,1-Dichloropropene	0.236	0.209	11.4	120	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.858	-6.1	152	0.00
42	T,M	Carbon tetrachloride	0.913	0.889	2.6	132	0.00
43	T,M	1,2-Dichloroethane	0.919	0.927	-0.9	137	0.00
44	T,M	Benzene	1.830	1.658	9.4	126	0.00
45	T,M	Trichloroethene	0.505	0.416	17.6	117	0.00
46	T,M	Methyl methacrylate	0.448	0.266	40.6#	86	0.00
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.413	11.6	123	0.00
49	T,M	1,4-Dioxane	0.000	0.002	0.0	0#	0.01
50	T,M	Bromodichloromethane	0.884	0.852	3.6	133	0.01
51	T,M	Dibromomethane	0.380	0.322	15.3	120	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.137	40.7#	80	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.388	24.2#	101	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.735	10.0	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	131	0.00
56	S	Toluene-d8	1.987	2.096	-5.5	137	0.00
57	T,M	Ethyl methacrylate	0.682	0.631	7.5	117	0.00
58	C,T,M	Toluene	2.268	2.212	2.5	129	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.957	1.3	127	0.00
60	T,M	2-Hexanone	0.410	0.334	18.5	101	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.491	8.7	120	0.00
62	T,M	1,3-Dichloropropane	0.799	0.769	3.8	128	0.00
63	T,M	Tetrachloroethene	0.496	0.449	9.5	123	0.01
64	T,M	Dibromochloromethane	0.807	0.684	15.2	114	0.00
65	T,M	1,2-Dibromoethane	0.580	0.479	17.4	106	0.00
66	T,M	1-Chlorohexane	0.751	0.702	6.5	123	0.00
67	P,T,M	Chlorobenzene	1.498	1.395	6.9	125	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.604	5.2	122	0.00
69	C,T,M	Ethylbenzene	2.742	2.641	3.7	130	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.090	6.5	132	0.01
71	T,M	o-Xylene	2.117	2.080	1.7	129	0.01
72	T,M	Styrene	1.480	1.420	4.1	125	0.01
73	T,M	Isopropylbenzene	2.412	2.331	3.4	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	140	0.00
75	P,T,M	Bromoform	1.091	0.871	20.2#	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.155	17.1	120	0.00
77	S	4-Bromofluorobenzene	1.587	1.655	-4.3	148	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.332	13.8	124	0.01
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.342	12.1	121	0.01
80	T,M	n-Propylbenzene	6.341	5.727	9.7	133	0.00
81	T,M	Bromobenzene	1.392	1.212	12.9	122	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.901	10.5	130	0.00
83	T,M	2-Chlorotoluene	3.914	3.765	3.8	143	0.00
84	T,M	4-Chlorotoluene	3.796	3.357	11.6	121	0.01
85	T,M	tert-Butylbenzene	0.675	0.609	9.8	131	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.832	10.1	128	0.01
87	T,M	sec-Butylbenzene	4.940	4.462	9.7	129	0.01
88	T,M	p-Isopropyltoluene	4.145	3.632	12.4	128	0.00
89	T,M	1,3-Dichlorobenzene	2.303	1.988	13.7	127	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	3.787	10.3	127	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.009	14.5	126	0.00
92	T,M	n-Butylbenzene	3.942	3.533	10.4	130	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.902	12.9	132	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.214	24.4#	113	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.210	19.0	131	0.00
96	T,M	Hexachlorobutadiene	0.755	0.707	6.4	132	0.00
97	T,M	Naphthalene	3.377	2.709	19.8	114	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.113	21.6#	126	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG092.D Vial: 2
Acq On : 11 Jun 2024 13:35 Operator: DNguye
Sample : CVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	670311	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	536256	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	276585	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	398438	9.71	ug/l	0.00
Spiked Amount 10.000			Recovery = 97.10%			
41) 1,2-Dichloroethane-d4	5.723	65	574875	10.60	ug/L	0.00
Spiked Amount 10.000			Recovery = 106.00%			
56) Toluene-d8	7.594	98	1123862	10.55	ug/l	0.00
Spiked Amount 10.000			Recovery = 105.50%			
77) 4-Bromofluorobenzene	11.369	95	457799	10.43	ug/l	0.00
Spiked Amount 10.000			Recovery = 104.30%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	409663	10.65	ug/l	100
3) Chloromethane	2.906	50	237016	8.59	ug/l	99
4) Vinyl chloride	2.994	62	315166	10.81	ug/l	98
5) Bromomethane	3.313	94	192654	9.77	ug/l	94
6) Dichlorofluoromethane	3.357	67	636053	9.55	ug/L	99
7) Chloroethane	3.346	64	127455	8.92	ug/l	99
8) Trichlorofluoromethane	3.511	101	575223	8.78	ug/l	99
9) Acrolein	3.742	56	150956	34.63	ug/l	97
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	247835	8.68	ug/l	100
11) Acetone	3.764	43	379001	43.32	ug/l	97
12) tert-Butyl alcohol	3.874	59	769858	188.87	ug/L	98
13) 1,1-Dichloroethene	3.907	61	535676	8.94	ug/l	97
14) Acetonitrile	3.874	41	165094	81.61	ug/L	99
15) Allyl chloride	4.105	76	148396	9.38	ug/L	97
16) Iodomethane	4.149	142	372132	11.65	ug/l	91
18) Methylene chloride	4.182	49	450035	10.52	ug/l	98
19) Acrylonitrile	4.215	53	367270	36.44	ug/l	99
20) tert-Butyl methyl ethe...	4.226	73	954476	9.53	ug/L	96
21) Carbon disulfide	4.315	76	819282	8.92	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	277671	8.69	ug/l	98
23) Isopropyl ether (DIPE)	4.469	45	868254	8.52	ug/l	96
24) Vinyl acetate	4.546	43	378357	6.52	ug/l	98
25) 1,1-Dichloroethane	4.634	63	582840	9.01	ug/l	98
26) tert-Butyl ethyl ether...	4.733	59	1011074	8.17	ug/l	89
27) 2-Butanone	4.854	72	119284	37.92	ug/l	100
28) Propionitrile	4.909	54	301411	81.33	ug/L	97
29) Isobutyl alcohol	5.030	43	197961	151.19	ug/L	93
30) 2,2-Dichloropropane	5.019	77	659505	10.19	ug/l	97
31) Methacrylonitrile	5.052	52	535175	87.96	ug/L	98
32) cis-1,2-Dichloroethene	5.063	96	328565	9.03	ug/l	99
33) Chloroform	5.173	83	732545	9.14	ug/l	96
34) Bromochloromethane	5.327	130	180551	8.45	ug/l	100
35) Tetrahydrofuran	5.316	42	65214	7.72	ug/L	96
37) 1,1,1-Trichloroethane	5.492	97	713285	9.87	ug/l	98
39) tert-Amyl methyl ether...	5.613	87	204906	9.28	ug/l	98
40) 1,1-Dichloropropene	5.613	110	140416	8.87	ug/L	99
42) Carbon tetrachloride	5.734	119	595828	9.74	ug/L	99
43) 1,2-Dichloroethane	5.800	62	621168	10.08	ug/L	98
44) Benzene	5.866	78	1111269	9.06	ug/L	98

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) Trichloroethene	6.372	130	279167	8.25	ug/L		97
46) Methyl methacrylate	6.439	69	178027	5.93	ug/L	#	76
48) 1,2-Dichloropropane	6.527	63	276700	8.84	ug/L		87
50) Bromodichloromethane	6.780	83	570890	9.64	ug/L		97
51) Dibromomethane	6.868	93	215734	8.47	ug/L		97
52) 2-Chloroethyl vinyl ether	6.934	63	91785	5.92	ug/L		97
53) 4-Methyl-2-pentanone	6.967	43	1301951	37.97	ug/L		98
54) cis-1,3-Dichloropropene	7.275	75	492380	8.99	ug/L		96
57) Ethyl methacrylate	7.693	69	338297	9.24	ug/L		97
58) Toluene	7.693	91	1185996	9.75	ug/l		100
59) trans-1,3-Dichloropropene	7.814	75	513164	9.86	ug/l		99
60) 2-Hexanone	7.946	43	894344	40.67	ug/l		99
61) 1,1,2-Trichloroethane	8.045	97	263259	9.12	ug/l		97
62) 1,3-Dichloropropane	8.353	76	412550	9.62	ug/l		99
63) Tetrachloroethene	8.518	164	240605	9.05	ug/l		96
64) Dibromochloromethane	8.783	129	366701	8.47	ug/l		100
65) 1,2-Dibromoethane	9.069	107	256623	8.25	ug/l		95
66) 1-Chlorohexane	9.124	91	376692	9.36	ug/l		100
67) Chlorobenzene	9.619	112	748031	9.31	ug/l		100
68) 1,1,1,2-Tetrachloroethane	9.652	131	324067	9.48	ug/l		100
69) Ethylbenzene	9.641	91	1416491	9.63	ug/l		99
70) m-Xylene & p-Xylene	9.751	91	2242038	18.70	ug/l		99
71) o-Xylene	10.422	91	1115243	9.83	ug/l		98
72) Styrene	10.466	104	761260	9.59	ug/l		95
73) Isopropylbenzene	10.940	105	1250251	9.67	ug/L		98
75) Bromoform	11.061	173	240858	7.98	ug/l		99
76) 1,1,2,2-Tetrachloroethane	11.204	83	319581	8.29	ug/l		97
78) 1,2,3-Trichloropropane	11.457	110	91884	8.63	ug/l		98
79) trans-1,4-Dichloro-2-b...	11.523	53	94487	8.77	ug/l		97
80) n-Propylbenzene	11.578	91	1583919	9.03	ug/l		99
81) Bromobenzene	11.732	156	335303	8.71	ug/l		99
82) 1,3,5-Trimethylbenzene	11.831	105	1078870	8.95	ug/l		98
83) 2-Chlorotoluene	11.919	91	1041463	9.62	ug/l		90
84) 4-Chlorotoluene	11.985	91	928419	10.11	ug/l		99
85) tert-Butylbenzene	12.414	134	168345	9.02	ug/l		96
86) 1,2,4-Trimethylbenzene	12.480	105	1059907	8.99	ug/l		98
87) sec-Butylbenzene	12.756	105	1234139	9.03	ug/l		100
88) p-Isopropyltoluene	12.954	119	1004481	8.76	ug/l		97
89) 1,3-Dichlorobenzene	13.174	146	549879	9.94	ug/l		99
90) 1,2,3-Trimethylbenzene	13.262	105	1047396	8.96	ug/L		99
91) 1,4-Dichlorobenzene	13.328	146	555648	9.67	ug/l		99
92) n-Butylbenzene	13.614	91	977189	8.96	ug/l		100
93) 1,2-Dichlorobenzene	13.933	146	526048	8.71	ug/l		97
94) 1,2-Dibromo-3-chloropr...	15.144	157	59164	7.55	ug/l		93
95) 1,2,4-Trichlorobenzene	16.464	180	334686	9.07	ug/l		98
96) Hexachlorobutadiene	16.662	225	195472	9.36	ug/l		98
97) Naphthalene	16.871	128	749136	8.02	ug/l		99
98) 1,2,3-Trichlorobenzene	17.235	180	307886	8.77	ug/l		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG092.D Vial: 2
Acq On : 11 Jun 2024 13:35 Operator: DNguye
Sample : CVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D Vial: 29
Acq On : 12 Jun 2024 00:30 Operator: DNguye
Sample : EVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	115	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.899	-9.0	142	0.00
3	P,T,M	Chloromethane	10.000	10.507	-5.1	134	0.00
4	C,T,M	Vinyl chloride	10.000	14.645	-46.4#	177	0.00
5	T,M	Bromomethane	10.000	5.366	46.3#	75	0.00
6	T,M	Dichlorofluoromethane	10.000	10.635	-6.3	123	0.00
7	T,M	Chloroethane	10.000	8.983	10.2	108	0.00
8	T,M	Trichlorofluoromethane	10.000	8.845	11.5	111	0.00
9	T,M	Acrolein	50.000	27.725	44.5#	65	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	9.660	3.4	116	0.00
11	T,M	Acetone	50.000	43.732	12.5	96	0.00
12	T,M	tert-Butyl alcohol	250.000	220.530	11.8	102	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.041	-0.4	117	0.00
14	T,M	Acetonitrile	100.000	96.026	4.0	109	0.00
15	T,M	Allyl chloride	10.000	10.309	-3.1	117	0.00
16	T,M	Iodomethane	10.000	6.669	33.3#	83	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	11.646	-16.5	117	0.00
19	T,M	Acrylonitrile	50.000	37.860	24.3#	83	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.448	-4.5	120	0.00
21	T,M	Carbon disulfide	10.000	9.631	3.7	111	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	9.302	7.0	110	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	9.475	5.3	110	0.00
24	T,M	Vinyl acetate	10.000	4.668	53.3#	50	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.917	0.8	118	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.146	8.5	105	0.00
27	T,M	2-Butanone	50.000	38.964	22.1#	86	0.00
28	T,M	Propionitrile	100.000	87.169	12.8	104	0.00
29	T,M	Isobutyl alcohol	200.000	162.595	18.7	93	0.00
30	T,M	2,2-Dichloropropane	10.000	9.936	0.6	112	0.00
31	T,M	Methacrylonitrile	100.000	98.112	1.9	115	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.823	1.8	119	0.00
33	C,T,M	Chloroform	10.000	10.263	-2.6	127	0.00
34	T,M	Bromochloromethane	10.000	9.343	6.6	105	0.00
35	T,M	Tetrahydrofuran	10.000	8.042	19.6	94	-0.01
36	S	Dibromofluoromethane	10.000	9.797	2.0	111	0.00
37	T,M	1,1,1-Trichloroethane	10.000	11.196	-12.0	130	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.723	-7.2	118	0.00
40	T,M	1,1-Dichloropropene	10.000	9.737	2.6	110	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.807	-8.1	129	0.00
42	T,M	Carbon tetrachloride	10.000	10.964	-9.6	124	0.00
43	T,M	1,2-Dichloroethane	10.000	11.513	-15.1	130	0.00
44	T,M	Benzene	10.000	10.133	-1.3	118	0.00
45	T,M	Trichloroethene	10.000	9.332	6.7	110	0.00
46	T,M	Methyl methacrylate	10.000	7.356	26.4#	89	-0.01
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.808	-8.1	126	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	11.853	-18.5	137	0.00
51	T,M	Dibromomethane	10.000	10.325	-3.2	122	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	6.922	30.8#	78	0.00
53	T,M	4-Methyl-2-pentanone	50.000	50.000	0.0	111	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.839	-8.4	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	111	0.00
56	S	Toluene-d8	10.000	10.731	-7.3	118	0.00
57	T,M	Ethyl methacrylate	10.000	11.287	-12.9	121	0.00
58	C,T,M	Toluene	10.000	11.162	-11.6	125	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.206	-12.1	122	0.00
60	T,M	2-Hexanone	50.000	46.086	7.8	97	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.767	2.3	109	0.00
62	T,M	1,3-Dichloropropane	10.000	10.557	-5.6	119	0.00
63	T,M	Tetrachloroethene	10.000	9.984	0.2	115	0.00
64	T,M	Dibromochloromethane	10.000	9.345	6.5	106	0.00
65	T,M	1,2-Dibromoethane	10.000	9.352	6.5	102	0.00
66	T,M	1-Chlorohexane	10.000	10.235	-2.3	114	0.00
67	P,T,M	Chlorobenzene	10.000	10.045	-0.4	114	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.661	-6.6	117	-0.01
69	C,T,M	Ethylbenzene	10.000	10.555	-5.5	121	0.00
70	T,M	m-Xylene & p-Xylene	20.000	20.592	-3.0	123	0.00
71	T,M	o-Xylene	10.000	10.863	-8.6	121	0.00
72	T,M	Styrene	10.000	10.638	-6.4	117	0.00
73	T,M	Isopropylbenzene	10.000	10.626	-6.3	117	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	128	0.00
75	P,T,M	Bromoform	10.000	7.882	21.2#	103	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.414	15.9	111	-0.01
77	S	4-Bromofluorobenzene	10.000	9.596	4.0	125	0.00
78	T,M	1,2,3-Trichloropropane	10.000	9.239	7.6	122	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	7.310	26.9#	92	0.00
80	T,M	n-Propylbenzene	10.000	9.067	9.3	123	0.00
81	T,M	Bromobenzene	10.000	8.800	12.0	113	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.018	9.8	120	-0.01
83	T,M	2-Chlorotoluene	10.000	9.124	8.8	125	0.00
84	T,M	4-Chlorotoluene	10.000	11.052	-10.5	121	0.00
85	T,M	tert-Butylbenzene	10.000	9.334	6.7	125	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	9.256	7.4	121	0.00
87	T,M	sec-Butylbenzene	10.000	8.968	10.3	117	0.00
88	T,M	p-Isopropyltoluene	10.000	9.112	8.9	122	0.00
89	T,M	1,3-Dichlorobenzene	10.000	10.374	-3.7	122	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	9.762	2.4	127	0.00
91	T,M	1,4-Dichlorobenzene	10.000	10.438	-4.4	125	0.00
92	T,M	n-Butylbenzene	10.000	9.705	2.9	129	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.067	9.3	126	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.358	26.4#	101	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	8.528	14.7	113	0.00
96	T,M	Hexachlorobutadiene	10.000	8.779	12.2	113	-0.01
97	T,M	Naphthalene	10.000	8.048	19.5	105	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.570	14.3	113	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	115	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.625	-8.9	142	0.00
3	P,T,M	Chloromethane	0.412	0.433	-5.1	134	0.00
4	C,T,M	Vinyl chloride	0.435	0.637	-46.4#	177	0.00
5	T,M	Bromomethane	0.294	0.158	46.3#	75	0.00
6	T,M	Dichlorofluoromethane	0.994	1.057	-6.3	123	0.00
7	T,M	Chloroethane	0.213	0.191	10.3	108	0.00
8	T,M	Trichlorofluoromethane	0.977	0.864	11.6	111	0.00
9	T,M	Acrolein	0.065	0.036	44.6#	65	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.411	3.5	116	0.00
11	T,M	Acetone	0.181	0.114	37.0#	96	0.00
12	T,M	tert-Butyl alcohol	0.061	0.054	11.5	102	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.897	-0.3	117	0.00
14	T,M	Acetonitrile	0.030	0.029	3.3	109	0.00
15	T,M	Allyl chloride	0.236	0.243	-3.0	117	0.00
16	T,M	Iodomethane	0.429	0.312	27.3#	83	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.738	7.9	117	0.00
19	T,M	Acrylonitrile	0.150	0.114	24.0#	83	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.561	-4.5	120	0.00
21	T,M	Carbon disulfide	1.370	1.319	3.7	111	0.00
22	T,M	trans-1,2-Dichloroethene	0.477	0.444	6.9	110	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.441	5.2	110	0.00
24	T,M	Vinyl acetate	0.866	0.404	53.3#	50	0.00
25	P,T,M	1,1-Dichloroethane	0.965	0.957	0.8	118	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.689	8.5	105	0.00
27	T,M	2-Butanone	0.047	0.037	21.3#	86	0.00
28	T,M	Propionitrile	0.055	0.048	12.7	104	0.00
29	T,M	Isobutyl alcohol	0.020	0.016	20.0	93	0.00
30	T,M	2,2-Dichloropropane	0.966	0.959	0.7	112	0.00
31	T,M	Methacrylonitrile	0.091	0.089	2.2	115	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.533	1.8	119	0.00
33	C,T,M	Chloroform	1.196	1.227	-2.6	127	0.00
34	T,M	Bromochloromethane	0.319	0.298	6.6	105	0.00
35	T,M	Tetrahydrofuran	0.126	0.101	19.8	94	-0.01
36	S	Dibromofluoromethane	0.612	0.600	2.0	111	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.208	-12.0	130	0.00
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.353	-7.3	118	0.00
40	T,M	1,1-Dichloropropene	0.236	0.230	2.5	110	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.875	-8.2	129	0.00
42	T,M	Carbon tetrachloride	0.913	1.001	-9.6	124	0.00
43	T,M	1,2-Dichloroethane	0.919	1.058	-15.1	130	0.00
44	T,M	Benzene	1.830	1.854	-1.3	118	0.00
45	T,M	Trichloroethene	0.505	0.471	6.7	110	0.00
46	T,M	Methyl methacrylate	0.448	0.329	26.6#	89	-0.01
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.505	-8.1	126	0.00
49	T,M	1,4-Dioxane	0.000	0.003	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	1.048	-18.6	137	0.00
51	T,M	Dibromomethane	0.380	0.392	-3.2	122	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.160	30.7#	78	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.512	0.0	111	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.885	-8.3	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	111	0.00
56	S	Toluene-d8	1.987	2.132	-7.3	118	0.00
57	T,M	Ethyl methacrylate	0.682	0.770	-12.9	121	0.00
58	C,T,M	Toluene	2.268	2.531	-11.6	125	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.087	-12.1	122	0.00
60	T,M	2-Hexanone	0.410	0.378	7.8	97	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.526	2.2	109	0.00
62	T,M	1,3-Dichloropropane	0.799	0.844	-5.6	119	0.00
63	T,M	Tetrachloroethene	0.496	0.495	0.2	115	0.00
64	T,M	Dibromochloromethane	0.807	0.754	6.6	106	0.00
65	T,M	1,2-Dibromoethane	0.580	0.542	6.6	102	0.00
66	T,M	1-Chlorohexane	0.751	0.768	-2.3	114	0.00
67	P,T,M	Chlorobenzene	1.498	1.505	-0.5	114	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.680	-6.8	117	-0.01
69	C,T,M	Ethylbenzene	2.742	2.894	-5.5	121	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.302	-3.0	123	0.00
71	T,M	o-Xylene	2.117	2.299	-8.6	121	0.00
72	T,M	Styrene	1.480	1.575	-6.4	117	0.00
73	T,M	Isopropylbenzene	2.412	2.563	-6.3	117	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	128	0.00
75	P,T,M	Bromoform	1.091	0.860	21.2#	103	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.173	15.9	111	-0.01
77	S	4-Bromofluorobenzene	1.587	1.523	4.0	125	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.356	7.5	122	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.285	26.7#	92	0.00
80	T,M	n-Propylbenzene	6.341	5.749	9.3	123	0.00
81	T,M	Bromobenzene	1.392	1.225	12.0	113	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.931	9.8	120	-0.01
83	T,M	2-Chlorotoluene	3.914	3.571	8.8	125	0.00
84	T,M	4-Chlorotoluene	3.796	3.656	3.7	121	0.00
85	T,M	tert-Butylbenzene	0.675	0.630	6.7	125	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.946	7.4	121	0.00
87	T,M	sec-Butylbenzene	4.940	4.430	10.3	117	0.00
88	T,M	p-Isopropyltoluene	4.145	3.777	8.9	122	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.071	10.1	122	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.124	2.4	127	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.162	8.0	125	0.00
92	T,M	n-Butylbenzene	3.942	3.826	2.9	129	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.981	9.3	126	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.209	26.1#	101	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.141	23.6#	113	0.00
96	T,M	Hexachlorobutadiene	0.755	0.663	12.2	113	-0.01
97	T,M	Naphthalene	3.377	2.718	19.5	105	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.089	23.3#	113	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D Vial: 29
Acq On : 12 Jun 2024 00:30 Operator: DNguye
Sample : EVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	558649	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	454298	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	253559	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	335211	9.80	ug/l	0.00
Spiked Amount 10.000			Recovery = 98.00%			
41) 1,2-Dichloroethane-d4	5.723	65	488608	10.81	ug/L	0.00
Spiked Amount 10.000			Recovery = 108.10%			
56) Toluene-d8	7.594	98	968731	10.73	ug/l	0.00
Spiked Amount 10.000			Recovery = 107.30%			
77) 4-Bromofluorobenzene	11.369	95	386253	9.60	ug/l	0.00
Spiked Amount 10.000			Recovery = 96.00%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	349427	10.90	ug/l	97
3) Chloromethane	2.906	50	241726	10.51	ug/l	99
4) Vinyl chloride	2.994	62	355831	14.65	ug/l	99
5) Bromomethane	3.313	94	88173	5.37	ug/l	95
6) Dichlorofluoromethane	3.357	67	590451	10.63	ug/L	99
7) Chloroethane	3.346	64	106926	8.98	ug/l	100
8) Trichlorofluoromethane	3.511	101	482838	8.85	ug/l	100
9) Acrolein	3.742	56	100727	27.72	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	229878	9.66	ug/l	99
11) Acetone	3.764	43	318575	43.73	ug/l	97
12) tert-Butyl alcohol	3.874	59	749171	220.53	ug/L	99
13) 1,1-Dichloroethene	3.907	61	501386	10.04	ug/l	97
14) Acetonitrile	3.874	41	161890	96.03	ug/L	92
15) Allyl chloride	4.105	76	135942	10.31	ug/L	97
16) Iodomethane	4.149	142	174271	6.67	ug/l	89
18) Methylene chloride	4.182	49	412143	11.65	ug/l	97
19) Acrylonitrile	4.215	53	317994	37.86	ug/l	98
20) tert-Butyl methyl ethe...	4.226	73	872149	10.45	ug/L	96
21) Carbon disulfide	4.304	76	736880	9.63	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	247820	9.30	ug/l	100
23) Isopropyl ether (DIPE)	4.458	45	804763	9.47	ug/l	97
24) Vinyl acetate	4.546	43	225842	4.67	ug/l	99
25) 1,1-Dichloroethane	4.634	63	534398	9.92	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	943389	9.15	ug/l	89
27) 2-Butanone	4.854	72	102142	38.96	ug/l	100
28) Propionitrile	4.909	54	269229	87.17	ug/L	99
29) Isobutyl alcohol	5.030	43	177435	162.60	ug/L	90
30) 2,2-Dichloropropane	5.019	77	535968	9.94	ug/l	99
31) Methacrylonitrile	5.052	52	497516	98.11	ug/L	100
32) cis-1,2-Dichloroethene	5.063	96	297945	9.82	ug/l	99
33) Chloroform	5.173	83	685656	10.26	ug/l	97
34) Bromochloromethane	5.327	130	166465	9.34	ug/l	100
35) Tetrahydrofuran	5.316	42	56611	8.04	ug/L	96
37) 1,1,1-Trichloroethane	5.492	97	674612	11.20	ug/l	100
39) tert-Amyl methyl ether...	5.613	87	197374	10.72	ug/l	99
40) 1,1-Dichloropropene	5.613	110	128447	9.74	ug/L	96
42) Carbon tetrachloride	5.734	119	559012	10.96	ug/L	99
43) 1,2-Dichloroethane	5.800	62	591281	11.51	ug/L	97
44) Benzene	5.866	78	1035783	10.13	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45)	Trichloroethene	6.372	130	263323	9.33	ug/L	94
46)	Methyl methacrylate	6.428	69	183918	7.36	ug/L	87
48)	1,2-Dichloropropane	6.527	63	281960	10.81	ug/L	87
50)	Bromodichloromethane	6.769	83	585219	11.85	ug/L	95
51)	Dibromomethane	6.857	93	219174	10.32	ug/L	93
52)	2-Chloroethyl vinyl ether	6.934	63	89448	6.92	ug/L	99
53)	4-Methyl-2-pentanone	6.956	43	1429003	50.00	ug/L	98
54)	cis-1,3-Dichloropropene	7.275	75	494478	10.84	ug/L	94
57)	Ethyl methacrylate	7.693	69	349925	11.29	ug/L	97
58)	Toluene	7.693	91	1150015	11.16	ug/l	100
59)	trans-1,3-Dichloropropene	7.814	75	494019	11.21	ug/l	94
60)	2-Hexanone	7.935	43	858508	46.09	ug/l	99
61)	1,1,2-Trichloroethane	8.045	97	238823	9.77	ug/l	97
62)	1,3-Dichloropropane	8.353	76	383359	10.56	ug/l	100
63)	Tetrachloroethene	8.508	164	224880	9.98	ug/l	96
64)	Dibromochloromethane	8.783	129	342734	9.34	ug/l	99
65)	1,2-Dibromoethane	9.069	107	246445	9.35	ug/l	100
66)	1-Chlorohexane	9.124	91	348988	10.23	ug/l	99
67)	Chlorobenzene	9.619	112	683636	10.05	ug/l	99
68)	1,1,1,2-Tetrachloroethane	9.641	131	308705	10.66	ug/l	99
69)	Ethylbenzene	9.641	91	1314796	10.55	ug/l	99
70)	m-Xylene & p-Xylene	9.740	91	2091623	20.59	ug/l	98
71)	o-Xylene	10.411	91	1044565	10.86	ug/l	97
72)	Styrene	10.455	104	715326	10.64	ug/l	95
73)	Isopropylbenzene	10.940	105	1164206	10.63	ug/L	99
75)	Bromoform	11.061	173	218105	7.88	ug/l	98
76)	1,1,2,2-Tetrachloroethane	11.193	83	297360	8.41	ug/l	96
78)	1,2,3-Trichloropropane	11.446	110	90145	9.24	ug/l	94
79)	trans-1,4-Dichloro-2-b...	11.512	53	72176	7.31	ug/l	92
80)	n-Propylbenzene	11.578	91	1457639	9.07	ug/l	98
81)	Bromobenzene	11.732	156	310504	8.80	ug/l	95
82)	1,3,5-Trimethylbenzene	11.820	105	996755	9.02	ug/l	97
83)	2-Chlorotoluene	11.919	91	905394	9.12	ug/l	90
84)	4-Chlorotoluene	11.974	91	927005	11.05	ug/l	98
85)	tert-Butylbenzene	12.414	134	159661	9.33	ug/l	99
86)	1,2,4-Trimethylbenzene	12.469	105	1000574	9.26	ug/l	97
87)	sec-Butylbenzene	12.745	105	1123312	8.97	ug/l	100
88)	p-Isopropyltoluene	12.954	119	957681	9.11	ug/l	95
89)	1,3-Dichlorobenzene	13.163	146	525095	10.37	ug/l	98
90)	1,2,3-Trimethylbenzene	13.251	105	1045617	9.76	ug/L	98
91)	1,4-Dichlorobenzene	13.328	146	548137	10.44	ug/l	98
92)	n-Butylbenzene	13.614	91	970067	9.70	ug/l	99
93)	1,2-Dichlorobenzene	13.922	146	502195	9.07	ug/l	99
94)	1,2-Dibromo-3-chloropr...	15.133	157	52878	7.36	ug/l	98
95)	1,2,4-Trichlorobenzene	16.464	180	289302	8.53	ug/l	98
96)	Hexachlorobutadiene	16.651	225	168078	8.78	ug/l	98
97)	Naphthalene	16.871	128	689109	8.05	ug/l	98
98)	1,2,3-Trichlorobenzene	17.224	180	276227	8.57	ug/l	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG119.D Vial: 29
Acq On : 12 Jun 2024 00:30 Operator: DNguye
Sample : EVOE2E1707 Inst : F2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu Jun 13 16:56:05 2024 Page: 8

ANALYTICAL LOG(S)

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 05/17/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge Book #: AE2-031

BATCH VOE2E17

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH < 2	Matrix W O_i < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

EL

5/23/24

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	VOE2E17

STANDARDS

NAME	ID	Amount [µL]	Conc [mg/L]
DCC CS_2	SVL-43-98-01	*	250
DCC GAS	-98-03		250
DCC METHANOL	-97-02		250/6250
DCC 8260	-99-01		250
BFB	-76-02	1	50
IS/SURR.	-96-02 -96-03	5 *	20 250
ICV/LCS	-79-02	0.4	250
ICV/LCS	-94-01	4	250
ICV/LCS	-80-01 -94-02	2 2	250 50
ICV/LCS	-85-02	2	50
Data File Folder	24E17		

	LOT #	Syringe Lot #
pH strip		14SV 03-04-14-6
Chlorine strip		-04-13-3
Methanol		-03-25
$NaHSO_4$		-02-25
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments: * Varied amount

Analyzed By: DN

Date Disposed: 5/18/24 Disposed By: DN

Injection Log

Directory: d:\Data\24E17

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Reg116.d	1.	BFBE2E09	T/CHK	17 May 2024 11:2
2	2	Reg117.d	1.	VOE2E161 0.012 WRONG SPIKE	0.3ppb 8260/1.5pp...	17 May 2024 12:1
3	3	Reg118.d	1.	VOE2E172 0.02	0.5ppb 8260/2.5pp...	17 May 2024 12:3
4	4	Reg119.d	1.	VOE2E173 0.04	1.0ppb 8260/5.0pp...	17 May 2024 12:5
5	5	Reg120.d	1.	VOE2E174 0.08	2.0ppb 8260/10ppb...	17 May 2024 13:2
6	6	Reg121.d	1.	VOE2E175 0.2	5.0ppb 8260/25ppb...	17 May 2024 13:4
7	7	Reg122.d	1.	VOE2E176 0.4	10ppb 8260/50ppb ...	17 May 2024 14:0
8	8	Reg123.d	1.	VOE2E177 1.2uL	30ppb 8260/150ppb...	17 May 2024 14:3
9	9	Reg124.d	1.	VOE2E178 2uL	50ppb 8260/250pb ...	17 May 2024 14:5
10	10	Reg125.d	1.	VOE2E179 4uL	100ppb 8260/500pp...	17 May 2024 15:2
11	11	Reg126.d	1.	VOE2E1710 8uL	200ppb 8260/1000p...	17 May 2024 15:4
12	12	Reg127.d	1.	RINSE		17 May 2024 16:0
13	13	Reg128.d	1.	RINSE		17 May 2024 16:3
14	14	Reg129.d	1.	IVOE2E1701 %REC>20	10ppb 8260/50ppb ...	17 May 2024 21:0

ZL 5/23/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 05/18/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH IVOE2E1702

	Sample Prep IC	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W Cl_2 <5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

5/23/24

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	IVOE2E17

STANDARDS

NAME	ID	Amount (µl)	Conc (ng/L)
DCC			
DCC			
DCC			
DCC			
BFB	SVI-43-76-02	1	50
IS/SURR.	-96-02	5	20
	-96-03	4	250
ICV/LCS	-94-02	4	250
ICV/LCS	-94-01	4	250
ICV/LCS	-90-01	2	250
	-94-02	2	50
ICV/LCS	↓ -85-02	2	50
Data File Folder	24E18		

	LOT #	Syringe Lot #
pH strip		MSV-03-04-14-6
Chlorine strip		↓ -04-13-3
Methanol		
$NaHSO_4$		
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TCE2	

Comments:

Analyzed By: DN

Date Disposed: 5/20/24 Disposed By: DN

Injection Log

Directory: d:\Data\24E18

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Reg130.d	1.	BFBE2E09	T/CHK	18 May 2024 09:1
2	2	Reg131.d	1.	IVOE2E1702	10ppb 8260/50ppb ...	18 May 2024 09:5

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☐ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/11/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH < 2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	VOE2F17

STANDARDS

NAME	ID	Amount (µl)	Conc. (mg/L)
DCC	SV1-43-94-02	.4	
DCC	-98-03	.4	
DCC	-93-03	2	
DCC	-86-01	2	50/150
BFB	-78-02	1	
IS/SURR.	SV1-45-04-02	5	20
ICV/LCS	SV1-43-79-02	.4	
ICV/LCS	-82-01	.4	50/150
ICV/LCS	-92-01	2	
ICV/LCS	-77-01	2	
Data File Folder	24F11		

	LOT #	Syringe Lot #
pH strip	HC210330	MBV-03-04-14-6
Chlorine strip	319117B	↓ -B-2
Methanol		
$NaHSO_4$		
Reagent Water	RWH-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:


Analyzed By: DH

Date Disposed: 6/12/24 Disposed By: DH

Injection Log

Directory: d:\Data\24F11

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg091.d	1.	BFBF04	T/CHK	11 Jun 2024 12:47
2	2	Rfg092.d	1.	CVOE2E1707	10ppb 8260/50ppb ...	11 Jun 2024 13:35
3	3	Rfg093.d	1.	VOE2F04L	10ppb 8260/50ppb ...	11 Jun 2024 14:15
4	4	Rfg094.d	1.	VOE2F04C	10ppb 8260/50ppb ...	11 Jun 2024 14:39
5	5	Rfg095.d	1.	RINSE	10ppb 8260/50ppb ...	11 Jun 2024 15:03
6	6	Rfg096.d	1.	VOE2F04B	10.0mL	11 Jun 2024 15:26
7	7	Rfg097.d	1.	24F004-06N	10.0mL	11 Jun 2024 15:50
8	8	Rfg098.d	1.	24F004-01N	10.0mL	11 Jun 2024 16:14
9	9	Rfg099.d	1.	PV-004-08-03	10.0mL	11 Jun 2024 16:37
10	10	Rfg100.d	1.	24F004-08I 10X	1.0mL	11 Jun 2024 17:01
11	11	Rfg101.d	1.	24F003-14	10mL	11 Jun 2024 17:25
12	12	Rfg102.d	1.	24F003-15	10mL	11 Jun 2024 17:49
13	13	Rfg103.d	1.	24F003-16	10mL	11 Jun 2024 18:13
14	14	Rfg104.d	1.	24F003-17	10mL	11 Jun 2024 18:37
15	15	Rfg105.d	1.	24F038-01	10mL	11 Jun 2024 19:00
16	16	Rfg106.d	1.	RIMSE	1.0mL	11 Jun 2024 19:24
17	17	Rfg107.d	1.	24F019-01	10mL	11 Jun 2024 19:47
18	18	Rfg108.d	1.	24F019-02	10mL	11 Jun 2024 20:11
19	19	Rfg109.d	1.	24F019-04	10mL	11 Jun 2024 20:34
20	20	Rfg110.d	1.	24F019-05	10mL	11 Jun 2024 20:58
21	21	Rfg111.d	1.	24F019-06	10mL	11 Jun 2024 21:21
22	22	Rfg112.d	1.	24F019-07	10mL	11 Jun 2024 21:45
23	23	Rfg113.d	1.	24F019-08	10mL	11 Jun 2024 22:09
24	24	Rfg114.d	1.	24F019-09	10mL	11 Jun 2024 22:32
25	25	Rfg115.d	1.	24F019-10	10mL	11 Jun 2024 22:56
26	26	Rfg116.d	1.	24F019-11	10mL	11 Jun 2024 23:19
27	27	Rfg117.d	1.	24F019-02M	10mL	11 Jun 2024 23:42
28	28	Rfg118.d	1.	24F019-02S	10mL	12 Jun 2024 00:06
29	29	Rfg119.d	1.	EVOE2E1707	10ppb 8260/50ppb ...	12 Jun 2024 00:30
30	30	Rfg120.d	1.	EVOE2E17071	10ppb 8260/50ppb ...	12 Jun 2024 00:53
31	31	Rfg121.d	1.	EVOE2E17072	10ppb 8260/50ppb ...	12 Jun 2024 01:17



DH 6/18/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☐ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/10/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH ≤2	Matrix W Cl_2 <5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	6/17/24
ICAL ID	VOE2E17

STANDARDS

NAME	ID	Amount (µl)	Conc. (mg/L)
DCC	SVI-43-04-02	.4	
DCC	-98-03	.4	
DCC	-93-03	2	50/50
DCC	-86-01	2	
BFB	-38-02	1	
IS/SURR.	SVI-45-04-02	5	20
ICV/LCS	SVI-43-79-02	.4	
ICV/LCS	-82-01	.4	50/50
ICV/LCS	-92-01	2	
ICV/LCS	-77-01	2	
Data File Folder	24F10		

	LOT #	Syringe Lot #
pH strip	HC210330	SVI-03-04-14-6
Chlorine strip	3191718	-13-3
Methanol		
$NaHSO_4$		
Reagent Water	RWI-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:


Analyzed By: DM

Date Disposed: 6/11/24 Disposed By: DM

Injection Log

Directory: d:\Data\24F10

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg061.d	1.	BFBF03	T/CHK	10 Jun 2024 15:55
2	2	Rfg062.d	1.	CVOE2E1706	10ppb 8260/50ppb ...	10 Jun 2024 16:35
3	3	Rfg063.d	1.	VOE2F03L	10ppb 8260/50ppb ...	10 Jun 2024 17:13
4	4	Rfg064.d	1.	VOE2F03C	10ppb 8260/50ppb ...	10 Jun 2024 17:37
5	5	Rfg065.d	1.	RINSE	10mL	10 Jun 2024 18:01
6	7	Rfg067.d	1.	VOE2F03B	10.0mL	10 Jun 2024 18:25
7	8	Rfg068.d	1.	24F004-05N	10.0mL	10 Jun 2024 18:48
8	9	Rfg069.d	1.	24F004-06I 10X	1.0mL	10 Jun 2024 19:12
9	10	Rfg070.d	1.	24F004-07I 10X	1.0mL	10 Jun 2024 19:36
10	11	Rfg071.d	1.	24F004-09N	10mL	10 Jun 2024 20:00
11	12	Rfg072.d	1.	24F004-10N	10mL	10 Jun 2024 20:24
12	13	Rfg073.d	1.	24F003-18	10mL	10 Jun 2024 20:48
13	14	Rfg074.d	1.	24F003-19	10mL	10 Jun 2024 21:11
14	15	Rfg075.d	1.	24F003-01N	10mL	10 Jun 2024 21:35
15	16	Rfg076.d	1.	24F003-02N	10mL	10 Jun 2024 21:59
16	17	Rfg077.d	1.	24F003-03N	10mL	10 Jun 2024 22:23
17	18	Rfg078.d	1.	24F003-04N	10mL	10 Jun 2024 22:46
18	19	Rfg079.d	1.	24F003-05N	10mL	10 Jun 2024 23:10
19	20	Rfg080.d	1.	24F003-06N	10mL	10 Jun 2024 23:33
20	21	Rfg081.d	1.	24F003-07N	10mL	10 Jun 2024 23:57
21	22	Rfg082.d	1.	24F003-08N	10mL	11 Jun 2024 00:20
22	23	Rfg083.d	1.	24F003-09N	10mL	11 Jun 2024 00:44
23	24	Rfg084.d	1.	24F003-10N	1.0mL	11 Jun 2024 01:08
24	25	Rfg085.d	1.	24F003-11	10mL	11 Jun 2024 01:32
25	26	Rfg086.d	1.	24F003-12	10mL	11 Jun 2024 01:56
26	27	Rfg087.d	1.	24F003-13	10mL	11 Jun 2024 02:19
27	37	Rfg088.d	1.	EVOE2E1706 ✓	10ppb 8260/50ppb ...	11 Jun 2024 02:43
28	38	Rfg089.d	1.	EVOE2E17061	10ppb 8260/50ppb ...	11 Jun 2024 03:06
29	39	Rfg090.d	1.	EVOE2E17062	10ppb 8260/50ppb ...	11 Jun 2024 03:30



DK 6/18/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/8/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ .25-mL Purge Book #: AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample .D	Sample Amount	DF	Matrix W pH < 2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	VOE2E17

STANDARDS

NAME	ID	Amount (µl)	Conc (mg/L)
DCC	SVI-43-94-02	.4	50/250
DCC	-98-03	.4	
DCC	-93-03	2	
DCC	-86-01	2	
BFB	-38-02	1	
IS/SURR	SVI-45-04-02	5	20
ICV/LCS	SVI-43-79-02	.4	50/250
ICV/LCS	-82-01	.4	
ICV/LCS	-92-01	2	
ICV/LCS	-77-01	2	
Data File Folder	24F08		

	LOT #	Syringe Lot #
pH strip	HC210330	MSV-03-04-14-6
Chlorine strip	319117B	↓ -13-3
Methanol		
$NaHSO_4$		
Reagent Water	RWH-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:


Analyzed By: DN

Date Disposed: 6/10/24 Disposed By: DN

Injection Log

Directory: d:\Data\24F08

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg031.d	1.	BFBF02	T/CHK	8 Jun 2024 12:09
2	2	Rfg032.d	1.	TEST	10ppb 8260/50ppb ...	8 Jun 2024 13:50
3	3	Rfg033.d	1.	CVOE2E1705	10ppb 8260/50ppb ...	8 Jun 2024 14:28
4	4	Rfg034.d	1.	VOE2F02L	10ppb 8260/50ppb ...	8 Jun 2024 15:04
5	5	Rfg035.d	1.	VOE2F02C	10ppb 8260/50ppb ...	8 Jun 2024 15:28
6	6	Rfg036.d	1.	RINSE	10.0mL	8 Jun 2024 15:52
7	7	Rfg037.d	1.	V0E2F02B	10.0mL	8 Jun 2024 16:16
8	8	Rfg038.d	1.	24F004-01	10.0mL	8 Jun 2024 16:39
9	9	Rfg039.d	1.	24F004-02	10.0mL	8 Jun 2024 17:04
10	10	Rfg040.d	1.	24F004-03	10.0mL	8 Jun 2024 17:27
11	11	Rfg041.d	1.	24F004-04	10.0mL	8 Jun 2024 17:51
12	12	Rfg042.d	1.	24F004-05	10.0mL	8 Jun 2024 18:15
13	13	Rfg043.d	1.	24F004-06	10.0mL	8 Jun 2024 18:39
14	14	Rfg044.d	1.	24F004-07	10.0mL	8 Jun 2024 19:03
15	15	Rfg045.d	1.	24F004-08	10.0mL	8 Jun 2024 19:27
16	16	Rfg046.d	1.	24F004-09	10.0mL	8 Jun 2024 19:50
17	17	Rfg047.d	1.	24F004-10	10.0mL	8 Jun 2024 20:14
18	18	Rfg048.d	1.	24F003-01	10.0mL	8 Jun 2024 20:38
19	19	Rfg049.d	1.	24F003-02	10.0mL	8 Jun 2024 21:01
20	20	Rfg050.d	1.	24F003-03	10.0mL	8 Jun 2024 21:25
21	21	Rfg051.d	1.	24F003-04	10.0mL	8 Jun 2024 21:49
22	22	Rfg052.d	1.	24F003-05	10.0mL	8 Jun 2024 22:13
23	23	Rfg053.d	1.	24F003-06	10.0mL	8 Jun 2024 22:37
24	24	Rfg054.d	1.	24F003-07	10.0mL	8 Jun 2024 23:01
25	25	Rfg055.d	1.	24F003-08	10.0mL	8 Jun 2024 23:24
26	26	Rfg056.d	1.	24F003-09	10.0mL	8 Jun 2024 23:48
27	27	Rfg057.d	1.	24F003-10	10.0mL	9 Jun 2024 00:12
28	28	Rfg058.d	1.	EVOE2E1705	10ppb 8260/50ppb ...	9 Jun 2024 00:35
29	29	Rfg059.d	1.	EVOE2E17051	10ppb 8260/50ppb ...	9 Jun 2024 00:59
30	30	Rfg060.d	1.	EVOE2E17052	10ppb 8260/50ppb ...	9 Jun 2024 01:22



STANDARD LOGS

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-10	CARBON DISULFIDE	5000 ppm	500 µL	250ppm
			IR	5/16/24

Standard ID	SV1-43-98-01
Name	CS_2 (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	IR

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-10	CARBON DISULFIDE	5000ppm	500µL	250ppm
			IR	5/16/24

Standard ID	SV1-43-98-02
Name	CS_2 (1°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	IR

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-19	VOC Gas Std.	2000ppm	1250 µL	250ppm
↓ -15-18	Vinyl Acetate	2500ppm	1000 µL	↓
			IR	5/16/24

Standard ID	SV1-43-98-03
Name	GAS (1°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	IR

Syringe ID: MSV-03-01-16
-03-03-05

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc. ppm	Aliquot µL	Final Conc. ppm
SV1-08-12-11	TBA	5000	200	500
09-07	1,2,3-TMB	2500	↓	250
13-20	0 Gas Add Std	2000	250	250
13-08	2- CLEVE	↓	↓	↓
13-18	1 Chlorohexane			
↓ 11-11	Cust. VOA Mix			
			DH 5/17/24	

Standard ID	SV1-43-97-01
Name	8260 (1)
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	DN

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc. ppm	Aliquot µL	Final Conc.
SV1-08-14-05	VOA Mix 1	5000	500	250 ppm
15-12	Acrolein & Acrylonitrile	↓	↓	↓
11-07	2-butanol	50000	250	6250 ppm
12-12	Cyclohexane	2000	↓	250 ppm
14-01	Methyl Acetate	2500	2500	↓
↓ 14-03	Methyl Cyclohexane	↓	↓	
			DH 5/17/24	

Standard ID	SV1-43-97-02
Name	Ref. AA - Used
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	DN

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-43-85-02	8260 (2°)	50 ppm	200 µL	5.0 ppm
↓ -88-02	624 (2°)	250 ppm	40 µL	↓
			IR 5/16/24	

Standard ID	SV1-43-97-03
Name	SIM (2°)
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/16/24
Exp. Date	9/22/24
Prepared By	IR

Syringe ID: MSV-03-03-05
-03-03-03

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-14-05	VOA Calibration Mix #1	5000ppm	0.5mL	250ppm
↓ 38-15-04	Acrolein + Acrylonitrile	↓	↓	↓
			DH 2/26/24	

Standard ID	SV1-43-76-01
Name	Ket-AA (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-11-24-02
Prep. Date	2/26/24
Exp. Date	5/26/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-30-02-02	VOA TUNING CMPD MIX	5000ppm	100mL	50ppm
			BL 2/26/24	

Standard ID	SV1-43-76-02
Name	BFB
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	2/26/24
Exp. Date	8/26/24
Prepared By	BL

Syringe ID: MSV-03-02-25

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-13-17	vinyl acetate	2000ppm	1.25mL	250 ppm
↓ -12-05	8260 gases	↓	↓	↓
				LAP 2/27/24

Standard ID	SV1-43-76-03
Name	GAS (2°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-11-24-02
Prep. Date	2/26/24
Exp. Date	8/26/24
Prepared By	↑ DH

Syringe ID: MSV-03-03-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-10	Carbon Disulfide	5000ppm	250µL	250ppm
				LAP 3/11/24

Standard ID	SV1-43-79-01
Name	CS2 (1°)
Final Volume	10mL
MeOH Solvent ID	SVIA-011-24-01
Prep. Date	3/11/24
Exp. Date	9/11/24
Prepared By	LAP

Syringe ID: MSV-03-02-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-08-06	Carbon Disulfide	5000ppm	0.5mL	250 ppm
				LAP 3/11/24

Standard ID	SV1-43-79-02
Name	CS2 (2°)
Final Volume	10mL
MeOH Solvent ID	SVIA-011-24-01
Prep. Date	3/11/24
Exp. Date	9/11/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-19	VOC GAS Std	2000ppm	1.26mL	250ppm
↓ -14-09	Vinyl acetate	2500ppm	1.0mL	↓
				ZL 03/12/24

Standard ID	SV1-43-79-03
Name	GAS (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	03/12/24
Exp. Date	09/12/24
Prepared By	DM

Syringe ID: MSV-01-02-20-2

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-10-08	methyl acetate	1000ppm	0.5mL	50ppm
↓ -14-20	cyclohexane	↓	↓	↓
↓ -14-11	methylcyclohexane			
			N 2/7/24	

Standard ID	SV1-43-70-01
Name	3add (2°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-02
Prep. Date	2/7/24
Exp. Date	8/7/24
Prepared By	N

Syringe ID: MSV-03-03-04

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-15	methyl acetate	2500ppm	1.0mL	250ppm
↓ -14-03	methylcyclohexane	↓	↓	↓
↓ -12-12	cyclohexane	2000ppm	1.25mL	↓
↓ -08-11	2-butanol	50,000ppm	↓	6250ppm
			N 2/7/24	

Standard ID	SV1-43-70-02
Name	4add (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-02
Prep. Date	2/7/24
Exp. Date	8/7/24
Prepared By	N

Syringe ID: MSV-03-03-04

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-15	methyl acetate	2500ppm	1.0mL	250ppm
↓ -14-03	methylcyclohexane	↓	↓	↓
↓ -12-12	cyclohexane	2000ppm	1.25mL	↓
↓ -08-11	2-butanol	50,000ppm	↓	6250ppm
			N 2/7/24	

Standard ID	SV1-43-70-03
Name	4add (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-02
Prep. Date	2/7/24
Exp. Date	8/7/24
Prepared By	N

Syringe ID: MSV-03-03-04

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-15-10	8260 gases	2000 ppm	1.25 mL	250 ppm
↓ -38-15-13	vinyl acetate	↓	↓	↓
			DH 5/8/24	

Standard ID	SV1-43-94-01
Name	GAS (2°)
Final Volume	10 mL
MeOH Solvent ID	SWAA-011-24-01
Prep. Date	5/8/24
Exp. Date	11/8/24
Prepared By	LAP

Syringe ID: MSV-02-02-11
↓ -03-02-23

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-15-09	Ketones soln.	2500 ppm	1.0 mL	250 ppm
SV1-38-15-14	Acrolein & Acrylonitrile	↓	1.25 mL	↓
			DH 5/8/24	

Standard ID	SV1-43-94-02
Name	KET-AA (2°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/8/24
Exp. Date	7/31/24
Prepared By	LAP

Syringe ID: MSV-03-03-11
↓ ~~03-03~~ DH 5/8/24
MSV-0302-03

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-13-12	8260 IS Mix, 3-30	2500 ppm	1.0 mL	250 ppm
			LAP 5/10/24	

Standard ID	SV1-43-94-03
Name	IS
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/10/24
Exp. Date	11/10/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

DH 5/15/24

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SVL-38-13-12 ↓ 38-15-15	8260 IS Mix 8260A Surr Mix	2500ppm ↓	200µL ↓	50ppm ↓
			DH 5/13/24	

Standard ID	SV1-43-96-01
Name	IS/SS
Final Volume	10mL
MeOH Solvent ID	SWA-011-24-01
Prep. Date	5/13/24
Exp. Date	11/12/24
Prepared By	DH

Syringe ID: MSV-03-03-11 ↓ 02-23

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SVL-38-19-02	8260 IS	2500ppm	4µL	20ppm
			DH 5/16/24	

Standard ID	SV1-43-96-02
Name	IS (CF2)
Final Volume	5mL
MeOH Solvent ID	SVA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/5/24
Prepared By	DH

Syringe ID: MSV-03-02-21

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SVL-38-10-13	8260A SU	2500ppm	1.0mL	250ppm
			DH 5/16/24	

Standard ID	SV1-43-96-03
Name	SS
Final Volume	10mL
MeOH Solvent ID	SURR-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	DH

Syringe ID: MSV-03-01-14

Comments:

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

SM-38-10-B

Certificate of Analysis

chromatographic plus

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30240 **Lot No.:** A0192204

Description : 8260A Surrogate Mix

8260A Surrogate Mix 2,500µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : December 31, 2027 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dibromofluoromethane	1868-53-7	022013	99%	2,517.6 µg/mL	+/- 141.4279
2	1,2-Dichloroethane-d4	17060-07-0	PR-32845	99%	2,507.6 µg/mL	+/- 140.8661
3	Toluene-d8	2037-26-5	I-27008	99%	2,511.4 µg/mL	+/- 141.0796
4	1-Bromo-4-fluorobenzene (BFB)	460-00-4	184975	99%	2,517.8 µg/mL	+/- 141.4391

* Expanded Uncertainty displayed in same units as Grav. Cor

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)

Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)


Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID

Split Vent:
40 ml/min

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Daniel Wasson - Operations Tech I

Date Mixed: 02-Dec-2022 **Balance Serial #** 1128342314

Christie Mills - Operations Tech II - ARM QC

Date Passed: 06-Dec-2022

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k\sqrt{u^2_{gravimetric} + u^2_{homogeneity} + u^2_{storage\ stability} + u^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

SV1-38-13-12

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 7/13/2022
Original issue date: 7/13/2022

Certificate of Analysis

Date Received: 10/6/23

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -122455-05	484785	-18°C +/- 4°C	P/T Methanol	12-Jul-2027	Method 8260 Internal Standard Mix, 3-30, 2,500 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
chlorobenzene-d5	3114-55-4	99.5	128.120.1P	2504 ± 130
1,2-dichlorobenzene-d_4	2199-69-1	99.7	247.29.3P	2514 ± 130
1,4-difluorobenzene	540-36-3	99.3	129.158.1.2P	2523 ± 140

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

SVI-38-13-12

Certificate of Analysis

Catalog No.: Z-G34-122455-05 **Lot No.:** 484785 **Expiration Date:** 7/12/2027

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 12-Jul-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Bradley Richter	Jared Ball	Susan Mathews
Production Chemist I	**Quality Control Chemist II**	**Quality Control Team Lead**

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-01-20	Cont. Rev. 8260 Megamix	2000 ppm	250 µL	50 ppm
-02-03	Oxygenated Gas mix #1	↓	↓	↓
-11-19	2-CLEVE	↓	↓	↓
-12-20	1-Chlorohexane	1000	0.5 mL	↓
-12-06	1,2,3 TMB	2500	200 µL	↓
-11-18	TBA	50000	50 µL	500 ppm
↓ -12-19	Acetonitrile	20000	250 µL	↓
			IR	4/12/24

Standard ID	SV1-43-85-01
Name	8260 (2°) Soil
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	4/12/24
Exp. Date	10/12/24
Prepared By	IR

Syringe ID: MSV-03-03-05 ~~-15~~ IR 4/12/24
-03-03-03

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-01-20	Cont. Rev. 8260 Megamix	2000 ppm	250 µL	50 ppm
-02-03	Cont. Oxy. Gas Mix #1	↓	↓	
-11-19	2-CLEVE	↓	↓	
-12-20	1-chlorohexane	1000 ppm	0.5 mL	
-12-06	1,2,3 TMB	2500 ppm	200 µL	↓
-11-18	TBA	50000 ppm	↓	1000 ppm
			IR 4/12/24	

Standard ID	SV1-43-85-02
Name	8260 (2°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	4/12/24
Exp. Date	10/12/24
Prepared By	IR

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-11	Cont. VOA mix 73-6047	2000 ppm	250 µL	50 ppm
-13-20	Oxy. Gas Acid.	↓	↓	↓
-13-05	2-CLEVE	↓	↓	↓
-13-18	1-chlorohexane	↓	↓	↓
-13-13	1,2,3 TMB	2500 ppm	200 µL	↓
↓ -12-11	TBA	50000 ppm	↓	1000 ppm

Standard ID	SV1-43-85-03
Name	8260 (1°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	4/12/24
Exp. Date	10/12/24
Prepared By	IR

Syringe ID: MSV-03-03-05

Comments:

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 575702 **Lot No.:** A0191824

Description : Custom Revised 8260 Megamix

Custom Revised 8260 Megamix 2,000 - 40,000µg/mL, P&T Methanol, 1mL/ampul

SVI-38-09-20

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : November 30, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dichlorofluoromethane (CFC-21)	75-43-4	12841600	99%	2,000.0 µg/mL	+/- 69.1292
2	Diethyl ether (ethyl ether)	60-29-7	SHBP5008	99%	2,011.0 µg/mL	+/- 69.5094
3	1,1,2-Trichlorotrifluoroethane (CFC-113)	76-13-1	00016133	99%	2,008.0 µg/mL	+/- 69.4057
4	1,1-dichloroethene	75-35-4	SHBG8609V	99%	2,001.6 µg/mL	+/- 69.9029
5	Iodomethane (methyl iodide)	74-88-4	RD220125	99%	2,007.5 µg/mL	+/- 69.3884
6	Allyl chloride (3-chloropropene)	107-05-1	RP220405A	99%	2,011.0 µg/mL	+/- 69.5094
7	Methylene chloride (dichloromethane)	75-09-2	SHBP1417	99%	2,001.6 µg/mL	+/- 69.9056
8	trans-1,2-Dichloroethene	156-60-5	MKBH9850V	99%	2,001.7 µg/mL	+/- 69.9064
9	1,1-Dichloroethane	75-34-3	760200	99%	2,001.1 µg/mL	+/- 69.8864
10	Chloroprene (2-chloro-1,3-butadiene)	126-99-8	220712JLM	99%	2,014.0 µg/mL	+/- 69.6131
11	Propionitrile	107-12-0	BCCF4167	99%	20,009.5 µg/mL	+/- 691.5748
12	2,2-Dichloropropane	594-20-7	RD220812	99%	2,004.3 µg/mL	+/- 70.0110
13	cis-1,2-Dichloroethene	156-59-2	MKCP7830	99%	2,014.0 µg/mL	+/- 70.3516
14	Methacrylonitrile	126-98-7	1012014	99%	20,031.5 µg/mL	+/- 692.3351
15	Methyl acrylate	96-33-3	SHBG6616V	99%	2,007.0 µg/mL	+/- 69.3711
16	Isobutanol (2-Methyl-1-propanol)	78-83-1	SHBP7066	99%	40,013.5 µg/mL	+/- 1,382.9594

17	chloroform	67-66-3	SHBN8469	99%	2,002.3	µg/mL	+/- 69.9291
18	Bromochloromethane	74-97-5	00008541	99%	2,011.9	µg/mL	+/- 70.2782
19	Tetrahydrofuran	109-99-9	SHBP0039	99%	2,005.0	µg/mL	+/- 69.3020
20	1,1,1-trichloroethane	71-55-6	RD220613	98%	2,001.2	µg/mL	+/- 69.8893
21	1,1-Dichloropropene	563-58-6	220617JLM	99%	2,014.0	µg/mL	+/- 70.3498
22	carbon tetrachloride	56-23-5	SHBL8097	99%	2,000.1	µg/mL	+/- 69.8514
23	1,2-Dichloroethane	107-06-2	MKCN9758	99%	2,001.6	µg/mL	+/- 69.9056
24	Benzene	71-43-2	MKCQ2104	99%	2,010.5	µg/mL	+/- 70.2293
25	2-Chloroethanol	107-07-3	RD220606A	99%	2,002.5	µg/mL	+/- 69.2156
26	Trichloroethene	79-01-6	SHBN3720	99%	2,001.6	µg/mL	+/- 69.9047
27	1,2-Dichloropropane	78-87-5	BCBR0882V	99%	2,001.8	µg/mL	+/- 69.9125
28	Methyl methacrylate	80-62-6	MKCQ2755	99%	2,007.5	µg/mL	+/- 69.3884
29	bromodichloromethane	75-27-4	MKCF8470	99%	2,001.7	µg/mL	+/- 69.9082
30	1,4-Dioxane	123-91-1	SHBP8653	99%	40,041.0	µg/mL	+/- 1,383.9099
31	2-Nitropropane	79-46-9	BCCB9352	97%	2,003.5	µg/mL	+/- 69.2514
32	Dibromomethane	74-95-3	10233302	99%	2,013.0	µg/mL	+/- 70.3149
33	cis-1,3-Dichloropropene	10061-01-5	RD220311	99%	2,001.9	µg/mL	+/- 69.9152
34	Toluene	108-88-3	ED097-US	99%	2,011.4	µg/mL	+/- 70.2608
35	Ethyl methacrylate	97-63-2	MKCN6206	97%	2,004.0	µg/mL	+/- 69.2681
36	trans-1,3-Dichloropropene	10061-02-6	RD220816	99%	2,000.5	µg/mL	+/- 69.8671
37	1,1,2-Trichloroethane	79-00-5	FGB01	99%	2,001.9	µg/mL	+/- 69.9134
38	1,3-Dichloropropane	142-28-9	BCCB9817	99%	2,011.1	µg/mL	+/- 70.2485
39	Tetrachloroethene	127-18-4	SHBJ7422	99%	2,001.2	µg/mL	+/- 69.8890
40	dibromochloromethane	124-48-1	MKCM8659	99%	2,002.2	µg/mL	+/- 69.9256
41	1,2-Dibromoethane (EDB)	106-93-4	BCCF5058	99%	2,006.0	µg/mL	+/- 70.0704
42	Chlorobenzene	108-90-7	SHBN6640	99%	2,000.1	µg/mL	+/- 69.8506
43	1,1,1,2-Tetrachloroethane	630-20-6	GC01	99%	2,009.8	µg/mL	+/- 70.2031
44	Ethylbenzene	100-41-4	094632L21G	99%	2,016.4	µg/mL	+/- 70.4337
45	m-Xylene	108-38-3	SHBN6673	98%	2,012.6	µg/mL	+/- 70.3019
46	p-Xylene	106-42-3	10234437	99%	2,009.1	µg/mL	+/- 70.1787
47	o-Xylene	95-47-6	SHBN5105	98%	2,010.1	µg/mL	+/- 70.2163
48	Styrene	100-42-5	MKCQ3390	99%	2,012.6	µg/mL	+/- 70.3027
49	Isopropylbenzene (cumene)	98-82-8	Z20D022	99%	2,009.3	µg/mL	+/- 70.1874
50	bromoform	75-25-2	MKCR0680	99%	2,000.8	µg/mL	+/- 69.8750
51	cis-1,4-Dichloro-2-butene	1476-11-5	RD220907	97%	2,000.0	µg/mL	+/- 69.1290
52	1,1,2,2-Tetrachloroethane	79-34-5	OXACF	99%	2,002.8	µg/mL	+/- 69.9466

53	1,2,3-Trichloropropane	96-18-4	332900	99%	2,010.3	µg/mL	+/- 70.2206
54	trans-1,4-dichloro-2-butene	110-57-6	RD220921RSR	94%	1,999.9	µg/mL	+/- 69.1240
55	n-Propylbenzene	103-65-1	MKCN1126	99%	2,009.1	µg/mL	+/- 70.1804
56	Bromobenzene	108-86-1	WXBC5147V	99%	2,012.5	µg/mL	+/- 70.2992
57	1,3,5-Trimethylbenzene	108-67-8	BCCF4166	99%	2,010.8	µg/mL	+/- 70.2381
58	2-Chlorotoluene	95-49-8	MKCF5243	99%	2,007.5	µg/mL	+/- 70.1228
59	4-Chlorotoluene	106-43-4	MKCC8496	99%	2,012.4	µg/mL	+/- 70.2957
60	tert-Butylbenzene	98-06-6	STBJ1937	99%	2,009.0	µg/mL	+/- 70.1769
61	1,2,4-Trimethylbenzene	95-63-6	WXBC9428V	98%	2,004.8	µg/mL	+/- 70.0297
62	sec-Butylbenzene	135-98-8	MKCP2266	99%	2,009.2	µg/mL	+/- 70.1839
63	p-Isopropyltoluene (p-Cymene)	99-87-6	MKCR6143	99%	2,007.6	µg/mL	+/- 70.1280
64	1,3-Dichlorobenzene	541-73-1	BCCD5315	99%	2,000.7	µg/mL	+/- 69.8715
65	1,4-Dichlorobenzene	106-46-7	MKBS4401V	99%	2,002.0	µg/mL	+/- 69.9195
66	n-Butylbenzene	104-51-8	09804AE	99%	2,006.9	µg/mL	+/- 70.1036
67	1,2-Dichlorobenzene	95-50-1	SHBN3835	99%	2,001.2	µg/mL	+/- 69.8898
68	1,2-Dibromo-3-chloropropane	96-12-8	HBMVB	97%	2,006.3	µg/mL	+/- 70.0843
69	Nitrobenzene	98-95-3	10224044	99%	2,004.0	µg/mL	+/- 69.2674
70	1,2,4-Trichlorobenzene	120-82-1	SHBM0526	99%	2,009.7	µg/mL	+/- 70.1996
71	Hexachlorobutadiene	87-68-3	X05J	99%	2,007.4	µg/mL	+/- 70.1210
72	Naphthalene	91-20-3	MKCH0219	99%	2,001.5	µg/mL	+/- 69.9132
73	1,2,3-Trichlorobenzene	87-61-6	MKBX7627V	99%	2,015.7	µg/mL	+/- 70.4092

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
60m x 0.25mm x 1.4µm
Rtx-502.2 (cat.#10916)

Carrier Gas:
helium-constant pressure 30 psi

Temp. Program:
40°C (hold 6 min.) to 240°C
@ 6°C/min. (hold 10 min.)


Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
MSD

Split Vent:
20.0 ml/min.

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Cathleen Soltis – Mix Technician

Date Mixed: 18-Nov-2022 **Balance Serial #** B251644995

Jennifer Polkino - Operations Tech III - ARM QC

Date Passed: 05-Dec-2022

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k\sqrt{u^2_{gravimetric} + u^2_{homogeneity} + u^2_{storage\ stability} + u^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

SVI-38-02-03

RESTEK® CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

Certificate of Analysis

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30465 **Lot No.:** A0168072

Description : California Oxygenates Mixture #1

California Oxygenates Mixture #1 2000-10000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : January 31, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound		Grav. Conc. (weight/volume)		Expanded Uncertainty (95% C.L.; K=2)		
1	tert-Butanol (TBA) CAS # 75-65-0 Purity 99%	(Lot SHBL5806)	10,038.8	µg/mL	+/- 58.7794 +/- 215.0444 +/- 221.2897	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
2	Methyl-tert-butyl ether (MTBE) CAS # 1634-04-4 Purity 99%	(Lot SHBL0822)	2,005.6	µg/mL	+/- 11.7700 +/- 42.9699 +/- 44.2174	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
3	Diisopropyl ether (DIPE) CAS # 108-20-3 Purity 99%	(Lot SHBH1927V)	2,009.6	µg/mL	+/- 11.7935 +/- 43.0556 +/- 44.3056	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
4	Ethyl-tert-butyl ether (ETBE) CAS # 637-92-3 Purity 99%	(Lot MKCM3774)	2,006.0	µg/mL	+/- 11.7723 +/- 42.9785 +/- 44.2263	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
5	tert-Amyl methyl ether (TAME) CAS # 994-05-8 Purity 99%	(Lot HMBG7745V)	2,007.2	µg/mL	+/- 11.7794 +/- 43.0042 +/- 44.2527	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Miranda Kline - Operations Technician I

Date Mixed: 12-Jan-2021 **Balance:** B442140311

Justine Albertson - Operations Tech, ASM QC

Date Passed: 14-Jan-2021

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: M-601C-10X
Description: 2-Chloroethylvinyl ether
Lot: 223041132
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Apr 11, 2023
Expiration: Apr 11, 2026
Sample Size: 1 mL
Components: 1
Storage Condition: Freeze (<-10 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
2-Chloroethylvinyl ether	110-75-8	100.0	2005	2005

SVI-38-11-19

Reference Standard

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

SVI-38-11-19

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(TV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of k=2 is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

SV1-38-11-18

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30470 **Lot No.:** A0188432

Description : tert-Butanol Standard

tert-Butanol Std 50,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : August 31, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Given Conc. (weight/volume)	Expanded Uncertainty (95% C.L., K=2)		
1	tert-Butanol (TBA)	50,300.0 µg/mL	+/- 294.5176	µg/mL	Gravimetric
	CAS # 75-65-0 (Lot I01619K21F-1)		+/- 1,077.4927	µg/mL	Unstressed
	Purity 99%		+/- 1,108.7850	µg/mL	Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

SVI-38-11-18

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Malina Homan - Operations Technician I **Date Mixed:** 11-Aug-2022 **Balance:** B251644995

Marlina Cowan – Operations Tech II ARM QC **Date Passed:** 15-Aug-2022

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

SVL-3871-18

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

Ibis Scientific, 7330 Smoke Ranch Rd., Suite B, Las Vegas, NV 89128 (855)390-4202

Date manufactured: 6/24/2022
Original issue date: 6/24/2022

Certificate of Analysis

Date Received: _____

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
3200-44	503601	≤ -10 °C	P/T Methanol	23-Jun-2027	1,2,3-Trimethylbenzene Solution, 2500 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
1,2,3-trimethylbenzene	526-73-8	92.7	869.8.4.1P	2536 ± 32.33

SVI-38-12-06

SM-38-12-20

Agilent

Trusted Answers

ISO 17034

Reference Material Certificate

Product Information Sheet

Product Name: 1-Chlorohexane Standard

Product Number: EPA-1208-1

Storage Conditions: Store at Room Temperature (15° to 30°C).

Lot Number: 0006735507

Lot Issue Date: 20-Mar-2023

Expiration Date: 30-Apr-2026

Chemical Name	Concentration	Uncertainty	CAS #	Analysis ID
1-chlorohexane	1000	± 5 µg/mL	000544-10-5	RM04313

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material (RM) standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above. Purity values are taken from approved vendor raw material certificates.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference (RM) standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference (RM) standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Expiration of Certification:
The certification of this analytical reference standard (RM) is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

Agilent

Trusted Answers

SM-38-12-20

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB
ACCREDITED
REFERENCE MATERIAL PRODUCER

ISO 17034 Cert
No. AR-1936

RM was produced in accordance with the TUV/SUD registered ISO 9001:2015 Quality Management System. Cert# 951215321

www.agilent.com/quality/
CSD-QA-015.1

ISO 17025

Agilent

Trusted Answers

ISO 17034

Reference Material Certificate

Product Information Sheet

Product Name:	Acrolein and Acrylonitrile Standard	**Lot Number:**	0006788822
Product Number:	AMN-623-1	**Lot Issue Date:**	20-Mar-2024
Storage Conditions:	Store Frozen (-25° to -10°C). SVI-38-15-14	**Expiration Date:**	31-Jul-2024

Component Name	Concentration		Uncertainty	CAS#	Analyte Lot
~~acrolein~~	2009	±	10 µg/mL	000107-02-8	RM20527
acrylonitrile	2009	±	10 µg/mL	000107-13-1	RM20527

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Expiration of Certification:
The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

CSD-QA-015.2

ISO 17025
Cert No. AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 **www.agilent.com/quality**

Agilent

Trusted Answers

SV1-38-15-K4

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB
ACCREDITED
ISO 17034
REFERENCE MATERIAL PRODUCER

RM was produced in accordance with the TUV/SUD registered ISO 9001:2015 Quality Management System. Cert# 951215321

www.agilent.com/quality/
CSD-QA-015.2

ISO 17034
Cert No. AR-1936

ISO 17025
Cert No. AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 **www.agilent.com/quality**

SVI-38-15-09

14271 Jeffrey Road
#223
Irvine, CA 92620

ibis scientific

For Chemical Emergency, Spill, Leak, Fire Exposure or Accident Call Chromanex Day or Night 800.390.4202

Quality System Audited & Registered by TUV USA to ISO 9001:2015

Date Received: 2/8/24

Certificate of Analysis

Rev 0 Page

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
G34-3200-121020 -17	480682	≤ -10 °C	P/T MeOH:Water 9:1	4/28/2027	Ketones Solution, 2500 mg/L, 1 ml ISO17034

Compound	CAS No	Purity (%)	Compound Lot No	Concentration, mg/L
acetone	67-64-1	99.6	196.271.4P	2498 ± 53.47 mg/L
2-butanone (MEK)	78-93-3	99.9	197.1.2P	2498 ± 53.51 mg/L
4-methyl-2-pentanone (MIBK)	108-10-1	99.88	198.421.1.2P	2500 ± 54.02 mg/L
2-hexanone	591-78-6	100	199.7.3P	2501 ± 53.58 mg/L

Certified By: Melissa Workoff

Melissa Workoff

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: APP-9-211-20X
Description: Vinyl acetate
Lot: 224031313
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*

Date Certified: Mar 22, 2024
Expiration: Sep 22, 2024
Sample Size: 1 mL
Components: 1
Storage Condition: Freeze (<-10 °C)



Signal Word: Danger

SVI-38.15-13

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Vinyl acetate	108-05-4	100.0	2006	2006

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4% and was determined in accordance with ISO 17034. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/IND-001
Rev. 7/20

SVI-38-15-10

Ibis Scientific, 7330 Smoke Ranch Rd., Suite B, Las Vegas, NV 89128 (855) 390-4202

Date manufactured: 12/14/2023
Original issue date: 12/14/2023

Certificate of Analysis

Date Received: 2/8/24
Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
3200-G34 -120016-03	513798	≤ -10 °C	P/T Methanol	12-Dec-2028	ISO 17034 - Method 8260 Gases, 2,000 mg/L, 2 x 0.6 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC), gas chromatography/mass spectrometry (GC/MS), or High Pressure Liquid Chromatography (HPLC) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
bromomethane	74-83-9	99.9	139.158.2.1P	1962 ± 23
chloroethane	75-00-3	99.94	141.2.3P	1995 ± 23
chloromethane	74-87-3	99.7	140.158.3P	2018 ± 24
dichlorodifluoromethane	75-71-8	99	142.158.5.1P	2026 ± 47
trichlorofluoromethane	75-69-4	99	144.1.3P	1995 ± 38
vinyl chloride	75-01-4	99	143.158.5.3P	1962 ± 45

Second Source standards are prepared according to NELAC requirements.

Intended Use:

This certified reference material (CRM) is intended for use as a calibration standard or a quality control standard for chromatography instrumentation such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various USEPA, NIOSH, and ASTM methods.

Recommended storage container for ampouled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix
y = boiling point of the solvent

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened

Certificate of Analysis

Catalog No.: 3200-G34-120016 **Lot No.:** 513798 **Expiration Date:** 12/12/2028

ampoule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricllly.

Packaging and Storage:

The solution should be stored according to the following storage requirements: **≤ -10 °C**
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a sealed ampoule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

This standard was prepared gravimetrically using balances that are calibrated to the requirements of ISO/IEC 17025. All balances are calibrated externally by an accredited ISO/IEC 17025 calibration laboratory using weight sets traceable to the International System of Units (SI) through the national reference standards maintained by NIST.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025 and ISO 17034.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $U=ku_c$; U=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 12-Dec-2028

Manufactured By:	**Certified By:**	**Released By:**
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	Quality Control Chemist I	Quality Control Team Lead

Certificate of Analysis

Catalog No.: 3200-G34-120016 **Lot No.:** 513798 **Expiration Date:** 12/12/2028

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	Quality Control Chemist I	Quality Control Team Lead

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SVL-38-11-11

Date manufactured: 3/13/2023
Original issue date: 3/13/2023

Certificate of Analysis

Date Received:

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -126047-01	498957	≤ -10 °C	P/T Methanol	13-Sep-2024	Custom Volatiles Mix, 73-6047, Various Concentrations, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-nitropropane	79-46-9	97.7	219.1.2P	2003 ± 110
allyl chloride	107-05-1	98.9	227.1.2P	2024 ± 120
benzene	71-43-2	99.99	146.1.10P	1997 ± 110
bromobenzene	108-86-1	100	147.7.1P	1999 ± 140
bromochloromethane	74-97-5	99.7	148.1.3P	1998 ± 110
bromodichloromethane	75-27-4	99.2	149.1.12P	1988 ± 110
bromoform	75-25-2	99.3	150.7.2P	1989 ± 110
n-butylbenzene	104-51-8	99.2	151.7.3.2P	1997 ± 110
sec-butylbenzene	135-98-8	99.5	152.1.2.1P	1999 ± 110
tert-butylbenzene	98-06-6	99.9	153.29.1P	1999 ± 110
carbon tetrachloride	56-23-5	100	154.9.1P	1997 ± 110
chlorobenzene	108-90-7	99.9	155.29.1P	2001 ± 110
2-chloroethanol	107-07-3	99.5	217.1.3P	2000 ± 110
chloroform	67-66-3	99.8	156.7.1P	1998 ± 110
chloroprene	126-99-8	98.9	315.5.22P	1982 ± 140
2-chlorotoluene	95-49-8	99.5	157.7.1P	1998 ± 110
4-chlorotoluene	106-43-4	99.9	158.9.3P	2000 ± 110

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

cis-1,2-dichloroethylene	156-59-2	98.5	166.1.7.1P	1997 ± 110
dibromochloromethane	124-48-1	98.6	159.1.8.1P	2013 ± 110
1,2-dibromo-3-chloropropane	96-12-8	98.6	160.7.2.3P	2000 ± 110
1,2-dibromoethane	106-93-4	99.9	161.9.1P	2008 ± 110
dibromomethane	74-95-3	99.8	162.1.2P	1996 ± 120
1,2-dichlorobenzene	95-50-1	99.5	43.1.2P	1999 ± 110
1,3-dichlorobenzene	541-73-1	99.5	44.1.3P	2001 ± 110
1,4-dichlorobenzene	106-46-7	99.9	45.29.1P	2000 ± 110
cis-1,4-dichloro-2-butene	1476-11-5	98	209.1.5P	2004 ± 110
trans-1,4-dichloro-2-butene	110-57-6	93.5	201.1.17.1P	1991 ± 110
1,1-dichloroethane	75-34-3	98.1	163.247.1.2P	1992 ± 110
1,2-dichloroethane	107-06-2	99.9	164.158.1P	2001 ± 110
1,1-dichloroethylene	75-35-4	99.98	165.1.4P	1999 ± 110
trans-1,2-dichloroethylene	156-60-5	99.7	167.1.7P	1999 ± 110
dichlorofluoromethane (Freon 21)	75-43-4	98	986.5.4.2P	1960 ± 140
1,2-dichloropropane	78-87-5	99.7	168.8.1.1P	2001 ± 120
1,3-dichloropropane	142-28-9	100	169.7.3P	1971 ± 140
2,2-dichloropropane	594-20-7	98.1	170.7.4P	2002 ± 110
1,1-dichloropropylene	563-58-6	99	171.158.2.4P	2001 ± 120
cis-1,3-dichloropropylene	10061-01-5	99.5	172.7.6.1P	2010 ± 110
trans-1,3-dichloropropylene	10061-02-6	98.8	173.7.4.12P	1991 ± 110
1,4-dioxane	123-91-1	99.93	223.1.4P	40750 ± 2100
ethyl ether	60-29-7	99.8	226.9.1P	2000 ± 110
ethyl methacrylate	97-63-2	99.5	216.7.1P	2004 ± 110
ethylbenzene	100-41-4	100	174.7.1P	1998 ± 110

Manufactured By:

Sanquetta Coakley
Production Chemist I

Certified By:

Dominique Lindner
Quality Control Chemist I

Released By:

Susan Mathews
Quality Control Team Lead

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

hexachlorobutadiene	87-68-3	98	47.158.3P	2000 ± 120
iodomethane	74-88-4	99.9	203.29.2P	2000 ± 110
isobutyl alcohol	78-83-1	99.8	220.7.3P	39990 ± 2100
isopropylbenzene	98-82-8	99.9	176.9.3P	2004 ± 110
4-isopropyltoluene	99-87-6	99.9	177.9.3P	1988 ± 110
methyl acrylonitrile	126-98-7	98	212.286.1.2P	19960 ± 1300
methyl methacrylate	80-62-6	100	231.7.4P	2043 ± 110
methyl acrylate	96-33-3	98.5	349.7.1P	1999 ± 110
methylene chloride	75-09-2	99.9	178.24.4P	1999 ± 110
naphthalene	91-20-3	99.8	26.9.1P	2020 ± 110
nitrobenzene	98-95-3	100	94.7.1P	2002 ± 110
propionitrile	107-12-0	99.7	218.7.2.1P	19950 ± 1000
n-propylbenzene	103-65-1	99.7	179.7.2.2P	1998 ± 110
styrene	100-42-5	99.5	180.9.4P	1999 ± 110
1,1,1,2-tetrachloroethane	630-20-6	99.8	181.7.2.9P	2003 ± 110
1,1,2,2-tetrachloroethane	79-34-5	99.4	182.8.2P	2000 ± 120
tetrachloroethylene	127-18-4	100	183.1.2VP	2004 ± 110
tetrahydrofuran (THF)	109-99-9	100	299.7.1P	1996 ± 110
toluene	108-88-3	100	184.48.1P	2000 ± 110
1,2,3-trichlorobenzene	87-61-6	99.8	185.1.2P	1999 ± 110
1,2,4-trichlorobenzene	120-82-1	99.6	54.29.1P	1987 ± 110
1,1,1-trichloroethane	71-55-6	99	187.1.1P	1998 ± 120
1,1,2-trichloroethane	79-00-5	99.6	195.7.1.6P	1997 ± 110
trichloroethylene	79-01-6	100	188.29.2P	1998 ± 110
1,2,3-trichloropropane	96-18-4	99.5	189.1.3P	1998 ± 110

Manufactured By:

Sanquetta Coakley
Production Chemist I

Certified By:

Dominique Lindner
Quality Control Chemist I

Released By:

Susan Mathews
Quality Control Team Lead

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	76-13-1	99	270.158.3.1P	2002 ± 120
1,2,4-trimethylbenzene	95-63-6	98.7	190.7.1P	1999 ± 110
1,3,5-trimethylbenzene	108-67-8	99.5	191.7.1P	2001 ± 110
m-xylene	108-38-3	99.7	193.7.1.2P	1999 ± 110
o-xylene	95-47-6	99	192.29.3P	1998 ± 120
p-xylene	106-42-3	99.9	194.7.1P	1999 ± 110

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)

y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Manufactured By:	**Certified By:**	**Released By:**
Sanquetta Coakley	Dominique Lindner	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 13-Sep-2024

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Sanquetta Coakley	Dominique Lindner	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

GM - 38-12-11

Date manufactured: 11/16/2022
Original issue date: 11/16/2022

Certificate of Analysis

Date Received:
Page 1 of 2 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020511-06	492310	≤ -10 °C	P/T Methanol	15-Nov-2027	t-Butyl Alcohol Solution, 50,000 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
tert-butyl alcohol	75-65-0	100	511.7.2P	50110 ± 2600

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

Certificate of Analysis

Catalog No.: Z-G34-020511-06 **Lot No.:** 492310 **Expiration Date:** 11/15/2027

(95% confidence) values listed are determined gravimetricllly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 15-Nov-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	**Quality Control Chemist I**	**Quality Control Team Lead**

SVI-38-B-08

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 8/24/2022
Original issue date: 8/24/2022

Certificate of Analysis

Date Received: 10/6/23
 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020145-02	492308	≤ -10 °C	P/T Methanol	23-Aug-2027	2-Chloroethyl Vinyl Ether Solution, 2,000 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-chloroethylvinyl ether	110-75-8	99.8	145.1.5P	2010 ± 110

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

SN-39-13-08

Certificate of Analysis

Catalog No.: Z-G34-020145-02 **Lot No.:** 492308 **Expiration Date:** 8/23/2027

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 23-Aug-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Sanquetta Coakley	Dominique Lindner	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SVI-38-09-07

Date manufactured: 6/24/2022
Original issue date: 6/24/2022

Certificate of Analysis

Date Received:

 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020869-08	484154	≤ -10 °C	P/T Methanol	23-Jun-2027	1,2,3-Trimethylbenzene Solution, 2,500 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
1,2,3-trimethylbenzene	526-73-8	92.7	869.8.4.1P	2536 ± 140

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVr38-09-05

Certificate of Analysis

Catalog No.: Z-G34-020869-08 **Lot No.:** 484154 **Expiration Date:** 6/23/2027

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 23-Jun-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Brian Stokes	J Ball	Susan Mathews
Brian Stokes	Jared Ball	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

SV1-30-02-02

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ilac-MRA

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30003 **Lot No.:** A0150458

Description : VOA Tuning Compound Mix

VOA Tuning Compound Mix 5,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2024 **Storage:** 0°C or colder

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)		
1	1-Bromo-4-fluorobenzene (BFB)	5,030.0 µg/mL	+/- 29.5189	µg/mL	Gravimetric
	CAS # 460-00-4 (Lot 20401KO)		+/- 282.0557	µg/mL	Unstressed
	Purity 99%		+/- 288.6541	µg/mL	Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Walker Workman - Operations Technician I

Date Mixed: 27-Jun-2019 **Balance:** 1128342314

Justine Albertson - Operations Tech-RTM GC

Date Passed: 01-Jul-2019

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 3/10/2023
Original issue date: 3/10/2023

Certificate of Analysis

Date Received:

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020200-04	498954	≤ -10 °C	P/T Methanol	8-Mar-2028	Carbon Disulfide Solution, 5,000 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
carbon disulfide	75-15-0	99.9	200.24.1VP	5075 ± 260

*Not a certified value

SVL-38-11-10

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVI-38110

Certificate of Analysis

Catalog No.: Z-G34-020200-04 **Lot No.:** 498954 **Expiration Date:** 3/8/2028

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 8-Mar-2028

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	**Quality Control Chemist I**	**Quality Control Team Lead**

SVI-38-12-19

Agilent

Trusted Answers

ISO 17034

Reference Material Certificate

Product Information Sheet

Product Name: VOC Gas Standard

Product Number: DWM-544-1

Storage Conditions: Store Frozen (-25° to -10°C).

Lot Number: 0006744131

Lot Issue Date: 23-May-2023

Expiration Date: 30-Jun-2025

Component Name	Concentration		Uncertainty	CAS#	Analyte Cat#
bromomethane	2009	±	10 µg/mL	000074-83-9	RM00064
chloroethane	2008	±	10 µg/mL	000075-00-3	RM00065
chloromethane	2006	±	10 µg/mL	000074-87-3	RM12571
dichlorodifluoromethane	2010	±	10 µg/mL	000075-71-8	RM05289
trichlorofluoromethane	2009	±	10 µg/mL	000075-69-4	RM00017
vinyl chloride	2009	±	10 µg/mL	000075-01-4	RM05458

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

CSD-QA-015.2

ISO 17025
Cert No. AT-1937

SVI-38-12-19

Agilent

Trusted Answers

Expiration of Certification:
The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER

ISO 17034
Cert No. AR-1936

RM was produced in accordance with the TUV/SUD registered ISO 9001:2015 Quality Management System. Cert# 951215321

www.agilent.com/quality/
CSD-QA-015.2

ISO 17025
Cert No. AT-1937

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SVI-38-15-18

Date manufactured: 11/16/2022
Original issue date: 11/16/2022

Certificate of Analysis

Date Received:

 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020232-10	492307	≤ -10 °C	P/T Methanol	20-Nov-2025	Vinyl Acetate Solution, 2,500 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
vinyl acetate	108-05-4	99.9	232.7.1P	2496 ± 160

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVI-38.15-18

Certificate of Analysis

Catalog No.: Z-G34-020232-10 **Lot No.:** 492307 **Expiration Date:** 11/20/2025

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 20-Nov-2025

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (Certificate number 3031.02) accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	**Quality Control Chemist II**	**Quality Control Team Lead**

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SVI-30-13-20

CERTIFICATE OF ANALYSIS

Catalog No: OGAD-001
Description: Oxygenate Gasoline Additive Standard
Lot: 222081419
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 29, 2022
Expiration: Aug 29, 2025
Sample Size: 1 mL
Components: 5
Storage Condition: Refrig (0-5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity % (GC/MS)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
MtBE	1634-04-4	99.8	2001	1997
EtBE	637-92-3	99.9	2004	2002
Isopropyl ether	108-20-3	100.0	2010	2010
TAME	994-05-8	99.0	2000	1980
t-Butanol	75-65-0	99.6	10005	9965

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/IND-001
Rev. 7/20

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SVI - 38-13-18

CERTIFICATE OF ANALYSIS

Catalog No: M-8010R-1-04-10X
Description: 1-Chlorohexane
Lot: 223031117
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 8, 2023
Expiration: Mar 8, 2033
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
1-Chlorohexane	544-10-5	98.0	2024	1984

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/IND-001
Rev. 7/20

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ~~ISO 9001:2015 – Quality Management System -- Requirements~~ Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

SVI-38-08-06

Agilent

Certificate of Analysis

Product Name: Carbon Disulfide Standard

Product Number: EPA-1012-1 **Lot Issue Date:** 21-Sep-2020

Lot Number: 0006557585 **Expiration Date:** 30-Sep-2024

Description:
This analytical reference material (RM) was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	Concentration ± Uncertainty
carbon disulfide	000075-15-0	RM08158	5023 ± 25 µg/mL

Matrix: methanol (methyl alcohol)

Storage Conditions: Store Frozen (-25° to -10°C).

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This RM was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Intended Use:
This RM is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Hazards:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this RM.

Expiration of Certification:
The certification of this RM is valid until the expiration date specified above, provided the RM is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the RM is damaged, contaminated, or otherwise modified.

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER
ISO 17034 Cert
No. AR-1936

RM was produced in accordance with TUV USA Inc registered ISO 9001 Quality Management System. Cert # 56 100 18560026

www.agilent.com/quality/
CSD-QA-015.1

ANAB ACCREDITED TESTING LABORATORY
ISO 17025 Cert
No. AT-1937

spex certiprep
ACCREDITED
Reference Materials Producer
Cert #2495.01

SPEXertificate®
Certificate of Reference Material

ACCREDITED
Chemical Testing
Cert #2495.02

Catalog Number: S-3893 **Lot No.** ND210224010

Description: Methyl acetate

Matrix: Methanol (Purge & Trap Grade)

Ship Date: January 5, 2023
Expiration Date: January 4, 2026

This **SPEXOrganics®** Certified Reference Material, CRM, is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled	Purity	Certified†	Uncertainty
Methyl acetate	79-20-9	1000 µg/mL	99.5%	1015 µg/mL	± 36 µg/mL

SVI-38-10-08

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified by Gas Chromatography/Mass Spectrometry. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration based on gravimetric weights and corrected for the purity of the compound(s) used to prepare the standard. Analytical balance calibration is verified daily and traceable to NIST and NJ Division of Weights and Measures.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: January 5, 2023

Certifying Officer: Shannon Nace
Shannon Macieira, Operations Manager

© 2021 | Spex, an Antylia Scientific company.

Report of Certification

SVI-38-10-08

Catalog Number: S-3893 **Lot No.** ND210224010

Description: Methyl acetate

Matrix: Methanol (Purge & Trap Grade)

Ship Date: January 5, 2023

Expiration Date: January 4, 2026

This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by DQS), ISO/IEC 17025 (accredited by A2LA) and ISO 17034 (accredited by A2LA) quality system consistent with the following standards:

- ISO 9001: Quality management systems - Requirements
- ISO/IEC 17025: General requirements for the competence of testing and calibration laboratories
- ISO 17034: General requirements for the competence of reference material producers
- ISO Guide 31: Reference Materials - Contents of certificates, labels, and accompanying documentation
- ISO Guide 30: Reference Materials - Selected terms and definitions
- ISO Guide 35: Reference Materials - General and Statistical principles for certification
- Guide to the Expression of Uncertainty in Measurement
- EURACHEM/CITAC Guide: Qualifying Uncertainty in Analytical Measurement
- NIST Technical Note 1297

Storage Requirements:

To ensure the stability of the product once it arrives in your laboratory, please store this product in ambient conditions (18°C to 27°C). Note: Shipping conditions may differ from storage conditions. The EXPIRATION DATE is calculated from the SHIPPED DATE using our stability data and is applicable only if the product is stored under the laboratory specified conditions.

Instructions for Use:

Let material come to room temperature before use. Check for precipitate and if necessary sonicate for one minute. If compounds do not dissolve after one minute then sonicate further until the product is dissolved. A clear appearance is acceptable. The minimum recommended amount that should be removed from this vial is 5µL with a 25µL gas tight syringe. All solutions should be thoroughly mixed, by shaking, prior to use. All surfaces that come in contact with the solution must be thoroughly cleaned prior to use. Dilutions should be performed only with Class A volumetric glassware.

Material Source:

All analytes and matrix materials are obtained and verified by SPEX CertiPrep from pre-qualified vendors as per ISO guidelines. Vendor identifications are proprietary, however sources of all materials used in the preparation and testing of SPEX CertiPrep CRMs are tracked and documented. For assistance, please contact sales support at crmsales@spexcsp.com.

Method of Preparation:

Clean laboratory procedures and techniques have been used throughout the preparation. All materials, equipment, and analytical instrumentation have been qualified prior to use. The highest purity solvents and Class A / calibrated volumetrics have been used in all preparations.

Homogeneity:

The homogeneity of this CRM has been confirmed by procedures consistent with ISO 17025, ISO 17034, and ASTM D6362-98 Appendix X2. Random, replicate samples of the final, packaged material have been analyzed to prove homogeneity in accordance with our internal procedure. This is consistent with the intended use of this CRM. The Degree of Homogeneity, as expressed as maximum between-bottle variation, is 1.2%

Statistical Estimator and Confidence Limits:

The Certified value 'X' as listed on the reverse of this document is at the 95% level of confidence and can be expressed as:

- $X = x \pm U$ where X=certified value, U=expanded uncertainty, x=property value
- $U = ku_c$ where k=2 is the coverage factor at the 95% confidence level
- u_c = combined standard uncertainty obtained by combining the individual compound standard uncertainty components u_i where $u_c=\sqrt{\sum u_i^2}$

Legal Notice:

SPEX CertiPrep Certified Reference Materials are not for any cosmetic, drug, or household application and are to be used only by qualified individuals who are trained in appropriate procedures. No claims against SPEX CertiPrep of any kind whatsoever, whether based on breech of warranty, alleged negligence, or otherwise, with respect to this Reference Material shall be greater than the purchase price. In no event shall SPEX CertiPrep be liable for any loss of profits or any incidental, special, or consequential damages.

SPEX CertiPrep.
Your Science is Our Passion.®

203 Norcross Ave. Metuchen, NJ 08840
www.spexcertiprep.com • E-mail: crmsales@spexcsp.com
Phone: 1-732-549-7144 • Fax 1-732-603-9647

SV1-38-14-11

SPEXertificate®

Certificate of Reference Material

Catalog Number: S-2470 **Lot No.** NSI231116202
Description: Methylcyclohexane
Matrix: P&T Methanol
Manufactured Date: 11/16/2023
Expiration Date: 11/30/2026

This **SPEXOrganics®** Certified Reference Material, CRM, was manufactured by NSI Lab Solutions (www.nsilabsolutions.com) and is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled (ug/mL)	Purity	Certified† (ug/mL)		Uncertainty (ug/mL)
Methylcyclohexane	108-87-2	1000	98.0%	1000	±	7.05

SV1-38-14-11

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified Volumetrically and Analytically. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration is based on gravimetric or volumetric measurements. All balances are checked daily by an in-house standard operating procedure. The weights used for this daily verification are calibrated annually by an ISO/IEC 17025 accredited calibration laboratory and are certified traceable to NIST. Certificate of Calibration and Traceability available upon request. All glassware used in the manufacturing of this standard is Class A. Volumetric pipettors are calibrated every four months by an ISO/IEC 17025 accredited calibration laboratory.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: 11/16/2023 Certifying Officer: Kenneth Grzybowski

Report of Certification

This Certified Reference Material (CRM) has been produced by NSI Lab Solutions (www.nsilabsolutions.com) and certified under an ISO 9001 (certified by DQS) and ISO 17025 (accredited by ANAB AT-1690), and ISO 17034 (accredited by ANAB AR-1571) quality system consistent with the following standards:

- ISO 9001: Quality management systems - Requirements
- ISO/IEC 17025: General requirements for the competence of testing and calibration laboratories
- ISO 17034: General requirements for the competence of reference material producers
- ISO Guide 30: Reference Materials - Selected terms and definitions
- ISO Guide 31: Reference Materials - Contents of certificates and tables
- ISO Guide 35: Refernece Materials - General and Statistical principals for certification
- Guide to the Expression of Uncertainty in Measurement, 2008
- EURACHEM/CITAC Guide: Qualifying Uncertainty in Analytical Measurement - Third Edition
- NIST Technical Note 1297

Storage Requirements:

To ensure the stability of the product once it arrives in your laboratory, please store this product at 15°C to 30°C. Note: Shipping conditions may differ from storage conditions. The EXPIRATION DATE is calculated from the MANUFACTURED DATE using our stability data and is applicable only if the product is stored under the laboratory specified

Instructions for Use:

Let material come to room temperature before use. Check for precipitate and if necessary sonicate for one minute. If compounds do not dissolve after one minute then sonicate further until the product is dissolved. A clear appearance is acceptable. The minimum recommended amount that should be removed from this vial is 5µL with a 25µL gas tight syringe. All solutions should be thoroughly mixed, by shaking, prior to use. All surfaces that come in contact with the solution must be thoroughly cleaned prior to use. Dilutions should be performed only with Class A volumetric glassware.

Material Source:

All analytes and matrix materials are obtained and verified by NSI from pre-qualified vendors as per ISO guidelines. Vendor identifications are proprietary, however sources of all materials used in the preparation and testing of SPEX CertiPrep CRMs are tracked and documented. For assistance, please contact sales support at crmsales@spexcsp.com.

Method of Preparation:

Clean laboratory procedures and techniques have been used throughout the preparation. All materials, equipment, and analytical instrumentation have been qualified prior to use. The highest purity solvents and Class A / calibrated volumetrics have been used in all preparations.

Homogeneity:

The homogeneity of this CRM has been confirmed by procedures consistent with ISO 17025 and ISO 17034. Random, replicate samples of the final, packaged material have been analyzed to prove homogeneity in accordance with our internal procedures. This is consistent with the intended use of this CRM. The Degree of Homogeneity, as expressed as maximum between-bottle variation, is 1.2%

Statistical Estimator and Confidence Limits:

The Certified value 'X' as listed on the reverse of this document is at the 95% level of confidence and can be expressed as:

- $X = x \pm U$ where X=certified value, U=expanded uncertainty, x=property value
- $U = kuc$ where k=2 is the coverage factor at the 95% confidence level
- uc = combined standard uncertainty obtained by combining the individual compound standard uncertainty components ui, where $uc=\sqrt{\sum u^2}$

Legal Notice:

SPEX CertiPrep Certified Reference Materials are not for any cosmetic, drug, or household application and are to be used only by qualified individuals who are trained in appropriate procedures. No claims against SPEX CertiPrep of any kind whatsoever, whether based on breech of warranty, alleged negligence, or otherwise, with respect to this Reference Material shall be greater than the purchase price. In no event shall SPEX CertiPrep be liable for any loss of profits or any incidental, special, or consequential damages.

SPEX CertiPrep.
Your Science is Our Passion.®

203 Norcross Ave. Metuchen, NJ 08840
www.spexcertiprep.com • E mail: crmsales@spexcsp.com
Phone: 1 732 549 7144 • Fax 1 732 603 9647

SVI-38-14-20

SPEXertificate®

Certificate of Reference Material

Catalog Number: S-1015 **Lot No.** NSI231122602
Description: Cyclohexane
Matrix: Methanol (Purge & Trap Grade) **Manufactured Date:** 11/22/2023
Expiration Date: 11/30/2026

This **SPEXOrganics®** Certified Reference Material, CRM, was manufactured by NSI Lab Solutions (www.nsilabsolutions.com) and is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled (ug/mL)	Purity	Certified† (ug/mL)		Uncertainty (ug/mL)
Cyclohexane	110-82-7	1000	100.0%	999	±	7.05

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified Volumetrically and Analytically. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration is based on gravimetric or volumetric measurements. All balances are checked daily by an in-house standard operating procedure. The weights used for this daily verification are calibrated annually by an ISO/IEC 17025 accredited calibration laboratory and are certified traceable to NIST. Certificate of Calibration and Traceability available upon request. All glassware used in the manufacturing of this standard is Class A. Volumetric pipettors are calibrated every four months by an ISO/IEC 17025 accredited calibration laboratory.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: 11/22/2023 Certifying Officer: Kenneth Grzybowski

Report of Certification

This Certified Reference Material (CRM) has been produced by NSI Lab Solutions (www.nsilabsolutions.com) and certified under an ISO 9001 (certified by DQS) and ISO 17025 (accredited by ANAB AT-1690), and ISO 17034 (accredited by ANAB AR-1571) quality system consistent with the following standards:

- ISO 9001: Quality management systems - Requirements
- ISO/IEC 17025: General requirements for the competence of testing and calibration laboratories
- ISO 17034: General requirements for the competence of reference material producers
- ISO Guide 30: Reference Materials - Selected terms and definitions
- ISO Guide 31: Reference Materials - Contents of certificates and labtes
- ISO Guide 35: Refernece Materials - General and Statistical principals for certification
- Guide to the Expression of Uncertainty in Measurement, 2008
- EURACHEM/CITAC Guide: Qualifying Uncertainty in Analytical Measurement - Third Edition
- NIST Technical Note 1297

Storage Requirements:

To ensure the stability of the product once it arrives in your laboratory, please store this product at 15°C to 30°C. Note: Shipping conditions may differ from storage conditions. The EXPIRATION DATE is calculated from the MANUFACTURED DATE using our stability data and is applicable only if the product is stored under the laboratory specified

Instructions for Use:

Let material come to room temperature before use. Check for precipitate and if necessary sonicate for one minute. If compounds do not dissolve after one minute then sonicate further until the product is dissolved. A clear appearance is acceptable. The minimum recommended amount that should be removed from this vial is 5µl. with a 25µL gas tight syringe. All solutions should be thoroughly mixed, by shaking, prior to use. All surfaces that come in contact with the solution must be thoroughly cleaned prior to use. Dilutions should be performed only with Class A volumetric glassware.

Material Source:

All analytes and matrix materials are obtained and verified by NSI from pre-qualified vendors as per ISO guidelines. Vendor identifications are proprietary, however sources of all materials used in the preparation and testing of SPEX CertiPrep CRMs are tracked and documented. For assistance, please contact sales support at crmsales@spexcsp.com.

Method of Preparation:

Clean laboratory procedures and techniques have been used throughout the preparation. All materials, equipment, and analytical instrumentation have been qualified prior to use. The highest purity solvents and Class A / calibrated volumetrics have been used in all preparations.

Homogeneity:

The homogeneity of this CRM has been confirmed by procedures consistent with ISO 17025 and ISO 17034. Random, replicate samples of the final, packaged material have been analyzed to prove homogeneity in accordance with our internal procedures. This is consistent with the intended use of this CRM. The Degree of Homogeneity, as expressed as maximum between-bottle variation, is 1.2%

Statistical Estimator and Confidence Limits:

The Certified value 'X' as listed on the reverse of this document is at the 95% level of confidence and can be expressed as:

- $X = x \pm U$ where X=certified value, U=expanded uncertainty, x=property value
- $U = kuc$ where k=2 is the coverage factor at the 95% confidence level
- uc = combined standard uncertainty obtained by combining the individual compound standard uncertainty components ui, where $uc=\sqrt{\sum ui^2}$

Legal Notice:

SPEX CertiPrep Certified Reference Materials are not for any cosmetic, drug, or household application and are to be used only by qualified individuals who are trained in appropriate procedures. No claims against SPEX CertiPrep of any kind whatsoever, whether based on breech of warranty, alleged negligence, or otherwise, with respect to this Reference Material shall be greater than the purchase price. In no event shall SPEX CertiPrep be liable for any loss of profits or any incidental, special, or consequential damages.

SPEX CertiPrep
Your Science is Our Passion.®

203 Norcross Ave. Metuchen, NJ 08840
www.spexcertiprep.com • E mail: crmsales@spexcsp.com
Phone: 1 732 549 7144 • Fax 1 732 603 9647

SV1-38-14-05

RESTEK

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ACCREDITED ISO 17034 Accredited Reference Material Producer Certificate #3222.01

ACCREDITED ISO/IEC 17025 Accredited Testing Laboratory Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30006 **Lot No.:** A0198760

Description : VOA Calibration Mix #1

VOA Calibration Mix #1 5,000µg/mL, P&T Methanol/Water(90:10), 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Acetone	67-64-1	27D1062005	99%	5,000.2 µg/mL	+/- 172.7826
2	2-Butanone (MEK)	78-93-3	SHBL5543	99%	5,006.0 µg/mL	+/- 172.9842
3	4-Methyl-2-pentanone (MIBK)	108-10-1	SHBN3601	99%	5,009.5 µg/mL	+/- 173.1052
4	2-Hexanone	591-78-6	MKCQ6663	99%	5,009.3 µg/mL	+/- 173.0994

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol/Water (90:10)
CAS # 67-56-1/7732-18-5
Purity 99%

Quality Confirmation Test

Column:
105m x 0.53mm x 3.0µm
Rtx 502.2 (cat.#10910)

Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)


Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID

Split Vent:
40 ml/min

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Laith Clemente - Operations Technician I **Date Mixed:** 07-Jun-2023 **Balance Serial #** B707717271

Martina Cowan – Operations Tech II ARM QC **Date Passed:** 12-Jun-2023

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SVI-38-14-03

Catalog No: TK-102-09S-12.5X
Description: Methylcyclohexane
Lot: 222031009
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 8, 2022
Expiration: Mar 8, 2032
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity % (GC/FID)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Methylcyclohexane	108-87-2	100.0	2507	2507

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No: 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SM-38-14-01

Catalog No: S-6524-0.25X
Description: Methyl acetate
Lot: 223081092
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 7, 2023
Expiration: Aug 7, 2033
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Methyl acetate	79-20-9	100.0	2506	2506

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_c = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: M-603-M-5X
Description: Acrolein & Acrylonitrile
Lot: 224031415
Solvent: Methanol (90%)
Water (10%)
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 26, 2024
Expiration: Jul 26, 2024
Sample Size: 1 mL
Components: 2
Storage Condition: Freeze (<-10 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

SV1-38-15-12

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Acrolein	107-02-8	90.5	5530*	5005
Acrylonitrile	107-13-1	99.8	5060	5050

Copy

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

* Weight compensated to 100% purity.

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4% and was determined in accordance with ISO 17034. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST; Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SVI-38-12-12

Catalog No: TK-102-08S-10X
Description: Cyclohexane
Lot: 221101280
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Oct 19, 2021
Expiration: Oct 19, 2031
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity % (GC/MS)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Cyclohexane	110-82-7	100.0	2008	2008

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_s = \sqrt{(u(\mathrm{V}))^2 + (u(\mathrm{m}))^2 + (u(\mathrm{IV}))^2 + (u(\mathrm{RO}))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 10/4/2022
Original issue date: 10/4/2022

Certificate of Analysis

Date Received:

 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020354-09	489953	≤ -10 °C	P/T Methanol	3-Oct-2027	2-Butanol Solution, 50000 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-butanol	78-92-2	99.8	354.7.1P	50000 ± 2600

SV1-38-11-07

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVF3811-07

Certificate of Analysis

Catalog No.: Z-G34-020354-09 **Lot No.:** 489953 **Expiration Date:** 10/3/2027

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 3-Oct-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Jared Ball	Susan Mathews
Production Chemist II	**Quality Control Chemist I**	**Quality Control Team Lead**

EMAX
LABORATORIES, INC.
3051 Fujita Street
Torrance, CA 90505
Tel: (310)-618-8889

Date: 07-10-2024
EMAX Batch No.: 24F019_R1

Attn: Mark Rigby

Parsons
75 W Towne Ridge Pkway # 200
Sandy UT 84070

Subject: Revised Laboratory Report
Project: TITAN 1-A

Enclosed is the Revised Laboratory report for samples received on 06/05/24.
The data reported relate only to samples listed below :

Sample ID	Control #	Col Date	Matrix	Analysis
T1AMF-MW058_MAY24	F019-01	05/31/24	WATER	VOCS BY 8260C
T1AMF-MW053_MAY24	F019-02	05/31/24	WATER	VOCS BY 8260C
T1AMF-MW051_MAY24	F019-03	05/31/24	WATER	VOCS BY 8260C
T1AMF-MW035_MAY24	F019-04	05/31/24	WATER	VOCS BY 8260C
T1AMF-MW035_MAY24_FD	F019-05	05/31/24	WATER	VOCS BY 8260C
T1AMF-MW064_JUN24	F019-06	06/03/24	WATER	VOCS BY 8260C
T1AMF-MW063_JUN24	F019-07	06/03/24	WATER	VOCS BY 8260C
T1AMF-MW062_JUN24	F019-08	06/03/24	WATER	VOCS BY 8260C
T1AMF-MW061_JUN24	F019-09	06/03/24	WATER	VOCS BY 8260C
T1AMF-MW066_JUN24	F019-10	06/03/24	WATER	VOCS BY 8260C
EB-1_JUN24	F019-11	06/03/24	WATER	VOCS BY 8260C
RB-1_JUN24	F019-12	06/03/24	WATER	VOCS BY 8260C
TB-3_MAY24	F019-13	05/31/24	WATER	VOCS BY 8260C
TB-4_JUN24	F019-14	06/03/24	WATER	VOCS BY 8260C
T1AMF-MW053_MAY24_MS	F019-02M	05/31/24	WATER	VOCS BY 8260C
T1AMF-MW053_MAY24_MSD	F019-02S	05/31/24	WATER	VOCS BY 8260C
T1AMF-MW051_MAY24_MS	F019-03M	05/31/24	WATER	VOCS BY 8260C
T1AMF-MW051_MAY24_MSD	F019-03S	05/31/24	WATER	VOCS BY 8260C

Note: The report was revised to update the purge and trap method from SW5030B to SW5030C.

The results are summarized on the following pages.

Please feel free to call if you have any questions concerning
these results.

Sincerely yours,

Caspar J. Pang
Laboratory Director

This report is confidential and intended solely for the use of the individual or entity to whom it is addressed. This report shall not be reproduced except in full or without the written approval of EMAX.

EMAX certifies that results included in this report meets all TNI & DOD requirements unless noted in the Case Narrative.

NELAP Accredited Certificate Number CA002912023-25
ANAB Accredited DoD ELAP and ISO/IEC 17025 Certificate Number L2278 Testing
California ELAP Accredited Certificate Number 2672

CHAIN OF CUSTODY

3051 Fujita St., Torrance, CA 90505
Tel #: 310-618-8889 FAX#: 310-618-0818
Email: info@emaxlabs.com

PO NUMBER: 0015461

SAMPLE STORAGE:

EMAX CONTROL NO. 24F019

PROJECT CODE:

CLIENT: Parsons

PROJECT: Titan 1-A Semi-Annual Groundwater and Soil Vapor Sampling

COORDINATOR: Carrie Ross@Parsons.us

TEL: 303-349-8219; FAX: EMAIL: Carrie.Ross@parsons.us

SEND REPORT TO: Carrie Ross, Mark.rigby@parsons.com, sandra.delasfuentes@parsons.us

COMPANY:

ADDRESS:

EMAIL:

MATRIX CODE	PRESERVATIVE CODE
DW=Drinking Water	IC = Ice
GW=Ground Water	HC = HCl
WW=Waste Water	SN=SDNS
SD=Solid Waste SL=Sludge	SH=NaOH
SS=Soil/Sediment	ST=Na2S2O3
WP=Wipe PW=Pure Product	ZA=Zinc Acetate
AR=Air	SH=H2SO4
O=	

ANALYSIS REQUIRED: VOCs via SW8260; Title 22 metals via SW6010/7471; TCLP VOCs via SW1311/8260; TCLP metals via SW1311/6010/7471; STLC metals via SWWET/6010/7471

TAT:
- ☐ Rush__24__hrs.
- ☐ Rush__48_hrs
- ☐ Rush_72_hrs
- ☐ 7 days
- ☐ 14 days
- ☐ 21 days

LAB	SAMPLE ID CLIENT	SAMPLING LOCATION	DATE	TIME	CONTAINER NO.	SIZE	TYPE	MATRIX CODE	QC	PRESERVATIVE CODE HC	COMMENTS
1	T1AMF-MW058_MAY24	Titan 1-A	5/31/2024	1110	3		VOA	GW		X	
2	T1AMF-MW053_MAY24	Titan 1-A	5/31/2024	1206	3		VOA	GW		X	
	T1AMF-MW053_MAY24_MS	Titan 1-A	5/31/2024	1206	3		VOA	GW	MS	X	
	T1AMF-MW053_MAY24_MSD	Titan 1-A	5/31/2024	1206	3		VOA	GW	MSD	X	
3	T1AMF-MW051_MAY24	Titan 1-A	5/31/2024	1343	3		VOA	GW		X	
	T1AMF-MW051_MAY24_MS	Titan 1-A	5/31/2024	1343	3		VOA	GW	MS	X	
	T1AMF-MW051_MAY24_MSD	Titan 1-A	5/31/2024	1343	3		VOA	GW	MSD	X	
4	T1AMF-MW035_MAY24	Titan 1-A	5/31/2024	1435	3		VOA	GW		X	
5	T1AMF-MW035_MAY24_FD	Titan 1-A	5/31/2024	1440	3		VOA	GW	FD	X	
6	T1AMF-MW064_JUN24	Titan 1-A	6/3/2024	856	3		VOA	GW		X	

Instructions: Please have the analytical results sent to:

Mark.rigby@parsons.com

Carrie.Ross@parsons.us

sandra.delasfuentes@parsons.us

Cooler #	Temp. (°C)	Sample #s
1	2.5	

SAMPLER:

COURIER/AIRBILL:

RELINQUISHED BY	Date	Time	RECEIVED BY
Arnold Pineda	6/4/24		
	6/5/24	10:30	

NOTICE: Turnaround time (TAT) for samples that have not begun until 24 hours after we have received. For samples received after 1:30 hrs. TAT shall start at 0800 hrs for next business day. The client is responsible for all cost associated with sample disposal. Samples shall be disposed of as soon as practical, but not prior to fifteen (15) calendar days after issuance of analytical report unless a different sample disposal schedule is pre-arranged with EMAX. Disposal fee for samples defined by CA Title 22 as non-hazardous shall be $5.00 per sample. EMAX will return hazardous samples to the client at the client's expense unless directed in writing otherwise.

Project J09CA3108-01

CHAIN OF CUSTODY 2 of 2

EMAX LABS

3051 Fujita St., Torrance, CA 90505
Tel #: 310-618-8889 FAX#: 310-618-0818
Email: info@emaxlabs.com

PO NUMBER: 0015461

SAMPLE STORAGE

EMAX CONTROL NO. 24F019

PROJECT CODE:

CLIENT: Parsons

PROJECT: Titan 1-A Semi-Annual Groundwater and Soil Vapor Sampling

COORDINATOR: Carrie Ross@Parsons.us

TEL: 303-349-8592 FAX: EMAIL: Carrie.Ross@parsons.us

SEND REPORT TO: carrie.ross@parsons.com; mark.rigby@parsons.com; sandra.delaofuentes@parsons.us

COMPANY Carrie.ross@parsons.us

ADDRESS

EMAX PM

MATRIX CODE: DW=Drinking Water; GW=Ground Water; WW=Waste Water; SD=Solid Waste SL=Sludge; SO=Soil/Sediment; WP=Wipes FP=Fuel Products; AR=Air; O= LAB DI WATER

PRESERVATIVE CODE: IC = Ice; HC = HCl; HN=HNO3; SH=NaOH; ST=Na2S2O3; ZA=Zinc Acetate; HS=H2SO4

ANALYSIS REQUIRED: VOCs via SW8260; Title 22 metals via SW6010/7471; TCLP VOCs via SW1311/8260; TCLP metals via SW1311/6010/7471; STLC metals via SWWET/6010/7471

TAT: ☐ Rush __24__hrs. ☐ Rush __48_hrs ☐ Rush_72_hrs ☐ 7 days ☐ 14 days ☐ 21 days

	LAB	SAMPLE ID CLIENT	SAMPLING LOCATION	DATE	TIME	MATRIX CODE NO.	SIZE	TYPE	MATRIX CODE	QC	PRESERVATIVE CODE HC	VOCs via SW8260	Title 22 metals via SW6010/7471	TCLP VOCs via SW1311/8260	TCLP metals via SW1311/6010/7471	STLC metals via SWWET/6010/7471	COMMENTS
7	1	T1AMF-MW063_JUN24	Titan 1-A	6/3/2024	1029	3		VOA	GW		X						
8	2	T1AMF-MW062_JUN24	Titan 1-A	6/3/2024	1141	3		"	GW		X						
9	3	T1AMF-MW061_JUN24	Titan 1-A	6/3/2024	1313	3		"	GW		X						
10	4	T1AMF-MW066_JUN24	Titan 1-A	6/3/2024	1459	3		"	GW		X						
11	5	EB-1_JUN24	Titan 1-A	6/3/2024	1530	3	(530)	"	O	EB	X						
12	6	RB-1_JUN24	Titan 1-A	6/3/2024	1540	3	(540)	"		RB	X						
13	7	TB-3_MAY24	Titan 1-A	5/31/2024	0730	3		"	O	TB	X						
14	8	TB-4_JUN24	Titan 1-A	6/3/2024	0730	3		"	O	TB	X						
	9																
	10																

Instructions: Please have the analytical results sent to

Mark.rigby@parsons.com

carrie.ross@persons.com

sandra.delaofuentes@parsons.us

Cooler #: 1 Temp. (°C): 2.5 Sample #s:

SAMPLER

COURIER/AIRBILL

RELINQUISHED BY	Date	Time	RECEIVED BY
Arnold Pimentel	6/4/24		
	6/5/24	10:30	

NOTICE: Turnaround time (TAT) for samples shall not begin until all discrepancies have been resolved. For samples received and discrepancies resolved after 1500 hrs. TAT shall start at 0800 hrs the next business day. The client is responsible for all cost associated with sample disposal. Samples shall be disposed of as soon as practical (but not prior to fifteen (15) calendar days) after issuance of analytical report unless a different sample disposal schedule is pre-arranged with EMAX. Disposal fee for samples defined by CA Title 22 as non-hazardous shall be $5.00 per sample. EMAX will return hazardous samples to the client at the client's expense unless directed in writing otherwise.

Project J09CA1108-01

EMAX LABORATORIES, INC.

REFERENCE: EMAX-SM02 Rev. 12

SAMPLE RECEIPT FORM 1

Type of Delivery	Airbill / Tracking Number	ECN 24F019
☒ Fedex ☐ UPS ☐ GSO ☐ Others	2755 1342 0240	Recipient Maria Rivera
☐ EMAX Courier ☐ Client Delivery		Date 06/05/24 Time 10:30

COC INSPECTION

☒ Client Name	☒ Client PM/FC	☐ Sampler Name	☒ Sampling Date/Time	☒ Sample ID	☒ Matrix
☐ Address	☒ Tel # / Fax #	☐ Courier Signature	☒ Analysis Required	☒ Preservative (if any)	☐ TAT
Safety Issues (if any)	☐ High concentrations expected	☐ From Superfund Site	☐ Rad screening required		

Note: No initial / date on corrections

PACKAGING INSPECTION

Container	☒ Cooler	☐ Box	☐ Other		
Condition	☒ Custody Seal	☐ Intact	☐ Damaged		
Packaging	☒ Bubble Pack	☐ Styrofoam	☐ Popcorn	☐ Sufficient	☒ bag
Temperatures (Cool, ≤6 °C but not frozen)	☒ Cooler 1 2.5 °C	☐ Cooler 2 ____ °C	☐ Cooler 3 ____ °C	☐ Cooler 4 ____ °C	☐ Cooler 5 ____ °C
	☐ Cooler 6 ____ °C	☐ Cooler 7 ____ °C	☐ Cooler 8 ____ °C	☐ Cooler 9 ____ °C	☐ Cooler 10 ____ °C
Thermometer:	*A - S/N* 210706272	*(B) S/N* 230044860	*C - S/N* 230044897	*D - S/N* 230044857	

Comments: ☐ Temperature is out of range. PM was informed IMMEDIATELY.

Note:

DISCREPANCIES

LabSampleID	LabSampleContainerID	Code	ClientSample Label ID / Information	Corrective Action
6	28-30	D3	Label reads: T1AMF-MW064_MAY24	R1
7-11, 14	31-45, 52-54	D3	" ID: "..._MAY24"	↓
11, 12, 14	43-48, 52-54	D6		R1
1-14	1-54	D1		↓
12	46-48	D3	Label reads: Rinse Blank-1_MAY24	R1

☐ pH holding time requirement for water samples is 15 mins. Water samples for pH analysis are received beyond 15 minutes from sampling time. NB 6/5/24

NOTES/OBSERVATIONS: Sample 1 has slight brown sediment at the bottom.

SAMPLE MATRIX IS DRINKING WATER? ☐ YES ☒ NO

LEGEND:

☐ Continue to next page.

Code	Description- Sample Management
D1	Analysis is not indicated in label
D2	Analysis mismatch COC vs label
D3	Sample ID mismatch COC vs label
D4	Sample ID is not indicated in ____
D5	Container -[improper] [leaking] [broken]
D6	Date/Time is not indicated in label
D7	Date/Time mismatch COC vs label
D8	Sample listed in COC is not received
D9	Sample received is not listed in COC
D10	No initial/date on corrections in COC/label
D11	Container count mismatch COC vs received
D12	Container size mismatch COC vs received

Code	Description-Sample Management
D13	Out of Holding Time
D14	Bubble is >6mm
D15	No trip blank in cooler
D16	Preservation not indicated in ____
D17	Preservation mismatch COC vs label
D18	Insufficient chemical preservative
D19	Insufficient Sample
D20	No filtration info for dissolved analysis
D21	No sample for moisture determination
D22	____
D23	____
D24	____

Code	Description-Sample Management
R1	Proceed as indicated in ☒ COC ☐ Label
R2	Refer to attached instruction
R3	Cancel the analysis
R4	Use vial with smallest bubble first
R5	Log-in with latest sampling date and time+1 min
R6	Adjust pH as necessary
R7	Filter and preserved as necessary
R8	____
R9	____
R10	____
R11	____
R12	____

REVIEWS:

Sample Labeling Maria Rivera Date 06/05/24 — SRF Date 06/5/24 — PM NB Date 6/5/24


ORIGIN ID:CCRA (626) 710-7746
PARSONS
100 PRINGLE AVE STE 525
WALNUT CREEK, CA 94596
UNITED STATES US
SHIP DATE: 04JUN24
ACTWGT: 46.95 LB
CAD: 6755023/SSF02521
DIMS: 25x14x1 IN
BILL THIRD PARTY
TO EMAX LABS
ATTN: SAMPLE RECIEVING
3051 FUJITA ST
TORRANCE CA 90505
(310) 618-8888
REF:
PO:
DEPT
B
Seared
A
RT 467
ST 19
3
10:30
0240
06.05
FedEx Express
REL# 3785346
TRK# 0201 2755 1342 0240
WED - 05 JUN 10:30A
PRIORITY OVERNIGHT
92 HHRA
AHS
90505
CA-US LAX
Part # 156297-435 RRDB EXP 09/24

REPORTING CONVENTIONS

DATA QUALIFIERS:

Lab Qualifier	AFCEE Qualifier	Description
J	F	Indicates that the analyte is positively identified and the result is less than LOQ/RL but greater than LOD/MDL/DL.
N		Indicates presumptive evidence of a compound.
B	B	Indicates that the analyte is found in the associated method blank as well as in the sample at above QC level.
E	J	Indicates that the result is above the maximum calibration range or estimated value.
*	*	Out of QC limit.

Note: The above qualifiers are used to flag the results unless the project requires a different set of qualification criteria.

ACRONYMS AND ABBREVIATIONS:

CRDL	Contract Required Detection Limit
RL	Reporting Limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
DL	Detection Limit
LOD	Limit of Detection
LOQ	Limit of Quantitation
DO	Diluted out

DATES

The date and time information for leaching and preparation reflect the beginning date and time of the procedure unless the method, protocol, or project specifically requires otherwise.

SUMMARY PACKAGE
VOLATILE ORGANICS

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F019

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

A total of fourteen(14) water samples were received on 06/05/24 to be analyzed for Volatile Organics by GC/MS in accordance with Method SW5030C/8260C and project specific requirements.

Holding Time
Samples were analyzed within the prescribed holding time.

Instrument Performance and Calibration
Instrument tune check was performed prior to calibration. Result was within acceptance criteria. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried out at a frequency required by the project. There were six(6) CCVs (Data File IDs: RFG092, RFG119, RFG123, RFG149, RFG153 and RFG179) associated with this SDG. All calibration requirements were satisfied. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, three(3) method blanks were analyzed. V0E2F04B, V0E2F05B and V0E2F06B were compliant to project requirement. Refer to sample result summary forms for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, five(3) sets of LCS/LCD were analyzed. Lab control sample was prepared and analyzed at a frequency required by the project. All analytes were within LCS limits except for: V0E2F05L/V0E2F05C - Percent recovery for 1,4-Dichlorobenzene in LCD. The rest of the analytes were in control. V0E2F06L/V0E2F06C - Percent recovery for 1,4-Dichlorobenzene in LCD. The rest of the analytes were in control. Refer to LCS summary forms for details.

Matrix QC Sample
Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, two(2) sets of MS/MSD were analyzed. 24F019-02M/24F019-02S - all analytes were within MS QC limits. 24F019-03M/24F019-03S - all analytes were within MS QC limits. Refer to Matrix QC summary forms for details.

Surrogate
Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis
Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met with the exception of those that were discussed within the associated QC parameter.

LAB CHRONICLE
VOLATILE ORGANICS BY GC/MS

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F019
Instrument ID : E2

WATER

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Prep. Data FN	Batch	Notes
LCS1W	VOE2F04L	1	NA	06/11/2414:15	06/11/2414:15	RFG093	REG122	VOE2F04	Lab Control Sample (LCS)
LCD1W	VOE2F04C	1	NA	06/11/2414:39	06/11/2414:39	RFG094	REG122	VOE2F04	LCS Duplicate
MBLK1W	VOE2F043	1	NA	06/11/2415:26	06/11/2415:26	RFG096	REG122	VOE2F04	Method Blank
T1AMF-MW058_MAY24	24F019-01	1	NA	06/11/2419:47	06/11/2419:47	RFG107	REG122	VOE2F04	Field Sample
T1AMF-MW035_MAY24	24F019-04	1	NA	06/11/2420:34	06/11/2420:34	RFG109	REG122	VOE2F04	Field Sample
T1AMF-MW035_MAY24_FD	24F019-05	1	NA	06/11/2420:58	06/11/2420:58	RFG110	REG122	VOE2F04	Field Sample
T1AMF-MW064_JUN24	24F019-06	1	NA	06/11/2421:21	06/11/2421:21	RFG111	REG122	VOE2F04	Field Sample
T1AMF-MW063_JUN24	24F019-07	1	NA	06/11/2421:45	06/11/2421:45	RFG112	REG122	VOE2F04	Field Sample
T1AMF-MW062_JUN24	24F019-08	1	NA	06/11/2422:09	06/11/2422:09	RFG113	REG122	VOE2F04	Field Sample
T1AMF-MW061_JUN24	24F019-09	1	NA	06/11/2422:32	06/11/2422:32	RFG114	REG122	VOE2F04	Field Sample
T1AMF-MW066_JUN24	24F019-10	1	NA	06/11/2422:56	06/11/2422:56	RFG115	REG122	VOE2F04	Field Sample
EB-1_JUN24	24F019-11	1	NA	06/11/2423:19	06/11/2423:19	RFG116	REG122	VOE2F04	Field Sample
LCS2W	VOE2F05L	1	NA	06/13/2410:20	06/13/2410:20	RFG124	REG122	VOE2F05	Lab Control Sample (LCS)
LCD2W	VOE2F05C	1	NA	06/13/2410:44	06/13/2410:44	RFG125	REG122	VOE2F05	LCS Duplicate
MBLK2W	VOE2F053	1	NA	06/13/2411:31	06/13/2411:31	RFG127	REG122	VOE2F05	Method Blank
TB-3_MAY24	24F019-13	1	NA	06/13/2413:06	06/13/2413:06	RFG129	REG122	VOE2F05	Field Sample
RB-1_JUN24	24F019-12	1	NA	06/13/2413:30	06/13/2413:30	RFG130	REG122	VOE2F05	Field Sample
T1AMF-MW053_MAY24	24F019-02N	1	NA	06/13/2413:54	06/13/2413:54	RFG131	REG122	VOE2F05	Field Sample
T1AMF-MW051_MAY24	24F019-03	1	NA	06/13/2414:17	06/13/2414:17	RFG132	REG122	VOE2F05	Field Sample
T1AMF-MW053_MAY24_MS	24F019-02M	1	NA	06/13/2414:41	06/13/2414:41	RFG133	REG122	VOE2F05	Matrix Spike Sample (MS)
T1AMF-MW053_MAY24_MSD	24F019-02S	1	NA	06/13/2415:05	06/13/2415:05	RFG134	REG122	VOE2F05	MS Duplicate (MSD)
T1AMF-MW051_MAY24_MS	24F019-03M	1	NA	06/13/2415:28	06/13/2415:28	RFG135	REG122	VOE2F05	Matrix Spike Sample (MS)
T1AMF-MW051_MAY24_MSD	24F019-03S	1	NA	06/13/2415:52	06/13/2415:52	RFG136	REG122	VOE2F05	MS Duplicate (MSD)
LCS3W	VOE2F06L	1	NA	06/14/2412:35	06/14/2412:35	RFG154	REG122	VOE2F06	Lab Control Sample (LCS)
LCD3W	VOE2F06C	1	NA	06/14/2412:58	06/14/2412:58	RFG155	REG122	VOE2F06	LCS Duplicate
MBLK3W	VOE2F063	1	NA	06/14/2413:46	06/14/2413:46	RFG157	REG122	VOE2F06	Method Blank
TB-4_JUN24	24F019-14N	1	NA	06/14/2414:10	06/14/2414:10	RFG158	REG122	VOE2F06	Field Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/31/24 11:10
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 19:47
Sample ID	: T1AMF-MW058_MAY24	Date Analyzed:	06/11/24 19:47
Lab Samp ID:	24F019-01	Dilution Factor:	1
Lab File ID:	RFG107	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	0.11J	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.2	10.0	102	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	10.0	10.0	100	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/31/24 12:06
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/13/24 13:54
Sample ID	: T1AMF-MW053_MAY24	Date Analyzed:	06/13/24 13:54
Lab Samp ID:	24F019-02N	Dilution Factor:	1
Lab File ID:	RFG131	Matrix:	WATER
Ext Btch ID:	VOE2F05	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.0	10.0	110	81-118
4-Bromofluorobenzene	11.2	10.0	112	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	9.72	10.0	97	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/31/24 13:43
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/13/24 14:17
Sample ID	: T1AMF-MW051_MAY24	Date Analyzed:	06/13/24 14:17
Lab Samp ID:	24F019-03	Dilution Factor:	1
Lab File ID:	RFG132	Matrix:	WATER
Ext Btch ID:	V0E2F05	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.11J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	9.3	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.9	10.0	109	81-118
4-Bromofluorobenzene	11.2	10.0	112	85-114
Toluene-d8	10.1	10.0	101	89-112
Dibromofluoromethane	9.57	10.0	96	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/31/24 14:35
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 20:34
Sample ID	: T1AMF-MW035_MAY24	Date Analyzed:	06/11/24 20:34
Lab Samp ID:	24F019-04	Dilution Factor:	1
Lab File ID:	RFG109	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.3	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	6.2	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.4	10.0	114	81-118
4-Bromofluorobenzene	10.4	10.0	104	85-114
Toluene-d8	10.4	10.0	104	89-112
Dibromofluoromethane	10.3	10.0	103	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/31/24 14:40
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 20:58
Sample ID	: T1AMF-MW035_MAY24_FD	Date Analyzed:	06/11/24 20:58
Lab Samp ID:	24F019-05	Dilution Factor:	1
Lab File ID:	RFG110	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.3	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	6.0	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	9.98	10.0	100	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 08:56
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 21:21
Sample ID	: T1AMF-MW064_JUN24	Date Analyzed:	06/11/24 21:21
Lab Samp ID:	24F019-06	Dilution Factor:	1
Lab File ID:	RFG111	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.2	10.0	112	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.4	10.0	104	89-112
Dibromofluoromethane	9.97	10.0	100	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 10:29
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 21:45
Sample ID	: T1AMF-MW063_JUN24	Date Analyzed:	06/11/24 21:45
Lab Samp ID:	24F019-07	Dilution Factor:	1
Lab File ID:	RFG112	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.1	10.0	101	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	9.89	10.0	99	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 11:41
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 22:09
Sample ID	: T1AMF-MW062_JUN24	Date Analyzed:	06/11/24 22:09
Lab Samp ID:	24F019-08	Dilution Factor:	1
Lab File ID:	RFG113	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.3	10.0	113	81-118
4-Bromofluorobenzene	9.86	10.0	99	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	10.2	10.0	102	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 13:13
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 22:32
Sample ID	: T1AMF-MW061_JUN24	Date Analyzed:	06/11/24 22:32
Lab Samp ID:	24F019-09	Dilution Factor:	1
Lab File ID:	RFG114	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.6	10.0	116	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	10.4	10.0	104	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 14:59
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 22:56
Sample ID	: T1AMF-MW066_JUN24	Date Analyzed:	06/11/24 22:56
Lab Samp ID:	24F019-10	Dilution Factor:	1
Lab File ID:	RFG115	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.5	10.0	115	81-118
4-Bromofluorobenzene	10.4	10.0	104	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	10.2	10.0	102	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 15:30
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 23:19
Sample ID	: EB-1_JUN24	Date Analyzed:	06/11/24 23:19
Lab Samp ID:	24F019-11	Dilution Factor:	1
Lab File ID:	RFG116	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.2	10.0	112	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	9.77	10.0	98	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 15:40
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/13/24 13:30
Sample ID	: RB-1_JUN24	Date Analyzed:	06/13/24 13:30
Lab Samp ID:	24F019-12	Dilution Factor:	1
Lab File ID:	RFG130	Matrix:	WATER
Ext Btch ID:	VOE2F05	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.3	10.0	113	81-118
4-Bromofluorobenzene	11.0	10.0	110	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	9.78	10.0	98	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/31/24 07:30
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/13/24 13:06
Sample ID	: TB-3_MAY24	Date Analyzed:	06/13/24 13:06
Lab Samp ID:	24F019-13	Dilution Factor:	1
Lab File ID:	RFG129	Matrix:	WATER
Ext Btch ID:	VOE2F05	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	0.33J	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.8	10.0	108	81-118
4-Bromofluorobenzene	11.0	10.0	110	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	9.72	10.0	97	80-119

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 07:30
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/14/24 14:10
Sample ID	: T8-4_JUN24	Date Analyzed:	06/14/24 14:10
Lab Samp ID:	24F019-14N	Dilution Factor:	1
Lab File ID:	RFG158	Matrix:	WATER
Ext Btch ID:	VOE2F06	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	0.30J	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.5	10.0	105	81-118
4-Bromofluorobenzene	10.7	10.0	107	85-114
Toluene-d8	9.84	10.0	98	89-112
Dibromofluoromethane	9.21	10.0	92	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

QC SUMMARIES

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/11/24 15:26
Project	: TITAN 1-A	Date Received:	06/11/24
Batch No.	: 24F019	Date Extracted:	06/11/24 15:26
Sample ID	: MBLK1W	Date Analyzed:	06/11/24 15:26
Lab Samp ID:	VOE2F04B	Dilution Factor:	1
Lab File ID:	RFG096	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.8	10.0	108	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.95	10.0	100	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F019
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: VOE2F04B	VOE2F04L	VOE2F04C
LAB FILE ID	: RFG096	RFG093	RFG094
DATE PREPARED	: 06/11/24 15:26	06/11/24 14:15	06/11/24 14:39
DATE ANALYZED	: 06/11/24 15:26	06/11/24 14:15	06/11/24 14:39
PREP BATCH	: VOE2F04	VOE2F04	VOE2F04
CALIBRATION REF	: REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	9.69	97	10.0	9.34	93	4	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.7	107	10.0	10.3	103	4	79-118	20
Benzene	ND	10.0	9.98	100	10.0	9.74	97	2	79-120	20
cis-1,2-Dichloroethene	ND	10.0	9.91	99	10.0	9.49	95	4	78-123	20
Ethylbenzene	ND	10.0	10.5	105	10.0	10.4	104	1	79-121	20
m,p-Xylene	ND	20.0	20.4	102	20.0	20.2	101	1	80-121	20
o-Xylene	ND	10.0	10.7	107	10.0	10.6	106	1	78-122	20
Toluene	ND	10.0	10.4	104	10.0	10.3	103	1	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	9.39	94	10.0	9.07	91	3	75-124	20
Trichloroethene	ND	10.0	9.00	90	10.0	8.65	87	4	79-123	20
Vinyl Chloride	ND	10.0	11.0	110	10.0	10.4	104	6	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.6	106	10.0	10.1	101	81-118
4-Bromofluorobenzene	10.0	11.1	111	10.0	10.6	106	85-114
Toluene-d8	10.0	10.6	106	10.0	10.6	106	89-112
Dibromofluoromethane	10.0	9.84	98	10.0	9.56	96	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/13/24 11:31
Project	: TITAN 1-A	Date Received:	06/13/24
Batch No.	: 24F019	Date Extracted:	06/13/24 11:31
Sample ID	: MBLK2W	Date Analyzed:	06/13/24 11:31
Lab Samp ID:	VOE2F05B	Dilution Factor:	1
Lab File ID:	RFG127	Matrix:	WATER
Ext Btch ID:	VOE2F05	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.5	10.0	105	81-118
4-Bromofluorobenzene	11.3	10.0	113	85-114
Toluene-d8	10.4	10.0	104	89-112
Dibromofluoromethane	9.37	10.0	94	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F019
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: MBLK2W	LCS2W	LCD2W
LAB SAMPLE ID	: VOE2F05B	VOE2F05L	VOE2F05C
LAB FILE ID	: RFG127	RFG124	RFG125
DATE PREPARED	: 06/13/24 11:31	06/13/24 10:20	06/13/24 10:44
DATE ANALYZED	: 06/13/24 11:31	06/13/24 10:20	06/13/24 10:44
PREP BATCH	: VOE2F05	VOE2F05	VOE2F05
CALIBRATION REF	: REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	11.6	116	10.0	11.7	117	1	71-131	20
1,4-Dichlorobenzene	ND	10.0	11.5	115	10.0	12.0	120*	4	79-118	20
Benzene	ND	10.0	11.1	111	10.0	11.2	112	1	79-120	20
cis-1,2-Dichloroethene	ND	10.0	10.8	108	10.0	10.7	107	1	78-123	20
Ethylbenzene	ND	10.0	10.8	108	10.0	11.1	111	3	79-121	20
m,p-Xylene	ND	20.0	21.1	106	20.0	21.4	107	1	80-121	20
o-Xylene	ND	10.0	11.0	110	10.0	11.2	112	2	78-122	20
Toluene	ND	10.0	11.0	110	10.0	10.9	109	1	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	10.3	103	10.0	10.2	102	1	75-124	20
Trichloroethene	ND	10.0	10.2	102	10.0	10.4	104	2	79-123	20
Vinyl Chloride	ND	10.0	12.5	125	10.0	12.7	127	2	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.5	105	10.0	10.3	103	81-118
4-Bromofluorobenzene	10.0	10.5	105	10.0	11.3	113	85-114
Toluene-d8	10.0	9.89	99	10.0	9.84	98	89-112
Dibromofluoromethane	10.0	9.58	96	10.0	9.54	95	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate
* Out of QC Limit

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/14/24 13:46
Project	: TITAN 1-A	Date Received:	06/14/24
Batch No.	: 24F019	Date Extracted:	06/14/24 13:46
Sample ID	: MBLK3W	Date Analyzed:	06/14/24 13:46
Lab Samp ID:	VOE2F06B	Dilution Factor:	1
Lab File ID:	RFG157	Matrix:	WATER
Ext Btch ID:	VOE2F06	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.2	10.0	102	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	9.52	10.0	95	89-112
Dibromofluoromethane	8.88	10.0	89	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F019
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: MBLK3W	LCS3W	LCD3W
LAB SAMPLE ID	: VOE2F06B	VOE2F06L	VOE2F06C
LAB FILE ID	: RFG157	RFG154	RFG155
DATE PREPARED	: 06/14/24 13:46	06/14/24 12:35	06/14/24 12:58
DATE ANALYZED	: 06/14/24 13:46	06/14/24 12:35	06/14/24 12:58
PREP BATCH	: VOE2F06	VOE2F06	VOE2F06
CALIBRATION REF	: REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	10.8	108	10.0	11.7	117	8	71-131	20
1,4-Dichlorobenzene	ND	10.0	11.3	113	10.0	12.0	120*	6	79-118	20
Benzene	ND	10.0	10.2	102	10.0	11.0	110	8	79-120	20
cis-1,2-Dichloroethene	ND	10.0	9.87	99	10.0	10.2	102	3	78-123	20
Ethylbenzene	ND	10.0	10.1	101	10.0	10.8	108	7	79-121	20
m,p-Xylene	ND	20.0	20.1	101	20.0	21.0	105	4	80-121	20
o-Xylene	ND	10.0	10.4	104	10.0	11.2	112	7	78-122	20
Toluene	ND	10.0	10.2	102	10.0	10.8	108	6	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	9.36	94	10.0	10.1	101	8	75-124	20
Trichloroethene	ND	10.0	9.43	94	10.0	10.1	101	7	79-123	20
Vinyl Chloride	ND	10.0	12.0	120	10.0	11.3	113	6	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.2	102	10.0	10.3	103	81-118
4-Bromofluorobenzene	10.0	10.7	107	10.0	10.5	105	85-114
Toluene-d8	10.0	9.56	96	10.0	9.32	93	89-112
Dibromofluoromethane	10.0	9.00	90	10.0	8.96	90	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate
* Out of QC Limit

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F019
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: T1AMF-MW053_MAY24	T1AMF-MW053_MAY24_MS	T1AMF-MW053_MAY24_MSD
LAB SAMPLE ID	: 24F019-02N	24F019-02M	24F019-02S
LAB FILE ID	: RFG131	RFG133	RFG134
DATE PREPARED	: 06/13/24 13:54	06/13/24 14:41	06/13/24 15:05
DATE ANALYZED	: 06/13/24 13:54	06/13/24 14:41	06/13/24 15:05
PREP BATCH	: VOE2F05	VOE2F05	VOE2F05
CALIBRATION REF	: REG122	REG122	REG122

ACCESSION:

PARAMETERS	PSResult (ug/L)	SpikeAmt (ug/L)	MSResult (ug/L)	MSRec (%)	SpikeAmt (ug/L)	MSDResult (ug/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	11.0	110	10.0	11.1	111	1	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.6	106	10.0	10.3	103	3	79-118	20
Benzene	ND	10.0	9.96	100	10.0	10.1	101	1	79-120	20
cis-1,2-Dichloroethene	ND	10.0	9.69	97	10.0	9.41	94	3	78-123	20
Ethylbenzene	ND	10.0	10.0	100	10.0	9.97	100	0	79-121	20
m,p-Xylene	ND	20.0	19.4	97	20.0	19.4	97	0	80-121	20
o-Xylene	ND	10.0	9.98	100	10.0	9.99	100	0	78-122	20
Toluene	ND	10.0	9.95	100	10.0	10.1	101	1	80-121	20
trans-1,2-Dichloroethene	ND	10.0	9.41	94	10.0	9.57	96	2	75-124	20
Trichloroethene	ND	10.0	9.43	94	10.0	9.20	92	2	79-123	20
Vinyl chloride	ND	10.0	12.0	120	10.0	11.9	119	1	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	MSResult (ug/L)	MSRec (%)	SpikeAmt (ug/L)	MSDResult (ug/L)	MSDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.3	103	10.0	10.6	106	81-118
4-Bromofluorobenzene	10.0	10.9	109	10.0	10.7	107	85-114
Toluene-d8	10.0	9.69	97	10.0	9.94	99	89-112
Dibromofluoromethane	10.0	9.29	93	10.0	9.53	95	80-119

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F019
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: T1AMF-MW051_MAY24	T1AMF-MW051_MAY24_MS	T1AMF-MW051_MAY24_MSD
LAB SAMPLE ID	: 24F019-03	24F019-03M	24F019-03S
LAB FILE ID	: RFG132	RFG135	RFG136
DATE PREPARED	: 06/13/24 14:17	06/13/24 15:28	06/13/24 15:52
DATE ANALYZED	: 06/13/24 14:17	06/13/24 15:28	06/13/24 15:52
PREP BATCH	: VOE2F05	VOE2F05	VOE2F05
CALIBRATION REF	: REG122	REG122	REG122

ACCESSION:

PARAMETERS	PSResult (ug/L)	SpikeAmt (ug/L)	MSResult (ug/L)	MSRec (%)	SpikeAmt (ug/L)	MSDResult (ug/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	11.1	111	10.0	11.0	110	1	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.3	103	10.0	10.3	103	0	79-118	20
Benzene	ND	10.0	10.1	101	10.0	10.1	101	0	79-120	20
cis-1,2-Dichloroethene	0.115J	10.0	9.73	96	10.0	9.66	95	1	78-123	20
Ethylbenzene	ND	10.0	9.90	99	10.0	9.93	99	0	79-121	20
m,p-Xylene	ND	20.0	19.3	97	20.0	19.1	96	1	80-121	20
o-Xylene	ND	10.0	9.93	99	10.0	9.85	99	1	78-122	20
Toluene	ND	10.0	9.89	99	10.0	9.86	99	0	80-121	20
trans-1,2-Dichloroethene	ND	10.0	9.21	92	10.0	9.40	94	2	75-124	20
Trichloroethene	9.25	10.0	19.2	100	10.0	18.2	90	5	79-123	20
Vinyl chloride	ND	10.0	13.5	135	10.0	13.1	131	3	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	MSResult (ug/L)	MSRec (%)	SpikeAmt (ug/L)	MSDResult (ug/L)	MSDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.8	108	10.0	10.7	107	81-118
4-Bromofluorobenzene	10.0	11.0	110	10.0	11.0	110	85-114
Toluene-d8	10.0	9.90	99	10.0	9.66	97	89-112
Dibromofluoromethane	10.0	9.56	96	10.0	9.63	96	80-119

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

INITIAL CALIBRATION(S)

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: REG116 BFB Injection Date: 05/17/24

Instrument ID: E2 BFB Injection Time: 11:23

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.276
75	30 - 60% of mass 95	50.050
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.720
173	Less than 2% of mass 174	0.804(.96)1
174	Greater than 50% of mass 95	83.334
175	5 - 9% of mass 174	6.239(7.49)1
176	95 - 101% % of mass 174	81.293(97.55)1
177	5 - 9% % of mass 176	5.264(6.48)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD0.5	VOE2E172	REG118	05/17/24	12:33
2	VSTD1	VOE2E173	REG119	05/17/24	12:57
3	VSTD2	VOE2E174	REG120	05/17/24	13:21
4	VSTD5	VOE2E175	REG121	05/17/24	13:45
5	VSTD10	VOE2E176	REG122	05/17/24	14:09
6	VSTD30	VOE2E177	REG123	05/17/24	14:33
7	VSTD50	VOE2E178	REG124	05/17/24	14:57
8	VSTD100	VOE2E179	REG125	05/17/24	15:21
9	VSTD200	VOE2E1710	REG126	05/17/24	15:44

Sv
5/24/24

Instrument ID :E2
Beginning DateTime :05/17/24 12:33
Spike Units :PPB
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
Ending DateTime :05/17/24 15:44
HPChem Method :VOE2E17

M	IDX	Parameters	5 12:33 REG118	1 12:57 REG119	2 13:21 REG120	5 13:45 REG121	10 14:09 REG122	30 14:33 REG123	50 14:57 REG124	100 15:21 REG125	200 15:44 REG126	Av_RRF	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	0	5.9874
	2	Dichlorodifluoromethane	0.621	0.637	0.579	0.504	0.509	0.610	0.570	0.578	0.556	0.574	8.06	2.7078
	3	Chloromethane	0.526	0.465	0.434	0.383	0.373	0.377	0.368	0.382	0.398	0.412	13.00	2.9059
	4	Vinyl chloride	0.419	0.490	0.461	0.376	0.416	0.439	0.449	0.449	0.415	0.435	7.58	2.9903
	5	Bromomethane	0.348	0.325	0.291	0.268	0.244	0.267	0.278	0.296	0.330	0.294	11.62	3.3131
	6	Dichlorofluoromethane	1.071	1.087	0.974	1.099	0.990	1.025	0.930	0.904	0.865	0.994	8.41	3.3523
	7	Chloroethane	0.222	0.255	0.216	0.196	0.204	0.219	0.205	0.207	0.193	0.213	8.74	3.3461
	8	Trichlorofluoromethane	1.076	1.027	0.981	0.846	0.898	1.033	0.988	0.997	0.949	0.977	7.24	3.5112
5	9	Acrolein	0.074	0.076	0.063	0.070	0.064	0.060	0.059	0.060	0.059	0.065	10.21	3.7423
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	0.510	0.445	0.389	0.475	0.409	0.418	0.409	0.396	0.383	0.426	10.04	3.7521
5	11	Acetone	0.325	0.240	0.181	0.149	0.137	0.118	0.119	------	------	0.181	42.17	3.7690
25	12	tert-Butyl alcohol	0.075	0.070	0.063	0.057	0.061	0.056	0.057	0.055	0.054	0.061	11.83	3.8744
	13	1,1-Dichloroethene	0.972	0.970	0.870	1.007	0.889	0.901	0.818	0.823	0.795	0.894	8.46	3.9025
10	14	Acetonitrile	------	0.037	0.031	0.030	0.031	0.026	0.027	------	------	0.030	12.37	3.8744
	15	Allyl chloride	0.262	0.270	0.227	0.265	0.239	0.241	0.223	0.204	0.194	0.236	11.27	4.1055
	16	Iodomethane	0.335	0.312	0.310	0.409	0.432	0.563	0.530	0.509	0.459	0.429	22.23	4.1434
	17	Methyl acetate	------	0.410	0.337	0.344	0.341	0.293	0.304	------	------	0.338	12.15	4.0285
	18	Methylene chloride	1.122	1.095	0.930	0.852	0.731	0.698	0.612	0.596	0.570	0.801	26.33	4.1825
5	19	Acrylonitrile	0.187	0.165	0.144	0.155	0.158	0.140	0.134	0.135	0.126	0.150	11.69	4.2156
	20	tert-Butyl methyl ether (MTBE)	1.687	1.599	1.508	1.603	1.504	1.453	1.377	1.365	1.352	1.494	7.94	4.2266
	21	Carbon disulfide	1.587	1.491	1.289	1.218	1.375	1.338	1.287	------	------	1.370	9.42	4.3052
	22	trans-1,2-Dichloroethene	0.536	0.534	0.472	0.542	0.468	0.442	0.442	0.426	0.429	0.477	10.07	4.3696
	23	Isopropyl ether (DIPE)	1.738	1.638	1.535	1.682	1.513	1.489	1.394	1.379	1.317	1.520	9.47	4.4601
	24	Vinyl acetate	0.905	0.932	0.893	0.899	0.928	0.816	0.810	0.820	0.793	0.866	6.41	4.5457
	25	1,1-Dichloroethane	1.123	1.084	0.958	1.041	0.935	0.964	0.901	0.851	0.823	0.965	10.57	4.6338
	26	tert-Butyl ethyl ether (ETBE)	2.025	2.049	1.829	2.024	1.854	1.711	1.759	1.666	1.701	1.846	8.21	4.7328
5	27	2-Butanone	------	0.059	0.048	0.048	0.049	0.043	0.043	0.042	0.042	0.047	12.56	4.8539
10	28	Propionitrile	0.067	0.061	0.059	0.057	0.053	0.051	0.051	0.048	0.050	0.055	11.17	4.9101
20	29	Isobutyl alcohol	------	0.024	0.020	0.019	0.020	0.018	0.019	0.017	------	0.020	12.47	5.0299
	30	2,2-Dichloropropane	1.070	1.031	0.913	1.100	0.993	0.952	0.921	0.878	0.831	0.966	9.30	5.0202
10	31	Methacrylonitrile	0.105	0.103	0.092	0.099	0.089	0.088	0.084	0.080	0.076	0.091	11.02	5.0568
	32	cis-1,2-Dichloroethene	0.592	0.622	0.541	0.585	0.519	0.520	0.508	0.491	0.507	0.543	8.40	5.0630
	33	Chloroform	1.500	1.398	1.172	1.238	1.117	1.090	1.041	1.012	------	1.196	14.51	5.1730
	34	Bromochloromethane	0.354	0.366	0.325	0.348	0.326	0.321	0.296	0.275	0.259	0.319	11.29	5.3271
	35	Tetrahydrofuran	------	0.140	0.129	0.132	0.124	0.122	0.118	0.116	------	0.126	6.67	5.3192
	36	Dibromofluoromethane	0.677	0.642	0.571	0.613	0.624	0.588	0.573	------	------	0.612	6.30	5.3381
	37	1,1,1-Trichloroethane	1.193	1.165	1.010	1.192	1.074	1.094	1.020	0.999	0.960	1.079	8.19	5.4971
	38	Cyclohexane	0.684	0.625	0.466	0.628	0.461	0.515	0.544	0.500	0.528	0.550	14.22	5.5484
	39	tert-Amyl methyl ether (TAME)	0.340	0.348	0.314	0.372	0.345	0.297	0.329	0.313	0.306	0.329	7.33	5.6144
	40	1,1-Dichloropropene	0.262	0.251	0.222	0.266	0.242	0.218	0.228	0.219	0.217	0.236	8.29	5.6132
	41	1,2-Dichloroethane-d4	0.972	0.902	0.780	0.802	0.781	0.709	0.720	------	------	0.809	11.80	5.7233
	42	Carbon tetrachloride	0.945	0.992	0.834	1.044	0.930	0.901	0.890	0.840	0.838	0.913	8.01	5.7343
	43	1,2-Dichloroethane	1.036	1.026	0.936	1.027	0.917	0.846	0.859	0.810	0.796	0.919	10.41	5.8003
	44	Benzene	2.100	2.054	1.772	1.904	1.819	1.719	1.753	1.684	1.662	1.830	8.64	5.8663
	45	Trichloroethene	0.573	0.564	0.458	0.553	0.494	0.496	0.481	0.460	0.468	0.505	9.09	6.3714
	46	Methyl methacrylate	0.521	0.497	0.421	0.494	0.427	0.401	0.430	0.422	0.415	0.448	9.77	6.4386
	47	Methylcyclohexane	------	0.701	0.528	0.712	0.530	0.546	0.606	0.586	0.600	0.601	11.92	6.4537
	48	1,2-Dichloropropane	0.559	0.532	0.465	0.483	0.464	0.418	0.437	0.427	0.418	0.467	10.74	6.5266
20	49	1,4-Dioxane	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	50	Bromodichloromethane	------	1.077	0.909	0.968	0.886	0.841	0.821	0.796	0.773	0.884	11.38	6.7687
	51	Dibromomethane	0.454	0.430	0.373	0.417	0.371	0.368	0.349	0.344	0.315	0.380	11.79	6.8568
	52	2-Chloroethyl vinyl ether	0.233	0.250	0.232	0.253	0.238	0.229	0.224	0.216	0.206	0.231	6.45	6.9338
5	53	4-Methyl-2-pentanone	0.591	0.572	0.495	0.557	0.534	0.467	0.473	0.467	0.447	0.512	10.35	6.9571
	54	cis-1,3-Dichloropropene	0.921	0.873	0.791	0.882	0.822	0.782	0.775	0.759	0.743	0.817	7.57	7.2750
	55	CHLOROBENZENE-DS	1	1	1	1	1	1	1	1	1	1	0	9.5641
	56	Toluene-d8	------	2.328	1.900	1.960	2.006	1.860	1.868	------	------	1.987	8.88	7.5941
	57	Ethyl methacrylate	0.687	0.714	0.662	0.753	0.707	0.647	0.685	0.635	0.651	0.682	5.59	7.6932
	58	Toluene	2.522	2.598	2.196	2.483	2.250	2.053	2.185	2.012	2.114	2.268	9.46	7.6932
	59	trans-1,3-Dichloropropene	1.019	1.031	0.921	1.072	0.988	0.969	0.957	0.878	0.899	0.970	6.61	7.8143
5	60	2-Hexanone	0.494	0.448	0.391	0.437	0.433	0.389	0.385	0.352	0.362	0.410	11.13	7.9378
	61	1,1,2-Trichloroethane	0.616	0.606	0.548	0.580	0.535	0.538	0.494	0.461	0.466	0.538	10.51	8.0454
	62	1,3-Dichloropropane	0.881	0.932	0.787	0.866	0.785	0.770	0.765	0.707	0.701	0.799	9.83	8.3535
	63	Tetrachloroethene	0.591	0.595	0.434	0.529	0.477	0.495	0.463	0.431	0.448	0.496	12.71	8.5088
	64	Dibromochloromethane	------	1.038	0.826	0.858	0.788	0.824	0.742	0.693	0.690	0.807	13.87	8.7827
	65	1,2-Dibromoethane	0.651	0.619	0.556	0.621	0.592	0.594	0.549	0.522	0.516	0.580	8.08	9.0688
	66	1-Chlorohexane	0.844	0.848	0.651	0.843	0.747	0.751	0.722	0.671	0.677	0.751	10.45	9.1239
	67	Chlorobenzene	1.802	1.685	1.395	1.599	1.466	1.486	1.389	1.323	1.338	1.498	11.00	9.6191
	68	1,1,1,2-Tetrachloroethane	0.713	0.709	0.595	0.685	0.647	0.654	0.606	0.565	0.563	0.637	9.12	9.6460
	69	Ethylbenzene	3.192	3.179	2.449	2.920	2.662	2.734	2.599	2.475	2.468	2.742	10.66	9.6411
2	70	m-Xylene & p-Xylene	2.549	2.503	1.987	2.323	2.078	2.117	2.094	------	------	2.236	9.97	9.7496
	71	o-Xylene	2.536	2.361	1.926	2.321	2.112	1.978	2.058	1.894	1.863	2.117	11.21	10.4127
	72	Styrene	1.648	1.724	1.354	1.615	1.493	1.415	1.441	1.328	1.303	1.480	10.19	10.4580
	73	Isopropylbenzene	2.835	2.945	2.240	2.644	2.424	2.142	2.250	2.149	2.077	2.412	13.33	10.9397
	74	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	0	13.8891
	75	Bromoform	1.246	1.192	1.112	1.177	1.072	1.033	1.055	0.974	0.961	1.091	9.03	11.0608
	76	1,1,2,2-Tetrachloroethane	1.731	1.658	1.370	1.490	1.349	1.248	1.296	1.218	1.184	1.394	13.93	11.2026
	77	4-Bromofluorobenzene	------	1.901	1.601	1.620	1.559	1.327	1.516	------	------	1.587	11.73	11.3689
	78	1,2,3-Trichloropropane	0.441	0.449	0.384	0.439	0.374	0.344	0.366	0.344	0.322	0.385	12.26	11.4460
	79	trans-1,4-Dichloro-2-butene	0.345	0.390	0.351	0.456	0.395	0.395	0.414	0.380	0.379	0.389	8.47	11.5132
	80	n-Propylbenzene	7.684	7.739	5.851	7.164	6.006	5.607	5.968	5.582	5.465	6.341	14.55	11.5780
	81	Bromobenzene	1.646	1.681	1.348	1.563	1.386	1.206	1.293	1.208	1.192	1.392	13.87	11.7321
	82	1,3,5-Trimethylbenzene	5.366	5.227	4.073	4.881	4.205	3.892	4.064	3.785	3.738	4.359	14.43	11.8287
	83	2-Chlorotoluene	------	4.800	3.579	4.665	3.673	3.653	3.858	3.598	3.483	3.914	13.23	11.9192
	84	4-Chlorotoluene	4.791	5.151	3.841	3.940	3.868	2.881	3.359	3.161	3.176	3.796	20.12	11.9754
	85	tert-Butylbenzene	0.747	0.829	0.605	0.740	0.648	0.561	0.592	------	------	0.675	14.63	12.4081
	86	1,2,4-Trimethylbenzene	5.058	5.235	4.012	4.761	4.182	3.747	3.973	3.721	3.680	4.263	14.07	12.4780
	87	sec-Butylbenzene	------	6.256	4.523	5.517	4.832	4.450	4.638	4.362	------	4.940	14.11	12.7493
	88	p-Isopropyltoluene	5.045	5.046	3.819	4.703	3.968	3.664	3.821	3.689	3.551	4.145	14.69	12.9549
	89	1,3-Dichlorobenzene	3.020	2.992	2.191	2.485	2.182	2.011	2.088	1.908	1.849	2.303	19.08	13.1652
	90	1,2,3-Trimethylbenzene	4.849	5.175	3.973	4.777	4.170	3.766	3.928	3.729	3.652	4.224	13.33	13.2545
	91	1,4-Dichlorobenzene	3.022	3.108	2.117	2.540	2.221	2.073	2.138	1.953	1.965	2.349	18.81	13.3278
	92	n-Butylbenzene	4.979	4.820	3.500	4.168	3.792	3.621	3.712	3.405	3.483	3.942	14.93	13.6140
	93	1,2-Dichlorobenzene	------	2.697	2.183	2.392	2.013	1.895	1.926	------	------	2.184	14.28	13.9331
	94	1,2-Dibromo-3-chloropropane	0.324	0.328	0.262	0.286	0.265	0.273	0.269	0.273	0.271	0.283	8.87	15.1339
	95	1,2,4-Trichlorobenzene	2.154	2.073	1.349	1.477	1.289	1.277	1.274	1.228	1.317	1.493	24.05	16.4643
	96	Hexachlorobutadiene	------	0.968	0.705	0.840	0.750	0.697	0.696	0.668	0.717	0.755	13.33	16.6624
	97	Naphthalene	------	4.357	3.062	3.424	3.316	3.128	3.237	3.113	3.378	3.377	12.35	16.8715
	98	1,2,3-Trichlorobenzene	2.077	1.941	1.298	1.377	1.232	1.225	1.192	1.180	1.249	1.419	24.06	17.2310

Spike Amount = Nominal Amount * M
Ave_%RSD : 11.8 Max_%RSD : 42.2

Use Least Square Linear Regression with weighting factor of inverse concentration for comps with %_RSD > 15
Resp_Ratio = x0 + x1 * Amt_Ratio

IDX	Parameter	x0	x1	CCF
11	Acetone	0.05832	0.11706	0.9992
16	Iodomethane	-0.01397	0.48870	0.9969
18	Methylene chloride	0.01858	0.59178	0.9974
84	4-Chlorotoluene	0.14395	3.17771	0.9987
89	1,3-Dichlorobenzene	0.09201	1.90749	0.9986
91	1,4-Dichlorobenzene	0.08306	1.99157	0.9991
95	1,2,4-Trichlorobenzene	0.04972	1.27956	0.9993
98	1,2,3-Trichlorobenzene	0.04722	1.21614	0.9995

5/24/24

INITIAL_CALIBRATION - RELATIVE_RESPONSE_FACTOR(%REC)

Instrument ID :E2
Beginning DateTime :05/17/24 12:33
Spike Units :PPB
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
Ending DateTime :05/17/24 15:44
HPChem Method :VOE2E17

M	IDX	Parameters	.5 12:33 REG118	1 12:57 REG119	2 13:21 REG120	5 13:45 REG121	10 14:09 REG122	30 14:33 REG123	50 14:57 REG124	100 15:21 REG125	200 15:44 REG126	AvDRec	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	0	5.9874
	2	Dichlorodifluoromethane	108	111	101	88	89	106	99	101	97	6	8.06	2.7078
	3	Chloromethane	128	113	105	93	91	92	89	93	97	10.2	13.00	2.9059
	4	Vinyl chloride	96	113	106	86	96	101	103	103	95	5.8	7.58	2.9903
	5	Bromomethane	118	111	99	91	83	91	95	101	112	9.3	11.62	3.3131
	6	Dichlorofluoromethane	108	109	98	111	100	103	94	91	87	6.9	8.41	3.3523
	7	Chloroethane	104	120	101	92	96	103	96	97	91	6.3	8.74	3.3461
	8	Trichlorofluoromethane	110	105	100	87	92	106	101	102	97	5.4	7.24	3.5112
5	9	Acrolein	114	117	97	108	98	92	91	92	91	8.5	10.21	3.7423
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	120	104	91	112	96	98	96	93	90	7.9	10.04	3.7521
5	11	Acetone	78	105	105	107	107	97	99	------	------	31.9	42.17	3.7690
25	12	tert-Butyl alcohol	123	115	103	93	100	92	93	90	89	9.3	11.83	3.8744
	13	1,1-Dichloroethene	109	109	97	113	99	101	91	92	89	6.8	8.46	3.9025
10	14	Acetonitrile	------	123	103	100	103	87	90	------	------	8.9	12.37	3.8744
	15	Allyl chloride	111	114	96	112	101	102	94	86	82	9.1	11.27	4.1055
	16	Iodomethane	126	92	78	89	91	116	109	104	94	18.1	22.23	4.1434
	17	Methyl acetate	------	121	100	102	101	87	90	------	------	7.9	12.15	4.0285
	18	Methylene chloride	26	103	116	128	115	115	102	100	96	22.1	26.33	4.1825
5	19	Acrylonitrile	125	110	96	103	105	93	89	90	91	9.3	11.69	4.2156
	20	tert-Butyl methyl ether (MTBE)	113	107	101	107	101	97	92	91	90	6.4	7.94	4.2266
	21	Carbon disulfide	116	109	94	89	100	98	94	------	------	7.2	9.42	4.3052
	22	trans-1,2-Dichloroethene	112	112	99	114	98	93	93	89	90	8.5	10.07	4.3696
	23	Isopropyl ether (DIPE)	114	108	101	111	100	98	92	91	87	7.5	9.47	4.4601
	24	Vinyl acetate	105	108	103	104	107	94	94	95	92	5.8	6.41	4.5457
	25	1,1-Dichloroethane	116	112	99	108	97	100	93	88	85	8.2	10.57	4.6338
	26	tert-Butyl ethyl ether (ETBE)	110	111	99	110	100	93	95	90	92	6.8	8.21	4.7328
5	27	2-Butanone	------	126	102	102	104	91	91	89	89	9	12.56	4.8539
10	28	Propionitrile	122	111	107	104	96	93	93	87	91	9.3	11.17	4.9101
20	29	Isobutyl alcohol	------	120	100	95	100	90	95	85	------	7.9	12.47	5.0299
	30	2,2-Dichloropropane	111	107	95	114	103	99	95	91	86	7.6	9.30	5.0202
10	31	Methacrylonitrile	115	113	101	109	98	97	92	88	84	8.9	11.02	5.0568
	32	cis-1,2-Dichloroethene	109	115	100	108	96	96	94	90	93	7	8.40	5.0630
	33	Chloroform	125	117	98	104	93	91	87	85	------	11.5	14.51	5.1730
	34	Bromochloromethane	111	115	102	109	102	101	93	86	81	8.8	11.29	5.3271
	35	Tetrahydrofuran	------	111	102	105	98	97	94	92	------	5.3	6.67	5.3192
	36	Dibromofluoromethane	111	105	93	100	102	96	94	------	------	4.9	6.30	5.3381
	37	1,1,1-Trichloroethane	111	108	94	110	100	101	95	93	89	6.8	8.19	5.4971
	38	Cyclohexane	124	114	85	114	84	94	99	91	96	11.6	14.22	5.5484
	39	tert-Amyl methyl ether (TAME)	103	106	95	113	105	90	100	95	93	5.9	7.33	5.6144
	40	1,1-Dichloropropene	111	106	94	113	103	92	97	93	92	7.2	8.29	5.6132
	41	1,2-Dichloroethane-d4	120	111	96	99	97	88	89	------	------	9	11.80	5.7233
	42	Carbon tetrachloride	104	109	91	114	102	99	97	92	92	6.3	8.01	5.7343
	43	1,2-Dichloroethane	113	112	102	112	102	92	93	88	87	8.9	10.41	5.8003
	44	Benzene	115	112	97	104	99	94	96	92	91	6.9	8.64	5.8663
	45	Trichloroethene	113	112	91	110	98	98	95	91	93	7.7	9.09	6.3714
	46	Methyl methacrylate	116	111	94	110	95	90	96	94	93	8.4	9.77	6.4386
	47	Methylcyclohexane	------	117	88	118	88	91	101	98	100	9	11.92	6.4537
	48	1,2-Dichloropropane	120	114	100	103	99	90	94	91	90	8.2	10.74	6.5266
20	49	1,4-Dioxane	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	50	Bromodichloromethane	------	122	103	110	100	95	93	90	87	8.6	11.38	6.7687
	51	Dibromomethane	119	113	98	110	98	97	92	91	83	9.4	11.79	6.8568
	52	2-Chloroethyl vinyl ether	101	108	100	110	103	99	97	94	89	4.8	6.45	6.9338
5	53	4-Methyl-2-pentanone	115	112	97	109	104	91	92	91	87	9	10.35	6.9571
	54	cis-1,3-Dichloropropene	113	107	97	108	101	96	95	93	91	6.3	7.57	7.2750
	55	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	0	9.5641
	56	Toluene-d8	------	117	96	99	101	94	94	------	------	6	8.88	7.5941
	57	Ethyl methacrylate	101	105	97	110	104	95	100	93	95	4.4	5.59	7.6932
	58	Toluene	111	115	97	109	99	91	96	89	93	7.8	9.46	7.6932
	59	trans-1,3-Dichloropropene	105	106	95	111	102	100	99	91	93	5.2	6.61	7.8143
5	60	2-Hexanone	120	109	95	107	106	95	94	86	88	9.3	11.13	7.9378
	61	1,1,2-Trichloroethane	114	113	102	108	99	100	92	86	87	8.1	10.51	8.0454
	62	1,3-Dichloropropane	110	117	98	108	98	96	96	88	88	7.8	9.83	8.3535
	63	Tetrachloroethene	119	120	88	107	96	100	93	87	90	10.2	12.71	8.5088
	64	Dibromochloromethane	------	129	102	106	98	102	92	86	86	9.8	13.87	8.7827
	65	1,2-Dibromoethane	112	107	96	107	102	102	95	90	89	6.8	8.08	9.0688
	66	1-Chlorohexane	112	113	87	112	99	100	96	89	90	8.4	10.45	9.1239
	67	Chlorobenzene	120	112	93	107	98	99	93	88	89	8.8	11.00	9.6191
	68	1,1,1,2-Tetrachloroethane	112	111	93	108	102	103	95	89	88	7.7	9.12	9.6460
	69	Ethylbenzene	116	116	89	106	97	100	95	90	90	8.6	10.66	9.6411
2	70	m-Xylene & p-Xylene	114	112	89	104	93	95	94	------	------	8.5	9.97	9.7496
	71	o-Xylene	120	112	91	110	100	93	97	89	88	9.1	11.21	10.4127
	72	Styrene	111	116	91	109	101	96	97	90	88	8.4	10.19	10.4580
	73	Isopropylbenzene	118	122	93	110	100	89	93	89	86	11.1	13.33	10.9397
	74	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	0	13.8891
	75	Bromoform	114	109	102	108	98	95	97	89	88	7.4	9.03	11.0608
	76	1,1,2,2-Tetrachloroethane	124	119	98	107	97	90	93	87	85	11.1	13.93	11.2026
	77	4-Bromofluorobenzene	------	120	101	102	98	84	96	------	------	7.6	11.73	11.3689
	78	1,2,3-Trichloropropane	115	117	100	114	97	89	95	89	84	10.1	12.26	11.4460
	79	trans-1,4-Dichloro-2-butene	89	100	90	117	102	102	106	98	97	5.9	8.47	11.5132
	80	n-Propylbenzene	121	122	92	113	95	88	94	88	86	12.5	14.55	11.5780
	81	Bromobenzene	118	121	97	112	100	87	93	87	86	11.4	13.87	11.7321
	82	1,3,5-Trimethylbenzene	123	120	93	112	96	89	93	87	86	12.2	14.43	11.8287
	83	2-Chlorotoluene	------	123	91	119	94	93	99	92	89	10.5	13.23	11.9192
	84	4-Chlorotoluene	60	117	98	115	117	89	105	99	100	15.3	20.12	11.9754
	85	tert-Butylbenzene	111	123	90	110	96	83	88	------	------	12.4	14.63	12.4081
	86	1,2,4-Trimethylbenzene	119	123	94	112	98	88	93	87	86	11.8	14.07	12.4780
	87	sec-Butylbenzene	------	127	92	112	98	90	94	88	------	11	14.11	12.7493
	88	p-Isopropyltoluene	122	122	92	113	96	88	92	89	86	12.6	14.69	12.9549
	89	1,3-Dichlorobenzene	62	109	90	120	110	104	108	100	97	15.3	19.08	13.1652
	90	1,2,3-Trimethylbenzene	115	123	94	113	99	89	93	88	86	11.2	13.33	13.2545
	91	1,4-Dichlorobenzene	126	114	86	119	107	103	106	98	98	15.4	18.81	13.3278
	92	n-Butylbenzene	126	122	89	106	96	92	94	86	88	12.1	14.93	13.6140
	93	1,2-Dichlorobenzene	------	123	100	110	92	87	88	------	------	11	14.28	13.9331
	94	1,2-Dibromo-3-chloropropane	114	116	93	101	94	96	95	96	96	6.8	8.87	15.1339
	95	1,2,4-Trichlorobenzene	90	123	86	108	97	98	99	90	103	18.5	24.05	16.4643
	96	Hexachlorobutadiene	------	128	93	111	99	92	92	88	95	9.9	13.33	16.6624
	97	Naphthalene	------	129	91	101	98	93	96	92	100	7.6	12.35	16.8715
	98	1,2,3-Trichlorobenzene	94	121	88	105	97	97	97	97	102	18.5	24.06	17.2310

For 8260C
SW
5/29/24

Compound List Report E2

Method Path : C:\MSDCHEM\1\METHODS\
Method File : VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024
Response Via : Initial Calibration

Total Cpnds : 98

PK#		Compound Name	QIon	Exp_RT	Rel_RT	Cal	#Qual	A/H	ID
1	I	1,4-DIFLUOROBENZENE	114	5.987	1.000	A	1	A	B
2	T	Dichlorodifluoromethane	85	2.708	0.452	A	1	A	B
3	T	Chloromethane	50	2.906	0.485	A	1	A	B
4	T	Vinyl chloride	62	2.994	0.500	A	1	A	B
5	T	Bromomethane	94	3.313	0.553	A	1	A	B
6	T	Dichlorofluoromethane	67	3.357	0.561	A	1	A	B
7	T	Chloroethane	64	3.346	0.559	A	1	A	B
8	T	Trichlorofluoromethane	101	3.511	0.586	A	1	A	B
9	T	Acrolein	56	3.742	0.625	A	1	A	B
10	T	1,1,2-Trichloro-1,2,2-Trifl...	151	3.753	0.627	A	1	A	B
11	T	Acetone	43	3.764	0.629	L	1	A	B
12	T	tert-Butyl alcohol	59	3.874	0.647	A	1	A	B
13	T	1,1-Dichloroethene	61	3.908	0.653	A	2	A	B
14	T	Acetonitrile	41	3.874	0.647	A	1	A	B
15	T	Allyl chloride	76	4.106	0.686	A	1	A	B
16	T	Iodomethane	142	4.150	0.693	L	1	A	B
17	T	Methyl acetate	43	4.029	0.673	A	1	A	B
18	T	Methylene chloride	49	4.183	0.699	L	2	A	B
19	T	Acrylonitrile	53	4.216	0.704	A	2	A	B
20	T	tert-Butyl methyl ether (MTBE)	73	4.227	0.706	A	1	A	B
21	T	Carbon disulfide	76	4.304	0.719	A	1	A	B
22	T	trans-1,2-Dichloroethene	96	4.370	0.730	A	1	A	B
23	T	Isopropyl ether (DIPE)	45	4.458	0.745	A	1	A	B
24	T	Vinyl acetate	43	4.546	0.759	A	1	A	B
25	T	1,1-Dichloroethane	63	4.634	0.774	A	2	A	B
26	T	tert-Butyl ethyl ether (ETBE)	59	4.733	0.791	A	1	A	B
27	T	2-Butanone	72	4.854	0.811	A	1	A	B
28	T	Propionitrile	54	4.909	0.820	A	1	A	B
29	T	Isobutyl alcohol	43	5.030	0.840	A	1	A	B
30	T	2,2-Dichloropropane	77	5.019	0.838	A	2	A	B
31	T	Methacrylonitrile	52	5.052	0.844	A	1	A	B
32	T	cis-1,2-Dichloroethene	96	5.063	0.846	A	1	A	B
33	T	Chloroform	83	5.173	0.864	A	2	A	B
34	T	Bromochloromethane	130	5.327	0.890	A	1	A	B
35	T	Tetrahydrofuran	42	5.327	0.890	A	2	A	B
36	S	Dibromofluoromethane	111	5.338	0.892	A	1	A	B
37	T	1,1,1-Trichloroethane	97	5.492	0.917	A	2	A	B
38	T	Cyclohexane	84	5.547	0.927	A	1	A	B
39	T	tert-Amyl methyl ether (TAME)	87	5.613	0.938	A	1	A	B
40	T	1,1-Dichloropropene	110	5.613	0.938	A	1	A	B
41	S	1,2-Dichloroethane-d4	65	5.723	0.956	A	1	A	B
42	T	Carbon tetrachloride	119	5.734	0.958	A	1	A	B
43	T	1,2-Dichloroethane	62	5.800	0.969	A	1	A	B
44	T	Benzene	78	5.866	0.980	A	2	A	B
45	T	Trichloroethene	130	6.373	1.064	A	3	A	B
46	T	Methyl methacrylate	69	6.439	1.075	A	1	A	B
47	T	Methylcyclohexane	83	6.450	1.077	A	2	A	B
48	T	1,2-Dichloropropane	63	6.527	1.090	A	1	A	B
49	T	1,4-Dioxane	88	6.725	1.123	A	1	A	B
50	T	Bromodichloromethane	83	6.769	1.131	A	1	A	B
51	T	Dibromomethane	93	6.857	1.145	A	2	A	B
52	T	2-Chloroethyl vinyl ether	63	6.934	1.158	A	1	A	B
53	T	4-Methyl-2-pentanone	43	6.956	1.162	A	3	A	B
54	T	cis-1,3-Dichloropropene	75	7.275	1.215	A	3	A	B
55	I	CHLOROBENZENE-D5	117	9.564	1.000	A	2	A	B

5/24/24

56	S	Toluene-d8	98	7.594	0.794	A	1	A	B
57	T	Ethyl methacrylate	69	7.693	0.804	A	1	A	B
58	T	Toluene	91	7.693	0.804	A	1	A	B
59	T	trans-1,3-Dichloropropene	75	7.814	0.817	A	1	A	B
60	T	2-Hexanone	43	7.935	0.830	A	1	A	B
61	T	1,1,2-Trichloroethane	97	8.045	0.841	A	2	A	B
62	T	1,3-Dichloropropane	76	8.354	0.873	A	1	A	B
63	T	Tetrachloroethene	164	8.508	0.890	A	3	A	B
64	T	Dibromochloromethane	129	8.783	0.918	A	1	A	B
65	T	1,2-Dibromoethane	107	9.069	0.948	A	1	A	B
66	T	1-Chlorohexane	91	9.124	0.954	A	1	A	B
67	T	Chlorobenzene	112	9.619	1.006	A	1	A	B
68	T	1,1,1,2-Tetrachloroethane	131	9.652	1.009	A	1	A	B
69	T	Ethylbenzene	91	9.641	1.008	A	1	A	B
70	T	m-Xylene & p-Xylene	91	9.740	1.018	A	1	A	B
71	T	o-Xylene	91	10.412	1.089	A	1	A	B
72	T	Styrene	104	10.456	1.093	A	2	A	B
73	T	Isopropylbenzene	105	10.940	1.144	A	3	A	B
74	I	1,2-DICHLOROBENZENE-D4	152	13.889	1.000	A	1	A	B
75	T	Bromoform	173	11.061	0.796	A	2	A	B
76	T	1,1,2,2-Tetrachloroethane	83	11.204	0.807	A	1	A	B
77	S	4-Bromofluorobenzene	95	11.369	0.819	A	2	A	B
78	T	1,2,3-Trichloropropane	110	11.446	0.824	A	1	A	B
79	T	trans-1,4-Dichloro-2-butene	53	11.512	0.829	A	1	A	B
80	T	n-Propylbenzene	91	11.578	0.834	A	2	A	B
81	T	Bromobenzene	156	11.732	0.845	A	1	A	B
82	T	1,3,5-Trimethylbenzene	105	11.831	0.852	A	2	A	B
83	T	2-Chlorotoluene	91	11.919	0.858	A	1	A	B
84	T	4-Chlorotoluene	91	11.974	0.862	L	1	A	B
85	T	tert-Butylbenzene	134	12.415	0.894	A	1	A	B
86	T	1,2,4-Trimethylbenzene	105	12.470	0.898	A	1	A	B
87	T	sec-Butylbenzene	105	12.745	0.918	A	1	A	B
88	T	p-Isopropyltoluene	119	12.954	0.933	A	2	A	B
89	T	1,3-Dichlorobenzene	146	13.163	0.948	L	2	A	B
90	T	1,2,3-Trimethylbenzene	105	13.251	0.954	A	2	A	B
91	T	1,4-Dichlorobenzene	146	13.328	0.960	L	2	A	B
92	T	n-Butylbenzene	91	13.614	0.980	A	2	A	B
93	T	1,2-Dichlorobenzene	146	13.933	1.003	A	1	A	B
94	T	1,2-Dibromo-3-chloropropane	157	15.133	1.090	A	1	A	B
95	T	1,2,4-Trichlorobenzene	180	16.464	1.185	L	2	A	B
96	T	Hexachlorobutadiene	225	16.663	1.200	A	2	A	B
97	T	Naphthalene	128	16.872	1.215	A	1	A	B
98	T	1,2,3-Trichlorobenzene	180	17.224	1.240	L	2	A	B

Cal A = Average L = Linear LO = Linear w/origin Q = Quad QO = Quad w/origin
#Qual = number of qualifiers
A/H = Area or Height
ID R = R.T. B = R.T. & Q Q = Qvalue L = Largest A = All

VOE2E17.M Tue May 21 20:46:28 2024

SC 5/24/24

SECOND SOURCE VERIFICATION

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: REG130 BFB Injection Date: 05/18/24

Instrument ID: E2 BFB Injection Time: 09:16

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	19.254
75	30 - 60% of mass 95	50.320
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.311
173	Less than 2% of mass 174	0.512(.61)1
174	Greater than 50% of mass 95	84.221
175	5 - 9% of mass 174	6.661(7.91)1
176	95 - 101% % of mass 174	81.783(97.11)1
177	5 - 9% % of mass 176	6.306(7.71)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	IVOE2E1702	REG131	05/18/24	09:57

5/24/24

CONTINUE_CALIBRATION - CALIBRATION VERIFICATION

Instrument ID :E2
IC_Beginning DateTime :05/17/24 12:33
Spike Amount :10 PPB
CC/CV File :REG131
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
IC_Ending DateTime :05/17/24 15:44
HPChem Method :VOE2S17
Date_Time :05/18/24 09:57

M	IDX	Parameters	CC_Con	CC%_D	CC_Resp	CCRRF	AvRRF	CC_Rtm	AvRtm	%_RSD	Co_X0	Co_X1	Co_X2	Co_Cor
	1	1,4-DIFLUOROBENZENE	10.000	0	647637	1	1	5.988	5.987	0				
	2	Dichlorodifluoromethane	10.420	4.2	387316	0.598	0.574	2.708	2.708	8.06				
	3	Chloromethane	10.034	0.3	267638	0.413	0.412	2.906	2.906	13.00				
	4	Vinyl chloride	10.450	4.5	294360	0.455	0.435	2.994	2.990	7.58				
	5	Bromomethane	10.726	7.3	204345	0.316	0.294	3.313	3.313	11.62				
	6	Dichlorofluoromethane	9.831	-1.7	632775	0.977	0.994	3.357	3.352	8.41				
	7	Chloroethane	11.738	17.4	161985	0.250	0.213	3.346	3.346	8.74				
	8	Trichlorofluoromethane	10.360	3.6	655613	1.012	0.977	3.511	3.511	7.24				
5	9	Acrolein	53.498	7.0	225327	0.070	0.065	3.743	3.742	10.21				
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	9.863	-1.4	272122	0.420	0.426	3.753	3.752	10.04				
5	11	Acetone	55.179	10.4	456111	0.141	0.181	3.764	3.769	42.17	0.0583	0.1171		0.9992
25	12	tert-Butyl alcohol	274.988	10.0	1082983	0.067	0.061	3.875	3.874	11.83				
	13	1,1-Dichloroethene	9.753	-2.5	564613	0.872	0.894	3.908	3.902	8.46				
10	14	Acetonitrile	109.003	9.0	213040	0.033	0.030	3.875	3.874	12.37				
	15	Allyl chloride	10.843	8.4	165769	0.256	0.236	4.106	4.106	11.27				
	16	Iodomethane	8.785	-12.2	268999	0.415	0.429	4.150	4.143	22.23	-0.0140	0.4887		0.9969
	17	Methyl acetate	10.001	0.0	219009	0.338	0.338	4.029	4.029	12.15				
	18	Methylene chloride	11.388	13.9	467946	0.723	0.801	4.183	4.182	26.33	0.0486	0.5918		0.9974
5	19	Acrylonitrile	52.272	4.5	508984	0.157	0.150	4.216	4.216	11.69				
	20	tert-Butyl methyl ether (MTBE)	10.647	6.5	1030417	1.591	1.494	4.227	4.227	7.94				
	21	Carbon disulfide	9.831	-1.7	872085	1.347	1.370	4.315	4.305	9.42				
	22	trans-1,2-Dichloroethene	10.193	1.9	314802	0.486	0.477	4.370	4.370	10.07				
	23	Isopropyl ether (DIPE)	10.521	5.2	1036035	1.600	1.520	4.469	4.460	9.47				
	24	Vinyl acetate	11.461	14.6	642883	0.993	0.866	4.545	4.546	6.41				
	25	1,1-Dichloroethane	9.919	-0.8	619716	0.957	0.965	4.634	4.634	10.57				
	26	tert-Butyl ethyl ether (ETBE)	10.432	4.3	1247585	1.926	1.846	4.733	4.733	8.21				
5	27	2-Butanone	54.888	9.8	166808	0.052	0.047	4.854	4.854	12.56				
10	28	Propionitrile	114.244	14.2	409063	0.063	0.055	4.909	4.910	11.17				
20	29	Isobutyl alcohol	228.221	14.1	288723	0.022	0.020	5.030	5.030	12.47				
	30	2,2-Dichloropropane	9.835	-1.6	615087	0.950	0.966	5.019	5.020	9.30				
10	31	Methacrylonitrile	106.760	6.8	627605	0.097	0.091	5.052	5.057	11.02				
	32	cis-1,2-Dichloroethene	10.190	1.9	358317	0.553	0.543	5.063	5.063	8.40				
	33	Chloroform	9.159	-8.4	709429	1.095	1.196	5.173	5.173	14.51				
	34	Bromochloromethane	10.418	4.2	215189	0.332	0.319	5.327	5.327	11.29				
	35	Tetrahydrofuran	11.049	10.5	90175	0.139	0.126	5.316	5.319	6.67				
	36	Dibromofluoromethane	9.254	-7.5	367086	0.567	0.612	5.338	5.338	6.30				
	37	1,1,1-Trichloroethane	9.563	-4.4	668020	1.031	1.079	5.503	5.497	8.19				
	38	Cyclohexane	10.101	1.0	359700	0.555	0.550	5.547	5.548	14.22				
	39	tert-Amyl methyl ether (TAME)	10.845	8.5	231432	0.357	0.329	5.613	5.614	7.33				
	40	1,1-Dichloropropene	9.880	-1.2	151104	0.233	0.236	5.613	5.613	8.29				
	41	1,2-Dichloroethane-d4	8.914	-10.9	467273	0.722	0.809	5.723	5.723	11.80				
	42	Carbon tetrachloride	9.430	-5.7	557403	0.861	0.913	5.734	5.734	8.01				
	43	1,2-Dichloroethane	9.596	-4.0	571321	0.882	0.919	5.800	5.800	10.41				
	44	Benzene	10.262	2.6	1216026	1.878	1.830	5.866	5.866	8.64				
	45	Trichloroethene	9.910	-0.9	324173	0.501	0.505	6.373	6.371	9.09				
	46	Methyl methacrylate	10.822	8.2	313684	0.484	0.448	6.439	6.439	9.77				
	47	Methylcyclohexane	10.456	4.6	407082	0.629	0.601	6.450	6.454	11.92				
	48	1,2-Dichloropropane	10.391	3.9	314276	0.485	0.467	6.527	6.527	10.74				
20	49	1,4-Dioxane												
	50	Bromodichloromethane	9.851	-1.5	563896	0.871	0.884	6.780	6.769	11.38				
	51	Dibromomethane	9.836	-1.6	242061	0.374	0.380	6.857	6.857	11.79				
	52	2-Chloroethyl vinyl ether	8.988	-10.1	134655	0.208	0.231	6.934	6.934	6.45				
5	53	4-Methyl-2-pentanone	51.435	2.9	1704193	0.526	0.512	6.956	6.957	10.35				
	54	cis-1,3-Dichloropropene	10.439	4.4	552132	0.853	0.817	7.275	7.275	7.57				
	55	CHLOROBENZENE-D5	10.000	0	555845	1	1	9.564	9.564	0				
	56	Toluene-d8	9.506	-4.9	1050036	1.889	1.987	7.594	7.594	8.88				
	57	Ethyl methacrylate	11.236	12.4	426233	0.767	0.682	7.693	7.693	5.59				
	58	Toluene	10.086	0.9	1271585	2.288	2.268	7.693	7.693	9.46				
	59	trans-1,3-Dichloropropene	10.278	2.8	554416	0.997	0.970	7.814	7.814	6.61				
5	60	2-Hexanone	50.761	1.5	1156980	0.416	0.410	7.946	7.938	11.13				
	61	1,1,2-Trichloroethane	10.111	1.1	302512	0.544	0.538	8.045	8.045	10.51				
	62	1,3-Dichloropropane	10.361	3.6	460356	0.828	0.799	8.354	8.354	9.83				
	63	Tetrachloroethene	9.524	-4.8	262477	0.472	0.496	8.519	8.509	12.71				
	64	Dibromochloromethane	9.409	-5.9	422250	0.760	0.807	8.783	8.783	13.87				
	65	1,2-Dibromoethane	10.137	1.4	326860	0.588	0.580	9.069	9.069	8.08				
	66	1-Chlorohexane	10.040	0.4	418878	0.754	0.751	9.124	9.124	10.45				
	67	Chlorobenzene	9.723	-2.8	809661	1.457	1.498	9.619	9.619	11.00				
	68	1,1,1,2-Tetrachloroethane	9.599	-4.0	340100	0.612	0.637	9.652	9.646	9.12				
	69	Ethylbenzene	9.758	-2.4	1487392	2.676	2.742	9.641	9.641	10.66				
2	70	m-Xylene & p-Xylene	18.880	-5.6	2346333	2.111	2.236	9.751	9.750	9.97				
	71	o-Xylene	10.096	1.0	1187781	2.137	2.117	10.412	10.413	11.21				
	72	Styrene	10.151	1.5	835184	1.503	1.480	10.467	10.458	10.19				
	73	Isopropylbenzene	9.879	-1.2	1324380	2.383	2.412	10.940	10.940	13.33				
	74	1,2-DICHLOROBENZENE-D4	10.000	0	262396	1	1	13.889	13.889	0				
	75	Bromoform	9.959	-0.4	285204	1.087	1.091	11.061	11.061	9.03				
	76	1,1,2,2-Tetrachloroethane	10.875	8.8	397736	1.516	1.394	11.204	11.203	13.93				
	77	4-Bromofluorobenzene	10.006	0.1	416821	1.589	1.587	11.369	11.369	11.73				
	78	1,2,3-Trichloropropane	10.854	8.5	109593	0.418	0.385	11.446	11.446	12.26				
	79	trans-1,4-Dichloro-2-butene	11.666	16.7	119204	0.454	0.389	11.523	11.513	8.47				
	80	n-Propylbenzene	9.908	-0.9	1648572	6.283	6.341	11.578	11.578	14.55				
	81	Bromobenzene	10.166	1.7	371222	1.415	1.392	11.732	11.732	13.87				
	82	1,3,5-Trimethylbenzene	9.826	-1.7	1123998	4.284	4.359	11.831	11.829	14.43				
	83	2-Chlorotoluene	10.515	5.2	1079812	4.115	3.914	11.919	11.919	13.23				
	84	4-Chlorotoluene	11.112	11.1	964334	3.675	3.796	11.974	11.975	20.12	0.1440	3.1777		0.9987
	85	tert-Butylbenzene	9.977	-0.2	176618	0.673	0.675	12.415	12.408	14.63				
	86	1,2,4-Trimethylbenzene	10.070	0.7	1126508	4.293	4.263	12.481	12.478	14.07				
	87	sec-Butylbenzene	9.921	-0.8	1286003	4.901	4.940	12.756	12.749	14.11				
	88	p-Isopropyltoluene	9.947	-0.5	1081873	4.123	4.145	12.954	12.955	14.69				
	89	1,3-Dichlorobenzene	11.402	14.0	594859	2.267	2.303	13.174	13.165	19.08	0.0920	1.9075		0.9986
	90	1,2,3-Trimethylbenzene	10.087	0.9	1118089	4.261	4.224	13.262	13.255	13.33				
	91	1,4-Dichlorobenzene	11.077	10.8	600654	2.289	2.349	13.328	13.328	18.81	0.0831	1.9916		0.9991
	92	n-Butylbenzene	9.895	-1.0	1023631	3.901	3.942	13.614	13.614	14.93				
	93	1,2-Dichlorobenzene	9.725	-2.7	557437	2.124	2.184	13.933	13.933	14.28				
	94	1,2-Dibromo-3-chloropropane	10.796	8.0	80292	0.306	0.283	15.144	15.134	8.87				
	95	1,2,4-Trichlorobenzene	10.262	2.6	357605	1.363	1.493	16.475	16.464	24.05	0.0497	1.2796		0.9993
	96	Hexachlorobutadiene	10.669	6.7	211409	0.806	0.795	16.663	16.662	13.33				
	97	Naphthalene	10.446	4.5	925673	3.528	3.377	16.872	16.872	12.35				
	98	1,2,3-Trichlorobenzene	10.036	0.4	332666	1.268	1.419	17.235	17.231	24.06	0.0472	1.2161		0.9995

Spike Amount = Nominal Amount * M

SY 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	10.000	10.000	0.0	134	0.00
2	T,M Dichlorodifluoromethane	10.000	10.421	-4.2	157	0.00
3	P,T,M Chloromethane	10.000	10.035	-0.4	148	0.00
4	C,T,M Vinyl chloride	10.000	10.451	-4.5	146	0.00
5	T,M Bromomethane	10.000	10.727	-7.3	173	0.00
6	T,M Dichlorofluoromethane	10.000	9.831	1.7	132	0.00
7	T,M Chloroethane	10.000	11.738	-17.4	164	0.00
8	T,M Trichlorofluoromethane	10.000	10.360	-3.6	151	0.00
9	T,M Acrolein	50.000	53.499	-7.0	146	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	10.000	9.863	1.4	137	0.00
11	T,M Acetone	50.000	55.179	-10.4	137	0.00
12	T,M tert-Butyl alcohol	250.000	274.989	-10.0	147	0.00
13	C,T,M 1,1-Dichloroethene	10.000	9.754	2.5	131	0.00
14	T,M Acetonitrile	100.000	109.003	-9.0	144	0.00
15	T,M Allyl chloride	10.000	10.844	-8.4	143	0.00
16	T,M Iodomethane	10.000	8.785	12.1	129	0.00
17	T,M Methyl acetate	10.000	10.001	-0.0	133	0.00
18	T,M Methylene chloride	10.000	11.389	-13.9	132	0.00
19	T,M Acrylonitrile	50.000	52.273	-4.5	133	0.00
20	T,M tert-Butyl methyl ether (MT	10.000	10.648	-6.5	142	0.00
21	T,M Carbon disulfide	10.000	9.831	1.7	131	0.01
22	T,M trans-1,2-Dichloroethene	10.000	10.193	-1.9	139	0.00
23	T,M Isopropyl ether (DIPE)	10.000	10.521	-5.2	142	0.01
24	T,M Vinyl acetate	10.000	11.462	-14.6	143	0.00
25	P,T,M 1,1-Dichloroethane	10.000	9.920	0.8	137	0.00
26	T,M tert-Butyl ethyl ether (ETB	10.000	10.433	-4.3	139	0.00
27	T,M 2-Butanone	50.000	54.888	-9.8	140	0.00
28	T,M Propionitrile	100.000	114.245	-14.2	158	0.00
29	T,M Isobutyl alcohol	200.000	228.222	-14.1	152	0.00
30	T,M 2,2-Dichloropropane	10.000	9.836	1.6	128	0.00
31	T,M Methacrylonitrile	100.000	106.760	-6.8	146	0.00
32	T,M cis-1,2-Dichloroethene	10.000	10.190	-1.9	143	0.00
33	C,T,M Chloroform	10.000	9.160	8.4	131	0.00
34	T,M Bromochloromethane	10.000	10.419	-4.2	136	0.00
35	T,M Tetrahydrofuran	10.000	11.050	-10.5	150	-0.01
36	S Dibromofluoromethane	10.000	9.254	7.5	122	0.00
37	T,M 1,1,1-Trichloroethane	10.000	9.563	4.4	129	0.01
38	T,M Cyclohexane	10.000	10.102	-1.0	161	0.00
39	T,M tert-Amyl methyl ether (TAM	10.000	10.845	-8.5	139	0.00
40	T,M 1,1-Dichloropropene	10.000	9.881	1.2	129	0.00
41	S 1,2-Dichloroethane-d4	10.000	8.915	10.9	124	0.00
42	T,M Carbon tetrachloride	10.000	9.430	5.7	124	0.00
43	T,M 1,2-Dichloroethane	10.000	9.596	4.0	126	0.00
44	T,M Benzene	10.000	10.262	-2.6	138	0.00
45	T,M Trichloroethene	10.000	9.910	0.9	136	0.00
46	T,M Methyl methacrylate	10.000	10.823	-8.2	152	0.00
47	T,M Methylcyclohexane	10.000	10.457	-4.6	159	0.00
48	C,T,M 1,2-Dichloropropane	10.000	10.391	-3.9	140	0.00
49	T,M 1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M Bromodichloromethane	10.000	9.851	1.5	132	0.01
51	T,M Dibromomethane	10.000	9.836	1.6	135	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	8.989	10.1	117	0.00
53	T,M	4-Methyl-2-pentanone	50.000	51.435	-2.9	132	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.440	-4.4	139	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	136	0.00
56	S	Toluene-d8	10.000	9.507	4.9	128	0.00
57	T,M	Ethyl methacrylate	10.000	11.236	-12.4	147	0.00
58	C,T,M	Toluene	10.000	10.087	-0.9	138	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	10.278	-2.8	137	0.00
60	T,M	2-Hexanone	50.000	50.761	-1.5	131	0.01
61	T,M	1,1,2-Trichloroethane	10.000	10.111	-1.1	138	0.00
62	T,M	1,3-Dichloropropane	10.000	10.361	-3.6	143	0.00
63	T,M	Tetrachloroethene	10.000	9.524	4.8	134	0.01
64	T,M	Dibromochloromethane	10.000	9.409	5.9	131	0.00
65	T,M	1,2-Dibromoethane	10.000	10.138	-1.4	135	0.00
66	T,M	1-Chlorohexane	10.000	10.040	-0.4	137	0.00
67	P,T,M	Chlorobenzene	10.000	9.724	2.8	135	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.599	4.0	128	0.00
69	C,T,M	Ethylbenzene	10.000	9.759	2.4	136	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.880	5.6	138	0.01
71	T,M	o-Xylene	10.000	10.096	-1.0	137	0.00
72	T,M	Styrene	10.000	10.152	-1.5	137	0.01
73	T,M	Isopropylbenzene	10.000	9.880	1.2	133	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	133	0.00
75	P,T,M	Bromoform	10.000	9.959	0.4	134	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.876	-8.8	149	0.00
77	S	4-Bromofluorobenzene	10.000	10.007	-0.1	135	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.854	-8.5	148	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	11.667	-16.7	152	0.01
80	T,M	n-Propylbenzene	10.000	9.909	0.9	139	0.00
81	T,M	Bromobenzene	10.000	10.166	-1.7	135	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.827	1.7	135	0.00
83	T,M	2-Chlorotoluene	10.000	10.515	-5.2	149	0.00
84	T,M	4-Chlorotoluene	10.000	11.112	-11.1	126	0.00
85	T,M	tert-Butylbenzene	10.000	9.977	0.2	138	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	10.070	-0.7	136	0.01
87	T,M	sec-Butylbenzene	10.000	9.921	0.8	134	0.01
88	T,M	p-Isopropyltoluene	10.000	9.947	0.5	138	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.403	-14.0	138	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	10.087	-0.9	135	0.01
91	T,M	1,4-Dichlorobenzene	10.000	11.077	-10.8	137	0.00
92	T,M	n-Butylbenzene	10.000	9.896	1.0	136	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.725	2.8	140	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	10.797	-8.0	153	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	10.262	-2.6	140	0.01
96	T,M	Hexachlorobutadiene	10.000	10.670	-6.7	142	0.00
97	T,M	Naphthalene	10.000	10.446	-4.5	141	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.037	-0.4	136	0.01

SM 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

SY 5/24/24

DAILY CALIBRATIONS

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F019
Lab File ID: RFG091 BFB Injection Date: 06/11/24
Instrument ID: E2 BFB Injection Time: 12:47

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.430
75	30 - 60% of mass 95	58.855
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	7.042
173	Less than 2% of mass 174	0.000(0)1
174	Greater than 50% of mass 95	86.589
175	5 - 9% of mass 174	6.114(7.06)1
176	95 - 101% % of mass 174	82.804(95.63)1
177	5 - 9% % of mass 176	6.481(7.83)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CV0E2E1707	RFG092	06/11/24	13:35
2	LCS1W	V0E2F04L	RFG093	06/11/24	14:15
3	LCD1W	V0E2F04C	RFG094	06/11/24	14:39
4	MBLK1W	V0E2F048	RFG096	06/11/24	15:26
5	T1AMF-MW058_MAY24	24F019-01	RFG107	06/11/24	19:47
6	T1AMF-MW035_MAY24	24F019-04	RFG109	06/11/24	20:34
7	T1AMF-MW035_MAY24_FD	24F019-05	RFG110	06/11/24	20:58
8	T1AMF-MW064_JUN24	24F019-06	RFG111	06/11/24	21:21
9	T1AMF-MW063_JUN24	24F019-07	RFG112	06/11/24	21:45
10	T1AMF-MW062_JUN24	24F019-08	RFG113	06/11/24	22:09
11	T1AMF-MW061_JUN24	24F019-09	RFG114	06/11/24	22:32
12	T1AMF-MW066_JUN24	24F019-10	RFG115	06/11/24	22:56
13	EB-1_JUN24	24F019-11	RFG116	06/11/24	23:19
14	VSTD10	EV0E2E1707	RFG119	06/12/24	00:30

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F019
Date Analyzed: 05/17/24
Time Analyzed: 14:09

	INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
		Area #	RT #	Area #	RT #	Area #	RT #
	12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
	UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
	LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
		Area #	RT #	Area #	RT #	Area #	RT #
1	VSTD10	670311	5.99	536256	9.56	276585	13.89
2	LCS1W	700127	5.99	552821	9.56	279028	13.89
3	LCD1W	703905	5.99	550837	9.56	285241	13.89
4	MBLK1W	600187	5.99	469288	9.56	222326	13.89
5	T1AMF-MW058_MAY24	515153	5.99	402873	9.56	193530	13.89
6	T1AMF-MW035_MAY24	470734	5.99	382077	9.56	183510	13.89
7	T1ANF-MW035_MAY24_FD	472590	5.99	364049	9.56	176717	13.89
8	T1ANF-MW064_JUN24	465858	5.99	365830	9.56	173257	13.89
9	T1AMF-MW063_JUN24	464133	5.99	353762	9.56	176858	13.89
10	T1AMF-MW062_JUN24	449983	5.99	361999	9.56	174348	13.89
11	T1AMF-MW061_JUN24	439672	5.99	353690	9.56	168920	13.89
12	T1AMF-MW066_JUN24	448212	5.99	357736	9.56	173522	13.89
13	EB-1_JUN24	455629	5.99	345067	9.56	168897	13.88
14	VSTD10	558649	5.99	454298	9.56	253559	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	139	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.649	-6.5	166	0.00
3	P,T,M	Chloromethane	10.000	8.586	14.1	131	0.00
4	C,T,M	Vinyl chloride	10.000	10.811	-8.1	157	0.00
5	T,M	Bromomethane	10.000	9.771	2.3	163	0.00
6	T,M	Dichlorofluoromethane	10.000	9.548	4.5	133	0.00
7	T,M	Chloroethane	10.000	8.924	10.8	129	0.00
8	T,M	Trichlorofluoromethane	10.000	8.783	12.2	132	0.00
9	T,M	Acrolein	50.000	34.629	30.7#	98	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	8.679	13.2	125	0.00
11	T,M	Acetone	50.000	43.317	13.4	114	0.00
12	T,M	tert-Butyl alcohol	250.000	188.868	24.5#	105	0.00
13	C,T,M	1,1-Dichloroethene	10.000	8.941	10.6	125	0.00
14	T,M	Acetonitrile	100.000	81.614	18.4	112	0.00
15	T,M	Allyl chloride	10.000	9.379	6.2	128	0.00
16	T,M	Iodomethane	10.000	11.646	-16.5	178	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	10.524	-5.2	127	0.00
19	T,M	Acrylonitrile	50.000	36.443	27.1#	96	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	9.529	4.7	131	0.00
21	T,M	Carbon disulfide	10.000	8.924	10.8	123	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	8.687	13.1	123	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	8.519	14.8	119	0.01
24	T,M	Vinyl acetate	10.000	6.518	34.8#	84	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.014	9.9	129	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	8.169	18.3	113	0.00
27	T,M	2-Butanone	50.000	37.923	24.2#	100	0.00
28	T,M	Propionitrile	100.000	81.332	18.7	117	0.00
29	T,M	Isobutyl alcohol	200.000	151.186	24.4#	104	0.00
30	T,M	2,2-Dichloropropane	10.000	10.189	-1.9	137	0.00
31	T,M	Methacrylonitrile	100.000	87.958	12.0	124	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.028	9.7	131	0.00
33	C,T,M	Chloroform	10.000	9.138	8.6	136	0.00
34	T,M	Bromochloromethane	10.000	8.446	15.5	114	0.00
35	T,M	Tetrahydrofuran	10.000	7.721	22.8#	109	-0.01
36	S	Dibromofluoromethane	10.000	9.705	2.9	132	0.00
37	T,M	1,1,1-Trichloroethane	10.000	9.866	1.3	137	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	9.277	7.2	123	0.00
40	T,M	1,1-Dichloropropene	10.000	8.871	11.3	120	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.597	-6.0	152	0.00
42	T,M	Carbon tetrachloride	10.000	9.739	2.6	132	0.00
43	T,M	1,2-Dichloroethane	10.000	10.080	-0.8	137	0.00
44	T,M	Benzene	10.000	9.061	9.4	126	0.00
45	T,M	Trichloroethene	10.000	8.246	17.5	117	0.00
46	T,M	Methyl methacrylate	10.000	5.935	40.7#	86	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	8.839	11.6	123	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.01
50	T,M	Bromodichloromethane	10.000	9.636	3.6	133	0.01
51	T,M	Dibromomethane	10.000	8.470	15.3	120	0.01

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	5.920	40.8#	80	0.00
53	T,M	4-Methyl-2-pentanone	50.000	37.966	24.1#	101	0.01
54	T,M	cis-1,3-Dichloropropene	10.000	8.995	10.1	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	131	0.00
56	S	Toluene-d8	10.000	10.547	-5.5	137	0.00
57	T,M	Ethyl methacrylate	10.000	9.244	7.6	117	0.00
58	C,T,M	Toluene	10.000	9.752	2.5	129	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	9.861	1.4	127	0.00
60	T,M	2-Hexanone	50.000	40.672	18.7	101	0.01
61	T,M	1,1,2-Trichloroethane	10.000	9.121	8.8	120	0.00
62	T,M	1,3-Dichloropropane	10.000	9.625	3.8	128	0.00
63	T,M	Tetrachloroethene	10.000	9.050	9.5	123	0.01
64	T,M	Dibromochloromethane	10.000	8.470	15.3	114	0.00
65	T,M	1,2-Dibromoethane	10.000	8.250	17.5	106	0.00
66	T,M	1-Chlorohexane	10.000	9.359	6.4	123	0.00
67	P,T,M	Chlorobenzene	10.000	9.312	6.9	125	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.481	5.2	122	0.00
69	C,T,M	Ethylbenzene	10.000	9.633	3.7	130	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.700	6.5	132	0.01
71	T,M	o-Xylene	10.000	9.826	1.7	129	0.01
72	T,M	Styrene	10.000	9.591	4.1	125	0.01
73	T,M	Isopropylbenzene	10.000	9.667	3.3	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	140	0.00
75	P,T,M	Bromoform	10.000	7.979	20.2#	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.290	17.1	120	0.00
77	S	4-Bromofluorobenzene	10.000	10.427	-4.3	148	0.00
78	T,M	1,2,3-Trichloropropane	10.000	8.633	13.7	124	0.01
79	T,M	trans-1,4-Dichloro-2-butene	10.000	8.773	12.3	121	0.01
80	T,M	n-Propylbenzene	10.000	9.032	9.7	133	0.00
81	T,M	Bromobenzene	10.000	8.711	12.9	122	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	8.948	10.5	130	0.00
83	T,M	2-Chlorotoluene	10.000	9.622	3.8	143	0.00
84	T,M	4-Chlorotoluene	10.000	10.110	-1.1	121	0.01
85	T,M	tert-Butylbenzene	10.000	9.022	9.8	131	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	8.989	10.1	128	0.01
87	T,M	sec-Butylbenzene	10.000	9.033	9.7	129	0.01
88	T,M	p-Isopropyltoluene	10.000	8.762	12.4	128	0.00
89	T,M	1,3-Dichlorobenzene	10.000	9.940	0.6	127	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	8.965	10.4	127	0.01
91	T,M	1,4-Dichlorobenzene	10.000	9.670	3.3	126	0.00
92	T,M	n-Butylbenzene	10.000	8.962	10.4	130	0.00
93	T,M	1,2-Dichlorobenzene	10.000	8.707	12.9	132	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.548	24.5#	113	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	9.068	9.3	131	0.00
96	T,M	Hexachlorobutadiene	10.000	9.359	6.4	132	0.00
97	T,M	Naphthalene	10.000	8.020	19.8	114	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.765	12.3	126	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	139	0.00
2	T,M Dichlorodifluoromethane	0.574	0.611	-6.4	166	0.00
3	P,T,M Chloromethane	0.412	0.354	14.1	131	0.00
4	C,T,M Vinyl chloride	0.435	0.470	-8.0	157	0.00
5	T,M Bromomethane	0.294	0.287	2.4	163	0.00
6	T,M Dichlorofluoromethane	0.994	0.949	4.5	133	0.00
7	T,M Chloroethane	0.213	0.190	10.8	129	0.00
8	T,M Trichlorofluoromethane	0.977	0.858	12.2	132	0.00
9	T,M Acrolein	0.065	0.045	30.8#	98	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.370	13.1	125	0.00
11	T,M Acetone	0.181	0.113	37.6#	114	0.00
12	T,M tert-Butyl alcohol	0.061	0.046	24.6#	105	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.799	10.6	125	0.00
14	T,M Acetonitrile	0.030	0.025	16.7	112	0.00
15	T,M Allyl chloride	0.236	0.221	6.4	128	0.00
16	T,M Iodomethane	0.429	0.555	-29.4#	178	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.671	16.2	127	0.00
19	T,M Acrylonitrile	0.150	0.110	26.7#	96	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.424	4.7	131	0.00
21	T,M Carbon disulfide	1.370	1.222	10.8	123	0.01
22	T,M trans-1,2-Dichloroethene	0.477	0.414	13.2	123	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.295	14.8	119	0.01
24	T,M Vinyl acetate	0.866	0.564	34.9#	84	0.00
25	P,T,M 1,1-Dichloroethane	0.965	0.870	9.8	129	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	1.508	18.3	113	0.00
27	T,M 2-Butanone	0.047	0.036	23.4#	100	0.00
28	T,M Propionitrile	0.055	0.045	18.2	117	0.00
29	T,M Isobutyl alcohol	0.020	0.015	25.0#	104	0.00
30	T,M 2,2-Dichloropropane	0.966	0.984	-1.9	137	0.00
31	T,M Methacrylonitrile	0.091	0.080	12.1	124	0.00
32	T,M cis-1,2-Dichloroethene	0.543	0.490	9.8	131	0.00
33	C,T,M Chloroform	1.196	1.093	8.6	136	0.00
34	T,M Bromochloromethane	0.319	0.269	15.7	114	0.00
35	T,M Tetrahydrofuran	0.126	0.097	23.0#	109	-0.01
36	S Dibromofluoromethane	0.612	0.594	2.9	132	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.064	1.4	137	0.00
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.306	7.0	123	0.00
40	T,M 1,1-Dichloropropene	0.236	0.209	11.4	120	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.858	-6.1	152	0.00
42	T,M Carbon tetrachloride	0.913	0.889	2.6	132	0.00
43	T,M 1,2-Dichloroethane	0.919	0.927	-0.9	137	0.00
44	T,M Benzene	1.830	1.658	9.4	126	0.00
45	T,M Trichloroethene	0.505	0.416	17.6	117	0.00
46	T,M Methyl methacrylate	0.448	0.266	40.6#	86	0.00
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.413	11.6	123	0.00
49	T,M 1,4-Dioxane	0.000	0.002	0.0	0#	0.01
50	T,M Bromodichloromethane	0.884	0.852	3.6	133	0.01
51	T,M Dibromomethane	0.380	0.322	15.3	120	0.01

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.137	40.7#	80	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.388	24.2#	101	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.735	10.0	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	131	0.00
56	S	Toluene-d8	1.987	2.096	-5.5	137	0.00
57	T,M	Ethyl methacrylate	0.682	0.631	7.5	117	0.00
58	C,T,M	Toluene	2.268	2.212	2.5	129	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.957	1.3	127	0.00
60	T,M	2-Hexanone	0.410	0.334	18.5	101	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.491	8.7	120	0.00
62	T,M	1,3-Dichloropropane	0.799	0.769	3.8	128	0.00
63	T,M	Tetrachloroethene	0.496	0.449	9.5	123	0.01
64	T,M	Dibromochloromethane	0.807	0.684	15.2	114	0.00
65	T,M	1,2-Dibromoethane	0.580	0.479	17.4	106	0.00
66	T,M	1-Chlorohexane	0.751	0.702	6.5	123	0.00
67	P,T,M	Chlorobenzene	1.498	1.395	6.9	125	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.604	5.2	122	0.00
69	C,T,M	Ethylbenzene	2.742	2.641	3.7	130	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.090	6.5	132	0.01
71	T,M	o-Xylene	2.117	2.080	1.7	129	0.01
72	T,M	Styrene	1.480	1.420	4.1	125	0.01
73	T,M	Isopropylbenzene	2.412	2.331	3.4	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	140	0.00
75	P,T,M	Bromoform	1.091	0.871	20.2#	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.155	17.1	120	0.00
77	S	4-Bromofluorobenzene	1.587	1.655	-4.3	148	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.332	13.8	124	0.01
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.342	12.1	121	0.01
80	T,M	n-Propylbenzene	6.341	5.727	9.7	133	0.00
81	T,M	Bromobenzene	1.392	1.212	12.9	122	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.901	10.5	130	0.00
83	T,M	2-Chlorotoluene	3.914	3.765	3.8	143	0.00
84	T,M	4-Chlorotoluene	3.796	3.357	11.6	121	0.01
85	T,M	tert-Butylbenzene	0.675	0.609	9.8	131	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.832	10.1	128	0.01
87	T,M	sec-Butylbenzene	4.940	4.462	9.7	129	0.01
88	T,M	p-Isopropyltoluene	4.145	3.632	12.4	128	0.00
89	T,M	1,3-Dichlorobenzene	2.303	1.988	13.7	127	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	3.787	10.3	127	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.009	14.5	126	0.00
92	T,M	n-Butylbenzene	3.942	3.533	10.4	130	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.902	12.9	132	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.214	24.4#	113	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.210	19.0	131	0.00
96	T,M	Hexachlorobutadiene	0.755	0.707	6.4	132	0.00
97	T,M	Naphthalene	3.377	2.709	19.8	114	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.113	21.6#	126	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	115	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.899	-9.0	142	0.00
3	P,T,M	Chloromethane	10.000	10.507	-5.1	134	0.00
4	C,T,M	Vinyl chloride	10.000	14.645	-46.4#	177	0.00
5	T,M	Bromomethane	10.000	5.366	46.3#	75	0.00
6	T,M	Dichlorofluoromethane	10.000	10.635	-6.3	123	0.00
7	T,M	Chloroethane	10.000	8.983	10.2	108	0.00
8	T,M	Trichlorofluoromethane	10.000	8.845	11.5	111	0.00
9	T,M	Acrolein	50.000	27.725	44.5#	65	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	9.660	3.4	116	0.00
11	T,M	Acetone	50.000	43.732	12.5	96	0.00
12	T,M	tert-Butyl alcohol	250.000	220.530	11.8	102	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.041	-0.4	117	0.00
14	T,M	Acetonitrile	100.000	96.026	4.0	109	0.00
15	T,M	Allyl chloride	10.000	10.309	-3.1	117	0.00
16	T,M	Iodomethane	10.000	6.669	33.3#	83	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	11.646	-16.5	117	0.00
19	T,M	Acrylonitrile	50.000	37.860	24.3#	83	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.448	-4.5	120	0.00
21	T,M	Carbon disulfide	10.000	9.631	3.7	111	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	9.302	7.0	110	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	9.475	5.3	110	0.00
24	T,M	Vinyl acetate	10.000	4.668	53.3#	50	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.917	0.8	118	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.146	8.5	105	0.00
27	T,M	2-Butanone	50.000	38.964	22.1#	86	0.00
28	T,M	Propionitrile	100.000	87.169	12.8	104	0.00
29	T,M	Isobutyl alcohol	200.000	162.595	18.7	93	0.00
30	T,M	2,2-Dichloropropane	10.000	9.936	0.6	112	0.00
31	T,M	Methacrylonitrile	100.000	98.112	1.9	115	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.823	1.8	119	0.00
33	C,T,M	Chloroform	10.000	10.263	-2.6	127	0.00
34	T,M	Bromochloromethane	10.000	9.343	6.6	105	0.00
35	T,M	Tetrahydrofuran	10.000	8.042	19.6	94	-0.01
36	S	Dibromofluoromethane	10.000	9.797	2.0	111	0.00
37	T,M	1,1,1-Trichloroethane	10.000	11.196	-12.0	130	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.723	-7.2	118	0.00
40	T,M	1,1-Dichloropropene	10.000	9.737	2.6	110	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.807	-8.1	129	0.00
42	T,M	Carbon tetrachloride	10.000	10.964	-9.6	124	0.00
43	T,M	1,2-Dichloroethane	10.000	11.513	-15.1	130	0.00
44	T,M	Benzene	10.000	10.133	-1.3	118	0.00
45	T,M	Trichloroethene	10.000	9.332	6.7	110	0.00
46	T,M	Methyl methacrylate	10.000	7.356	26.4#	89	-0.01
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.808	-8.1	126	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	11.853	-18.5	137	0.00
51	T,M	Dibromomethane	10.000	10.325	-3.2	122	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	6.922	30.8#	78	0.00
53	T,M	4-Methyl-2-pentanone	50.000	50.000	0.0	111	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.839	-8.4	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	111	0.00
56	S	Toluene-d8	10.000	10.731	-7.3	118	0.00
57	T,M	Ethyl methacrylate	10.000	11.287	-12.9	121	0.00
58	C,T,M	Toluene	10.000	11.162	-11.6	125	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.206	-12.1	122	0.00
60	T,M	2-Hexanone	50.000	46.086	7.8	97	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.767	2.3	109	0.00
62	T,M	1,3-Dichloropropane	10.000	10.557	-5.6	119	0.00
63	T,M	Tetrachloroethene	10.000	9.984	0.2	115	0.00
64	T,M	Dibromochloromethane	10.000	9.345	6.5	106	0.00
65	T,M	1,2-Dibromoethane	10.000	9.352	6.5	102	0.00
66	T,M	1-Chlorohexane	10.000	10.235	-2.3	114	0.00
67	P,T,M	Chlorobenzene	10.000	10.045	-0.4	114	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.661	-6.6	117	-0.01
69	C,T,M	Ethylbenzene	10.000	10.555	-5.5	121	0.00
70	T,M	m-Xylene & p-Xylene	20.000	20.592	-3.0	123	0.00
71	T,M	o-Xylene	10.000	10.863	-8.6	121	0.00
72	T,M	Styrene	10.000	10.638	-6.4	117	0.00
73	T,M	Isopropylbenzene	10.000	10.626	-6.3	117	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	128	0.00
75	P,T,M	Bromoform	10.000	7.882	21.2#	103	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.414	15.9	111	-0.01
77	S	4-Bromofluorobenzene	10.000	9.596	4.0	125	0.00
78	T,M	1,2,3-Trichloropropane	10.000	9.239	7.6	122	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	7.310	26.9#	92	0.00
80	T,M	n-Propylbenzene	10.000	9.067	9.3	123	0.00
81	T,M	Bromobenzene	10.000	8.800	12.0	113	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.018	9.8	120	-0.01
83	T,M	2-Chlorotoluene	10.000	9.124	8.8	125	0.00
84	T,M	4-Chlorotoluene	10.000	11.052	-10.5	121	0.00
85	T,M	tert-Butylbenzene	10.000	9.334	6.7	125	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	9.256	7.4	121	0.00
87	T,M	sec-Butylbenzene	10.000	8.968	10.3	117	0.00
88	T,M	p-Isopropyltoluene	10.000	9.112	8.9	122	0.00
89	T,M	1,3-Dichlorobenzene	10.000	10.374	-3.7	122	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	9.762	2.4	127	0.00
91	T,M	1,4-Dichlorobenzene	10.000	10.438	-4.4	125	0.00
92	T,M	n-Butylbenzene	10.000	9.705	2.9	129	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.067	9.3	126	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.358	26.4#	101	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	8.528	14.7	113	0.00
96	T,M	Hexachlorobutadiene	10.000	8.779	12.2	113	-0.01
97	T,M	Naphthalene	10.000	8.048	19.5	105	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.570	14.3	113	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = ~~1~~ 0

MW 6/28/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	115	0.00
2	T,M Dichlorodifluoromethane	0.574	0.625	-8.9	142	0.00
3	P,T,M Chloromethane	0.412	0.433	-5.1	134	0.00
4	C,T,M Vinyl chloride	0.435	0.637	-46.4#	177	0.00
5	T,M Bromomethane	0.294	0.158	46.3#	75	0.00
6	T,M Dichlorofluoromethane	0.994	1.057	-6.3	123	0.00
7	T,M Chloroethane	0.213	0.191	10.3	108	0.00
8	T,M Trichlorofluoromethane	0.977	0.864	11.6	111	0.00
9	T,M Acrolein	0.065	0.036	44.6#	65	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.411	3.5	116	0.00
11	T,M Acetone	0.181	0.114	37.0#	96	0.00
12	T,M tert-Butyl alcohol	0.061	0.054	11.5	102	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.897	-0.3	117	0.00
14	T,M Acetonitrile	0.030	0.029	3.3	109	0.00
15	T,M Allyl chloride	0.236	0.243	-3.0	117	0.00
16	T,M Iodomethane	0.429	0.312	27.3#	83	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.738	7.9	117	0.00
19	T,M Acrylonitrile	0.150	0.114	24.0#	83	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.561	-4.5	120	0.00
21	T,M Carbon disulfide	1.370	1.319	3.7	111	0.00
22	T,M trans-1,2-Dichloroethene	0.477	0.444	6.9	110	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.441	5.2	110	0.00
24	T,M Vinyl acetate	0.866	0.404	53.3#	50	0.00
25	P,T,M 1,1-Dichloroethane	0.965	0.957	0.8	118	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	1.689	8.5	105	0.00
27	T,M 2-Butanone	0.047	0.037	21.3#	86	0.00
28	T,M Propionitrile	0.055	0.048	12.7	104	0.00
29	T,M Isobutyl alcohol	0.020	0.016	20.0	93	0.00
30	T,M 2,2-Dichloropropane	0.966	0.959	0.7	112	0.00
31	T,M Methacrylonitrile	0.091	0.089	2.2	115	0.00
32	T,M cis-1,2-Dichloroethene	0.543	0.533	1.8	119	0.00
33	C,T,M Chloroform	1.196	1.227	-2.6	127	0.00
34	T,M Bromochloromethane	0.319	0.298	6.6	105	0.00
35	T,M Tetrahydrofuran	0.126	0.101	19.8	94	-0.01
36	S Dibromofluoromethane	0.612	0.600	2.0	111	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.208	-12.0	130	0.00
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.353	-7.3	118	0.00
40	T,M 1,1-Dichloropropene	0.236	0.230	2.5	110	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.875	-8.2	129	0.00
42	T,M Carbon tetrachloride	0.913	1.001	-9.6	124	0.00
43	T,M 1,2-Dichloroethane	0.919	1.058	-15.1	130	0.00
44	T,M Benzene	1.830	1.854	-1.3	118	0.00
45	T,M Trichloroethene	0.505	0.471	6.7	110	0.00
46	T,M Methyl methacrylate	0.448	0.329	26.6#	89	-0.01
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.505	-8.1	126	0.00
49	T,M 1,4-Dioxane	0.000	0.003	0.0	0#	0.00
50	T,M Bromodichloromethane	0.884	1.048	-18.6	137	0.00
51	T,M Dibromomethane	0.380	0.392	-3.2	122	0.00

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.160	30.7#	78	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.512	0.0	111	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.885	-8.3	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	111	0.00
56	S	Toluene-d8	1.987	2.132	-7.3	118	0.00
57	T,M	Ethyl methacrylate	0.682	0.770	-12.9	121	0.00
58	C,T,M	Toluene	2.268	2.531	-11.6	125	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.087	-12.1	122	0.00
60	T,M	2-Hexanone	0.410	0.378	7.8	97	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.526	2.2	109	0.00
62	T,M	1,3-Dichloropropane	0.799	0.844	-5.6	119	0.00
63	T,M	Tetrachloroethene	0.496	0.495	0.2	115	0.00
64	T,M	Dibromochloromethane	0.807	0.754	6.6	106	0.00
65	T,M	1,2-Dibromoethane	0.580	0.542	6.6	102	0.00
66	T,M	1-Chlorohexane	0.751	0.768	-2.3	114	0.00
67	P,T,M	Chlorobenzene	1.498	1.505	-0.5	114	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.680	-6.8	117	-0.01
69	C,T,M	Ethylbenzene	2.742	2.894	-5.5	121	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.302	-3.0	123	0.00
71	T,M	o-Xylene	2.117	2.299	-8.6	121	0.00
72	T,M	Styrene	1.480	1.575	-6.4	117	0.00
73	T,M	Isopropylbenzene	2.412	2.563	-6.3	117	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	128	0.00
75	P,T,M	Bromoform	1.091	0.860	21.2#	103	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.173	15.9	111	-0.01
77	S	4-Bromofluorobenzene	1.587	1.523	4.0	125	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.356	7.5	122	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.285	26.7#	92	0.00
80	T,M	n-Propylbenzene	6.341	5.749	9.3	123	0.00
81	T,M	Bromobenzene	1.392	1.225	12.0	113	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.931	9.8	120	-0.01
83	T,M	2-Chlorotoluene	3.914	3.571	8.8	125	0.00
84	T,M	4-Chlorotoluene	3.796	3.656	3.7	121	0.00
85	T,M	tert-Butylbenzene	0.675	0.630	6.7	125	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.946	7.4	121	0.00
87	T,M	sec-Butylbenzene	4.940	4.430	10.3	117	0.00
88	T,M	p-Isopropyltoluene	4.145	3.777	8.9	122	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.071	10.1	122	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.124	2.4	127	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.162	8.0	125	0.00
92	T,M	n-Butylbenzene	3.942	3.826	2.9	129	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.981	9.3	126	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.209	26.1#	101	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.141	23.6#	113	0.00
96	T,M	Hexachlorobutadiene	0.755	0.663	12.2	113	-0.01
97	T,M	Naphthalene	3.377	2.718	19.5	105	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.089	23.3#	113	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = ~~1~~ 0

MV 6/28/24

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F019
Lab File ID: RFG122 BFB Injection Date: 06/13/24
Instrument ID: E2 BFB Injection Time: 08:43

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	25.266
75	30 - 60% of mass 95	55.392
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.423
173	Less than 2% of mass 174	0.462(.65)1
174	Greater than 50% of mass 95	71.256
175	5 - 9% of mass 174	5.840(8.2)1
176	95 - 101% % of mass 174	68.951(96.77)1
177	5 - 9% % of mass 176	5.107(7.41)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1708	RFG123	06/13/24	09:30
2	LCS2W	VOE2F05L	RFG124	06/13/24	10:20
3	LCD2W	VOE2F05C	RFG125	06/13/24	10:44
4	MBLK2W	VOE2F05B	RFG127	06/13/24	11:31
5	TB-3_MAY24	24F019-13	RFG129	06/13/24	13:06
6	RB-1_JUN24	24F019-12	RFG130	06/13/24	13:30
7	T1AMF-MW053_MAY24	24F019-02N	RFG131	06/13/24	13:54
8	T1AMF-MW051_MAY24	24F019-03	RFG132	06/13/24	14:17
9	T1AMF-MW053_MAY24_MS	24F019-02M	RFG133	06/13/24	14:41
10	T1AMF-MW053_MAY24_MSD	24F019-02S	RFG134	06/13/24	15:05
11	T1AMF-MW051_MAY24_MS	24F019-03M	RFG135	06/13/24	15:28
12	T1AMF-MW051_MAY24_MSD	24F019-03S	RFG136	06/13/24	15:52
13	VSTD10	EVOE2E1708	RFG149	06/13/24	21:01

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F019
Date Analyzed: 05/17/24
Time Analyzed: 14:09

INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
	Area #	RT #	Area #	RT #	Area #	RT #
12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
	Area #	RT #	Area #	RT #	Area #	RT #
1 VSTD10	557288	5.99	472243	9.56	216831	13.89
2 LCS2W	546903	5.99	471957	9.56	227711	13.89
3 LCD2W	558714	5.99	480301	9.56	220875	13.89
4 MBLK2W	516821	5.99	418923	9.56	189458	13.89
5 TB-3_MAY24	488771	5.99	405733	9.56	180846	13.89
6 RB-1_JUN24	471621	5.99	391806	9.56	174958	13.89
7 T1AMF-MW053_MAY24	462358	5.99	384262	9.56	174428	13.89
8 T1AMF-MW051_MAY24	467069	5.99	388902	9.56	169327	13.89
9 T1AMF-MW053_MAY24_MS	482397	5.99	411288	9.56	190647	13.89
10 T1AMF-MW053_MAY24_MSD	482381	5.99	410664	9.56	197209	13.89
11 T1AMF-MW051_MAY24_MS	491277	5.99	419964	9.56	199196	13.89
12 T1AMF-MW051_MAY24_MSD	499209	5.99	430525	9.56	203072	13.89
13 VSTD10	427914	5.99	374037	9.56	186275	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG123.D Vial: 2
Acq On : 13 Jun 2024 9:30 Operator: DNguye
Sample : CVOE2E1708 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	115	0.00
2	T,M	Dichlorodifluoromethane	10.000	11.477	-14.8	149	0.00
3	P,T,M	Chloromethane	10.000	10.368	-3.7	132	0.00
4	C,T,M	Vinyl chloride	10.000	11.953	-19.5	144	0.00
5	T,M	Bromomethane	10.000	9.912	0.9	138	0.00
6	T,M	Dichlorofluoromethane	10.000	10.946	-9.5	127	0.00
7	T,M	Chloroethane	10.000	11.200	-12.0	135	0.00
8	T,M	Trichlorofluoromethane	10.000	8.865	11.3	111	0.00
9	T,M	Acrolein	50.000	47.829	4.3	112	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	8.989	10.1	108	0.00
11	T,M	Acetone	50.000	62.862	-25.7#	133	0.00
12	T,M	tert-Butyl alcohol	250.000	246.863	1.3	114	0.00
13	C,T,M	1,1-Dichloroethene	10.000	11.181	-11.8	130	0.00
14	T,M	Acetonitrile	100.000	110.975	-11.0	126	0.00
15	T,M	Allyl chloride	10.000	11.104	-11.0	126	0.00
16	T,M	Iodomethane	10.000	7.522	24.8#	94	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	14.747	-47.5#	145	0.00
19	T,M	Acrylonitrile	50.000	60.440	-20.9#	132	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.984	-9.8	126	0.00
21	T,M	Carbon disulfide	10.000	9.910	0.9	114	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	9.802	2.0	115	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	13.125	-31.3#	152	0.01
24	T,M	Vinyl acetate	10.000	8.844	11.6	95	0.00
25	P,T,M	1,1-Dichloroethane	10.000	11.491	-14.9	137	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	11.146	-11.5	128	0.00
27	T,M	2-Butanone	50.000	49.616	0.8	109	0.00
28	T,M	Propionitrile	100.000	118.944	-18.9	142	0.00
29	T,M	Isobutyl alcohol	200.000	234.405	-17.2	134	0.00
30	T,M	2,2-Dichloropropane	10.000	11.132	-11.3	125	0.01
31	T,M	Methacrylonitrile	100.000	120.851	-20.9#	142	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	10.267	-2.7	124	0.00
33	C,T,M	Chloroform	10.000	10.033	-0.3	124	0.00
34	T,M	Bromochloromethane	10.000	10.100	-1.0	114	0.00
35	T,M	Tetrahydrofuran	10.000	12.099	-21.0#	142	-0.01
36	S	Dibromofluoromethane	10.000	9.353	6.5	106	0.00
37	T,M	1,1,1-Trichloroethane	10.000	10.294	-2.9	119	0.01
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	12.029	-20.3#	132	0.00
40	T,M	1,1-Dichloropropene	10.000	10.739	-7.4	121	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.552	-5.5	126	0.00
42	T,M	Carbon tetrachloride	10.000	10.224	-2.2	116	0.00
43	T,M	1,2-Dichloroethane	10.000	11.795	-17.9	133	0.00
44	T,M	Benzene	10.000	10.837	-8.4	126	0.00
45	T,M	Trichloroethene	10.000	9.918	0.8	117	0.00
46	T,M	Methyl methacrylate	10.000	7.219	27.8#	87	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	12.036	-20.4#	139	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	10.302	-3.0	118	0.00
51	T,M	Dibromomethane	10.000	9.244	7.6	109	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG123.D
Acq On : 13 Jun 2024 9:30
Sample : CVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	11.885	-18.8	133	0.00
53	T,M	4-Methyl-2-pentanone	50.000	60.683	-21.4#	134	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.807	-8.1	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	115	0.00
56	S	Toluene-d8	10.000	9.912	0.9	113	0.00
57	T,M	Ethyl methacrylate	10.000	10.876	-8.8	121	0.00
58	C,T,M	Toluene	10.000	10.689	-6.9	124	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	10.587	-5.9	120	0.00
60	T,M	2-Hexanone	50.000	59.103	-18.2	129	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.826	1.7	114	0.00
62	T,M	1,3-Dichloropropane	10.000	10.699	-7.0	126	0.00
63	T,M	Tetrachloroethene	10.000	9.955	0.4	119	0.00
64	T,M	Dibromochloromethane	10.000	9.230	7.7	109	0.00
65	T,M	1,2-Dibromoethane	10.000	9.745	2.6	110	0.00
66	T,M	1-Chlorohexane	10.000	10.447	-4.5	121	0.00
67	P,T,M	Chlorobenzene	10.000	9.859	1.4	116	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.031	-0.3	114	-0.01
69	C,T,M	Ethylbenzene	10.000	10.513	-5.1	125	0.00
70	T,M	m-Xylene & p-Xylene	20.000	20.590	-2.9	128	0.01
71	T,M	o-Xylene	10.000	10.729	-7.3	124	0.00
72	T,M	Styrene	10.000	10.827	-8.3	124	0.01
73	T,M	Isopropylbenzene	10.000	11.000	-10.0	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	110	0.00
75	P,T,M	Bromoform	10.000	8.761	12.4	98	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.121	-1.2	115	0.00
77	S	4-Bromofluorobenzene	10.000	11.107	-11.1	124	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.577	-5.8	119	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	11.085	-10.9	120	0.00
80	T,M	n-Propylbenzene	10.000	10.957	-9.6	127	0.00
81	T,M	Bromobenzene	10.000	9.957	0.4	109	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	11.347	-13.5	129	0.00
83	T,M	2-Chlorotoluene	10.000	11.768	-17.7	137	0.00
84	T,M	4-Chlorotoluene	10.000	12.434	-24.3#	116	0.00
85	T,M	tert-Butylbenzene	10.000	10.587	-5.9	121	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	11.577	-15.8	129	0.01
87	T,M	sec-Butylbenzene	10.000	11.099	-11.0	124	0.01
88	T,M	p-Isopropyltoluene	10.000	11.095	-11.0	127	0.00
89	T,M	1,3-Dichlorobenzene	10.000	12.097	-21.0#	120	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	11.667	-16.7	129	0.01
91	T,M	1,4-Dichlorobenzene	10.000	11.643	-16.4	118	0.00
92	T,M	n-Butylbenzene	10.000	10.963	-9.6	125	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.273	-2.7	122	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.863	11.4	104	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	10.145	-1.4	115	0.00
96	T,M	Hexachlorobutadiene	10.000	9.351	6.5	103	0.00
97	T,M	Naphthalene	10.000	9.990	0.1	111	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	9.786	2.1	110	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG123.D
Acq On : 13 Jun 2024 9:30
Sample : CVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = ~~1~~ 0

MV 6/28/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG123.D Vial: 2
Acq On : 13 Jun 2024 9:30 Operator: DNguye
Sample : CVOE2E1708 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	115	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.659	-14.8	149	0.00
3	P,T,M	Chloromethane	0.412	0.427	-3.6	132	0.00
4	C,T,M	Vinyl chloride	0.435	0.520	-19.5	144	0.00
5	T,M	Bromomethane	0.294	0.292	0.7	138	0.00
6	T,M	Dichlorofluoromethane	0.994	1.088	-9.5	127	0.00
7	T,M	Chloroethane	0.213	0.239	-12.2	135	0.00
8	T,M	Trichlorofluoromethane	0.977	0.866	11.4	111	0.00
9	T,M	Acrolein	0.065	0.062	4.6	112	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.383	10.1	108	0.00
11	T,M	Acetone	0.181	0.159	12.2	133	0.00
12	T,M	tert-Butyl alcohol	0.061	0.060	1.6	114	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.999	-11.7	130	0.00
14	T,M	Acetonitrile	0.030	0.033	-10.0	126	0.00
15	T,M	Allyl chloride	0.236	0.262	-11.0	126	0.00
16	T,M	Iodomethane	0.429	0.354	17.5	94	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.921	-15.0	145	0.00
19	T,M	Acrylonitrile	0.150	0.182	-21.3#	132	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.641	-9.8	126	0.00
21	T,M	Carbon disulfide	1.370	1.357	0.9	114	0.00
22	T,M	trans-1,2-Dichloroethene	0.477	0.467	2.1	115	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.996	-31.3#	152	0.01
24	T,M	Vinyl acetate	0.866	0.766	11.5	95	0.00
25	P,T,M	1,1-Dichloroethane	0.965	1.108	-14.8	137	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	2.058	-11.5	128	0.00
27	T,M	2-Butanone	0.047	0.047	0.0	109	0.00
28	T,M	Propionitrile	0.055	0.066	-20.0#	142	0.00
29	T,M	Isobutyl alcohol	0.020	0.023	-15.0	134	0.00
30	T,M	2,2-Dichloropropane	0.966	1.075	-11.3	125	0.01
31	T,M	Methacrylonitrile	0.091	0.110	-20.9#	142	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.557	-2.6	124	0.00
33	C,T,M	Chloroform	1.196	1.200	-0.3	124	0.00
34	T,M	Bromochloromethane	0.319	0.322	-0.9	114	0.00
35	T,M	Tetrahydrofuran	0.126	0.152	-20.6#	142	-0.01
36	S	Dibromofluoromethane	0.612	0.573	6.4	106	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.110	-2.9	119	0.01
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.396	-20.4#	132	0.00
40	T,M	1,1-Dichloropropene	0.236	0.254	-7.6	121	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.854	-5.6	126	0.00
42	T,M	Carbon tetrachloride	0.913	0.933	-2.2	116	0.00
43	T,M	1,2-Dichloroethane	0.919	1.084	-18.0	133	0.00
44	T,M	Benzene	1.830	1.983	-8.4	126	0.00
45	T,M	Trichloroethene	0.505	0.501	0.8	117	0.00
46	T,M	Methyl methacrylate	0.448	0.323	27.9#	87	0.00
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.562	-20.3#	139	0.00
49	T,M	1,4-Dioxane	0.000	0.002	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	0.911	-3.1	118	0.00
51	T,M	Dibromomethane	0.380	0.351	7.6	109	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG123.D
Acq On : 13 Jun 2024 9:30
Sample : CVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.275	-19.0	133	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.621	-21.3#	134	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.883	-8.1	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	115	0.00
56	S	Toluene-d8	1.987	1.970	0.9	113	0.00
57	T,M	Ethyl methacrylate	0.682	0.742	-8.8	121	0.00
58	C,T,M	Toluene	2.268	2.424	-6.9	124	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.027	-5.9	120	0.00
60	T,M	2-Hexanone	0.410	0.485	-18.3	129	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.529	1.7	114	0.00
62	T,M	1,3-Dichloropropane	0.799	0.855	-7.0	126	0.00
63	T,M	Tetrachloroethene	0.496	0.494	0.4	119	0.00
64	T,M	Dibromochloromethane	0.807	0.745	7.7	109	0.00
65	T,M	1,2-Dibromoethane	0.580	0.565	2.6	110	0.00
66	T,M	1-Chlorohexane	0.751	0.784	-4.4	121	0.00
67	P,T,M	Chlorobenzene	1.498	1.477	1.4	116	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.639	-0.3	114	-0.01
69	C,T,M	Ethylbenzene	2.742	2.883	-5.1	125	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.302	-3.0	128	0.01
71	T,M	o-Xylene	2.117	2.271	-7.3	124	0.00
72	T,M	Styrene	1.480	1.602	-8.2	124	0.01
73	T,M	Isopropylbenzene	2.412	2.653	-10.0	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	110	0.00
75	P,T,M	Bromoform	1.091	0.956	12.4	98	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.411	-1.2	115	0.00
77	S	4-Bromofluorobenzene	1.587	1.763	-11.1	124	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.407	-5.7	119	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.432	-11.1	120	0.00
80	T,M	n-Propylbenzene	6.341	6.947	-9.6	127	0.00
81	T,M	Bromobenzene	1.392	1.386	0.4	109	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.946	-13.5	129	0.00
83	T,M	2-Chlorotoluene	3.914	4.606	-17.7	137	0.00
84	T,M	4-Chlorotoluene	3.796	4.095	-7.9	116	0.00
85	T,M	tert-Butylbenzene	0.675	0.714	-5.8	121	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	4.935	-15.8	129	0.01
87	T,M	sec-Butylbenzene	4.940	5.483	-11.0	124	0.01
88	T,M	p-Isopropyltoluene	4.145	4.599	-11.0	127	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.400	-4.2	120	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	4.928	-16.7	129	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.402	-2.3	118	0.00
92	T,M	n-Butylbenzene	3.942	4.322	-9.6	125	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.244	-2.7	122	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.251	11.3	104	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.348	9.7	115	0.00
96	T,M	Hexachlorobutadiene	0.755	0.706	6.5	103	0.00
97	T,M	Naphthalene	3.377	3.374	0.1	111	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.237	12.8	110	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG123.D
Acq On : 13 Jun 2024 9:30
Sample : CVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = ~~1~~ 0

KV 6/28/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG149.D
Acq On : 13 Jun 2024 21:01
Sample : EVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	10.000	10.000	0.0	88	0.00
2	T,M Dichlorodifluoromethane	10.000	8.966	10.3	89	0.00
3	P,T,M Chloromethane	10.000	7.166	28.3#	70	0.00
4	C,T,M Vinyl chloride	10.000	9.154	8.5	85	0.00
5	T,M Bromomethane	10.000	1.466	85.3#	16	0.00
6	T,M Dichlorofluoromethane	10.000	10.574	-5.7	94	0.00
7	T,M Chloroethane	10.000	9.084	9.2	84	0.00
8	T,M Trichlorofluoromethane	10.000	7.482	25.2#	72	0.00
9	T,M Acrolein	50.000	37.238	25.5#	67	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	10.000	8.778	12.2	81	0.00
11	T,M Acetone	50.000	59.348	-18.7	97	0.00
12	T,M tert-Butyl alcohol	250.000	229.929	8.0	81	0.00
13	C,T,M 1,1-Dichloroethene	10.000	10.852	-8.5	97	0.00
14	T,M Acetonitrile	100.000	107.038	-7.0	93	0.00
15	T,M Allyl chloride	10.000	9.876	1.2	86	0.00
16	T,M Iodomethane	10.000	3.080	69.2#	28	0.00
17	T,M Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M Methylene chloride	10.000	14.015	-40.2#	106	0.00
19	T,M Acrylonitrile	50.000	54.547	-9.1	92	0.00
20	T,M tert-Butyl methyl ether (MT	10.000	10.572	-5.7	93	0.00
21	T,M Carbon disulfide	10.000	9.741	2.6	86	0.00
22	T,M trans-1,2-Dichloroethene	10.000	9.162	8.4	83	0.00
23	T,M Isopropyl ether (DIPE)	10.000	12.035	-20.4#	107	0.01
24	T,M Vinyl acetate	10.000	7.393	26.1#	61	0.00
25	P,T,M 1,1-Dichloroethane	10.000	11.299	-13.0	103	0.00
26	T,M tert-Butyl ethyl ether (ETB	10.000	10.507	-5.1	93	0.00
27	T,M 2-Butanone	50.000	42.587	14.8	72	0.00
28	T,M Propionitrile	100.000	107.833	-7.8	99	0.00
29	T,M Isobutyl alcohol	200.000	196.503	1.7	86	0.00
30	T,M 2,2-Dichloropropane	10.000	10.779	-7.8	93	0.01
31	T,M Methacrylonitrile	100.000	116.040	-16.0	105	0.00
32	T,M cis-1,2-Dichloroethene	10.000	9.663	3.4	89	0.00
33	C,T,M Chloroform	10.000	9.838	1.6	93	0.00
34	T,M Bromochloromethane	10.000	9.320	6.8	81	0.00
35	T,M Tetrahydrofuran	10.000	10.847	-8.5	98	0.00
36	S Dibromofluoromethane	10.000	9.489	5.1	82	0.00
37	T,M 1,1,1-Trichloroethane	10.000	10.613	-6.1	94	0.00
38	T,M Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M tert-Amyl methyl ether (TAM	10.000	10.770	-7.7	91	0.00
40	T,M 1,1-Dichloropropene	10.000	10.022	-0.2	87	0.00
41	S 1,2-Dichloroethane-d4	10.000	11.122	-11.2	102	0.00
42	T,M Carbon tetrachloride	10.000	10.574	-5.7	92	0.00
43	T,M 1,2-Dichloroethane	10.000	11.820	-18.2	103	0.00
44	T,M Benzene	10.000	9.914	0.9	88	0.00
45	T,M Trichloroethene	10.000	9.332	6.7	84	0.00
46	T,M Methyl methacrylate	10.000	6.654	33.5#	62	0.00
47	T,M Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M 1,2-Dichloropropane	10.000	10.735	-7.3	95	0.00
49	T,M 1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M Bromodichloromethane	10.000	10.332	-3.3	91	0.00
51	T,M Dibromomethane	10.000	9.289	7.1	84	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG149.D
Acq On : 13 Jun 2024 21:01
Sample : EVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	10.584	-5.8	91	0.00
53	T,M	4-Methyl-2-pentanone	50.000	56.046	-12.1	95	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	9.878	1.2	87	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	91	0.00
56	S	Toluene-d8	10.000	9.610	3.9	87	0.00
57	T,M	Ethyl methacrylate	10.000	9.828	1.7	87	0.00
58	C,T,M	Toluene	10.000	9.817	1.8	90	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	9.518	4.8	85	0.00
60	T,M	2-Hexanone	50.000	53.663	-7.3	93	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.012	9.9	83	0.00
62	T,M	1,3-Dichloropropane	10.000	9.979	0.2	93	0.00
63	T,M	Tetrachloroethene	10.000	9.055	9.5	86	0.00
64	T,M	Dibromochloromethane	10.000	8.642	13.6	81	0.00
65	T,M	1,2-Dibromoethane	10.000	8.861	11.4	79	0.00
66	T,M	1-Chlorohexane	10.000	9.359	6.4	86	0.00
67	P,T,M	Chlorobenzene	10.000	9.128	8.7	85	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.705	2.9	87	-0.01
69	C,T,M	Ethylbenzene	10.000	9.820	1.8	92	0.00
70	T,M	m-Xylene & p-Xylene	20.000	19.400	3.0	95	0.00
71	T,M	o-Xylene	10.000	9.909	0.9	91	0.00
72	T,M	Styrene	10.000	10.059	-0.6	91	0.00
73	T,M	Isopropylbenzene	10.000	10.275	-2.8	93	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	94	0.00
75	P,T,M	Bromoform	10.000	7.265	27.4#	70	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.726	12.7	85	-0.01
77	S	4-Bromofluorobenzene	10.000	10.362	-3.6	99	0.00
78	T,M	1,2,3-Trichloropropane	10.000	9.580	4.2	93	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	5.668	43.3#	53	0.00
80	T,M	n-Propylbenzene	10.000	9.263	7.4	92	0.00
81	T,M	Bromobenzene	10.000	8.677	13.2	82	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.839	1.6	96	-0.01
83	T,M	2-Chlorotoluene	10.000	9.471	5.3	95	0.00
84	T,M	4-Chlorotoluene	10.000	11.398	-14.0	92	0.00
85	T,M	tert-Butylbenzene	10.000	9.389	6.1	92	-0.01
86	T,M	1,2,4-Trimethylbenzene	10.000	9.905	1.0	95	0.00
87	T,M	sec-Butylbenzene	10.000	9.601	4.0	92	0.00
88	T,M	p-Isopropyltoluene	10.000	9.554	4.5	94	0.00
89	T,M	1,3-Dichlorobenzene	10.000	10.404	-4.0	90	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	10.014	-0.1	95	0.00
91	T,M	1,4-Dichlorobenzene	10.000	10.378	-3.8	91	0.00
92	T,M	n-Butylbenzene	10.000	9.144	8.6	89	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.089	9.1	93	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.298	27.0#	73	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	8.186	18.1	80	0.00
96	T,M	Hexachlorobutadiene	10.000	7.773	22.3#	74	-0.01
97	T,M	Naphthalene	10.000	8.075	19.3	77	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.319	16.8	81	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG149.D Vial: 28
Acq On : 13 Jun 2024 21:01 Operator: DNguye
Sample : EVOE2E1708 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG149.D
Acq On : 13 Jun 2024 21:01
Sample : EVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	88	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.515	10.3	89	0.00
3	P,T,M	Chloromethane	0.412	0.295	28.4#	70	0.00
4	C,T,M	Vinyl chloride	0.435	0.398	8.5	85	0.00
5	T,M	Bromomethane	0.294	0.043	85.4#	16#	0.00
6	T,M	Dichlorofluoromethane	0.994	1.051	-5.7	94	0.00
7	T,M	Chloroethane	0.213	0.194	8.9	84	0.00
8	T,M	Trichlorofluoromethane	0.977	0.731	25.2#	72	0.00
9	T,M	Acrolein	0.065	0.048	26.2#	67	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.374	12.2	81	0.00
11	T,M	Acetone	0.181	0.151	16.6	97	0.00
12	T,M	tert-Butyl alcohol	0.061	0.056	8.2	81	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.970	-8.5	97	0.00
14	T,M	Acetonitrile	0.030	0.032	-6.7	93	0.00
15	T,M	Allyl chloride	0.236	0.233	1.3	86	0.00
16	T,M	Iodomethane	0.429	0.137	68.1#	28#	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.878	-9.6	106	0.00
19	T,M	Acrylonitrile	0.150	0.164	-9.3	92	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.580	-5.8	93	0.00
21	T,M	Carbon disulfide	1.370	1.334	2.6	86	0.00
22	T,M	trans-1,2-Dichloroethene	0.477	0.437	8.4	83	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.830	-20.4#	107	0.01
24	T,M	Vinyl acetate	0.866	0.640	26.1#	61	0.00
25	P,T,M	1,1-Dichloroethane	0.965	1.090	-13.0	103	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.940	-5.1	93	0.00
27	T,M	2-Butanone	0.047	0.040	14.9	72	0.00
28	T,M	Propionitrile	0.055	0.060	-9.1	99	0.00
29	T,M	Isobutyl alcohol	0.020	0.019	5.0	86	0.00
30	T,M	2,2-Dichloropropane	0.966	1.041	-7.8	93	0.01
31	T,M	Methacrylonitrile	0.091	0.105	-15.4	105	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.525	3.3	89	0.00
33	C,T,M	Chloroform	1.196	1.177	1.6	93	0.00
34	T,M	Bromochloromethane	0.319	0.297	6.9	81	0.00
35	T,M	Tetrahydrofuran	0.126	0.137	-8.7	98	0.00
36	S	Dibromofluoromethane	0.612	0.581	5.1	82	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.145	-6.1	94	0.00
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.355	-7.9	91	0.00
40	T,M	1,1-Dichloropropene	0.236	0.237	-0.4	87	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.900	-11.2	102	0.00
42	T,M	Carbon tetrachloride	0.913	0.965	-5.7	92	0.00
43	T,M	1,2-Dichloroethane	0.919	1.087	-18.3	103	0.00
44	T,M	Benzene	1.830	1.814	0.9	88	0.00
45	T,M	Trichloroethene	0.505	0.471	6.7	84	0.00
46	T,M	Methyl methacrylate	0.448	0.298	33.5#	62	0.00
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.501	-7.3	95	0.00
49	T,M	1,4-Dioxane	0.000	0.001	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	0.913	-3.3	91	0.00
51	T,M	Dibromomethane	0.380	0.353	7.1	84	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG149.D
Acq On : 13 Jun 2024 21:01
Sample : EVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.245	-6.1	91	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.573	-11.9	95	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.807	1.2	87	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	91	0.00
56	S	Toluene-d8	1.987	1.910	3.9	87	0.00
57	T,M	Ethyl methacrylate	0.682	0.671	1.6	87	0.00
58	C,T,M	Toluene	2.268	2.226	1.9	90	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.924	4.7	85	0.00
60	T,M	2-Hexanone	0.410	0.440	-7.3	93	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.485	9.9	83	0.00
62	T,M	1,3-Dichloropropane	0.799	0.798	0.1	93	0.00
63	T,M	Tetrachloroethene	0.496	0.449	9.5	86	0.00
64	T,M	Dibromochloromethane	0.807	0.698	13.5	81	0.00
65	T,M	1,2-Dibromoethane	0.580	0.514	11.4	79	0.00
66	T,M	1-Chlorohexane	0.751	0.702	6.5	86	0.00
67	P,T,M	Chlorobenzene	1.498	1.367	8.7	85	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.619	2.8	87	-0.01
69	C,T,M	Ethylbenzene	2.742	2.693	1.8	92	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.169	3.0	95	0.00
71	T,M	o-Xylene	2.117	2.097	0.9	91	0.00
72	T,M	Styrene	1.480	1.489	-0.6	91	0.00
73	T,M	Isopropylbenzene	2.412	2.478	-2.7	93	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	94	0.00
75	P,T,M	Bromoform	1.091	0.793	27.3#	70	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.216	12.8	85	-0.01
77	S	4-Bromofluorobenzene	1.587	1.645	-3.7	99	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.369	4.2	93	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.221	43.2#	53	0.00
80	T,M	n-Propylbenzene	6.341	5.873	7.4	92	0.00
81	T,M	Bromobenzene	1.392	1.207	13.3	82	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.289	1.6	96	-0.01
83	T,M	2-Chlorotoluene	3.914	3.707	5.3	95	0.00
84	T,M	4-Chlorotoluene	3.796	3.766	0.8	92	0.00
85	T,M	tert-Butylbenzene	0.675	0.633	6.2	92	-0.01
86	T,M	1,2,4-Trimethylbenzene	4.263	4.223	0.9	95	0.00
87	T,M	sec-Butylbenzene	4.940	4.743	4.0	92	0.00
88	T,M	p-Isopropyltoluene	4.145	3.960	4.5	94	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.077	9.8	90	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.230	-0.1	95	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.150	8.5	91	0.00
92	T,M	n-Butylbenzene	3.942	3.605	8.5	89	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.985	9.1	93	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.207	26.9#	73	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.097	26.5#	80	0.00
96	T,M	Hexachlorobutadiene	0.755	0.587	22.3#	74	-0.01
97	T,M	Naphthalene	3.377	2.727	19.2	77	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.059	25.4#	81	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG149.D
Acq On : 13 Jun 2024 21:01
Sample : EVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F019
Lab File ID: RFG152 BFB Injection Date: 06/14/24
Instrument ID: E2 BFB Injection Time: 10:16

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	24.911
75	30 - 60% of mass 95	55.024
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	5.690
173	Less than 2% of mass 174	0.000(0)1
174	Greater than 50% of mass 95	80.432
175	5 - 9% of mass 174	5.922(7.36)1
176	95 - 101% % of mass 174	76.497(95.11)1
177	5 - 9% % of mass 176	4.861(6.35)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1709	RFG153	06/14/24	11:54
2	LCS3W	VOE2F06L	RFG154	06/14/24	12:35
3	LCD3W	VOE2F06C	RFG155	06/14/24	12:58
4	MBLK3W	VOE2F06B	RFG157	06/14/24	13:46
5	TB-4_JUN24	24F019-14N	RFG158	06/14/24	14:10
6	VSTD10	EVOE2E1709	RFG179	06/14/24	22:28

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F019
Date Analyzed: 05/17/24
Time Analyzed: 14:09

INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
	Area #	RT #	Area #	RT #	Area #	RT #
12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
	Area #	RT #	Area #	RT #	Area #	RT #
1 VSTD10	531899	5.99	423005	9.56	200791	13.89
2 LCS3W	533808	5.99	446338	9.56	205070	13.89
3 LCD3W	528358	5.99	450867	9.56	206285	13.89
4 MBLK3W	495022	5.99	408577	9.56	172895	13.89
5 TB-4_JUN24	471785	5.99	386284	9.56	171246	13.89
6 VSTD10	475094	5.99	398319	9.56	182539	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG153.D
Acq On : 14 Jun 2024 11:54
Sample : CVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	110	0.00
2	T,M	Dichlorodifluoromethane	10.000	11.233	-12.3	139	0.00
3	P,T,M	Chloromethane	10.000	9.254	7.5	112	0.00
4	C,T,M	Vinyl chloride	10.000	11.357	-13.6	131	0.00
5	T,M	Bromomethane	10.000	4.560	54.4#	60	0.00
6	T,M	Dichlorofluoromethane	10.000	10.322	-3.2	114	0.00
7	T,M	Chloroethane	10.000	10.721	-7.2	123	0.00
8	T,M	Trichlorofluoromethane	10.000	9.104	9.0	109	0.00
9	T,M	Acrolein	50.000	47.571	4.9	107	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	8.772	12.3	100	0.00
11	T,M	Acetone	50.000	59.782	-19.6	121	0.01
12	T,M	tert-Butyl alcohol	250.000	236.493	5.4	104	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.531	-5.3	116	0.00
14	T,M	Acetonitrile	100.000	108.655	-8.7	118	0.00
15	T,M	Allyl chloride	10.000	9.870	1.3	107	0.00
16	T,M	Iodomethane	10.000	4.852	51.5#	57	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	13.451	-34.5#	127	0.00
19	T,M	Acrylonitrile	50.000	58.361	-16.7	122	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.371	-3.7	113	0.00
21	T,M	Carbon disulfide	10.000	10.142	-1.4	111	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	9.214	7.9	103	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	12.064	-20.6#	133	0.01
24	T,M	Vinyl acetate	10.000	8.546	14.5	88	0.00
25	P,T,M	1,1-Dichloroethane	10.000	10.938	-9.4	124	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	10.523	-5.2	115	0.00
27	T,M	2-Butanone	50.000	47.285	5.4	99	0.00
28	T,M	Propionitrile	100.000	111.798	-11.8	127	0.00
29	T,M	Isobutyl alcohol	200.000	209.417	-4.7	114	0.00
30	T,M	2,2-Dichloropropane	10.000	10.674	-6.7	114	0.01
31	T,M	Methacrylonitrile	100.000	115.261	-15.3	129	0.01
32	T,M	cis-1,2-Dichloroethene	10.000	9.393	6.1	108	0.00
33	C,T,M	Chloroform	10.000	9.668	3.3	114	0.00
34	T,M	Bromochloromethane	10.000	9.230	7.7	99	0.00
35	T,M	Tetrahydrofuran	10.000	11.326	-13.3	127	-0.01
36	S	Dibromofluoromethane	10.000	8.730	12.7	94	0.00
37	T,M	1,1,1-Trichloroethane	10.000	10.018	-0.2	111	0.01
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.835	-8.4	114	0.00
40	T,M	1,1-Dichloropropene	10.000	10.008	-0.1	108	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.263	-2.6	117	0.00
42	T,M	Carbon tetrachloride	10.000	9.914	0.9	107	0.00
43	T,M	1,2-Dichloroethane	10.000	11.301	-13.0	122	0.00
44	T,M	Benzene	10.000	9.871	1.3	109	0.00
45	T,M	Trichloroethene	10.000	9.158	8.4	103	0.00
46	T,M	Methyl methacrylate	10.000	6.909	30.9#	80	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.954	-9.5	121	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.01
50	T,M	Bromodichloromethane	10.000	9.925	0.7	109	0.00
51	T,M	Dibromomethane	10.000	9.030	9.7	102	0.01

Data File : D:\Data\24F14\RFG153.D
Acq On : 14 Jun 2024 11:54
Sample : CVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M 2-Chloroethyl vinyl ether	10.000	10.901	-9.0	116	0.00
53	T,M 4-Methyl-2-pentanone	50.000	58.855	-17.7	124	0.01
54	T,M cis-1,3-Dichloropropene	10.000	10.116	-1.2	110	0.00
55	I CHLOROBENZENE-D5	10.000	10.000	0.0	103	0.00
56	S Toluene-d8	10.000	9.821	1.8	101	0.00
57	T,M Ethyl methacrylate	10.000	10.610	-6.1	106	0.00
58	C,T,M Toluene	10.000	10.485	-4.8	109	0.00
59	T,M trans-1,3-Dichloropropene	10.000	10.937	-9.4	111	0.00
60	T,M 2-Hexanone	50.000	62.043	-24.1#	121	0.01
61	T,M 1,1,2-Trichloroethane	10.000	9.684	3.2	101	0.00
62	T,M 1,3-Dichloropropane	10.000	10.956	-9.6	115	0.00
63	T,M Tetrachloroethene	10.000	9.917	0.8	107	0.01
64	T,M Dibromochloromethane	10.000	9.379	6.2	99	0.00
65	T,M 1,2-Dibromoethane	10.000	9.540	4.6	97	0.00
66	T,M 1-Chlorohexane	10.000	10.389	-3.9	108	0.00
67	P,T,M Chlorobenzene	10.000	9.897	1.0	104	0.00
68	T,M 1,1,1,2-Tetrachloroethane	10.000	10.128	-1.3	103	0.00
69	C,T,M Ethylbenzene	10.000	10.424	-4.2	111	0.00
70	T,M m-Xylene & p-Xylene	20.000	20.703	-3.5	115	0.01
71	T,M o-Xylene	10.000	10.816	-8.2	112	0.00
72	T,M Styrene	10.000	10.847	-8.5	111	0.00
73	T,M Isopropylbenzene	10.000	11.136	-11.4	114	0.00
74	I 1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	101	0.00
75	P,T,M Bromoform	10.000	8.632	13.7	89	0.00
76	P,T,M 1,1,2,2-Tetrachloroethane	10.000	9.880	1.2	104	0.00
77	S 4-Bromofluorobenzene	10.000	10.582	-5.8	109	0.00
78	T,M 1,2,3-Trichloropropane	10.000	10.520	-5.2	110	0.00
79	T,M trans-1,4-Dichloro-2-butene	10.000	9.976	0.2	100	0.01
80	T,M n-Propylbenzene	10.000	10.489	-4.9	112	0.00
81	T,M Bromobenzene	10.000	9.424	5.8	96	0.00
82	T,M 1,3,5-Trimethylbenzene	10.000	11.054	-10.5	116	0.00
83	T,M 2-Chlorotoluene	10.000	11.242	-12.4	122	0.00
84	T,M 4-Chlorotoluene	10.000	12.217	-22.2#	106	0.01
85	T,M tert-Butylbenzene	10.000	10.345	-3.5	109	0.00
86	T,M 1,2,4-Trimethylbenzene	10.000	11.093	-10.9	115	0.01
87	T,M sec-Butylbenzene	10.000	10.739	-7.4	111	0.01
88	T,M p-Isopropyltoluene	10.000	10.722	-7.2	114	0.01
89	T,M 1,3-Dichlorobenzene	10.000	11.487	-14.9	106	0.01
90	T,M 1,2,3-Trimethylbenzene	10.000	11.253	-12.5	116	0.01
91	T,M 1,4-Dichlorobenzene	10.000	11.407	-14.1	108	0.00
92	T,M n-Butylbenzene	10.000	10.442	-4.4	110	0.00
93	T,M 1,2-Dichlorobenzene	10.000	10.018	-0.2	110	0.00
94	T,M 1,2-Dibromo-3-chloropropane	10.000	8.767	12.3	95	0.01
95	T,M 1,2,4-Trichlorobenzene	10.000	9.971	0.3	104	0.01
96	T,M Hexachlorobutadiene	10.000	9.537	4.6	97	0.00
97	T,M Naphthalene	10.000	9.558	4.4	99	0.00
98	T,M 1,2,3-Trichlorobenzene	10.000	9.524	4.8	99	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG153.D
Acq On : 14 Jun 2024 11:54
Sample : CVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG153.D
Acq On : 14 Jun 2024 11:54
Sample : CVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	110	0.00
2	T,M Dichlorodifluoromethane	0.574	0.645	-12.4	139	0.00
3	P,T,M Chloromethane	0.412	0.381	7.5	112	0.00
4	C,T,M Vinyl chloride	0.435	0.494	-13.6	131	0.00
5	T,M Bromomethane	0.294	0.134	54.4#	60	0.00
6	T,M Dichlorofluoromethane	0.994	1.026	-3.2	114	0.00
7	T,M Chloroethane	0.213	0.228	-7.0	123	0.00
8	T,M Trichlorofluoromethane	0.977	0.890	8.9	109	0.00
9	T,M Acrolein	0.065	0.062	4.6	107	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.374	12.2	100	0.00
11	T,M Acetone	0.181	0.152	16.0	121	0.01
12	T,M tert-Butyl alcohol	0.061	0.058	4.9	104	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.941	-5.3	116	0.00
14	T,M Acetonitrile	0.030	0.033	-10.0	118	0.00
15	T,M Allyl chloride	0.236	0.233	1.3	107	0.00
16	T,M Iodomethane	0.429	0.223	48.0#	57	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.845	-5.5	127	0.00
19	T,M Acrylonitrile	0.150	0.175	-16.7	122	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.550	-3.7	113	0.00
21	T,M Carbon disulfide	1.370	1.389	-1.4	111	0.00
22	T,M trans-1,2-Dichloroethene	0.477	0.439	8.0	103	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.834	-20.7#	133	0.01
24	T,M Vinyl acetate	0.866	0.740	14.5	88	0.00
25	P,T,M 1,1-Dichloroethane	0.965	1.055	-9.3	124	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	1.943	-5.3	115	0.00
27	T,M 2-Butanone	0.047	0.044	6.4	99	0.00
28	T,M Propionitrile	0.055	0.062	-12.7	127	0.00
29	T,M Isobutyl alcohol	0.020	0.020	0.0	114	0.00
30	T,M 2,2-Dichloropropane	0.966	1.031	-6.7	114	0.01
31	T,M Methacrylonitrile	0.091	0.105	-15.4	129	0.01
32	T,M cis-1,2-Dichloroethene	0.543	0.510	6.1	108	0.00
33	C,T,M Chloroform	1.196	1.156	3.3	114	0.00
34	T,M Bromochloromethane	0.319	0.294	7.8	99	0.00
35	T,M Tetrahydrofuran	0.126	0.143	-13.5	127	-0.01
36	S Dibromofluoromethane	0.612	0.535	12.6	94	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.081	-0.2	111	0.01
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.357	-8.5	114	0.00
40	T,M 1,1-Dichloropropene	0.236	0.236	0.0	108	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.831	-2.7	117	0.00
42	T,M Carbon tetrachloride	0.913	0.905	0.9	107	0.00
43	T,M 1,2-Dichloroethane	0.919	1.039	-13.1	122	0.00
44	T,M Benzene	1.830	1.806	1.3	109	0.00
45	T,M Trichloroethene	0.505	0.463	8.3	103	0.00
46	T,M Methyl methacrylate	0.448	0.309	31.0#	80	0.00
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.512	-9.6	121	0.00
49	T,M 1,4-Dioxane	0.000	0.002	0.0	0#	0.01
50	T,M Bromodichloromethane	0.884	0.877	0.8	109	0.00
51	T,M Dibromomethane	0.380	0.343	9.7	102	0.01

Data File : D:\Data\24F14\RFG153.D
Acq On : 14 Jun 2024 11:54
Sample : CVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.252	-9.1	116	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.602	-17.6	124	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.826	-1.1	110	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	103	0.00
56	S	Toluene-d8	1.987	1.951	1.8	101	0.00
57	T,M	Ethyl methacrylate	0.682	0.724	-6.2	106	0.00
58	C,T,M	Toluene	2.268	2.378	-4.9	109	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.061	-9.4	111	0.00
60	T,M	2-Hexanone	0.410	0.509	-24.1#	121	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.521	3.2	101	0.00
62	T,M	1,3-Dichloropropane	0.799	0.876	-9.6	115	0.00
63	T,M	Tetrachloroethene	0.496	0.492	0.8	107	0.01
64	T,M	Dibromochloromethane	0.807	0.757	6.2	99	0.00
65	T,M	1,2-Dibromoethane	0.580	0.553	4.7	97	0.00
66	T,M	1-Chlorohexane	0.751	0.780	-3.9	108	0.00
67	P,T,M	Chlorobenzene	1.498	1.483	1.0	104	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.646	-1.4	103	0.00
69	C,T,M	Ethylbenzene	2.742	2.858	-4.2	111	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.314	-3.5	115	0.01
71	T,M	o-Xylene	2.117	2.289	-8.1	112	0.00
72	T,M	Styrene	1.480	1.605	-8.4	111	0.00
73	T,M	Isopropylbenzene	2.412	2.686	-11.4	114	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	101	0.00
75	P,T,M	Bromoform	1.091	0.942	13.7	89	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.377	1.2	104	0.00
77	S	4-Bromofluorobenzene	1.587	1.680	-5.9	109	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.405	-5.2	110	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.388	0.3	100	0.01
80	T,M	n-Propylbenzene	6.341	6.650	-4.9	112	0.00
81	T,M	Bromobenzene	1.392	1.311	5.8	96	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.819	-10.6	116	0.00
83	T,M	2-Chlorotoluene	3.914	4.399	-12.4	122	0.00
84	T,M	4-Chlorotoluene	3.796	4.026	-6.1	106	0.01
85	T,M	tert-Butylbenzene	0.675	0.698	-3.4	109	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	4.729	-10.9	115	0.01
87	T,M	sec-Butylbenzene	4.940	5.305	-7.4	111	0.01
88	T,M	p-Isopropyltoluene	4.145	4.444	-7.2	114	0.01
89	T,M	1,3-Dichlorobenzene	2.303	2.283	0.9	106	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	4.754	-12.5	116	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.355	-0.3	108	0.00
92	T,M	n-Butylbenzene	3.942	4.117	-4.4	110	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.188	-0.2	110	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.248	12.4	95	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.326	11.2	104	0.01
96	T,M	Hexachlorobutadiene	0.755	0.720	4.6	97	0.00
97	T,M	Naphthalene	3.377	3.228	4.4	99	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.206	15.0	99	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG153.D
Acq On : 14 Jun 2024 11:54
Sample : CVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG179.D
Acq On : 14 Jun 2024 22:28
Sample : EVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	10.000	10.000	0.0	98	0.00
2	T,M Dichlorodifluoromethane	10.000	9.136	8.6	101	0.00
3	P,T,M Chloromethane	10.000	7.381	26.2#	80	0.00
4	C,T,M Vinyl chloride	10.000	9.895	1.1	102	0.00
5	T,M Bromomethane	10.000	3.908	60.9#	46	0.00
6	T,M Dichlorofluoromethane	10.000	10.206	-2.1	101	0.00
7	T,M Chloroethane	10.000	9.074	9.3	93	0.00
8	T,M Trichlorofluoromethane	10.000	7.657	23.4#	82	0.00
9	T,M Acrolein	50.000	41.640	16.7	83	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	10.000	8.465	15.4	87	0.00
11	T,M Acetone	50.000	60.514	-21.0#	110	0.00
12	T,M tert-Butyl alcohol	250.000	260.566	-4.2	102	0.00
13	C,T,M 1,1-Dichloroethene	10.000	10.722	-7.2	106	0.00
14	T,M Acetonitrile	100.000	121.509	-21.5#	118	0.00
15	T,M Allyl chloride	10.000	10.090	-0.9	98	0.00
16	T,M Iodomethane	10.000	4.272	57.3#	44	0.00
17	T,M Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M Methylene chloride	10.000	13.273	-32.7#	112	0.00
19	T,M Acrylonitrile	50.000	60.020	-20.0#	112	0.00
20	T,M tert-Butyl methyl ether (MT	10.000	10.539	-5.4	103	0.00
21	T,M Carbon disulfide	10.000	8.476	15.2	83	0.00
22	T,M trans-1,2-Dichloroethene	10.000	9.132	8.7	91	0.00
23	T,M Isopropyl ether (DIPE)	10.000	12.010	-20.1#	119	0.00
24	T,M Vinyl acetate	10.000	7.766	22.3#	71	0.00
25	P,T,M 1,1-Dichloroethane	10.000	11.115	-11.2	113	0.00
26	T,M tert-Butyl ethyl ether (ETB	10.000	10.388	-3.9	102	0.00
27	T,M 2-Butanone	50.000	48.086	3.8	90	0.00
28	T,M Propionitrile	100.000	118.007	-18.0	120	0.00
29	T,M Isobutyl alcohol	200.000	242.624	-21.3#	118	0.00
30	T,M 2,2-Dichloropropane	10.000	9.645	3.6	92	0.00
31	T,M Methacrylonitrile	100.000	119.349	-19.3	119	0.00
32	T,M cis-1,2-Dichloroethene	10.000	9.692	3.1	100	0.00
33	C,T,M Chloroform	10.000	9.703	3.0	102	0.00
34	T,M Bromochloromethane	10.000	9.450	5.5	91	0.00
35	T,M Tetrahydrofuran	10.000	11.555	-15.5	115	-0.01
36	S Dibromofluoromethane	10.000	8.953	10.5	86	0.00
37	T,M 1,1,1-Trichloroethane	10.000	10.078	-0.8	99	0.01
38	T,M Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M tert-Amyl methyl ether (TAM	10.000	11.185	-11.9	105	0.00
40	T,M 1,1-Dichloropropene	10.000	9.795	2.1	94	0.00
41	S 1,2-Dichloroethane-d4	10.000	10.658	-6.6	109	0.00
42	T,M Carbon tetrachloride	10.000	10.038	-0.4	97	0.00
43	T,M 1,2-Dichloroethane	10.000	11.595	-16.0	112	0.00
44	T,M Benzene	10.000	9.973	0.3	99	0.00
45	T,M Trichloroethene	10.000	9.051	9.5	91	0.00
46	T,M Methyl methacrylate	10.000	6.892	31.1#	71	-0.01
47	T,M Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M 1,2-Dichloropropane	10.000	10.732	-7.3	106	0.00
49	T,M 1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M Bromodichloromethane	10.000	10.023	-0.2	98	0.00
51	T,M Dibromomethane	10.000	9.223	7.8	93	0.00

Data File : D:\Data\24F14\RFG179.D
Acq On : 14 Jun 2024 22:28
Sample : EVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	10.309	-3.1	98	0.00
53	T,M	4-Methyl-2-pentanone	50.000	59.900	-19.8	113	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	9.804	2.0	96	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	97	0.00
56	S	Toluene-d8	10.000	9.214	7.9	89	0.00
57	T,M	Ethyl methacrylate	10.000	10.145	-1.4	95	0.00
58	C,T,M	Toluene	10.000	9.962	0.4	98	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	9.904	1.0	95	0.00
60	T,M	2-Hexanone	50.000	60.633	-21.3#	112	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.394	6.1	92	0.00
62	T,M	1,3-Dichloropropane	10.000	10.226	-2.3	101	0.00
63	T,M	Tetrachloroethene	10.000	9.558	4.4	97	0.00
64	T,M	Dibromochloromethane	10.000	8.891	11.1	89	0.00
65	T,M	1,2-Dibromoethane	10.000	9.454	5.5	90	0.00
66	T,M	1-Chlorohexane	10.000	9.561	4.4	93	0.00
67	P,T,M	Chlorobenzene	10.000	9.449	5.5	94	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.546	4.5	92	0.00
69	C,T,M	Ethylbenzene	10.000	10.063	-0.6	101	0.00
70	T,M	m-Xylene & p-Xylene	20.000	19.358	3.2	101	0.00
71	T,M	o-Xylene	10.000	10.137	-1.4	99	0.00
72	T,M	Styrene	10.000	10.341	-3.4	100	0.00
73	T,M	Isopropylbenzene	10.000	10.348	-3.5	100	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	92	0.00
75	P,T,M	Bromoform	10.000	8.337	16.6	78	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.062	-0.6	96	-0.01
77	S	4-Bromofluorobenzene	10.000	10.241	-2.4	96	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.467	-4.7	99	-0.01
79	T,M	trans-1,4-Dichloro-2-butene	10.000	9.525	4.7	86	0.00
80	T,M	n-Propylbenzene	10.000	10.277	-2.8	100	0.00
81	T,M	Bromobenzene	10.000	9.118	8.8	84	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	10.785	-7.9	103	-0.01
83	T,M	2-Chlorotoluene	10.000	10.246	-2.5	101	0.00
84	T,M	4-Chlorotoluene	10.000	12.665	-26.6#	99	0.00
85	T,M	tert-Butylbenzene	10.000	10.240	-2.4	98	-0.01
86	T,M	1,2,4-Trimethylbenzene	10.000	11.016	-10.2	104	0.00
87	T,M	sec-Butylbenzene	10.000	10.488	-4.9	99	0.00
88	T,M	p-Isopropyltoluene	10.000	10.384	-3.8	100	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.492	-14.9	97	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	11.009	-10.1	103	0.00
91	T,M	1,4-Dichlorobenzene	10.000	11.090	-10.9	95	0.00
92	T,M	n-Butylbenzene	10.000	9.977	0.2	96	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.784	2.2	98	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.473	15.3	84	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	9.297	7.0	89	0.00
96	T,M	Hexachlorobutadiene	10.000	8.332	16.7	77	0.00
97	T,M	Naphthalene	10.000	9.131	8.7	86	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	9.049	9.5	86	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG179.D
Acq On : 14 Jun 2024 22:28
Sample : EVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG179.D
Acq On : 14 Jun 2024 22:28
Sample : EVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	98	0.00
2	T,M Dichlorodifluoromethane	0.574	0.524	8.7	101	0.00
3	P,T,M Chloromethane	0.412	0.304	26.2#	80	0.00
4	C,T,M Vinyl chloride	0.435	0.430	1.1	102	0.00
5	T,M Bromomethane	0.294	0.115	60.9#	46#	0.00
6	T,M Dichlorofluoromethane	0.994	1.014	-2.0	101	0.00
7	T,M Chloroethane	0.213	0.193	9.4	93	0.00
8	T,M Trichlorofluoromethane	0.977	0.748	23.4#	82	0.00
9	T,M Acrolein	0.065	0.054	16.9	83	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.361	15.3	87	0.00
11	T,M Acetone	0.181	0.153	15.5	110	0.00
12	T,M tert-Butyl alcohol	0.061	0.063	-3.3	102	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.958	-7.2	106	0.00
14	T,M Acetonitrile	0.030	0.037	-23.3#	118	0.00
15	T,M Allyl chloride	0.236	0.238	-0.8	98	0.00
16	T,M Iodomethane	0.429	0.195	54.5#	44#	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.834	-4.1	112	0.00
19	T,M Acrylonitrile	0.150	0.180	-20.0	112	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.575	-5.4	103	0.00
21	T,M Carbon disulfide	1.370	1.161	15.3	83	0.00
22	T,M trans-1,2-Dichloroethene	0.477	0.435	8.8	91	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.826	-20.1#	119	0.00
24	T,M Vinyl acetate	0.866	0.673	22.3#	71	0.00
25	P,T,M 1,1-Dichloroethane	0.965	1.072	-11.1	113	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	1.918	-3.9	102	0.00
27	T,M 2-Butanone	0.047	0.045	4.3	90	0.00
28	T,M Propionitrile	0.055	0.065	-18.2	120	0.00
29	T,M Isobutyl alcohol	0.020	0.024	-20.0	118	0.00
30	T,M 2,2-Dichloropropane	0.966	0.931	3.6	92	0.00
31	T,M Methacrylonitrile	0.091	0.108	-18.7	119	0.00
32	T,M cis-1,2-Dichloroethene	0.543	0.526	3.1	100	0.00
33	C,T,M Chloroform	1.196	1.160	3.0	102	0.00
34	T,M Bromochloromethane	0.319	0.301	5.6	91	0.00
35	T,M Tetrahydrofuran	0.126	0.146	-15.9	115	-0.01
36	S Dibromofluoromethane	0.612	0.548	10.5	86	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.087	-0.7	99	0.01
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.369	-12.2	105	0.00
40	T,M 1,1-Dichloropropene	0.236	0.231	2.1	94	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.863	-6.7	109	0.00
42	T,M Carbon tetrachloride	0.913	0.916	-0.3	97	0.00
43	T,M 1,2-Dichloroethane	0.919	1.066	-16.0	112	0.00
44	T,M Benzene	1.830	1.825	0.3	99	0.00
45	T,M Trichloroethene	0.505	0.457	9.5	91	0.00
46	T,M Methyl methacrylate	0.448	0.308	31.3#	71	-0.01
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.501	-7.3	106	0.00
49	T,M 1,4-Dioxane	0.000	0.002	0.0	0#	0.00
50	T,M Bromodichloromethane	0.884	0.886	-0.2	98	0.00
51	T,M Dibromomethane	0.380	0.350	7.9	93	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG179.D
Acq On : 14 Jun 2024 22:28
Sample : EVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.238	-3.0	98	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.613	-19.7	113	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.801	2.0	96	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	97	0.00
56	S	Toluene-d8	1.987	1.831	7.9	89	0.00
57	T,M	Ethyl methacrylate	0.682	0.692	-1.5	95	0.00
58	C,T,M	Toluene	2.268	2.259	0.4	98	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.961	0.9	95	0.00
60	T,M	2-Hexanone	0.410	0.497	-21.2#	112	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.506	5.9	92	0.00
62	T,M	1,3-Dichloropropane	0.799	0.817	-2.3	101	0.00
63	T,M	Tetrachloroethene	0.496	0.474	4.4	97	0.00
64	T,M	Dibromochloromethane	0.807	0.718	11.0	89	0.00
65	T,M	1,2-Dibromoethane	0.580	0.548	5.5	90	0.00
66	T,M	1-Chlorohexane	0.751	0.718	4.4	93	0.00
67	P,T,M	Chlorobenzene	1.498	1.416	5.5	94	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.608	4.6	92	0.00
69	C,T,M	Ethylbenzene	2.742	2.759	-0.6	101	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.164	3.2	101	0.00
71	T,M	o-Xylene	2.117	2.146	-1.4	99	0.00
72	T,M	Styrene	1.480	1.531	-3.4	100	0.00
73	T,M	Isopropylbenzene	2.412	2.496	-3.5	100	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	92	0.00
75	P,T,M	Bromoform	1.091	0.910	16.6	78	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.402	-0.6	96	-0.01
77	S	4-Bromofluorobenzene	1.587	1.626	-2.5	96	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.403	-4.7	99	-0.01
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.371	4.6	86	0.00
80	T,M	n-Propylbenzene	6.341	6.516	-2.8	100	0.00
81	T,M	Bromobenzene	1.392	1.269	8.8	84	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.701	-7.8	103	-0.01
83	T,M	2-Chlorotoluene	3.914	4.010	-2.5	101	0.00
84	T,M	4-Chlorotoluene	3.796	4.169	-9.8	99	0.00
85	T,M	tert-Butylbenzene	0.675	0.691	-2.4	98	-0.01
86	T,M	1,2,4-Trimethylbenzene	4.263	4.696	-10.2	104	0.00
87	T,M	sec-Butylbenzene	4.940	5.181	-4.9	99	0.00
88	T,M	p-Isopropyltoluene	4.145	4.304	-3.8	100	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.284	0.8	97	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.650	-10.1	103	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.292	2.4	95	0.00
92	T,M	n-Butylbenzene	3.942	3.933	0.2	96	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.137	2.2	98	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.240	15.2	84	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.239	17.0	89	0.00
96	T,M	Hexachlorobutadiene	0.755	0.629	16.7	77	0.00
97	T,M	Naphthalene	3.377	3.084	8.7	86	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.148	19.1	86	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG179.D
Acq On : 14 Jun 2024 22:28
Sample : EVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

ANALYTICAL LOG(S)

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 05/17/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge Book #: AE2-031

BATCH VOE2E17

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH ≤2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.: E2

INITIAL CALIBRATION REFERENCE

DATE: 5/17/24

ICAL ID: VOE2E17

STANDARDS

NAME	ID	Amount [µl]	Conc [mg/L]
DCC CS_2	SV1-43-98-01	*	250
DCC GAS	-98-03		250
DCC ~~METHANOL~~	-97-02		250/6250
DCC 8260	-97-01		250
BFB	-76-02	1	50
IS/SURR.	-96-02	5	20
	-96-03	2	250
ICV/LCS	-79-02	0.4	250
ICV/LCS	-94-01	.4	250
ICV/LCS	-90-01	2	250
ICV/LCS	-94-02	2	50
ICV/LCS	-85-02	2	50
Data File Folder	24E17		

	LOT #	Syringe Lot #
pH strip		14SV-03-04-14-6
Chlorine strip		-04-13-3
Methanol		-03-25
$NaHSO_4$		-02-25
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments: * Varied amount

Analyzed By: DN

Date Disposed: 5/18/24 Disposed By: DN

Injection Log

Directory: d:\Data\24E17

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Reg116.d	1.	BFBE2E09	T/CHK	17 May 2024 11:2
2	2	Reg117.d	1.	VOE2E161 0.012 WRONG SPIKE	0.3ppb 8260/1.5pp...	17 May 2024 12:1
3	3	Reg118.d	1.	VOE2E172 0.02	0.5ppb 8260/2.5pp...	17 May 2024 12:3
4	4	Reg119.d	1.	VOE2E173 0.04	1.0ppb 8260/5.0pp...	17 May 2024 12:5
5	5	Reg120.d	1.	VOE2E174 0.08	2.0ppb 8260/10ppb...	17 May 2024 13:2
6	6	Reg121.d	1.	VOE2E175 0.2	5.0ppb 8260/25ppb...	17 May 2024 13:4
7	7	Reg122.d	1.	VOE2E176 0.4	10ppb 8260/50ppb ...	17 May 2024 14:0
8	8	Reg123.d	1.	VOE2E177 1.2uL	30ppb 8260/150ppb...	17 May 2024 14:3
9	9	Reg124.d	1.	VOE2E178 2uL	50ppb 8260/250pb ...	17 May 2024 14:5
10	10	Reg125.d	1.	VOE2E179 4uL	100ppb 8260/500pp...	17 May 2024 15:2
11	11	Reg126.d	1.	VOE2E1710 8uL	200ppb 8260/1000p...	17 May 2024 15:4
12	12	Reg127.d	1.	RINSE		17 May 2024 16:0
13	13	Reg128.d	1.	RINSE		17 May 2024 16:3
14	14	Reg129.d	1.	IVOE2E1701 %REC>20	10ppb 8260/50ppb ...	17 May 2024 21:0

ZL 5/23/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-MB260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 05/18/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH 10E2819

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH < 2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	10E2E17

STANDARDS

NAME	ID	Amount (µl)	Conc (ng/L)
DCC			
DCC			
DCC			
DCC			
BFB	SVI-43-76-02	1	50
IS/SURR	-96-02 -96-03	5 4	20 250
ICV/LCS	-91-02	4	250
ICV/LCS	-94-01	4	250
ICV/LCS	-90-01 -94-02	2 2	250 50
ICV/LCS	-85-02	2	50
Data File Folder	24E18		

	LOT #	Syringe Lot #
pH strip		MSV-03-04-14-6
Chlorine strip		↓ -04-13-3
Methanol		
$NaHSO_4$		
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/10E2	

Comments:

Analyzed By: DN

Date Disposed: 5/20/24 Disposed By: DN

5/23/24

Injection Log

Directory: d:\Data\24E18

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Reg130.d	1.	BFBE2E09	T/CHK	18 May 2024 09:1
2	2	Reg131.d	1.	IVOE2E1702	10ppb 8260/50ppb ...	18 May 2024 09:5

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-MB260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/11/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH ≤ 2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	VOE2F17

STANDARDS

NAME	ID	Amount (µL)	Conc. (mg/L)
DCC	SV1-43-94-02	.4	
DCC	-98-03	.4	
DCC	-93-03	2	
DCC	-86-01	2	50/150
BFB	-38-02	1	
IS/SURR.	SV1-45-04-02	5	20
ICV/LCS	SV1-43-79-02	.4	
ICV/LCS	-82-01	.4	50/150
ICV/LCS	-92-01	2	
ICV/LCS	-77-01	2	
Data File Folder			

	LOT #	Syringe Lot #
pH strip	HC210330	MGV-03-01-14-6
Chlorine strip	3191178	-B-3
Methanol		
$NaHSO_4$		
Reagent Water	RWH-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:

Analyzed By: DH

Date Disposed: 6/12/24 Disposed By: DH

Injection Log

Directory: d:\Data\24F11

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg091.d	1.	BFBF04	T/CHK	11 Jun 2024 12:47
2	2	Rfg092.d	1.	CVOE2E1707	10ppb 8260/50ppb ...	11 Jun 2024 13:35
3	3	Rfg093.d	1.	VOE2F04L	10ppb 8260/50ppb ...	11 Jun 2024 14:15
4	4	Rfg094.d	1.	VOE2F04C	10ppb 8260/50ppb ...	11 Jun 2024 14:39
5	5	Rfg095.d	1.	RINSE	10ppb 8260/50ppb ...	11 Jun 2024 15:03
6	6	Rfg096.d	1.	VOE2F04B	10.0mL	11 Jun 2024 15:26
7	7	Rfg097.d	1.	24F004-06N	10.0mL	11 Jun 2024 15:50
8	8	Rfg098.d	1.	24F004-01N	10.0mL	11 Jun 2024 16:14
9	9	Rfg099.d	1.	PV-004-08-03	10.0mL	11 Jun 2024 16:37
10	10	Rfg100.d	1.	24F004-08l 10X	1.0mL	11 Jun 2024 17:01
11	11	Rfg101.d	1.	24F003-14	10mL	11 Jun 2024 17:25
12	12	Rfg102.d	1.	24F003-15	10mL	11 Jun 2024 17:49
13	13	Rfg103.d	1.	24F003-16	10mL	11 Jun 2024 18:13
14	14	Rfg104.d	1.	24F003-17	10mL	11 Jun 2024 18:37
15	15	Rfg105.d	1.	24F038-01	10mL	11 Jun 2024 19:00
16	16	Rfg106.d	1.	RIMSE	1.0mL	11 Jun 2024 19:24
17	17	Rfg107.d	1.	24F019-01	10mL	11 Jun 2024 19:47
18	18	Rfg108.d	1.	24F019-02	10mL	11 Jun 2024 20:11
19	19	Rfg109.d	1.	24F019-04	10mL	11 Jun 2024 20:34
20	20	Rfg110.d	1.	24F019-05	10mL	11 Jun 2024 20:58
21	21	Rfg111.d	1.	24F019-06	10mL	11 Jun 2024 21:21
22	22	Rfg112.d	1.	24F019-07	10mL	11 Jun 2024 21:45
23	23	Rfg113.d	1.	24F019-08	10mL	11 Jun 2024 22:09
24	24	Rfg114.d	1.	24F019-09	10mL	11 Jun 2024 22:32
25	25	Rfg115.d	1.	24F019-10	10mL	11 Jun 2024 22:56
26	26	Rfg116.d	1.	24F019-11	10mL	11 Jun 2024 23:19
27	27	Rfg117.d	1.	24F019-02M	10mL	11 Jun 2024 23:42
28	28	Rfg118.d	1.	24F019-02S	10mL	12 Jun 2024 00:06
29	29	Rfg119.d	1.	EVOE2E1707	10ppb 8260/50ppb ...	12 Jun 2024 00:30
30	30	Rfg120.d	1.	EVOE2E17071	10ppb 8260/50ppb ...	12 Jun 2024 00:53
31	31	Rfg121.d	1.	EVOE2E17072	10ppb 8260/50ppb ...	12 Jun 2024 01:17

pH < 2 Cl < 5

pH 7 Cl < 5

pH < 2 Cl < 5

DI 6/18/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP: ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/13/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH < 2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	V0E2E17

STANDARDS

NAME	ID	Amount (µl)	Conc (µg/L)
DCC	SVI-43-24-02	.4	
DCC	-98-03	.4	
DCC	-93-03	2	50/50
DCC	-86-01	2	
BFB	-38-02	1	
IS/SURR.	SVI-45-04-02	5	20
CV/LCS	SVI-43-79-02	.4	
ICV/LCS	-82-01	.4	50/50
ICV/LCS	-92-01	2	
ICV/LCS	-77-01	2	
Data File Folder	24F13		

	LOT #	Syringe Lot #
pH strip	HC240330	MSV-03-24-14-6
Chlorine strip	3191178	↓ -13-2
Methanol		
$NaHSO_3$		
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:

Analyzed By: DN

Date Disposed: 6/14/24 Disposed By: DN

Injection Log

Directory: d:\Data\24F13

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg122.d	1.	BFBF05	T/CHK	13 Jun 2024 08:43
2	2	Rfg123.d	1.	CVOE2E1708	10ppb 8260/50ppb ...	13 Jun 2024 09:30
3	3	Rfg124.d	1.	VOE2F05L	10ppb 8260/50ppb ...	13 Jun 2024 10:20
4	4	Rfg125.d	1.	VOE2F05C	10ppb 8260/50ppb ...	13 Jun 2024 10:44
5	5	Rfg126.d	1.	RINSE	10mL	13 Jun 2024 11:08
6	6	Rfg127.d	1.	VOE2F05B	10mL	13 Jun 2024 11:31
7	7	Rfg128.d	1.	24F019-14	10mL	13 Jun 2024 12:42
8	8	Rfg129.d	1.	24F019-13	10mL	13 Jun 2024 13:06
9	9	Rfg130.d	1.	24F019-12	10mL	13 Jun 2024 13:30
10	10	Rfg131.d	1.	24F019-02N	10mL	13 Jun 2024 13:54
11	11	Rfg132.d	1.	24F019-03	10mL	13 Jun 2024 14:17
12	12	Rfg133.d	1.	24F019-02M	10mL	13 Jun 2024 14:41
13	13	Rfg134.d	1.	24F019-02S	10mL	13 Jun 2024 15:05
14	14	Rfg135.d	1.	24F019-03M	10mL	13 Jun 2024 15:28
15	15	Rfg136.d	1.	24F019-03S	10mL	13 Jun 2024 15:52
16	16	Rfg137.d	1.	24033-01M	10mL	13 Jun 2024 16:16
17	17	Rfg138.d	1.	24033-01S	10mL	13 Jun 2024 16:39
18	18	Rfg139.d	1.	RINSE	10mL	13 Jun 2024 17:03
19	19	Rfg140.d	1.	24F033-09	10mL	13 Jun 2024 17:26
20	20	Rfg141.d	1.	24F033-01	10mL	13 Jun 2024 17:51
21	21	Rfg142.d	1.	24F033-02	10mL	13 Jun 2024 18:14
22	22	Rfg143.d	1.	24F033-03	10mL	13 Jun 2024 18:38
23	23	Rfg144.d	1.	24F033-04	10mL	13 Jun 2024 19:02
24	24	Rfg145.d	1.	24F033-05	10mL	13 Jun 2024 19:25
25	25	Rfg146.d	1.	24F033-06	10mL	13 Jun 2024 19:50
26	26	Rfg147.d	1.	24F033-07	10mL	13 Jun 2024 20:14
27	27	Rfg148.d	1.	24F033-08	10mL	13 Jun 2024 20:37
28	28	Rfg149.d	1.	EVOE2E1708	10ppb 8260/50ppb ...	13 Jun 2024 21:01
29	29	Rfg150.d	1.	EVOE2E17081	10ppb 8260/50ppb ...	13 Jun 2024 21:25
30	30	Rfg151.d	1.	EVOE2E1782	10ppb 8260/50ppb ...	13 Jun 2024 21:49

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/16/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W C_l <5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	V0E2E17

STANDARDS

NAME	ID	Amount (µL)	Conc. (mg/L)
DCC	SVI-43-94-02	.4	
DCC	-89-03	.4	
DCC	-93-03	2	50/500
DCC	-86-01	2	
BFB	-38-02	1	
IS/SURR.	SVI-45-04-02	5	20
ICV/LCS	SVI-43-79-02	.4	
ICV/LCS	-82-01	.4	
ICV/LCS	-92-01	2	50/250
ICV/LCS	77-01	2	
Data File Folder	24F14		

	LOT #	Syringe Lot #
pH strip	HC310330	HGV-03-04-14-6
Chlorine strip	3141713	-13-5
Methanol		
$NaHSO_3$		
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:

Analyzed By: DH

Date Disposed: 6/17/24 Disposed By: DH

Injection Log

Directory: d:\Data\24F14

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg152.d	1.	BFBF06	T/CHK	14 Jun 2024 10:16
2	2	Rfg153.d	1.	CVOE2E1709	10ppb 8260/50ppb ...	14 Jun 2024 11:54
3	3	Rfg154.d	1.	VOE2F06L	10ppb 8260/50ppb ...	14 Jun 2024 12:35
4	4	Rfg155.d	1.	VOE2F06C	10ppb 8260/50ppb ...	14 Jun 2024 12:58
5	5	Rfg156.d	1.	RINSE	10mL	14 Jun 2024 13:22
6	6	Rfg157.d	1.	VOE2F06B	10mL	14 Jun 2024 13:46
7	7	Rfg158.d	1.	24F019-14N	10mL	14 Jun 2024 14:10
8	8	Rfg159.d	1.	24F061-01	10mL	14 Jun 2024 14:34
9	9	Rfg160.d	1.	24F061-02	10mL	14 Jun 2024 14:57
10	10	Rfg161.d	1.	24F061-03	10mL	14 Jun 2024 15:21
11	11	Rfg162.d	1.	24F061-04	10mL	14 Jun 2024 15:45
12	12	Rfg163.d	1.	24F061-05	10mL	14 Jun 2024 16:09
13	13	Rfg164.d	1.	24F061-06	10mL	14 Jun 2024 16:33
14	14	Rfg165.d	1.	24F061-07	10mL	14 Jun 2024 16:57
15	15	Rfg166.d	1.	24F049-13	10mL	14 Jun 2024 17:20
16	16	Rfg167.d	1.	RINSE	10mL	14 Jun 2024 17:44
17	17	Rfg168.d	1.	24F049-10	10mL	14 Jun 2024 18:08
18	18	Rfg169.d	1.	24F049-01	10mL	14 Jun 2024 18:31
19	19	Rfg170.d	1.	24F049-02	10mL	14 Jun 2024 18:55
20	20	Rfg171.d	1.	24F049-03	10mL	14 Jun 2024 19:19
21	21	Rfg172.d	1.	24F049-04	10mL	14 Jun 2024 19:43
22	22	Rfg173.d	1.	24F049-05	10mL	14 Jun 2024 20:06
23	23	Rfg174.d	1.	24F049-06	10mL	14 Jun 2024 20:30
24	24	Rfg175.d	1.	24F049-07	10mL	14 Jun 2024 20:53
25	25	Rfg176.d	1.	24F049-08	10mL	14 Jun 2024 21:17
26	26	Rfg177.d	1.	24F049-10M	10mL	14 Jun 2024 21:41
27	27	Rfg178.d	1.	24F049-10S	10mL	14 Jun 2024 22:04
28	28	Rfg179.d	1.	EVOE2E1709	10ppb 8260/50ppb ...	14 Jun 2024 22:28
29	29	Rfg180.d	1.	EVOE2E17091	10ppb 8260/50ppb ...	14 Jun 2024 22:51
30	30	Rfg181.d	1.	EVOE2E17092	10ppb 8260/50ppb ...	14 Jun 2024 23:15

RAW DATA
VOLATILE ORGANICS

LABORATORY REPORT FOR

PARSONS

TITAN 1-A

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

SDG#: 24F019

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F019

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

A total of fourteen(14) water samples were received on 06/05/24 to be analyzed for Volatile Organics by GC/MS in accordance with Method SW5030C/8260C and project specific requirements.

Holding Time
Samples were analyzed within the prescribed holding time.

Instrument Performance and Calibration
Instrument tune check was performed prior to calibration. Result was within acceptance criteria. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried out at a frequency required by the project. There were six(6) CCVs (Data File IDs: RFG092, RFG119, RFG123, RFG149, RFG153 and RFG179) associated with this SDG. All calibration requirements were satisfied. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, three(3) method blanks were analyzed. V0E2F04B, V0E2F05B and V0E2F06B were compliant to project requirement. Refer to sample result summary forms for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, five(3) sets of LCS/LCD were analyzed. Lab control sample was prepared and analyzed at a frequency required by the project. All analytes were within LCS limits except for: V0E2F05L/V0E2F05C - Percent recovery for 1,4-Dichlorobenzene in LCD. The rest of the analytes were in control. V0E2F06L/V0E2F06C - Percent recovery for 1,4-Dichlorobenzene in LCD. The rest of the analytes were in control. Refer to LCS summary forms for details.

Matrix QC Sample
Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, two(2) sets of MS/MSD were analyzed. 24F019-02M/24F019-02S - all analytes were within MS QC limits. 24F019-03M/24F019-03S - all analytes were within MS QC limits. Refer to Matrix QC summary forms for details.

Surrogate
Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis
Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met with the exception of those that were discussed within the associated QC parameter.

LAB CHRONICLE
VOLATILE ORGANICS BY GC/MS

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F019
Instrument ID : E2

WATER

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
LCS1W	VOE2F04L	1	NA	06/11/2414:15	06/11/2414:15	RFG093	REG122	VOE2F04	Lab Control Sample (LCS)
LCD1W	VOE2F04C	1	NA	06/11/2414:39	06/11/2414:39	RFG094	REG122	VOE2F04	LCS Duplicate
MBLK1W	VOE2F04B	1	NA	06/11/2415:26	06/11/2415:26	RFG096	REG122	VOE2F04	Method Blank
T1AMF-MW058_MAY24	24F019-01	1	NA	06/11/2419:47	06/11/2419:47	RFG107	REG122	VOE2F04	Field Sample
T1AMF-MW035_MAY24	24F019-04	1	NA	06/11/2420:34	06/11/2420:34	RFG109	REG122	VOE2F04	Field Sample
T1AMF-MW035_MAY24_FD	24F019-05	1	NA	06/11/2420:58	06/11/2420:58	RFG110	REG122	VOE2F04	Field Sample
T1AMF-MW064_JUN24	24F019-06	1	NA	06/11/2421:21	06/11/2421:21	RFG111	REG122	VOE2F04	Field Sample
T1AMF-MW063_JUN24	24F019-07	1	NA	06/11/2421:45	06/11/2421:45	RFG112	REG122	VOE2F04	Field Sample
T1AMF-MW062_JUN24	24F019-08	1	NA	06/11/2422:09	06/11/2422:09	RFG113	REG122	VOE2F04	Field Sample
T1AMF-MW061_JUN24	24F019-09	1	NA	06/11/2422:32	06/11/2422:32	RFG114	REG122	VOE2F04	Field Sample
T1AMF-MW066_JUN24	24F019-10	1	NA	06/11/2422:56	06/11/2422:56	RFG115	REG122	VOE2F04	Field Sample
EB-1_JUN24	24F019-11	1	NA	06/11/2423:19	06/11/2423:19	RFG116	REG122	VOE2F04	Field Sample
LCS2W	VOE2F05L	1	NA	06/13/2410:20	06/13/2410:20	RFG124	REG122	VOE2F05	Lab Control Sample (LCS)
LCD2W	VOE2F05C	1	NA	06/13/2410:44	06/13/2410:44	RFG125	REG122	VOE2F05	LCS Duplicate
MBLK2W	VOE2F05B	1	NA	06/13/2411:31	06/13/2411:31	RFG127	REG122	VOE2F05	Method Blank
TB-3_MAY24	24F019-13	1	NA	06/13/2413:06	06/13/2413:06	RFG129	REG122	VOE2F05	Field Sample
RB-1_JUN24	24F019-12	1	NA	06/13/2413:30	06/13/2413:30	RFG130	REG122	VOE2F05	Field Sample
T1AMF-MW053_MAY24	24F019-02N	1	NA	06/13/2413:54	06/13/2413:54	RFG131	REG122	VOE2F05	Field Sample
T1AMF-MW051_MAY24	24F019-03	1	NA	06/13/2414:17	06/13/2414:17	RFG132	REG122	VOE2F05	Field Sample
T1AMF-MW053_MAY24_MS	24F019-02M	1	NA	06/13/2414:41	06/13/2414:41	RFG133	REG122	VOE2F05	Matrix Spike Sample (MS)
T1AMF-MW053_MAY24_MSD	24F019-02S	1	NA	06/13/2415:05	06/13/2415:05	RFG134	REG122	VOE2F05	MS Duplicate (MSD)
T1AMF-MW051_MAY24_MS	24F019-03M	1	NA	06/13/2415:28	06/13/2415:28	RFG135	REG122	VOE2F05	Matrix Spike Sample (MS)
T1AMF-MW051_MAY24_MSD	24F019-03S	1	NA	06/13/2415:52	06/13/2415:52	RFG136	REG122	VOE2F05	MS Duplicate (MSD)
LCS3W	VOE2F06L	1	NA	06/14/2412:35	06/14/2412:35	RFG154	REG122	VOE2F06	Lab Control Sample (LCS)
LCD3W	VOE2F06C	1	NA	06/14/2412:58	06/14/2412:58	RFG155	REG122	VOE2F06	LCS Duplicate
MBLK3W	VOE2F06B	1	NA	06/14/2413:46	06/14/2413:46	RFG157	REG122	VOE2F06	Method Blank
TB-4_JUN24	24F019-14N	1	NA	06/14/2414:10	06/14/2414:10	RFG158	REG122	VOE2F06	Field Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/31/24 11:10
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 19:47
Sample ID	: T1AMF-MW058_MAY24	Date Analyzed:	06/11/24 19:47
Lab Samp ID:	24F019-01	Dilution Factor:	1
Lab File ID:	RFG107	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LCQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	0.11J	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.2	10.0	102	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	10.0	10.0	100	80-119

Notes:

Sample Amount	: 10ml	Final Volume	: 10ml
Prepared by	: DNguye	Analyzed by	: DNguye

Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG107.D
Acq On : 11 Jun 2024 19:47
Sample : 24F019-01
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 18:36:25 2024
Quant Results File: VOE2E17.RES

Vial: 17
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	515153	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	402873	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	193530	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	315849	10.01	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.10%		
41) 1,2-Dichloroethane-d4	5.723	65	461857	11.08	ug/L	0.00
Spiked Amount 10.000			Recovery =	110.80%		
56) Toluene-d8	7.594	98	839446	10.49	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.90%		
77) 4-Bromofluorobenzene	11.369	95	311830	10.15	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.50%		
Target Compounds						Qvalue
11) Acetone	3.775	43	43120	2.17	ug/l	94
21) Carbon disulfide	4.315	76	26598	0.38	ug/l	93
45) Trichloroethene	6.373	130	2945	0.11	ug/L	82


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG107.D
Acq On : 11 Jun 2024 19:47
Sample : 24F019-01
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 18:36:25 2024
Quant Results File: VOE2E17.RES

Vial: 17
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#11
Acetone
Concen: 2.17 ug/l
RT: 3.775 min Scan# 108
Delta R.T. 0.011 min
Lab File: RFG107.D
Acq: 11 Jun 2024 19:47

Tgt Ion: 43 Resp: 43120

Ion	Ratio	Lower	Upper
43	100		
58	28.5	0.0	55.4







#21
Carbon disulfide
Concen: 0.38 ug/l
RT: 4.315 min Scan# 157
Delta R.T. 0.011 min
Lab File: RFG107.D
Acq: 11 Jun 2024 19:47

Tgt Ion: 76 Resp: 26598

Ion	Ratio	Lower	Upper
76	100		
78	6.6	0.0	39.2






#45
Trichloroethene
Concen: 0.11 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG107.D
Acq: 11 Jun 2024 19:47

Tgt Ion:130 Resp: 2945

Ion	Ratio	Lower	Upper
130	100		
132	116.6	67.6	127.6
95	127.5	82.6	142.6
97	57.1	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/31/24 12:06
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/13/24 13:54
Sample ID	: T1AMF-MW053_MAY24	Date Analyzed:	06/13/24 13:54
Lab Samp ID:	24F019-02N	Dilution Factor:	1
Lab File ID:	RFG131	Matrix:	WATER
Ext Btch ID:	VOE2F05	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.0	10.0	110	81-118
4-Bromofluorobenzene	11.2	10.0	112	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	9.72	10.0	97	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG131.D
Acq On : 13 Jun 2024 13:54
Sample : 24F019-02N
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:38:15 2024
Quant Results File: VOE2E17.RES

Vial: 10
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	462358	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	384262	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	174428	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	275358	9.72	ug/l	0.00
Spiked Amount 10.000			Recovery = 97.20%			
41) 1,2-Dichloroethane-d4	5.723	65	410426	10.97	ug/L	0.00
Spiked Amount 10.000			Recovery = 109.70%			
56) Toluene-d8	7.594	98	787811	10.32	ug/l	0.00
Spiked Amount 10.000			Recovery = 103.20%			
77) 4-Bromofluorobenzene	11.369	95	309408	11.17	ug/l	0.00
Spiked Amount 10.000			Recovery = 111.70%			
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG131.D
Acq On : 13 Jun 2024 13:54
Sample : 24F019-02N
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:38:15 2024
Quant Results File: VOE2E17.RES

Vial: 10
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/31/24 13:43
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/13/24 14:17
Sample ID	: T1AMF-MW051_MAY24	Date Analyzed:	06/13/24 14:17
Lab Samp ID:	24F019-03	Dilution Factor:	1
Lab File ID:	RFG132	Matrix:	WATER
Ext Btch ID:	VOE2F05	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	0.11J	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	9.3	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.9	10.0	109	81-118
4-Bromofluorobenzene	11.2	10.0	112	85-114
Toluene-d8	10.1	10.0	101	89-112
Dibromofluoromethane	9.57	10.0	96	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG132.D
Acq On : 13 Jun 2024 14:17
Sample : 24F019-03
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:40:20 2024
Quant Results File: VOE2E17.RES

Vial: 11
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	467069	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	388902	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	169327	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	273889	9.57	ug/l	0.00
Spiked Amount 10.000			Recovery =	95.70%		
41) 1,2-Dichloroethane-d4	5.723	65	412313	10.91	ug/L	0.00
Spiked Amount 10.000			Recovery =	109.10%		
56) Toluene-d8	7.594	98	777934	10.07	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.70%		
77) 4-Bromofluorobenzene	11.369	95	300293	11.17	ug/l	0.00
Spiked Amount 10.000			Recovery =	111.70%		
Target Compounds						Qvalue
11) Acetone	3.764	43	32225	0.91	ug/l	96
32) cis-1,2-Dichloroethene	5.063	96	2905	0.11	ug/l	88
33) Chloroform	5.173	83	7368	0.13	ug/l	81
45) Trichloroethene	6.372	130	218247	9.25	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG132.D
Acq On : 13 Jun 2024 14:17
Sample : 24F019-03
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:40:20 2024
Quant Results File: VOE2E17.RES

Vial: 11
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#11
Acetone
Concen: 0.91 ug/l
RT: 3.764 min Scan# 107
Delta R.T. 0.000 min
Lab File: RFG132.D
Acq: 13 Jun 2024 14:17

Tgt Ion: 43 Resp: 32225

Ion	Ratio	Lower	Upper
43	100		
58	23.4	0.0	55.4







#32
cis-1,2-Dichloroethene
Concen: 0.11 ug/l
RT: 5.063 min Scan# 225
Delta R.T. -0.000 min
Lab File: RFG132.D
Acq: 13 Jun 2024 14:17

Tgt Ion: 96 Resp: 2905

Ion	Ratio	Lower	Upper
96	100		
98	73.4	33.9	93.9







#33
Chloroform
Concen: 0.13 ug/l
RT: 5.173 min Scan# 235
Delta R.T. -0.000 min
Lab File: RFG132.D
Acq: 13 Jun 2024 14:17

Tgt Ion: 83 Resp: 7368

Ion	Ratio	Lower	Upper
83	100		
85	49.1	35.4	95.4
47	32.4	0.0	55.4






#45
Trichloroethene
Concen: 9.25 ug/L
RT: 6.372 min Scan# 344
Delta R.T. -0.001 min
Lab File: RFG132.D
Acq: 13 Jun 2024 14:17

Tgt Ion:130 Resp: 218247

Ion	Ratio	Lower	Upper
130	100		
132	97.5	67.6	127.6
95	113.6	82.6	142.6
97	73.9	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/31/24 14:35
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 20:34
Sample ID	: T1AMF-MW035_MAY24	Date Analyzed:	06/11/24 20:34
Lab Samp ID:	24F019-04	Dilution Factor:	1
Lab File ID:	RFG109	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.3	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	6.2	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.4	10.0	114	81-118
4-Bromofluorobenzene	10.4	10.0	104	85-114
Toluene-d8	10.4	10.0	104	89-112
Dibromofluoromethane	10.3	10.0	103	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG109.D
Acq On : 11 Jun 2024 20:34
Sample : 24F019-04
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 18:41:10 2024
Quant Results File: VOE2E17.RES

Vial: 19
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	470734	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	382077	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	183510	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	296076	10.27	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.70%		
41) 1,2-Dichloroethane-d4	5.723	65	433832	11.39	ug/L	0.00
Spiked Amount 10.000			Recovery =	113.90%		
56) Toluene-d8	7.594	98	785972	10.35	ug/l	0.00
Spiked Amount 10.000			Recovery =	103.50%		
77) 4-Bromofluorobenzene	11.369	95	303797	10.43	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.30%		
Target Compounds						Qvalue
11) Acetone	3.764	43	33340	1.07	ug/l	93
21) Carbon disulfide	4.304	76	28944	0.45	ug/l	85
32) cis-1,2-Dichloroethene	5.063	96	34181	1.34	ug/l	98
45) Trichloroethene	6.373	130	148400	6.24	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG109.D
Acq On : 11 Jun 2024 20:34
Sample : 24F019-04
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 18:41:10 2024
Quant Results File: VOE2E17.RES

Vial: 19
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#11
Acetone
Concen: 1.07 ug/l
RT: 3.764 min Scan# 107
Delta R.T. 0.000 min
Lab File: RFG109.D
Acq: 11 Jun 2024 20:34

Tgt Ion: 43 Resp: 33340

Ion	Ratio	Lower	Upper
43	100		
58	22.1	0.0	55.4







#21
Carbon disulfide
Concen: 0.45 ug/l
RT: 4.304 min Scan# 156
Delta R.T. -0.000 min
Lab File: RFG109.D
Acq: 11 Jun 2024 20:34

Tgt Ion: 76 Resp: 28944

Ion	Ratio	Lower	Upper
76	100		
78	3.9	0.0	39.2







#32
cis-1,2-Dichloroethene
Concen: 1.34 ug/l
RT: 5.063 min Scan# 225
Delta R.T. 0.000 min
Lab File: RFG109.D
Acq: 11 Jun 2024 20:34

Tgt Ion: 96 Resp: 34181

Ion	Ratio	Lower	Upper
96	100		
98	62.3	33.9	93.9






#45
Trichloroethene
Concen: 6.24 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG109.D
Acq: 11 Jun 2024 20:34

Tgt Ion:130 Resp: 148400

Ion	Ratio	Lower	Upper
130	100		
132	94.3	67.6	127.6
95	115.2	82.6	142.6
97	73.4	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/31/24 14:40
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 20:58
Sample ID	: T1AMF-MW035_MAY24_FD	Date Analyzed:	06/11/24 20:58
Lab Samp ID:	24F019-05	Dilution Factor:	1
Lab File ID:	RFG110	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	1.3	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	6.0	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	9.98	10.0	100	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG110.D
Acq On : 11 Jun 2024 20:58
Sample : 24F019-05
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 18:43:27 2024
Quant Results File: VOE2E17.RES

Vial: 20
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	472590	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	364049	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	176717	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	288794	9.98	ug/l	0.00
Spiked Amount 10.000			Recovery =	99.80%		
41) 1,2-Dichloroethane-d4	5.723	65	423117	11.06	ug/L	0.00
Spiked Amount 10.000			Recovery =	110.60%		
56) Toluene-d8	7.594	98	772422	10.68	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.80%		
77) 4-Bromofluorobenzene	11.369	95	294721	10.51	ug/l	0.00
Spiked Amount 10.000			Recovery =	105.10%		
Target Compounds						Qvalue
21) Carbon disulfide	4.315	76	20851	0.32	ug/l	88
32) cis-1,2-Dichloroethene	5.063	96	32673	1.27	ug/l	98
45) Trichloroethene	6.373	130	142870	5.99	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG110.D
Acq On : 11 Jun 2024 20:58
Sample : 24F019-05
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 18:43:27 2024
Quant Results File: VOE2E17.RES

Vial: 20
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M







#21
Carbon disulfide
Concen: 0.32 ug/l
RT: 4.315 min Scan# 157
Delta R.T. 0.011 min
Lab File: RFG110.D
Acq: 11 Jun 2024 20:58

Tgt Ion: 76 Resp: 20851

Ion	Ratio	Lower	Upper
76	100		
78	4.9	0.0	39.2







#32
cis-1,2-Dichloroethene
Concen: 1.27 ug/l
RT: 5.063 min Scan# 225
Delta R.T. 0.000 min
Lab File: RFG110.D
Acq: 11 Jun 2024 20:58

Tgt Ion: 96 Resp: 32673

Ion	Ratio	Lower	Upper
96	100		
98	65.4	33.9	93.9






#45
Trichloroethene
Concen: 5.99 ug/L
RT: 6.373 min Scan# 344
Delta R.T. -0.000 min
Lab File: RFG110.D
Acq: 11 Jun 2024 20:58

Tgt Ion:130 Resp: 142870

Ion	Ratio	Lower	Upper
130	100		
132	96.4	67.6	127.6
95	117.5	82.6	142.6
97	74.5	46.9	106.9



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 08:56
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 21:21
Sample ID	: T1AMF-MW064_JUN24	Date Analyzed:	06/11/24 21:21
Lab Samp ID:	24F019-06	Dilution Factor:	1
Lab File ID:	RFG111	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.2	10.0	112	81-118
4-Bromofluorobenzene	10.5	10.0	105	85-114
Toluene-d8	10.4	10.0	104	89-112
Dibromofluoromethane	9.97	10.0	100	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG111.D
Acq On : 11 Jun 2024 21:21
Sample : 24F019-06
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 19:14:13 2024
Quant Results File: VOE2E17.RES

Vial: 21
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	465858	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	365830	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	173257	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	284351	9.97	ug/l	0.00
Spiked Amount 10.000			Recovery =	99.70%		
41) 1,2-Dichloroethane-d4	5.723	65	424075	11.25	ug/L	0.00
Spiked Amount 10.000			Recovery =	112.50%		
56) Toluene-d8	7.594	98	753323	10.36	ug/l	0.00
Spiked Amount 10.000			Recovery =	103.60%		
77) 4-Bromofluorobenzene	11.369	95	288918	10.50	ug/l	0.00
Spiked Amount 10.000			Recovery =	105.00%		
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG111.D
Acq On : 11 Jun 2024 21:21
Sample : 24F019-06
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 19:14:13 2024
Quant Results File: VOE2E17.RES

Vial: 21
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 10:29
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 21:45
Sample ID	: T1AMF-MW063_JUN24	Date Analyzed:	06/11/24 21:45
Lab Samp ID:	24F019-07	Dilution Factor:	1
Lab File ID:	RFG112	Matrix:	WATER
Ext Btch ID:	VQE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	10.1	10.0	101	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	9.89	10.0	99	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG112.D
Acq On : 11 Jun 2024 21:45
Sample : 24F019-07
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 19:15:16 2024
Quant Results File: VOE2E17.RES

Vial: 22
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	464133	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	353762	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	176858	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	281058	9.89	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.90%		
41) 1,2-Dichloroethane-d4	5.723	65	418228	11.13	ug/L	0.00
Spiked Amount 10.000			Recovery =	111.30%		
56) Toluene-d8	7.594	98	754077	10.73	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.30%		
77) 4-Bromofluorobenzene	11.369	95	282756	10.07	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.70%		
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG112.D
Acq On : 11 Jun 2024 21:45
Sample : 24F019-07
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 19:15:16 2024
Quant Results File: VOE2E17.RES

Vial: 22
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 11:41
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 22:09
Sample ID	: T1AMF-MW062_JUN24	Date Analyzed:	06/11/24 22:09
Lab Samp ID:	24F019-08	Dilution Factor:	1
Lab File ID:	RFG113	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.3	10.0	113	81-118
4-Bromofluorobenzene	9.86	10.0	99	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	10.2	10.0	102	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG113.D
Acq On : 11 Jun 2024 22:09
Sample : 24F019-08
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 19:16:56 2024
Quant Results File: VOE2E17.RES

Vial: 23
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	449983	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	361999	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	174348	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	280095	10.16	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.60%		
41) 1,2-Dichloroethane-d4	5.723	65	412019	11.31	ug/L	0.00
Spiked Amount 10.000			Recovery =	113.10%		
56) Toluene-d8	7.594	98	738338	10.26	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.60%		
77) 4-Bromofluorobenzene	11.369	95	273008	9.86	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.60%		
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG113.D
Acq On : 11 Jun 2024 22:09
Sample : 24F019-08
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 19:16:56 2024
Quant Results File: VOE2E17.RES

Vial: 23
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 13:13
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 22:32
Sample ID	: T1AMF-MW061_JUN24	Date Analyzed:	06/11/24 22:32
Lab Samp ID:	24F019-09	Dilution Factor:	1
Lab File ID:	RFG114	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.6	10.0	116	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.5	10.0	105	89-112
Dibromofluoromethane	10.4	10.0	104	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG114.D
Acq On : 11 Jun 2024 22:32
Sample : 24F019-09
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 19:20:32 2024
Quant Results File: VOE2E17.RES

Vial: 24
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	439672	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	353690	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	168920	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	279744	10.39	ug/l	0.00
Spiked Amount 10.000			Recovery = 103.90%			
41) 1,2-Dichloroethane-d4	5.723	65	413026	11.61	ug/L	0.00
Spiked Amount 10.000			Recovery = 116.10%			
56) Toluene-d8	7.594	98	736290	10.48	ug/l	0.00
Spiked Amount 10.000			Recovery = 104.80%			
77) 4-Bromofluorobenzene	11.369	95	276716	10.32	ug/l	0.00
Spiked Amount 10.000			Recovery = 103.20%			
Target Compounds						Qvalue
11) Acetone	3.764	43	277511	48.94	ug/l	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG114.D
Acq On : 11 Jun 2024 22:32
Sample : 24F019-09
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 19:20:32 2024
Quant Results File: VOE2E17.RES

Vial: 24
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M






#11
Acetone
Concen: 48.94 ug/l
RT: 3.764 min Scan# 107
Delta R.T. 0.000 min
Lab File: RFG114.D
Acq: 11 Jun 2024 22:32

Tgt Ion: 43 Resp: 277511

Ion	Ratio	Lower	Upper
43	100		
58	19.0	0.0	55.4



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 14:59
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 22:56
Sample ID	: T1AMF-MW066_JUN24	Date Analyzed:	06/11/24 22:56
Lab Samp ID:	24F019-10	Dilution Factor:	1
Lab File ID:	RFG115	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.5	10.0	115	81-118
4-Bromofluorobenzene	10.4	10.0	104	85-114
Toluene-d8	10.3	10.0	103	89-112
Dibromofluoromethane	10.2	10.0	102	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG115.D
Acq On : 11 Jun 2024 22:56
Sample : 24F019-10
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 19:21:38 2024
Quant Results File: VOE2E17.RES

Vial: 25
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	448212	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	357736	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	173522	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	280115	10.20	ug/l	0.00
Spiked Amount 10.000			Recovery = 102.00%			
41) 1,2-Dichloroethane-d4	5.723	65	417581	11.51	ug/L	0.00
Spiked Amount 10.000			Recovery = 115.10%			
56) Toluene-d8	7.594	98	731449	10.29	ug/l	0.00
Spiked Amount 10.000			Recovery = 102.90%			
77) 4-Bromofluorobenzene	11.369	95	286549	10.40	ug/l	0.00
Spiked Amount 10.000			Recovery = 104.00%			
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG115.D
Acq On : 11 Jun 2024 22:56
Sample : 24F019-10
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 19:21:38 2024
Quant Results File: VOE2E17.RES

Vial: 25
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 15:30
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/11/24 23:19
Sample ID	: E8-1_JUN24	Date Analyzed:	06/11/24 23:19
Lab Samp ID:	24F019-11	Dilution Factor:	1
Lab File ID:	RFG116	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.2	10.0	112	81-118
4-Bromofluorobenzene	10.3	10.0	103	85-114
Toluene-d8	10.7	10.0	107	89-112
Dibromofluoromethane	9.77	10.0	98	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG116.D
Acq On : 11 Jun 2024 23:19
Sample : 24F019-11
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 19:23:00 2024
Quant Results File: VOE2E17.RES

Vial: 26
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	455629	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	345067	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.878	152	168897	10.00	ug/l	-0.01
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	272506	9.77	ug/l	0.00
Spiked Amount 10.000			Recovery = 97.70%			
41) 1,2-Dichloroethane-d4	5.723	65	414283	11.23	ug/L	0.00
Spiked Amount 10.000			Recovery = 112.30%			
56) Toluene-d8	7.594	98	731945	10.67	ug/l	0.00
Spiked Amount 10.000			Recovery = 106.70%			
77) 4-Bromofluorobenzene	11.369	95	277144	10.34	ug/l	0.00
Spiked Amount 10.000			Recovery = 103.40%			

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG116.D
Acq On : 11 Jun 2024 23:19
Sample : 24F019-11
Misc : 10mL
Integrator: RTE
Quant Time: Jun 13 19:23:00 2024
Quant Results File: VOE2E17.RES

Vial: 26
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 15:40
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/13/24 13:30
Sample ID	: RB-1_JUN24	Date Analyzed:	06/13/24 13:30
Lab Samp ID:	24F019-12	Dilution Factor:	1
Lab File ID:	RFG130	Matrix:	WATER
Ext Btch ID:	VOE2F05	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.3	10.0	113	81-118
4-Bromofluorobenzene	11.0	10.0	110	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	9.78	10.0	98	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG130.D
Acq On : 13 Jun 2024 13:30
Sample : 24F019-12
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:36:56 2024
Quant Results File: VOE2E17.RES

Vial: 9
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	471621	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	391806	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	174958	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	282479	9.78	ug/l	0.00
Spiked Amount 10.000			Recovery = 97.80%			
41) 1,2-Dichloroethane-d4	5.723	65	430374	11.28	ug/L	0.00
Spiked Amount 10.000			Recovery = 112.80%			
56) Toluene-d8	7.594	98	791410	10.17	ug/l	0.00
Spiked Amount 10.000			Recovery = 101.70%			
77) 4-Bromofluorobenzene	11.369	95	305003	10.98	ug/l	0.00
Spiked Amount 10.000			Recovery = 109.80%			
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG130.D
Acq On : 13 Jun 2024 13:30
Sample : 24F019-12
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:36:56 2024
Quant Results File: VOE2E17.RES

Vial: 9
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	05/31/24 07:30
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/13/24 13:06
Sample ID	: TB-3_MAY24	Date Analyzed:	06/13/24 13:06
Lab Samp ID:	24F019-13	Dilution Factor:	1
Lab File ID:	RFG129	Matrix:	WATER
Ext Btch ID:	VQE2F05	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	0.33J	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.8	10.0	108	81-118
4-Bromofluorobenzene	11.0	10.0	110	85-114
Toluene-d8	10.2	10.0	102	89-112
Dibromofluoromethane	9.72	10.0	97	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG129.D
Acq On : 13 Jun 2024 13:06
Sample : 24F019-13
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:35:34 2024
Quant Results File: VOE2E17.RES

Vial: 8
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	488771	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	405733	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	180846	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	290895	9.72	ug/l	0.00
Spiked Amount 10.000			Recovery =	97.20%		
41) 1,2-Dichloroethane-d4	5.723	65	426766	10.79	ug/L	0.00
Spiked Amount 10.000			Recovery =	107.90%		
56) Toluene-d8	7.594	98	823827	10.22	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.20%		
77) 4-Bromofluorobenzene	11.369	95	315342	10.98	ug/l	0.00
Spiked Amount 10.000			Recovery =	109.80%		
Target Compounds						Qvalue
58) Toluene	7.693	91	30221	0.33	ug/l	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG129.D
Acq On : 13 Jun 2024 13:06
Sample : 24F019-13
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:35:34 2024
Quant Results File: VOE2E17.RES

Vial: 8
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M






#58
Toluene
Concen: 0.33 ug/l
RT: 7.693 min Scan# 464
Delta R.T. 0.000 min
Lab File: RFG129.D
Acq: 13 Jun 2024 13:06

Tgt Ion: 91 Resp: 30221

Ion	Ratio	Lower	Upper
91	100		
92	50.2	28.5	88.5



METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/03/24 07:30
Project	: TITAN 1-A	Date Received:	06/05/24
Batch No.	: 24F019	Date Extracted:	06/14/24 14:10
Sample ID	: TB-4_JUN24	Date Analyzed:	06/14/24 14:10
Lab Samp ID:	24F019-14N	Dilution Factor:	1
Lab File ID:	RFG158	Matrix:	WATER
Ext Btch ID:	VOE2F06	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	0.30J	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.5	10.0	105	81-118
4-Bromofluorobenzene	10.7	10.0	107	85-114
Toluene-d8	9.84	10.0	98	89-112
Dibromofluoromethane	9.21	10.0	92	80-119

Notes:

Sample Amount	: 10ml	Final Volume :	10ml
Prepared by	: DNguye	Analyzed by :	DNguye

Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG158.D
Acq On : 14 Jun 2024 14:10
Sample : 24F019-14N
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 19:55:13 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	471785	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	386284	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	171246	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	266037	9.21	ug/l	0.00
Spiked Amount 10.000			Recovery =	92.10%		
41) 1,2-Dichloroethane-d4	5.723	65	399882	10.47	ug/L	0.00
Spiked Amount 10.000			Recovery =	104.70%		
56) Toluene-d8	7.594	98	754925	9.84	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.40%		
77) 4-Bromofluorobenzene	11.369	95	290040	10.67	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.70%		
Target Compounds						Qvalue
58) Toluene	7.693	91	26633	0.30	ug/l	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG158.D
Acq On : 14 Jun 2024 14:10
Sample : 24F019-14N
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 19:55:13 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M






#58
Toluene
Concen: 0.30 ug/l
RT: 7.693 min Scan# 464
Delta R.T. -0.000 min
Lab File: RFG158.D
Acq: 14 Jun 2024 14:10

Tgt Ion: 91 Resp: 26633

Ion	Ratio	Lower	Upper
91	100		
92	53.8	28.5	88.5



QC SUMMARIES

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/11/24 15:26
Project	: TITAN 1-A	Date Received:	06/11/24
Batch No.	: 24F019	Date Extracted:	06/11/24 15:26
Sample ID	: MBLK1W	Date Analyzed:	06/11/24 15:26
Lab Samp ID:	VOE2F04B	Dilution Factor:	1
Lab File ID:	RFG096	Matrix:	WATER
Ext Btch ID:	VOE2F04	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.8	10.0	108	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.95	10.0	100	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F019
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: VOE2F04B	VOE2F04L	VOE2F04C
LAB FILE ID	: RFG096	RFG093	RFG094
DATE PREPARED	: 06/11/24 15:26	06/11/24 14:15	06/11/24 14:39
DATE ANALYZED	: 06/11/24 15:26	06/11/24 14:15	06/11/24 14:39
PREP BATCH	: VOE2F04	VOE2F04	VOE2F04
CALIBRATION REF:	REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	9.69	97	10.0	9.34	93	4	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.7	107	10.0	10.3	103	4	79-118	20
Benzene	ND	10.0	9.98	100	10.0	9.74	97	2	79-120	20
cis-1,2-Dichloroethene	ND	10.0	9.91	99	10.0	9.49	95	4	78-123	20
Ethylbenzene	ND	10.0	10.5	105	10.0	10.4	104	1	79-121	20
m,p-Xylene	ND	20.0	20.4	102	20.0	20.2	101	1	80-121	20
o-Xylene	ND	10.0	10.7	107	10.0	10.6	106	1	78-122	20
Toluene	ND	10.0	10.4	104	10.0	10.3	103	1	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	9.39	94	10.0	9.07	91	3	75-124	20
Trichloroethene	ND	10.0	9.00	90	10.0	8.65	87	4	79-123	20
Vinyl Chloride	ND	10.0	11.0	110	10.0	10.4	104	6	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.6	106	10.0	10.1	101	81-118
4-Bromofluorobenzene	10.0	11.1	111	10.0	10.6	106	85-114
Toluene-d8	10.0	10.6	106	10.0	10.6	106	89-112
Dibromofluoromethane	10.0	9.84	98	10.0	9.56	96	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/13/24 11:31
Project	: TITAN 1-A	Date Received:	06/13/24
Batch No.	: 24F019	Date Extracted:	06/13/24 11:31
Sample ID	: MBLK2W	Date Analyzed:	06/13/24 11:31
Lab Samp ID:	VOE2F05B	Dilution Factor:	1
Lab File ID:	RFG127	Matrix:	WATER
Ext Btch ID:	VOE2F05	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.5	10.0	105	81-118
4-Bromofluorobenzene	11.3	10.0	113	85-114
Toluene-d8	10.4	10.0	104	89-112
Dibromofluoromethane	9.37	10.0	94	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F019
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: MBLK2W	LCS2W	LCD2W
LAB SAMPLE ID	: VOE2F05B	VOE2F05L	VOE2F05C
LAB FILE ID	: RFG127	RFG124	RFG125
DATE PREPARED	: 06/13/24 11:31	06/13/24 10:20	06/13/24 10:44
DATE ANALYZED	: 06/13/24 11:31	06/13/24 10:20	06/13/24 10:44
PREP BATCH	: VOE2F05	VOE2F05	VOE2F05
CALIBRATION REF	: REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	11.6	116	10.0	11.7	117	1	71-131	20
1,4-Dichlorobenzene	ND	10.0	11.5	115	10.0	12.0	120*	4	79-118	20
Benzene	ND	10.0	11.1	111	10.0	11.2	112	1	79-120	20
cis-1,2-Dichloroethene	ND	10.0	10.8	108	10.0	10.7	107	1	78-123	20
Ethylbenzene	ND	10.0	10.8	108	10.0	11.1	111	3	79-121	20
m,p-Xylene	ND	20.0	21.1	106	20.0	21.4	107	1	80-121	20
o-Xylene	ND	10.0	11.0	110	10.0	11.2	112	2	78-122	20
Toluene	ND	10.0	11.0	110	10.0	10.9	109	1	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	10.3	103	10.0	10.2	102	1	75-124	20
Trichloroethene	ND	10.0	10.2	102	10.0	10.4	104	2	79-123	20
Vinyl Chloride	ND	10.0	12.5	125	10.0	12.7	127	2	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.5	105	10.0	10.3	103	81-118
4-Bromofluorobenzene	10.0	10.5	105	10.0	11.3	113	85-114
Toluene-d8	10.0	9.89	99	10.0	9.84	98	89-112
Dibromofluoromethane	10.0	9.58	96	10.0	9.54	95	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate
* Out of QC Limit

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/14/24 13:46
Project	: TITAN 1-A	Date Received:	06/14/24
Batch No.	: 24F019	Date Extracted:	06/14/24 13:46
Sample ID	: MBLK3W	Date Analyzed:	06/14/24 13:46
Lab Samp ID:	VOE2F06B	Dilution Factor:	1
Lab File ID:	RFG157	Matrix:	WATER
Ext Btch ID:	VOE2F06	% Moisture:	NA
Calib. Ref.:	REG122	Instrument ID:	E2

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
Benzene	ND	1.0	0.10	0.20
cis-1,2-Dichloroethene	ND	1.0	0.10	0.20
Ethylbenzene	ND	1.0	0.10	0.20
m,p-Xylene	ND	2.0	0.21	0.50
o-Xylene	ND	1.0	0.10	0.20
Toluene	ND	1.0	0.10	0.20
Trans-1,2-Dichloroethene	ND	1.0	0.10	0.20
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	10.2	10.0	102	81-118
4-Bromofluorobenzene	10.6	10.0	106	85-114
Toluene-d8	9.52	10.0	95	89-112
Dibromofluoromethane	8.88	10.0	89	80-119

Notes:
Sample Amount : 10ml Final Volume : 10ml
Prepared by : DNguye Analyzed by : DNguye
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F019
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK3W	LCS3W	LCD3W
LAB SAMPLE ID	: VOE2F06B	VOE2F06L	VOE2F06C
LAB FILE ID	: RFG157	RFG154	RFG155
DATE PREPARED	: 06/14/24 13:46	06/14/24 12:35	06/14/24 12:58
DATE ANALYZED	: 06/14/24 13:46	06/14/24 12:35	06/14/24 12:58
PREP BATCH	: VOE2F06	VOE2F06	VOE2F06
CALIBRATION REF:	REG122	REG122	REG122

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	10.8	108	10.0	11.7	117	8	71-131	20
1,4-Dichlorobenzene	ND	10.0	11.3	113	10.0	12.0	120*	6	79-118	20
Benzene	ND	10.0	10.2	102	10.0	11.0	110	8	79-120	20
cis-1,2-Dichloroethene	ND	10.0	9.87	99	10.0	10.2	102	3	78-123	20
Ethylbenzene	ND	10.0	10.1	101	10.0	10.8	108	7	79-121	20
m,p-Xylene	ND	20.0	20.1	101	20.0	21.0	105	4	80-121	20
o-Xylene	ND	10.0	10.4	104	10.0	11.2	112	7	78-122	20
Toluene	ND	10.0	10.2	102	10.0	10.8	108	6	80-121	20
Trans-1,2-Dichloroethene	ND	10.0	9.36	94	10.0	10.1	101	8	75-124	20
Trichloroethene	ND	10.0	9.43	94	10.0	10.1	101	7	79-123	20
Vinyl Chloride	ND	10.0	12.0	120	10.0	11.3	113	6	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.2	102	10.0	10.3	103	81-118
4-Bromofluorobenzene	10.0	10.7	107	10.0	10.5	105	85-114
Toluene-d8	10.0	9.56	96	10.0	9.32	93	89-112
Dibromofluoromethane	10.0	9.00	90	10.0	8.96	90	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate
* Out of QC Limit

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F019
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: T1AMF-MW053_MAY24	T1AMF-MW053_MAY24_MS	T1AMF-MW053_MAY24_MSD
LAB SAMPLE ID	: 24F019-02N	24F019-02M	24F019-02S
LAB FILE ID	: RFG131	RFG133	RFG134
DATE PREPARED	: 06/13/24 13:54	06/13/24 14:41	06/13/24 15:05
DATE ANALYZED	: 06/13/24 13:54	06/13/24 14:41	06/13/24 15:05
PREP BATCH	: VOE2F05	VOE2F05	VOE2F05
CALIBRATION REF	: REG122	REG122	REG122

ACCESSION:

PARAMETERS	PSResult (ug/L)	SpikeAmt (ug/L)	MSResult (ug/L)	MSRec (%)	SpikeAmt (ug/L)	MSDResult (ug/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	11.0	110	10.0	11.1	111	1	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.6	106	10.0	10.3	103	3	79-118	20
Benzene	ND	10.0	9.96	100	10.0	10.1	101	1	79-120	20
cis-1,2-Dichloroethene	ND	10.0	9.69	97	10.0	9.41	94	3	78-123	20
Ethylbenzene	ND	10.0	10.0	100	10.0	9.97	100	0	79-121	20
m,p-Xylene	ND	20.0	19.4	97	20.0	19.4	97	0	80-121	20
o-Xylene	ND	10.0	9.98	100	10.0	9.99	100	0	78-122	20
Toluene	ND	10.0	9.95	100	10.0	10.1	101	1	80-121	20
trans-1,2-Dichloroethene	ND	10.0	9.41	94	10.0	9.57	96	2	75-124	20
Trichloroethene	ND	10.0	9.43	94	10.0	9.20	92	2	79-123	20
Vinyl chloride	ND	10.0	12.0	120	10.0	11.9	119	1	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	MSResult (ug/L)	MSRec (%)	SpikeAmt (ug/L)	MSDResult (ug/L)	MSDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.3	103	10.0	10.6	106	81-118
4-Bromofluorobenzene	10.0	10.9	109	10.0	10.7	107	85-114
Toluene-d8	10.0	9.69	97	10.0	9.94	99	89-112
Dibromofluoromethane	10.0	9.29	93	10.0	9.53	95	80-119

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F019
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: T1AMF-MW051_MAY24	T1AMF-MW051_MAY24_MS	T1AMF-MW051_MAY24_MSD
LAB SAMPLE ID	: 24F019-03	24F019-03M	24F019-03S
LAB FILE ID	: RFG132	RFG135	RFG136
DATE PREPARED	: 06/13/24 14:17	06/13/24 15:28	06/13/24 15:52
DATE ANALYZED	: 06/13/24 14:17	06/13/24 15:28	06/13/24 15:52
PREP BATCH	: VOE2F05	VOE2F05	VOE2F05
CALIBRATION REF:	REG122	REG122	REG122

ACCESSION:

PARAMETERS	PSResult (ug/L)	SpikeAmt (ug/L)	MSResult (ug/L)	MSRec (%)	SpikeAmt (ug/L)	MSDResult (ug/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	11.1	111	10.0	11.0	110	1	71-131	20
1,4-Dichlorobenzene	ND	10.0	10.3	103	10.0	10.3	103	0	79-118	20
Benzene	ND	10.0	10.1	101	10.0	10.1	101	0	79-120	20
cis-1,2-Dichloroethene	0.115J	10.0	9.73	96	10.0	9.66	95	1	78-123	20
Ethylbenzene	ND	10.0	9.90	99	10.0	9.93	99	0	79-121	20
m,p-Xylene	ND	20.0	19.3	97	20.0	19.1	96	1	80-121	20
o-Xylene	ND	10.0	9.93	99	10.0	9.85	99	1	78-122	20
Toluene	ND	10.0	9.89	99	10.0	9.86	99	0	80-121	20
trans-1,2-Dichloroethene	ND	10.0	9.21	92	10.0	9.40	94	2	75-124	20
Trichloroethene	9.25	10.0	19.2	100	10.0	18.2	90	5	79-123	20
Vinyl chloride	ND	10.0	13.5	135	10.0	13.1	131	3	58-137	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	MSResult (ug/L)	MSRec (%)	SpikeAmt (ug/L)	MSDResult (ug/L)	MSDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.8	108	10.0	10.7	107	81-118
4-Bromofluorobenzene	10.0	11.0	110	10.0	11.0	110	85-114
Toluene-d8	10.0	9.90	99	10.0	9.66	97	89-112
Dibromofluoromethane	10.0	9.56	96	10.0	9.63	96	80-119

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

QC DATA

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG096.D
Acq On : 11 Jun 2024 15:26
Sample : VOE2F04B
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 17:06:01 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	600187	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	469288	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	222326	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	365937	9.95	ug/l	0.00
Spiked Amount 10.000			Recovery = 99.50%			
41) 1,2-Dichloroethane-d4	5.723	65	524716	10.80	ug/L	0.00
Spiked Amount 10.000			Recovery = 108.00%			
56) Toluene-d8	7.594	98	987879	10.59	ug/l	0.00
Spiked Amount 10.000			Recovery = 105.90%			
77) 4-Bromofluorobenzene	11.369	95	374680	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery = 106.20%			
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG096.D
Acq On : 11 Jun 2024 15:26
Sample : VOE2F04B
Misc : 10.0mL
Integrator: RTE
Quant Time: Jun 13 17:06:01 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG093.D
Acq On : 11 Jun 2024 14:15
Sample : VOE2F04L
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 17:00:17 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	700127	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	552821	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	279028	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	421921	9.84	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.40%		
41) 1,2-Dichloroethane-d4	5.723	65	600152	10.59	ug/L	0.00
Spiked Amount 10.000			Recovery =	105.90%		
56) Toluene-d8	7.594	98	1166618	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.20%		
77) 4-Bromofluorobenzene	11.369	95	489887	11.06	ug/l	0.00
Spiked Amount 10.000			Recovery =	110.60%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	454089	11.30	ug/l	98
3) Chloromethane	2.906	50	263643	9.14	ug/l	99
4) Vinyl chloride	2.994	62	333714	10.96	ug/l	99
5) Bromomethane	3.313	94	252289	12.25	ug/l	97
6) Dichlorofluoromethane	3.357	67	719907	10.35	ug/L	99
7) Chloroethane	3.346	64	140485	9.42	ug/l	98
8) Trichlorofluoromethane	3.511	101	603142	8.82	ug/l	99
9) Acrolein	3.742	56	174984	38.43	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	283991	9.52	ug/l	99
11) Acetone	3.765	43	420709	46.35	ug/l	98
12) tert-Butyl alcohol	3.875	59	880251	206.75	ug/L	99
13) 1,1-Dichloroethene	3.908	61	606508	9.69	ug/l	98
14) Acetonitrile	3.875	41	179260	84.84	ug/L	92
15) Allyl chloride	4.106	76	172916	10.46	ug/L	99
16) Iodomethane	4.150	142	405519	12.14	ug/l	93
18) Methylene chloride	4.183	49	505043	11.37	ug/l	97
19) Acrylonitrile	4.216	53	426217	40.49	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	1076360	10.29	ug/L	97
21) Carbon disulfide	4.304	76	936457	9.77	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	313496	9.39	ug/l	98
23) Isopropyl ether (DIPE)	4.469	45	1010133	9.49	ug/l	97
24) Vinyl acetate	4.546	43	453098	7.47	ug/l	98
25) 1,1-Dichloroethane	4.634	63	666915	9.88	ug/l	98
26) tert-Butyl ethyl ether...	4.733	59	1176130	9.10	ug/l	90
27) 2-Butanone	4.854	72	140045	42.63	ug/l	96
28) Propionitrile	4.909	54	340372	87.93	ug/L	99
29) Isobutyl alcohol	5.030	43	213474	156.09	ug/L	87
30) 2,2-Dichloropropane	5.030	77	739363	10.94	ug/l	98
31) Methacrylonitrile	5.052	52	600892	94.55	ug/L	92
32) cis-1,2-Dichloroethene	5.063	96	376607	9.91	ug/l	100
33) Chloroform	5.173	83	822837	9.83	ug/l	98
34) Bromochloromethane	5.327	130	201585	9.03	ug/l	97
35) Tetrahydrofuran	5.316	42	76582	8.68	ug/L	97
37) 1,1,1-Trichloroethane	5.503	97	793370	10.51	ug/l	98
39) tert-Amyl methyl ether...	5.613	87	237534	10.30	ug/l	98
40) 1,1-Dichloropropene	5.613	110	157738	9.54	ug/L	100
42) Carbon tetrachloride	5.734	119	658836	10.31	ug/L	99
43) 1,2-Dichloroethane	5.800	62	683149	10.61	ug/L	99
44) Benzene	5.866	78	1278445	9.98	ug/L	98

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG093.D
Acq On : 11 Jun 2024 14:15
Sample : V0E2F04L
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 17:00:17 2024
Quant Results File: V0E2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\V0E2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:V0E2E17.M


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) Trichloroethene	6.373	130	318340	9.00	ug/L		97
46) Methyl methacrylate	6.439	69	212881	6.79	ug/L	#	71
48) 1,2-Dichloropropane	6.527	63	309313	9.46	ug/L		90
50) Bromodichloromethane	6.769	83	641238	10.36	ug/L		97
51) Dibromomethane	6.868	93	247594	9.31	ug/L		95
52) 2-Chloroethyl vinyl ether	6.934	63	108876	6.72	ug/L		96
53) 4-Methyl-2-pentanone	6.967	43	1489659	41.59	ug/L		98
54) cis-1,3-Dichloropropene	7.275	75	569407	9.96	ug/L		98
57) Ethyl methacrylate	7.693	69	384317	10.19	ug/L		98
58) Toluene	7.693	91	1307264	10.43	ug/l		99
59) trans-1,3-Dichloropropene	7.814	75	582395	10.86	ug/l		99
60) 2-Hexanone	7.935	43	1022146	45.09	ug/l		99
61) 1,1,2-Trichloroethane	8.046	97	294632	9.90	ug/l		98
62) 1,3-Dichloropropane	8.354	76	463223	10.48	ug/l		99
63) Tetrachloroethene	8.508	164	273046	9.96	ug/l		98
64) Dibromochloromethane	8.783	129	406992	9.12	ug/l		100
65) 1,2-Dibromoethane	9.069	107	298958	9.32	ug/l		99
66) 1-Chlorohexane	9.124	91	421550	10.16	ug/l		100
67) Chlorobenzene	9.619	112	826544	9.98	ug/l		97
68) 1,1,1,2-Tetrachloroethane	9.652	131	363656	10.32	ug/l		98
69) Ethylbenzene	9.641	91	1585307	10.46	ug/l		99
70) m-Xylene & p-Xylene	9.751	91	2524452	20.42	ug/l		98
71) o-Xylene	10.412	91	1249901	10.68	ug/l		97
72) Styrene	10.467	104	864317	10.56	ug/l		96
73) Isopropylbenzene	10.940	105	1400137	10.50	ug/L		98
75) Bromoform	11.061	173	269912	8.86	ug/l		98
76) 1,1,2,2-Tetrachloroethane	11.204	83	369729	9.51	ug/l		97
78) 1,2,3-Trichloropropane	11.446	110	105995	9.87	ug/l		94
79) trans-1,4-Dichloro-2-b...	11.523	53	113616	10.46	ug/l		97
80) n-Propylbenzene	11.578	91	1759863	9.95	ug/l		98
81) Bromobenzene	11.732	156	372634	9.60	ug/l		98
82) 1,3,5-Trimethylbenzene	11.831	105	1202750	9.89	ug/l		98
83) 2-Chlorotoluene	11.919	91	1155247	10.58	ug/l		90
84) 4-Chlorotoluene	11.974	91	1040173	11.28	ug/l		98
85) tert-Butylbenzene	12.415	134	183905	9.77	ug/l		95
86) 1,2,4-Trimethylbenzene	12.481	105	1189538	10.00	ug/l		97
87) sec-Butylbenzene	12.756	105	1353899	9.82	ug/l		100
88) p-Isopropyltoluene	12.954	119	1115672	9.65	ug/l		98
89) 1,3-Dichlorobenzene	13.174	146	604225	10.87	ug/l		99
90) 1,2,3-Trimethylbenzene	13.262	105	1154202	9.79	ug/L		99
91) 1,4-Dichlorobenzene	13.328	146	620279	10.74	ug/l		99
92) n-Butylbenzene	13.614	91	1095185	9.96	ug/l		99
93) 1,2-Dichlorobenzene	13.933	146	573597	9.41	ug/l		98
94) 1,2-Dibromo-3-chloropr...	15.144	157	66232	8.38	ug/l		99
95) 1,2,4-Trichlorobenzene	16.464	180	372683	10.05	ug/l		97
96) Hexachlorobutadiene	16.663	225	214530	10.18	ug/l		98
97) Naphthalene	16.872	128	856628	9.09	ug/l		99
98) 1,2,3-Trichlorobenzene	17.235	180	344018	9.75	ug/l		98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG093.D Vial: 3
Acq On : 11 Jun 2024 14:15 Operator: DNguye
Sample : VOE2F04L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 17:00:17 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG094.D
Acq On : 11 Jun 2024 14:39
Sample : V0E2F04C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 17:01:36 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	703905	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	550837	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	285241	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	412093	9.56	ug/l	0.00
Spiked Amount 10.000			Recovery =	95.60%		
41) 1,2-Dichloroethane-d4	5.723	65	576775	10.12	ug/L	0.00
Spiked Amount 10.000			Recovery =	101.20%		
56) Toluene-d8	7.594	98	1162432	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.20%		
77) 4-Bromofluorobenzene	11.369	95	480962	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.20%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	429087	10.62	ug/l	97
3) Chloromethane	2.906	50	257185	8.87	ug/l	98
4) Vinyl chloride	2.994	62	319492	10.44	ug/l	99
5) Bromomethane	3.313	94	265338	12.82	ug/l	99
6) Dichlorofluoromethane	3.357	67	691592	9.89	ug/L	100
7) Chloroethane	3.346	64	140113	9.34	ug/l	94
8) Trichlorofluoromethane	3.511	101	588714	8.56	ug/l	100
9) Acrolein	3.742	56	154395	33.73	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	270239	9.01	ug/l	99
11) Acetone	3.775	43	371678	40.12	ug/l	100
12) tert-Butyl alcohol	3.874	59	781645	182.61	ug/L	100
13) 1,1-Dichloroethene	3.907	61	587741	9.34	ug/l	98
14) Acetonitrile	3.874	41	159832	75.24	ug/L	97
15) Allyl chloride	4.105	76	170855	10.28	ug/L	98
16) Iodomethane	4.149	142	392698	11.70	ug/l	92
18) Methylene chloride	4.183	49	491995	10.99	ug/l	96
19) Acrylonitrile	4.216	53	391830	37.02	ug/l	98
20) tert-Butyl methyl ethe...	4.227	73	1042482	9.91	ug/L	96
21) Carbon disulfide	4.304	76	921603	9.56	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	304388	9.07	ug/l	97
23) Isopropyl ether (DIPE)	4.458	45	997004	9.32	ug/l	97
24) Vinyl acetate	4.546	43	408897	6.71	ug/l	98
25) 1,1-Dichloroethane	4.634	63	632418	9.31	ug/l	100
26) tert-Butyl ethyl ether...	4.733	59	1121655	8.63	ug/l	89
27) 2-Butanone	4.854	72	126722	38.36	ug/l	95
28) Propionitrile	4.909	54	306274	78.70	ug/L	98
29) Isobutyl alcohol	5.030	43	197729	143.80	ug/L	91
30) 2,2-Dichloropropane	5.019	77	719885	10.59	ug/l	99
31) Methacrylonitrile	5.052	52	555765	86.98	ug/L	92
32) cis-1,2-Dichloroethene	5.063	96	362567	9.49	ug/l	100
33) Chloroform	5.173	83	793893	9.43	ug/l	98
34) Bromochloromethane	5.327	130	194225	8.65	ug/l	97
35) Tetrahydrofuran	5.316	42	65118	7.34	ug/L	96
37) 1,1,1-Trichloroethane	5.503	97	774383	10.20	ug/l	99
39) tert-Amyl methyl ether...	5.613	87	233970	10.09	ug/l	99
40) 1,1-Dichloropropene	5.613	110	148685	8.95	ug/L	94
42) Carbon tetrachloride	5.734	119	645169	10.04	ug/L	99
43) 1,2-Dichloroethane	5.800	62	669808	10.35	ug/L	98
44) Benzene	5.866	78	1254363	9.74	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG094.D
Acq On : 11 Jun 2024 14:39
Sample : VOE2F04C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 17:01:36 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Trichloroethene	6.373	130	307489	8.65	ug/L	98
46) Methyl methacrylate	6.439	69	188126	5.97	ug/L	78
48) 1,2-Dichloropropane	6.527	63	309948	9.43	ug/L	91
50) Bromodichloromethane	6.769	83	630062	10.13	ug/L	97
51) Dibromomethane	6.857	93	235423	8.80	ug/L	97
52) 2-Chloroethyl vinyl ether	6.934	63	102188	6.28	ug/L	99
53) 4-Methyl-2-pentanone	6.956	43	1367442	37.97	ug/L	97
54) cis-1,3-Dichloropropene	7.275	75	558773	9.72	ug/L	98
57) Ethyl methacrylate	7.693	69	377587	10.04	ug/L	95
58) Toluene	7.693	91	1291225	10.34	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	571984	10.70	ug/l	99
60) 2-Hexanone	7.935	43	934321	41.37	ug/l	100
61) 1,1,2-Trichloroethane	8.045	97	284396	9.59	ug/l	96
62) 1,3-Dichloropropane	8.353	76	450358	10.23	ug/l	99
63) Tetrachloroethene	8.508	164	265229	9.71	ug/l	98
64) Dibromochloromethane	8.783	129	402619	9.05	ug/l	98
65) 1,2-Dibromoethane	9.069	107	289885	9.07	ug/l	99
66) 1-Chlorohexane	9.124	91	429380	10.39	ug/l	99
67) Chlorobenzene	9.619	112	829948	10.06	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	352598	10.04	ug/l	99
69) Ethylbenzene	9.641	91	1564560	10.36	ug/l	98
70) m-Xylene & p-Xylene	9.740	91	2486658	20.19	ug/l	98
71) o-Xylene	10.411	91	1230876	10.56	ug/l	100
72) Styrene	10.455	104	841026	10.32	ug/l	95
73) Isopropylbenzene	10.940	105	1404173	10.57	ug/L	99
75) Bromoform	11.061	173	252254	8.10	ug/l	98
76) 1,1,2,2-Tetrachloroethane	11.204	83	353612	8.89	ug/l	95
78) 1,2,3-Trichloropropane	11.446	110	103207	9.40	ug/l	92
79) trans-1,4-Dichloro-2-b...	11.512	53	98217	8.84	ug/l	94
80) n-Propylbenzene	11.578	91	1746437	9.66	ug/l	98
81) Bromobenzene	11.732	156	360780	9.09	ug/l	98
82) 1,3,5-Trimethylbenzene	11.820	105	1203026	9.68	ug/l	97
83) 2-Chlorotoluene	11.919	91	1047325	9.38	ug/l	96
84) 4-Chlorotoluene	11.974	91	1126160	11.97	ug/l	96
85) tert-Butylbenzene	12.403	134	181405	9.43	ug/l	97
86) 1,2,4-Trimethylbenzene	12.469	105	1192047	9.80	ug/l	97
87) sec-Butylbenzene	12.745	105	1337130	9.49	ug/l	99
88) p-Isopropyltoluene	12.954	119	1112699	9.41	ug/l	98
89) 1,3-Dichlorobenzene	13.163	146	600613	10.56	ug/l	98
90) 1,2,3-Trimethylbenzene	13.251	105	1168204	9.70	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	609827	10.32	ug/l	98
92) n-Butylbenzene	13.614	91	1101247	9.79	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	570193	9.15	ug/l	99
94) 1,2-Dibromo-3-chloropr...	15.133	157	61363	7.59	ug/l	99
95) 1,2,4-Trichlorobenzene	16.464	180	363876	9.58	ug/l	97
96) Hexachlorobutadiene	16.662	225	211631	9.83	ug/l	98
97) Naphthalene	16.871	128	805049	8.36	ug/l	99
98) 1,2,3-Trichlorobenzene	17.224	180	343180	9.50	ug/l	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG094.D
Acq On : 11 Jun 2024 14:39
Sample : VOE2F04C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 17:01:36 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu Jun 13 17:01:46 2024

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG127.D
Acq On : 13 Jun 2024 11:31
Sample : VOE2F05B
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 17:52:32 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	516821	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	418923	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	189458	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	296664	9.37	ug/l	0.00
Spiked Amount 10.000			Recovery =	93.70%		
41) 1,2-Dichloroethane-d4	5.723	65	438986	10.49	ug/L	0.00
Spiked Amount 10.000			Recovery =	104.90%		
56) Toluene-d8	7.594	98	866529	10.41	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.10%		
77) 4-Bromofluorobenzene	11.369	95	338643	11.26	ug/l	0.00
Spiked Amount 10.000			Recovery =	112.60%		
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG127.D
Acq On : 13 Jun 2024 11:31
Sample : VOE2F05B
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 17:52:32 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG124.D
Acq On : 13 Jun 2024 10:20
Sample : VOE2F05L
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:04:58 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	546903	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	471957	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	227711	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	320860	9.58	ug/l	0.00
Spiked Amount 10.000			Recovery =	95.80%		
41) 1,2-Dichloroethane-d4	5.723	65	464776	10.50	ug/L	0.00
Spiked Amount 10.000			Recovery =	105.00%		
56) Toluene-d8	7.594	98	927793	9.89	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.90%		
77) 4-Bromofluorobenzene	11.369	95	380040	10.51	ug/l	0.00
Spiked Amount 10.000			Recovery =	105.10%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	370579	11.81	ug/l	99
3) Chloromethane	2.906	50	237614	10.55	ug/l	98
4) Vinyl chloride	2.994	62	297958	12.53	ug/l	96
5) Bromomethane	3.313	94	169406	10.53	ug/l	97
6) Dichlorofluoromethane	3.357	67	612805	11.27	ug/L	97
7) Chloroethane	3.346	64	139074	11.93	ug/l	100
8) Trichlorofluoromethane	3.511	101	490776	9.18	ug/l	97
9) Acrolein	3.742	56	166344	46.77	ug/l	96
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	222895	9.57	ug/l	99
11) Acetone	3.764	43	404578	58.21	ug/l	100
12) tert-Butyl alcohol	3.874	59	775685	233.24	ug/L	97
13) 1,1-Dichloroethene	3.908	61	564732	11.55	ug/l	94
14) Acetonitrile	3.874	41	169384	102.63	ug/L	94
15) Allyl chloride	4.106	76	146035	11.31	ug/L	97
16) Iodomethane	4.150	142	210806	8.17	ug/l	93
18) Methylene chloride	4.183	49	528617	15.51	ug/l	87
19) Acrylonitrile	4.216	53	475497	57.83	ug/l	100
20) tert-Butyl methyl ethe...	4.227	73	919518	11.25	ug/L	94
21) Carbon disulfide	4.315	76	837630	11.18	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	268193	10.28	ug/l	99
23) Isopropyl ether (DIPE)	4.469	45	1139876	13.71	ug/l	95
24) Vinyl acetate	4.546	43	434944	9.18	ug/l	98
25) 1,1-Dichloroethane	4.634	63	648926	12.30	ug/l	96
26) tert-Butyl ethyl ether...	4.733	59	1173433	11.62	ug/l	97
27) 2-Butanone	4.854	72	117114	45.63	ug/l	95
28) Propionitrile	4.909	54	336205	111.19	ug/L	97
29) Isobutyl alcohol	5.030	43	221410	207.25	ug/L	88
30) 2,2-Dichloropropane	5.019	77	611848	11.59	ug/l	99
31) Methacrylonitrile	5.052	52	587223	118.29	ug/L	90
32) cis-1,2-Dichloroethene	5.063	96	321897	10.84	ug/l	98
33) Chloroform	5.173	83	684638	10.47	ug/l	97
34) Bromochloromethane	5.327	130	176930	10.14	ug/l	100
35) Tetrahydrofuran	5.316	42	82081	11.91	ug/L	83
37) 1,1,1-Trichloroethane	5.503	97	650080	11.02	ug/l	97
39) tert-Amyl methyl ether...	5.613	87	216713	12.03	ug/l	96
40) 1,1-Dichloropropene	5.613	110	141574	10.96	ug/L	97
42) Carbon tetrachloride	5.734	119	532142	10.66	ug/L	99
43) 1,2-Dichloroethane	5.800	62	606116	12.06	ug/L	94
44) Benzene	5.866	78	1115387	11.15	ug/L	95

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG124.D
Acq On : 13 Jun 2024 10:20
Sample : VOE2F05L
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:04:58 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45)	Trichloroethene	6.373	130	280577	10.16	ug/L	98
46)	Methyl methacrylate	6.439	69	176273	7.20	ug/L	95
48)	1,2-Dichloropropane	6.527	63	314106	12.30	ug/L	93
50)	Bromodichloromethane	6.780	83	518764	10.73	ug/L	99
51)	Dibromomethane	6.868	93	197360	9.50	ug/L	95
52)	2-Chloroethyl vinyl ether	6.934	63	152426	12.05	ug/L	99
53)	4-Methyl-2-pentanone	6.967	43	1616373	57.77	ug/L	98
54)	cis-1,3-Dichloropropene	7.275	75	503108	11.26	ug/L	92
57)	Ethyl methacrylate	7.693	69	334468	10.38	ug/L	80
58)	Toluene	7.693	91	1174684	10.97	ug/l	100
59)	trans-1,3-Dichloropropene	7.814	75	500400	10.93	ug/l	91
60)	2-Hexanone	7.946	43	1079287	55.77	ug/l	99
61)	1,1,2-Trichloroethane	8.045	97	253013	9.96	ug/l	99
62)	1,3-Dichloropropane	8.354	76	403992	10.71	ug/l	99
63)	Tetrachloroethene	8.519	164	242249	10.35	ug/l	99
64)	Dibromochloromethane	8.783	129	346004	9.08	ug/l	98
65)	1,2-Dibromoethane	9.069	107	256027	9.35	ug/l	97
66)	1-Chlorohexane	9.124	91	385601	10.89	ug/l	98
67)	Chlorobenzene	9.619	112	716467	10.13	ug/l	98
68)	1,1,1,2-Tetrachloroethane	9.641	131	309874	10.30	ug/l	99
69)	Ethylbenzene	9.641	91	1394215	10.77	ug/l	99
70)	m-Xylene & p-Xylene	9.751	91	2230802	21.14	ug/l	99
71)	o-Xylene	10.412	91	1101370	11.03	ug/l	99
72)	Styrene	10.456	104	786661	11.26	ug/l	97
73)	Isopropylbenzene	10.940	105	1308091	11.49	ug/L	99
75)	Bromoform	11.061	173	206674	8.32	ug/l	99
76)	1,1,2,2-Tetrachloroethane	11.204	83	303906	9.58	ug/l	99
78)	1,2,3-Trichloropropane	11.446	110	86362	9.86	ug/l	99
79)	trans-1,4-Dichloro-2-b...	11.523	53	96896	10.93	ug/l	85
80)	n-Propylbenzene	11.578	91	1564286	10.83	ug/l	99
81)	Bromobenzene	11.732	156	300834	9.49	ug/l	99
82)	1,3,5-Trimethylbenzene	11.831	105	1099870	11.08	ug/l	98
83)	2-Chlorotoluene	11.919	91	1019693	11.44	ug/l	91
84)	4-Chlorotoluene	11.974	91	921395	12.28	ug/l	96
85)	tert-Butylbenzene	12.415	134	165005	10.74	ug/l	93
86)	1,2,4-Trimethylbenzene	12.481	105	1097956	11.31	ug/l	95
87)	sec-Butylbenzene	12.756	105	1247116	11.09	ug/l	98
88)	p-Isopropyltoluene	12.954	119	1021790	10.83	ug/l	99
89)	1,3-Dichlorobenzene	13.174	146	525136	11.61	ug/l	99
90)	1,2,3-Trimethylbenzene	13.262	105	1087426	11.30	ug/L	98
91)	1,4-Dichlorobenzene	13.328	146	540130	11.49	ug/l	98
92)	n-Butylbenzene	13.614	91	972431	10.83	ug/l	99
93)	1,2-Dichlorobenzene	13.933	146	492598	9.90	ug/l	99
94)	1,2-Dibromo-3-chloropr...	15.144	157	48625	7.53	ug/l	99
95)	1,2,4-Trichlorobenzene	16.464	180	304081	10.05	ug/l	97
96)	Hexachlorobutadiene	16.663	225	162663	9.46	ug/l	98
97)	Naphthalene	16.872	128	709546	9.23	ug/l	98
98)	1,2,3-Trichlorobenzene	17.235	180	277076	9.62	ug/l	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG124.D
Acq On : 13 Jun 2024 10:20
Sample : VOE2F05L
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:04:58 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG125.D
Acq On : 13 Jun 2024 10:44
Sample : VOE2F05C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:08:28 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	558714	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	480301	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	220875	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	326349	9.54	ug/l	0.00
Spiked Amount 10.000			Recovery =	95.40%		
41) 1,2-Dichloroethane-d4	5.723	65	467509	10.34	ug/L	0.00
Spiked Amount 10.000			Recovery =	103.40%		
56) Toluene-d8	7.594	98	938954	9.84	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.40%		
77) 4-Bromofluorobenzene	11.369	95	395119	11.27	ug/l	0.00
Spiked Amount 10.000			Recovery =	112.70%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	396465	12.36	ug/l	99
3) Chloromethane	2.906	50	241439	10.49	ug/l	97
4) Vinyl chloride	2.994	62	308384	12.69	ug/l	98
5) Bromomethane	3.313	94	176632	10.75	ug/l	94
6) Dichlorofluoromethane	3.357	67	637940	11.49	ug/L	98
7) Chloroethane	3.346	64	145123	12.19	ug/l	99
8) Trichlorofluoromethane	3.511	101	517674	9.48	ug/l	99
9) Acrolein	3.742	56	165289	45.49	ug/l	97
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	231201	9.71	ug/l	99
11) Acetone	3.764	43	401857	56.46	ug/l	99
12) tert-Butyl alcohol	3.874	59	825122	242.86	ug/L	96
13) 1,1-Dichloroethene	3.896	61	585487	11.72	ug/l	93
14) Acetonitrile	3.874	41	186340	110.52	ug/L	96
15) Allyl chloride	4.105	76	155248	11.77	ug/L	96
16) Iodomethane	4.149	142	229268	8.68	ug/l	92
18) Methylene chloride	4.183	49	535617	15.38	ug/l	88
19) Acrylonitrile	4.216	53	474409	56.48	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	953544	11.42	ug/L	96
21) Carbon disulfide	4.304	76	828558	10.83	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	271393	10.19	ug/l	98
23) Isopropyl ether (DIPE)	4.458	45	1160156	13.66	ug/l	95
24) Vinyl acetate	4.546	43	433767	8.96	ug/l	97
25) 1,1-Dichloroethane	4.634	63	660679	12.26	ug/l	97
26) tert-Butyl ethyl ether...	4.733	59	1212355	11.75	ug/l	97
27) 2-Butanone	4.854	72	115373	44.01	ug/l	93
28) Propionitrile	4.909	54	358005	115.90	ug/L	100
29) Isobutyl alcohol	5.030	43	242331	222.04	ug/L	91
30) 2,2-Dichloropropane	5.019	77	625642	11.60	ug/l	99
31) Methacrylonitrile	5.052	52	618503	121.96	ug/L	91
32) cis-1,2-Dichloroethene	5.063	96	323214	10.66	ug/l	98
33) Chloroform	5.173	83	691773	10.35	ug/l	97
34) Bromochloromethane	5.327	130	186726	10.48	ug/l	98
35) Tetrahydrofuran	5.327	42	85716	12.17	ug/L	85
37) 1,1,1-Trichloroethane	5.503	97	654206	10.86	ug/l	96
39) tert-Amyl methyl ether...	5.613	87	227383	12.35	ug/l	95
40) 1,1-Dichloropropene	5.613	110	143479	10.88	ug/L	97
42) Carbon tetrachloride	5.734	119	553203	10.85	ug/L	99
43) 1,2-Dichloroethane	5.800	62	615957	11.99	ug/L	98
44) Benzene	5.866	78	1144567	11.20	ug/L	95

Data File : D:\Data\24F13\RFG125.D
Acq On : 13 Jun 2024 10:44
Sample : VOE2F05C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:08:28 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Trichloroethene	6.373	130	292466	10.36	ug/L	98
46) Methyl methacrylate	6.428	69	185722	7.43	ug/L	99
48) 1,2-Dichloropropane	6.527	63	327185	12.54	ug/L	94
50) Bromodichloromethane	6.769	83	538839	10.91	ug/L	98
51) Dibromomethane	6.857	93	202716	9.55	ug/L	98
52) 2-Chloroethyl vinyl ether	6.934	63	158835	12.29	ug/L	99
53) 4-Methyl-2-pentanone	6.956	43	1644097	57.52	ug/L	97
54) cis-1,3-Dichloropropene	7.275	75	513315	11.25	ug/L	92
57) Ethyl methacrylate	7.693	69	362766	11.07	ug/L	86
58) Toluene	7.693	91	1192216	10.94	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	519936	11.15	ug/l	92
60) 2-Hexanone	7.935	43	1076140	54.64	ug/l	100
61) 1,1,2-Trichloroethane	8.045	97	256658	9.93	ug/l	98
62) 1,3-Dichloropropane	8.353	76	419577	10.93	ug/l	99
63) Tetrachloroethene	8.508	164	252406	10.60	ug/l	97
64) Dibromochloromethane	8.783	129	374369	9.65	ug/l	98
65) 1,2-Dibromoethane	9.069	107	273889	9.83	ug/l	98
66) 1-Chlorohexane	9.124	91	400590	11.11	ug/l	100
67) Chlorobenzene	9.619	112	730696	10.16	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	317133	10.36	ug/l	100
69) Ethylbenzene	9.641	91	1461697	11.10	ug/l	100
70) m-Xylene & p-Xylene	9.740	91	2296752	21.39	ug/l	99
71) o-Xylene	10.411	91	1134364	11.16	ug/l	99
72) Styrene	10.455	104	808131	11.37	ug/l	97
73) Isopropylbenzene	10.940	105	1337374	11.55	ug/L	99
75) Bromoform	11.061	173	219425	9.10	ug/l	98
76) 1,1,2,2-Tetrachloroethane	11.204	83	320829	10.42	ug/l	98
78) 1,2,3-Trichloropropane	11.446	110	88554	10.42	ug/l	99
79) trans-1,4-Dichloro-2-b...	11.512	53	98250	11.42	ug/l	86
80) n-Propylbenzene	11.578	91	1610667	11.50	ug/l	99
81) Bromobenzene	11.732	156	316798	10.31	ug/l	99
82) 1,3,5-Trimethylbenzene	11.820	105	1151985	11.96	ug/l	98
83) 2-Chlorotoluene	11.919	91	969150	11.21	ug/l	99
84) 4-Chlorotoluene	11.974	91	1022405	14.11	ug/l	97
85) tert-Butylbenzene	12.403	134	169045	11.34	ug/l	99
86) 1,2,4-Trimethylbenzene	12.469	105	1126228	11.96	ug/l	97
87) sec-Butylbenzene	12.745	105	1294377	11.86	ug/l	98
88) p-Isopropyltoluene	12.954	119	1057237	11.55	ug/l	99
89) 1,3-Dichlorobenzene	13.163	146	544762	12.45	ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	1140000	12.22	ug/L	97
91) 1,4-Dichlorobenzene	13.328	146	547054	12.02	ug/l	97
92) n-Butylbenzene	13.614	91	1009248	11.59	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	519031	10.76	ug/l	98
94) 1,2-Dibromo-3-chloropr...	15.133	157	53092	8.48	ug/l	98
95) 1,2,4-Trichlorobenzene	16.464	180	306824	10.47	ug/l	97
96) Hexachlorobutadiene	16.662	225	168802	10.12	ug/l	97
97) Naphthalene	16.871	128	733502	9.83	ug/l	98
98) 1,2,3-Trichlorobenzene	17.224	180	288985	10.37	ug/l	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG125.D
Acq On : 13 Jun 2024 10:44
Sample : VOE2F05C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:08:28 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG157.D
Acq On : 14 Jun 2024 13:46
Sample : VOE2F06B
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 19:40:19 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	495022	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	408577	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	172895	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	269201	8.88	ug/l	0.00
Spiked Amount 10.000			Recovery = 88.80%			
41) 1,2-Dichloroethane-d4	5.723	65	409452	10.22	ug/L	0.00
Spiked Amount 10.000			Recovery = 102.20%			
56) Toluene-d8	7.594	98	772634	9.52	ug/l	0.00
Spiked Amount 10.000			Recovery = 95.20%			
77) 4-Bromofluorobenzene	11.369	95	290334	10.58	ug/l	0.00
Spiked Amount 10.000			Recovery = 105.80%			
Target Compounds						Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG157.D
Acq On : 14 Jun 2024 13:46
Sample : VOE2F06B
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 19:40:19 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG154.D
Acq On : 14 Jun 2024 12:35
Sample : VOE2F06L
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:41:20 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	533808	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	446338	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	205070	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	294326	9.00	ug/l	0.00
Spiked Amount 10.000			Recovery =	90.00%		
41) 1,2-Dichloroethane-d4	5.723	65	440420	10.19	ug/L	0.00
Spiked Amount 10.000			Recovery =	101.90%		
56) Toluene-d8	7.594	98	848303	9.56	ug/l	0.00
Spiked Amount 10.000			Recovery =	95.60%		
77) 4-Bromofluorobenzene	11.369	95	348701	10.71	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.10%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	388749	12.69	ug/l	98
3) Chloromethane	2.906	50	217673	9.90	ug/l	98
4) Vinyl chloride	2.994	62	278896	12.01	ug/l	100
5) Bromomethane	3.313	94	70107	4.46	ug/l	93
6) Dichlorofluoromethane	3.357	67	559816	10.55	ug/L	97
7) Chloroethane	3.346	64	134809	11.85	ug/l	99
8) Trichlorofluoromethane	3.511	101	524658	10.06	ug/l	100
9) Acrolein	3.742	56	140795	40.56	ug/l	97
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	202112	8.89	ug/l	99
11) Acetone	3.764	43	365350	53.48	ug/l	100
12) tert-Butyl alcohol	3.874	59	764837	235.62	ug/L	95
13) 1,1-Dichloroethene	3.896	61	516735	10.83	ug/l	93
14) Acetonitrile	3.874	41	164940	102.39	ug/L	94
15) Allyl chloride	4.106	76	129743	10.30	ug/L	99
16) Iodomethane	4.150	142	121310	4.94	ug/l	99
18) Methylene chloride	4.183	49	466922	13.96	ug/l	86
19) Acrylonitrile	4.216	53	404125	50.35	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	852819	10.69	ug/L	96
21) Carbon disulfide	4.315	76	775575	10.61	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	238375	9.36	ug/l	99
23) Isopropyl ether (DIPE)	4.469	45	1011831	12.47	ug/l	95
24) Vinyl acetate	4.546	43	423189	9.15	ug/l	98
25) 1,1-Dichloroethane	4.634	63	575949	11.19	ug/l	96
26) tert-Butyl ethyl ether...	4.733	59	1057885	10.73	ug/l	96
27) 2-Butanone	4.854	72	106128	42.37	ug/l	95
28) Propionitrile	4.909	54	325762	110.38	ug/L	97
29) Isobutyl alcohol	5.030	43	225250	216.02	ug/L	95
30) 2,2-Dichloropropane	5.030	77	565774	10.98	ug/l	99
31) Methacrylonitrile	5.052	52	550193	113.55	ug/L	90
32) cis-1,2-Dichloroethene	5.063	96	286157	9.87	ug/l	99
33) Chloroform	5.173	83	618660	9.69	ug/l	97
34) Bromochloromethane	5.327	130	163330	9.59	ug/l	100
35) Tetrahydrofuran	5.327	42	75029	11.15	ug/L	86
37) 1,1,1-Trichloroethane	5.503	97	586390	10.18	ug/l	96
39) tert-Amyl methyl ether...	5.613	87	203441	11.57	ug/l	97
40) 1,1-Dichloropropene	5.613	110	130009	10.31	ug/L	93
42) Carbon tetrachloride	5.734	119	492744	10.11	ug/L	98
43) 1,2-Dichloroethane	5.800	62	564946	11.51	ug/L	99
44) Benzene	5.866	78	993212	10.17	ug/L	96

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG154.D
Acq On : 14 Jun 2024 12:35
Sample : VOE2F06L
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:41:20 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45)	Trichloroethene	6.373	130	254185	9.43	ug/L	98
46)	Methyl methacrylate	6.439	69	161680	6.77	ug/L	99
48)	1,2-Dichloropropane	6.527	63	283040	11.35	ug/L	96
50)	Bromodichloromethane	6.780	83	477245	10.12	ug/L	100
51)	Dibromomethane	6.857	93	185617	9.15	ug/L	94
52)	2-Chloroethyl vinyl ether	6.934	63	137241	11.12	ug/L	97
53)	4-Methyl-2-pentanone	6.967	43	1448806	53.05	ug/L	97
54)	cis-1,3-Dichloropropene	7.275	75	449519	10.31	ug/L	91
57)	Ethyl methacrylate	7.693	69	310841	10.20	ug/L	82
58)	Toluene	7.693	91	1032946	10.20	ug/l	100
59)	trans-1,3-Dichloropropene	7.814	75	447760	10.34	ug/l	88
60)	2-Hexanone	7.946	43	960694	52.49	ug/l	98
61)	1,1,2-Trichloroethane	8.045	97	228738	9.52	ug/l	99
62)	1,3-Dichloropropane	8.354	76	363863	10.20	ug/l	100
63)	Tetrachloroethene	8.508	164	214449	9.69	ug/l	99
64)	Dibromochloromethane	8.783	129	323042	8.96	ug/l	100
65)	1,2-Dibromoethane	9.069	107	242956	9.38	ug/l	98
66)	1-Chlorohexane	9.124	91	348171	10.39	ug/l	92
67)	Chlorobenzene	9.619	112	646055	9.66	ug/l	100
68)	1,1,1,2-Tetrachloroethane	9.641	131	279684	9.83	ug/l	99
69)	Ethylbenzene	9.641	91	1235773	10.10	ug/l	98
70)	m-Xylene & p-Xylene	9.751	91	2008517	20.13	ug/l	99
71)	o-Xylene	10.412	91	980215	10.38	ug/l	100
72)	Styrene	10.467	104	704025	10.66	ug/l	99
73)	Isopropylbenzene	10.940	105	1159339	10.77	ug/L	98
75)	Bromoform	11.061	173	196222	8.77	ug/l	98
76)	1,1,2,2-Tetrachloroethane	11.204	83	279983	9.80	ug/l	99
78)	1,2,3-Trichloropropane	11.446	110	82802	10.49	ug/l	98
79)	trans-1,4-Dichloro-2-b...	11.512	53	71764	8.99	ug/l	87
80)	n-Propylbenzene	11.578	91	1375962	10.58	ug/l	98
81)	Bromobenzene	11.732	156	276619	9.69	ug/l	99
82)	1,3,5-Trimethylbenzene	11.831	105	990073	11.08	ug/l	96
83)	2-Chlorotoluene	11.919	91	908314	11.32	ug/l	92
84)	4-Chlorotoluene	11.974	91	813077	12.02	ug/l	97
85)	tert-Butylbenzene	12.414	134	136851	9.89	ug/l	94
86)	1,2,4-Trimethylbenzene	12.480	105	1001120	11.45	ug/l	94
87)	sec-Butylbenzene	12.756	105	1102653	10.88	ug/l	97
88)	p-Isopropyltoluene	12.954	119	906141	10.66	ug/l	100
89)	1,3-Dichlorobenzene	13.174	146	472311	11.59	ug/l	99
90)	1,2,3-Trimethylbenzene	13.262	105	975085	11.26	ug/L	97
91)	1,4-Dichlorobenzene	13.328	146	480486	11.35	ug/l	98
92)	n-Butylbenzene	13.614	91	846306	10.47	ug/l	98
93)	1,2-Dichlorobenzene	13.933	146	434726	9.70	ug/l	99
94)	1,2-Dibromo-3-chloropr...	15.144	157	45466	7.82	ug/l	96
95)	1,2,4-Trichlorobenzene	16.464	180	256747	9.40	ug/l	96
96)	Hexachlorobutadiene	16.662	225	144149	9.31	ug/l	98
97)	Naphthalene	16.872	128	632949	9.14	ug/l	99
98)	1,2,3-Trichlorobenzene	17.235	180	237211	9.12	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG154.D Vial: 3
Acq On : 14 Jun 2024 12:35 Operator: DNguye
Sample : VOE2F06L Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 19:41:20 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG155.D
Acq On : 14 Jun 2024 12:58
Sample : VOE2F06C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:42:03 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	528358	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	450867	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	206285	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	290055	8.96	ug/l	0.00
Spiked Amount 10.000			Recovery =	89.60%		
41) 1,2-Dichloroethane-d4	5.723	65	438393	10.25	ug/L	0.00
Spiked Amount 10.000			Recovery =	102.50%		
56) Toluene-d8	7.594	98	835268	9.32	ug/l	0.00
Spiked Amount 10.000			Recovery =	93.20%		
77) 4-Bromofluorobenzene	11.369	95	343893	10.50	ug/l	0.00
Spiked Amount 10.000			Recovery =	105.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	339057	11.18	ug/l	99
3) Chloromethane	2.906	50	194741	8.95	ug/l	99
4) Vinyl chloride	2.994	62	260731	11.35	ug/l	98
5) Bromomethane	3.313	94	77614	4.99	ug/l	95
6) Dichlorofluoromethane	3.357	67	587761	11.19	ug/L	97
7) Chloroethane	3.346	64	121353	10.78	ug/l	95
8) Trichlorofluoromethane	3.511	101	462023	8.95	ug/l	99
9) Acrolein	3.742	56	151713	44.15	ug/l	97
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	215510	9.57	ug/l	98
11) Acetone	3.764	43	391055	58.24	ug/l	99
12) tert-Butyl alcohol	3.874	59	803561	250.10	ug/L	96
13) 1,1-Dichloroethene	3.897	61	550514	11.66	ug/l	93
14) Acetonitrile	3.874	41	171141	107.33	ug/L	97
15) Allyl chloride	4.106	76	139004	11.15	ug/L	97
16) Iodomethane	4.150	142	134476	5.49	ug/l	100
18) Methylene chloride	4.183	49	482468	14.61	ug/l	87
19) Acrylonitrile	4.216	53	460187	57.93	ug/l	97
20) tert-Butyl methyl ethe...	4.227	73	899822	11.40	ug/L	95
21) Carbon disulfide	4.315	76	777051	10.74	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	255019	10.12	ug/l	100
23) Isopropyl ether (DIPE)	4.469	45	1062580	13.23	ug/l	96
24) Vinyl acetate	4.546	43	424513	9.28	ug/l	99
25) 1,1-Dichloroethane	4.634	63	616523	12.10	ug/l	96
26) tert-Butyl ethyl ether...	4.733	59	1107440	11.35	ug/l	95
27) 2-Butanone	4.854	72	112061	45.20	ug/l	93
28) Propionitrile	4.909	54	349284	119.57	ug/L	97
29) Isobutyl alcohol	5.030	43	236026	228.69	ug/L	93
30) 2,2-Dichloropropane	5.019	77	588809	11.54	ug/l	99
31) Methacrylonitrile	5.052	52	590823	123.19	ug/L	91
32) cis-1,2-Dichloroethene	5.063	96	293317	10.23	ug/l	98
33) Chloroform	5.173	83	662886	10.49	ug/l	96
34) Bromochloromethane	5.327	130	176912	10.50	ug/l	99
35) Tetrahydrofuran	5.316	42	81682	12.27	ug/L	86
37) 1,1,1-Trichloroethane	5.503	97	619965	10.88	ug/l	96
39) tert-Amyl methyl ether...	5.613	87	211481	12.15	ug/l	98
40) 1,1-Dichloropropene	5.613	110	133330	10.69	ug/L	96
42) Carbon tetrachloride	5.734	119	520337	10.79	ug/L	98
43) 1,2-Dichloroethane	5.800	62	588529	12.12	ug/L	99
44) Benzene	5.866	78	1062397	10.99	ug/L	96

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG155.D
Acq On : 14 Jun 2024 12:58
Sample : VOE2F06C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:42:03 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Trichloroethene	6.373	130	268657	10.07	ug/L	98
46) Methyl methacrylate	6.439	69	178385	7.54	ug/L	97
48) 1,2-Dichloropropane	6.527	63	300370	12.17	ug/L	94
50) Bromodichloromethane	6.769	83	508552	10.89	ug/L	99
51) Dibromomethane	6.857	93	197762	9.85	ug/L	96
52) 2-Chloroethyl vinyl ether	6.934	63	145309	11.89	ug/L	98
53) 4-Methyl-2-pentanone	6.956	43	1545664	57.18	ug/L	97
54) cis-1,3-Dichloropropene	7.275	75	482820	11.19	ug/L	91
57) Ethyl methacrylate	7.693	69	336834	10.95	ug/L	80
58) Toluene	7.693	91	1106988	10.83	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	482777	11.03	ug/l	89
60) 2-Hexanone	7.935	43	1039555	56.23	ug/l	100
61) 1,1,2-Trichloroethane	8.045	97	244912	10.09	ug/l	97
62) 1,3-Dichloropropane	8.354	76	393240	10.91	ug/l	99
63) Tetrachloroethene	8.508	164	226790	10.15	ug/l	98
64) Dibromochloromethane	8.783	129	354284	9.73	ug/l	99
65) 1,2-Dibromoethane	9.069	107	255477	9.77	ug/l	95
66) 1-Chlorohexane	9.124	91	373992	11.05	ug/l	91
67) Chlorobenzene	9.619	112	691225	10.23	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	305615	10.63	ug/l	100
69) Ethylbenzene	9.641	91	1337503	10.82	ug/l	99
70) m-Xylene & p-Xylene	9.751	91	2119433	21.03	ug/l	99
71) o-Xylene	10.412	91	1069112	11.20	ug/l	99
72) Styrene	10.456	104	747009	11.19	ug/l	96
73) Isopropylbenzene	10.940	105	1247165	11.47	ug/L	99
75) Bromoform	11.061	173	202632	9.00	ug/l	97
76) 1,1,2,2-Tetrachloroethane	11.204	83	303363	10.55	ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	86303	10.87	ug/l	99
79) trans-1,4-Dichloro-2-b...	11.512	53	88240	10.99	ug/l	82
80) n-Propylbenzene	11.578	91	1475572	11.28	ug/l	98
81) Bromobenzene	11.732	156	291297	10.15	ug/l	99
82) 1,3,5-Trimethylbenzene	11.820	105	1062633	11.82	ug/l	97
83) 2-Chlorotoluene	11.919	91	904016	11.20	ug/l	98
84) 4-Chlorotoluene	11.974	91	948439	14.02	ug/l	97
85) tert-Butylbenzene	12.403	134	147518	10.60	ug/l	96
86) 1,2,4-Trimethylbenzene	12.470	105	1054414	11.99	ug/l	97
87) sec-Butylbenzene	12.745	105	1178440	11.56	ug/l	98
88) p-Isopropyltoluene	12.954	119	973337	11.38	ug/l	100
89) 1,3-Dichlorobenzene	13.163	146	516024	12.63	ug/l	98
90) 1,2,3-Trimethylbenzene	13.251	105	1047235	12.02	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	512063	12.05	ug/l	99
92) n-Butylbenzene	13.614	91	924526	11.37	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	478108	10.61	ug/l	98
94) 1,2-Dibromo-3-chloropr...	15.133	157	50520	8.64	ug/l	95
95) 1,2,4-Trichlorobenzene	16.464	180	277472	10.12	ug/l	99
96) Hexachlorobutadiene	16.663	225	158641	10.18	ug/l	97
97) Naphthalene	16.872	128	693892	9.96	ug/l	98
98) 1,2,3-Trichlorobenzene	17.224	180	262367	10.07	ug/l	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG155.D
Acq On : 14 Jun 2024 12:58
Sample : VOE2F06C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:42:03 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG133.D
Acq On : 13 Jun 2024 14:41
Sample : 24F019-02M
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:41:24 2024
Quant Results File: VOE2E17.RES

Vial: 12
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	482397	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	411288	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	190647	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	274553	9.29	ug/l	0.00
Spiked Amount 10.000			Recovery = 92.90%			
41) 1,2-Dichloroethane-d4	5.723	65	403801	10.34	ug/L	0.00
Spiked Amount 10.000			Recovery = 103.40%			
56) Toluene-d8	7.594	98	792100	9.69	ug/l	0.00
Spiked Amount 10.000			Recovery = 96.90%			
77) 4-Bromofluorobenzene	11.369	95	328847	10.87	ug/l	0.00
Spiked Amount 10.000			Recovery = 108.70%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	339864	12.28	ug/l	97
3) Chloromethane	2.906	50	171654	8.64	ug/l	99
4) Vinyl chloride	2.994	62	252490	12.03	ug/l	99
5) Bromomethane	3.313	94	98016	6.91	ug/l	97
6) Dichlorofluoromethane	3.357	67	509440	10.63	ug/L	96
7) Chloroethane	3.346	64	106843	10.39	ug/l	95
8) Trichlorofluoromethane	3.511	101	435256	9.23	ug/l	97
9) Acrolein	3.742	56	120617	38.45	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	186582	9.08	ug/l	98
11) Acetone	3.775	43	312800	50.41	ug/l	99
12) tert-Butyl alcohol	3.874	59	648139	220.95	ug/L	95
13) 1,1-Dichloroethene	3.907	61	476151	11.04	ug/l	93
14) Acetonitrile	3.874	41	146908	100.91	ug/L	100
15) Allyl chloride	4.105	76	122467	10.76	ug/L	97
16) Iodomethane	4.149	142	122470	5.48	ug/l	97
18) Methylene chloride	4.183	49	365520	11.98	ug/l	89
19) Acrylonitrile	4.216	53	358595	49.44	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	710098	9.85	ug/L	97
21) Carbon disulfide	4.315	76	698631	10.57	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	216365	9.41	ug/l	99
23) Isopropyl ether (DIPE)	4.469	45	850744	11.60	ug/l	96
24) Vinyl acetate	4.546	43	254940	6.10	ug/l	98
25) 1,1-Dichloroethane	4.634	63	511809	11.00	ug/l	96
26) tert-Butyl ethyl ether...	4.733	59	900977	10.12	ug/l	96
27) 2-Butanone	4.854	72	86234	38.10	ug/l	93
28) Propionitrile	4.909	54	261199	97.94	ug/L	99
29) Isobutyl alcohol	5.030	43	182852	194.05	ug/L	97
30) 2,2-Dichloropropane	5.019	77	507181	10.89	ug/l	99
31) Methacrylonitrile	5.052	52	454687	103.84	ug/L	89
32) cis-1,2-Dichloroethene	5.063	96	253746	9.69	ug/l	100
33) Chloroform	5.173	83	554898	9.62	ug/l	96
34) Bromochloromethane	5.327	130	141967	9.23	ug/l	99
35) Tetrahydrofuran	5.316	42	61644	10.14	ug/L	84
37) 1,1,1-Trichloroethane	5.503	97	539578	10.37	ug/l	96
39) tert-Amyl methyl ether...	5.613	87	164162	10.33	ug/l	94
40) 1,1-Dichloropropene	5.613	110	115978	10.18	ug/L	94
42) Carbon tetrachloride	5.734	119	459744	10.44	ug/L	99
43) 1,2-Dichloroethane	5.800	62	486300	10.97	ug/L	98
44) Benzene	5.866	78	879411	9.96	ug/L	95

Data File : D:\Data\24F13\RFG133.D
Acq On : 13 Jun 2024 14:41
Sample : 24F019-02M
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:41:24 2024
Quant Results File: VOE2E17.RES

Vial: 12
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45)	Trichloroethene	6.373	130	229695	9.43	ug/L		98
46)	Methyl methacrylate	6.439	69	129262	5.99	ug/L		99
48)	1,2-Dichloropropane	6.527	63	245305	10.89	ug/L		97
50)	Bromodichloromethane	6.769	83	410684	9.63	ug/L		99
51)	Dibromomethane	6.857	93	155723	8.50	ug/L		97
52)	2-Chloroethyl vinyl ether	6.956	63	1620	0.15	ug/L	#	1
53)	4-Methyl-2-pentanone	6.956	43	1152843	46.71	ug/L		98
54)	cis-1,3-Dichloropropene	7.275	75	385042	9.77	ug/L		89
57)	Ethyl methacrylate	7.693	69	258629	9.21	ug/L		79
58)	Toluene	7.693	91	928518	9.95	ug/l		100
59)	trans-1,3-Dichloropropene	7.814	75	389072	9.75	ug/l		90
60)	2-Hexanone	7.935	43	822031	48.74	ug/l		97
61)	1,1,2-Trichloroethane	8.045	97	187667	8.48	ug/l		98
62)	1,3-Dichloropropane	8.353	76	309243	9.41	ug/l		99
63)	Tetrachloroethene	8.508	164	194219	9.52	ug/l		98
64)	Dibromochloromethane	8.783	129	273988	8.25	ug/l		98
65)	1,2-Dibromoethane	9.069	107	201446	8.44	ug/l		99
66)	1-Chlorohexane	9.124	91	316886	10.27	ug/l		91
67)	Chlorobenzene	9.619	112	577018	9.37	ug/l		99
68)	1,1,1,2-Tetrachloroethane	9.641	131	251848	9.61	ug/l		99
69)	Ethylbenzene	9.641	91	1129493	10.02	ug/l		100
70)	m-Xylene & p-Xylene	9.740	91	1784493	19.41	ug/l		99
71)	o-Xylene	10.411	91	868723	9.98	ug/l		99
72)	Styrene	10.455	104	552795	9.08	ug/l		95
73)	Isopropylbenzene	10.940	105	1031057	10.39	ug/L		99
75)	Bromoform	11.061	173	161220	7.75	ug/l		99
76)	1,1,2,2-Tetrachloroethane	11.204	83	235512	8.86	ug/l		98
78)	1,2,3-Trichloropropane	11.446	110	69228	9.44	ug/l		93
79)	trans-1,4-Dichloro-2-b...	11.512	53	74677	10.06	ug/l		88
80)	n-Propylbenzene	11.578	91	1240324	10.26	ug/l		99
81)	Bromobenzene	11.732	156	239126	9.01	ug/l		99
82)	1,3,5-Trimethylbenzene	11.820	105	879528	10.58	ug/l		97
83)	2-Chlorotoluene	11.908	91	755509	10.13	ug/l		98
84)	4-Chlorotoluene	11.974	91	769328	12.25	ug/l		99
85)	tert-Butylbenzene	12.414	134	129504	10.07	ug/l		98
86)	1,2,4-Trimethylbenzene	12.469	105	875720	10.77	ug/l		95
87)	sec-Butylbenzene	12.745	105	998467	10.60	ug/l		98
88)	p-Isopropyltoluene	12.954	119	833228	10.54	ug/l		98
89)	1,3-Dichlorobenzene	13.163	146	422676	11.14	ug/l		99
90)	1,2,3-Trimethylbenzene	13.251	105	855476	10.62	ug/L		98
91)	1,4-Dichlorobenzene	13.328	146	420118	10.65	ug/l		98
92)	n-Butylbenzene	13.614	91	758310	10.09	ug/l		99
93)	1,2-Dichlorobenzene	13.933	146	389495	9.35	ug/l		98
94)	1,2-Dibromo-3-chloropr...	15.133	157	38287	7.09	ug/l		96
95)	1,2,4-Trichlorobenzene	16.464	180	217396	8.52	ug/l		98
96)	Hexachlorobutadiene	16.651	225	114675	7.97	ug/l		99
97)	Naphthalene	16.871	128	513729	7.98	ug/l		97
98)	1,2,3-Trichlorobenzene	17.224	180	198120	8.16	ug/l		98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG133.D
Acq On : 13 Jun 2024 14:41
Sample : 24F019-02M
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:41:24 2024
Quant Results File: VOE2E17.RES

Vial: 12
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG134.D
Acq On : 13 Jun 2024 15:05
Sample : 24F019-02S
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:42:17 2024
Quant Results File: VOE2E17.RES

Vial: 13
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	482381	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	410664	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	197209	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	281547	9.53	ug/l	0.00
Spiked Amount 10.000			Recovery =	95.30%		
41) 1,2-Dichloroethane-d4	5.723	65	412955	10.58	ug/L	0.00
Spiked Amount 10.000			Recovery =	105.80%		
56) Toluene-d8	7.594	98	811059	9.94	ug/l	0.00
Spiked Amount 10.000			Recovery =	99.40%		
77) 4-Bromofluorobenzene	11.369	95	336491	10.75	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.50%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	323973	11.70	ug/l	98
3) Chloromethane	2.906	50	160301	8.07	ug/l	100
4) Vinyl chloride	2.994	62	249782	11.91	ug/l	98
5) Bromomethane	3.313	94	109188	7.70	ug/l	98
6) Dichlorofluoromethane	3.357	67	511917	10.68	ug/L	96
7) Chloroethane	3.346	64	103771	10.10	ug/l	96
8) Trichlorofluoromethane	3.511	101	432585	9.18	ug/l	98
9) Acrolein	3.742	56	116707	37.20	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	189054	9.20	ug/l	97
11) Acetone	3.764	43	323106	52.24	ug/l	99
12) tert-Butyl alcohol	3.874	59	640631	218.39	ug/L	96
13) 1,1-Dichloroethene	3.896	61	477280	11.07	ug/l	93
14) Acetonitrile	3.874	41	143298	98.44	ug/L	97
15) Allyl chloride	4.106	76	127129	11.17	ug/L	93
16) Iodomethane	4.150	142	141979	6.31	ug/l	96
18) Methylene chloride	4.183	49	378245	12.43	ug/l	85
19) Acrylonitrile	4.216	53	354774	48.92	ug/l	100
20) tert-Butyl methyl ethe...	4.227	73	708401	9.83	ug/L	95
21) Carbon disulfide	4.304	76	688172	10.42	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	220178	9.57	ug/l	98
23) Isopropyl ether (DIPE)	4.469	45	858656	11.71	ug/l	96
24) Vinyl acetate	4.546	43	240870	5.77	ug/l	99
25) 1,1-Dichloroethane	4.634	63	495399	10.65	ug/l	98
26) tert-Butyl ethyl ether...	4.733	59	888466	9.97	ug/l	95
27) 2-Butanone	4.854	72	88902	39.27	ug/l	93
28) Propionitrile	4.909	54	259968	97.48	ug/L	98
29) Isobutyl alcohol	5.030	43	175450	186.20	ug/L	92
30) 2,2-Dichloropropane	5.019	77	498498	10.70	ug/l	99
31) Methacrylonitrile	5.052	52	442334	101.02	ug/L	87
32) cis-1,2-Dichloroethene	5.063	96	246412	9.41	ug/l	99
33) Chloroform	5.173	83	544032	9.43	ug/l	97
34) Bromochloromethane	5.327	130	142608	9.27	ug/l	97
35) Tetrahydrofuran	5.327	42	58314	9.59	ug/L	85
37) 1,1,1-Trichloroethane	5.492	97	536919	10.32	ug/l	96
39) tert-Amyl methyl ether...	5.613	87	162409	10.22	ug/l	95
40) 1,1-Dichloropropene	5.613	110	117526	10.32	ug/L	92
42) Carbon tetrachloride	5.734	119	459820	10.44	ug/L	100
43) 1,2-Dichloroethane	5.800	62	483449	10.90	ug/L	97
44) Benzene	5.866	78	892437	10.11	ug/L	96

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG134.D
Acq On : 13 Jun 2024 15:05
Sample : 24F019-02S
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:42:17 2024
Quant Results File: VOE2E17.RES

Vial: 13
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Trichloroethene	6.373	130	224040	9.20	ug/L	99
46) Methyl methacrylate	6.439	69	132236	6.13	ug/L	98
48) 1,2-Dichloropropane	6.527	63	240320	10.67	ug/L	99
50) Bromodichloromethane	6.769	83	405068	9.50	ug/L	100
51) Dibromomethane	6.857	93	159590	8.71	ug/L	93
53) 4-Methyl-2-pentanone	6.956	43	1148156	46.52	ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	388613	9.87	ug/L	90
57) Ethyl methacrylate	7.693	69	254975	9.10	ug/L	80
58) Toluene	7.693	91	940868	10.10	ug/l	98
59) trans-1,3-Dichloropropene	7.814	75	385174	9.67	ug/l	90
60) 2-Hexanone	7.935	43	814062	48.34	ug/l	98
61) 1,1,2-Trichloroethane	8.045	97	189132	8.56	ug/l	99
62) 1,3-Dichloropropane	8.354	76	307270	9.36	ug/l	97
63) Tetrachloroethene	8.508	164	191073	9.38	ug/l	97
64) Dibromochloromethane	8.783	129	268652	8.10	ug/l	98
65) 1,2-Dibromoethane	9.069	107	201806	8.47	ug/l	99
66) 1-Chlorohexane	9.113	91	311177	10.10	ug/l	90
67) Chlorobenzene	9.619	112	567341	9.22	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	248966	9.51	ug/l	100
69) Ethylbenzene	9.641	91	1122153	9.97	ug/l	100
70) m-Xylene & p-Xylene	9.740	91	1784812	19.44	ug/l	100
71) o-Xylene	10.411	91	868692	9.99	ug/l	99
72) Styrene	10.455	104	543621	8.94	ug/l	95
73) Isopropylbenzene	10.940	105	1033206	10.43	ug/L	99
75) Bromoform	11.061	173	157574	7.32	ug/l	98
76) 1,1,2,2-Tetrachloroethane	11.204	83	223612	8.14	ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	66280	8.73	ug/l	96
79) trans-1,4-Dichloro-2-b...	11.512	53	69567	9.06	ug/l	90
80) n-Propylbenzene	11.578	91	1229460	9.83	ug/l	98
81) Bromobenzene	11.732	156	236883	8.63	ug/l	96
82) 1,3,5-Trimethylbenzene	11.820	105	880701	10.24	ug/l	97
83) 2-Chlorotoluene	11.919	91	755377	9.79	ug/l	97
84) 4-Chlorotoluene	11.974	91	780166	12.00	ug/l	96
85) tert-Butylbenzene	12.403	134	127803	9.61	ug/l	98
86) 1,2,4-Trimethylbenzene	12.469	105	873385	10.39	ug/l	96
87) sec-Butylbenzene	12.745	105	1007469	10.34	ug/l	97
88) p-Isopropyltoluene	12.954	119	815601	9.98	ug/l	100
89) 1,3-Dichlorobenzene	13.163	146	412015	10.47	ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	848826	10.19	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	422724	10.35	ug/l	98
92) n-Butylbenzene	13.603	91	756551	9.73	ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	384871	8.93	ug/l	99
94) 1,2-Dibromo-3-chloropr...	15.133	157	38231	6.84	ug/l	98
95) 1,2,4-Trichlorobenzene	16.464	180	219976	8.33	ug/l	97
96) Hexachlorobutadiene	16.662	225	118986	7.99	ug/l	98
97) Naphthalene	16.872	128	510295	7.66	ug/l	99
98) 1,2,3-Trichlorobenzene	17.224	180	199052	7.91	ug/l	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG134.D
Acq On : 13 Jun 2024 15:05
Sample : 24F019-02S
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:42:17 2024
Quant Results File: VOE2E17.RES

Vial: 13
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG135.D
Acq On : 13 Jun 2024 15:28
Sample : 24F019-03M
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:44:05 2024
Quant Results File: VOE2E17.RES

Vial: 14
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	491277	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	419964	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	199196	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	287729	9.56	ug/l	0.00
Spiked Amount 10.000			Recovery =	95.60%		
41) 1,2-Dichloroethane-d4	5.723	65	429676	10.81	ug/L	0.00
Spiked Amount 10.000			Recovery =	108.10%		
56) Toluene-d8	7.594	98	826200	9.90	ug/l	0.00
Spiked Amount 10.000			Recovery =	99.00%		
77) 4-Bromofluorobenzene	11.369	95	348649	11.03	ug/l	0.00
Spiked Amount 10.000			Recovery =	110.30%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	369069	13.09	ug/l	99
3) Chloromethane	2.906	50	193962	9.59	ug/l	99
4) Vinyl chloride	2.994	62	289179	13.53	ug/l	97
5) Bromomethane	3.313	94	115175	7.97	ug/l	99
6) Dichlorofluoromethane	3.357	67	509695	10.44	ug/L	97
7) Chloroethane	3.346	64	120433	11.50	ug/l	97
8) Trichlorofluoromethane	3.511	101	493717	10.29	ug/l	99
9) Acrolein	3.742	56	128282	40.15	ug/l	100
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	189308	9.05	ug/l	99
11) Acetone	3.764	43	316045	49.97	ug/l	99
12) tert-Butyl alcohol	3.874	59	614478	205.69	ug/L	95
13) 1,1-Dichloroethene	3.907	61	486055	11.07	ug/l	92
14) Acetonitrile	3.874	41	140915	95.05	ug/L	95
15) Allyl chloride	4.105	76	121198	10.45	ug/L	97
16) Iodomethane	4.149	142	164001	7.12	ug/l	100
18) Methylene chloride	4.182	49	385155	12.43	ug/l	85
19) Acrylonitrile	4.215	53	376365	50.95	ug/l	99
20) tert-Butyl methyl ethe...	4.226	73	708634	9.65	ug/L	94
21) Carbon disulfide	4.303	76	681944	10.13	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	215823	9.21	ug/l	100
23) Isopropyl ether (DIPE)	4.458	45	877362	11.75	ug/l	95
24) Vinyl acetate	4.546	43	302242	7.10	ug/l	99
25) 1,1-Dichloroethane	4.634	63	510244	10.77	ug/l	97
26) tert-Butyl ethyl ether...	4.733	59	912613	10.06	ug/l	96
27) 2-Butanone	4.854	72	89650	38.89	ug/l	91
28) Propionitrile	4.909	54	264769	97.48	ug/L	98
29) Isobutyl alcohol	5.030	43	183054	190.75	ug/L	95
30) 2,2-Dichloropropane	5.019	77	514475	10.85	ug/l	99
31) Methacrylonitrile	5.052	52	463351	103.91	ug/L	86
32) cis-1,2-Dichloroethene	5.063	96	259486	9.73	ug/l	100
33) Chloroform	5.173	83	559473	9.52	ug/l	97
34) Bromochloromethane	5.327	130	140809	8.99	ug/l	98
35) Tetrahydrofuran	5.316	42	61352	9.91	ug/L	86
37) 1,1,1-Trichloroethane	5.492	97	540600	10.20	ug/l	96
39) tert-Amyl methyl ether...	5.613	87	167988	10.38	ug/l	95
40) 1,1-Dichloropropene	5.613	110	117187	10.10	ug/L	97
42) Carbon tetrachloride	5.734	119	465258	10.38	ug/L	99
43) 1,2-Dichloroethane	5.800	62	495959	10.98	ug/L	97
44) Benzene	5.866	78	904430	10.06	ug/L	96

Data File : D:\Data\24F13\RFG135.D
Acq On : 13 Jun 2024 15:28
Sample : 24F019-03M
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:44:05 2024
Quant Results File: VOE2E17.RES

Vial: 14
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) Trichloroethene	6.372	130	475748	19.17	ug/L		98
46) Methyl methacrylate	6.438	69	133232	6.06	ug/L		99
48) 1,2-Dichloropropane	6.527	63	252926	11.02	ug/L		96
50) Bromodichloromethane	6.769	83	414681	9.55	ug/L		100
51) Dibromomethane	6.857	93	160877	8.62	ug/L		95
52) 2-Chloroethyl vinyl ether	6.956	63	1626	0.14	ug/L	#	1
53) 4-Methyl-2-pentanone	6.956	43	1207650	48.05	ug/L		98
54) cis-1,3-Dichloropropene	7.275	75	398837	9.94	ug/L		90
57) Ethyl methacrylate	7.693	69	268755	9.38	ug/L		83
58) Toluene	7.693	91	941686	9.89	ug/l		100
59) trans-1,3-Dichloropropene	7.814	75	395219	9.70	ug/l		87
60) 2-Hexanone	7.935	43	859113	49.89	ug/l		97
61) 1,1,2-Trichloroethane	8.045	97	194254	8.59	ug/l		97
62) 1,3-Dichloropropane	8.353	76	319437	9.52	ug/l		99
63) Tetrachloroethene	8.507	164	198602	9.54	ug/l		98
64) Dibromochloromethane	8.783	129	274469	8.10	ug/l		99
65) 1,2-Dibromoethane	9.069	107	207185	8.51	ug/l		100
66) 1-Chlorohexane	9.124	91	324388	10.29	ug/l		98
67) Chlorobenzene	9.619	112	577862	9.19	ug/l		100
68) 1,1,1,2-Tetrachloroethane	9.641	131	249902	9.34	ug/l		99
69) Ethylbenzene	9.641	91	1139741	9.90	ug/l		100
70) m-Xylene & p-Xylene	9.740	91	1815569	19.34	ug/l		100
71) o-Xylene	10.411	91	882994	9.93	ug/l		100
72) Styrene	10.455	104	582630	9.37	ug/l		97
73) Isopropylbenzene	10.940	105	1059090	10.46	ug/L		98
75) Bromoform	11.061	173	162335	7.47	ug/l		99
76) 1,1,2,2-Tetrachloroethane	11.193	83	241675	8.71	ug/l		100
78) 1,2,3-Trichloropropane	11.446	110	66768	8.71	ug/l		95
79) trans-1,4-Dichloro-2-b...	11.512	53	77601	10.00	ug/l		84
80) n-Propylbenzene	11.578	91	1284506	10.17	ug/l		99
81) Bromobenzene	11.732	156	245486	8.86	ug/l		99
82) 1,3,5-Trimethylbenzene	11.820	105	894224	10.30	ug/l		97
83) 2-Chlorotoluene	11.919	91	770168	9.88	ug/l		97
84) 4-Chlorotoluene	11.974	91	803532	12.24	ug/l		98
85) tert-Butylbenzene	12.414	134	134610	10.02	ug/l		98
86) 1,2,4-Trimethylbenzene	12.469	105	880119	10.36	ug/l		96
87) sec-Butylbenzene	12.744	105	1021107	10.38	ug/l		98
88) p-Isopropyltoluene	12.954	119	828172	10.03	ug/l		99
89) 1,3-Dichlorobenzene	13.163	146	423400	10.66	ug/l		99
90) 1,2,3-Trimethylbenzene	13.251	105	872263	10.37	ug/L		97
91) 1,4-Dichlorobenzene	13.328	146	426649	10.34	ug/l		98
92) n-Butylbenzene	13.614	91	796398	10.14	ug/l		98
93) 1,2-Dichlorobenzene	13.933	146	391190	8.99	ug/l		98
94) 1,2-Dibromo-3-chloropr...	15.133	157	38524	6.82	ug/l		95
95) 1,2,4-Trichlorobenzene	16.464	180	223919	8.40	ug/l		96
96) Hexachlorobutadiene	16.662	225	129791	8.63	ug/l		98
97) Naphthalene	16.871	128	523579	7.78	ug/l		98
98) 1,2,3-Trichlorobenzene	17.224	180	205748	8.10	ug/l		99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG135.D
Acq On : 13 Jun 2024 15:28
Sample : 24F019-03M
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:44:05 2024
Quant Results File: VOE2E17.RES

Vial: 14
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG136.D
Acq On : 13 Jun 2024 15:52
Sample : 24F019-03S
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:45:01 2024
Quant Results File: VOE2E17.RES

Vial: 15
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	499209	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	430525	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	203072	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	294314	9.63	ug/l	0.00
Spiked Amount 10.000			Recovery = 96.30%			
41) 1,2-Dichloroethane-d4	5.723	65	431287	10.67	ug/L	0.00
Spiked Amount 10.000			Recovery = 106.70%			
56) Toluene-d8	7.594	98	826653	9.66	ug/l	0.00
Spiked Amount 10.000			Recovery = 96.60%			
77) 4-Bromofluorobenzene	11.369	95	354785	11.01	ug/l	0.00
Spiked Amount 10.000			Recovery = 110.10%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	371153	12.95	ug/l	98
3) Chloromethane	2.906	50	195442	9.51	ug/l	98
4) Vinyl chloride	2.994	62	285470	13.15	ug/l	97
5) Bromomethane	3.313	94	116392	7.93	ug/l	99
6) Dichlorofluoromethane	3.357	67	512535	10.33	ug/L	97
7) Chloroethane	3.346	64	120228	11.30	ug/l	96
8) Trichlorofluoromethane	3.511	101	498473	10.22	ug/l	99
9) Acrolein	3.742	56	132203	40.72	ug/l	100
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	188800	8.88	ug/l	97
11) Acetone	3.764	43	349494	54.82	ug/l	99
12) tert-Butyl alcohol	3.874	59	688941	226.95	ug/L	97
13) 1,1-Dichloroethene	3.907	61	492783	11.04	ug/l	94
14) Acetonitrile	3.874	41	151633	100.65	ug/L	98
15) Allyl chloride	4.106	76	126687	10.75	ug/L	97
16) Iodomethane	4.150	142	161164	6.89	ug/l	99
18) Methylene chloride	4.183	49	385463	12.23	ug/l	86
19) Acrylonitrile	4.216	53	393362	52.41	ug/l	100
20) tert-Butyl methyl ethe...	4.227	73	744529	9.98	ug/L	95
21) Carbon disulfide	4.304	76	718923	10.51	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	223861	9.40	ug/l	98
23) Isopropyl ether (DIPE)	4.458	45	902263	11.89	ug/l	95
24) Vinyl acetate	4.546	43	304011	7.03	ug/l	97
25) 1,1-Dichloroethane	4.634	63	522395	10.85	ug/l	96
26) tert-Butyl ethyl ether...	4.733	59	930826	10.10	ug/l	96
27) 2-Butanone	4.854	72	95182	40.63	ug/l	91
28) Propionitrile	4.909	54	280441	101.61	ug/L	98
29) Isobutyl alcohol	5.030	43	201316	206.44	ug/L	95
30) 2,2-Dichloropropane	5.019	77	520484	10.80	ug/l	100
31) Methacrylonitrile	5.052	52	485686	107.18	ug/L	87
32) cis-1,2-Dichloroethene	5.063	96	261750	9.66	ug/l	100
33) Chloroform	5.173	83	569542	9.54	ug/l	97
34) Bromochloromethane	5.327	130	141386	8.88	ug/l	96
35) Tetrahydrofuran	5.327	42	65961	10.49	ug/L	87
37) 1,1,1-Trichloroethane	5.503	97	561347	10.43	ug/l	97
39) tert-Amyl methyl ether...	5.613	87	175230	10.65	ug/l	93
40) 1,1-Dichloropropene	5.613	110	122229	10.37	ug/L	95
42) Carbon tetrachloride	5.734	119	469570	10.31	ug/L	100
43) 1,2-Dichloroethane	5.800	62	500271	10.90	ug/L	95
44) Benzene	5.866	78	923227	10.11	ug/L	96

Data File : D:\Data\24F13\RFG136.D
Acq On : 13 Jun 2024 15:52
Sample : 24F019-03S
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:45:01 2024
Quant Results File: VOE2E17.RES

Vial: 15
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) Trichloroethene	6.373	130	458940	18.20	ug/L		98
46) Methyl methacrylate	6.439	69	143498	6.42	ug/L		98
48) 1,2-Dichloropropane	6.527	63	253613	10.88	ug/L		96
50) Bromodichloromethane	6.769	83	421954	9.56	ug/L		100
51) Dibromomethane	6.857	93	163683	8.63	ug/L		96
52) 2-Chloroethyl vinyl ether	6.967	63	2883	0.25	ug/L	#	1
53) 4-Methyl-2-pentanone	6.956	43	1256422	49.20	ug/L		98
54) cis-1,3-Dichloropropene	7.275	75	406453	9.97	ug/L		92
57) Ethyl methacrylate	7.693	69	278917	9.49	ug/L		85
58) Toluene	7.693	91	962823	9.86	ug/l		99
59) trans-1,3-Dichloropropene	7.814	75	401424	9.61	ug/l		88
60) 2-Hexanone	7.935	43	897274	50.83	ug/l		98
61) 1,1,2-Trichloroethane	8.045	97	199448	8.61	ug/l		96
62) 1,3-Dichloropropane	8.354	76	332369	9.66	ug/l		99
63) Tetrachloroethene	8.508	164	200277	9.38	ug/l		99
64) Dibromochloromethane	8.783	129	283456	8.16	ug/l		100
65) 1,2-Dibromoethane	9.069	107	215591	8.63	ug/l		97
66) 1-Chlorohexane	9.124	91	330747	10.24	ug/l		98
67) Chlorobenzene	9.619	112	582441	9.03	ug/l		100
68) 1,1,1,2-Tetrachloroethane	9.641	131	257344	9.38	ug/l		98
69) Ethylbenzene	9.641	91	1172638	9.93	ug/l		100
70) m-Xylene & p-Xylene	9.740	91	1839260	19.11	ug/l		100
71) o-Xylene	10.412	91	897184	9.85	ug/l		99
72) Styrene	10.456	104	555573	8.72	ug/l		94
73) Isopropylbenzene	10.940	105	1095700	10.55	ug/L		98
75) Bromoform	11.061	173	166719	7.52	ug/l		99
76) 1,1,2,2-Tetrachloroethane	11.193	83	247359	8.74	ug/l		99
78) 1,2,3-Trichloropropane	11.446	110	71328	9.13	ug/l		99
79) trans-1,4-Dichloro-2-b...	11.512	53	87059	11.01	ug/l		81
80) n-Propylbenzene	11.578	91	1296620	10.07	ug/l		98
81) Bromobenzene	11.732	156	248716	8.80	ug/l		97
82) 1,3,5-Trimethylbenzene	11.820	105	907841	10.26	ug/l		97
83) 2-Chlorotoluene	11.919	91	784087	9.87	ug/l		91
84) 4-Chlorotoluene	11.974	91	809151	12.09	ug/l		97
85) tert-Butylbenzene	12.403	134	134257	9.80	ug/l		95
86) 1,2,4-Trimethylbenzene	12.470	105	902201	10.42	ug/l		98
87) sec-Butylbenzene	12.745	105	1043853	10.41	ug/l		98
88) p-Isopropyltoluene	12.954	119	850776	10.11	ug/l		99
89) 1,3-Dichlorobenzene	13.163	146	431312	10.65	ug/l		100
90) 1,2,3-Trimethylbenzene	13.251	105	886529	10.33	ug/L		98
91) 1,4-Dichlorobenzene	13.328	146	433751	10.31	ug/l		98
92) n-Butylbenzene	13.614	91	802006	10.02	ug/l		100
93) 1,2-Dichlorobenzene	13.933	146	404578	9.12	ug/l		98
94) 1,2-Dibromo-3-chloropr...	15.133	157	40093	6.97	ug/l		95
95) 1,2,4-Trichlorobenzene	16.464	180	231503	8.52	ug/l		95
96) Hexachlorobutadiene	16.651	225	132562	8.64	ug/l		97
97) Naphthalene	16.872	128	547155	7.98	ug/l		98
98) 1,2,3-Trichlorobenzene	17.224	180	211279	8.17	ug/l		99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG136.D
Acq On : 13 Jun 2024 15:52
Sample : 24F019-03S
Misc : 10mL
Integrator: RTE
Quant Time: Jun 17 18:45:01 2024
Quant Results File: VOE2E17.RES

Vial: 15
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



INITIAL CALIBRATION(S)

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: REG116 BFB Injection Date: 05/17/24

Instrument ID: E2 BFB Injection Time: 11:23

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.276
75	30 - 60% of mass 95	50.050
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.720
173	Less than 2% of mass 174	0.804(.96)1
174	Greater than 50% of mass 95	83.334
175	5 - 9% of mass 174	6.239(7.49)1
176	95 - 101% % of mass 174	81.293(97.55)1
177	5 - 9% % of mass 176	5.264(6.48)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD0.5	VOE2E172	REG118	05/17/24	12:33
2	VSTD1	VOE2E173	REG119	05/17/24	12:57
3	VSTD2	VOE2E174	REG120	05/17/24	13:21
4	VSTD5	VOE2E175	REG121	05/17/24	13:45
5	VSTD10	VOE2E176	REG122	05/17/24	14:09
6	VSTD30	VOE2E177	REG123	05/17/24	14:33
7	VSTD50	VOE2E178	REG124	05/17/24	14:57
8	VSTD100	VOE2E179	REG125	05/17/24	15:21
9	VSTD200	VOE2E1710	REG126	05/17/24	15:44

SC
5/24/24

Instrument ID :E2
Beginning DateTime :05/17/24 12:33
Spike Units :PPB
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
Ending DateTime :05/17/24 15:44
HPChem Method :VOE2E17

M	IDX	Parameters	.5 12:33 REG118	1 12:57 REG119	2 13:21 REG120	5 13:45 REG121	10 14:09 REG122	30 14:33 REG123	50 14:57 REG124	100 15:21 REG125	200 15:44 REG126	Av_RRF	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	0	5.9874
	2	Dichlorodifluoromethane	0.621	0.637	0.579	0.504	0.509	0.610	0.570	0.578	0.556	0.574	8.06	2.7078
	3	Chloromethane	0.526	0.465	0.434	0.383	0.373	0.377	0.368	0.382	0.398	0.412	13.00	2.9059
	4	Vinyl chloride	0.419	0.490	0.461	0.376	0.416	0.439	0.449	0.449	0.415	0.435	7.58	2.9903
	5	Bromomethane	0.348	0.325	0.291	0.268	0.244	0.267	0.278	0.296	0.330	0.294	11.62	3.3131
	6	Dichlorofluoromethane	1.071	1.087	0.974	1.099	0.990	1.025	0.930	0.904	0.865	0.994	8.41	3.3523
	7	Chloroethane	0.222	0.255	0.216	0.196	0.204	0.219	0.205	0.207	0.193	0.213	8.74	3.3461
	8	Trichlorofluoromethane	1.076	1.027	0.981	0.846	0.898	1.033	0.988	0.997	0.949	0.977	7.24	3.5112
5	9	Acrolein	0.074	0.076	0.063	0.070	0.064	0.060	0.059	0.060	0.059	0.065	10.21	3.7423
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	0.510	0.445	0.389	0.475	0.409	0.418	0.409	0.396	0.383	0.426	10.04	3.7521
5	11	Acetone	0.325	0.240	0.181	0.149	0.137	0.118	0.119	------	------	0.181	42.17	3.7690
25	12	tert-Butyl alcohol	0.075	0.070	0.063	0.057	0.061	0.056	0.057	0.055	0.054	0.061	11.83	3.8744
	13	1,1-Dichloroethene	0.972	0.970	0.870	1.007	0.889	0.901	0.818	0.823	0.795	0.894	8.46	3.9025
10	14	Acetonitrile	------	0.037	0.031	0.030	0.031	0.026	0.027	------	------	0.030	12.37	3.8744
	15	Allyl chloride	0.262	0.270	0.227	0.265	0.239	0.241	0.223	0.204	0.194	0.236	11.27	4.1055
	16	Iodomethane	0.335	0.312	0.310	0.409	0.432	0.563	0.530	0.509	0.459	0.429	22.23	4.1434
	17	Methyl acetate	------	0.410	0.337	0.344	0.341	0.293	0.304	------	------	0.338	12.15	4.0285
	18	Methylene chloride	1.122	1.095	0.930	0.852	0.731	0.698	0.612	0.596	0.570	0.801	26.33	4.1825
5	19	Acrylonitrile	0.187	0.165	0.144	0.155	0.158	0.140	0.134	0.135	0.136	0.150	11.69	4.2156
	20	tert-Butyl methyl ether (MTBE)	1.687	1.599	1.508	1.603	1.504	1.453	1.377	1.365	1.352	1.494	7.94	4.2266
	21	Carbon disulfide	1.587	1.493	1.289	1.218	1.375	1.338	1.287	------	------	1.370	9.42	4.3052
	22	trans-1,2-Dichloroethene	0.536	0.534	0.472	0.542	0.468	0.442	0.442	0.426	0.429	0.477	10.07	4.3696
	23	Isopropyl ether (DIPE)	1.738	1.638	1.535	1.682	1.513	1.489	1.394	1.379	1.317	1.520	9.47	4.4601
	24	Vinyl acetate	0.905	0.932	0.893	0.899	0.928	0.816	0.810	0.820	0.793	0.866	6.41	4.5457
	25	1,1-Dichloroethane	1.123	1.084	0.958	1.041	0.935	0.964	0.901	0.851	0.823	0.965	10.57	4.6338
	26	tert-Butyl ethyl ether (ETBE)	2.025	2.049	1.829	2.024	1.854	1.711	1.759	1.666	1.701	1.846	8.21	4.7328
5	27	2-Butanone	------	0.059	0.048	0.048	0.049	0.043	0.043	0.042	0.042	0.047	12.56	4.8539
10	28	Propionitrile	0.067	0.061	0.059	0.057	0.053	0.051	0.051	0.048	0.050	0.055	11.17	4.9101
20	29	Isobutyl alcohol	------	0.024	0.020	0.019	0.020	0.018	0.019	0.017	------	0.020	12.47	5.0299
	30	2,2-Dichloropropane	1.070	1.031	0.913	1.100	0.993	0.952	0.921	0.878	0.831	0.966	9.30	5.0202
10	31	Methacrylonitrile	0.105	0.103	0.092	0.099	0.089	0.088	0.084	0.080	0.076	0.091	11.02	5.0568
	32	cis-1,2-Dichloroethene	0.592	0.622	0.541	0.585	0.519	0.520	0.508	0.491	0.507	0.543	8.40	5.0630
	33	Chloroform	1.500	1.398	1.172	1.238	1.117	1.090	1.041	1.012	------	1.196	14.51	5.1730
	34	Bromochloromethane	0.354	0.366	0.325	0.348	0.326	0.321	0.296	0.275	0.259	0.319	11.29	5.3271
	35	Tetrahydrofuran	------	0.140	0.129	0.132	0.124	0.122	0.118	0.116	------	0.126	6.67	5.3192
	36	Dibromofluoromethane	0.677	0.642	0.571	0.613	0.624	0.588	0.573	------	------	0.612	6.30	5.3381
	37	1,1,1-Trichloroethane	1.193	1.165	1.010	1.192	1.074	1.094	1.020	0.999	0.960	1.079	8.19	5.4971
	38	Cyclohexane	0.684	0.625	0.466	0.628	0.461	0.515	0.544	0.500	0.528	0.550	14.22	5.5484
	39	tert-Amyl methyl ether (TAME)	0.340	0.348	0.314	0.372	0.345	0.297	0.329	0.313	0.306	0.329	7.33	5.6144
	40	1,1-Dichloropropene	0.262	0.251	0.222	0.266	0.242	0.218	0.228	0.219	0.217	0.236	8.29	5.6132
	41	1,2-Dichloroethane-d4	0.972	0.902	0.780	0.802	0.781	0.709	0.720	------	------	0.809	11.80	5.7233
	42	Carbon tetrachloride	0.945	0.992	0.834	1.044	0.930	0.901	0.890	0.840	0.838	0.913	8.01	5.7343
	43	1,2-Dichloroethane	1.036	1.026	0.936	1.027	0.937	0.846	0.859	0.810	0.796	0.919	10.41	5.8003
	44	Benzene	2.100	2.054	1.772	1.904	1.819	1.719	1.753	1.684	1.662	1.830	8.64	5.8663
	45	Trichloroethene	0.573	0.564	0.458	0.553	0.494	0.496	0.481	0.460	0.468	0.505	9.09	6.3714
	46	Methyl methacrylate	0.521	0.497	0.421	0.494	0.427	0.401	0.430	0.422	0.415	0.448	9.77	6.4386
	47	Methylcyclohexane	------	0.701	0.528	0.712	0.530	0.546	0.606	0.586	0.600	0.601	11.92	6.4537
	48	1,2-Dichloropropane	0.559	0.532	0.465	0.483	0.464	0.418	0.437	0.427	0.418	0.467	10.74	6.5266
20	49	1,4-Dioxane	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	50	Bromodichloromethane	------	1.077	0.909	0.968	0.886	0.841	0.821	0.796	0.773	0.884	11.38	6.7687
	51	Dibromomethane	0.454	0.430	0.373	0.417	0.371	0.368	0.349	0.344	0.315	0.380	11.79	6.8568
	52	2-Chloroethyl vinyl ether	0.233	0.250	0.232	0.253	0.238	0.229	0.224	0.216	0.206	0.231	6.45	6.9338
5	53	4-Methyl-2-pentanone	0.591	0.572	0.495	0.557	0.534	0.467	0.473	0.467	0.447	0.512	10.35	6.9571
	54	cis-1,3-Dichloropropene	0.921	0.873	0.791	0.882	0.822	0.782	0.775	0.759	0.743	0.817	7.57	7.2750
	55	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	0	9.5641
	56	Toluene-d8	------	2.328	1.900	1.960	2.006	1.860	1.868	------	------	1.987	8.88	7.5941
	57	Ethyl methacrylate	0.687	0.714	0.662	0.753	0.707	0.647	0.685	0.635	0.651	0.682	5.59	7.6932
	58	Toluene	2.522	2.598	2.196	2.483	2.250	2.053	2.185	2.012	2.114	2.268	9.46	7.6932
	59	trans-1,3-Dichloropropene	1.019	1.031	0.921	1.072	0.988	0.969	0.957	0.878	0.899	0.970	6.61	7.8143
5	60	2-Hexanone	0.494	0.448	0.391	0.437	0.433	0.389	0.385	0.352	0.362	0.410	11.13	7.9378
	61	1,1,2-Trichloroethane	0.616	0.606	0.548	0.580	0.535	0.538	0.494	0.461	0.466	0.538	10.51	8.0454
	62	1,3-Dichloropropane	0.881	0.932	0.787	0.866	0.785	0.770	0.765	0.707	0.701	0.799	9.83	8.3535
	63	Tetrachloroethene	0.591	0.595	0.434	0.529	0.477	0.495	0.463	0.431	0.448	0.496	12.71	8.5088
	64	Dibromochloromethane	------	1.038	0.826	0.858	0.788	0.824	0.742	0.693	0.690	0.807	13.87	8.7827
	65	1,2-Dibromoethane	0.651	0.619	0.556	0.621	0.592	0.594	0.549	0.522	0.516	0.580	8.08	9.0688
	66	1-Chlorohexane	0.844	0.848	0.651	0.843	0.747	0.751	0.722	0.671	0.677	0.751	10.45	9.1239
	67	Chlorobenzene	1.802	1.685	1.395	1.599	1.466	1.486	1.389	1.323	1.338	1.498	11.00	9.6191
	68	1,1,1,2-Tetrachloroethane	0.713	0.709	0.595	0.685	0.647	0.654	0.606	0.565	0.563	0.637	9.12	9.6460
	69	Ethylbenzene	3.192	3.179	2.449	2.920	2.662	2.734	2.599	2.475	2.468	2.742	10.66	9.6411
2	70	m-Xylene & p-Xylene	2.549	2.503	1.987	2.323	2.078	2.117	2.094	------	------	2.236	9.97	9.7496
	71	o-Xylene	2.536	2.361	1.926	2.321	2.112	1.978	2.058	1.894	1.863	2.117	11.21	10.4127
	72	Styrene	1.648	1.724	1.354	1.615	1.493	1.415	1.441	1.328	1.303	1.480	10.19	10.4580
	73	Isopropylbenzene	2.835	2.945	2.240	2.644	2.424	2.142	2.250	2.149	2.077	2.412	13.33	10.9397
	74	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	0	13.8891
	75	Bromoform	1.246	1.192	1.112	1.177	1.072	1.033	1.055	0.974	0.961	1.091	9.03	11.0608
	76	1,1,2,2-Tetrachloroethane	1.731	1.658	1.370	1.490	1.349	1.248	1.296	1.218	1.184	1.394	13.93	11.2026
	77	4-Bromofluorobenzene	------	1.901	1.601	1.620	1.559	1.327	1.516	------	------	1.587	11.73	11.3689
	78	1,2,3-Trichloropropane	0.441	0.449	0.384	0.439	0.374	0.344	0.366	0.344	0.322	0.385	12.26	11.4460
	79	trans-1,4-Dichloro-2-butene	0.345	0.390	0.351	0.456	0.395	0.395	0.414	0.380	0.379	0.389	8.47	11.5132
	80	n-Propylbenzene	7.684	7.739	5.851	7.164	6.006	5.607	5.968	5.582	5.465	6.341	14.55	11.5780
	81	Bromobenzene	1.646	1.681	1.348	1.563	1.386	1.206	1.293	1.208	1.192	1.392	13.87	11.7321
	82	1,3,5-Trimethylbenzene	5.366	5.227	4.073	4.881	4.205	3.892	4.064	3.785	3.738	4.359	14.43	11.8287
	83	2-Chlorotoluene	------	4.800	3.579	4.665	3.673	3.653	3.858	3.598	3.483	3.914	13.23	11.9192
	84	4-Chlorotoluene	4.791	5.151	3.841	3.940	3.868	2.881	3.359	3.161	3.176	3.796	20.12	11.9754
	85	tert-Butylbenzene	0.747	0.829	0.605	0.740	0.648	0.561	0.592	------	------	0.675	14.63	12.4081
	86	1,2,4-Trimethylbenzene	5.058	5.235	4.012	4.761	4.182	3.747	3.973	3.721	3.680	4.263	14.07	12.4780
	87	sec-Butylbenzene	------	6.256	4.523	5.517	4.832	4.450	4.638	4.362	------	4.940	14.11	12.7493
	88	p-Isopropyltoluene	5.045	5.046	3.819	4.703	3.968	3.664	3.821	3.689	3.551	4.145	14.69	12.9549
	89	1,3-Dichlorobenzene	3.020	2.992	2.191	2.485	2.182	2.011	2.088	1.908	1.849	2.303	19.08	13.1652
	90	1,2,3-Trimethylbenzene	4.849	5.175	3.973	4.777	4.170	3.766	3.928	3.729	3.652	4.224	13.33	13.2545
	91	1,4-Dichlorobenzene	3.022	3.108	2.117	2.540	2.221	2.073	2.138	1.953	1.965	2.349	18.81	13.3278
	92	n-Butylbenzene	4.979	4.820	3.500	4.168	3.792	3.621	3.712	3.405	3.483	3.942	14.93	13.6140
	93	1,2-Dichlorobenzene	------	2.697	2.183	2.392	2.013	1.895	1.926	------	------	2.184	14.28	13.9331
	94	1,2-Dibromo-3-chloropropane	0.324	0.328	0.262	0.286	0.265	0.273	0.269	0.273	0.271	0.283	8.87	15.1339
	95	1,2,4-Trichlorobenzene	2.154	2.073	1.349	1.477	1.289	1.277	1.274	1.228	1.317	1.493	24.05	16.4643
	96	Hexachlorobutadiene	------	0.968	0.705	0.840	0.750	0.697	0.696	0.668	0.717	0.755	13.33	16.6624
	97	Naphthalene	------	4.357	3.062	3.424	3.316	3.128	3.237	3.113	3.378	3.377	12.35	16.8715
	98	1,2,3-Trichlorobenzene	2.077	1.941	1.298	1.377	1.232	1.225	1.192	1.180	1.249	1.419	24.06	17.2310

Spike Amount = Nominal Amount * M
Ave_%RSD : 11.8 Max_%RSD : 42.2

Use Least Square Linear Regression with weighting factor of inverse concentration for comps with %_RSD > 15
Resp_Ratio = x0 + x1 * Amt_Ratio

IDX	Parameter	x0	x1	CCF
11	Acetone	0.05832	0.11706	0.9992
16	Iodomethane	-0.01397	0.48870	0.9969
18	Methylene chloride	0.04858	0.59178	0.9974
84	4-Chlorotoluene	0.14395	3.17771	0.9987
89	1,3-Dichlorobenzene	0.09201	1.90749	0.9986
91	1,4-Dichlorobenzene	0.08306	1.99157	0.9991
95	1,2,4-Trichlorobenzene	0.04972	1.27956	0.9993
98	1,2,3 Trichlorobenzene	0.04722	1.21614	0.9995

5/24/24

INITIAL_CALIBRATION - RELATIVE_RESPONSE_FACTOR(%REC)

Instrument ID :E2
Beginning DateTime :05/17/24 12:33
Spike Units :PPB
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
Ending DateTime :05/17/24 15:44
HPChem Method :VOE2E17

M	IDX	Parameters	.5 12:33 REG118	1 12:57 REG119	2 13:21 REG120	5 13:45 REG121	10 14:09 REG122	30 14:33 REG123	50 14:57 REG124	100 15:21 REG125	200 15:44 REG126	AvDRec	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	0	5.9874
	2	Dichlorodifluoromethane	108	111	101	88	89	106	99	101	97	6	8.06	2.7078
	3	Chloromethane	128	113	105	93	91	92	89	93	97	10.2	13.00	2.9059
	4	Vinyl chloride	96	113	106	86	96	101	103	103	95	5.8	7.58	2.9903
	5	Bromomethane	118	111	99	91	83	91	95	101	112	9.3	11.62	3.3131
	6	Dichlorofluoromethane	108	109	98	111	100	103	94	91	87	6.9	8.41	3.3523
	7	Chloroethane	104	120	101	92	96	103	96	97	91	6.3	8.74	3.3461
	8	Trichlorofluoromethane	110	105	100	87	92	106	101	102	97	5.4	7.24	3.5112
5	9	Acrolein	114	117	97	108	98	92	91	92	91	8.5	10.21	3.7423
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	120	104	91	112	96	98	96	93	90	7.9	10.04	3.7521
5	11	Acetone	78	105	105	107	107	97	99	------	------	31.9	42.17	3.7690
25	12	tert-Butyl alcohol	123	115	103	93	100	92	93	90	89	9.3	11.83	3.8744
	13	1,1-Dichloroethene	109	109	97	113	99	101	91	92	89	6.8	8.46	3.9025
10	14	Acetonitrile	------	123	103	100	103	87	90	------	------	8.9	12.37	3.8744
	15	Allyl chloride	111	114	96	112	101	102	94	86	82	9.1	11.27	4.1055
	16	Iodomethane	126	92	78	89	91	116	109	104	94	18.1	22.23	4.1434
	17	Methyl acetate	------	121	100	102	101	87	90	------	------	7.9	12.15	4.0285
	18	Methylene chloride	26	103	116	128	115	115	102	100	96	22.1	26.33	4.1825
5	19	Acrylonitrile	125	110	96	103	105	93	89	90	91	9.3	11.69	4.2156
	20	tert-Butyl methyl ether (MTBE)	113	107	101	107	101	97	92	91	90	6.4	7.94	4.2266
	21	Carbon disulfide	116	109	94	89	100	98	94	------	------	7.2	9.42	4.3052
	22	trans-1,2-Dichloroethene	112	112	99	114	98	93	93	89	90	8.5	10.07	4.3696
	23	Isopropyl ether (DIPE)	114	108	101	111	100	98	92	91	87	7.5	9.47	4.4601
	24	Vinyl acetate	105	108	103	104	107	94	94	95	92	5.8	6.41	4.5457
	25	1,1-Dichloroethane	116	112	99	108	97	100	93	88	85	8.2	10.57	4.6338
	26	tert-Butyl ethyl ether (ETBE)	110	111	99	110	100	93	95	90	92	6.8	8.21	4.7328
5	27	2-Butanone	------	126	102	102	104	91	91	89	89	9	12.56	4.8539
10	28	Propionitrile	122	111	107	104	96	93	93	87	91	9.3	11.17	4.9101
20	29	Isobutyl alcohol	------	120	100	95	100	90	95	85	------	7.9	12.47	5.0299
	30	2,2-Dichloropropane	111	107	95	114	103	99	95	91	86	7.6	9.30	5.0202
10	31	Methacrylonitrile	115	113	101	109	98	97	92	88	84	8.9	11.02	5.0568
	32	cis-1,2-Dichloroethene	109	115	100	108	96	96	94	90	93	7	8.40	5.0630
	33	Chloroform	125	117	98	104	93	91	87	85	------	11.5	14.51	5.1730
	34	Bromochloromethane	111	115	102	109	102	101	93	86	81	8.8	11.29	5.3271
	35	Tetrahydrofuran	------	111	102	105	98	97	94	92	------	5.3	6.67	5.3192
	36	Dibromofluoromethane	111	105	93	100	102	96	94	------	------	4.9	6.30	5.3381
	37	1,1,1-Trichloroethane	111	108	94	110	100	101	95	93	89	6.8	8.19	5.4971
	38	Cyclohexane	124	114	85	114	84	94	99	91	96	11.6	14.22	5.5484
	39	tert-Amyl methyl ether (TAME)	103	106	95	113	105	90	100	95	93	5.9	7.33	5.6144
	40	1,1-Dichloropropene	111	106	94	113	103	92	97	93	92	7.2	8.29	5.6132
	41	1,2-Dichloroethane-d4	120	111	96	99	97	88	89	------	------	9	11.80	5.7233
	42	Carbon tetrachloride	104	109	91	114	102	99	97	92	92	6.3	8.01	5.7343
	43	1,2-Dichloroethane	113	112	102	112	102	92	93	88	87	8.9	10.41	5.8003
	44	Benzene	115	112	97	104	99	94	96	92	91	6.9	8.64	5.8663
	45	Trichloroethene	113	112	91	110	98	98	95	91	93	7.7	9.09	6.3714
	46	Methyl methacrylate	116	111	94	110	95	90	96	94	93	8.4	9.77	6.4386
	47	Methylcyclohexane	------	117	88	118	88	91	101	98	100	9	11.92	6.4537
	48	1,2-Dichloropropane	120	114	100	103	99	90	94	91	90	8.2	10.74	6.5266
20	49	1,4-Dioxane	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	50	Bromodichloromethane	------	122	103	110	100	95	93	90	87	8.6	11.38	6.7687
	51	Dibromomethane	119	113	98	110	98	97	92	91	83	9.4	11.79	6.8568
	52	2-Chloroethyl vinyl ether	101	108	100	110	103	99	97	94	89	4.8	6.45	6.9338
5	53	4-Methyl-2-pentanone	115	112	97	109	104	91	92	91	87	9	10.35	6.9571
	54	cis-1,3-Dichloropropene	113	107	97	108	101	96	95	93	91	6.3	7.57	7.2750
	55	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	0	9.5641
	56	Toluene-d8	------	117	96	99	101	94	94	------	------	6	8.88	7.5941
	57	Ethyl methacrylate	101	105	97	110	104	95	100	93	95	4.4	5.59	7.6932
	58	Toluene	111	115	97	109	99	91	96	89	93	7.8	9.46	7.6932
	59	trans-1,3-Dichloropropene	105	106	95	111	102	100	99	91	93	5.2	6.61	7.8143
5	60	2-Hexanone	120	109	95	107	106	95	94	86	88	9.3	11.13	7.9378
	61	1,1,2-Trichloroethane	114	113	102	108	99	100	92	86	87	8.1	10.51	8.0454
	62	1,3-Dichloropropane	110	117	98	108	98	96	96	88	88	7.8	9.83	8.3535
	63	Tetrachloroethene	119	120	88	107	96	100	93	87	90	10.2	12.71	8.5088
	64	Dibromochloromethane	------	129	102	106	98	102	92	86	86	9.8	13.87	8.7827
	65	1,2-Dibromoethane	112	107	96	107	102	102	95	90	89	6.8	8.08	9.0688
	66	1-Chlorohexane	112	113	87	112	99	100	96	89	90	8.4	10.45	9.1239
	67	Chlorobenzene	120	112	93	107	98	99	93	88	89	8.8	11.00	9.6191
	68	1,1,1,2-Tetrachloroethane	112	111	93	108	102	103	95	89	88	7.7	9.12	9.6460
	69	Ethylbenzene	116	116	89	106	97	100	95	90	90	8.6	10.66	9.6411
2	70	m-Xylene & p-Xylene	114	112	89	104	93	95	94	------	------	8.5	9.97	9.7496
	71	o-Xylene	120	112	91	110	100	93	97	89	88	9.1	11.21	10.4127
	72	Styrene	111	116	91	109	101	96	97	90	88	8.4	10.19	10.4580
	73	Isopropylbenzene	118	122	93	110	100	89	93	89	86	11.1	13.33	10.9397
	74	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	0	13.8891
	75	Bromoform	114	109	102	108	98	95	97	89	88	7.4	9.03	11.0608
	76	1,1,2,2-Tetrachloroethane	124	119	98	107	97	90	93	87	85	11.1	13.93	11.2026
	77	4-Bromofluorobenzene	------	120	101	102	98	84	96	------	------	7.6	11.73	11.3689
	78	1,2,3-Trichloropropane	115	117	100	114	97	89	95	89	84	10.1	12.26	11.4460
	79	trans-1,4-Dichloro-2-butene	89	100	90	117	102	102	106	98	97	5.9	8.47	11.5132
	80	n-Propylbenzene	121	122	92	113	95	88	94	88	86	12.5	14.55	11.5780
	81	Bromobenzene	118	121	97	112	100	87	93	87	86	11.4	13.87	11.7321
	82	1,3,5-Trimethylbenzene	123	120	93	112	96	89	93	87	86	12.2	14.43	11.8287
	83	2-Chlorotoluene	------	123	91	119	94	93	99	92	89	10.5	13.23	11.9192
	84	4-Chlorotoluene	60	117	98	115	117	89	105	99	100	15.3	20.12	11.9754
	85	tert-Butylbenzene	111	123	90	110	96	83	88	------	------	12.4	14.63	12.4081
	86	1,2,4-Trimethylbenzene	119	123	94	112	98	88	93	87	86	11.8	14.07	12.4780
	87	sec-Butylbenzene	------	127	92	112	98	90	94	88	------	11	14.11	12.7493
	88	p-Isopropyltoluene	122	122	92	113	96	88	92	89	86	12.6	14.69	12.9549
	89	1,3-Dichlorobenzene	62	109	90	120	110	104	108	100	97	15.3	19.08	13.1652
	90	1,2,3-Trimethylbenzene	115	123	94	113	99	89	93	88	86	11.2	13.33	13.2545
	91	1,4-Dichlorobenzene	126	114	86	119	107	103	106	98	98	15.4	18.81	13.3278
	92	n-Butylbenzene	126	122	89	106	96	92	94	86	88	12.1	14.93	13.6140
	93	1,2-Dichlorobenzene	------	123	100	110	92	87	88	------	------	11	14.28	13.9331
	94	1,2-Dibromo-3-chloropropane	114	116	93	101	94	96	95	96	96	6.8	8.87	15.1339
	95	1,2,4-Trichlorobenzene	90	123	86	108	97	98	99	90	103	18.5	24.05	16.4643
	96	Hexachlorobutadiene	------	128	93	111	99	92	92	88	95	9.9	13.33	16.6624
	97	Naphthalene	------	129	91	101	98	93	96	92	100	7.6	12.35	16.8715
	98	1,2,3-Trichlorobenzene	94	121	88	105	97	97	97	97	102	18.5	24.06	17.2310

For 8260C
SM
5/24/24

Compound List Report E2

Method Path : C:\MSDCHEM\1\METHODS\
Method File : VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024
Response Via : Initial Calibration

Total Cpnds : 98

PK#		Compound Name	QIon	Exp_RT	Rel_RT	Cal	#Qual	A/H	ID
1	I	1,4-DIFLUOROBENZENE	114	5.987	1.000	A	1	A	B
2	T	Dichlorodifluoromethane	85	2.708	0.452	A	1	A	B
3	T	Chloromethane	50	2.906	0.485	A	1	A	B
4	T	Vinyl chloride	62	2.994	0.500	A	1	A	B
5	T	Bromomethane	94	3.313	0.553	A	1	A	B
6	T	Dichlorofluoromethane	67	3.357	0.561	A	1	A	B
7	T	Chloroethane	64	3.346	0.559	A	1	A	B
8	T	Trichlorofluoromethane	101	3.511	0.586	A	1	A	B
9	T	Acrolein	56	3.742	0.625	A	1	A	B
10	T	1,1,2-Trichloro-1,2,2-Trifl...	151	3.753	0.627	A	1	A	B
11	T	Acetone	43	3.764	0.629	L	1	A	B
12	T	tert-Butyl alcohol	59	3.874	0.647	A	1	A	B
13	T	1,1-Dichloroethene	61	3.908	0.653	A	2	A	B
14	T	Acetonitrile	41	3.874	0.647	A	1	A	B
15	T	Allyl chloride	76	4.106	0.686	A	1	A	B
16	T	Iodomethane	142	4.150	0.693	L	1	A	B
17	T	Methyl acetate	43	4.029	0.673	A	1	A	B
18	T	Methylene chloride	49	4.183	0.699	L	2	A	B
19	T	Acrylonitrile	53	4.216	0.704	A	2	A	B
20	T	tert-Butyl methyl ether (MTBE)	73	4.227	0.706	A	1	A	B
21	T	Carbon disulfide	76	4.304	0.719	A	1	A	B
22	T	trans-1,2-Dichloroethene	96	4.370	0.730	A	1	A	B
23	T	Isopropyl ether (DIPE)	45	4.458	0.745	A	1	A	B
24	T	Vinyl acetate	43	4.546	0.759	A	1	A	B
25	T	1,1-Dichloroethane	63	4.634	0.774	A	2	A	B
26	T	tert-Butyl ethyl ether (ETBE)	59	4.733	0.791	A	1	A	B
27	T	2-Butanone	72	4.854	0.811	A	1	A	B
28	T	Propionitrile	54	4.909	0.820	A	1	A	B
29	T	Isobutyl alcohol	43	5.030	0.840	A	1	A	B
30	T	2,2-Dichloropropane	77	5.019	0.838	A	2	A	B
31	T	Methacrylonitrile	52	5.052	0.844	A	1	A	B
32	T	cis-1,2-Dichloroethene	96	5.063	0.846	A	1	A	B
33	T	Chloroform	83	5.173	0.864	A	2	A	B
34	T	Bromochloromethane	130	5.327	0.890	A	1	A	B
35	T	Tetrahydrofuran	42	5.327	0.890	A	2	A	B
36	S	Dibromofluoromethane	111	5.338	0.892	A	1	A	B
37	T	1,1,1-Trichloroethane	97	5.492	0.917	A	2	A	B
38	T	Cyclohexane	84	5.547	0.927	A	1	A	B
39	T	tert-Amyl methyl ether (TAME)	87	5.613	0.938	A	1	A	B
40	T	1,1-Dichloropropene	110	5.613	0.938	A	1	A	B
41	S	1,2-Dichloroethane-d4	65	5.723	0.956	A	1	A	B
42	T	Carbon tetrachloride	119	5.734	0.958	A	1	A	B
43	T	1,2-Dichloroethane	62	5.800	0.969	A	1	A	B
44	T	Benzene	78	5.866	0.980	A	2	A	B
45	T	Trichloroethene	130	6.373	1.064	A	3	A	B
46	T	Methyl methacrylate	69	6.439	1.075	A	1	A	B
47	T	Methylcyclohexane	83	6.450	1.077	A	2	A	B
48	T	1,2-Dichloropropane	63	6.527	1.090	A	1	A	B
49	T	1,4-Dioxane	88	6.725	1.123	A	1	A	B
50	T	Bromodichloromethane	83	6.769	1.131	A	1	A	B
51	T	Dibromomethane	93	6.857	1.145	A	2	A	B
52	T	2-Chloroethyl vinyl ether	63	6.934	1.158	A	1	A	B
53	T	4-Methyl-2-pentanone	43	6.956	1.162	A	3	A	B
54	T	cis-1,3-Dichloropropene	75	7.275	1.215	A	3	A	B
55	I	CHLOROBENZENE-D5	117	9.564	1.000	A	2	A	B

5/24/24

56	S	Toluene-d8	98	7.594	0.794	A	1	A	B
57	T	Ethyl methacrylate	69	7.693	0.804	A	1	A	B
58	T	Toluene	91	7.693	0.804	A	1	A	B
59	T	trans-1,3-Dichloropropene	75	7.814	0.817	A	1	A	B
60	T	2-Hexanone	43	7.935	0.830	A	1	A	B
61	T	1,1,2-Trichloroethane	97	8.045	0.841	A	2	A	B
62	T	1,3-Dichloropropane	76	8.354	0.873	A	1	A	B
63	T	Tetrachloroethene	164	8.508	0.890	A	3	A	B
64	T	Dibromochloromethane	129	8.783	0.918	A	1	A	B
65	T	1,2-Dibromoethane	107	9.069	0.948	A	1	A	B
66	T	1-Chlorohexane	91	9.124	0.954	A	1	A	B
67	T	Chlorobenzene	112	9.619	1.006	A	1	A	B
68	T	1,1,1,2-Tetrachloroethane	131	9.652	1.009	A	1	A	B
69	T	Ethylbenzene	91	9.641	1.008	A	1	A	B
70	T	m-Xylene & p-Xylene	91	9.740	1.018	A	1	A	B
71	T	o-Xylene	91	10.412	1.089	A	1	A	B
72	T	Styrene	104	10.456	1.093	A	2	A	B
73	T	Isopropylbenzene	105	10.940	1.144	A	3	A	B
74	I	1,2-DICHLOROBENZENE-D4	152	13.889	1.000	A	1	A	B
75	T	Bromoform	173	11.061	0.796	A	2	A	B
76	T	1,1,2,2-Tetrachloroethane	83	11.204	0.807	A	1	A	B
77	S	4-Bromofluorobenzene	95	11.369	0.819	A	2	A	B
78	T	1,2,3-Trichloropropane	110	11.446	0.824	A	1	A	B
79	T	trans-1,4-Dichloro-2-butene	53	11.512	0.829	A	1	A	B
80	T	n-Propylbenzene	91	11.578	0.834	A	2	A	B
81	T	Bromobenzene	156	11.732	0.845	A	1	A	B
82	T	1,3,5-Trimethylbenzene	105	11.831	0.852	A	2	A	B
83	T	2-Chlorotoluene	91	11.919	0.858	A	1	A	B
84	T	4-Chlorotoluene	91	11.974	0.862	L	1	A	B
85	T	tert-Butylbenzene	134	12.415	0.894	A	1	A	B
86	T	1,2,4-Trimethylbenzene	105	12.470	0.898	A	1	A	B
87	T	sec-Butylbenzene	105	12.745	0.918	A	1	A	B
88	T	p-Isopropyltoluene	119	12.954	0.933	A	2	A	B
89	T	1,3-Dichlorobenzene	146	13.163	0.948	L	2	A	B
90	T	1,2,3-Trimethylbenzene	105	13.251	0.954	A	2	A	B
91	T	1,4-Dichlorobenzene	146	13.328	0.960	L	2	A	B
92	T	n-Butylbenzene	91	13.614	0.980	A	2	A	B
93	T	1,2-Dichlorobenzene	146	13.933	1.003	A	1	A	B
94	T	1,2-Dibromo-3-chloropropane	157	15.133	1.090	A	1	A	B
95	T	1,2,4-Trichlorobenzene	180	16.464	1.185	L	2	A	B
96	T	Hexachlorobutadiene	225	16.663	1.200	A	2	A	B
97	T	Naphthalene	128	16.872	1.215	A	1	A	B
98	T	1,2,3-Trichlorobenzene	180	17.224	1.240	L	2	A	B

Cal A = Average L = Linear LO = Linear w/origin Q = Quad QO = Quad w/origin
#Qual = number of qualifiers
A/H = Area or Height
ID R = R.T. B = R.T. & Q Q = Qvalue L = Largest A = All


VOE2E17.M Tue May 21 20:46:28 2024

5/24/24

Data Path : D:\Data\24E17\
Data File : REG116.D
Acq On : 17 May 2024 11:23
Operator : DNguye
Sample : BFBE2E09
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



AutoFind: Scans 797, 798, 799; Background Corrected with Scan 791

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	20.3	11125	PASS
75	95	30	60	50.1	27461	PASS
95	95	100	100	100.0	54867	PASS
96	95	5	9	6.7	3687	PASS
173	174	0.00	2	1.0	441	PASS
174	95	50	100	83.3	45723	PASS
175	174	5	9	7.5	3423	PASS
176	174	95	101	97.6	44603	PASS
177	176	5	9	6.5	2888	PASS

SA 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG118.D Vial: 3
Acq On : 17 May 2024 12:33 Operator: DNguye
Sample : VOE2E172 0.02 Inst : E2
Misc : 0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:44 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	549104	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	464476	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	212499	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	18576	0.55	ug/l	0.00
Spiked Amount 10.000			Recovery =	5.50%		
41) 1,2-Dichloroethane-d4	5.723	65	26686	0.60	ug/L	0.00
Spiked Amount 10.000			Recovery =	6.00%		
56) Toluene-d8	7.594	98	57312	0.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	6.20%		
77) 4-Bromofluorobenzene	11.369	95	22723	0.67	ug/l	0.00
Spiked Amount 10.000			Recovery =	6.70%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	17056	0.54	ug/l	98
3) Chloromethane	2.906	50	14446	0.64	ug/l	99
4) Vinyl chloride	2.994	62	11508	0.48	ug/l	73
5) Bromomethane	3.313	94	9554	0.59	ug/l	94
6) Dichlorofluoromethane	3.357	67	29410	0.54	ug/L	96
7) Chloroethane	3.346	64	6087	0.52	ug/l	85
8) Trichlorofluoromethane	3.511	101	29529	0.55	ug/l	98
9) Acrolein	3.742	56	10194	2.85	ug/l	91
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	14012	0.60	ug/l	91
11) Acetone	3.764	43	44639	1.96	ug/l	96
12) tert-Butyl alcohol	3.874	59	51406	15.40	ug/L	97
13) 1,1-Dichloroethene	3.907	61	26690	0.54	ug/l	96
14) Acetonitrile	3.874	41	10893	6.57	ug/L	98
15) Allyl chloride	4.106	76	7180	0.55	ug/L	98
16) Iodomethane	4.139	142	9193	0.63	ug/l	87
17) Methyl acetate	4.029	43	14730	0.79	ug/L	85
18) Methylene chloride	4.183	49	30803	0.13	ug/l	98
19) Acrylonitrile	4.216	53	25634	3.11	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	46315	0.56	ug/L	96
21) Carbon disulfide	4.304	76	43578	0.58	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	14728	0.56	ug/l	97
23) Isopropyl ether (DIPE)	4.469	45	47724	0.57	ug/l	94
24) Vinyl acetate	4.546	43	24849	0.52	ug/l	95
25) 1,1-Dichloroethane	4.634	63	30845	0.58	ug/l	92
26) tert-Butyl ethyl ether...	4.733	59	55588	0.55	ug/l	98
27) 2-Butanone	4.854	72	11165	4.33	ug/l	86
28) Propionitrile	4.909	54	18460	6.08	ug/L	91
29) Isobutyl alcohol	5.030	43	14416	13.44	ug/L	87
30) 2,2-Dichloropropane	5.019	77	29380	0.55	ug/l	97
31) Methacrylonitrile	5.052	52	28918	5.80	ug/L	100
32) cis-1,2-Dichloroethene	5.063	96	16247	0.54	ug/l	98
33) Chloroform	5.173	83	41179	0.63	ug/l	98
34) Bromochloromethane	5.327	130	9713	0.55	ug/l	96
35) Tetrahydrofuran	5.316	42	5046	0.73	ug/L	71
37) 1,1,1-Trichloroethane	5.492	97	32762	0.55	ug/l	99
38) Cyclohexane	5.547	84	18767	0.62	ug/L	95
39) tert-Amyl methyl ether...	5.613	87	9348	0.52	ug/l	84
40) 1,1-Dichloropropene	5.613	110	7182	0.55	ug/L	93
42) Carbon tetrachloride	5.734	119	25943	0.52	ug/L	94

SU 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG118.D
Acq On : 17 May 2024 12:33
Sample : VOE2E172 0.02
Misc : 0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:44 2024
Quant Results File: VOE2E17.RES

Vial: 3
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43)	1,2-Dichloroethane	5.800	62	28450	0.56	ug/L	98
44)	Benzene	5.866	78	57665	0.57	ug/L	99
45)	Trichloroethene	6.362	130	15745	0.57	ug/L	92
46)	Methyl methacrylate	6.439	69	14294	0.58	ug/L	92
47)	Methylcyclohexane	6.450	83	24801	0.75	ug/L	98
48)	1,2-Dichloropropane	6.527	63	15344	0.60	ug/L	87
50)	Bromodichloromethane	6.769	83	36002	0.74	ug/L	94
51)	Dibromomethane	6.857	93	12457	0.60	ug/L	89
52)	2-Chloroethyl vinyl ether	6.934	63	6395	0.50	ug/L	87
53)	4-Methyl-2-pentanone	6.967	43	81159	2.89	ug/L	98
54)	cis-1,3-Dichloropropene	7.275	75	25278	0.56	ug/L	99
57)	Ethyl methacrylate	7.693	69	15961	0.50	ug/L	97
58)	Toluene	7.693	91	58579	0.56	ug/l	98
59)	trans-1,3-Dichloropropene	7.814	75	23673	0.53	ug/l	98
60)	2-Hexanone	7.946	43	57309	3.01	ug/l	96
61)	1,1,2-Trichloroethane	8.045	97	14308	0.57	ug/l	96
62)	1,3-Dichloropropane	8.354	76	20459	0.55	ug/l	96
63)	Tetrachloroethene	8.508	164	13727	0.60	ug/l	96
64)	Dibromochloromethane	8.783	129	29407	0.78	ug/l	97
65)	1,2-Dibromoethane	9.069	107	15125	0.56	ug/l	99
66)	1-Chlorohexane	9.124	91	19608	0.56	ug/l	96
67)	Chlorobenzene	9.619	112	41842	0.60	ug/l	98
68)	1,1,1,2-Tetrachloroethane	9.641	131	16551	0.56	ug/l	98
69)	Ethylbenzene	9.641	91	74129	0.58	ug/l	99
70)	m-Xylene & p-Xylene	9.751	91	118397	1.14	ug/l	100
71)	o-Xylene	10.423	91	58892	0.60	ug/l	99
72)	Styrene	10.467	104	38267	0.56	ug/l	96
73)	Isopropylbenzene	10.940	105	65839	0.59	ug/L	99
75)	Bromoform	11.061	173	13240	0.57	ug/l	96
76)	1,1,2,2-Tetrachloroethane	11.204	83	18390	0.62	ug/l	99
78)	1,2,3-Trichloropropane	11.446	110	4683	0.57	ug/l	89
79)	trans-1,4-Dichloro-2-b...	11.512	53	3669	0.44	ug/l	65
80)	n-Propylbenzene	11.578	91	81637	0.61	ug/l	99
81)	Bromobenzene	11.732	156	17493	0.59	ug/l	90
82)	1,3,5-Trimethylbenzene	11.820	105	57014	0.62	ug/l	98
83)	2-Chlorotoluene	11.919	91	55924	0.67	ug/l	97
84)	4-Chlorotoluene	11.974	91	50900	0.30	ug/l	88
85)	tert-Butylbenzene	12.414	134	7933	0.55	ug/l	81
86)	1,2,4-Trimethylbenzene	12.480	105	53741	0.59	ug/l	100
87)	sec-Butylbenzene	12.756	105	65405	0.62	ug/l	99
88)	p-Isopropyltoluene	12.965	119	53602	0.61	ug/l	97
89)	1,3-Dichlorobenzene	13.163	146	32090	0.31	ug/l	99
90)	1,2,3-Trimethylbenzene	13.251	105	51524	0.57	ug/L	99
91)	1,4-Dichlorobenzene	13.328	146	32107	0.34	ug/l	100
92)	n-Butylbenzene	13.614	91	52899	0.63	ug/l	99
93)	1,2-Dichlorobenzene	13.933	146	31197	0.67	ug/l	99
94)	1,2-Dibromo-3-chloropr...	15.133	157	3444	0.57	ug/l	77
95)	1,2,4-Trichlorobenzene	16.464	180	22885	0.45	ug/l	96
96)	Hexachlorobutadiene	16.651	225	14673	0.91	ug/l	99
97)	Naphthalene	16.872	128	48991	0.68	ug/l	95
98)	1,2,3-Trichlorobenzene	17.224	180	22069	0.47	ug/l	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Su 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG118.D Vial: 3
Acq On : 17 May 2024 12:33 Operator: DNguye
Sample : VOE2E172 0.02 Inst : E2
Misc : 0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:44 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



SU 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG119.D Vial: 4
Acq On : 17 May 2024 12:57 Operator: DNguye
Sample : VOE2E173 0.04 Inst : E2
Misc : 1.0ppb 8260/5.0ppb KET-AA/25ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:47 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	528810	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	434355	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	203881	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	33928	1.05	ug/l	0.00
Spiked Amount 10.000			Recovery =	10.50%		
41) 1,2-Dichloroethane-d4	5.723	65	47681	1.11	ug/L	0.00
Spiked Amount 10.000			Recovery =	11.10%		
56) Toluene-d8	7.594	98	101137	1.17	ug/l	0.00
Spiked Amount 10.000			Recovery =	11.70%		
77) 4-Bromofluorobenzene	11.369	95	38761	1.20	ug/l	0.00
Spiked Amount 10.000			Recovery =	12.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	33711	1.11	ug/l	97
3) Chloromethane	2.906	50	24615	1.13	ug/l	97
4) Vinyl chloride	2.994	62	25933	1.13	ug/l	99
5) Bromomethane	3.313	94	17186	1.10	ug/l	98
6) Dichlorofluoromethane	3.357	67	57478	1.09	ug/L	98
7) Chloroethane	3.346	64	13510	1.20	ug/l	94
8) Trichlorofluoromethane	3.511	101	54306	1.05	ug/l	91
9) Acrolein	3.742	56	20066	5.83	ug/l	93
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	23511	1.04	ug/l	98
11) Acetone	3.775	43	63395	5.26	ug/l	97
12) tert-Butyl alcohol	3.874	59	92364	28.72	ug/L	99
13) 1,1-Dichloroethene	3.907	61	51276	1.08	ug/l	98
14) Acetonitrile	3.874	41	19387	12.15	ug/L	92
15) Allyl chloride	4.105	76	14259	1.14	ug/L	90
16) Iodomethane	4.149	142	16513	0.92	ug/l	95
17) Methyl acetate	4.028	43	21690	1.21	ug/L	99
18) Methylene chloride	4.183	49	57918	1.03	ug/l	99
19) Acrylonitrile	4.216	53	43571	5.48	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	84545	1.07	ug/L	98
21) Carbon disulfide	4.304	76	78967	1.09	ug/l	98
22) trans-1,2-Dichloroethene	4.370	96	28258	1.12	ug/l	93
23) Isopropyl ether (DIPE)	4.458	45	86599	1.08	ug/l	100
24) Vinyl acetate	4.546	43	49261	1.08	ug/l	97
25) 1,1-Dichloroethane	4.634	63	57329	1.12	ug/l	96
26) tert-Butyl ethyl ether...	4.733	59	108334	1.11	ug/l	99
27) 2-Butanone	4.854	72	15702	6.33	ug/l	98
28) Propionitrile	4.909	54	32216	11.02	ug/L	98
29) Isobutyl alcohol	5.030	43	25893	25.07	ug/L	94
30) 2,2-Dichloropropane	5.019	77	54501	1.07	ug/l	99
31) Methacrylonitrile	5.063	52	54305	11.31	ug/L	99
32) cis-1,2-Dichloroethene	5.063	96	32895	1.15	ug/l	94
33) Chloroform	5.173	83	73903	1.17	ug/l	96
34) Bromochloromethane	5.327	130	19362	1.15	ug/l	97
35) Tetrahydrofuran	5.327	42	7423	1.11	ug/L	88
37) 1,1,1-Trichloroethane	5.503	97	61622	1.08	ug/l	99
38) Cyclohexane	5.558	84	33028	1.14	ug/L	99
39) tert-Amyl methyl ether...	5.613	87	18421	1.06	ug/l	94
40) 1,1-Dichloropropene	5.613	110	13272	1.06	ug/L	97
42) Carbon tetrachloride	5.734	119	52471	1.09	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG119.D
Acq On : 17 May 2024 12:57
Sample : VOE2E173 0.04
Misc : 1.0ppb 8260/5.0ppb KET-AA/25ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:47 2024
Quant Results File: VOE2E17.RES

Vial: 4
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43)	1,2-Dichloroethane	5.800	62	54277	1.12	ug/L	96
44)	Benzene	5.866	78	108613	1.12	ug/L	99
45)	Trichloroethene	6.373	130	29804	1.12	ug/L	97
46)	Methyl methacrylate	6.439	69	26306	1.11	ug/L	98
47)	Methylcyclohexane	6.450	83	37063	1.17	ug/L	98
48)	1,2-Dichloropropane	6.527	63	28108	1.14	ug/L	100
50)	Bromodichloromethane	6.769	83	56931	1.22	ug/L	98
51)	Dibromomethane	6.857	93	22728	1.13	ug/L	92
52)	2-Chloroethyl vinyl ether	6.934	63	13231	1.08	ug/L	90
53)	4-Methyl-2-pentanone	6.956	43	151354	5.59	ug/L	99
54)	cis-1,3-Dichloropropene	7.275	75	46187	1.07	ug/L	99
57)	Ethyl methacrylate	7.693	69	31012	1.05	ug/L	98
58)	Toluene	7.693	91	112834	1.15	ug/l	97
59)	trans-1,3-Dichloropropene	7.814	75	44780	1.06	ug/l	97
60)	2-Hexanone	7.935	43	97204	5.46	ug/l	98
61)	1,1,2-Trichloroethane	8.045	97	26335	1.13	ug/l	98
62)	1,3-Dichloropropane	8.353	76	40485	1.17	ug/l	97
63)	Tetrachloroethene	8.508	164	25854	1.20	ug/l	93
64)	Dibromochloromethane	8.783	129	45093	1.29	ug/l	97
65)	1,2-Dibromoethane	9.069	107	26886	1.07	ug/l	93
66)	1-Chlorohexane	9.124	91	36853	1.13	ug/l	94
67)	Chlorobenzene	9.619	112	73176	1.12	ug/l	100
68)	1,1,1,2-Tetrachloroethane	9.641	131	30816	1.11	ug/l	100
69)	Ethylbenzene	9.641	91	138084	1.16	ug/l	100
70)	m-Xylene & p-Xylene	9.751	91	217417	2.24	ug/l	99
71)	o-Xylene	10.411	91	102543	1.12	ug/l	99
72)	Styrene	10.455	104	74867	1.16	ug/l	96
73)	Isopropylbenzene	10.940	105	127896	1.22	ug/L	99
75)	Bromoform	11.061	173	24303	1.09	ug/l	98
76)	1,1,2,2-Tetrachloroethane	11.204	83	33812	1.19	ug/l	99
78)	1,2,3-Trichloropropane	11.446	110	9149	1.17	ug/l	96
79)	trans-1,4-Dichloro-2-b...	11.512	53	7950	1.00	ug/l	84
80)	n-Propylbenzene	11.578	91	157786	1.22	ug/l	98
81)	Bromobenzene	11.732	156	34281	1.21	ug/l	98
82)	1,3,5-Trimethylbenzene	11.820	105	106571	1.20	ug/l	98
83)	2-Chlorotoluene	11.919	91	97870	1.23	ug/l	99
84)	4-Chlorotoluene	11.974	91	105023	1.17	ug/l	98
85)	tert-Butylbenzene	12.414	134	16901	1.23	ug/l	88
86)	1,2,4-Trimethylbenzene	12.480	105	106726	1.23	ug/l	99
87)	sec-Butylbenzene	12.745	105	127554	1.27	ug/l	98
88)	p-Isopropyltoluene	12.954	119	102878	1.22	ug/l	98
89)	1,3-Dichlorobenzene	13.163	146	61010	1.09	ug/l	99
90)	1,2,3-Trimethylbenzene	13.251	105	105503	1.22	ug/L	99
91)	1,4-Dichlorobenzene	13.328	146	63367	1.14	ug/l	99
92)	n-Butylbenzene	13.614	91	98269	1.22	ug/l	100
93)	1,2-Dichlorobenzene	13.933	146	54994	1.23	ug/l	94
94)	1,2-Dibromo-3-chloropr...	15.133	157	6688	1.16	ug/l	90
95)	1,2,4-Trichlorobenzene	16.464	180	42271	1.23	ug/l	95
96)	Hexachlorobutadiene	16.662	225	19735	1.28	ug/l	96
97)	Naphthalene	16.871	128	88837	1.29	ug/l	100
98)	1,2,3-Trichlorobenzene	17.235	180	39581	1.21	ug/l	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

SH 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG119.D Vial: 4
Acq On : 17 May 2024 12:57 Operator: DNguye
Sample : VOE2E173 0.04 Inst : E2
Misc : 1.0ppb 8260/5.0ppb KET-AA/25ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:47 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:45:03 2024 Page 3

Su 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG120.D
Acq On : 17 May 2024 13:21
Sample : VOE2E174 0.08
Misc : 2.0ppb 8260/10ppb KET-AA/50ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:50 2024
Quant Results File: VOE2E17.RES

Vial: 5
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	504172	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	426041	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	198013	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	57595	1.87	ug/l	0.00
Spiked Amount 10.000			Recovery =	18.70%		
41) 1,2-Dichloroethane-d4	5.723	65	78644	1.93	ug/L	0.00
Spiked Amount 10.000			Recovery =	19.30%		
56) Toluene-d8	7.594	98	161890	1.91	ug/l	0.00
Spiked Amount 10.000			Recovery =	19.10%		
77) 4-Bromofluorobenzene	11.369	95	63415	2.02	ug/l	0.00
Spiked Amount 10.000			Recovery =	20.20%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	58393	2.02	ug/l	96
3) Chloromethane	2.906	50	43714	2.11	ug/l	98
4) Vinyl chloride	2.994	62	46513	2.12	ug/l	99
5) Bromomethane	3.313	94	29298	1.98	ug/l	98
6) Dichlorofluoromethane	3.357	67	98226	1.96	ug/L	100
7) Chloroethane	3.346	64	21773	2.03	ug/l	96
8) Trichlorofluoromethane	3.511	101	98938	2.01	ug/l	99
9) Acrolein	3.742	56	31812	9.70	ug/l	96
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	39243	1.83	ug/l	92
11) Acetone	3.764	43	91425	10.51	ug/l	95
12) tert-Butyl alcohol	3.874	59	158265	51.62	ug/L	99
13) 1,1-Dichloroethene	3.907	61	87690	1.95	ug/l	99
14) Acetonitrile	3.874	41	31277	20.56	ug/L	94
15) Allyl chloride	4.106	76	22925	1.93	ug/L	99
16) Iodomethane	4.150	142	31220	1.55	ug/l	89
17) Methyl acetate	4.028	43	33958	1.99	ug/L	99
18) Methylene chloride	4.183	49	93752	2.32	ug/l	95
19) Acrylonitrile	4.216	53	72852	9.61	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	152103	2.02	ug/L	99
21) Carbon disulfide	4.304	76	130016	1.88	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	47642	1.98	ug/l	99
23) Isopropyl ether (DIPE)	4.458	45	154819	2.02	ug/l	99
24) Vinyl acetate	4.546	43	90028	2.06	ug/l	99
25) 1,1-Dichloroethane	4.634	63	96551	1.99	ug/l	97
26) tert-Butyl ethyl ether...	4.733	59	184438	1.98	ug/l	97
27) 2-Butanone	4.854	72	24326	10.28	ug/l	96
28) Propionitrile	4.909	54	59115	21.21	ug/L	99
29) Isobutyl alcohol	5.030	43	40617	41.24	ug/L	98
30) 2,2-Dichloropropane	5.019	77	92101	1.89	ug/l	98
31) Methacrylonitrile	5.063	52	93184	20.36	ug/L	99
32) cis-1,2-Dichloroethene	5.063	96	54578	1.99	ug/l	97
33) Chloroform	5.173	83	118215	1.96	ug/l	98
34) Bromochloromethane	5.327	130	32779	2.04	ug/l	93
35) Tetrahydrofuran	5.316	42	13038	2.05	ug/L	90
37) 1,1,1-Trichloroethane	5.492	97	101793	1.87	ug/l	99
38) Cyclohexane	5.547	84	46966	1.69	ug/L	97
39) tert-Amyl methyl ether...	5.613	87	31686	1.91	ug/l	99
40) 1,1-Dichloropropene	5.613	110	22400	1.88	ug/L	99
42) Carbon tetrachloride	5.734	119	84046	1.83	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG120.D
Acq On : 17 May 2024 13:21
Sample : VOE2E174 0.08
Misc : 2.0ppb 8260/10ppb KET-AA/50ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:50 2024
Quant Results File: VOE2E17.RES

Vial: 5
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	94348	2.04	ug/L	97
44) Benzene	5.866	78	178713	1.94	ug/L	99
45) Trichloroethene	6.373	130	46157	1.81	ug/L	99
46) Methyl methacrylate	6.439	69	42439	1.88	ug/L	99
47) Methylcyclohexane	6.450	83	53240	1.76	ug/L	98
48) 1,2-Dichloropropane	6.527	63	46865	1.99	ug/L	96
50) Bromodichloromethane	6.769	83	91675	2.06	ug/L	100
51) Dibromomethane	6.857	93	37625	1.96	ug/L	98
52) 2-Chloroethyl vinyl ether	6.934	63	23373	2.00	ug/L	93
53) 4-Methyl-2-pentanone	6.956	43	249599	9.68	ug/L	99
54) cis-1,3-Dichloropropene	7.275	75	79803	1.94	ug/L	98
57) Ethyl methacrylate	7.693	69	56408	1.94	ug/L	95
58) Toluene	7.693	91	187086	1.94	ug/l	97
59) trans-1,3-Dichloropropene	7.814	75	78497	1.90	ug/l	99
60) 2-Hexanone	7.935	43	166637	9.54	ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	46722	2.04	ug/l	94
62) 1,3-Dichloropropane	8.353	76	67082	1.97	ug/l	99
63) Tetrachloroethene	8.519	164	36950	1.75	ug/l	98
64) Dibromochloromethane	8.783	129	70358	2.05	ug/l	100
65) 1,2-Dibromoethane	9.069	107	47406	1.92	ug/l	95
66) 1-Chlorohexane	9.124	91	55496	1.74	ug/l	97
67) Chlorobenzene	9.619	112	118853	1.86	ug/l	99
68) 1,1,1,2-Tetrachloroethane	9.652	131	50691	1.87	ug/l	99
69) Ethylbenzene	9.641	91	208714	1.79	ug/l	97
70) m-Xylene & p-Xylene	9.751	91	338673	3.56	ug/l	98
71) o-Xylene	10.411	91	164095	1.82	ug/l	100
72) Styrene	10.466	104	115396	1.83	ug/l	99
73) Isopropylbenzene	10.940	105	190859	1.86	ug/L	98
75) Bromoform	11.061	173	44022	2.04	ug/l	95
76) 1,1,2,2-Tetrachloroethane	11.193	83	54240	1.97	ug/l	97
78) 1,2,3-Trichloropropane	11.446	110	15209	2.00	ug/l	95
79) trans-1,4-Dichloro-2-b...	11.512	53	13882	1.80	ug/l	85
80) n-Propylbenzene	11.578	91	231734	1.85	ug/l	99
81) Bromobenzene	11.732	156	53404	1.94	ug/l	100
82) 1,3,5-Trimethylbenzene	11.831	105	161315	1.87	ug/l	100
83) 2-Chlorotoluene	11.919	91	141734	1.83	ug/l	97
84) 4-Chlorotoluene	11.974	91	152101	1.96	ug/l	97
85) tert-Butylbenzene	12.403	134	23967	1.79	ug/l	96
86) 1,2,4-Trimethylbenzene	12.469	105	158867	1.88	ug/l	98
87) sec-Butylbenzene	12.745	105	179127	1.83	ug/l	98
88) p-Isopropyltoluene	12.954	119	151252	1.84	ug/l	99
89) 1,3-Dichlorobenzene	13.163	146	86761	1.81	ug/l	98
90) 1,2,3-Trimethylbenzene	13.262	105	157347	1.88	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	83842	1.71	ug/l	98
92) n-Butylbenzene	13.614	91	138593	1.78	ug/l	97
93) 1,2-Dichlorobenzene	13.933	146	86457	2.00	ug/l	94
94) 1,2-Dibromo-3-chloropr...	15.144	157	10369	1.85	ug/l	98
95) 1,2,4-Trichlorobenzene	16.464	180	53437	1.72	ug/l	96
96) Hexachlorobutadiene	16.662	225	27904	1.87	ug/l	93
97) Naphthalene	16.872	128	121259	1.81	ug/l	98
98) 1,2,3-Trichlorobenzene	17.235	180	51397	1.75	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG120.D
Acq On : 17 May 2024 13:21
Sample : VOE2E174 0.08
Misc : 2.0ppb 8260/10ppb KET-AA/50ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:50 2024
Quant Results File: VOE2E17.RES

Vial: 5
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG121.D Vial: 6
Acq On : 17 May 2024 13:45 Operator: DNguye
Sample : VOE2E175 0.2 Inst : E2
Misc : 5.0ppb 8260/25ppb KET-AA/125ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:53 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	487048	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	411703	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	191679	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	149306	5.01	ug/l	0.00
Spiked Amount 10.000			Recovery =	50.10%		
41) 1,2-Dichloroethane-d4	5.723	65	195277	4.95	ug/L	0.00
Spiked Amount 10.000			Recovery =	49.50%		
56) Toluene-d8	7.594	98	403502	4.93	ug/l	0.00
Spiked Amount 10.000			Recovery =	49.30%		
77) 4-Bromofluorobenzene	11.369	95	155282	5.10	ug/l	0.00
Spiked Amount 10.000			Recovery =	51.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	122648	4.39	ug/l	97
3) Chloromethane	2.906	50	93317	4.65	ug/l	98
4) Vinyl chloride	2.994	62	91465	4.32	ug/l	100
5) Bromomethane	3.313	94	65335	4.56	ug/l	94
6) Dichlorofluoromethane	3.357	67	267634	5.53	ug/L	99
7) Chloroethane	3.346	64	47747	4.60	ug/l	99
8) Trichlorofluoromethane	3.511	101	206005	4.33	ug/l	99
9) Acrolein	3.742	56	85202	26.90	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	115708	5.58	ug/l	99
11) Acetone	3.775	43	181295	26.82	ug/l	99
12) tert-Butyl alcohol	3.874	59	344659	116.37	ug/L	98
13) 1,1-Dichloroethene	3.907	61	245176	5.63	ug/l	99
14) Acetonitrile	3.874	41	72381	49.24	ug/L	98
15) Allyl chloride	4.106	76	64414	5.60	ug/L	96
16) Iodomethane	4.150	142	99500	4.47	ug/l	98
17) Methyl acetate	4.028	43	83812	5.09	ug/L	98
18) Methylene chloride	4.183	49	207529	6.38	ug/l	99
19) Acrylonitrile	4.216	53	188186	25.70	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	390334	5.36	ug/L	99
21) Carbon disulfide	4.315	76	296530	4.45	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	131904	5.68	ug/l	99
23) Isopropyl ether (DIPE)	4.469	45	409571	5.53	ug/l	99
24) Vinyl acetate	4.546	43	218833	5.19	ug/l	99
25) 1,1-Dichloroethane	4.634	63	253600	5.40	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	492810	5.48	ug/l	98
27) 2-Butanone	4.854	72	58944	25.79	ug/l	99
28) Propionitrile	4.909	54	138597	51.47	ug/L	99
29) Isobutyl alcohol	5.030	43	91136	95.79	ug/L	90
30) 2,2-Dichloropropane	5.019	77	267884	5.70	ug/l	100
31) Methacrylonitrile	5.052	52	241029	54.52	ug/L	98
32) cis-1,2-Dichloroethene	5.063	96	142504	5.39	ug/l	99
33) Chloroform	5.173	83	301423	5.17	ug/l	100
34) Bromochloromethane	5.327	130	84672	5.45	ug/l	98
35) Tetrahydrofuran	5.316	42	32093	5.23	ug/L	97
37) 1,1,1-Trichloroethane	5.492	97	290344	5.53	ug/l	99
38) Cyclohexane	5.547	84	153001	5.71	ug/L	99
39) tert-Amyl methyl ether...	5.613	87	90625	5.65	ug/l	97
40) 1,1-Dichloropropene	5.613	110	64894	5.64	ug/L	99
42) Carbon tetrachloride	5.734	119	254324	5.72	ug/L	99

SW 5/[illegible]/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG121.D
Acq On : 17 May 2024 13:45
Sample : VOE2E175 0.2
Misc : 5.0ppb 8260/25ppb KET-AA/125ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:53 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 1,2-Dichloroethane	5.800	62	249997	5.58	ug/L	98
44) Benzene	5.866	78	463725	5.20	ug/L	99
45) Trichloroethene	6.373	130	134582	5.47	ug/L	99
46) Methyl methacrylate	6.439	69	120215	5.52	ug/L	98
47) Methylcyclohexane	6.461	83	173338	5.92	ug/L	100
48) 1,2-Dichloropropane	6.527	63	117555	5.17	ug/L	98
50) Bromodichloromethane	6.769	83	235788	5.48	ug/L	100
51) Dibromomethane	6.857	93	101452	5.48	ug/L	97
52) 2-Chloroethyl vinyl ether	6.934	63	61615	5.47	ug/L	99
53) 4-Methyl-2-pentanone	6.956	43	678153	27.22	ug/L	99
54) cis-1,3-Dichloropropene	7.275	75	214825	5.40	ug/L	98
57) Ethyl methacrylate	7.693	69	155089	5.52	ug/L	99
58) Toluene	7.693	91	511175	5.47	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	220626	5.52	ug/l	97
60) 2-Hexanone	7.935	43	449735	26.64	ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	119322	5.38	ug/l	99
62) 1,3-Dichloropropane	8.354	76	178297	5.42	ug/l	100
63) Tetrachloroethene	8.508	164	108809	5.33	ug/l	98
64) Dibromochloromethane	8.783	129	176521	5.31	ug/l	100
65) 1,2-Dibromoethane	9.069	107	127798	5.35	ug/l	96
66) 1-Chlorohexane	9.124	91	173438	5.61	ug/l	98
67) Chlorobenzene	9.619	112	329167	5.34	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	141011	5.37	ug/l	97
69) Ethylbenzene	9.641	91	601100	5.32	ug/l	100
70) m-Xylene & p-Xylene	9.751	91	956464	10.39	ug/l	100
71) o-Xylene	10.411	91	477831	5.48	ug/l	100
72) Styrene	10.456	104	332459	5.46	ug/l	98
73) Isopropylbenzene	10.940	105	544298	5.48	ug/L	100
75) Bromoform	11.061	173	112822	5.39	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	142828	5.35	ug/l	99
78) 1,2,3-Trichloropropane	11.446	110	42035	5.70	ug/l	97
79) trans-1,4-Dichloro-2-b...	11.512	53	43660	5.85	ug/l	88
80) n-Propylbenzene	11.578	91	686564	5.65	ug/l	100
81) Bromobenzene	11.732	156	149808	5.62	ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	467836	5.60	ug/l	99
83) 2-Chlorotoluene	11.919	91	447056	5.96	ug/l	93
84) 4-Chlorotoluene	11.974	91	377625	5.75	ug/l	93
85) tert-Butylbenzene	12.403	134	70940	5.49	ug/l	98
86) 1,2,4-Trimethylbenzene	12.480	105	456338	5.58	ug/l	99
87) sec-Butylbenzene	12.756	105	528792	5.58	ug/l	98
88) p-Isopropyltoluene	12.954	119	450688	5.67	ug/l	99
89) 1,3-Dichlorobenzene	13.163	146	238171	6.03	ug/l	99
90) 1,2,3-Trimethylbenzene	13.251	105	457826	5.65	ug/L	99
91) 1,4-Dichlorobenzene	13.328	146	243444	5.96	ug/l	99
92) n-Butylbenzene	13.614	91	399502	5.29	ug/l	100
93) 1,2-Dichlorobenzene	13.933	146	229291	5.48	ug/l	97
94) 1,2-Dibromo-3-chloropr...	15.133	157	27435	5.05	ug/l	92
95) 1,2,4-Trichlorobenzene	16.464	180	141573	5.38	ug/l	98
96) Hexachlorobutadiene	16.662	225	80493	5.56	ug/l	98
97) Naphthalene	16.872	128	328141	5.07	ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	131993	5.27	ug/l	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG121.D
Acq On : 17 May 2024 13:45
Sample : VOE2E175 0.2
Misc : 5.0ppb 8260/25ppb KET-AA/125ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:53 2024
Quant Results File: VOE2E17.RES

Vial: 6
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:45:41 2024 Page 1 of 1

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG122.D
Acq On : 17 May 2024 14:09
Sample : VOE2E176 0.4
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:56 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	483746	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	409470	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	197951	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	301711	10.18	ug/l	0.00
Spiked Amount 10.000			Recovery = 101.80%			
41) 1,2-Dichloroethane-d4	5.723	65	377680	9.65	ug/L	0.00
Spiked Amount 10.000			Recovery = 96.50%			
56) Toluene-d8	7.594	98	821380	10.10	ug/l	0.00
Spiked Amount 10.000			Recovery = 101.00%			
77) 4-Bromofluorobenzene	11.369	95	308588	9.82	ug/l	0.00
Spiked Amount 10.000			Recovery = 98.20%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	246373	8.87	ug/l	100
3) Chloromethane	2.906	50	180605	9.07	ug/l	100
4) Vinyl chloride	2.994	62	201033	9.56	ug/l	100
5) Bromomethane	3.313	94	118097	8.30	ug/l	100
6) Dichlorofluoromethane	3.357	67	478884	9.96	ug/L	100
7) Chloroethane	3.346	64	98570	9.56	ug/l	100
8) Trichlorofluoromethane	3.511	101	434256	9.19	ug/l	100
9) Acrolein	3.742	56	154311	49.05	ug/l	100
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	197908	9.60	ug/l	100
11) Acetone	3.764	43	331949	53.64	ug/l	100
12) tert-Butyl alcohol	3.874	59	735955	250.18	ug/L	100
13) 1,1-Dichloroethene	3.908	61	429898	9.94	ug/l	100
14) Acetonitrile	3.874	41	147981	101.37	ug/L	100
15) Allyl chloride	4.106	76	115842	10.15	ug/L	100
16) Iodomethane	4.150	142	208961	9.12	ug/l	100
17) Methyl acetate	4.029	43	164848	10.08	ug/L	100
18) Methylene chloride	4.183	49	353501	11.53	ug/l	100
19) Acrylonitrile	4.216	53	382339	52.57	ug/l	100
20) tert-Butyl methyl ethe...	4.227	73	727615	10.07	ug/L	100
21) Carbon disulfide	4.304	76	664916	10.04	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	226218	9.81	ug/l	100
23) Isopropyl ether (DIPE)	4.458	45	731712	9.95	ug/l	100
24) Vinyl acetate	4.546	43	449067	10.72	ug/l	100
25) 1,1-Dichloroethane	4.634	63	452304	9.69	ug/l	100
26) tert-Butyl ethyl ether...	4.733	59	897009	10.04	ug/l	100
27) 2-Butanone	4.854	72	119149	52.49	ug/l	100
28) Propionitrile	4.909	54	258325	96.59	ug/L	100
29) Isobutyl alcohol	5.030	43	190070	201.14	ug/L	100
30) 2,2-Dichloropropane	5.019	77	480537	10.29	ug/l	100
31) Methacrylonitrile	5.052	52	430956	98.15	ug/L	100
32) cis-1,2-Dichloroethene	5.063	96	250974	9.56	ug/l	100
33) Chloroform	5.173	83	540252	9.34	ug/l	100
34) Bromochloromethane	5.327	130	157824	10.23	ug/l	100
35) Tetrahydrofuran	5.327	42	59974	9.84	ug/L	100
37) 1,1,1-Trichloroethane	5.492	97	519526	9.96	ug/l	100
38) Cyclohexane	5.547	84	222928	8.38	ug/L	100
39) tert-Amyl methyl ether...	5.613	87	167095	10.48	ug/l	100
40) 1,1-Dichloropropene	5.613	110	116920	10.24	ug/L	100
42) Carbon tetrachloride	5.734	119	449910	10.19	ug/L	100

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG122.D Vial: 7
Acq On : 17 May 2024 14:09 Operator: DNguye
Sample : VOE2E176 0.4 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:56 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43)	1,2-Dichloroethane	5.800	62	453385	10.20	ug/L	100
44)	Benzene	5.866	78	879735	9.94	ug/L	100
45)	Trichloroethene	6.373	130	238953	9.78	ug/L	100
46)	Methyl methacrylate	6.439	69	206743	9.55	ug/L	100
47)	Methylcyclohexane	6.450	83	256180	8.81	ug/L	100
48)	1,2-Dichloropropane	6.527	63	224657	9.94	ug/L	100
50)	Bromodichloromethane	6.769	83	428587	10.02	ug/L	100
51)	Dibromomethane	6.857	93	179645	9.77	ug/L	100
52)	2-Chloroethyl vinyl ether	6.934	63	115157	10.29	ug/L	100
53)	4-Methyl-2-pentanone	6.956	43	1291475	52.18	ug/L	100
54)	cis-1,3-Dichloropropene	7.275	75	397661	10.07	ug/L	100
57)	Ethyl methacrylate	7.693	69	289621	10.36	ug/L	100
58)	Toluene	7.693	91	921140	9.92	ug/l	100
59)	trans-1,3-Dichloropropene	7.814	75	404411	10.18	ug/l	100
60)	2-Hexanone	7.935	43	885849	52.76	ug/l	100
61)	1,1,2-Trichloroethane	8.045	97	219004	9.94	ug/l	100
62)	1,3-Dichloropropane	8.354	76	321452	9.82	ug/l	100
63)	Tetrachloroethene	8.508	164	195205	9.62	ug/l	100
64)	Dibromochloromethane	8.783	129	322653	9.76	ug/l	100
65)	1,2-Dibromoethane	9.069	107	242214	10.20	ug/l	100
66)	1-Chlorohexane	9.124	91	305963	9.96	ug/l	100
67)	Chlorobenzene	9.619	112	600211	9.79	ug/l	100
68)	1,1,1,2-Tetrachloroethane	9.652	131	264761	10.14	ug/l	100
69)	Ethylbenzene	9.641	91	1089978	9.71	ug/l	100
70)	m-Xylene & p-Xylene	9.740	91	1701702	18.59	ug/l	100
71)	o-Xylene	10.412	91	864880	9.98	ug/l	100
72)	Styrene	10.456	104	611307	10.09	ug/l	100
73)	Isopropylbenzene	10.940	105	992355	10.05	ug/L	100
75)	Bromoform	11.061	173	212173	9.82	ug/l	100
76)	1,1,2,2-Tetrachloroethane	11.204	83	266964	9.68	ug/l	100
78)	1,2,3-Trichloropropane	11.446	110	74100	9.73	ug/l	100
79)	trans-1,4-Dichloro-2-b...	11.512	53	78273	10.15	ug/l	100
80)	n-Propylbenzene	11.578	91	1188848	9.47	ug/l	100
81)	Bromobenzene	11.732	156	274398	9.96	ug/l	100
82)	1,3,5-Trimethylbenzene	11.831	105	832454	9.65	ug/l	100
83)	2-Chlorotoluene	11.919	91	727012	9.38	ug/l	100
84)	4-Chlorotoluene	11.974	91	765752	11.72	ug/l	100
85)	tert-Butylbenzene	12.415	134	128240	9.60	ug/l	100
86)	1,2,4-Trimethylbenzene	12.470	105	827835	9.81	ug/l	100
87)	sec-Butylbenzene	12.745	105	956488	9.78	ug/l	100
88)	p-Isopropyltoluene	12.954	119	785422	9.57	ug/l	100
89)	1,3-Dichlorobenzene	13.163	146	431882	10.96	ug/l	100
90)	1,2,3-Trimethylbenzene	13.251	105	825411	9.87	ug/L	100
91)	1,4-Dichlorobenzene	13.328	146	439674	10.74	ug/l	100
92)	n-Butylbenzene	13.614	91	750645	9.62	ug/l	100
93)	1,2-Dichlorobenzene	13.933	146	398438	9.21	ug/l	100
94)	1,2-Dibromo-3-chloropr...	15.133	157	52427	9.34	ug/l	100
95)	1,2,4-Trichlorobenzene	16.464	180	255192	9.69	ug/l	100
96)	Hexachlorobutadiene	16.663	225	148449	9.93	ug/l	100
97)	Naphthalene	16.872	128	656492	9.82	ug/l	100
98)	1,2,3-Trichlorobenzene	17.224	180	243924	9.74	ug/l	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


SU 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG122.D
Acq On : 17 May 2024 14:09
Sample : VOE2E176 0.4
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:56 2024
Quant Results File: VOE2E17.RES

Vial: 7
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG123.D Vial: 8
Acq On : 17 May 2024 14:33 Operator: DNguye
Sample : VOE2E177 1.2uL Inst : E2
Misc : 30ppb 8260/150ppb KET-AA/750ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:59 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	462286	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	374024	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	201423	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	815119	28.79	ug/l	0.00
Spiked Amount 10.000			Recovery =	287.90%		
41) 1,2-Dichloroethane-d4	5.723	65	982827	26.27	ug/L	0.00
Spiked Amount 10.000			Recovery =	262.70%		
56) Toluene-d8	7.594	98	2087230	28.08	ug/l	0.00
Spiked Amount 10.000			Recovery =	280.80%		
77) 4-Bromofluorobenzene	11.369	95	802113	25.09	ug/l	0.00
Spiked Amount 10.000			Recovery =	250.90%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	846669	31.91	ug/l	99
3) Chloromethane	2.906	50	522797	27.46	ug/l	99
4) Vinyl chloride	2.994	62	609327	30.31	ug/l	99
5) Bromomethane	3.313	94	369689	27.19	ug/l	98
6) Dichlorofluoromethane	3.346	67	1420838	30.93	ug/L	99
7) Chloroethane	3.346	64	303543	30.82	ug/l	98
8) Trichlorofluoromethane	3.511	101	1432296	31.71	ug/l	99
9) Acrolein	3.742	56	417245	138.78	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	579513	29.43	ug/l	100
11) Acetone	3.764	43	817529	146.08	ug/l	98
12) tert-Butyl alcohol	3.874	59	1936975	689.03	ug/L	98
13) 1,1-Dichloroethene	3.896	61	1249367	30.24	ug/l	99
14) Acetonitrile	3.874	41	365485	261.98	ug/L	96
15) Allyl chloride	4.105	76	333837	30.59	ug/L	100
16) Iodomethane	4.138	142	780631	34.84	ug/l	100
17) Methyl acetate	4.028	43	406413	26.00	ug/L	99
18) Methylene chloride	4.182	49	967460	34.54	ug/l	100
19) Acrylonitrile	4.215	53	969202	139.45	ug/l	99
20) tert-Butyl methyl ethe...	4.226	73	2015467	29.18	ug/L	99
21) Carbon disulfide	4.304	76	1855534	29.31	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	612820	27.80	ug/l	98
23) Isopropyl ether (DIPE)	4.458	45	2064589	29.37	ug/l	100
24) Vinyl acetate	4.546	43	1131522	28.26	ug/l	99
25) 1,1-Dichloroethane	4.634	63	1337320	29.99	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	2373481	27.81	ug/l	99
27) 2-Butanone	4.854	72	300066	138.32	ug/l	99
28) Propionitrile	4.909	54	714086	279.39	ug/L	99
29) Isobutyl alcohol	5.030	43	493388	546.37	ug/L	95
30) 2,2-Dichloropropane	5.019	77	1320182	29.57	ug/l	99
31) Methacrylonitrile	5.052	52	1220341	290.82	ug/L	99
32) cis-1,2-Dichloroethene	5.063	96	721585	28.75	ug/l	100
33) Chloroform	5.173	83	1512101	27.35	ug/l	99
34) Bromochloromethane	5.327	130	444977	30.18	ug/l	99
35) Tetrahydrofuran	5.316	42	169251	29.05	ug/L	99
37) 1,1,1-Trichloroethane	5.503	97	1516650	30.42	ug/l	99
38) Cyclohexane	5.547	84	713565	28.07	ug/L	100
39) tert-Amyl methyl ether...	5.624	87	411481	27.01	ug/l	97
40) 1,1-Dichloropropene	5.613	110	302266	27.69	ug/L	99
42) Carbon tetrachloride	5.734	119	1249927	29.62	ug/L	100

SU 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG123.D
Acq On : 17 May 2024 14:33
Sample : VOE2E177 1.2uL
Misc : 30ppb 8260/150ppb KET-AA/750ppb TBA
Integrator: RTE
Quant Time: May 21 20:52:59 2024
Quant Results File: VOE2E17.RES

Vial: 8
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43)	1,2-Dichloroethane	5.800	62	1173740	27.62	ug/L	98
44)	Benzene	5.866	78	2384286	28.19	ug/L	99
45)	Trichloroethene	6.372	130	687887	29.46	ug/L	99
46)	Methyl methacrylate	6.439	69	555814	26.87	ug/L	98
47)	Methylcyclohexane	6.450	83	757727	27.27	ug/L	99
48)	1,2-Dichloropropane	6.527	63	580328	26.88	ug/L	99
50)	Bromodichloromethane	6.769	83	1166514	28.55	ug/L	100
51)	Dibromomethane	6.857	93	509682	29.01	ug/L	99
52)	2-Chloroethyl vinyl ether	6.934	63	318157	29.75	ug/L	98
53)	4-Methyl-2-pentanone	6.956	43	3236906	136.87	ug/L	99
54)	cis-1,3-Dichloropropene	7.275	75	1085125	28.74	ug/L	99
57)	Ethyl methacrylate	7.693	69	725765	28.43	ug/L	99
58)	Toluene	7.693	91	2303744	27.16	ug/l	100
59)	trans-1,3-Dichloropropene	7.814	75	1087593	29.96	ug/l	96
60)	2-Hexanone	7.935	43	2184077	142.41	ug/l	99
61)	1,1,2-Trichloroethane	8.045	97	603118	29.96	ug/l	98
62)	1,3-Dichloropropane	8.353	76	863785	28.89	ug/l	99
63)	Tetrachloroethene	8.508	164	555090	29.93	ug/l	99
64)	Dibromochloromethane	8.783	129	924244	30.61	ug/l	99
65)	1,2-Dibromoethane	9.069	107	666966	30.74	ug/l	99
66)	1-Chlorohexane	9.124	91	842844	30.02	ug/l	99
67)	Chlorobenzene	9.619	112	1667775	29.77	ug/l	99
68)	1,1,1,2-Tetrachloroethane	9.641	131	734053	30.79	ug/l	99
69)	Ethylbenzene	9.641	91	3067459	29.91	ug/l	100
70)	m-Xylene & p-Xylene	9.751	91	4750507	56.81	ug/l	100
71)	o-Xylene	10.411	91	2219339	28.03	ug/l	100
72)	Styrene	10.455	104	1588178	28.69	ug/l	99
73)	Isopropylbenzene	10.940	105	2403503	26.65	ug/L	99
75)	Bromoform	11.061	173	624115	28.39	ug/l	99
76)	1,1,2,2-Tetrachloroethane	11.204	83	753832	26.85	ug/l	99
78)	1,2,3-Trichloropropane	11.446	110	208161	26.86	ug/l	97
79)	trans-1,4-Dichloro-2-b...	11.512	53	238944	30.47	ug/l	94
80)	n-Propylbenzene	11.578	91	3388197	26.53	ug/l	99
81)	Bromobenzene	11.732	156	728501	25.99	ug/l	99
82)	1,3,5-Trimethylbenzene	11.831	105	2352083	26.79	ug/l	99
83)	2-Chlorotoluene	11.919	91	2207144	28.00	ug/l	95
84)	4-Chlorotoluene	11.974	91	1740784	26.74	ug/l	92
85)	tert-Butylbenzene	12.403	134	339280	24.97	ug/l	96
86)	1,2,4-Trimethylbenzene	12.480	105	2264161	26.37	ug/l	97
87)	sec-Butylbenzene	12.745	105	2689041	27.03	ug/l	98
88)	p-Isopropyltoluene	12.954	119	2214069	26.52	ug/l	99
89)	1,3-Dichlorobenzene	13.174	146	1215294	31.15	ug/l	99
90)	1,2,3-Trimethylbenzene	13.251	105	2275474	26.74	ug/L	100
91)	1,4-Dichlorobenzene	13.328	146	1252767	30.81	ug/l	99
92)	n-Butylbenzene	13.614	91	2188046	27.56	ug/l	99
93)	1,2-Dichlorobenzene	13.933	146	1144996	26.02	ug/l	97
94)	1,2-Dibromo-3-chloropr...	15.133	157	164843	28.88	ug/l	98
95)	1,2,4-Trichlorobenzene	16.464	180	771713	29.55	ug/l	97
96)	Hexachlorobutadiene	16.662	225	421350	27.70	ug/l	98
97)	Naphthalene	16.871	128	1890327	27.79	ug/l	99
98)	1,2,3-Trichlorobenzene	17.224	180	740467	29.84	ug/l	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

SH
5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG123.D Vial: 8
Acq On : 17 May 2024 14:33 Operator: DNguye
Sample : VOE2E177 1.2uL Inst : E2
Misc : 30ppb 8260/150ppb KET-AA/750ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:52:59 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 14:09:59 2024 Page 3

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG124.D
Acq On : 17 May 2024 14:57
Sample : VOE2E178 2uL
Misc : 50ppb 8260/250pb KET-AA/1250ppb TBA
Integrator: RTE
Quant Time: May 21 20:53:02 2024
Quant Results File: VOE2E17.RES

Vial: 9
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	519193	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	435004	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	207868	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	1488511	46.81	ug/l	0.00
Spiked Amount 10.000			Recovery =	468.10%		
41) 1,2-Dichloroethane-d4	5.723	65	1870338	44.51	ug/L	0.00
Spiked Amount 10.000			Recovery =	445.10%		
56) Toluene-d8	7.594	98	4062552	47.00	ug/l	0.00
Spiked Amount 10.000			Recovery =	470.00%		
77) 4-Bromofluorobenzene	11.369	95	1575222	47.74	ug/l	0.00
Spiked Amount 10.000			Recovery =	477.40%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	1479243	49.64	ug/l	100
3) Chloromethane	2.906	50	955064	44.67	ug/l	100
4) Vinyl chloride	2.983	62	1164938	51.59	ug/l	98
5) Bromomethane	3.313	94	722857	47.33	ug/l	98
6) Dichlorofluoromethane	3.346	67	2413767	46.78	ug/L	100
7) Chloroethane	3.346	64	533177	48.20	ug/l	97
8) Trichlorofluoromethane	3.511	101	2564523	50.55	ug/l	100
9) Acrolein	3.742	56	769072	227.77	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	1060995	47.97	ug/l	99
11) Acetone	3.775	43	1539021	248.23	ug/l	100
12) tert-Butyl alcohol	3.874	59	3674847	1163.95	ug/L	97
13) 1,1-Dichloroethene	3.896	61	2124315	45.78	ug/l	99
14) Acetonitrile	3.874	41	693695	442.74	ug/L	94
15) Allyl chloride	4.105	76	579274	47.27	ug/L	99
16) Iodomethane	4.138	142	1375743	54.51	ug/l	100
17) Methyl acetate	4.028	43	788773	44.93	ug/L	98
18) Methylene chloride	4.182	49	1589617	50.92	ug/l	100
19) Acrylonitrile	4.215	53	1740099	222.92	ug/l	100
20) tert-Butyl methyl ethe...	4.226	73	3575082	46.08	ug/L	99
21) Carbon disulfide	4.303	76	3342224	47.00	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	1147795	46.36	ug/l	100
23) Isopropyl ether (DIPE)	4.458	45	3617921	45.83	ug/l	100
24) Vinyl acetate	4.546	43	2102404	46.76	ug/l	100
25) 1,1-Dichloroethane	4.634	63	2339494	46.71	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	4566707	47.64	ug/l	99
27) 2-Butanone	4.854	72	553401	227.15	ug/l	100
28) Propionitrile	4.909	54	1317994	459.16	ug/L	98
29) Isobutyl alcohol	5.030	43	988293	974.46	ug/L	99
30) 2,2-Dichloropropane	5.019	77	2391738	47.71	ug/l	98
31) Methacrylonitrile	5.052	52	2175906	461.71	ug/L	97
32) cis-1,2-Dichloroethene	5.063	96	1319898	46.82	ug/l	99
33) Chloroform	5.173	83	2702356	43.52	ug/l	100
34) Bromochloromethane	5.327	130	769499	46.47	ug/l	98
35) Tetrahydrofuran	5.316	42	306572	46.86	ug/L	98
37) 1,1,1-Trichloroethane	5.503	97	2648310	47.29	ug/l	99
38) Cyclohexane	5.547	84	1410911	49.43	ug/L	99
39) tert-Amyl methyl ether...	5.613	87	853815	49.91	ug/l	99
40) 1,1-Dichloropropene	5.613	110	592546	48.33	ug/L	100
42) Carbon tetrachloride	5.734	119	2310426	48.76	ug/L	100

SA 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG124.D Vial: 9
Acq On : 17 May 2024 14:57 Operator: DNguye
Sample : VOE2E178 2uL Inst : E2
Misc : 50ppb 8260/250pb KET-AA/1250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 20:53:02 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43)	1,2-Dichloroethane	5.800	62	2230254	46.73	ug/L	100
44)	Benzene	5.866	78	4549753	47.89	ug/L	100
45)	Trichloroethene	6.372	130	1248919	47.63	ug/L	98
46)	Methyl methacrylate	6.438	69	1116578	48.06	ug/L	99
47)	Methylcyclohexane	6.460	83	1574183	50.44	ug/L	99
48)	1,2-Dichloropropane	6.527	63	1135307	46.83	ug/L	99
50)	Bromodichloromethane	6.769	83	2131356	46.45	ug/L	100
51)	Dibromomethane	6.857	93	905758	45.91	ug/L	98
52)	2-Chloroethyl vinyl ether	6.934	63	580351	48.33	ug/L	100
53)	4-Methyl-2-pentanone	6.956	43	6139474	231.14	ug/L	99
54)	cis-1,3-Dichloropropene	7.275	75	2011227	47.44	ug/L	100
57)	Ethyl methacrylate	7.693	69	1490762	50.22	ug/L	98
58)	Toluene	7.693	91	4751397	48.16	ug/l	100
59)	trans-1,3-Dichloropropene	7.814	75	2080692	49.29	ug/l	95
60)	2-Hexanone	7.935	43	4186045	234.68	ug/l	99
61)	1,1,2-Trichloroethane	8.045	97	1074823	45.90	ug/l	99
62)	1,3-Dichloropropane	8.353	76	1663404	47.84	ug/l	100
63)	Tetrachloroethene	8.507	164	1006550	46.67	ug/l	98
64)	Dibromochloromethane	8.783	129	1614400	45.97	ug/l	99
65)	1,2-Dibromoethane	9.069	107	1193470	47.30	ug/l	97
66)	1-Chlorohexane	9.124	91	1569873	48.08	ug/l	90
67)	Chlorobenzene	9.619	112	3021039	46.36	ug/l	100
68)	1,1,1,2-Tetrachloroethane	9.652	131	1317171	47.50	ug/l	99
69)	Ethylbenzene	9.641	91	5652766	47.39	ug/l	100
70)	m-Xylene & p-Xylene	9.751	91	9107135	93.64	ug/l	99
71)	o-Xylene	10.411	91	4475134	48.61	ug/l	100
72)	Styrene	10.455	104	3133556	48.67	ug/l	99
73)	Isopropylbenzene	10.940	105	4893403	46.64	ug/L	100
75)	Bromoform	11.061	173	1096997	48.36	ug/l	99
76)	1,1,2,2-Tetrachloroethane	11.204	83	1347228	46.50	ug/l	100
78)	1,2,3-Trichloropropane	11.446	110	380448	47.56	ug/l	100
79)	trans-1,4-Dichloro-2-b...	11.512	53	430046	53.13	ug/l	97
80)	n-Propylbenzene	11.578	91	6203059	47.06	ug/l	99
81)	Bromobenzene	11.732	156	1344022	46.46	ug/l	99
82)	1,3,5-Trimethylbenzene	11.831	105	4223916	46.62	ug/l	100
83)	2-Chlorotoluene	11.919	91	4010267	49.30	ug/l	94
84)	4-Chlorotoluene	11.974	91	3491289	52.40	ug/l	94
85)	tert-Butylbenzene	12.403	134	615516	43.89	ug/l	97
86)	1,2,4-Trimethylbenzene	12.480	105	4129361	46.60	ug/l	97
87)	sec-Butylbenzene	12.755	105	4820712	46.95	ug/l	99
88)	p-Isopropyltoluene	12.954	119	3971026	46.09	ug/l	99
89)	1,3-Dichlorobenzene	13.163	146	2170399	54.26	ug/l	99
90)	1,2,3-Trimethylbenzene	13.251	105	4082930	46.50	ug/L	99
91)	1,4-Dichlorobenzene	13.328	146	2222053	53.26	ug/l	99
92)	n-Butylbenzene	13.614	91	3858008	47.08	ug/l	100
93)	1,2-Dichlorobenzene	13.933	146	2002007	44.09	ug/l	98
94)	1,2-Dibromo-3-chloropr...	15.133	157	279717	47.48	ug/l	99
95)	1,2,4-Trichlorobenzene	16.464	180	1324327	49.40	ug/l	98
96)	Hexachlorobutadiene	16.662	225	723810	46.11	ug/l	100
97)	Naphthalene	16.871	128	3364432	47.93	ug/l	99
98)	1,2,3-Trichlorobenzene	17.235	180	1238496	48.60	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG124.D
Acq On : 17 May 2024 14:57
Sample : VOE2E178 2uL
Misc : 50ppb 8260/250pb KET-AA/1250ppb TBA
Integrator: RTE
Quant Time: May 21 20:53:02 2024
Quant Results File: VOE2E17.RES

Vial: 9
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG125.D Vial: 10
Acq On : 17 May 2024 15:21 Operator: DNguye
Sample : VOE2E179 4uL Inst : E2
Misc : 100ppb 8260/500ppb KET-AA/2500ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 21:04:40 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	530663	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	467581	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	221369	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	0.000	111	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
41) 1,2-Dichloroethane-d4	0.000	65	0d	0.00	ug/L	
Spiked Amount 10.000			Recovery =	0.00%		
56) Toluene-d8	0.000	98	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
77) 4-Bromofluorobenzene	0.000	95	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	3067931	100.74	ug/l	99
3) Chloromethane	2.906	50	2028894	92.84	ug/l	100
4) Vinyl chloride	2.983	62	2380759	103.16	ug/l	99
5) Bromomethane	3.313	94	1571626	100.69	ug/l	97
6) Dichlorofluoromethane	3.346	67	4798406	90.99	ug/L	100
7) Chloroethane	3.346	64	1099847	97.27	ug/l	95
8) Trichlorofluoromethane	3.511	101	5289775	102.02	ug/l	99
9) Acrolein	3.742	56	1588198	460.20	ug/l	100
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	2101530	92.96	ug/l	100
11) Acetone	3.775	43	3043527	484.95	ug/l	99
12) tert-Butyl alcohol	3.874	59	7338860	2274.23	ug/L	96
13) 1,1-Dichloroethene	3.897	61	4369062	92.11	ug/l	99
14) Acetonitrile	3.874	41	1342024	838.01	ug/L	93
15) Allyl chloride	4.106	76	1084703	86.60	ug/L	100
16) Iodomethane	4.139	142	2702905	104.51	ug/l	99
17) Methyl acetate	4.029	43	1545614	86.14	ug/L	97
18) Methylene chloride	4.183	49	3160599	99.82	ug/l	99
19) Acrylonitrile	4.216	53	3580875	448.82	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	7241359	91.32	ug/L	100
22) trans-1,2-Dichloroethene	4.370	96	2262018	89.39	ug/l	99
23) Isopropyl ether (DIPE)	4.458	45	7317542	90.69	ug/l	99
24) Vinyl acetate	4.546	43	4349944	94.65	ug/l	100
25) 1,1-Dichloroethane	4.634	63	4518247	88.27	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	8843448	90.25	ug/l	99
27) 2-Butanone	4.854	72	1115192	447.84	ug/l	98
28) Propionitrile	4.909	54	2553924	870.50	ug/L	98
29) Isobutyl alcohol	5.030	43	1797348	1733.89	ug/L	98
30) 2,2-Dichloropropane	5.019	77	4661696	90.97	ug/l	98
31) Methacrylonitrile	5.063	52	4255107	883.38	ug/L	91
32) cis-1,2-Dichloroethene	5.063	96	2606989	90.49	ug/l	99
33) Chloroform	5.173	83	5369253	84.60	ug/l	99
34) Bromochloromethane	5.327	130	1457459	86.12	ug/l	99
35) Tetrahydrofuran	5.316	42	618202	92.45	ug/L	98
37) 1,1,1-Trichloroethane	5.492	97	5302638	92.64	ug/l	99
38) Cyclohexane	5.547	84	2651727	90.88	ug/L	99
39) tert-Amyl methyl ether...	5.613	87	1661857	95.04	ug/l	97
40) 1,1-Dichloropropene	5.613	110	1162092	92.74	ug/L	99
42) Carbon tetrachloride	5.734	119	4455455	91.99	ug/L	99
43) 1,2-Dichloroethane	5.800	62	4297408	88.09	ug/L	100

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG125.D Vial: 10
Acq On : 17 May 2024 15:21 Operator: DNguye
Sample : VOE2E179 4uL Inst : E2
Misc : 100ppb 8260/500ppb KET-AA/2500ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 21:04:40 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc Units	Dev(Min)
44) Benzene	5.866	78	8937713	92.05 ug/L	100
45) Trichloroethene	6.373	130	2438563	90.98 ug/L	99
46) Methyl methacrylate	6.439	69	2241240	94.37 ug/L	99
47) Methylcyclohexane	6.461	83	3107286	97.41 ug/L	99
48) 1,2-Dichloropropane	6.527	63	2264058	91.36 ug/L	99
50) Bromodichloromethane	6.769	83	4222210	90.02 ug/L	99
51) Dibromomethane	6.857	93	1826509	90.58 ug/L	99
52) 2-Chloroethyl vinyl ether	6.934	63	1147941	93.52 ug/L	100
53) 4-Methyl-2-pentanone	6.956	43	12403774	456.89 ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	4029626	92.99 ug/L	99
57) Ethyl methacrylate	7.693	69	2968033	93.01 ug/L	95
58) Toluene	7.693	91	9406948	88.71 ug/l	99
59) trans-1,3-Dichloropropene	7.814	75	4103485	90.43 ug/l	95
60) 2-Hexanone	7.935	43	8232244	429.36 ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	2157642	85.73 ug/l	98
62) 1,3-Dichloropropane	8.354	76	3303675	88.39 ug/l	100
63) Tetrachloroethene	8.508	164	2015675	86.95 ug/l	99
64) Dibromochloromethane	8.783	129	3239932	85.83 ug/l	100
65) 1,2-Dibromoethane	9.069	107	2441979	90.04 ug/l	98
66) 1-Chlorohexane	9.124	91	3137545	89.40 ug/l	99
67) Chlorobenzene	9.619	112	6186547	88.32 ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	2643624	88.70 ug/l	99
69) Ethylbenzene	9.641	91	11573797	90.27 ug/l	100
70) m-Xylene & p-Xylene	9.751	91	17534518	167.73 ug/l	99
71) o-Xylene	10.412	91	8856439	89.49 ug/l	100
72) Styrene	10.456	104	6210039	89.73 ug/l	99
73) Isopropylbenzene	10.940	105	10049530	89.12 ug/L	100
75) Bromoform	11.061	173	2156497	89.26 ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	2695878	87.38 ug/l	100
78) 1,2,3-Trichloropropane	11.446	110	761761	89.43 ug/l	98
79) trans-1,4-Dichloro-2-b...	11.512	53	840320	97.49 ug/l	98
80) n-Propylbenzene	11.578	91	12355923	88.03 ug/l	99
81) Bromobenzene	11.732	156	2673805	86.79 ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	8378024	86.82 ug/l	100
83) 2-Chlorotoluene	11.919	91	7964931	91.94 ug/l	93
84) 4-Chlorotoluene	11.974	91	6997858	99.03 ug/l	94
85) tert-Butylbenzene	12.415	134	1260545	84.40 ug/l	92
86) 1,2,4-Trimethylbenzene	12.481	105	8236098	87.27 ug/l	97
87) sec-Butylbenzene	12.756	105	9656129	88.30 ug/l	98
88) p-Isopropyltoluene	12.954	119	8166087	89.00 ug/l	99
89) 1,3-Dichlorobenzene	13.163	146	4224212	99.56 ug/l	99
90) 1,2,3-Trimethylbenzene	13.262	105	8254841	88.27 ug/L	100
91) 1,4-Dichlorobenzene	13.328	146	4323656	97.65 ug/l	99
92) n-Butylbenzene	13.614	91	7538294	86.38 ug/l	99
93) 1,2-Dichlorobenzene	13.933	146	4025253	83.24 ug/l	98
94) 1,2-Dibromo-3-chloropr...	15.133	157	603619	96.21 ug/l	100
95) 1,2,4-Trichlorobenzene	16.464	180	2718505	95.58 ug/l	98
96) Hexachlorobutadiene	16.663	225	1478191	88.43 ug/l	99
97) Naphthalene	16.872	128	6891495	92.19 ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	2612770	96.66 ug/l	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG125.D Vial: 10
Acq On : 17 May 2024 15:21 Operator: DNguye
Sample : VOE2E179 4uL Inst : E2
Misc : 100ppb 8260/500ppb KET-AA/2500ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 21:04:40 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG126.D Vial: 11
Acq On : 17 May 2024 15:44 Operator: DNguye
Sample : VOE2E1710 8uL Inst : E2
Misc : 200ppb 8260/1000ppb KET-AA/5000ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 21:00:50 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	568040	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	471885	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	217867	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	3002	0.09	ug/l	0.00
Spiked Amount 10.000			Recovery =	0.90%		
41) 1,2-Dichloroethane-d4	0.000	65	0d	0.00	ug/L	
Spiked Amount 10.000			Recovery =	0.00%		
56) Toluene-d8	0.000	98	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
77) 4-Bromofluorobenzene	0.000	95	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	6316101	193.74	ug/l	98
3) Chloromethane	2.906	50	4516405	193.06	ug/l	99
4) Vinyl chloride	2.983	62	4720259	191.07	ug/l	99
5) Bromomethane	3.313	94	3750895	224.49	ug/l	97
6) Dichlorofluoromethane	3.346	67	9822700	174.00	ug/L	100
7) Chloroethane	3.346	64	2195455	181.39	ug/l	94
8) Trichlorofluoromethane	3.511	101	10783113	194.28	ug/l	99
9) Acrolein	3.742	56	3351589	907.26	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.742	151	4350512	179.79	ug/l	100
11) Acetone	3.764	43	6603563	988.07	ug/l	99
12) tert-Butyl alcohol	3.874	59	15471302	4478.91	ug/L	95
13) 1,1-Dichloroethene	3.896	61	9033271	177.91	ug/l	99
14) Acetonitrile	3.874	41	2754507	1606.85	ug/L	93
15) Allyl chloride	4.106	76	2199904	164.07	ug/L	99
16) Iodomethane	4.139	142	5209397	187.95	ug/l	97
17) Methyl acetate	4.029	43	3232214	168.28	ug/L	97
18) Methylene chloride	4.183	49	6476225	191.83	ug/l	97
19) Acrylonitrile	4.216	53	7708060	902.54	ug/l	99
20) tert-Butyl methyl ethe...	4.227	73	15360383	180.97	ug/L	100
22) trans-1,2-Dichloroethene	4.370	96	4873441	179.91	ug/l	99
23) Isopropyl ether (DIPE)	4.458	45	14962789	173.25	ug/l	99
24) Vinyl acetate	4.546	43	9004493	183.04	ug/l	100
25) 1,1-Dichloroethane	4.634	63	9351400	170.66	ug/l	100
26) tert-Butyl ethyl ether...	4.733	59	19320797	184.21	ug/l	99
27) 2-Butanone	4.854	72	2394701	898.39	ug/l	98
28) Propionitrile	4.920	54	5691397	1812.25	ug/L	97
29) Isobutyl alcohol	5.030	43	3586105	3231.85	ug/L	98
30) 2,2-Dichloropropane	5.030	77	9444935	172.19	ug/l	99
31) Methacrylonitrile	5.063	52	8684556	1684.31	ug/L	89
32) cis-1,2-Dichloroethene	5.063	96	5762701	186.86	ug/l	99
33) Chloroform	5.173	83	11032078	162.40	ug/l	98
34) Bromochloromethane	5.327	130	2946762	162.66	ug/l	99
35) Tetrahydrofuran	5.316	42	1229234	171.73	ug/L	96
37) 1,1,1-Trichloroethane	5.503	97	10907828	178.03	ug/l	99
38) Cyclohexane	5.547	84	5994629	191.94	ug/L	98
39) tert-Amyl methyl ether...	5.613	87	3477493	185.79	ug/l	98
40) 1,1-Dichloropropene	5.613	110	2466827	183.91	ug/L	100
42) Carbon tetrachloride	5.734	119	9523903	183.70	ug/L	99
43) 1,2-Dichloroethane	5.800	62	9046789	173.24	ug/L	99

5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG126.D Vial: 11
Acq On : 17 May 2024 15:44 Operator: DNguye
Sample : VOE2E1710 8uL Inst : E2
Misc : 200ppb 8260/1000ppb KET-AA/5000ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 21:00:50 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44)	Benzene	5.866	78	18878615	181.64	ug/L	99
45)	Trichloroethene	6.373	130	5312995	185.18	ug/L	98
46)	Methyl methacrylate	6.439	69	4709153	185.24	ug/L	97
47)	Methylcyclohexane	6.450	83	6821475	199.77	ug/L	99
48)	1,2-Dichloropropane	6.527	63	4750541	179.08	ug/L	98
50)	Bromodichloromethane	6.769	83	8780457	174.89	ug/L	99
51)	Dibromomethane	6.857	93	3575305	165.64	ug/L	98
52)	2-Chloroethyl vinyl ether	6.934	63	2345513	178.52	ug/L	99
53)	4-Methyl-2-pentanone	6.956	43	25417872	874.65	ug/L	96
54)	cis-1,3-Dichloropropene	7.275	75	8445639	182.07	ug/L	98
57)	Ethyl methacrylate	7.693	69	6144909	190.81	ug/L	93
58)	Toluene	7.693	91	19948069	186.39	ug/l	99
59)	trans-1,3-Dichloropropene	7.814	75	8489181	185.38	ug/l	94
60)	2-Hexanone	7.946	43	17094335	883.44	ug/l	98
61)	1,1,2-Trichloroethane	8.045	97	4397367	173.13	ug/l	98
62)	1,3-Dichloropropane	8.354	76	6618515	175.47	ug/l	100
63)	Tetrachloroethene	8.508	164	4231743	180.87	ug/l	99
64)	Dibromochloromethane	8.783	129	6516219	171.04	ug/l	100
65)	1,2-Dibromoethane	9.069	107	4870080	177.93	ug/l	98
66)	1-Chlorohexane	9.124	91	6393588	180.51	ug/l	100
67)	Chlorobenzene	9.619	112	12624825	178.60	ug/l	100
68)	1,1,1,2-Tetrachloroethane	9.652	131	5312112	176.61	ug/l	99
69)	Ethylbenzene	9.641	91	23292033	180.01	ug/l	100
70)	m-Xylene & p-Xylene	9.740	91	28701191	272.04	ug/l	84
71)	o-Xylene	10.412	91	17586293	176.08	ug/l	99
72)	Styrene	10.456	104	12296252	176.06	ug/l	99
73)	Isopropylbenzene	10.940	105	19602688	172.25	ug/L	99
75)	Bromoform	11.061	173	4187827	176.13	ug/l	99
76)	1,1,2,2-Tetrachloroethane	11.204	83	5159996	169.93	ug/l	100
78)	1,2,3-Trichloropropane	11.446	110	1403346	167.39	ug/l	96
79)	trans-1,4-Dichloro-2-b...	11.523	53	1650960	194.61	ug/l	98
80)	n-Propylbenzene	11.578	91	23810922	172.37	ug/l	99
81)	Bromobenzene	11.732	156	5195205	171.35	ug/l	99
82)	1,3,5-Trimethylbenzene	11.831	105	16287234	171.50	ug/l	99
83)	2-Chlorotoluene	11.919	91	15174863	177.98	ug/l	93
84)	4-Chlorotoluene	11.985	91	13838106	199.43	ug/l	95
85)	tert-Butylbenzene	12.414	134	2339593	159.17	ug/l	91
86)	1,2,4-Trimethylbenzene	12.480	105	16036674	172.66	ug/l	97
87)	sec-Butylbenzene	12.756	105	18845003	175.10	ug/l	98
88)	p-Isopropyltoluene	12.954	119	15471204	171.32	ug/l	98
89)	1,3-Dichlorobenzene	13.174	146	8054938	193.34	ug/l	99
90)	1,2,3-Trimethylbenzene	13.262	105	15911955	172.89	ug/L	100
91)	1,4-Dichlorobenzene	13.328	146	8560916	196.89	ug/l	98
92)	n-Butylbenzene	13.614	91	15176896	176.71	ug/l	99
93)	1,2-Dichlorobenzene	13.933	146	7971920	167.50	ug/l	97
94)	1,2-Dibromo-3-chloropr...	15.133	157	1180945	191.26	ug/l	99
95)	1,2,4-Trichlorobenzene	16.464	180	5739206	205.48	ug/l	97
96)	Hexachlorobutadiene	16.662	225	3124401	189.92	ug/l	99
97)	Naphthalene	16.872	128	14719954	200.07	ug/l	99
98)	1,2,3-Trichlorobenzene	17.235	180	5440683	204.95	ug/l	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

SU 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E17\REG126.D Vial: 11
Acq On : 17 May 2024 15:44 Operator: DNguye
Sample : VOE2E1710 8uL Inst : E2
Misc : 200ppb 8260/1000ppb KET-AA/5000ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 21:00:50 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Thu May 23 12:47:29 2024 Page 3

SECOND SOURCE VERIFICATION

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: REG130 BFB Injection Date: 05/18/24

Instrument ID: E2 BFB Injection Time: 09:16

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	19.254
75	30 - 60% of mass 95	50.320
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.311
173	Less than 2% of mass 174	0.512(.61)1
174	Greater than 50% of mass 95	84.221
175	5 - 9% of mass 174	6.661(7.91)1
176	95 - 101% % of mass 174	81.783(97.11)1
177	5 - 9% % of mass 176	6.306(7.71)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	IVOE2E1702	REG131	05/18/24	09:57

5/24/24

CONTINUE_CALIBRATION - CALIBRATION VERIFICATION

Instrument ID :E2
IC Beginning DateTime :05/17/24 12:33
Spike Amount :10 PPB
CC/CV File :REG131
IC File :REG122

Column Spec :RTX-502.2 ID :0.32MM
IC Ending DateTime :05/17/24 15:44
HPChem Method :VOE2817
Date_Time :05/18/24 09:57

M	IDX	Parameters	CC_Con	CC%_D	CC_Resp	CCRRF	AvRRF	CC_Rtm	AvRtm	%_RSD	Co_X0	Co_X1	Co_X2	Co_Cor
	1	1,4-DIFLUOROBENZENE	10.000	0	647637	1	1	5.988	5.987	0				
	2	Dichlorodifluoromethane	10.420	4.2	387316	0.598	0.574	2.708	2.708	8.06				
	3	Chloromethane	10.034	0.3	267638	0.413	0.412	2.906	2.906	13.00				
	4	Vinyl chloride	10.450	4.5	294360	0.455	0.435	2.994	2.990	7.58				
	5	Bromomethane	10.726	7.3	204345	0.316	0.294	3.313	3.313	11.62				
	6	Dichlorofluoromethane	9.831	-1.7	632775	0.977	0.994	3.357	3.352	8.41				
	7	Chloroethane	11.738	17.4	161985	0.250	0.213	3.346	3.346	8.74				
	8	Trichlorofluoromethane	10.360	3.6	655613	1.012	0.977	3.511	3.511	7.24				
5	9	Acrolein	53.498	7.0	225327	0.070	0.065	3.743	3.742	10.21				
	10	1,1,2-Trichloro-1,2,2-Trifluoroethane	9.863	-1.4	272122	0.420	0.426	3.753	3.752	10.04				
5	11	Acetone	55.179	10.4	456111	0.141	0.181	3.764	3.769	42.17	0.0583	0.1171		0.9992
25	12	tert-Butyl alcohol	274.988	10.0	1082983	0.067	0.061	3.875	3.874	11.83				
	13	1,1-Dichloroethene	9.753	-2.5	564613	0.872	0.894	3.908	3.902	8.46				
10	14	Acetonitrile	109.003	9.0	213040	0.033	0.030	3.875	3.874	12.37				
	15	Allyl chloride	10.843	8.4	165769	0.256	0.236	4.106	4.106	11.27				
	16	Iodomethane	8.785	-12.2	268999	0.415	0.429	4.150	4.143	22.23	-0.0140	0.4887		0.9969
	17	Methyl acetate	10.001	0.0	219009	0.338	0.338	4.029	4.029	12.15				
	18	Methylene chloride	11.388	13.9	467946	0.723	0.801	4.183	4.182	26.33	0.0486	0.5918		0.9974
5	19	Acrylonitrile	52.272	4.5	508984	0.157	0.150	4.216	4.216	11.69				
	20	tert-Butyl methyl ether (MTBE)	10.647	6.5	1030417	1.591	1.494	4.227	4.227	7.94				
	21	Carbon disulfide	9.831	-1.7	872085	1.347	1.370	4.315	4.305	9.42				
	22	trans-1,2-Dichloroethene	10.193	1.9	314802	0.486	0.477	4.370	4.370	10.07				
	23	Isopropyl ether (DIPE)	10.521	5.2	1036035	1.600	1.520	4.469	4.460	9.47				
	24	Vinyl acetate	11.461	14.6	642883	0.993	0.866	4.546	4.546	6.41				
	25	1,1-Dichloroethane	9.919	-0.8	619716	0.957	0.965	4.634	4.634	10.57				
	26	tert-Butyl ethyl ether (ETBE)	10.432	4.3	1247585	1.926	1.846	4.733	4.733	8.21				
5	27	2-Butanone	54.888	9.8	166808	0.052	0.047	4.854	4.854	12.56				
10	28	Propionitrile	114.244	14.2	409063	0.063	0.055	4.909	4.910	11.17				
20	29	Isobutyl alcohol	228.221	14.1	288723	0.022	0.020	5.030	5.030	12.47				
	30	2,2-Dichloropropane	9.835	-1.6	615087	0.950	0.966	5.019	5.020	9.30				
10	31	Methacrylonitrile	106.760	6.8	627605	0.097	0.091	5.052	5.057	11.02				
	32	cis-1,2-Dichloroethene	10.190	1.9	358317	0.553	0.543	5.063	5.063	8.40				
	33	Chloroform	9.159	-8.4	709429	1.095	1.196	5.173	5.173	14.51				
	34	Bromochloromethane	10.418	4.2	215189	0.332	0.319	5.327	5.327	11.29				
	35	Tetrahydrofuran	11.049	10.5	90175	0.139	0.126	5.316	5.319	6.67				
	36	Dibromofluoromethane	9.254	-7.5	367086	0.567	0.612	5.338	5.338	6.30				
	37	1,1,1-Trichloroethane	9.563	-4.4	668020	1.031	1.079	5.503	5.497	8.19				
	38	Cyclohexane	10.101	1.0	359700	0.555	0.550	5.547	5.548	14.22				
	39	tert-Amyl methyl ether (TAME)	10.845	8.5	231432	0.357	0.329	5.613	5.614	7.33				
	40	1,1-Dichloropropene	9.880	-1.2	151104	0.233	0.236	5.613	5.613	8.29				
	41	1,2-Dichloroethane-d4	8.914	-10.9	467273	0.722	0.809	5.723	5.723	11.80				
	42	Carbon tetrachloride	9.430	-5.7	557403	0.861	0.913	5.734	5.734	8.01				
	43	1,2-Dichloroethane	9.596	-4.0	571321	0.882	0.919	5.800	5.800	10.41				
	44	Benzene	10.262	2.6	1216026	1.878	1.830	5.866	5.866	8.64				
	45	Trichloroethene	9.910	-0.9	324173	0.501	0.505	6.373	6.371	9.09				
	46	Methyl methacrylate	10.822	8.2	313684	0.484	0.448	6.439	6.439	9.77				
	47	Methylcyclohexane	10.456	4.6	407082	0.629	0.601	6.450	6.454	11.92				
	48	1,2-Dichloropropane	10.391	3.9	314276	0.485	0.467	6.527	6.527	10.74				
20	49	1,4-Dioxane												
	50	Bromodichloromethane	9.851	-1.5	563896	0.871	0.884	6.780	6.769	11.38				
	51	Dibromomethane	9.836	-1.6	242061	0.374	0.380	6.857	6.857	11.79				
	52	2-Chloroethyl vinyl ether	8.988	-10.1	134655	0.208	0.231	6.934	6.934	6.45				
5	53	4-Methyl-2-pentanone	51.435	2.9	1704193	0.526	0.512	6.956	6.957	10.35				
	54	cis-1,3-Dichloropropene	10.439	4.4	552132	0.853	0.817	7.275	7.275	7.57				
	55	CHLOROBENZENE-D5	10.000	0	555845	1	1	9.564	9.564	0				
	56	Toluene-d8	9.506	-4.9	1050036	1.889	1.987	7.594	7.594	8.88				
	57	Ethyl methacrylate	11.236	12.4	426233	0.767	0.682	7.693	7.693	5.59				
	58	Toluene	10.086	0.9	1271585	2.288	2.268	7.693	7.693	9.46				
	59	trans-1,3-Dichloropropene	10.278	2.8	554416	0.997	0.970	7.814	7.814	6.61				
5	60	2-Hexanone	50.761	1.5	1156980	0.416	0.410	7.946	7.938	11.13				
	61	1,1,2-Trichloroethane	10.111	1.1	302512	0.544	0.538	8.045	8.045	10.51				
	62	1,3-Dichloropropane	10.361	3.6	460356	0.828	0.799	8.354	8.354	9.83				
	63	Tetrachloroethene	9.524	-4.8	262477	0.472	0.496	8.519	8.509	12.71				
	64	Dibromochloromethane	9.409	-5.9	422250	0.760	0.807	8.783	8.783	13.87				
	65	1,2-Dibromoethane	10.137	1.4	326860	0.588	0.580	9.069	9.069	8.08				
	66	1-Chlorohexane	10.040	0.4	418878	0.754	0.751	9.124	9.124	10.45				
	67	Chlorobenzene	9.723	-2.8	809661	1.457	1.498	9.619	9.619	11.00				
	68	1,1,1,2-Tetrachloroethane	9.599	-4.0	340100	0.612	0.637	9.652	9.646	9.12				
	69	Ethylbenzene	9.758	-2.4	1487392	2.676	2.742	9.641	9.641	10.66				
2	70	m-Xylene & p-Xylene	18.880	-5.6	2346333	2.111	2.236	9.751	9.750	9.97				
	71	o-Xylene	10.096	1.0	1187781	2.137	2.117	10.412	10.413	11.21				
	72	Styrene	10.151	1.5	835184	1.503	1.480	10.467	10.458	10.19				
	73	Isopropylbenzene	9.879	-1.2	1324380	2.383	2.412	10.940	10.940	13.33				
	74	1,2-DICHLOROBENZENE-D4	10.000	0	262396	1	1	13.889	13.889	0				
	75	Bromoform	9.959	-0.4	285204	1.087	1.091	11.061	11.061	9.03				
	76	1,1,2,2-Tetrachloroethane	10.875	8.8	397736	1.516	1.394	11.204	11.203	13.93				
	77	4-Bromofluorobenzene	10.006	0.1	416821	1.589	1.587	11.369	11.369	11.73				
	78	1,2,3-Trichloropropane	10.854	8.5	109593	0.418	0.385	11.446	11.446	12.26				
	79	trans-1,4-Dichloro-2-butene	11.666	16.7	119204	0.454	0.389	11.523	11.513	8.47				
	80	n-Propylbenzene	9.908	-0.9	1648572	6.283	6.341	11.578	11.578	14.55				
	81	Bromobenzene	10.166	1.7	371222	1.415	1.392	11.732	11.732	13.87				
	82	1,3,5-Trimethylbenzene	9.826	-1.7	1123998	4.284	4.359	11.831	11.829	14.43				
	83	2-Chlorotoluene	10.515	5.2	1079812	4.115	3.914	11.919	11.919	13.23				
	84	4-Chlorotoluene	11.112	11.1	964334	3.675	3.796	11.974	11.975	20.12	0.1440	3.1777		0.9987
	85	tert-Butylbenzene	9.977	-0.2	176618	0.673	0.675	12.415	12.408	14.63				
	86	1,2,4-Trimethylbenzene	10.070	0.7	1126508	4.293	4.263	12.481	12.478	14.07				
	87	sec-Butylbenzene	9.921	-0.8	1286003	4.901	4.940	12.756	12.749	14.11				
	88	p-Isopropyltoluene	9.947	-0.5	1081873	4.123	4.145	12.954	12.955	14.69				
	89	1,3-Dichlorobenzene	11.402	14.0	594859	2.267	2.303	13.174	13.165	19.08	0.0920	1.9075		0.9986
	90	1,2,3-Trimethylbenzene	10.087	0.9	1118089	4.261	4.224	13.262	13.255	13.33				
	91	1,4-Dichlorobenzene	11.077	10.8	600654	2.289	2.349	13.328	13.328	18.81	0.0831	1.9916		0.9991
	92	n-Butylbenzene	9.895	-1.0	1023631	3.901	3.942	13.614	13.614	14.93				
	93	1,2-Dichlorobenzene	9.725	-2.7	557437	2.124	2.184	13.933	13.933	14.28				
	94	1,2-Dibromo-3-chloropropane	10.796	8.0	80292	0.306	0.283	15.144	15.134	8.87				
	95	1,2,4-Trichlorobenzene	10.262	2.6	357605	1.363	1.493	16.475	16.464	24.05	0.0497	1.2796		0.9993
	96	Hexachlorobutadiene	10.669	6.7	211409	0.806	0.755	16.663	16.662	13.33				
	97	Naphthalene	10.446	4.5	925673	3.528	3.377	16.872	16.872	12.35				
	98	1,2,3-Trichlorobenzene	10.036	0.4	332666	1.268	1.419	17.235	17.231	24.06	0.0472	1.2161		0.9995


Spike Amount = Nominal Amount * M

SM 5/24/24

Data Path : D:\Data\24E18\
Data File : REG130.D
Acq On : 18 May 2024 9:16
Operator : DNguye
Sample : BFBE2E09
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



AutoFind: Scans 797, 798, 799; Background Corrected with Scan 791

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	19.3	10614	PASS
75	95	30	60	50.3	27739	PASS
95	95	100	100	100.0	55125	PASS
96	95	5	9	6.3	3479	PASS
173	174	0.00	2	0.6	282	PASS
174	95	50	100	84.2	46427	PASS
175	174	5	9	7.9	3672	PASS
176	174	95	101	97.1	45083	PASS
177	176	5	9	7.7	3476	PASS

SW 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	134	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.421	-4.2	157	0.00
3	P,T,M	Chloromethane	10.000	10.035	-0.4	148	0.00
4	C,T,M	Vinyl chloride	10.000	10.451	-4.5	146	0.00
5	T,M	Bromomethane	10.000	10.727	-7.3	173	0.00
6	T,M	Dichlorofluoromethane	10.000	9.831	1.7	132	0.00
7	T,M	Chloroethane	10.000	11.738	-17.4	164	0.00
8	T,M	Trichlorofluoromethane	10.000	10.360	-3.6	151	0.00
9	T,M	Acrolein	50.000	53.499	-7.0	146	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	9.863	1.4	137	0.00
11	T,M	Acetone	50.000	55.179	-10.4	137	0.00
12	T,M	tert-Butyl alcohol	250.000	274.989	-10.0	147	0.00
13	C,T,M	1,1-Dichloroethene	10.000	9.754	2.5	131	0.00
14	T,M	Acetonitrile	100.000	109.003	-9.0	144	0.00
15	T,M	Allyl chloride	10.000	10.844	-8.4	143	0.00
16	T,M	Iodomethane	10.000	8.785	12.1	129	0.00
17	T,M	Methyl acetate	10.000	10.001	-0.0	133	0.00
18	T,M	Methylene chloride	10.000	11.389	-13.9	132	0.00
19	T,M	Acrylonitrile	50.000	52.273	-4.5	133	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.648	-6.5	142	0.00
21	T,M	Carbon disulfide	10.000	9.831	1.7	131	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	10.193	-1.9	139	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	10.521	-5.2	142	0.01
24	T,M	Vinyl acetate	10.000	11.462	-14.6	143	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.920	0.8	137	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	10.433	-4.3	139	0.00
27	T,M	2-Butanone	50.000	54.888	-9.8	140	0.00
28	T,M	Propionitrile	100.000	114.245	-14.2	158	0.00
29	T,M	Isobutyl alcohol	200.000	228.222	-14.1	152	0.00
30	T,M	2,2-Dichloropropane	10.000	9.836	1.6	128	0.00
31	T,M	Methacrylonitrile	100.000	106.760	-6.8	146	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	10.190	-1.9	143	0.00
33	C,T,M	Chloroform	10.000	9.160	8.4	131	0.00
34	T,M	Bromochloromethane	10.000	10.419	-4.2	136	0.00
35	T,M	Tetrahydrofuran	10.000	11.050	-10.5	150	-0.01
36	S	Dibromofluoromethane	10.000	9.254	7.5	122	0.00
37	T,M	1,1,1-Trichloroethane	10.000	9.563	4.4	129	0.01
38	T,M	Cyclohexane	10.000	10.102	-1.0	161	0.00
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.845	-8.5	139	0.00
40	T,M	1,1-Dichloropropene	10.000	9.881	1.2	129	0.00
41	S	1,2-Dichloroethane-d4	10.000	8.915	10.9	124	0.00
42	T,M	Carbon tetrachloride	10.000	9.430	5.7	124	0.00
43	T,M	1,2-Dichloroethane	10.000	9.596	4.0	126	0.00
44	T,M	Benzene	10.000	10.262	-2.6	138	0.00
45	T,M	Trichloroethene	10.000	9.910	0.9	136	0.00
46	T,M	Methyl methacrylate	10.000	10.823	-8.2	152	0.00
47	T,M	Methylcyclohexane	10.000	10.457	-4.6	159	0.00
48	C,T,M	1,2-Dichloropropane	10.000	10.391	-3.9	140	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	9.851	1.5	132	0.01
51	T,M	Dibromomethane	10.000	9.836	1.6	135	0.00

SA 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D Vial: 2
Acq On : 18 May 2024 9:57 Operator: DNguye
Sample : IVOE2E1702 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	8.989	10.1	117	0.00
53	T,M	4-Methyl-2-pentanone	50.000	51.435	-2.9	132	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.440	-4.4	139	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	136	0.00
56	S	Toluene-d8	10.000	9.507	4.9	128	0.00
57	T,M	Ethyl methacrylate	10.000	11.236	-12.4	147	0.00
58	C,T,M	Toluene	10.000	10.087	-0.9	138	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	10.278	-2.8	137	0.00
60	T,M	2-Hexanone	50.000	50.761	-1.5	131	0.01
61	T,M	1,1,2-Trichloroethane	10.000	10.111	-1.1	138	0.00
62	T,M	1,3-Dichloropropane	10.000	10.361	-3.6	143	0.00
63	T,M	Tetrachloroethene	10.000	9.524	4.8	134	0.01
64	T,M	Dibromochloromethane	10.000	9.409	5.9	131	0.00
65	T,M	1,2-Dibromoethane	10.000	10.138	-1.4	135	0.00
66	T,M	1-Chlorohexane	10.000	10.040	-0.4	137	0.00
67	P,T,M	Chlorobenzene	10.000	9.724	2.8	135	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.599	4.0	128	0.00
69	C,T,M	Ethylbenzene	10.000	9.759	2.4	136	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.880	5.6	138	0.01
71	T,M	o-Xylene	10.000	10.096	-1.0	137	0.00
72	T,M	Styrene	10.000	10.152	-1.5	137	0.01
73	T,M	Isopropylbenzene	10.000	9.880	1.2	133	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	133	0.00
75	P,T,M	Bromoform	10.000	9.959	0.4	134	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.876	-8.8	149	0.00
77	S	4-Bromofluorobenzene	10.000	10.007	-0.1	135	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.854	-8.5	148	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	11.667	-16.7	152	0.01
80	T,M	n-Propylbenzene	10.000	9.909	0.9	139	0.00
81	T,M	Bromobenzene	10.000	10.166	-1.7	135	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.827	1.7	135	0.00
83	T,M	2-Chlorotoluene	10.000	10.515	-5.2	149	0.00
84	T,M	4-Chlorotoluene	10.000	11.112	-11.1	126	0.00
85	T,M	tert-Butylbenzene	10.000	9.977	0.2	138	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	10.070	-0.7	136	0.01
87	T,M	sec-Butylbenzene	10.000	9.921	0.8	134	0.01
88	T,M	p-Isopropyltoluene	10.000	9.947	0.5	138	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.403	-14.0	138	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	10.087	-0.9	135	0.01
91	T,M	1,4-Dichlorobenzene	10.000	11.077	-10.8	137	0.00
92	T,M	n-Butylbenzene	10.000	9.896	1.0	136	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.725	2.8	140	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	10.797	-8.0	153	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	10.262	-2.6	140	0.01
96	T,M	Hexachlorobutadiene	10.000	10.670	-6.7	142	0.00
97	T,M	Naphthalene	10.000	10.446	-4.5	141	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.037	-0.4	136	0.01

5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D Vial: 2
Acq On : 18 May 2024 9:57 Operator: DNguye
Sample : IVOE2E1702 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

SY 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	134	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.598	-4.2	157	0.00
3	P,T,M	Chloromethane	0.412	0.413	-0.2	148	0.00
4	C,T,M	Vinyl chloride	0.435	0.455	-4.6	146	0.00
5	T,M	Bromomethane	0.294	0.316	-7.5	173	0.00
6	T,M	Dichlorofluoromethane	0.994	0.977	1.7	132	0.00
7	T,M	Chloroethane	0.213	0.250	-17.4	164	0.00
8	T,M	Trichlorofluoromethane	0.977	1.012	-3.6	151	0.00
9	T,M	Acrolein	0.065	0.070	-7.7	146	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.420	1.4	137	0.00
11	T,M	Acetone	0.181	0.141	22.1#	137	0.00
12	T,M	tert-Butyl alcohol	0.061	0.067	-9.8	147	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.872	2.5	131	0.00
14	T,M	Acetonitrile	0.030	0.033	-10.0	144	0.00
15	T,M	Allyl chloride	0.236	0.256	-8.5	143	0.00
16	T,M	Iodomethane	0.429	0.415	3.3	129	0.00
17	T,M	Methyl acetate	0.338	0.338	0.0	133	0.00
18	T,M	Methylene chloride	0.801	0.723	9.7	132	0.00
19	T,M	Acrylonitrile	0.150	0.157	-4.7	133	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.591	-6.5	142	0.00
21	T,M	Carbon disulfide	1.370	1.347	1.7	131	0.01
22	T,M	trans-1,2-Dichloroethene	0.477	0.486	-1.9	139	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.600	-5.3	142	0.01
24	T,M	Vinyl acetate	0.866	0.993	-14.7	143	0.00
25	P,T,M	1,1-Dichloroethane	0.965	0.957	0.8	137	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.926	-4.3	139	0.00
27	T,M	2-Butanone	0.047	0.052	-10.6	140	0.00
28	T,M	Propionitrile	0.055	0.063	-14.5	158	0.00
29	T,M	Isobutyl alcohol	0.020	0.022	-10.0	152	0.00
30	T,M	2,2-Dichloropropane	0.966	0.950	1.7	128	0.00
31	T,M	Methacrylonitrile	0.091	0.097	-6.6	146	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.553	-1.8	143	0.00
33	C,T,M	Chloroform	1.196	1.095	8.4	131	0.00
34	T,M	Bromochloromethane	0.319	0.332	-4.1	136	0.00
35	T,M	Tetrahydrofuran	0.126	0.139	-10.3	150	-0.01
36	S	Dibromofluoromethane	0.612	0.567	7.4	122	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.031	4.4	129	0.01
38	T,M	Cyclohexane	0.550	0.555	-0.9	161	0.00
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.357	-8.5	139	0.00
40	T,M	1,1-Dichloropropene	0.236	0.233	1.3	129	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.722	10.8	124	0.00
42	T,M	Carbon tetrachloride	0.913	0.861	5.7	124	0.00
43	T,M	1,2-Dichloroethane	0.919	0.882	4.0	126	0.00
44	T,M	Benzene	1.830	1.878	-2.6	138	0.00
45	T,M	Trichloroethene	0.505	0.501	0.8	136	0.00
46	T,M	Methyl methacrylate	0.448	0.484	-8.0	152	0.00
47	T,M	Methylcyclohexane	0.601	0.629	-4.7	159	0.00
48	C,T,M	1,2-Dichloropropane	0.467	0.485	-3.9	140	0.00
49	T,M	1,4-Dioxane	0.000	0.002	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	0.871	1.5	132	0.01
51	T,M	Dibromomethane	0.380	0.374	1.6	135	0.00

SW 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.208	10.0	117	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.526	-2.7	132	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.853	-4.4	139	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	136	0.00
56	S	Toluene-d8	1.987	1.889	4.9	128	0.00
57	T,M	Ethyl methacrylate	0.682	0.767	-12.5	147	0.00
58	C,T,M	Toluene	2.268	2.288	-0.9	138	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.997	-2.8	137	0.00
60	T,M	2-Hexanone	0.410	0.416	-1.5	131	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.544	-1.1	138	0.00
62	T,M	1,3-Dichloropropane	0.799	0.828	-3.6	143	0.00
63	T,M	Tetrachloroethene	0.496	0.472	4.8	134	0.01
64	T,M	Dibromochloromethane	0.807	0.760	5.8	131	0.00
65	T,M	1,2-Dibromoethane	0.580	0.588	-1.4	135	0.00
66	T,M	1-Chlorohexane	0.751	0.754	-0.4	137	0.00
67	P,T,M	Chlorobenzene	1.498	1.457	2.7	135	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.612	3.9	128	0.00
69	C,T,M	Ethylbenzene	2.742	2.676	2.4	136	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.111	5.6	138	0.01
71	T,M	o-Xylene	2.117	2.137	-0.9	137	0.00
72	T,M	Styrene	1.480	1.503	-1.6	137	0.01
73	T,M	Isopropylbenzene	2.412	2.383	1.2	133	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	133	0.00
75	P,T,M	Bromoform	1.091	1.087	0.4	134	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.516	-8.8	149	0.00
77	S	4-Bromofluorobenzene	1.587	1.589	-0.1	135	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.418	-8.6	148	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.454	-16.7	152	0.01
80	T,M	n-Propylbenzene	6.341	6.283	0.9	139	0.00
81	T,M	Bromobenzene	1.392	1.415	-1.7	135	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.284	1.7	135	0.00
83	T,M	2-Chlorotoluene	3.914	4.115	-5.1	149	0.00
84	T,M	4-Chlorotoluene	3.796	3.675	3.2	126	0.00
85	T,M	tert-Butylbenzene	0.675	0.673	0.3	138	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	4.293	-0.7	136	0.01
87	T,M	sec-Butylbenzene	4.940	4.901	0.8	134	0.01
88	T,M	p-Isopropyltoluene	4.145	4.123	0.5	138	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.267	1.6	138	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	4.261	-0.9	135	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.289	2.6	137	0.00
92	T,M	n-Butylbenzene	3.942	3.901	1.0	136	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.124	2.7	140	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.306	-8.1	153	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.363	8.7	140	0.01
96	T,M	Hexachlorobutadiene	0.755	0.806	-6.8	142	0.00
97	T,M	Naphthalene	3.377	3.528	-4.5	141	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.268	10.6	136	0.01

SU 5/24/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24E18\REG131.D Vial: 2
Acq On : 18 May 2024 9:57 Operator: DNguye
Sample : IVOE2E1702 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

SW 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.988	114	647637	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	555845	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	262396	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	367086	9.25	ug/l	0.00
Spiked Amount 10.000			Recovery =	92.50%		
41) 1,2-Dichloroethane-d4	5.723	65	467273	8.91	ug/L	0.00
Spiked Amount 10.000			Recovery =	89.10%		
56) Toluene-d8	7.594	98	1050036	9.51	ug/l	0.00
Spiked Amount 10.000			Recovery =	95.10%		
77) 4-Bromofluorobenzene	11.369	95	416821	10.01	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.10%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	387316	10.42	ug/l	100
3) Chloromethane	2.906	50	267638	10.03	ug/l	100
4) Vinyl chloride	2.994	62	294360	10.45	ug/l	100
5) Bromomethane	3.313	94	204345	10.73	ug/l	96
6) Dichlorofluoromethane	3.357	67	632775	9.83	ug/L	99
7) Chloroethane	3.346	64	161985	11.74	ug/l	88
8) Trichlorofluoromethane	3.511	101	655613	10.36	ug/l	99
9) Acrolein	3.742	56	225327	53.50	ug/l	98
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	272122	9.86	ug/l	99
11) Acetone	3.764	43	456111	55.18	ug/l	99
12) tert-Butyl alcohol	3.875	59	1082983	274.99	ug/L	99
13) 1,1-Dichloroethene	3.908	61	564613	9.75	ug/l	98
14) Acetonitrile	3.875	41	213040	109.00	ug/L	96
15) Allyl chloride	4.106	76	165769	10.84	ug/L	100
16) Iodomethane	4.150	142	268999	8.79	ug/l	94
17) Methyl acetate	4.029	43	219009	10.00	ug/L	98
18) Methylene chloride	4.183	49	467946	11.39	ug/l	97
19) Acrylonitrile	4.216	53	508984	52.27	ug/l	98
20) tert-Butyl methyl ethe...	4.227	73	1030417	10.65	ug/L	99
21) Carbon disulfide	4.315	76	872085	9.83	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	314802	10.19	ug/l	99
23) Isopropyl ether (DIPE)	4.469	45	1036035	10.52	ug/l	98
24) Vinyl acetate	4.546	43	642883	11.46	ug/l	99
25) 1,1-Dichloroethane	4.634	63	619716	9.92	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	1247585	10.43	ug/l	96
27) 2-Butanone	4.854	72	166808	54.89	ug/l	95
28) Propionitrile	4.909	54	409063	114.24	ug/L	98
29) Isobutyl alcohol	5.030	43	288723	228.22	ug/L	98
30) 2,2-Dichloropropane	5.019	77	615087	9.84	ug/l	98
31) Methacrylonitrile	5.052	52	627605	106.76	ug/L	94
32) cis-1,2-Dichloroethene	5.063	96	358317	10.19	ug/l	100
33) Chloroform	5.173	83	709429	9.16	ug/l	99
34) Bromochloromethane	5.327	130	215189	10.42	ug/l	98
35) Tetrahydrofuran	5.316	42	90175	11.05	ug/L	99
37) 1,1,1-Trichloroethane	5.503	97	668020	9.56	ug/l	99
38) Cyclohexane	5.547	84	359700	10.10	ug/L	98
39) tert-Amyl methyl ether...	5.613	87	231432	10.85	ug/l	99
40) 1,1-Dichloropropene	5.613	110	151104	9.88	ug/L	99
42) Carbon tetrachloride	5.734	119	557403	9.43	ug/L	100

SU 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43)	1,2-Dichloroethane	5.800	62	571321	9.60	ug/L	99
44)	Benzene	5.866	78	1216026	10.26	ug/L	99
45)	Trichloroethene	6.373	130	324173	9.91	ug/L	98
46)	Methyl methacrylate	6.439	69	313684	10.82	ug/L	94
47)	Methylcyclohexane	6.450	83	407082	10.46	ug/L	98
48)	1,2-Dichloropropane	6.527	63	314276	10.39	ug/L	94
50)	Bromodichloromethane	6.780	83	563896	9.85	ug/L	99
51)	Dibromomethane	6.857	93	242061	9.84	ug/L	100
52)	2-Chloroethyl vinyl ether	6.934	63	134655	8.99	ug/L	99
53)	4-Methyl-2-pentanone	6.956	43	1704193	51.44	ug/L	98
54)	cis-1,3-Dichloropropene	7.275	75	552132	10.44	ug/L	98
57)	Ethyl methacrylate	7.693	69	426233	11.24	ug/L	93
58)	Toluene	7.693	91	1271585	10.09	ug/l	100
59)	trans-1,3-Dichloropropene	7.814	75	554416	10.28	ug/l	93
60)	2-Hexanone	7.946	43	1156980	50.76	ug/l	98
61)	1,1,2-Trichloroethane	8.045	97	302512	10.11	ug/l	100
62)	1,3-Dichloropropane	8.354	76	460356	10.36	ug/l	100
63)	Tetrachloroethene	8.519	164	262477	9.52	ug/l	98
64)	Dibromochloromethane	8.783	129	422250	9.41	ug/l	100
65)	1,2-Dibromoethane	9.069	107	326860	10.14	ug/l	98
66)	1-Chlorohexane	9.124	91	418878	10.04	ug/l	92
67)	Chlorobenzene	9.619	112	809661	9.72	ug/l	99
68)	1,1,1,2-Tetrachloroethane	9.652	131	340100	9.60	ug/l	99
69)	Ethylbenzene	9.641	91	1487392	9.76	ug/l	100
70)	m-Xylene & p-Xylene	9.751	91	2346333	18.88	ug/l	99
71)	o-Xylene	10.412	91	1187781	10.10	ug/l	99
72)	Styrene	10.467	104	835184	10.15	ug/l	99
73)	Isopropylbenzene	10.940	105	1324380	9.88	ug/L	99
75)	Bromoform	11.061	173	285204	9.96	ug/l	99
76)	1,1,2,2-Tetrachloroethane	11.204	83	397736	10.88	ug/l	99
78)	1,2,3-Trichloropropane	11.446	110	109593	10.85	ug/l	99
79)	trans-1,4-Dichloro-2-b...	11.523	53	119204	11.67	ug/l	89
80)	n-Propylbenzene	11.578	91	1648572	9.91	ug/l	98
81)	Bromobenzene	11.732	156	371222	10.17	ug/l	100
82)	1,3,5-Trimethylbenzene	11.831	105	1123998	9.83	ug/l	99
83)	2-Chlorotoluene	11.919	91	1079812	10.52	ug/l	93
84)	4-Chlorotoluene	11.974	91	964334	11.11	ug/l	94
85)	tert-Butylbenzene	12.415	134	176618	9.98	ug/l	95
86)	1,2,4-Trimethylbenzene	12.481	105	1126508	10.07	ug/l	99
87)	sec-Butylbenzene	12.756	105	1286003	9.92	ug/l	100
88)	p-Isopropyltoluene	12.954	119	1081873	9.95	ug/l	98
89)	1,3-Dichlorobenzene	13.174	146	594859	11.40	ug/l	99
90)	1,2,3-Trimethylbenzene	13.262	105	1118089	10.09	ug/L	98
91)	1,4-Dichlorobenzene	13.328	146	600654	11.08	ug/l	100
92)	n-Butylbenzene	13.614	91	1023631	9.90	ug/l	99
93)	1,2-Dichlorobenzene	13.933	146	557437	9.73	ug/l	98
94)	1,2-Dibromo-3-chloropr...	15.144	157	80292	10.80	ug/l	97
95)	1,2,4-Trichlorobenzene	16.475	180	357605	10.26	ug/l	98
96)	Hexachlorobutadiene	16.663	225	211409	10.67	ug/l	98
97)	Naphthalene	16.872	128	925673	10.45	ug/l	99
98)	1,2,3-Trichlorobenzene	17.235	180	332666	10.04	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


SU 5/24/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24E18\REG131.D
Acq On : 18 May 2024 9:57
Sample : IVOE2E1702
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: May 21 21:05:54 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



VOE2E17.M Tue May 21 21:07:50 2024 Page: 3

5/24/24

DAILY CALIBRATIONS

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F019
Lab File ID: RFG091 BFB Injection Date: 06/11/24
Instrument ID: E2 BFB Injection Time: 12:47

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	20.430
75	30 - 60% of mass 95	58.855
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	7.042
173	Less than 2% of mass 174	0.000(0)1
174	Greater than 50% of mass 95	86.589
175	5 - 9% of mass 174	6.114(7.06)1
176	95 - 101% % of mass 174	82.804(95.63)1
177	5 - 9% % of mass 176	6.481(7.83)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1707	RFG092	06/11/24	13:35
2	LCS1W	VOE2F04L	RFG093	06/11/24	14:15
3	LCD1W	VOE2F04C	RFG094	06/11/24	14:39
4	MBLK1W	VOE2F04B	RFG096	06/11/24	15:26
5	T1AMF-MW058_MAY24	24F019-01	RFG107	06/11/24	19:47
6	T1AMF-MW035_MAY24	24F019-04	RFG109	06/11/24	20:34
7	T1AMF-MW035_MAY24_FD	24F019-05	RFG110	06/11/24	20:58
8	T1AMF-MW064_JUN24	24F019-06	RFG111	06/11/24	21:21
9	T1AMF-MW063_JUN24	24F019-07	RFG112	06/11/24	21:45
10	T1AMF-MW062_JUN24	24F019-08	RFG113	06/11/24	22:09
11	T1AMF-MW061_JUN24	24F019-09	RFG114	06/11/24	22:32
12	T1AMF-MW066_JUN24	24F019-10	RFG115	06/11/24	22:56
13	EB-1_JUN24	24F019-11	RFG116	06/11/24	23:19
14	VSTD10	EVOE2E1707	RFG119	06/12/24	00:30

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F019
Date Analyzed: 05/17/24
Time Analyzed: 14:09


	INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
		Area #	RT #	Area #	RT #	Area #	RT #
	12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
	UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
	LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
		Area #	RT #	Area #	RT #	Area #	RT #
1	VSTD10	670311	5.99	536256	9.56	276585	13.89
2	LCS1W	700127	5.99	552821	9.56	279028	13.89
3	LCD1W	703905	5.99	550837	9.56	285241	13.89
4	MBLK1W	600187	5.99	469288	9.56	222326	13.89
5	T1AMF-MW058_MAY24	515153	5.99	402873	9.56	193530	13.89
6	T1AMF-MW035_MAY24	470734	5.99	382077	9.56	183510	13.89
7	T1AMF-MW035_MAY24_FD	472590	5.99	364049	9.56	176717	13.89
8	T1AMF-MW064_JUN24	465858	5.99	365830	9.56	173257	13.89
9	T1AMF-MW063_JUN24	464133	5.99	353762	9.56	176858	13.89
10	T1AMF-MW062_JUN24	449983	5.99	361999	9.56	174348	13.89
11	T1AMF-MW061_JUN24	439672	5.99	353690	9.56	168920	13.89
12	T1AMF-MW066_JUN24	448212	5.99	357736	9.56	173522	13.89
13	EB-1_JUN24	455629	5.99	345067	9.56	168897	13.88
14	VSTD10	558649	5.99	454298	9.56	253559	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Data Path : D:\Data\24F11\
Data File : RFG091.D
Acq On : 11 Jun 2024 12:47
Operator : DNguye
Sample : BFBF04
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



AutoFind: Scans 797, 798, 799; Background Corrected with Scan 791

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	20.4	8738	PASS
75	95	30	60	58.9	25173	PASS
95	95	100	100	100.0	42771	PASS
96	95	5	9	7.0	3012	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	100	86.6	37035	PASS
175	174	5	9	7.1	2615	PASS
176	174	95	101	95.6	35416	PASS
177	176	5	9	7.8	2772	PASS

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	139	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.649	-6.5	166	0.00
3	P,T,M	Chloromethane	10.000	8.586	14.1	131	0.00
4	C,T,M	Vinyl chloride	10.000	10.811	-8.1	157	0.00
5	T,M	Bromomethane	10.000	9.771	2.3	163	0.00
6	T,M	Dichlorofluoromethane	10.000	9.548	4.5	133	0.00
7	T,M	Chloroethane	10.000	8.924	10.8	129	0.00
8	T,M	Trichlorofluoromethane	10.000	8.783	12.2	132	0.00
9	T,M	Acrolein	50.000	34.629	30.7#	98	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	8.679	13.2	125	0.00
11	T,M	Acetone	50.000	43.317	13.4	114	0.00
12	T,M	tert-Butyl alcohol	250.000	188.868	24.5#	105	0.00
13	C,T,M	1,1-Dichloroethene	10.000	8.941	10.6	125	0.00
14	T,M	Acetonitrile	100.000	81.614	18.4	112	0.00
15	T,M	Allyl chloride	10.000	9.379	6.2	128	0.00
16	T,M	Iodomethane	10.000	11.646	-16.5	178	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	10.524	-5.2	127	0.00
19	T,M	Acrylonitrile	50.000	36.443	27.1#	96	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	9.529	4.7	131	0.00
21	T,M	Carbon disulfide	10.000	8.924	10.8	123	0.01
22	T,M	trans-1,2-Dichloroethene	10.000	8.687	13.1	123	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	8.519	14.8	119	0.01
24	T,M	Vinyl acetate	10.000	6.518	34.8#	84	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.014	9.9	129	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	8.169	18.3	113	0.00
27	T,M	2-Butanone	50.000	37.923	24.2#	100	0.00
28	T,M	Propionitrile	100.000	81.332	18.7	117	0.00
29	T,M	Isobutyl alcohol	200.000	151.186	24.4#	104	0.00
30	T,M	2,2-Dichloropropane	10.000	10.189	-1.9	137	0.00
31	T,M	Methacrylonitrile	100.000	87.958	12.0	124	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.028	9.7	131	0.00
33	C,T,M	Chloroform	10.000	9.138	8.6	136	0.00
34	T,M	Bromochloromethane	10.000	8.446	15.5	114	0.00
35	T,M	Tetrahydrofuran	10.000	7.721	22.8#	109	-0.01
36	S	Dibromofluoromethane	10.000	9.705	2.9	132	0.00
37	T,M	1,1,1-Trichloroethane	10.000	9.866	1.3	137	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	9.277	7.2	123	0.00
40	T,M	1,1-Dichloropropene	10.000	8.871	11.3	120	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.597	-6.0	152	0.00
42	T,M	Carbon tetrachloride	10.000	9.739	2.6	132	0.00
43	T,M	1,2-Dichloroethane	10.000	10.080	-0.8	137	0.00
44	T,M	Benzene	10.000	9.061	9.4	126	0.00
45	T,M	Trichloroethene	10.000	8.246	17.5	117	0.00
46	T,M	Methyl methacrylate	10.000	5.935	40.7#	86	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	8.839	11.6	123	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.01
50	T,M	Bromodichloromethane	10.000	9.636	3.6	133	0.01
51	T,M	Dibromomethane	10.000	8.470	15.3	120	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D Vial: 2
Acq On : 11 Jun 2024 13:35 Operator: DNguye
Sample : CVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	5.920	40.8#	80	0.00
53	T,M	4-Methyl-2-pentanone	50.000	37.966	24.1#	101	0.01
54	T,M	cis-1,3-Dichloropropene	10.000	8.995	10.1	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	131	0.00
56	S	Toluene-d8	10.000	10.547	-5.5	137	0.00
57	T,M	Ethyl methacrylate	10.000	9.244	7.6	117	0.00
58	C,T,M	Toluene	10.000	9.752	2.5	129	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	9.861	1.4	127	0.00
60	T,M	2-Hexanone	50.000	40.672	18.7	101	0.01
61	T,M	1,1,2-Trichloroethane	10.000	9.121	8.8	120	0.00
62	T,M	1,3-Dichloropropane	10.000	9.625	3.8	128	0.00
63	T,M	Tetrachloroethene	10.000	9.050	9.5	123	0.01
64	T,M	Dibromochloromethane	10.000	8.470	15.3	114	0.00
65	T,M	1,2-Dibromoethane	10.000	8.250	17.5	106	0.00
66	T,M	1-Chlorohexane	10.000	9.359	6.4	123	0.00
67	P,T,M	Chlorobenzene	10.000	9.312	6.9	125	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.481	5.2	122	0.00
69	C,T,M	Ethylbenzene	10.000	9.633	3.7	130	0.00
70	T,M	m-Xylene & p-Xylene	20.000	18.700	6.5	132	0.01
71	T,M	o-Xylene	10.000	9.826	1.7	129	0.01
72	T,M	Styrene	10.000	9.591	4.1	125	0.01
73	T,M	Isopropylbenzene	10.000	9.667	3.3	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	140	0.00
75	P,T,M	Bromoform	10.000	7.979	20.2#	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.290	17.1	120	0.00
77	S	4-Bromofluorobenzene	10.000	10.427	-4.3	148	0.00
78	T,M	1,2,3-Trichloropropane	10.000	8.633	13.7	124	0.01
79	T,M	trans-1,4-Dichloro-2-butene	10.000	8.773	12.3	121	0.01
80	T,M	n-Propylbenzene	10.000	9.032	9.7	133	0.00
81	T,M	Bromobenzene	10.000	8.711	12.9	122	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	8.948	10.5	130	0.00
83	T,M	2-Chlorotoluene	10.000	9.622	3.8	143	0.00
84	T,M	4-Chlorotoluene	10.000	10.110	-1.1	121	0.01
85	T,M	tert-Butylbenzene	10.000	9.022	9.8	131	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	8.989	10.1	128	0.01
87	T,M	sec-Butylbenzene	10.000	9.033	9.7	129	0.01
88	T,M	p-Isopropyltoluene	10.000	8.762	12.4	128	0.00
89	T,M	1,3-Dichlorobenzene	10.000	9.940	0.6	127	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	8.965	10.4	127	0.01
91	T,M	1,4-Dichlorobenzene	10.000	9.670	3.3	126	0.00
92	T,M	n-Butylbenzene	10.000	8.962	10.4	130	0.00
93	T,M	1,2-Dichlorobenzene	10.000	8.707	12.9	132	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.548	24.5#	113	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	9.068	9.3	131	0.00
96	T,M	Hexachlorobutadiene	10.000	9.359	6.4	132	0.00
97	T,M	Naphthalene	10.000	8.020	19.8	114	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.765	12.3	126	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	139	0.00
2	T,M Dichlorodifluoromethane	0.574	0.611	-6.4	166	0.00
3	P,T,M Chloromethane	0.412	0.354	14.1	131	0.00
4	C,T,M Vinyl chloride	0.435	0.470	-8.0	157	0.00
5	T,M Bromomethane	0.294	0.287	2.4	163	0.00
6	T,M Dichlorofluoromethane	0.994	0.949	4.5	133	0.00
7	T,M Chloroethane	0.213	0.190	10.8	129	0.00
8	T,M Trichlorofluoromethane	0.977	0.858	12.2	132	0.00
9	T,M Acrolein	0.065	0.045	30.8#	98	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.370	13.1	125	0.00
11	T,M Acetone	0.181	0.113	37.6#	114	0.00
12	T,M tert-Butyl alcohol	0.061	0.046	24.6#	105	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.799	10.6	125	0.00
14	T,M Acetonitrile	0.030	0.025	16.7	112	0.00
15	T,M Allyl chloride	0.236	0.221	6.4	128	0.00
16	T,M Iodomethane	0.429	0.555	-29.4#	178	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.671	16.2	127	0.00
19	T,M Acrylonitrile	0.150	0.110	26.7#	96	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.424	4.7	131	0.00
21	T,M Carbon disulfide	1.370	1.222	10.8	123	0.01
22	T,M trans-1,2-Dichloroethene	0.477	0.414	13.2	123	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.295	14.8	119	0.01
24	T,M Vinyl acetate	0.866	0.564	34.9#	84	0.00
25	P,T,M 1,1-Dichloroethane	0.965	0.870	9.8	129	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	1.508	18.3	113	0.00
27	T,M 2-Butanone	0.047	0.036	23.4#	100	0.00
28	T,M Propionitrile	0.055	0.045	18.2	117	0.00
29	T,M Isobutyl alcohol	0.020	0.015	25.0#	104	0.00
30	T,M 2,2-Dichloropropane	0.966	0.984	-1.9	137	0.00
31	T,M Methacrylonitrile	0.091	0.080	12.1	124	0.00
32	T,M cis-1,2-Dichloroethene	0.543	0.490	9.8	131	0.00
33	C,T,M Chloroform	1.196	1.093	8.6	136	0.00
34	T,M Bromochloromethane	0.319	0.269	15.7	114	0.00
35	T,M Tetrahydrofuran	0.126	0.097	23.0#	109	-0.01
36	S Dibromofluoromethane	0.612	0.594	2.9	132	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.064	1.4	137	0.00
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.306	7.0	123	0.00
40	T,M 1,1-Dichloropropene	0.236	0.209	11.4	120	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.858	-6.1	152	0.00
42	T,M Carbon tetrachloride	0.913	0.889	2.6	132	0.00
43	T,M 1,2-Dichloroethane	0.919	0.927	-0.9	137	0.00
44	T,M Benzene	1.830	1.658	9.4	126	0.00
45	T,M Trichloroethene	0.505	0.416	17.6	117	0.00
46	T,M Methyl methacrylate	0.448	0.266	40.6#	86	0.00
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.413	11.6	123	0.00
49	T,M 1,4-Dioxane	0.000	0.002	0.0	0#	0.01
50	T,M Bromodichloromethane	0.884	0.852	3.6	133	0.01
51	T,M Dibromomethane	0.380	0.322	15.3	120	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.137	40.7#	80	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.388	24.2#	101	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.735	10.0	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	131	0.00
56	S	Toluene-d8	1.987	2.096	-5.5	137	0.00
57	T,M	Ethyl methacrylate	0.682	0.631	7.5	117	0.00
58	C,T,M	Toluene	2.268	2.212	2.5	129	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.957	1.3	127	0.00
60	T,M	2-Hexanone	0.410	0.334	18.5	101	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.491	8.7	120	0.00
62	T,M	1,3-Dichloropropane	0.799	0.769	3.8	128	0.00
63	T,M	Tetrachloroethene	0.496	0.449	9.5	123	0.01
64	T,M	Dibromochloromethane	0.807	0.684	15.2	114	0.00
65	T,M	1,2-Dibromoethane	0.580	0.479	17.4	106	0.00
66	T,M	1-Chlorohexane	0.751	0.702	6.5	123	0.00
67	P,T,M	Chlorobenzene	1.498	1.395	6.9	125	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.604	5.2	122	0.00
69	C,T,M	Ethylbenzene	2.742	2.641	3.7	130	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.090	6.5	132	0.01
71	T,M	o-Xylene	2.117	2.080	1.7	129	0.01
72	T,M	Styrene	1.480	1.420	4.1	125	0.01
73	T,M	Isopropylbenzene	2.412	2.331	3.4	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	140	0.00
75	P,T,M	Bromoform	1.091	0.871	20.2#	114	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.155	17.1	120	0.00
77	S	4-Bromofluorobenzene	1.587	1.655	-4.3	148	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.332	13.8	124	0.01
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.342	12.1	121	0.01
80	T,M	n-Propylbenzene	6.341	5.727	9.7	133	0.00
81	T,M	Bromobenzene	1.392	1.212	12.9	122	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.901	10.5	130	0.00
83	T,M	2-Chlorotoluene	3.914	3.765	3.8	143	0.00
84	T,M	4-Chlorotoluene	3.796	3.357	11.6	121	0.01
85	T,M	tert-Butylbenzene	0.675	0.609	9.8	131	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.832	10.1	128	0.01
87	T,M	sec-Butylbenzene	4.940	4.462	9.7	129	0.01
88	T,M	p-Isopropyltoluene	4.145	3.632	12.4	128	0.00
89	T,M	1,3-Dichlorobenzene	2.303	1.988	13.7	127	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	3.787	10.3	127	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.009	14.5	126	0.00
92	T,M	n-Butylbenzene	3.942	3.533	10.4	130	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.902	12.9	132	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.214	24.4#	113	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.210	19.0	131	0.00
96	T,M	Hexachlorobutadiene	0.755	0.707	6.4	132	0.00
97	T,M	Naphthalene	3.377	2.709	19.8	114	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.113	21.6#	126	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG092.D Vial: 2
Acq On : 11 Jun 2024 13:35 Operator: DNguye
Sample : CVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	670311	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	536256	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	276585	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	398438	9.71	ug/l	0.00
Spiked Amount 10.000			Recovery =	97.10%		
41) 1,2-Dichloroethane-d4	5.723	65	574875	10.60	ug/L	0.00
Spiked Amount 10.000			Recovery =	106.00%		
56) Toluene-d8	7.594	98	1123862	10.55	ug/l	0.00
Spiked Amount 10.000			Recovery =	105.50%		
77) 4-Bromofluorobenzene	11.369	95	457799	10.43	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.30%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	409663	10.65	ug/l	100
3) Chloromethane	2.906	50	237016	8.59	ug/l	99
4) Vinyl chloride	2.994	62	315166	10.81	ug/l	98
5) Bromomethane	3.313	94	192654	9.77	ug/l	94
6) Dichlorofluoromethane	3.357	67	636053	9.55	ug/L	99
7) Chloroethane	3.346	64	127455	8.92	ug/l	99
8) Trichlorofluoromethane	3.511	101	575223	8.78	ug/l	99
9) Acrolein	3.742	56	150956	34.63	ug/l	97
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	247835	8.68	ug/l	100
11) Acetone	3.764	43	379001	43.32	ug/l	97
12) tert-Butyl alcohol	3.874	59	769858	188.87	ug/L	98
13) 1,1-Dichloroethene	3.907	61	535676	8.94	ug/l	97
14) Acetonitrile	3.874	41	165094	81.61	ug/L	99
15) Allyl chloride	4.105	76	148396	9.38	ug/L	97
16) Iodomethane	4.149	142	372132	11.65	ug/l	91
18) Methylene chloride	4.182	49	450035	10.52	ug/l	98
19) Acrylonitrile	4.215	53	367270	36.44	ug/l	99
20) tert-Butyl methyl ethe...	4.226	73	954476	9.53	ug/L	96
21) Carbon disulfide	4.315	76	819282	8.92	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	277671	8.69	ug/l	98
23) Isopropyl ether (DIPE)	4.469	45	868254	8.52	ug/l	96
24) Vinyl acetate	4.546	43	378357	6.52	ug/l	98
25) 1,1-Dichloroethane	4.634	63	582840	9.01	ug/l	98
26) tert-Butyl ethyl ether...	4.733	59	1011074	8.17	ug/l	89
27) 2-Butanone	4.854	72	119284	37.92	ug/l	100
28) Propionitrile	4.909	54	301411	81.33	ug/L	97
29) Isobutyl alcohol	5.030	43	197961	151.19	ug/L	93
30) 2,2-Dichloropropane	5.019	77	659505	10.19	ug/l	97
31) Methacrylonitrile	5.052	52	535175	87.96	ug/L	98
32) cis-1,2-Dichloroethene	5.063	96	328565	9.03	ug/l	99
33) Chloroform	5.173	83	732545	9.14	ug/l	96
34) Bromochloromethane	5.327	130	180551	8.45	ug/l	100
35) Tetrahydrofuran	5.316	42	65214	7.72	ug/L	96
37) 1,1,1-Trichloroethane	5.492	97	713285	9.87	ug/l	98
39) tert-Amyl methyl ether...	5.613	87	204906	9.28	ug/l	98
40) 1,1-Dichloropropene	5.613	110	140416	8.87	ug/L	99
42) Carbon tetrachloride	5.734	119	595828	9.74	ug/L	99
43) 1,2-Dichloroethane	5.800	62	621168	10.08	ug/L	98
44) Benzene	5.866	78	1111269	9.06	ug/L	98

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG092.D
Acq On : 11 Jun 2024 13:35
Sample : CVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Trichloroethene	6.372	130	279167	8.25	ug/L	97
46) Methyl methacrylate	6.439	69	178027	5.93	ug/L #	76
48) 1,2-Dichloropropane	6.527	63	276700	8.84	ug/L	87
50) Bromodichloromethane	6.780	83	570890	9.64	ug/L	97
51) Dibromomethane	6.868	93	215734	8.47	ug/L	97
52) 2-Chloroethyl vinyl ether	6.934	63	91785	5.92	ug/L	97
53) 4-Methyl-2-pentanone	6.967	43	1301951	37.97	ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	492380	8.99	ug/L	96
57) Ethyl methacrylate	7.693	69	338297	9.24	ug/L	97
58) Toluene	7.693	91	1185996	9.75	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	513164	9.86	ug/l	99
60) 2-Hexanone	7.946	43	894344	40.67	ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	263259	9.12	ug/l	97
62) 1,3-Dichloropropane	8.353	76	412550	9.62	ug/l	99
63) Tetrachloroethene	8.518	164	240605	9.05	ug/l	96
64) Dibromochloromethane	8.783	129	366701	8.47	ug/l	100
65) 1,2-Dibromoethane	9.069	107	256623	8.25	ug/l	95
66) 1-Chlorohexane	9.124	91	376692	9.36	ug/l	100
67) Chlorobenzene	9.619	112	748031	9.31	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.652	131	324067	9.48	ug/l	100
69) Ethylbenzene	9.641	91	1416491	9.63	ug/l	99
70) m-Xylene & p-Xylene	9.751	91	2242038	18.70	ug/l	99
71) o-Xylene	10.422	91	1115243	9.83	ug/l	98
72) Styrene	10.466	104	761260	9.59	ug/l	95
73) Isopropylbenzene	10.940	105	1250251	9.67	ug/L	98
75) Bromoform	11.061	173	240858	7.98	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	319581	8.29	ug/l	97
78) 1,2,3-Trichloropropane	11.457	110	91884	8.63	ug/l	98
79) trans-1,4-Dichloro-2-b...	11.523	53	94487	8.77	ug/l	97
80) n-Propylbenzene	11.578	91	1583919	9.03	ug/l	99
81) Bromobenzene	11.732	156	335303	8.71	ug/l	99
82) 1,3,5-Trimethylbenzene	11.831	105	1078870	8.95	ug/l	98
83) 2-Chlorotoluene	11.919	91	1041463	9.62	ug/l	90
84) 4-Chlorotoluene	11.985	91	928419	10.11	ug/l	99
85) tert-Butylbenzene	12.414	134	168345	9.02	ug/l	96
86) 1,2,4-Trimethylbenzene	12.480	105	1059907	8.99	ug/l	98
87) sec-Butylbenzene	12.756	105	1234139	9.03	ug/l	100
88) p-Isopropyltoluene	12.954	119	1004481	8.76	ug/l	97
89) 1,3-Dichlorobenzene	13.174	146	549879	9.94	ug/l	99
90) 1,2,3-Trimethylbenzene	13.262	105	1047396	8.96	ug/L	99
91) 1,4-Dichlorobenzene	13.328	146	555648	9.67	ug/l	99
92) n-Butylbenzene	13.614	91	977189	8.96	ug/l	100
93) 1,2-Dichlorobenzene	13.933	146	526048	8.71	ug/l	97
94) 1,2-Dibromo-3-chloropr...	15.144	157	59164	7.55	ug/l	93
95) 1,2,4-Trichlorobenzene	16.464	180	334686	9.07	ug/l	98
96) Hexachlorobutadiene	16.662	225	195472	9.36	ug/l	98
97) Naphthalene	16.871	128	749136	8.02	ug/l	99
98) 1,2,3-Trichlorobenzene	17.235	180	307886	8.77	ug/l	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG092.D Vial: 2
Acq On : 11 Jun 2024 13:35 Operator: DNguye
Sample : CVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:48:39 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D Vial: 29
Acq On : 12 Jun 2024 00:30 Operator: DNguye
Sample : EVOE2E1707 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	115	0.00
2	T,M	Dichlorodifluoromethane	10.000	10.899	-9.0	142	0.00
3	P,T,M	Chloromethane	10.000	10.507	-5.1	134	0.00
4	C,T,M	Vinyl chloride	10.000	14.645	-46.4#	177	0.00
5	T,M	Bromomethane	10.000	5.366	46.3#	75	0.00
6	T,M	Dichlorofluoromethane	10.000	10.635	-6.3	123	0.00
7	T,M	Chloroethane	10.000	8.983	10.2	108	0.00
8	T,M	Trichlorofluoromethane	10.000	8.845	11.5	111	0.00
9	T,M	Acrolein	50.000	27.725	44.5#	65	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	9.660	3.4	116	0.00
11	T,M	Acetone	50.000	43.732	12.5	96	0.00
12	T,M	tert-Butyl alcohol	250.000	220.530	11.8	102	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.041	-0.4	117	0.00
14	T,M	Acetonitrile	100.000	96.026	4.0	109	0.00
15	T,M	Allyl chloride	10.000	10.309	-3.1	117	0.00
16	T,M	Iodomethane	10.000	6.669	33.3#	83	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	11.646	-16.5	117	0.00
19	T,M	Acrylonitrile	50.000	37.860	24.3#	83	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.448	-4.5	120	0.00
21	T,M	Carbon disulfide	10.000	9.631	3.7	111	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	9.302	7.0	110	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	9.475	5.3	110	0.00
24	T,M	Vinyl acetate	10.000	4.668	53.3#	50	0.00
25	P,T,M	1,1-Dichloroethane	10.000	9.917	0.8	118	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.146	8.5	105	0.00
27	T,M	2-Butanone	50.000	38.964	22.1#	86	0.00
28	T,M	Propionitrile	100.000	87.169	12.8	104	0.00
29	T,M	Isobutyl alcohol	200.000	162.595	18.7	93	0.00
30	T,M	2,2-Dichloropropane	10.000	9.936	0.6	112	0.00
31	T,M	Methacrylonitrile	100.000	98.112	1.9	115	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.823	1.8	119	0.00
33	C,T,M	Chloroform	10.000	10.263	-2.6	127	0.00
34	T,M	Bromochloromethane	10.000	9.343	6.6	105	0.00
35	T,M	Tetrahydrofuran	10.000	8.042	19.6	94	-0.01
36	S	Dibromofluoromethane	10.000	9.797	2.0	111	0.00
37	T,M	1,1,1-Trichloroethane	10.000	11.196	-12.0	130	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.723	-7.2	118	0.00
40	T,M	1,1-Dichloropropene	10.000	9.737	2.6	110	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.807	-8.1	129	0.00
42	T,M	Carbon tetrachloride	10.000	10.964	-9.6	124	0.00
43	T,M	1,2-Dichloroethane	10.000	11.513	-15.1	130	0.00
44	T,M	Benzene	10.000	10.133	-1.3	118	0.00
45	T,M	Trichloroethene	10.000	9.332	6.7	110	0.00
46	T,M	Methyl methacrylate	10.000	7.356	26.4#	89	-0.01
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.808	-8.1	126	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	11.853	-18.5	137	0.00
51	T,M	Dibromomethane	10.000	10.325	-3.2	122	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	6.922	30.8#	78	0.00
53	T,M	4-Methyl-2-pentanone	50.000	50.000	0.0	111	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.839	-8.4	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	111	0.00
56	S	Toluene-d8	10.000	10.731	-7.3	118	0.00
57	T,M	Ethyl methacrylate	10.000	11.287	-12.9	121	0.00
58	C,T,M	Toluene	10.000	11.162	-11.6	125	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	11.206	-12.1	122	0.00
60	T,M	2-Hexanone	50.000	46.086	7.8	97	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.767	2.3	109	0.00
62	T,M	1,3-Dichloropropane	10.000	10.557	-5.6	119	0.00
63	T,M	Tetrachloroethene	10.000	9.984	0.2	115	0.00
64	T,M	Dibromochloromethane	10.000	9.345	6.5	106	0.00
65	T,M	1,2-Dibromoethane	10.000	9.352	6.5	102	0.00
66	T,M	1-Chlorohexane	10.000	10.235	-2.3	114	0.00
67	P,T,M	Chlorobenzene	10.000	10.045	-0.4	114	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.661	-6.6	117	-0.01
69	C,T,M	Ethylbenzene	10.000	10.555	-5.5	121	0.00
70	T,M	m-Xylene & p-Xylene	20.000	20.592	-3.0	123	0.00
71	T,M	o-Xylene	10.000	10.863	-8.6	121	0.00
72	T,M	Styrene	10.000	10.638	-6.4	117	0.00
73	T,M	Isopropylbenzene	10.000	10.626	-6.3	117	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	128	0.00
75	P,T,M	Bromoform	10.000	7.882	21.2#	103	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.414	15.9	111	-0.01
77	S	4-Bromofluorobenzene	10.000	9.596	4.0	125	0.00
78	T,M	1,2,3-Trichloropropane	10.000	9.239	7.6	122	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	7.310	26.9#	92	0.00
80	T,M	n-Propylbenzene	10.000	9.067	9.3	123	0.00
81	T,M	Bromobenzene	10.000	8.800	12.0	113	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.018	9.8	120	-0.01
83	T,M	2-Chlorotoluene	10.000	9.124	8.8	125	0.00
84	T,M	4-Chlorotoluene	10.000	11.052	-10.5	121	0.00
85	T,M	tert-Butylbenzene	10.000	9.334	6.7	125	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	9.256	7.4	121	0.00
87	T,M	sec-Butylbenzene	10.000	8.968	10.3	117	0.00
88	T,M	p-Isopropyltoluene	10.000	9.112	8.9	122	0.00
89	T,M	1,3-Dichlorobenzene	10.000	10.374	-3.7	122	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	9.762	2.4	127	0.00
91	T,M	1,4-Dichlorobenzene	10.000	10.438	-4.4	125	0.00
92	T,M	n-Butylbenzene	10.000	9.705	2.9	129	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.067	9.3	126	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.358	26.4#	101	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	8.528	14.7	113	0.00
96	T,M	Hexachlorobutadiene	10.000	8.779	12.2	113	-0.01
97	T,M	Naphthalene	10.000	8.048	19.5	105	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.570	14.3	113	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = ~~1~~ 0

MW 6/28/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	115	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.625	-8.9	142	0.00
3	P,T,M	Chloromethane	0.412	0.433	-5.1	134	0.00
4	C,T,M	Vinyl chloride	0.435	0.637	-46.4#	177	0.00
5	T,M	Bromomethane	0.294	0.158	46.3#	75	0.00
6	T,M	Dichlorofluoromethane	0.994	1.057	-6.3	123	0.00
7	T,M	Chloroethane	0.213	0.191	10.3	108	0.00
8	T,M	Trichlorofluoromethane	0.977	0.864	11.6	111	0.00
9	T,M	Acrolein	0.065	0.036	44.6#	65	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.411	3.5	116	0.00
11	T,M	Acetone	0.181	0.114	37.0#	96	0.00
12	T,M	tert-Butyl alcohol	0.061	0.054	11.5	102	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.897	-0.3	117	0.00
14	T,M	Acetonitrile	0.030	0.029	3.3	109	0.00
15	T,M	Allyl chloride	0.236	0.243	-3.0	117	0.00
16	T,M	Iodomethane	0.429	0.312	27.3#	83	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.738	7.9	117	0.00
19	T,M	Acrylonitrile	0.150	0.114	24.0#	83	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.561	-4.5	120	0.00
21	T,M	Carbon disulfide	1.370	1.319	3.7	111	0.00
22	T,M	trans-1,2-Dichloroethene	0.477	0.444	6.9	110	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.441	5.2	110	0.00
24	T,M	Vinyl acetate	0.866	0.404	53.3#	50	0.00
25	P,T,M	1,1-Dichloroethane	0.965	0.957	0.8	118	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.689	8.5	105	0.00
27	T,M	2-Butanone	0.047	0.037	21.3#	86	0.00
28	T,M	Propionitrile	0.055	0.048	12.7	104	0.00
29	T,M	Isobutyl alcohol	0.020	0.016	20.0	93	0.00
30	T,M	2,2-Dichloropropane	0.966	0.959	0.7	112	0.00
31	T,M	Methacrylonitrile	0.091	0.089	2.2	115	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.533	1.8	119	0.00
33	C,T,M	Chloroform	1.196	1.227	-2.6	127	0.00
34	T,M	Bromochloromethane	0.319	0.298	6.6	105	0.00
35	T,M	Tetrahydrofuran	0.126	0.101	19.8	94	-0.01
36	S	Dibromofluoromethane	0.612	0.600	2.0	111	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.208	-12.0	130	0.00
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.353	-7.3	118	0.00
40	T,M	1,1-Dichloropropene	0.236	0.230	2.5	110	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.875	-8.2	129	0.00
42	T,M	Carbon tetrachloride	0.913	1.001	-9.6	124	0.00
43	T,M	1,2-Dichloroethane	0.919	1.058	-15.1	130	0.00
44	T,M	Benzene	1.830	1.854	-1.3	118	0.00
45	T,M	Trichloroethene	0.505	0.471	6.7	110	0.00
46	T,M	Methyl methacrylate	0.448	0.329	26.6#	89	-0.01
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.505	-8.1	126	0.00
49	T,M	1,4-Dioxane	0.000	0.003	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	1.048	-18.6	137	0.00
51	T,M	Dibromomethane	0.380	0.392	-3.2	122	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.160	30.7#	78	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.512	0.0	111	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.885	-8.3	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	111	0.00
56	S	Toluene-d8	1.987	2.132	-7.3	118	0.00
57	T,M	Ethyl methacrylate	0.682	0.770	-12.9	121	0.00
58	C,T,M	Toluene	2.268	2.531	-11.6	125	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.087	-12.1	122	0.00
60	T,M	2-Hexanone	0.410	0.378	7.8	97	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.526	2.2	109	0.00
62	T,M	1,3-Dichloropropane	0.799	0.844	-5.6	119	0.00
63	T,M	Tetrachloroethene	0.496	0.495	0.2	115	0.00
64	T,M	Dibromochloromethane	0.807	0.754	6.6	106	0.00
65	T,M	1,2-Dibromoethane	0.580	0.542	6.6	102	0.00
66	T,M	1-Chlorohexane	0.751	0.768	-2.3	114	0.00
67	P,T,M	Chlorobenzene	1.498	1.505	-0.5	114	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.680	-6.8	117	-0.01
69	C,T,M	Ethylbenzene	2.742	2.894	-5.5	121	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.302	-3.0	123	0.00
71	T,M	o-Xylene	2.117	2.299	-8.6	121	0.00
72	T,M	Styrene	1.480	1.575	-6.4	117	0.00
73	T,M	Isopropylbenzene	2.412	2.563	-6.3	117	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	128	0.00
75	P,T,M	Bromoform	1.091	0.860	21.2#	103	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.173	15.9	111	-0.01
77	S	4-Bromofluorobenzene	1.587	1.523	4.0	125	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.356	7.5	122	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.285	26.7#	92	0.00
80	T,M	n-Propylbenzene	6.341	5.749	9.3	123	0.00
81	T,M	Bromobenzene	1.392	1.225	12.0	113	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	3.931	9.8	120	-0.01
83	T,M	2-Chlorotoluene	3.914	3.571	8.8	125	0.00
84	T,M	4-Chlorotoluene	3.796	3.656	3.7	121	0.00
85	T,M	tert-Butylbenzene	0.675	0.630	6.7	125	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	3.946	7.4	121	0.00
87	T,M	sec-Butylbenzene	4.940	4.430	10.3	117	0.00
88	T,M	p-Isopropyltoluene	4.145	3.777	8.9	122	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.071	10.1	122	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.124	2.4	127	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.162	8.0	125	0.00
92	T,M	n-Butylbenzene	3.942	3.826	2.9	129	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.981	9.3	126	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.209	26.1#	101	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.141	23.6#	113	0.00
96	T,M	Hexachlorobutadiene	0.755	0.663	12.2	113	-0.01
97	T,M	Naphthalene	3.377	2.718	19.5	105	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.089	23.3#	113	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = ~~1~~ 0

KV 6/28/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	558649	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	454298	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	253559	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	335211	9.80	ug/l	0.00
Spiked Amount 10.000			Recovery = 98.00%			
41) 1,2-Dichloroethane-d4	5.723	65	488608	10.81	ug/L	0.00
Spiked Amount 10.000			Recovery = 108.10%			
56) Toluene-d8	7.594	98	968731	10.73	ug/l	0.00
Spiked Amount 10.000			Recovery = 107.30%			
77) 4-Bromofluorobenzene	11.369	95	386253	9.60	ug/l	0.00
Spiked Amount 10.000			Recovery = 96.00%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	349427	10.90	ug/l	97
3) Chloromethane	2.906	50	241726	10.51	ug/l	99
4) Vinyl chloride	2.994	62	355831	14.65	ug/l	99
5) Bromomethane	3.313	94	88173	5.37	ug/l	95
6) Dichlorofluoromethane	3.357	67	590451	10.63	ug/L	99
7) Chloroethane	3.346	64	106926	8.98	ug/l	100
8) Trichlorofluoromethane	3.511	101	482838	8.85	ug/l	100
9) Acrolein	3.742	56	100727	27.72	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	229878	9.66	ug/l	99
11) Acetone	3.764	43	318575	43.73	ug/l	97
12) tert-Butyl alcohol	3.874	59	749171	220.53	ug/L	99
13) 1,1-Dichloroethene	3.907	61	501386	10.04	ug/l	97
14) Acetonitrile	3.874	41	161890	96.03	ug/L	92
15) Allyl chloride	4.105	76	135942	10.31	ug/L	97
16) Iodomethane	4.149	142	174271	6.67	ug/l	89
18) Methylene chloride	4.182	49	412143	11.65	ug/l	97
19) Acrylonitrile	4.215	53	317994	37.86	ug/l	98
20) tert-Butyl methyl ethe...	4.226	73	872149	10.45	ug/L	96
21) Carbon disulfide	4.304	76	736880	9.63	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	247820	9.30	ug/l	100
23) Isopropyl ether (DIPE)	4.458	45	804763	9.47	ug/l	97
24) Vinyl acetate	4.546	43	225842	4.67	ug/l	99
25) 1,1-Dichloroethane	4.634	63	534398	9.92	ug/l	99
26) tert-Butyl ethyl ether...	4.733	59	943389	9.15	ug/l	89
27) 2-Butanone	4.854	72	102142	38.96	ug/l	100
28) Propionitrile	4.909	54	269229	87.17	ug/L	99
29) Isobutyl alcohol	5.030	43	177435	162.60	ug/L	90
30) 2,2-Dichloropropane	5.019	77	535968	9.94	ug/l	99
31) Methacrylonitrile	5.052	52	497516	98.11	ug/L	100
32) cis-1,2-Dichloroethene	5.063	96	297945	9.82	ug/l	99
33) Chloroform	5.173	83	685656	10.26	ug/l	97
34) Bromochloromethane	5.327	130	166465	9.34	ug/l	100
35) Tetrahydrofuran	5.316	42	56611	8.04	ug/L	96
37) 1,1,1-Trichloroethane	5.492	97	674612	11.20	ug/l	100
39) tert-Amyl methyl ether...	5.613	87	197374	10.72	ug/l	99
40) 1,1-Dichloropropene	5.613	110	128447	9.74	ug/L	96
42) Carbon tetrachloride	5.734	119	559012	10.96	ug/L	99
43) 1,2-Dichloroethane	5.800	62	591281	11.51	ug/L	97
44) Benzene	5.866	78	1035783	10.13	ug/L	99

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Trichloroethene	6.372	130	263323	9.33	ug/L	94
46) Methyl methacrylate	6.428	69	183918	7.36	ug/L	87
48) 1,2-Dichloropropane	6.527	63	281960	10.81	ug/L	87
50) Bromodichloromethane	6.769	83	585219	11.85	ug/L	95
51) Dibromomethane	6.857	93	219174	10.32	ug/L	93
52) 2-Chloroethyl vinyl ether	6.934	63	89448	6.92	ug/L	99
53) 4-Methyl-2-pentanone	6.956	43	1429003	50.00	ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	494478	10.84	ug/L	94
57) Ethyl methacrylate	7.693	69	349925	11.29	ug/L	97
58) Toluene	7.693	91	1150015	11.16	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	494019	11.21	ug/l	94
60) 2-Hexanone	7.935	43	858508	46.09	ug/l	99
61) 1,1,2-Trichloroethane	8.045	97	238823	9.77	ug/l	97
62) 1,3-Dichloropropane	8.353	76	383359	10.56	ug/l	100
63) Tetrachloroethene	8.508	164	224880	9.98	ug/l	96
64) Dibromochloromethane	8.783	129	342734	9.34	ug/l	99
65) 1,2-Dibromoethane	9.069	107	246445	9.35	ug/l	100
66) 1-Chlorohexane	9.124	91	348988	10.23	ug/l	99
67) Chlorobenzene	9.619	112	683636	10.05	ug/l	99
68) 1,1,1,2-Tetrachloroethane	9.641	131	308705	10.66	ug/l	99
69) Ethylbenzene	9.641	91	1314796	10.55	ug/l	99
70) m-Xylene & p-Xylene	9.740	91	2091623	20.59	ug/l	98
71) o-Xylene	10.411	91	1044565	10.86	ug/l	97
72) Styrene	10.455	104	715326	10.64	ug/l	95
73) Isopropylbenzene	10.940	105	1164206	10.63	ug/L	99
75) Bromoform	11.061	173	218105	7.88	ug/l	98
76) 1,1,2,2-Tetrachloroethane	11.193	83	297360	8.41	ug/l	96
78) 1,2,3-Trichloropropane	11.446	110	90145	9.24	ug/l	94
79) trans-1,4-Dichloro-2-b...	11.512	53	72176	7.31	ug/l	92
80) n-Propylbenzene	11.578	91	1457639	9.07	ug/l	98
81) Bromobenzene	11.732	156	310504	8.80	ug/l	95
82) 1,3,5-Trimethylbenzene	11.820	105	996755	9.02	ug/l	97
83) 2-Chlorotoluene	11.919	91	905394	9.12	ug/l	90
84) 4-Chlorotoluene	11.974	91	927005	11.05	ug/l	98
85) tert-Butylbenzene	12.414	134	159661	9.33	ug/l	99
86) 1,2,4-Trimethylbenzene	12.469	105	1000574	9.26	ug/l	97
87) sec-Butylbenzene	12.745	105	1123312	8.97	ug/l	100
88) p-Isopropyltoluene	12.954	119	957681	9.11	ug/l	95
89) 1,3-Dichlorobenzene	13.163	146	525095	10.37	ug/l	98
90) 1,2,3-Trimethylbenzene	13.251	105	1045617	9.76	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	548137	10.44	ug/l	98
92) n-Butylbenzene	13.614	91	970067	9.70	ug/l	99
93) 1,2-Dichlorobenzene	13.922	146	502195	9.07	ug/l	99
94) 1,2-Dibromo-3-chloropr...	15.133	157	52878	7.36	ug/l	98
95) 1,2,4-Trichlorobenzene	16.464	180	289302	8.53	ug/l	98
96) Hexachlorobutadiene	16.651	225	168078	8.78	ug/l	98
97) Naphthalene	16.871	128	689109	8.05	ug/l	98
98) 1,2,3-Trichlorobenzene	17.224	180	276227	8.57	ug/l	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F11\RFG119.D
Acq On : 12 Jun 2024 00:30
Sample : EVOE2E1707
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 13 16:50:31 2024
Quant Results File: VOE2E17.RES

Vial: 29
Operator: DNguye
Inst : F2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F019
Lab File ID: RFG122 BFB Injection Date: 06/13/24
Instrument ID: E2 BFB Injection Time: 08:43

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	25.266
75	30 - 60% of mass 95	55.392
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.423
173	Less than 2% of mass 174	0.462(.65)1
174	Greater than 50% of mass 95	71.256
175	5 - 9% of mass 174	5.840(8.2)1
176	95 - 101% % of mass 174	68.951(96.77)1
177	5 - 9% % of mass 176	5.107(7.41)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1708	RFG123	06/13/24	09:30
2	LCS2W	VOE2F05L	RFG124	06/13/24	10:20
3	LCD2W	VOE2F05C	RFG125	06/13/24	10:44
4	MBLK2W	VOE2F05B	RFG127	06/13/24	11:31
5	TB-3_MAY24	24F019-13	RFG129	06/13/24	13:06
6	RB-1_JUN24	24F019-12	RFG130	06/13/24	13:30
7	T1AMF-MW053_MAY24	24F019-02N	RFG131	06/13/24	13:54
8	T1AMF-MW051_MAY24	24F019-03	RFG132	06/13/24	14:17
9	T1AMF-MW053_MAY24_MS	24F019-02M	RFG133	06/13/24	14:41
10	T1AMF-MW053_MAY24_MSD	24F019-02S	RFG134	06/13/24	15:05
11	T1AMF-MW051_MAY24_MS	24F019-03M	RFG135	06/13/24	15:28
12	T1AMF-MW051_MAY24_MSD	24F019-03S	RFG136	06/13/24	15:52
13	VSTD10	EVOE2E1708	RFG149	06/13/24	21:01

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F019
Date Analyzed: 05/17/24
Time Analyzed: 14:09


	INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
		Area #	RT #	Area #	RT #	Area #	RT #
	12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
	UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
	LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
		Area #	RT #	Area #	RT #	Area #	RT #
1	VSTD10	557288	5.99	472243	9.56	216831	13.89
2	LCS2W	546903	5.99	471957	9.56	227711	13.89
3	LCD2W	558714	5.99	480301	9.56	220875	13.89
4	MBLK2W	516821	5.99	418923	9.56	189458	13.89
5	TB-3_MAY24	488771	5.99	405733	9.56	180846	13.89
6	RB-1_JUN24	471621	5.99	391806	9.56	174958	13.89
7	T1AMF-MW053_MAY24	462358	5.99	384262	9.56	174428	13.89
8	T1AMF-MW051_MAY24	467069	5.99	388902	9.56	169327	13.89
9	T1AMF-MW053_MAY24_MS	482397	5.99	411288	9.56	190647	13.89
10	T1AMF-MW053_MAY24_MSD	482381	5.99	410664	9.56	197209	13.89
11	T1AMF-MW051_MAY24_MS	491277	5.99	419964	9.56	199196	13.89
12	T1AMF-MW051_MAY24_MSD	499209	5.99	430525	9.56	203072	13.89
13	VSTD10	427914	5.99	374037	9.56	186275	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Data Path : D:\Data\24F13\
Data File : RFG122.D
Acq On : 13 Jun 2024 8:43
Operator : DNguye
Sample : BFBF05
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



AutoFind: Scans 796, 797, 798; Background Corrected with Scan 790

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	25.3	13386	PASS
75	95	30	60	55.4	29347	PASS
95	95	100	100	100.0	52981	PASS
96	95	5	9	6.4	3403	PASS
173	174	0.00	2	0.6	245	PASS
174	95	50	100	71.3	37752	PASS
175	174	5	9	8.2	3094	PASS
176	174	95	101	96.8	36531	PASS
177	176	5	9	7.4	2706	PASS

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG123.D
Acq On : 13 Jun 2024 9:30
Sample : CVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	115	0.00
2	T,M	Dichlorodifluoromethane	10.000	11.477	-14.8	149	0.00
3	P,T,M	Chloromethane	10.000	10.368	-3.7	132	0.00
4	C,T,M	Vinyl chloride	10.000	11.953	-19.5	144	0.00
5	T,M	Bromomethane	10.000	9.912	0.9	138	0.00
6	T,M	Dichlorofluoromethane	10.000	10.946	-9.5	127	0.00
7	T,M	Chloroethane	10.000	11.200	-12.0	135	0.00
8	T,M	Trichlorofluoromethane	10.000	8.865	11.3	111	0.00
9	T,M	Acrolein	50.000	47.829	4.3	112	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	8.989	10.1	108	0.00
11	T,M	Acetone	50.000	62.862	-25.7#	133	0.00
12	T,M	tert-Butyl alcohol	250.000	246.863	1.3	114	0.00
13	C,T,M	1,1-Dichloroethene	10.000	11.181	-11.8	130	0.00
14	T,M	Acetonitrile	100.000	110.975	-11.0	126	0.00
15	T,M	Allyl chloride	10.000	11.104	-11.0	126	0.00
16	T,M	Iodomethane	10.000	7.522	24.8#	94	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	14.747	-47.5#	145	0.00
19	T,M	Acrylonitrile	50.000	60.440	-20.9#	132	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.984	-9.8	126	0.00
21	T,M	Carbon disulfide	10.000	9.910	0.9	114	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	9.802	2.0	115	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	13.125	-31.3#	152	0.01
24	T,M	Vinyl acetate	10.000	8.844	11.6	95	0.00
25	P,T,M	1,1-Dichloroethane	10.000	11.491	-14.9	137	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	11.146	-11.5	128	0.00
27	T,M	2-Butanone	50.000	49.616	0.8	109	0.00
28	T,M	Propionitrile	100.000	118.944	-18.9	142	0.00
29	T,M	Isobutyl alcohol	200.000	234.405	-17.2	134	0.00
30	T,M	2,2-Dichloropropane	10.000	11.132	-11.3	125	0.01
31	T,M	Methacrylonitrile	100.000	120.851	-20.9#	142	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	10.267	-2.7	124	0.00
33	C,T,M	Chloroform	10.000	10.033	-0.3	124	0.00
34	T,M	Bromochloromethane	10.000	10.100	-1.0	114	0.00
35	T,M	Tetrahydrofuran	10.000	12.099	-21.0#	142	-0.01
36	S	Dibromofluoromethane	10.000	9.353	6.5	106	0.00
37	T,M	1,1,1-Trichloroethane	10.000	10.294	-2.9	119	0.01
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	12.029	-20.3#	132	0.00
40	T,M	1,1-Dichloropropene	10.000	10.739	-7.4	121	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.552	-5.5	126	0.00
42	T,M	Carbon tetrachloride	10.000	10.224	-2.2	116	0.00
43	T,M	1,2-Dichloroethane	10.000	11.795	-17.9	133	0.00
44	T,M	Benzene	10.000	10.837	-8.4	126	0.00
45	T,M	Trichloroethene	10.000	9.918	0.8	117	0.00
46	T,M	Methyl methacrylate	10.000	7.219	27.8#	87	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	12.036	-20.4#	139	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	10.302	-3.0	118	0.00
51	T,M	Dibromomethane	10.000	9.244	7.6	109	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG123.D
Acq On : 13 Jun 2024 9:30
Sample : CVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	11.885	-18.8	133	0.00
53	T,M	4-Methyl-2-pentanone	50.000	60.683	-21.4#	134	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	10.807	-8.1	124	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	115	0.00
56	S	Toluene-d8	10.000	9.912	0.9	113	0.00
57	T,M	Ethyl methacrylate	10.000	10.876	-8.8	121	0.00
58	C,T,M	Toluene	10.000	10.689	-6.9	124	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	10.587	-5.9	120	0.00
60	T,M	2-Hexanone	50.000	59.103	-18.2	129	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.826	1.7	114	0.00
62	T,M	1,3-Dichloropropane	10.000	10.699	-7.0	126	0.00
63	T,M	Tetrachloroethene	10.000	9.955	0.4	119	0.00
64	T,M	Dibromochloromethane	10.000	9.230	7.7	109	0.00
65	T,M	1,2-Dibromoethane	10.000	9.745	2.6	110	0.00
66	T,M	1-Chlorohexane	10.000	10.447	-4.5	121	0.00
67	P,T,M	Chlorobenzene	10.000	9.859	1.4	116	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.031	-0.3	114	-0.01
69	C,T,M	Ethylbenzene	10.000	10.513	-5.1	125	0.00
70	T,M	m-Xylene & p-Xylene	20.000	20.590	-2.9	128	0.01
71	T,M	o-Xylene	10.000	10.729	-7.3	124	0.00
72	T,M	Styrene	10.000	10.827	-8.3	124	0.01
73	T,M	Isopropylbenzene	10.000	11.000	-10.0	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	110	0.00
75	P,T,M	Bromoform	10.000	8.761	12.4	98	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.121	-1.2	115	0.00
77	S	4-Bromofluorobenzene	10.000	11.107	-11.1	124	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.577	-5.8	119	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	11.085	-10.9	120	0.00
80	T,M	n-Propylbenzene	10.000	10.957	-9.6	127	0.00
81	T,M	Bromobenzene	10.000	9.957	0.4	109	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	11.347	-13.5	129	0.00
83	T,M	2-Chlorotoluene	10.000	11.768	-17.7	137	0.00
84	T,M	4-Chlorotoluene	10.000	12.434	-24.3#	116	0.00
85	T,M	tert-Butylbenzene	10.000	10.587	-5.9	121	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	11.577	-15.8	129	0.01
87	T,M	sec-Butylbenzene	10.000	11.099	-11.0	124	0.01
88	T,M	p-Isopropyltoluene	10.000	11.095	-11.0	127	0.00
89	T,M	1,3-Dichlorobenzene	10.000	12.097	-21.0#	120	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	11.667	-16.7	129	0.01
91	T,M	1,4-Dichlorobenzene	10.000	11.643	-16.4	118	0.00
92	T,M	n-Butylbenzene	10.000	10.963	-9.6	125	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.273	-2.7	122	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.863	11.4	104	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	10.145	-1.4	115	0.00
96	T,M	Hexachlorobutadiene	10.000	9.351	6.5	103	0.00
97	T,M	Naphthalene	10.000	9.990	0.1	111	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	9.786	2.1	110	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG123.D
Acq On : 13 Jun 2024 9:30
Sample : CVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = ~~1~~ 0

NV 6/28/24

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG123.D
Acq On : 13 Jun 2024 9:30
Sample : CVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	115	0.00
2	T,M Dichlorodifluoromethane	0.574	0.659	-14.8	149	0.00
3	P,T,M Chloromethane	0.412	0.427	-3.6	132	0.00
4	C,T,M Vinyl chloride	0.435	0.520	-19.5	144	0.00
5	T,M Bromomethane	0.294	0.292	0.7	138	0.00
6	T,M Dichlorofluoromethane	0.994	1.088	-9.5	127	0.00
7	T,M Chloroethane	0.213	0.239	-12.2	135	0.00
8	T,M Trichlorofluoromethane	0.977	0.866	11.4	111	0.00
9	T,M Acrolein	0.065	0.062	4.6	112	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.383	10.1	108	0.00
11	T,M Acetone	0.181	0.159	12.2	133	0.00
12	T,M tert-Butyl alcohol	0.061	0.060	1.6	114	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.999	-11.7	130	0.00
14	T,M Acetonitrile	0.030	0.033	-10.0	126	0.00
15	T,M Allyl chloride	0.236	0.262	-11.0	126	0.00
16	T,M Iodomethane	0.429	0.354	17.5	94	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.921	-15.0	145	0.00
19	T,M Acrylonitrile	0.150	0.182	-21.3#	132	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.641	-9.8	126	0.00
21	T,M Carbon disulfide	1.370	1.357	0.9	114	0.00
22	T,M trans-1,2-Dichloroethene	0.477	0.467	2.1	115	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.996	-31.3#	152	0.01
24	T,M Vinyl acetate	0.866	0.766	11.5	95	0.00
25	P,T,M 1,1-Dichloroethane	0.965	1.108	-14.8	137	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	2.058	-11.5	128	0.00
27	T,M 2-Butanone	0.047	0.047	0.0	109	0.00
28	T,M Propionitrile	0.055	0.066	-20.0#	142	0.00
29	T,M Isobutyl alcohol	0.020	0.023	-15.0	134	0.00
30	T,M 2,2-Dichloropropane	0.966	1.075	-11.3	125	0.01
31	T,M Methacrylonitrile	0.091	0.110	-20.9#	142	0.00
32	T,M cis-1,2-Dichloroethene	0.543	0.557	-2.6	124	0.00
33	C,T,M Chloroform	1.196	1.200	-0.3	124	0.00
34	T,M Bromochloromethane	0.319	0.322	-0.9	114	0.00
35	T,M Tetrahydrofuran	0.126	0.152	-20.6#	142	-0.01
36	S Dibromofluoromethane	0.612	0.573	6.4	106	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.110	-2.9	119	0.01
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.396	-20.4#	132	0.00
40	T,M 1,1-Dichloropropene	0.236	0.254	-7.6	121	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.854	-5.6	126	0.00
42	T,M Carbon tetrachloride	0.913	0.933	-2.2	116	0.00
43	T,M 1,2-Dichloroethane	0.919	1.084	-18.0	133	0.00
44	T,M Benzene	1.830	1.983	-8.4	126	0.00
45	T,M Trichloroethene	0.505	0.501	0.8	117	0.00
46	T,M Methyl methacrylate	0.448	0.323	27.9#	87	0.00
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.562	-20.3#	139	0.00
49	T,M 1,4-Dioxane	0.000	0.002	0.0	0#	0.00
50	T,M Bromodichloromethane	0.884	0.911	-3.1	118	0.00
51	T,M Dibromomethane	0.380	0.351	7.6	109	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG123.D
Acq On : 13 Jun 2024 9:30
Sample : CVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.275	-19.0	133	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.621	-21.3#	134	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.883	-8.1	124	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	115	0.00
56	S	Toluene-d8	1.987	1.970	0.9	113	0.00
57	T,M	Ethyl methacrylate	0.682	0.742	-8.8	121	0.00
58	C,T,M	Toluene	2.268	2.424	-6.9	124	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.027	-5.9	120	0.00
60	T,M	2-Hexanone	0.410	0.485	-18.3	129	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.529	1.7	114	0.00
62	T,M	1,3-Dichloropropane	0.799	0.855	-7.0	126	0.00
63	T,M	Tetrachloroethene	0.496	0.494	0.4	119	0.00
64	T,M	Dibromochloromethane	0.807	0.745	7.7	109	0.00
65	T,M	1,2-Dibromoethane	0.580	0.565	2.6	110	0.00
66	T,M	1-Chlorohexane	0.751	0.784	-4.4	121	0.00
67	P,T,M	Chlorobenzene	1.498	1.477	1.4	116	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.639	-0.3	114	-0.01
69	C,T,M	Ethylbenzene	2.742	2.883	-5.1	125	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.302	-3.0	128	0.01
71	T,M	o-Xylene	2.117	2.271	-7.3	124	0.00
72	T,M	Styrene	1.480	1.602	-8.2	124	0.01
73	T,M	Isopropylbenzene	2.412	2.653	-10.0	126	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	110	0.00
75	P,T,M	Bromoform	1.091	0.956	12.4	98	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.411	-1.2	115	0.00
77	S	4-Bromofluorobenzene	1.587	1.763	-11.1	124	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.407	-5.7	119	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.432	-11.1	120	0.00
80	T,M	n-Propylbenzene	6.341	6.947	-9.6	127	0.00
81	T,M	Bromobenzene	1.392	1.386	0.4	109	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.946	-13.5	129	0.00
83	T,M	2-Chlorotoluene	3.914	4.606	-17.7	137	0.00
84	T,M	4-Chlorotoluene	3.796	4.095	-7.9	116	0.00
85	T,M	tert-Butylbenzene	0.675	0.714	-5.8	121	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	4.935	-15.8	129	0.01
87	T,M	sec-Butylbenzene	4.940	5.483	-11.0	124	0.01
88	T,M	p-Isopropyltoluene	4.145	4.599	-11.0	127	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.400	-4.2	120	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	4.928	-16.7	129	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.402	-2.3	118	0.00
92	T,M	n-Butylbenzene	3.942	4.322	-9.6	125	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.244	-2.7	122	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.251	11.3	104	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.348	9.7	115	0.00
96	T,M	Hexachlorobutadiene	0.755	0.706	6.5	103	0.00
97	T,M	Naphthalene	3.377	3.374	0.1	111	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.237	12.8	110	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG123.D
Acq On : 13 Jun 2024 9:30
Sample : CVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = ~~1~~ 0

KV 6/28/24

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG123.D
Acq On : 13 Jun 2024 9:30
Sample : CVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	557288	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	472243	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	216831	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	319243	9.35	ug/l	0.00
Spiked Amount 10.000			Recovery = 93.50%			
41) 1,2-Dichloroethane-d4	5.723	65	475932	10.55	ug/L	0.00
Spiked Amount 10.000			Recovery = 105.50%			
56) Toluene-d8	7.594	98	930129	9.91	ug/l	0.00
Spiked Amount 10.000			Recovery = 99.10%			
77) 4-Bromofluorobenzene	11.369	95	382305	11.11	ug/l	0.00
Spiked Amount 10.000			Recovery = 111.10%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	367084	11.48	ug/l	99
3) Chloromethane	2.906	50	237949	10.37	ug/l	98
4) Vinyl chloride	2.994	62	289719	11.95	ug/l	96
5) Bromomethane	3.313	94	162487	9.91	ug/l	96
6) Dichlorofluoromethane	3.357	67	606259	10.95	ug/L	97
7) Chloroethane	3.346	64	132994	11.20	ug/l	95
8) Trichlorofluoromethane	3.511	101	482727	8.87	ug/l	98
9) Acrolein	3.742	56	173345	47.83	ug/l	100
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	213407	8.99	ug/l	100
11) Acetone	3.764	43	442606	62.86	ug/l	99
12) tert-Butyl alcohol	3.874	59	836585	246.86	ug/L	95
13) 1,1-Dichloroethene	3.907	61	556952	11.18	ug/l	93
14) Acetonitrile	3.874	41	186636	110.97	ug/L	97
15) Allyl chloride	4.106	76	146062	11.10	ug/L	99
16) Iodomethane	4.150	142	197082	7.52	ug/l	95
18) Methylene chloride	4.183	49	513434	14.75	ug/l	87
19) Acrylonitrile	4.216	53	506409	60.44	ug/l	97
20) tert-Butyl methyl ethe...	4.227	73	914633	10.98	ug/L	94
21) Carbon disulfide	4.304	76	756437	9.91	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	260481	9.80	ug/l	100
23) Isopropyl ether (DIPE)	4.469	45	1112120	13.13	ug/l	95
24) Vinyl acetate	4.546	43	426867	8.84	ug/l	98
25) 1,1-Dichloroethane	4.634	63	617714	11.49	ug/l	96
26) tert-Butyl ethyl ether...	4.733	59	1146982	11.15	ug/l	96
27) 2-Butanone	4.854	72	129750	49.62	ug/l	93
28) Propionitrile	4.909	54	366475	118.94	ug/L	96
29) Isobutyl alcohol	5.030	43	255176	234.41	ug/L	96
30) 2,2-Dichloropropane	5.030	77	599041	11.13	ug/l	99
31) Methacrylonitrile	5.052	52	611328	120.85	ug/L	92
32) cis-1,2-Dichloroethene	5.063	96	310637	10.27	ug/l	98
33) Chloroform	5.173	83	668650	10.03	ug/l	97
34) Bromochloromethane	5.327	130	179513	10.10	ug/l	98
35) Tetrahydrofuran	5.316	42	84963	12.10	ug/L	84
37) 1,1,1-Trichloroethane	5.503	97	618793	10.29	ug/l	96
39) tert-Amyl methyl ether...	5.613	87	220878	12.03	ug/l	99
40) 1,1-Dichloropropene	5.613	110	141319	10.74	ug/L	94
42) Carbon tetrachloride	5.734	119	520048	10.22	ug/L	100
43) 1,2-Dichloroethane	5.800	62	604265	11.79	ug/L	95
44) Benzene	5.866	78	1104975	10.84	ug/L	96

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG123.D Vial: 2
Acq On : 13 Jun 2024 9:30 Operator: DNguye
Sample : CVOE2E1708 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Trichloroethene	6.373	130	279158	9.92	ug/L	98
46) Methyl methacrylate	6.439	69	180032	7.22	ug/L	96
48) 1,2-Dichloropropane	6.527	63	313241	12.04	ug/L	94
50) Bromodichloromethane	6.769	83	507415	10.30	ug/L	99
51) Dibromomethane	6.857	93	195766	9.24	ug/L	97
52) 2-Chloroethyl vinyl ether	6.934	63	153198	11.88	ug/L	98
53) 4-Methyl-2-pentanone	6.956	43	1730098	60.68	ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	491828	10.81	ug/L	92
57) Ethyl methacrylate	7.693	69	350519	10.88	ug/L	86
58) Toluene	7.693	91	1144864	10.69	ug/l	100
59) trans-1,3-Dichloropropene	7.814	75	485165	10.59	ug/l	89
60) 2-Hexanone	7.935	43	1144495	59.10	ug/l	100
61) 1,1,2-Trichloroethane	8.045	97	249764	9.83	ug/l	97
62) 1,3-Dichloropropane	8.354	76	403853	10.70	ug/l	99
63) Tetrachloroethene	8.508	164	233085	9.96	ug/l	99
64) Dibromochloromethane	8.783	129	351912	9.23	ug/l	100
65) 1,2-Dibromoethane	9.069	107	266948	9.75	ug/l	99
66) 1-Chlorohexane	9.124	91	370317	10.45	ug/l	99
67) Chlorobenzene	9.619	112	697467	9.86	ug/l	99
68) 1,1,1,2-Tetrachloroethane	9.641	131	301953	10.03	ug/l	100
69) Ethylbenzene	9.641	91	1361342	10.51	ug/l	99
70) m-Xylene & p-Xylene	9.751	91	2173945	20.59	ug/l	99
71) o-Xylene	10.412	91	1072356	10.73	ug/l	99
72) Styrene	10.467	104	756728	10.83	ug/l	97
73) Isopropylbenzene	10.940	105	1252784	11.00	ug/L	99
75) Bromoform	11.061	173	207313	8.76	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.204	83	305851	10.12	ug/l	97
78) 1,2,3-Trichloropropane	11.446	110	88248	10.58	ug/l	99
79) trans-1,4-Dichloro-2-b...	11.512	53	93592	11.09	ug/l	89
80) n-Propylbenzene	11.578	91	1506381	10.96	ug/l	99
81) Bromobenzene	11.732	156	300450	9.96	ug/l	100
82) 1,3,5-Trimethylbenzene	11.831	105	1072482	11.35	ug/l	97
83) 2-Chlorotoluene	11.919	91	998619	11.77	ug/l	90
84) 4-Chlorotoluene	11.974	91	887943	12.43	ug/l	97
85) tert-Butylbenzene	12.414	134	154878	10.59	ug/l	91
86) 1,2,4-Trimethylbenzene	12.481	105	1070125	11.58	ug/l	96
87) sec-Butylbenzene	12.756	105	1188789	11.10	ug/l	99
88) p-Isopropyltoluene	12.954	119	997203	11.10	ug/l	99
89) 1,3-Dichlorobenzene	13.174	146	520286	12.10	ug/l	100
90) 1,2,3-Trimethylbenzene	13.262	105	1068638	11.67	ug/L	97
91) 1,4-Dichlorobenzene	13.328	146	520773	11.64	ug/l	99
92) n-Butylbenzene	13.614	91	937148	10.96	ug/l	100
93) 1,2-Dichlorobenzene	13.933	146	486592	10.27	ug/l	98
94) 1,2-Dibromo-3-chloropr...	15.133	157	54469	8.86	ug/l	99
95) 1,2,4-Trichlorobenzene	16.464	180	292242	10.14	ug/l	98
96) Hexachlorobutadiene	16.662	225	153110	9.35	ug/l	99
97) Naphthalene	16.872	128	731494	9.99	ug/l	98
98) 1,2,3-Trichlorobenzene	17.235	180	268289	9.79	ug/l	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG123.D Vial: 2
Acq On : 13 Jun 2024 9:30 Operator: DNguye
Sample : CVOE2E1708 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 16:58:14 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG149.D
Acq On : 13 Jun 2024 21:01
Sample : EVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	88	0.00
2	T,M	Dichlorodifluoromethane	10.000	8.966	10.3	89	0.00
3	P,T,M	Chloromethane	10.000	7.166	28.3#	70	0.00
4	C,T,M	Vinyl chloride	10.000	9.154	8.5	85	0.00
5	T,M	Bromomethane	10.000	1.466	85.3#	16	0.00
6	T,M	Dichlorofluoromethane	10.000	10.574	-5.7	94	0.00
7	T,M	Chloroethane	10.000	9.084	9.2	84	0.00
8	T,M	Trichlorofluoromethane	10.000	7.482	25.2#	72	0.00
9	T,M	Acrolein	50.000	37.238	25.5#	67	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	8.778	12.2	81	0.00
11	T,M	Acetone	50.000	59.348	-18.7	97	0.00
12	T,M	tert-Butyl alcohol	250.000	229.929	8.0	81	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.852	-8.5	97	0.00
14	T,M	Acetonitrile	100.000	107.038	-7.0	93	0.00
15	T,M	Allyl chloride	10.000	9.876	1.2	86	0.00
16	T,M	Iodomethane	10.000	3.080	69.2#	28	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	14.015	-40.2#	106	0.00
19	T,M	Acrylonitrile	50.000	54.547	-9.1	92	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.572	-5.7	93	0.00
21	T,M	Carbon disulfide	10.000	9.741	2.6	86	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	9.162	8.4	83	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	12.035	-20.4#	107	0.01
24	T,M	Vinyl acetate	10.000	7.393	26.1#	61	0.00
25	P,T,M	1,1-Dichloroethane	10.000	11.299	-13.0	103	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	10.507	-5.1	93	0.00
27	T,M	2-Butanone	50.000	42.587	14.8	72	0.00
28	T,M	Propionitrile	100.000	107.833	-7.8	99	0.00
29	T,M	Isobutyl alcohol	200.000	196.503	1.7	86	0.00
30	T,M	2,2-Dichloropropane	10.000	10.779	-7.8	93	0.01
31	T,M	Methacrylonitrile	100.000	116.040	-16.0	105	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.663	3.4	89	0.00
33	C,T,M	Chloroform	10.000	9.838	1.6	93	0.00
34	T,M	Bromochloromethane	10.000	9.320	6.8	81	0.00
35	T,M	Tetrahydrofuran	10.000	10.847	-8.5	98	0.00
36	S	Dibromofluoromethane	10.000	9.489	5.1	82	0.00
37	T,M	1,1,1-Trichloroethane	10.000	10.613	-6.1	94	0.00
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.770	-7.7	91	0.00
40	T,M	1,1-Dichloropropene	10.000	10.022	-0.2	87	0.00
41	S	1,2-Dichloroethane-d4	10.000	11.122	-11.2	102	0.00
42	T,M	Carbon tetrachloride	10.000	10.574	-5.7	92	0.00
43	T,M	1,2-Dichloroethane	10.000	11.820	-18.2	103	0.00
44	T,M	Benzene	10.000	9.914	0.9	88	0.00
45	T,M	Trichloroethene	10.000	9.332	6.7	84	0.00
46	T,M	Methyl methacrylate	10.000	6.654	33.5#	62	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.735	-7.3	95	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	10.332	-3.3	91	0.00
51	T,M	Dibromomethane	10.000	9.289	7.1	84	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG149.D Vial: 28
Acq On : 13 Jun 2024 21:01 Operator: DNguye
Sample : EVOE2E1708 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	10.584	-5.8	91	0.00
53	T,M	4-Methyl-2-pentanone	50.000	56.046	-12.1	95	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	9.878	1.2	87	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	91	0.00
56	S	Toluene-d8	10.000	9.610	3.9	87	0.00
57	T,M	Ethyl methacrylate	10.000	9.828	1.7	87	0.00
58	C,T,M	Toluene	10.000	9.817	1.8	90	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	9.518	4.8	85	0.00
60	T,M	2-Hexanone	50.000	53.663	-7.3	93	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.012	9.9	83	0.00
62	T,M	1,3-Dichloropropane	10.000	9.979	0.2	93	0.00
63	T,M	Tetrachloroethene	10.000	9.055	9.5	86	0.00
64	T,M	Dibromochloromethane	10.000	8.642	13.6	81	0.00
65	T,M	1,2-Dibromoethane	10.000	8.861	11.4	79	0.00
66	T,M	1-Chlorohexane	10.000	9.359	6.4	86	0.00
67	P,T,M	Chlorobenzene	10.000	9.128	8.7	85	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.705	2.9	87	-0.01
69	C,T,M	Ethylbenzene	10.000	9.820	1.8	92	0.00
70	T,M	m-Xylene & p-Xylene	20.000	19.400	3.0	95	0.00
71	T,M	o-Xylene	10.000	9.909	0.9	91	0.00
72	T,M	Styrene	10.000	10.059	-0.6	91	0.00
73	T,M	Isopropylbenzene	10.000	10.275	-2.8	93	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	94	0.00
75	P,T,M	Bromoform	10.000	7.265	27.4#	70	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.726	12.7	85	-0.01
77	S	4-Bromofluorobenzene	10.000	10.362	-3.6	99	0.00
78	T,M	1,2,3-Trichloropropane	10.000	9.580	4.2	93	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	5.668	43.3#	53	0.00
80	T,M	n-Propylbenzene	10.000	9.263	7.4	92	0.00
81	T,M	Bromobenzene	10.000	8.677	13.2	82	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	9.839	1.6	96	-0.01
83	T,M	2-Chlorotoluene	10.000	9.471	5.3	95	0.00
84	T,M	4-Chlorotoluene	10.000	11.398	-14.0	92	0.00
85	T,M	tert-Butylbenzene	10.000	9.389	6.1	92	-0.01
86	T,M	1,2,4-Trimethylbenzene	10.000	9.905	1.0	95	0.00
87	T,M	sec-Butylbenzene	10.000	9.601	4.0	92	0.00
88	T,M	p-Isopropyltoluene	10.000	9.554	4.5	94	0.00
89	T,M	1,3-Dichlorobenzene	10.000	10.404	-4.0	90	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	10.014	-0.1	95	0.00
91	T,M	1,4-Dichlorobenzene	10.000	10.378	-3.8	91	0.00
92	T,M	n-Butylbenzene	10.000	9.144	8.6	89	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.089	9.1	93	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	10.000	7.298	27.0#	73	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	8.186	18.1	80	0.00
96	T,M	Hexachlorobutadiene	10.000	7.773	22.3#	74	-0.01
97	T,M	Naphthalene	10.000	8.075	19.3	77	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	8.319	16.8	81	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG149.D Vial: 28
Acq On : 13 Jun 2024 21:01 Operator: DNguye
Sample : EVOE2E1708 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG149.D
Acq On : 13 Jun 2024 21:01
Sample : EVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I 1,4-DIFLUOROBENZENE	1.000	1.000	0.0	88	0.00
2	T,M Dichlorodifluoromethane	0.574	0.515	10.3	89	0.00
3	P,T,M Chloromethane	0.412	0.295	28.4#	70	0.00
4	C,T,M Vinyl chloride	0.435	0.398	8.5	85	0.00
5	T,M Bromomethane	0.294	0.043	85.4#	16#	0.00
6	T,M Dichlorofluoromethane	0.994	1.051	-5.7	94	0.00
7	T,M Chloroethane	0.213	0.194	8.9	84	0.00
8	T,M Trichlorofluoromethane	0.977	0.731	25.2#	72	0.00
9	T,M Acrolein	0.065	0.048	26.2#	67	0.00
10	T,M 1,1,2-Trichloro-1,2,2-Trifl	0.426	0.374	12.2	81	0.00
11	T,M Acetone	0.181	0.151	16.6	97	0.00
12	T,M tert-Butyl alcohol	0.061	0.056	8.2	81	0.00
13	C,T,M 1,1-Dichloroethene	0.894	0.970	-8.5	97	0.00
14	T,M Acetonitrile	0.030	0.032	-6.7	93	0.00
15	T,M Allyl chloride	0.236	0.233	1.3	86	0.00
16	T,M Iodomethane	0.429	0.137	68.1#	28#	0.00
17	T,M Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M Methylene chloride	0.801	0.878	-9.6	106	0.00
19	T,M Acrylonitrile	0.150	0.164	-9.3	92	0.00
20	T,M tert-Butyl methyl ether (MT	1.494	1.580	-5.8	93	0.00
21	T,M Carbon disulfide	1.370	1.334	2.6	86	0.00
22	T,M trans-1,2-Dichloroethene	0.477	0.437	8.4	83	0.00
23	T,M Isopropyl ether (DIPE)	1.520	1.830	-20.4#	107	0.01
24	T,M Vinyl acetate	0.866	0.640	26.1#	61	0.00
25	P,T,M 1,1-Dichloroethane	0.965	1.090	-13.0	103	0.00
26	T,M tert-Butyl ethyl ether (ETB	1.846	1.940	-5.1	93	0.00
27	T,M 2-Butanone	0.047	0.040	14.9	72	0.00
28	T,M Propionitrile	0.055	0.060	-9.1	99	0.00
29	T,M Isobutyl alcohol	0.020	0.019	5.0	86	0.00
30	T,M 2,2-Dichloropropane	0.966	1.041	-7.8	93	0.01
31	T,M Methacrylonitrile	0.091	0.105	-15.4	105	0.00
32	T,M cis-1,2-Dichloroethene	0.543	0.525	3.3	89	0.00
33	C,T,M Chloroform	1.196	1.177	1.6	93	0.00
34	T,M Bromochloromethane	0.319	0.297	6.9	81	0.00
35	T,M Tetrahydrofuran	0.126	0.137	-8.7	98	0.00
36	S Dibromofluoromethane	0.612	0.581	5.1	82	0.00
37	T,M 1,1,1-Trichloroethane	1.079	1.145	-6.1	94	0.00
38	T,M Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M tert-Amyl methyl ether (TAM	0.329	0.355	-7.9	91	0.00
40	T,M 1,1-Dichloropropene	0.236	0.237	-0.4	87	0.00
41	S 1,2-Dichloroethane-d4	0.809	0.900	-11.2	102	0.00
42	T,M Carbon tetrachloride	0.913	0.965	-5.7	92	0.00
43	T,M 1,2-Dichloroethane	0.919	1.087	-18.3	103	0.00
44	T,M Benzene	1.830	1.814	0.9	88	0.00
45	T,M Trichloroethene	0.505	0.471	6.7	84	0.00
46	T,M Methyl methacrylate	0.448	0.298	33.5#	62	0.00
47	T,M Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M 1,2-Dichloropropane	0.467	0.501	-7.3	95	0.00
49	T,M 1,4-Dioxane	0.000	0.001	0.0	0#	0.00
50	T,M Bromodichloromethane	0.884	0.913	-3.3	91	0.00
51	T,M Dibromomethane	0.380	0.353	7.1	84	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG149.D Vial: 28
Acq On : 13 Jun 2024 21:01 Operator: DNguye
Sample : EVOE2E1708 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.245	-6.1	91	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.573	-11.9	95	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.807	1.2	87	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	91	0.00
56	S	Toluene-d8	1.987	1.910	3.9	87	0.00
57	T,M	Ethyl methacrylate	0.682	0.671	1.6	87	0.00
58	C,T,M	Toluene	2.268	2.226	1.9	90	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.924	4.7	85	0.00
60	T,M	2-Hexanone	0.410	0.440	-7.3	93	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.485	9.9	83	0.00
62	T,M	1,3-Dichloropropane	0.799	0.798	0.1	93	0.00
63	T,M	Tetrachloroethene	0.496	0.449	9.5	86	0.00
64	T,M	Dibromochloromethane	0.807	0.698	13.5	81	0.00
65	T,M	1,2-Dibromoethane	0.580	0.514	11.4	79	0.00
66	T,M	1-Chlorohexane	0.751	0.702	6.5	86	0.00
67	P,T,M	Chlorobenzene	1.498	1.367	8.7	85	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.619	2.8	87	-0.01
69	C,T,M	Ethylbenzene	2.742	2.693	1.8	92	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.169	3.0	95	0.00
71	T,M	o-Xylene	2.117	2.097	0.9	91	0.00
72	T,M	Styrene	1.480	1.489	-0.6	91	0.00
73	T,M	Isopropylbenzene	2.412	2.478	-2.7	93	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	94	0.00
75	P,T,M	Bromoform	1.091	0.793	27.3#	70	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.216	12.8	85	-0.01
77	S	4-Bromofluorobenzene	1.587	1.645	-3.7	99	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.369	4.2	93	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.221	43.2#	53	0.00
80	T,M	n-Propylbenzene	6.341	5.873	7.4	92	0.00
81	T,M	Bromobenzene	1.392	1.207	13.3	82	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.289	1.6	96	-0.01
83	T,M	2-Chlorotoluene	3.914	3.707	5.3	95	0.00
84	T,M	4-Chlorotoluene	3.796	3.766	0.8	92	0.00
85	T,M	tert-Butylbenzene	0.675	0.633	6.2	92	-0.01
86	T,M	1,2,4-Trimethylbenzene	4.263	4.223	0.9	95	0.00
87	T,M	sec-Butylbenzene	4.940	4.743	4.0	92	0.00
88	T,M	p-Isopropyltoluene	4.145	3.960	4.5	94	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.077	9.8	90	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.230	-0.1	95	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.150	8.5	91	0.00
92	T,M	n-Butylbenzene	3.942	3.605	8.5	89	0.00
93	T,M	1,2-Dichlorobenzene	2.184	1.985	9.1	93	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.207	26.9#	73	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.097	26.5#	80	0.00
96	T,M	Hexachlorobutadiene	0.755	0.587	22.3#	74	-0.01
97	T,M	Naphthalene	3.377	2.727	19.2	77	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.059	25.4#	81	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F13\RFG149.D Vial: 28
Acq On : 13 Jun 2024 21:01 Operator: DNguye
Sample : EVOE2E1708 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG149.D Vial: 28
Acq On : 13 Jun 2024 21:01 Operator: DNguye
Sample : EVOE2E1708 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	427914	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	374037	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	186275	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	248701	9.49	ug/l	0.00
Spiked Amount 10.000			Recovery =	94.90%		
41) 1,2-Dichloroethane-d4	5.723	65	385183	11.12	ug/L	0.00
Spiked Amount 10.000			Recovery =	111.20%		
56) Toluene-d8	7.594	98	714238	9.61	ug/l	0.00
Spiked Amount 10.000			Recovery =	96.10%		
77) 4-Bromofluorobenzene	11.369	95	306390	10.36	ug/l	0.00
Spiked Amount 10.000			Recovery =	103.60%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	220189	8.97	ug/l	98
3) Chloromethane	2.906	50	126293	7.17	ug/l	99
4) Vinyl chloride	2.994	62	170363	9.15	ug/l	70
5) Bromomethane	3.313	94	18454	1.47	ug/l	96
6) Dichlorofluoromethane	3.357	67	449689	10.57	ug/L	96
7) Chloroethane	3.346	64	82826	9.08	ug/l	91
8) Trichlorofluoromethane	3.511	101	312816	7.48	ug/l	99
9) Acrolein	3.742	56	103628	37.24	ug/l	97
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	160009	8.78	ug/l	99
11) Acetone	3.764	43	322251	59.35	ug/l	98
12) tert-Butyl alcohol	3.874	59	598309	229.93	ug/L	94
13) 1,1-Dichloroethene	3.908	61	415062	10.85	ug/l	93
14) Acetonitrile	3.874	41	138225	107.04	ug/L	97
15) Allyl chloride	4.106	76	99757	9.88	ug/L	97
16) Iodomethane	4.150	142	58435	3.08	ug/l	95
18) Methylene chloride	4.183	49	375691	14.01	ug/l	86
19) Acrylonitrile	4.216	53	350936	54.55	ug/l	97
20) tert-Butyl methyl ethe...	4.227	73	675975	10.57	ug/L	96
21) Carbon disulfide	4.304	76	570901	9.74	ug/l	99
22) trans-1,2-Dichloroethene	4.370	96	186963	9.16	ug/l	98
23) Isopropyl ether (DIPE)	4.469	45	783055	12.04	ug/l	94
24) Vinyl acetate	4.546	43	273974	7.39	ug/l	98
25) 1,1-Dichloroethane	4.634	63	466371	11.30	ug/l	96
26) tert-Butyl ethyl ether...	4.733	59	830152	10.51	ug/l	95
27) 2-Butanone	4.854	72	85515	42.59	ug/l	86
28) Propionitrile	4.909	54	255113	107.83	ug/L	100
29) Isobutyl alcohol	5.030	43	164255	196.50	ug/L	90
30) 2,2-Dichloropropane	5.030	77	445407	10.78	ug/l	99
31) Methacrylonitrile	5.052	52	450722	116.04	ug/L	85
32) cis-1,2-Dichloroethene	5.063	96	224493	9.66	ug/l	100
33) Chloroform	5.173	83	503473	9.84	ug/l	97
34) Bromochloromethane	5.327	130	127195	9.32	ug/l	100
35) Tetrahydrofuran	5.327	42	58487	10.85	ug/L	86
37) 1,1,1-Trichloroethane	5.492	97	489825	10.61	ug/l	97
39) tert-Amyl methyl ether...	5.613	87	151847	10.77	ug/l	96
40) 1,1-Dichloropropene	5.613	110	101272	10.02	ug/L	92
42) Carbon tetrachloride	5.734	119	412984	10.57	ug/L	98
43) 1,2-Dichloroethane	5.800	62	464996	11.82	ug/L	96
44) Benzene	5.866	78	776201	9.91	ug/L	96

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG149.D
Acq On : 13 Jun 2024 21:01
Sample : EVOE2E1708
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Trichloroethene	6.373	130	201690	9.33	ug/L	98
46) Methyl methacrylate	6.439	69	127431	6.65	ug/L	95
48) 1,2-Dichloropropane	6.527	63	214511	10.73	ug/L	98
50) Bromodichloromethane	6.769	83	390752	10.33	ug/L	99
51) Dibromomethane	6.857	93	151050	9.29	ug/L	95
52) 2-Chloroethyl vinyl ether	6.934	63	104756	10.58	ug/L	97
53) 4-Methyl-2-pentanone	6.956	43	1226961	56.05	ug/L	98
54) cis-1,3-Dichloropropene	7.275	75	345202	9.88	ug/L	89
57) Ethyl methacrylate	7.693	69	250866	9.83	ug/L	86
58) Toluene	7.693	91	832758	9.82	ug/l	99
59) trans-1,3-Dichloropropene	7.814	75	345489	9.52	ug/l	87
60) 2-Hexanone	7.935	43	823056	53.66	ug/l	97
61) 1,1,2-Trichloroethane	8.045	97	181438	9.01	ug/l	98
62) 1,3-Dichloropropane	8.354	76	298356	9.98	ug/l	98
63) Tetrachloroethene	8.508	164	167928	9.06	ug/l	98
64) Dibromochloromethane	8.783	129	260971	8.64	ug/l	99
65) 1,2-Dibromoethane	9.069	107	192247	8.86	ug/l	97
66) 1-Chlorohexane	9.124	91	262759	9.36	ug/l	98
67) Chlorobenzene	9.619	112	511441	9.13	ug/l	100
68) 1,1,1,2-Tetrachloroethane	9.641	131	231373	9.70	ug/l	99
69) Ethylbenzene	9.641	91	1007210	9.82	ug/l	98
70) m-Xylene & p-Xylene	9.740	91	1622340	19.40	ug/l	99
71) o-Xylene	10.412	91	784481	9.91	ug/l	99
72) Styrene	10.456	104	556866	10.06	ug/l	96
73) Isopropylbenzene	10.940	105	926895	10.28	ug/L	99
75) Bromoform	11.061	173	147703	7.27	ug/l	99
76) 1,1,2,2-Tetrachloroethane	11.193	83	226551	8.73	ug/l	100
78) 1,2,3-Trichloropropane	11.446	110	68669	9.58	ug/l	91
79) trans-1,4-Dichloro-2-b...	11.512	53	41108	5.67	ug/l	85
80) n-Propylbenzene	11.578	91	1094059	9.26	ug/l	98
81) Bromobenzene	11.732	156	224918	8.68	ug/l	99
82) 1,3,5-Trimethylbenzene	11.820	105	798894	9.84	ug/l	97
83) 2-Chlorotoluene	11.919	91	690454	9.47	ug/l	92
84) 4-Chlorotoluene	11.974	91	701505	11.40	ug/l	96
85) tert-Butylbenzene	12.404	134	117985	9.39	ug/l	99
86) 1,2,4-Trimethylbenzene	12.470	105	786586	9.91	ug/l	98
87) sec-Butylbenzene	12.745	105	883466	9.60	ug/l	98
88) p-Isopropyltoluene	12.954	119	737703	9.55	ug/l	99
89) 1,3-Dichlorobenzene	13.163	146	386816	10.40	ug/l	98
90) 1,2,3-Trimethylbenzene	13.251	105	788022	10.01	ug/L	98
91) 1,4-Dichlorobenzene	13.328	146	400492	10.38	ug/l	98
92) n-Butylbenzene	13.614	91	671465	9.14	ug/l	100
93) 1,2-Dichlorobenzene	13.922	146	369837	9.09	ug/l	97
94) 1,2-Dibromo-3-chloropr...	15.144	157	38530	7.30	ug/l	99
95) 1,2,4-Trichlorobenzene	16.464	180	204377	8.19	ug/l	97
96) Hexachlorobutadiene	16.651	225	109331	7.77	ug/l	99
97) Naphthalene	16.872	128	507946	8.07	ug/l	99
98) 1,2,3-Trichlorobenzene	17.224	180	197253	8.32	ug/l	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F13\RFG149.D Vial: 28
Acq On : 13 Jun 2024 21:01 Operator: DNguye
Sample : EVOE2E1708 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 17:03:05 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F019
Lab File ID: RFG152 BFB Injection Date: 06/14/24
Instrument ID: E2 BFB Injection Time: 10:16

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	24.911
75	30 - 60% of mass 95	55.024
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	5.690
173	Less than 2% of mass 174	0.000(0)1
174	Greater than 50% of mass 95	80.432
175	5 - 9% of mass 174	5.922(7.36)1
176	95 - 101% % of mass 174	76.497(95.11)1
177	5 - 9% % of mass 176	4.861(6.35)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOE2E1709	RFG153	06/14/24	11:54
2	LCS3W	VOE2F06L	RFG154	06/14/24	12:35
3	LCD3W	VOE2F06C	RFG155	06/14/24	12:58
4	MBLK3W	VOE2F06B	RFG157	06/14/24	13:46
5	TB-4_JUN24	24F019-14N	RFG158	06/14/24	14:10
6	VSTD10	EVOE2E1709	RFG179	06/14/24	22:28

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: REG122
Instrument ID: E2

Project: TITAN 1-A
SDG No: 24F019
Date Analyzed: 05/17/24
Time Analyzed: 14:09


INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
	Area #	RT #	Area #	RT #	Area #	RT #
12 HOUR STD	483746	5.99	409470	9.56	197951	13.89
UPPER LIMIT	967492	6.16	818940	9.73	395902	14.06
LOWER LIMIT	241873	5.82	204735	9.39	98976	13.72
	Area #	RT #	Area #	RT #	Area #	RT #
1 VSTD10	531899	5.99	423005	9.56	200791	13.89
2 LCS3W	533808	5.99	446338	9.56	205070	13.89
3 LCD3W	528358	5.99	450867	9.56	206285	13.89
4 MBLK3W	495022	5.99	408577	9.56	172895	13.89
5 TB-4_JUN24	471785	5.99	386284	9.56	171246	13.89
6 VSTD10	475094	5.99	398319	9.56	182539	13.89

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Data Path : D:\Data\24F14\
Data File : RFG152.D
Acq On : 14 Jun 2024 10:16
Operator : DNguye
Sample : BFBF06
Misc : T/CHK
ALS Vial : 1 Sample Multiplier: 1

Integration File: rteint10.p

Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Title : METHOD 8260B 10mL
Last Update : Tue May 21 20:44:17 2024



AutoFind: Scans 797, 798, 799; Background Corrected with Scan 791

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	24.9	9553	PASS
75	95	30	60	55.0	21101	PASS
95	95	100	100	100.0	38349	PASS
96	95	5	9	5.7	2182	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	100	80.4	30845	PASS
175	174	5	9	7.4	2271	PASS
176	174	95	101	95.1	29336	PASS
177	176	5	9	6.4	1864	PASS

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG153.D
Acq On : 14 Jun 2024 11:54
Sample : CVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	110	0.00
2	T,M	Dichlorodifluoromethane	10.000	11.233	-12.3	139	0.00
3	P,T,M	Chloromethane	10.000	9.254	7.5	112	0.00
4	C,T,M	Vinyl chloride	10.000	11.357	-13.6	131	0.00
5	T,M	Bromomethane	10.000	4.560	54.4#	60	0.00
6	T,M	Dichlorofluoromethane	10.000	10.322	-3.2	114	0.00
7	T,M	Chloroethane	10.000	10.721	-7.2	123	0.00
8	T,M	Trichlorofluoromethane	10.000	9.104	9.0	109	0.00
9	T,M	Acrolein	50.000	47.571	4.9	107	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	8.772	12.3	100	0.00
11	T,M	Acetone	50.000	59.782	-19.6	121	0.01
12	T,M	tert-Butyl alcohol	250.000	236.493	5.4	104	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.531	-5.3	116	0.00
14	T,M	Acetonitrile	100.000	108.655	-8.7	118	0.00
15	T,M	Allyl chloride	10.000	9.870	1.3	107	0.00
16	T,M	Iodomethane	10.000	4.852	51.5#	57	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	13.451	-34.5#	127	0.00
19	T,M	Acrylonitrile	50.000	58.361	-16.7	122	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.371	-3.7	113	0.00
21	T,M	Carbon disulfide	10.000	10.142	-1.4	111	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	9.214	7.9	103	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	12.064	-20.6#	133	0.01
24	T,M	Vinyl acetate	10.000	8.546	14.5	88	0.00
25	P,T,M	1,1-Dichloroethane	10.000	10.938	-9.4	124	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	10.523	-5.2	115	0.00
27	T,M	2-Butanone	50.000	47.285	5.4	99	0.00
28	T,M	Propionitrile	100.000	111.798	-11.8	127	0.00
29	T,M	Isobutyl alcohol	200.000	209.417	-4.7	114	0.00
30	T,M	2,2-Dichloropropane	10.000	10.674	-6.7	114	0.01
31	T,M	Methacrylonitrile	100.000	115.261	-15.3	129	0.01
32	T,M	cis-1,2-Dichloroethene	10.000	9.393	6.1	108	0.00
33	C,T,M	Chloroform	10.000	9.668	3.3	114	0.00
34	T,M	Bromochloromethane	10.000	9.230	7.7	99	0.00
35	T,M	Tetrahydrofuran	10.000	11.326	-13.3	127	-0.01
36	S	Dibromofluoromethane	10.000	8.730	12.7	94	0.00
37	T,M	1,1,1-Trichloroethane	10.000	10.018	-0.2	111	0.01
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	10.835	-8.4	114	0.00
40	T,M	1,1-Dichloropropene	10.000	10.008	-0.1	108	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.263	-2.6	117	0.00
42	T,M	Carbon tetrachloride	10.000	9.914	0.9	107	0.00
43	T,M	1,2-Dichloroethane	10.000	11.301	-13.0	122	0.00
44	T,M	Benzene	10.000	9.871	1.3	109	0.00
45	T,M	Trichloroethene	10.000	9.158	8.4	103	0.00
46	T,M	Methyl methacrylate	10.000	6.909	30.9#	80	0.00
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.954	-9.5	121	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.01
50	T,M	Bromodichloromethane	10.000	9.925	0.7	109	0.00
51	T,M	Dibromomethane	10.000	9.030	9.7	102	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG153.D
Acq On : 14 Jun 2024 11:54
Sample : CVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	10.901	-9.0	116	0.00
53	T,M	4-Methyl-2-pentanone	50.000	58.855	-17.7	124	0.01
54	T,M	cis-1,3-Dichloropropene	10.000	10.116	-1.2	110	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	103	0.00
56	S	Toluene-d8	10.000	9.821	1.8	101	0.00
57	T,M	Ethyl methacrylate	10.000	10.610	-6.1	106	0.00
58	C,T,M	Toluene	10.000	10.485	-4.8	109	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	10.937	-9.4	111	0.00
60	T,M	2-Hexanone	50.000	62.043	-24.1#	121	0.01
61	T,M	1,1,2-Trichloroethane	10.000	9.684	3.2	101	0.00
62	T,M	1,3-Dichloropropane	10.000	10.956	-9.6	115	0.00
63	T,M	Tetrachloroethene	10.000	9.917	0.8	107	0.01
64	T,M	Dibromochloromethane	10.000	9.379	6.2	99	0.00
65	T,M	1,2-Dibromoethane	10.000	9.540	4.6	97	0.00
66	T,M	1-Chlorohexane	10.000	10.389	-3.9	108	0.00
67	P,T,M	Chlorobenzene	10.000	9.897	1.0	104	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.128	-1.3	103	0.00
69	C,T,M	Ethylbenzene	10.000	10.424	-4.2	111	0.00
70	T,M	m-Xylene & p-Xylene	20.000	20.703	-3.5	115	0.01
71	T,M	o-Xylene	10.000	10.816	-8.2	112	0.00
72	T,M	Styrene	10.000	10.847	-8.5	111	0.00
73	T,M	Isopropylbenzene	10.000	11.136	-11.4	114	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	101	0.00
75	P,T,M	Bromoform	10.000	8.632	13.7	89	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	9.880	1.2	104	0.00
77	S	4-Bromofluorobenzene	10.000	10.582	-5.8	109	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.520	-5.2	110	0.00
79	T,M	trans-1,4-Dichloro-2-butene	10.000	9.976	0.2	100	0.01
80	T,M	n-Propylbenzene	10.000	10.489	-4.9	112	0.00
81	T,M	Bromobenzene	10.000	9.424	5.8	96	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	11.054	-10.5	116	0.00
83	T,M	2-Chlorotoluene	10.000	11.242	-12.4	122	0.00
84	T,M	4-Chlorotoluene	10.000	12.217	-22.2#	106	0.01
85	T,M	tert-Butylbenzene	10.000	10.345	-3.5	109	0.00
86	T,M	1,2,4-Trimethylbenzene	10.000	11.093	-10.9	115	0.01
87	T,M	sec-Butylbenzene	10.000	10.739	-7.4	111	0.01
88	T,M	p-Isopropyltoluene	10.000	10.722	-7.2	114	0.01
89	T,M	1,3-Dichlorobenzene	10.000	11.487	-14.9	106	0.01
90	T,M	1,2,3-Trimethylbenzene	10.000	11.253	-12.5	116	0.01
91	T,M	1,4-Dichlorobenzene	10.000	11.407	-14.1	108	0.00
92	T,M	n-Butylbenzene	10.000	10.442	-4.4	110	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.018	-0.2	110	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.767	12.3	95	0.01
95	T,M	1,2,4-Trichlorobenzene	10.000	9.971	0.3	104	0.01
96	T,M	Hexachlorobutadiene	10.000	9.537	4.6	97	0.00
97	T,M	Naphthalene	10.000	9.558	4.4	99	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	9.524	4.8	99	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG153.D Vial: 2
Acq On : 14 Jun 2024 11:54 Operator: DNguye
Sample : CVOE2E1709 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG153.D
Acq On : 14 Jun 2024 11:54
Sample : CVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	110	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.645	-12.4	139	0.00
3	P,T,M	Chloromethane	0.412	0.381	7.5	112	0.00
4	C,T,M	Vinyl chloride	0.435	0.494	-13.6	131	0.00
5	T,M	Bromomethane	0.294	0.134	54.4#	60	0.00
6	T,M	Dichlorofluoromethane	0.994	1.026	-3.2	114	0.00
7	T,M	Chloroethane	0.213	0.228	-7.0	123	0.00
8	T,M	Trichlorofluoromethane	0.977	0.890	8.9	109	0.00
9	T,M	Acrolein	0.065	0.062	4.6	107	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.374	12.2	100	0.00
11	T,M	Acetone	0.181	0.152	16.0	121	0.01
12	T,M	tert-Butyl alcohol	0.061	0.058	4.9	104	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.941	-5.3	116	0.00
14	T,M	Acetonitrile	0.030	0.033	-10.0	118	0.00
15	T,M	Allyl chloride	0.236	0.233	1.3	107	0.00
16	T,M	Iodomethane	0.429	0.223	48.0#	57	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.845	-5.5	127	0.00
19	T,M	Acrylonitrile	0.150	0.175	-16.7	122	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.550	-3.7	113	0.00
21	T,M	Carbon disulfide	1.370	1.389	-1.4	111	0.00
22	T,M	trans-1,2-Dichloroethene	0.477	0.439	8.0	103	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.834	-20.7#	133	0.01
24	T,M	Vinyl acetate	0.866	0.740	14.5	88	0.00
25	P,T,M	1,1-Dichloroethane	0.965	1.055	-9.3	124	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.943	-5.3	115	0.00
27	T,M	2-Butanone	0.047	0.044	6.4	99	0.00
28	T,M	Propionitrile	0.055	0.062	-12.7	127	0.00
29	T,M	Isobutyl alcohol	0.020	0.020	0.0	114	0.00
30	T,M	2,2-Dichloropropane	0.966	1.031	-6.7	114	0.01
31	T,M	Methacrylonitrile	0.091	0.105	-15.4	129	0.01
32	T,M	cis-1,2-Dichloroethene	0.543	0.510	6.1	108	0.00
33	C,T,M	Chloroform	1.196	1.156	3.3	114	0.00
34	T,M	Bromochloromethane	0.319	0.294	7.8	99	0.00
35	T,M	Tetrahydrofuran	0.126	0.143	-13.5	127	-0.01
36	S	Dibromofluoromethane	0.612	0.535	12.6	94	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.081	-0.2	111	0.01
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.357	-8.5	114	0.00
40	T,M	1,1-Dichloropropene	0.236	0.236	0.0	108	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.831	-2.7	117	0.00
42	T,M	Carbon tetrachloride	0.913	0.905	0.9	107	0.00
43	T,M	1,2-Dichloroethane	0.919	1.039	-13.1	122	0.00
44	T,M	Benzene	1.830	1.806	1.3	109	0.00
45	T,M	Trichloroethene	0.505	0.463	8.3	103	0.00
46	T,M	Methyl methacrylate	0.448	0.309	31.0#	80	0.00
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.512	-9.6	121	0.00
49	T,M	1,4-Dioxane	0.000	0.002	0.0	0#	0.01
50	T,M	Bromodichloromethane	0.884	0.877	0.8	109	0.00
51	T,M	Dibromomethane	0.380	0.343	9.7	102	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG153.D
Acq On : 14 Jun 2024 11:54
Sample : CVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.252	-9.1	116	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.602	-17.6	124	0.01
54	T,M	cis-1,3-Dichloropropene	0.817	0.826	-1.1	110	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	103	0.00
56	S	Toluene-d8	1.987	1.951	1.8	101	0.00
57	T,M	Ethyl methacrylate	0.682	0.724	-6.2	106	0.00
58	C,T,M	Toluene	2.268	2.378	-4.9	109	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	1.061	-9.4	111	0.00
60	T,M	2-Hexanone	0.410	0.509	-24.1#	121	0.01
61	T,M	1,1,2-Trichloroethane	0.538	0.521	3.2	101	0.00
62	T,M	1,3-Dichloropropane	0.799	0.876	-9.6	115	0.00
63	T,M	Tetrachloroethene	0.496	0.492	0.8	107	0.01
64	T,M	Dibromochloromethane	0.807	0.757	6.2	99	0.00
65	T,M	1,2-Dibromoethane	0.580	0.553	4.7	97	0.00
66	T,M	1-Chlorohexane	0.751	0.780	-3.9	108	0.00
67	P,T,M	Chlorobenzene	1.498	1.483	1.0	104	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.646	-1.4	103	0.00
69	C,T,M	Ethylbenzene	2.742	2.858	-4.2	111	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.314	-3.5	115	0.01
71	T,M	o-Xylene	2.117	2.289	-8.1	112	0.00
72	T,M	Styrene	1.480	1.605	-8.4	111	0.00
73	T,M	Isopropylbenzene	2.412	2.686	-11.4	114	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	101	0.00
75	P,T,M	Bromoform	1.091	0.942	13.7	89	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.377	1.2	104	0.00
77	S	4-Bromofluorobenzene	1.587	1.680	-5.9	109	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.405	-5.2	110	0.00
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.388	0.3	100	0.01
80	T,M	n-Propylbenzene	6.341	6.650	-4.9	112	0.00
81	T,M	Bromobenzene	1.392	1.311	5.8	96	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.819	-10.6	116	0.00
83	T,M	2-Chlorotoluene	3.914	4.399	-12.4	122	0.00
84	T,M	4-Chlorotoluene	3.796	4.026	-6.1	106	0.01
85	T,M	tert-Butylbenzene	0.675	0.698	-3.4	109	0.00
86	T,M	1,2,4-Trimethylbenzene	4.263	4.729	-10.9	115	0.01
87	T,M	sec-Butylbenzene	4.940	5.305	-7.4	111	0.01
88	T,M	p-Isopropyltoluene	4.145	4.444	-7.2	114	0.01
89	T,M	1,3-Dichlorobenzene	2.303	2.283	0.9	106	0.01
90	T,M	1,2,3-Trimethylbenzene	4.224	4.754	-12.5	116	0.01
91	T,M	1,4-Dichlorobenzene	2.349	2.355	-0.3	108	0.00
92	T,M	n-Butylbenzene	3.942	4.117	-4.4	110	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.188	-0.2	110	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.248	12.4	95	0.01
95	T,M	1,2,4-Trichlorobenzene	1.493	1.326	11.2	104	0.01
96	T,M	Hexachlorobutadiene	0.755	0.720	4.6	97	0.00
97	T,M	Naphthalene	3.377	3.228	4.4	99	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.206	15.0	99	0.01

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG153.D
Acq On : 14 Jun 2024 11:54
Sample : CVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG153.D Vial: 2
Acq On : 14 Jun 2024 11:54 Operator: DNguye
Sample : CVOE2E1709 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	531899	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	423005	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	200791	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	284400	8.73	ug/l	0.00
Spiked Amount 10.000			Recovery =	87.30%		
41) 1,2-Dichloroethane-d4	5.723	65	441811	10.26	ug/L	0.00
Spiked Amount 10.000			Recovery =	102.60%		
56) Toluene-d8	7.594	98	825489	9.82	ug/l	0.00
Spiked Amount 10.000			Recovery =	98.20%		
77) 4-Bromofluorobenzene	11.369	95	337297	10.58	ug/l	0.00
Spiked Amount 10.000			Recovery =	105.80%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	342903	11.23	ug/l	99
3) Chloromethane	2.906	50	202705	9.25	ug/l	99
4) Vinyl chloride	2.994	62	262725	11.36	ug/l	98
5) Bromomethane	3.313	94	71347	4.56	ug/l	97
6) Dichlorofluoromethane	3.357	67	545629	10.32	ug/L	98
7) Chloroethane	3.346	64	121505	10.72	ug/l	100
8) Trichlorofluoromethane	3.511	101	473172	9.10	ug/l	99
9) Acrolein	3.742	56	164553	47.57	ug/l	99
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	198755	8.77	ug/l	96
11) Acetone	3.775	43	403262	59.78	ug/l	100
12) tert-Butyl alcohol	3.874	59	764931	236.49	ug/L	95
13) 1,1-Dichloroethene	3.907	61	500693	10.53	ug/l	93
14) Acetonitrile	3.874	41	174410	108.66	ug/L	98
15) Allyl chloride	4.105	76	123920	9.87	ug/L	97
16) Iodomethane	4.149	142	118686	4.85	ug/l	99
18) Methylene chloride	4.183	49	449236	13.45	ug/l	86
19) Acrylonitrile	4.216	53	466715	58.36	ug/l	98
20) tert-Butyl methyl ethe...	4.227	73	824251	10.37	ug/L	94
21) Carbon disulfide	4.304	76	738856	10.14	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	233704	9.21	ug/l	100
23) Isopropyl ether (DIPE)	4.469	45	975616	12.06	ug/l	95
24) Vinyl acetate	4.546	43	393675	8.55	ug/l	97
25) 1,1-Dichloroethane	4.634	63	561189	10.94	ug/l	95
26) tert-Butyl ethyl ether...	4.733	59	1033531	10.52	ug/l	96
27) 2-Butanone	4.854	72	118021	47.29	ug/l	93
28) Propionitrile	4.909	54	328765	111.80	ug/L	99
29) Isobutyl alcohol	5.030	43	217587	209.42	ug/L	93
30) 2,2-Dichloropropane	5.030	77	548219	10.67	ug/l	99
31) Methacrylonitrile	5.063	52	556489	115.26	ug/L	89
32) cis-1,2-Dichloroethene	5.063	96	271243	9.39	ug/l	98
33) Chloroform	5.173	83	614968	9.67	ug/l	96
34) Bromochloromethane	5.327	130	156576	9.23	ug/l	99
35) Tetrahydrofuran	5.316	42	75915	11.33	ug/L	84
37) 1,1,1-Trichloroethane	5.503	97	574758	10.02	ug/l	97
39) tert-Amyl methyl ether...	5.613	87	189891	10.83	ug/l	100
40) 1,1-Dichloropropene	5.613	110	125702	10.01	ug/L	93
42) Carbon tetrachloride	5.734	119	481293	9.91	ug/L	99
43) 1,2-Dichloroethane	5.800	62	552583	11.30	ug/L	98
44) Benzene	5.866	78	960656	9.87	ug/L	95

Data File : D:\Data\24F14\RFG153.D
Acq On : 14 Jun 2024 11:54
Sample : CVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45)	Trichloroethene	6.373	130	246035	9.16	ug/L	99
46)	Methyl methacrylate	6.439	69	164468	6.91	ug/L	99
48)	1,2-Dichloropropane	6.527	63	272097	10.95	ug/L	96
50)	Bromodichloromethane	6.769	83	466573	9.92	ug/L	100
51)	Dibromomethane	6.868	93	182520	9.03	ug/L	94
52)	2-Chloroethyl vinyl ether	6.934	63	134114	10.90	ug/L	97
53)	4-Methyl-2-pentanone	6.967	43	1601535	58.85	ug/L	98
54)	cis-1,3-Dichloropropene	7.275	75	439407	10.12	ug/L	91
57)	Ethyl methacrylate	7.693	69	306280	10.61	ug/L	81
58)	Toluene	7.693	91	1005857	10.48	ug/l	100
59)	trans-1,3-Dichloropropene	7.814	75	448963	10.94	ug/l	91
60)	2-Hexanone	7.946	43	1076169	62.04	ug/l	98
61)	1,1,2-Trichloroethane	8.045	97	220494	9.68	ug/l	97
62)	1,3-Dichloropropane	8.353	76	370425	10.96	ug/l	97
63)	Tetrachloroethene	8.519	164	207982	9.92	ug/l	99
64)	Dibromochloromethane	8.783	129	320303	9.38	ug/l	97
65)	1,2-Dibromoethane	9.069	107	234075	9.54	ug/l	96
66)	1-Chlorohexane	9.124	91	329863	10.39	ug/l	98
67)	Chlorobenzene	9.619	112	627131	9.90	ug/l	100
68)	1,1,1,2-Tetrachloroethane	9.652	131	273089	10.13	ug/l	99
69)	Ethylbenzene	9.641	91	1209039	10.42	ug/l	99
70)	m-Xylene & p-Xylene	9.751	91	1958010	20.70	ug/l	99
71)	o-Xylene	10.411	91	968391	10.82	ug/l	100
72)	Styrene	10.455	104	679093	10.85	ug/l	96
73)	Isopropylbenzene	10.940	105	1136014	11.14	ug/L	98
75)	Bromoform	11.061	173	189156	8.63	ug/l	100
76)	1,1,2,2-Tetrachloroethane	11.204	83	276503	9.88	ug/l	100
78)	1,2,3-Trichloropropane	11.446	110	81282	10.52	ug/l	98
79)	trans-1,4-Dichloro-2-b...	11.523	53	77994	9.98	ug/l	84
80)	n-Propylbenzene	11.578	91	1335359	10.49	ug/l	98
81)	Bromobenzene	11.732	156	263336	9.42	ug/l	97
82)	1,3,5-Trimethylbenzene	11.831	105	967565	11.05	ug/l	97
83)	2-Chlorotoluene	11.919	91	883363	11.24	ug/l	91
84)	4-Chlorotoluene	11.985	91	808392	12.22	ug/l	98
85)	tert-Butylbenzene	12.414	134	140133	10.34	ug/l	93
86)	1,2,4-Trimethylbenzene	12.480	105	949589	11.09	ug/l	95
87)	sec-Butylbenzene	12.756	105	1065147	10.74	ug/l	99
88)	p-Isopropyltoluene	12.965	119	892400	10.72	ug/l	100
89)	1,3-Dichlorobenzene	13.174	146	458432	11.49	ug/l	99
90)	1,2,3-Trimethylbenzene	13.262	105	954482	11.25	ug/L	98
91)	1,4-Dichlorobenzene	13.328	146	472823	11.41	ug/l	99
92)	n-Butylbenzene	13.614	91	826568	10.44	ug/l	99
93)	1,2-Dichlorobenzene	13.933	146	439426	10.02	ug/l	100
94)	1,2-Dibromo-3-chloropr...	15.144	157	49891	8.77	ug/l	94
95)	1,2,4-Trichlorobenzene	16.475	180	266154	9.97	ug/l	97
96)	Hexachlorobutadiene	16.662	225	144593	9.54	ug/l	97
97)	Naphthalene	16.871	128	648116	9.56	ug/l	98
98)	1,2,3-Trichlorobenzene	17.235	180	242057	9.52	ug/l	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG153.D
Acq On : 14 Jun 2024 11:54
Sample : CVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:35:47 2024
Quant Results File: VOE2E17.RES

Vial: 2
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG179.D Vial: 28
Acq On : 14 Jun 2024 22:28 Operator: DNguye
Sample : EVOE2E1709 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	98	0.00
2	T,M	Dichlorodifluoromethane	10.000	9.136	8.6	101	0.00
3	P,T,M	Chloromethane	10.000	7.381	26.2#	80	0.00
4	C,T,M	Vinyl chloride	10.000	9.895	1.1	102	0.00
5	T,M	Bromomethane	10.000	3.908	60.9#	46	0.00
6	T,M	Dichlorofluoromethane	10.000	10.206	-2.1	101	0.00
7	T,M	Chloroethane	10.000	9.074	9.3	93	0.00
8	T,M	Trichlorofluoromethane	10.000	7.657	23.4#	82	0.00
9	T,M	Acrolein	50.000	41.640	16.7	83	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	10.000	8.465	15.4	87	0.00
11	T,M	Acetone	50.000	60.514	-21.0#	110	0.00
12	T,M	tert-Butyl alcohol	250.000	260.566	-4.2	102	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.722	-7.2	106	0.00
14	T,M	Acetonitrile	100.000	121.509	-21.5#	118	0.00
15	T,M	Allyl chloride	10.000	10.090	-0.9	98	0.00
16	T,M	Iodomethane	10.000	4.272	57.3#	44	0.00
17	T,M	Methyl acetate	10.000	0.000	100.0#	0	-4.03#
18	T,M	Methylene chloride	10.000	13.273	-32.7#	112	0.00
19	T,M	Acrylonitrile	50.000	60.020	-20.0#	112	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	10.539	-5.4	103	0.00
21	T,M	Carbon disulfide	10.000	8.476	15.2	83	0.00
22	T,M	trans-1,2-Dichloroethene	10.000	9.132	8.7	91	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	12.010	-20.1#	119	0.00
24	T,M	Vinyl acetate	10.000	7.766	22.3#	71	0.00
25	P,T,M	1,1-Dichloroethane	10.000	11.115	-11.2	113	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	10.388	-3.9	102	0.00
27	T,M	2-Butanone	50.000	48.086	3.8	90	0.00
28	T,M	Propionitrile	100.000	118.007	-18.0	120	0.00
29	T,M	Isobutyl alcohol	200.000	242.624	-21.3#	118	0.00
30	T,M	2,2-Dichloropropane	10.000	9.645	3.6	92	0.00
31	T,M	Methacrylonitrile	100.000	119.349	-19.3	119	0.00
32	T,M	cis-1,2-Dichloroethene	10.000	9.692	3.1	100	0.00
33	C,T,M	Chloroform	10.000	9.703	3.0	102	0.00
34	T,M	Bromochloromethane	10.000	9.450	5.5	91	0.00
35	T,M	Tetrahydrofuran	10.000	11.555	-15.5	115	-0.01
36	S	Dibromofluoromethane	10.000	8.953	10.5	86	0.00
37	T,M	1,1,1-Trichloroethane	10.000	10.078	-0.8	99	0.01
38	T,M	Cyclohexane	10.000	0.000	100.0#	0	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	10.000	11.185	-11.9	105	0.00
40	T,M	1,1-Dichloropropene	10.000	9.795	2.1	94	0.00
41	S	1,2-Dichloroethane-d4	10.000	10.658	-6.6	109	0.00
42	T,M	Carbon tetrachloride	10.000	10.038	-0.4	97	0.00
43	T,M	1,2-Dichloroethane	10.000	11.595	-16.0	112	0.00
44	T,M	Benzene	10.000	9.973	0.3	99	0.00
45	T,M	Trichloroethene	10.000	9.051	9.5	91	0.00
46	T,M	Methyl methacrylate	10.000	6.892	31.1#	71	-0.01
47	T,M	Methylcyclohexane	10.000	0.000	100.0#	0	-6.45#
48	C,T,M	1,2-Dichloropropane	10.000	10.732	-7.3	106	0.00
49	T,M	1,4-Dioxane	200.000	0.000	100.0#	0	0.00
50	T,M	Bromodichloromethane	10.000	10.023	-0.2	98	0.00
51	T,M	Dibromomethane	10.000	9.223	7.8	93	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG179.D
Acq On : 14 Jun 2024 22:28
Sample : EVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	10.000	10.309	-3.1	98	0.00
53	T,M	4-Methyl-2-pentanone	50.000	59.900	-19.8	113	0.00
54	T,M	cis-1,3-Dichloropropene	10.000	9.804	2.0	96	0.00
55	I	CHLOROBENZENE-D5	10.000	10.000	0.0	97	0.00
56	S	Toluene-d8	10.000	9.214	7.9	89	0.00
57	T,M	Ethyl methacrylate	10.000	10.145	-1.4	95	0.00
58	C,T,M	Toluene	10.000	9.962	0.4	98	0.00
59	T,M	trans-1,3-Dichloropropene	10.000	9.904	1.0	95	0.00
60	T,M	2-Hexanone	50.000	60.633	-21.3#	112	0.00
61	T,M	1,1,2-Trichloroethane	10.000	9.394	6.1	92	0.00
62	T,M	1,3-Dichloropropane	10.000	10.226	-2.3	101	0.00
63	T,M	Tetrachloroethene	10.000	9.558	4.4	97	0.00
64	T,M	Dibromochloromethane	10.000	8.891	11.1	89	0.00
65	T,M	1,2-Dibromoethane	10.000	9.454	5.5	90	0.00
66	T,M	1-Chlorohexane	10.000	9.561	4.4	93	0.00
67	P,T,M	Chlorobenzene	10.000	9.449	5.5	94	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.546	4.5	92	0.00
69	C,T,M	Ethylbenzene	10.000	10.063	-0.6	101	0.00
70	T,M	m-Xylene & p-Xylene	20.000	19.358	3.2	101	0.00
71	T,M	o-Xylene	10.000	10.137	-1.4	99	0.00
72	T,M	Styrene	10.000	10.341	-3.4	100	0.00
73	T,M	Isopropylbenzene	10.000	10.348	-3.5	100	0.00
74	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	92	0.00
75	P,T,M	Bromoform	10.000	8.337	16.6	78	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.062	-0.6	96	-0.01
77	S	4-Bromofluorobenzene	10.000	10.241	-2.4	96	0.00
78	T,M	1,2,3-Trichloropropane	10.000	10.467	-4.7	99	-0.01
79	T,M	trans-1,4-Dichloro-2-butene	10.000	9.525	4.7	86	0.00
80	T,M	n-Propylbenzene	10.000	10.277	-2.8	100	0.00
81	T,M	Bromobenzene	10.000	9.118	8.8	84	0.00
82	T,M	1,3,5-Trimethylbenzene	10.000	10.785	-7.9	103	-0.01
83	T,M	2-Chlorotoluene	10.000	10.246	-2.5	101	0.00
84	T,M	4-Chlorotoluene	10.000	12.665	-26.6#	99	0.00
85	T,M	tert-Butylbenzene	10.000	10.240	-2.4	98	-0.01
86	T,M	1,2,4-Trimethylbenzene	10.000	11.016	-10.2	104	0.00
87	T,M	sec-Butylbenzene	10.000	10.488	-4.9	99	0.00
88	T,M	p-Isopropyltoluene	10.000	10.384	-3.8	100	0.00
89	T,M	1,3-Dichlorobenzene	10.000	11.492	-14.9	97	0.00
90	T,M	1,2,3-Trimethylbenzene	10.000	11.009	-10.1	103	0.00
91	T,M	1,4-Dichlorobenzene	10.000	11.090	-10.9	95	0.00
92	T,M	n-Butylbenzene	10.000	9.977	0.2	96	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.784	2.2	98	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.473	15.3	84	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	9.297	7.0	89	0.00
96	T,M	Hexachlorobutadiene	10.000	8.332	16.7	77	0.00
97	T,M	Naphthalene	10.000	9.131	8.7	86	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	9.049	9.5	86	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG179.D
Acq On : 14 Jun 2024 22:28
Sample : EVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG179.D Vial: 28
Acq On : 14 Jun 2024 22:28 Operator: DNguye
Sample : EVOE2E1709 Inst : E2
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	98	0.00
2	T,M	Dichlorodifluoromethane	0.574	0.524	8.7	101	0.00
3	P,T,M	Chloromethane	0.412	0.304	26.2#	80	0.00
4	C,T,M	Vinyl chloride	0.435	0.430	1.1	102	0.00
5	T,M	Bromomethane	0.294	0.115	60.9#	46#	0.00
6	T,M	Dichlorofluoromethane	0.994	1.014	-2.0	101	0.00
7	T,M	Chloroethane	0.213	0.193	9.4	93	0.00
8	T,M	Trichlorofluoromethane	0.977	0.748	23.4#	82	0.00
9	T,M	Acrolein	0.065	0.054	16.9	83	0.00
10	T,M	1,1,2-Trichloro-1,2,2-Trifl	0.426	0.361	15.3	87	0.00
11	T,M	Acetone	0.181	0.153	15.5	110	0.00
12	T,M	tert-Butyl alcohol	0.061	0.063	-3.3	102	0.00
13	C,T,M	1,1-Dichloroethene	0.894	0.958	-7.2	106	0.00
14	T,M	Acetonitrile	0.030	0.037	-23.3#	118	0.00
15	T,M	Allyl chloride	0.236	0.238	-0.8	98	0.00
16	T,M	Iodomethane	0.429	0.195	54.5#	44#	0.00
17	T,M	Methyl acetate	0.338	0.000	100.0#	0#	-4.03#
18	T,M	Methylene chloride	0.801	0.834	-4.1	112	0.00
19	T,M	Acrylonitrile	0.150	0.180	-20.0	112	0.00
20	T,M	tert-Butyl methyl ether (MT	1.494	1.575	-5.4	103	0.00
21	T,M	Carbon disulfide	1.370	1.161	15.3	83	0.00
22	T,M	trans-1,2-Dichloroethene	0.477	0.435	8.8	91	0.00
23	T,M	Isopropyl ether (DIPE)	1.520	1.826	-20.1#	119	0.00
24	T,M	Vinyl acetate	0.866	0.673	22.3#	71	0.00
25	P,T,M	1,1-Dichloroethane	0.965	1.072	-11.1	113	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.846	1.918	-3.9	102	0.00
27	T,M	2-Butanone	0.047	0.045	4.3	90	0.00
28	T,M	Propionitrile	0.055	0.065	-18.2	120	0.00
29	T,M	Isobutyl alcohol	0.020	0.024	-20.0	118	0.00
30	T,M	2,2-Dichloropropane	0.966	0.931	3.6	92	0.00
31	T,M	Methacrylonitrile	0.091	0.108	-18.7	119	0.00
32	T,M	cis-1,2-Dichloroethene	0.543	0.526	3.1	100	0.00
33	C,T,M	Chloroform	1.196	1.160	3.0	102	0.00
34	T,M	Bromochloromethane	0.319	0.301	5.6	91	0.00
35	T,M	Tetrahydrofuran	0.126	0.146	-15.9	115	-0.01
36	S	Dibromofluoromethane	0.612	0.548	10.5	86	0.00
37	T,M	1,1,1-Trichloroethane	1.079	1.087	-0.7	99	0.01
38	T,M	Cyclohexane	0.550	0.000	100.0#	0#	-5.55#
39	T,M	tert-Amyl methyl ether (TAM	0.329	0.369	-12.2	105	0.00
40	T,M	1,1-Dichloropropene	0.236	0.231	2.1	94	0.00
41	S	1,2-Dichloroethane-d4	0.809	0.863	-6.7	109	0.00
42	T,M	Carbon tetrachloride	0.913	0.916	-0.3	97	0.00
43	T,M	1,2-Dichloroethane	0.919	1.066	-16.0	112	0.00
44	T,M	Benzene	1.830	1.825	0.3	99	0.00
45	T,M	Trichloroethene	0.505	0.457	9.5	91	0.00
46	T,M	Methyl methacrylate	0.448	0.308	31.3#	71	-0.01
47	T,M	Methylcyclohexane	0.601	0.000	100.0#	0#	-6.45#
48	C,T,M	1,2-Dichloropropane	0.467	0.501	-7.3	106	0.00
49	T,M	1,4-Dioxane	0.000	0.002	0.0	0#	0.00
50	T,M	Bromodichloromethane	0.884	0.886	-0.2	98	0.00
51	T,M	Dibromomethane	0.380	0.350	7.9	93	0.00

Data File : D:\Data\24F14\RFG179.D
Acq On : 14 Jun 2024 22:28
Sample : EVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
52	T,M	2-Chloroethyl vinyl ether	0.231	0.238	-3.0	98	0.00
53	T,M	4-Methyl-2-pentanone	0.512	0.613	-19.7	113	0.00
54	T,M	cis-1,3-Dichloropropene	0.817	0.801	2.0	96	0.00
55	I	CHLOROBENZENE-D5	1.000	1.000	0.0	97	0.00
56	S	Toluene-d8	1.987	1.831	7.9	89	0.00
57	T,M	Ethyl methacrylate	0.682	0.692	-1.5	95	0.00
58	C,T,M	Toluene	2.268	2.259	0.4	98	0.00
59	T,M	trans-1,3-Dichloropropene	0.970	0.961	0.9	95	0.00
60	T,M	2-Hexanone	0.410	0.497	-21.2#	112	0.00
61	T,M	1,1,2-Trichloroethane	0.538	0.506	5.9	92	0.00
62	T,M	1,3-Dichloropropane	0.799	0.817	-2.3	101	0.00
63	T,M	Tetrachloroethene	0.496	0.474	4.4	97	0.00
64	T,M	Dibromochloromethane	0.807	0.718	11.0	89	0.00
65	T,M	1,2-Dibromoethane	0.580	0.548	5.5	90	0.00
66	T,M	1-Chlorohexane	0.751	0.718	4.4	93	0.00
67	P,T,M	Chlorobenzene	1.498	1.416	5.5	94	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.637	0.608	4.6	92	0.00
69	C,T,M	Ethylbenzene	2.742	2.759	-0.6	101	0.00
70	T,M	m-Xylene & p-Xylene	2.236	2.164	3.2	101	0.00
71	T,M	o-Xylene	2.117	2.146	-1.4	99	0.00
72	T,M	Styrene	1.480	1.531	-3.4	100	0.00
73	T,M	Isopropylbenzene	2.412	2.496	-3.5	100	0.00
74	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	92	0.00
75	P,T,M	Bromoform	1.091	0.910	16.6	78	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	1.394	1.402	-0.6	96	-0.01
77	S	4-Bromofluorobenzene	1.587	1.626	-2.5	96	0.00
78	T,M	1,2,3-Trichloropropane	0.385	0.403	-4.7	99	-0.01
79	T,M	trans-1,4-Dichloro-2-butene	0.389	0.371	4.6	86	0.00
80	T,M	n-Propylbenzene	6.341	6.516	-2.8	100	0.00
81	T,M	Bromobenzene	1.392	1.269	8.8	84	0.00
82	T,M	1,3,5-Trimethylbenzene	4.359	4.701	-7.8	103	-0.01
83	T,M	2-Chlorotoluene	3.914	4.010	-2.5	101	0.00
84	T,M	4-Chlorotoluene	3.796	4.169	-9.8	99	0.00
85	T,M	tert-Butylbenzene	0.675	0.691	-2.4	98	-0.01
86	T,M	1,2,4-Trimethylbenzene	4.263	4.696	-10.2	104	0.00
87	T,M	sec-Butylbenzene	4.940	5.181	-4.9	99	0.00
88	T,M	p-Isopropyltoluene	4.145	4.304	-3.8	100	0.00
89	T,M	1,3-Dichlorobenzene	2.303	2.284	0.8	97	0.00
90	T,M	1,2,3-Trimethylbenzene	4.224	4.650	-10.1	103	0.00
91	T,M	1,4-Dichlorobenzene	2.349	2.292	2.4	95	0.00
92	T,M	n-Butylbenzene	3.942	3.933	0.2	96	0.00
93	T,M	1,2-Dichlorobenzene	2.184	2.137	2.2	98	-0.01
94	T,M	1,2-Dibromo-3-chloropropane	0.283	0.240	15.2	84	0.00
95	T,M	1,2,4-Trichlorobenzene	1.493	1.239	17.0	89	0.00
96	T,M	Hexachlorobutadiene	0.755	0.629	16.7	77	0.00
97	T,M	Naphthalene	3.377	3.084	8.7	86	0.00
98	T,M	1,2,3-Trichlorobenzene	1.419	1.148	19.1	86	0.00

Evaluate Continuing Calibration Report

Data File : D:\Data\24F14\RFG179.D
Acq On : 14 Jun 2024 22:28
Sample : EVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG179.D
Acq On : 14 Jun 2024 22:28
Sample : EVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-DIFLUOROBENZENE	5.987	114	475094	10.00	ug/l	0.00
55) CHLOROBENZENE-D5	9.564	117	398319	10.00	ug/l	0.00
74) 1,2-DICHLOROBENZENE-D4	13.889	152	182539	10.00	ug/l	0.00
System Monitoring Compounds						
36) Dibromofluoromethane	5.338	111	260527	8.95	ug/l	0.00
Spiked Amount 10.000			Recovery =	89.50%		
41) 1,2-Dichloroethane-d4	5.723	65	409823	10.66	ug/L	0.00
Spiked Amount 10.000			Recovery =	106.60%		
56) Toluene-d8	7.594	98	729282	9.21	ug/l	0.00
Spiked Amount 10.000			Recovery =	92.10%		
77) 4-Bromofluorobenzene	11.369	95	296762	10.24	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.40%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	2.708	85	249089	9.14	ug/l	98
3) Chloromethane	2.906	50	144422	7.38	ug/l	99
4) Vinyl chloride	2.994	62	204462	9.90	ug/l	97
5) Bromomethane	3.313	94	54614	3.91	ug/l	96
6) Dichlorofluoromethane	3.357	67	481876	10.21	ug/L	96
7) Chloroethane	3.346	64	91855	9.07	ug/l	94
8) Trichlorofluoromethane	3.511	101	355434	7.66	ug/l	98
9) Acrolein	3.742	56	128657	41.64	ug/l	96
10) 1,1,2-Trichloro-1,2,2-...	3.753	151	171319	8.46	ug/l	100
11) Acetone	3.764	43	364267	60.51	ug/l	100
12) tert-Butyl alcohol	3.874	59	752789	260.57	ug/L	95
13) 1,1-Dichloroethene	3.907	61	455295	10.72	ug/l	92
14) Acetonitrile	3.874	41	174212	121.51	ug/L	95
15) Allyl chloride	4.105	76	113148	10.09	ug/L	99
16) Iodomethane	4.149	142	92555	4.27	ug/l	94
18) Methylene chloride	4.182	49	396263	13.27	ug/l	87
19) Acrylonitrile	4.215	53	428719	60.02	ug/l	98
20) tert-Butyl methyl ethe...	4.226	73	748140	10.54	ug/L	95
21) Carbon disulfide	4.304	76	551559	8.48	ug/l	100
22) trans-1,2-Dichloroethene	4.370	96	206893	9.13	ug/l	97
23) Isopropyl ether (DIPE)	4.458	45	867557	12.01	ug/l	95
24) Vinyl acetate	4.546	43	319540	7.77	ug/l	98
25) 1,1-Dichloroethane	4.634	63	509359	11.11	ug/l	95
26) tert-Butyl ethyl ether...	4.733	59	911251	10.39	ug/l	94
27) 2-Butanone	4.854	72	107203	48.09	ug/l	93
28) Propionitrile	4.909	54	309964	118.01	ug/L	99
29) Isobutyl alcohol	5.030	43	225168	242.62	ug/L	100
30) 2,2-Dichloropropane	5.019	77	442479	9.65	ug/l	99
31) Methacrylonitrile	5.052	52	514690	119.35	ug/L	86
32) cis-1,2-Dichloroethene	5.063	96	249996	9.69	ug/l	99
33) Chloroform	5.173	83	551293	9.70	ug/l	96
34) Bromochloromethane	5.327	130	143188	9.45	ug/l	98
35) Tetrahydrofuran	5.316	42	69175	11.55	ug/L	86
37) 1,1,1-Trichloroethane	5.503	97	516416	10.08	ug/l	97
39) tert-Amyl methyl ether...	5.613	87	175090	11.18	ug/l	94
40) 1,1-Dichloropropene	5.613	110	109886	9.79	ug/L	93
42) Carbon tetrachloride	5.734	119	435272	10.04	ug/L	98
43) 1,2-Dichloroethane	5.800	62	506401	11.59	ug/L	99
44) Benzene	5.866	78	866917	9.97	ug/L	96

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG179.D
Acq On : 14 Jun 2024 22:28
Sample : EVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45)	Trichloroethene	6.372	130	217184	9.05	ug/L	98
46)	Methyl methacrylate	6.428	69	146531	6.89	ug/L	97
48)	1,2-Dichloropropane	6.527	63	238105	10.73	ug/L	100
50)	Bromodichloromethane	6.769	83	420864	10.02	ug/L	100
51)	Dibromomethane	6.857	93	166500	9.22	ug/L	95
52)	2-Chloroethyl vinyl ether	6.934	63	113289	10.31	ug/L	97
53)	4-Methyl-2-pentanone	6.956	43	1455906	59.90	ug/L	98
54)	cis-1,3-Dichloropropene	7.275	75	380383	9.80	ug/L	90
57)	Ethyl methacrylate	7.693	69	275784	10.15	ug/L	79
58)	Toluene	7.693	91	899977	9.96	ug/l	99
59)	trans-1,3-Dichloropropene	7.814	75	382835	9.90	ug/l	86
60)	2-Hexanone	7.935	43	990331	60.63	ug/l	98
61)	1,1,2-Trichloroethane	8.045	97	201396	9.39	ug/l	98
62)	1,3-Dichloropropane	8.353	76	325573	10.23	ug/l	99
63)	Tetrachloroethene	8.507	164	188757	9.56	ug/l	97
64)	Dibromochloromethane	8.783	129	285918	8.89	ug/l	99
65)	1,2-Dibromoethane	9.069	107	218420	9.45	ug/l	98
66)	1-Chlorohexane	9.124	91	285852	9.56	ug/l	95
67)	Chlorobenzene	9.619	112	563828	9.45	ug/l	99
68)	1,1,1,2-Tetrachloroethane	9.652	131	242367	9.55	ug/l	98
69)	Ethylbenzene	9.641	91	1099131	10.06	ug/l	100
70)	m-Xylene & p-Xylene	9.740	91	1723985	19.36	ug/l	100
71)	o-Xylene	10.411	91	854603	10.14	ug/l	100
72)	Styrene	10.455	104	609638	10.34	ug/l	98
73)	Isopropylbenzene	10.940	105	994009	10.35	ug/L	99
75)	Bromoform	11.061	173	166086	8.34	ug/l	98
76)	1,1,2,2-Tetrachloroethane	11.193	83	255975	10.06	ug/l	100
78)	1,2,3-Trichloropropane	11.435	110	73521	10.47	ug/l	95
79)	trans-1,4-Dichloro-2-b...	11.512	53	67701	9.52	ug/l	83
80)	n-Propylbenzene	11.578	91	1189455	10.28	ug/l	99
81)	Bromobenzene	11.732	156	231620	9.12	ug/l	96
82)	1,3,5-Trimethylbenzene	11.820	105	858181	10.79	ug/l	97
83)	2-Chlorotoluene	11.919	91	731972	10.25	ug/l	91
84)	4-Chlorotoluene	11.974	91	760938	12.67	ug/l	97
85)	tert-Butylbenzene	12.403	134	126108	10.24	ug/l	99
86)	1,2,4-Trimethylbenzene	12.469	105	857293	11.02	ug/l	96
87)	sec-Butylbenzene	12.744	105	945765	10.49	ug/l	99
88)	p-Isopropyltoluene	12.954	119	785678	10.38	ug/l	99
89)	1,3-Dichlorobenzene	13.163	146	416946	11.49	ug/l	99
90)	1,2,3-Trimethylbenzene	13.251	105	848889	11.01	ug/L	97
91)	1,4-Dichlorobenzene	13.328	146	418344	11.09	ug/l	99
92)	n-Butylbenzene	13.614	91	717983	9.98	ug/l	100
93)	1,2-Dichlorobenzene	13.922	146	390148	9.78	ug/l	99
94)	1,2-Dibromo-3-chloropr...	15.133	157	43837	8.47	ug/l	97
95)	1,2,4-Trichlorobenzene	16.464	180	226227	9.30	ug/l	97
96)	Hexachlorobutadiene	16.662	225	114840	8.33	ug/l	96
97)	Naphthalene	16.871	128	562878	9.13	ug/l	98
98)	1,2,3-Trichlorobenzene	17.224	180	209509	9.05	ug/l	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data File : D:\Data\24F14\RFG179.D
Acq On : 14 Jun 2024 22:28
Sample : EVOE2E1709
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
Integrator: RTE
Quant Time: Jun 17 19:37:26 2024
Quant Results File: VOE2E17.RES

Vial: 28
Operator: DNguye
Inst : E2
Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\METHODS\VOE2E17.M
Quant Title : METHOD 8260B 10mL
QLast Update : Tue May 21 20:44:17 2024
Response via : Initial Calibration
DataAcq Meth:VOE2E17.M



ANALYTICAL LOG(S)

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 05/17/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge Book #: AE2-031

BATCH VOE2E17

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	VOE2E17

STANDARDS

NAME	ID	Amount (µl)	Conc. (mg/L)
DCC CS_2	SV1-43-98-01	*	250
DCC GAS	-98-03		250
DCC METHANOL	-97-02		250/6250
DCC 8260	-97-01		250
BFB	-76-02	1	50
IS/SURR.	-96-02	5	20
	-96-03	*	250
ICV/LCS	-71-02	0.4	250
ICV/LCS	-94-01	.4	250
ICV/LCS	-70-01	2	250
	-94-02	2	50
ICV/LCS	-85-02	2	50
Data File Folder	24E17		

	LOT #	Syringe Lot #
pH strip		1451-03-04-14-6
Chlorine strip		-04-13-3
Methanol		-03-25
$NaHSO_4$		-02-25
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments: * Varied amount

Analyzed By: DN

Date Disposed: 5/18/24 Disposed By: DN

Injection Log

Directory: d:\Data\24E17

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Reg116.d	1.	BFBE2E09	T/CHK	17 May 2024 11:2
2	2	Reg117.d	1.	VOE2E161 0.012 WRONG SPIKE	0.3ppb 8260/1.5pp...	17 May 2024 12:1
3	3	Reg118.d	1.	VOE2E172 0.02	0.5ppb 8260/2.5pp...	17 May 2024 12:3
4	4	Reg119.d	1.	VOE2E173 0.04	1.0ppb 8260/5.0pp...	17 May 2024 12:5
5	5	Reg120.d	1.	VOE2E174 0.08	2.0ppb 8260/10ppb...	17 May 2024 13:2
6	6	Reg121.d	1.	VOE2E175 0.2	5.0ppb 8260/25ppb...	17 May 2024 13:4
7	7	Reg122.d	1.	VOE2E176 0.4	10ppb 8260/50ppb ...	17 May 2024 14:0
8	8	Reg123.d	1.	VOE2E177 1.2uL	30ppb 8260/150ppb...	17 May 2024 14:3
9	9	Reg124.d	1.	VOE2E178 2uL	50ppb 8260/250pb ...	17 May 2024 14:5
10	10	Reg125.d	1.	VOE2E179 4uL	100ppb 8260/500pp...	17 May 2024 15:2
11	11	Reg126.d	1.	VOE2E1710 8uL	200ppb 8260/1000p...	17 May 2024 15:4
12	12	Reg127.d	1.	RINSE		17 May 2024 16:0
13	13	Reg128.d	1.	RINSE		17 May 2024 16:3
14	14	Reg129.d	1.	IVOE2E1701 %REC>20	10ppb 8260/50ppb ...	17 May 2024 21:0

ZL 5/23/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 05/18/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH 10E2E1702

Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W Cl_2 <5ppm	Matrix S	Notes
01								
02								
03								
04								
05								
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								

ZH 5/23/24

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	10E2E17

STANDARDS

NAME	ID	Amount (µL)	Conc (ng/mL)
DCC			
DCC			
DCC			
DCC			
BFB	SVI-43-78-02	1	50
IS/SURR.	-96-02	5	20
	-96-03	4	50
ICV/LCS	-91-02	4	250
ICV/LCS	-94-01	4	250
ICV/LCS	-80-01	2	250
	-94-02	2	50
ICV/LCS	↓ -85-02	2	50
Date File Folder	24E18		

	LOT #	Syringe Lot #
pH strip		MSV-03-04-14-6
Chlorine strip		↓ -04-13-3
Methanol		
$NaHSO_4$		
Reagent Water:	RW4-23-001	
Sanc		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:

Analyzed By: DN

Date Disposed: 5/20/24 Disposed By: DN

Injection Log

Directory: d:\Data\24E18

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Reg130.d	1.	BFBE2E09	T/CHK	18 May 2024 09:1
2	2	Reg131.d	1.	IVOE2E1702	10ppb 8260/50ppb ...	18 May 2024 09:5

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☐ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/11/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH ____

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH <2	Matrix W Cl_2 <5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	VOE2F17

STANDARDS

NAME	ID	Amount (µl)	Conc. (mg/L)
DCC	SV1-43-94-02	.4	
DCC	-98-03	.4	
DCC	-93-03	2	
DCC	-86-01	2	50/150
BFB	-38-02	1	
IS/SURR.	SV1-45-04-02	5	20
ICV/LCS	SV1-43-79-02	.4	
ICV/LCS	-82-01	.4	
ICV/LCS	-92-01	2	50/150
ICV/LCS	-77-01	2	
Data File Folder			

	LOT #	Syringe Lot #
pH strip	HC210330	MLV-03-01-14-6
Chlorine strip	319117B	-B-3
Methanol		
$NaHSO_4$		
Reagent Water	DW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:


Analyzed By: DH

Date Disposed: 6/12/24 Disposed By: DH

Injection Log

Directory: d:\Data\24F11

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg091.d	1.	BFBF04	T/CHK	11 Jun 2024 12:47
2	2	Rfg092.d	1.	CVOE2E1707	10ppb 8260/50ppb ...	11 Jun 2024 13:35
3	3	Rfg093.d	1.	VOE2F04L	10ppb 8260/50ppb ...	11 Jun 2024 14:15
4	4	Rfg094.d	1.	VOE2F04C	10ppb 8260/50ppb ...	11 Jun 2024 14:39
5	5	Rfg095.d	1.	RINSE	10ppb 8260/50ppb ...	11 Jun 2024 15:03
6	6	Rfg096.d	1.	VOE2F04B	10.0mL	11 Jun 2024 15:26
7	7	Rfg097.d	1.	24F004-06N	10.0mL	11 Jun 2024 15:50
8	8	Rfg098.d	1.	24F004-01N	10.0mL	11 Jun 2024 16:14
9	9	Rfg099.d	1.	PV-004-08-03	10.0mL	11 Jun 2024 16:37
10	10	Rfg100.d	1.	24F004-08I 10X	1.0mL	11 Jun 2024 17:01
11	11	Rfg101.d	1.	24F003-14	10mL	11 Jun 2024 17:25
12	12	Rfg102.d	1.	24F003-15	10mL	11 Jun 2024 17:49
13	13	Rfg103.d	1.	24F003-16	10mL	11 Jun 2024 18:13
14	14	Rfg104.d	1.	24F003-17	10mL	11 Jun 2024 18:37
15	15	Rfg105.d	1.	24F038-01	10mL	11 Jun 2024 19:00
16	16	Rfg106.d	1.	RIMSE	1.0mL	11 Jun 2024 19:24
17	17	Rfg107.d	1.	24F019-01	10mL	11 Jun 2024 19:47
18	18	Rfg108.d	1.	24F019-02	10mL	11 Jun 2024 20:11
19	19	Rfg109.d	1.	24F019-04	10mL	11 Jun 2024 20:34
20	20	Rfg110.d	1.	24F019-05	10mL	11 Jun 2024 20:58
21	21	Rfg111.d	1.	24F019-06	10mL	11 Jun 2024 21:21
22	22	Rfg112.d	1.	24F019-07	10mL	11 Jun 2024 21:45
23	23	Rfg113.d	1.	24F019-08	10mL	11 Jun 2024 22:09
24	24	Rfg114.d	1.	24F019-09	10mL	11 Jun 2024 22:32
25	25	Rfg115.d	1.	24F019-10	10mL	11 Jun 2024 22:56
26	26	Rfg116.d	1.	24F019-11	10mL	11 Jun 2024 23:19
27	27	Rfg117.d	1.	24F019-02M	10mL	11 Jun 2024 23:42
28	28	Rfg118.d	1.	24F019-02S	10mL	12 Jun 2024 00:06
29	29	Rfg119.d	1.	EVOE2E1707	10ppb 8260/50ppb ...	12 Jun 2024 00:30
30	30	Rfg120.d	1.	EVOE2E17071	10ppb 8260/50ppb ...	12 Jun 2024 00:53
31	31	Rfg121.d	1.	EVOE2E17072	10ppb 8260/50ppb ...	12 Jun 2024 01:17



DI 6/18/24

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-MB260SIM Rev.No. 0 ☐ EMAX-TCPSIM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/13/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH < 2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	V0E2E17

STANDARDS

NAME	ID	Amount (µl)	Conc. (mg/L)
DCC	SVL-43-94-02	.4	
DCC	-98-03	.4	
DCC	-93-03	2	50/50
DCC	-86-01	2	
BFB	-38-02	1	
IS/SURR.	SVL-45-04-02	5	20
ICV/LCS	SVL-43-78-02	.4	
ICV/LCS	-82-01	.4	50/50
ICV/LCS	-92-01	2	
ICV/LCS	-77-01	2	
Data File Folder	24F13		

	LOT #	Syringe Lot #
pH strip	HC20330	MSV-03-04-14-6
Chlorine strip	3191178	↓ -13-3
Methanol		
$NaHSO_4$		
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:

Analyzed By: DY

Date Disposed: 6/14/24 Disposed By: DY

Injection Log

Directory: d:\Data\24F13

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg122.d	1.	BFBF05	T/CHK	13 Jun 2024 08:43
2	2	Rfg123.d	1.	CVOE2E1708	10ppb 8260/50ppb ...	13 Jun 2024 09:30
3	3	Rfg124.d	1.	VOE2F05L	10ppb 8260/50ppb ...	13 Jun 2024 10:20
4	4	Rfg125.d	1.	VOE2F05C	10ppb 8260/50ppb ...	13 Jun 2024 10:44
5	5	Rfg126.d	1.	RINSE	10mL	13 Jun 2024 11:08
6	6	Rfg127.d	1.	VOE2F05B	10mL	13 Jun 2024 11:31
7	7	Rfg128.d	1.	24F019-14	10mL	13 Jun 2024 12:42
8	8	Rfg129.d	1.	24F019-13	10mL	13 Jun 2024 13:06
9	9	Rfg130.d	1.	24F019-12	10mL	13 Jun 2024 13:30
10	10	Rfg131.d	1.	24F019-02N	10mL	13 Jun 2024 13:54
11	11	Rfg132.d	1.	24F019-03	10mL	13 Jun 2024 14:17
12	12	Rfg133.d	1.	24F019-02M	10mL	13 Jun 2024 14:41
13	13	Rfg134.d	1.	24F019-02S	10mL	13 Jun 2024 15:05
14	14	Rfg135.d	1.	24F019-03M	10mL	13 Jun 2024 15:28
15	15	Rfg136.d	1.	24F019-03S	10mL	13 Jun 2024 15:52
16	16	Rfg137.d	1.	24033-01M	10mL	13 Jun 2024 16:16
17	17	Rfg138.d	1.	24033-01S	10mL	13 Jun 2024 16:39
18	18	Rfg139.d	1.	RINSE	10mL	13 Jun 2024 17:03
19	19	Rfg140.d	1.	24F033-09	10mL	13 Jun 2024 17:26
20	20	Rfg141.d	1.	24F033-01	10mL	13 Jun 2024 17:51
21	21	Rfg142.d	1.	24F033-02	10mL	13 Jun 2024 18:14
22	22	Rfg143.d	1.	24F033-03	10mL	13 Jun 2024 18:38
23	23	Rfg144.d	1.	24F033-04	10mL	13 Jun 2024 19:02
24	24	Rfg145.d	1.	24F033-05	10mL	13 Jun 2024 19:25
25	25	Rfg146.d	1.	24F033-06	10mL	13 Jun 2024 19:50
26	26	Rfg147.d	1.	24F033-07	10mL	13 Jun 2024 20:14
27	27	Rfg148.d	1.	24F033-08	10mL	13 Jun 2024 20:37
28	28	Rfg149.d	1.	EVOE2E1708	10ppb 8260/50ppb ...	13 Jun 2024 21:01
29	29	Rfg150.d	1.	EVOE2E17081	10ppb 8260/50ppb ...	13 Jun 2024 21:25
30	30	Rfg151.d	1.	EVOE2E1782	10ppb 8260/50ppb ...	13 Jun 2024 21:49

EMAX LABORATORIES, INC.

ANALYSIS LOG FOR VOLATILES

SOP ☑ EMAX-8260 Rev.No. 10 ☑ EMAX-8260C Rev. No. 1 ☐ EMAX-8260SIM Rev.No. 1 ☐ EMAX-M8260SIM Rev.No. 0 ☐ EMAX-TCP5IM Rev.No. 2 ☐ EMAX-624 Rev.No. 6 ☐ EMAX-624.1 Rev.No. 1

Start Date: 6/11/24 ☐ 5-mL Purge ☑ 10-mL Purge ☐ 25-mL Purge

Book #: AE2-031

BATCH

	Sample Prep ID	Data File Name	Lab Sample ID	Sample Amount	DF	Matrix W pH < 2	Matrix W Cl_2 < 5ppm	Matrix S	Notes
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Instrument No.	E2
INITIAL CALIBRATION REFERENCE	
DATE	5/17/24
ICAL ID	V0E2E17

STANDARDS

NAME	ID	Amount (µl)	Conc (mg/L)
DCC	SVI-43-94-02	1.4	50/80
DCC	-89-03	.4	
DCC	-93-03	2	
DCC	-86-01	2	
BFB	-38-02	1	
IS/SURR.	SVI-45-04-02	5	20
ICV/LCS	SVI-43-79-02	.4	50/50
ICV/LCS	-82-01	.4	
ICV/LCS	-92-01	2	
ICV/LCS	77-01	2	
Data File Folder	24F14		

	LOT #	Syringe Lot #
pH strip	HC310330	MGV-03-04-14-6
Chlorine strip	31811713	-13-3
Methanol		
$NaHSO_4$		
Reagent Water	RW4-23-001	
Sand		

Electronic Data Archival Location	Date
HPCHEM_VOA/TOE2	

Comments:

Analyzed By: DH

Date Disposed: 6/17/24 Disposed By: DH

Injection Log

Directory: d:\Data\24F14

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	Rfg152.d	1.	BFBF06	T/CHK	14 Jun 2024 10:16
2	2	Rfg153.d	1.	CVOE2E1709	10ppb 8260/50ppb ...	14 Jun 2024 11:54
3	3	Rfg154.d	1.	VOE2F06L	10ppb 8260/50ppb ...	14 Jun 2024 12:35
4	4	Rfg155.d	1.	VOE2F06C	10ppb 8260/50ppb ...	14 Jun 2024 12:58
5	5	Rfg156.d	1.	RINSE	10mL	14 Jun 2024 13:22
6	6	Rfg157.d	1.	VOE2F06B	10mL	14 Jun 2024 13:46
7	7	Rfg158.d	1.	24F019-14N	10mL	14 Jun 2024 14:10
8	8	Rfg159.d	1.	24F061-01	10mL	14 Jun 2024 14:34
9	9	Rfg160.d	1.	24F061-02	10mL	14 Jun 2024 14:57
10	10	Rfg161.d	1.	24F061-03	10mL	14 Jun 2024 15:21
11	11	Rfg162.d	1.	24F061-04	10mL	14 Jun 2024 15:45
12	12	Rfg163.d	1.	24F061-05	10mL	14 Jun 2024 16:09
13	13	Rfg164.d	1.	24F061-06	10mL	14 Jun 2024 16:33
14	14	Rfg165.d	1.	24F061-07	10mL	14 Jun 2024 16:57
15	15	Rfg166.d	1.	24F049-13	10mL	14 Jun 2024 17:20
16	16	Rfg167.d	1.	RINSE	10mL	14 Jun 2024 17:44
17	17	Rfg168.d	1.	24F049-10	10mL	14 Jun 2024 18:08
18	18	Rfg169.d	1.	24F049-01	10mL	14 Jun 2024 18:31
19	19	Rfg170.d	1.	24F049-02	10mL	14 Jun 2024 18:55
20	20	Rfg171.d	1.	24F049-03	10mL	14 Jun 2024 19:19
21	21	Rfg172.d	1.	24F049-04	10mL	14 Jun 2024 19:43
22	22	Rfg173.d	1.	24F049-05	10mL	14 Jun 2024 20:06
23	23	Rfg174.d	1.	24F049-06	10mL	14 Jun 2024 20:30
24	24	Rfg175.d	1.	24F049-07	10mL	14 Jun 2024 20:53
25	25	Rfg176.d	1.	24F049-08	10mL	14 Jun 2024 21:17
26	26	Rfg177.d	1.	24F049-10M	10mL	14 Jun 2024 21:41
27	27	Rfg178.d	1.	24F049-10S	10mL	14 Jun 2024 22:04
28	28	Rfg179.d	1.	EVOE2E1709	10ppb 8260/50ppb ...	14 Jun 2024 22:28
29	29	Rfg180.d	1.	EVOE2E17091	10ppb 8260/50ppb ...	14 Jun 2024 22:51
30	30	Rfg181.d	1.	EVOE2E17092	10ppb 8260/50ppb ...	14 Jun 2024 23:15

STANDARD LOGS

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-10	CARBON DISULFIDE	5000 ppm	500 µL	250ppm
			IR	5/16/24

Standard ID	SV1-43-98-01
Name	CS_2 (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	IR

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-10	CARBON DISULFIDE	5000ppm	500µL	250ppm
			IR	5/16/24

Standard ID	SV1-43-98-02
Name	CS_2 (1°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	IR

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-19	VOC Gas Std.	2000ppm	1250 µL	250ppm
↓ -15-18	Vinyl Acetate	2500ppm	1000 µL	↓
			IR	5/16/24

Standard ID	SV1-43-98-03
Name	GAS (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	IR

Syringe ID: MSV-03-01-16
-03-03-05

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc. ppm	Aliquot µL	Final Conc. ppm
SV1-08-12-11	TBA	5000	200	500
09-07	1,2,3-TMB	2500	↓	250
13-20	0 Gas Add Std	2000	250	250
13-08	2- CLEVE	↓	↓	↓
13-18	1 Chlorohexane			
↓ 11-11	Cust. VOA Mix			
			DH 5/17/24	

Standard ID	SV1-43-97-01
Name	8260 (1)
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	DN

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc. ppm	Aliquot µL	Final Conc.
SV1-08-14-05	VOA Mix 1	5000	500	250 ppm
15-12	Acrolein & Acrylonitrile	↓	↓	↓
11-07	2-butanol	50000	250	6250 ppm
12-12	Cyclohexane	2000	↓	250 ppm
14-01	Methyl Acetate	2500	2500	↓
↓ 14-03	Methyl Cyclohexane	↓	↓	
			DH 5/17/24	

Standard ID	SV1-43-97-02
Name	Ref. AA - Used
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	DN

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-43-85-02	8260 (2°)	50 ppm	200 µL	5.0 ppm
↓ -88-02	624 (2°)	250 ppm	40 µL	↓
			IR 5/16/24	

Standard ID	SV1-43-97-03
Name	SIM (2°)
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/16/24
Exp. Date	9/22/24
Prepared By	IR

Syringe ID: MSV-03-03-05
-03-03-03

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-14-05	VOA Calibration Mix #1	5000ppm	0.5mL	250ppm
↓ 38-15-04	Acrolein + Acrylonitrile	↓	↓	↓
			DH 2/26/24	

Standard ID	SV1-43-76-01
Name	Ket-AA (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-11-24-02
Prep. Date	2/26/24
Exp. Date	5/26/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-30-02-02	VOA TUNING CMPD MIX	5000ppm	100mL	50ppm
			BL 2/26/24	

Standard ID	SV1-43-76-02
Name	BFB
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	2/26/24
Exp. Date	8/26/24
Prepared By	BL

Syringe ID: MSV-03-02-25

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-13-17	vinyl acetate	2000ppm	1.25mL	250 ppm
↓ -12-05	8260 gases	↓	↓	↓
				LAP 2/27/24

Standard ID	SV1-43-76-03
Name	GAS (2°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-11-24-02
Prep. Date	2/26/24
Exp. Date	8/26/24
Prepared By	↑ DH

Syringe ID: MSV-03-03-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-10	Carbon Disulfide	5000ppm	250µL	250ppm
				LAP 3/11/24

Standard ID	SV1-43-79-01
Name	CS2 (1°)
Final Volume	10mL
MeOH Solvent ID	SVIA-011-24-01
Prep. Date	3/11/24
Exp. Date	9/11/24
Prepared By	LAP

Syringe ID: MSV-03-02-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-08-06	Carbon Disulfide	5000ppm	0.5mL	250 ppm
				LAP 3/11/24

Standard ID	SV1-43-79-02
Name	CS2 (2°)
Final Volume	10mL
MeOH Solvent ID	SVIA-011-24-01
Prep. Date	3/11/24
Exp. Date	9/11/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-19	VOC GAS Std	2000ppm	1.26mL	250ppm
↓ -14-09	Vinyl acetate	2500ppm	1.0mL	↓
				2L 03/12/24

Standard ID	SV1-43-79-03
Name	GAS (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	03/12/24
Exp. Date	09/12/24
Prepared By	DM

Syringe ID: MSV-01-02-20-2

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-10-08	methyl acetate	1000ppm	0.5mL	50ppm
↓ -14-20	cyclohexane	↓	↓	↓
↓ -14-11	methylcyclohexane			
			N 2/7/24	

Standard ID	SV1-43-70-01
Name	3add (2°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-02
Prep. Date	2/7/24
Exp. Date	8/7/24
Prepared By	N

Syringe ID: MSV-03-03-04

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-15	methyl acetate	2500ppm	1.0mL	250ppm
↓ -14-03	methylcyclohexane	↓	↓	↓
↓ -12-12	cyclohexane	2000ppm	1.25mL	↓
↓ -08-11	2-butanol	50,000ppm	↓	6250ppm
			N 2/7/24	

Standard ID	SV1-43-70-02
Name	4add (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-02
Prep. Date	2/7/24
Exp. Date	8/7/24
Prepared By	N

Syringe ID: MSV-03-03-04

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-15	methyl acetate	2500ppm	1.0mL	250ppm
↓ -14-03	methylcyclohexane	↓	↓	↓
↓ -12-12	cyclohexane	2000ppm	1.25mL	↓
↓ -08-11	2-butanol	50,000ppm	↓	6250ppm
			N 2/7/24	

Standard ID	SV1-43-70-03
Name	4add (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-02
Prep. Date	2/7/24
Exp. Date	8/7/24
Prepared By	N

Syringe ID: MSV-03-03-04

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-15-10	8260 gases	2000 ppm	1.25 mL	250 ppm
↓ -38-15-13	vinyl acetate	↓	↓	↓
			DH 5/8/24	

Standard ID	SV1-43-94-01
Name	GAS (2°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/8/24
Exp. Date	11/8/24
Prepared By	LAP

Syringe ID: MSV-02-02-11
↓ -03-02-23

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-15-09	Ketones soln.	2500 ppm	1.0 mL	250 ppm
SV1-38-15-14	Acrolein & Acrylonitrile	↓	1.25 mL	↓
			DH 5/8/24	

Standard ID	SV1-43-94-02
Name	KET-AA (2°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/8/24
Exp. Date	7/31/24
Prepared By	LAP

Syringe ID: MSV-03-03-11
↓ ~~03-03~~ DH 5/8/24
MSV-0302-03

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-13-12	8260 IS Mix, 3-30	2500 ppm	1.0 mL	250 ppm
			LAP 5/10/24	

Standard ID	SV1-43-94-03
Name	IS
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	5/10/24
Exp. Date	11/10/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

DH 5/15/24

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SVL-38-13-12 ↓ 38-15-15	8260 IS Mix 8260A Surr Mix	2500ppm ↓	200µL ↓	50ppm ↓
			DH 5/13/24	

Standard ID	SV1-43-96-01
Name	IS/SS
Final Volume	10mL
MeOH Solvent ID	SWA-011-24-01
Prep. Date	5/13/24
Exp. Date	11/12/24
Prepared By	DH

Syringe ID: MSV-03-03-11 ↓ 02-23

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SVL-38-13-02	8260 IS	2500ppm	4µL	20ppm
			DH 5/16/24	

Standard ID	SV1-43-96-02
Name	IS (CF2)
Final Volume	5mL
MeOH Solvent ID	SVA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/5/24
Prepared By	DH

Syringe ID: MSV-03-02-21

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SVL-38-10-13	8260A SU	2500ppm	1.0mL	250ppm
			DH 5/16/24	

Standard ID	SV1-43-96-03
Name	SS
Final Volume	10mL
MeOH Solvent ID	SUR-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	DH

Syringe ID: MSV-03-01-14

Comments:

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

SM-38-10-B

Certificate of Analysis

chromatographic plus

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30240 **Lot No.:** A0192204

Description : 8260A Surrogate Mix

8260A Surrogate Mix 2,500µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : December 31, 2027 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dibromofluoromethane	1868-53-7	022013	99%	2,517.6 µg/mL	+/- 141.4279
2	1,2-Dichloroethane-d4	17060-07-0	PR-32845	99%	2,507.6 µg/mL	+/- 140.8661
3	Toluene-d8	2037-26-5	I-27008	99%	2,511.4 µg/mL	+/- 141.0796
4	1-Bromo-4-fluorobenzene (BFB)	460-00-4	184975	99%	2,517.8 µg/mL	+/- 141.4391

* Expanded Uncertainty displayed in same units as Grav. Cor

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)

Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)


Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID

Split Vent:
40 ml/min

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Daniel Wasson - Operations Tech I

Date Mixed: 02-Dec-2022 **Balance Serial #** 1128342314

Christie Mills - Operations Tech II - ARM QC

Date Passed: 06-Dec-2022

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k\sqrt{u^2_{gravimetric} + u^2_{homogeneity} + u^2_{storage\ stability} + u^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

SV1-38-13-12

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 7/13/2022
Original issue date: 7/13/2022

Certificate of Analysis

Date Received: 10/6/23

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -122455-05	484785	-18°C +/- 4°C	P/T Methanol	12-Jul-2027	Method 8260 Internal Standard Mix, 3-30, 2,500 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
chlorobenzene-d5	3114-55-4	99.5	128.120.1P	2504 ± 130
1,2-dichlorobenzene-d_4	2199-69-1	99.7	247.29.3P	2514 ± 130
1,4-difluorobenzene	540-36-3	99.3	129.158.1.2P	2523 ± 140

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

SVI-38-13-12

Certificate of Analysis

Catalog No.: Z-G34-122455-05 **Lot No.:** 484785 **Expiration Date:** 7/12/2027

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 12-Jul-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Bradley Richter	Jared Ball	Susan Mathews
Production Chemist I	**Quality Control Chemist II**	**Quality Control Team Lead**

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-01-20	Cont. Rev. 8260 Megamix	2000 ppm	250 µL	50 ppm
-02-03	Oxygenated Gas mix #1	↓	↓	↓
-11-19	2-CLEVE	↓	↓	↓
-12-20	1-Chlorohexane	1000	0.5 mL	↓
-12-06	1,2,3 TMB	2500	200 µL	↓
-11-18	TBA	50000	50 µL	500 ppm
↓ -12-19	Acetonitrile	20000	250 µL	↓
			IR	4/12/24

Standard ID	SV1-43-85-01
Name	8260 (2°) Soil
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	4/12/24
Exp. Date	10/12/24
Prepared By	IR

Syringe ID: MSV-03-03-05 ~~-18~~ IR 4/12/24
-03-03-03

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-01-20	Cont. Rev. 8260 Megamix	2000 ppm	250 µL	50 ppm
-02-03	Cont. Oxy. Gas Mix #1	↓	↓	↓
-11-19	2-CLEVE	↓	↓	↓
-12-20	1-chlorohexane	1000 ppm	0.5 mL	↓
-12-06	1,2,3 TMB	2500 ppm	200 µL	↓
↓ -11-18	TBA	50000 ppm	↓	1000 ppm
			IR 4/12/24	

Standard ID	SV1-43-85-02
Name	8260 (2°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	4/12/24
Exp. Date	10/12/24
Prepared By	IR

Syringe ID: MSV-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-11	Cont. VOA mix 73-6047	2000 ppm	250 µL	50 ppm
-13-20	Oxy. Gas Acid.	↓	↓	↓
-13-05	2-CLEVE	↓	↓	↓
-13-18	1-chlorohexane	↓	↓	↓
-13-13	1,2,3 TMB	2500 ppm	200 µL	↓
↓ -12-11	TBA	50000 ppm	↓	1000 ppm

Standard ID	SV1-43-85-03
Name	8260 (1°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	4/12/24
Exp. Date	10/12/24
Prepared By	IR

Syringe ID: MSV-03-03-05

Comments:

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 575702 **Lot No.:** A0191824

Description : Custom Revised 8260 Megamix

Custom Revised 8260 Megamix 2,000 - 40,000µg/mL, P&T Methanol, 1mL/ampul

SVI-38-09-20

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : November 30, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dichlorofluoromethane (CFC-21)	75-43-4	12841600	99%	2,000.0 µg/mL	+/- 69.1292
2	Diethyl ether (ethyl ether)	60-29-7	SHBP5008	99%	2,011.0 µg/mL	+/- 69.5094
3	1,1,2-Trichlorotrifluoroethane (CFC-113)	76-13-1	00016133	99%	2,008.0 µg/mL	+/- 69.4057
4	1,1-dichloroethene	75-35-4	SHBG8609V	99%	2,001.6 µg/mL	+/- 69.9029
5	Iodomethane (methyl iodide)	74-88-4	RD220125	99%	2,007.5 µg/mL	+/- 69.3884
6	Allyl chloride (3-chloropropene)	107-05-1	RP220405A	99%	2,011.0 µg/mL	+/- 69.5094
7	Methylene chloride (dichloromethane)	75-09-2	SHBP1417	99%	2,001.6 µg/mL	+/- 69.9056
8	trans-1,2-Dichloroethene	156-60-5	MKBH9850V	99%	2,001.7 µg/mL	+/- 69.9064
9	1,1-Dichloroethane	75-34-3	760200	99%	2,001.1 µg/mL	+/- 69.8864
10	Chloroprene (2-chloro-1,3-butadiene)	126-99-8	220712JLM	99%	2,014.0 µg/mL	+/- 69.6131
11	Propionitrile	107-12-0	BCCF4167	99%	20,009.5 µg/mL	+/- 691.5748
12	2,2-Dichloropropane	594-20-7	RD220812	99%	2,004.3 µg/mL	+/- 70.0110
13	cis-1,2-Dichloroethene	156-59-2	MKCP7830	99%	2,014.0 µg/mL	+/- 70.3516
14	Methacrylonitrile	126-98-7	1012014	99%	20,031.5 µg/mL	+/- 692.3351
15	Methyl acrylate	96-33-3	SHBG6616V	99%	2,007.0 µg/mL	+/- 69.3711
16	Isobutanol (2-Methyl-1-propanol)	78-83-1	SHBP7066	99%	40,013.5 µg/mL	+/- 1,382.9594

17	chloroform	67-66-3	SHBN8469	99%	2,002.3	µg/mL	+/- 69.9291
18	Bromochloromethane	74-97-5	00008541	99%	2,011.9	µg/mL	+/- 70.2782
19	Tetrahydrofuran	109-99-9	SHBP0039	99%	2,005.0	µg/mL	+/- 69.3020
20	1,1,1-trichloroethane	71-55-6	RD220613	98%	2,001.2	µg/mL	+/- 69.8893
21	1,1-Dichloropropene	563-58-6	220617JLM	99%	2,014.0	µg/mL	+/- 70.3498
22	carbon tetrachloride	56-23-5	SHBL8097	99%	2,000.1	µg/mL	+/- 69.8514
23	1,2-Dichloroethane	107-06-2	MKCN9758	99%	2,001.6	µg/mL	+/- 69.9056
24	Benzene	71-43-2	MKCQ2104	99%	2,010.5	µg/mL	+/- 70.2293
25	2-Chloroethanol	107-07-3	RD220606A	99%	2,002.5	µg/mL	+/- 69.2156
26	Trichloroethene	79-01-6	SHBN3720	99%	2,001.6	µg/mL	+/- 69.9047
27	1,2-Dichloropropane	78-87-5	BCBR0882V	99%	2,001.8	µg/mL	+/- 69.9125
28	Methyl methacrylate	80-62-6	MKCQ2755	99%	2,007.5	µg/mL	+/- 69.3884
29	bromodichloromethane	75-27-4	MKCF8470	99%	2,001.7	µg/mL	+/- 69.9082
30	1,4-Dioxane	123-91-1	SHBP8653	99%	40,041.0	µg/mL	+/- 1,383.9099
31	2-Nitropropane	79-46-9	BCCB9352	97%	2,003.5	µg/mL	+/- 69.2514
32	Dibromomethane	74-95-3	10233302	99%	2,013.0	µg/mL	+/- 70.3149
33	cis-1,3-Dichloropropene	10061-01-5	RD220311	99%	2,001.9	µg/mL	+/- 69.9152
34	Toluene	108-88-3	ED097-US	99%	2,011.4	µg/mL	+/- 70.2608
35	Ethyl methacrylate	97-63-2	MKCN6206	97%	2,004.0	µg/mL	+/- 69.2681
36	trans-1,3-Dichloropropene	10061-02-6	RD220816	99%	2,000.5	µg/mL	+/- 69.8671
37	1,1,2-Trichloroethane	79-00-5	FGB01	99%	2,001.9	µg/mL	+/- 69.9134
38	1,3-Dichloropropane	142-28-9	BCCB9817	99%	2,011.1	µg/mL	+/- 70.2485
39	Tetrachloroethene	127-18-4	SHBJ7422	99%	2,001.2	µg/mL	+/- 69.8890
40	dibromochloromethane	124-48-1	MKCM8659	99%	2,002.2	µg/mL	+/- 69.9256
41	1,2-Dibromoethane (EDB)	106-93-4	BCCF5058	99%	2,006.0	µg/mL	+/- 70.0704
42	Chlorobenzene	108-90-7	SHBN6640	99%	2,000.1	µg/mL	+/- 69.8506
43	1,1,1,2-Tetrachloroethane	630-20-6	GC01	99%	2,009.8	µg/mL	+/- 70.2031
44	Ethylbenzene	100-41-4	094632L21G	99%	2,016.4	µg/mL	+/- 70.4337
45	m-Xylene	108-38-3	SHBN6673	98%	2,012.6	µg/mL	+/- 70.3019
46	p-Xylene	106-42-3	10234437	99%	2,009.1	µg/mL	+/- 70.1787
47	o-Xylene	95-47-6	SHBN5105	98%	2,010.1	µg/mL	+/- 70.2163
48	Styrene	100-42-5	MKCQ3390	99%	2,012.6	µg/mL	+/- 70.3027
49	Isopropylbenzene (cumene)	98-82-8	Z20D022	99%	2,009.3	µg/mL	+/- 70.1874
50	bromoform	75-25-2	MKCR0680	99%	2,000.8	µg/mL	+/- 69.8750
51	cis-1,4-Dichloro-2-butene	1476-11-5	RD220907	97%	2,000.0	µg/mL	+/- 69.1290
52	1,1,2,2-Tetrachloroethane	79-34-5	OXACF	99%	2,002.8	µg/mL	+/- 69.9466

53	1,2,3-Trichloropropane	96-18-4	332900	99%	2,010.3	µg/mL	+/- 70.2206
54	trans-1,4-dichloro-2-butene	110-57-6	RD220921RSR	94%	1,999.9	µg/mL	+/- 69.1240
55	n-Propylbenzene	103-65-1	MKCN1126	99%	2,009.1	µg/mL	+/- 70.1804
56	Bromobenzene	108-86-1	WXBC5147V	99%	2,012.5	µg/mL	+/- 70.2992
57	1,3,5-Trimethylbenzene	108-67-8	BCCF4166	99%	2,010.8	µg/mL	+/- 70.2381
58	2-Chlorotoluene	95-49-8	MKCF5243	99%	2,007.5	µg/mL	+/- 70.1228
59	4-Chlorotoluene	106-43-4	MKCC8496	99%	2,012.4	µg/mL	+/- 70.2957
60	tert-Butylbenzene	98-06-6	STBJ1937	99%	2,009.0	µg/mL	+/- 70.1769
61	1,2,4-Trimethylbenzene	95-63-6	WXBC9428V	98%	2,004.8	µg/mL	+/- 70.0297
62	sec-Butylbenzene	135-98-8	MKCP2266	99%	2,009.2	µg/mL	+/- 70.1839
63	p-Isopropyltoluene (p-Cymene)	99-87-6	MKCR6143	99%	2,007.6	µg/mL	+/- 70.1280
64	1,3-Dichlorobenzene	541-73-1	BCCD5315	99%	2,000.7	µg/mL	+/- 69.8715
65	1,4-Dichlorobenzene	106-46-7	MKBS4401V	99%	2,002.0	µg/mL	+/- 69.9195
66	n-Butylbenzene	104-51-8	09804AE	99%	2,006.9	µg/mL	+/- 70.1036
67	1,2-Dichlorobenzene	95-50-1	SHBN3835	99%	2,001.2	µg/mL	+/- 69.8898
68	1,2-Dibromo-3-chloropropane	96-12-8	HBMVB	97%	2,006.3	µg/mL	+/- 70.0843
69	Nitrobenzene	98-95-3	10224044	99%	2,004.0	µg/mL	+/- 69.2674
70	1,2,4-Trichlorobenzene	120-82-1	SHBM0526	99%	2,009.7	µg/mL	+/- 70.1996
71	Hexachlorobutadiene	87-68-3	X05J	99%	2,007.4	µg/mL	+/- 70.1210
72	Naphthalene	91-20-3	MKCH0219	99%	2,001.5	µg/mL	+/- 69.9132
73	1,2,3-Trichlorobenzene	87-61-6	MKBX7627V	99%	2,015.7	µg/mL	+/- 70.4092

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
60m x 0.25mm x 1.4µm
Rtx-502.2 (cat.#10916)

Carrier Gas:
helium-constant pressure 30 psi

Temp. Program:
40°C (hold 6 min.) to 240°C
@ 6°C/min. (hold 10 min.)


Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
MSD

Split Vent:
20.0 ml/min.

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Cathleen Soltis – Mix Technician

Date Mixed: 18-Nov-2022 **Balance Serial #** B251644995

Jennifer Polkino - Operations Tech III - ARM QC

Date Passed: 05-Dec-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k\sqrt{u^2_{gravimetric} + u^2_{homogeneity} + u^2_{storage\ stability} + u^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

SVI-38-02-03

RESTEK® CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

Certificate of Analysis

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30465 **Lot No.:** A0168072

Description : California Oxygenates Mixture #1

California Oxygenates Mixture #1 2000-10000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : January 31, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound		Grav. Conc. (weight/volume)		Expanded Uncertainty (95% C.L.; K=2)		
1	tert-Butanol (TBA) CAS # 75-65-0 Purity 99%	(Lot SHBL5806)	10,038.8	µg/mL	+/- 58.7794 +/- 215.0444 +/- 221.2897	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
2	Methyl-tert-butyl ether (MTBE) CAS # 1634-04-4 Purity 99%	(Lot SHBL0822)	2,005.6	µg/mL	+/- 11.7700 +/- 42.9699 +/- 44.2174	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
3	Diisopropyl ether (DIPE) CAS # 108-20-3 Purity 99%	(Lot SHBH1927V)	2,009.6	µg/mL	+/- 11.7935 +/- 43.0556 +/- 44.3056	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
4	Ethyl-tert-butyl ether (ETBE) CAS # 637-92-3 Purity 99%	(Lot MKCM3774)	2,006.0	µg/mL	+/- 11.7723 +/- 42.9785 +/- 44.2263	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
5	tert-Amyl methyl ether (TAME) CAS # 994-05-8 Purity 99%	(Lot HMBG7745V)	2,007.2	µg/mL	+/- 11.7794 +/- 43.0042 +/- 44.2527	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Miranda Kline - Operations Technician I

Date Mixed: 12-Jan-2021 **Balance:** B442140311

Justine Albertson - Operations Tech, ASM QC

Date Passed: 14-Jan-2021

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: M-601C-10X
Description: 2-Chloroethylvinyl ether
Lot: 223041132
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Apr 11, 2023
Expiration: Apr 11, 2026
Sample Size: 1 mL
Components: 1
Storage Condition: Freeze (<-10 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
2-Chloroethylvinyl ether	110-75-8	100.0	2005	2005

SVI-38-11-19

Reference Standard

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

SVI-38-11-19

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(\mathrm{V}))^2 + (u(\mathrm{m}))^2 + (u(\mathrm{IV}))^2 + (u(\mathrm{RO}))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of k=2 is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

SV1-38-11-18

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30470 **Lot No.:** A0188432

Description : tert-Butanol Standard

tert-Butanol Std 50,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : August 31, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Given Conc. (weight/volume)	Expanded Uncertainty (95% C.L., K=2)		
1	tert-Butanol (TBA)	50,300.0 µg/mL	+/- 294.5176	µg/mL	Gravimetric
	CAS # 75-65-0 (Lot I01619K21F-1)		+/- 1,077.4927	µg/mL	Unstressed
	Purity 99%		+/- 1,108.7850	µg/mL	Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

SVI-38-11-18

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Malina Homan - Operations Technician I **Date Mixed:** 11-Aug-2022 **Balance:** B251644995

Marlina Cowan – Operations Tech II ARM QC **Date Passed:** 15-Aug-2022

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

SVL-3871-18

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

Ibis Scientific, 7330 Smoke Ranch Rd., Suite B, Las Vegas, NV 89128 (855)390-4202

Date manufactured: 6/24/2022
Original issue date: 6/24/2022

Certificate of Analysis

Date Received: _____

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
3200-44	503601	≤ -10 °C	P/T Methanol	23-Jun-2027	1,2,3-Trimethylbenzene Solution, 2500 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
1,2,3-trimethylbenzene	526-73-8	92.7	869.8.4.1P	2536 ± 32.33

SVI-38-12-06

SM-38-12-20

Agilent

Trusted Answers

ISO 17034

Reference Material Certificate

Product Information Sheet

Product Name: 1-Chlorohexane Standard

Product Number: EPA-1208-1

Storage Conditions: Store at Room Temperature (15° to 30°C).

Lot Number: 0006735507

Lot Issue Date: 20-Mar-2023

Expiration Date: 30-Apr-2026

Chemical Name	Concentration	Uncertainty	CAS #	Analysis ID
1-chlorohexane	1000	± 5 µg/mL	000544-10-5	RM04313

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material (RM) standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above. Purity values are taken from approved vendor raw material certificates.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference (RM) standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference (RM) standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Expiration of Certification:
The certification of this analytical reference standard (RM) is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

Agilent

Trusted Answers

SM-38-12-20

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB
ACCREDITED
REFERENCE MATERIAL PRODUCER

ISO 17034 Cert
No. AR-1936

RM was produced in accordance with the TUV/SUD registered ISO 9001:2015 Quality Management System. Cert# 951215321

www.agilent.com/quality/
CSD-QA-015.1

ISO 17025

Agilent

Trusted Answers

ISO 17034

Reference Material Certificate

Product Information Sheet

Product Name:	Acrolein and Acrylonitrile Standard	**Lot Number:**	0006788822
Product Number:	AMN-623-1	**Lot Issue Date:**	20-Mar-2024
Storage Conditions:	Store Frozen (-25° to -10°C). SVI-38-15-14	**Expiration Date:**	31-Jul-2024

Component Name	Concentration		Uncertainty	CAS#	Analyte Lot
~~acrolein~~	2009	±	10 µg/mL	000107-02-8	RM20527
acrylonitrile	2009	±	10 µg/mL	000107-13-1	RM20527

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Expiration of Certification:
The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

CSD-QA-015.2

ISO 17025
Cert No. AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 **www.agilent.com/quality**

Agilent

Trusted Answers

SV1-38-15-14

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB
ACCREDITED
ISO 17034
REFERENCE MATERIAL PRODUCER

RM was produced in accordance with the TUV/SUD registered ISO 9001:2015 Quality Management System. Cert# 951215321

www.agilent.com/quality/

CSD-QA-015.2

ISO 17034
Cert No. AR-1936

ISO 17025
Cert No. AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 **www.agilent.com/quality**

SVI-38-15-09

14271 Jeffrey Road
#223
Irvine, CA 92620

ibis scientific

For Chemical Emergency, Spill, Leak, Fire Exposure or Accident Call Chromanex Day or Night 800.390.4202

Quality System Audited & Registered by TUV USA to ISO 9001:2015

Date Received: 2/8/24

Certificate of Analysis

Rev 0 Page

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
G34-3200-121020 -17	480682	≤ -10 °C	P/T MeOH:Water 9:1	4/28/2027	Ketones Solution, 2500 mg/L, 1 ml ISO17034

Compound	CAS No	Purity (%)	Compound Lot No	Concentration, mg/L
acetone	67-64-1	99.6	196.271.4P	2498 ± 53.47 mg/L
2-butanone (MEK)	78-93-3	99.9	197.1.2P	2498 ± 53.51 mg/L
4-methyl-2-pentanone (MIBK)	108-10-1	99.88	198.421.1.2P	2500 ± 54.02 mg/L
2-hexanone	591-78-6	100	199.7.3P	2501 ± 53.58 mg/L

Certified By: Melissa Workoff

Melissa Workoff

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: APP-9-211-20X
Description: Vinyl acetate
Lot: 224031313
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*

Date Certified: Mar 22, 2024
Expiration: Sep 22, 2024
Sample Size: 1 mL
Components: 1
Storage Condition: Freeze (<-10 °C)



Signal Word: Danger

SVI-38.15-13

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Vinyl acetate	108-05-4	100.0	2006	2006

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4% and was determined in accordance with ISO 17034. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/IND-001
Rev. 7/20

SVI-38-15-10

Ibis Scientific, 7330 Smoke Ranch Rd., Suite B, Las Vegas, NV 89128 (855) 390-4202

Date manufactured: 12/14/2023
Original issue date: 12/14/2023

Certificate of Analysis

Date Received: 2/8/24
Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
3200-G34 -120016-03	513798	≤ -10 °C	P/T Methanol	12-Dec-2028	ISO 17034 - Method 8260 Gases, 2,000 mg/L, 2 x 0.6 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC), gas chromatography/mass spectrometry (GC/MS), or High Pressure Liquid Chromatography (HPLC) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
bromomethane	74-83-9	99.9	139.158.2.1P	1962 ± 23
chloroethane	75-00-3	99.94	141.2.3P	1995 ± 23
chloromethane	74-87-3	99.7	140.158.3P	2018 ± 24
dichlorodifluoromethane	75-71-8	99	142.158.5.1P	2026 ± 47
trichlorofluoromethane	75-69-4	99	144.1.3P	1995 ± 38
vinyl chloride	75-01-4	99	143.158.5.3P	1962 ± 45

Second Source standards are prepared according to NELAC requirements.

Intended Use:

This certified reference material (CRM) is intended for use as a calibration standard or a quality control standard for chromatography instrumentation such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various USEPA, NIOSH, and ASTM methods.

Recommended storage container for ampouled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix
y = boiling point of the solvent

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened

Certificate of Analysis

Catalog No.: 3200-G34-120016 **Lot No.:** 513798 **Expiration Date:** 12/12/2028

ampoule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricllly.

Packaging and Storage:

The solution should be stored according to the following storage requirements: **≤ -10 °C**
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a sealed ampoule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

This standard was prepared gravimetrically using balances that are calibrated to the requirements of ISO/IEC 17025. All balances are calibrated externally by an accredited ISO/IEC 17025 calibration laboratory using weight sets traceable to the International System of Units (SI) through the national reference standards maintained by NIST.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025 and ISO 17034.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $U=ku_c$; U=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 12-Dec-2028

Manufactured By:	**Certified By:**	**Released By:**
Melissa Workoff		Susan Mathews
Melissa Workoff Production Chemist II	Dominique Lindner Quality Control Chemist I	Susan Mathews Quality Control Team Lead

Certificate of Analysis

Catalog No.: 3200-G34-120016 **Lot No.:** 513798 **Expiration Date:** 12/12/2028

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	Quality Control Chemist I	Quality Control Team Lead

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SVL-38-11-11

Date manufactured: 3/13/2023
Original issue date: 3/13/2023

Certificate of Analysis

Date Received:

 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -126047-01	498957	≤ -10 °C	P/T Methanol	13-Sep-2024	Custom Volatiles Mix, 73-6047, Various Concentrations, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-nitropropane	79-46-9	97.7	219.1.2P	2003 ± 110
allyl chloride	107-05-1	98.9	227.1.2P	2024 ± 120
benzene	71-43-2	99.99	146.1.10P	1997 ± 110
bromobenzene	108-86-1	100	147.7.1P	1999 ± 140
bromochloromethane	74-97-5	99.7	148.1.3P	1998 ± 110
bromodichloromethane	75-27-4	99.2	149.1.12P	1988 ± 110
bromoform	75-25-2	99.3	150.7.2P	1989 ± 110
n-butylbenzene	104-51-8	99.2	151.7.3.2P	1997 ± 110
sec-butylbenzene	135-98-8	99.5	152.1.2.1P	1999 ± 110
tert-butylbenzene	98-06-6	99.9	153.29.1P	1999 ± 110
carbon tetrachloride	56-23-5	100	154.9.1P	1997 ± 110
chlorobenzene	108-90-7	99.9	155.29.1P	2001 ± 110
2-chloroethanol	107-07-3	99.5	217.1.3P	2000 ± 110
chloroform	67-66-3	99.8	156.7.1P	1998 ± 110
chloroprene	126-99-8	98.9	315.5.22P	1982 ± 140
2-chlorotoluene	95-49-8	99.5	157.7.1P	1998 ± 110
4-chlorotoluene	106-43-4	99.9	158.9.3P	2000 ± 110

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

cis-1,2-dichloroethylene	156-59-2	98.5	166.1.7.1P	1997 ± 110
dibromochloromethane	124-48-1	98.6	159.1.8.1P	2013 ± 110
1,2-dibromo-3-chloropropane	96-12-8	98.6	160.7.2.3P	2000 ± 110
1,2-dibromoethane	106-93-4	99.9	161.9.1P	2008 ± 110
dibromomethane	74-95-3	99.8	162.1.2P	1996 ± 120
1,2-dichlorobenzene	95-50-1	99.5	43.1.2P	1999 ± 110
1,3-dichlorobenzene	541-73-1	99.5	44.1.3P	2001 ± 110
1,4-dichlorobenzene	106-46-7	99.9	45.29.1P	2000 ± 110
cis-1,4-dichloro-2-butene	1476-11-5	98	209.1.5P	2004 ± 110
trans-1,4-dichloro-2-butene	110-57-6	93.5	201.1.17.1P	1991 ± 110
1,1-dichloroethane	75-34-3	98.1	163.247.1.2P	1992 ± 110
1,2-dichloroethane	107-06-2	99.9	164.158.1P	2001 ± 110
1,1-dichloroethylene	75-35-4	99.98	165.1.4P	1999 ± 110
trans-1,2-dichloroethylene	156-60-5	99.7	167.1.7P	1999 ± 110
dichlorofluoromethane (Freon 21)	75-43-4	98	986.5.4.2P	1960 ± 140
1,2-dichloropropane	78-87-5	99.7	168.8.1.1P	2001 ± 120
1,3-dichloropropane	142-28-9	100	169.7.3P	1971 ± 140
2,2-dichloropropane	594-20-7	98.1	170.7.4P	2002 ± 110
1,1-dichloropropylene	563-58-6	99	171.158.2.4P	2001 ± 120
cis-1,3-dichloropropylene	10061-01-5	99.5	172.7.6.1P	2010 ± 110
trans-1,3-dichloropropylene	10061-02-6	98.8	173.7.4.12P	1991 ± 110
1,4-dioxane	123-91-1	99.93	223.1.4P	40750 ± 2100
ethyl ether	60-29-7	99.8	226.9.1P	2000 ± 110
ethyl methacrylate	97-63-2	99.5	216.7.1P	2004 ± 110
ethylbenzene	100-41-4	100	174.7.1P	1998 ± 110

Manufactured By:

Sanquetta Coakley
Production Chemist I

Certified By:

Dominique Lindner
Quality Control Chemist I

Released By:

Susan Mathews
Quality Control Team Lead

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

hexachlorobutadiene	87-68-3	98	47.158.3P	2000 ± 120
iodomethane	74-88-4	99.9	203.29.2P	2000 ± 110
isobutyl alcohol	78-83-1	99.8	220.7.3P	39990 ± 2100
isopropylbenzene	98-82-8	99.9	176.9.3P	2004 ± 110
4-isopropyltoluene	99-87-6	99.9	177.9.3P	1988 ± 110
methyl acrylonitrile	126-98-7	98	212.286.1.2P	19960 ± 1300
methyl methacrylate	80-62-6	100	231.7.4P	2043 ± 110
methyl acrylate	96-33-3	98.5	349.7.1P	1999 ± 110
methylene chloride	75-09-2	99.9	178.24.4P	1999 ± 110
naphthalene	91-20-3	99.8	26.9.1P	2020 ± 110
nitrobenzene	98-95-3	100	94.7.1P	2002 ± 110
propionitrile	107-12-0	99.7	218.7.2.1P	19950 ± 1000
n-propylbenzene	103-65-1	99.7	179.7.2.2P	1998 ± 110
styrene	100-42-5	99.5	180.9.4P	1999 ± 110
1,1,1,2-tetrachloroethane	630-20-6	99.8	181.7.2.9P	2003 ± 110
1,1,2,2-tetrachloroethane	79-34-5	99.4	182.8.2P	2000 ± 120
tetrachloroethylene	127-18-4	100	183.1.2VP	2004 ± 110
tetrahydrofuran (THF)	109-99-9	100	299.7.1P	1996 ± 110
toluene	108-88-3	100	184.48.1P	2000 ± 110
1,2,3-trichlorobenzene	87-61-6	99.8	185.1.2P	1999 ± 110
1,2,4-trichlorobenzene	120-82-1	99.6	54.29.1P	1987 ± 110
1,1,1-trichloroethane	71-55-6	99	187.1.1P	1998 ± 120
1,1,2-trichloroethane	79-00-5	99.6	195.7.1.6P	1997 ± 110
trichloroethylene	79-01-6	100	188.29.2P	1998 ± 110
1,2,3-trichloropropane	96-18-4	99.5	189.1.3P	1998 ± 110

Manufactured By:

Sanquetta Coakley
Production Chemist I

Certified By:

Dominique Lindner
Quality Control Chemist I

Released By:

Susan Mathews
Quality Control Team Lead

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	76-13-1	99	270.158.3.1P	2002 ± 120
1,2,4-trimethylbenzene	95-63-6	98.7	190.7.1P	1999 ± 110
1,3,5-trimethylbenzene	108-67-8	99.5	191.7.1P	2001 ± 110
m-xylene	108-38-3	99.7	193.7.1.2P	1999 ± 110
o-xylene	95-47-6	99	192.29.3P	1998 ± 120
p-xylene	106-42-3	99.9	194.7.1P	1999 ± 110

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)

y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Manufactured By:	Certified By:	Released By:
Sanquetta Coakley	Dominique Lindner	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 13-Sep-2024

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Sanquetta Coakley	Dominique Lindner	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

GM - 38-12-11

Date manufactured: 11/16/2022
Original issue date: 11/16/2022

Certificate of Analysis

Date Received:
Page 1 of 2 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020511-06	492310	≤ -10 °C	P/T Methanol	15-Nov-2027	t-Butyl Alcohol Solution, 50,000 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
tert-butyl alcohol	75-65-0	100	511.7.2P	50110 ± 2600

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

Certificate of Analysis

Catalog No.: Z-G34-020511-06 **Lot No.:** 492310 **Expiration Date:** 11/15/2027

(95% confidence) values listed are determined gravimetricllly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 15-Nov-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	**Quality Control Chemist I**	**Quality Control Team Lead**

SVI-38-B-08

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 8/24/2022
Original issue date: 8/24/2022

Certificate of Analysis

Date Received: 10/6/23
 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020145-02	492308	≤ -10 °C	P/T Methanol	23-Aug-2027	2-Chloroethyl Vinyl Ether Solution, 2,000 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-chloroethylvinyl ether	110-75-8	99.8	145.1.5P	2010 ± 110

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

SN-39-13-08

Certificate of Analysis

Catalog No.: Z-G34-020145-02 **Lot No.:** 492308 **Expiration Date:** 8/23/2027

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 23-Aug-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Sanquetta Coakley	Dominique Lindner	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SVI-38-09-07

Date manufactured: 6/24/2022
Original issue date: 6/24/2022

Certificate of Analysis

Date Received:

 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020869-08	484154	≤ -10 °C	P/T Methanol	23-Jun-2027	1,2,3-Trimethylbenzene Solution, 2,500 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
1,2,3-trimethylbenzene	526-73-8	92.7	869.8.4.1P	2536 ± 140

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVr38-09-05

Certificate of Analysis

Catalog No.: Z-G34-020869-08 **Lot No.:** 484154 **Expiration Date:** 6/23/2027

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 23-Jun-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Brian Stokes	J Ball	Susan Mathews
Brian Stokes	Jared Ball	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

SV1-30-02-02

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ilac-MRA

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30003 **Lot No.:** A0150458

Description : VOA Tuning Compound Mix

VOA Tuning Compound Mix 5,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2024 **Storage:** 0°C or colder

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)		
1	1-Bromo-4-fluorobenzene (BFB)	5,030.0 µg/mL	+/- 29.5189	µg/mL	Gravimetric
	CAS # 460-00-4 (Lot 20401KO)		+/- 282.0557	µg/mL	Unstressed
	Purity 99%		+/- 288.6541	µg/mL	Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Walker Workman - Operations Technician I

Date Mixed: 27-Jun-2019 Balance: 1128342314

Justine Albertson - Operations Tech-GHFM GC

Date Passed: 01-Jul-2019

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 3/10/2023
Original issue date: 3/10/2023

Certificate of Analysis

Date Received:

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020200-04	498954	≤ -10 °C	P/T Methanol	8-Mar-2028	Carbon Disulfide Solution, 5,000 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
carbon disulfide	75-15-0	99.9	200.24.1VP	5075 ± 260

*Not a certified value

SVL-38-11-10

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVI-38110

Certificate of Analysis

Catalog No.: Z-G34-020200-04 **Lot No.:** 498954 **Expiration Date:** 3/8/2028

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 8-Mar-2028

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	**Quality Control Chemist I**	**Quality Control Team Lead**

SVI-38-12-19

Agilent

Trusted Answers

ISO 17034

Reference Material Certificate

Product Information Sheet

Product Name: VOC Gas Standard

Product Number: DWM-544-1

Storage Conditions: Store Frozen (-25° to -10°C).

Lot Number: 0006744131

Lot Issue Date: 23-May-2023

Expiration Date: 30-Jun-2026

Component Name	Concentration		Uncertainty	CAS#	Analyte Cat#
bromomethane	2009	±	10 µg/mL	000074-83-9	RM00064
chloroethane	2008	±	10 µg/mL	000075-00-3	RM00065
chloromethane	2006	±	10 µg/mL	000074-87-3	RM12571
dichlorodifluoromethane	2010	±	10 µg/mL	000075-71-8	RM05289
trichlorofluoromethane	2009	±	10 µg/mL	000075-69-4	RM00017
vinyl chloride	2009	±	10 µg/mL	000075-01-4	RM05458

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

ISO 17025
Cert No. AT-1937

SVI-38-12-19

Agilent

Trusted Answers

Expiration of Certification:
The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER

ISO 17034
Cert No. AR-1936

RM was produced in accordance with the TUV/SUD registered ISO 9001:2015 Quality Management System. Cert# 951215321

www.agilent.com/quality/
CSD-QA-015.2

ISO 17025
Cert No. AT-1937

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SVI-38-15-18

Date manufactured: 11/16/2022
Original issue date: 11/16/2022

Certificate of Analysis

Date Received:

 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020232-10	492307	≤ -10 °C	P/T Methanol	20-Nov-2025	Vinyl Acetate Solution, 2,500 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
vinyl acetate	108-05-4	99.9	232.7.1P	2496 ± 160

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVI-38.15-18

Certificate of Analysis

Catalog No.: Z-G34-020232-10 **Lot No.:** 492307 **Expiration Date:** 11/20/2025

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 20-Nov-2025

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (Certificate number 3031.02) accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	**Quality Control Chemist II**	**Quality Control Team Lead**

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SVI-30-13-20

CERTIFICATE OF ANALYSIS

Catalog No: OGAD-001
Description: Oxygenate Gasoline Additive Standard
Lot: 222081419
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 29, 2022
Expiration: Aug 29, 2025
Sample Size: 1 mL
Components: 5
Storage Condition: Refrig (0-5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity % (GC/MS)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
MtBE	1634-04-4	99.8	2001	1997
EtBE	637-92-3	99.9	2004	2002
Isopropyl ether	108-20-3	100.0	2010	2010
TAME	994-05-8	99.0	2000	1980
t-Butanol	75-65-0	99.6	10005	9965

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/IND-001
Rev. 7/20

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SVI - 38-13-18

CERTIFICATE OF ANALYSIS

Catalog No: M-8010R-1-04-10X
Description: 1-Chlorohexane
Lot: 223031117
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 8, 2023
Expiration: Mar 8, 2033
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
1-Chlorohexane	544-10-5	98.0	2024	1984

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/IND-001
Rev. 7/20

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ~~ISO 9001:2015 – Quality Management System – Requirements~~ Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

SVI-38-08-06

Agilent

Certificate of Analysis

Product Name: Carbon Disulfide Standard

Product Number: EPA-1012-1 **Lot Issue Date:** 21-Sep-2020

Lot Number: 0006557585 **Expiration Date:** 30-Sep-2024

Description:
This analytical reference material (RM) was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	Concentration ± Uncertainty
carbon disulfide	000075-15-0	RM08158	5023 ± 25 µg/mL

Matrix: methanol (methyl alcohol)

Storage Conditions: Store Frozen (-25° to -10°C).

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This RM was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Intended Use:
This RM is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Hazards:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this RM.

Expiration of Certification:
The certification of this RM is valid until the expiration date specified above, provided the RM is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the RM is damaged, contaminated, or otherwise modified.

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER
ISO 17034 Cert
No. AR-1936

RM was produced in accordance with TUV USA Inc registered ISO 9001 Quality Management System. Cert # 56 100 18560026
Page: 1 of 1
www.agilent.com/quality/
CSD-QA-015.1

ANAB ACCREDITED TESTING LABORATORY
ISO 17025 Cert
No. AT-1937

spex certiprep
ACCREDITED
Reference Materials Producer
Cert #2495.01

SPEXertificate®
Certificate of Reference Material

ACCREDITED
Chemical Testing
Cert #2495.02

Catalog Number: S-3893 **Lot No.** ND210224010

Description: Methyl acetate

Matrix: Methanol (Purge & Trap Grade)

Ship Date: January 5, 2023
Expiration Date: January 4, 2026

This **SPEXOrganics®** Certified Reference Material, CRM, is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled	Purity	Certified†	Uncertainty
Methyl acetate	79-20-9	1000 µg/mL	99.5%	1015 µg/mL	± 36 µg/mL

SVI-38-10-08

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified by Gas Chromatography/Mass Spectrometry. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration based on gravimetric weights and corrected for the purity of the compound(s) used to prepare the standard. Analytical balance calibration is verified daily and traceable to NIST and NJ Division of Weights and Measures.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: January 5, 2023

Certifying Officer: Shannon Mace

Shannon Macieira, Operations Manager

© 2021 | Spex, an Antylia Scientific company.

Report of Certification

SVI-38-10-08

Catalog Number: S-3893 **Lot No.** ND210224010

Description: Methyl acetate

Matrix: Methanol (Purge & Trap Grade)

Ship Date: January 5, 2023

Expiration Date: January 4, 2026

This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by DQS), ISO/IEC 17025 (accredited by A2LA) and ISO 17034 (accredited by A2LA) quality system consistent with the following standards:

- ISO 9001: Quality management systems - Requirements
- ISO/IEC 17025: General requirements for the competence of testing and calibration laboratories
- ISO 17034: General requirements for the competence of reference material producers
- ISO Guide 31: Reference Materials - Contents of certificates, labels, and accompanying documentation
- ISO Guide 30: Reference Materials - Selected terms and definitions
- ISO Guide 35: Reference Materials - General and Statistical principles for certification
- Guide to the Expression of Uncertainty in Measurement
- EURACHEM/CITAC Guide: Qualifying Uncertainty in Analytical Measurement
- NIST Technical Note 1297

Storage Requirements:

To ensure the stability of the product once it arrives in your laboratory, please store this product in ambient conditions (18°C to 27°C). Note: Shipping conditions may differ from storage conditions. The EXPIRATION DATE is calculated from the SHIPPED DATE using our stability data and is applicable only if the product is stored under the laboratory specified conditions.

Instructions for Use:

Let material come to room temperature before use. Check for precipitate and if necessary sonicate for one minute. If compounds do not dissolve after one minute then sonicate further until the product is dissolved. A clear appearance is acceptable. The minimum recommended amount that should be removed from this vial is 5µL with a 25µL gas tight syringe. All solutions should be thoroughly mixed, by shaking, prior to use. All surfaces that come in contact with the solution must be thoroughly cleaned prior to use. Dilutions should be performed only with Class A volumetric glassware.

Material Source:

All analytes and matrix materials are obtained and verified by SPEX CertiPrep from pre-qualified vendors as per ISO guidelines. Vendor identifications are proprietary, however sources of all materials used in the preparation and testing of SPEX CertiPrep CRMs are tracked and documented. For assistance, please contact sales support at crmsales@spexcsp.com.

Method of Preparation:

Clean laboratory procedures and techniques have been used throughout the preparation. All materials, equipment, and analytical instrumentation have been qualified prior to use. The highest purity solvents and Class A / calibrated volumetrics have been used in all preparations.

Homogeneity:

The homogeneity of this CRM has been confirmed by procedures consistent with ISO 17025, ISO 17034, and ASTM D6362-98 Appendix X2. Random, replicate samples of the final, packaged material have been analyzed to prove homogeneity in accordance with our internal procedure. This is consistent with the intended use of this CRM. The Degree of Homogeneity, as expressed as maximum between-bottle variation, is 1.2%

Statistical Estimator and Confidence Limits:

The Certified value 'X' as listed on the reverse of this document is at the 95% level of confidence and can be expressed as:

- $X = x \pm U$ where X=certified value, U=expanded uncertainty, x=property value
- $U = ku_c$ where k=2 is the coverage factor at the 95% confidence level
- u_c = combined standard uncertainty obtained by combining the individual compound standard uncertainty components u_i where $u_c=\sqrt{\sum u_i^2}$

Legal Notice:

SPEX CertiPrep Certified Reference Materials are not for any cosmetic, drug, or household application and are to be used only by qualified individuals who are trained in appropriate procedures. No claims against SPEX CertiPrep of any kind whatsoever, whether based on breech of warranty, alleged negligence, or otherwise, with respect to this Reference Material shall be greater than the purchase price. In no event shall SPEX CertiPrep be liable for any loss of profits or any incidental, special, or consequential damages.

SPEX CertiPrep.
Your Science is Our Passion.®

203 Norcross Ave. Metuchen, NJ 08840
www.spexcertiprep.com • E-mail: crmsales@spexcsp.com
Phone: 1-732-549-7144 • Fax 1-732-603-9647

SV1-38-14-11

SPEXertificate®

Certificate of Reference Material

Catalog Number: S-2470 **Lot No.** NSI231116202
Description: Methylcyclohexane
Matrix: P&T Methanol
Manufactured Date: 11/16/2023
Expiration Date: 11/30/2026

This **SPEXOrganics®** Certified Reference Material, CRM, was manufactured by NSI Lab Solutions (www.nsilabsolutions.com) and is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled (ug/mL)	Purity	Certified† (ug/mL)		Uncertainty (ug/mL)
Methylcyclohexane	108-87-2	1000	98.0%	1000	±	7.05

SV1-38-14-11

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified Volumetrically and Analytically. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration is based on gravimetric or volumetric measurements. All balances are checked daily by an in-house standard operating procedure. The weights used for this daily verification are calibrated annually by an ISO/IEC 17025 accredited calibration laboratory and are certified traceable to NIST. Certificate of Calibration and Traceability available upon request. All glassware used in the manufacturing of this standard is Class A. Volumetric pipettors are calibrated every four months by an ISO/IEC 17025 accredited calibration laboratory.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: 11/16/2023 Certifying Officer: Kenneth Grzybowski

Report of Certification

This Certified Reference Material (CRM) has been produced by NSI Lab Solutions (www.nsilabsolutions.com) and certified under an ISO 9001 (certified by DQS) and ISO 17025 (accredited by ANAB AT-1690), and ISO 17034 (accredited by ANAB AR-1571) quality system consistent with the following standards:

- ISO 9001: Quality management systems - Requirements
- ISO/IEC 17025: General requirements for the competence of testing and calibration laboratories
- ISO 17034: General requirements for the competence of reference material producers
- ISO Guide 30: Reference Materials - Selected terms and definitions
- ISO Guide 31: Reference Materials - Contents of certificates and tables
- ISO Guide 35: Refernece Materials - General and Statistical principals for certification
- Guide to the Expression of Uncertainty in Measurement, 2008
- EURACHEM/CITAC Guide: Qualifying Uncertainty in Analytical Measurement - Third Edition
- NIST Technical Note 1297

Storage Requirements:

To ensure the stability of the product once it arrives in your laboratory, please store this product at 15°C to 30°C. Note: Shipping conditions may differ from storage conditions. The EXPIRATION DATE is calculated from the MANUFACTURED DATE using our stability data and is applicable only if the product is stored under the laboratory specified

Instructions for Use:

Let material come to room temperature before use. Check for precipitate and if necessary sonicate for one minute. If compounds do not dissolve after one minute then sonicate further until the product is dissolved. A clear appearance is acceptable. The minimum recommended amount that should be removed from this vial is 5µL with a 25µL gas tight syringe. All solutions should be thoroughly mixed, by shaking, prior to use. All surfaces that come in contact with the solution must be thoroughly cleaned prior to use. Dilutions should be performed only with Class A volumetric glassware.

Material Source:

All analytes and matrix materials are obtained and verified by NSI from pre-qualified vendors as per ISO guidelines. Vendor identifications are proprietary, however sources of all materials used in the preparation and testing of SPEX CertiPrep CRMs are tracked and documented. For assistance, please contact sales support at crmsales@spexcsp.com.

Method of Preparation:

Clean laboratory procedures and techniques have been used throughout the preparation. All materials, equipment, and analytical instrumentation have been qualified prior to use. The highest purity solvents and Class A / calibrated volumetrics have been used in all preparations.

Homogeneity:

The homogeneity of this CRM has been confirmed by procedures consistent with ISO 17025 and ISO 17034. Random, replicate samples of the final, packaged material have been analyzed to prove homogeneity in accordance with our internal procedures. This is consistent with the intended use of this CRM. The Degree of Homogeneity, as expressed as maximum between-bottle variation, is 1.2%

Statistical Estimator and Confidence Limits:

The Certified value 'X' as listed on the reverse of this document is at the 95% level of confidence and can be expressed as:

- $X = x \pm U$ where X=certified value, U=expanded uncertainty, x=property value
- $U = kuc$ where k=2 is the coverage factor at the 95% confidence level
- uc = combined standard uncertainty obtained by combining the individual compound standard uncertainty components ui, where $uc=\sqrt{\sum u^2}$

Legal Notice:

SPEX CertiPrep Certified Reference Materials are not for any cosmetic, drug, or household application and are to be used only by qualified individuals who are trained in appropriate procedures. No claims against SPEX CertiPrep of any kind whatsoever, whether based on breech of warranty, alleged negligence, or otherwise, with respect to this Reference Material shall be greater than the purchase price. In no event shall SPEX CertiPrep be liable for any loss of profits or any incidental, special, or consequential damages.

SPEX CertiPrep.
Your Science is Our Passion.®

203 Norcross Ave. Metuchen, NJ 08840
www.spexcertiprep.com • E mail: crmsales@spexcsp.com
Phone: 1 732 549 7144 • Fax 1 732 603 9647

SVI-38-14-20

SPEXertificate®

Certificate of Reference Material

Catalog Number: S-1015 **Lot No.** NSI231122602
Description: Cyclohexane
Matrix: Methanol (Purge & Trap Grade) **Manufactured Date:** 11/22/2023
Expiration Date: 11/30/2026

This **SPEXOrganics®** Certified Reference Material, CRM, was manufactured by NSI Lab Solutions (www.nsilabsolutions.com) and is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled (ug/mL)	Purity	Certified† (ug/mL)		Uncertainty (ug/mL)
Cyclohexane	110-82-7	1000	100.0%	999	±	7.05

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified Volumetrically and Analytically. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration is based on gravimetric or volumetric measurements. All balances are checked daily by an in-house standard operating procedure. The weights used for this daily verification are calibrated annually by an ISO/IEC 17025 accredited calibration laboratory and are certified traceable to NIST. Certificate of Calibration and Traceability available upon request. All glassware used in the manufacturing of this standard is Class A. Volumetric pipettors are calibrated every four months by an ISO/IEC 17025 accredited calibration laboratory.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: 11/22/2023 Certifying Officer: Kenneth Grzybowski

Report of Certification

This Certified Reference Material (CRM) has been produced by NSI Lab Solutions (www.nsilabsolutions.com) and certified under an ISO 9001 (certified by DQS) and ISO 17025 (accredited by ANAB AT-1690), and ISO 17034 (accredited by ANAB AR-1571) quality system consistent with the following standards:

- ISO 9001: Quality management systems - Requirements
- ISO/IEC 17025: General requirements for the competence of testing and calibration laboratories
- ISO 17034: General requirements for the competence of reference material producers
- ISO Guide 30: Reference Materials - Selected terms and definitions
- ISO Guide 31: Reference Materials - Contents of certificates and labtes
- ISO Guide 35: Refernece Materials - General and Statistical principals for certification
- Guide to the Expression of Uncertainty in Measurement, 2008
- EURACHEM/CITAC Guide: Qualifying Uncertainty in Analytical Measurement - Third Edition
- NIST Technical Note 1297

Storage Requirements:

To ensure the stability of the product once it arrives in your laboratory, please store this product at 15°C to 30°C. Note: Shipping conditions may differ from storage conditions. The EXPIRATION DATE is calculated from the MANUFACTURED DATE using our stability data and is applicable only if the product is stored under the laboratory specified

Instructions for Use:

Let material come to room temperature before use. Check for precipitate and if necessary sonicate for one minute. If compounds do not dissolve after one minute then sonicate further until the product is dissolved. A clear appearance is acceptable. The minimum recommended amount that should be removed from this vial is 5µl. with a 25µL gas tight syringe. All solutions should be thoroughly mixed, by shaking, prior to use. All surfaces that come in contact with the solution must be thoroughly cleaned prior to use. Dilutions should be performed only with Class A volumetric glassware.

Material Source:

All analytes and matrix materials are obtained and verified by NSI from pre-qualified vendors as per ISO guidelines. Vendor identifications are proprietary, however sources of all materials used in the preparation and testing of SPEX CertiPrep CRMs are tracked and documented. For assistance, please contact sales support at crmsales@spexcsp.com.

Method of Preparation:

Clean laboratory procedures and techniques have been used throughout the preparation. All materials, equipment, and analytical instrumentation have been qualified prior to use. The highest purity solvents and Class A / calibrated volumetrics have been used in all preparations.

Homogeneity:

The homogeneity of this CRM has been confirmed by procedures consistent with ISO 17025 and ISO 17034. Random, replicate samples of the final, packaged material have been analyzed to prove homogeneity in accordance with our internal procedures. This is consistent with the intended use of this CRM. The Degree of Homogeneity, as expressed as maximum between-bottle variation, is 1.2%

Statistical Estimator and Confidence Limits:

The Certified value 'X' as listed on the reverse of this document is at the 95% level of confidence and can be expressed as:

- $X = x \pm U$ where X=certified value, U=expanded uncertainty, x=property value
- $U = kuc$ where k=2 is the coverage factor at the 95% confidence level
- uc = combined standard uncertainty obtained by combining the individual compound standard uncertainty components ui, where $uc=\sqrt{\sum ui^2}$

Legal Notice:

SPEX CertiPrep Certified Reference Materials are not for any cosmetic, drug, or household application and are to be used only by qualified individuals who are trained in appropriate procedures. No claims against SPEX CertiPrep of any kind whatsoever, whether based on breech of warranty, alleged negligence, or otherwise, with respect to this Reference Material shall be greater than the purchase price. In no event shall SPEX CertiPrep be liable for any loss of profits or any incidental, special, or consequential damages.

SPEX CertiPrep
Your Science is Our Passion.®

203 Norcross Ave. Metuchen, NJ 08840
www.spexcertiprep.com • E mail: crmsales@spexcsp.com
Phone: 1 732 549 7144 • Fax 1 732 603 9647

SV1-38-14-05

RESTEK

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30006 **Lot No.:** A0198760

Description : VOA Calibration Mix #1

VOA Calibration Mix #1 5,000µg/mL, P&T Methanol/Water(90:10), 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Acetone	67-64-1	27D1062005	99%	5,000.2 µg/mL	+/- 172.7826
2	2-Butanone (MEK)	78-93-3	SHBL5543	99%	5,006.0 µg/mL	+/- 172.9842
3	4-Methyl-2-pentanone (MIBK)	108-10-1	SHBN3601	99%	5,009.5 µg/mL	+/- 173.1052
4	2-Hexanone	591-78-6	MKCQ6663	99%	5,009.3 µg/mL	+/- 173.0994

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol/Water (90:10)
CAS # 67-56-1/7732-18-5
Purity 99%

Quality Confirmation Test

Column:
105m x 0.53mm x 3.0µm
Rtx 502.2 (cat.#10910)

Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)


Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID

Split Vent:
40 ml/min

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Laith Clemente - Operations Technician I **Date Mixed:** 07-Jun-2023 **Balance Serial #** B707717271

Martina Cowan – Operations Tech II ARM QC **Date Passed:** 12-Jun-2023

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS SVI-38-14-03

Catalog No: TK-102-09S-12.5X
Description: Methylcyclohexane
Lot: 222031009
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 8, 2022
Expiration: Mar 8, 2032
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity % (GC/FID)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Methylcyclohexane	108-87-2	100.0	2507	2507

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No: 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SM-38-14-01

Catalog No: S-6524-0.25X
Description: Methyl acetate
Lot: 223081092
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 7, 2023
Expiration: Aug 7, 2033
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Methyl acetate	79-20-9	100.0	2506	2506

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_c = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: M-603-M-5X
Description: Acrolein & Acrylonitrile
Lot: 224031415
Solvent: Methanol (90%)
Water (10%)
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 26, 2024
Expiration: Jul 26, 2024
Sample Size: 1 mL
Components: 2
Storage Condition: Freeze (<-10 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

SV1-38-15-12

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Acrolein	107-02-8	90.5	5530*	5005
Acrylonitrile	107-13-1	99.8	5060	5050

Copy

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1338) and ISO 17034 (AR-1463)

* Weight compensated to 100% purity.

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4% and was determined in accordance with ISO 17034. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST; Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SVI-38-12-12

Catalog No: TK-102-08S-10X
Description: Cyclohexane
Lot: 221101280
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Oct 19, 2021
Expiration: Oct 19, 2031
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity % (GC/MS)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Cyclohexane	110-82-7	100.0	2008	2008

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev 7/20

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_s = \sqrt{(u(\mathrm{V}))^2 + (u(\mathrm{m}))^2 + (u(\mathrm{IV}))^2 + (u(\mathrm{RO}))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 10/4/2022
Original issue date: 10/4/2022

Certificate of Analysis

Date Received:

 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020354-09	489953	≤ -10 °C	P/T Methanol	3-Oct-2027	2-Butanol Solution, 50000 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-butanol	78-92-2	99.8	354.7.1P	50000 ± 2600

SV1-38-11-07

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVF3811-07

Certificate of Analysis

Catalog No.: Z-G34-020354-09 **Lot No.:** 489953 **Expiration Date:** 10/3/2027

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 3-Oct-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Jared Ball	Susan Mathews
Production Chemist II	**Quality Control Chemist I**	**Quality Control Team Lead**

EMAX
LABORATORIES, INC.
3051 Fujita Street
Torrance, CA 90505
Tel: (310)-618-8889

Date: 07-26-2024
EMAX Batch No.: 24F034

Attn: Mark Rigby

Parsons
75 W Towne Ridge Pkway # 200
Sandy UT 84070

Subject: Laboratory Report
Project: TITAN 1-A

Enclosed is the Laboratory report for samples received on 06/07/24.
The data reported relate only to samples listed below :

Sample ID	Control #	Col Date	Matrix	Analysis
IDW-WATER_JUN24	F034-01	06/06/24	WATER	VOLATILE ORGANICS BY GC/MS
				METALS CAM
				MERCURY
				CANCELLED
IDW-SOIL_JUN24	F034-02	06/06/24	SOIL	VOLATILE ORGANICS BY GC/MS
				METALS CAM
				MERCURY
				HOLD
IDW-SOIL_JUN24MS	F034-02M	06/06/24	SOIL	CANCELLED
IDW-SOIL_JUN24MSD	F034-02S	06/06/24	SOIL	CANCELLED

The results are summarized on the following pages.

Please feel free to call if you have any questions concerning these results.

Sincerely yours,

Caspar J. Pang
Laboratory Director

This report is confidential and intended solely for the use of the individual or entity to whom it is addressed. This report shall not be reproduced except in full or without the written approval of EMAX.

EMAX certifies that results included in this report meets all TNI & DOD requirements unless noted in the Case Narrative.

NELAP Accredited Certificate Number CA002912023-25
ANAB Accredited DoD ELAP and ISO/IEC 17025 Certificate Number L2278 Testing
California ELAP Accredited Certificate Number 2672

Revised

CHAIN OF CUSTODY

EMAX

3051 Fujita St., Torrance, CA 90505
Tel #: 310-618-8889 FAX#: 310-618-8818
Email: info@emaxlabs.com

PO NUMBER: 0015461

EMAX CONTROL NO. 24F034

PROJECT CODE:

CLIENT: Parsons

PROJECT: Titan 1-A MW and SV monitoring

COORDINATOR: Carrie Ross@Parsons.us

TEL.: 303-949-4292 FAX EMAIL: Carrie.Ross@parsons.us

SEND REPORT TO: mark.wels@parsons.com; mark.wels@parsons.com; sandra.delapaz@parsons.us; Beth.Driskill@parsons.us

COMPANY

ADDRESS

EMAX PM

SAMPLE STORAGE

MATRIX CODE: DW=Drinking Water; GW=Ground Water; WW=Waste Water; SS=Solid Waste/Sludge; SO=Soil; WP=Wipe; SW=Swab; AQ=Air; OW=LAB DI WATER

PRESERVATIVE CODE: HC=HCl; HN=HNO3; HS=H2SO4; SH=NaOH; ST=Na2S2O3; ZA=Zinc Acetate; SH=NaOH

ANALYSIS REQUIRED: VOCs via SW8260 (TCLP/STLC analysis list); Title 22 metals via SW6010/7471; TCLP VOCs via SW1311/8260 HOLD; TCLP metals via SW1311/6010/7471 HOLD; STLC metals via SW/WET/6010/7471 HOLD

TAT: ☐ Rush__24__hrs ☐ Rush__48_hrs ☐ Rush_72_hrs ☐ 7 days ☐ 14 days ☐ 21 days

LAB	SAMPLE ID: CLIENT	SAMPLING: LOCATION	DATE	TIME	MATRIX CODE: NO.	SIZE	TYPE	MATRIX CODE	QC	PRESERVATIVE CODE	COMMENTS
1	IDW-Water_JUN24	Titan 1-A	6/6/2024	1140	8			GW		X X X X X	
2	IDW-Soil_JUN24	Titan 1-A	6/6/2024	1120	12			SS		X X X X X	
3											
4											
5											
6											
7											
8											
9											
10											

Instructions: Please have the analytical results sent to
Mark.wels@parsons.com;
carrie.ross@parsons.us;
sandra.delapaz@parsons.us; Beth.Driskill@parsons.us

Cooler # 1 Temp. (°C) 4.8 Sample #s

SAMPLER

COURIER/AIRBILL

RELINQUISHED BY	Date	Time	RECEIVED BY
Arnold Poots	6/6/24		
	06/07/24	1000	

NOTICE: Turnaround time (TAT) for samples shall begin only on the next business day after 3:00pm. TAT shall start at 0800 for the next business day. The client is responsible for all costs associated with sample disposal. Samples shall be disposed of as soon as practical (but not prior to fifteen (15) calendar days) after issuance of analytical report unless a different sample disposal schedule is pre-arranged with EMAX. Disposal fee for samples defined by CA Title 22 metals/inorganics shall be $5.00 per sample. EMAX will return hazardous samples to the client at the client's expense unless directed in writing otherwise.

Project J09CA1108-01

CHAIN OF CUSTODY

Laboratories, Inc.	3051 Fujita St., Torrance, CA 90505 Tel #: 310-618-8889 FAX#: 310-618-0818 Email: info@emaxlabs.com	**PO NUMBER: 0015461**	**EMAX CONTROL NO.** 24F034
		SAMPLE STORAGE	**PROJECT CODE:**

CLIENT: Parsons

PROJECT: Titan 1-A IDW and SV Installation

COORDINATOR: Carrie Ross@Parsons.us

TEL: 303-764-8252 FAX: EMAIL: CarrieRoss@parsons.us

SEND REPORT TO: carrie.ross@parsons.com; mark.rigby@parsons.com; sandra.delasfuentes@parsons.us

COMPANY

ADDRESS

EMAX PM

MATRIX CODE	PRESERVATIVE CODE
DW=Drinking Water	IC = Ice
GW=Ground Water	HC = HCl
WW=Waste Water	HN=HNO3
SO=Solid Waste SL=Sludge	SH=NaOH
SS=Soil Sediment	ST=Na2S2O3
WP=Wipes PP=Pure Product	ZA=Zinc Acetate
AR=Air	H2=H2SO4
D=LAB DI WATER	

SAMPLE ID		SAMPLING			MATRIX CODE			MATRIX CODE	QC	ANALYSIS REQUIRED									PRESERVATIVE CODE	COMMENTS
LAB	CLIENT	LOCATION	DATE	TIME	NO.	SIZE	TYPE			VOCs via SW8260	Title 22 metals via SW6010/7471	TCLP VOCs via SW1311/8260	TCLP metals via SW1311/6010/7471	STLC metals via SW WET/6010/7471						
1	IDW-Water_JUN24	Titan 1-A	6/6/2024	1140	8			GW		X	X	X	X	X						
2	IDW-Soil_JUN24	Titan 1-A	6/6/2024	1120	12			SS		X	X	X	X	X						
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				

TAT
☐ Rush __24__ hrs.
☐ Rush __48_hrs
☐ Rush_72_hrs
☐ 7 days
☐ 14 days
☐ 21 days

Instructions: Please have the analytical results sent to

Mark.rigby@parsons.com

carrie.ross@parsons.us

sandra.delasfuentes@parsons.us; Beth.Driskill@parsons.us

SAMPLER

COURIER/AIRBILL

Cooler #	Temp. (°C)	Sample #s
1	4.8	

RELINQUISHED BY	Date	Time	RECEIVED BY
Arnold Kotts	6/6/24		
	06/07/24	1000	

NOTICE: Turnaround time (TAT) for samples shall not begin until all discrepancies have been resolved. For samples received and discrepancies resolved after 1500 hrs, TAT shall start at 0800 hrs the next business day. The client is responsible for all cost associated with sample disposal. Samples shall be disposed of as soon as practical (but not prior to fifteen (15) calendar days) after issuance of analytical report, unless a different sample disposal schedule is pre-arranged with EMAX. Disposal fee for samples defined by CA Title 22 as non-hazardous shall be $5.00 per sample. EMAX will return hazardous samples to the client at the client's expense unless directed in writing otherwise.

Project JC9CA3108-01

EMAX LABORATORIES, INC.

REFERENCE: EMAX-SM02 Rev. 12

SAMPLE RECEIPT FORM 1

Type of Delivery	Airbill / Tracking Number	ECN 24F034
☑ Fedex ☐ UPS ☐ GSO ☐ Others	275612265 2730	Recipient Joceline Solis-Ramos
☐ EMAX Courier ☐ Client Delivery		Date 06/07/24 Time 1000

COC INSPECTION

☑ Client Name	☑ Client PM/FC	☐ Sampler Name	☑ Sampling Date/Time	☑ Sample ID	☑ Matrix
☐ Address	☑ Tel # / Fax #	☐ Courier Signature	☑ Analysis Required	☐ Preservative (if any)	☐ TAT
Safety Issues (if any)	☐ High concentrations expected	☐ From Superfund Site	☐ Rad screening required		

Note: _____

PACKAGING INSPECTION

Container	☑ Cooler	☐ Box	☐ Other		
Condition	☑ Custody Seal	☐ Intact	☐ Damaged		
Packaging	☑ Bubble Pack	☐ Styrofoam	☐ Popcorn	☐ Sufficient	☐ _____
Temperatures (Cool, ≤6 °C but not frozen)	☑ Cooler 1 4.6 °C	☐ Cooler 2 _____ °C	☐ Cooler 3 _____ °C	☐ Cooler 4 _____ °C	☐ Cooler 5 _____ °C
	☐ Cooler 6 _____ °C	☐ Cooler 7 _____ °C	☐ Cooler 8 _____ °C	☐ Cooler 9 _____ °C	☐ Cooler 10 _____ °C
Thermometer:	*A - S/N* 210766272	*B - S/N* 230044860	*C - S/N* 230044897	(D) *S/N* 230044867	

Comments: ☐ Temperature is out of range. PM was informed IMMEDIATELY.

Note: _____

DISCREPANCIES

LabSampleID	LabSampleContainerID	Code	ClientSample Label ID / Information	Corrective Action
1	4-6	D5	received HCl vials for TCLP VOCs	R9
1	8	D5	received HNO_3 container for TCLP/STLC metals	R6
2	17	D10		R1
1,2	1-20	D1		R1
2	9-17	D22		R9
1,2		D15	for VOCs	R9
2	10-13	D23		R9

☐ pH holding time requirement for water samples is 15 mins. Water samples for pH analysis are received beyond 15 minutes from sampling time.

NOTES/OBSERVATIONS: Received MS/MSD for sample 2 but not indicated on COC. PF 6/7/24

SAMPLE MATRIX IS DRINKING WATER? ☐ YES ☑ NO ~~Sample 2 containers # 12-14 (60ml) vials have less liquid in them compared to containers # 9-11.~~ JCR 06/07

LEGEND:

Code	Description- Sample Management
D1	Analysis is not indicated in label
D2	Analysis mismatch COC vs label
D3	Sample ID mismatch COC vs label
D4	Sample ID is not indicated in _____
D5	Container (improper) [leaking] [broken]
D6	Date/Time is not indicated in _____
D7	Date/Time mismatch COC vs label
D8	Sample listed in COC is not received
D9	Sample received is not listed in COC
D10	No initial/date on corrections in COC (labe)
D11	Container count mismatch COC vs received
D12	Container size mismatch COC vs received

Code	Description-Sample Management
D13	Out of Holding Time
D14	Bubble is >6mm
D15	No trip blank in cooler
D16	Preservation not indicated in _____
D17	Preservation mismatch COC vs label
D18	Insufficient chemical preservative
D19	Insufficient Sample
D20	No filtration info for dissolved analysis
D21	No sample for moisture determination
D22	label adhered to terracore vials
D23	Seems excess Dri-Soki
D24	May have been absorbed

☐ Continue to next page.

Code	Description-Sample Management
R1	Proceed as indicated in ☐ COC ☐ Label
R2	Refer to attached instruction
R3	Cancel the analysis
R4	Use vial with smallest bubble first
R5	Log-in with latest sampling date and time+1 min
R6	Adjust pH as necessary
R7	Filter and preserved as necessary
R8	Informed Client
R9	
R10	
R11	
R12	

REVIEWS:

Sample Labeling: Joceline Solis-Ramos — Date 06/07/24 6/7/24

SRF — Date 6/7/24

PM DF — Date 6/7/24

Dilukshi Fernando

From: Beth.Driskill@parsons.us
Sent: Tuesday, June 11, 2024 12:42 PM
To: Dilukshi Fernando
Cc: Richard Beauvil; Arnoldo.Pimentel@parsons.com; Mark.Rigby@parsons.com
Subject: RE: Titan 1-A IDW samples
Attachments: 24F034- revised COC.pdf

I apologize for the delay, I needed clarification before making revisions.

Attached is the revised COC. To summarize, we need total VOC (TCLP/STLC list of analytes) and total metals (Title 22) analyzed on the IDW water and soil sample.
For soil, we put the TCLP and STLC analyses on hold pending the totals results.

Thanks,
Beth

From: Dilukshi Fernando <DFernando@emaxlabs.com>
Sent: Tuesday, June 11, 2024 11:48 AM
To: Driskill, Beth [US-US] <Beth.Driskill@parsons.us>; Pimentel, Arnoldo [US-US] <Arnoldo.Pimentel@parsons.com>; Rigby, Mark [US-US] <Mark.Rigby@parsons.com>
Cc: Richard Beauvil <RBeauvil@emaxlabs.com>
Subject: [EXTERNAL] RE: Titan 1-A IDW samples

Hello Beth,

We are waiting for the revised COC. Could you please send the revised COC when you get the chance?

Thank you!

Dilukshi Fernando
Project Coordinator
3051 Fujita Street
Torrance, CA 90505
Tel: 310-618-8889 X132
dfernando@emaxlabs.com

From: Beth.Driskill@parsons.us <Beth.Driskill@parsons.us>
Sent: Monday, June 10, 2024 1:21 PM
To: Dilukshi Fernando <DFernando@emaxlabs.com>; Arnoldo.Pimentel@parsons.com; Mark.Rigby@parsons.com
Cc: Richard Beauvil <RBeauvil@emaxlabs.com>
Subject: RE: Titan 1-A IDW samples

Hi Dilukshi. Apologies for the delayed response. The IDW water samples need to be analyzed as totals but the target analyte list should reflect that of TCLP/STLC analyte list. We will need to send you a revised COC.

Mark- Please confirm what I've noted above is correct.

Thanks,
Beth

From: Dilukshi Fernando <DFernando@emaxlabs.com>
Sent: Monday, June 10, 2024 2:32 PM
To: Driskill, Beth [US-US] <Beth.Driskill@parsons.us>; Pimentel, Arnoldo [US-US] <Arnoldo.Pimentel@parsons.com>
Cc: Richard Beauvil <RBeauvil@emaxlabs.com>
Subject: [EXTERNAL] RE: Titan 1-A IDW samples

Hello Arnoldo,

I am following up on the email below. Please advise on how you would like for us to proceed.

Thank you!

Dilukshi Fernando
Project Coordinator
3051 Fujita Street
Torrance, CA 90505
Tel: 310-618-8889 X132
dfernando@emaxlabs.com

From: Dilukshi Fernando
Sent: Friday, June 07, 2024 12:57 PM
To: Arnoldo.Pimentel@parsons.com; Richard Beauvil <RBeauvil@emaxlabs.com>; Caspar Pang <CPang@emaxlabs.com>
Cc: Carrie.Ross@parsons.us; Mark.Rigby@parsons.com; Beth.Driskill@parsons.us
Subject: RE: Titan 1-A IDW samples

Hello Arnold,

The following discrepancies were noted for SDG 24F034.

1. We received sample #1 (IDW-Water_JUN24) preserved with HCl vials for TCLP VOCs and preserved with HNO3 containers for TCLP/STLC. For the requested analyses, the samples should have been unpreserved. Please advise on how you would like for us to proceed.

I have attached the COC and SRFs herewith for your reference.

Thank you!

Dilukshi Fernando
Project Coordinator
3051 Fujita Street
Torrance, CA 90505
Tel: 310-618-8889 X132
dfernando@emaxlabs.com

From: Arnoldo.Pimentel@parsons.com <Arnoldo.Pimentel@parsons.com>
Sent: Thursday, June 06, 2024 10:41 PM
To: Richard Beauvil <RBeauvil@emaxlabs.com>; Caspar Pang <CPang@emaxlabs.com>; Dilukshi Fernando <DFernando@emaxlabs.com>
Cc: Carrie.Ross@parsons.us; Mark.Rigby@parsons.com; Beth.Driskill@parsons.us
Subject: Titan 1-A IDW samples

Hi Team,

Please find attached the COC for IDW samples shipped today.

FedEx Tracking #: 275612952738


Thanks,

Arnold Pimentel
Senior Geologist
100 Pringle Avenue, Ste 525, Walnut Creek, CA 94596
Arnoldo.pimentel@parsons.com
Mobile: 626.710.7746
Parsons / LinkedIn [linkedin.com] / Twitter [twitter.com] / Facebook [facebook.com] / Instagram [instagram.com]

PARSONS

[parsonscsgpublic.s3.amazonaws.com]

'NOTICE: This email message and all attachments transmitted with it may contain privileged and confidential information, and information that is protected by, and proprietary to, Parsons Corporation, and is intended solely for the use of the addressee for the specific purpose set forth in this communication. If the reader of this message is not the intended recipient, you are hereby notified that any reading, dissemination, distribution, copying, or other use of this message or its attachments is strictly prohibited, and you should delete this message and all copies and backups thereof. The recipient may not further distribute or use any of the information contained herein without the express written authorization of the sender. If you have received this message in error, or if you have any questions regarding the use of the proprietary information contained therein, please contact the sender of this message immediately, and the sender will provide you with further instructions.'



ORIGIN ID:AUNA (626) 710-7748

PARSONS
100 PRINGLE AVE STE 525

WALNUT CREEK, CA 94596
UNITED STATES US

SHIP DATE: 06JUN24
ACTWGT: 22.95 LB
CAD: 6572240/SSFE2521
DIMS: 16x10x14 IN

BILL THIRD PARTY

Part # 156297-[illegible] REV 02/23

TO EMAX LABS

D
Sealed

3051 FUJITA ST

TORRANCE CA 90505

(310) 618-8888

INV:
PO:

REF:

DEPT:

FedEx
Express

REL#
3786346

TRK# 0201 2756 1295 2738

FRI - 07 JUN 10:30A
PRIORITY OVERNIGHT

92 HHRA

AHS
90505
CA-US LAX

REPORTING CONVENTIONS

DATA QUALIFIERS:

Lab Qualifier	AFCEE Qualifier	Description
J	F	Indicates that the analyte is positively identified and the result is less than LOQ/RL but greater than LOD/MDL/DL.
N		Indicates presumptive evidence of a compound.
B	B	Indicates that the analyte is found in the associated method blank as well as in the sample at above QC level.
E	J	Indicates that the result is above the maximum calibration range or estimated value.
*	*	Out of QC limit.

Note: The above qualifiers are used to flag the results unless the project requires a different set of qualification criteria.

ACRONYMS AND ABBREVIATIONS:

CRDL	Contract Required Detection Limit
RL	Reporting Limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
DL	Detection Limit
LOD	Limit of Detection
LOQ	Limit of Quantitation
DO	Diluted out

DATES

The date and time information for leaching and preparation reflect the beginning date and time of the procedure unless the method, protocol, or project specifically requires otherwise.

SUMMARY PACKAGE VOLATILE ORGANICS (WATER)

CASE NARRATIVE

Client : PARSONS

Project: TITAN I-A

SDG : 24F034

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

One(1) water sample was received on 06/07/24 to be analyzed for Volatile Organics by GC/MS in accordance with Method SW5030C/8260C and project specific requirements.

Holding Time
The sample was analyzed within the prescribed holding time.

Instrument Performance and Calibration
Instrument tune check was performed prior to calibration. Result was within acceptance criteria. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried out at a frequency required by the project. There were two(2)CCVs (Data file IDs: RFR060, and RFR072) associated with this SDG. All calibration requirements were satisfied. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. VQF3F04B - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. VQF3F04X/VQF3F04C were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample
No matrix QC sample was provided on this SDG.

Surrogate
Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis
The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
VOLATILE ORGANICS BY GC/MS

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F034
Instrument ID : F3

WATER

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
LCD1W	V0F3F04C	1	NA	06/20/2413:17	06/20/2413:17	RFR362	RFR007	V0F3F04	LCS Duplicate
MBLK1W	V0F3F04B	1	NA	06/20/2414:23	06/20/2414:23	RFR364	RFR007	V0F3F04	Method Blank
LCS1W	V0F3F04X	1	NA	06/20/2414:56	06/20/2414:56	RFR365	RFR007	V0F3F04	Lab Control Sample (LCS)
IDW-WATER_JL424	24F034-01	1	NA	06/20/2418:14	06/20/2418:14	RFR371	RFR007	V0F3F04	Field Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/06/24 11:40
Project	: TITAN 1-A	Date Received:	06/07/24
Batch No.	: 24F034	Date Extracted:	06/20/24 18:14
Sample ID	: IDW-WATER_JUN24	Date Analyzed:	06/20/24 18:14
Lab Samp ID:	24F034-01	Dilution Factor:	1
Lab File ID:	RFR071	Matrix:	WATER
Ext Btch ID:	VOF3F04	% Moisture:	NA
Calib. Ref.:	RFR007	Instrument ID:	F3

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	0.23J	1.0	0.10	0.20
1,2-Dichloroethane	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
2-Butanone	ND	20	5.0	10
Benzene	ND	1.0	0.10	0.20
Carbon Tetrachloride	ND	1.0	0.10	0.20
Chlorobenzene	ND	1.0	0.10	0.20
Chloroform	ND	1.0	0.10	0.20
Tetrachloroethene	ND	1.0	0.15	0.30
Trichloroethene	1.0	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30
Hexachlorobutadiene	ND	1.0	0.15	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	9.80	10.0	98	85-114
Toluene-d8	10.8	10.0	108	89-112
Dibromofluoromethane	10.2	10.0	102	80-119

Notes:
Sample Amount : 25ml Final Volume : 25ml
Prepared by : LPriet Analyzed by : LPriet
Detection limits are reported relative to sample result significant figures.

QC SUMMARIES

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/20/24 14:23
Project	: TITAN 1-A	Date Received:	06/20/24
Batch No.	: 24F034	Date Extracted:	06/20/24 14:23
Sample ID	: MBLK1W	Date Analyzed:	06/20/24 14:23
Lab Samp ID:	VOF3F04B	Dilution Factor:	1
Lab File ID:	RFR064	Matrix:	WATER
Ext Btch ID:	VOF3F04	% Moisture:	NA
Calib. Ref.:	RFR007	Instrument ID:	F3

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,2-Dichloroethane	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
2-Butanone	ND	20	5.0	10
Benzene	ND	1.0	0.10	0.20
Carbon Tetrachloride	ND	1.0	0.10	0.20
Chlorobenzene	ND	1.0	0.10	0.20
Chloroform	ND	1.0	0.10	0.20
Tetrachloroethene	ND	1.0	0.15	0.30
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30
Hexachlorobutadiene	ND	1.0	0.15	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	9.99	10.0	100	81-118
4-Bromofluorobenzene	9.10	10.0	91	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.96	10.0	100	80-119

Notes:
Sample Amount : 25ml Final Volume : 25ml
Prepared by : LPriet Analyzed by : LPriet
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: VOF3F04B	VOF3F04X	VOF3F04C
LAB FILE ID	: RFR064	RFR065	RFR062
DATE PREPARED	: 06/20/24 14:23	06/20/24 14:56	06/20/24 13:17
DATE ANALYZED	: 06/20/24 14:23	06/20/24 14:56	06/20/24 13:17
PREP BATCH	: VOF3F04	VOF3F04	VOF3F04
CALIBRATION REF:	RFR007	RFR007	RFR007

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	9.58	96	10.0	8.94	89	7	71-131	20
1,2-Dichloroethane	ND	10.0	9.66	97	10.0	9.31	93	4	73-128	20
1,4-Dichlorobenzene	ND	10.0	9.85	99	10.0	9.68	97	2	79-118	20
2-Butanone	ND	50.0	44.3	89	50.0	41.9	84	6	56-143	20
Benzene	ND	10.0	9.33	93	10.0	9.16	92	2	79-120	20
Carbon Tetrachloride	ND	10.0	9.89	99	10.0	9.08	91	9	72-136	20
Chlorobenzene	ND	10.0	10.5	105	10.0	9.78	98	7	82-118	20
Chloroform	ND	10.0	9.31	93	10.0	8.52	85	9	79-124	20
Tetrachloroethene	ND	10.0	9.84	98	10.0	9.70	97	1	74-129	20
Trichloroethene	ND	10.0	9.75	98	10.0	9.64	96	1	79-123	20
Vinyl Chloride	ND	10.0	8.48	85	10.0	7.80	78	8	58-137	20
Hexachlorobutadiene	ND	10.0	8.73	87	10.0	9.19	92	5	66-134	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.3	103	10.0	9.69	97	81-118
4-Bromofluorobenzene	10.0	8.80	88	10.0	9.03	90	85-114
Toluene-d8	10.0	10.4	104	10.0	10.4	104	89-112
Dibromofluoromethane	10.0	10.2	102	10.0	10.0	100	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

INITIAL CALIBRATIONS

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: RFR001 BFB Injection Date: 06/17/24

Instrument ID: P3 BFB Injection Time: 15:54

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	31.276
75	30 - 60% of mass 95	52.562
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.273
173	Less than 2% of mass 174	0.350(.49)1
174	Greater than 50% of mass 95	72.063
175	5 - 9% of mass 174	4.455(6.18)1
176	95 - 101% % of mass 174	70.143(97.34)1
177	5 - 9% % of mass 176	4.142(5.91)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD0.3	VOF3F171	RFR002	06/17/24	16:35
2	VSTD0.5	VOF3F172	RFR003	06/17/24	17:08
3	VSTD1	VOF3F173	RFR004	06/17/24	17:40
4	VSTD2	VOF3F174	RFR005	06/17/24	18:13
5	VSTD5	VOF3F175	RFR006	06/17/24	18:46
6	VSTD10	VOF3F176	RFR007	06/17/24	19:19
7	VSTD20	VOF3F177	RFR008	06/17/24	19:52
8	VSTD30	VOF3F178	RFR009	06/17/24	20:25
9	VSTD50	VOF3F179	RFR010	06/17/24	20:58
10	VSTD100	VOF3F1710	RFR011	06/17/24	21:31
11	VSTD10	IVO01E1101	RFR014	06/17/24	23:09

INITIAL_CALIBRATION - RELATIVE_RESPONSE_FACTOR

Instrument ID :F3
Beginning DateTime :06/17/24 16:35
Spike Units :PPB
IC File :RFR007

Column Spec :ZB-624 ID :0.25MM
Ending DateTime :06/17/24 21:31
HPChem Method :VOF3P17

		.3	.5	1	2	5	10	20	30	50	100			
		16:35	17:08	17:40	18:13	18:46	19:19	19:52	20:25	20:58	21:31			
M	IDX	Parameters	RFR002	RFR003	RFR004	RFR005	RFR006	RFR007	RFR008	RFR009	RFR010	RFR011	Av_RRF	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	1	0	15.5980
	2	Chlorotrifluoroethylene											0.000	0.00	0.0000
	3	Dichlorodifluoromethane		0.604	0.519	0.517	0.474	0.480	0.465	0.417	0.392	0.409	0.475	13.95	3.9734
	4	Chloromethane		0.896	0.795	0.820	0.786	0.750	0.743	0.620	0.575		0.748	14.03	4.4582
	5	2-Chloro-1,1,1-trifluoroethane											0.000	0.00	0.0000
	6	Vinyl chloride	0.818	0.760	0.647	0.655	0.648	0.615	0.578				0.674	12.47	4.6870
	7	Bromomethane		0.401	0.379	0.356	0.309	0.295	0.303	0.275	0.276		0.324	14.81	5.6166
	8	Chloroethane		0.437	0.350	0.363	0.341	0.321	0.330	0.283	0.279	0.299	0.334	14.57	5.7616
	9	Dichlorofluoromethane	0.917	0.933	0.882	0.897	0.846	0.840	0.815	0.774	0.720	0.705	0.833	9.54	5.8230
	10	Trichlorofluoromethane	0.696	0.630	0.537	0.593	0.532	0.530	0.543	0.493	0.481	0.544	0.558	11.63	6.3111
5	11	Acrolein		0.028	0.034	0.025	0.025	0.024	0.023	0.024	0.022	0.024	0.026	14.42	7.2465
	12	1,1,2-Trichloro-1,2,2-trifluoroethane	0.240	0.233	0.230	0.243	0.223	0.222	0.231	0.242	0.246	0.259	0.237	4.79	7.3133
	13	1,1-Dichloroethene	0.971	0.987	0.911	0.905	0.861	0.885	0.843	0.799	0.723	0.723	0.861	10.61	7.7491
5	14	Acetone	0.147	0.100	0.077	0.075	0.060	0.058	0.053	0.054	0.046	0.050	0.072	42.89	7.3888
	15	Iodomethane	0.543	0.508	0.466	0.486	0.472	0.490	0.498	0.510	0.512	0.528	0.501	4.79	8.5799
	16	Methyl acetate			0.170	0.177	0.166	0.170	0.159	0.161			0.167	3.90	8.5649
	17	Carbon disulfide	1.564	1.524	1.343	1.337	1.283	1.126	1.247	1.229			1.332	11.11	9.1244
	18	Methylene chloride			0.661	0.639	0.591	0.559	0.537	0.499	0.456	0.470	0.551	13.73	9.0155
25	19	tert-Butyl alcohol	0.017	0.011	0.011	0.011	0.013	0.013	0.013	0.014	0.013	0.014	0.013	14.17	7.8973
	20	tert-Butyl methyl ether (MTBE)	0.769	0.628	0.644	0.581	0.605	0.587	0.586	0.619	0.561	0.597	0.618	9.48	9.4464
	21	trans-1,2-Dichloroethene	0.525	0.494	0.449	0.418	0.411	0.407	0.401	0.400	0.388	0.388	0.428	10.99	9.9056
5	22	Acrylonitrile	0.074	0.067	0.070	0.068	0.065	0.064	0.062	0.064	0.058	0.063	0.066	6.94	9.3780
	23	Isopropyl ether (DIPE)	2.066	1.920	1.911	1.897	1.838	1.805	1.727	1.621	1.441	1.361	1.759	12.72	10.8622
	24	1,1-Dichloroethane	0.958	0.933	0.944	0.913	0.866	0.891	0.844	0.805	0.749	0.722	0.863	9.51	11.2751
	25	Vinyl acetate			0.495	0.484	0.513	0.483	0.482	0.438	0.404	0.402	0.463	9.17	11.2564
	26	tert-Butyl ethyl ether (ETBE)	1.194	1.141	1.116	1.055	1.047	1.072	1.012	1.016	0.894	0.914	1.046	8.96	12.1431
	27	2,2-Dichloropropane	0.427	0.407	0.347	0.346	0.330	0.338	0.314	0.309	0.287	0.278	0.338	14.08	12.8600
	28	cis-1,2-Dichloroethene	0.438	0.408	0.350	0.363	0.348	0.344	0.326	0.337	0.319	0.320	0.355	10.88	12.9808
5	29	2-Butanone	0.106	0.092	0.089	0.094	0.091	0.089	0.079	0.083	0.072	0.076	0.087	11.29	12.4935
25	30	2-Butanol			0.014	0.014	0.014	0.014	0.013	0.014			0.014	3.78	11.9368
	31	Bromochloromethane	0.172	0.143	0.153	0.150	0.154	0.156	0.154	0.158	0.157	0.166	0.156	4.99	13.7398
	32	Tetrahydrofuran			0.057	0.057	0.054	0.056	0.050	0.049	0.044	0.049	0.052	9.17	13.8097
	33	Chloroform	0.896	0.845	0.744	0.706	0.704	0.688	0.679	0.629	0.613	0.573	0.708	14.17	13.3484
	34	Dibromofluoromethane		0.343	0.308	0.310	0.310	0.316	0.300	0.296			0.312	4.96	13.8455
	35	1,1,1-Trichloroethane	0.553	0.530	0.515	0.501	0.466	0.490	0.478	0.469	0.446	0.433	0.488	7.67	14.2348
	36	Cyclohexane	0.766	0.679	0.550	0.616	0.551	0.561	0.539	0.530			0.599	13.97	14.2700
	37	1,1-Dichloropropene	0.188	0.186	0.168	0.175	0.173	0.174	0.173	0.173	0.166	0.177	0.175	3.97	14.5620
	38	Carbon tetrachloride	0.376	0.429	0.411	0.391	0.380	0.397	0.402	0.404	0.385	0.384	0.396	4.10	14.7610
5	39	tert-Amyl alcohol											0.000	0.00	0.0000
	40	1,2-Dichloroethane-d4		0.353	0.306	0.281	0.307	0.296	0.275	0.266			0.298	9.66	14.8767
	41	2,2,4-Trimethylpentane											0.000	0.00	0.0000
	42	Benzene	1.770	1.768	1.576	1.604	1.554	1.527	1.500	1.336	1.184		1.535	12.19	15.0990
	43	1,2-Dichloroethane	0.429	0.419	0.409	0.401	0.399	0.380	0.367	0.335	0.313	0.308	0.376	11.62	15.0636
	44	tert-Amyl methyl ether (TAME)	0.773	0.692	0.656	0.591	0.620	0.621	0.626	0.645	0.586	0.592	0.640	8.92	14.7774
	45	Trichloroethene	0.372	0.373	0.347	0.332	0.337	0.360	0.349	0.345	0.333	0.335	0.348	4.41	16.1949
	46	Methylcyclohexane	0.822	0.766	0.651	0.685	0.611	0.624	0.599	0.583			0.668	12.80	16.2947
	47	1,2-Dichloropropane	0.433	0.404	0.413	0.379	0.395	0.386	0.383	0.364	0.324	0.338	0.382	8.66	16.4991
20	48	1,4-Dioxane				0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	8.35	16.9042
	49	Dibromomethane	0.131	0.132	0.129	0.119	0.130	0.125	0.131	0.125	0.120	0.126	0.127	3.51	16.9941
	50	Bromodichloromethane	0.567	0.517	0.447	0.416	0.435	0.415	0.422	0.403	0.369	0.368	0.436	14.28	16.8938
	51	2-Chloroethyl vinyl ether		0.054	0.041	0.049	0.050	0.051	0.051	0.055	0.053	0.061	0.052	10.70	17.3247
	52	cis-1,3-Dichloropropene	0.515	0.499	0.456	0.454	0.472	0.479	0.483	0.459	0.419	0.415	0.465	6.84	17.7193
5	53	4-Methyl-2-pentanone		0.219	0.196	0.197	0.191	0.185	0.174	0.179	0.149	0.137	0.181	13.81	17.3686
	54	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	1	0	20.1860
	55	Toluene-d8		1.779	1.366	1.498	1.426	1.624	1.404	1.281			1.483	11.42	18.0881
	56	Toluene	2.100	2.159	1.930	1.946	1.743	1.976	1.697	1.591	1.384		1.836	13.71	18.2125
	57	Ethyl methacrylate	0.309	0.305	0.266	0.278	0.255	0.289	0.274	0.310	0.283	0.292	0.286	6.45	18.3771
	58	trans-1,3-Dichloropropene	0.502	0.473	0.449	0.412	0.433	0.495	0.453	0.448	0.441	0.409	0.451	6.88	18.4429

	59	1,1,2-Trichloroethane	0.250	0.251	0.232	0.227	0.217	0.222	0.216	0.218	0.211	0.218	0.226	6.24	18.6764
	60	Tetrachloroethene	0.400	0.457	0.386	0.391	0.358	0.413	0.380	0.390	0.391	0.366	0.393	6.99	19.1352
5	61	2-Hexanone	------	0.182	0.154	0.162	0.145	0.153	0.137	0.142	0.132	0.121	0.147	12.18	18.6403
	62	1,3-Dichloropropane	0.546	0.492	0.480	0.446	0.412	0.444	0.409	0.403	0.389	0.373	0.439	12.20	19.0201
	63	Dibromochloromethane	0.324	0.330	0.285	0.279	0.260	0.295	0.274	0.291	0.283	0.283	0.290	7.40	19.4312
	64	1,2-Dibromoethane	0.230	0.217	0.225	0.196	0.187	0.210	0.195	0.205	0.192	0.197	0.205	7.18	19.7091
	65	1-Chlorohexane	0.775	0.688	0.648	0.698	0.671	0.797	0.716	0.733	0.659	0.594	0.698	8.66	19.8094
	66	Chlorobenzene	1.088	1.027	0.945	0.974	0.948	1.032	0.967	0.951	0.878	0.712	0.952	10.77	20.2353
	67	Ethylbenzene	1.900	2.002	1.910	1.906	1.850	2.035	1.863	1.704	1.373	------	1.838	10.78	20.2680
	68	1,1,1,2-Tetrachloroethane	------	0.378	0.343	0.340	0.312	0.365	0.345	0.356	0.338	0.335	0.346	5.47	20.2682
2	69	m-Xylene & p-Xylene	1.428	1.469	1.337	1.429	1.321	1.449	1.263	1.016	------	------	1.339	11.13	20.3523
	70	o-Xylene	1.459	1.459	1.284	1.359	1.344	1.554	1.327	1.255	1.125	------	1.352	9.43	20.9276
	71	Styrene	0.943	0.950	0.840	0.887	0.826	1.041	0.963	0.908	0.851	0.717	0.892	10.08	20.9753
	72	Isopropylbenzene	1.606	1.566	1.494	1.553	1.556	1.728	1.615	1.503	1.277	------	1.544	7.88	21.3680
	73	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	1	0	23.8711
	74	Bromoform	0.366	0.353	0.383	0.395	0.378	0.416	0.431	0.444	0.406	0.456	0.403	8.43	21.4867
	75	4-Bromofluorobenzene	------	1.760	1.539	1.617	1.518	1.634	1.653	1.446	------	------	1.595	6.45	21.7293
	76	1,1,2,2-Tetrachloroethane	0.935	0.812	0.951	0.882	0.758	0.786	0.793	0.763	0.678	0.735	0.809	10.86	21.6002
	77	trans-1,4-Dichloro-2-butene	------	------	0.455	0.370	0.335	0.358	0.320	0.322	0.285	0.339	0.348	14.42	21.4029
	78	n-Propylbenzene	7.055	7.012	6.508	6.942	6.993	7.350	6.949	6.008	4.721	------	6.615	12.21	21.8796
	79	1,2,3-Trichloropropane	------	------	0.236	0.168	0.180	0.181	0.162	0.164	0.150	0.162	0.175	15.18	21.7831
	80	Bromobenzene	1.344	1.169	1.131	1.072	1.062	1.159	1.156	1.151	1.064	1.105	1.141	7.22	22.0294
	81	1,3,5-Trimethylbenzene	4.303	4.264	3.990	4.207	4.161	4.536	4.378	4.046	3.533	2.688	4.010	13.41	22.0688
	82	2-Chlorotoluene	------	4.262	4.152	4.167	4.159	4.195	4.366	3.776	3.289	2.633	3.889	14.74	22.1758
	83	4-Chlorotoluene	3.679	3.474	3.937	3.642	3.578	3.742	3.664	3.277	3.062	2.403	3.446	12.80	22.2250
	84	tert-Butylbenzene	0.988	0.967	0.890	1.017	0.880	0.963	1.012	0.969	0.975	0.986	0.965	4.74	22.5539
	85	1,2,4-Trimethylbenzene	3.648	3.613	3.497	3.627	3.722	3.746	4.041	3.731	3.362	2.552	3.554	11.08	22.6049
	86	sec-Butylbenzene	5.711	5.376	5.320	5.550	5.280	5.834	5.838	5.199	4.464	------	5.397	7.85	22.8333
	87	p-Isopropyltoluene	4.111	3.487	3.352	3.685	3.865	4.179	4.337	4.216	3.648	2.819	3.770	12.49	22.9979
	88	1,3-Dichlorobenzene	2.257	2.025	1.865	1.972	1.901	2.039	2.040	2.056	1.892	1.799	1.985	6.54	23.2298
	89	1,2,3-Trimethylbenzene	4.090	3.574	3.601	3.620	3.465	3.671	3.648	3.578	3.151	2.646	3.504	10.80	23.2791
	90	1,4-Dichlorobenzene	2.079	1.871	1.673	1.772	1.750	1.804	2.022	1.971	1.815	1.686	1.844	7.54	23.3729
	91	Benzyl Chloride	------	------	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	92	n-Butylbenzene	4.419	3.530	3.365	3.553	3.491	3.993	4.178	3.885	3.319	2.744	3.648	13.25	23.5587
	93	1,2-Dichlorobenzene	1.764	1.807	1.704	1.648	1.497	1.614	1.589	1.629	1.576	1.480	1.631	6.48	23.9188
	94	1,2-Dibromo-3-chloropropane	------	------	0.101	0.078	0.076	0.080	0.083	0.089	0.076	0.089	0.084	10.32	25.0391
	95	1,2,4-Trichlorobenzene	0.946	0.633	0.658	0.632	0.628	0.701	0.756	0.783	0.741	0.827	0.730	14.07	26.4184
	96	Hexachlorobutadiene	0.630	0.549	0.268	0.532	0.516	0.586	0.625	0.592	0.580	0.616	0.549	19.30	26.5861
	97	Naphthalene	------	1.153	1.011	0.882	0.818	0.934	0.930	0.992	0.914	1.058	0.966	10.38	26.8953
	98	1,2,3-Trichlorobenzene	------	0.471	0.549	0.509	0.492	0.527	0.552	0.572	0.524	0.615	0.535	8.15	27.2790

Spike Amount = Nominal Amount * M

Ave_%RSD : 10.4 Max_%RSD : 42.9

Use Least Square Linear Regression with weighting factor of inverse concentration for comps with %_RSD > 15

Resp_Ratio = x0 + x1 * Amt_Ratio

IDX	Parameter	x0	x1	CCF
14	Acetone	0.01528	0.04980	0.9980
79	1,2,3-Trichloropropane	0.00693	0.15883	0.9989
96	Hexachlorobutadiene	-0.00735	0.60270	0.9988

INITIAL_CALIBRATION - RELATIVE_RESPONSE_FACTOR(%REC)

Instrument ID :F3
Beginning DateTime :06/17/24 16:35
Spike Units :PPB
IC File :RFR007

Column Spec :ZB-624 ID :0.25MM
Ending DateTime :06/17/24 21:31
HPChem Method :VOF3P17

M	IDX	Parameters	.3	.5	1	2	5	10	20	30	50	100		
			16:35	17:08	17:40	18:13	18:46	19:19	19:52	20:25	20:58	21:31		
			RFR002	RFR003	RFR004	RFR005	RFR006	RFR007	RFR008	RFR009	RFR010	RFR011	AvDRec	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	1	0	15.5980
	2	Chlorotrifluoroethylene											0.000	0.00	0.0000
	3	Dichlorodifluoromethane		127	109	109	100	101	98	88	83	86	10.2	13.95	3.9734
	4	Chloromethane		120	106	110	105	100	99	83	77		10.2	14.03	4.4582
	5	2-Chloro-1,1,1-trifluoroethane											0.000	0.00	0.0000
	6	Vinyl chloride	121	113	96	97	96	91	86				9.7	12.47	4.6870
	7	Bromomethane		124	117	110	95	91	94	85	85		12.6	14.81	5.6166
	8	Chloroethane		131	105	109	102	96	99	85	84	90	10.4	14.57	5.7616
	9	Dichlorofluoromethane	110	112	106	108	102	101	98	93	86	85	7.6	9.54	5.8230
	10	Trichlorofluoromethane	125	113	96	106	95	95	97	88	86	97	8.8	11.63	6.3111
S	11	Acrolein		108	131	96	96	92	88	92	85	92	10.7	14.42	7.2465
	12	1,1,2-Trichloro-1,2,2-trifluoroethane	101	98	97	103	94	94	97	102	104	109	3.8	4.79	7.3133
	13	1,1-Dichloroethene	113	115	106	105	100	103	98	93	84	84	8.2	10.61	7.7491
S	14	Acetone	90	78	94	120	108	110	103	107	91	100	30.8	42.89	7.3888
	15	Iodomethane	108	101	93	97	94	98	99	102	102	105	3.8	4.79	8.5799
	16	Methyl acetate			102	106	99	102	95	96			3.1	3.90	8.5649
	17	Carbon disulfide	117	114	101	100	96	85	94	92			8.3	11.11	9.1244
	18	Methylene chloride			120	116	107	101	97	91	83	85	11.1	13.73	9.0155
25	19	tert-Butyl alcohol	131	85	85	85	100	100	100	108	100	108	9.2	14.17	7.8973
	20	tert-Butyl methyl ether (MTBE)	124	102	104	94	98	95	95	100	91	97	6.1	9.48	9.4464
	21	trans-1,2-Dichloroethene	123	115	105	98	96	95	94	93	91	91	8.6	10.99	9.9056
S	22	Acrylonitrile	112	102	106	103	98	97	94	97	88	95	5.3	6.94	9.3780
	23	Isopropyl ether (DIPE)	117	109	109	108	104	103	98	92	82	77	10.1	12.72	10.8622
	24	1,1-Dichloroethane	111	108	109	106	100	103	98	93	87	84	7.6	9.51	11.2751
	25	Vinyl acetate			107	105	111	104	104	95	87	87	7.7	9.17	11.2564
	26	tert-Butyl ethyl ether (ETBE)	114	109	107	101	100	102	97	97	85	87	6.7	8.96	12.1431
	27	2,2-Dichloropropane	126	120	103	102	98	100	93	91	85	82	10.3	14.08	12.8600
	28	cis-1,2-Dichloroethene	123	115	99	102	98	97	92	95	90	90	8	10.88	12.9808
S	29	2-Butanone	122	106	102	108	105	102	91	95	83	87	8.9	11.29	12.4935
25	30	2-Butanol			100	100	100	100	93	100			1.2	3.78	11.9368
	31	Bromochloromethane	110	92	98	96	99	100	99	101	101	106	3.5	4.99	13.7398
	32	Tetrahydrofuran			110	110	104	108	96	94	85	94	7.7	9.17	13.8097
	33	Chloroform	127	119	105	100	99	97	96	89	87	81	10.2	14.17	13.3484
	34	Dibromofluoromethane		110	99	99	99	101	96	95			3.3	4.96	13.8455
	35	1,1,1-Trichloroethane	113	109	106	103	95	100	98	96	91	89	6.1	7.67	14.2348
	36	Cyclohexane	128	113	92	103	92	94	90	88			11	13.97	14.2700
	37	1,1-Dichloropropene	107	106	96	100	99	99	99	99	95	101	2.8	3.97	14.5620
	38	Carbon tetrachloride	95	108	104	99	96	100	102	102	97	97	3.2	4.10	14.7610
S	39	tert-Amyl alcohol											0.000	0.00	0.0000
	40	1,2-Dichloroethane-d4		118	103	94	103	99	92	89			7	9.66	14.8767
	41	2,2,4-Trimethylpentane											0.000	0.00	0.0000
	42	Benzene	115	115	103	104	101	99	98	87	77		8.6	12.19	15.0990
	43	1,2-Dichloroethane	114	111	109	107	106	101	98	89	83	82	9.6	11.62	15.0636
	44	tert-Amyl methyl ether (TAME)	121	108	102	92	97	97	98	101	92	92	6.4	8.92	14.7774
	45	Trichloroethene	107	107	100	95	97	103	100	99	96	96	3.5	4.41	16.1949
	46	Methylcyclohexane	123	115	97	103	91	93	90	87			10.1	12.80	16.2947
	47	1,2-Dichloropropane	113	106	108	99	103	101	100	95	85	88	6.4	8.66	16.4991
20	48	1,4-Dioxane				91	101	99	92	107	96	114	0	8.35	16.9042
	49	Dibromomethane	103	104	102	94	102	98	103	98	94	99	3	3.51	16.9941
	50	Bromodichloromethane	130	119	103	95	100	95	97	92	85	84	10.3	14.28	16.8938
	51	2-Chloroethyl vinyl ether		104	79	94	96	98	98	106	102	117	7.1	10.70	17.3247
	52	cis-1,3-Dichloropropene	111	107	98	98	102	103	104	99	90	89	5.3	6.84	17.7193
S	53	4-Methyl-2-pentanone		121	108	109	106	102	96	99	82	76	10.3	13.81	17.3686
	54	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	1	0	20.1860
	55	Toluene-d8		120	92	101	96	110	95	86			8.7	11.42	18.0881
	56	Toluene	114	118	105	106	95	108	92	87	75		11.3	13.71	18.2125
	57	Ethyl methacrylate	108	107	93	97	89	101	96	108	99	102	5.2	6.45	18.3771
	58	trans-1,3-Dichloropropene	111	105	100	91	96	110	100	99	98	91	5.2	6.88	18.4429

	59	1,1,2-Trichloroethane	111	111	103	100	96	98	96	96	93	96	4.9	6.24	18.6764
	60	Tetrachloroethene	102	116	98	99	91	105	97	99	99	93	4.6	6.99	19.1352
5	61	2-Hexanone		124	105	110	99	104	93	97	90	82	9.1	12.18	18.6403
	62	1,3-Dichloropropane	124	112	109	102	94	101	93	92	89	85	9.6	12.20	19.0201
	63	Dibromochloromethane	112	114	98	96	90	102	94	100	98	98	5.4	7.40	19.4312
	64	1,2-Dibromoethane	112	106	110	96	91	102	95	100	94	96	5.9	7.18	19.7091
	65	1-Chlorohexane	111	99	93	100	96	114	103	105	94	85	6.6	8.66	19.8094
	66	Chlorobenzene	114	108	99	102	100	108	102	100	92	75	6.9	10.77	20.2353
	67	Ethylbenzene	103	109	104	104	101	111	101	93	75		7.2	10.78	20.2680
	68	1,1,1,2-Tetrachloroethane		109	99	98	90	105	100	103	98	97	4	5.47	20.2682
2	69	m-Xylene & p-Xylene	107	110	100	107	99	108	94	76			7.8	11.13	20.3523
	70	o-Xylene	108	108	95	101	99	115	98	93	83		7	9.43	20.9276
	71	Styrene	106	107	94	99	93	117	108	102	95	80	7.7	10.08	20.9753
	72	Isopropylbenzene	104	101	97	101	101	112	105	97	83		5.2	7.88	21.3680
	73	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	1	0	23.8711
	74	Bromoform	91	88	95	98	94	103	107	110	101	113	6.9	8.43	21.4867
	75	4-Bromofluorobenzene		110	96	101	95	102	104	91			5.1	6.45	21.7293
	76	1,1,2,2-Tetrachloroethane	116	100	118	109	94	97	98	94	84	91	8.5	10.86	21.6002
	77	trans-1,4-Dichloro-2-butene			131	106	96	103	92	93	82	97	10	14.42	21.4029
	78	n-Propylbenzene	107	106	98	105	106	111	105	91	71		8.8	12.21	21.8796
	79	1,2,3-Trichloropropane			105	84	105	110	100	102	94	102	10.1	15.18	21.7831
	80	Bromobenzene	118	102	99	94	93	102	101	101	93	97	4.8	7.22	22.0294
	81	1,3,5-Trimethylbenzene	107	106	100	105	104	113	109	101	88	67	9.1	13.41	22.0688
	82	2-Chlorotoluene		110	107	107	107	108	112	97	85	68	11.2	14.74	22.1758
	83	4-Chlorotoluene	107	101	114	106	104	109	106	95	89	70	9.3	12.80	22.2250
	84	tert-Butylbenzene	102	100	92	105	91	100	105	100	101	102	3.3	4.74	22.5539
	85	1,2,4-Trimethylbenzene	103	102	98	102	105	105	114	105	95	72	7	11.08	22.6049
	86	sec-Butylbenzene	106	100	99	103	98	108	108	96	83		5.5	7.85	22.8333
	87	p-Isopropyltoluene	109	92	89	98	103	111	115	112	97	75	9.9	12.49	22.9979
	88	1,3-Dichlorobenzene	114	102	94	99	96	103	103	104	95	91	5	6.54	23.2298
	89	1,2,3-Trimethylbenzene	117	102	103	103	99	105	104	102	90	76	7.1	10.80	23.2791
	90	1,4-Dichlorobenzene	113	101	91	96	95	98	110	107	98	91	6.1	7.54	23.3729
	91	Benzyl Chloride											0.000	0.00	0.0000
	92	n-Butylbenzene	121	97	92	97	96	109	115	106	91	75	10.3	13.25	23.5587
	93	1,2-Dichlorobenzene	108	111	104	101	92	99	97	100	97	91	4.9	6.48	23.9188
	94	1,2-Dibromo-3-chloropropane			120	93	90	95	99	106	90	106	8	10.32	25.0391
	95	1,2,4-Trichlorobenzene	130	87	90	87	86	96	104	107	102	113	11	14.07	26.4184
	96	Hexachlorobutadiene	147	116	57	95	88	98	104	99	97	102	12.1	19.30	26.5861
	97	Naphthalene		119	105	91	85	97	96	103	95	110	8.1	10.38	26.8953
	98	1,2,3-Trichlorobenzene		88	103	95	92	99	103	107	98	115	6.2	8.15	27.2790

Compound List Report F3

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
Total Cpnds : 98

PK#		Compound Name	QIon	Exp_RT	Rel_RT	Cal	#Qual	A/H	ID
1	I	1,4-DIFLUOROBENZENE	114	15.60	1.000	A	1	A	B
2	T	Chlorotrifluoroethylene	116	4.06	0.260	A	1	A	B
3	T	Dichlorodifluoromethane	85	3.96	0.254	A	1	A	B
4	T	Chloromethane	50	4.46	0.286	A	1	A	B
5	T	2-Chloro-1,1,1-trifluoroethane	118	4.65	0.298	A	2	A	B
6	T	Vinyl chloride	62	4.69	0.301	A	1	A	B
7	T	Bromomethane	94	5.62	0.360	A	1	A	B
8	T	Chloroethane	64	5.77	0.370	A	1	A	B
9	T	Dichlorofluoromethane	67	5.83	0.373	A	1	A	B
10	T	Trichlorofluoromethane	101	6.32	0.405	A	1	A	B
11	T	Acrolein	56	7.25	0.465	A	1	A	B
12	T	1,1,2-Trichloro-1,2,2-trifluor	151	7.31	0.468	A	1	A	B
13	T	1,1-Dichloroethene	61	7.74	0.496	A	2	A	B
14	T	Acetone	43	7.39	0.474	L	1	A	B
15	T	Iodomethane	142	8.58	0.550	A	1	A	B
16	T	Methyl acetate	43	8.55	0.548	A	1	A	B
17	T	Carbon disulfide	76	9.11	0.584	A	1	A	B
18	T	Methylene chloride	49	9.02	0.578	A	2	A	B
19	T	tert-Butyl alcohol	59	7.89	0.506	A	1	A	B
20	T	tert-Butyl methyl ether (MTBE)	73	9.44	0.605	A	1	A	B
21	T	trans-1,2-Dichloroethene	96	9.90	0.635	A	1	A	B
22	T	Acrylonitrile	53	9.38	0.601	A	2	A	B
23	T	Isopropyl ether (DIPE)	45	10.87	0.697	A	1	A	B
24	T	1,1-Dichloroethane	63	11.27	0.722	A	2	A	B
25	T	Vinyl acetate	43	11.25	0.721	A	1	A	B
26	T	tert-Butyl ethyl ether (ETBE)	59	12.13	0.778	A	1	A	B
27	T	2,2-Dichloropropane	77	12.86	0.824	A	2	A	B
28	T	cis-1,2-Dichloroethene	96	12.98	0.832	A	1	A	B
29	T	2-Butanone	43	12.50	0.801	A	1	A	B
30	T	2-Butanol	45	11.93	0.765	A	1	A	B
31	T	Bromochloromethane	130	13.74	0.881	A	1	A	B
32	T	Tetrahydrofuran	42	13.81	0.885	A	2	A	B
33	T	Chloroform	83	13.35	0.856	A	2	A	B
34	S	Dibromofluoromethane	111	13.85	0.888	A	1	A	B
35	T	1,1,1-Trichloroethane	97	14.23	0.912	A	2	A	B
36	T	Cyclohexane	84	14.27	0.915	A	1	A	B
37	T	1,1-Dichloropropene	110	14.56	0.934	A	1	A	B
38	T	Carbon tetrachloride	117	14.76	0.946	A	1	A	B
39	T	tert-Amyl alcohol	59	14.55	0.932	A	1	A	B
40	S	1,2-Dichloroethane-d4	65	14.87	0.954	A	1	A	B
41	T	2,2,4-Trimethylpentane	57	14.25	0.914	A	1	A	B
42	T	Benzene	78	15.09	0.967	A	2	A	B
43	T	1,2-Dichloroethane	62	15.06	0.965	A	1	A	B
44	T	tert-Amyl methyl ether (TAME)	73	14.78	0.947	A	1	A	B
45	T	Trichloroethene	130	16.19	1.038	A	3	A	B
46	T	Methylcyclohexane	83	16.31	1.045	A	2	A	B
47	T	1,2-Dichloropropane	63	16.50	1.058	A	1	A	B
48	T	1,4-Dioxane	88	16.90	1.083	A	1	A	B
49	T	Dibromomethane	93	17.00	1.090	A	2	A	B
50	T	Bromodichloromethane	83	16.90	1.083	A	1	A	B
51	T	2-Chloroethyl vinyl ether	63	17.32	1.111	A	1	A	B
52	T	cis-1,3-Dichloropropene	75	17.72	1.136	A	2	A	B
53	T	4-Methyl-2-pentanone	43	17.37	1.114	A	3	A	B
54	I	CHLOROBENZENE-D5	117	20.19	1.000	A	2	A	B
55	S	Toluene-d8	98	18.08	0.896	A	1	A	B
56	T	Toluene	91	18.21	0.902	A	1	A	B
57	T	Ethyl methacrylate	69	18.38	0.910	A	1	A	B
58	T	trans-1,3-Dichloropropene	75	18.44	0.914	A	1	A	B
59	T	1,1,2-Trichloroethane	97	18.67	0.925	A	2	A	B
60	T	Tetrachloroethene	164	19.13	0.948	A	3	A	B
61	T	2-Hexanone	43	18.64	0.923	A	1	A	B
62	T	1,3-Dichloropropane	76	19.02	0.942	A	1	A	B
63	T	Dibromochloromethane	129	19.43	0.963	A	2	A	B
64	T	1,2-Dibromoethane	107	19.71	0.976	A	1	A	B

65	T	1-Chlorohexane	91	19.81	0.981	A	1	A	B
66	P,M	Chlorobenzene	112	20.24	1.002	A	1	A	B
67	T	Ethylbenzene	91	20.27	1.004	A	1	A	B
68	T	1,1,1,2-Tetrachloroethane	131	20.27	1.004	A	1	A	B
69	T	m-Xylene & p-Xylene	91	20.35	1.008	A	1	A	B
70	T	o-Xylene	91	20.93	1.037	A	1	A	B
71	T	Styrene	104	20.98	1.039	A	2	A	B
72	T	Isopropylbenzene	105	21.37	1.059	A	3	A	B
73	I	1,2-DICHLOROBENZENE-D4	152	23.87	1.000	A	1	A	B
74	T	Bromoform	173	21.48	0.900	A	2	A	B
75	S	4-Bromofluorobenzene	95	21.73	0.910	A	2	A	B
76	T	1,1,2,2-Tetrachloroethane	83	21.60	0.905	A	1	A	B
77	T	trans-1,4-Dichloro-2-butene	53	21.40	0.897	A	1	A	B
78	T	n-Propylbenzene	91	21.88	0.917	A	2	A	B
79	T	1,2,3-Trichloropropane	110	21.78	0.912	L	1	A	B
80	T	Bromobenzene	156	22.03	0.923	A	1	A	B
81	T	1,3,5-Trimethylbenzene	105	22.06	0.924	A	2	A	B
82	T	2-Chlorotoluene	91	22.18	0.929	A	1	A	B
83	T	4-Chlorotoluene	91	22.22	0.931	A	1	A	B
84	T	tert-Butylbenzene	134	22.55	0.945	A	1	A	B
85	T	1,2,4-Trimethylbenzene	105	22.60	0.947	A	1	A	B
86	T	sec-Butylbenzene	105	22.83	0.957	A	1	A	B
87	T	p-Isopropyltoluene	119	23.00	0.963	A	2	A	B
88	T	1,3-Dichlorobenzene	146	23.23	0.973	A	2	A	B
89	T	1,2,3-Trimethylbenzene	105	23.28	0.975	A	2	A	B
90	T	1,4-Dichlorobenzene	146	23.38	0.979	A	2	A	B
91	T	Benzyl Chloride	91	20.93	0.877	A	3	A	B
92	T	n-Butylbenzene	91	23.56	0.987	A	2	A	B
93	T	1,2-Dichlorobenzene	146	23.92	1.002	A	1	A	B
94	T	1,2-Dibromo-3-chloropropane	157	25.04	1.049	A	1	A	B
95	T	1,2,4-Trichlorobenzene	180	26.42	1.107	A	2	A	B
96	T	Hexachlorobutadiene	225	26.58	1.114	L	2	A	B
97	T	Naphthalene	128	26.90	1.127	A	1	A	B
98	T	1,2,3-Trichlorobenzene	180	27.27	1.143	A	2	A	B

Qal A = Average L = Linear LO = Linear w/origin Q = Quad QO = Quad w/origin
#Qual = number of qualifiers
A/H = Area or Height
ID R = R.T. B = R.T. & Q Q = Qvalue L = Largest A = All

VOF3F17.M Wed Jun 19 15:45:28 2024

SECOND SOURCE VERIFICATION

CONTINUE_CALIBRATION - CALIBRATION VERIFICATION

Instrument ID :F3
IC_Beginning DateTime :06/17/24 16:35
Spike Amount :10 PPB
CC/CV File :RFR014
IC File :RFR007

Column Spec :ZB-624 ID :0.25MM
IC_Ending DateTime :06/17/24 21:31
HPChem Method :VOF3F17
Date_Time :06/17/24 23:09

M	IDX	Parameters	CC_Con	CC%_D	CC_Resp	CCRRF	AvRRF	CC_Rtm	AvRtm	%_RSD	Co_X0	Co_X1	Co_X2	Co_Cor
	1	1,4-DIFLUOROBENZENE	10.000	0	3056009	1	1	15.598	15.598	0				
	2	Chlorotrifluoroethylene												
	3	Dichlorodifluoromethane	10.235	2.3	1486167	0.486	0.475	3.988	3.973	13.95				
	4	Chloromethane	9.637	-3.6	2202626	0.721	0.748	4.452	4.458	14.03				
	5	2-Chloro-1,1,1-trifluoroethane												
	6	Vinyl chloride	9.300	-7.0	1916968	0.627	0.674	4.685	4.687	12.47				
	7	Bromomethane	9.737	-2.6	965037	0.316	0.324	5.615	5.617	14.81				
	8	Chloroethane	10.119	1.2	1031417	0.338	0.334	5.789	5.762	14.57				
	9	Dichlorofluoromethane	9.953	-0.5	2533813	0.829	0.833	5.847	5.823	9.54				
	10	Trichlorofluoromethane	10.453	4.5	1782664	0.583	0.558	6.312	6.311	11.63				
S	11	Acrolein	42.208	-15.6	330431	0.022	0.026	7.241	7.247	14.42				
	12	1,1,2-Trichloro-1,2,2-trifluoroethane	10.201	2.0	738662	0.242	0.237	7.328	7.313	4.79				
	13	1,1-Dichloroethene	9.732	-2.7	2560495	0.838	0.861	7.764	7.749	10.61				
S	14	Acetone	47.118	-5.8	763826	0.050	0.072	7.387	7.389	42.89	0.0153	0.0498		0.9980
	15	Iodomethane	10.188	1.9	1560696	0.511	0.501	8.578	8.580	4.79				
	16	Methyl acetate	8.486	-15.1	434014	0.142	0.167	8.578	8.565	3.90				
	17	Carbon disulfide	9.484	-5.2	3859627	1.263	1.332	9.130	9.124	11.11				
	18	Methylene chloride	9.538	-4.6	1607138	0.526	0.551	9.014	9.016	13.73				
2S	19	tert-Butyl alcohol	219.816	-12.1	865295	0.011	0.013	7.880	7.897	14.17				
	20	tert-Butyl methyl ether (MTBE)	9.128	-8.7	1724083	0.564	0.618	9.437	9.446	9.48				
	21	trans-1,2-Dichloroethene	10.112	1.1	1322747	0.433	0.428	9.920	9.906	10.99				
S	22	Acrylonitrile	43.390	-13.2	869555	0.057	0.066	9.376	9.378	6.94				
	23	Isopropyl ether (DIPE)	9.154	-8.5	4920270	1.610	1.759	10.847	10.862	12.72				
	24	1,1-Dichloroethane	9.562	-4.4	2520661	0.825	0.863	11.269	11.275	9.51				
	25	Vinyl acetate	8.008	-19.9	1132098	0.370	0.463	11.249	11.256	9.17				
	26	tert-Butyl ethyl ether (ETBE)	9.587	-4.1	3065148	1.003	1.046	12.135	12.143	8.96				
	27	2,2-Dichloropropane	9.179	-8.2	949054	0.311	0.338	12.861	12.860	14.08				
	28	cis-1,2-Dichloroethene	9.647	-3.5	1047680	0.343	0.355	12.981	12.981	10.88				
S	29	2-Butanone	41.750	-16.5	1110922	0.073	0.087	12.478	12.493	11.29				
2S	30	2-Butanol	203.377	-18.6	862494	0.011	0.014	11.934	11.937	3.78				
	31	Bromochloromethane	10.338	3.4	493844	0.162	0.156	13.740	13.740	4.99				
	32	Tetrahydrofuran	9.096	-9.0	144114	0.047	0.052	13.806	13.810	9.17				
	33	Chloroform	9.028	-9.7	1952883	0.639	0.708	13.345	13.348	14.17				
	34	Dibromofluoromethane	9.638	-3.6	918685	0.301	0.312	13.839	13.845	4.96				
	35	1,1,1-Trichloroethane	10.239	2.4	1527501	0.500	0.488	14.233	14.235	7.67				
	36	Cyclohexane	9.086	-9.1	1663374	0.544	0.599	14.266	14.270	13.97				
	37	1,1-Dichloropropene	10.135	1.4	542736	0.178	0.175	14.562	14.562	3.97				
	38	Carbon tetrachloride	10.427	4.3	1261211	0.413	0.396	14.759	14.761	4.10				
S	39	tert-Amyl alcohol												
	40	1,2-Dichloroethane-d4	8.775	-12.3	798552	0.261	0.298	14.875	14.877	9.66				
	41	2,2,4-Trimethylpentane												
	42	Benzene	9.733	-2.7	4567547	1.495	1.535	15.088	15.099	12.19				
	43	1,2-Dichloroethane	9.457	-5.4	1086288	0.355	0.376	15.056	15.064	11.62				
	44	tert-Amyl methyl ether (TAME)	9.548	-4.5	1867930	0.611	0.640	14.776	14.777	8.92				
	45	Trichloroethene	10.719	7.2	1141502	0.374	0.348	16.190	16.195	4.41				
	46	Methylcyclohexane	9.136	-8.6	1864202	0.610	0.668	16.289	16.295	12.80				
	47	1,2-Dichloropropane	9.577	-4.2	1117844	0.366	0.382	16.503	16.499	8.66				
2O	48	1,4-Dioxane	185.323	-7.3	53951	0.001	0.001	16.914	16.904	8.35				
	49	Dibromomethane	9.482	-5.2	367341	0.120	0.127	16.996	16.994	3.51				
	50	Bromodichloromethane	9.000	-10.0	1199178	0.392	0.436	16.897	16.894	14.28				
	51	2-Chloroethyl vinyl ether	8.905	-11.0	140812	0.046	0.052	17.325	17.325	10.70				
	52	cis-1,3-Dichloropropene	9.673	-3.3	1374766	0.450	0.465	17.719	17.719	6.84				
S	53	4-Methyl-2-pentanone	45.404	-9.2	2509785	0.164	0.181	17.374	17.369	13.81				
	54	CHLOROBENZENE-D5	10.000	0	2004158	1	1	20.186	20.186	0				
	55	Toluene-d8	10.623	6.2	3156545	1.575	1.483	18.081	18.088	11.42				
	56	Toluene	10.628	6.3	3911347	1.952	1.836	18.213	18.212	13.71				
	57	Ethyl methacrylate	9.322	-6.8	534427	0.267	0.286	18.377	18.377	6.45				
	58	trans-1,3-Dichloropropene	10.356	3.6	936838	0.467	0.451	18.443	18.443	6.88				
	59	1,1,2-Trichloroethane	9.987	-0.1	453111	0.226	0.226	18.673	18.676	6.24				

	60	Tetrachloroethene	10.909	9.1	859815	0.429	0.393	19.134	19.135	6.99			
5	61	2-Hexanone	47.048	-5.9	1390344	0.139	0.147	18.640	18.640	12.18			
	62	1,3-Dichloropropane	9.983	-0.2	879202	0.439	0.439	19.019	19.020	12.20			
	63	Dibromochloromethane	10.248	2.5	596433	0.298	0.290	19.430	19.431	7.40			
	64	1,2-Dibromoethane	10.249	2.5	421796	0.210	0.205	19.709	19.709	7.18			
	65	1-Chlorohexane	10.779	7.8	1507555	0.752	0.698	19.808	19.809	8.66			
	66	Chlorobenzene	11.080	10.8	2114590	1.055	0.952	20.236	20.235	10.77			
	67	Ethylbenzene	11.106	11.1	4091479	2.041	1.838	20.268	20.268	10.78			
	68	1,1,1,2-Tetrachloroethane	10.661	6.6	738693	0.369	0.346	20.268	20.268	5.47			
2	69	m-Xylene & p-Xylene	22.445	12.2	6023717	1.503	1.339	20.351	20.352	11.13			
	70	o-Xylene	10.666	6.7	2889837	1.442	1.352	20.926	20.928	9.43			
	71	Styrene	10.553	5.5	1887409	0.942	0.892	20.976	20.975	10.08			
	72	Isopropylbenzene	11.517	15.2	3564698	1.779	1.544	21.370	21.368	7.88			
	73	1,2-DICHLOROBENZENE-D4	10.000	0	579354	1	1	23.870	23.871	0			
	74	Bromoform	10.378	3.8	242281	0.418	0.403	21.485	21.487	8.43			
	75	4-Bromofluorobenzene	9.613	-3.9	888658	1.534	1.595	21.732	21.729	6.45			
	76	1,1,2,2-Tetrachloroethane	8.832	-11.7	414246	0.715	0.809	21.600	21.600	10.86			
	77	trans-1,4-Dichloro-2-butene	9.127	-8.7	184079	0.318	0.348	21.403	21.403	14.42			
	78	n-Propylbenzene	10.490	4.9	4020495	6.940	6.615	21.880	21.880	12.21			
	79	1,2,3-Trichloropropane	9.738	-2.6	93626	0.162	0.175	21.781	21.783	15.18	0.0069	0.1588	0.9989
	80	Bromobenzene	10.805	8.1	714439	1.233	1.141	22.028	22.029	7.22			
	81	1,3,5-Trimethylbenzene	11.893	18.9	2763277	4.770	4.010	22.061	22.069	13.41			
	82	2-Chlorotoluene	11.269	12.7	2539073	4.383	3.889	22.176	22.176	14.74			
	83	4-Chlorotoluene	10.996	10.0	2195355	3.789	3.446	22.225	22.225	12.80			
	84	tert-Butylbenzene	10.405	4.0	581597	1.004	0.965	22.554	22.554	4.74			
	85	1,2,4-Trimethylbenzene	11.681	16.8	2405146	4.151	3.554	22.604	22.605	11.08			
	86	sec-Butylbenzene	11.328	13.3	3542273	6.114	5.397	22.834	22.833	7.85			
	87	p-Isopropyltoluene	11.292	12.9	2466458	4.257	3.770	22.998	22.998	12.49			
	88	1,3-Dichlorobenzene	10.544	5.4	1212499	2.093	1.985	23.228	23.230	6.54			
	89	1,2,3-Trimethylbenzene	11.020	10.2	2237443	3.862	3.504	23.278	23.279	10.80			
	90	1,4-Dichlorobenzene	10.267	2.7	1097112	1.894	1.844	23.360	23.373	7.54			
	91	Benzyl Chloride											
	92	n-Butylbenzene	10.764	7.6	2274979	3.927	3.648	23.557	23.559	13.25			
	93	1,2-Dichlorobenzene	10.193	1.9	963171	1.662	1.631	23.919	23.919	6.48			
	94	1,2-Dibromo-3-chloropropane	8.940	-10.6	43543	0.075	0.084	25.037	25.039	10.32			
	95	1,2,4-Trichlorobenzene	9.827	-1.7	415885	0.718	0.730	26.419	26.418	14.07			
	96	Hexachlorobutadiene	9.124	-8.8	314350	0.543	0.549	26.583	26.586	19.30	-0.0074	0.6027	0.9988
	97	Naphthalene	10.018	0.2	560700	0.968	0.966	26.895	26.895	10.38			
	98	1,2,3-Trichlorobenzene	10.436	4.4	323292	0.558	0.535	27.274	27.279	8.15			

Spike Amount = Nominal Amount * M

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR014.D
Acq On : 17 Jun 2024 11:09 pm
Sample : IVOF3F1701
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
MS Integration Params: RTE.P

Vial: 14
Operator: LPriet
Inst : F3
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	94	0.00
2	T,M	Chlorotrifluoroethylene	10.000	0.000	100.0#	0	-4.06#
3	T,M	Dichlorodifluoromethane	10.000	10.235	-2.3	95	0.02
4	P,T,M	Chloromethane	10.000	9.638	3.6	90	0.00
5	T,M	2-Chloro-1,1,1-trifluoroeth	10.000	0.000	100.0#	0	-4.65#
6	C,T,M	Vinyl chloride	10.000	9.301	7.0	96	0.00
7	T,M	Bromomethane	10.000	9.737	2.6	100	0.00
8	T,M	Chloroethane	10.000	10.119	-1.2	99	0.02
9	T,M	Dichlorofluoromethane	10.000	9.954	0.5	93	0.02
10	T,M	Trichlorofluoromethane	10.000	10.454	-4.5	103	0.00
11	T,M	Acrolein	50.000	42.208	15.6	83	0.00
12	T,M	1,1,2-Trichloro-1,2,2-trifl	10.000	10.201	-2.0	102	0.02
13	C,T,M	1,1-Dichloroethene	10.000	9.732	2.7	89	0.02
14	T,M	Acetone	50.000	47.118	5.8	81	0.00
15	T,M	Iodomethane	10.000	10.188	-1.9	98	0.00
16	T,M	Methyl acetate	10.000	8.487	15.1	79	0.02
17	T,M	Carbon disulfide	10.000	9.485	5.2	105	0.02
18	T,M	Methylene chloride	10.000	9.538	4.6	88	0.00
19	T,M	tert-Butyl alcohol	250.000	219.816	12.1	85	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	9.128	8.7	90	0.00
21	T,M	trans-1,2-Dichloroethene	10.000	10.113	-1.1	100	0.02
22	T,M	Acrylonitrile	50.000	43.391	13.2	84	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	9.154	8.5	84	-0.02
24	P,T,M	1,1-Dichloroethane	10.000	9.563	4.4	87	0.00
25	T,M	Vinyl acetate	10.000	8.008	19.9	72	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.587	4.1	88	0.00
27	T,M	2,2-Dichloropropane	10.000	9.180	8.2	86	0.00
28	T,M	cis-1,2-Dichloroethene	10.000	9.647	3.5	94	0.00
29	T,M	2-Butanone	50.000	41.751	16.5	77	-0.02
30	T,M	2-Butanol	250.000	203.378	18.6	77	0.00
31	T,M	Bromochloromethane	10.000	10.338	-3.4	98	0.00
32	T,M	Tetrahydrofuran	10.000	9.096	9.0	79	0.00
33	C,T,M	Chloroform	10.000	9.029	9.7	87	0.00
34	S	Dibromofluoromethane	10.000	9.639	3.6	89	-0.02
35	T,M	1,1,1-Trichloroethane	10.000	10.239	-2.4	96	0.00
36	T,M	Cyclohexane	10.000	9.086	9.1	91	0.00
37	T,M	1,1-Dichloropropene	10.000	10.136	-1.4	96	0.00
38	T,M	Carbon tetrachloride	10.000	10.427	-4.3	98	0.00
39	T,M	tert-Amyl alcohol	50.000	0.000	100.0#	0	0.02
40	S	1,2-Dichloroethane-d4	10.000	8.776	12.2	83	0.00
41	T,M	2,2,4-Trimethylpentane	10.000	0.000	100.0#	0	0.00
42	T,M	Benzene	10.000	9.734	2.7	92	0.00
43	T,M	1,2-Dichloroethane	10.000	9.457	5.4	88	0.00
44	T,M	tert-Amyl methyl ether (TAM	10.000	9.549	4.5	93	0.00
45	T,M	Trichloroethene	10.000	10.720	-7.2	97	0.00
46	T,M	Methylcyclohexane	10.000	9.136	8.6	92	-0.02
47	C,T,M	1,2-Dichloropropane	10.000	9.578	4.2	89	0.00
48	T,M	1,4-Dioxane	200.000	185.323	7.3	88	0.02
49	T,M	Dibromomethane	10.000	9.482	5.2	90	0.00
50	T,M	Bromodichloromethane	10.000	9.000	10.0	89	0.00
51	T,M	2-Chloroethyl vinyl ether	10.000	8.905	11.0	85	0.00
52	T,M	cis-1,3-Dichloropropene	10.000	9.673	3.3	88	0.00
53	T,M	4-Methyl-2-pentanone	50.000	45.404	9.2	83	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR014.D
Acq On : 17 Jun 2024 11:09 pm
Sample : IVOF3F1701
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
MS Integration Params: RTE.P

Vial: 14
Operator: LPriet
Inst : F3
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
54	I	CHLOROBENZENE-D5	10.000	10.000	0.0	94	0.00
55	S	Toluene-d8	10.000	10.623	-6.2	91	0.00
56	C,T,M	Toluene	10.000	10.628	-6.3	92	0.00
57	T,M	Ethyl methacrylate	10.000	9.322	6.8	87	0.00
58	T,M	trans-1,3-Dichloropropene	10.000	10.356	-3.6	88	0.00
59	T,M	1,1,2-Trichloroethane	10.000	9.988	0.1	95	0.00
60	T,M	Tetrachloroethene	10.000	10.909	-9.1	97	0.00
61	T,M	2-Hexanone	50.000	47.048	5.9	85	0.00
62	T,M	1,3-Dichloropropane	10.000	9.984	0.2	92	0.00
63	T,M	Dibromochloromethane	10.000	10.248	-2.5	94	0.00
64	T,M	1,2-Dibromoethane	10.000	10.250	-2.5	94	0.00
65	T,M	1-Chlorohexane	10.000	10.780	-7.8	88	0.00
66	P,M	Chlorobenzene	10.000	11.081	-10.8	96	0.00
67	C,T,M	Ethylbenzene	10.000	11.106	-11.1	94	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.661	-6.6	94	0.00
69	T,M	m-Xylene & p-Xylene	20.000	22.446	-12.2	97	0.00
70	T,M	o-Xylene	10.000	10.666	-6.7	87	0.00
71	T,M	Styrene	10.000	10.553	-5.5	85	0.00
72	T,M	Isopropylbenzene	10.000	11.517	-15.2	96	0.00
73	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	95	0.00
74	P,T,M	Bromoform	10.000	10.379	-3.8	95	0.00
75	S	4-Bromofluorobenzene	10.000	9.614	3.9	89	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.833	11.7	86	0.00
77	T,M	trans-1,4-Dichloro-2-butene	10.000	9.128	8.7	84	0.00
78	T,M	n-Propylbenzene	10.000	10.490	-4.9	89	0.00
79	T,M	1,2,3-Trichloropropane	10.000	9.738	2.6	85	0.00
80	T,M	Bromobenzene	10.000	10.806	-8.1	101	0.00
81	T,M	1,3,5-Trimethylbenzene	10.000	11.893	-18.9	99	0.00
82	T,M	2-Chlorotoluene	10.000	11.270	-12.7	99	0.00
83	T,M	4-Chlorotoluene	10.000	10.997	-10.0	96	0.00
84	T,M	tert-Butylbenzene	10.000	10.405	-4.0	99	0.00
85	T,M	1,2,4-Trimethylbenzene	10.000	11.681	-16.8	105	0.00
86	T,M	sec-Butylbenzene	10.000	11.329	-13.3	99	0.00
87	T,M	p-Isopropyltoluene	10.000	11.293	-12.9	96	0.00
88	T,M	1,3-Dichlorobenzene	10.000	10.545	-5.4	97	0.00
89	T,M	1,2,3-Trimethylbenzene	10.000	11.021	-10.2	99	0.00
90	T,M	1,4-Dichlorobenzene	10.000	10.268	-2.7	99	-0.02
91	T,M	Benzyl Chloride	-1.000	0.000	0.0	0	0.00
92	T,M	n-Butylbenzene	10.000	10.765	-7.7	93	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.194	-1.9	97	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.940	10.6	89	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	9.828	1.7	97	0.00
96	T,M	Hexachlorobutadiene	10.000	9.125	8.8	88	0.00
97	T,M	Naphthalene	10.000	10.019	-0.2	98	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.436	-4.4	100	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

DAILY CALIBRATIONS

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F034
Lab File ID: RFR059 BFB Injection Date: 06/20/24
Instrument ID: F3 BFB Injection Time: 11:14

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	30.645
75	30 - 60% of mass 95	48.163
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	5.906
173	Less than 2% of mass 174	0.655(.98)1
174	Greater than 50% of mass 95	66.906
175	5 - 9% of mass 174	5.549(8.29)1
176	95 - 101% % of mass 174	63.616(95.08)1
177	5 - 9% % of mass 176	3.945(6.2)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CV0F3F1703	RFR060	06/20/24	11:52
2	LCD1W	V0F3F04C	RFR062	06/20/24	13:17
3	MBLK1W	V0F3F04B	RFR064	06/20/24	14:23
4	LCS1W	V0F3F04X	RFR065	06/20/24	14:56
5	IDW-WATER_JUN24	24F034-01	RFR071	06/20/24	18:14
6	VSTD10	EV0F3F1703	RFR072	06/20/24	18:53

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: RFR007
Instrument ID: F3

Project: TITAN 1-A
SDG No: 24F034
Date Analyzed: 06/17/24
Time Analyzed: 19:19

	INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
		Area #	RT #	Area #	RT #	Area #	RT #
	12 HOUR STD	3250044	15.60	2141369	20.19	612864	23.87
	UPPER LIMIT	6500088	15.77	4282738	20.36	1225728	24.04
	LOWER LIMIT	1625022	15.43	1070685	20.02	306432	23.70
		Area #	RT #	Area #	RT #	Area #	RT #
1	VSTD10	3174558	15.58	2106303	20.17	572013	23.87
2	LCD1W	3228516	15.58	2139311	20.17	588978	23.87
3	MBLK1W	3159956	15.58	1934356	20.17	499486	23.87
4	LCS1W	3049163	15.58	2016431	20.17	593739	23.87
5	IDW-WATER_JUN24	2821227	15.58	1783157	20.19	446124	23.87
6	VSTD10	3083263	15.60	2122708	20.19	557755	23.87

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR060.D Vial: 2
Acq On : 20 Jun 2024 11:52 am Operator: LPriet
Sample : CVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	98	-0.02
2	T,M	Chlorotrifluoroethylene	10.000	0.000	100.0#	0	-4.06#
3	T,M	Dichlorodifluoromethane	10.000	9.585	4.1	93	0.00
4	P,T,M	Chloromethane	10.000	9.540	4.6	93	0.00
5	T,M	2-Chloro-1,1,1-trifluoroeth	10.000	0.000	100.0#	0	-4.65#
6	C,T,M	Vinyl chloride	10.000	8.839	11.6	95	0.00
7	T,M	Bromomethane	10.000	9.164	8.4	98	0.00
8	T,M	Chloroethane	10.000	9.683	3.2	98	0.00
9	T,M	Dichlorofluoromethane	10.000	10.119	-1.2	98	0.00
10	T,M	Trichlorofluoromethane	10.000	9.770	2.3	100	-0.04
11	T,M	Acrolein	50.000	41.927	16.1	86	0.00
12	T,M	1,1,2-Trichloro-1,2,2-trifl	10.000	9.776	2.2	102	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.261	-2.6	97	0.00
14	T,M	Acetone	50.000	50.758	-1.5	91	-0.03
15	T,M	Iodomethane	10.000	9.891	1.1	99	0.00
16	T,M	Methyl acetate	10.000	8.763	12.4	84	0.00
17	T,M	Carbon disulfide	10.000	8.632	13.7	100	0.00
18	T,M	Methylene chloride	10.000	10.846	-8.5	105	0.00
19	T,M	tert-Butyl alcohol	250.000	233.578	6.6	94	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	8.935	10.6	92	0.00
21	T,M	trans-1,2-Dichloroethene	10.000	9.569	4.3	98	0.00
22	T,M	Acrylonitrile	50.000	46.007	8.0	92	-0.02
23	T,M	Isopropyl ether (DIPE)	10.000	9.780	2.2	93	-0.02
24	P,T,M	1,1-Dichloroethane	10.000	10.383	-3.8	98	0.00
25	T,M	Vinyl acetate	10.000	10.078	-0.8	94	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.069	9.3	86	0.00
27	T,M	2,2-Dichloropropane	10.000	10.264	-2.6	100	-0.02
28	T,M	cis-1,2-Dichloroethene	10.000	9.981	0.2	101	-0.02
29	T,M	2-Butanone	50.000	45.090	9.8	86	-0.02
30	T,M	2-Butanol	250.000	220.833	11.7	87	-0.02
31	T,M	Bromochloromethane	10.000	9.578	4.2	94	-0.02
32	T,M	Tetrahydrofuran	10.000	9.174	8.3	83	0.00
33	C,T,M	Chloroform	10.000	9.936	0.6	100	0.00
34	S	Dibromofluoromethane	10.000	9.522	4.8	92	-0.02
35	T,M	1,1,1-Trichloroethane	10.000	10.308	-3.1	100	-0.02
36	T,M	Cyclohexane	10.000	9.016	9.8	94	-0.02
37	T,M	1,1-Dichloropropene	10.000	10.153	-1.5	100	-0.02
38	T,M	Carbon tetrachloride	10.000	10.270	-2.7	100	-0.02
39	T,M	tert-Amyl alcohol	50.000	0.000	100.0#	0	0.00
40	S	1,2-Dichloroethane-d4	10.000	9.905	1.0	97	0.00
41	T,M	2,2,4-Trimethylpentane	10.000	0.000	100.0#	0	0.00
42	T,M	Benzene	10.000	9.883	1.2	97	0.00
43	T,M	1,2-Dichloroethane	10.000	10.078	-0.8	97	0.00
44	T,M	tert-Amyl methyl ether (TAM	10.000	8.825	11.8	89	-0.02
45	T,M	Trichloroethene	10.000	9.983	0.2	94	0.00
46	T,M	Methylcyclohexane	10.000	8.891	11.1	93	-0.02
47	C,T,M	1,2-Dichloropropane	10.000	9.873	1.3	95	-0.02
48	T,M	1,4-Dioxane	200.000	208.183	-4.1	102	0.00
49	T,M	Dibromomethane	10.000	9.979	0.2	99	-0.02
50	T,M	Bromodichloromethane	10.000	9.577	4.2	98	-0.02
51	T,M	2-Chloroethyl vinyl ether	10.000	7.984	20.2#	79	0.00
52	T,M	cis-1,3-Dichloropropene	10.000	9.816	1.8	93	-0.02
53	T,M	4-Methyl-2-pentanone	50.000	45.057	9.9	86	-0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR060.D
Acq On : 20 Jun 2024 11:52 am
Sample : CVOF3F1703
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
MS Integration Params: RTE.P

Vial: 2
Operator: LPriet
Inst : F3
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
54	I	CHLOROBENZENE-D5	10.000	10.000	0.0	98	-0.02
55	S	Toluene-d8	10.000	10.267	-2.7	92	0.00
56	C,T,M	Toluene	10.000	10.641	-6.4	97	-0.02
57	T,M	Ethyl methacrylate	10.000	9.523	4.8	93	-0.02
58	T,M	trans-1,3-Dichloropropene	10.000	10.113	-1.1	91	-0.02
59	T,M	1,1,2-Trichloroethane	10.000	9.933	0.7	99	0.00
60	T,M	Tetrachloroethene	10.000	10.173	-1.7	95	0.00
61	T,M	2-Hexanone	50.000	47.824	4.4	91	-0.02
62	T,M	1,3-Dichloropropane	10.000	10.003	-0.0	97	0.00
63	T,M	Dibromochloromethane	10.000	9.886	1.1	96	0.00
64	T,M	1,2-Dibromoethane	10.000	10.123	-1.2	97	-0.02
65	T,M	1-Chlorohexane	10.000	10.885	-8.8	94	0.00
66	P,M	Chlorobenzene	10.000	10.534	-5.3	96	0.00
67	C,T,M	Ethylbenzene	10.000	10.781	-7.8	96	-0.02
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.224	-2.2	95	0.00
69	T,M	m-Xylene & p-Xylene	20.000	20.792	-4.0	95	0.00
70	T,M	o-Xylene	10.000	10.918	-9.2	93	0.00
71	T,M	Styrene	10.000	10.700	-7.0	90	-0.02
72	T,M	Isopropylbenzene	10.000	10.854	-8.5	95	-0.02
73	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	93	0.00
74	P,T,M	Bromoform	10.000	10.716	-7.2	97	0.00
75	S	4-Bromofluorobenzene	10.000	9.611	3.9	88	-0.02
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.302	-3.0	99	-0.02
77	T,M	trans-1,4-Dichloro-2-butene	10.000	10.310	-3.1	94	0.00
78	T,M	n-Propylbenzene	10.000	11.201	-12.0	94	0.00
79	T,M	1,2,3-Trichloropropane	10.000	9.969	0.3	85	0.00
80	T,M	Bromobenzene	10.000	11.616	-16.2	107	0.00
81	T,M	1,3,5-Trimethylbenzene	10.000	11.915	-19.1	98	0.00
82	T,M	2-Chlorotoluene	10.000	13.330	-33.3#	115	-0.02
83	T,M	4-Chlorotoluene	10.000	9.421	5.8	81	-0.02
84	T,M	tert-Butylbenzene	10.000	10.639	-6.4	99	-0.02
85	T,M	1,2,4-Trimethylbenzene	10.000	11.935	-19.4	106	0.00
86	T,M	sec-Butylbenzene	10.000	11.365	-13.7	98	0.00
87	T,M	p-Isopropyltoluene	10.000	11.649	-16.5	98	-0.02
88	T,M	1,3-Dichlorobenzene	10.000	10.076	-0.8	92	0.00
89	T,M	1,2,3-Trimethylbenzene	10.000	10.856	-8.6	97	0.00
90	T,M	1,4-Dichlorobenzene	10.000	10.483	-4.8	100	-0.02
91	T,M	Benzyl Chloride	-1.000	0.000	0.0	0	0.00
92	T,M	n-Butylbenzene	10.000	10.702	-7.0	91	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.259	-2.6	97	-0.02
94	T,M	1,2-Dibromo-3-chloropropane	10.000	9.424	5.8	92	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	9.687	3.1	94	-0.02
96	T,M	Hexachlorobutadiene	10.000	10.874	-8.7	103	0.00
97	T,M	Naphthalene	10.000	10.445	-4.5	101	-0.02
98	T,M	1,2,3-Trichlorobenzene	10.000	10.545	-5.4	100	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR060.D Vial: 2
Acq On : 20 Jun 2024 11:52 am Operator: LPriet
Sample : CVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	98	-0.02
2	T,M	Chlorotrifluoroethylene	0.000	0.000	0.0	0#	-4.06#
3	T,M	Dichlorodifluoromethane	0.475	0.455	4.2	93	0.00
4	P,T,M	Chloromethane	0.748	0.713	4.7	93	0.00
5	T,M	2-Chloro-1,1,1-trifluoroeth	0.000	0.000	0.0	0#	-4.65#
6	C,T,M	Vinyl chloride	0.674	0.596	11.6	95	0.00
7	T,M	Bromomethane	0.324	0.297	8.3	98	0.00
8	T,M	Chloroethane	0.334	0.323	3.3	98	0.00
9	T,M	Dichlorofluoromethane	0.833	0.843	-1.2	98	0.00
10	T,M	Trichlorofluoromethane	0.558	0.545	2.3	100	-0.04
11	T,M	Acrolein	0.026	0.021	19.2	86	0.00
12	T,M	1,1,2-Trichloro-1,2,2-trifl	0.237	0.232	2.1	102	0.00
13	C,T,M	1,1-Dichloroethene	0.861	0.883	-2.6	97	0.00
14	T,M	Acetone	0.072	0.054	25.0#	91	-0.03
15	T,M	Iodomethane	0.501	0.496	1.0	99	0.00
16	T,M	Methyl acetate	0.167	0.147	12.0	84	0.00
17	T,M	Carbon disulfide	1.332	1.149	13.7	100	0.00
18	T,M	Methylene chloride	0.551	0.598	-8.5	105	0.00
19	T,M	tert-Butyl alcohol	0.013	0.012	7.7	94	0.00
20	T,M	tert-Butyl methyl ether (MT	0.618	0.552	10.7	92	0.00
21	T,M	trans-1,2-Dichloroethene	0.428	0.410	4.2	98	0.00
22	T,M	Acrylonitrile	0.066	0.060	9.1	92	-0.02
23	T,M	Isopropyl ether (DIPE)	1.759	1.720	2.2	93	-0.02
24	P,T,M	1,1-Dichloroethane	0.863	0.896	-3.8	98	0.00
25	T,M	Vinyl acetate	0.463	0.466	-0.6	94	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.046	0.949	9.3	86	0.00
27	T,M	2,2-Dichloropropane	0.338	0.347	-2.7	100	-0.02
28	T,M	cis-1,2-Dichloroethene	0.355	0.355	0.0	101	-0.02
29	T,M	2-Butanone	0.087	0.079	9.2	86	-0.02
30	T,M	2-Butanol	0.014	0.012	14.3	87	-0.02
31	T,M	Bromochloromethane	0.156	0.150	3.8	94	-0.02
32	T,M	Tetrahydrofuran	0.052	0.048	7.7	83	0.00
33	C,T,M	Chloroform	0.708	0.703	0.7	100	0.00
34	S	Dibromofluoromethane	0.312	0.297	4.8	92	-0.02
35	T,M	1,1,1-Trichloroethane	0.488	0.503	-3.1	100	-0.02
36	T,M	Cyclohexane	0.599	0.540	9.8	94	-0.02
37	T,M	1,1-Dichloropropene	0.175	0.178	-1.7	100	-0.02
38	T,M	Carbon tetrachloride	0.396	0.406	-2.5	100	-0.02
39	T,M	tert-Amyl alcohol	0.000	0.001	0.0	0#	0.00
40	S	1,2-Dichloroethane-d4	0.298	0.295	1.0	97	0.00
41	T,M	2,2,4-Trimethylpentane	0.000	0.037	0.0	0#	0.00
42	T,M	Benzene	1.535	1.517	1.2	97	0.00
43	T,M	1,2-Dichloroethane	0.376	0.379	-0.8	97	0.00
44	T,M	tert-Amyl methyl ether (TAM	0.640	0.565	11.7	89	-0.02
45	T,M	Trichloroethene	0.348	0.348	0.0	94	0.00
46	T,M	Methylcyclohexane	0.668	0.594	11.1	93	-0.02
47	C,T,M	1,2-Dichloropropane	0.382	0.377	1.3	95	-0.02
48	T,M	1,4-Dioxane	0.001	0.001	0.0	102	0.00
49	T,M	Dibromomethane	0.127	0.127	0.0	99	-0.02
50	T,M	Bromodichloromethane	0.436	0.418	4.1	98	-0.02
51	T,M	2-Chloroethyl vinyl ether	0.052	0.041	21.2#	79	0.00
52	T,M	cis-1,3-Dichloropropene	0.465	0.457	1.7	93	-0.02
53	T,M	4-Methyl-2-pentanone	0.181	0.163	9.9	86	-0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR060.D
Acq On : 20 Jun 2024 11:52 am
Sample : CVOF3F1703
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
MS Integration Params: RTE.P

Vial: 2
Operator: LPriet
Inst : F3
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
54	I	CHLOROBENZENE-D5	1.000	1.000	0.0	98	-0.02
55	S	Toluene-d8	1.483	1.522	-2.6	92	0.00
56	C,T,M	Toluene	1.836	1.954	-6.4	97	-0.02
57	T,M	Ethyl methacrylate	0.286	0.272	4.9	93	-0.02
58	T,M	trans-1,3-Dichloropropene	0.451	0.456	-1.1	91	-0.02
59	T,M	1,1,2-Trichloroethane	0.226	0.225	0.4	99	0.00
60	T,M	Tetrachloroethene	0.393	0.400	-1.8	95	0.00
61	T,M	2-Hexanone	0.147	0.141	4.1	91	-0.02
62	T,M	1,3-Dichloropropane	0.439	0.440	-0.2	97	0.00
63	T,M	Dibromochloromethane	0.290	0.287	1.0	96	0.00
64	T,M	1,2-Dibromoethane	0.205	0.208	-1.5	97	-0.02
65	T,M	1-Chlorohexane	0.698	0.760	-8.9	94	0.00
66	P,M	Chlorobenzene	0.952	1.003	-5.4	96	0.00
67	C,T,M	Ethylbenzene	1.838	1.982	-7.8	96	-0.02
68	T,M	1,1,1,2-Tetrachloroethane	0.346	0.353	-2.0	95	0.00
69	T,M	m-Xylene & p-Xylene	1.339	1.392	-4.0	95	0.00
70	T,M	o-Xylene	1.352	1.476	-9.2	93	0.00
71	T,M	Styrene	0.892	0.955	-7.1	90	-0.02
72	T,M	Isopropylbenzene	1.544	1.676	-8.5	95	-0.02
73	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	93	0.00
74	P,T,M	Bromoform	0.403	0.432	-7.2	97	0.00
75	S	4-Bromofluorobenzene	1.595	1.533	3.9	88	-0.02
76	P,T,M	1,1,2,2-Tetrachloroethane	0.809	0.834	-3.1	99	-0.02
77	T,M	trans-1,4-Dichloro-2-butene	0.348	0.359	-3.2	94	0.00
78	T,M	n-Propylbenzene	6.615	7.410	-12.0	94	0.00
79	T,M	1,2,3-Trichloropropane	0.175	0.165	5.7	85	0.00
80	T,M	Bromobenzene	1.141	1.326	-16.2	107	0.00
81	T,M	1,3,5-Trimethylbenzene	4.010	4.778	-19.2	98	0.00
82	T,M	2-Chlorotoluene	3.889	5.184	-33.3#	115	-0.02
83	T,M	4-Chlorotoluene	3.446	3.246	5.8	81	-0.02
84	T,M	tert-Butylbenzene	0.965	1.026	-6.3	99	-0.02
85	T,M	1,2,4-Trimethylbenzene	3.554	4.242	-19.4	106	0.00
86	T,M	sec-Butylbenzene	5.397	6.134	-13.7	98	0.00
87	T,M	p-Isopropyltoluene	3.770	4.391	-16.5	98	-0.02
88	T,M	1,3-Dichlorobenzene	1.985	2.000	-0.8	92	0.00
89	T,M	1,2,3-Trimethylbenzene	3.504	3.804	-8.6	97	0.00
90	T,M	1,4-Dichlorobenzene	1.844	1.933	-4.8	100	-0.02
91	T,M	Benzyl Chloride	0.000	0.000	0.0	0#	0.00
92	T,M	n-Butylbenzene	3.648	3.904	-7.0	91	0.00
93	T,M	1,2-Dichlorobenzene	1.631	1.673	-2.6	97	-0.02
94	T,M	1,2-Dibromo-3-chloropropane	0.084	0.079	6.0	92	0.00
95	T,M	1,2,4-Trichlorobenzene	0.730	0.708	3.0	94	-0.02
96	T,M	Hexachlorobutadiene	0.549	0.648	-18.0	103	0.00
97	T,M	Naphthalene	0.966	1.009	-4.5	101	-0.02
98	T,M	1,2,3-Trichlorobenzene	0.535	0.564	-5.4	100	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR072.D Vial: 14
Acq On : 20 Jun 2024 6:53 pm Operator: LPriet
Sample : EVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	95	0.00
2	T,M	Chlorotrifluoroethylene	10.000	0.000	100.0#	0	-4.06#
3	T,M	Dichlorodifluoromethane	10.000	8.972	10.3	84	0.00
4	P,T,M	Chloromethane	10.000	9.120	8.8	86	0.00
5	T,M	2-Chloro-1,1,1-trifluoroeth	10.000	0.000	100.0#	0	-4.65#
6	C,T,M	Vinyl chloride	10.000	8.190	18.1	85	0.00
7	T,M	Bromomethane	10.000	7.932	20.7#	83	0.00
8	T,M	Chloroethane	10.000	9.006	9.9	89	0.00
9	T,M	Dichlorofluoromethane	10.000	9.233	7.7	87	0.00
10	T,M	Trichlorofluoromethane	10.000	8.791	12.1	88	-0.04
11	T,M	Acrolein	50.000	42.297	15.4	84	0.00
12	T,M	1,1,2-Trichloro-1,2,2-trifl	10.000	8.925	10.7	90	0.00
13	C,T,M	1,1-Dichloroethene	10.000	9.323	6.8	86	0.00
14	T,M	Acetone	50.000	50.202	-0.4	87	0.00
15	T,M	Iodomethane	10.000	8.719	12.8	85	0.00
16	T,M	Methyl acetate	10.000	9.730	2.7	91	0.00
17	T,M	Carbon disulfide	10.000	9.190	8.1	103	0.02
18	T,M	Methylene chloride	10.000	9.585	4.1	90	0.00
19	T,M	tert-Butyl alcohol	250.000	222.885	10.8	87	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	8.205	17.9	82	0.00
21	T,M	trans-1,2-Dichloroethene	10.000	8.495	15.1	85	0.00
22	T,M	Acrylonitrile	50.000	45.768	8.5	89	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	9.468	5.3	88	-0.02
24	P,T,M	1,1-Dichloroethane	10.000	9.292	7.1	85	0.00
25	T,M	Vinyl acetate	10.000	9.042	9.6	82	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	8.195	18.0	76	0.00
27	T,M	2,2-Dichloropropane	10.000	8.795	12.1	84	0.00
28	T,M	cis-1,2-Dichloroethene	10.000	8.866	11.3	87	0.00
29	T,M	2-Butanone	50.000	46.859	6.3	87	-0.02
30	T,M	2-Butanol	250.000	231.093	7.6	88	-0.02
31	T,M	Bromochloromethane	10.000	8.821	11.8	84	0.00
32	T,M	Tetrahydrofuran	10.000	9.324	6.8	82	0.00
33	C,T,M	Chloroform	10.000	8.397	16.0	82	0.00
34	S	Dibromofluoromethane	10.000	9.858	1.4	92	-0.02
35	T,M	1,1,1-Trichloroethane	10.000	8.971	10.3	85	0.00
36	T,M	Cyclohexane	10.000	8.883	11.2	90	0.00
37	T,M	1,1-Dichloropropene	10.000	9.167	8.3	88	0.00
38	T,M	Carbon tetrachloride	10.000	8.966	10.3	85	0.00
39	T,M	tert-Amyl alcohol	50.000	0.000	100.0#	0	0.00
40	S	1,2-Dichloroethane-d4	10.000	10.088	-0.9	96	0.00
41	T,M	2,2,4-Trimethylpentane	10.000	0.000	100.0#	0	0.02
42	T,M	Benzene	10.000	8.922	10.8	85	0.00
43	T,M	1,2-Dichloroethane	10.000	9.490	5.1	89	0.00
44	T,M	tert-Amyl methyl ether (TAM	10.000	8.174	18.3	80	0.00
45	T,M	Trichloroethene	10.000	8.861	11.4	81	0.00
46	T,M	Methylcyclohexane	10.000	8.805	12.0	89	-0.02
47	C,T,M	1,2-Dichloropropane	10.000	9.112	8.9	86	-0.02
48	T,M	1,4-Dioxane	200.000	176.171	11.9	84	0.00
49	T,M	Dibromomethane	10.000	8.411	15.9	81	-0.02
50	T,M	Bromodichloromethane	10.000	8.494	15.1	85	-0.02
51	T,M	2-Chloroethyl vinyl ether	10.000	7.237	27.6#	70	0.00
52	T,M	cis-1,3-Dichloropropene	10.000	9.216	7.8	85	0.00
53	T,M	4-Methyl-2-pentanone	50.000	46.879	6.2	87	-0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR072.D Vial: 14
Acq On : 20 Jun 2024 6:53 pm Operator: LPriet
Sample : EVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
54	I	CHLOROBENZENE-D5	10.000	10.000	0.0	99	0.00
55	S	Toluene-d8	10.000	10.072	-0.7	91	0.00
56	C,T,M	Toluene	10.000	9.322	6.8	86	-0.02
57	T,M	Ethyl methacrylate	10.000	8.554	14.5	84	0.00
58	T,M	trans-1,3-Dichloropropene	10.000	9.278	7.2	84	0.00
59	T,M	1,1,2-Trichloroethane	10.000	8.494	15.1	86	0.00
60	T,M	Tetrachloroethene	10.000	8.343	16.6	79	0.00
61	T,M	2-Hexanone	50.000	48.776	2.4	93	-0.02
62	T,M	1,3-Dichloropropane	10.000	8.921	10.8	87	0.00
63	T,M	Dibromochloromethane	10.000	8.610	13.9	84	0.00
64	T,M	1,2-Dibromoethane	10.000	8.725	12.8	84	-0.02
65	T,M	1-Chlorohexane	10.000	9.088	9.1	79	0.00
66	P,M	Chlorobenzene	10.000	9.471	5.3	87	0.00
67	C,T,M	Ethylbenzene	10.000	9.990	0.1	89	-0.02
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.210	7.9	86	0.00
69	T,M	m-Xylene & p-Xylene	20.000	19.041	4.8	87	0.00
70	T,M	o-Xylene	10.000	9.335	6.6	80	0.00
71	T,M	Styrene	10.000	9.086	9.1	77	-0.02
72	T,M	Isopropylbenzene	10.000	9.919	0.8	88	-0.02
73	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	91	0.00
74	P,T,M	Bromoform	10.000	9.308	6.9	82	0.00
75	S	4-Bromofluorobenzene	10.000	9.331	6.7	83	-0.02
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.932	10.7	84	-0.02
77	T,M	trans-1,4-Dichloro-2-butene	10.000	9.510	4.9	84	0.00
78	T,M	n-Propylbenzene	10.000	9.877	1.2	81	0.00
79	T,M	1,2,3-Trichloropropane	10.000	9.630	3.7	80	0.00
80	T,M	Bromobenzene	10.000	9.261	7.4	83	0.00
81	T,M	1,3,5-Trimethylbenzene	10.000	10.575	-5.7	85	0.00
82	T,M	2-Chlorotoluene	10.000	11.519	-15.2	97	0.00
83	T,M	4-Chlorotoluene	10.000	9.549	4.5	80	-0.02
84	T,M	tert-Butylbenzene	10.000	9.449	5.5	86	0.00
85	T,M	1,2,4-Trimethylbenzene	10.000	10.827	-8.3	93	0.00
86	T,M	sec-Butylbenzene	10.000	10.831	-8.3	91	0.00
87	T,M	p-Isopropyltoluene	10.000	10.031	-0.3	82	0.00
88	T,M	1,3-Dichlorobenzene	10.000	9.881	1.2	88	0.00
89	T,M	1,2,3-Trimethylbenzene	10.000	10.338	-3.4	90	0.00
90	T,M	1,4-Dichlorobenzene	10.000	9.328	6.7	87	-0.02
91	T,M	Benzyl Chloride	-1.000	0.000	0.0	0	0.00
92	T,M	n-Butylbenzene	10.000	10.113	-1.1	84	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.052	9.5	83	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.816	11.8	84	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	9.097	9.0	86	-0.02
96	T,M	Hexachlorobutadiene	10.000	9.036	9.6	83	0.00
97	T,M	Naphthalene	10.000	9.093	9.1	86	-0.02
98	T,M	1,2,3-Trichlorobenzene	10.000	9.066	9.3	84	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR072.D Vial: 14
Acq On : 20 Jun 2024 6:53 pm Operator: LPriet
Sample : EVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	95	0.00
2	T,M	Chlorotrifluoroethylene	0.000	0.000	0.0	0#	-4.06#
3	T,M	Dichlorodifluoromethane	0.475	0.426	10.3	84	0.00
4	P,T,M	Chloromethane	0.748	0.682	8.8	86	0.00
5	T,M	2-Chloro-1,1,1-trifluoroeth	0.000	0.000	0.0	0#	-4.65#
6	C,T,M	Vinyl chloride	0.674	0.552	18.1	85	0.00
7	T,M	Bromomethane	0.324	0.257	20.7#	83	0.00
8	T,M	Chloroethane	0.334	0.300	10.2	89	0.00
9	T,M	Dichlorofluoromethane	0.833	0.769	7.7	87	0.00
10	T,M	Trichlorofluoromethane	0.558	0.491	12.0	88	-0.04
11	T,M	Acrolein	0.026	0.022	15.4	84	0.00
12	T,M	1,1,2-Trichloro-1,2,2-trifl	0.237	0.211	11.0	90	0.00
13	C,T,M	1,1-Dichloroethene	0.861	0.803	6.7	86	0.00
14	T,M	Acetone	0.072	0.053	26.4#	87	0.00
15	T,M	Iodomethane	0.501	0.437	12.8	85	0.00
16	T,M	Methyl acetate	0.167	0.163	2.4	91	0.00
17	T,M	Carbon disulfide	1.332	1.224	8.1	103	0.02
18	T,M	Methylene chloride	0.551	0.528	4.2	90	0.00
19	T,M	tert-Butyl alcohol	0.013	0.011	15.4	87	0.00
20	T,M	tert-Butyl methyl ether (MT	0.618	0.507	18.0	82	0.00
21	T,M	trans-1,2-Dichloroethene	0.428	0.364	15.0	85	0.00
22	T,M	Acrylonitrile	0.066	0.060	9.1	89	0.00
23	T,M	Isopropyl ether (DIPE)	1.759	1.665	5.3	88	-0.02
24	P,T,M	1,1-Dichloroethane	0.863	0.801	7.2	85	0.00
25	T,M	Vinyl acetate	0.463	0.418	9.7	82	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.046	0.857	18.1	76	0.00
27	T,M	2,2-Dichloropropane	0.338	0.298	11.8	84	0.00
28	T,M	cis-1,2-Dichloroethene	0.355	0.315	11.3	87	0.00
29	T,M	2-Butanone	0.087	0.082	5.7	87	-0.02
30	T,M	2-Butanol	0.014	0.013	7.1	88	-0.02
31	T,M	Bromochloromethane	0.156	0.138	11.5	84	0.00
32	T,M	Tetrahydrofuran	0.052	0.048	7.7	82	0.00
33	C,T,M	Chloroform	0.708	0.594	16.1	82	0.00
34	S	Dibromofluoromethane	0.312	0.307	1.6	92	-0.02
35	T,M	1,1,1-Trichloroethane	0.488	0.438	10.2	85	0.00
36	T,M	Cyclohexane	0.599	0.532	11.2	90	0.00
37	T,M	1,1-Dichloropropene	0.175	0.161	8.0	88	0.00
38	T,M	Carbon tetrachloride	0.396	0.355	10.4	85	0.00
39	T,M	tert-Amyl alcohol	0.000	0.001	0.0	0#	0.00
40	S	1,2-Dichloroethane-d4	0.298	0.300	-0.7	96	0.00
41	T,M	2,2,4-Trimethylpentane	0.000	0.039	0.0	0#	0.02
42	T,M	Benzene	1.535	1.370	10.7	85	0.00
43	T,M	1,2-Dichloroethane	0.376	0.357	5.1	89	0.00
44	T,M	tert-Amyl methyl ether (TAM	0.640	0.523	18.3	80	0.00
45	T,M	Trichloroethene	0.348	0.309	11.2	81	0.00
46	T,M	Methylcyclohexane	0.668	0.588	12.0	89	-0.02
47	C,T,M	1,2-Dichloropropane	0.382	0.348	8.9	86	-0.02
48	T,M	1,4-Dioxane	0.001	0.001	0.0	84	0.00
49	T,M	Dibromomethane	0.127	0.107	15.7	81	-0.02
50	T,M	Bromodichloromethane	0.436	0.370	15.1	85	-0.02
51	T,M	2-Chloroethyl vinyl ether	0.052	0.037	28.8#	70	0.00
52	T,M	cis-1,3-Dichloropropene	0.465	0.429	7.7	85	0.00
53	T,M	4-Methyl-2-pentanone	0.181	0.170	6.1	87	-0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR072.D Vial: 14
Acq On : 20 Jun 2024 6:53 pm Operator: LPriet
Sample : EVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
54	I	CHLOROBENZENE-D5	1.000	1.000	0.0	99	0.00
55	S	Toluene-d8	1.483	1.493	-0.7	91	0.00
56	C,T,M	Toluene	1.836	1.712	6.8	86	-0.02
57	T,M	Ethyl methacrylate	0.286	0.245	14.3	84	0.00
58	T,M	trans-1,3-Dichloropropene	0.451	0.419	7.1	84	0.00
59	T,M	1,1,2-Trichloroethane	0.226	0.192	15.0	86	0.00
60	T,M	Tetrachloroethene	0.393	0.328	16.5	79	0.00
61	T,M	2-Hexanone	0.147	0.144	2.0	93	-0.02
62	T,M	1,3-Dichloropropane	0.439	0.392	10.7	87	0.00
63	T,M	Dibromochloromethane	0.290	0.250	13.8	84	0.00
64	T,M	1,2-Dibromoethane	0.205	0.179	12.7	84	-0.02
65	T,M	1-Chlorohexane	0.698	0.634	9.2	79	0.00
66	P,M	Chlorobenzene	0.952	0.902	5.3	87	0.00
67	C,T,M	Ethylbenzene	1.838	1.836	0.1	89	-0.02
68	T,M	1,1,1,2-Tetrachloroethane	0.346	0.318	8.1	86	0.00
69	T,M	m-Xylene & p-Xylene	1.339	1.275	4.8	87	0.00
70	T,M	o-Xylene	1.352	1.262	6.7	80	0.00
71	T,M	Styrene	0.892	0.811	9.1	77	-0.02
72	T,M	Isopropylbenzene	1.544	1.532	0.8	88	-0.02
73	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	91	0.00
74	P,T,M	Bromoform	0.403	0.375	6.9	82	0.00
75	S	4-Bromofluorobenzene	1.595	1.489	6.6	83	-0.02
76	P,T,M	1,1,2,2-Tetrachloroethane	0.809	0.723	10.6	84	-0.02
77	T,M	trans-1,4-Dichloro-2-butene	0.348	0.331	4.9	84	0.00
78	T,M	n-Propylbenzene	6.615	6.534	1.2	81	0.00
79	T,M	1,2,3-Trichloropropane	0.175	0.160	8.6	80	0.00
80	T,M	Bromobenzene	1.141	1.057	7.4	83	0.00
81	T,M	1,3,5-Trimethylbenzene	4.010	4.241	-5.8	85	0.00
82	T,M	2-Chlorotoluene	3.889	4.480	-15.2	97	0.00
83	T,M	4-Chlorotoluene	3.446	3.291	4.5	80	-0.02
84	T,M	tert-Butylbenzene	0.965	0.912	5.5	86	0.00
85	T,M	1,2,4-Trimethylbenzene	3.554	3.848	-8.3	93	0.00
86	T,M	sec-Butylbenzene	5.397	5.846	-8.3	91	0.00
87	T,M	p-Isopropyltoluene	3.770	3.781	-0.3	82	0.00
88	T,M	1,3-Dichlorobenzene	1.985	1.961	1.2	88	0.00
89	T,M	1,2,3-Trimethylbenzene	3.504	3.623	-3.4	90	0.00
90	T,M	1,4-Dichlorobenzene	1.844	1.720	6.7	87	-0.02
91	T,M	Benzyl Chloride	0.000	0.000	0.0	0#	0.00
92	T,M	n-Butylbenzene	3.648	3.689	-1.1	84	0.00
93	T,M	1,2-Dichlorobenzene	1.631	1.476	9.5	83	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.084	0.074	11.9	84	0.00
95	T,M	1,2,4-Trichlorobenzene	0.730	0.664	9.0	86	-0.02
96	T,M	Hexachlorobutadiene	0.549	0.537	2.2	83	0.00
97	T,M	Naphthalene	0.966	0.878	9.1	86	-0.02
98	T,M	1,2,3-Trichlorobenzene	0.535	0.485	9.3	84	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

ANALYTICAL LOGS

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Comments:

Book #:	AF3-030
Instrument No.:	F3
Analytical Sequence:	24F17
Method File:	VOF3F17
Analytical Batch:	VOF3F176

SOP #
☑ EMAX-8260 Rev. No. 10
☐ EMAX-8260C Rev. No. 1
☐ EMAX-8260SIM Rev. No. 1
☐ EMAX-M8260SIM Rev. No. 0
☐ EMAX-TCPSIM Rev. No. 2
☐ EMAX-624 Rev. No. 6
☐ EMAX-624.1 Rev. No. 1
PURGE AMOUNT
☐ 5-mL Purge
☐ 10-mL Purge
☑ 25-mL Purge
SAMPLE MATRIX
☐ Soil (refer to sample weight log)
☐ Water
☐ pH <2. Outliers indicated on analytical sequence.
☐ Cl_2 <5ppm. Outliers indicated on analytical sequence.
☑ pH <2 and Cl2 are not applicable.

INITIAL CALIBRATION REFERENCE			
DATE	6/17/24		
ICAL ID	VOF3 F17		
STANDARDS			
NAME	ID	Amount (µl)	Conc. (mg/L)
DCC CS2 GAS	SV1-45-93-02 / -45-05-02	*	250 / 250
DCC 4ADD	-43-95-02		250
DCC 8260	-45-01-03		50
DCC KET	-45-04-03		250
BFB	-45-01-02	1	50
IS/SURR. IS / SS	-43-95-01	1 / *	250 / 250
ICV/LCS CS2 GAS	-43-55-02 / -43-70-03	1 / 1	250 / 250
ICV/LCS 3ADD	-43-69-03	5	50
ICV/LCS 8260	-43-77-01	5	LAP 6/14/24 250
ICV/LCS 2-BUT KET	-43-48-03 / -43-94-02	12.5 / 5	500 / 250
Data File Folder			
	LOT #	Syringe Lot #	
pH strip	N/A	MSV-03-04-12-4	
Chlorine strip	↓	-04-12-6	
Methanol		-03-26	
$NaHSO_4$		-02-24	
Reagent Water	RW4-23-001		
Sand			

ELECTRONIC DATA ARCHIVAL	
Location	Date
HPCHEM_VOA/TOF3	

Analyzed By: LAP
Date: 6/17/24
Disposed By: LAP
Date Disposed: 6/18/24

Injection Log

Directory: C:\HPCHEM\1\DATA\24F17

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	RFR001.D	1.	BFBF3F01	T/CHK	17 Jun 2024 15:5
2	2	RFR002.D	1.	VOF3F171 0.03/0.15	0.3ppb 8260/1.5ppb KET-AA/7.5ppb TBA	17 Jun 2024 16:3
3	3	RFR003.D	1.	VOF3F172 0.05/0.25	0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA	17 Jun 2024 17:0
4	4	RFR004.D	1.	VOF3F173 0.1/0.5	1ppb 8260/5ppb KET-AA/25ppb TBA	17 Jun 2024 17:4
5	5	RFR005.D	1.	VOF3F174 0.2/1.0	2ppb 8260/10ppb KET-AA/50ppb TBA	17 Jun 2024 18:1
6	6	RFR006.D	1.	VOF3F175 0.5/2.5	5ppb 8260/25ppb KET-AA/125ppb TBA	17 Jun 2024 18:4
7	7	RFR007.D	1.	VOF3F176 1.0/5.0	10ppb 8260/50ppb KET-AA/250ppb TBA	17 Jun 2024 19:1
8	8	RFR008.D	1.	VOF3F177 2.0/10	20ppb 8260/100ppb KET-AA/500ppb TBA	17 Jun 2024 19:52
9	9	RFR009.D	1.	VOF3F178 3.0/15	30ppb 8260/150ppb KET-AA/750ppb TBA	17 Jun 2024 20:25
10	10	RFR010.D	1.	VOF3F179 5.0/25	50ppb 8260/250ppb KET-AA/1250ppb TBA	17 Jun 2024 20:58
11	11	RFR011.D	1.	VOF3F1710 10/50	100ppb 8260/500ppb KET-AA/2500ppb TBA	17 Jun 2024 21:31
12	12	RFR012.D	1.	RINSE		17 Jun 2024 22:03
13	13	RFR013.D	1.	RINSE		17 Jun 2024 22:36
14	14	RFR014.D	1.	IVOF3F1701	10ppb 8260/50ppb KET-AA/250ppb TBA	17 Jun 2024 23:09
15	15	RFR015.D	1.	RINSE		17 Jun 2024 23:42
16	16	RFR016.D	1.	LOD1 0.02/0.10	0.2ppb 8260/4.0ppb KET-AA/5.0ppb TBA	18 Jun 2024 00:15
17	17	RFR017.D	1.	LOD2 0.03/0.15	0.3ppb 8260/5.0ppb KET-AA/7.5ppb TBA	18 Jun 2024 00:47
18	18	RFR018.D	1.	LOD3	0.4ppb 8260/4.0ppb KET-AA/10ppb TBA	18 Jun 2024 01:20
19	19	RFR019.D	1.	LOQ	80ppb 1,4-Dioxane	18 Jun 2024 01:53

Injection Log

Directory: C:\HPCHEM\1\DATA\24F20

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	RFR059.D	1.	BFBF3F04 ✓	T/CHK	20 Jun 2024 11:14
2	2	RFR060.D	1.	CVOF3F1~~4~~03 ✓ 2-chlorotoluene ✓RF	10ppb 8260/50ppb KET-AA/250ppb TBA	
3	3	RFR061.D	1.	VOF3F04L	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 11:52
4	4	RFR062.D	1.	VOF3F04C ✓	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 12:44
5	5	RFR063.D	1.	RINSE	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 13:17
6	6	RFR064.D	1.	VOF3F04B ✓	25mL	20 Jun 2024 13:50
7	7	RFR065.D	1.	VOF3F04X ✓	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 14:23
8	8	RFR066.D	1.	RINSE		20 Jun 2024 14:56
9	9	RFR067.D	1.	24F036-11 ✓	25mL	20 Jun 2024 15:29
10	10	RFR068.D	1.	24F036-07 ✓	25mL	20 Jun 2024 16:03
11	11	RFR069.D	1.	24F036-10 ✓	25mL	20 Jun 2024 16:35
12	12	RFR070.D	1.	24F036-08 ✓	25mL	20 Jun 2024 17:08
13	13	RFR071.D	1.	24F034-01 ✓	25mL	20 Jun 2024 17:41
14	14	RFR072.D	1.	RINSE ✓	25mL	20 Jun 2024 18:14
15	15	RFR073.D	1.	RINSE	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 18:53
16	16	RFR074.D	1.	24F064-08 No closing RR		20 Jun 2024 19:26
17	17	RFR075.D	1.	24F064-09	25mL	20 Jun 2024 19:59
18	18	RFR076.D	1.	24F064-05	25mL	20 Jun 2024 20:32
19	19	RFR077.D	1.	24F064-07	25mL	20 Jun 2024 21:05
20	20	RFR078.D	1.	24F064-04	25mL	20 Jun 2024 21:38
21	21	RFR079.D	1.	24F064-10	25mL	20 Jun 2024 22:11
22	22	RFR080.D	1.	24F064-06	25mL	20 Jun 2024 22:43
23		RFR081.D	1.			20 Jun 2024 23:16

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Comments:

Book #: AF3-030
Instrument No.: F3
Analytical Sequence: 24F20
Method File: ~~V001E~~ V0F3F17
Analytical Batch: CV0F3F1703

INITIAL CALIBRATION REFERENCE			
DATE	6/17/24		
ICAL ID	VOF3 F17		
STANDARDS			
NAME	ID	Amount (µl)	Conc. (mg/L)
DCC CS2 QAS	SV1-43-93-02	1	
	-45-05-02	1	
DCC 4ADD	-43-95-02	1	
DCC 8260	-45-01-03	5	
DCC KET	-45-04-03	5	
BFB	-45-01-02	1	
IS/SURR.	-43-96-01	5	50/250
ICV/LCS CS2 QAS	-43-55-02	1	
	-43-76-03	1	
ICV/LCS 3ADD	-43-69-03	5	
ICV/LCS 8260	-43-77-01	5	
ICV/LCS KET	-43-94-02	5	
Data File Folder	24F20		
	LOT #	Syringe Lot #	
pH strip		MSV-03-04-12-4	
Chlorine strip		↓ -6	
Methanol			
$NaHSO_4$			
Reagent Water	RW4-23-001		
Sand			

SOP #
☑ EMAX-8260 Rev. No. 10
☐ EMAX-8260C Rev. No. 1
☐ EMAX-8260SIM Rev. No. 1
☐ EMAX-M8260SIM Rev. No. 0
☐ EMAX-TCPSIM Rev. No. 2
☐ EMAX-624 Rev. No. 6
☐ EMAX-624.1 Rev. No. 1
PURGE AMOUNT
☐ 5-mL Purge
☐ 10-mL Purge
☑ 25-mL Purge
SAMPLE MATRIX
☐ Soil (refer to sample weight log)
☑ Water
☑ pH <2. Outliers indicated on analytical sequence.
☑ Cl_2 <5ppm. Outliers indicated on analytical sequence.
☐ pH <2 and Cl2 are not applicable.

ELECTRONIC DATA ARCHIVAL	
Location	Date
HPCHEM_VOA/TOF3	

Analyzed By: LAP
Date: 6/20/24
Disposed By: LAP
Date Disposed: 6/21/24

Injection Log

Directory: C:\HPCHEM\1\DATA\24F20

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	RFR059.D	1.	BFBF3F04	T/CHK	20 Jun 2024 11:14
2	2	RFR060.D	1.	CVOF3F1703	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 11:52
3	3	RFR061.D	1.	VOF3F04L	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 12:44
4	4	RFR062.D	1.	VOF3F04C	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 13:17
5	5	RFR063.D	1.	RINSE	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 13:50
6	6	RFR064.D	1.	VOF3F04B	25mL	20 Jun 2024 14:23
7	7	RFR065.D	1.	VOF3F04X	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 14:56
8	8	RFR066.D	1.	RINSE		20 Jun 2024 15:29
9	9	RFR067.D	1.	24F036-11	25mL	20 Jun 2024 16:03
10	10	RFR068.D	1.	24F036-07	25mL	20 Jun 2024 16:35
11	11	RFR069.D	1.	24F036-10	25mL	20 Jun 2024 17:08
12	12	RFR070.D	1.	24F036-08	25mL	20 Jun 2024 17:41
13	13	RFR071.D	1.	24F034-01	25mL	20 Jun 2024 18:14
14	14	RFR072.D	1.	EVOF3F1703	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 18:53
15	15	RFR073.D	1.	RINSE		20 Jun 2024 19:26
16	16	RFR074.D	1.	24F064-08	25mL	20 Jun 2024 19:59
17	17	RFR075.D	1.	24F064-09	25mL	20 Jun 2024 20:32
18	18	RFR076.D	1.	24F064-05	25mL	20 Jun 2024 21:05
19	19	RFR077.D	1.	24F064-07	25mL	20 Jun 2024 21:38
20	20	RFR078.D	1.	24F064-04	25mL	20 Jun 2024 22:11
21	21	RFR079.D	1.	24F064-10	25mL	20 Jun 2024 22:43
22	22	RFR080.D	1.	24F064-06	25mL	20 Jun 2024 23:16
23		RFR081.D	1.			

SUMMARY PACKAGE
VOLATILE ORGANICS
(SOIL)

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F034

METHOD SW5035A/8260B
VOLATILE ORGANICS BY GC/MS

One(1) soil sample was received on 06/07/24 to be analyzed for Volatile Organics by GC/MS in accordance with Method SW5035A/8260B and project specific requirements.

Holding Time
The sample was analyzed within the prescribed holding time.

Instrument Performance and Calibration
Instrument tune check was performed prior to calibration. Result was within acceptance criteria. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried out at a frequency required by the project. There were two(2) CCVs (Data File IDs: RFP096 and RFP102) associated with this SDG. All calibration requirements were satisfied. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. VS02F05B - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. VS02F05L/VS02F05C were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample
No matrix QC sample was provided on this SDG.

Surrogate
Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis
The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met. The internal standard 1,2-Dichlorobenzene-d4 was outside of QC Limit, and all associated target analytes were not found in 24F034-02.

LAB CHRONICLE
VOLATILE ORGANICS BY GC/MS

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F034
Instrument ID : 02

SOIL

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
LCS1S	VS02F05L	1	NA	06/10/2411:21	06/10/2411:21	RFP097	RAP137	VS02F05	Lab Control Sample (LCS)
LCD1S	VS02F05C	1	NA	06/10/2411:45	06/10/2411:45	RFP098	RAP137	VS02F05	LCS Duplicate
MBLK1S	VS02F05B	1	NA	06/10/2412:34	06/10/2412:34	RFP100	RAP137	VS02F05	Method Blank
IDW-SOIL_JUN24	24F034-02	1	10.5	06/10/2412:58	06/10/2412:58	RFP101	RAP137	VS02F05	Field Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD SW5035A/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/06/24 11:20
Project	: TITAN 1-A	Date Received:	06/07/24
Batch No.	: 24F034	Date Extracted:	06/10/24 12:58
Sample ID	: IDW-SOIL_JUN24	Date Analyzed:	06/10/24 12:58
Lab Samp ID:	24F034-02	Dilution Factor:	1
Lab File ID:	RFP101	Matrix:	SOIL
Ext Btch ID:	VS02F05	% Moisture:	10.5
Calib. Ref.:	RAP137	Instrument ID:	02

PARAMETER(S)	RESULTS (ug/kg)	LOQ (ug/kg)	DL (ug/kg)	LOD (ug/kg)
1,1-Dichloroethene	ND	3.0	0.30	0.59
1,2-Dichloroethane	ND	3.0	0.30	0.59
1,4-Dichlorobenzene	ND	3.0	0.30	0.59
2-Butanone	ND	12	3.0	5.9
Benzene	ND	3.0	0.30	0.59
Carbon Tetrachloride	ND	3.0	0.30	0.59
Chlorobenzene	ND	3.0	0.30	0.59
Chloroform	ND	3.0	0.30	0.59
Tetrachloroethene	ND	3.0	0.30	0.59
Trichloroethene	ND	3.0	0.30	0.59
Vinyl Chloride	ND	3.0	0.59	1.2
Hexachlorobutadiene	ND	3.0	0.59	1.2

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	29.2	29.7	99	71-136
4-Bromofluorobenzene	35.4	29.7	119	79-119
Toluene-d8	32.0	29.7	108	85-116
Dibromofluoromethane	27.0	29.7	91	78-119

Notes:
Sample Amount : 9.417g Final Volume : 5ml
Prepared by : IRagas Analyzed by : IRagas
Detection limits are reported relative to sample result significant figures.

QC SUMMARIES

METHOD SW5035A/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/10/24 12:34
Project	: TITAN 1-A	Date Received:	06/10/24
Batch No.	: 24F034	Date Extracted:	06/10/24 12:34
Sample ID	: MBLK1S	Date Analyzed:	06/10/24 12:34
Lab Samp ID:	VS02F05B	Dilution Factor:	1
Lab File ID:	RFP100	Matrix:	SOIL
Ext Btch ID:	VS02F05	% Moisture:	NA
Calib. Ref.:	RAP137	Instrument ID:	02

PARAMETER(S)	RESULTS (ug/kg)	LOQ (ug/kg)	DL (ug/kg)	LOD (ug/kg)
1,1-Dichloroethene	ND	5.0	0.50	1.0
1,2-Dichloroethane	ND	5.0	0.50	1.0
1,4-Dichlorobenzene	ND	5.0	0.50	1.0
2-Butanone	ND	20	5.0	10
Benzene	ND	5.0	0.50	1.0
Carbon Tetrachloride	ND	5.0	0.50	1.0
Chlorobenzene	ND	5.0	0.50	1.0
Chloroform	ND	5.0	0.50	1.0
Tetrachloroethene	ND	5.0	0.50	1.0
Trichloroethene	ND	5.0	0.50	1.0
Vinyl Chloride	ND	5.0	1.0	2.0
Hexachlorobutadiene	ND	5.0	1.0	2.0

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	49.6	50.0	99	71-136
4-Bromofluorobenzene	42.6	50.0	85	79-119
Toluene-d8	47.2	50.0	94	85-116
Dibromofluoromethane	45.6	50.0	91	78-119

Notes:
Sample Amount : 5g Final Volume : 5ml
Prepared by : IRagas Analyzed by : IRagas
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : SW5035A/8260C

MATRIX	: SOIL		% MOISTURE:NA
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: MBLK1S	LCS1S	LCD1S
LAB SAMPLE ID	: VS02F05B	VS02F05L	VS02F05C
LAB FILE ID	: RFP100	RFP097	RFP098
DATE PREPARED	: 06/10/24 12:34	06/10/24 11:21	06/10/24 11:45
DATE ANALYZED	: 06/10/24 12:34	06/10/24 11:21	06/10/24 11:45
PREP BATCH	: VS02F05	VS02F05	VS02F05
CALIBRATION REF	: RAP137	RAP137	RAP137

ACCESSION:

PARAMETERS	MBResult (ug/kg)	SpikeAmt (ug/kg)	LCSResult (ug/kg)	LCSRec (%)	SpikeAmt (ug/kg)	LCDResult (ug/kg)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	50.0	44.9	90	50.0	44.6	89	1	70-131	20
1,2-Dichloroethane	ND	50.0	50.3	101	50.0	50.3	101	0	73-128	20
1,4-Dichlorobenzene	ND	50.0	48.6	97	50.0	48.2	96	1	75-120	20
2-Butanone	ND	250	244	98	250	229	92	6	51-148	20
Benzene	ND	50.0	48.3	97	50.0	48.3	97	0	77-121	20
Carbon Tetrachloride	ND	50.0	45.0	90	50.0	44.0	88	2	70-135	20
Chlorobenzene	ND	50.0	48.9	98	50.0	49.0	98	0	79-120	20
Chloroform	ND	50.0	49.2	98	50.0	48.8	98	1	78-123	20
Tetrachloroethene	ND	50.0	41.6	83	50.0	41.5	83	0	73-128	20
Trichloroethene	ND	50.0	44.1	88	50.0	44.4	89	1	77-123	20
Vinyl Chloride	ND	50.0	52.3	105	50.0	53.8	108	3	56-135	20
Hexachlorobutadiene	ND	50.0	49.4	99	50.0	47.0	94	5	61-135	20

SURROGATE PARAMETERS	SpikeAmt (ug/kg)	LCSResult (ug/kg)	LCSRec (%)	SpikeAmt (ug/kg)	LCDResult (ug/kg)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	50.0	48.8	98	50.0	48.7	97	71-136
4-Bromofluorobenzene	50.0	43.9	88	50.0	43.2	86	79-119
Toluene-d8	50.0	47.2	94	50.0	47.6	95	85-116
Dibromofluoromethane	50.0	45.9	92	50.0	45.6	91	78-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

INITIAL CALIBRATION(S)

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL
Lab Code : EMAX SDG No : ICAL
Lab File ID: RAP131 BFB Injection Date: 01/31/24
Instrument ID: 02 BFB Injection Time: 13:23

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	16.147
75	30 - 60% of mass 95	42.283
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	5.704
173	Less than 2% of mass 174	0.000(0)1
174	Greater than 50% of mass 95	80.139
175	5 - 9% of mass 174	5.417(6.76)1
176	95 - 101% % of mass 174	78.659(98.15)1
177	5 - 9% % of mass 176	4.668(5.93)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD001	V002A311	RAP132	01/31/24	13:50
2	VSTD002	V002A312	RAP133	01/31/24	14:28
3	VSTD005	V002A313	RAP134	01/31/24	14:53
4	VSTD010	V002A314	RAP135	01/31/24	15:17
5	VSTD020	V002A315	RAP136	01/31/24	15:42
6	VSTD050	V002A316	RAP137	01/31/24	16:06
7	VSTD100	V002A317	RAP138	01/31/24	16:31
8	VSTD200	V002A318	RAP139	01/31/24	16:55
9	VSTD300	V002A319	RAP140	01/31/24	17:20
10	VSTD500	V002A3110	RAP141	01/31/24	17:44
11	VSTD050	IV002A311	RAP144	01/31/24	18:58

3/20/24

INITIAL_CALIBRATION - RELATIVE_RESPONSE_FACTOR

Instrument ID :02
Beginning DateTime :01/31/24 13:50
Spike Units :PPB
IC File :RAP137

Column Spec :RTX502,2 ID :0.25MM
Ending DateTime :01/31/24 17:44
HPChem Method :VO02A31

M	IDX	Parameters	1 13:50 RAP132	2 14:28 RAP133	5 14:53 RAP134	10 15:17 RAP135	20 15:42 RAP136	50 16:06 RAP137	100 16:31 RAP138	200 16:55 RAP139	300 17:20 RAP140	500 17:44 RAP141	Av_RRF	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	1	0	7.6504
	2	Dichlorodifluoromethane	0.213	0.224	0.233	0.266	0.279	0.281	0.276	0.273	0.268	0.265	0.258	9.62	1.7457
	3	Chloromethane	0.327	0.344	0.323	0.377	0.388	0.389	0.372	0.364	0.363	0.349	0.360	6.51	2.0005
	4	Vinyl chloride	------	0.273	0.293	0.335	0.339	0.329	0.303	0.266	------	------	0.305	9.79	2.1123
	5	Bromomethane	0.245	0.211	0.210	0.222	0.229	0.234	0.229	0.226	0.227	0.225	0.226	4.52	2.6051
	6	Chloroethane	------	0.165	0.168	0.202	0.211	0.216	0.213	0.207	0.213	0.205	0.200	9.82	2.6924
	7	Dichlorofluoromethane	0.398	0.405	0.416	0.449	0.468	0.474	0.462	0.446	0.452	0.430	0.440	6.01	2.7333
	8	Trichlorofluoromethane	0.206	0.227	0.236	0.284	0.292	0.299	0.289	0.281	0.281	0.272	0.267	11.95	2.9761
10	9	sec-Propyl Alcohol	------	------	0.021	0.019	0.019	0.020	0.018	0.019	0.018	0.017	0.019	5.59	3.2857
5	10	Acrolein	0.027	0.023	0.023	0.025	0.027	0.030	0.026	0.029	0.026	0.026	0.026	8.53	3.4405
	11	1,1,2-Trichloro-1,2,2-trifluoroethane	------	0.153	0.143	0.171	0.178	0.185	0.185	0.173	0.183	0.166	0.171	8.55	3.4848
5	12	Acetone	------	0.070	0.059	0.060	0.058	0.062	0.053	0.054	0.052	0.050	0.058	10.36	3.5150
	13	1,1-Dichloroethene	0.382	0.391	0.442	0.472	0.507	0.512	0.498	0.482	0.493	0.464	0.464	9.93	3.6798
10	14	tert-Butyl alcohol	------	0.016	0.017	0.020	0.022	0.024	0.023	0.024	0.023	0.023	0.021	14.57	3.7638
10	15	Acetonitrile	------	0.021	0.021	0.024	0.028	0.029	0.026	0.026	0.027	0.025	0.025	10.50	3.8354
	16	Iodomethane	------	0.302	0.339	0.379	0.405	0.416	0.414	0.399	0.413	0.388	0.384	10.16	4.0516
	17	Methyl Acetate	0.218	0.198	0.182	0.184	0.191	0.209	0.194	0.200	0.194	0.189	0.196	5.56	4.0676
	18	Allyl Chloride	------	0.144	0.163	0.176	0.187	0.197	0.195	0.192	0.199	0.190	0.183	10.07	4.1069
	19	Methylene chloride	0.380	0.361	0.359	0.392	0.402	0.411	0.397	0.388	0.394	------	0.387	4.55	4.2581
	20	Carbon disulfide	0.798	0.835	0.952	1.075	1.064	1.117	1.113	1.074	1.049	------	1.009	11.83	4.2663
5	21	Acrylonitrile	------	0.066	0.071	0.081	0.084	0.092	0.085	0.088	0.084	0.080	0.081	10.07	4.4045
	22	tert-Butyl methyl ether (MTBE)	------	0.605	0.664	0.737	0.760	0.803	0.767	0.792	0.769	0.720	0.735	8.72	4.4338
	23	trans-1,2-Dichloroethene	0.267	0.295	0.312	0.333	0.346	0.356	0.347	0.347	0.349	0.334	0.329	8.71	4.6062
	24	Isopropyl ether (DIPE)	0.956	1.051	1.122	1.240	1.276	1.315	1.262	1.229	1.178	------	1.181	9.95	5.0110
	25	1,1-Dichloroethane	0.462	0.503	0.544	0.587	0.598	0.609	0.589	0.585	0.581	0.541	0.560	8.39	5.1477
	26	Vinyl acetate	------	0.395	0.422	0.503	0.534	0.575	0.549	0.558	0.544	0.509	0.510	12.16	5.1542
10	27	2-Butanol	------	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	28	tert-Butyl ethyl ether (ETBE)	------	0.827	0.916	1.007	1.046	1.102	1.057	1.067	1.032	0.929	0.998	8.91	5.5315
5	29	2-Butanone	------	0.016	0.017	0.021	0.023	0.025	0.024	0.025	0.024	0.024	0.022	14.91	5.6941
10	30	Propionitrile	------	0.021	0.023	0.026	0.028	0.030	0.028	0.030	0.028	0.028	0.027	11.20	5.7965
	31	2,2-Dichloropropane	0.199	0.211	0.229	0.235	0.240	0.241	0.229	0.210	0.203	0.180	0.218	9.26	5.8649
	32	cis-1,2-Dichloroethene	0.298	0.308	0.327	0.357	0.366	0.373	0.363	0.367	0.365	0.353	0.348	7.71	5.9322
10	33	Methylacrylonitrile	------	0.027	0.029	0.035	0.035	0.037	0.034	0.036	0.034	------	0.033	10.30	6.0550
20	34	Isobutyl Alcohol	------	0.006	0.007	0.008	0.009	0.011	0.011	0.011	0.010	0.010	0.009	20.66	6.0892
	35	Chloroform	0.438	0.454	0.481	0.513	0.518	0.537	0.516	0.522	0.513	0.482	0.497	6.48	6.1430
	36	Bromochloromethane	------	0.142	0.159	0.176	0.185	0.195	0.186	0.193	0.191	0.187	0.179	9.87	6.3624
	37	Tetrahydrofuran	------	0.059	0.054	0.056	0.060	0.067	0.062	0.068	0.065	0.065	0.062	8.10	6.4014
	38	Dibromofluoromethane	------	0.203	0.233	0.263	0.264	0.276	0.273	0.269	0.269	0.261	0.257	9.28	6.4275
	39	1,1,1-Trichloroethane	0.261	0.271	0.299	0.326	0.334	0.348	0.340	0.329	0.333	0.314	0.315	9.34	6.6713
	40	Cyclohexane	------	0.375	0.390	0.447	0.453	0.484	0.478	0.469	0.481	0.462	0.449	8.87	6.6860
	41	1,1-Dichloropropene	------	0.118	0.126	0.137	0.142	0.153	0.150	0.156	0.155	0.153	0.143	9.68	6.8860
	42	Carbon tetrachloride	------	0.223	0.240	0.264	0.275	0.290	0.285	0.285	0.287	0.273	0.269	8.62	7.0178
	43	tert-Amyl methyl ether (TAME)	------	------	0.131	0.154	0.165	0.179	0.175	0.183	0.183	0.182	0.169	10.95	7.0502
	44	1,2-Dichloroethane-d4	------	0.187	0.202	0.230	0.235	0.245	0.240	0.237	0.235	0.228	0.227	8.52	7.1088
	45	1,2-Dichloroethane	0.229	0.251	0.269	0.294	0.304	0.316	0.302	0.306	0.299	0.286	0.286	9.66	7.2377
	46	Benzene	1.079	1.165	1.225	1.335	1.362	1.414	1.365	1.306	1.187	------	1.271	8.81	7.2535
	47	Trichloroethene	0.241	0.272	0.280	0.303	0.319	0.333	0.324	0.326	0.324	0.312	0.303	9.84	8.1172
	48	Methylcyclohexane	0.422	0.488	0.500	0.553	0.562	0.605	0.581	0.570	0.567	0.533	0.538	10.06	8.1919
	49	1,2-Dichloropropane	0.240	0.262	0.279	0.308	0.325	0.340	0.332	0.333	0.332	0.320	0.307	11.29	8.3705
	50	Methyl Methacrylate	------	------	0.130	0.152	0.168	0.188	0.179	0.192	0.186	0.185	0.173	12.40	8.4717
	51	Bromodichloromethane	0.298	0.302	0.309	0.354	0.359	0.383	0.371	0.375	0.370	0.354	0.347	9.23	8.7115
20	52	1,4-Dioxane	------	------	0.001	0.001	0.002	0.002	0.002	0.002	0.002	0.001	0.002	14.14	8.7516
	53	Dibromomethane	------	0.121	0.131	0.144	0.151	0.163	0.157	0.163	0.162	0.158	0.150	10.15	8.7919
	54	2-Chloroethyl vinyl ether	------	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
5	55	4-Methyl-2-pentanone	0.207	0.195	0.204	0.243	0.254	0.283	0.260	0.255	0.223	------	0.236	12.81	9.2326
	56	cis-1,3-Dichloropropene	------	0.401	0.426	0.485	0.507	0.537	0.525	0.532	0.513	0.476	0.489	9.73	9.5383
	57	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	1	0	12.3323
	58	Toluene-d8	0.971	1.239	1.210	1.341	1.322	1.351	1.297	1.275	1.207	------	1.246	9.31	9.9025
	59	Toluene	1.302	1.475	1.571	1.689	1.658	1.737	1.647	1.612	1.468	------	1.573	8.67	10.0213
	60	Ethyl methacrylate	------	------	0.303	0.381	0.407	0.455	0.436	0.476	0.463	0.455	0.422	13.62	10.3267
	61	trans-1,3-Dichloropropene	------	0.372	0.423	0.478	0.495	0.542	0.518	0.554	0.540	0.524	0.494	12.32	10.3189
	62	1,1,2-Trichloroethane	0.210	0.233	0.236	0.275	0.283	0.299	0.280	0.298	0.294	0.295	0.270	11.88	10.5628
5	63	2-Hexanone	------	0.149	0.161	0.191	0.202	0.232	0.215	0.226	0.207	0.182	0.196	14.47	10.5937
	64	1,3-Dichloropropane	------	0.420	0.445	0.502	0.520	0.542	0.509	0.538	0.527	0.514	0.502	8.33	10.9710
	65	Tetrachloroethene	0.248	0.292	0.277	0.310	0.303	0.327	0.312	0.328	0.327	0.329	0.305	8.75	11.0473
	66	Dibromochloromethane	0.224	0.226	0.248	0.286	0.296	0.320	0.310	0.330	0.324	0.324	0.289	14.40	11.3707
	67	1,2-Dibromoethane	------	------	0.219	0.247	0.256	0.275	0.262	0.279	0.271	0.272	0.260	7.54	11.6970
	68	1-Chlorohexane	0.449	0.514	0.503	0.586	0.573	0.627	0.609	0.632	0.612	0.590	0.570	10.70	11.9971
	69	Chlorobenzene	0.731	0.829	0.875	0.947	0.962	0.996	0.962	0.969	0.924	0.838	0.903	9.21	12.3923
	70	1,1,1,2-Tetrachloroethane	------	0.245	0.269	0.302	0.311	0.335	0.326	0.339	0.331	0.329	0.310	10.50	12.4719
	71	Ethylbenzene	1.465	1.582	1.568	1.746	1.760	1.867	1.784	1.707	1.497	------	1.664	8.41	12.4947
2	72	m-Xylene & p-Xylene	1.113	1.213	1.207	1.312	1.303	1.395	1.299	1.131	------	------	1.247	7.81	12.6264
	73	o-Xylene	1.038	1.105	1.126	1.268	1.264	1.338	1.289	1.236	1.167	1.001	1.183	9.58	13.3582
	74	Styrene	0.736	0.765	0.838	0.963	0.999	1.073	1.047	1.049	0.993	0.886	0.935	13.00	13.4241
	75	Isopropylbenzene	1.249	1.318	1.351	1.520	1.498	1.624	1.553	1.497	1.353	------	1.440	8.73	13.9875
	76	Cis-1,4-Dichloro-2-Butene	------	0.050	0.058	0.069	0.081	0.092	0.088	0.095	0.091	0.091	0.080	20.77	14.0916
	77	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	1	0	17.1635
	78	Bromoform	------	------	0.371	0.413	0.439	0.491	0.491	0.531	0.518	0.548	0.475	13.01	13.9746
	79	1,1,2,2-Tetrachloroethane	0.707	0.791	0.844	0.924	0.950	1.006	0.958	1.025	0.977	1.006	0.919	11.45	14.2949
	80	4-Bromofluorobenzene	0.972	1.265	1.142	1.242	1.260	1.303	1.303	1.312	1.295	1.310	1.240	8.65	14.4134
	81	1,2,3-Trichloropropane	0.178	0.187	0.195	0.212	0.220	0.233	0.229	0.245	0.234	0.242	0.218	10.90	14.5481
	82	trans-1,4-Dichloro-2-butene	------	------	0.151	0.187	0.201	0.231	0.227	0.255	0.238	0.243	0.217	15.94	14.6899
	83	n-Propylbenzene	4.580	5.425	5.197	5.805	5.554	6.017	5.815	5.401	4.754	------	5.394	8.97	14.6900
	84	Bromobenzene	------	0.903	0.932	1.036	1.044	1.102	1.089	1.144	1.122	1.150	1.058	8.42	14.7323
	85	1,3,5-Trimethylbenzene	2.812	3.301	3.185	3.584	3.468	3.766	3.657	3.566	3.287	3.016	3.364	8.95	14.9711
	86	2-Chlorotoluene	2.933	3.353	3.404	3.661	3.433	3.694	3.588	3.704	3.414	3.129	3.431	7.32	14.9740
	87	4-Chlorotoluene	2.415	2.853	2.772	3.066	3.128	3.364	3.299	3.198	3.024	2.812	2.993	9.54	15.0633
	88	tert-Butylbenzene	------	0.601	0.583	0.691	0.689	0.747	0.731	0.732	0.711	0.732	0.691	8.62	15.5974
	89	1,2,4-Trimethylbenzene	2.669	3.025	3.043	3.339	3.313	3.583	3.505	3.411	3.191	2.950	3.203	8.81	15.6589
	90	sec-Butylbenzene	3.519	4.122	4.086	4.536	4.413	4.785	4.625	4.416	4.013	------	4.279	9.01	15.9779
	91	p-Isopropyltoluene	2.683	3.116	2.949	3.388	3.398	3.731	3.561	3.451	3.211	2.990	3.248	9.79	16.2341
	92	1,3-Dichlorobenzene	1.454	1.656	1.638	1.834	1.831	1.949	1.895	1.901	1.850	1.834	1.784	8.59	16.3585
	93	1,2,3-Trimethylbenzene	2.559	2.787	2.887	3.195	3.186	3.421	3.272	3.190	3.041	2.844	3.038	8.67	16.5049
	94	1,4-Dichlorobenzene	1.433	1.643	1.631	1.813	1.778	1.941	1.886	1.874	1.843	1.822	1.766	8.70	16.5590
	95	n-Butylbenzene	2.414	2.807	2.655	3.091	3.095	3.494	3.381	3.291	3.107	2.863	3.020	11.13	16.9732
	96	1,2-Dichlorobenzene	1.270	1.474	1.471	1.610	1.583	1.679	1.618	1.606	1.589	1.583	1.548	7.52	17.2074
	97	1,2-Dibromo-3-chloropropane	------	------	0.081	0.089	0.104	0.113	0.113	------	------	------	0.100	14.39	18.5096
	98	1,2,4-Trichlorobenzene	0.630	0.743	0.668	0.789	0.794	0.885	0.854	0.856	0.877	0.898	0.799	11.68	19.5534
	99	Hexachlorobutadiene	------	0.379	0.343	0.382	0.383	0.418	0.412	0.419	0.382	0.438	0.395	7.32	19.7100
	100	Naphthalene	1.218	1.274	1.289	1.498	1.543	1.753	1.668	1.753	1.735	1.670	1.540	13.71	19.8125
	101	1,2,3-Trichlorobenzene	0.543	0.618	0.608	0.682	0.692	0.755	0.716	0.749	0.741	0.777	0.688	11.05	20.0598

Spike Amount = Nominal Amount * M
Ave_%RSD : 10.1 Max_%RSD : 20.8

Use Least Square Linear Regression with weighting factor of inverse concentration for comps with %_RSD > 15
Resp_Ratio = x0 + x1 * Amt_Ratio

IDX	Parameter	x0	x1	CCF
34	Isobutyl Alcohol	-0.00475	0.01040	0.9984
76	Cis-1,4-Dichloro-2-Butene	-0.00250	0.09187	0.9996
82	trans-1,4-Dichloro-2-butene	-0.01123	0.24395	0.9995

Sm
2/7/24

Compound List Report 02

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
Total Cpnds : 101

PK#		Compound Name	QIon	Exp_RT	Rel_RT	Cal	#Qual	A/H	ID
1	I	1,4-DIFLUOROBENZENE	114	7.65	1.000	A	1	A	B
2	T	Dichlorodifluoromethane	85	1.75	0.229	A	1	A	B
3	T	Chloromethane	50	2.01	0.262	A	1	A	B
4	T	Vinyl chloride	62	2.11	0.276	A	1	A	B
5	T	Bromomethane	94	2.61	0.341	A	1	A	B
6	T	Chloroethane	64	2.70	0.353	A	1	A	B
7	T	Dichlorofluoromethane	67	2.73	0.357	A	1	A	B
8	T	Trichlorofluoromethane	101	2.97	0.388	A	1	A	B
9	T	sec-Propyl Alcohol	45	3.29	0.430	A	1	A	B
10	T	Acrolein	56	3.44	0.449	A	1	A	B
11	T	1,1,2-Trichloro-1,2,2-trifluor	151	3.48	0.455	A	1	A	B
12	T	Acetone	43	3.51	0.459	A	1	A	B
13	T	1,1-Dichloroethene	61	3.68	0.481	A	2	A	B
14	T	tert-Butyl alcohol	59	3.76	0.491	A	1	A	B
15	T	Acetonitrile	41	3.83	0.501	A	1	A	B
16	T	Iodomethane	142	4.05	0.529	A	1	A	B
17	T	Methyl Acetate	43	4.06	0.531	A	1	A	B
18	T	Allyl Chloride	76	4.11	0.537	A	1	A	B
19	T	Methylene chloride	49	4.25	0.556	A	2	A	B
20	T	Carbon disulfide	76	4.27	0.558	A	1	A	B
21	T	Acrylonitrile	53	4.40	0.575	A	2	A	B
22	T	tert-Butyl methyl ether (MTBE)	73	4.43	0.579	A	1	A	B
23	T	trans-1,2-Dichloroethene	96	4.60	0.602	A	1	A	B
24	T	Isopropyl ether (DIPE)	45	5.00	0.654	A	1	A	B
25	T	1,1-Dichloroethane	63	5.15	0.673	A	2	A	B
26	T	Vinyl acetate	43	5.15	0.673	A	1	A	B
27	T	2-Butanol	45	5.42	0.709	A	1	A	B
28	T	tert-Butyl ethyl ether (ETBE)	59	5.53	0.723	A	1	A	B
29	T	2-Butanone	72	5.69	0.744	A	1	A	B
30	T	Propionitrile	54	5.79	0.757	A	1	A	B
31	T	2,2-Dichloropropane	77	5.86	0.767	A	2	A	B
32	T	cis-1,2-Dichloroethene	96	5.94	0.776	A	2	A	B
33	T	Methylacrynonitrile	52	6.05	0.791	A	1	A	B
34	T	Isobutyl Alcohol	43	6.08	0.795	L	1	A	B
35	T	Chloroform	83	6.14	0.803	A	2	A	B
36	T	Bromochloromethane	130	6.36	0.832	A	1	A	B
37	T	Tetrahydrofuran	42	6.41	0.837	A	2	A	B
38	S	Dibromofluoromethane	111	6.42	0.839	A	1	A	B
39	T	1,1,1-Trichloroethane	97	6.67	0.872	A	2	A	B
40	T	Cyclohexane	84	6.68	0.874	A	1	A	B
41	T	1,1-Dichloropropene	110	6.89	0.900	A	1	A	B
42	T	Carbon tetrachloride	119	7.00	0.916	A	1	A	B
43	T	tert-Amyl methyl ether (TAME)	87	7.05	0.922	A	1	A	B
44	S	1,2-Dichloroethane-d4	65	7.11	0.929	A	1	A	B
45	T	1,2-Dichloroethane	62	7.24	0.946	A	1	A	B
46	T	Benzene	78	7.25	0.948	A	2	A	B
47	T	Trichloroethene	130	8.12	1.061	A	3	A	B
48	T	Methylcyclohexane	83	8.19	1.071	A	2	A	B
49	T	1,2-Dichloropropane	63	8.37	1.094	A	1	A	B
50	T	Methyl Methacrylate	69	8.47	1.107	A	1	A	B
51	T	Bromodichloromethane	83	8.70	1.138	A	1	A	B
52	T	1,4-Dioxane	88	8.75	1.143	A	1	A	B
53	T	Dibromomethane	93	8.79	1.149	A	2	A	B

54	T	2-Chloroethyl vinyl ether	63	9.21	1.205	A	1	A	B
55	T	4-Methyl-2-pentanone	43	9.23	1.207	A	3	A	B
56	T	cis-1,3-Dichloropropene	75	9.54	1.247	A	2	A	B
57	I	CHLOROBENZENE-D5	117	12.33	1.000	A	2	A	B
58	S	Toluene-d8	98	9.90	0.803	A	1	A	B
59	T	Toluene	91	10.02	0.812	A	1	A	B
60	T	Ethyl methacrylate	69	10.33	0.837	A	1	A	B
61	T	trans-1,3-Dichloropropene	75	10.31	0.836	A	1	A	B
62	T	1,1,2-Trichloroethane	97	10.56	0.856	A	2	A	B
63	T	2-Hexanone	43	10.59	0.859	A	1	A	B
64	T	1,3-Dichloropropane	76	10.97	0.890	A	1	A	B
65	T	Tetrachloroethene	164	11.04	0.896	A	3	A	B
66	T	Dibromochloromethane	129	11.37	0.922	A	1	A	B
67	T	1,2-Dibromoethane	107	11.69	0.948	A	1	A	B
68	T	1-Chlorohexane	91	12.00	0.973	A	1	A	B
69	T	Chlorobenzene	112	12.39	1.005	A	1	A	B
70	T	1,1,1,2-Tetrachloroethane	131	12.46	1.011	A	1	A	B
71	T	Ethylbenzene	91	12.49	1.013	A	1	A	B
72	T	m-Xylene & p-Xylene	91	12.63	1.024	A	1	A	B
73	T	o-Xylene	91	13.36	1.083	A	1	A	B
74	T	Styrene	104	13.42	1.088	A	2	A	B
75	T	Isopropylbenzene	105	13.99	1.134	A	3	A	B
76	T	Cis-1,4-Dichloro-2-Butene	53	14.09	1.142	L	2	A	B
77	I	1,2-DICHLOROBENZENE-D4	152	17.16	1.000	A	1	A	B
78	T	Bromoform	173	13.97	0.814	A	2	A	B
79	T	1,1,2,2-Tetrachloroethane	83	14.29	0.833	A	1	A	B
80	S	4-Bromofluorobenzene	95	14.41	0.840	A	2	A	B
81	T	1,2,3-Trichloropropane	110	14.54	0.847	A	1	A	B
82	T	trans-1,4-Dichloro-2-butene	53	14.69	0.856	L	1	A	B
83	T	n-Propylbenzene	91	14.69	0.856	A	2	A	B
84	T	Bromobenzene	156	14.73	0.858	A	1	A	B
85	T	1,3,5-Trimethylbenzene	105	14.97	0.872	A	2	A	B
86	T	2-Chlorotoluene	91	14.97	0.872	A	1	A	B
87	T	4-Chlorotoluene	91	15.05	0.877	A	1	A	B
88	T	tert-Butylbenzene	134	15.60	0.909	A	1	A	B
89	T	1,2,4-Trimethylbenzene	105	15.65	0.912	A	1	A	B
90	T	sec-Butylbenzene	105	15.98	0.931	A	1	A	B
91	T	p-Isopropyltoluene	119	16.23	0.945	A	2	A	B
92	T	1,3-Dichlorobenzene	146	16.36	0.953	A	2	A	B
93	T	1,2,3-Trimethylbenzene	105	16.50	0.962	A	2	A	B
94	T	1,4-Dichlorobenzene	146	16.55	0.964	A	2	A	B
95	T	n-Butylbenzene	91	16.97	0.989	A	2	A	B
96	T	1,2-Dichlorobenzene	146	17.21	1.003	A	1	A	B
97	T	1,2-Dibromo-3-chloropropane	157	18.51	1.078	A	1	A	B
98	T	1,2,4-Trichlorobenzene	180	19.55	1.139	A	2	A	B
99	T	Hexachlorobutadiene	225	19.71	1.148	A	2	A	B
100	T	Naphthalene	128	19.81	1.154	A	1	A	B
101	T	1,2,3-Trichlorobenzene	180	20.06	1.169	A	2	A	B

Cal A = Average L = Linear LO = Linear w/origin Q = Quad QO = Quad w/origin
#Qual = number of qualifiers
A/H = Area or Height
ID R = R.T. B = R.T. & Q Q = Qvalue L = Largest A = All

VO02A31.M Fri Feb 02 12:59:00 2024

Sn 2/7/24

SECOND SOURCE VERIFICATION

CONTINUE_CALIBRATION - CALIBRATION VERIFICATION

Instrument ID :02
IC_Beginning DateTime :01/31/24 13:50
Spike Amount :50 PPB
CC/CV File :RAP144
IC File :RAP137

Column Spec :RTX502.2 ID :0.25MM
IC_Ending DateTime :01/31/24 17:44
HPChem Method :V002A31
Date_Time :01/31/24 18:58

M	IDX	Parameters	CC_Con	CC%_D	CC_Resp	CCRRF	AvRRF	CC_Rtm	AvRtm	%_RSD	Co_X0	Co_X1	Co_X2	Co_Cor
	1	1,4-DIFLUOROBENZENE	50.000	0	2730552	1	1	7.650	7.650	0				
	2	Dichlorodifluoromethane	55.400	10.8	779924	0.286	0.258	1.750	1.746	9.62				
	3	Chloromethane	54.642	9.3	1073455	0.393	0.360	2.006	2.000	6.51				
	4	Vinyl chloride	56.207	12.4	937686	0.343	0.305	2.112	2.112	9.79				
	5	Bromomethane	53.453	6.9	659246	0.241	0.226	2.609	2.605	4.52				
	6	Chloroethane	54.212	8.4	591858	0.217	0.200	2.700	2.692	9.82				
	7	Dichlorofluoromethane	54.112	8.2	1299860	0.476	0.440	2.730	2.733	6.01				
	8	Trichlorofluoromethane	55.919	11.8	814305	0.298	0.267	2.971	2.976	11.95				
10	9	sec-Propyl Alcohol	520.147	4.0	541619	0.020	0.019	3.288	3.286	5.59				
5	10	Acrolein	272.250	8.9	389640	0.029	0.026	3.439	3.441	8.53				
	11	1,1,2-Trichloro-1,2,2-trifluoroethane	51.119	2.2	477039	0.175	0.171	3.484	3.485	8.55				
5	12	Acetone	247.710	-0.9	780218	0.057	0.058	3.514	3.515	10.36				
	13	1,1-Dichloroethene	54.778	9.6	1389254	0.509	0.464	3.684	3.680	9.93				
10	14	tert-Butyl alcohol	539.294	7.9	626368	0.023	0.021	3.757	3.764	14.57				
10	15	Acetonitrile	554.367	10.9	766891	0.028	0.025	3.830	3.835	10.50				
	16	Iodomethane	52.241	4.5	1094554	0.401	0.384	4.050	4.052	10.16				
	17	Methyl Acetate	49.982	-0.0	534732	0.196	0.196	4.065	4.068	5.56				
	18	Allyl Chloride	52.272	4.5	521139	0.191	0.183	4.109	4.107	10.07				
	19	Methylene chloride	51.680	3.4	1092475	0.400	0.387	4.255	4.258	4.55				
	20	Carbon disulfide	56.381	12.8	3105264	1.137	1.009	4.269	4.266	11.83				
5	21	Acrylonitrile	262.338	4.9	1165171	0.085	0.081	4.401	4.405	10.07				
	22	tert-Butyl methyl ether (MTBE)	53.262	6.5	2138981	0.783	0.735	4.431	4.434	8.72				
	23	trans-1,2-Dichloroethene	53.292	6.6	956254	0.350	0.329	4.606	4.606	8.71				
	24	Isopropyl ether (DIPE)	54.783	9.6	3533288	1.294	1.181	5.001	5.011	9.95				
	25	1,1-Dichloroethane	53.893	7.8	1647948	0.604	0.560	5.148	5.148	8.39				
	26	Vinyl acetate	55.870	11.7	1555384	0.570	0.510	5.162	5.154	12.16				
10	27	2-Butanol												
	28	tert-Butyl ethyl ether (ETBE)	54.301	8.6	2959604	1.084	0.998	5.528	5.531	8.91				
5	29	2-Butanone	263.785	5.5	318654	0.023	0.022	5.689	5.694	14.91				
10	30	Propionitrile	537.935	7.6	790314	0.029	0.027	5.792	5.797	11.20				
	31	2,2-Dichloropropane	56.703	13.4	674218	0.247	0.218	5.865	5.865	9.26				
	32	cis-1,2-Dichloroethene	53.132	6.3	1009112	0.370	0.348	5.938	5.932	7.71				
10	33	Methylacrynonitrile	533.267	6.7	973335	0.036	0.033	6.055	6.055	10.30				
20	34	Isobutyl Alcohol	1010.435	1.0	560949	0.010	0.009	6.084	6.089	20.66	-0.0047	0.0104		0.9984
	35	Chloroform	52.853	5.7	1435812	0.526	0.497	6.143	6.143	6.48				
	36	Bromochloromethane	52.433	4.9	513444	0.188	0.179	6.362	6.362	9.87				
	37	Tetrahydrofuran	51.189	2.4	172566	0.063	0.062	6.406	6.401	8.10				
	38	Dibromofluoromethane	51.111	2.2	716183	0.262	0.257	6.436	6.427	9.28				
	39	1,1,1-Trichloroethane	55.689	11.4	959413	0.351	0.315	6.670	6.671	9.34				
	40	Cyclohexane	52.551	5.1	1287629	0.472	0.449	6.684	6.686	8.87				
	41	1,1-Dichloropropene	54.288	8.6	425058	0.156	0.143	6.889	6.886	9.68				
	42	Carbon tetrachloride	53.090	6.2	779696	0.286	0.269	7.021	7.018	8.62				
	43	tert-Amyl methyl ether (TAME)	51.817	3.6	478156	0.175	0.169	7.050	7.050	10.95				
	44	1,2-Dichloroethane-d4	50.706	1.4	627604	0.230	0.227	7.109	7.109	8.52				
	45	1,2-Dichloroethane	53.736	7.5	837908	0.307	0.286	7.240	7.238	9.66				
	46	Benzene	54.834	9.7	3805749	1.394	1.271	7.255	7.253	8.81				
	47	Trichloroethene	54.449	8.9	902154	0.330	0.303	8.119	8.117	9.84				
	48	Methylcyclohexane	55.686	11.4	1636502	0.599	0.538	8.192	8.192	10.06				
	49	1,2-Dichloropropane	54.212	8.4	909164	0.333	0.307	8.367	8.370	11.29				
	50	Methyl Methacrylate	52.246	4.5	492441	0.180	0.173	8.470	8.472	12.40				
	51	Bromodichloromethane	54.048	8.1	1025558	0.376	0.347	8.719	8.712	9.23				
20	52	1,4-Dioxane	1143.759	14.4	97331	0.002	0.002	8.748	8.752	14.14				
	53	Dibromomethane	53.131	6.3	435406	0.159	0.150	8.792	8.792	10.15				
	54	2-Chloroethyl vinyl ether												
5	55	4-Methyl-2-pentanone	279.534	11.8	3602239	0.264	0.236	9.231	9.233	12.81				
	56	cis-1,3-Dichloropropene	54.172	8.3	1446413	0.530	0.489	9.538	9.538	9.73				
	57	CHLOROBENZENE-D5	50.000	0	2153710	1	1	12.334	12.332	0				
	58	Toluene-d8	54.100	8.2	2903769	1.348	1.246	9.904	9.903	9.31				
	59	Toluene	54.385	8.8	3685243	1.711	1.573	10.021	10.021	8.67				
	60	Ethyl methacrylate	52.874	5.7	961106	0.446	0.422	10.329	10.327	13.62				
	61	trans-1,3-Dichloropropene	53.285	6.6	1134056	0.527	0.494	10.314	10.319	12.32				
	62	1,1,2-Trichloroethane	53.009	6.0	617190	0.287	0.270	10.563	10.563	11.88				
5	63	2-Hexanone	271.904	8.8	2296063	0.213	0.196	10.592	10.594	14.47				
	64	1,3-Dichloropropane	52.344	4.7	1131334	0.525	0.502	10.973	10.971	8.33				
	65	Tetrachloroethene	53.527	7.1	703950	0.327	0.305	11.046	11.047	8.75				
	66	Dibromochloromethane	53.864	7.7	669961	0.311	0.289	11.368	11.371	14.40				
	67	1,2-Dibromoethane	50.602	1.2	567381	0.263	0.260	11.704	11.697	7.54				
	68	1-Chlorohexane	55.852	11.7	1370407	0.636	0.570	11.997	11.997	10.70				
	69	Chlorobenzene	54.897	9.8	2135818	0.992	0.903	12.392	12.392	9.21				
	70	1,1,1,2-Tetrachloroethane	52.657	5.3	702085	0.326	0.310	12.480	12.472	10.50				
	71	Ethylbenzene	55.513	11.0	3979031	1.848	1.664	12.495	12.495	8.41				
2	72	m-Xylene & p-Xylene	111.355	11.4	5979636	1.388	1.247	12.626	12.626	7.81				
	73	o-Xylene	56.059	12.1	2856791	1.326	1.183	13.358	13.358	9.58				
	74	Styrene	56.642	13.3	2281053	1.059	0.935	13.417	13.424	13.00				
	75	Isopropylbenzene	56.216	12.4	3487609	1.619	1.440	13.988	13.988	8.73				
	76	Cis-1,4-Dichloro-2-Butene	48.276	-3.4	185675	0.086	0.080	14.090	14.092	20.77	-0.0025	0.0919		0.9996
	77	1,2-DICHLOROBENZENE-D4	50.000	0	683560	1	1	17.163	17.163	0				
	78	Bromoform	52.245	4.5	339438	0.497	0.475	13.973	13.975	13.01				
	79	1,1,2,2-Tetrachloroethane	54.768	9.5	687938	1.006	0.919	14.295	14.295	11.45				
	80	4-Bromofluorobenzene	54.601	9.2	925858	1.354	1.240	14.412	14.413	8.65				
	81	1,2,3-Trichloropropane	53.264	6.5	158448	0.232	0.218	14.544	14.548	10.90				
	82	trans-1,4-Dichloro-2-butene	49.163	-1.7	156290	0.229	0.217	14.690	14.690	15.94	-0.0112	0.2439		0.9995
	83	n-Propylbenzene	58.218	16.4	4293434	6.281	5.394	14.690	14.690	8.97				
	84	Bromobenzene	52.457	4.9	758610	1.110	1.058	14.734	14.732	8.42				
	85	1,3,5-Trimethylbenzene	57.518	15.0	2645378	3.870	3.364	14.968	14.971	8.95				
	86	2-Chlorotoluene	56.245	12.5	2638426	3.860	3.431	14.968	14.974	7.32				
	87	4-Chlorotoluene	55.363	10.7	2265343	3.314	2.993	15.056	15.063	9.54				
	88	tert-Butylbenzene	55.265	10.5	521950	0.764	0.691	15.597	15.597	8.62				
	89	1,2,4-Trimethylbenzene	57.111	14.2	2500664	3.658	3.203	15.656	15.659	8.81				
	90	sec-Butylbenzene	57.894	15.8	3387077	4.955	4.279	15.978	15.978	9.01				
	91	p-Isopropyltoluene	58.407	16.8	2593409	3.794	3.248	16.241	16.234	9.79				
	92	1,3-Dlchlorobenzene	55.135	10.3	1344816	1.967	1.784	16.358	16.358	8.59				
	93	1,2,3-Trimethylbenzene	56.596	13.2	2350683	3.439	3.038	16.505	16.505	8.67				
	94	1,4-Dichlorobenzene	54.250	8.5	1310057	1.917	1.766	16.563	16.559	8.70				
	95	n-Butylbenzene	59.431	18.9	2453595	3.589	3.020	16.973	16.973	11.13				
	96	1,2-Dichlorobenzene	53.450	6.9	1131320	1.655	1.548	17.207	17.207	7.52				
	97	1,2-Dibromo-3-chloropropane	56.739	13.5	77578	0.113	0.100	18.510	18.510	14.39				
	98	1,2,4-Trichlorobenzene	55.548	11.1	607130	0.888	0.799	19.549	19.553	11.68				
	99	Hexachlorobutadiene	53.527	7.1	289146	0.423	0.395	19.710	19.710	7.32				
	100	Naphthalene	55.607	11.2	1170702	1.713	1.540	19.812	19.813	13.71				
	101	1,2,3-Trichlorobenzene	54.744	9.5	515122	0.754	0.688	20.061	20.060	11.05				

Spike Amount = Nominal Amount * M

SW 2/7/24

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP144.D Vial: 14
Acq On : 31 Jan 2024 18:58 Operator: IRagas
Sample : IVO02A311 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	50.000	50.000	0.0	95	0.00
2	T,M	Dichlorodifluoromethane	50.000	55.401	-10.8	97	0.00
3	P,T,M	Chloromethane	50.000	54.643	-9.3	96	0.00
4	C,T,M	Vinyl chloride	50.000	56.208	-12.4	100	0.00
5	T,M	Bromomethane	50.000	53.453	-6.9	99	0.00
6	T,M	Chloroethane	50.000	54.212	-8.4	96	0.00
7	T,M	Dichlorofluoromethane	50.000	54.112	-8.2	96	0.00
8	T,M	Trichlorofluoromethane	50.000	55.919	-11.8	95	0.00
9	T,M	sec-Propyl Alcohol	500.000	520.148	-4.0	96	0.00
10	T,M	Acrolein	250.000	272.250	-8.9	90	0.00
11	T,M	1,1,2-Trichloro-1,2,2-trifl	50.000	51.119	-2.2	90	0.00
12	T,M	Acetone	250.000	247.711	0.9	88	0.00
13	C,T,M	1,1-Dichloroethene	50.000	54.779	-9.6	95	0.00
14	T,M	tert-Butyl alcohol	500.000	539.295	-7.9	91	0.00
15	T,M	Acetonitrile	500.000	554.367	-10.9	93	0.00
16	T,M	Iodomethane	50.000	52.241	-4.5	92	0.00
17	T,M	Methyl Acetate	50.000	49.982	0.0	89	0.00
18	T,M	Allyl Chloride	50.000	52.272	-4.5	93	0.00
19	T,M	Methylene chloride	50.000	51.680	-3.4	93	0.00
20	T,M	Carbon disulfide	50.000	56.381	-12.8	97	0.00
21	T,M	Acrylonitrile	250.000	262.339	-4.9	89	0.00
22	T,M	tert-Butyl methyl ether (MT	50.000	53.262	-6.5	93	0.00
23	T,M	trans-1,2-Dichloroethene	50.000	53.293	-6.6	94	0.00
24	T,M	Isopropyl ether (DIPE)	50.000	54.783	-9.6	94	0.00
25	P,T,M	1,1-Dichloroethane	50.000	53.894	-7.8	95	0.00
26	T,M	Vinyl acetate	50.000	55.870	-11.7	95	0.02
27	T,M	2-Butanol	500.000	0.000	100.0#	0	0.00
28	T,M	tert-Butyl ethyl ether (ETB	50.000	54.301	-8.6	94	0.00
29	T,M	2-Butanone	250.000	263.786	-5.5	88	0.00
30	T,M	Propionitrile	500.000	537.936	-7.6	92	0.00
31	T,M	2,2-Dichloropropane	50.000	56.703	-13.4	98	0.00
32	T,M	cis-1,2-Dichloroethene	50.000	53.132	-6.3	94	0.00
33	T,M	Methylacrynonitrile	500.000	533.267	-6.7	92	0.00
34	T,M	Isobutyl Alcohol	1000.000	1010.435	-1.0	92	0.00
35	C,T,M	Chloroform	50.000	52.854	-5.7	93	0.00
36	T,M	Bromochloromethane	50.000	52.433	-4.9	92	0.00
37	T,M	Tetrahydrofuran	50.000	51.189	-2.4	90	0.00
38	S	Dibromofluoromethane	50.000	51.112	-2.2	91	0.02
39	T,M	1,1,1-Trichloroethane	50.000	55.690	-11.4	96	0.00
40	T,M	Cyclohexane	50.000	52.551	-5.1	93	0.00
41	T,M	1,1-Dichloropropene	50.000	54.288	-8.6	97	0.00

(#) = Out of Range

SH 2/7/24

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP144.D Vial: 14
Acq On : 31 Jan 2024 18:58 Operator: IRagas
Sample : IVO02A311 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
42	T,M	Carbon tetrachloride	50.000	53.090	-6.2	94	0.02
43	T,M	tert-Amyl methyl ether (TAM	50.000	51.817	-3.6	93	0.00
44	S	1,2-Dichloroethane-d4	50.000	50.707	-1.4	90	0.00
45	T,M	1,2-Dichloroethane	50.000	53.736	-7.5	93	0.00
46	T,M	Benzene	50.000	54.835	-9.7	94	0.00
47	T,M	Trichloroethene	50.000	54.449	-8.9	95	0.00
48	T,M	Methylcyclohexane	50.000	55.686	-11.4	95	0.00
49	C,T,M	1,2-Dichloropropane	50.000	54.213	-8.4	93	0.00
50	T,M	Methyl Methacrylate	50.000	52.246	-4.5	92	0.00
51	T,M	Bromodichloromethane	50.000	54.048	-8.1	94	0.02
52	T,M	1,4-Dioxane	1000.000	1143.760	-14.4	93	0.00
53	T,M	Dibromomethane	50.000	53.132	-6.3	93	0.00
54	T,M	2-Chloroethyl vinyl ether	50.000	0.000	100.0#	0	0.02
55	T,M	4-Methyl-2-pentanone	250.000	279.534	-11.8	89	0.00
56	T,M	cis-1,3-Dichloropropene	50.000	54.172	-8.3	94	0.00
57	I	CHLOROBENZENE-D5	50.000	50.000	0.0	96	0.00
58	S	Toluene-d8	50.000	54.100	-8.2	95	0.00
59	C,T,M	Toluene	50.000	54.385	-8.8	94	0.00
60	T,M	Ethyl methacrylate	50.000	52.875	-5.8	94	0.00
61	T,M	trans-1,3-Dichloropropene	50.000	53.285	-6.6	93	0.00
62	T,M	1,1,2-Trichloroethane	50.000	53.010	-6.0	92	0.00
63	T,M	2-Hexanone	250.000	271.905	-8.8	88	0.00
64	T,M	1,3-Dichloropropane	50.000	52.344	-4.7	93	0.00
65	T,M	Tetrachloroethene	50.000	53.528	-7.1	96	0.00
66	T,M	Dibromochloromethane	50.000	53.865	-7.7	93	0.00
67	T,M	1,2-Dibromoethane	50.000	50.603	-1.2	92	0.02
68	T,M	1-Chlorohexane	50.000	55.852	-11.7	97	0.00
69	P,T,M	Chlorobenzene	50.000	54.897	-9.8	95	0.00
70	T,M	1,1,1,2-Tetrachloroethane	50.000	52.658	-5.3	93	0.02
71	C,T,M	Ethylbenzene	50.000	55.514	-11.0	95	0.00
72	T,M	m-Xylene & p-Xylene	100.000	111.355	-11.4	95	0.00
73	T,M	o-Xylene	50.000	56.060	-12.1	95	0.00
74	T,M	Styrene	50.000	56.643	-13.3	94	0.00
75	T,M	Isopropylbenzene	50.000	56.216	-12.4	95	0.00
76	T,M	Cis-1,4-Dichloro-2-Butene	50.000	48.276	3.4	90	0.00
77	I	1,2-DICHLOROBENZENE-D4	50.000	50.000	0.0	92	0.00
78	P,T,M	Bromoform	50.000	52.246	-4.5	93	0.00
79	P,T,M	1,1,2,2-Tetrachloroethane	50.000	54.768	-9.5	92	0.00
80	S	4-Bromofluorobenzene	50.000	54.601	-9.2	95	0.00

(#) = Out of Range

2/7/24

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP144.D Vial: 14
Acq On : 31 Jan 2024 18:58 Operator: IRagas
Sample : IVO02A311 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
81	T,M	1,2,3-Trichloropropane	50.000	53.264	-6.5	91	0.00
82	T,M	trans-1,4-Dichloro-2-butene	50.000	49.163	1.7	91	0.00
83	T,M	n-Propylbenzene	50.000	58.218	-16.4	96	0.00
84	T,M	Bromobenzene	50.000	52.457	-4.9	92	0.00
85	T,M	1,3,5-Trimethylbenzene	50.000	57.519	-15.0	94	0.00
86	T,M	2-Chlorotoluene	50.000	56.245	-12.5	96	0.00
87	T,M	4-Chlorotoluene	50.000	55.363	-10.7	90	0.00
88	T,M	tert-Butylbenzene	50.000	55.266	-10.5	94	0.00
89	T,M	1,2,4-Trimethylbenzene	50.000	57.112	-14.2	94	0.00
90	T,M	sec-Butylbenzene	50.000	57.894	-15.8	95	0.00
91	T,M	p-Isopropyltoluene	50.000	58.408	-16.8	93	0.02
92	T,M	1,3-Dichlorobenzene	50.000	55.135	-10.3	93	0.00
93	T,M	1,2,3-Trimethylbenzene	50.000	56.597	-13.2	92	0.00
94	T,M	1,4-Dichlorobenzene	50.000	54.250	-8.5	91	0.02
95	T,M	n-Butylbenzene	50.000	59.432	-18.9	94	0.00
96	T,M	1,2-Dichlorobenzene	50.000	53.450	-6.9	91	0.00
97	T,M	1,2-Dibromo-3-chloropropane	50.000	56.740	-13.5	92	0.00
98	T,M	1,2,4-Trichlorobenzene	50.000	55.548	-11.1	92	0.00
99	T,M	Hexachlorobutadiene	50.000	53.527	-7.1	93	0.00
100	T,M	Naphthalene	50.000	55.607	-11.2	90	0.00
101	T,M	1,2,3-Trichlorobenzene	50.000	54.744	-9.5	92	0.00

SA 2/7/24

(#) = Out of Range SPCC's out = 0 CCC's out = 0

DAILY CALIBRATIONS

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc.
Project : TITAN 1-A
Lab Code : EMAX
SDG No : 24F034
Lab File ID: RFP095
BFB Injection Date: 06/10/24
Instrument ID: 02
BFB Injection Time: 10:06

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	15.168
75	30 - 60% of mass 95	41.552
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	5.408
173	Less than 2% of mass 174	0.000(0)1
174	Greater than 50% of mass 95	76.737
175	5 - 9% of mass 174	5.023(6.55)1
176	95 - 101% % of mass 174	73.454(95.72)1
177	5 - 9% % of mass 176	4.202(5.72)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD50	CV002A3130	RFP096	06/10/24	10:30
2	LCS1S	VS02F05L	RFP097	06/10/24	11:21
3	LCD1S	VS02F05C	RFP098	06/10/24	11:45
4	MBLK1S	VS02F05B	RFP100	06/10/24	12:34
5	IDW-SOIL_JUN24	24F034-02	RFP101	06/10/24	12:58
6	VSTD50	EV002A3130	RFP102	06/10/24	13:24

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: RAP137
Instrument ID: 02

Project: TITAN 1-A
SDG No: 24F034
Date Analyzed: 01/31/24
Time Analyzed: 16:06

INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
	Area #	RT #	Area #	RT #	Area #	RT #
12 HOUR STD	2861301	7.65	2252084	12.33	744411	17.16
UPPER LIMIT	5722602	7.82	4504168	12.50	1488822	17.33
LOWER LIMIT	1430651	7.48	1126042	12.16	372206	16.99
	Area #	RT #	Area #	RT #	Area #	RT #
1 VSTD50	3650747	7.68	2887396	12.36	985478	17.19
2 LCS1S	3949127	7.68	3106518	12.34	1062865	17.17
3 LCD1S	3752826	7.66	2960214	12.34	1008836	17.17
4 MBLK1S	3345925	7.66	2606901	12.33	862652	17.16
5 IDW-SOIL_JUN24	2969702	7.65	1959472	12.33	363450*	17.16
6 VSTD50	3561805	7.65	2848269	12.33	986855	17.16

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	50.000	50.000	0.0	128	0.03
2	T,M	Dichlorodifluoromethane	50.000	46.789	6.4	110	0.00
3	P,T,M	Chloromethane	50.000	55.878	-11.8	132	0.00
4	C,T,M	Vinyl chloride	50.000	53.069	-6.1	126	0.00
5	T,M	Bromomethane	50.000	51.919	-3.8	128	0.02
6	T,M	Chloroethane	50.000	54.825	-9.7	130	0.02
7	T,M	Dichlorofluoromethane	50.000	51.620	-3.2	122	0.04
8	T,M	Trichlorofluoromethane	50.000	52.098	-4.2	118	0.02
9	T,M	sec-Propyl Alcohol	500.000	508.065	-1.6	126	0.02
10	T,M	Acrolein	250.000	279.957	-12.0	124	0.02
11	T,M	1,1,2-Trichloro-1,2,2-trifl	50.000	48.367	3.3	114	0.04
12	T,M	Acetone	250.000	272.730	-9.1	130	0.02
13	C,T,M	1,1-Dichloroethene	50.000	45.806	8.4	106	0.03
14	T,M	tert-Butyl alcohol	500.000	581.847	-16.4	132	0.03
15	T,M	Acetonitrile	500.000	561.977	-12.4	126	0.03
16	T,M	Iodomethane	50.000	40.719	18.6	96	0.03
17	T,M	Methyl Acetate	50.000	60.168	-20.3#	144	0.03
18	T,M	Allyl Chloride	50.000	47.359	5.3	112	0.03
19	T,M	Methylene chloride	50.000	48.172	3.7	116	0.02
20	T,M	Carbon disulfide	50.000	50.327	-0.7	116	0.02
21	T,M	Acrylonitrile	250.000	278.780	-11.5	126	0.03
22	T,M	tert-Butyl methyl ether (MT	50.000	54.327	-8.7	127	0.03
23	T,M	trans-1,2-Dichloroethene	50.000	44.506	11.0	105	0.03
24	T,M	Isopropyl ether (DIPE)	50.000	54.502	-9.0	125	0.03
25	P,T,M	1,1-Dichloroethane	50.000	51.365	-2.7	120	0.03
26	T,M	Vinyl acetate	50.000	54.461	-8.9	123	0.03
27	T,M	2-Butanol	500.000	0.000	100.0#	0	0.03
28	T,M	tert-Butyl ethyl ether (ETB	50.000	55.264	-10.5	128	0.03
29	T,M	2-Butanone	250.000	271.708	-8.7	121	0.03
30	T,M	Propionitrile	500.000	565.087	-13.0	129	0.03
31	T,M	2,2-Dichloropropane	50.000	58.389	-16.8	135	0.03
32	T,M	cis-1,2-Dichloroethene	50.000	48.217	3.6	115	0.01
33	T,M	Methylacrynonitrile	500.000	570.191	-14.0	131	0.03
34	T,M	Isobutyl Alcohol	1000.000	1081.643	-8.2	131	0.03
35	C,T,M	Chloroform	50.000	51.049	-2.1	121	0.03
36	T,M	Bromochloromethane	50.000	45.768	8.5	108	0.03
37	T,M	Tetrahydrofuran	50.000	50.761	-1.5	119	0.01
38	S	Dibromofluoromethane	50.000	46.153	7.7	110	0.03
39	T,M	1,1,1-Trichloroethane	50.000	51.345	-2.7	119	0.03
40	T,M	Cyclohexane	50.000	54.033	-8.1	128	0.03
41	T,M	1,1-Dichloropropene	50.000	43.675	12.7	104	0.03

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CV002A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\V002A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
42	T,M	Carbon tetrachloride	50.000	46.801	6.4	111	0.04
43	T,M	tert-Amyl methyl ether (TAM	50.000	51.106	-2.2	123	0.03
44	S	1,2-Dichloroethane-d4	50.000	49.744	0.5	118	0.03
45	T,M	1,2-Dichloroethane	50.000	52.846	-5.7	122	0.03
46	T,M	Benzene	50.000	49.764	0.5	114	0.03
47	T,M	Trichloroethene	50.000	45.089	9.8	105	0.03
48	T,M	Methylcyclohexane	50.000	55.248	-10.5	125	0.03
49	C,T,M	1,2-Dichloropropane	50.000	52.391	-4.8	121	0.03
50	T,M	Methyl Methacrylate	50.000	53.034	-6.1	124	0.03
51	T,M	Bromodichloromethane	50.000	52.253	-4.5	121	0.03
52	T,M	1,4-Dioxane	1000.000	1049.904	-5.0	114	0.03
53	T,M	Dibromomethane	50.000	49.384	1.2	116	0.03
54	T,M	2-Chloroethyl vinyl ether	50.000	0.000	100.0#	0	0.06
55	T,M	4-Methyl-2-pentanone	250.000	298.213	-19.3	127	0.03
56	T,M	cis-1,3-Dichloropropene	50.000	51.567	-3.1	120	0.03
57	I	CHLOROBENZENE-D5	50.000	50.000	0.0	128	0.03
58	S	Toluene-d8	50.000	47.264	5.5	112	0.03
59	C,T,M	Toluene	50.000	49.995	0.0	116	0.03
60	T,M	Ethyl methacrylate	50.000	54.181	-8.4	129	0.01
61	T,M	trans-1,3-Dichloropropene	50.000	52.498	-5.0	123	0.03
62	T,M	1,1,2-Trichloroethane	50.000	52.741	-5.5	122	0.03
63	T,M	2-Hexanone	250.000	300.418	-20.2#	130	0.03
64	T,M	1,3-Dichloropropane	50.000	52.300	-4.6	124	0.03
65	T,M	Tetrachloroethene	50.000	42.716	14.6	102	0.03
66	T,M	Dibromochloromethane	50.000	50.908	-1.8	118	0.03
67	T,M	1,2-Dibromoethane	50.000	48.237	3.5	117	0.03
68	T,M	1-Chlorohexane	50.000	49.309	1.4	115	0.03
69	P,T,M	Chlorobenzene	50.000	50.945	-1.9	118	0.03
70	T,M	1,1,1,2-Tetrachloroethane	50.000	49.324	1.4	117	0.03
71	C,T,M	Ethylbenzene	50.000	51.889	-3.8	119	0.03
72	T,M	m-Xylene & p-Xylene	100.000	102.743	-2.7	118	0.01
73	T,M	o-Xylene	50.000	53.668	-7.3	122	0.03
74	T,M	Styrene	50.000	54.237	-8.5	121	0.03
75	T,M	Isopropylbenzene	50.000	53.525	-7.0	122	0.03
76	T,M	Cis-1,4-Dichloro-2-Butene	50.000	50.622	-1.2	126	0.03
77	I	1,2-DICHLOROBENZENE-D4	50.000	50.000	0.0	132	0.02
78	P,T,M	Bromoform	50.000	46.716	6.6	120	0.03
79	P,T,M	1,1,2,2-Tetrachloroethane	50.000	53.514	-7.0	129	0.03
80	S	4-Bromofluorobenzene	50.000	43.635	12.7	110	0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
81	T,M	1,2,3-Trichloropropane	50.000	51.739	-3.5	128	0.02
82	T,M	trans-1,4-Dichloro-2-butene	50.000	51.746	-3.5	138	0.03
83	T,M	n-Propylbenzene	50.000	51.396	-2.8	122	0.03
84	T,M	Bromobenzene	50.000	46.552	6.9	118	0.01
85	T,M	1,3,5-Trimethylbenzene	50.000	50.364	-0.7	119	0.02
86	T,M	2-Chlorotoluene	50.000	49.900	0.2	123	0.02
87	T,M	4-Chlorotoluene	50.000	52.655	-5.3	124	0.02
88	T,M	tert-Butylbenzene	50.000	48.823	2.4	120	0.02
89	T,M	1,2,4-Trimethylbenzene	50.000	51.644	-3.3	122	0.02
90	T,M	sec-Butylbenzene	50.000	52.425	-4.8	124	0.03
91	T,M	p-Isopropyltoluene	50.000	52.798	-5.6	122	0.02
92	T,M	1,3-Dichlorobenzene	50.000	49.313	1.4	120	0.02
93	T,M	1,2,3-Trimethylbenzene	50.000	52.202	-4.4	123	0.02
94	T,M	1,4-Dichlorobenzene	50.000	49.222	1.6	119	0.02
95	T,M	n-Butylbenzene	50.000	54.255	-8.5	124	0.02
96	T,M	1,2-Dichlorobenzene	50.000	49.718	0.6	121	0.02
97	T,M	1,2-Dibromo-3-chloropropane	50.000	56.548	-13.1	132	0.02
98	T,M	1,2,4-Trichlorobenzene	50.000	53.657	-7.3	128	0.02
99	T,M	Hexachlorobutadiene	50.000	48.637	2.7	122	0.00
100	T,M	Naphthalene	50.000	60.928	-21.9#	142	0.00
101	T,M	1,2,3-Trichlorobenzene	50.000	53.035	-6.1	128	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0
RFP096.D VO02A31.M Mon Jun 10 13:48:38 2024 Page 3

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	128	0.03
2	T,M	Dichlorodifluoromethane	0.258	0.241	6.6	110	0.00
3	P,T,M	Chloromethane	0.360	0.402	-11.7	132	0.00
4	C,T,M	Vinyl chloride	0.305	0.324	-6.2	126	0.00
5	T,M	Bromomethane	0.226	0.235	-4.0	128	0.02
6	T,M	Chloroethane	0.200	0.219	-9.5	130	0.02
7	T,M	Dichlorofluoromethane	0.440	0.454	-3.2	122	0.04
8	T,M	Trichlorofluoromethane	0.267	0.278	-4.1	118	0.02
9	T,M	sec-Propyl Alcohol	0.019	0.019	0.0	126	0.02
10	T,M	Acrolein	0.026	0.029	-11.5	124	0.02
11	T,M	1,1,2-Trichloro-1,2,2-trifl	0.171	0.165	3.5	114	0.04
12	T,M	Acetone	0.058	0.063	-8.6	130	0.02
13	C,T,M	1,1-Dichloroethene	0.464	0.425	8.4	106	0.03
14	T,M	tert-Butyl alcohol	0.021	0.025	-19.0	132	0.03
15	T,M	Acetonitrile	0.025	0.028	-12.0	126	0.03
16	T,M	Iodomethane	0.384	0.312	18.8	96	0.03
17	T,M	Methyl Acetate	0.196	0.236	-20.4#	144	0.03
18	T,M	Allyl Chloride	0.183	0.173	5.5	112	0.03
19	T,M	Methylene chloride	0.387	0.373	3.6	116	0.02
20	T,M	Carbon disulfide	1.009	1.015	-0.6	116	0.02
21	T,M	Acrylonitrile	0.081	0.091	-12.3	126	0.03
22	T,M	tert-Butyl methyl ether (MT	0.735	0.799	-8.7	127	0.03
23	T,M	trans-1,2-Dichloroethene	0.329	0.292	11.2	105	0.03
24	T,M	Isopropyl ether (DIPE)	1.181	1.287	-9.0	125	0.03
25	P,T,M	1,1-Dichloroethane	0.560	0.575	-2.7	120	0.03
26	T,M	Vinyl acetate	0.510	0.555	-8.8	123	0.03
27	T,M	2-Butanol	0.000	0.023	0.0	0#	0.03
28	T,M	tert-Butyl ethyl ether (ETB	0.998	1.103	-10.5	128	0.03
29	T,M	2-Butanone	0.022	0.024	-9.1	121	0.03
30	T,M	Propionitrile	0.027	0.030	-11.1	129	0.03
31	T,M	2,2-Dichloropropane	0.218	0.254	-16.5	135	0.03
32	T,M	cis-1,2-Dichloroethene	0.348	0.335	3.7	115	0.01
33	T,M	Methylacrynonitrile	0.033	0.038	-15.2	131	0.03
34	T,M	Isobutyl Alcohol	0.009	0.011	-22.2#	131	0.03
35	C,T,M	Chloroform	0.497	0.508	-2.2	121	0.03
36	T,M	Bromochloromethane	0.179	0.164	8.4	108	0.03
37	T,M	Tetrahydrofuran	0.062	0.063	-1.6	119	0.01
38	S	Dibromofluoromethane	0.257	0.237	7.8	110	0.03
39	T,M	1,1,1-Trichloroethane	0.315	0.324	-2.9	119	0.03
40	T,M	Cyclohexane	0.449	0.485	-8.0	128	0.03
41	T,M	1,1-Dichloropropene	0.143	0.125	12.6	104	0.03

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
42	T,M	Carbon tetrachloride	0.269	0.252	6.3	111	0.04
43	T,M	tert-Amyl methyl ether (TAM	0.169	0.173	-2.4	123	0.03
44	S	1,2-Dichloroethane-d4	0.227	0.225	0.9	118	0.03
45	T,M	1,2-Dichloroethane	0.286	0.302	-5.6	122	0.03
46	T,M	Benzene	1.271	1.265	0.5	114	0.03
47	T,M	Trichloroethene	0.303	0.274	9.6	105	0.03
48	T,M	Methylcyclohexane	0.538	0.595	-10.6	125	0.03
49	C,T,M	1,2-Dichloropropane	0.307	0.322	-4.9	121	0.03
50	T,M	Methyl Methacrylate	0.173	0.183	-5.8	124	0.03
51	T,M	Bromodichloromethane	0.347	0.363	-4.6	121	0.03
52	T,M	1,4-Dioxane	0.002	0.002	0.0	114	0.03
53	T,M	Dibromomethane	0.150	0.148	1.3	116	0.03
54	T,M	2-Chloroethyl vinyl ether	0.000	0.001	0.0	0#	0.06
55	T,M	4-Methyl-2-pentanone	0.236	0.281	-19.1	127	0.03
56	T,M	cis-1,3-Dichloropropene	0.489	0.504	-3.1	120	0.03
57	I	CHLOROBENZENE-D5	1.000	1.000	0.0	128	0.03
58	S	Toluene-d8	1.246	1.178	5.5	112	0.03
59	C,T,M	Toluene	1.573	1.573	0.0	116	0.03
60	T,M	Ethyl methacrylate	0.422	0.457	-8.3	129	0.01
61	T,M	trans-1,3-Dichloropropene	0.494	0.519	-5.1	123	0.03
62	T,M	1,1,2-Trichloroethane	0.270	0.285	-5.6	122	0.03
63	T,M	2-Hexanone	0.196	0.236	-20.4#	130	0.03
64	T,M	1,3-Dichloropropane	0.502	0.525	-4.6	124	0.03
65	T,M	Tetrachloroethene	0.305	0.261	14.4	102	0.03
66	T,M	Dibromochloromethane	0.289	0.294	-1.7	118	0.03
67	T,M	1,2-Dibromoethane	0.260	0.251	3.5	117	0.03
68	T,M	1-Chlorohexane	0.570	0.562	1.4	115	0.03
69	P,T,M	Chlorobenzene	0.903	0.920	-1.9	118	0.03
70	T,M	1,1,1,2-Tetrachloroethane	0.310	0.305	1.6	117	0.03
71	C,T,M	Ethylbenzene	1.664	1.727	-3.8	119	0.03
72	T,M	m-Xylene & p-Xylene	1.247	1.281	-2.7	118	0.01
73	T,M	o-Xylene	1.183	1.270	-7.4	122	0.03
74	T,M	Styrene	0.935	1.014	-8.4	121	0.03
75	T,M	Isopropylbenzene	1.440	1.542	-7.1	122	0.03
76	T,M	Cis-1,4-Dichloro-2-Butene	0.080	0.091	-13.7	126	0.03
77	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	132	0.02
78	P,T,M	Bromoform	0.475	0.444	6.5	120	0.03
79	P,T,M	1,1,2,2-Tetrachloroethane	0.919	0.983	-7.0	129	0.03
80	S	4-Bromofluorobenzene	1.240	1.082	12.7	110	0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	T,M	1,2,3-Trichloropropane	0.218	0.225	-3.2	128	0.02
82	T,M	trans-1,4-Dichloro-2-butene	0.217	0.241	-11.1	138	0.03
83	T,M	n-Propylbenzene	5.394	5.545	-2.8	122	0.03
84	T,M	Bromobenzene	1.058	0.985	6.9	118	0.01
85	T,M	1,3,5-Trimethylbenzene	3.364	3.389	-0.7	119	0.02
86	T,M	2-Chlorotoluene	3.431	3.424	0.2	123	0.02
87	T,M	4-Chlorotoluene	2.993	3.152	-5.3	124	0.02
88	T,M	tert-Butylbenzene	0.691	0.675	2.3	120	0.02
89	T,M	1,2,4-Trimethylbenzene	3.203	3.308	-3.3	122	0.02
90	T,M	sec-Butylbenzene	4.279	4.487	-4.9	124	0.03
91	T,M	p-Isopropyltoluene	3.248	3.430	-5.6	122	0.02
92	T,M	1,3-Dichlorobenzene	1.784	1.760	1.3	120	0.02
93	T,M	1,2,3-Trimethylbenzene	3.038	3.172	-4.4	123	0.02
94	T,M	1,4-Dichlorobenzene	1.766	1.739	1.5	119	0.02
95	T,M	n-Butylbenzene	3.020	3.277	-8.5	124	0.02
96	T,M	1,2-Dichlorobenzene	1.548	1.539	0.6	121	0.02
97	T,M	1,2-Dibromo-3-chloropropane	0.100	0.113	-13.0	132	0.02
98	T,M	1,2,4-Trichlorobenzene	0.799	0.858	-7.4	128	0.02
99	T,M	Hexachlorobutadiene	0.395	0.384	2.8	122	0.00
100	T,M	Naphthalene	1.540	1.877	-21.9#	142	0.00
101	T,M	1,2,3-Trichlorobenzene	0.688	0.730	-6.1	128	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	50.000	50.000	0.0	124	0.00
2	T,M	Dichlorodifluoromethane	50.000	48.301	3.4	110	0.00
3	P,T,M	Chloromethane	50.000	55.063	-10.1	127	0.00
4	C,T,M	Vinyl chloride	50.000	57.037	-14.1	132	0.00
5	T,M	Bromomethane	50.000	50.742	-1.5	122	0.00
6	T,M	Chloroethane	50.000	51.446	-2.9	119	0.00
7	T,M	Dichlorofluoromethane	50.000	49.439	1.1	114	0.00
8	T,M	Trichlorofluoromethane	50.000	54.396	-8.8	121	0.00
9	T,M	sec-Propyl Alcohol	500.000	516.684	-3.3	125	0.00
10	T,M	Acrolein	250.000	268.559	-7.4	116	0.00
11	T,M	1,1,2-Trichloro-1,2,2-trifl	50.000	49.833	0.3	114	0.00
12	T,M	Acetone	250.000	252.941	-1.2	118	0.00
13	C,T,M	1,1-Dichloroethene	50.000	45.990	8.0	104	0.00
14	T,M	tert-Butyl alcohol	500.000	540.646	-8.1	119	0.00
15	T,M	Acetonitrile	500.000	478.757	4.2	105	0.00
16	T,M	Iodomethane	50.000	40.960	18.1	94	0.02
17	T,M	Methyl Acetate	50.000	57.083	-14.2	133	0.00
18	T,M	Allyl Chloride	50.000	45.311	9.4	105	0.00
19	T,M	Methylene chloride	50.000	46.477	7.0	109	-0.01
20	T,M	Carbon disulfide	50.000	50.069	-0.1	113	0.00
21	T,M	Acrylonitrile	250.000	264.828	-5.9	117	0.00
22	T,M	tert-Butyl methyl ether (MT	50.000	51.801	-3.6	118	0.00
23	T,M	trans-1,2-Dichloroethene	50.000	43.855	12.3	101	0.00
24	T,M	Isopropyl ether (DIPE)	50.000	52.841	-5.7	118	0.00
25	P,T,M	1,1-Dichloroethane	50.000	50.870	-1.7	116	0.00
26	T,M	Vinyl acetate	50.000	53.963	-7.9	119	0.00
27	T,M	2-Butanol	500.000	0.000	100.0#	0	0.00
28	T,M	tert-Butyl ethyl ether (ETB	50.000	52.902	-5.8	119	0.00
29	T,M	2-Butanone	250.000	260.945	-4.4	113	0.00
30	T,M	Propionitrile	500.000	541.600	-8.3	121	0.00
31	T,M	2,2-Dichloropropane	50.000	55.078	-10.2	124	0.00
32	T,M	cis-1,2-Dichloroethene	50.000	47.596	4.8	110	0.00
33	T,M	Methylacrynonitrile	500.000	546.665	-9.3	122	0.00
34	T,M	Isobutyl Alcohol	1000.000	1038.630	-3.9	123	0.00
35	C,T,M	Chloroform	50.000	50.023	-0.0	115	0.00
36	T,M	Bromochloromethane	50.000	45.232	9.5	104	0.00
37	T,M	Tetrahydrofuran	50.000	49.616	0.8	113	0.00
38	S	Dibromofluoromethane	50.000	45.287	9.4	105	0.00
39	T,M	1,1,1-Trichloroethane	50.000	50.315	-0.6	114	0.00
40	T,M	Cyclohexane	50.000	52.710	-5.4	122	0.00
41	T,M	1,1-Dichloropropene	50.000	43.208	13.6	101	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
42	T,M	Carbon tetrachloride	50.000	46.127	7.7	107	0.00
43	T,M	tert-Amyl methyl ether (TAM	50.000	48.975	2.0	115	0.00
44	S	1,2-Dichloroethane-d4	50.000	48.838	2.3	113	0.00
45	T,M	1,2-Dichloroethane	50.000	51.381	-2.8	116	-0.02
46	T,M	Benzene	50.000	49.245	1.5	110	0.00
47	T,M	Trichloroethene	50.000	46.045	7.9	105	-0.02
48	T,M	Methylcyclohexane	50.000	54.532	-9.1	121	0.00
49	C,T,M	1,2-Dichloropropane	50.000	51.136	-2.3	115	0.00
50	T,M	Methyl Methacrylate	50.000	51.843	-3.7	119	0.00
51	T,M	Bromodichloromethane	50.000	50.561	-1.1	114	0.00
52	T,M	1,4-Dioxane	1000.000	916.117	8.4	97	0.00
53	T,M	Dibromomethane	50.000	48.109	3.8	110	0.00
54	T,M	2-Chloroethyl vinyl ether	50.000	0.000	100.0#	0	0.01
55	T,M	4-Methyl-2-pentanone	250.000	280.492	-12.2	116	0.00
56	T,M	cis-1,3-Dichloropropene	50.000	50.473	-0.9	114	0.00
57	I	CHLOROBENZENE-D5	50.000	50.000	0.0	126	0.00
58	S	Toluene-d8	50.000	47.007	6.0	110	0.00
59	C,T,M	Toluene	50.000	48.721	2.6	112	0.00
60	T,M	Ethyl methacrylate	50.000	51.991	-4.0	122	-0.02
61	T,M	trans-1,3-Dichloropropene	50.000	50.063	-0.1	116	0.00
62	T,M	1,1,2-Trichloroethane	50.000	51.179	-2.4	117	0.00
63	T,M	2-Hexanone	250.000	276.684	-10.7	118	0.00
64	T,M	1,3-Dichloropropane	50.000	50.281	-0.6	118	0.00
65	T,M	Tetrachloroethene	50.000	43.017	14.0	102	0.00
66	T,M	Dibromochloromethane	50.000	48.175	3.7	110	0.00
67	T,M	1,2-Dibromoethane	50.000	47.024	6.0	113	0.00
68	T,M	1-Chlorohexane	50.000	48.985	2.0	112	0.00
69	P,T,M	Chlorobenzene	50.000	49.408	1.2	113	0.00
70	T,M	1,1,1,2-Tetrachloroethane	50.000	48.191	3.6	113	0.00
71	C,T,M	Ethylbenzene	50.000	50.631	-1.3	114	0.00
72	T,M	m-Xylene & p-Xylene	100.000	101.195	-1.2	114	0.00
73	T,M	o-Xylene	50.000	52.600	-5.2	118	0.00
74	T,M	Styrene	50.000	53.160	-6.3	117	0.00
75	T,M	Isopropylbenzene	50.000	53.321	-6.6	120	0.00
76	T,M	Cis-1,4-Dichloro-2-Butene	50.000	47.046	5.9	115	0.00
77	I	1,2-DICHLOROBENZENE-D4	50.000	50.000	0.0	133	0.00
78	P,T,M	Bromoform	50.000	44.313	11.4	114	0.00
79	P,T,M	1,1,2,2-Tetrachloroethane	50.000	52.003	-4.0	126	0.00
80	S	4-Bromofluorobenzene	50.000	42.709	14.6	108	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
81	T,M	1,2,3-Trichloropropane	50.000	48.540	2.9	120	0.00
82	T,M	trans-1,4-Dichloro-2-butene	50.000	48.335	3.3	129	0.00
83	T,M	n-Propylbenzene	50.000	50.704	-1.4	121	0.00
84	T,M	Bromobenzene	50.000	45.371	9.3	115	0.00
85	T,M	1,3,5-Trimethylbenzene	50.000	49.841	0.3	118	0.00
86	T,M	2-Chlorotoluene	50.000	48.432	3.1	119	0.00
87	T,M	4-Chlorotoluene	50.000	51.372	-2.7	121	0.00
88	T,M	tert-Butylbenzene	50.000	47.360	5.3	116	0.00
89	T,M	1,2,4-Trimethylbenzene	50.000	50.864	-1.7	121	0.00
90	T,M	sec-Butylbenzene	50.000	51.739	-3.5	123	0.00
91	T,M	p-Isopropyltoluene	50.000	52.405	-4.8	121	0.00
92	T,M	1,3-Dichlorobenzene	50.000	48.736	2.5	118	0.00
93	T,M	1,2,3-Trimethylbenzene	50.000	50.869	-1.7	120	0.00
94	T,M	1,4-Dichlorobenzene	50.000	49.026	1.9	118	0.00
95	T,M	n-Butylbenzene	50.000	54.772	-9.5	125	0.00
96	T,M	1,2-Dichlorobenzene	50.000	48.849	2.3	119	0.00
97	T,M	1,2-Dibromo-3-chloropropane	50.000	52.720	-5.4	123	0.00
98	T,M	1,2,4-Trichlorobenzene	50.000	53.281	-6.6	128	0.00
99	T,M	Hexachlorobutadiene	50.000	50.346	-0.7	126	0.00
100	T,M	Naphthalene	50.000	58.397	-16.8	136	0.00
101	T,M	1,2,3-Trichlorobenzene	50.000	53.605	-7.2	130	0.00

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	124	0.00
2	T,M	Dichlorodifluoromethane	0.258	0.249	3.5	110	0.00
3	P,T,M	Chloromethane	0.360	0.396	-10.0	127	0.00
4	C,T,M	Vinyl chloride	0.305	0.348	-14.1	132	0.00
5	T,M	Bromomethane	0.226	0.229	-1.3	122	0.00
6	T,M	Chloroethane	0.200	0.206	-3.0	119	0.00
7	T,M	Dichlorofluoromethane	0.440	0.435	1.1	114	0.00
8	T,M	Trichlorofluoromethane	0.267	0.290	-8.6	121	0.00
9	T,M	sec-Propyl Alcohol	0.019	0.020	-5.3	125	0.00
10	T,M	Acrolein	0.026	0.028	-7.7	116	0.00
11	T,M	1,1,2-Trichloro-1,2,2-trifl	0.171	0.170	0.6	114	0.00
12	T,M	Acetone	0.058	0.058	0.0	118	0.00
13	C,T,M	1,1-Dichloroethene	0.464	0.427	8.0	104	0.00
14	T,M	tert-Butyl alcohol	0.021	0.023	-9.5	119	0.00
15	T,M	Acetonitrile	0.025	0.024	4.0	105	0.00
16	T,M	Iodomethane	0.384	0.314	18.2	94	0.02
17	T,M	Methyl Acetate	0.196	0.224	-14.3	133	0.00
18	T,M	Allyl Chloride	0.183	0.165	9.8	105	0.00
19	T,M	Methylene chloride	0.387	0.360	7.0	109	-0.01
20	T,M	Carbon disulfide	1.009	1.010	-0.1	113	0.00
21	T,M	Acrylonitrile	0.081	0.086	-6.2	117	0.00
22	T,M	tert-Butyl methyl ether (MT	0.735	0.762	-3.7	118	0.00
23	T,M	trans-1,2-Dichloroethene	0.329	0.288	12.5	101	0.00
24	T,M	Isopropyl ether (DIPE)	1.181	1.248	-5.7	118	0.00
25	P,T,M	1,1-Dichloroethane	0.560	0.570	-1.8	116	0.00
26	T,M	Vinyl acetate	0.510	0.550	-7.8	119	0.00
27	T,M	2-Butanol	0.000	0.021	0.0	0#	0.00
28	T,M	tert-Butyl ethyl ether (ETB	0.998	1.056	-5.8	119	0.00
29	T,M	2-Butanone	0.022	0.023	-4.5	113	0.00
30	T,M	Propionitrile	0.027	0.029	-7.4	121	0.00
31	T,M	2,2-Dichloropropane	0.218	0.240	-10.1	124	0.00
32	T,M	cis-1,2-Dichloroethene	0.348	0.331	4.9	110	0.00
33	T,M	Methylacrynonitrile	0.033	0.037	-12.1	122	0.00
34	T,M	Isobutyl Alcohol	0.009	0.011	-22.2#	123	0.00
35	C,T,M	Chloroform	0.497	0.498	-0.2	115	0.00
36	T,M	Bromochloromethane	0.179	0.162	9.5	104	0.00
37	T,M	Tetrahydrofuran	0.062	0.061	1.6	113	0.00
38	S	Dibromofluoromethane	0.257	0.232	9.7	105	0.00
39	T,M	1,1,1-Trichloroethane	0.315	0.317	-0.6	114	0.00
40	T,M	Cyclohexane	0.449	0.473	-5.3	122	0.00
41	T,M	1,1-Dichloropropene	0.143	0.124	13.3	101	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
42	T,M	Carbon tetrachloride	0.269	0.248	7.8	107	0.00
43	T,M	tert-Amyl methyl ether (TAM	0.169	0.166	1.8	115	0.00
44	S	1,2-Dichloroethane-d4	0.227	0.221	2.6	113	0.00
45	T,M	1,2-Dichloroethane	0.286	0.293	-2.4	116	-0.02
46	T,M	Benzene	1.271	1.252	1.5	110	0.00
47	T,M	Trichloroethene	0.303	0.279	7.9	105	-0.02
48	T,M	Methylcyclohexane	0.538	0.587	-9.1	121	0.00
49	C,T,M	1,2-Dichloropropane	0.307	0.314	-2.3	115	0.00
50	T,M	Methyl Methacrylate	0.173	0.179	-3.5	119	0.00
51	T,M	Bromodichloromethane	0.347	0.351	-1.2	114	0.00
52	T,M	1,4-Dioxane	0.002	0.001	50.0#	97	0.00
53	T,M	Dibromomethane	0.150	0.144	4.0	110	0.00
54	T,M	2-Chloroethyl vinyl ether	0.000	0.001	0.0	0#	0.01
55	T,M	4-Methyl-2-pentanone	0.236	0.265	-12.3	116	0.00
56	T,M	cis-1,3-Dichloropropene	0.489	0.494	-1.0	114	0.00
57	I	CHLOROBENZENE-D5	1.000	1.000	0.0	126	0.00
58	S	Toluene-d8	1.246	1.171	6.0	110	0.00
59	C,T,M	Toluene	1.573	1.533	2.5	112	0.00
60	T,M	Ethyl methacrylate	0.422	0.439	-4.0	122	-0.02
61	T,M	trans-1,3-Dichloropropene	0.494	0.495	-0.2	116	0.00
62	T,M	1,1,2-Trichloroethane	0.270	0.277	-2.6	117	0.00
63	T,M	2-Hexanone	0.196	0.217	-10.7	118	0.00
64	T,M	1,3-Dichloropropane	0.502	0.505	-0.6	118	0.00
65	T,M	Tetrachloroethene	0.305	0.263	13.8	102	0.00
66	T,M	Dibromochloromethane	0.289	0.278	3.8	110	0.00
67	T,M	1,2-Dibromoethane	0.260	0.245	5.8	113	0.00
68	T,M	1-Chlorohexane	0.570	0.558	2.1	112	0.00
69	P,T,M	Chlorobenzene	0.903	0.893	1.1	113	0.00
70	T,M	1,1,1,2-Tetrachloroethane	0.310	0.298	3.9	113	0.00
71	C,T,M	Ethylbenzene	1.664	1.685	-1.3	114	0.00
72	T,M	m-Xylene & p-Xylene	1.247	1.262	-1.2	114	0.00
73	T,M	o-Xylene	1.183	1.245	-5.2	118	0.00
74	T,M	Styrene	0.935	0.994	-6.3	117	0.00
75	T,M	Isopropylbenzene	1.440	1.536	-6.7	120	0.00
76	T,M	Cis-1,4-Dichloro-2-Butene	0.080	0.084	-5.0	115	0.00
77	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	133	0.00
78	P,T,M	Bromoform	0.475	0.421	11.4	114	0.00
79	P,T,M	1,1,2,2-Tetrachloroethane	0.919	0.956	-4.0	126	0.00
80	S	4-Bromofluorobenzene	1.240	1.059	14.6	108	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	T,M	1,2,3-Trichloropropane	0.218	0.211	3.2	120	0.00
82	T,M	trans-1,4-Dichloro-2-butene	0.217	0.225	-3.7	129	0.00
83	T,M	n-Propylbenzene	5.394	5.470	-1.4	121	0.00
84	T,M	Bromobenzene	1.058	0.960	9.3	115	0.00
85	T,M	1,3,5-Trimethylbenzene	3.364	3.353	0.3	118	0.00
86	T,M	2-Chlorotoluene	3.431	3.324	3.1	119	0.00
87	T,M	4-Chlorotoluene	2.993	3.075	-2.7	121	0.00
88	T,M	tert-Butylbenzene	0.691	0.654	5.4	116	0.00
89	T,M	1,2,4-Trimethylbenzene	3.203	3.258	-1.7	121	0.00
90	T,M	sec-Butylbenzene	4.279	4.428	-3.5	123	0.00
91	T,M	p-Isopropyltoluene	3.248	3.404	-4.8	121	0.00
92	T,M	1,3-Dichlorobenzene	1.784	1.739	2.5	118	0.00
93	T,M	1,2,3-Trimethylbenzene	3.038	3.091	-1.7	120	0.00
94	T,M	1,4-Dichlorobenzene	1.766	1.732	1.9	118	0.00
95	T,M	n-Butylbenzene	3.020	3.308	-9.5	125	0.00
96	T,M	1,2-Dichlorobenzene	1.548	1.513	2.3	119	0.00
97	T,M	1,2-Dibromo-3-chloropropane	0.100	0.105	-5.0	123	0.00
98	T,M	1,2,4-Trichlorobenzene	0.799	0.852	-6.6	128	0.00
99	T,M	Hexachlorobutadiene	0.395	0.398	-0.8	126	0.00
100	T,M	Naphthalene	1.540	1.799	-16.8	136	0.00
101	T,M	1,2,3-Trichlorobenzene	0.688	0.738	-7.3	130	0.00

ANALYTICAL LOG(S)

EMAX LABORATORIES, INC.

ANALYSIS RUN LOG
for
VOLATILES

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Comments:

Book #:	A02-064
Instrument No.:	02
Analytical Sequence:	24A31
Method File:	V002A31
Analytical Batch:	V002A31C

SOP #
☑ EMAX-8260 Rev. No. 10
☐ EMAX-8260C Rev. No. 1
☐ EMAX-8260SIM Rev. No. 1
☐ EMAX-M8260SIM Rev. No. 0
☐ EMAX-TCPSIM Rev. No. 2
☐ EMAX-624 Rev. No. 6
☐ EMAX-624.1 Rev. No. 1

PURGE AMOUNT
☑ 5-mL Purge
☐ 10-mL Purge
☐ 25-mL Purge

SAMPLE MATRIX
☐ Soil (refer to sample weight log)
☐ Water
☐ pH <2. Outliers indicated on analytical sequence.
☐ Cl_2 <5ppm. Outliers indicated on analytical sequence.

INITIAL CALIBRATION REFERENCE

DATE	1/31/24
ICAL ID	V002A31

STANDARDS

NAME	ID	Amount (µl)	Conc. (mg/L)
DCC	SV1-43-38-03	*	
DCC	-43-44-02		
DCC	-43-44-03		
DCC	-43-36-02	↓	
BFB	-43-38-02	1	
IS/SURR. 55 IS	-43-35-02	1	50/250
	-43-35-03	*	
ICV/LCS CS2	-43-27-01	1	
ICV/LCS 8260 KET-04	-43-33-01	5	
	-43-27-03	5	
ICV/LCS	-43-40-02	1	
ICV/LCS	-43-31-03	5	
	-43-40-01	5	
Data File Folder	24A31		
	LOT #	Syringe Lot #	
pH strip		MSV-03-02-18	
Chlorine strip		-03-04-13-6	
Methanol		-03-02-08	
$NaHSO_4$	SW1A-011-18-07		
Reagent Water	RW3-23-001		
Sand	SW18-004-06-19		

ELECTRONIC DATA ARCHIVAL	
Location	Date
HPCHEM_VOA/TO	

Analyzed By: IR
Date: 1/31/24
Disposed By: IR
Date Disposed: 2/01/24

Injection Log

Directory: D:\HPCHEM\1\DATA\24A31

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	RAP131.D	1.	BFB02A16	T/CHK	31 Jan 2024 13:23
2	2	RAP132.D	1.	VO02A311 0.02uL	1ppb 8260\5ppb KET-AA\10ppb TBA-2But	31 Jan 2024 13:50
3	3	RAP133.D	1.	VO02A312 0.04uL	2ppb 8260\10ppb KET-AA\20ppb TBA-2But	31 Jan 2024 14:28
4	4	RAP134.D	1.	VO02A313 0.10uL	5ppb 8260\25ppb KET-AA\50ppb TBA-2But	31 Jan 2024 14:53
5	5	RAP135.D	1.	VO02A314 0.20uL	10ppb 8260\50ppb KET-AA\100ppb TBA-2But	31 Jan 2024 15:17
6	6	RAP136.D	1.	VO02A315 0.40uL	20ppb 8260\100ppb KET-AA\200ppb TBA-2Bu	31 Jan 2024 15:42
7	7	RAP137.D	1.	VO02A316 1.00uL	50ppb 8260\250ppb KET-AA\500ppb TBA-2Bu	31 Jan 2024 16:06
8	8	RAP138.D	1.	VO02A317 2.00uL	100ppb 8260\500ppb KET-AA\1000ppb TBA-2	31 Jan 2024 16:31
9	9	RAP139.D	1.	VO02A318 4.00uL	200ppb 8260\1000ppb KET-AA\2000ppb TBA-	31 Jan 2024 16:55
10	10	RAP140.D	1.	VO02A319 6.00uL	300ppb 8260\1500ppb KET-AA\3000ppb TBA-	31 Jan 2024 17:20
11	11	RAP141.D	1.	VO02A3110 10.00uL	500ppb 8260\2500ppb KET-AA\5000ppb TBA-	31 Jan 2024 17:44
12	12	RAP142.D	1.	RINSE	5.0mL	31 Jan 2024 18:09
13	13	RAP143.D	1.	RINSE	5.0mL	31 Jan 2024 18:33
14	14	RAP144.D	1.	IVO02A311 1.00uL	50ppb 8260\250ppb KET-AA\500ppb TBA-2Bu	31 Jan 2024 18:58
15	15	RAP145.D	1.	RINSE	5.0mL	31 Jan 2024 19:22
16	16	RAP146.D	1.	LOD VERF	1ppb 8260\5ppb KET-AA\10ppb TBA-2But	31 Jan 2024 19:46

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Comments:

Book #: A02-064
Instrument No.: 02
Analytical Sequence: 24F10
Method File: V002A31
Analytical Batch: CV002A3130

INITIAL CALIBRATION REFERENCE	
DATE	1/31/24
ICAL ID	V002A31

STANDARDS

NAME	ID	Amount (µl)	Conc. (mg/L)
DCC	SV1-43-54-03	1	
DCC	-89-01	5	
	-73-01	5	
DCC	-77-02	1	
DCC	-73-03	1	
BFB	-38-04	1	
IS/SURR.	-88-03	1	50/50
ICV/LCS	-79-02	1	
ICV/LCS	-92-01	5	
	-51-01	5	
ICV/LCS	-88-02	1	
ICV/LCS	-90-01	5	
	-40-01	5	
Data File Folder	24F10		

	LOT #	Syringe Lot #
pH strip		MSU-03-02-18
Chlorine strip		-03-04-11-5
Methanol		
$NaHSO_4$	SWIA-011-18-07	
Reagent Water	RW3-23-001	
Sand	SWIB-004-06-09	

SOP #
☑ EMAX-8260 Rev. No. 10
☐ EMAX-8260C Rev. No. 1
☐ EMAX-8260SIM Rev. No. 1
☐ EMAX-M8260SIM Rev. No. 0
☐ EMAX-TCPSIM Rev. No. 2
☐ EMAX-624 Rev. No. 6
☐ EMAX-624.1 Rev. No. 1

PURGE AMOUNT
☑ 5-mL Purge
☐ 10-mL Purge
☐ 25-mL Purge

SAMPLE MATRIX
☑ Soil (refer to sample weight log)
☐ Water
☐ pH <2. Outliers indicated on analytical sequence.
☐ Cl_2 <5ppm. Outliers indicated on analytical sequence.

ELECTRONIC DATA ARCHIVAL	
Location	Date
HPCHEM_VOA/TO	

Analyzed By: IP
Date: 6/10/24
Disposed By: IR
Date Disposed: 6/10/24

Injection Log

Directory: D:\HPCHEM\1\DATA\24F10

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	RFP095.D	1.	BFB02F05	T/CHK	10 Jun 2024 10:06
2	2	RFP096.D	1.	CVO02A3130	50ppb 8260\250ppb KET-AA\500ppb TBA	10 Jun 2024 10:30
3	3	RFP097.D	1.	VS02F05L	50ppb 8260\250ppb KET-AA\500ppb TBA	10 Jun 2024 11:21
4	4	RFP098.D	1.	VS02F05C	50ppb 8260\250ppb KET-AA\500ppb TBA	10 Jun 2024 11:45
5	5	RFP099.D	1.	RINSE	50ppb 8260\250ppb KET-AA\500ppb TBA	10 Jun 2024 12:09
6	6	RFP100.D	1.	VS02F05B	5.0g	10 Jun 2024 12:34
7	7	RFP101.D	1.	24F034-02 - 3RD ISV - NO Target analytes affected		10 Jun 2024 12:58
8	8	RFP102.D	1.	EVO02A3130	50ppb 8260\250ppb KET-AA\500ppb TBA	10 Jun 2024 13:24

EXTRACTION LOG(S)

EMAX LABORATORIES, INC.

EXTRACTION LOG FOR VOLATILES

FileID: 24VMF003

PrepBatchID	Lab Sample ID	W1 (g)	DateTime	Wf (g)	DateTime	ExpWs(g)	Ws(g)	%Moisture	CorrExt Vol(ml)	PrepFactor	PFx50 df(I)	df(J)	df(K)	Comments
24VMF00301	24F034-02I	29.4	6/7/24 12:27	39.83	6/7/24 12:27	5	10.420		5	0.48	24			

☑ EMAX-5035 Rev.5 ☑ Balance Calibration Check performed prior to use BlankSoil Lot#: Prepared By: EDegui

☐ Encore ☐ Balance ID 25650797 MeOH/Surr. ID: 22410031 Standard Added By: N/A

☐ Frozen Sample ☑ Balance ID 25451062 Weight MeOH(g): Witnessed By: N/A

☑ Pre-weighed vial / jar 01122011 Vol MeOH(ml): 5 Extract Rcvd By: *IRagas*

☐ Volumetric dispenser was checked with 5-ml volumetric flask Expected Ws(g) 5 Extract Location: *VW01*

W1=Weight of Vial+Solvent Wf=W1 + Sample

PRESERVATION LOG(S)

EMAX LABORATORIES, INC.

PRESERVATION LOG FOR VOLATILES

24VPF003

PrepBatchID	Lab Sample ID	W1 (g)	DateTime	Wf (g)	DateTime	ExpWs(g)	Ws(g)	PrepFactor	Comments
24VPF00301	24F034-02	31.58	6/7/24 12:31	41.00	6/7/24 12:31	5	9.417	0.531	
24VPF00302	24F034-02R	31.41	6/7/24 12:33	41.93	6/7/24 12:33	5	10.523	0.4751	

☑ EMAX-5035 Rev. 5 ☑ Balance Calibration Check performed prior to use Surrogate ID: Prepared By: EDegui

☐ Encore+$NaHSO_4 \cdot H_2O$ ☑ BalanceID 25451062 ☐ BalanceID 25650797 BlankSoil Lot#: Standard Added By: N/A

☐ Frozen Sample ☐ Pre-weighed vial w/ H2O NaHSO4H2O: 225461 Witnessed By: N/A

☑ Pre-weighed vial w/ NaHSO4•H2O soln 01122011 Expected Ws(g): 5 Extract Rcvd By: IRagas

☐ Volumetric dispenser was checked with 5-ml volumetric flask Sample Location: VW01 Checked By: IRagas

W1=Weight of Vial + Stirrer+NaHSO4•H2O+Solvent Wf=W1 + Sample

EMAX LABORATORIES, INC.

PRESERVATION LOG FOR VOLATILES

24VPF003

PrepBatchID	Lab Sample ID	W1 (g)	DateTime	Wf (g)	DateTime	ExpWs(g)	Ws(g)	Prep Factor	Comments
24VPF00301	24034-02	31.58	6/7/24 12:31	41.00	6/7/24 12:31	5	9.417	0.531	
24VPF00302	24034-02R	31.41	6/7/24 12:33	41.93	6/7/24 12:33	5	10.523	0.4751	
	E								

☑ EMAX-5035 Rev. 5 ☑ Balance Calibration Check performed prior to use Surrogate ID: Preparec By: EDegui

☐ Encore+$NaHSO_4$•H_2O ☑ BalanceID 25451062 ☐ BalanceID 25650797 BlankSoil Lot#: Standard Added By: N/A

☐ Frozen Sample ☐ Pre-weighed vial w/ H2O NaHSO4H2O: 225461 Witnessed By: N/A

☑ Pre-weighed vial w/ NaHSO4•H2O soln 0112201I Expected Ws(g): 5 Extract Rcvd By: IRagas

☐ Volumetric dispenser was checked with 5-ml volumetric flask Sample Location: VW01 Checked By: IRagas

W1=Weight of Vial + Stirrer+NaHSO4•H2O+Solvent Wf=W1 + Sample

SUMMARY PACKAGE
METALS / MERCURY

METALS
(WATER)

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F034

METHOD 3010A/6010C
METALS BY TRACE ICP

One(1) water sample was received on 06/07/24 to be analyzed for Metals by Trace ICP in accordance with Method 3010A/6010C and project specific requirements.

Holding Time
The sample was digested and analyzed within the prescribed holding time.

Calibration
Initial Calibration was established as prescribed by the method and was verified using a secondary source(ICV). Interference checks were performed and results were within required limits. Continuing calibration verifications and continuing calibration blanks were carried out at the frequency specified by the project. All calibration requirements were satisfied. MRL was analyzed as required by the project.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. IPF009WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. IPF009WL/IPF009WC were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample
Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. F034-01M/F034-01S - all analytes were within MS/MSD QC limits. Refer to Matrix QC summary form for details.

Sample Analysis
The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
METALS BY TRACE ICP

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F034
Instrument ID : D8

WATER

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
MBLK1W	IPF009WB	1.000	NA	06/20/2419:15	06/14/2409:28	ID8F008060	ID8F008053	IPF009W	Method Blank
LCS1W	IPF009WL	1.000	NA	06/20/2419:20	06/14/2409:28	ID8F008061	ID8F008053	IPF009W	Lab Control Sample (LCS)
LCD1W	IPF009WC	1.000	NA	06/20/2419:24	06/14/2409:28	ID8F008062	ID8F008053	IPF009W	LCS Duplicate
IDW-WATER_JUN24	F034-01	1.000	NA	06/20/2419:44	06/14/2409:28	ID8F008056	ID8F008063	IPF009W	Field Sample
IDW-WATER_JUN24MS	F034-01M	1.000	NA	06/20/2419:54	06/14/2409:28	ID8F008068	ID8F008063	IPF009W	Matrix Spike Sample (MS)
IDW-WATER_JUN24MSD	F034-01S	1.000	NA	06/20/2419:59	06/14/2409:28	ID8F008069	ID8F008063	IPF009W	MS Duplicate (MSD)

FN - Filename
% Moist - Percent Moisture

METHOD 3010A/6010C
METALS BY TRACE ICP

Client	: PARSONS	Date Collected:	06/06/24 11:40
Project	: TITAN 1-A	Date Received:	06/07/24
SDG NO.	: 24F034	Date Extracted:	06/14/24 09:28
Sample ID:	IDW-WATER_JUN24	Date Analyzed:	06/20/24 19:44
Lab Samp ID:	F034-01	Dilution Factor:	1
Lab File ID:	ID8F008066	Matrix:	WATER
Ext Btch ID:	IPF009W	% Moisture:	NA
Calib. Ref.:	ID8F008063	Instrument ID:	D8

PARAMETERS	Result (mg/L)	LOQ (mg/L)	DL (mg/L)	LOD (mg/L)
Antimony	ND	0.100	0.0150	0.0300
Arsenic	0.0118J	0.0400	0.0100	0.0200
Barium	0.0406	0.0100	0.00100	0.00200
Beryllium	ND	0.0100	0.00100	0.00200
Cadmium	ND	0.0100	0.00250	0.00500
Chromium	ND	0.0100	0.00200	0.00500
Cobalt	ND	0.0100	0.00100	0.00200
Copper	0.0113	0.0100	0.00250	0.00500
Lead	ND	0.0100	0.00250	0.00500
Molybdenum	0.0278	0.0100	0.00200	0.00500
Nickel	0.00243J	0.0100	0.00200	0.00500
Selenium	ND	0.0200	0.00500	0.0100
Silver	ND	0.0100	0.00200	0.00500
Thallium	ND	0.0100	0.00250	0.00500
Vanadium	0.0175	0.0100	0.00100	0.00200
Zinc	ND	0.0500	0.0100	0.0200

Note: Detection limits are reported relative to sample result significant figures.

Sample Amount	: 50ml	Final Volume:	50ml
Prepared by	: JChun	Analyzed by:	JFeng/JChun

METHOD 3010A/6010C
METALS BY TRACE ICP

Client	: PARSONS	Date Collected:	NA
Project	: TITAN 1-A	Date Received:	NA
SDG NO.	: 24F034	Date Extracted:	06/14/24 09:28
Sample ID:	MBLK1W	Date Analyzed:	06/20/24 19:15
Lab Samp ID:	IPF009WB	Dilution Factor:	1
Lab File ID:	ID8F008060	Matrix:	WATER
Ext Btch ID:	IPF009W	% Moisture:	NA
Calib. Ref.:	ID8F008053	Instrument ID:	D8

PARAMETERS	Result (mg/L)	LOQ (mg/L)	DL (mg/L)	LOD (mg/L)
Antimony	ND	0.100	0.0150	0.0300
Arsenic	ND	0.0400	0.0100	0.0200
Barium	ND	0.0100	0.00100	0.00200
Beryllium	ND	0.0100	0.00100	0.00200
Cadmium	ND	0.0100	0.00250	0.00500
Chromium	ND	0.0100	0.00200	0.00500
Cobalt	ND	0.0100	0.00100	0.00200
Copper	ND	0.0100	0.00250	0.00500
Lead	ND	0.0100	0.00250	0.00500
Molybdenum	ND	0.0100	0.00200	0.00500
Nickel	ND	0.0100	0.00200	0.00500
Selenium	ND	0.0200	0.00500	0.0100
Silver	ND	0.0100	0.00200	0.00500
Thallium	ND	0.0100	0.00250	0.00500
Vanadium	ND	0.0100	0.00100	0.00200
Zinc	ND	0.0500	0.0100	0.0200

Note: Detection limits are reported relative to sample result significant figures.

Sample Amount	: 50ml	Final Volume:	50ml
Prepared by	: JChun	Analyzed by:	JFeng/JChun

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : 3010A/6010C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR	: 1.000	1.000	1.000
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: IPF009WB	IPF009WL	IPF009WC
LAB FILE ID	: ID8F008060	ID8F008061	ID8F008062
DATE PREPARED	: 06/14/24 09:28	06/14/24 09:28	06/14/24 09:28
DATE ANALYZED	: 06/20/24 19:15	06/20/24 19:20	06/20/24 19:24
PREP BATCH	: IPF009W	IPF009W	IPF009W
CALIBRATION REF	: ID8F008053	ID8F008053	ID8F008053

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Antimony	ND	2.5	2.32	93	2.5	2.34	94	1	88-113	20
Arsenic	ND	0.5	0.492	98	0.5	0.492	98	0	87-113	20
Barium	ND	0.5	0.473	95	0.5	0.475	95	0	88-113	20
Beryllium	ND	0.5	0.483	97	0.5	0.483	97	0	89-112	20
Cadmium	ND	0.5	0.494	99	0.5	0.494	99	0	88-113	20
Chromium	ND	0.5	0.475	95	0.5	0.481	96	1	90-113	20
Cobalt	ND	0.5	0.466	93	0.5	0.465	93	0	89-114	20
Copper	ND	0.5	0.467	93	0.5	0.468	94	0	86-114	20
Lead	ND	0.5	0.459	92	0.5	0.458	92	0	86-113	20
Molybdenum	ND	0.5	0.487	97	0.5	0.488	98	0	89-113	20
Nickel	ND	0.5	0.497	99	0.5	0.496	99	0	88-113	20
Selenium	ND	0.5	0.495	99	0.5	0.493	99	0	83-114	20
Silver	ND	0.5	0.483	97	0.5	0.485	97	0	84-115	20
Thallium	ND	0.5	0.470	94	0.5	0.470	94	0	85-114	20
Vanadium	ND	0.5	0.481	96	0.5	0.482	96	0	90-111	20
Zinc	ND	0.5	0.505	101	0.5	0.504	101	0	87-115	20

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : 3010A/6010C

MATRIX	: WATER		% MOISTURE: NA
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: IDW-WATER_JUN24	IDW-WATER_JUN24MS	IDW-WATER_JUN24MSD
LAB SAMPLE ID	: F034-01	F034-01M	F034-01S
LAB FILE ID	: ID8F008066	ID8F008068	ID8F008069
DATE PREPARED	: 06/14/24 09:28	06/14/24 09:28	06/14/24 09:28
DATE ANALYZED	: 06/20/24 19:44	06/20/24 19:54	06/20/24 19:59
PREP BATCH	: IPF009W	IPF009W	IPF009W
CALIBRATION REF	: ID8F008063	ID8F008063	ID8F008063

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Antimony	ND	2.5	2.36	94	2.5	2.38	95	1	88-113	20
Arsenic	0.0118J	.5	0.512	100	.5	0.516	101	1	87-113	20
Barium	0.0406	.5	0.519	96	.5	0.522	96	1	88-113	20
Beryllium	ND	.5	0.482	96	.5	0.484	97	0	89-112	20
Cadmium	ND	.5	0.489	98	.5	0.490	98	0	88-113	20
Chromium	ND	.5	0.480	96	.5	0.482	96	0	90-113	20
Cobalt	ND	.5	0.458	92	.5	0.460	92	0	89-114	20
Copper	0.0113	.5	0.478	93	.5	0.480	94	0	86-114	20
Lead	ND	.5	0.446	89	.5	0.447	89	0	86-113	20
Molybdenum	0.0278	.5	0.513	97	.5	0.518	98	1	89-113	20
Nickel	0.00243J	.5	0.489	97	.5	0.490	98	0	88-113	20
Selenium	ND	.5	0.494	99	.5	0.499	100	1	83-114	20
Silver	ND	.5	0.497	99	.5	0.500	100	1	84-115	20
Thallium	ND	.5	0.455	91	.5	0.455	91	0	85-114	20
Vanadium	0.0175	.5	0.501	97	.5	0.503	97	0	90-111	20
Zinc	ND	.5	0.500	100	.5	0.502	100	0	87-115	20

PSResult - Parent Sample Result

ICP (6010) QC CHECK TABLE

QC	ICV	CCV	ICSAB	ICSA
Limit%	90-110	90-110	80-120	80-120
Comp	mg/L	mg/L	mg/L	mg/L
Al	100	100	400	400
Sb	1.5	1.5	1	0
As	1	1	1	0
Ba	2	2	0.5	0
Be	1.5	1.5	0.5	0
B	2.5	2.5	1	0
Cd	2	2	1	0
Ca	75	75	500	500
Cr	2.5	2.5	0.5	0
Co	1	1	0.5	0
Cu	2.5	2.5	0.5	0
Fe	25	25	200	200
Pb	2.5	2.5	1	0
Li	0.5	0.5	1	0
Mg	60	60	200	200
Mn	2.5	2.5	0.5	0
Mo	2.5	2.5	1	0
Ni	2.5	2.5	1	0
K	60	60	75	0
Se	1	1	1	0
Ag	0.5	0.5	1	0
Na	60	60	75	0
Sr	0.5	0.5	0.5	0
Tl	2.5	2.5	1	0
Sn	0.5	0.5	1	0
Ti	0.5	0.5	1	0
V	1.5	1.5	0.5	0
Zn	2.5	2.5	1	0

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Start Date: 6/20/24 12:28

End Date: 6/21/24 00:35

SOP #	Rev. #
☐ EMAX-6010	9
☑ EMAX-6010C	3
☐ EMAX-200.7	6
☐ EMAX-	

Comments: See Analytical Sequence

Book #: AD8-075

Instrument No.: D8

Analytical Batch: ID8F008

Analytical Sequence: 6-24F6010 (v19)

Method File: 6/20/24 24F6010 (v19)

Database: EMAX31

Micropipette ID: ☐ 942780530

Micropipette ID: ☑ D42761999

Micropipette ID: ☑ 542740566

Micropipette ID: ☑ D42781151

Micropipette ID: ☐

	STANDARDS ID		STANDARDS ID
S0	SMIB-29-38-02	S26	SMIB-29-44-01
S1	N/A	S27	-44-02
S2		S28	-18-01
S3		S29	-18-02
S4		S30	-24-02
S5		S31	-25-01
S6		ICV	SMIB-29-40-01
S7		CCV	-19-01
S8		ICSA	-24-01
S9		ICSAB	-39-01
S10		CRI/MRL1	-26-01
S11		CRI/MRL2	-37-02
S12		CRI/MRL3	-20-01(2x)
S16		CRI/MRL4	-12-01
S17		Internal Standard	SMIA-025-12-04
S18		Post-Spike 1	-09-02
S20	SMIB-29-39-01	Post-Spike 2	-07-03
S21	-39-02	Post-Spike 3	-07-04
S22	-16-02		
S23	-17-01		
S24	-43-01		
S25	-43-02		

Analyzed By: JF / JC

Date: 6/20/24

SEQUENCE FILE : ID8F008

4-18	19-33	34-43	44-53	54-63
LFID	LSID	TIME	DATE	DF
ID8F008001	S024F6010	12:28	06/20/24	1.000
ID8F008002	S20	12:33	06/20/24	1.000
ID8F008003	S21	12:38	06/20/24	1.000
ID8F008004	S22	12:43	06/20/24	1.000
ID8F008005	S23	12:48	06/20/24	1.000
ID8F008006	S24	12:54	06/20/24	1.000
ID8F008007	S25	12:58	06/20/24	1.000
ID8F008008	S26	13:04	06/20/24	1.000
ID8F008009	S27	13:08	06/20/24	1.000
ID8F008010	S28	13:13	06/20/24	1.000
ID8F008011	S29	13:18	06/20/24	1.000
ID8F008012	S30	13:23	06/20/24	1.000
ID8F008013	S31	13:28	06/20/24	1.000
ID8F008014	ICV	13:33	06/20/24	1.000
ID8F008015	ICB	13:38	06/20/24	1.000
ID8F008016	MRLF2001	13:43	06/20/24	1.000
ID8F008017	MRLF2002	13:48	06/20/24	1.000
ID8F008018	ICSA1	13:53	06/20/24	1.000
ID8F008019	ICSAB1	13:58	06/20/24	1.000
ID8F008020	MRLF2003	14:03	06/20/24	1.000
ID8F008021	MRLF2004	14:08	06/20/24	1.000
ID8F008022	CCV1	14:12	06/20/24	1.000
ID8F008023	CCB1	14:17	06/20/24	1.000
ID8F008024	IPF005WB	16:17	06/20/24	1.000
ID8F008025	IPF005WL	16:22	06/20/24	1.000
ID8F008026	IPF005WC	16:27	06/20/24	1.000
ID8F008027	F020-02	16:31	06/20/24	1.000
ID8F008028	F020-03A	16:36	06/20/24	1.000
ID8F008029	F020-03	16:41	06/20/24	1.000
ID8F008030	F020-03J	16:46	06/20/24	5.000
ID8F008031	F020-03K	16:51	06/20/24	1.000
ID8F008032	F020-03S	16:56	06/20/24	1.000
ID8F008033	CCV2	17:01	06/20/24	1.000
ID8F008034	CCB2	17:06	06/20/24	1.000
ID8F008035	F020-04	17:11	06/20/24	1.000
ID8F008036	F020-05	17:15	06/20/24	1.000
ID8F008037	F020-06	17:20	06/20/24	1.000
ID8F008038	TXF002SB	17:25	06/20/24	1.000
ID8F008039	F008-04A	17:30	06/20/24	1.000
ID8F008040	F008-04	17:35	06/20/24	1.000
ID8F008041	F008-04J	17:40	06/20/24	5.000
ID8F008042	F008-04M	17:45	06/20/24	1.000
ID8F008043	F008-04S	17:50	06/20/24	1.000
ID8F008044	TXF003SB	17:55	06/20/24	1.000
ID8F008045	CCV3	18:00	06/20/24	1.000
ID8F008046	CCB3	18:05	06/20/24	1.000
ID8F008047	F032-05	18:10	06/20/24	1.000
ID8F008048	F034-02	18:16	06/20/24	1.000
ID8F008049	F428-01	18:21	06/20/24	1.000
ID8F008050	IPF010SB	18:26	06/20/24	1.000
ID8F008051	IPF010SL	18:31	06/20/24	1.000
ID8F008052	IPF010SC	18:36	06/20/24	1.000
ID8F008053	CCV4	18:40	06/20/24	1.000
ID8F008054	CCB4	18:45	06/20/24	1.000
ID8F008055	F034-02A	18:50	06/20/24	1.000
ID8F008056	F034-02	18:55	06/20/24	1.000
ID8F008057	F034-02J	19:00	06/20/24	5.000
ID8F008058	F034-02M	19:05	06/20/24	1.000
ID8F008059	F034-02S	19:10	06/20/24	1.000
ID8F008060	IPF009WB	19:15	06/20/24	1.000
ID8F008061	IPF009WL	19:20	06/20/24	1.000
ID8F008062	IPF009WC	19:24	06/20/24	1.000

ID8F008063	CCV5	19:29	06/20/24	1.000
ID8F008064	CCB5	19:34	06/20/24	1.000
ID8F008065	F034-01A	19:39	06/20/24	1.000
ID8F008066	F034-01	19:44	06/20/24	1.000
ID8F008067	F034-01J	19:49	06/20/24	5.000
ID8F008068	F034-01M	19:54	06/20/24	1.000
ID8F008069	F034-01S	19:59	06/20/24	1.000
ID8F008070	CCV6	20:03	06/20/24	1.000
ID8F008071	CCB6	20:08	06/20/24	1.000
ID8F008072	IPF011WB	20:13	06/20/24	1.000
ID8F008073	IPF011WL	20:18	06/20/24	1.000
ID8F008074	IPF011WC	20:23	06/20/24	1.000
ID8F008075	TX004WB	20:28	06/20/24	1.000
ID8F008076	F058-01A	20:33	06/20/24	1.000
ID8F008077	F058-01	20:38	06/20/24	1.000
ID8F008078	F058-01J	20:43	06/20/24	5.000
ID8F008079	F058-01M	20:48	06/20/24	1.000
ID8F008080	F058-01S	20:52	06/20/24	1.000
ID8F008081	CCV7	20:57	06/20/24	1.000
ID8F008082	CCB7	21:02	06/20/24	1.000
ID8F008083	IPF006SB	21:07	06/20/24	1.000
ID8F008084	IPF006SL	21:12	06/20/24	1.000
ID8F008085	IPF006SC	21:17	06/20/24	1.000
ID8F008086	F427-01A	21:22	06/20/24	1.000
ID8F008087	F427-01	21:27	06/20/24	1.000
ID8F008088	F427-01J	21:32	06/20/24	5.000
ID8F008089	F427-01M	21:37	06/20/24	1.000
ID8F00808C	F427-01S	21:41	06/20/24	1.000
ID8F008091	CCV8	21:46	06/20/24	1.000
ID8F008092	CCB8	21:51	06/20/24	1.000
ID8F008093	IPF015SB	21:56	06/20/24	1.000
ID8F008094	IPF015SL	22:01	06/20/24	1.000
ID8F008095	IPF015SC	22:06	06/20/24	1.000
ID8F008096	F476-01A	22:11	06/20/24	1.000
ID8F008C97	F476-01	22:15	06/20/24	1.000
ID8F008C98	F476-01J	22:20	06/20/24	5.000
ID8FC08C99	F476-01M	22:25	06/20/24	1.000
ID8F008100	F476-01S	22:30	06/20/24	1.000
ID8F008101	CCV9	22:35	06/20/24	1.000
ID8F008102	CCB9	22:40	06/20/24	1.000
ID8F008103	IPF016WB	22:45	06/20/24	1.000
ID8F008104	IPF016WL	22:50	06/20/24	1.000
ID8F008105	IPF016WC	22:55	06/20/24	1.000
ID8F008106	CCV10	23:00	06/20/24	1.000
ID8F008107	CCB10	23:05	06/20/24	1.000
ID8F008108	WTF002SB	23:10	06/20/24	5.000
ID8F008109	E112-01A	23:15	06/20/24	5.000
ID8F008110	E112-01	23:20	06/20/24	5.000
ID8F008111	E112-01J	23:25	06/20/24	25.000
ID8FC08112	E112-01M	23:30	06/20/24	5.000
ID8FC08113	E112-01S	23:35	06/20/24	5.000
ID8F008114	CCV11	23:40	06/20/24	1.000
ID8F008115	CCB11	23:45	06/20/24	1.000
ID8F008116	MRL2005	23:50	06/20/24	1.000
ID8F008117	MRL2006	23:55	06/20/24	1.000
ID8F008118	WTF001SB	00:00	06/21/24	5.000
ID8F008119	F034-02A	00:05	06/21/24	5.000
ID8F008120	F034-02	00:10	06/21/24	5.000
ID8F008121	F034-02J	00:15	06/21/24	25.000
ID8F008122	F034-02M	00:20	06/21/24	5.000
ID8F008123	F034-02S	00:25	06/21/24	5.000
ID8F008124	CCV12	00:30	06/21/24	1.000
ID8F008125	CCB12	00:35	06/21/24	1.000

INITIAL CALIBRATION VERIFICATION SUMMARY FORM

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Method : METHOD 3010A/6010C
Sequence : ID8F008
InstrumentID: D8

		ICV				ICSA1			ICSAB1		
Lab Samp ID :		ICV				ICSA1			ICSAB1		
QC Limit :		%R:90-110/RSD:<5				%R:80-120/<LOD			%R:80-120		
Lab File ID :		ID8F008014				ID8F008018			ID8F008019		
DateAnalyed :		06/20/2413:33				06/20/2413:53			06/20/2413:58		
Parameter		Result	ICV EV	RSD	%Recovery	Result	ICSA EV	%Rec/LOD	Result	ICSAB EV	%Recovery
Aluminum		97.211	100	1.0598	97	427.13	400	107	393.82	400	98
Antimony	T	1.5120	1.5	.48756	101	.00341	0	<0.030	.98030	1	98
Arsenic	T	.97284	1.0	.79739	97	.00052	0	<0.02	.99520	1	100
Barium	T	1.8909	2.0	.16430	95	.00038	0	<0.002	.46414	0.5	93
Beryllium	T	1.4106	1.5	.17814	94	-.00002	0	<0.002	.45548	0.5	91
Boron		2.3651	2.5	.09104	95	-.00519	0	<0.01	.97195	1.0	97
Cadmium	T	1.9290	2.0	.30745	96	-.00088	0	<0.005	.90537	1	91
Calcium		74.758	75	.05652	100	491.83	500	98	452.47	500	90
Chromium	T	2.3623	2.5	.07450	94	.00173	0	<0.005	.45155	0.5	90
Cobalt	T	.91737	1.0	.05552	92	-.00021	0	<0.002	.45867	0.5	92
Copper	T	2.3152	2.5	.09362	93	.00004	0	<0.005	.46089	0.5	92
Iron		22.705	25	.11138	91	191.00	200	96	170.99	200	85
Lead	T	2.2661	2.5	.09844	91	-.00398	0	<0.005	.89361	1	89
Lithium		.49770	0.5	.09084	100	.00000	0	<0.05	.94251	1	94
Magnesium		55.879	60	.15134	93	187.56	200	94	170.38	200	85
Manganese		2.2925	2.5	.13963	92	-.00177	0	<0.003	.46355	0.5	91
Molybdenum	T	2.4067	2.5	.08768	96	.00077	0	<0.005	.99245	1	99
Nickel	T	2.4347	2.5	.08786	97	-.00044	0	<0.005	.96364	1	96
Potassium		60.684	60	.25992	101	.06875	0	<0.1	74.837	75	100
Selenium	T	.96453	1.0	.44386	98	.00157	0	<0.01	.93145	1	93
Silver	T	.47292	0.5	.06232	95	-.00063	0	<0.005	.98569	1	99
Sodium		60.526	60	.07110	101	.14504	0	>0.1	74.826	75	100
Strontium		.46511	0.5	.12812	93	-.00056	0	<0.001	.45968	0.5	92
Thallium	T	2.2792	2.5	.43089	91	.00017	0	<0.005	.82674	1	83
Tin		.48910	0.5	.13450	98	.00033	0	<0.005	.95942	1	96
Titanium		.47216	0.5	.21530	94	.00000	0	<0.005	.90409	1	90
Vanadium	T	1.3869	1.5	.10397	92	-.00001	0	<0.002	.45211	0.5	90
Zinc	T	2.5064	2.5	.09736	100	.00300	0	<0.02	.99515	1	100

Unit: mg/L
T: Target analyte
EV: Expected Value
Comment:

CONTINUING CALIBRATION VERIFICATION SUMMARY FORM

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Method : 3010A/6010C
Sequence : ID8F008
Instrument ID: D8

		CCV4				CCV5				CCV6		
CCV SampleID												
CCV DataFileID		ID8F008053				ID8F008063				ID8F008070		
CCV DateTime		06/20/24 18:40				06/20/24 19:29				06/20/24 20:03		
PARAMETER		CCV EV	RESULT	%REC	RSD	RESULT	%REC	RSD		RESULT	%REC	RSD
Aluminum		100	95.5	96	.19554	94.3	94	.69280		93.2	93	.53211
Antimony	T	1.5	1.5	100	.29934	1.51	101	.60562		1.52	102	.29970
Arsenic	T	1.0	0.961	96	.63346	0.971	97	.03805		0.987	99	.44364
Barium	T	2.0	1.89	95	.05464	1.92	96	.16021		1.95	98	.20957
Beryllium	T	1.5	1.42	94	.11839	1.43	95	.10693		1.44	96	.12628
Boron		2.5	2.34	94	.22775	2.36	94	.21626		2.39	96	.06872
Cadmium	T	2.0	1.93	96	.07084	1.94	97	.32249		1.96	98	.43807
Calcium		75	75.3	100	.13657	75.4	100	.14916		74.6	99	.11492
Chromium	T	2.5	2.32	93	.13710	2.38	95	.21813		2.42	97	.07021
Cobalt	T	1.0	0.916	92	.11887	0.915	92	.13443		0.916	92	.03343
Copper	T	2.5	2.3	92	.12995	2.31	93	.19803		2.35	94	.04595
Iron		25	22.5	90	.21289	23	92	.43358		23.5	94	.09077
Lead	T	2.5	2.26	90	.07493	2.26	91	.12073		2.26	90	.11634
Lithium		0.5	0.497	99	.90178	0.531	106	.87207		0.572	114*	.47824
Magnesium		60	55	92	.34819	57.5	96	.26164		59.6	99	.19944
Manganese		2.5	2.33	93	.09185	2.36	94	.08025		2.36	94	.05833
Molybdenum	T	2.5	2.41	96	.02517	2.41	96	.03996		2.42	97	.02933
Nickel	T	2.5	2.43	97	.03676	2.44	97	.04493		2.44	98	.00912
Potassium		60	60.1	100	.31582	63.3	106	.21253		66.1	110	.15163
Selenium	T	1.0	0.979	98	.43813	0.984	98	.26532		0.995	99	.69393
Silver	T	0.5	0.468	94	.24923	0.479	96	.51048		0.491	98	.05622
Sodium		60	61	102	.03485	62.2	104	.05022		63.4	106	.10189
Strontium		0.5	0.465	93	.21449	0.463	93	.05136		0.462	92	.13392
Thallium	T	2.5	2.28	91	.13498	2.28	91	.24580		2.29	92	.51595
Tin		0.5	0.492	98	.04726	0.489	98	.50584		0.49	98	.14127
Titanium		0.5	0.465	93	.29386	0.48	96	.37143		0.49	98	.31456
Vanadium	T	1.5	1.38	92	.21122	1.4	93	.29272		1.42	95	.06175
Zinc	T	2.5	2.51	100	.03054	2.51	100	.06421		2.5	100	.06034

| Unit: ug/L
| T: Target analyte
|%Rec QC Limit: 90-110
| RSD QC Limit: <5
| CCV EV: CCV Expected Value ug/L
| Comment: * Out of QC limit

CONTINUING CALIBRATION BLANK SUMMARY FORM

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Method : 3010A/6010C
Sequence : ID8F008
Instrument ID: D8

CB SampleID		: ICB	CCB4	CCB5	CCB6
CB DataFileID		: ID8F008015	ID8F008054	ID8F008064	ID8F008071
CB DateTime		: 06/20/2413:38	06/20/2418:45	06/20/2419:34	06/20/2420:08

PARAMETER		LOD	RESULT	< LOD >	RESULT	< LOD >	RESULT	< LOD >	RESULT	< LOD >
Aluminum		0.03	0.309	<0.03	0.02	<0.03	0.02	<0.03	0.02	<0.03
Antimony	T	0.030	0.0007	<0.030	0.00001	<0.030	0.0008	<0.030	0.30	<0.030
Arsenic	T	0.02	0.00306	<0.02	0.0002	<0.02	0.0007	<0.02	0.0001	<0.02
Barium	T	0.002	0.0001	<0.002	0.0002	<0.002	0.00003	<0.002	0.0004	<0.002
Beryllium	T	0.002	0.0002	<0.002	0.0003	<0.002	0.0002	<0.002	0.0003	<0.002
Boron		0.01	0.007	<0.01	0.004	<0.01	0.005	<0.01	0.009	<0.01
Cadmium	T	0.005	0.00	<0.005	0.00004	<0.005	0.00001	<0.005	0.00002	<0.005
Calcium		0.1	0.17	>0.1	0.17	>0.1	0.15	>0.1	0.16	>0.1
Chromium	T	0.005	0.0002	<0.005	0.0001	<0.005	0.0005	<0.005	0.0003	<0.005
Cobalt	T	0.002	0.0001	<0.002	0.00009	<0.002	0.00001	<0.002	0.00002	<0.002
Copper	T	0.005	0.0001	<0.005	0.0001	<0.005	0.0002	<0.005	0.00003	<0.005
Iron		0.04	0.003	<0.04	0.004	<0.04	0.005	<0.04	0.00003	<0.04
Lead	T	0.005	0.00009	<0.005	0.0001	<0.005	0.0003	<0.005	0.00004	<0.005
Lithium		0.05	0.002	<0.05	0.0002	<0.05	0.001	<0.05	0.002	<0.05
Magnesium		0.1	0.01	<0.1	0.01	<0.1	0.0005	<0.1	0.02	<0.1
Manganese		0.003	0.0002	<0.003	0.0003	<0.003	0.0004	<0.003	0.0001	<0.003
Molybdenum	T	0.005	0.0004	<0.005	0.00005	<0.005	0.0002	<0.005	0.0002	<0.005
Nickel	T	0.005	0.0004	<0.005	0.0005	<0.005	0.0004	<0.005	0.0003	<0.005
Potassium		0.1	0.11	>0.1	0.04	<0.1	0.02	<0.1	0.12	>0.1
Selenium	T	0.01	0.002	<0.01	0.0005	<0.01	0.002	<0.01	0.002	<0.01
Silver	T	0.005	0.00004	<0.005	0.0004	<0.005	0.0003	<0.005	0.0002	<0.005
Sodium		0.1	0.01	<0.1	0.04	<0.1	0.02	<0.1	0.02	<0.1
Strontium		0.001	0.0004	<0.001	0.0005	<0.001	0.0003	<0.001	0.0004	<0.001
Thallium	T	0.005	0.0005	<0.005	0.0005	<0.005	0.002	<0.005	0.002	<0.005
Tin		0.005	0.0005	<0.005	0.00003	<0.005	0.0002	<0.005	0.0002	<0.005
Titanium		0.005	0.0006	<0.005	0.0002	<0.005	0.0006	<0.005	0.00007	<0.005
Vanadium	T	0.002	0.00005	<0.002	0.00009	<0.002	0.00006	<0.002	0.0003	<0.002
Zinc	T	0.02	0.003	<0.02	0.002	<0.02	0.002	<0.02	0.002	<0.02

Unit: mg/L
CB: Calibration Blank
T: Target analyte
Acceptance Criteria: CCB Result <LOD
Comment:

Element, Wavelength and Order	Date of Fit	Date of Cal.	Type of Fit	Weighting	A0	A1	A2	n (Exponent)	Correlation	Std Error of Est	Predicted MDL
Al 308.215 {109}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.000276	0.017897	0.000000	1.000000	0.999975	0.000138	0.035575
Sb 206.833 {463}	06/20/2024 15:33:38	06/20/2024 13:23:39	Linear	1/Conc	0.000011	0.005403	0.000000	1.000000	0.999997	0.000003	0.002072
As 189.042 {478}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.000023	0.002754	0.000000	1.000000	0.999996	0.000000	0.002817
Ba 455.403 { 74}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.001346	0.724162	0.000000	1.000000	1.000000	0.000052	0.000358
Be 313.042 {108}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	0.001162	0.717046	0.000000	1.000000	0.999992	0.000517	0.000145
B 249.773 {135}	06/20/2024 15:33:38	06/20/2024 13:03:57	Linear	1/Conc	0.000287	0.131674	0.000000	1.000000	0.999962	0.000207	0.000342
Cd 226.502 {449}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	-0.000043	0.141311	0.000000	1.000000	0.999886	0.000388	0.000111
Ca 317.933 {106}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.006429	0.033166	0.000000	1.000000	0.999751	0.006714	0.003640
Cr 267.716 {126}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.000500	0.157130	0.000000	1.000000	1.000000	0.000026	0.000316
Co 228.616 {447}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	-0.000292	0.678009	0.000000	1.000000	0.999959	0.000223	0.000300
Cu 324.754 {104}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.000731	0.225991	0.000000	1.000000	0.999954	0.000389	0.000341
Fe 271.441 {124}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.000021	0.006859	0.000000	1.000000	0.999993	0.000032	0.006722
Pb 220.353 {453}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	-0.000485	0.346577	0.000000	1.000000	0.999951	0.000625	0.000767
Li 670.784 { 50}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.000828	0.119696	0.000000	1.000000	0.999949	0.000032	0.004072
Mg 279.079 {121}	06/20/2024 15:33:38	06/20/2024 13:23:39	Linear	1/Conc	-0.000369	0.003749	0.000000	1.000000	0.999983	0.000040	0.035998
Mn 257.610 {131}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	0.000005	0.151351	0.000000	1.000000	0.999954	0.000264	0.000465
Mo 202.030 {467}	06/20/2024 15:33:38	06/20/2024 13:03:57	Linear	1/Conc	-0.000331	0.544414	0.000000	1.000000	1.000000	0.000044	0.000301
Ni 231.604 {446}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.001349	0.784881	0.000000	1.000000	0.999991	0.000593	0.000348
K 766.490 { 44}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	-0.003358	0.005706	0.000000	1.000000	0.999878	0.000810	0.063357
Se 196.090 {472}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.000018	0.002900	0.000000	1.000000	0.999994	0.000001	0.002942
Si 212.412 {459}	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
Ag 328.068 {103}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.000187	0.173641	0.000000	1.000000	0.999967	0.000038	0.000489
Na 589.592 { 57}	06/20/2024 15:33:38	06/20/2024 13:03:57	Linear	1/Conc	-0.001230	0.018063	0.000000	1.000000	0.999848	0.002283	0.018029
Sr 421.552 { 80}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.001069	0.840338	0.000000	1.000000	0.999987	0.000114	0.000263
Tl 190.856 {477}	06/20/2024 15:33:38	06/20/2024 13:23:39	Linear	1/Conc	0.000001	0.005817	0.000000	1.000000	0.999589	0.000020	0.001571
Sn 189.989 {477}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.000061	0.098434	0.000000	1.000000	0.999915	0.000035	0.000927
Ti 334.941 {101}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.000261	0.096682	0.000000	1.000000	0.999988	0.000013	0.001288
U 409.014 { 82}	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
V 292.402 {115}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.000005	0.157811	0.000000	1.000000	0.999999	0.000045	0.000351
Zn 206.200 {463}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.002579	0.776066	0.000000	1.000000	0.999973	0.001041	0.000174
Sc 227.318 {448}*	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
Sc 361.384 { 93}*	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
Sc 364.531 { 92}*	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000

ID8F008
6/20/24 JF

Status

Revision	19				
Date Created	08/14/2006 16:36:29	by admin			
Date Modified	06/20/2024 15:33:37	by admin			
Date Calibrated	06/20/2024 15:33:38				
Current Status	by admin				
Number of Elements	31				
Number of Wavelengths	33				
Calibration Type	External				
Notes:					

Analysis Preferences

Sample Options	# Repeats:	3			
	Delay Time:	0.0 seconds			
	Sample Flush Time:	50 seconds			
	Analysis mode	Speed			
Source	Sample Introduction	Nebulizer			
	Plasma View:	Line Selection			
Analysis Maximum Integration Times (sec)	Low WL Range	Axial	15	Radial	15
	High WL Range:	Axial	10	Radial	5
Calibration Mode	Concentration				
Trailing Full Frame Options	Intelli-Frame:		No		
	Max Integration Time (sec):		30		
	WL Range:		Low		
	View:		Axial		
	Auto-Increment Sample Names:		Yes		
	Use Sample Weight Corrections:		No		

Source Settings

Nebulizer Pump	Flush Pump Rate (rpm):	88	
	Analysis Pump Rate (rpm):	36	
	Pump Relaxation Time (sec):	5	
	Pump Tubing Type:	Tygon Orange/White	
	RF Power:	1150	W

ID8F008
6/20/24 JF

Note: For samples, relevant QCs/Standards digested, refer to attached digestion sequence.

Comments:

Digestion Vessel Lot # LV2401060T-F-9092-LC

Filter Lot # N/A

Book #: EIP-163

Batch: JPF009W

Matrix: WATER

Digestor ID: E

SOP #	Rev. #
☑ EMAX-3010	8
☐ EMAX-3050	9
☐ EMAX-200.7	6
☐ EMAX-	

Start	Temp	End	Temp
	91.6 °C		93.3 °C

Standards	ID	Amount Added (mg/g)
LCS-1	SW1A-025-07-02	0.25
LCS-2	↓ -03	0.25
LCS-3	↓ -04	0.50
MS	Same spike std and volume as	LCS 1-3
Blank Soil (Bead)	N/A	N/A
Reagent	**Lot# / ID**	**Amount Added (mL)**
HNO_3	SW1A-012-09-01	1.50 + 1.50
HCl	↓ -03-01	2.50 + 2.50
H_2O_2	N/A	N/A
HNO_3(1:1)	↓	↓
pH Strip (0-14)	HC439975	↓
Digestate Location	METALS	
Extract Location	N/A	
☑ Reagent Water ID: SW1A-012-11-09		
☑ Thermometer ID: 230389472/E8		
☑ Pipette ID: D42761N1		
☑ Pipette ID: D42781023		
☐ Pipette ID:		
☐ HNO_3 dispenser checked @ 5.0 mL with Class A volumetric flask		
☐ HCl dispenser checked @ 5.0 mL with Class A volumetric flask		

Prepared By: JC

Standard Added By: JC Witnessed By: HC

Extract Rcvd By: JC Checked By: JC

EMAX LABORATORIES

DIGESTION LOG FOR METALS

PrepBatchID	LabSampleID	Aliquot	Unit	DateTime	Vd(ml)	ExpAmt	ExpVd(ml)	PrepFctr	Comments
24IPF009W01	IPF009WB	50	ml	6/14/24 8:44	50	50	50	1	
24IPF009W02	IPF009WL	50	ml	6/14/24 8:44	50	50	50	1	
24IPF009W03	IPF009WC	50	ml	6/14/24 8:44	50	50	50	1	
24IPF009W04	F034-01	50	ml	6/14/24 8:44	50	50	50	1	
24IPF009W05	F034-01M	50	ml	6/14/24 8:44	50	50	50	1	
24IPF009W06	F034-01S	50	ml	6/14/24 8:44	50	50	50	1	
24IPF009W07	WTF001SB	10	ml	6/14/24 9:10	50	50	50	5	STLC
24IPF009W08	F034-02	5	ml	6/14/24 9:10	50	50	50	10	STLC YELLOW
24IPF009W09	F034-02M	5	ml	6/14/24 9:10	50	50	50	10	STLC YELLOW
24IPF009W10	F034-02S	5	ml	6/14/24 9:10	50	50	50	10	STLC YELLOW

Jc 6/14/24

Vd=digestate volume PrepFctr=)ExpAmt/Aliquot)*(Vd/ExpVd)

☑ Digestion Started @ 6/14/24 9:28

☑ Digestion Ended @ 6/14/24 13:48

Comments:

Prepared By: JChun

Checked By: Jc

Date 6/14/24

METALS
(SOIL)

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F034

METHOD 3050B/6010C
METALS BY TRACE ICP

One(1) soil sample was received on 06/07/24 to be analyzed for Metals by Trace ICP in accordance with Method 3050B/6010C and project specific requirements.

Holding Time
The sample was digested and analyzed within the prescribed holding time.

Calibration
Initial Calibration was established as prescribed by the method and was verified using a secondary source(ICV). Interference checks were performed and results were within required limits. Continuing calibration verifications and continuing calibration blanks were carried out at the frequency specified by the project. All calibration requirements were satisfied. MRL was analyzed as required by the project.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. IPF010SB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. IPF010SL/IPF010SC were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample
Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed and the following were noted: F034-02M/F034-02S - Percent recoveries for Antimony, Selenium and Thallium were not within MS/MSD QC limits. Percent recoveries for Barium and Nickel(1X) was not within MS QC limit. Presence of matrix interference was suspected. The rest of the analytes were in control. Analytical spike and serial dilution were analyzed and evaluated as appropriate. Results were within expected values. Refer to Matrix QC summary form for details.

Sample Analysis
The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met with the exception of those that were discussed within the associated QC parameter.

LAB CHRONICLE
METALS BY TRACE ICP

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F034
Instrument ID : D8

SOIL

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
MBLK1S	IPF010SB	1.000	NA	06/20/2418:26	06/14/2409:36	ID8F008050	ID8F008045	IPF010S	Method Blank
LCS1S	IPF010SL	1.000	NA	06/20/2418:31	06/14/2409:36	ID8F008051	ID8F008045	IPF010S	Lab Control Sample (LCS)
LCD1S	IPF010SC	1.000	NA	06/20/2418:36	06/14/2409:36	ID8F008052	ID8F008045	IPF010S	LCS Duplicate
IDW-SOIL_JUN24	F034-02A	1.000	10.5	06/20/2418:50	06/14/2409:36	ID8F008055	ID8F008053	IPF010S	Analytical Spike Sample
IDW-SOIL_JUN24	F034-02	1.000	10.5	06/20/2418:55	06/14/2409:36	ID8F008056	ID8F008053	IPF010S	Field Sample
IDW-SOIL_JUN24	F034-02D	5.000	10.5	06/20/2419:00	06/14/2409:36	ID8F008057	ID8F008053	IPF010S	Diluted Sample
IDW-SOIL_JUN24MS	F034-02M	1.000	10.5	06/20/2419:05	06/14/2409:36	ID8F008058	ID8F008053	IPF010S	Matrix Spike Sample (MS)
IDW-SOIL_JUN24MSD	F034-02S	1.000	10.5	06/20/2419:10	06/14/2409:36	ID8F008059	ID8F008053	IPF010S	MS Duplicate (MSD)

FN - Filename
% Moist - Percent Moisture

METHOD 3050B/6010C
METALS BY TRACE ICP

Client	: PARSONS	Date Collected:	06/06/24 11:20
Project	: TITAN 1-A	Date Received:	06/07/24
SDG NO.	: 24F034	Date Extracted:	06/14/24 09:36
Sample ID:	IDW-SOIL_JUN24	Date Analyzed:	06/20/24 18:55
Lab Samp ID:	F034-02	Dilution Factor:	1
Lab File ID:	ID8F008056	Matrix:	SOIL
Ext Btch ID:	IPF010S	% Moisture:	10.5
Calib. Ref.:	ID8F008053	Instrument ID:	D8

PARAMETERS	Result (mg/kg)	LOQ (mg/kg)	DL (mg/kg)	LOD (mg/kg)
Antimony	ND	10.8	1.08	3.25
Arsenic	12.8	2.17	0.542	1.08
Barium	197	1.08	0.217	0.542
Beryllium	0.679	0.542	0.108	0.217
Cadmium	ND	0.542	0.108	0.217
Chromium	63.1	1.08	0.271	0.542
Cobalt	12.9	1.08	0.108	0.217
Copper	21.3	1.08	0.271	0.542
Lead	4.47	2.17	0.542	1.08
Molybdenum	0.624J	1.08	0.271	0.542
Nickel	29.2	1.08	0.271	0.542
Selenium	ND	2.17	0.542	1.08
Silver	ND	1.08	0.108	0.217
Thallium	ND	1.08	0.271	0.542
Vanadium	82.8	1.08	0.108	0.217
Zinc	48.3	10.8	2.17	5.42

Note: Detection limits are reported relative to sample result significant figures.

Sample Amount	: 1.03g	Final Volume:	100ml
Prepared by	: JChun	Analyzed by:	JFeng/JChun

METHOD 3050B/6010C
METALS BY TRACE ICP

Client	: PARSONS	Date Collected:	NA
Project	: TITAN 1-A	Date Received:	NA
SDG NO.	: 24F034	Date Extracted:	06/14/24 09:36
Sample ID:	MBLK1S	Date Analyzed:	06/20/24 18:26
Lab Samp ID:	IPF010SB	Dilution Factor:	1
Lab File ID:	ID8F008050	Matrix:	SOIL
Ext Btch ID:	IPF010S	% Moisture:	NA
Calib. Ref.:	ID8F008045	Instrument ID:	D8

PARAMETERS	Result (mg/kg)	LOQ (mg/kg)	DL (mg/kg)	LOD (mg/kg)
Antimony	ND	10.0	1.00	3.00
Arsenic	ND	2.00	0.500	1.00
Barium	ND	1.00	0.200	0.500
Beryllium	ND	0.500	0.100	0.200
Cadmium	ND	0.500	0.100	0.200
Chromium	ND	1.00	0.250	0.500
Cobalt	ND	1.00	0.100	0.200
Copper	ND	1.00	0.250	0.500
Lead	ND	2.00	0.500	1.00
Molybdenum	ND	1.00	0.250	0.500
Nickel	ND	1.00	0.250	0.500
Selenium	ND	2.00	0.500	1.00
Silver	ND	1.00	0.100	0.200
Thallium	ND	1.00	0.250	0.500
Vanadium	ND	1.00	0.100	0.200
Zinc	ND	10.0	2.00	5.00

Note: Detection limits are reported relative to sample result significant figures.

Sample Amount	: 1g	Final Volume:	100ml
Prepared by	: JChun	Analyzed by:	JFeng/JChun

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : 3050B/6010C

MATRIX	: SOIL		% MOISTURE:NA
DILUTION FACTOR	: 1.000	1.000	1.000
SAMPLE ID	: MBLK1S	LCS1S	LCD1S
LAB SAMPLE ID	: IPF010SB	IPF010SL	IPF010SC
LAB FILE ID	: ID8F008050	ID8F008051	ID8F008052
DATE PREPARED	: 06/14/24 09:36	06/14/24 09:36	06/14/24 09:36
DATE ANALYZED	: 06/20/24 18:26	06/20/24 18:31	06/20/24 18:36
PREP BATCH	: IPF010S	IPF010S	IPF010S
CALIBRATION REF	: ID8F008045	ID8F008045	ID8F008045

ACCESSION:

PARAMETERS	MBResult (mg/kg)	SpikeAmt (mg/kg)	LCSResult (mg/kg)	LCSRec (%)	SpikeAmt (mg/kg)	LCDResult (mg/kg)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Antimony	ND	250	231	92	250	224	90	3	79-114	20
Arsenic	ND	50	48.5	97	50	47.0	94	3	82-111	20
Barium	ND	50	47.7	95	50	46.9	94	2	83-113	20
Beryllium	ND	50	48.3	97	50	47.4	95	2	83-113	20
Cadmium	ND	50	49.0	98	50	47.7	95	3	82-113	20
Chromium	ND	50	47.8	96	50	46.8	94	2	85-113	20
Cobalt	ND	50	48.0	96	50	47.2	94	2	85-112	20
Copper	ND	50	46.9	94	50	46.1	92	2	81-117	20
Lead	ND	50	46.4	93	50	45.5	91	2	81-112	20
Molybdenum	ND	50	51.4	103	50	50.2	100	2	82-116	20
Nickel	ND	50	50.9	102	50	50.0	100	2	83-113	20
Selenium	ND	50	48.4	97	50	47.0	94	3	78-111	20
Silver	ND	50	46.8	94	50	46.0	92	2	82-112	20
Thallium	ND	50	46.1	92	50	45.0	90	2	83-111	20
Vanadium	ND	50	48.5	97	50	47.6	95	2	82-114	20
Zinc	ND	50	51.5	103	50	50.6	101	2	82-113	20

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : 3050B/6010C

MATRIX	: SOIL		% MOISTURE: 10.5
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: IDW-SOIL_JUN24	IDW-SOIL_JUN24MS	IDW-SOIL_JUN24MSD
LAB SAMPLE ID	: F034-02	F034-02M	F034-02S
LAB FILE ID	: ID8F008056	ID8F008058	ID8F008059
DATE PREPARED	: 06/14/24 09:36	06/14/24 09:36	06/14/24 09:36
DATE ANALYZED	: 06/20/24 18:55	06/20/24 19:05	06/20/24 19:10
PREP BATCH	: IPF010S	IPF010S	IPF010S
CALIBRATION REF	: ID8F008053	ID8F008053	ID8F008053

ACCESSION:

PARAMETERS	PSResult (mg/kg)	SpikeAmt (mg/kg)	MSResult (mg/kg)	MSRec (%)	SpikeAmt (mg/kg)	MSDResult (mg/kg)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Antimony	ND	271	186	69*	271	183	68*	2	79-114	20
Arsenic	12.8	54.2	65.5	97	54.2	60.9	89	7	82-111	20
Barium	197	54.2	259	114*	54.2	252	101	3	83-113	20
Beryllium	0.679	54.2	51.6	94	54.2	51.1	93	1	83-113	20
Cadmium	ND	54.2	49.3	91	54.2	49.1	91	0	82-113	20
Chromium	63.1	54.2	121	107	54.2	118	101	3	85-113	20
Cobalt	12.9	54.2	67.0	100	54.2	65.4	97	2	85-112	20
Copper	21.3	54.2	71.4	92	54.2	70.7	91	1	81-117	20
Lead	4.47	54.2	55.5	94	54.2	54.8	93	1	81-112	20
Molybdenum	0.624J	54.2	54.9	100	54.2	53.7	98	2	82-116	20
Nickel	29.2	54.2	91.4	115*	54.2	86.5	106	6	83-113	20
Selenium	ND	54.2	40.7	75*	54.2	40.9	75*	0	78-111	20
Silver	ND	54.2	49.7	92	54.2	49.1	91	1	82-112	20
Thallium	ND	54.2	43.1	80*	54.2	42.6	79*	1	83-111	20
Vanadium	82.8	54.2	143	111	54.2	141	107	1	82-114	20
Zinc	48.3	54.2	109	112	54.2	107	108	2	82-113	20

PSResult - Parent Sample Result
* Out of QC limit

EMAX QUALITY CONTROL DATA
ANALYTICAL SPIKE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : 3050B/6010C

MATRIX	: SOIL	% MOISTURE: 10.5
DILUTION FACTOR:	1	1
SAMPLE ID	: IDW-SOIL_JUN24	IDW-SOIL_JUN24
LAB SAMPLE ID	: F034-02	F034-02A
LAB FILE ID	: ID8F008056	ID8F008055
DATE PREPARED	: 06/14/24 09:36	06/14/24 09:36
DATE ANALYZED	: 06/20/24 18:55	06/20/24 18:50
PREP BATCH	: IPF010S	IPF010S
CALIBRATION REF:	ID8F008053	ID8F008053

ACCESSION:

PARAMETERS	Sample Result (mg/kg)	Spike Amt (mg/kg)	AS Result (mg/kg)	AS Rec (%)	QC Limit (%)
Antimony	ND	271	275	101	80-120
Arsenic	12.8	54.2	68.4	102	80-120
Barium	197	54.2	250	98	80-120
Beryllium	0.679	54.2	56.6	103	80-120
Cadmium	ND	54.2	54.9	101	80-120
Chromium	63.1	54.2	116	98	80-120
Cobalt	12.9	54.2	71.8	109	80-120
Copper	21.3	54.2	75.8	100	80-120
Lead	4.47	54.2	60.4	103	80-120
Molybdenum	0.624J	54.2	62.2	114	80-120
Nickel	29.2	54.2	90.9	114	80-120
Selenium	ND	54.2	46.3	85	80-120
Silver	ND	54.2	50.0	92	80-120
Thallium	ND	54.2	48.3	89	80-120
Vanadium	82.8	54.2	136	98	80-120
Zinc	48.3	54.2	113	119	80-120

AS - Analytical Spike

EMAX QUALITY CONTROL DATA
SERIAL DILUTION ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : 3050B/6010C

MATRIX	: SOIL	% MOISTURE: 10.5
DILUTION FACTOR	: 1	5
SAMPLE ID	: IDW-SOIL_JUN24	IDW-SOIL_JUN24
LAB SAMPLE ID	: F034-02	F034-02J
LAB FILE ID	: ID8F008056	ID8F008057
DATE PREPARED	: 06/14/24 09:36	06/14/24 09:36
DATE ANALYZED	: 06/20/24 18:55	06/20/24 19:00
PREP BATCH	: IPF010S	IPF010S
CALIBRATION REF	: ID8F008053	ID8F008053

ACCESSION:

PARAMETERS	Sample Result (mg/kg)	SD Result (mg/kg)	%Difference (%)	Max %D (%)
Antimony	ND	ND	0	10
Arsenic	12.8	12.4	3	10
Barium	197	199	1	10
Beryllium	0.679	0.575J	NA	10
Cadmium	ND	ND	0	10
Chromium	63.1	65.5	4	10
Cobalt	12.9	12.3	5	10
Copper	21.3	21.6	1	10
Lead	4.47	4.32J	NA	10
Molybdenum	0.624J	ND	NA	10
Nickel	29.2	27.5	6	10
Selenium	ND	ND	0	10
Silver	ND	ND	0	10
Thallium	ND	ND	0	10
Vanadium	82.8	84.3	2	10
Zinc	48.3	43.8J	NA	10

SD - Serial Dilution

ICP (6010) QC CHECK TABLE

QC	ICV	CCV	ICSAB	ICSA
Limit%	90-110	90-110	80-120	80-120
Comp	mg/L	mg/L	mg/L	mg/L
Al	100	100	400	400
Sb	1.5	1.5	1	0
As	1	1	1	0
Ba	2	2	0.5	0
Be	1.5	1.5	0.5	0
B	2.5	2.5	1	0
Cd	2	2	1	0
Ca	75	75	500	500
Cr	2.5	2.5	0.5	0
Co	1	1	0.5	0
Cu	2.5	2.5	0.5	0
Fe	25	25	200	200
Pb	2.5	2.5	1	0
Li	0.5	0.5	1	0
Mg	60	60	200	200
Mn	2.5	2.5	0.5	0
Mo	2.5	2.5	1	0
Ni	2.5	2.5	1	0
K	60	60	75	0
Se	1	1	1	0
Ag	0.5	0.5	1	0
Na	60	60	75	0
Sr	0.5	0.5	0.5	0
Tl	2.5	2.5	1	0
Sn	0.5	0.5	1	0
Ti	0.5	0.5	1	0
V	1.5	1.5	0.5	0
Zn	2.5	2.5	1	0

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Start Date: 6/20/24 12:28

End Date: 6/21/24 00:35

SOP #	Rev. #
☐ EMAX-6010	9
☑ EMAX-6010C	3
☐ EMAX-200.7	6
☐ EMAX-	

Comments: See Analytical Sequence

Book #: AD8-075

Instrument No.: D8

Analytical Batch: ID8F008

Analytical Sequence: 8-24F6010 (v19)

Method File: 6/20/24 JF 24F6010 (v19)

Database: EMAX31

Micropipette ID: ☐ 942780530

Micropipette ID: ☑ D42761999

Micropipette ID: ☑ 542740566

Micropipette ID: ☑ D42781151

Micropipette ID: ☐

	STANDARDS ID		STANDARDS ID
S0	SMIB-29-38-02	S26	SMIB-29-44-9
S1	N/A	S27	-44-02
S2		S28	-18-01
S3		S29	-18-02
S4		S30	-24-02
S5		S31	-25-01
S6		ICV	SMIB-29-40-01
S7		CCV	-19-01
S8		ICSA	-24-01
S9		ICSAB	-39-01
S10		CRI/MRL1	-26-01
S11		CRI/MRL2	-37-02
S12		CRI/MRL3	-20-01(2x)
S16		CRI/MRL4	-12-01
S17		Internal Standard	SMIA-025-12-04
S18		Post-Spike 1	-04-02
S20	SMIB-29-39-01	Post-Spike 2	-07-03
S21	-39-02	Post-Spike 3	-07-04
S22	-16-02		
S23	-17-01		
S24	-43-01		
S25	-43-02		

Analyzed By: JF / JC

Date: 6/20/24

SEQUENCE FILE : ID8F008

4-18	19-33	34-43	44-53	54-63
LFID	LSID	TIME	DATE	DF
ID8F008001	S024F6010	12:28	06/20/24	1.000
ID8F008002	S20	12:33	06/20/24	1.000
ID8F008003	S21	12:38	06/20/24	1.000
ID8F008004	S22	12:43	06/20/24	1.000
ID8F008005	S23	12:48	06/20/24	1.000
ID8F008006	S24	12:54	06/20/24	1.000
ID8F008007	S25	12:58	06/20/24	1.000
ID8F008008	S26	13:04	06/20/24	1.000
ID8F008009	S27	13:08	06/20/24	1.000
ID8F008010	S28	13:13	06/20/24	1.000
ID8F008011	S29	13:18	06/20/24	1.000
ID8F008012	S30	13:23	06/20/24	1.000
ID8F008013	S31	13:28	06/20/24	1.000
ID8F008014	ICV	13:33	06/20/24	1.000
ID8F008015	ICB	13:38	06/20/24	1.000
ID8F008016	MRLF2001	13:43	06/20/24	1.000
ID8F008017	MRLF2002	13:48	06/20/24	1.000
ID8F008018	ICSA1	13:53	06/20/24	1.000
ID8F008019	ICSAB1	13:58	06/20/24	1.000
ID8F008020	MRLF2003	14:03	06/20/24	1.000
ID8F008021	MRLF2004	14:08	06/20/24	1.000
ID8F008022	CCV1	14:12	06/20/24	1.000
ID8F008023	CCB1	14:17	06/20/24	1.000
ID8F008024	IPF005WB	16:17	06/20/24	1.000
ID8F008025	IPF005WL	16:22	06/20/24	1.000
ID8F008026	IPF005WC	16:27	06/20/24	1.000
ID8F008027	F020-02	16:31	06/20/24	1.000
ID8F008028	F020-03A	16:36	06/20/24	1.000
ID8F008029	F020-03	16:41	06/20/24	1.000
ID8F008030	F020-03J	16:46	06/20/24	5.000
ID8F008031	F020-03K	16:51	06/20/24	1.000
ID8F008032	F020-03S	16:56	06/20/24	1.000
ID8F008033	CCV2	17:01	06/20/24	1.000
ID8F008034	CCB2	17:06	06/20/24	1.000
ID8F008035	F020-04	17:11	06/20/24	1.000
ID8F008036	F020-05	17:15	06/20/24	1.000
ID8F008037	F020-06	17:20	06/20/24	1.000
ID8F008038	TXF002SB	17:25	06/20/24	1.000
ID8F008039	F008-04A	17:30	06/20/24	1.000
ID8F008040	F008-04	17:35	06/20/24	1.000
ID8F008041	F008-04J	17:40	06/20/24	5.000
ID8F008042	F008-04M	17:45	06/20/24	1.000
ID8F008043	F008-04S	17:50	06/20/24	1.000
ID8F008044	TXF003SB	17:55	06/20/24	1.000
ID8F008045	CCV3	18:00	06/20/24	1.000
ID8F008046	CCB3	18:05	06/20/24	1.000
ID8F008047	F032-05	18:10	06/20/24	1.000
ID8F008048	F034-02	18:16	06/20/24	1.000
ID8F008049	F428-01	18:21	06/20/24	1.000
ID8F008050	IPF010SB	18:26	06/20/24	1.000
ID8F008051	IPF010SL	18:31	06/20/24	1.000
ID8F008052	IPF010SC	18:36	06/20/24	1.000
ID8F008053	CCV4	18:40	06/20/24	1.000
ID8F008054	CCB4	18:45	06/20/24	1.000
ID8F008055	F034-02A	18:50	06/20/24	1.000
ID8F008056	F034-02	18:55	06/20/24	1.000
ID8F008057	F034-02J	19:00	06/20/24	5.000
ID8F008058	F034-02M	19:05	06/20/24	1.000
ID8F008059	F034-02S	19:10	06/20/24	1.000
ID8F008060	IPF009WB	19:15	06/20/24	1.000
ID8F008061	IPF009WL	19:20	06/20/24	1.000
ID8F008062	IPF009WC	19:24	06/20/24	1.000

ID8F008063	CCV5	19:29	06/20/24	1.000
ID8F008064	CCB5	19:34	06/20/24	1.000
ID8F008065	F034-01A	19:39	06/20/24	1.000
ID8F008066	F034-01	19:44	06/20/24	1.000
ID8F008067	F034-01J	19:49	06/20/24	5.000
ID8F008068	F034-01M	19:54	06/20/24	1.000
ID8F008069	F034-01S	19:59	06/20/24	1.000
ID8F008070	CCV6	20:03	06/20/24	1.000
ID8F008071	CCB6	20:08	06/20/24	1.000
ID8F008072	IPFC11WB	20:13	06/20/24	1.000
ID8F008073	IPFC11WL	20:18	06/20/24	1.000
ID8F008074	IPFC11WC	20:23	06/20/24	1.000
ID8F008075	TX0C4WB	20:28	06/20/24	1.000
ID8F008076	F058-01A	20:33	06/20/24	1.000
ID8F008077	F058-01	20:38	06/20/24	1.000
ID8F008078	F058-01J	20:43	06/20/24	5.000
ID8F008079	F058-01M	20:48	06/20/24	1.000
ID8F008080	F058-01S	20:52	06/20/24	1.000
ID8F008081	CCV7	20:57	06/20/24	1.000
ID8F008082	CCB7	21:02	06/20/24	1.000
ID8F008083	IPF006SB	21:07	06/20/24	1.000
ID8F008084	IPF006SL	21:12	06/20/24	1.000
ID8F008085	IPF006SC	21:17	06/20/24	1.000
ID8F008086	F427-01A	21:22	06/20/24	1.000
ID8F008087	F427-01	21:27	06/20/24	1.000
ID8F008088	F427-01J	21:32	06/20/24	5.000
ID8F008089	F427-01M	21:37	06/20/24	1.000
ID8F008090	F427-01S	21:41	06/20/24	1.000
ID8F008091	CCV8	21:46	06/20/24	1.000
ID8F008092	CCB8	21:51	06/20/24	1.000
ID8F008093	IPF015SB	21:56	06/20/24	1.000
ID8F008094	IPF015SL	22:01	06/20/24	1.000
ID8F008095	IPF015SC	22:06	06/20/24	1.000
ID8F008096	F476-01A	22:11	06/20/24	1.000
ID8F008097	F476-01	22:15	06/20/24	1.000
ID8F008098	F476-01J	22:20	06/20/24	5.000
ID8F008099	F476-01M	22:25	06/20/24	1.000
ID8F008100	F476-01S	22:30	06/20/24	1.000
ID8F008101	CCV9	22:35	06/20/24	1.000
ID8F008102	CCB9	22:40	06/20/24	1.000
ID8F008103	IPF016WB	22:45	06/20/24	1.000
ID8F008104	IPF016WL	22:50	06/20/24	1.000
ID8F008105	IPF016WC	22:55	06/20/24	1.000
ID8F008106	CCV10	23:00	06/20/24	1.000
ID8F008107	CCB10	23:05	06/20/24	1.000
ID8F008108	WTF002SB	23:10	06/20/24	5.000
ID8F008109	E112-01A	23:15	06/20/24	5.000
ID8F008110	E112-01	23:20	06/20/24	5.000
ID8F008111	E112-01J	23:25	06/20/24	25.000
ID8F008112	E112-01M	23:30	06/20/24	5.000
ID8F008113	E112-01S	23:35	06/20/24	5.000
ID8F008114	CCV11	23:40	06/20/24	1.000
ID8F008115	CCB11	23:45	06/20/24	1.000
ID8F008116	MRL2005	23:50	06/20/24	1.000
ID8F008117	MRL2006	23:55	06/20/24	1.000
ID8F008118	WTFC01SB	00:00	06/21/24	5.000
ID8F008119	F034-02A	00:05	06/21/24	5.000
ID8F008120	F034-02	00:10	06/21/24	5.000
ID8F008121	F034-02J	00:15	06/21/24	25.000
ID8F008122	F034-02M	00:20	06/21/24	5.000
ID8F008123	F034-02S	00:25	06/21/24	5.000
ID8F008124	CCV12	00:30	06/21/24	1.000
ID8F008125	CCB12	00:35	06/21/24	1.000

INITIAL CALIBRATION VERIFICATION SUMMARY FORM

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Method : METHOD 3050B/6010C
Sequence : ID8F008
InstrumentID: D8

Lab Samp ID :		ICV				ICSA1			ICSAB1		
QC Limit :		%R:90-110/RSD:<5				%R:80-120/<LOD			%R:80-120		
Lab File ID :		ID8F008014				ID8F008018			ID8F008019		
DateAnalyed :		06/20/2413:33				06/20/2413:53			06/20/2413:58		
Parameter		Result	ICV EV	RSD	%Recovery	Result	ICSA EV	%Rec/LOD	Result	ICSAB EV	%Recovery
Aluminum		97.211	100	1.0598	97	427.13	400	107	393.82	400	98
Antimony	T	1.5120	1.5	.48754	101	.00341	0	<0.030	.98030	1	98
Arsenic	T	.97284	1.0	.79739	97	.00052	0	<0.02	.99520	1	100
Barium	T	1.8909	2.0	.16430	95	.00038	0	<0.002	.46414	0.5	93
Beryllium	T	1.4106	1.5	.17814	94	-.00002	0	<0.002	.45548	0.5	91
Boron		2.3651	2.5	.09104	95	-.00519	0	<0.01	.97195	1.0	97
Cadmium	T	1.9290	2.0	.30745	96	-.00088	0	<0.005	.90537	1	91
Calcium		74.758	75	.05652	100	491.83	500	98	452.47	500	90
Chromium	T	2.3623	2.5	.07450	94	.00173	0	<0.005	.45155	0.5	90
Cobalt	T	.91737	1.0	.05552	92	-.00021	0	<0.002	.45867	0.5	92
Copper	T	2.3152	2.5	.09362	93	.00004	0	<0.005	.46089	0.5	92
Iron		22.705	25	.11138	91	191.00	200	96	170.99	200	85
Lead	T	2.2561	2.5	.09844	91	-.00398	0	<0.005	.89361	1	89
Lithium		.49770	0.5	.09084	100	.00000	0	<0.05	.94251	1	94
Magnesium		55.879	60	.15134	93	187.56	200	94	170.38	200	85
Manganese		2.2925	2.5	.13963	92	-.00177	0	<0.003	.45355	0.5	91
Molybdenum	T	2.4067	2.5	.08768	96	.00077	0	<0.005	.99245	1	99
Nickel	T	2.4347	2.5	.08786	97	-.00044	0	<0.005	.96364	1	96
Potassium		60.684	60	.25992	101	.06875	0	<0.1	74.837	75	100
Selenium	T	.98453	1.0	.44386	98	.00157	0	<0.01	.93145	1	93
Silver	T	.47292	0.5	.06232	95	-.00063	0	<0.005	.98569	1	99
Sodium		60.526	60	.07110	101	.14504	0	>0.1	74.826	75	100
Strontium		.46511	0.5	.12812	93	-.00056	0	<0.001	.45968	0.5	92
Thallium	T	2.2792	2.5	.43089	91	.00017	0	<0.005	.82674	1	83
Tin		.48910	0.5	.19450	98	.00033	0	<0.005	.95942	1	96
Titanium		.47216	0.5	.21530	94	.00000	0	<0.005	.90409	1	90
Vanadium	T	1.3869	1.5	.10397	92	-.00001	0	<0.002	.45211	0.5	90
Zinc	T	2.5064	2.5	.09736	100	.00300	0	<0.02	.99515	1	100

| Unit: mg/L
| T: Target analyte
| EV: Expected Value
| Comment:

CONTINUING CALIBRATION VERIFICATION SUMMARY FORM

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Method : 3050B/6010C
Sequence : ID8F008
Instrument ID: D8

CCV SampleID			CCV3			CCV4			CCV5		
CCV DataFileID			ID8F008045			ID8F008053			ID8F008063		
CCV DateTime			06/20/24 18:00			06/20/24 18:40			06/20/24 19:29		
PARAMETER		CCV EV	RESULT	%REC	RSD	RESULT	%REC	RSD	RESULT	%REC	RSD
Aluminum		100	96.8	97	.51633	95.5	96	.19554	94.3	94	.69280
Antimony	T	1.5	1.5	100	.22495	1.5	100	.29934	1.51	101	.60562
Arsenic	T	1.0	0.961	96	.40587	0.961	96	.63346	0.971	97	.03805
Barium	T	2.0	1.9	95	.24550	1.89	95	.05464	1.92	96	.16021
Beryllium	T	1.5	1.42	95	.18968	1.42	94	.11839	1.43	95	.10693
Boron		2.5	2.35	94	.14233	2.34	94	.22776	2.36	94	.21626
Cadmium	T	2.0	1.92	96	.27562	1.93	96	.07084	1.94	97	.32249
Calcium		75	75.1	100	.14952	75.3	100	.13657	75.4	100	.14916
Chromium	T	2.5	2.33	93	.09302	2.32	93	.13710	2.38	95	.21813
Cobalt	T	1.0	0.918	92	.26298	0.916	92	.11887	0.916	92	.13443
Copper	T	2.5	2.3	92	.06179	2.3	92	.12995	2.31	93	.19803
Iron		25	22.6	90	.42877	22.5	90	.21285	23	92	.43358
Lead	T	2.5	2.26	91	.12563	2.26	90	.07493	2.26	91	.12073
Lithium		0.5	0.503	101	.45686	0.497	99	.90178	0.531	106	.87207
Magnesium		60	55.2	92	.32284	55	92	.34819	57.5	96	.26164
Manganese		2.5	2.32	93	.18035	2.33	93	.09185	2.36	94	.08025
Molybdenum	T	2.5	2.41	96	.04966	2.41	96	.02517	2.41	96	.03995
Nickel	T	2.5	2.43	97	.11069	2.43	97	.03576	2.44	97	.04493
Potassium		60	60.4	101	.18533	60.1	100	.31582	63.3	105	.21253
Selenium	T	1.0	0.98	98	.52711	0.979	98	.43813	0.984	98	.26532
Silver	T	0.5	0.47	94	.44780	0.468	94	.24923	0.479	96	.51048
Sodium		60	61.1	102	.09268	61	102	.03485	62.2	104	.06022
Strontium		0.5	0.465	93	.11465	0.465	93	.21449	0.463	93	.05136
Thallium	T	2.5	2.26	91	.42170	2.28	91	.15498	2.28	91	.24580
Tin		0.5	0.49	98	.23263	0.492	98	.04726	0.489	98	.50584
Titanium		0.5	0.469	94	.06259	0.465	93	.29386	0.48	96	.37143
Vanadium	T	1.5	1.38	92	.27271	1.38	92	.21122	1.4	93	.29272
Zinc	T	2.5	2.51	100	.06477	2.51	100	.03054	2.51	100	.06421

| Unit: ug/L
| T: Target analyte
|%Rec QC Limit: 90-110
| RSD QC Limit: <5
| CCV EV: CCV Expected Value ug/L
] Comment:

CONTINUING CALIBRATION BLANK SUMMARY FORM

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Method : 3050B/6010C
Sequence : ID8F008
Instrument ID: D8

CB SampleID		: ICB		CCB3		CCB4		CCB5	
CB DataFileID		: ID8F008015		ID8F008046		ID8F008054		ID8F008064	
CB DateTime		: 06/20/2413:38		06/20/2418:05		06/20/2418:45		06/20/2419:34	
PARAMETER		LOD	RESULT	< LOD >	RESULT	< LOD >	RESULT	< LOD >	RESULT	< LOD >
Aluminum		0.03	0.009	<0.03	0.01	<0.03	0.02	<0.03	0.02	<0.03
Antimony	T	0.030	0.0007	<0.030	0.0008	<0.030	0.00001	<0.030	0.0008	<0.030
Arsenic	T	0.02	0.00006	<0.02	0.0002	<0.02	0.0002	<0.02	0.0007	<0.02
Barium	T	0.002	0.0001	<0.002	0.00005	<0.002	0.0002	<0.002	0.00003	<0.002
Beryllium	T	0.002	0.0002	<0.002	0.0003	<0.002	0.0003	<0.002	0.0002	<0.002
Boron		0.01	0.007	<0.01	0.004	<0.01	0.004	<0.01	0.005	<0.01
Cadmium	T	0.005	0.00	<0.005	0.00008	<0.005	0.00004	<0.005	0.00001	<0.005
Calcium		0.1	0.17	>0.1	0.17	>0.1	0.17	>0.1	0.16	>0.1
Chromium	T	0.005	0.0002	<0.005	0.0004	<0.005	0.0001	<0.005	0.0005	<0.005
Cobalt	T	0.002	0.0001	<0.002	0.00006	<0.002	0.00009	<0.002	0.00001	<0.002
Copper	T	0.005	0.0001	<0.005	0.0001	<0.005	0.0001	<0.005	0.0002	<0.005
Iron		0.04	0.003	<0.04	0.004	<0.04	0.004	<0.04	0.006	<0.04
Lead	T	0.005	0.00009	<0.005	0.0003	<0.005	0.0001	<0.005	0.0003	<0.005
Lithium		0.05	0.002	<0.05	0.0009	<0.05	0.0002	<0.05	0.001	<0.05
Magnesium		0.1	0.01	<0.1	0.008	<0.1	0.01	<0.1	0.0006	<0.1
Manganese		0.003	0.0002	<0.003	0.0002	<0.003	0.0003	<0.003	0.0004	<0.003
Molybdenum	T	0.005	0.0004	<0.005	0.0002	<0.005	0.00005	<0.005	0.0002	<0.005
Nickel	T	0.005	0.0004	<0.005	0.0005	<0.005	0.0005	<0.005	0.0004	<0.005
Potassium		0.1	0.11	>0.1	0.009	<0.1	0.04	<0.1	0.02	<0.1
Selenium	T	0.01	0.002	<0.01	0.002	<0.01	0.0005	<0.01	0.002	<0.01
Silver	T	0.005	0.00004	<0.005	0.00007	<0.005	0.0004	<0.005	0.0003	<0.005
Sodium		0.1	0.01	<0.1	0.05	<0.1	0.04	<0.1	0.02	<0.1
Strontium		0.001	0.0004	<0.001	0.0004	<0.001	0.0005	<0.001	0.0003	<0.001
Thallium	T	0.005	0.0005	<0.005	0.0001	<0.005	0.0005	<0.005	0.002	<0.005
Tin		0.005	0.0005	<0.005	0.00009	<0.005	0.00003	<0.005	0.0002	<0.005
Titanium		0.005	0.0006	<0.005	0.0005	<0.005	0.0002	<0.005	0.0006	<0.005
Vanadium	T	0.002	0.00005	<0.002	0.00007	<0.002	0.00009	<0.002	0.00006	<0.002
Zinc	T	0.02	0.003	<0.02	0.003	<0.02	0.002	<0.02	0.002	<0.02

Unit: mg/L
CB: Calibration Blank
T: Target analyte
Acceptance Criteria: CCB Result <LOD
Comment:

	Pos ID	Rack	Row	Col	Type	Samplename	Comment	Date File	Type	Anaylst	CorrFact	Check	Check Table	Fail Action
1	0	0	0	0	Unk	S0		ID8F008001		JFeng/JChun	1	☒	unk6010C	---
2	0	0	0	0	Unk	S20		ID8F008002		JFeng/JChun	1	☒	unk6010C	---
3	0	0	0	0	Unk	S21		ID8F008003		JFeng/JChun	1	☒	unk6010C	---
4	0	0	0	0	Unk	S22		ID8F008004		JFeng/JChun	1	☒	unk6010C	---
5	0	0	0	0	Unk	S23		ID8F008005		JFeng/JChun	1	☒	unk6010C	---
6	0	0	0	0	Unk	S24		ID8F008006		JFeng/JChun	1	☒	unk6010C	---
7	0	0	0	0	Unk	S25		ID8F008007		JFeng/JChun	1	☒	unk6010C	---
8	0	0	0	0	Unk	S26		ID8F008008		JFeng/JChun	1	☒	unk6010C	---
9	0	0	0	0	Unk	S27		ID8F008009		JFeng/JChun	1	☒	unk6010C	---
10	0	0	0	0	Unk	S28		ID8F008010		JFeng/JChun	1	☒	unk6010C	---
11	0	0	0	0	Unk	S29		ID8F008011		JFeng/JChun	1	☒	unk6010C	---
12	0	0	0	0	Unk	S30		ID8F008012		JFeng/JChun	1	☒	unk6010C	---
13	0	0	0	0	Unk	S31		ID8F008013		JFeng/JChun	1	☒	unk6010C	---
14	1	2	1	1	QC	ICV		ID8F008014		JFeng/JChun	1	☒	CCV	None
15	2	2	2	1	QC	ICB		ID8F008015		JFeng/JChun	1	☒	LOD	None
16	3	2	3	1	QC	MRLF2001		ID8F008016		JFeng/JChun	1	☒	MRL-EMAX	None
17	4	2	4	1	QC	MRLF2002		ID8F008017		JFeng/JChun	1	☒	MRL-AFCEE	None
18	5	2	5	1	QC	ICSA1		ID8F008018		JFeng/JChun	1	☒	ICSA-DoD	None
19	6	2	6	1	QC	ICSAB1		ID8F008019		JFeng/JChun	1	☒	ICSAB	None
20	7	2	7	1	Unk	MRLF2003		ID8F008020		JFeng/JChun	1	☒	unk6010C	---
21	8	2	8	1	Unk	MRLF2004		ID8F008021		JFeng/JChun	1	☒	unk6010C	---
22	9	2	9	1	QC	CCV1		ID8F008022		JFeng/JChun	1	☒	CCV	None
23	10	2	10	1	QC	CCB1		ID8F008023		JFeng/JChun	1	☒	LOD	None
24	61	3	1	1	QC	IPF005WB		ID8F008024		JFeng/JChun	1	☒	1/2LOQ	None
25	62	3	2	1	QC	IPF005WL		ID8F008025		JFeng/JChun	1	☒	LCS	None
26	63	3	3	1	QC	IPF005WC		ID8F008026		JFeng/JChun	1	☒	LCS	None
27	64	3	4	1	Unk	F020-02		ID8F008027		JFeng/JChun	1	☒	unk	---
28	65	3	5	1	Unk	F020-03A		ID8F008028		JFeng/JChun	1	☒	unk	---
29	66	3	6	1	Unk	F020-03		ID8F008029		JFeng/JChun	1	☒	unk	---
30	67	3	7	1	Unk	F020-03J		ID8F008030		JFeng/JChun	1	☒	unk	---
31	68	3	8	1	Unk	F020-03M		ID8F008031		JFeng/JChun	1	☒	unk	---
32	69	3	9	1	Unk	F020-03S		ID8F008032		JFeng/JChun	1	☒	unk	---
33	157	4	1	4	QC	CCV2		ID8F008033		JFeng/JChun	1	☒	CCV	None
34	169	4	1	5	QC	CCB2		ID8F008034		JFeng/JChun	1	☒	LOD	None
35	70	3	10	1	Unk	F020-04		ID8F008035		JFeng/JChun	1	☒	unk	---
36	71	3	11	1	Unk	F020-05		ID8F008036		JFeng/JChun	1	☒	unk	---
37	72	3	12	1	Unk	F020-06		ID8F008037		JFeng/JChun	1	☒	unk	---
38	73	3	1	2	QC	TXF002SB		ID8F008038		JFeng/JChun	1	☒	1/2LOQ	None
39	74	3	2	2	Unk	F008-04A	TCLP	ID8F008039		JFeng/JChun	1	☒	unk	---
40	75	3	3	2	Unk	F008-04	TCLP	ID8F008040		JFeng/JChun	1	☒	unk	---

	Pos ID	Rack	Row	Col	Type	Samplename	Comment	Date File	Type	Anaylst	CorrFact	Check	Check Table	Fail Action
41	76	3	4	2	Unk	F008-04J	TCLP	ID8F008041		JFeng/JChun	1	☒	unk	---
42	77	3	5	2	Unk	F008-04M	TCLP	ID8F008042		JFeng/JChun	1	☒	unk	---
43	78	3	6	2	Unk	F008-04S	TCLP	ID8F008043		JFeng/JChun	1	☒	unk	---
44	79	3	7	2	QC	TXF003SB		ID8F008044		JFeng/JChun	1	☒	1/2LOQ	None
45	158	4	2	4	QC	CCV3		ID8F008045		JFeng/JChun	1	☒	CCV	None
46	170	4	2	5	QC	CCB3		ID8F008046		JFeng/JChun	1	☒	LOD	None
47	80	3	8	2	Unk	F032-05	TCLP	ID8F008047		JFeng/JChun	1	☒	unk	---
48	81	3	9	2	Unk	F034-02	TCLP	ID8F008048		JFeng/JChun	1	☒	unk	---
49	82	3	10	2	Unk	F428-01	TCLP	ID8F008049		JFeng/JChun	1	☒	unk	---
50	83	3	11	2	QC	IPF010SB		ID8F008050		JFeng/JChun	1	☒	1/2LOQ	None
51	84	3	12	2	QC	IPF010SL		ID8F008051		JFeng/JChun	1	☒	LCS-SDoD	None
52	85	3	1	3	QC	IPF010SC		ID8F008052		JFeng/JChun	1	☒	LCS-SDoD	None
53	159	4	3	4	QC	CCV4		ID8F008053		JFeng/JChun	1	☒	CCV	None
54	171	4	3	5	QC	CCB4		ID8F008054		JFeng/JChun	1	☒	LOD	None
55	86	3	2	3	Unk	F034-02A		ID8F008055		JFeng/JChun	1	☒	unk	---
56	87	3	3	3	Unk	F034-02		ID8F008056		JFeng/JChun	1	☒	unk	---
57	88	3	4	3	Unk	F034-02J		ID8F008057		JFeng/JChun	1	☒	unk	---
58	89	3	5	3	Unk	F034-02M		ID8F008058		JFeng/JChun	1	☒	unk	---
59	90	3	6	3	Unk	F034-02S		ID8F008059		JFeng/JChun	1	☒	unk	---
60	91	3	7	3	QC	IPF009WB		ID8F008060		JFeng/JChun	1	☒	1/2LOQ	None
61	92	3	8	3	QC	IPF009WL		ID8F008061		JFeng/JChun	1	☒	LCS-WDoD	None
62	93	3	9	3	QC	IPF009WC		ID8F008062		JFeng/JChun	1	☒	LCS-WDoD	None
63	160	4	4	4	QC	CCV5		ID8F008063		JFeng/JChun	1	☒	CCV	None
64	172	4	4	5	QC	CCB5		ID8F008064		JFeng/JChun	1	☒	LOD	None
65	94	3	10	3	Unk	F034-01A		ID8F008065		JFeng/JChun	1	☒	unk	---
66	95	3	11	3	Unk	F034-01		ID8F008066		JFeng/JChun	1	☒	unk	---
67	96	3	12	3	Unk	F034-01J		ID8F008067		JFeng/JChun	1	☒	unk	---
68	97	3	1	4	Unk	F034-01M		ID8F008068		JFeng/JChun	1	☒	unk	---
69	98	3	2	4	Unk	F034-01S		ID8F008069		JFeng/JChun	1	☒	unk	---
70	161	4	5	4	QC	CCV6		ID8F008070		JFeng/JChun	1	☒	CCV	None
71	173	4	5	5	QC	CCB6		ID8F008071		JFeng/JChun	1	☒	LOD	None
72	99	3	3	4	QC	IPF011WB		ID8F008072		JFeng/JChun	1	☒	1/2LOQ	None
73	100	3	4	4	QC	IPF011WL		ID8F008073		JFeng/JChun	1	☒	LCS-WDoD	None
74	101	3	5	4	QC	IPF011WC		ID8F008074		JFeng/JChun	1	☒	LCS-WDoD	None
75	102	3	6	4	QC	TX004WB	TCLP	ID8F008075		JFeng/JChun	1	☒	1/2LOQ	None
76	103	3	7	4	Unk	F058-01A	TCLP	ID8F008076		JFeng/JChun	1	☒	unk6010C	---
77	104	3	8	4	Unk	F058-01	TCLP	ID8F008077		JFeng/JChun	1	☒	unk6010C	---
78	105	3	9	4	Unk	F058-01J	TCLP	ID8F008078		JFeng/JChun	1	☒	unk6010C	---
79	106	3	10	4	Unk	F058-01M	TCLP	ID8F008079		JFeng/JChun	1	☒	unk6010C	---
80	107	3	11	4	Unk	F058-01S	TCLP	ID8F008080		JFeng/JChun	1	☒	unk6010C	---

	Pos ID	Rack	Row	Col	Type	Samplename	Comment	Date File	Type	Anaylst	CorrFact	Check	Check Table	Fail Action
81	162	4	6	4	QC	CCV7		ID8F008081		JFeng/JChun	1	☒	CCV	None
82	174	4	6	5	QC	CCB7		ID8F008082		JFeng/JChun	1	☒	LOD	None
83	108	3	12	4	QC	IPF006SB		ID8F008083		JFeng/JChun	1	☒	1/2LOQ	None
84	109	3	1	5	QC	IPF006SL		ID8F008084		JFeng/JChun	1	☒	LCS	None
85	110	3	2	5	QC	IPF006SC		ID8F008085		JFeng/JChun	1	☒	LCS	None
86	111	3	3	5	Unk	F427-01A		ID8F008086		JFeng/JChun	1	☒	unk	---
87	112	3	4	5	Unk	F427-01		ID8F008087		JFeng/JChun	1	☒	unk	---
88	113	3	5	5	Unk	F427-01J		ID8F008088		JFeng/JChun	1	☒	unk	---
89	114	3	6	5	Unk	F427-01M		ID8F008089		JFeng/JChun	1	☒	unk	---
90	115	3	7	5	Unk	F427-01S		ID8F008090		JFeng/JChun	1	☒	unk	---
91	163	4	7	4	QC	CCV8		ID8F008091		JFeng/JChun	1	☒	CCV	None
92	175	4	7	5	QC	CCB8		ID8F008092		JFeng/JChun	1	☒	LOD	None
93	116	3	8	5	QC	IPF015SB		ID8F008093		JFeng/JChun	1	☒	1/2LOQ	None
94	117	3	9	5	QC	IPF015SL		ID8F008094		JFeng/JChun	1	☒	LCS	None
95	118	3	10	5	QC	IPF015SC		ID8F008095		JFeng/JChun	1	☒	LCS	None
96	119	3	11	5	Unk	F476-01A		ID8F008096		JFeng/JChun	1	☒	unk	---
97	120	3	12	5	Unk	F476-01		ID8F008097		JFeng/JChun	1	☒	unk	---
98	121	4	1	1	Unk	F476-01J		ID8F008098		JFeng/JChun	1	☒	unk	---
99	122	4	2	1	Unk	F476-01M		ID8F008099		JFeng/JChun	1	☒	unk	---
100	123	4	3	1	Unk	F476-01S		ID8F008100		JFeng/JChun	1	☒	unk	---
101	164	4	8	4	QC	CCV9		ID8F008101		JFeng/JChun	1	☒	LOD	None
102	176	4	8	5	QC	CCB9		ID8F008102		JFeng/JChun	1	☒	LOD	None
103	124	4	4	1	QC	IPF016WB		ID8F008103		JFeng/JChun	1	☒	1/2LOQ	None
104	125	4	5	1	QC	IPF016WL		ID8F008104		JFeng/JChun	1	☒	LCS	None
105	126	4	6	1	QC	IPF016WC		ID8F008105		JFeng/JChun	1	☒	LCS	None
106	165	4	9	4	QC	CCV10		ID8F008106		JFeng/JChun	1	☒	CCV	None
107	177	4	9	5	QC	CCB10		ID8F008107		JFeng/JChun	1	☒	LOD	None
108	127	4	7	1	QC	WTF002SB	STLC 5X	ID8F008108		JFeng/JChun	1	☒	1/2LOQ	None
109	128	4	8	1	Unk	E112-01A	STLC 5X	ID8F008109		JFeng/JChun	1	☒	unk	---
110	129	4	9	1	Unk	E112-01	STLC 5X	ID8F008110		JFeng/JChun	1	☒	unk	---
111	130	4	10	1	Unk	E112-01J	STLC 25X	ID8F008111		JFeng/JChun	1	☒	unk	---
112	131	4	11	1	Unk	E112-01M	STLC 5X	ID8F008112		JFeng/JChun	1	☒	unk	---
113	132	4	12	1	Unk	E112-01S	STLC 5X	ID8F008113		JFeng/JChun	1	☒	unk	---
114	166	4	10	4	QC	CCV11		ID8F008114		JFeng/JChun	1	☒	CCV	None
115	178	4	10	5	QC	CCB11		ID8F008115		JFeng/JChun	1	☒	LOD	None
116	168	4	12	4	QC	MRL2005		ID8F008116		JFeng/JChun	1	☒	MRL-EMAX	None
117	180	4	12	5	QC	MRL2006		ID8F008117		JFeng/JChun	1	☒	MRL-EMAX	None
118	133	4	1	2	QC	WTF001SB	STLC 5X	ID8F008118		JFeng/JChun	1	☒	1/2LOQ	None
119	134	4	2	2	Unk	F034-02A	STLC 5X	ID8F008119		JFeng/JChun	1	☒	unk	---
120	135	4	3	2	Unk	F034-02	STLC 5X	ID8F008120		JFeng/JChun	1	☒	unk	---

	Pos ID	Rack	Row	Col	Type	Samplename	Comment	Date File	Type	Anaylst	CorrFact	Check	Check Table	Fail Action
121	136	4	4	2	Unk	F034-02J	STLC 25X	ID8F008121		JFeng/JChun	1	☒	unk	---
122	137	4	5	2	Unk	F034-02M	STLC 5X	ID8F008122		JFeng/JChun	1	☒	unk	---
123	138	4	6	2	Unk	F034-02S	STLC 5X	ID8F008123		JFeng/JChun	1	☒	unk	---
124	167	4	11	4	QC	CCV12		ID8F008124		JFeng/JChun	1	☒	CCV	None
125	179	4	11	5	QC	CCB12		ID8F008125		JFeng/JChun	1	☒	LOD	None

Element, Wavelength and Order	Date of Fit	Date of Cal.	Type of Fit	Weighting	A0	A1	A2	n (Exponent)	Correlation	Std Error of Est	Predicted MDL
Al 308.215 {109}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.000276	0.017897	0.000000	1.000000	0.999975	0.000138	0.035575
Sb 206.833 {463}	06/20/2024 15:33:38	06/20/2024 13:23:39	Linear	1/Conc	0.000011	0.005403	0.000000	1.000000	0.999997	0.000003	0.002072
As 189.042 {478}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.000023	0.002754	0.000000	1.000000	0.999996	0.000000	0.002817
Ba 455.403 { 74}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.001346	0.724162	0.000000	1.000000	1.000000	0.000052	0.000358
Be 313.042 {108}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	0.001162	0.717046	0.000000	1.000000	0.999992	0.000517	0.000145
B 249.773 {135}	06/20/2024 15:33:38	06/20/2024 13:03:57	Linear	1/Conc	0.000287	0.131674	0.000000	1.000000	0.999962	0.000207	0.000342
Cd 226.502 {449}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	-0.000043	0.141311	0.000000	1.000000	0.999886	0.000388	0.000111
Ca 317.933 {106}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.006429	0.033166	0.000000	1.000000	0.999751	0.006714	0.003640
Cr 267.716 {126}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.000500	0.157130	0.000000	1.000000	1.000000	0.000026	0.000316
Co 228.616 {447}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	-0.000292	0.678009	0.000000	1.000000	0.999959	0.000223	0.000300
Cu 324.754 {104}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.000731	0.225991	0.000000	1.000000	0.999954	0.000389	0.000341
Fe 271.441 {124}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.000021	0.006859	0.000000	1.000000	0.999993	0.000032	0.006722
Pb 220.353 {453}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	-0.000485	0.346577	0.000000	1.000000	0.999951	0.000625	0.000767
Li 670.784 { 50}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.000828	0.119696	0.000000	1.000000	0.999949	0.000032	0.004072
Mg 279.079 {121}	06/20/2024 15:33:38	06/20/2024 13:23:39	Linear	1/Conc	-0.000369	0.003749	0.000000	1.000000	0.999983	0.000040	0.035998
Mn 257.610 {131}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	0.000005	0.151351	0.000000	1.000000	0.999954	0.000264	0.000465
Mo 202.030 {467}	06/20/2024 15:33:38	06/20/2024 13:03:57	Linear	1/Conc	-0.000331	0.544414	0.000000	1.000000	1.000000	0.000044	0.000301
Ni 231.604 {446}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.001349	0.784881	0.000000	1.000000	0.999991	0.000593	0.000348
K 766.490 { 44}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	-0.003358	0.005706	0.000000	1.000000	0.999878	0.000810	0.063357
Se 196.090 {472}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.000018	0.002900	0.000000	1.000000	0.999994	0.000001	0.002942
Si 212.412 {459}	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
Ag 328.068 {103}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.000187	0.173641	0.000000	1.000000	0.999967	0.000038	0.000489
Na 589.592 { 57}	06/20/2024 15:33:38	06/20/2024 13:03:57	Linear	1/Conc	-0.001230	0.018063	0.000000	1.000000	0.999848	0.002283	0.018029
Sr 421.552 { 80}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.001069	0.840338	0.000000	1.000000	0.999987	0.000114	0.000263
Tl 190.856 {477}	06/20/2024 15:33:38	06/20/2024 13:23:39	Linear	1/Conc	0.000001	0.005817	0.000000	1.000000	0.999589	0.000020	0.001571
Sn 189.989 {477}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.000061	0.098434	0.000000	1.000000	0.999915	0.000035	0.000927
Ti 334.941 {101}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.000261	0.096682	0.000000	1.000000	0.999988	0.000013	0.001288
U 409.014 { 82}	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
V 292.402 {115}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.000005	0.157811	0.000000	1.000000	0.999999	0.000045	0.000351
Zn 206.200 {463}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.002579	0.776066	0.000000	1.000000	0.999973	0.001041	0.000174
Sc 227.318 {448}*	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
Sc 361.384 { 93}*	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
Sc 364.531 { 92}*	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000

ID8F008
6/20/24 JF

Status

Revision	19				
Date Created	08/14/2006 16:36:29	by admin			
Date Modified	06/20/2024 15:33:37	by admin			
Date Calibrated	06/20/2024 15:33:38				
Current Status	by admin				
Number of Elements	31				
Number of Wavelengths	33				
Calibration Type	External				
Notes:					

Analysis Preferences

Sample Options	# Repeats:	3			
	Delay Time:	0.0 seconds			
	Sample Flush Time:	50 seconds			
	Analysis mode	Speed			
Source	Sample Introduction	Nebulizer			
	Plasma View:	Line Selection			
Analysis Maximum	Low WL Range	Axial	15	Radial	15
Integration Times (sec)	High WL Range:	Axial	10	Radial	5
Calibration Mode	Concentration				
Trailing Full Frame Options	Intelli-Frame:		No		
	Max Integration Time (sec):		30		
	WL Range:		Low		
	View:		Axial		
	Auto-Increment Sample Names:		Yes		
	Use Sample Weight Corrections:		No		

Source Settings

Nebulizer Pump	Flush Pump Rate (rpm):	88	
	Analysis Pump Rate (rpm):	36	
	Pump Relaxation Time (sec):	5	
	Pump Tubing Type:	Tygon Orange/White	
	RF Power:	1150	W

ID8F008
6/20/24 JF

EMAX LABORATORIES, INC.

DIGESTION LOG
for
ICP METALS

Note: For samples, relevant QCs/Standards digested, refer to attached digestion sequence.

Comments:

Digestion Vessel Lot # 29323008

Filter Lot # N/A

Book #: EIP-163
Batch: IPF010WS
Matrix: SOIL JC 6/14/24
Digestor ID: F

SOP #	Rev. #
☐ EMAX-3010	8
☑ EMAX-3050	9
☐ EMAX-200.7	6
☐ EMAX-	

Start	Temp	End	Temp
	94.4 °C		92.8 °C

Standards	ID	Amount Added (mL)/(g)
LCS-1	SW1A-025-07-02	0.50
LCS-2	-03	0.50
LCS-3	-04	1.00
MS	same spike std and volume as LCS-3	
Blank Soil (Bead)	SW5A-05-03-02	1g
Reagent	**Lot# / ID**	**Amount Added (mL)**
HNO_3	SW1A-012-09-01	10.0
HCl	-012-03-01	5.0 + 5.0
H_2O_2	-011-23-06	10.0
HNO_3(1:1)	SW5B-06-30-02	10.0
pH Strip (0-14)	N/A	N/A

Digestate Location	METALS
Extract Location	N/A

☑ Reagent Water ID: SW1A-012-11-09
☑ Thermometer ID: 230167652 / F4
☑ Pipette ID: C42761741
☑ Pipette ID: D42781023
☐ Pipette ID:
☐ HNO_3 dispenser checked @ 5.0 mL with Class A volumetric flask
☐ HCl dispenser checked @ 5.0 mL with Class A volumetric flask

Prepared By: JC
Standard Added By: JC Witnessed By: HC
Extract Rcvd By: JC Checked By: JC

EMAX LABS

DIGESTION LOG FOR METALS

PrepBatchID	LabSampleID	Aliquot	Unit	DateTime	Vd(ml)	ExpAmt	ExpVd(ml)	PrepFctr	Comments
24IPF010S01	IPF010SB	1	g	6/14/24 8:58	100	1	100	1	
24IPF010S02	IPF010SL	1	g	6/14/24 8:59	100	1	100	1	
24IPF010S03	IPF010SC	1	g	6/14/24 9:00	100	1	100	1	
24IPF010S04	F034-02	1.03	g	6/14/24 9:01	100	1	100	0.971	
24IPF010S05	F034-02M	1.03	g	6/14/24 9:01	100	1	100	0.971	
24IPF010S06	F034-02S	1.03	g	6/14/24 9:02	100	1	100	0.971	

JC 6/14/24

Balance ID: 10203192. Calibration check was verified prior to use.

Vd=digestate volume

PrepFctr=)ExpAmt/Aliquot)*(Vd/ExpVd)

☑ Digestion Started @ 6/14/24 9:36

☑ Digestion Ended @ 6/14/24 11:04

Prepared By: JChun

Checked By: JC

Comments:

Date 6/14/24

MERCURY
(WATER)

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F034

METHOD SW7470A
MERCURY BY COLD VAPOR

One(1) water sample was received on 06/07/24 to be analyzed for Mercury by Cold Vapor in accordance with Method SW7470A and project specific requirements.

Holding Time
The sample was digested and analyzed within the prescribed holding time.

Calibration
Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. MRL was analyzed as required by the project.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. Mercury was not detected in HGF009WB. Refer to sample result summary form for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. HGF009WL/HGF009WC were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample
Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Mercury was within MS QC limits in F034-01M/F034-01S. Refer to Matrix QC summary form for details.

Sample Analysis
The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
MERCURY BY COLD VAPOR

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F034
Instrument ID : 47

WATER

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
MBLK1W	HGF009WB	1	NA	06/20/2413:46	06/20/2410:11	M47F007012	M47F007	24HGF009W	Method Blank
LCS1W	HGF009WL	1	NA	06/20/2413:48	06/20/2410:11	M47F007013	M47F007	24HGF009W	Lab Control Sample (LCS)
LCD1W	HGF009WC	1	NA	06/20/2413:50	06/20/2410:11	M47F007014	M47F007	24HGF009W	LCS Duplicate
IDW-WATER_JUN24MS	F034-01M	1	NA	06/20/2414:16	06/20/2410:11	M47F007028	M47F007	24HGF009W	Matrix Spike Sample (MS)
IDW-WATER_JUN24MSD	F034-01S	1	NA	06/20/2414:18	06/20/2410:11	M47F007029	M47F007	24HGF009W	MS Duplicate (MSD)
IDW-WATER_JUN24	F034-01	1	NA	06/20/2414:21	06/20/2410:11	M47F007031	M47F007	24HGF009W	Field Sample

FN - Filename
% Moist - Percent Moisture

METHOD SW7470A
MERCURY BY COLD VAPOR

Client : PARSONS
Project : TITAN 1-A
Batch No. : 24F034

Matrix : WATER
InstrumentID : 47

CLIENT SAMPLE ID	EMAX SAMPLE ID	RESULTS (ug/L)	DILUTION FACTOR	MOIST (%)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)	ANALYSIS DATETIME	PREPARATION DATETIME	DATA FILE ID	CAL REF	PREP BATCH	COLLECTION DATETIME	RECEIVED DATE
MBLK1W	HGF009WB	ND	1	NA	0.500	0.100	0.200	06/20/2413:46	06/20/2410:11	M47F007012	M47F007	24HGF009W	NA	NA
LCS1W	HGF009WL	2.52	1	NA	0.500	0.100	0.200	06/20/2413:48	06/20/2410:11	M47F007013	M47F007	24HGF009W	NA	NA
LCD1W	HGF009WC	2.47	1	NA	0.500	0.100	0.200	06/20/2413:50	06/20/2410:11	M47F007014	M47F007	24HGF009W	NA	NA
IDW-WATER_JUN24MS	FC34-01M	2.54	1	NA	0.500	0.100	0.200	06/20/2414:16	06/20/2410:11	M47F007028	M47F007	24HGF009W	06/06/2411:40	06/07/24
IDW-WATER_JUN24MSD	FC34-01S	2.57	1	NA	0.500	0.100	0.200	06/20/2414:18	06/20/2410:11	M47F007029	M47F007	24HGF009W	06/06/2411:40	06/07/24
IDW-WATER_JUN24	FC34-01	ND	1	NA	0.500	0.100	0.200	06/20/2414:21	06/20/2410:11	M47F007031	M47F007	24HGF009W	06/06/2411:40	06/07/24

Note: Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : METHOD SW7470A

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: HGF009WB	HGF009WL	HGF009WC
LAB FILE ID	: M47F007012	M47F007013	M47F007014
DATE PREPARED	: 06/20/2410:11	06/20/2410:11	06/20/2410:11
DATE ANALYZED	: 06/20/2413:46	06/20/2413:48	06/20/2413:50
PREP BATCH	: 24HGF009W	24HGF009W	24HGF009W
CALIBRATION REF	: M47F007	M47F007	M47F007

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Mercury	ND	2.50	2.52	101	2.50	2.47	99	2	82-119	20

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : METHOD SW7470A

MATRIX : WATER % MOISTURE:NA
DILUTION FACTOR: 1 1 1
SAMPLE ID : IDW-WATER_JUN24 IDW-WATER_JUN24MS IDW-WATER_JUN24MSD
LAB SAMPLE ID : F034-01 F034-01M F034-01S
LAB FILE ID : M47F007031 M47F007026 M47F007029
DATE PREPARED : 06/20/2410:11 06/20/2410:11 06/20/2410:11
DATE ANALYZED : 06/20/2414:21 06/20/2414:16 06/20/2414:18
PREP BATCH : 24HGF009W 24HGF009W 24HGF009W
CALIBRATION REF: M47F007 M47F007 M47F007

ACCESSION:

PARAMETERS	PSResult (ug/L)	SpikeAmt (ug/L)	MSResult (ug/L)	MSRec (%)	SpikeAmt (ug/L)	MSDResult (ug/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Mercury	. ND	2.50	2.54	102	2.50	2.57	103	1	82-119	20

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

EMAX LABORATORIES, INC.

ANALYSIS RUN LOG
for
MERCURY

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Start Date: 6/20/24 Start Time: 13:25

End Date: 6/20/24 End Time: 14:38

Comments: QC OK

Book #: A47-140

Instrument No.: 47

Analytical Sequence/Batch: M47F007

Method File: HG1

Micropipette ID: ☐ 339342032

Micropipette ID: ☑ HG-03

Micropipette ID: ☑ C42780212

Micropipette ID: ☑ HG-06

Micropipette ID: ☐

SOP #	Rev. #
[☑] EMAX-7470	9
[ ] EMAX-7471	10
[ ] EMAX-245.1	5
[ ] EMAX-	

STANDARDS ID	
S1	BLANK
S2	SM3B-24-38-02
S3	
S4	
S5	
S6	
CCV	↓
ICV	SM3B-24-38-03
LCS	↓
Analytical Spike	SM3B-24-38-04
	7 V 3 mg/L

Analyzed By: AMR

Date: 6/20/24

Disposed By: AMR

Date: 6/21/24


"M47F007"

EMAX1fid	EMAX1sid	conc	Raw_resp	rsd/rf	adateTime	DF
M47F007001	STD01REP1	0	1357		06/20/2413:25	1
M47F007002	STD02REP1	.2	10118		06/20/2413:27	1
M47F007003	STD03REP1	.5	25246		06/20/2413:29	1
M47F007004	STD04REP1	1	53389		06/20/2413:31	1
M47F007005	STD05REP1	2	94684		06/20/2413:33	1
M47F007006	STD06REP1	5	225232		06/20/2413:36	1
M47F007007	ICV	1.99	92428	0	06/20/2413:38	1
M47F007008	ICB	-.016	2807	0	06/20/2413:39	1
M47F007009	MRLF2001	.498	25805	0	06/20/2413:41	1
M47F007010	CCV1	1.98	91873	0	06/20/2413:43	1
M47F007011	CCB1	-.035	1979	0	06/20/2413:45	1
M47F007012	HGF009WB	.066	6459	0	06/20/2413:46	1
M47F007013	HGF009WL	2.52	116318	0	06/20/2413:48	1
M47F007014	HGF009WC	2.47	113765	0	06/20/2413:50	1
M47F007015	TXF006WB	.052	5847	0	06/20/2413:52	1
M47F007016	F473-01	-.04	1719	0	06/20/2413:54	1
M47F007017	F474-01	-.064	662	0	06/20/2413:56	1
M47F007018	F475-01	-.057	983	0	06/20/2413:57	1
M47F007019	F477-01	.001	3577	0	06/20/2413:59	1
M47F007020	TXF004WB	-.046	1463	0	06/20/2414:01	1
M47F007021	F058-01M	2.65	122019	0	06/20/2414:03	1
M47F007022	CCV2	1.84	85817	0	06/20/2414:04	1
M47F007023	CCB2	.038	5247	0	06/20/2414:06	1
M47F007024	F058-01S	2.57	118202	0	06/20/2414:08	1
M47F007025	F058-01A	2.91	133451	0	06/20/2414:10	1
M47F007026	F058-01	-.025	2410	0	06/20/2414:12	1
M47F007027	F058-01J	.014	4162	0	06/20/2414:14	5
M47F007028	F034-01M	2.54	117079	0	06/20/2414:16	1
M47F007029	F034-01S	2.57	118383	0	06/20/2414:18	1
M47F007030	F034-01A	2.99	137054	0	06/20/2414:20	1
M47F007031	F034-01	-.198	-5308	0	06/20/2414:21	1
M47F007032	F034-01J	.017	4284	0	06/20/2414:23	5
M47F007033	F057-01	-.063	701	0	06/20/2414:25	1
M47F007034	CCV3	1.87	87046	0	06/20/2414:27	1
M47F007035	CCB3	-.033	2050	0	06/20/2414:29	1
M47F007036	F057-02	-.088	-392	0	06/20/2414:30	1
M47F007037	F057-03	-.029	2237	0	06/20/2414:32	1
M47F007038	F072-01	.023	4546	0	06/20/2414:34	1
M47F007039	CCV4	1.93	89866	0	06/20/2414:36	1
M47F007040	CCB4	-.013	2955	0	06/20/2414:38	1

M471F007

cup	sample ID	extended ID	weight	volume	? A D F P S U SC UI US C1..7
1	ICV		1.0000	1.0000	
2	ICB		1.0000	1.0000	
3	MRLF2001	0.5	1.0000	1.0000	
4	CCV1		1.0000	1.0000	
5	CCB1		1.0000	1.0000	
6	HGF009WB		1.0000	1.0000	
7	HGF009WL		1.0000	1.0000	
8	HGF009WC		1.0000	1.0000	
9	TXF006WB	TCLP	1.0000	1.0000	
10	F473-01	TCLP	1.0000	1.0000	
11	F474-01	TCLP	1.0000	1.0000	
12	F475-01	TCLP	1.0000	1.0000	
13	F477-01	TCLP	1.0000	1.0000	
14	TXF004WB	TCLP	1.0000	1.0000	
15	F058-01M	TCLP	1.0000	1.0000	
16	CCV2		1.0000	1.0000	
17	CCB2		1.0000	1.0000	
18	F058-01S	TCLP	1.0000	1.0000	
19	F058-01A	TCLP	1.0000	1.0000	
20	F058-01	TCLP	1.0000	1.0000	
21	F058-01J	5X TCLP	1.0000	1.0000	
22	F034-01M		1.0000	1.0000	
23	F034-01S		1.0000	1.0000	
24	F034-01A		1.0000	1.0000	
25	F034-01		1.0000	1.0000	
26	F034-01J	5X	1.0000	1.0000	
27	F057-01	DISSOLVED	1.0000	1.0000	
28	CCV3		1.0000	1.0000	
29	CCB3		1.0000	1.0000	
30	F057-02	DISSOLVED	1.0000	1.0000	
31	F057-03	DISSOLVED	1.0000	1.0000	
32	F072-01		1.0000	1.0000	
33	CCV4		1.0000	1.0000	
34	CCB4		1.0000	1.0000	
35			1.0000	1.0000	
36			1.0000	1.0000	
37			1.0000	1.0000	
38			1.0000	1.0000	
39			1.0000	1.0000	
40			1.0000	1.0000	
41			1.0000	1.0000	
42			1.0000	1.0000	
43			1.0000	1.0000	
44			1.0000	1.0000	

AMR 6/20/24


WinHg Database 1.3
File Utility Help
RN
RN
Protocol HG1
Dataset/Proto M47F007 /HG1
Protocol Line info Cal Curve Report Ctrl Chart Viewer
Reset
Calib Coeffs
New Cal
Update Coeffs
Spike Coeffs
A
B 2.23734e-5
C -7.89457e-2
Rho .999383
Type Linear
Calibrated
Accepted
Accept
Rel. Abs.
225232
Accepted
New
Include S1 Rep 1
Conc. 5.00
S Conc. Calc. Dev. Mean SD or %RSD Rep 1 Rep 2 Rep 3
01 .00000 -.049 -.049 1357 1 1357
02 .20000 .147 -.053 10119 0% 10118
03 .50000 .486 -.014 25246 0% 25246
04 1.0000 1.12 .116 53390 0% 53389
05 2.0000 2.04 .039 94684 0% 94684
06 5.0000 4.96 -.040 225233 0% 225232
Ready
CAP NUM

Note: For samples, relevant QCs/Standards digested, refer to attached digestion sequence.

Comments: AMR 6/24/24

Digestion Vessel Lot #: ~~32-2~~ VC-24-022

Aqua Regia Prep. Vessel Lot#: N/A

Sample pH<2

Book #: E47-135

Batch No.: HGF009W

Matrix: water

SOP #	Rev. #
☒ EMAX-7470	9
☐ EMAX-7471	10
☐ EMAX-245.1	5
☐ EMAX-	

Standards	ID	Conc. (µg/L)	Amount Added (ml)
ICAL	SMSB-24-38-02	S0	0.2, 0.5, 1.25
CCV	↓	|	2
ICV	SMSB-24-38-03	|	2
LCS/MS	↓	↓	2.5
Reagent	**ID / Lot #**		
HNO_3	SWA-02-09-01		
HCl	N/A		
H_2SO_4	SWA-02-05-05		
$KMnO_4$	SMSB-06-30-03		
$K_2S_2O_8$	SMSB-06-29-03		
$NH_2OH \cdot HCl \cdot NaCl$	SMSB-06-29-04		
$SnCl_2$	SMSB-06-30-04		
Silica Sand	N/A		
Reagent Water	RW-24-002		
pH strip 0-14	HC210330		

Digestor ID/ Temp (°C): A/96.0

Thermometer ID/LOC: 230389388 / AIR

Thermometer ID/LOC: N/A

Pipette ID: HG-06, HG-03, C42780212

☒ H_2SO_4 dispenser checked @ 2.5 ml with Class A graduated cylinder

☐ HCl dispenser checked @ ___ ml with Class A graduated cylinder

☐ HNO_3 dispenser checked @ ___ ml with Class A graduated cylinder


Prepared By: AMR

Standard Added By: AMR Witnessed By: JC

EMAX LABORATORIES

DIGESTION LOG FOR MERCURY

PrepBatchID	LabSampleID	Aliquot	Unit	DateTime	Vd(ml)	ExpAmt	ExpVd(ml)	PrepFctr	Comments
24HGF009W01	HGF009WB	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W02	HGF009WL	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W03	HGF009WC	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W04	TXF006WB	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W05	F473-01	1	ml	6/20/24 7:50	80	50	80	50	TCLP
24HGF009W06	F474-01	1	ml	6/20/24 7:50	80	50	80	50	TCLP
24HGF009W07	F475-01	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W08	F477-01	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W09	TXF004WB	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W10	F058-01	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W11	F058-01M	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W12	F058-01S	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W13	F034-01	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W14	F034-01M	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W15	F034-01S	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W16	F057-01	50	ml	6/20/24 7:50	80	50	80	1	DISSOLVED
24HGF009W17	F057-02	50	ml	6/20/24 7:50	80	50	80	1	DISSOLVED
24HGF009W18	F057-03	50	ml	6/20/24 7:50	80	50	80	1	DISSOLVED
24HGF009W19	F072-01	50	ml	6/20/24 7:50	80	50	80	1	QC
24HGF009W20	S-0/ICB/CCB	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W21	S-0.2	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W22	S-0.5/MRL	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W23	S-1	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W24	S-2/CCV	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W25	S-5	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W26	ICV	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W27	PS WATER	50	ml	6/20/24 7:50	80	50	80	1	



Vd=digestate volume PrepFctr=(ExpAmt/Aliquot)*(Vd/ExpVd)

☑ Digestion Started @ 6/20/24 10:11

☑ Digestion Ended @ 6/20/24 12:11

Prepared By: ARiver

Checked By: AMR

Comments: F473-01, F474-01 opaque white color

Date 6/20/24

MERCURY
(SOIL)

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F034

METHOD SW7471B
MERCURY BY COLD VAPOR

One(1) soil sample was received on 06/07/24 to be analyzed for Mercury by Cold Vapor in accordance with Method SW7471B and project specific requirements.

Holding Time
The sample was analyzed within the prescribed holding time.

Calibration
Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. MRL was analyzed as required by the project.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. Mercury was not detected in HGF007SB. Refer to sample result summary form for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. HGF007SL/HGF007SC were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample
Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Mercury was within MS QC limits in F034-02M/F034-02S. Refer to Matrix QC summary form for details.

Sample Analysis
The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
MERCURY BY COLD VAPOR

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F034
Instrument ID : 47

SOIL

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
MBLK1S	HGF007SB	1	NA	06/18/2413:19	06/18/2411:16	M47FC06012	M47F006	24HGF007S	Method Blank
LCS1S	HGF007SL	1	NA	06/18/2413:21	06/18/2411:16	M47FC06013	M47F006	24HGF007S	Lab Control Sample (LCS)
LCD1S	HGF007SC	1	NA	06/18/2413:22	06/18/2411:16	M47FC06014	M47F006	24HGF007S	LCS Duplicate
IDW-SOIL_JUN24MS	F034-02M	1	10.5	06/18/2413:31	06/18/2411:16	M47FC06019	M47F006	24HGF007S	Matrix Spike Sample (MS)
IDW-SOIL_JUN24MSD	F034-02S	1	10.5	06/18/2413:33	06/18/2411:16	M47FC06020	M47F006	24HGF007S	MS Duplicate (MSD)
IDW-SOIL_JUN24	F034-02	1	10.5	06/18/2413:42	06/18/2411:16	M47FC06024	M47F006	24HGF007S	Field Sample

FN - Filename
% Moist - Percent Moisture

METHOD SW7471B
MERCURY BY COLD VAPOR

Client : PARSONS
Project : TITAN 1-A
Batch No. : 24F034

Matrix : SOIL
InstrumentID : 47

CLIENT SAMPLE ID	EMAX SAMPLE ID	RESULTS (mg/Kg)	DILT'N FACTOR	MOIST (%)	LOQ (mg/Kg)	DL (mg/Kg)	LOD (mg/Kg)	ANALYSIS DATETIME	PREPARATION DATETIME	DATA FILE ID	CAL REF	PREP BATCH	COLLECTION DATETIME	RECEIVED DATE
MBLK1S	HGF007SB	ND	1	NA	0.100	0.0330	0.0670	06/18/2413:19	06/18/2411:16	M47F006012	M47F006	24HGF007S	NA	NA
LCS1S	HGF007SL	0.430	1	NA	0.100	0.0330	0.0670	06/18/2413:21	06/18/2411:16	M47F006013	M47F006	24HGF007S	NA	NA
LCD1S	HGF007SC	0.438	1	NA	0.100	0.0330	0.0670	06/18/2413:22	06/18/2411:16	M47F006014	M47F006	24HGF007S	NA	NA
IDW-SOIL_JUN24MS	F034-02M	0.478	1	10.5	0.109	0.0361	0.0733	06/18/2413:31	06/18/2411:16	M47F006019	M47F006	24HGF007S	06/06/2411:20	06/07/24
IDW-SOIL_JUN24MSD	F034-02S	0.500	1	10.5	0.110	0.0363	0.0737	06/18/2413:33	06/18/2411:16	M47F006020	M47F006	24HGF007S	06/06/2411:20	06/07/24
IDW-SOIL_JUN24	F034-02	ND	1	10.5	0.110	0.0363	0.0737	06/18/2413:42	06/18/2411:16	M47F006024	M47F006	24HGF007S	06/06/2411:20	06/07/24

Note: Detection limits are reported relative to sample result significant figures.

METHOD SW7471B
MERCURY BY COLD VAPOR

Client : PARSONS
Project : TITAN 1-A
Batch No. : 24F034

Matrix : SOIL
InstrumentID : 47

CLIENT SAMPLE ID	EMAX SAMPLE ID	RESULTS (mg/Kg)	DILT'N FACTOR	MOIST (%)	LOQ (mg/Kg)	DL (mg/Kg)	LOD (mg/Kg)	ANALYSIS DATETIME	PREPARATION DATETIME	DATA FILE ID	CAL REF	PREP BATCH	COLLECTION DATETIME	RECEIVED DATE
MBLK1S	HGF007SB	ND	1	NA	0.100	0.0330	0.0670	06/18/2413:19	06/18/2411:16	M47F006012	M47F006	24HGF007S	NA	NA

Note: Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : METHOD SW7471B

MATRIX	: SOIL		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK1S	LCS1S	LCD1S
LAB SAMPLE ID	: HGF007SB	HGF007SL	HGF007SC
LAB FILE ID	: M47F006012	M47F006013	M47F006014
DATE PREPARED	: 06/18/2411:16	06/18/2411:16	06/18/2411:16
DATE ANALYZED	: 06/18/2413:19	06/18/2413:21	06/18/2413:22
PREP BATCH	: 24HGF007S	24HGF007S	24HGF007S
CALIBRATION REF:	M47F006	M47F006	M47F006

ACCESSION:

PARAMETERS	MBResult (mg/Kg)	SpikeAmt (mg/Kg)	LCSResult (mg/Kg)	LCSRec (%)	SpikeAmt (mg/Kg)	LCDResult (mg/Kg)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Mercury	ND	0.417	0.430	103	0.417	0.438	105	2	80-124	20

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : METHOD SW7471B

MATRIX : SOIL % MOISTURE:10.5
DILUTION FACTOR: 1 1 1
SAMPLE ID : IDW-SOIL_JUN24 IDW-SOIL_JUN24MS IDW-SOIL_JUN24MSD
LAB SAMPLE ID : F034-02 F034-02M F034-02S
LAB FILE ID : M47F006024 M47F006019 M47F006020
DATE PREPARED : 06/18/2411:16 06/18/2411:16 06/18/2411:16
DATE ANALYZED : 06/18/2413:42 06/18/2413:31 06/18/2413:33
PREP BATCH : 24HGF007S 24HGF007S 24HGF007S
CALIBRATION REF: M47F005 M47F006 M47F006

ACCESSION:

PARAMETERS	PSResult (mg/Kg)	SpikeAmt (mg/Kg)	MSResult (mg/Kg)	MSRec (%)	SpikeAmt (mg/Kg)	MSDResult (mg/Kg)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Mercury	ND	0.456	0.478	105	0.458	0.500	109	4	80-124	20

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Start Date: 6/18/24 Start Time: 12:59

End Date: 6/18/24 End Time: 14:10

Comments:

QC ok

Book #: A47-140

Instrument No.: 47

Analytical Sequence/Batch: M471006

Method File: HG-1

Micropipette ID: ☐ 339342032

Micropipette ID: ☑ HG-03

Micropipette ID: ☑ C42780212

Micropipette ID: ☐ HG-06

Micropipette ID: ☐

SOP #	Rev. #
☐ EMAX-7470	9
☑ EMAX-7471	10
☐ EMAX-245.1	5
☐ EMAX-	

STANDARDS ID	
S1	BLANK
S2	SM3B-24-37-09
S3	
S4	
S5	
S6	
CCV	↓
ICV	SM3B-24-37-10
LCS	↓
Analytical Spike	SM3B-24-38-01 IV 3 ug/L

Analyzed By: AMR

Date: 6/18/24

Disposed By: AMR

Date: 6/18/24

"M47F006"

EMAX1fid	EMAX1sid	conc	Raw_resp	rsd/rf	adatetime	DF
M47F006001	STD01REP1	0	6562		06/18/2412:59	1
M47F006002	STD02REP1	.2	15203		06/18/2413:00	1
M47F006003	STD03REP1	.5	42983		06/18/2413:02	1
M47F006004	STD04REP1	1	77303		06/18/2413:04	1
M47F006005	STD05REP1	2	166373		06/18/2413:05	1
M47F006006	STD06REP1	5	392120		06/18/2413:07	1
M47F006007	ICV	2.02	161438	0	06/18/2413:09	1
M47F006008	ICB	.009	4211	0	06/18/2413:11	1
M47F006009	MRLF1801	.513	43540	0	06/18/2413:12	1
M47F006010	CCV1	2.01	160438	0	06/18/2413:15	1
M47F006011	CCB1	.003	3725	0	06/18/2413:17	1
M47F006012	HGF007SB	-.076	-2399	0	06/18/2413:19	1
M47F006013	HGF007SL	2.58	205037	0	06/18/2413:21	1
M47F006014	HGF007SC	2.63	208717	0	06/18/2413:22	1
M47F006015	F427-01	-.008	2844	0	06/18/2413:24	1
M47F006016	F476-01	.017	4846	0	06/18/2413:26	1
M47F006017	E558-04	.15	15194	0	06/18/2413:28	1
M47F006018	E558-09	.078	9630	0	06/18/2413:29	1
M47F006019	F034-02M	2.62	208019	0	06/18/2413:31	1
M47F006020	F034-02S	2.73	216594	0	06/18/2413:33	1
M47F006021	F034-02A	2.92	231664	0	06/18/2413:35	1
M47F006022	CCV2	1.94	155417	0	06/18/2413:37	1
M47F006023	CCB2	-.091	-3607	0	06/18/2413:39	1
M47F006024	F034-02	.097	11085	0	06/18/2413:42	1
M47F006025	F034-02J	-.009	2805	0	06/18/2413:44	5
M47F006026	HGF008SB	-.04	413	0	06/18/2413:46	1
M47F006027	HGF008SL	2.5	198443	0	06/18/2413:47	1
M47F006028	HGF008SC	2.52	199945	0	06/18/2413:49	1
M47F006029	E558-01	.025	5477	0	06/18/2413:51	1
M47F006030	E558-02	.067	8720	0	06/18/2413:53	1
M47F006031	E558-03	-.007	2986	0	06/18/2413:55	1
M47F006032	E558-05	-.089	-3432	0	06/18/2413:56	1
M47F006033	E558-06	-.049	-323	0	06/18/2413:58	1
M47F006034	CCV3	2	159448	0	06/18/2414:00	1
M47F006035	CCB3	-.013	2478	0	06/18/2414:02	1
M47F006036	E558-07	.236	21924	0	06/18/2414:04	1
M47F006037	E558-08	.142	14615	0	06/18/2414:05	1
M47F006038	E558-10	-.004	3192	0	06/18/2414:07	1
M47F006039	CCV4	1.92	153674	0	06/18/2414:09	1
M47F006040	CCB4	-.047	-205	0	06/18/2414:10	1

M47F006

cup	sample ID	extended ID	weight	volume	? A D F P S U SC UI US C1..7
1	ICV		1.0000	1.0000	
2	ICB		1.0000	1.0000	
3	MRLF1801	0.5	1.0000	1.0000	
4	CCV1		1.0000	1.0000	
5	CCB1		1.0000	1.0000	
6	HGF007SB		1.0000	1.0000	
7	HGF007SL		1.0000	1.0000	
8	HGF007SC		1.0000	1.0000	
9	F427-01		1.0000	1.0000	
10	F476-01		1.0000	1.0000	
11	E558-04		1.0000	1.0000	
12	E558-09		1.0000	1.0000	
13	F034-02M		1.0000	1.0000	
14	F034-02S		1.0000	1.0000	
15	F034-02A		1.0000	1.0000	
16	CCV2		1.0000	1.0000	
17	CCB2		1.0000	1.0000	
18	F034-02		1.0000	1.0000	
19	F034-02J	5X	1.0000	1.0000	
20	HGF008SB		1.0000	1.0000	
21	HGF008SL		1.0000	1.0000	
22	HGF008SC		1.0000	1.0000	
23	E558-01		1.0000	1.0000	
24	E558-02		1.0000	1.0000	
25	E558-03		1.0000	1.0000	
26	E558-05		1.0000	1.0000	
27	E558-06		1.0000	1.0000	
28	CCV3		1.0000	1.0000	
29	CCB3		1.0000	1.0000	
30	E558-07		1.0000	1.0000	
31	E558-08		1.0000	1.0000	
32	E558-10		1.0000	1.0000	
33	CCV4		1.0000	1.0000	
34	CCB4		1.0000	1.0000	
35			1.0000	1.0000	
36			1.0000	1.0000	
37			1.0000	1.0000	
38			1.0000	1.0000	
39			1.0000	1.0000	
40			1.0000	1.0000	
41			1.0000	1.0000	
42			1.0000	1.0000	
43			1.0000	1.0000	
44			1.0000	1.0000	

AMP 6/18/24

Note: For samples, relevant QCs/Standards digested, refer to attached digestion sequence.

Comments:

Digestion Vessel Lot #: 29323008

Aqua Regia Prep. Vessel Lot#: 32922001

Book #: E47-135

Batch No.: HGF0075

Matrix: Soil

SOP #	Rev. #
☐ EMAX-7470	9
☒ EMAX-7471	10
☐ EMAX-245.1	5
☐ EMAX-	

Standards	ID	Conc. (µg/L)	Amount Added (ml)
ICAL	SMSB-24-37-09	100	0.2, 0.5, 1, 2.5
CCV	↓	|	1.2
ICV	SMSB-24-37-10	|	2
LCS/MS	↓	↓	2.5
Reagent	ID / Lot #		
HNO_3 – Aqua	SWA-012-05-06		
HCl Regia	SWA-012-09-03		
H_2SO_4	N/A		
$KMnO_4$	SMSB-06-30-03		
$K_2S_2O_8$	N/A		
$NH_2OH \cdot HCl \cdot NaCl$	SMSB-06-29-04		
$SnCl_2$	SMSB-06-30-04		
Silica Sand	SMSA-05-02-03		
Reagent Water	RW-24-002		
pH strip 0-14	N/A		

Digestor ID/ Temp (°C) A/96.1

Thermometer ID/LOC: 230389388 / A 11

Thermometer ID/LOC: N/A

Pipette ID: HG-06, HG-03, C4278021Z

☐ H_2SO_4 dispenser checked @ 2.5 ml with Class A graduated cylinder

☐ HCl dispenser checked @ ___ ml with Class A graduated cylinder

☐ HNO_3 dispenser checked @ ___ ml with Class A graduated cylinder

Prepared By: AMR

Standard Added By: AMR Witnessed By: JC

EMAX LABORATORIES

DIGESTION LOG FOR MERCURY

PrepBatchID	LabSampleID	Aliquot	Unit	DateTime	Vd(ml)	ExpAmt	ExpVd(ml)	PrepFctr	Comments
24HGF007S01	HGF007SB	0.6	g	6/18/24 9:11	100	0.6	100	1	
24HGF007S02	HGF007SI	0.6	g	6/18/24 9:11	100	0.6	100	1	
24HGF007S03	HGF007SC	0.6	g	6/18/24 9:11	100	0.6	100	1	
24HGF007S04	F427-01	0.601	g	6/18/24 9:15	100	0.6	100	0.998	
24HGF007S05	F476-01	0.605	g	6/18/24 9:16	100	0.6	100	0.992	
24HGF007S06	E558-04	0.618	g	6/18/24 9:19	100	0.6	100	0.971	
24HGF007S07	E558-09	0.607	g	6/18/24 9:20	100	0.6	100	0.988	
24HGF007S08	F034-02	0.609	g	6/18/24 9:21	100	0.6	100	0.985	
24HGF007S09	F034-02M	0.613	g	6/18/24 9:22	100	0.6	100	0.979	
24HGF007S10	F034-02S	0.61	g	6/18/24 9:23	100	0.6	100	0.984	
24HGF007S11	S-0/ICB/CCB	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S12	S-0.2	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S13	S-0.5/MRL	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S14	S-1	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S15	S-2/CCV	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S16	S-5	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S17	ICV	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S18	PS SOIL	0.6	g	6/18/24 9:24	100	0.6	100	1	

AMR 6/18/24

Balance ID: 671302. Calibration check was verified prior to use.

Vd=digestate volume

PrepFctr=(ExpAmt/Aliquot)*(Vd/ExpVd)

☑ Digestion Started @ 6/18/24 11:16

☑ Digestion Ended @ 6/18/24 11:46

Prepared By: ARiver

Checked By: AMR

Comments:

Date 6/18/24

RAW DATA
VOLATILE ORGANICS
(WATER)

LABORATORY REPORT FOR

PARSONS

TITAN 1-A

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

SDG#: 24F034

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F034

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

One(1) water sample was received on 06/07/24 to be analyzed for Volatile Organics by GC/MS in accordance with Method SW5030C/8260C and project specific requirements.

Holding Time
The sample was analyzed within the prescribed holding time.

Instrument Performance and Calibration
Instrument tune check was performed prior to calibration. Result was within acceptance criteria. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried out at a frequency required by the project. There were two(2)CCVs (Data file IDs: RFR060, and RFR072) associated with this SDG. All calibration requirements were satisfied. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. VQF3F04B - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. VQF3F04X/VQF3F04C were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample
No matrix QC sample was provided on this SDG.

Surrogate
Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis
The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
VOLATILE ORGANICS BY GC/MS

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F034
Instrument ID : F3

WATER

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
LCD1W	VOF3F04C	1	NA	06/20/2413:17	06/20/2413:17	RFR062	RFR007	VOF3F04	LCS Duplicate
MBLK1W	VOF3F04B	1	NA	06/20/2414:23	06/20/2414:23	RFR064	RFR007	VOF3F04	Method Blank
LCS1W	VOF3F04X	1	NA	06/20/2414:56	06/20/2414:56	RFR065	RFR007	VOF3F04	Lab Control Sample (LCS)
IDW-WATER_JUN24	24F034-01	1	NA	06/20/2418:14	06/20/2418:14	RFR071	RFR007	VOF3F04	Field Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/06/24 11:40
Project	: TITAN 1-A	Date Received:	06/07/24
Batch No.	: 24F034	Date Extracted:	06/20/24 18:14
Sample ID	: IDW-WATER_JUN24	Date Analyzed:	06/20/24 18:14
Lab Samp ID:	24F034-01	Dilution Factor:	1
Lab File ID:	RFR071	Matrix:	WATER
Ext Btch ID:	VOF3F04	% Moisture:	NA
Calib. Ref.:	RFR007	Instrument ID:	F3

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	0.23J	1.0	0.10	0.20
1,2-Dichloroethane	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
2-Butanone	ND	20	5.0	10
Benzene	ND	1.0	0.10	0.20
Carbon Tetrachloride	ND	1.0	0.10	0.20
Chlorobenzene	ND	1.0	0.10	0.20
Chloroform	ND	1.0	0.10	0.20
Tetrachloroethene	ND	1.0	0.15	0.30
Trichloroethene	1.0	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30
Hexachlorobutadiene	ND	1.0	0.15	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	11.1	10.0	111	81-118
4-Bromofluorobenzene	9.80	10.0	98	85-114
Toluene-d8	10.8	10.0	108	89-112
Dibromofluoromethane	10.2	10.0	102	80-119

Notes:
Sample Amount : 25ml Final Volume : 25ml
Prepared by : LPriet Analyzed by : LPriet
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F20\RFR071.D Vial: 13
Acq On : 20 Jun 2024 6:14 pm Operator: LPriet
Sample : 24F034-01 Inst : F3
Misc : 25mL Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jul 11 10:59 2024 Quant Results File: VOF3F17.RES


Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.58	114	2821227	10.00	ug/l	-0.02
54) CHLOROBENZENE-D5	20.19	117	1783157	10.00	ug/l	0.00
73) 1,2-DICHLOROBENZENE-D4	23.87	152	446124	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.84	111	899880	10.23	ug/l	-0.02
Spiked Amount 10.000			Recovery =	102.30%		
40) 1,2-Dichloroethane-d4	14.87	65	932830	11.10	ug/l	0.00
Spiked Amount 10.000			Recovery =	111.00%		
55) Toluene-d8	18.08	98	2846555	10.77	ug/l	0.00
Spiked Amount 10.000			Recovery =	107.70%		
75) 4-Bromofluorobenzene	21.72	95	697872	9.80	ug/l	-0.02
Spiked Amount 10.000			Recovery =	98.00%		
Target Compounds						Qvalue
4) Chloromethane	4.45	50	75071	0.36	ug/l	98
13) 1,1-Dichloroethene	7.74	61	56954	0.23	ug/l	92
14) Acetone	7.39	43	78691	2.53	ug/l	89
17) Carbon disulfide	9.13	76	727836	1.94	ug/l	99
18) Methylene chloride	9.02	49	43935	0.28	ug/l	96
20) tert-Butyl methyl ether (M	9.44	73	331191	1.90	ug/l	96
21) trans-1,2-Dichloroethene	9.92	96	12479	0.10	ug/l	76
28) cis-1,2-Dichloroethene	12.98	96	96088	0.96	ug/l	98
45) Trichloroethene	16.19	130	99624	1.01	ug/l	97
76) 1,1,2,2-Tetrachloroethane	21.58	83	7147	0.20	ug/l	90

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\24F20\RFR071.D Vial: 13
Acq On : 20 Jun 2024 6:14 pm Operator: LPriet
Sample : 24F034-01 Inst : F3
Misc : 25mL Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jul 11 10:59 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration







#4
Chloromethane
Concen: 0.36 ug/l
RT: 4.45 min Scan# 27
Delta R.T. -0.00 min
Lab File: RFR071.D
Acq: 20 Jun 2024 6:14 pm

Tgt Ion: 50 Resp: 75071

Ion	Ratio	Lower	Upper
50	100		
52	31.6	0.8	60.8







#13
1,1-Dichloroethene
Concen: 0.23 ug/l
RT: 7.74 min Scan# 140
Delta R.T. -0.01 min
Lab File: RFR071.D
Acq: 20 Jun 2024 6:14 pm

Tgt Ion: 61 Resp: 56954

Ion	Ratio	Lower	Upper
61	100		
96	48.9	13.0	73.0
63	33.7	0.3	60.3







#14
Acetone
Concen: 2.53 ug/l
RT: 7.39 min Scan# 128
Delta R.T. -0.00 min
Lab File: RFR071.D
Acq: 20 Jun 2024 6:14 pm

Tgt Ion: 43 Resp: 78691

Ion	Ratio	Lower	Upper
43	100		
58	29.6	0.0	54.0







#17
Carbon disulfide
Concen: 1.94 ug/l
RT: 9.13 min Scan# 188
Delta R.T. 0.02 min
Lab File: RFR071.D
Acq: 20 Jun 2024 6:14 pm

Tgt Ion: 76 Resp: 727836

Ion	Ratio	Lower	Upper
76	100		
78	9.5	0.0	39.1







#18
Methylene chloride
Concen: 0.28 ug/l
RT: 9.02 min Scan# 184
Delta R.T. -0.00 min
Lab File: RFR071.D
Acq: 20 Jun 2024 6:14 pm

Tgt Ion: 49 Resp: 43935

Ion	Ratio	Lower	Upper
49	100		
84	53.7	21.8	81.8
86	29.4	2.8	62.8







#20
tert-Butyl methyl ether (MTBE)
Concen: 1.90 ug/l
RT: 9.44 min Scan# 202
Delta R.T. 0.00 min
Lab File: RFR071.D
Acq: 20 Jun 2024 6:14 pm

Tgt Ion: 73 Resp: 331191

Ion	Ratio	Lower	Upper
73	100		
41	34.8	2.4	62.4







#21
trans-1,2-Dichloroethene
Concen: 0.10 ug/l
RT: 9.92 min Scan# 226
Delta R.T. 0.02 min
Lab File: RFR071.D
Acq: 20 Jun 2024 6:14 pm

Tgt Ion: 96 Resp: 12479

Ion	Ratio	Lower	Upper
96	100		
98	44.6	32.9	92.9







#28
cis-1,2-Dichloroethene
Concen: 0.96 ug/l
RT: 12.98 min Scan# 378
Delta R.T. 0.00 min
Lab File: RFR071.D
Acq: 20 Jun 2024 6:14 pm

Tgt Ion: 96 Resp: 96088

Ion	Ratio	Lower	Upper
96	100		
98	61.0	32.2	92.2







#45
Trichloroethene
Concen: 1.01 ug/l
RT: 16.19 min Scan# 572
Delta R.T. 0.00 min
Lab File: RFR071.D
Acq: 20 Jun 2024 6:14 pm

Tgt Ion:130 Resp: 99624

Ion	Ratio	Lower	Upper
130	100		
132	98.4	63.7	123.7
95	106.8	74.1	134.1
97	71.3	39.5	99.5






#76
1,1,2,2-Tetrachloroethane
Concen: 0.20 ug/l
RT: 21.58 min Scan# 900
Delta R.T. -0.02 min
Lab File: RFR071.D
Acq: 20 Jun 2024 6:14 pm

Tgt Ion: 83 Resp: 7147

Ion	Ratio	Lower	Upper
83	100		
85	67.5	30.0	90.0



QC SUMMARIES

METHOD SW5030C/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/20/24 14:23
Project	: TITAN 1-A	Date Received:	06/20/24
Batch No.	: 24F034	Date Extracted:	06/20/24 14:23
Sample ID	: MBLK1W	Date Analyzed:	06/20/24 14:23
Lab Samp ID:	VOF3F04B	Dilution Factor:	1
Lab File ID:	RFR064	Matrix:	WATER
Ext Btch ID:	VOF3F04	% Moisture:	NA
Calib. Ref.:	RFR007	Instrument ID:	F3

PARAMETER(S)	RESULTS (ug/L)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)
1,1-Dichloroethene	ND	1.0	0.10	0.20
1,2-Dichloroethane	ND	1.0	0.10	0.20
1,4-Dichlorobenzene	ND	1.0	0.10	0.20
2-Butanone	ND	20	5.0	10
Benzene	ND	1.0	0.10	0.20
Carbon Tetrachloride	ND	1.0	0.10	0.20
Chlorobenzene	ND	1.0	0.10	0.20
Chloroform	ND	1.0	0.10	0.20
Tetrachloroethene	ND	1.0	0.15	0.30
Trichloroethene	ND	1.0	0.10	0.20
Vinyl Chloride	ND	1.0	0.11	0.30
Hexachlorobutadiene	ND	1.0	0.15	0.30

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	9.99	10.0	100	81-118
4-Bromofluorobenzene	9.10	10.0	91	85-114
Toluene-d8	10.6	10.0	106	89-112
Dibromofluoromethane	9.96	10.0	100	80-119

Notes:

Sample Amount	: 25ml	Final Volume	: 25ml
Prepared by	: LPriet	Analyzed by	: LPriet

Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : SW5030C/8260C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: VOF3F04B	VOF3F04X	VOF3F04C
LAB FILE ID	: RFR064	RFR065	RFR062
DATE PREPARED	: 06/20/24 14:23	06/20/24 14:56	06/20/24 13:17
DATE ANALYZED	: 06/20/24 14:23	06/20/24 14:56	06/20/24 13:17
PREP BATCH	: VOF3F04	VOF3F04	VOF3F04
CALIBRATION REF:	RFR007	RFR007	RFR007

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	10.0	9.58	96	10.0	8.94	89	7	71-131	20
1,2-Dichloroethane	ND	10.0	9.66	97	10.0	9.31	93	4	73-128	20
1,4-Dichlorobenzene	ND	10.0	9.85	99	10.0	9.68	97	2	79-118	20
2-Butanone	ND	50.0	44.3	89	50.0	41.9	84	6	56-143	20
Benzene	ND	10.0	9.33	93	10.0	9.16	92	2	79-120	20
Carbon Tetrachloride	ND	10.0	9.89	99	10.0	9.08	91	9	72-136	20
Chlorobenzene	ND	10.0	10.5	105	10.0	9.78	98	7	82-118	20
Chloroform	ND	10.0	9.31	93	10.0	8.52	85	9	79-124	20
Tetrachloroethene	ND	10.0	9.84	98	10.0	9.70	97	1	74-129	20
Trichloroethene	ND	10.0	9.75	98	10.0	9.64	96	1	79-123	20
Vinyl Chloride	ND	10.0	8.48	85	10.0	7.80	78	8	58-137	20
Hexachlorobutadiene	ND	10.0	8.73	87	10.0	9.19	92	5	66-134	20

SURROGATE PARAMETERS	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	10.0	10.3	103	10.0	9.69	97	81-118
4-Bromofluorobenzene	10.0	8.80	88	10.0	9.03	90	85-114
Toluene-d8	10.0	10.4	104	10.0	10.4	104	89-112
Dibromofluoromethane	10.0	10.2	102	10.0	10.0	100	80-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

QC DATA

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F20\RFR064.D
Acq On : 20 Jun 2024 2:23 pm
Sample : VOF3F04B
Misc : 25mL
MS Integration Params: RTE.P
Quant Time: Jul 11 10:47 2024

Vial: 6
Operator: LPriet
Inst : F3
Multiplr: 1.00
Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.58	114	3159956	10.00	ug/l	-0.02
54) CHLOROBENZENE-D5	20.17	117	1934356	10.00	ug/l	-0.02
73) 1,2-DICHLOROBENZENE-D4	23.87	152	499486	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.84	111	981171	9.96	ug/l	-0.02
Spiked Amount 10.000			Recovery =	99.60%		
40) 1,2-Dichloroethane-d4	14.87	65	939804	9.99	ug/l	0.00
Spiked Amount 10.000			Recovery =	99.90%		
55) Toluene-d8	18.08	98	3038272	10.59	ug/l	0.00
Spiked Amount 10.000			Recovery =	105.90%		
75) 4-Bromofluorobenzene	21.71	95	724796	9.10	ug/l	-0.02
Spiked Amount 10.000			Recovery =	91.00%		
Target Compounds						Qvalue
18) Methylene chloride	9.01	49	40448	0.23	ug/l	98
97) Naphthalene	26.88	128	21052	0.44	ug/l	99

(#) = qualifier out of range (m) = manual integration


Quantitation Report


Data File : C:\HPCHEM\1\DATA\24F20\RFR064.D
Acq On : 20 Jun 2024 2:23 pm
Sample : VOF3F04B
Misc : 25mL
MS Integration Params: RTE.P
Quant Time: Jul 11 10:47 2024

Vial: 6
Operator: LPriet
Inst : F3
Multiplr: 1.00

Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration







#18
Methylene chloride
Concen: 0.23 ug/l
RT: 9.01 min Scan# 184
Delta R.T. -0.01 min
Lab File: RFR064.D
Acq: 20 Jun 2024 2:23 pm

Tgt Ion: 49 Resp: 40448

Ion	Ratio	Lower	Upper
49	100		
84	53.7	21.8	81.8
86	32.0	2.8	62.8






#97
Naphthalene
Concen: 0.44 ug/l
RT: 26.88 min Scan# 1222
Delta R.T. -0.02 min
Lab File: RFR064.D
Acq: 20 Jun 2024 2:23 pm

Tgt Ion:128 Resp: 21052

Ion	Ratio	Lower	Upper
128	100		
127	11.3	0.0	41.8



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F20\RFR062.D
Acq On : 20 Jun 2024 1:17 pm
Sample : VOF3F04C
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA
MS Integration Params: RTE.P
Quant Time: Jun 20 13:44 2024

Vial: 4
Operator: LPriet
Inst : F3
Multiplr: 1.00

Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.58	114	3228516	10.00	ug/l	-0.02
54) CHLOROBENZENE-D5	20.17	117	2139311	10.00	ug/l	-0.02
73) 1,2-DICHLOROBENZENE-D4	23.87	152	588978	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.84	111	1007826	10.01	ug/l	-0.02
Spiked Amount 10.000			Recovery = 100.10%			
40) 1,2-Dichloroethane-d4	14.87	65	931803	9.69	ug/l	0.00
Spiked Amount 10.000			Recovery = 96.90%			
55) Toluene-d8	18.08	98	3308004	10.43	ug/l	0.00
Spiked Amount 10.000			Recovery = 104.30%			
75) 4-Bromofluorobenzene	21.71	95	848469	9.03	ug/l	-0.02
Spiked Amount 10.000			Recovery = 90.30%			
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.96	85	1383880	9.02	ug/l	100
4) Chloromethane	4.45	50	2133441	8.84	ug/l	98
6) Vinyl chloride	4.69	62	1699423	7.80	ug/l	98
7) Bromomethane	5.61	94	935402	8.93	ug/l	99
8) Chloroethane	5.76	64	966279	8.97	ug/l	97
9) Dichlorofluoromethane	5.82	67	2389120	8.88	ug/l	100
10) Trichlorofluoromethane	6.28	101	1635677	9.08	ug/l	99
11) Acrolein	7.24	56	350236	42.35	ug/l	99
12) 1,1,2-Trichloro-1,2,2-trif	7.30	151	711051	9.30	ug/l	99
13) 1,1-Dichloroethene	7.74	61	2483730	8.94	ug/l	98
14) Acetone	7.36	43	819823	47.92	ug/l	99
15) Iodomethane	8.58	142	1464034	9.05	ug/l	99
16) Methyl acetate	8.55	43	585157	10.83	ug/l	97
17) Carbon disulfide	9.10	76	3732966	8.68	ug/l	100
18) Methylene chloride	9.01	49	1685085	9.47	ug/l	99
19) tert-Butyl alcohol	7.88	59	919096	221.01	ug/l	97
20) tert-Butyl methyl ether (M	9.42	73	1731757	8.68	ug/l	96
21) trans-1,2-Dichloroethene	9.88	96	1206319	8.73	ug/l	99
22) Acrylonitrile	9.36	53	916638	43.30	ug/l	100
23) Isopropyl ether (DIPE)	10.83	45	5074526	8.94	ug/l	99
24) 1,1-Dichloroethane	11.27	63	2505025	9.00	ug/l	100
25) Vinyl acetate	11.25	43	1376265	9.22	ug/l	99
26) tert-Butyl ethyl ether (ET	12.12	59	2914096	8.63	ug/l	100
27) 2,2-Dichloropropane	12.84	77	1051293	9.63	ug/l	94
28) cis-1,2-Dichloroethene	12.96	96	944435	8.23	ug/l	99
29) 2-Butanone	12.48	43	1178841	41.94	ug/l	99
30) 2-Butanol	12.14	45	54533	12.17	ug/l #	1
31) Bromochloromethane	13.72	130	463510	9.18	ug/l	98
32) Tetrahydrofuran	13.79	42	161607	9.66	ug/l	95
33) Chloroform	13.34	83	1947378	8.52	ug/l	98
35) 1,1,1-Trichloroethane	14.23	97	1429218	9.07	ug/l	97
36) Cyclohexane	14.27	84	1443351	7.46	ug/l	99
37) 1,1-Dichloropropene	14.54	110	501650	8.87	ug/l	97
38) Carbon tetrachloride	14.76	117	1160347	9.08	ug/l	97
42) Benzene	15.09	78	4541615	9.16	ug/l	99
43) 1,2-Dichloroethane	15.05	62	1129665	9.31	ug/l	98
44) tert-Amyl methyl ether (TA	14.76	73	1731188	8.38	ug/l	98
45) Trichloroethene	16.19	130	1084182	9.64	ug/l	97
46) Methylcyclohexane	16.29	83	1814089	8.42	ug/l	94

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F20\RFR062.D Vial: 4
Acq On : 20 Jun 2024 1:17 pm Operator: LPriet
Sample : VOF3F04C Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 20 13:44 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17


	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
47)	1,2-Dichloropropane	16.49	63	1090527	8.84	ug/l	99
48)	1,4-Dioxane	16.90	88	54691	177.83	ug/l	99
49)	Dibromomethane	16.98	93	363849	8.89	ug/l	88
50)	Bromodichloromethane	16.88	83	1261139	8.96	ug/l	99
51)	2-Chloroethyl vinyl ether	17.32	63	133473	7.99	ug/l	99
52)	cis-1,3-Dichloropropene	17.70	75	1430272	9.53	ug/l	98
53)	4-Methyl-2-pentanone	17.36	43	2733375	46.81	ug/l	99
56)	Toluene	18.20	91	3878860	9.87	ug/l	99
57)	Ethyl methacrylate	18.36	69	532491	8.70	ug/l	93
58)	trans-1,3-Dichloropropene	18.43	75	944472	9.78	ug/l	99
59)	1,1,2-Trichloroethane	18.67	97	485104	10.02	ug/l	94
60)	Tetrachloroethene	19.13	164	816451	9.70	ug/l	98
61)	2-Hexanone	18.62	43	1502178	47.62	ug/l	99
62)	1,3-Dichloropropane	19.02	76	928329	9.88	ug/l	99
63)	Dibromochloromethane	19.43	129	576841	9.29	ug/l	96
64)	1,2-Dibromoethane	19.69	107	422842	9.63	ug/l	99
65)	1-Chlorohexane	19.81	91	1489173	9.98	ug/l	98
66)	Chlorobenzene	20.23	112	1992835	9.78	ug/l	99
67)	Ethylbenzene	20.25	91	3874579	9.85	ug/l	98
68)	1,1,1,2-Tetrachloroethane	20.27	131	704574	9.53	ug/l	99
69)	m-Xylene & p-Xylene	20.35	91	5439596	18.99	ug/l	96
70)	o-Xylene	20.92	91	2873414	9.94	ug/l	98
71)	Styrene	20.96	104	1879807	9.85	ug/l	97
72)	Isopropylbenzene	21.35	105	3399691	10.29	ug/l	99
74)	Bromoform	21.48	173	231459	9.75	ug/l	96
76)	1,1,2,2-Tetrachloroethane	21.58	83	429800	9.01	ug/l	94
77)	trans-1,4-Dichloro-2-buten	21.40	53	189759	9.26	ug/l	92
78)	n-Propylbenzene	21.88	91	4036482	10.36	ug/l	100
79)	1,2,3-Trichloropropane	21.78	110	90603	9.25	ug/l	93
80)	Bromobenzene	22.03	156	635757	9.46	ug/l	98
81)	1,3,5-Trimethylbenzene	22.06	105	2414760	10.22	ug/l	98
82)	2-Chlorotoluene	22.16	91	2720051	11.88	ug/l	96
83)	4-Chlorotoluene	22.21	91	1725996	8.50	ug/l	97
84)	tert-Butylbenzene	22.55	134	557944	9.82	ug/l	87
85)	1,2,4-Trimethylbenzene	22.60	105	2142697	10.24	ug/l	90
86)	sec-Butylbenzene	22.83	105	3313596	10.42	ug/l	98
87)	p-Isopropyltoluene	22.98	119	2140610	9.64	ug/l	98
88)	1,3-Dichlorobenzene	23.23	146	1094979	9.37	ug/l	100
89)	1,2,3-Trimethylbenzene	23.28	105	2018347	9.78	ug/l	99
90)	1,4-Dichlorobenzene	23.36	146	1051789	9.68	ug/l	98
92)	n-Butylbenzene	23.56	91	2155120	10.03	ug/l	96
93)	1,2-Dichlorobenzene	23.90	146	904514	9.42	ug/l	98
94)	1,2-Dibromo-3-chloropropan	25.04	157	41962	8.47	ug/l	95
95)	1,2,4-Trichlorobenzene	26.40	180	390675	9.08	ug/l	98
96)	Hexachlorobutadiene	26.58	225	321735	9.19	ug/l	96
97)	Naphthalene	26.88	128	507773	8.92	ug/l	99
98)	1,2,3-Trichlorobenzene	27.27	180	296239	9.41	ug/l	94

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR062.D Vial: 4
Acq On : 20 Jun 2024 1:17 pm Operator: LPriet
Sample : VOF3F04C Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 20 13:44 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F20\RFR065.D Vial: 7
Acq On : 20 Jun 2024 2:56 pm Operator: LPriet
Sample : VOF3F04X Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 20 15:39 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.58	114	3049163	10.00	ug/l	-0.02
54) CHLOROBENZENE-D5	20.17	117	2016431	10.00	ug/l	-0.02
73) 1,2-DICHLOROBENZENE-D4	23.87	152	593739	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.84	111	965707	10.15	ug/l	-0.02
Spiked Amount 10.000			Recovery =	101.50%		
40) 1,2-Dichloroethane-d4	14.87	65	934610	10.29	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.90%		
55) Toluene-d8	18.08	98	3123841	10.45	ug/l	0.00
Spiked Amount 10.000			Recovery =	104.50%		
75) 4-Bromofluorobenzene	21.71	95	833488	8.80	ug/l	-0.02
Spiked Amount 10.000			Recovery =	88.00%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.96	85	1332313	9.20	ug/l	100
4) Chloromethane	4.45	50	2103090	9.22	ug/l	98
6) Vinyl chloride	4.69	62	1743875	8.48	ug/l	99
7) Bromomethane	5.61	94	890529	9.01	ug/l	99
8) Chloroethane	5.76	64	958934	9.43	ug/l	96
9) Dichlorofluoromethane	5.82	67	2427364	9.56	ug/l	100
10) Trichlorofluoromethane	6.28	101	1595492	9.38	ug/l	99
11) Acrolein	7.24	56	335400	42.94	ug/l	96
12) 1,1,2-Trichloro-1,2,2-trif	7.30	151	652236	9.03	ug/l	100
13) 1,1-Dichloroethene	7.74	61	2513814	9.58	ug/l	98
14) Acetone	7.39	43	778344	48.19	ug/l	99
15) Iodomethane	8.58	142	1418438	9.28	ug/l	100
16) Methyl acetate	8.55	43	575580	11.28	ug/l	99
17) Carbon disulfide	9.10	76	3944813	9.72	ug/l	99
18) Methylene chloride	9.01	49	1661192	9.88	ug/l	100
19) tert-Butyl alcohol	7.88	59	869794	221.46	ug/l	97
20) tert-Butyl methyl ether (M	9.42	73	1638602	8.70	ug/l	99
21) trans-1,2-Dichloroethene	9.90	96	1158324	8.88	ug/l	99
22) Acrylonitrile	9.36	53	886157	44.32	ug/l	98
23) Isopropyl ether (DIPE)	10.85	45	5182107	9.66	ug/l	99
24) 1,1-Dichloroethane	11.27	63	2568475	9.77	ug/l	100
25) Vinyl acetate	11.25	43	1373792	9.74	ug/l	100
26) tert-Butyl ethyl ether (ET	12.14	59	2869704	9.00	ug/l	100
27) 2,2-Dichloropropane	12.84	77	1017251	9.86	ug/l	97
28) cis-1,2-Dichloroethene	12.96	96	916268	8.46	ug/l	98
29) 2-Butanone	12.48	43	1175141	44.26	ug/l	100
30) 2-Butanol	12.14	45	52804	12.48	ug/l #	1
31) Bromochloromethane	13.72	130	450835	9.46	ug/l	99
32) Tetrahydrofuran	13.80	42	146561	9.27	ug/l	91
33) Chloroform	13.34	83	2009851	9.31	ug/l	98
35) 1,1,1-Trichloroethane	14.23	97	1418784	9.53	ug/l	100
36) Cyclohexane	14.26	84	1389460	7.61	ug/l	98
37) 1,1-Dichloropropene	14.54	110	499722	9.35	ug/l	97
38) Carbon tetrachloride	14.76	117	1193108	9.89	ug/l	98
42) Benzene	15.09	78	4369815	9.33	ug/l	99
43) 1,2-Dichloroethane	15.05	62	1107271	9.66	ug/l	98
44) tert-Amyl methyl ether (TA	14.76	73	1736014	8.89	ug/l	99
45) Trichloroethene	16.19	130	1035526	9.75	ug/l	98
46) Methylcyclohexane	16.29	83	1776795	8.73	ug/l	94

(#) = qualifier out of range (m) = manual integration

VOF3F17.M Thu Jul 11 10:48:26 2024 Page 1

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F20\RFR065.D Vial: 7
Acq On : 20 Jun 2024 2:56 pm Operator: LPriet
Sample : VOF3F04X Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 20 15:39 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17


	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
47)	1,2-Dichloropropane	16.48	63	1135035	9.75 ug/l	99
48)	1,4-Dioxane	16.90	88	47184	162.44 ug/l	94
49)	Dibromomethane	16.98	93	346223	8.96 ug/l	90
50)	Bromodichloromethane	16.88	83	1216369	9.15 ug/l	100
51)	2-Chloroethyl vinyl ether	17.32	63	127998	8.11 ug/l	97
52)	cis-1,3-Dichloropropene	17.70	75	1431602	10.10 ug/l	98
53)	4-Methyl-2-pentanone	17.36	43	2487175	45.10 ug/l	99
56)	Toluene	18.19	91	3670721	9.91 ug/l	100
57)	Ethyl methacrylate	18.38	69	537286	9.31 ug/l	96
58)	trans-1,3-Dichloropropene	18.43	75	887688	9.75 ug/l	98
59)	1,1,2-Trichloroethane	18.67	97	434084	9.51 ug/l	98
60)	Tetrachloroethene	19.13	164	780337	9.84 ug/l	97
61)	2-Hexanone	18.62	43	1394964	46.92 ug/l	99
62)	1,3-Dichloropropane	19.02	76	903144	10.19 ug/l	97
63)	Dibromochloromethane	19.43	129	563435	9.62 ug/l	97
64)	1,2-Dibromoethane	19.69	107	401310	9.69 ug/l	98
65)	1-Chlorohexane	19.81	91	1432152	10.18 ug/l	99
66)	Chlorobenzene	20.23	112	2008882	10.46 ug/l	99
67)	Ethylbenzene	20.25	91	3988568	10.76 ug/l	98
68)	1,1,1,2-Tetrachloroethane	20.27	131	702440	10.08 ug/l	99
69)	m-Xylene & p-Xylene	20.35	91	5807529	21.51 ug/l	98
70)	o-Xylene	20.92	91	2933747	10.76 ug/l	97
71)	Styrene	20.96	104	1916335	10.65 ug/l	96
72)	Isopropylbenzene	21.35	105	3504782	11.25 ug/l	99
74)	Bromoform	21.48	173	225931	9.44 ug/l	98
76)	1,1,2,2-Tetrachloroethane	21.58	83	413154	8.60 ug/l	94
77)	trans-1,4-Dichloro-2-buten	21.40	53	200445	9.70 ug/l	97
78)	n-Propylbenzene	21.88	91	4087352	10.41 ug/l	100
79)	1,2,3-Trichloropropane	21.78	110	89462	9.05 ug/l	92
80)	Bromobenzene	22.03	156	635670	9.38 ug/l	99
81)	1,3,5-Trimethylbenzene	22.06	105	2649758	11.13 ug/l	98
82)	2-Chlorotoluene	22.16	91	2647816	11.47 ug/l	97
83)	4-Chlorotoluene	22.21	91	1839536	8.99 ug/l	99
84)	tert-Butylbenzene	22.55	134	541198	9.45 ug/l	92
85)	1,2,4-Trimethylbenzene	22.60	105	2282316	10.82 ug/l	91
86)	sec-Butylbenzene	22.83	105	3335177	10.41 ug/l	98
87)	p-Isopropyltoluene	22.98	119	2428886	10.85 ug/l	99
88)	1,3-Dichlorobenzene	23.23	146	1154918	9.80 ug/l	99
89)	1,2,3-Trimethylbenzene	23.28	105	2093703	10.06 ug/l	100
90)	1,4-Dichlorobenzene	23.36	146	1078297	9.85 ug/l	99
92)	n-Butylbenzene	23.56	91	2257469	10.42 ug/l	96
93)	1,2-Dichlorobenzene	23.90	146	916062	9.46 ug/l	95
94)	1,2-Dibromo-3-chloropropan	25.04	157	43792	8.77 ug/l	99
95)	1,2,4-Trichlorobenzene	26.40	180	377505	8.70 ug/l	99
96)	Hexachlorobutadiene	26.58	225	308049	8.73 ug/l	97
97)	Naphthalene	26.88	128	479857	8.37 ug/l	100
98)	1,2,3-Trichlorobenzene	27.27	180	282534	8.90 ug/l	95

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR065.D Vial: 7
Acq On : 20 Jun 2024 2:56 pm Operator: LPriet
Sample : VOF3F04X Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 20 15:39 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



INITIAL CALIBRATIONS

FORM 5

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL

Lab Code : EMAX SDG No : ICAL

Lab File ID: RFR001 BFB Injection Date: 06/17/24

Instrument ID: F3 BFB Injection Time: 15:54

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	31.276
75	30 - 60% of mass 95	52.562
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	6.273
173	Less than 2% of mass 174	0.350(.49)1
174	Greater than 50% of mass 95	72.063
175	5 - 9% of mass 174	4.455(6.18)1
176	95 - 101% % of mass 174	70.143(97.34)1
177	5 - 9% % of mass 176	4.142(5.91)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD0.3	VOF3F171	RFR002	06/17/24	16:35
2	VSTD0.5	VOF3F172	RFR003	06/17/24	17:08
3	VSTD1	VOF3F173	RFR004	06/17/24	17:40
4	VSTD2	VOF3F174	RFR005	06/17/24	18:13
5	VSTD5	VOF3F175	RFR006	06/17/24	18:46
6	VSTD10	VOF3F176	RFR007	06/17/24	19:19
7	VSTD20	VOF3F177	RFR008	06/17/24	19:52
8	VSTD30	VOF3F178	RFR009	06/17/24	20:25
9	VSTD50	VOF3F179	RFR010	06/17/24	20:58
10	VSTD100	VOF3F1710	RFR011	06/17/24	21:31
11	VSTD10	IVO01E1101	RFR014	06/17/24	23:09

Instrument ID :F3
Beginning DateTime :06/17/24 16:35
Spike Units :PPB
IC File :RFR007

Column Spec :ZB-624 ID :0.25MM
Ending DateTime :06/17/24 21:31
HPChem Method :VOF3F17

M	IDX	Parameters	.3 16:35 RFR002	.5 17:08 RFR003	1 17:40 RFR004	2 18:13 RFR005	5 18:46 RFR006	10 19:19 RFR007	20 19:52 RFR008	30 20:25 RFR009	50 20:58 RFR010	100 21:31 RFR011	Av_RRF	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	1	0	15.5980
	2	Chlorotrifluoroethylene											0.000	0.00	0.0000
	3	Dichlorodifluoromethane		0.604	0.519	0.517	0.474	0.480	0.465	0.417	0.392	0.409	0.475	13.95	3.9734
	4	Chloromethane		0.896	0.795	0.820	0.786	0.750	0.743	0.620	0.575		0.748	14.03	4.4582
	5	2-Chloro-1,1,1-trifluoroethane											0.000	0.00	0.0000
	6	Vinyl chloride	0.818	0.760	0.647	0.655	0.648	0.615	0.578				0.674	12.47	4.6870
	7	Bromomethane		0.401	0.379	0.356	0.309	0.295	0.303	0.275	0.276		0.324	14.81	5.6166
	8	Chloroethane		0.437	0.350	0.363	0.341	0.321	0.330	0.283	0.279	0.299	0.334	14.57	5.7616
	9	Dichlorofluoromethane	0.917	0.933	0.882	0.897	0.846	0.840	0.815	0.774	0.720	0.705	0.833	9.54	5.8230
	10	Trichlorofluoromethane	0.696	0.630	0.537	0.593	0.532	0.530	0.543	0.493	0.481	0.544	0.558	11.63	6.3111
5	11	Acrolein		0.028	0.034	0.025	0.025	0.024	0.023	0.024	0.022	0.024	0.026	14.42	7.2465
	12	1,1,2-Trichloro-1,2,2-trifluoroethane	0.240	0.233	0.230	0.243	0.223	0.222	0.231	0.242	0.246	0.259	0.237	4.79	7.3133
	13	1,1-Dichloroethene	0.971	0.987	0.911	0.905	0.861	0.885	0.843	0.799	0.723	0.723	0.861	10.61	7.7491
5	14	Acetone	0.147	0.100	0.077	0.075	0.060	0.058	0.053	0.054	0.046	0.050	0.072	42.89	7.3888
	15	Iodomethane	0.543	0.508	0.466	0.486	0.472	0.490	0.498	0.510	0.512	0.528	0.501	4.79	8.5799
	16	Methyl acetate			0.170	0.177	0.166	0.170	0.159	0.161			0.167	3.90	8.5649
	17	Carbon disulfide	1.564	1.524	1.343	1.337	1.283	1.126	1.247	1.229			1.332	11.11	9.1244
	18	Methylene chloride			0.661	0.639	0.591	0.559	0.537	0.499	0.456	0.470	0.551	13.73	9.0155
25	19	tert-Butyl alcohol	0.017	0.011	0.011	0.011	0.013	0.013	0.013	0.014	0.013	0.014	0.013	14.17	7.8973
	20	tert-Butyl methyl ether (MTBE)	0.769	0.628	0.644	0.581	0.605	0.587	0.586	0.619	0.561	0.597	0.618	9.48	9.4464
	21	trans-1,2-Dichloroethene	0.525	0.494	0.449	0.418	0.411	0.407	0.401	0.400	0.388	0.388	0.428	10.99	9.9056
5	22	Acrylonitrile	0.074	0.067	0.070	0.068	0.065	0.064	0.062	0.064	0.058	0.063	0.066	6.94	9.3780
	23	Isopropyl ether (DIPE)	2.066	1.920	1.911	1.897	1.838	1.805	1.727	1.621	1.441	1.361	1.759	12.72	10.8622
	24	1,1-Dichloroethane	0.958	0.933	0.944	0.913	0.866	0.891	0.844	0.805	0.749	0.722	0.863	9.51	11.2751
	25	Vinyl acetate			0.495	0.484	0.513	0.483	0.482	0.438	0.404	0.402	0.463	9.17	11.2564
	26	tert-Butyl ethyl ether (ETBE)	1.194	1.141	1.116	1.055	1.047	1.072	1.012	1.016	0.894	0.914	1.046	8.96	12.1431
	27	2,2-Dichloropropane	0.427	0.407	0.347	0.346	0.330	0.338	0.314	0.309	0.287	0.278	0.338	14.08	12.8600
	28	cis-1,2-Dichloroethene	0.438	0.408	0.350	0.363	0.348	0.344	0.326	0.337	0.319	0.320	0.355	10.88	12.9808
5	29	2-Butanone	0.106	0.092	0.089	0.094	0.091	0.089	0.079	0.083	0.072	0.076	0.087	11.29	12.4935
25	30	2-Butanol			0.014	0.014	0.014	0.014	0.013	0.014			0.014	3.78	11.9368
	31	Bromochloromethane	0.172	0.143	0.153	0.150	0.154	0.156	0.154	0.158	0.157	0.166	0.156	4.99	13.7398
	32	Tetrahydrofuran			0.057	0.057	0.054	0.056	0.050	0.049	0.044	0.049	0.052	9.17	13.8097
	33	Chloroform	0.896	0.845	0.744	0.706	0.704	0.688	0.679	0.629	0.613	0.573	0.708	14.17	13.3484
	34	Dibromofluoromethane		0.343	0.308	0.310	0.310	0.316	0.300	0.296			0.312	4.96	13.8455
	35	1,1,1-Trichloroethane	0.553	0.530	0.515	0.501	0.466	0.490	0.478	0.469	0.446	0.433	0.488	7.67	14.2348
	36	Cyclohexane	0.766	0.679	0.550	0.616	0.551	0.561	0.539	0.530			0.599	13.97	14.2700
	37	1,1-Dichloropropene	0.188	0.186	0.168	0.175	0.173	0.174	0.173	0.173	0.166	0.177	0.175	3.97	14.5620
	38	Carbon tetrachloride	0.376	0.429	0.411	0.391	0.380	0.397	0.402	0.404	0.385	0.384	0.396	4.10	14.7610
5	39	tert-Amyl alcohol											0.000	0.00	0.0000
	40	1,2-Dichloroethane-d4		0.353	0.306	0.281	0.307	0.296	0.275	0.266			0.298	9.66	14.8767
	41	2,2,4-Trimethylpentane											0.000	0.00	0.0000
	42	Benzene	1.770	1.768	1.576	1.604	1.554	1.527	1.500	1.336	1.184		1.535	12.19	15.0990
	43	1,2-Dichloroethane	0.429	0.419	0.409	0.401	0.399	0.380	0.367	0.335	0.313	0.308	0.376	11.62	15.0636
	44	tert-Amyl methyl ether (TAME)	0.773	0.692	0.656	0.591	0.620	0.621	0.626	0.645	0.586	0.592	0.640	8.92	14.7774
	45	Trichloroethene	0.372	0.373	0.347	0.332	0.337	0.360	0.349	0.345	0.333	0.335	0.348	4.41	16.1949
	46	Methylcyclohexane	0.822	0.766	0.651	0.685	0.611	0.624	0.599	0.583			0.668	12.80	16.2947
	47	1,2-Dichloropropane	0.433	0.404	0.413	0.379	0.395	0.386	0.383	0.364	0.324	0.338	0.382	8.66	16.4991
20	48	1,4-Dioxane				0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	8.35	16.9042
	49	Dibromomethane	0.131	0.132	0.129	0.119	0.130	0.125	0.131	0.125	0.120	0.126	0.127	3.51	16.9941
	50	Bromodichloromethane	0.567	0.517	0.447	0.416	0.435	0.415	0.422	0.403	0.369	0.368	0.436	14.28	16.8938
	51	2-Chloroethyl vinyl ether		0.054	0.041	0.049	0.050	0.051	0.051	0.055	0.053	0.061	0.052	10.70	17.3247
	52	cis-1,3-Dichloropropene	0.515	0.499	0.456	0.454	0.472	0.479	0.483	0.459	0.419	0.415	0.465	6.84	17.7193
5	53	4-Methyl-2-pentanone		0.219	0.196	0.197	0.191	0.185	0.174	0.179	0.149	0.137	0.181	13.81	17.3686
	54	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	1	0	20.1860
	55	Toluene-d8		1.779	1.366	1.498	1.426	1.624	1.404	1.281			1.483	11.42	18.0881
	56	Toluene	2.100	2.159	1.930	1.946	1.743	1.976	1.697	1.591	1.384		1.836	13.71	18.2125
	57	Ethyl methacrylate	0.309	0.305	0.266	0.278	0.255	0.289	0.274	0.310	0.283	0.292	0.286	6.45	18.3771
	58	trans-1,3-Dichloropropene	0.502	0.473	0.449	0.412	0.433	0.495	0.453	0.448	0.441	0.409	0.451	6.88	18.4429

	59	1,1,2-Trichloroethane	0.250	0.251	0.232	0.227	0.217	0.222	0.216	0.218	0.211	0.218	0.226	6.24	18.6764
	60	Tetrachloroethene	0.400	0.457	0.386	0.391	0.358	0.413	0.380	0.390	0.391	0.366	0.393	6.99	19.1352
5	61	2-Hexanone	------	0.182	0.154	0.162	0.145	0.153	0.137	0.142	0.132	0.121	0.147	12.18	18.6403
	62	1,3-Dichloropropane	0.546	0.492	0.480	0.446	0.412	0.444	0.409	0.403	0.389	0.373	0.439	12.20	19.0201
	63	Dibromochloromethane	0.324	0.330	0.285	0.279	0.260	0.295	0.274	0.291	0.283	0.283	0.290	7.40	19.4312
	64	1,2-Dibromoethane	0.230	0.217	0.225	0.196	0.187	0.210	0.195	0.205	0.192	0.197	0.205	7.18	19.7091
	65	1-Chlorohexane	0.775	0.688	0.648	0.698	0.671	0.797	0.716	0.733	0.659	0.594	0.698	8.66	19.8094
	66	Chlorobenzene	1.088	1.027	0.945	0.974	0.948	1.032	0.967	0.951	0.878	0.712	0.952	10.77	20.2353
	67	Ethylbenzene	1.900	2.002	1.910	1.906	1.850	2.035	1.863	1.704	1.373	------	1.838	10.78	20.2680
	68	1,1,1,2-Tetrachloroethane	------	0.378	0.343	0.340	0.312	0.365	0.345	0.356	0.338	0.335	0.346	5.47	20.2682
2	69	m-Xylene & p-Xylene	1.428	1.469	1.337	1.429	1.321	1.449	1.263	1.016	------	------	1.339	11.13	20.3523
	70	o-Xylene	1.459	1.459	1.284	1.359	1.344	1.554	1.327	1.255	1.125	------	1.352	9.43	20.9276
	71	Styrene	0.943	0.950	0.840	0.887	0.826	1.041	0.963	0.908	0.851	0.717	0.892	10.08	20.9753
	72	Isopropylbenzene	1.606	1.566	1.494	1.553	1.556	1.728	1.615	1.503	1.277	------	1.544	7.88	21.3680
	73	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	1	0	23.8711
	74	Bromoform	0.366	0.353	0.383	0.395	0.378	0.416	0.431	0.444	0.406	0.456	0.403	8.43	21.4867
	75	4-Bromofluorobenzene	------	1.760	1.539	1.617	1.518	1.634	1.653	1.446	------	------	1.595	6.45	21.7293
	76	1,1,2,2-Tetrachloroethane	0.935	0.812	0.951	0.882	0.758	0.786	0.793	0.763	0.678	0.735	0.809	10.86	21.6002
	77	trans-1,4-Dichloro-2-butene	------	------	0.455	0.370	0.335	0.358	0.320	0.322	0.285	0.339	0.348	14.42	21.4029
	78	n-Propylbenzene	7.055	7.012	6.508	6.942	6.993	7.350	6.949	6.008	4.721	------	6.615	12.21	21.8796
	79	1,2,3-Trichloropropane	------	------	0.236	0.168	0.180	0.181	0.162	0.164	0.150	0.162	0.175	15.18	21.7831
	80	Bromobenzene	1.344	1.169	1.131	1.072	1.062	1.159	1.156	1.151	1.064	1.105	1.141	7.22	22.0294
	81	1,3,5-Trimethylbenzene	4.303	4.264	3.990	4.207	4.161	4.536	4.378	4.046	3.533	2.688	4.010	13.41	22.0688
	82	2-Chlorotoluene	------	4.262	4.152	4.167	4.159	4.195	4.366	3.776	3.289	2.633	3.889	14.74	22.1758
	83	4-Chlorotoluene	3.679	3.474	3.937	3.642	3.578	3.742	3.664	3.277	3.062	2.403	3.446	12.80	22.2250
	84	tert-Butylbenzene	0.988	0.967	0.890	1.017	0.880	0.963	1.012	0.969	0.975	0.986	0.965	4.74	22.5539
	85	1,2,4-Trimethylbenzene	3.648	3.613	3.497	3.627	3.722	3.746	4.041	3.731	3.362	2.552	3.554	11.08	22.6049
	86	sec-Butylbenzene	5.711	5.376	5.320	5.550	5.280	5.834	5.838	5.199	4.464	------	5.397	7.85	22.8333
	87	p-Isopropyltoluene	4.111	3.487	3.352	3.685	3.865	4.179	4.337	4.216	3.648	2.819	3.770	12.49	22.9979
	88	1,3-Dichlorobenzene	2.257	2.025	1.865	1.972	1.901	2.039	2.040	2.056	1.892	1.799	1.985	6.54	23.2298
	89	1,2,3-Trimethylbenzene	4.090	3.574	3.601	3.620	3.465	3.671	3.648	3.578	3.151	2.646	3.504	10.80	23.2791
	90	1,4-Dichlorobenzene	2.079	1.871	1.673	1.772	1.750	1.804	2.022	1.971	1.815	1.686	1.844	7.54	23.3729
	91	Benzyl Chloride	------	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	92	n-Butylbenzene	4.419	3.530	3.365	3.553	3.491	3.993	4.178	3.885	3.319	2.744	3.648	13.25	23.5587
	93	1,2-Dichlorobenzene	1.764	1.807	1.704	1.648	1.497	1.614	1.589	1.629	1.576	1.480	1.631	6.48	23.9188
	94	1,2-Dibromo-3-chloropropane	------	------	0.101	0.078	0.076	0.080	0.083	0.089	0.076	0.089	0.084	10.32	25.0391
	95	1,2,4-Trichlorobenzene	0.946	0.633	0.658	0.632	0.628	0.701	0.756	0.783	0.741	0.827	0.730	14.07	26.4184
	96	Hexachlorobutadiene	0.630	0.549	0.268	0.532	0.516	0.586	0.625	0.592	0.580	0.616	0.549	19.30	26.5861
	97	Naphthalene	------	1.153	1.011	0.882	0.818	0.934	0.930	0.992	0.914	1.058	0.966	10.38	26.8953
	98	1,2,3-Trichlorobenzene	------	0.471	0.549	0.509	0.492	0.527	0.552	0.572	0.524	0.615	0.535	8.15	27.2790

Spike Amount = Nominal Amount * M

Ave_%RSD : 10.4 Max_%RSD : 42.9

Use Least Square Linear Regression with weighting factor of inverse concentration for comps with %_RSD > 15

Resp_Ratio = x0 + x1 * Amt_Ratio

IDX	Parameter	x0	x1	CCF
14	Acetone	0.01528	0.04980	0.9980
79	1,2,3-Trichloropropane	0.00693	0.15883	0.9989
96	Hexachlorobutadiene	-0.00735	0.60270	0.9988

INITIAL_CALIBRATION - RELATIVE_RESPONSE_FACTOR(%REC)

Instrument ID :F3
Beginning DateTime :06/17/24 16:35
Spike Units :PPB
IC File :RFR007

Column Spec :ZB-624 ID :0.25MM
Ending DateTime :06/17/24 21:31
HPChem Method :VOF3F17

M	IDX	Parameters	.3 16:35 RFR002	.5 17:08 RFR003	1 17:40 RFR004	2 18:13 RFR005	5 18:46 RFR006	10 19:19 RFR007	20 19:52 RFR008	30 20:25 RFR009	50 20:58 RFR010	100 21:31 RFR011	AvDRec	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	1	0	15.5980
	2	Chlorotrifluoroethylene											0.000	0.00	0.0000
	3	Dichlorodifluoromethane		127	109	109	100	101	98	88	83	86	10.2	13.95	3.9734
	4	Chloromethane		120	106	110	105	100	99	83	77		10.2	14.03	4.4582
	5	2-Chloro-1,1,1-trifluoroethane											0.000	0.00	0.0000
	6	Vinyl chloride	121	113	96	97	96	91	86				9.7	12.47	4.6870
	7	Bromomethane		124	117	110	95	91	94	85	85		12.6	14.81	5.6166
	8	Chloroethane		131	105	109	102	96	99	85	84	90	10.4	14.57	5.7616
	9	Dichlorofluoromethane	110	112	106	108	102	101	98	93	86	85	7.6	9.54	5.8230
	10	Trichlorofluoromethane	125	113	96	106	95	95	97	88	86	97	8.8	11.63	6.3111
5	11	Acrolein		108	131	96	96	92	88	92	85	92	10.7	14.42	7.2465
	12	1,1,2-Trichloro-1,2,2-trifluoroethane	101	98	97	103	94	94	97	102	104	109	3.8	4.79	7.3133
	13	1,1-Dichloroethene	113	115	106	105	100	103	98	93	84	84	8.2	10.61	7.7491
5	14	Acetone	90	78	94	120	108	110	103	107	91	100	30.8	42.89	7.3888
	15	Iodomethane	108	101	93	97	94	98	99	102	102	105	3.8	4.79	8.5799
	16	Methyl acetate			102	106	99	102	95	96			3.1	3.90	8.5649
	17	Carbon disulfide	117	114	101	100	96	85	94	92			8.3	11.11	9.1244
	18	Methylene chloride			120	116	107	101	97	91	83	85	11.1	13.73	9.0155
25	19	tert-Butyl alcohol	131	85	85	85	100	100	100	108	100	108	9.2	14.17	7.8973
	20	tert-Butyl methyl ether (MTBE)	124	102	104	94	98	95	95	100	91	97	6.1	9.48	9.4464
	21	trans-1,2-Dichloroethene	123	115	105	98	96	95	94	93	91	91	8.6	10.99	9.9056
5	22	Acrylonitrile	112	102	106	103	98	97	94	97	88	95	5.3	6.94	9.3780
	23	Isopropyl ether (DIPE)	117	109	109	108	104	103	98	92	82	77	10.1	12.72	10.8622
	24	1,1-Dichloroethane	111	108	109	106	100	103	98	93	87	84	7.6	9.51	11.2751
	25	Vinyl acetate			107	105	111	104	104	95	87	87	7.7	9.17	11.2564
	26	tert-Butyl ethyl ether (ETBE)	114	109	107	101	100	102	97	97	85	87	6.7	8.96	12.1431
	27	2,2-Dichloropropane	126	120	103	102	98	100	93	91	85	82	10.3	14.08	12.8600
	28	cis-1,2-Dichloroethene	123	115	99	102	98	97	92	95	90	90	8	10.88	12.9808
5	29	2-Butanone	122	106	102	108	105	102	91	95	83	87	8.9	11.29	12.4935
25	30	2-Butanol			100	100	100	100	93	100			1.2	3.78	11.9368
	31	Bromochloromethane	110	92	98	96	99	100	99	101	101	106	3.5	4.99	13.7398
	32	Tetrahydrofuran			110	110	104	108	96	94	85	94	7.7	9.17	13.8097
	33	Chloroform	127	119	105	100	99	97	96	89	87	81	10.2	14.17	13.3484
	34	Dibromofluoromethane		110	99	99	99	101	96	95			3.3	4.96	13.8455
	35	1,1,1-Trichloroethane	113	109	106	103	95	100	98	96	91	89	6.1	7.67	14.2348
	36	Cyclohexane	128	113	92	103	92	94	90	88			11	13.97	14.2700
	37	1,1-Dichloropropene	107	106	96	100	99	99	99	99	95	101	2.8	3.97	14.5620
	38	Carbon tetrachloride	95	108	104	99	96	100	102	102	97	97	3.2	4.10	14.7610
5	39	tert-Amyl alcohol											0.000	0.00	0.0000
	40	1,2-Dichloroethane-d4		118	103	94	103	99	92	89			7	9.66	14.8767
	41	2,2,4-Trimethylpentane											0.000	0.00	0.0000
	42	Benzene	115	115	103	104	101	99	98	87	77		8.6	12.19	15.0990
	43	1,2-Dichloroethane	114	111	109	107	106	101	98	89	83	82	9.6	11.62	15.0636
	44	tert-Amyl methyl ether (TAME)	121	108	102	92	97	97	98	101	92	92	6.4	8.92	14.7774
	45	Trichloroethene	107	107	100	95	97	103	100	99	96	96	3.5	4.41	16.1949
	46	Methylcyclohexane	123	115	97	103	91	93	90	87			10.1	12.80	16.2947
	47	1,2-Dichloropropane	113	106	108	99	103	101	100	95	85	88	6.4	8.66	16.4991
20	48	1,4-Dioxane				91	101	99	92	107	96	114	0	8.35	16.9042
	49	Dibromomethane	103	104	102	94	102	98	103	98	94	99	3	3.51	16.9941
	50	Bromodichloromethane	130	119	103	95	100	95	97	92	85	84	10.3	14.28	16.8938
	51	2-Chloroethyl vinyl ether		104	79	94	96	98	98	106	102	117	7.1	10.70	17.3247
	52	cis-1,3-Dichloropropene	111	107	98	98	102	103	104	99	90	89	5.3	6.84	17.7193
5	53	4-Methyl-2-pentanone		121	108	109	106	102	96	99	82	76	10.3	13.81	17.3686
	54	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	1	0	20.1860
	55	Toluene-d8		120	92	101	96	110	95	86			8.7	11.42	18.0881
	56	Toluene	114	118	105	106	95	108	92	87	75		11.3	13.71	18.2125
	57	Ethyl methacrylate	108	107	93	97	89	101	96	108	99	102	5.2	6.45	18.3771
	58	trans-1,3-Dichloropropene	111	105	100	91	96	110	100	99	98	91	5.2	6.88	18.4429

	59	1,1,2-Trichloroethane	111	111	103	100	96	98	96	96	93	96	4.9	6.24	18.6764
	60	Tetrachloroethene	102	116	98	99	91	105	97	99	99	93	4.6	6.99	19.1352
5	61	2-Hexanone	------	124	105	110	99	104	93	97	90	82	9.1	12.18	18.6403
	62	1,3-Dichloropropane	124	112	109	102	94	101	93	92	89	85	9.6	12.20	19.0201
	63	Dibromochloromethane	112	114	98	96	90	102	94	100	98	98	5.4	7.40	19.4312
	64	1,2-Dibromoethane	112	106	110	96	91	102	95	100	94	96	5.9	7.18	19.7091
	65	1-Chlorohexane	111	99	93	100	96	114	103	105	94	85	6.6	8.66	19.8094
	66	Chlorobenzene	114	108	99	102	100	108	102	100	92	75	6.9	10.77	20.2353
	67	Ethylbenzene	103	109	104	104	101	111	101	93	75	------	7.2	10.78	20.2680
	68	1,1,1,2-Tetrachloroethane	------	109	99	98	90	105	100	103	98	97	4	5.47	20.2682
2	69	m-Xylene & p-Xylene	107	110	100	107	99	108	94	76	------	------	7.8	11.13	20.3523
	70	o-Xylene	108	108	95	101	99	115	98	93	83	------	7	9.43	20.9276
	71	Styrene	106	107	94	99	93	117	108	102	95	80	7.7	10.08	20.9753
	72	Isopropylbenzene	104	101	97	101	101	112	105	97	83	------	5.2	7.88	21.3680
	73	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	1	0	23.8711
	74	Bromoform	91	88	95	98	94	103	107	110	101	113	6.9	8.43	21.4867
	75	4-Bromofluorobenzene	------	110	96	101	95	102	104	91	------	------	5.1	6.45	21.7293
	76	1,1,2,2-Tetrachloroethane	116	100	118	109	94	97	98	94	84	91	8.5	10.86	21.6002
	77	trans-1,4-Dichloro-2-butene	------	------	131	106	96	103	92	93	82	97	10	14.42	21.4029
	78	n-Propylbenzene	107	106	98	105	106	111	105	91	71	------	8.8	12.21	21.8796
	79	1,2,3-Trichloropropane	------	------	105	84	105	110	100	102	94	102	10.1	15.18	21.7831
	80	Bromobenzene	118	102	99	94	93	102	101	101	93	97	4.8	7.22	22.0294
	81	1,3,5-Trimethylbenzene	107	106	100	105	104	113	109	101	88	67	9.1	13.41	22.0688
	82	2-Chlorotoluene	------	110	107	107	107	108	112	97	85	68	11.2	14.74	22.1758
	83	4-Chlorotoluene	107	101	114	106	104	109	106	95	89	70	9.3	12.80	22.2250
	84	tert-Butylbenzene	102	100	92	105	91	100	105	100	101	102	3.3	4.74	22.5539
	85	1,2,4-Trimethylbenzene	103	102	98	102	105	105	114	105	95	72	7	11.08	22.6049
	86	sec-Butylbenzene	106	100	99	103	98	108	108	96	83	------	5.5	7.85	22.8333
	87	p-Isopropyltoluene	109	92	89	98	103	111	115	112	97	75	9.9	12.49	22.9979
	88	1,3-Dichlorobenzene	114	102	94	99	96	103	103	104	95	91	5	6.54	23.2298
	89	1,2,3-Trimethylbenzene	117	102	103	103	99	105	104	102	90	76	7.1	10.80	23.2791
	90	1,4-Dichlorobenzene	113	101	91	96	95	98	110	107	98	91	6.1	7.54	23.3729
	91	Benzyl Chloride	------	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	92	n-Butylbenzene	121	97	92	97	96	109	115	106	91	75	10.3	13.25	23.5587
	93	1,2-Dichlorobenzene	108	111	104	101	92	99	97	100	97	91	4.9	6.48	23.9188
	94	1,2-Dibromo-3-chloropropane	------	------	120	93	90	95	99	106	90	106	8	10.32	25.0391
	95	1,2,4-Trichlorobenzene	130	87	90	87	86	96	104	107	102	113	11	14.07	26.4184
	96	Hexachlorobutadiene	147	116	57	95	88	98	104	99	97	102	12.1	19.30	26.5861
	97	Naphthalene	------	119	105	91	85	97	96	103	95	110	8.1	10.38	26.8953
	98	1,2,3-Trichlorobenzene	------	88	103	95	92	99	103	107	98	115	6.2	8.15	27.2790

Compound List Report F3

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
Total Cpnds : 98

PK#		Compound Name	QIon	Exp_RT	Rel_RT	Cal	#Qual	A/H	ID
1	I	1,4-DIFLUOROBENZENE	114	15.60	1.000	A	1	A	B
2	T	Chlorotrifluoroethylene	116	4.06	0.260	A	1	A	B
3	T	Dichlorodifluoromethane	85	3.96	0.254	A	1	A	B
4	T	Chloromethane	50	4.46	0.286	A	1	A	B
5	T	2-Chloro-1,1,1-trifluoroethane	118	4.65	0.298	A	2	A	B
6	T	Vinyl chloride	62	4.69	0.301	A	1	A	B
7	T	Bromomethane	94	5.62	0.360	A	1	A	B
8	T	Chloroethane	64	5.77	0.370	A	1	A	B
9	T	Dichlorofluoromethane	67	5.83	0.373	A	1	A	B
10	T	Trichlorofluoromethane	101	6.32	0.405	A	1	A	B
11	T	Acrolein	56	7.25	0.465	A	1	A	B
12	T	1,1,2-Trichloro-1,2,2-trifluor	151	7.31	0.468	A	1	A	B
13	T	1,1-Dichloroethene	61	7.74	0.496	A	2	A	B
14	T	Acetone	43	7.39	0.474	A	1	A	B
15	T	Iodomethane	142	8.58	0.550	A	1	A	B
16	T	Methyl acetate	43	8.55	0.548	A	1	A	B
17	T	Carbon disulfide	76	9.11	0.584	A	1	A	B
18	T	Methylene chloride	49	9.02	0.578	A	2	A	B
19	T	tert-Butyl alcohol	59	7.89	0.506	A	1	A	B
20	T	tert-Butyl methyl ether (MTBE)	73	9.44	0.605	A	1	A	B
21	T	trans-1,2-Dichloroethene	96	9.90	0.635	A	1	A	B
22	T	Acrylonitrile	53	9.38	0.601	A	2	A	B
23	T	Isopropyl ether (DIPE)	45	10.87	0.697	A	1	A	B
24	T	1,1-Dichloroethane	63	11.27	0.722	A	2	A	B
25	T	Vinyl acetate	43	11.25	0.721	A	1	A	B
26	T	tert-Butyl ethyl ether (ETBE)	59	12.13	0.778	A	1	A	B
27	T	2,2-Dichloropropane	77	12.86	0.824	A	2	A	B
28	T	cis-1,2-Dichloroethene	96	12.98	0.832	A	1	A	B
29	T	2-Butanone	43	12.50	0.801	A	1	A	B
30	T	2-Butanol	45	11.93	0.765	A	1	A	B
31	T	Bromochloromethane	130	13.74	0.881	A	1	A	B
32	T	Tetrahydrofuran	42	13.81	0.885	A	2	A	B
33	T	Chloroform	83	13.35	0.856	A	2	A	B
34	S	Dibromofluoromethane	111	13.85	0.888	A	1	A	B
35	T	1,1,1-Trichloroethane	97	14.23	0.912	A	2	A	B
36	T	Cyclohexane	84	14.27	0.915	A	1	A	B
37	T	1,1-Dichloropropene	110	14.56	0.934	A	1	A	B
38	T	Carbon tetrachloride	117	14.76	0.946	A	1	A	B
39	T	tert-Amyl alcohol	59	14.55	0.932	A	1	A	B
40	S	1,2-Dichloroethane-d4	65	14.87	0.954	A	1	A	B
41	T	2,2,4-Trimethylpentane	57	14.25	0.914	A	1	A	B
42	T	Benzene	78	15.09	0.967	A	2	A	B
43	T	1,2-Dichloroethane	62	15.06	0.965	A	1	A	B
44	T	tert-Amyl methyl ether (TAME)	73	14.78	0.947	A	1	A	B
45	T	Trichloroethene	130	16.19	1.038	A	3	A	B
46	T	Methylcyclohexane	83	16.31	1.045	A	2	A	B
47	T	1,2-Dichloropropane	63	16.50	1.058	A	1	A	B
48	T	1,4-Dioxane	88	16.90	1.083	A	1	A	B
49	T	Dibromomethane	93	17.00	1.090	A	2	A	B
50	T	Bromodichloromethane	83	16.90	1.083	A	1	A	B
51	T	2-Chloroethyl vinyl ether	63	17.32	1.111	A	1	A	B
52	T	cis-1,3-Dichloropropene	75	17.72	1.136	A	2	A	B
53	T	4-Methyl-2-pentanone	43	17.37	1.114	A	3	A	B
54	I	CHLOROBENZENE-D5	117	20.19	1.000	A	2	A	B
55	S	Toluene-d8	98	18.08	0.896	A	1	A	B
56	T	Toluene	91	18.21	0.902	A	1	A	B
57	T	Ethyl methacrylate	69	18.38	0.910	A	1	A	B
58	T	trans-1,3-Dichloropropene	75	18.44	0.914	A	1	A	B
59	T	1,1,2-Trichloroethane	97	18.67	0.925	A	2	A	B
60	T	Tetrachloroethene	164	19.13	0.948	A	3	A	B
61	T	2-Hexanone	43	18.64	0.923	A	1	A	B
62	T	1,3-Dichloropropane	76	19.02	0.942	A	1	A	B
63	T	Dibromochloromethane	129	19.43	0.963	A	1	A	B
64	T	1,2-Dibromoethane	107	19.71	0.976	A	1	A	B

65		T	1-Chlorohexane	91	19.81	0.981	A	1	A	B
66	P,M		Chlorobenzene	112	20.24	1.002	A	1	A	B
67		T	Ethylbenzene	91	20.27	1.004	A	1	A	B
68		T	1,1,1,2-Tetrachloroethane	131	20.27	1.004	A	1	A	B
69		T	m-Xylene & p-Xylene	91	20.35	1.008	A	1	A	B
70		T	o-Xylene	91	20.93	1.037	A	1	A	B
71		T	Styrene	104	20.98	1.039	A	2	A	B
72		T	Isopropylbenzene	105	21.37	1.059	A	3	A	B
73	1		1,2-DICHLOROBENZENE-D4	152	23.87	1.000	A	1	A	B
74		T	Bromoform	173	21.48	0.900	A	2	A	B
75	S		4-Bromofluorobenzene	95	21.73	0.910	A	2	A	B
76		T	1,1,2,2-Tetrachloroethane	83	21.60	0.905	A	1	A	B
77		T	trans-1,4-Dichloro-2-butene	53	21.40	0.897	A	1	A	B
78		T	n-Propylbenzene	91	21.88	0.917	A	2	A	B
79		T	1,2,3-Trichloropropane	110	21.78	0.912	L	1	A	B
80		T	Bromobenzene	156	22.03	0.923	A	1	A	B
81		T	1,3,5-Trimethylbenzene	105	22.06	0.924	A	2	A	B
82		T	2-Chlorotoluene	91	22.18	0.929	A	1	A	B
83		T	4-Chlorotoluene	91	22.22	0.931	A	1	A	B
84		T	tert-Butylbenzene	134	22.55	0.945	A	1	A	B
85		T	1,2,4-Trimethylbenzene	105	22.60	0.947	A	1	A	B
86		T	sec-Butylbenzene	105	22.83	0.957	A	1	A	B
87		T	p-Isopropyltoluene	119	23.00	0.963	A	2	A	B
88		T	1,3-Dichlorobenzene	146	23.23	0.973	A	2	A	B
89		T	1,2,3-Trimethylbenzene	105	23.28	0.975	A	2	A	B
90		T	1,4-Dichlorobenzene	146	23.38	0.979	A	2	A	B
91		T	Benzyl Chloride	91	20.93	0.877	A	3	A	B
92		T	n-Butylbenzene	91	23.56	0.987	A	2	A	B
93		T	1,2-Dichlorobenzene	146	23.92	1.002	A	1	A	B
94		T	1,2-Dibromo-3-chloropropane	157	25.04	1.049	A	1	A	B
95		T	1,2,4-Trichlorobenzene	180	26.42	1.107	A	2	A	B
96		T	Hexachlorobutadiene	225	26.58	1.114	L	2	A	B
97		T	Naphthalene	128	26.90	1.127	A	1	A	B
98		T	1,2,3-Trichlorobenzene	180	27.27	1.143	A	2	A	B


Cal A = Average L = Linear LO = Linear w/origin Q = Quad QO = Quad w/origin
#Qual = number of qualifiers
A/H = Area or Height
ID R = R.T. B = R.T. & Q Q = Qvalue L = Largest A = All

VOF3F17.M Wed Jun 19 15:45:28 2024

7/1/24

Data File : C:\HPCHEM\1\DATA\24F17\RFR001.D
Acq On : 17 Jun 2024 3:54 pm
Sample : BFBF3F01
Misc : T/CHK
MS Integration Params: RTE.P
Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL

Vial: 1
Operator: LPriet
Inst : F3
Multiplr: 1.00



AutoFind: Scans 908, 909, 910; Background Corrected with Scan 904

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	31.3	17411	PASS
75	95	30	60	52.6	29261	PASS
95	95	100	100	100.0	55669	PASS
96	95	5	9	6.3	3492	PASS
173	174	0.00	2	0.5	195	PASS
174	95	50	100	72.1	40117	PASS
175	174	5	9	6.2	2480	PASS
176	174	95	101	97.3	39048	PASS
177	176	5	9	5.9	2306	PASS

RFR001.D VOF3F17.M Wed Jun 19 15:45:56 2024

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR002.D Vial: 2
Acq On : 17 Jun 2024 4:35 pm Operator: LPriet
Sample : VOF3F171 0.03/0.15 Inst : F3
Misc : 0.3ppb 8260/1.5ppb KET-AA/7.5ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:49 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.60	114	3105061	10.00	ug/l	0.00
54) CHLOROBENZENE-D5	20.19	117	2149135	10.00	ug/l	0.00
73) 1,2-DICHLOROBENZENE-D4	23.89	152	578334	10.00	ug/l	0.02
System Monitoring Compounds						
34) Dibromofluoromethane	0.00	111	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
40) 1,2-Dichloroethane-d4	0.00	65	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
55) Toluene-d8	0.00	98	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
75) 4-Bromofluorobenzene	0.00	95	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
Target Compounds						Qvalue
6) Vinyl chloride	4.69	62	76176	0.36	ug/l	92
9) Dichlorofluoromethane	5.82	67	85442	0.33	ug/l	95
10) Trichlorofluoromethane	6.32	101	64862	0.37	ug/l	99
12) 1,1,2-Trichloro-1,2,2-trif	7.33	151	22399	0.30	ug/l	94
13) 1,1-Dichloroethene	7.74	61	90452	0.34	ug/l	85
14) Acetone	7.39	43	68279	1.35	ug/l	87
15) Iodomethane	8.58	142	50595	0.33	ug/l	97
17) Carbon disulfide	9.11	76	145678	0.35	ug/l	98
19) tert-Butyl alcohol	7.92	59	39211	9.80	ug/l	94
20) tert-Butyl methyl ether (M	9.46	73	71677	0.37	ug/l	96
21) trans-1,2-Dichloroethene	9.92	96	48939	0.37	ug/l	82
22) Acrylonitrile	9.38	53	34643	1.70	ug/l	94
23) Isopropyl ether (DIPE)	10.89	45	192495	0.35	ug/l	98
24) 1,1-Dichloroethane	11.29	63	89246	0.33	ug/l	98
26) tert-Butyl ethyl ether (ET	12.15	59	111220	0.34	ug/l	98
27) 2,2-Dichloropropane	12.86	77	39759	0.38	ug/l	86
28) cis-1,2-Dichloroethene	12.98	96	40755	0.37	ug/l	87
29) 2-Butanone	12.52	43	49492	1.83	ug/l	93
31) Bromochloromethane	13.74	130	15976	0.33	ug/l	94
33) Chloroform	13.36	83	83499	0.38	ug/l	97
35) 1,1,1-Trichloroethane	14.25	97	51514	0.34	ug/l	93
36) Cyclohexane	14.28	84	71339	0.38	ug/l	98
37) 1,1-Dichloropropene	14.56	110	17501	0.32	ug/l	98
38) Carbon tetrachloride	14.78	117	35005	0.28	ug/l	89
42) Benzene	15.10	78	164859	0.35	ug/l	98
43) 1,2-Dichloroethane	15.07	62	39927	0.34	ug/l	97
44) tert-Amyl methyl ether (TA	14.79	73	72017	0.36	ug/l	98
45) Trichloroethene	16.21	130	34664	0.32	ug/l	98
46) Methylcyclohexane	16.30	83	76605	0.37	ug/l	99
47) 1,2-Dichloropropane	16.50	63	40334	0.34	ug/l	97
49) Dibromomethane	17.00	93	12236	0.31	ug/l	99
50) Bromodichloromethane	16.90	83	52801	0.39	ug/l	82
52) cis-1,3-Dichloropropene	17.72	75	47962	0.33	ug/l	88
56) Toluene	18.21	91	135372	0.34	ug/l	99
57) Ethyl methacrylate	18.38	69	19910	0.32	ug/l	86
58) trans-1,3-Dichloropropene	18.44	75	32356	0.33	ug/l	96
59) 1,1,2-Trichloroethane	18.69	97	16150	0.33	ug/l	97
60) Tetrachloroethene	19.15	164	25799	0.31	ug/l	85
62) 1,3-Dichloropropane	19.03	76	35177	0.37	ug/l	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR002.D Vial: 2
Acq On : 17 Jun 2024 4:35 pm Operator: LPriet
Sample : VOF3F171 0.03/0.15 Inst : F3
Misc : 0.3ppb 8260/1.5ppb KET-AA/7.5ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:49 2024 Quant Results File: VOF3F17.RES


Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
63)	Dibromochloromethane	19.45	129	20892	0.33	ug/l	83
64)	1,2-Dibromoethane	19.71	107	14820	0.34	ug/l	91
65)	1-Chlorohexane	19.82	91	49976	0.33	ug/l	99
66)	Chlorobenzene	20.23	112	70169	0.34	ug/l	97
67)	Ethylbenzene	20.27	91	122505	0.31	ug/l	99
69)	m-Xylene & p-Xylene	20.37	91	184148	0.64	ug/l	99
70)	o-Xylene	20.94	91	94097	0.32	ug/l	97
71)	Styrene	20.97	104	60829	0.32	ug/l	84
72)	Isopropylbenzene	21.37	105	103538	0.31	ug/l	98
74)	Bromoform	21.50	173	6358	0.27	ug/l	97
76)	1,1,2,2-Tetrachloroethane	21.60	83	16221	0.35	ug/l	84
78)	n-Propylbenzene	21.88	91	122409	0.32	ug/l	99
80)	Bromobenzene	22.04	156	23321	0.35	ug/l	96
81)	1,3,5-Trimethylbenzene	22.08	105	74649	0.32	ug/l	99
83)	4-Chlorotoluene	22.22	91	63839	0.32	ug/l	89
84)	tert-Butylbenzene	22.55	134	17143	0.31	ug/l	84
85)	1,2,4-Trimethylbenzene	22.62	105	63301	0.31	ug/l	93
86)	sec-Butylbenzene	22.83	105	99082	0.32	ug/l	100
87)	p-Isopropyltoluene	23.00	119	71324	0.33	ug/l	96
88)	1,3-Dichlorobenzene	23.24	146	39162	0.34	ug/l	97
89)	1,2,3-Trimethylbenzene	23.29	105	70963	0.35	ug/l	99
90)	1,4-Dichlorobenzene	23.38	146	36065	0.34	ug/l	92
92)	n-Butylbenzene	23.57	91	76671	0.36	ug/l	86
93)	1,2-Dichlorobenzene	23.92	146	30614	0.32	ug/l	80
95)	1,2,4-Trichlorobenzene	26.42	180	16409	0.39	ug/l	89
96)	Hexachlorobutadiene	26.60	225	10933	0.44	ug/l	85

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\24F17\RFR002.D Vial: 2
Acq On : 17 Jun 2024 4:35 pm Operator: LPriet
Sample : VOF3F171 0.03/0.15 Inst : F3
Misc : 0.3ppb 8260/1.5ppb KET-AA/7.5ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:49 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR003.D Vial: 3
Acq On : 17 Jun 2024 5:08 pm Operator: LPriet
Sample : VOF3F172 0.05/0.25 Inst : F3
Misc : 0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:51 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.60	114	3050333	10.00	ug/l	0.00
54) CHLOROBENZENE-D5	20.19	117	1956754	10.00	ug/l	0.00
73) 1,2-DICHLOROBENZENE-D4	23.87	152	541610	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.84	111	52358	0.55	ug/l	-0.02
Spiked Amount 10.000			Recovery =	5.50%		
40) 1,2-Dichloroethane-d4	14.89	65	53778	0.59	ug/l	0.02
Spiked Amount 10.000			Recovery =	5.90%		
55) Toluene-d8	18.08	98	174100	0.60	ug/l	0.00
Spiked Amount 10.000			Recovery =	6.00%		
75) 4-Bromofluorobenzene	21.73	95	47654	0.55	ug/l	0.00
Spiked Amount 10.000			Recovery =	5.50%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.99	85	92168	0.64	ug/l	91
4) Chloromethane	4.45	50	136584	0.60	ug/l	82
6) Vinyl chloride	4.69	62	115870	0.56	ug/l	95
7) Bromomethane	5.61	94	61141	0.62	ug/l	99
8) Chloroethane	5.76	64	66703	0.66	ug/l	96
9) Dichlorofluoromethane	5.82	67	142318	0.56	ug/l	91
10) Trichlorofluoromethane	6.31	101	96075	0.56	ug/l	94
11) Acrolein	7.24	56	21207	2.71	ug/l	99
12) 1,1,2-Trichloro-1,2,2-trif	7.30	151	35552	0.49	ug/l	92
13) 1,1-Dichloroethene	7.74	61	150512	0.57	ug/l	95
14) Acetone	7.39	43	76157	1.95	ug/l	94
15) Iodomethane	8.58	142	77511	0.51	ug/l	94
17) Carbon disulfide	9.13	76	232413	0.57	ug/l	97
19) tert-Butyl alcohol	7.91	59	40722	10.36	ug/l	86
20) tert-Butyl methyl ether (M	9.48	73	95839	0.51	ug/l	99
21) trans-1,2-Dichloroethene	9.92	96	75403	0.58	ug/l	86
22) Acrylonitrile	9.40	53	51226	2.56	ug/l	93
23) Isopropyl ether (DIPE)	10.89	45	292850	0.55	ug/l	97
24) 1,1-Dichloroethane	11.29	63	142337	0.54	ug/l	99
26) tert-Butyl ethyl ether (ET	12.16	59	174081	0.55	ug/l	93
27) 2,2-Dichloropropane	12.86	77	62092	0.60	ug/l	96
28) cis-1,2-Dichloroethene	12.98	96	62195	0.57	ug/l	95
29) 2-Butanone	12.52	43	70176	2.64	ug/l	93
31) Bromochloromethane	13.74	130	21867	0.46	ug/l	85
33) Chloroform	13.35	83	128913	0.60	ug/l	96
35) 1,1,1-Trichloroethane	14.23	97	80779	0.54	ug/l	94
36) Cyclohexane	14.27	84	103614	0.57	ug/l	91
37) 1,1-Dichloropropene	14.56	110	28322	0.53	ug/l	97
38) Carbon tetrachloride	14.76	117	65410	0.54	ug/l	93
42) Benzene	15.11	78	269662	0.58	ug/l	99
43) 1,2-Dichloroethane	15.07	62	63910	0.56	ug/l	89
44) tert-Amyl methyl ether (TA	14.78	73	105545	0.54	ug/l	93
45) Trichloroethene	16.21	130	56878	0.54	ug/l	96
46) Methylcyclohexane	16.29	83	116843	0.57	ug/l	91
47) 1,2-Dichloropropane	16.50	63	61563	0.53	ug/l	100
49) Dibromomethane	16.98	93	20061	0.52	ug/l	76
50) Bromodichloromethane	16.90	83	78825	0.59	ug/l	87
51) 2-Chloroethyl vinyl ether	17.33	63	8293	0.53	ug/l	97
52) cis-1,3-Dichloropropene	17.72	75	76079	0.54	ug/l	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR003.D Vial: 3
Acq On : 17 Jun 2024 5:08 pm Operator: LPriet
Sample : VOF3F172 0.05/0.25 Inst : F3
Misc : 0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:51 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
53)	4-Methyl-2-pentanone	17.37	43	166894	3.02	ug/l	96
56)	Toluene	18.21	91	211260	0.59	ug/l	100
57)	Ethyl methacrylate	18.38	69	29855	0.53	ug/l	74
58)	trans-1,3-Dichloropropene	18.44	75	46231	0.52	ug/l	96
59)	1,1,2-Trichloroethane	18.67	97	24553	0.55	ug/l	97
60)	Tetrachloroethene	19.13	164	44744	0.58	ug/l	97
61)	2-Hexanone	18.64	43	89201	3.09	ug/l	98
62)	1,3-Dichloropropane	19.02	76	48173	0.56	ug/l	97
63)	Dibromochloromethane	19.43	129	32255	0.57	ug/l	100
64)	1,2-Dibromoethane	19.71	107	21223	0.53	ug/l	94
65)	1-Chlorohexane	19.81	91	67310	0.49	ug/l	99
66)	Chlorobenzene	20.24	112	100495	0.54	ug/l	94
67)	Ethylbenzene	20.27	91	195909	0.54	ug/l	97
68)	1,1,1,2-Tetrachloroethane	20.27	131	36964	0.55	ug/l	79
69)	m-Xylene & p-Xylene	20.35	91	287507	1.10	ug/l	100
70)	o-Xylene	20.93	91	142701	0.54	ug/l	100
71)	Styrene	20.98	104	92919	0.53	ug/l	90
72)	Isopropylbenzene	21.37	105	153188	0.51	ug/l	98
74)	Bromoform	21.49	173	9557	0.44	ug/l	95
76)	1,1,2,2-Tetrachloroethane	21.60	83	21998	0.50	ug/l	94
78)	n-Propylbenzene	21.88	91	189887	0.53	ug/l	99
80)	Bromobenzene	22.03	156	31650	0.51	ug/l	94
81)	1,3,5-Trimethylbenzene	22.08	105	115460	0.53	ug/l	96
82)	2-Chlorotoluene	22.18	91	115411	0.55	ug/l	94
83)	4-Chlorotoluene	22.23	91	94083	0.50	ug/l	100
84)	tert-Butylbenzene	22.55	134	26194	0.50	ug/l	100
85)	1,2,4-Trimethylbenzene	22.60	105	97841	0.51	ug/l	99
86)	sec-Butylbenzene	22.83	105	145585	0.50	ug/l	99
87)	p-Isopropyltoluene	23.00	119	94417	0.46	ug/l	96
88)	1,3-Dichlorobenzene	23.23	146	54848	0.51	ug/l	98
89)	1,2,3-Trimethylbenzene	23.28	105	96776	0.51	ug/l	99
90)	1,4-Dichlorobenzene	23.38	146	50678	0.51	ug/l	95
92)	n-Butylbenzene	23.56	91	95593	0.48	ug/l	92
93)	1,2-Dichlorobenzene	23.92	146	48943	0.55	ug/l	91
95)	1,2,4-Trichlorobenzene	26.42	180	17131	0.43	ug/l	99
96)	Hexachlorobutadiene	26.58	225	14855	0.58	ug/l	84
97)	Naphthalene	26.90	128	31237	0.60	ug/l	94
98)	1,2,3-Trichlorobenzene	27.29	180	12745	0.44	ug/l	95


6/17/24

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR003.D Vial: 3
Acq On : 17 Jun 2024 5:08 pm Operator: LPrict
Sample : VOF3F172 0.05/0.25 Inst : F3
Misc : 0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:51 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



RFR003.D VOF3F17.M Wed Jun 19 15:51:09 2024 Page 3

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR004.D Vial: 4
Acq On : 17 Jun 2024 5:40 pm Operator: LPriet
Sample : VOF3F173 0.1/0.5 Inst : F3
Misc : 1ppb 8260/5ppb KET-AA/25ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:51 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.60	114	3155309	10.00	ug/l	0.00
54) CHLOROBENZENE-D5	20.19	117	2175409	10.00	ug/l	0.00
73) 1,2-DICHLOROBENZENE-D4	23.87	152	562535	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.85	111	97049	0.99	ug/l	0.00
Spiked Amount 10.000			Recovery =	9.90%		
40) 1,2-Dichloroethane-d4	14.87	65	96576	1.03	ug/l	0.00
Spiked Amount 10.000			Recovery =	10.30%		
55) Toluene-d8	18.10	98	297205	0.92	ug/l	0.02
Spiked Amount 10.000			Recovery =	9.20%		
75) 4-Bromofluorobenzene	21.73	95	86599	0.96	ug/l	0.00
Spiked Amount 10.000			Recovery =	9.60%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.99	85	163729	1.09	ug/l	94
4) Chloromethane	4.48	50	250736	1.06	ug/l	97
6) Vinyl chloride	4.68	62	204148	0.96	ug/l	97
7) Bromomethane	5.61	94	119658	1.17	ug/l	78
8) Chloroethane	5.76	64	110302	1.05	ug/l	97
9) Dichlorofluoromethane	5.82	67	278247	1.06	ug/l	99
10) Trichlorofluoromethane	6.31	101	169425	0.96	ug/l	99
11) Acrolein	7.27	56	54416	6.73	ug/l	95
12) 1,1,2-Trichloro-1,2,2-trif	7.30	151	72618	0.97	ug/l	97
13) 1,1-Dichloroethene	7.76	61	287323	1.06	ug/l	95
14) Acetone	7.39	43	121888	4.69	ug/l	92
15) Iodomethane	8.58	142	146944	0.93	ug/l	96
16) Methyl acetate	8.58	43	53702	1.02	ug/l	99
17) Carbon disulfide	9.13	76	423613	1.01	ug/l	97
18) Methylene chloride	9.01	49	208655	1.20	ug/l	100
19) tert-Butyl alcohol	7.94	59	90251	22.21	ug/l	93
20) tert-Butyl methyl ether (M	9.46	73	203331	1.04	ug/l	92
21) trans-1,2-Dichloroethene	9.90	96	141532	1.05	ug/l	93
22) Acrylonitrile	9.38	53	110144	5.32	ug/l	92
23) Isopropyl ether (DIPE)	10.87	45	603029	1.09	ug/l	99
24) 1,1-Dichloroethane	11.27	63	297855	1.09	ug/l	99
25) Vinyl acetate	11.27	43	156142	1.07	ug/l	95
26) tert-Butyl ethyl ether (ET	12.16	59	352008	1.07	ug/l	97
27) 2,2-Dichloropropane	12.86	77	109454	1.03	ug/l	96
28) cis-1,2-Dichloroethene	12.98	96	110582	0.99	ug/l	98
29) 2-Butanone	12.50	43	139737	5.09	ug/l	99
30) 2-Butanol	11.97	45	114202	26.08	ug/l	92
31) Bromochloromethane	13.74	130	48199	0.98	ug/l	88
32) Tetrahydrofuran	13.82	42	18074	1.10	ug/l	65
33) Chloroform	13.35	83	234693	1.05	ug/l	98
35) 1,1,1-Trichloroethane	14.23	97	162643	1.06	ug/l	96
36) Cyclohexane	14.28	84	173433	0.92	ug/l	90
37) 1,1-Dichloropropene	14.56	110	52995	0.96	ug/l	100
38) Carbon tetrachloride	14.76	117	129633	1.04	ug/l	100
42) Benzene	15.10	78	497165	1.03	ug/l	99
43) 1,2-Dichloroethane	15.07	62	128926	1.09	ug/l	99
44) tert-Amyl methyl ether (TA	14.78	73	206977	1.02	ug/l	95
45) Trichloroethene	16.21	130	109547	1.00	ug/l	94
46) Methylcyclohexane	16.29	83	205317	0.97	ug/l	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR004.D
Acq On : 17 Jun 2024 5:40 pm
Sample : VOF3F173 0.1/0.5
Misc : 1ppb 8260/5ppb KET-AA/25ppb TBA
MS Integration Params: RTE.P
Quant Time: Jun 19 15:51 2024

Vial: 4
Operator: LPriet
Inst : F3
Multiplr: 1.00
Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
47)	1,2-Dichloropropane	16.50	63	130455	1.08	ug/l		98
49)	Dibromomethane	17.00	93	40619	1.02	ug/l		92
50)	Bromodichloromethane	16.90	83	140970	1.02	ug/l		94
51)	2-Chloroethyl vinyl ether	17.32	63	12961	0.79	ug/l		52
52)	cis-1,3-Dichloropropene	17.72	75	143938	0.98	ug/l		100
53)	4-Methyl-2-pentanone	17.37	43	309155	5.42	ug/l		100
56)	Toluene	18.21	91	419869	1.05	ug/l		99
57)	Ethyl methacrylate	18.38	69	57819	0.93	ug/l		96
58)	trans-1,3-Dichloropropene	18.44	75	97619	0.99	ug/l		100
59)	1,1,2-Trichloroethane	18.69	97	50470	1.02	ug/l		97
60)	Tetrachloroethene	19.13	164	83966	0.98	ug/l		97
61)	2-Hexanone	18.64	43	167497	5.22	ug/l		97
62)	1,3-Dichloropropane	19.02	76	104475	1.09	ug/l		97
63)	Dibromochloromethane	19.43	129	61989	0.98	ug/l		96
64)	1,2-Dibromoethane	19.71	107	49027	1.10	ug/l		91
65)	1-Chlorohexane	19.81	91	140867	0.93	ug/l		100
66)	Chlorobenzene	20.24	112	205478	0.99	ug/l		99
67)	Ethylbenzene	20.27	91	415556	1.04	ug/l		95
68)	1,1,1,2-Tetrachloroethane	20.27	131	74558	0.99	ug/l		95
69)	m-Xylene & p-Xylene	20.35	91	581573	2.00	ug/l		98
70)	o-Xylene	20.93	91	279257	0.95	ug/l		100
71)	Styrene	20.98	104	182658	0.94	ug/l		95
72)	Isopropylbenzene	21.37	105	325031	0.97	ug/l		99
74)	Bromoform	21.49	173	21542	0.95	ug/l		91
76)	1,1,2,2-Tetrachloroethane	21.60	83	53525	1.18	ug/l		98
77)	trans-1,4-Dichloro-2-buten	21.40	53	25598	1.31	ug/l		78
78)	n-Propylbenzene	21.88	91	366089	0.98	ug/l		99
79)	1,2,3-Trichloropropane	21.80	110	13298	1.05	ug/l		99
80)	Bromobenzene	22.03	156	63609	0.99	ug/l		96
81)	1,3,5-Trimethylbenzene	22.08	105	224451	0.99	ug/l		98
82)	2-Chlorotoluene	22.18	91	233554	1.07	ug/l		98
83)	4-Chlorotoluene	22.23	91	221467	1.14	ug/l		99
84)	tert-Butylbenzene	22.55	134	50061	0.92	ug/l		95
85)	1,2,4-Trimethylbenzene	22.60	105	196702	0.98	ug/l		100
86)	sec-Butylbenzene	22.83	105	299263	0.99	ug/l		99
87)	p-Isopropyltoluene	23.00	119	188541	0.89	ug/l		92
88)	1,3-Dichlorobenzene	23.23	146	104928	0.94	ug/l		95
89)	1,2,3-Trimethylbenzene	23.28	105	202587	1.03	ug/l		96
90)	1,4-Dichlorobenzene	23.38	146	94121	0.91	ug/l		95
92)	n-Butylbenzene	23.56	91	189277	0.92	ug/l		98
93)	1,2-Dichlorobenzene	23.92	146	95850	1.04	ug/l		96
94)	1,2-Dibromo-3-chloropropan	25.05	157	5703	1.21	ug/l		82
95)	1,2,4-Trichlorobenzene	26.42	180	37007	0.90	ug/l		97
96)	Hexachlorobutadiene	26.60	225	15102	0.57	ug/l	#	47
97)	Naphthalene	26.90	128	56872	1.05	ug/l		96
98)	1,2,3-Trichlorobenzene	27.27	180	30878	1.03	ug/l		83

6/19/24


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR004.D
Acq On : 17 Jun 2024 5:40 pm
Sample : VOF3F173 0.1/0.5
Misc : 1ppb 8260/5ppb KET-AA/25ppb TBA
MS Integration Params: RTE.P
Quant Time: Jun 19 15:51 2024

Vial: 4
Operator: LPriet
Inst : F3
Multiplr: 1.00
Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR005.D Vial: 5
Acq On : 17 Jun 2024 6:13 pm Operator: LPriet
Sample : VOF3F174 0.2/1.0 Inst : F3
Misc : 2ppb 8260/10ppb KET-AA/50ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 13:09 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.60	114	3094676	10.00	ug/l	0.00
54) CHLOROBENZENE-D5	20.19	117	2105637	10.00	ug/l	0.00
73) 1,2-DICHLOROBENZENE-D4	23.87	152	557924	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.85	111	192150	1.99	ug/l	0.00
Spiked Amount 10.000			Recovery =	19.90%		
40) 1,2-Dichloroethane-d4	14.87	65	174109	1.89	ug/l	0.00
Spiked Amount 10.000			Recovery =	18.90%		
55) Toluene-d8	18.10	98	631034	2.02	ug/l	0.02
Spiked Amount 10.000			Recovery =	20.20%		
75) 4-Bromofluorobenzene	21.73	95	180468	2.03	ug/l	0.00
Spiked Amount 10.000			Recovery =	20.30%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.99	85	319853	2.18	ug/l	99
4) Chloromethane	4.45	50	507410	2.19	ug/l	96
6) Vinyl chloride	4.69	62	405438	1.94	ug/l	96
7) Bromomethane	5.61	94	220249	2.19	ug/l	91
8) Chloroethane	5.76	64	224616	2.18	ug/l	97
9) Dichlorofluoromethane	5.85	67	555249	2.15	ug/l	100
10) Trichlorofluoromethane	6.31	101	366755	2.12	ug/l	98
11) Acrolein	7.24	56	78592	9.91	ug/l	97
12) 1,1,2-Trichloro-1,2,2-trif	7.30	151	150511	2.05	ug/l	96
13) 1,1-Dichloroethene	7.74	61	560389	2.10	ug/l	97
14) Acetone	7.39	43	232353	12.01	ug/l	97
15) Iodomethane	8.58	142	300697	1.94	ug/l	98
16) Methyl acetate	8.58	43	109701	2.12	ug/l	98
17) Carbon disulfide	9.13	76	827515	2.01	ug/l	99
18) Methylene chloride	9.01	49	395317	2.32	ug/l	97
19) tert-Butyl alcohol	7.91	59	165844	41.60	ug/l	99
20) tert-Butyl methyl ether (M	9.46	73	359867	1.88	ug/l	93
21) trans-1,2-Dichloroethene	9.92	96	258427	1.95	ug/l	98
22) Acrylonitrile	9.38	53	211651	10.43	ug/l	97
23) Isopropyl ether (DIPE)	10.87	45	1173878	2.16	ug/l	97
24) 1,1-Dichloroethane	11.29	63	564961	2.12	ug/l	99
25) Vinyl acetate	11.27	43	299840	2.09	ug/l	99
26) tert-Butyl ethyl ether (ET	12.15	59	652844	2.02	ug/l	98
27) 2,2-Dichloropropane	12.86	77	214061	2.04	ug/l	96
28) cis-1,2-Dichloroethene	12.98	96	224450	2.04	ug/l	93
29) 2-Butanone	12.50	43	289651	10.75	ug/l	97
30) 2-Butanol	11.95	45	212253	49.42	ug/l	94
31) Bromochloromethane	13.74	130	93147	1.93	ug/l	97
32) Tetrahydrofuran	13.82	42	35044	2.18	ug/l	96
33) Chloroform	13.34	83	437208	2.00	ug/l	96
35) 1,1,1-Trichloroethane	14.23	97	310377	2.05	ug/l	96
36) Cyclohexane	14.27	84	381162	2.06	ug/l	98
37) 1,1-Dichloropropene	14.56	110	108224	2.00	ug/l	99
38) Carbon tetrachloride	14.76	117	241812	1.97	ug/l	100
42) Benzene	15.10	78	993019	2.09	ug/l	99
43) 1,2-Dichloroethane	15.07	62	247915	2.13	ug/l	100
44) tert-Amyl methyl ether (TA	14.77	73	365592	1.85	ug/l	99
45) Trichloroethene	16.19	130	205777	1.91	ug/l	95
46) Methylcyclohexane	16.30	83	423882	2.05	ug/l	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR005.D Vial: 5
Acq On : 17 Jun 2024 6:13 pm Operator: LPriet
Sample : VOF3F174 0.2/1.0 Inst : F3
Misc : 2ppb 8260/10ppb KET-AA/50ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 13:09 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17


	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
47)	1,2-Dichloropropane	16.50	63	234322	1.98	ug/l	96
48)	1,4-Dioxane	16.91	88	10705	36.31	ug/l	71
49)	Dibromomethane	16.99	93	73577	1.88	ug/l	93
50)	Bromodichloromethane	16.90	83	257673	1.91	ug/l	97
51)	2-Chloroethyl vinyl ether	17.32	63	30172	1.88	ug/l	89
52)	cis-1,3-Dichloropropene	17.72	75	281179	1.95	ug/l	95
53)	4-Methyl-2-pentanone	17.37	43	611009	10.92	ug/l	100
56)	Toluene	18.21	91	819441	2.12	ug/l	100
57)	Ethyl methacrylate	18.38	69	117181	1.95	ug/l	92
58)	trans-1,3-Dichloropropene	18.44	75	173679	1.83	ug/l	91
59)	1,1,2-Trichloroethane	18.67	97	95733	2.01	ug/l	99
60)	Tetrachloroethene	19.13	164	164854	1.99	ug/l	96
61)	2-Hexanone	18.64	43	340339	10.96	ug/l	95
62)	1,3-Dichloropropane	19.02	76	187972	2.03	ug/l	99
63)	Dibromochloromethane	19.43	129	117559	1.92	ug/l	96
64)	1,2-Dibromoethane	19.71	107	82486	1.91	ug/l	92
65)	1-Chlorohexane	19.81	91	293892	2.00	ug/l	100
66)	Chlorobenzene	20.23	112	410339	2.05	ug/l	99
67)	Ethylbenzene	20.27	91	802496	2.07	ug/l	96
68)	1,1,1,2-Tetrachloroethane	20.27	131	143011	1.96	ug/l	96
69)	m-Xylene & p-Xylene	20.35	91	1203965	4.27	ug/l	97
70)	o-Xylene	20.93	91	572251	2.01	ug/l	100
71)	Styrene	20.97	104	373458	1.99	ug/l	95
72)	Isopropylbenzene	21.37	105	654034	2.01	ug/l	100
74)	Bromoform	21.48	173	44124	1.96	ug/l	97
76)	1,1,2,2-Tetrachloroethane	21.60	83	98442	2.18	ug/l	99
77)	trans-1,4-Dichloro-2-buten	21.40	53	41282	2.13	ug/l	91
78)	n-Propylbenzene	21.88	91	774665	2.10	ug/l	99
79)	1,2,3-Trichloropropane	21.78	110	18712	1.68	ug/l	97
80)	Bromobenzene	22.03	156	119575	1.88	ug/l	98
81)	1,3,5-Trimethylbenzene	22.06	105	469435	2.10	ug/l	99
82)	2-Chlorotoluene	22.17	91	464988	2.14	ug/l	100
83)	4-Chlorotoluene	22.22	91	406382	2.11	ug/l	100
84)	tert-Butylbenzene	22.55	134	113445	2.11	ug/l	97
85)	1,2,4-Trimethylbenzene	22.60	105	404735	2.04	ug/l	97
86)	sec-Butylbenzene	22.83	105	619341	2.06	ug/l	99
87)	p-Isopropyltoluene	23.00	119	411210	1.96	ug/l	98
88)	1,3-Dichlorobenzene	23.23	146	220043	1.99	ug/l	98
89)	1,2,3-Trimethylbenzene	23.28	105	403898	2.07	ug/l	100
90)	1,4-Dichlorobenzene	23.38	146	197687	1.92	ug/l	97
92)	n-Butylbenzene	23.56	91	396474	1.95	ug/l	98
93)	1,2-Dichlorobenzene	23.92	146	183889	2.02	ug/l	97
94)	1,2-Dibromo-3-chloropropan	25.04	157	8701	1.86	ug/l	85
95)	1,2,4-Trichlorobenzene	26.42	180	70562	1.73	ug/l	99
96)	Hexachlorobutadiene	26.58	225	59383	1.89	ug/l	92
97)	Naphthalene	26.89	128	98446	1.83	ug/l	97
98)	1,2,3-Trichlorobenzene	27.27	180	56792	1.90	ug/l	91

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR005.D Vial: 5
Acq On : 17 Jun 2024 6:13 pm Operator: LPriet
Sample : VOF3F174 0.2/1.0 Inst : F3
Misc : 2ppb 8260/10ppb KET-AA/50ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 13:09 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR006.D Vial: 6
Acq On : 17 Jun 2024 6:46 pm Operator: LPriet
Sample : VOF3F175 0.5/2.5 Inst : F3
Misc : 5ppb 8260/25ppb KET-AA/125ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 13:09 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.60	114	3219254	10.00	ug/l	0.00
54) CHLOROBENZENE-D5	20.19	117	2290966	10.00	ug/l	0.00
73) 1,2-DICHLOROBENZENE-D4	23.87	152	623483	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.84	111	499350	4.97	ug/l	-0.02
Spiked Amount 10.000			Recovery =	49.70%		
40) 1,2-Dichloroethane-d4	14.87	65	494072	5.15	ug/l	0.00
Spiked Amount 10.000			Recovery =	51.50%		
55) Toluene-d8	18.10	98	1633180	4.81	ug/l	0.02
Spiked Amount 10.000			Recovery =	48.10%		
75) 4-Bromofluorobenzene	21.73	95	473325	4.76	ug/l	0.00
Spiked Amount 10.000			Recovery =	47.60%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.99	85	762188	4.98	ug/l	98
4) Chloromethane	4.45	50	1265311	5.26	ug/l	100
6) Vinyl chloride	4.69	62	1043427	4.81	ug/l	98
7) Bromomethane	5.61	94	496699	4.76	ug/l	100
8) Chloroethane	5.76	64	548834	5.11	ug/l	99
9) Dichlorofluoromethane	5.82	67	1362084	5.08	ug/l	98
10) Trichlorofluoromethane	6.31	101	857057	4.77	ug/l	98
11) Acrolein	7.24	56	202273	24.53	ug/l	88
12) 1,1,2-Trichloro-1,2,2-trif	7.33	151	358179	4.70	ug/l	99
13) 1,1-Dichloroethene	7.74	61	1386158	5.00	ug/l	98
14) Acetone	7.39	43	481026	26.93	ug/l	99
15) Iodomethane	8.58	142	759298	4.71	ug/l	100
16) Methyl acetate	8.58	43	266942	4.96	ug/l	97
17) Carbon disulfide	9.13	76	2065289	4.82	ug/l	99
18) Methylene chloride	9.01	49	950889	5.36	ug/l	96
19) tert-Butyl alcohol	7.88	59	523145	126.16	ug/l	99
20) tert-Butyl methyl ether (M	9.44	73	974606	4.90	ug/l	99
21) trans-1,2-Dichloroethene	9.90	96	660946	4.80	ug/l	97
22) Acrylonitrile	9.38	53	525816	24.91	ug/l	97
23) Isopropyl ether (DIPE)	10.87	45	2959110	5.23	ug/l	99
24) 1,1-Dichloroethane	11.27	63	1393799	5.02	ug/l	100
25) Vinyl acetate	11.27	43	825385	5.54	ug/l	99
26) tert-Butyl ethyl ether (ET	12.13	59	1685774	5.01	ug/l	99
27) 2,2-Dichloropropane	12.86	77	531025	4.88	ug/l	100
28) cis-1,2-Dichloroethene	12.98	96	560512	4.90	ug/l	98
29) 2-Butanone	12.50	43	731941	26.11	ug/l	99
30) 2-Butanol	11.93	45	574013	128.49	ug/l	96
31) Bromochloromethane	13.74	130	248499	4.94	ug/l	95
32) Tetrahydrofuran	13.81	42	86278	5.17	ug/l	86
33) Chloroform	13.34	83	1133944	4.98	ug/l	96
35) 1,1,1-Trichloroethane	14.23	97	750514	4.78	ug/l	97
36) Cyclohexane	14.27	84	887177	4.60	ug/l	99
37) 1,1-Dichloropropene	14.56	110	277840	4.93	ug/l	100
38) Carbon tetrachloride	14.76	117	611143	4.80	ug/l	98
42) Benzene	15.10	78	2501106	5.06	ug/l	99
43) 1,2-Dichloroethane	15.05	62	641766	5.30	ug/l	98
44) tert-Amyl methyl ether (TA	14.78	73	997835	4.84	ug/l	99
45) Trichloroethene	16.19	130	541901	4.83	ug/l	95
46) Methylcyclohexane	16.29	83	983693	4.58	ug/l	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR006.D Vial: 6
Acq On : 17 Jun 2024 6:46 pm Operator: LPriet
Sample : VOF3F175 0.5/2.5 Inst : F3
Misc : 5ppb 8260/25ppb KET-AA/125ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 13:09 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
47)	1,2-Dichloropropane	16.49	63	635774	5.17	ug/l	98
48)	1,4-Dioxane	16.91	88	30943	100.90	ug/l	93
49)	Dibromomethane	17.00	93	208491	5.11	ug/l	89
50)	Bromodichloromethane	16.90	83	700991	4.99	ug/l	98
51)	2-Chloroethyl vinyl ether	17.32	63	79848	4.79	ug/l	97
52)	cis-1,3-Dichloropropene	17.72	75	759978	5.08	ug/l	99
53)	4-Methyl-2-pentanone	17.37	43	1536085	26.38	ug/l	99
56)	Toluene	18.21	91	1996103	4.75	ug/l	98
57)	Ethyl methacrylate	18.38	69	292330	4.46	ug/l	98
58)	trans-1,3-Dichloropropene	18.44	75	495974	4.80	ug/l	96
59)	1,1,2-Trichloroethane	18.67	97	248422	4.79	ug/l	97
60)	Tetrachloroethene	19.13	164	409570	4.55	ug/l	96
61)	2-Hexanone	18.64	43	829247	24.55	ug/l	96
62)	1,3-Dichloropropane	19.02	76	471868	4.69	ug/l	97
63)	Dibromochloromethane	19.43	129	297583	4.47	ug/l	99
64)	1,2-Dibromoethane	19.71	107	214319	4.56	ug/l	98
65)	1-Chlorohexane	19.81	91	768106	4.80	ug/l	99
66)	Chlorobenzene	20.23	112	1085870	4.98	ug/l	98
67)	Ethylbenzene	20.27	91	2118926	5.03	ug/l	95
68)	1,1,1,2-Tetrachloroethane	20.27	131	357623	4.52	ug/l	97
69)	m-Xylene & p-Xylene	20.35	91	3027011	9.87	ug/l	98
70)	o-Xylene	20.93	91	1540066	4.97	ug/l	99
71)	Styrene	20.97	104	945876	4.63	ug/l	93
72)	Isopropylbenzene	21.37	105	1782735	5.04	ug/l	99
74)	Bromoform	21.48	173	117882	4.69	ug/l	97
76)	1,1,2,2-Tetrachloroethane	21.60	83	236327	4.68	ug/l	93
77)	trans-1,4-Dichloro-2-buten	21.40	53	104524	4.82	ug/l	99
78)	n-Propylbenzene	21.88	91	2179916	5.29	ug/l	99
79)	1,2,3-Trichloropropane	21.78	110	56253	5.24	ug/l	96
80)	Bromobenzene	22.03	156	330950	4.65	ug/l	97
81)	1,3,5-Trimethylbenzene	22.06	105	1297090	5.19	ug/l	99
82)	2-Chlorotoluene	22.18	91	1296497	5.35	ug/l	96
83)	4-Chlorotoluene	22.22	91	1115355	5.19	ug/l	99
84)	tert-Butylbenzene	22.55	134	274422	4.56	ug/l	98
85)	1,2,4-Trimethylbenzene	22.60	105	1160342	5.24	ug/l	96
86)	sec-Butylbenzene	22.83	105	1646150	4.89	ug/l	99
87)	p-Isopropyltoluene	23.00	119	1204962	5.13	ug/l	99
88)	1,3-Dichlorobenzene	23.23	146	592564	4.79	ug/l	100
89)	1,2,3-Trimethylbenzene	23.28	105	1080061	4.94	ug/l	99
90)	1,4-Dichlorobenzene	23.36	146	545607	4.74	ug/l	98
92)	n-Butylbenzene	23.56	91	1088276	4.79	ug/l	100
93)	1,2-Dichlorobenzene	23.92	146	466581	4.59	ug/l	98
94)	1,2-Dibromo-3-chloropropan	25.04	157	23681	4.52	ug/l	89
95)	1,2,4-Trichlorobenzene	26.42	180	195827	4.30	ug/l	96
96)	Hexachlorobutadiene	26.58	225	160724	4.40	ug/l	95
97)	Naphthalene	26.89	128	254859	4.23	ug/l	98
98)	1,2,3-Trichlorobenzene	27.29	180	153353	4.60	ug/l	97


CR 7/1/24

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR006.D Vial: 6
Acq On : 17 Jun 2024 6:46 pm Operator: LPriet
Sample : VOF3F175 0.5/2.5 Inst : F3
Misc : 5ppb 8260/25ppb KET-AA/125ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 13:09 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR007.D Vial: 7
Acq On : 17 Jun 2024 7:19 pm Operator: LPriet
Sample : VOF3F176 1.0/5.0 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:52 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.60	114	3250044	10.00	ug/l	0.00
54) CHLOROBENZENE-D5	20.19	117	2141369	10.00	ug/l	0.00
73) 1,2-DICHLOROBENZENE-D4	23.87	152	612864	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.85	111	1027666	10.14	ug/l	0.00
Spiked Amount 10.000			Recovery =	101.40%		
40) 1,2-Dichloroethane-d4	14.87	65	963536	9.96	ug/l	0.00
Spiked Amount 10.000			Recovery =	99.60%		
55) Toluene-d8	18.08	98	3477166	10.95	ug/l	0.00
Spiked Amount 10.000			Recovery =	109.50%		
75) 4-Bromofluorobenzene	21.73	95	1001502	10.24	ug/l	0.00
Spiked Amount 10.000			Recovery =	102.40%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.97	85	1559014	10.10	ug/l	100
4) Chloromethane	4.46	50	2436115	10.02	ug/l	100
6) Vinyl chloride	4.69	62	1999032	9.12	ug/l	100
7) Bromomethane	5.62	94	960341	9.11	ug/l	100
8) Chloroethane	5.77	64	1041767	9.61	ug/l	100
9) Dichlorofluoromethane	5.83	67	2729794	10.08	ug/l	100
10) Trichlorofluoromethane	6.32	101	1723133	9.50	ug/l	100
11) Acrolein	7.25	56	396533	47.63	ug/l	100
12) 1,1,2-Trichloro-1,2,2-trif	7.31	151	721653	9.37	ug/l	100
13) 1,1-Dichloroethene	7.74	61	2877721	10.28	ug/l	100
14) Acetone	7.39	43	937218	54.83	ug/l	100
15) Iodomethane	8.58	142	1592833	9.78	ug/l	100
16) Methyl acetate	8.56	43	552245	10.15	ug/l	100
17) Carbon disulfide	9.11	76	3660341	8.46	ug/l	100
18) Methylene chloride	9.02	49	1816048	10.13	ug/l	100
19) tert-Butyl alcohol	7.89	59	1018368	243.26	ug/l	100
20) tert-Butyl methyl ether (M	9.44	73	1908078	9.50	ug/l	100
21) trans-1,2-Dichloroethene	9.90	96	1323208	9.51	ug/l	100
22) Acrylonitrile	9.38	53	1037145	48.66	ug/l	100
23) Isopropyl ether (DIPE)	10.87	45	5867198	10.26	ug/l	100
24) 1,1-Dichloroethane	11.27	63	2896715	10.33	ug/l	100
25) Vinyl acetate	11.25	43	1569998	10.44	ug/l	100
26) tert-Butyl ethyl ether (ET	12.13	59	3484763	10.25	ug/l	100
27) 2,2-Dichloropropane	12.86	77	1098321	9.99	ug/l	100
28) cis-1,2-Dichloroethene	12.98	96	1117635	9.68	ug/l	100
29) 2-Butanone	12.50	43	1442915	50.99	ug/l	100
30) 2-Butanol	11.93	45	1118186	247.93	ug/l	100
31) Bromochloromethane	13.74	130	505477	9.95	ug/l	100
32) Tetrahydrofuran	13.81	42	181776	10.79	ug/l	100
33) Chloroform	13.35	83	2236392	9.72	ug/l	100
35) 1,1,1-Trichloroethane	14.23	97	1593047	10.04	ug/l	100
36) Cyclohexane	14.27	84	1823106	9.36	ug/l	100
37) 1,1-Dichloropropene	14.56	110	565762	9.93	ug/l	100
38) Carbon tetrachloride	14.76	117	1290224	10.03	ug/l	100
42) Benzene	15.09	78	4964147	9.95	ug/l	100
43) 1,2-Dichloroethane	15.06	62	1236389	10.12	ug/l	100
44) tert-Amyl methyl ether (TA	14.78	73	2018247	9.70	ug/l	100
45) Trichloroethene	16.19	130	1171316	10.34	ug/l	100
46) Methylcyclohexane	16.31	83	2028033	9.35	ug/l	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR007.D Vial: 7
Acq On : 17 Jun 2024 7:19 pm Operator: LPriet
Sample : VOF3F176 1.0/5.0 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:52 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17


	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
47)	1,2-Dichloropropane	16.50	63	1254574	10.11	ug/l	100
48)	1,4-Dioxane	16.90	88	61568	198.86	ug/l	100
49)	Dibromomethane	17.00	93	406931	9.88	ug/l	100
50)	Bromodichloromethane	16.90	83	1347998	9.51	ug/l	100
51)	2-Chloroethyl vinyl ether	17.32	63	165509	9.84	ug/l	100
52)	cis-1,3-Dichloropropene	17.72	75	1557225	10.30	ug/l	100
53)	4-Methyl-2-pentanone	17.37	43	3012580	51.25	ug/l	100
56)	Toluene	18.21	91	4231982	10.76	ug/l	100
57)	Ethyl methacrylate	18.38	69	617793	10.09	ug/l	100
58)	trans-1,3-Dichloropropene	18.44	75	1059234	10.96	ug/l	100
59)	1,1,2-Trichloroethane	18.67	97	476330	9.83	ug/l	100
60)	Tetrachloroethene	19.13	164	884845	10.51	ug/l	100
61)	2-Hexanone	18.64	43	1638048	51.88	ug/l	100
62)	1,3-Dichloropropane	19.02	76	951816	10.12	ug/l	100
63)	Dibromochloromethane	19.43	129	631957	10.16	ug/l	100
64)	1,2-Dibromoethane	19.71	107	450253	10.24	ug/l	100
65)	1-Chlorohexane	19.81	91	1705977	11.42	ug/l	100
66)	Chlorobenzene	20.24	112	2209747	10.84	ug/l	100
67)	Ethylbenzene	20.27	91	4358704	11.07	ug/l	100
68)	1,1,1,2-Tetrachloroethane	20.27	131	782441	10.57	ug/l	100
69)	m-Xylene & p-Xylene	20.35	91	6203939	21.64	ug/l	100
70)	o-Xylene	20.93	91	3328080	11.50	ug/l	100
71)	Styrene	20.98	104	2228397	11.66	ug/l	100
72)	Isopropylbenzene	21.37	105	3700141	11.19	ug/l	100
74)	Bromoform	21.48	173	255238	10.34	ug/l	100
76)	1,1,2,2-Tetrachloroethane	21.60	83	481824	9.71	ug/l	100
77)	trans-1,4-Dichloro-2-buten	21.40	53	219269	10.28	ug/l	100
78)	n-Propylbenzene	21.88	91	4504648	11.11	ug/l	100
79)	1,2,3-Trichloropropane	21.78	110	110800	10.95	ug/l	100
80)	Bromobenzene	22.03	156	710469	10.16	ug/l	100
81)	1,3,5-Trimethylbenzene	22.06	105	2780026	11.31	ug/l	100
82)	2-Chlorotoluene	22.18	91	2570810	10.79	ug/l	100
83)	4-Chlorotoluene	22.22	91	2293272	10.86	ug/l	100
84)	tert-Butylbenzene	22.55	134	590238	9.98	ug/l	100
85)	1,2,4-Trimethylbenzene	22.60	105	2295935	10.54	ug/l	100
86)	sec-Butylbenzene	22.83	105	3575669	10.81	ug/l	100
87)	p-Isopropyltoluene	23.00	119	2561223	11.09	ug/l	100
88)	1,3-Dichlorobenzene	23.23	146	1249897	10.28	ug/l	100
89)	1,2,3-Trimethylbenzene	23.28	105	2250089	10.48	ug/l	100
90)	1,4-Dichlorobenzene	23.38	146	1105883	9.78	ug/l	100
92)	n-Butylbenzene	23.56	91	2447373	10.95	ug/l	100
93)	1,2-Dichlorobenzene	23.92	146	989436	9.90	ug/l	100
94)	1,2-Dibromo-3-chloropropan	25.04	157	49110	9.53	ug/l	100
95)	1,2,4-Trichlorobenzene	26.42	180	429355	9.59	ug/l	100
96)	Hexachlorobutadiene	26.58	225	359034	9.84	ug/l	100
97)	Naphthalene	26.90	128	572522	9.67	ug/l	100
98)	1,2,3-Trichlorobenzene	27.27	180	323245	9.86	ug/l	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR007.D Vial: 7
Acq On : 17 Jun 2024 7:19 pm Operator: LPriet
Sample : VOF3F176 1.0/5.0 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:52 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR008.D Vial: 8
Acq On : 17 Jun 2024 7:52 pm Operator: LPriet
Sample : VOF3F177 2.0/10 Inst : F3
Misc : 20ppb 8260/100ppb KET-AA/500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 13:09 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.60	114	3354045	10.00	ug/l	0.00
54) CHLOROBENZENE-D5	20.19	117	2367647	10.00	ug/l	0.00
73) 1,2-DICHLOROBENZENE-D4	23.87	152	642879	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.84	111	2009304	19.21	ug/l	-0.02
Spiked Amount 10.000			Recovery =	192.10%		
40) 1,2-Dichloroethane-d4	14.87	65	1846157	18.49	ug/l	0.00
Spiked Amount 10.000			Recovery =	184.90%		
55) Toluene-d8	18.08	98	6646454	18.93	ug/l	0.00
Spiked Amount 10.000			Recovery =	189.30%		
75) 4-Bromofluorobenzene	21.72	95	2125221	20.72	ug/l	-0.02
Spiked Amount 10.000			Recovery =	207.20%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.96	85	3121407	19.59	ug/l	100
4) Chloromethane	4.45	50	4982845	19.87	ug/l	98
6) Vinyl chloride	4.69	62	3878924	17.15	ug/l	100
7) Bromomethane	5.62	94	2033557	18.70	ug/l	97
8) Chloroethane	5.76	64	2211900	19.77	ug/l	97
9) Dichlorofluoromethane	5.82	67	5469983	19.58	ug/l	98
10) Trichlorofluoromethane	6.31	101	3641915	19.46	ug/l	100
11) Acrolein	7.24	56	765098	89.05	ug/l	93
12) 1,1,2-Trichloro-1,2,2-trif	7.30	151	1551324	19.52	ug/l	99
13) 1,1-Dichloroethene	7.74	61	5655495	19.59	ug/l	97
14) Acetone	7.39	43	1771348	102.97	ug/l	100
15) Iodomethane	8.58	142	3343309	19.89	ug/l	99
16) Methyl acetate	8.55	43	1069763	19.06	ug/l	100
17) Carbon disulfide	9.13	76	8366915	18.73	ug/l	100
18) Methylene chloride	9.02	49	3604254	19.49	ug/l	98
19) tert-Butyl alcohol	7.88	59	2147992	497.18	ug/l	98
20) tert-Butyl methyl ether (M	9.44	73	3933728	18.98	ug/l	96
21) trans-1,2-Dichloroethene	9.90	96	2693221	18.76	ug/l	99
22) Acrylonitrile	9.38	53	2090512	95.05	ug/l	99
23) Isopropyl ether (DIPE)	10.85	45	11582177	19.63	ug/l	97
24) 1,1-Dichloroethane	11.27	63	5664161	19.58	ug/l	99
25) Vinyl acetate	11.25	43	3233156	20.84	ug/l	99
26) tert-Butyl ethyl ether (ET	12.14	59	6791450	19.35	ug/l	98
27) 2,2-Dichloropropane	12.86	77	2105414	18.55	ug/l	96
28) cis-1,2-Dichloroethene	12.98	96	2190096	18.38	ug/l	99
29) 2-Butanone	12.48	43	2660153	91.09	ug/l	100
30) 2-Butanol	11.91	45	2177971	467.93	ug/l	98
31) Bromochloromethane	13.74	130	1032722	19.70	ug/l	99
32) Tetrahydrofuran	13.81	42	332964	19.15	ug/l	91
33) Chloroform	13.35	83	4555801	19.19	ug/l	97
35) 1,1,1-Trichloroethane	14.23	97	3205838	19.58	ug/l	100
36) Cyclohexane	14.27	84	3617179	18.00	ug/l	100
37) 1,1-Dichloropropene	14.56	110	1157201	19.69	ug/l	99
38) Carbon tetrachloride	14.76	117	2693715	20.29	ug/l	99
42) Benzene	15.09	78	10065020	19.54	ug/l	100
43) 1,2-Dichloroethane	15.06	62	2459743	19.51	ug/l	98
44) tert-Amyl methyl ether (TA	14.78	73	4199043	19.56	ug/l	100
45) Trichloroethene	16.19	130	2344009	20.06	ug/l	98
46) Methylcyclohexane	16.29	83	4020169	17.95	ug/l	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR008.D Vial: 8
Acq On : 17 Jun 2024 7:52 pm Operator: LPriet
Sample : VOF3F177 2.0/10 Inst : F3
Misc : 20ppb 8260/100ppb KET-AA/500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 13:09 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17


	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
47)	1,2-Dichloropropane	16.50	63	2570655	20.07 ug/l	99
48)	1,4-Dioxane	16.91	88	117726	368.46 ug/l	100
49)	Dibromomethane	17.00	93	875643	20.59 ug/l	88
50)	Bromodichloromethane	16.88	83	2830539	19.36 ug/l	99
51)	2-Chloroethyl vinyl ether	17.33	63	340407	19.61 ug/l	99
52)	cis-1,3-Dichloropropene	17.72	75	3238367	20.76 ug/l	99
53)	4-Methyl-2-pentanone	17.36	43	5819444	95.92 ug/l	98
56)	Toluene	18.21	91	8037376	18.49 ug/l	96
57)	Ethyl methacrylate	18.38	69	1298021	19.17 ug/l	93
58)	trans-1,3-Dichloropropene	18.44	75	2145701	20.08 ug/l	100
59)	1,1,2-Trichloroethane	18.67	97	1022580	19.08 ug/l	95
60)	Tetrachloroethene	19.13	164	1799988	19.33 ug/l	96
61)	2-Hexanone	18.64	43	3233749	92.63 ug/l	99
62)	1,3-Dichloropropane	19.02	76	1935498	18.60 ug/l	100
63)	Dibromochloromethane	19.43	129	1298027	18.88 ug/l	98
64)	1,2-Dibromoethane	19.71	107	921690	18.96 ug/l	98
65)	1-Chlorohexane	19.81	91	3390475	20.52 ug/l	98
66)	Chlorobenzene	20.24	112	4578964	20.31 ug/l	99
67)	Ethylbenzene	20.27	91	8819573	20.27 ug/l	98
68)	1,1,1,2-Tetrachloroethane	20.27	131	1632046	19.94 ug/l	99
69)	m-Xylene & p-Xylene	20.35	91	11957007	37.71 ug/l	91
70)	o-Xylene	20.93	91	6285575	19.64 ug/l	97
71)	Styrene	20.98	104	4558430	21.57 ug/l	99
72)	Isopropylbenzene	21.37	105	7648376	20.92 ug/l	99
74)	Bromoform	21.49	173	554449	21.40 ug/l	98
76)	1,1,2,2-Tetrachloroethane	21.60	83	1019676	19.59 ug/l	96
77)	trans-1,4-Dichloro-2-buten	21.40	53	411883	18.41 ug/l	94
78)	n-Propylbenzene	21.88	91	8934554	21.01 ug/l	97
79)	1,2,3-Trichloropropane	21.78	110	207851	19.92 ug/l	97
80)	Bromobenzene	22.03	156	1486610	20.26 ug/l	98
81)	1,3,5-Trimethylbenzene	22.06	105	5628814	21.83 ug/l	100
82)	2-Chlorotoluene	22.18	91	5613329	22.45 ug/l	100
83)	4-Chlorotoluene	22.23	91	4710814	21.27 ug/l	98
84)	tert-Butylbenzene	22.55	134	1301557	20.98 ug/l	96
85)	1,2,4-Trimethylbenzene	22.60	105	5196123	22.74 ug/l	100
86)	sec-Butylbenzene	22.83	105	7506256	21.63 ug/l	99
87)	p-Isopropyltoluene	23.00	119	5576658	23.01 ug/l	99
88)	1,3-Dichlorobenzene	23.23	146	2623108	20.56 ug/l	99
89)	1,2,3-Trimethylbenzene	23.28	105	4690913	20.82 ug/l	99
90)	1,4-Dichlorobenzene	23.36	146	2599214	21.92 ug/l	99
92)	n-Butylbenzene	23.56	91	5371579	22.91 ug/l	98
93)	1,2-Dichlorobenzene	23.92	146	2043516	19.49 ug/l	98
94)	1,2-Dibromo-3-chloropropan	25.04	157	106766	19.75 ug/l	97
95)	1,2,4-Trichlorobenzene	26.42	180	972229	20.70 ug/l	99
96)	Hexachlorobutadiene	26.58	225	803302	20.85 ug/l	97
97)	Naphthalene	26.90	128	1196390	19.27 ug/l	99
98)	1,2,3-Trichlorobenzene	27.27	180	710255	20.66 ug/l	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR008.D Vial: 8
Acq On : 17 Jun 2024 7:52 pm Operator: LPriet
Sample : VOF3F177 2.0/10 Inst : F3
Misc : 20ppb 8260/100ppb KET-AA/500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 13:09 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR009.D Vial: 9
Acq On : 17 Jun 2024 8:25 pm Operator: LPriet
Sample : VOF3F178 3.0/15 Inst : F3
Misc : 30ppb 8260/150ppb KET-AA/750ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:53 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.60	114	3513961	10.00	ug/l	0.00
54) CHLOROBENZENE-D5	20.19	117	2523382	10.00	ug/l	0.00
73) 1,2-DICHLOROBENZENE-D4	23.87	152	718339	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.84	111	3119721	28.47	ug/l	-0.02
Spiked Amount 10.000			Recovery =	284.70%		
40) 1,2-Dichloroethane-d4	14.87	65	2801435	26.77	ug/l	0.00
Spiked Amount 10.000			Recovery =	267.70%		
55) Toluene-d8	18.08	98	9696738	25.92	ug/l	0.00
Spiked Amount 10.000			Recovery =	259.20%		
75) 4-Bromofluorobenzene	21.73	95	3117189	27.20	ug/l	0.00
Spiked Amount 10.000			Recovery =	272.00%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.96	85	4399613	26.35	ug/l	100
4) Chloromethane	4.45	50	6531802	24.86	ug/l	96
7) Bromomethane	5.62	94	2898694	25.44	ug/l	94
8) Chloroethane	5.76	64	2981679	25.44	ug/l	98
9) Dichlorofluoromethane	5.82	67	8159924	27.88	ug/l	99
10) Trichlorofluoromethane	6.31	101	5199301	26.52	ug/l	99
11) Acrolein	7.24	56	1252223	139.11	ug/l	94
12) 1,1,2-Trichloro-1,2,2-trif	7.33	151	2552740	30.66	ug/l	99
13) 1,1-Dichloroethene	7.77	61	8427130	27.86	ug/l	96
14) Acetone	7.39	43	2859887	160.35	ug/l	99
15) Iodomethane	8.58	142	5372498	30.50	ug/l	98
16) Methyl acetate	8.55	43	1701140	28.93	ug/l	98
17) Carbon disulfide	9.13	76	12954416	27.69	ug/l	100
18) Methylene chloride	9.01	49	5258342	27.14	ug/l	94
19) tert-Butyl alcohol	7.88	59	3680710	813.18	ug/l	97
20) tert-Butyl methyl ether (M	9.44	73	6530347	30.07	ug/l	93
21) trans-1,2-Dichloroethene	9.90	96	4212389	28.01	ug/l	99
22) Acrylonitrile	9.38	53	3360864	145.85	ug/l	98
23) Isopropyl ether (DIPE)	10.85	45	17084572	27.64	ug/l	95
24) 1,1-Dichloroethane	11.27	63	8483531	27.99	ug/l	98
25) Vinyl acetate	11.25	43	4618545	28.41	ug/l	98
26) tert-Butyl ethyl ether (ET	12.14	59	10713220	29.14	ug/l	96
27) 2,2-Dichloropropane	12.86	77	3256987	27.40	ug/l	98
28) cis-1,2-Dichloroethene	12.98	96	3554328	28.46	ug/l	97
29) 2-Butanone	12.48	43	4356100	142.38	ug/l	97
30) 2-Butanol	11.91	45	3703874	759.56	ug/l	97
31) Bromochloromethane	13.74	130	1668484	30.38	ug/l	98
32) Tetrahydrofuran	13.81	42	518672	28.47	ug/l	89
33) Chloroform	13.35	83	6625732	26.64	ug/l	98
35) 1,1,1-Trichloroethane	14.23	97	4941165	28.80	ug/l	97
36) Cyclohexane	14.27	84	5589759	26.55	ug/l	99
37) 1,1-Dichloropropene	14.56	110	1826680	29.67	ug/l	99
38) Carbon tetrachloride	14.76	117	4262378	30.65	ug/l	99
42) Benzene	15.09	78	14086273	26.11	ug/l	99
43) 1,2-Dichloroethane	15.06	62	3529510	26.72	ug/l	100
44) tert-Amyl methyl ether (TA	14.78	73	6796076	30.21	ug/l	98
45) Trichloroethene	16.19	130	3637035	29.70	ug/l	97
46) Methylcyclohexane	16.29	83	6147770	26.20	ug/l	92
47) 1,2-Dichloropropane	16.50	63	3835955	28.58	ug/l	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR009.D Vial: 9
Acq On : 17 Jun 2024 8:25 pm Operator: LPriet
Sample : VOF3F178 3.0/15 Inst : F3
Misc : 30ppb 8260/150ppb KET-AA/750ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:53 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17


	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
48)	1,4-Dioxane	16.90	88	214997	642.27	ug/l	91
49)	Dibromomethane	17.00	93	1320465	29.64	ug/l	82
50)	Bromodichloromethane	16.88	83	4251271	27.75	ug/l	96
51)	2-Chloroethyl vinyl ether	17.32	63	584733	32.16	ug/l	97
52)	cis-1,3-Dichloropropene	17.72	75	4839401	29.61	ug/l	96
53)	4-Methyl-2-pentanone	17.36	43	9433948	148.43	ug/l	94
56)	Toluene	18.21	91	12041595	25.99	ug/l	92
57)	Ethyl methacrylate	18.38	69	2346144	32.50	ug/l	88
58)	trans-1,3-Dichloropropene	18.44	75	3389230	29.76	ug/l	97
59)	1,1,2-Trichloroethane	18.67	97	1652260	28.93	ug/l	96
60)	Tetrachloroethene	19.13	164	2951373	29.74	ug/l	99
61)	2-Hexanone	18.64	43	5360731	144.08	ug/l	95
62)	1,3-Dichloropropane	19.02	76	3049354	27.50	ug/l	98
63)	Dibromochloromethane	19.43	129	2201690	30.05	ug/l	98
64)	1,2-Dibromoethane	19.71	107	1549709	29.91	ug/l	99
65)	1-Chlorohexane	19.81	91	5548454	31.51	ug/l	99
66)	Chlorobenzene	20.24	112	7197077	29.95	ug/l	97
67)	Ethylbenzene	20.27	91	12898844	27.81	ug/l	93
68)	1,1,1,2-Tetrachloroethane	20.27	131	2694936	30.89	ug/l	99
69)	m-Xylene & p-Xylene	20.35	91	15388584	45.54	ug/l	81
70)	o-Xylene	20.93	91	9500787	27.85	ug/l	93
71)	Styrene	20.98	104	6872068	30.52	ug/l	98
72)	Isopropylbenzene	21.35	105	11380134	29.20	ug/l	96
74)	Bromoform	21.49	173	957350	33.08	ug/l	97
76)	1,1,2,2-Tetrachloroethane	21.60	83	1645094	28.29	ug/l	98
77)	trans-1,4-Dichloro-2-buten	21.40	53	693267	27.72	ug/l	87
78)	n-Propylbenzene	21.88	91	12947367	27.25	ug/l	91
79)	1,2,3-Trichloropropane	21.78	110	352482	30.46	ug/l	100
80)	Bromobenzene	22.03	156	2480080	30.25	ug/l	97
81)	1,3,5-Trimethylbenzene	22.06	105	8718410	30.26	ug/l	95
82)	2-Chlorotoluene	22.18	91	8137469	29.13	ug/l	96
83)	4-Chlorotoluene	22.23	91	7062327	28.53	ug/l	94
84)	tert-Butylbenzene	22.55	134	2089288	30.15	ug/l	91
85)	1,2,4-Trimethylbenzene	22.60	105	8040184	31.49	ug/l	97
86)	sec-Butylbenzene	22.83	105	11203945	28.90	ug/l	94
87)	p-Isopropyltoluene	23.00	119	9085029	33.55	ug/l	97
88)	1,3-Dichlorobenzene	23.23	146	4430846	31.08	ug/l	99
89)	1,2,3-Trimethylbenzene	23.28	105	7709915	30.63	ug/l	95
90)	1,4-Dichlorobenzene	23.38	146	4246918	32.06	ug/l	97
92)	n-Butylbenzene	23.56	91	8372240	31.95	ug/l	97
93)	1,2-Dichlorobenzene	23.92	146	3511559	29.97	ug/l	99
94)	1,2-Dibromo-3-chloropropan	25.04	157	191860	31.77	ug/l	97
95)	1,2,4-Trichlorobenzene	26.42	180	1687798	32.17	ug/l	99
96)	Hexachlorobutadiene	26.58	225	1276699	29.61	ug/l	99
97)	Naphthalene	26.90	128	2138502	30.82	ug/l	98
98)	1,2,3-Trichlorobenzene	27.27	180	1233723	32.12	ug/l	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR009.D Vial: 9
Acq On : 17 Jun 2024 8:25 pm Operator: LPriet
Sample : VOF3F178 3.0/15 Inst : F3
Misc : 30ppb 8260/150ppb KET-AA/750ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:53 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR010.D Vial: 10
Acq On : 17 Jun 2024 8:58 pm Operator: LPriet
Sample : VOF3F179 5.0/25 Inst : F3
Misc : 50ppb 8260/250ppb KET-AA/1250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:54 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.60	114	3467387	10.00	ug/l	0.00
54) CHLOROBENZENE-D5	20.19	117	2425797	10.00	ug/l	0.00
73) 1,2-DICHLOROBENZENE-D4	23.87	152	726802	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	0.00	111	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
40) 1,2-Dichloroethane-d4	0.00	65	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
55) Toluene-d8	0.00	98	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
75) 4-Bromofluorobenzene	0.00	95	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.96	85	6791235	41.22	ug/l	99
4) Chloromethane	4.46	50	9963415	38.42	ug/l	94
7) Bromomethane	5.62	94	4790006	42.60	ug/l	96
8) Chloroethane	5.77	64	4831161	41.78	ug/l	95
9) Dichlorofluoromethane	5.82	67	12483120	43.22	ug/l	98
10) Trichlorofluoromethane	6.29	101	8342426	43.12	ug/l	97
11) Acrolein	7.25	56	1930311	217.32	ug/l	96
12) 1,1,2-Trichloro-1,2,2-trif	7.31	151	4258663	51.84	ug/l	99
13) 1,1-Dichloroethene	7.77	61	12539022	42.00	ug/l	91
14) Acetone	7.39	43	3976706	227.22	ug/l	96
15) Iodomethane	8.58	142	8879910	51.09	ug/l	98
18) Methylene chloride	9.02	49	7901200	41.33	ug/l	93
19) tert-Butyl alcohol	7.89	59	5527039	1237.49	ug/l	96
20) tert-Butyl methyl ether (M	9.44	73	9727985	45.39	ug/l	91
21) trans-1,2-Dichloroethene	9.90	96	6723164	45.30	ug/l	100
22) Acrylonitrile	9.38	53	5046434	221.94	ug/l	98
23) Isopropyl ether (DIPE)	10.85	45	24984517	40.97	ug/l	92
24) 1,1-Dichloroethane	11.27	63	12986618	43.42	ug/l	96
25) Vinyl acetate	11.25	43	6997895	43.63	ug/l	97
26) tert-Butyl ethyl ether (ET	12.13	59	15495368	42.72	ug/l	95
27) 2,2-Dichloropropane	12.86	77	4983594	42.48	ug/l	98
28) cis-1,2-Dichloroethene	12.98	96	5530349	44.88	ug/l	98
29) 2-Butanone	12.48	43	6277461	207.93	ug/l	97
31) Bromochloromethane	13.74	130	2723138	50.24	ug/l	97
32) Tetrahydrofuran	13.81	42	760474	42.31	ug/l	86
33) Chloroform	13.34	83	10633722	43.33	ug/l	96
35) 1,1,1-Trichloroethane	14.23	97	7735669	45.70	ug/l	96
37) 1,1-Dichloropropene	14.56	110	2875375	47.33	ug/l	98
38) Carbon tetrachloride	14.76	117	6677299	48.66	ug/l	99
42) Benzene	15.10	78	20520313	38.54	ug/l	94
43) 1,2-Dichloroethane	15.07	62	5427463	41.65	ug/l	99
44) tert-Amyl methyl ether (TA	14.78	73	10151330	45.74	ug/l	98
45) Trichloroethene	16.19	130	5775024	47.80	ug/l	96
47) 1,2-Dichloropropane	16.49	63	5624765	42.48	ug/l	95
48) 1,4-Dioxane	16.90	88	315679	955.72	ug/l	90
49) Dibromomethane	17.00	93	2085434	47.44	ug/l	82
50) Bromodichloromethane	16.90	83	6404984	42.37	ug/l	96
51) 2-Chloroethyl vinyl ether	17.32	63	925230	51.57	ug/l	94
52) cis-1,3-Dichloropropene	17.72	75	7258071	45.01	ug/l	95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR010.D Vial: 10
Acq On : 17 Jun 2024 8:58 pm Operator: LPriet
Sample : VOF3F179 5.0/25 Inst : F3
Misc : 50ppb 8260/250ppb KET-AA/1250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:54 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17


Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
53) 4-Methyl-2-pentanone	17.37	43	12955213	206.57	ug/l	91
56) Toluene	18.21	91	16788985	37.69	ug/l	87
57) Ethyl methacrylate	18.38	69	3431277	49.45	ug/l	83
58) trans-1,3-Dichloropropene	18.44	75	5348844	48.85	ug/l	99
59) 1,1,2-Trichloroethane	18.67	97	2561791	46.65	ug/l	95
60) Tetrachloroethene	19.13	164	4737304	49.66	ug/l	99
61) 2-Hexanone	18.64	43	7995161	223.52	ug/l	94
62) 1,3-Dichloropropane	19.02	76	4714943	44.23	ug/l	99
63) Dibromochloromethane	19.43	129	3437714	48.80	ug/l	98
64) 1,2-Dibromoethane	19.71	107	2325930	46.70	ug/l	99
65) 1-Chlorohexane	19.81	91	7994796	47.23	ug/l	93
66) Chlorobenzene	20.24	112	10653945	46.12	ug/l	94
67) Ethylbenzene	20.27	91	16656523	37.36	ug/l	81
68) 1,1,1,2-Tetrachloroethane	20.27	131	4096293	48.84	ug/l	95
70) o-Xylene	20.93	91	13648276	41.62	ug/l	87
71) Styrene	20.98	104	10316482	47.66	ug/l	94
72) Isopropylbenzene	21.37	105	15494732	41.36	ug/l	89
74) Bromoform	21.48	173	1474633	50.35	ug/l	97
76) 1,1,2,2-Tetrachloroethane	21.60	83	2463131	41.87	ug/l	95
77) trans-1,4-Dichloro-2-buten	21.40	53	1037184	41.00	ug/l	85
78) n-Propylbenzene	21.88	91	17156762	35.68	ug/l	83
79) 1,2,3-Trichloropropane	21.78	110	546111	46.87	ug/l	92
80) Bromobenzene	22.03	156	3866638	46.62	ug/l	99
81) 1,3,5-Trimethylbenzene	22.08	105	12838416	44.05	ug/l	92
82) 2-Chlorotoluene	22.18	91	11953961	42.29	ug/l	92
83) 4-Chlorotoluene	22.22	91	11125851	44.42	ug/l	89
84) tert-Butylbenzene	22.55	134	3542640	50.52	ug/l	88
85) 1,2,4-Trimethylbenzene	22.60	105	12217410	47.30	ug/l	90
86) sec-Butylbenzene	22.83	105	16222405	41.36	ug/l	89
87) p-Isopropyltoluene	23.00	119	13255276	48.38	ug/l	93
88) 1,3-Dichlorobenzene	23.23	146	6875292	47.66	ug/l	96
89) 1,2,3-Trimethylbenzene	23.28	105	11450652	44.96	ug/l	92
90) 1,4-Dichlorobenzene	23.38	146	6593974	49.19	ug/l	98
92) n-Butylbenzene	23.56	91	12062916	45.50	ug/l	94
93) 1,2-Dichlorobenzene	23.92	146	5726577	48.31	ug/l	99
94) 1,2-Dibromo-3-chloropropan	25.04	157	277124	45.35	ug/l	97
95) 1,2,4-Trichlorobenzene	26.42	180	2691192	50.69	ug/l	99
96) Hexachlorobutadiene	26.58	225	2108096	48.25	ug/l	94
97) Naphthalene	26.90	128	3322353	47.32	ug/l	98
98) 1,2,3-Trichlorobenzene	27.29	180	1905215	49.03	ug/l	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR010.D Vial: 10
Acq On : 17 Jun 2024 8:58 pm Operator: LPriet
Sample : VOF3F179 5.0/25 Inst : F3
Misc : 50ppb 8260/250ppb KET-AA/1250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:54 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR011.D Vial: 11
Acq On : 17 Jun 2024 9:31 pm Operator: J.Priet
Sample : VOF3F1710 10/50 Inst : F3
Misc : 100ppb 8260/500ppb KET-AA/2500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:55 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.60	114	3202576	10.00	ug/l	0.00
54) CHLOROBENZENE-D5	20.19	117	2305476	10.00	ug/l	0.00
73) 1,2-DICHLOROBENZENE-D4	23.87	152	680245	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	0.00	111	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
40) 1,2-Dichloroethane-d4	0.00	65	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
55) Toluene-d8	0.00	98	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
75) 4-Bromofluorobenzene	0.00	95	0d	0.00	ug/l	
Spiked Amount 10.000			Recovery =	0.00%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.96	85	13088331	86.01	ug/l	96
8) Chloroethane	5.76	64	9579385	89.68	ug/l	96
9) Dichlorofluoromethane	5.82	67	22576438	84.63	ug/l	93
10) Trichlorofluoromethane	6.31	101	17433207	97.55	ug/l	98
11) Acrolein	7.24	56	3920851	477.92	ug/l	96
12) 1,1,2-Trichloro-1,2,2-trif	7.33	151	8290600	109.26	ug/l	98
13) 1,1-Dichloroethene	7.76	61	23154772	83.98	ug/l	90
14) Acetone	7.39	43	8050927	501.70	ug/l	95
15) Iodomethane	8.58	142	16899408	105.27	ug/l	99
18) Methylene chloride	9.01	49	15038644	85.17	ug/l	88
19) tert-Butyl alcohol	7.88	59	11267459	2731.35	ug/l	96
20) tert-Butyl methyl ether (M	9.44	73	19122389	96.61	ug/l	93
21) trans-1,2-Dichloroethene	9.90	96	12414531	90.57	ug/l	98
22) Acrylonitrile	9.38	53	10014112	476.83	ug/l	100
23) Isopropyl ether (DIPE)	10.85	45	43603016	77.41	ug/l	86
24) 1,1-Dichloroethane	11.27	63	23113189	83.67	ug/l	93
25) Vinyl acetate	11.25	43	12868077	86.86	ug/l	95
26) tert-Butyl ethyl ether (ET	12.14	59	29278813	87.39	ug/l	88
27) 2,2-Dichloropropane	12.86	77	8911160	82.25	ug/l	96
28) cis-1,2-Dichloroethene	12.98	96	10262056	90.17	ug/l	95
29) 2-Butanone	12.48	43	12189602	437.15	ug/l	93
31) Bromochloromethane	13.74	130	5308502	106.04	ug/l	99
32) Tetrahydrofuran	13.81	42	1556501	93.75	ug/l	86
33) Chloroform	13.36	83	18335066	80.89	ug/l	96
35) 1,1,1-Trichloroethane	14.23	97	13862812	88.67	ug/l	95
37) 1,1-Dichloropropene	14.56	110	5683290	101.28	ug/l	99
38) Carbon tetrachloride	14.76	117	12298133	97.02	ug/l	99
43) 1,2-Dichloroethane	15.06	62	9868365	81.98	ug/l	99
44) tert-Amyl methyl ether (TA	14.78	73	18970024	92.54	ug/l	95
45) Trichloroethene	16.19	130	10733427	96.18	ug/l	95
47) 1,2-Dichloropropane	16.50	63	10821148	88.47	ug/l	96
48) 1,4-Dioxane	16.90	88	696530	2283.10	ug/l	85
49) Dibromomethane	17.00	93	4047184	99.69	ug/l	80
50) Bromodichloromethane	16.90	83	11792572	84.46	ug/l	94
51) 2-Chloroethyl vinyl ether	17.33	63	1965363	118.60	ug/l	98
52) cis-1,3-Dichloropropene	17.72	75	13278959	89.16	ug/l	90
53) 4-Methyl-2-pentanone	17.36	43	22011474	379.98	ug/l	83
57) Ethyl methacrylate	18.38	69	6729845	102.05	ug/l	85
58) trans-1,3-Dichloropropene	18.44	75	9422054	90.54	ug/l	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR011.D Vial: 11
Acq On : 17 Jun 2024 9:31 pm Operator: LPriet
Sample : VOF3F1710 10/50 Inst : F3
Misc : 100ppb 8260/500ppb KET-AA/2500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:55 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17


Compound	R.T.	QIon	Response	Conc Unit	Qvalue
59) 1,1,2-Trichloroethane	18.67	97	5028429	96.35 ug/l	94
60) Tetrachloroethene	19.13	164	8444107	93.14 ug/l	98
61) 2-Hexanone	18.64	43	13979356	411.22 ug/l	84
62) 1,3-Dichloropropane	19.02	76	8594261	84.84 ug/l	94
63) Dibromochloromethane	19.43	129	6521231	97.40 ug/l	97
64) 1,2-Dibromoethane	19.71	107	4538737	95.88 ug/l	99
65) 1-Chlorohexane	19.81	91	13700848	85.16 ug/l	84
66) Chlorobenzene	20.24	112	16405326	74.73 ug/l	80
68) 1,1,1,2-Tetrachloroethane	20.27	131	7733766	97.03 ug/l	96
71) Styrene	20.98	104	16525268	80.32 ug/l	82
74) Bromoform	21.49	173	3100005	113.10 ug/l	98
76) 1,1,2,2-Tetrachloroethane	21.60	83	5002702	90.85 ug/l	95
77) trans-1,4-Dichloro-2-buten	21.40	53	2307973	97.47 ug/l	82
79) 1,2,3-Trichloropropane	21.78	110	1104971	101.83 ug/l	96
80) Bromobenzene	22.03	156	7516303	96.82 ug/l	96
81) 1,3,5-Trimethylbenzene	22.08	105	18282900	67.02 ug/l	74
82) 2-Chlorotoluene	22.18	91	17913980	67.72 ug/l	77
83) 4-Chlorotoluene	22.23	91	16348032	69.74 ug/l	73
84) tert-Butylbenzene	22.56	134	6706298	102.19 ug/l	88
85) 1,2,4-Trimethylbenzene	22.60	105	17357398	71.80 ug/l	71
87) p-Isopropyltoluene	23.00	119	19177690	74.78 ug/l	77
88) 1,3-Dichlorobenzene	23.23	146	12239588	90.66 ug/l	92
89) 1,2,3-Trimethylbenzene	23.28	105	17996611	75.50 ug/l	82
90) 1,4-Dichlorobenzene	23.38	146	11472058	91.44 ug/l	91
92) n-Butylbenzene	23.56	91	18666614	75.23 ug/l	80
93) 1,2-Dichlorobenzene	23.92	146	10066502	90.74 ug/l	97
94) 1,2-Dibromo-3-chloropropan	25.04	157	603873	105.60 ug/l	99
95) 1,2,4-Trichlorobenzene	26.42	180	5624820	113.21 ug/l	99
96) Hexachlorobutadiene	26.58	225	4192375	102.38 ug/l	95
97) Naphthalene	26.90	128	7199470	109.56 ug/l	97
98) 1,2,3-Trichlorobenzene	27.27	180	4184515	115.05 ug/l	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR011.D Vial: 11
Acq On : 17 Jun 2024 9:31 pm Operator: LPriet
Sample : VOF3F1710 10/50 Inst : F3
Misc : 100ppb 8260/500ppb KET-AA/2500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 15:55 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



SECOND SOURCE VERIFICATION

CONTINUE_CALIBRATION - CALIBRATION VERIFICATION

Instrument ID :F3
IC_Beginning DateTime :06/17/24 16:35
Spike Amount :10 PPB
CC/CV File :RFR014
IC File :RFR007

Column Spec :ZB-624 ID :0.25MM
IC_Ending DateTime :06/17/24 21:31
HPChem Method :VOF3F17
Date_Time :06/17/24 23:09

M	IDX	Parameters	CC_Con	CC%_D	CC_Resp	CCRRF	AvRRF	CC_Rtm	AvRtm	%_RSD	Co_X0	Co_X1	Co_X2	Co_Cor
	1	1,4-DIFLUOROBENZENE	10.000	0	3056009	1	1	15.598	15.598	0				
	2	Chlorotrifluoroethylene												
	3	Dichlorodifluoromethane	10.235	2.3	1486167	0.486	0.475	3.988	3.973	13.95				
	4	Chloromethane	9.637	-3.6	2202626	0.721	0.748	4.452	4.458	14.03				
	5	2-Chloro-1,1,1-trifluoroethane												
	6	Vinyl chloride	9.300	-7.0	1916968	0.627	0.674	4.685	4.687	12.47				
	7	Bromomethane	9.737	-2.6	965037	0.316	0.324	5.615	5.617	14.81				
	8	Chloroethane	10.119	1.2	1031417	0.338	0.334	5.789	5.762	14.57				
	9	Dichlorofluoromethane	9.953	-0.5	2533813	0.829	0.833	5.847	5.823	9.54				
	10	Trichlorofluoromethane	10.453	4.5	1782664	0.583	0.558	6.312	6.311	11.63				
5	11	Acrolein	42.208	-15.6	330431	0.022	0.026	7.241	7.247	14.42				
	12	1,1,2-Trichloro-1,2,2-trifluoroethane	10.201	2.0	738662	0.242	0.237	7.328	7.313	4.79				
	13	1,1-Dichloroethene	9.732	-2.7	2560495	0.838	0.861	7.764	7.749	10.61				
5	14	Acetone	47.118	-5.8	763826	0.050	0.072	7.387	7.389	42.89	0.0153	0.0498		0.9980
	15	Iodomethane	10.188	1.9	1560696	0.511	0.501	8.578	8.580	4.79				
	16	Methyl acetate	8.486	-15.1	434014	0.142	0.167	8.578	8.565	3.90				
	17	Carbon disulfide	9.484	-5.2	3859627	1.263	1.332	9.130	9.124	11.11				
	18	Methylene chloride	9.538	-4.6	1607138	0.526	0.551	9.014	9.016	13.73				
25	19	tert-Butyl alcohol	219.816	-12.1	865295	0.011	0.013	7.880	7.897	14.17				
	20	tert-Butyl methyl ether (MTBE)	9.128	-8.7	1724083	0.564	0.618	9.437	9.446	9.48				
	21	trans-1,2-Dichloroethene	10.112	1.1	1322747	0.433	0.428	9.920	9.906	10.99				
5	22	Acrylonitrile	43.390	-13.2	869555	0.057	0.066	9.376	9.378	6.94				
	23	Isopropyl ether (DIPE)	9.154	-8.5	4920270	1.610	1.759	10.847	10.862	12.72				
	24	1,1-Dichloroethane	9.562	-4.4	2520661	0.825	0.863	11.269	11.275	9.51				
	25	Vinyl acetate	8.008	-19.9	1132098	0.370	0.463	11.249	11.256	9.17				
	26	tert-Butyl ethyl ether (ETBE)	9.587	-4.1	3065148	1.003	1.046	12.135	12.143	8.96				
	27	2,2-Dichloropropane	9.179	-8.2	949054	0.311	0.338	12.861	12.860	14.08				
	28	cis-1,2-Dichloroethene	9.647	-3.5	1047680	0.343	0.355	12.981	12.981	10.88				
5	29	2-Butanone	41.750	-16.5	1110922	0.073	0.087	12.478	12.493	11.29				
25	30	2-Butanol	203.377	-18.6	862494	0.011	0.014	11.934	11.937	3.78				
	31	Bromochloromethane	10.338	3.4	493844	0.162	0.156	13.740	13.740	4.99				
	32	Tetrahydrofuran	9.096	-9.0	144114	0.047	0.052	13.806	13.810	9.17				
	33	Chloroform	9.028	-9.7	1952883	0.639	0.708	13.345	13.348	14.17				
	34	Dibromofluoromethane	9.638	-3.6	918685	0.301	0.312	13.839	13.845	4.96				
	35	1,1,1-Trichloroethane	10.239	2.4	1527501	0.500	0.488	14.233	14.235	7.67				
	36	Cyclohexane	9.086	-9.1	1663374	0.544	0.599	14.266	14.270	13.97				
	37	1,1-Dichloropropene	10.135	1.4	542736	0.178	0.175	14.562	14.562	3.97				
	38	Carbon tetrachloride	10.427	4.3	1261211	0.413	0.396	14.759	14.761	4.10				
5	39	tert-Amyl alcohol												
	40	1,2-Dichloroethane-d4	8.775	-12.3	798552	0.261	0.298	14.875	14.877	9.66				
	41	2,2,4-Trimethylpentane												
	42	Benzene	9.733	-2.7	4567547	1.495	1.535	15.088	15.099	12.19				
	43	1,2-Dichloroethane	9.457	-5.4	1086288	0.355	0.376	15.056	15.064	11.62				
	44	tert-Amyl methyl ether (TAME)	9.548	-4.5	1867930	0.611	0.640	14.776	14.777	8.92				
	45	Trichloroethene	10.719	7.2	1141502	0.374	0.348	16.190	16.195	4.41				
	46	Methylcyclohexane	9.136	-8.6	1864202	0.610	0.668	16.289	16.295	12.80				
	47	1,2-Dichloropropane	9.577	-4.2	1117844	0.366	0.382	16.503	16.499	8.66				
20	48	1,4-Dioxane	185.323	-7.3	53951	0.001	0.001	16.914	16.904	8.35				
	49	Dibromomethane	9.482	-5.2	367341	0.120	0.127	16.996	16.994	3.51				
	50	Bromodichloromethane	9.000	-10.0	1199178	0.392	0.436	16.897	16.894	14.28				
	51	2-Chloroethyl vinyl ether	8.905	-11.0	140812	0.046	0.052	17.325	17.325	10.70				
	52	cis-1,3-Dichloropropene	9.673	-3.3	1374766	0.450	0.465	17.719	17.719	6.84				
5	53	4-Methyl-2-pentanone	45.404	-9.2	2509785	0.164	0.181	17.374	17.369	13.81				
	54	CHLOROBENZENE-DS	10.000	0	2004158	1	1	20.186	20.186	0				
	55	Toluene-d8	10.623	6.2	3156545	1.575	1.483	18.081	18.088	11.42				
	56	Toluene	10.628	6.3	3911347	1.952	1.836	18.213	18.212	13.71				
	57	Ethyl methacrylate	9.322	-6.8	534427	0.267	0.286	18.377	18.377	6.45				
	58	trans-1,3-Dichloropropene	10.356	3.6	936838	0.467	0.451	18.443	18.443	6.88				
	59	1,1,2-Trichloroethane	9.987	-0.1	453111	0.226	0.226	18.673	18.676	6.24				

	60	Tetrachloroethene	10.909	9.1	859815	0.429	0.393	19.134	19.135	6.99			
5	61	2-Hexanone	47.048	-5.9	1390344	0.139	0.147	18.640	18.640	12.18			
	62	1,3-Dichloropropane	9.983	-0.2	879202	0.439	0.439	19.019	19.020	12.20			
	63	Dibromochloromethane	10.248	2.5	596433	0.298	0.290	19.430	19.431	7.40			
	64	1,2-Dibromoethane	10.249	2.5	421796	0.210	0.205	19.709	19.709	7.18			
	65	1-Chlorohexane	10.779	7.8	1507555	0.752	0.698	19.808	19.809	8.66			
	66	Chlorobenzene	11.080	10.8	2114590	1.055	0.952	20.236	20.235	10.77			
	67	Ethylbenzene	11.106	11.1	4091479	2.041	1.838	20.268	20.268	10.78			
	68	1,1,1,2-Tetrachloroethane	10.661	6.6	738693	0.369	0.346	20.268	20.268	5.47			
2	69	m-Xylene & p-Xylene	22.445	12.2	6023717	1.503	1.339	20.351	20.352	11.13			
	70	o-Xylene	10.666	6.7	2889837	1.442	1.352	20.926	20.928	9.43			
	71	Styrene	10.553	5.5	1887409	0.942	0.892	20.976	20.975	10.08			
	72	Isopropylbenzene	11.517	15.2	3564698	1.779	1.544	21.370	21.368	7.88			
	73	1,2-DICHLOROBENZENE-D4	10.000	0	579354	1	1	23.870	23.871	0			
	74	Bromoform	10.378	3.8	242281	0.418	0.403	21.485	21.487	8.43			
	75	4-Bromofluorobenzene	9.613	-3.9	888658	1.534	1.595	21.732	21.729	6.45			
	76	1,1,2,2-Tetrachloroethane	8.832	-11.7	414246	0.715	0.809	21.600	21.600	10.86			
	77	trans-1,4-Dichloro-2-butene	9.127	-8.7	184079	0.318	0.348	21.403	21.403	14.42			
	78	n-Propylbenzene	10.490	4.9	4020495	6.940	6.615	21.880	21.880	12.21			
	79	1,2,3-Trichloropropane	9.738	-2.6	93626	0.162	0.175	21.781	21.783	15.18	0.0069	0.1588	0.9989
	80	Bromobenzene	10.805	8.1	714439	1.233	1.141	22.028	22.029	7.22			
	81	1,3,5-Trimethylbenzene	11.893	18.9	2763277	4.770	4.010	22.061	22.069	13.41			
	82	2-Chlorotoluene	11.269	12.7	2539073	4.383	3.889	22.176	22.176	14.74			
	83	4-Chlorotoluene	10.996	10.0	2195355	3.789	3.446	22.225	22.225	12.80			
	84	tert-Butylbenzene	10.405	4.0	581597	1.004	0.965	22.554	22.554	4.74			
	85	1,2,4-Trimethylbenzene	11.681	16.8	2405146	4.151	3.554	22.604	22.605	11.08			
	86	sec-Butylbenzene	11.328	13.3	3542273	6.114	5.397	22.834	22.833	7.85			
	87	p-Isopropyltoluene	11.292	12.9	2466458	4.257	3.770	22.998	22.998	12.49			
	88	1,3-Dichlorobenzene	10.544	5.4	1212499	2.093	1.985	23.228	23.230	6.54			
	89	1,2,3-Trimethylbenzene	11.020	10.2	2237443	3.862	3.504	23.278	23.279	10.80			
	90	1,4-Dichlorobenzene	10.267	2.7	1097112	1.894	1.844	23.360	23.373	7.54			
	91	Benzyl Chloride											
	92	n-Butylbenzene	10.764	7.6	2274979	3.927	3.648	23.557	23.559	13.25			
	93	1,2-Dichlorobenzene	10.193	1.9	963171	1.662	1.631	23.919	23.919	6.48			
	94	1,2-Dibromo-3-chloropropane	8.940	-10.6	43543	0.075	0.084	25.037	25.039	10.32			
	95	1,2,4-Trichlorobenzene	9.827	-1.7	415885	0.718	0.730	26.419	26.418	14.07			
	96	Hexachlorobutadiene	9.124	-8.8	314350	0.543	0.549	26.583	26.586	19.30	-0.0074	0.6027	0.9988
	97	Naphthalene	10.018	0.2	560700	0.968	0.966	26.895	26.895	10.38			
	98	1,2,3-Trichlorobenzene	10.436	4.4	323292	0.558	0.535	27.274	27.279	8.15			

Spike Amount = Nominal Amount * M

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR014.D Vial: 14
Acq On : 17 Jun 2024 11:09 pm Operator: LPriet
Sample : IVOF3F1701 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	94	0.00
2	T,M	Chlorotrifluoroethylene	10.000	0.000	100.0#	0	-4.06#
3	T,M	Dichlorodifluoromethane	10.000	10.235	-2.3	95	0.02
4	P,T,M	Chloromethane	10.000	9.638	3.6	90	0.00
5	T,M	2-Chloro-1,1,1-trifluoroeth	10.000	0.000	100.0#	0	-4.65#
6	C,T,M	Vinyl chloride	10.000	9.301	7.0	96	0.00
7	T,M	Bromomethane	10.000	9.737	2.6	100	0.00
8	T,M	Chloroethane	10.000	10.119	-1.2	99	0.02
9	T,M	Dichlorofluoromethane	10.000	9.954	0.5	93	0.02
10	T,M	Trichlorofluoromethane	10.000	10.454	-4.5	103	0.00
11	T,M	Acrolein	50.000	42.208	15.6	83	0.00
12	T,M	1,1,2-Trichloro-1,2,2-trifl	10.000	10.201	-2.0	102	0.02
13	C,T,M	1,1-Dichloroethene	10.000	9.732	2.7	89	0.02
14	T,M	Acetone	50.000	47.118	5.8	81	0.00
15	T,M	Iodomethane	10.000	10.188	-1.9	98	0.00
16	T,M	Methyl acetate	10.000	8.487	15.1	79	0.02
17	T,M	Carbon disulfide	10.000	9.485	5.2	105	0.02
18	T,M	Methylene chloride	10.000	9.538	4.6	88	0.00
19	T,M	tert-Butyl alcohol	250.000	219.816	12.1	85	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	9.128	8.7	90	0.00
21	T,M	trans-1,2-Dichloroethene	10.000	10.113	-1.1	100	0.02
22	T,M	Acrylonitrile	50.000	43.391	13.2	84	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	9.154	8.5	84	-0.02
24	P,T,M	1,1-Dichloroethane	10.000	9.563	4.4	87	0.00
25	T,M	Vinyl acetate	10.000	8.008	19.9	72	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.587	4.1	88	0.00
27	T,M	2,2-Dichloropropane	10.000	9.180	8.2	86	0.00
28	T,M	cis-1,2-Dichloroethene	10.000	9.647	3.5	94	0.00
29	T,M	2-Butanone	50.000	41.751	16.5	77	-0.02
30	T,M	2-Butanol	250.000	203.378	18.6	77	0.00
31	T,M	Bromochloromethane	10.000	10.338	-3.4	98	0.00
32	T,M	Tetrahydrofuran	10.000	9.096	9.0	79	0.00
33	C,T,M	Chloroform	10.000	9.029	9.7	87	0.00
34	S	Dibromofluoromethane	10.000	9.639	3.6	89	-0.02
35	T,M	1,1,1-Trichloroethane	10.000	10.239	-2.4	96	0.00
36	T,M	Cyclohexane	10.000	9.086	9.1	91	0.00
37	T,M	1,1-Dichloropropene	10.000	10.136	-1.4	96	0.00
38	T,M	Carbon tetrachloride	10.000	10.427	-4.3	98	0.00
39	T,M	tert-Amyl alcohol	50.000	0.000	100.0#	0	0.02
40	S	1,2-Dichloroethane-d4	10.000	8.776	12.2	83	0.00
41	T,M	2,2,4-Trimethylpentane	10.000	0.000	100.0#	0	0.00
42	T,M	Benzene	10.000	9.734	2.7	92	0.00
43	T,M	1,2-Dichloroethane	10.000	9.457	5.4	88	0.00
44	T,M	tert-Amyl methyl ether (TAM	10.000	9.549	4.5	93	0.00
45	T,M	Trichloroethene	10.000	10.720	-7.2	97	0.00
46	T,M	Methylcyclohexane	10.000	9.136	8.6	92	-0.02
47	C,T,M	1,2-Dichloropropane	10.000	9.578	4.2	89	0.00
48	T,M	1,4-Dioxane	200.000	185.323	7.3	88	0.02
49	T,M	Dibromomethane	10.000	9.482	5.2	90	0.00
50	T,M	Bromodichloromethane	10.000	9.000	10.0	89	0.00
51	T,M	2-Chloroethyl vinyl ether	10.000	8.905	11.0	85	0.00
52	T,M	cis-1,3-Dichloropropene	10.000	9.673	3.3	88	0.00
53	T,M	4-Methyl-2-pentanone	50.000	45.404	9.2	83	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR014.D Vial: 14
Acq On : 17 Jun 2024 11:09 pm Operator: LPriet
Sample : IVOF3F1701 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
54	I	CHLOROBENZENE-D5	10.000	10.000	0.0	94	0.00
55	S	Toluene-d8	10.000	10.623	-6.2	91	0.00
56	C,T,M	Toluene	10.000	10.628	-6.3	92	0.00
57	T,M	Ethyl methacrylate	10.000	9.322	6.8	87	0.00
58	T,M	trans-1,3-Dichloropropene	10.000	10.356	-3.6	88	0.00
59	T,M	1,1,2-Trichloroethane	10.000	9.988	0.1	95	0.00
60	T,M	Tetrachloroethene	10.000	10.909	-9.1	97	0.00
61	T,M	2-Hexanone	50.000	47.048	5.9	85	0.00
62	T,M	1,3-Dichloropropane	10.000	9.984	0.2	92	0.00
63	T,M	Dibromochloromethane	10.000	10.248	-2.5	94	0.00
64	T,M	1,2-Dibromoethane	10.000	10.250	-2.5	94	0.00
65	T,M	1-Chlorohexane	10.000	10.780	-7.8	88	0.00
66	P,M	Chlorobenzene	10.000	11.081	-10.8	96	0.00
67	C,T,M	Ethylbenzene	10.000	11.106	-11.1	94	0.00
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.661	-6.6	94	0.00
69	T,M	m-Xylene & p-Xylene	20.000	22.446	-12.2	97	0.00
70	T,M	o-Xylene	10.000	10.666	-6.7	87	0.00
71	T,M	Styrene	10.000	10.553	-5.5	85	0.00
72	T,M	Isopropylbenzene	10.000	11.517	-15.2	96	0.00
73	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	95	0.00
74	P,T,M	Bromoform	10.000	10.379	-3.8	95	0.00
75	S	4-Bromofluorobenzene	10.000	9.614	3.9	89	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.833	11.7	86	0.00
77	T,M	trans-1,4-Dichloro-2-butene	10.000	9.128	8.7	84	0.00
78	T,M	n-Propylbenzene	10.000	10.490	-4.9	89	0.00
79	T,M	1,2,3-Trichloropropane	10.000	9.738	2.6	85	0.00
80	T,M	Bromobenzene	10.000	10.806	-8.1	101	0.00
81	T,M	1,3,5-Trimethylbenzene	10.000	11.893	-18.9	99	0.00
82	T,M	2-Chlorotoluene	10.000	11.270	-12.7	99	0.00
83	T,M	4-Chlorotoluene	10.000	10.997	-10.0	96	0.00
84	T,M	tert-Butylbenzene	10.000	10.405	-4.0	99	0.00
85	T,M	1,2,4-Trimethylbenzene	10.000	11.681	-16.8	105	0.00
86	T,M	sec-Butylbenzene	10.000	11.329	-13.3	99	0.00
87	T,M	p-Isopropyltoluene	10.000	11.293	-12.9	96	0.00
88	T,M	1,3-Dichlorobenzene	10.000	10.545	-5.4	97	0.00
89	T,M	1,2,3-Trimethylbenzene	10.000	11.021	-10.2	99	0.00
90	T,M	1,4-Dichlorobenzene	10.000	10.268	-2.7	99	-0.02
91	T,M	Benzyl Chloride	-1.000	0.000	0.0	0	0.00
92	T,M	n-Butylbenzene	10.000	10.765	-7.7	93	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.194	-1.9	97	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.940	10.6	89	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	9.828	1.7	97	0.00
96	T,M	Hexachlorobutadiene	10.000	9.125	8.8	88	0.00
97	T,M	Naphthalene	10.000	10.019	-0.2	98	0.00
98	T,M	1,2,3-Trichlorobenzene	10.000	10.436	-4.4	100	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR014.D Vial: 14
Acq On : 17 Jun 2024 11:09 pm Operator: LPriet
Sample : IVOF3F1701 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	94	0.00
2	T,M	Chlorotrifluoroethylene	0.000	0.000	0.0	0#	-4.06#
3	T,M	Dichlorodifluoromethane	0.475	0.486	-2.3	95	0.02
4	P,T,M	Chloromethane	0.748	0.721	3.6	90	0.00
5	T,M	2-Chloro-1,1,1-trifluoroeth	0.000	0.000	0.0	0#	-4.65#
6	C,T,M	Vinyl chloride	0.674	0.627	7.0	96	0.00
7	T,M	Bromomethane	0.324	0.316	2.5	100	0.00
8	T,M	Chloroethane	0.334	0.338	-1.2	99	0.02
9	T,M	Dichlorofluoromethane	0.833	0.829	0.5	93	0.02
10	T,M	Trichlorofluoromethane	0.558	0.583	-4.5	103	0.00
11	T,M	Acrolein	0.026	0.022	15.4	83	0.00
12	T,M	1,1,2-Trichloro-1,2,2-trifl	0.237	0.242	-2.1	102	0.02
13	C,T,M	1,1-Dichloroethene	0.861	0.838	2.7	89	0.02
14	T,M	Acetone	0.072	0.050	30.6#	81	0.00
15	T,M	Iodomethane	0.501	0.511	-2.0	98	0.00
16	T,M	Methyl acetate	0.167	0.142	15.0	79	0.02
17	T,M	Carbon disulfide	1.332	1.263	5.2	105	0.02
18	T,M	Methylene chloride	0.551	0.526	4.5	88	0.00
19	T,M	tert-Butyl alcohol	0.013	0.011	15.4	85	0.00
20	T,M	tert-Butyl methyl ether (MT	0.618	0.564	8.7	90	0.00
21	T,M	trans-1,2-Dichloroethene	0.428	0.433	-1.2	100	0.02
22	T,M	Acrylonitrile	0.066	0.057	13.6	84	0.00
23	T,M	Isopropyl ether (DIPE)	1.759	1.610	8.5	84	-0.02
24	P,T,M	1,1-Dichloroethane	0.863	0.825	4.4	87	0.00
25	T,M	Vinyl acetate	0.463	0.370	20.1	72	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.046	1.003	4.1	88	0.00
27	T,M	2,2-Dichloropropane	0.338	0.311	8.0	86	0.00
28	T,M	cis-1,2-Dichloroethene	0.355	0.343	3.4	94	0.00
29	T,M	2-Butanone	0.087	0.073	16.1	77	-0.02
30	T,M	2-Butanol	0.014	0.011	21.4#	77	0.00
31	T,M	Bromochloromethane	0.156	0.162	-3.8	98	0.00
32	T,M	Tetrahydrofuran	0.052	0.047	9.6	79	0.00
33	C,T,M	Chloroform	0.708	0.639	9.7	87	0.00
34	S	Dibromofluoromethane	0.312	0.301	3.5	89	-0.02
35	T,M	1,1,1-Trichloroethane	0.488	0.500	-2.5	96	0.00
36	T,M	Cyclohexane	0.599	0.544	9.2	91	0.00
37	T,M	1,1-Dichloropropene	0.175	0.178	-1.7	96	0.00
38	T,M	Carbon tetrachloride	0.396	0.413	-4.3	98	0.00
39	T,M	tert-Amyl alcohol	0.000	0.001	0.0	0#	0.02
40	S	1,2-Dichloroethane-d4	0.298	0.261	12.4	83	0.00
41	T,M	2,2,4-Trimethylpentane	0.000	0.039	0.0	0#	0.00
42	T,M	Benzene	1.535	1.495	2.6	92	0.00
43	T,M	1,2-Dichloroethane	0.376	0.355	5.6	88	0.00
44	T,M	tert-Amyl methyl ether (TAM	0.640	0.611	4.5	93	0.00
45	T,M	Trichloroethene	0.348	0.374	-7.5	97	0.00
46	T,M	Methylcyclohexane	0.668	0.610	8.7	92	-0.02
47	C,T,M	1,2-Dichloropropane	0.382	0.366	4.2	89	0.00
48	T,M	1,4-Dioxane	0.001	0.001	0.0	88	0.02
49	T,M	Dibromomethane	0.127	0.120	5.5	90	0.00
50	T,M	Bromodichloromethane	0.436	0.392	10.1	89	0.00
51	T,M	2-Chloroethyl vinyl ether	0.052	0.046	11.5	85	0.00
52	T,M	cis-1,3-Dichloropropene	0.465	0.450	3.2	88	0.00
53	T,M	4-Methyl-2-pentanone	0.181	0.164	9.4	83	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR014.D Vial: 14
Acq On : 17 Jun 2024 11:09 pm Operator: LPriet
Sample : IVOF3F1701 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
54	I	CHLOROBENZENE-D5	1.000	1.000	0.0	94	0.00
55	S	Toluene-d8	1.483	1.575	-6.2	91	0.00
56	C,T,M	Toluene	1.836	1.952	-6.3	92	0.00
57	T,M	Ethyl methacrylate	0.286	0.267	6.6	87	0.00
58	T,M	trans-1,3-Dichloropropene	0.451	0.467	-3.5	88	0.00
59	T,M	1,1,2-Trichloroethane	0.226	0.226	0.0	95	0.00
60	T,M	Tetrachloroethene	0.393	0.429	-9.2	97	0.00
61	T,M	2-Hexanone	0.147	0.139	5.4	85	0.00
62	T,M	1,3-Dichloropropane	0.439	0.439	0.0	92	0.00
63	T,M	Dibromochloromethane	0.290	0.298	-2.8	94	0.00
64	T,M	1,2-Dibromoethane	0.205	0.210	-2.4	94	0.00
65	T,M	1-Chlorohexane	0.698	0.752	-7.7	88	0.00
66	P,M	Chlorobenzene	0.952	1.055	-10.8	96	0.00
67	C,T,M	Ethylbenzene	1.838	2.041	-11.0	94	0.00
68	T,M	1,1,1,2-Tetrachloroethane	0.346	0.369	-6.6	94	0.00
69	T,M	m-Xylene & p-Xylene	1.339	1.503	-12.2	97	0.00
70	T,M	o-Xylene	1.352	1.442	-6.7	87	0.00
71	T,M	Styrene	0.892	0.942	-5.6	85	0.00
72	T,M	Isopropylbenzene	1.544	1.779	-15.2	96	0.00
73	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	95	0.00
74	P,T,M	Bromoform	0.403	0.418	-3.7	95	0.00
75	S	4-Bromofluorobenzene	1.595	1.534	3.8	89	0.00
76	P,T,M	1,1,2,2-Tetrachloroethane	0.809	0.715	11.6	86	0.00
77	T,M	trans-1,4-Dichloro-2-butene	0.348	0.318	8.6	84	0.00
78	T,M	n-Propylbenzene	6.615	6.940	-4.9	89	0.00
79	T,M	1,2,3-Trichloropropane	0.175	0.162	7.4	85	0.00
80	T,M	Bromobenzene	1.141	1.233	-8.1	101	0.00
81	T,M	1,3,5-Trimethylbenzene	4.010	4.770	-19.0	99	0.00
82	T,M	2-Chlorotoluene	3.889	4.383	-12.7	99	0.00
83	T,M	4-Chlorotoluene	3.446	3.789	-10.0	96	0.00
84	T,M	tert-Butylbenzene	0.965	1.004	-4.0	99	0.00
85	T,M	1,2,4-Trimethylbenzene	3.554	4.151	-16.8	105	0.00
86	T,M	sec-Butylbenzene	5.397	6.114	-13.3	99	0.00
87	T,M	p-Isopropyltoluene	3.770	4.257	-12.9	96	0.00
88	T,M	1,3-Dichlorobenzene	1.985	2.093	-5.4	97	0.00
89	T,M	1,2,3-Trimethylbenzene	3.504	3.862	-10.2	99	0.00
90	T,M	1,4-Dichlorobenzene	1.844	1.894	-2.7	99	-0.02
91	T,M	Benzyl Chloride	0.000	0.000	0.0	0#	0.00
92	T,M	n-Butylbenzene	3.648	3.927	-7.6	93	0.00
93	T,M	1,2-Dichlorobenzene	1.631	1.662	-1.9	97	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.084	0.075	10.7	89	0.00
95	T,M	1,2,4-Trichlorobenzene	0.730	0.718	1.6	97	0.00
96	T,M	Hexachlorobutadiene	0.549	0.543	1.1	88	0.00
97	T,M	Naphthalene	0.966	0.968	-0.2	98	0.00
98	T,M	1,2,3-Trichlorobenzene	0.535	0.558	-4.3	100	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR014.D Vial: 14
Acq On : 17 Jun 2024 11:09 pm Operator: LPriet
Sample : IVOF3F1701 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 12:18 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.60	114	3056009	10.00	ug/l	0.00
54) CHLOROBENZENE-D5	20.19	117	2004158	10.00	ug/l	0.00
73) 1,2-DICHLOROBENZENE-D4	23.87	152	579354	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.84	111	918685	9.64	ug/l	-0.02
Spiked Amount 10.000			Recovery =	96.40%		
40) 1,2-Dichloroethane-d4	14.87	65	798552	8.78	ug/l	0.00
Spiked Amount 10.000			Recovery =	87.80%		
55) Toluene-d8	18.08	98	3156545	10.62	ug/l	0.00
Spiked Amount 10.000			Recovery =	106.20%		
75) 4-Bromofluorobenzene	21.73	95	888658	9.61	ug/l	0.00
Spiked Amount 10.000			Recovery =	96.10%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.99	85	1486167	10.24	ug/l	100
4) Chloromethane	4.45	50	2202626	9.64	ug/l	97
6) Vinyl chloride	4.68	62	1916968	9.30	ug/l	100
7) Bromomethane	5.61	94	965037	9.74	ug/l	95
8) Chloroethane	5.79	64	1031417	10.12	ug/l	94
9) Dichlorofluoromethane	5.85	67	2533813	9.95	ug/l	100
10) Trichlorofluoromethane	6.31	101	1782664	10.45	ug/l	98
11) Acrolein	7.24	56	330431	42.21	ug/l	97
12) 1,1,2-Trichloro-1,2,2-trif	7.33	151	738662	10.20	ug/l	97
13) 1,1-Dichloroethene	7.76	61	2560495	9.73	ug/l	96
14) Acetone	7.39	43	763826	47.12	ug/l	97
15) Iodomethane	8.58	142	1560696	10.19	ug/l	100
16) Methyl acetate	8.58	43	434014	8.49	ug/l	93
17) Carbon disulfide	9.13	76	3859627	9.48	ug/l	100
18) Methylene chloride	9.01	49	1607138	9.54	ug/l	97
19) tert-Butyl alcohol	7.88	59	865295	219.82	ug/l	94
20) tert-Butyl methyl ether (M	9.44	73	1724083	9.13	ug/l	94
21) trans-1,2-Dichloroethene	9.92	96	1322747	10.11	ug/l	97
22) Acrylonitrile	9.38	53	869555	43.39	ug/l	98
23) Isopropyl ether (DIPE)	10.85	45	4920270	9.15	ug/l	97
24) 1,1-Dichloroethane	11.27	63	2520661	9.56	ug/l	99
25) Vinyl acetate	11.25	43	1132098	8.01	ug/l	98
26) tert-Butyl ethyl ether (ET	12.14	59	3065148	9.59	ug/l	99
27) 2,2-Dichloropropane	12.86	77	949054	9.18	ug/l	97
28) cis-1,2-Dichloroethene	12.98	96	1047680	9.65	ug/l	99
29) 2-Butanone	12.48	43	1110922	41.75	ug/l	98
30) 2-Butanol	11.93	45	862494	203.38	ug/l	100
31) Bromochloromethane	13.74	130	493844	10.34	ug/l	98
32) Tetrahydrofuran	13.81	42	144114	9.10	ug/l	92
33) Chloroform	13.35	83	1952883	9.03	ug/l	98
35) 1,1,1-Trichloroethane	14.23	97	1527501	10.24	ug/l	98
36) Cyclohexane	14.27	84	1663374	9.09	ug/l	99
37) 1,1-Dichloropropene	14.56	110	542736	10.14	ug/l	97
38) Carbon tetrachloride	14.76	117	1261211	10.43	ug/l	100
42) Benzene	15.09	78	4567547	9.73	ug/l	99
43) 1,2-Dichloroethane	15.06	62	1086288	9.46	ug/l	99
44) tert-Amyl methyl ether (TA	14.78	73	1867930	9.55	ug/l	98
45) Trichloroethene	16.19	130	1141502	10.72	ug/l	99
46) Methylcyclohexane	16.29	83	1864202	9.14	ug/l	95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F17\RFR014.D Vial: 14
Acq On : 17 Jun 2024 11:09 pm Operator: LPriet
Sample : IVOF3F1701 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 12:18 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
47)	1,2-Dichloropropane	16.50	63	1117844	9.58 ug/l	100
48)	1,4-Dioxane	16.91	88	53951	185.32 ug/l	99
49)	Dibromomethane	17.00	93	367341	9.48 ug/l	87
50)	Bromodichloromethane	16.90	83	1199178	9.00 ug/l	100
51)	2-Chloroethyl vinyl ether	17.32	63	140812	8.91 ug/l	99
52)	cis-1,3-Dichloropropene	17.72	75	1374766	9.67 ug/l	98
53)	4-Methyl-2-pentanone	17.37	43	2509785	45.40 ug/l	97
56)	Toluene	18.21	91	3911347	10.63 ug/l	99
57)	Ethyl methacrylate	18.38	69	534427	9.32 ug/l	88
58)	trans-1,3-Dichloropropene	18.44	75	936838	10.36 ug/l	99
59)	1,1,2-Trichloroethane	18.67	97	453111	9.99 ug/l	93
60)	Tetrachloroethene	19.13	164	859815	10.91 ug/l	99
61)	2-Hexanone	18.64	43	1390344	47.05 ug/l	97
62)	1,3-Dichloropropane	19.02	76	879202	9.98 ug/l	97
63)	Dibromochloromethane	19.43	129	596433	10.25 ug/l	98
64)	1,2-Dibromoethane	19.71	107	421796	10.25 ug/l	97
65)	1-Chlorohexane	19.81	91	1507555	10.78 ug/l	95
66)	Chlorobenzene	20.24	112	2114590	11.08 ug/l	98
67)	Ethylbenzene	20.27	91	4091479	11.11 ug/l	98
68)	1,1,1,2-Tetrachloroethane	20.27	131	738693	10.66 ug/l	99
69)	m-Xylene & p-Xylene	20.35	91	6023717	22.45 ug/l	98
70)	o-Xylene	20.93	91	2889837	10.67 ug/l	99
71)	Styrene	20.98	104	1887409	10.55 ug/l	98
72)	Isopropylbenzene	21.37	105	3564698	11.52 ug/l	100
74)	Bromoform	21.49	173	242281	10.38 ug/l	97
76)	1,1,2,2-Tetrachloroethane	21.60	83	414246	8.83 ug/l	94
77)	trans-1,4-Dichloro-2-buten	21.40	53	184079	9.13 ug/l	93
78)	n-Propylbenzene	21.88	91	4020495	10.49 ug/l	98
79)	1,2,3-Trichloropropane	21.78	110	93626	9.74 ug/l	98
80)	Bromobenzene	22.03	156	714439	10.81 ug/l	97
81)	1,3,5-Trimethylbenzene	22.06	105	2763277	11.89 ug/l	100
82)	2-Chlorotoluene	22.18	91	2539073	11.27 ug/l	99
83)	4-Chlorotoluene	22.23	91	2195355	11.00 ug/l	98
84)	tert-Butylbenzene	22.55	134	581597	10.41 ug/l	96
85)	1,2,4-Trimethylbenzene	22.60	105	2405146	11.68 ug/l	97
86)	sec-Butylbenzene	22.83	105	3542273	11.33 ug/l	99
87)	p-Isopropyltoluene	23.00	119	2466458	11.29 ug/l	99
88)	1,3-Dichlorobenzene	23.23	146	1212499	10.54 ug/l	98
89)	1,2,3-Trimethylbenzene	23.28	105	2237443	11.02 ug/l	100
90)	1,4-Dichlorobenzene	23.36	146	1097112	10.27 ug/l	97
92)	n-Butylbenzene	23.56	91	2274979	10.76 ug/l	98
93)	1,2-Dichlorobenzene	23.92	146	963171	10.19 ug/l	98
94)	1,2-Dibromo-3-chloropropan	25.04	157	43543	8.94 ug/l	99
95)	1,2,4-Trichlorobenzene	26.42	180	415885	9.83 ug/l	99
96)	Hexachlorobutadiene	26.58	225	314350	9.12 ug/l	91
97)	Naphthalene	26.90	128	560700	10.02 ug/l	96
98)	1,2,3-Trichlorobenzene	27.27	180	323292	10.44 ug/l	96


6/19/24

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F17\RFR014.D Vial: 14
Acq On : 17 Jun 2024 11:09 pm Operator: LPriet
Sample : IVOF3F1701 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 19 12:18 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



DAILY CALIBRATIONS

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : TITAN 1-A
Lab Code : EMAX SDG No : 24F034
Lab File ID: RFR059 BFB Injection Date: 06/20/24
Instrument ID: F3 BFB Injection Time: 11:14

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	30.645
75	30 - 60% of mass 95	48.163
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	5.906
173	Less than 2% of mass 174	0.655(.98)1
174	Greater than 50% of mass 95	66.906
175	5 - 9% of mass 174	5.549(8.29)1
176	95 - 101% % of mass 174	63.616(95.08)1
177	5 - 9% % of mass 176	3.945(6.2)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD10	CVOF3F1703	RFR060	06/20/24	11:52
2	LCD1W	VOF3F04C	RFR062	06/20/24	13:17
3	MBLK1W	VOF3F04B	RFR064	06/20/24	14:23
4	LCS1W	VOF3F04X	RFR065	06/20/24	14:56
5	IDW-WATER_JUN24	24F034-01	RFR071	06/20/24	18:14
6	VSTD10	EVOF3F1703	RFR072	06/20/24	18:53

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: RFR007
Instrument ID: F3


Project: TITAN 1-A
SDG No: 24F034
Date Analyzed: 06/17/24
Time Analyzed: 19:19

	INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
		Area #	RT #	Area #	RT #	Area #	RT #
	12 HOUR STD	3250044	15.60	2141369	20.19	612864	23.87
	UPPER LIMIT	6500088	15.77	4282738	20.36	1225728	24.04
	LOWER LIMIT	1625022	15.43	1070685	20.02	306432	23.70
		Area #	RT #	Area #	RT #	Area #	RT #
1	VSTD10	3174558	15.58	2106303	20.17	572013	23.87
2	LCD1W	3228516	15.58	2139311	20.17	588978	23.87
3	MBLK1W	3159956	15.58	1934356	20.17	499486	23.87
4	LCS1W	3049163	15.58	2016431	20.17	593739	23.87
5	IDW-WATER_JUN24	2821227	15.58	1783157	20.19	446124	23.87
6	VSTD10	3083263	15.60	2122708	20.19	557755	23.87

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Data File : C:\HPCHEM\1\DATA\24F20\RFR059.D
Acq On : 20 Jun 2024 11:14 am
Sample : BFBF3F04
Misc : T/CHK
MS Integration Params: RTE.P
Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL

Vial: 1
Operator: LPriet
Inst : F3
Multiplr: 1.00



AutoFind: Scans 907, 908, 909; Background Corrected with Scan 903

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	30.6	18342	PASS
75	95	30	60	48.2	28827	PASS
95	95	100	100	100.0	59853	PASS
96	95	5	9	5.9	3535	PASS
173	174	0.00	2	1.0	392	PASS
174	95	50	100	66.9	40045	PASS
175	174	5	9	8.3	3321	PASS
176	174	95	101	95.1	38076	PASS
177	176	5	9	6.2	2361	PASS

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR060.D Vial: 2
Acq On : 20 Jun 2024 11:52 am Operator: LPriet
Sample : CVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	98	-0.02
2	T,M	Chlorotrifluoroethylene	10.000	0.000	100.0#	0	-4.06#
3	T,M	Dichlorodifluoromethane	10.000	9.585	4.1	93	0.00
4	P,T,M	Chloromethane	10.000	9.540	4.6	93	0.00
5	T,M	2-Chloro-1,1,1-trifluoroeth	10.000	0.000	100.0#	0	-4.65#
6	C,T,M	Vinyl chloride	10.000	8.839	11.6	95	0.00
7	T,M	Bromomethane	10.000	9.164	8.4	98	0.00
8	T,M	Chloroethane	10.000	9.683	3.2	98	0.00
9	T,M	Dichlorofluoromethane	10.000	10.119	-1.2	98	0.00
10	T,M	Trichlorofluoromethane	10.000	9.770	2.3	100	-0.04
11	T,M	Acrolein	50.000	41.927	16.1	86	0.00
12	T,M	1,1,2-Trichloro-1,2,2-trifl	10.000	9.776	2.2	102	0.00
13	C,T,M	1,1-Dichloroethene	10.000	10.261	-2.6	97	0.00
14	T,M	Acetone	50.000	50.758	-1.5	91	-0.03
15	T,M	Iodomethane	10.000	9.891	1.1	99	0.00
16	T,M	Methyl acetate	10.000	8.763	12.4	84	0.00
17	T,M	Carbon disulfide	10.000	8.632	13.7	100	0.00
18	T,M	Methylene chloride	10.000	10.846	-8.5	105	0.00
19	T,M	tert-Butyl alcohol	250.000	233.578	6.6	94	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	8.935	10.6	92	0.00
21	T,M	trans-1,2-Dichloroethene	10.000	9.569	4.3	98	0.00
22	T,M	Acrylonitrile	50.000	46.007	8.0	92	-0.02
23	T,M	Isopropyl ether (DIPE)	10.000	9.780	2.2	93	-0.02
24	P,T,M	1,1-Dichloroethane	10.000	10.383	-3.8	98	0.00
25	T,M	Vinyl acetate	10.000	10.078	-0.8	94	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	9.069	9.3	86	0.00
27	T,M	2,2-Dichloropropane	10.000	10.264	-2.6	100	-0.02
28	T,M	cis-1,2-Dichloroethene	10.000	9.981	0.2	101	-0.02
29	T,M	2-Butanone	50.000	45.090	9.8	86	-0.02
30	T,M	2-Butanol	250.000	220.833	11.7	87	-0.02
31	T,M	Bromochloromethane	10.000	9.578	4.2	94	-0.02
32	T,M	Tetrahydrofuran	10.000	9.174	8.3	83	0.00
33	C,T,M	Chloroform	10.000	9.936	0.6	100	0.00
34	S	Dibromofluoromethane	10.000	9.522	4.8	92	-0.02
35	T,M	1,1,1-Trichloroethane	10.000	10.308	-3.1	100	-0.02
36	T,M	Cyclohexane	10.000	9.016	9.8	94	-0.02
37	T,M	1,1-Dichloropropene	10.000	10.153	-1.5	100	-0.02
38	T,M	Carbon tetrachloride	10.000	10.270	-2.7	100	-0.02
39	T,M	tert-Amyl alcohol	50.000	0.000	100.0#	0	0.00
40	S	1,2-Dichloroethane-d4	10.000	9.905	1.0	97	0.00
41	T,M	2,2,4-Trimethylpentane	10.000	0.000	100.0#	0	0.00
42	T,M	Benzene	10.000	9.883	1.2	97	0.00
43	T,M	1,2-Dichloroethane	10.000	10.078	-0.8	97	0.00
44	T,M	tert-Amyl methyl ether (TAM	10.000	8.825	11.8	89	-0.02
45	T,M	Trichloroethene	10.000	9.983	0.2	94	0.00
46	T,M	Methylcyclohexane	10.000	8.891	11.1	93	-0.02
47	C,T,M	1,2-Dichloropropane	10.000	9.873	1.3	95	-0.02
48	T,M	1,4-Dioxane	200.000	208.183	-4.1	102	0.00
49	T,M	Dibromomethane	10.000	9.979	0.2	99	-0.02
50	T,M	Bromodichloromethane	10.000	9.577	4.2	98	-0.02
51	T,M	2-Chloroethyl vinyl ether	10.000	7.984	20.2#	79	0.00
52	T,M	cis-1,3-Dichloropropene	10.000	9.816	1.8	93	-0.02
53	T,M	4-Methyl-2-pentanone	50.000	45.057	9.9	86	-0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR060.D Vial: 2
Acq On : 20 Jun 2024 11:52 am Operator: LPriet
Sample : CVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
54	I	CHLOROBENZENE-D5	10.000	10.000	0.0	98	-0.02
55	S	Toluene-d8	10.000	10.267	-2.7	92	0.00
56	C,T,M	Toluene	10.000	10.641	-6.4	97	-0.02
57	T,M	Ethyl methacrylate	10.000	9.523	4.8	93	-0.02
58	T,M	trans-1,3-Dichloropropene	10.000	10.113	-1.1	91	-0.02
59	T,M	1,1,2-Trichloroethane	10.000	9.933	0.7	99	0.00
60	T,M	Tetrachloroethene	10.000	10.173	-1.7	95	0.00
61	T,M	2-Hexanone	50.000	47.824	4.4	91	-0.02
62	T,M	1,3-Dichloropropane	10.000	10.003	-0.0	97	0.00
63	T,M	Dibromochloromethane	10.000	9.886	1.1	96	0.00
64	T,M	1,2-Dibromoethane	10.000	10.123	-1.2	97	-0.02
65	T,M	1-Chlorohexane	10.000	10.885	-8.8	94	0.00
66	P,M	Chlorobenzene	10.000	10.534	-5.3	96	0.00
67	C,T,M	Ethylbenzene	10.000	10.781	-7.8	96	-0.02
68	T,M	1,1,1,2-Tetrachloroethane	10.000	10.224	-2.2	95	0.00
69	T,M	m-Xylene & p-Xylene	20.000	20.792	-4.0	95	0.00
70	T,M	o-Xylene	10.000	10.918	-9.2	93	0.00
71	T,M	Styrene	10.000	10.700	-7.0	90	-0.02
72	T,M	Isopropylbenzene	10.000	10.854	-8.5	95	-0.02
73	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	93	0.00
74	P,T,M	Bromoform	10.000	10.716	-7.2	97	0.00
75	S	4-Bromofluorobenzene	10.000	9.611	3.9	88	-0.02
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	10.302	-3.0	99	-0.02
77	T,M	trans-1,4-Dichloro-2-butene	10.000	10.310	-3.1	94	0.00
78	T,M	n-Propylbenzene	10.000	11.201	-12.0	94	0.00
79	T,M	1,2,3-Trichloropropane	10.000	9.969	0.3	85	0.00
80	T,M	Bromobenzene	10.000	11.616	-16.2	107	0.00
81	T,M	1,3,5-Trimethylbenzene	10.000	11.915	-19.1	98	0.00
82	T,M	2-Chlorotoluene	10.000	13.330	-33.3#	115	-0.02
83	T,M	4-Chlorotoluene	10.000	9.421	5.8	81	-0.02
84	T,M	tert-Butylbenzene	10.000	10.639	-6.4	99	-0.02
85	T,M	1,2,4-Trimethylbenzene	10.000	11.935	-19.4	106	0.00
86	T,M	sec-Butylbenzene	10.000	11.365	-13.7	98	0.00
87	T,M	p-Isopropyltoluene	10.000	11.649	-16.5	98	-0.02
88	T,M	1,3-Dichlorobenzene	10.000	10.076	-0.8	92	0.00
89	T,M	1,2,3-Trimethylbenzene	10.000	10.856	-8.6	97	0.00
90	T,M	1,4-Dichlorobenzene	10.000	10.483	-4.8	100	-0.02
91	T,M	Benzyl Chloride	-1.000	0.000	0.0	0	0.00
92	T,M	n-Butylbenzene	10.000	10.702	-7.0	91	0.00
93	T,M	1,2-Dichlorobenzene	10.000	10.259	-2.6	97	-0.02
94	T,M	1,2-Dibromo-3-chloropropane	10.000	9.424	5.8	92	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	9.687	3.1	94	-0.02
96	T,M	Hexachlorobutadiene	10.000	10.874	-8.7	103	0.00
97	T,M	Naphthalene	10.000	10.445	-4.5	101	-0.02
98	T,M	1,2,3-Trichlorobenzene	10.000	10.545	-5.4	100	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR060.D Vial: 2
Acq On : 20 Jun 2024 11:52 am Operator: LPriet
Sample : CVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	98	-0.02
2	T,M	Chlorotrifluoroethylene	0.000	0.000	0.0	0#	-4.06#
3	T,M	Dichlorodifluoromethane	0.475	0.455	4.2	93	0.00
4	P,T,M	Chloromethane	0.748	0.713	4.7	93	0.00
5	T,M	2-Chloro-1,1,1-trifluoroeth	0.000	0.000	0.0	0#	-4.65#
6	C,T,M	Vinyl chloride	0.674	0.596	11.6	95	0.00
7	T,M	Bromomethane	0.324	0.297	8.3	98	0.00
8	T,M	Chloroethane	0.334	0.323	3.3	98	0.00
9	T,M	Dichlorofluoromethane	0.833	0.843	-1.2	98	0.00
10	T,M	Trichlorofluoromethane	0.558	0.545	2.3	100	-0.04
11	T,M	Acrolein	0.026	0.021	19.2	86	0.00
12	T,M	1,1,2-Trichloro-1,2,2-trifl	0.237	0.232	2.1	102	0.00
13	C,T,M	1,1-Dichloroethene	0.861	0.883	-2.6	97	0.00
14	T,M	Acetone	0.072	0.054	25.0#	91	-0.03
15	T,M	Iodomethane	0.501	0.496	1.0	99	0.00
16	T,M	Methyl acetate	0.167	0.147	12.0	84	0.00
17	T,M	Carbon disulfide	1.332	1.149	13.7	100	0.00
18	T,M	Methylene chloride	0.551	0.598	-8.5	105	0.00
19	T,M	tert-Butyl alcohol	0.013	0.012	7.7	94	0.00
20	T,M	tert-Butyl methyl ether (MT	0.618	0.552	10.7	92	0.00
21	T,M	trans-1,2-Dichloroethene	0.428	0.410	4.2	98	0.00
22	T,M	Acrylonitrile	0.066	0.060	9.1	92	-0.02
23	T,M	Isopropyl ether (DIPE)	1.759	1.720	2.2	93	-0.02
24	P,T,M	1,1-Dichloroethane	0.863	0.896	-3.8	98	0.00
25	T,M	Vinyl acetate	0.463	0.466	-0.6	94	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.046	0.949	9.3	86	0.00
27	T,M	2,2-Dichloropropane	0.338	0.347	-2.7	100	-0.02
28	T,M	cis-1,2-Dichloroethene	0.355	0.355	0.0	101	-0.02
29	T,M	2-Butanone	0.087	0.079	9.2	86	-0.02
30	T,M	2-Butanol	0.014	0.012	14.3	87	-0.02
31	T,M	Bromochloromethane	0.156	0.150	3.8	94	-0.02
32	T,M	Tetrahydrofuran	0.052	0.048	7.7	83	0.00
33	C,T,M	Chloroform	0.708	0.703	0.7	100	0.00
34	S	Dibromofluoromethane	0.312	0.297	4.8	92	-0.02
35	T,M	1,1,1-Trichloroethane	0.488	0.503	-3.1	100	-0.02
36	T,M	Cyclohexane	0.599	0.540	9.8	94	-0.02
37	T,M	1,1-Dichloropropene	0.175	0.178	-1.7	100	-0.02
38	T,M	Carbon tetrachloride	0.396	0.406	-2.5	100	-0.02
39	T,M	tert-Amyl alcohol	0.000	0.001	0.0	0#	0.00
40	S	1,2-Dichloroethane-d4	0.298	0.295	1.0	97	0.00
41	T,M	2,2,4-Trimethylpentane	0.000	0.037	0.0	0#	0.00
42	T,M	Benzene	1.535	1.517	1.2	97	0.00
43	T,M	1,2-Dichloroethane	0.376	0.379	-0.8	97	0.00
44	T,M	tert-Amyl methyl ether (TAM	0.640	0.565	11.7	89	-0.02
45	T,M	Trichloroethene	0.348	0.348	0.0	94	0.00
46	T,M	Methylcyclohexane	0.668	0.594	11.1	93	-0.02
47	C,T,M	1,2-Dichloropropane	0.382	0.377	1.3	95	-0.02
48	T,M	1,4-Dioxane	0.001	0.001	0.0	102	0.00
49	T,M	Dibromomethane	0.127	0.127	0.0	99	-0.02
50	T,M	Bromodichloromethane	0.436	0.418	4.1	98	-0.02
51	T,M	2-Chloroethyl vinyl ether	0.052	0.041	21.2#	79	0.00
52	T,M	cis-1,3-Dichloropropene	0.465	0.457	1.7	93	-0.02
53	T,M	4-Methyl-2-pentanone	0.181	0.163	9.9	86	-0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR060.D Vial: 2
Acq On : 20 Jun 2024 11:52 am Operator: LPriet
Sample : CVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
54	I	CHLOROBENZENE-D5	1.000	1.000	0.0	98	-0.02
55	S	Toluene-d8	1.483	1.522	-2.6	92	0.00
56	C,T,M	Toluene	1.836	1.954	-6.4	97	-0.02
57	T,M	Ethyl methacrylate	0.286	0.272	4.9	93	-0.02
58	T,M	trans-1,3-Dichloropropene	0.451	0.456	-1.1	91	-0.02
59	T,M	1,1,2-Trichloroethane	0.226	0.225	0.4	99	0.00
60	T,M	Tetrachloroethene	0.393	0.400	-1.8	95	0.00
61	T,M	2-Hexanone	0.147	0.141	4.1	91	-0.02
62	T,M	1,3-Dichloropropane	0.439	0.440	-0.2	97	0.00
63	T,M	Dibromochloromethane	0.290	0.287	1.0	96	0.00
64	T,M	1,2-Dibromoethane	0.205	0.208	-1.5	97	-0.02
65	T,M	1-Chlorohexane	0.698	0.760	-8.9	94	0.00
66	P,M	Chlorobenzene	0.952	1.003	-5.4	96	0.00
67	C,T,M	Ethylbenzene	1.838	1.982	-7.8	96	-0.02
68	T,M	1,1,1,2-Tetrachloroethane	0.346	0.353	-2.0	95	0.00
69	T,M	m-Xylene & p-Xylene	1.339	1.392	-4.0	95	0.00
70	T,M	o-Xylene	1.352	1.476	-9.2	93	0.00
71	T,M	Styrene	0.892	0.955	-7.1	90	-0.02
72	T,M	Isopropylbenzene	1.544	1.676	-8.5	95	-0.02
73	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	93	0.00
74	P,T,M	Bromoform	0.403	0.432	-7.2	97	0.00
75	S	4-Bromofluorobenzene	1.595	1.533	3.9	88	-0.02
76	P,T,M	1,1,2,2-Tetrachloroethane	0.809	0.834	-3.1	99	-0.02
77	T,M	trans-1,4-Dichloro-2-butene	0.348	0.359	-3.2	94	0.00
78	T,M	n-Propylbenzene	6.615	7.410	-12.0	94	0.00
79	T,M	1,2,3-Trichloropropane	0.175	0.165	5.7	85	0.00
80	T,M	Bromobenzene	1.141	1.326	-16.2	107	0.00
81	T,M	1,3,5-Trimethylbenzene	4.010	4.778	-19.2	98	0.00
82	T,M	2-Chlorotoluene	3.889	5.184	-33.3#	115	-0.02
83	T,M	4-Chlorotoluene	3.446	3.246	5.8	81	-0.02
84	T,M	tert-Butylbenzene	0.965	1.026	-6.3	99	-0.02
85	T,M	1,2,4-Trimethylbenzene	3.554	4.242	-19.4	106	0.00
86	T,M	sec-Butylbenzene	5.397	6.134	-13.7	98	0.00
87	T,M	p-Isopropyltoluene	3.770	4.391	-16.5	98	-0.02
88	T,M	1,3-Dichlorobenzene	1.985	2.000	-0.8	92	0.00
89	T,M	1,2,3-Trimethylbenzene	3.504	3.804	-8.6	97	0.00
90	T,M	1,4-Dichlorobenzene	1.844	1.933	-4.8	100	-0.02
91	T,M	Benzyl Chloride	0.000	0.000	0.0	0#	0.00
92	T,M	n-Butylbenzene	3.648	3.904	-7.0	91	0.00
93	T,M	1,2-Dichlorobenzene	1.631	1.673	-2.6	97	-0.02
94	T,M	1,2-Dibromo-3-chloropropane	0.084	0.079	6.0	92	0.00
95	T,M	1,2,4-Trichlorobenzene	0.730	0.708	3.0	94	-0.02
96	T,M	Hexachlorobutadiene	0.549	0.648	-18.0	103	0.00
97	T,M	Naphthalene	0.966	1.009	-4.5	101	-0.02
98	T,M	1,2,3-Trichlorobenzene	0.535	0.564	-5.4	100	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F20\RFR060.D Vial: 2
Acq On : 20 Jun 2024 11:52 am Operator: LPriet
Sample : CVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 20 12:35 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.58	114	3174558	10.00	ug/l	-0.02
54) CHLOROBENZENE-D5	20.17	117	2106303	10.00	ug/l	-0.02
73) 1,2-DICHLOROBENZENE-D4	23.87	152	572013	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.84	111	942754	9.52	ug/l	-0.02
Spiked Amount 10.000			Recovery = 95.20%			
40) 1,2-Dichloroethane-d4	14.87	65	936333	9.91	ug/l	0.00
Spiked Amount 10.000			Recovery = 99.10%			
55) Toluene-d8	18.08	98	3206125	10.27	ug/l	0.00
Spiked Amount 10.000			Recovery = 102.70%			
75) 4-Bromofluorobenzene	21.71	95	877108	9.61	ug/l	-0.02
Spiked Amount 10.000			Recovery = 96.10%			
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.96	85	1445724	9.58	ug/l	100
4) Chloromethane	4.45	50	2264972	9.54	ug/l	100
6) Vinyl chloride	4.69	62	1892490	8.84	ug/l	98
7) Bromomethane	5.62	94	943451	9.16	ug/l	97
8) Chloroethane	5.76	64	1025213	9.68	ug/l	97
9) Dichlorofluoromethane	5.82	67	2675770	10.12	ug/l	100
10) Trichlorofluoromethane	6.28	101	1730682	9.77	ug/l	99
11) Acrolein	7.24	56	340966	41.93	ug/l	96
12) 1,1,2-Trichloro-1,2,2-trif	7.30	151	735351	9.78	ug/l	100
13) 1,1-Dichloroethene	7.74	61	2804359	10.26	ug/l	99
14) Acetone	7.36	43	850996	50.76	ug/l	99
15) Iodomethane	8.58	142	1574007	9.89	ug/l	100
16) Methyl acetate	8.55	43	465501	8.76	ug/l	98
17) Carbon disulfide	9.10	76	3648820	8.63	ug/l	100
18) Methylene chloride	9.01	49	1898387	10.85	ug/l	97
19) tert-Butyl alcohol	7.88	59	955136	233.58	ug/l	98
20) tert-Butyl methyl ether (M	9.44	73	1753063	8.94	ug/l	99
21) trans-1,2-Dichloroethene	9.90	96	1300212	9.57	ug/l	100
22) Acrylonitrile	9.36	53	957755	46.01	ug/l	99
23) Isopropyl ether (DIPE)	10.85	45	5460391	9.78	ug/l	98
24) 1,1-Dichloroethane	11.27	63	2842874	10.38	ug/l	100
25) Vinyl acetate	11.25	43	1480028	10.08	ug/l	100
26) tert-Butyl ethyl ether (ET	12.13	59	3012031	9.07	ug/l	100
27) 2,2-Dichloropropane	12.84	77	1102311	10.26	ug/l	96
28) cis-1,2-Dichloroethene	12.96	96	1125918	9.98	ug/l	98
29) 2-Butanone	12.48	43	1246311	45.09	ug/l	100
30) 2-Butanol	11.91	45	972850	220.83	ug/l	99
31) Bromochloromethane	13.72	130	475277	9.58	ug/l	100
32) Tetrahydrofuran	13.80	42	150979	9.17	ug/l	91
33) Chloroform	13.34	83	2232470	9.94	ug/l	99
35) 1,1,1-Trichloroethane	14.22	97	1597430	10.31	ug/l	99
36) Cyclohexane	14.25	84	1714527	9.02	ug/l	99
37) 1,1-Dichloropropene	14.54	110	564756	10.15	ug/l	99
38) Carbon tetrachloride	14.74	117	1290392	10.27	ug/l	97
42) Benzene	15.09	78	4817270	9.88	ug/l	99
43) 1,2-Dichloroethane	15.05	62	1202461	10.08	ug/l	98
44) tert-Amyl methyl ether (TA	14.76	73	1793361	8.83	ug/l	98
45) Trichloroethene	16.19	130	1104322	9.98	ug/l	97
46) Methylcyclohexane	16.29	83	1884647	8.89	ug/l	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F20\RFR060.D Vial: 2
Acq On : 20 Jun 2024 11:52 am Operator: LPriet
Sample : CVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 20 12:35 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17


	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
47)	1,2-Dichloropropane	16.49	63	1197039	9.87	ug/l	99
48)	1,4-Dioxane	16.90	88	62957	208.18	ug/l	97
49)	Dibromomethane	16.98	93	401584	9.98	ug/l	91
50)	Bromodichloromethane	16.88	83	1325525	9.58	ug/l	98
51)	2-Chloroethyl vinyl ether	17.32	63	131152	7.98	ug/l	98
52)	cis-1,3-Dichloropropene	17.70	75	1449230	9.82	ug/l	97
53)	4-Methyl-2-pentanone	17.36	43	2587195	45.06	ug/l	99
56)	Toluene	18.20	91	4115727	10.64	ug/l	99
57)	Ethyl methacrylate	18.36	69	573760	9.52	ug/l	97
58)	trans-1,3-Dichloropropene	18.43	75	961488	10.11	ug/l	95
59)	1,1,2-Trichloroethane	18.67	97	473612	9.93	ug/l	97
60)	Tetrachloroethene	19.13	164	842674	10.17	ug/l	96
61)	2-Hexanone	18.62	43	1485297	47.82	ug/l	98
62)	1,3-Dichloropropane	19.02	76	925759	10.00	ug/l	100
63)	Dibromochloromethane	19.43	129	604663	9.89	ug/l	98
64)	1,2-Dibromoethane	19.69	107	437821	10.12	ug/l	96
65)	1-Chlorohexane	19.81	91	1599938	10.89	ug/l	99
66)	Chlorobenzene	20.23	112	2112696	10.53	ug/l	99
67)	Ethylbenzene	20.25	91	4174163	10.78	ug/l	98
68)	1,1,1,2-Tetrachloroethane	20.27	131	744530	10.22	ug/l	99
69)	m-Xylene & p-Xylene	20.35	91	5864163	20.79	ug/l	95
70)	o-Xylene	20.93	91	3108764	10.92	ug/l	99
71)	Styrene	20.96	104	2011192	10.70	ug/l	98
72)	Isopropylbenzene	21.35	105	3530654	10.85	ug/l	99
74)	Bromoform	21.48	173	246983	10.72	ug/l	97
76)	1,1,2,2-Tetrachloroethane	21.58	83	477023	10.30	ug/l	97
77)	trans-1,4-Dichloro-2-buten	21.40	53	205286	10.31	ug/l	99
78)	n-Propylbenzene	21.88	91	4238387	11.20	ug/l	100
79)	1,2,3-Trichloropropane	21.78	110	94540	9.97	ug/l	98
80)	Bromobenzene	22.03	156	758249	11.62	ug/l	99
81)	1,3,5-Trimethylbenzene	22.06	105	2733190	11.91	ug/l	99
82)	2-Chlorotoluene	22.16	91	2965268	13.33	ug/l	98
83)	4-Chlorotoluene	22.21	91	1856923	9.42	ug/l	97
84)	tert-Butylbenzene	22.54	134	587149	10.64	ug/l	92
85)	1,2,4-Trimethylbenzene	22.60	105	2426227	11.93	ug/l	90
86)	sec-Butylbenzene	22.83	105	3508621	11.37	ug/l	99
87)	p-Isopropyltoluene	22.98	119	2511891	11.65	ug/l	99
88)	1,3-Dichlorobenzene	23.23	146	1143929	10.08	ug/l	99
89)	1,2,3-Trimethylbenzene	23.28	105	2176163	10.86	ug/l	99
90)	1,4-Dichlorobenzene	23.36	146	1105860	10.48	ug/l	99
92)	n-Butylbenzene	23.56	91	2232931	10.70	ug/l	97
93)	1,2-Dichlorobenzene	23.90	146	957044	10.26	ug/l	98
94)	1,2-Dibromo-3-chloropropan	25.04	157	45318	9.42	ug/l	97
95)	1,2,4-Trichlorobenzene	26.40	180	404714	9.69	ug/l	98
96)	Hexachlorobutadiene	26.58	225	370683	10.87	ug/l	94
97)	Naphthalene	26.88	128	577157	10.45	ug/l	99
98)	1,2,3-Trichlorobenzene	27.27	180	322508	10.54	ug/l	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR060.D Vial: 2
Acq On : 20 Jun 2024 11:52 am Operator: LPriet
Sample : CVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 20 12:35 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR072.D Vial: 14
Acq On : 20 Jun 2024 6:53 pm Operator: LPriet
Sample : EVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	10.000	10.000	0.0	95	0.00
2	T,M	Chlorotrifluoroethylene	10.000	0.000	100.0#	0	-4.06#
3	T,M	Dichlorodifluoromethane	10.000	8.972	10.3	84	0.00
4	P,T,M	Chloromethane	10.000	9.120	8.8	86	0.00
5	T,M	2-Chloro-1,1,1-trifluoroeth	10.000	0.000	100.0#	0	-4.65#
6	C,T,M	Vinyl chloride	10.000	8.190	18.1	85	0.00
7	T,M	Bromomethane	10.000	7.932	20.7#	83	0.00
8	T,M	Chloroethane	10.000	9.006	9.9	89	0.00
9	T,M	Dichlorofluoromethane	10.000	9.233	7.7	87	0.00
10	T,M	Trichlorofluoromethane	10.000	8.791	12.1	88	-0.04
11	T,M	Acrolein	50.000	42.297	15.4	84	0.00
12	T,M	1,1,2-Trichloro-1,2,2-trifl	10.000	8.925	10.7	90	0.00
13	C,T,M	1,1-Dichloroethene	10.000	9.323	6.8	86	0.00
14	T,M	Acetone	50.000	50.202	-0.4	87	0.00
15	T,M	Iodomethane	10.000	8.719	12.8	85	0.00
16	T,M	Methyl acetate	10.000	9.730	2.7	91	0.00
17	T,M	Carbon disulfide	10.000	9.190	8.1	103	0.02
18	T,M	Methylene chloride	10.000	9.585	4.1	90	0.00
19	T,M	tert-Butyl alcohol	250.000	222.885	10.8	87	0.00
20	T,M	tert-Butyl methyl ether (MT	10.000	8.205	17.9	82	0.00
21	T,M	trans-1,2-Dichloroethene	10.000	8.495	15.1	85	0.00
22	T,M	Acrylonitrile	50.000	45.768	8.5	89	0.00
23	T,M	Isopropyl ether (DIPE)	10.000	9.468	5.3	88	-0.02
24	P,T,M	1,1-Dichloroethane	10.000	9.292	7.1	85	0.00
25	T,M	Vinyl acetate	10.000	9.042	9.6	82	0.00
26	T,M	tert-Butyl ethyl ether (ETB	10.000	8.195	18.0	76	0.00
27	T,M	2,2-Dichloropropane	10.000	8.795	12.1	84	0.00
28	T,M	cis-1,2-Dichloroethene	10.000	8.866	11.3	87	0.00
29	T,M	2-Butanone	50.000	46.859	6.3	87	-0.02
30	T,M	2-Butanol	250.000	231.093	7.6	88	-0.02
31	T,M	Bromochloromethane	10.000	8.821	11.8	84	0.00
32	T,M	Tetrahydrofuran	10.000	9.324	6.8	82	0.00
33	C,T,M	Chloroform	10.000	8.397	16.0	82	0.00
34	S	Dibromofluoromethane	10.000	9.858	1.4	92	-0.02
35	T,M	1,1,1-Trichloroethane	10.000	8.971	10.3	85	0.00
36	T,M	Cyclohexane	10.000	8.883	11.2	90	0.00
37	T,M	1,1-Dichloropropene	10.000	9.167	8.3	88	0.00
38	T,M	Carbon tetrachloride	10.000	8.966	10.3	85	0.00
39	T,M	tert-Amyl alcohol	50.000	0.000	100.0#	0	0.00
40	S	1,2-Dichloroethane-d4	10.000	10.088	-0.9	96	0.00
41	T,M	2,2,4-Trimethylpentane	10.000	0.000	100.0#	0	0.02
42	T,M	Benzene	10.000	8.922	10.8	85	0.00
43	T,M	1,2-Dichloroethane	10.000	9.490	5.1	89	0.00
44	T,M	tert-Amyl methyl ether (TAM	10.000	8.174	18.3	80	0.00
45	T,M	Trichloroethene	10.000	8.861	11.4	81	0.00
46	T,M	Methylcyclohexane	10.000	8.805	12.0	89	-0.02
47	C,T,M	1,2-Dichloropropane	10.000	9.112	8.9	86	-0.02
48	T,M	1,4-Dioxane	200.000	176.171	11.9	84	0.00
49	T,M	Dibromomethane	10.000	8.411	15.9	81	-0.02
50	T,M	Bromodichloromethane	10.000	8.494	15.1	85	-0.02
51	T,M	2-Chloroethyl vinyl ether	10.000	7.237	27.6#	70	0.00
52	T,M	cis-1,3-Dichloropropene	10.000	9.216	7.8	85	0.00
53	T,M	4-Methyl-2-pentanone	50.000	46.879	6.2	87	-0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR072.D Vial: 14
Acq On : 20 Jun 2024 6:53 pm Operator: LPriet
Sample : EVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
54	I	CHLOROBENZENE-D5	10.000	10.000	0.0	99	0.00
55	S	Toluene-d8	10.000	10.072	-0.7	91	0.00
56	C,T,M	Toluene	10.000	9.322	6.8	86	-0.02
57	T,M	Ethyl methacrylate	10.000	8.554	14.5	84	0.00
58	T,M	trans-1,3-Dichloropropene	10.000	9.278	7.2	84	0.00
59	T,M	1,1,2-Trichloroethane	10.000	8.494	15.1	86	0.00
60	T,M	Tetrachloroethene	10.000	8.343	16.6	79	0.00
61	T,M	2-Hexanone	50.000	48.776	2.4	93	-0.02
62	T,M	1,3-Dichloropropane	10.000	8.921	10.8	87	0.00
63	T,M	Dibromochloromethane	10.000	8.610	13.9	84	0.00
64	T,M	1,2-Dibromoethane	10.000	8.725	12.8	84	-0.02
65	T,M	1-Chlorohexane	10.000	9.088	9.1	79	0.00
66	P,M	Chlorobenzene	10.000	9.471	5.3	87	0.00
67	C,T,M	Ethylbenzene	10.000	9.990	0.1	89	-0.02
68	T,M	1,1,1,2-Tetrachloroethane	10.000	9.210	7.9	86	0.00
69	T,M	m-Xylene & p-Xylene	20.000	19.041	4.8	87	0.00
70	T,M	o-Xylene	10.000	9.335	6.6	80	0.00
71	T,M	Styrene	10.000	9.086	9.1	77	-0.02
72	T,M	Isopropylbenzene	10.000	9.919	0.8	88	-0.02
73	I	1,2-DICHLOROBENZENE-D4	10.000	10.000	0.0	91	0.00
74	P,T,M	Bromoform	10.000	9.308	6.9	82	0.00
75	S	4-Bromofluorobenzene	10.000	9.331	6.7	83	-0.02
76	P,T,M	1,1,2,2-Tetrachloroethane	10.000	8.932	10.7	84	-0.02
77	T,M	trans-1,4-Dichloro-2-butene	10.000	9.510	4.9	84	0.00
78	T,M	n-Propylbenzene	10.000	9.877	1.2	81	0.00
79	T,M	1,2,3-Trichloropropane	10.000	9.630	3.7	80	0.00
80	T,M	Bromobenzene	10.000	9.261	7.4	83	0.00
81	T,M	1,3,5-Trimethylbenzene	10.000	10.575	-5.7	85	0.00
82	T,M	2-Chlorotoluene	10.000	11.519	-15.2	97	0.00
83	T,M	4-Chlorotoluene	10.000	9.549	4.5	80	-0.02
84	T,M	tert-Butylbenzene	10.000	9.449	5.5	86	0.00
85	T,M	1,2,4-Trimethylbenzene	10.000	10.827	-8.3	93	0.00
86	T,M	sec-Butylbenzene	10.000	10.831	-8.3	91	0.00
87	T,M	p-Isopropyltoluene	10.000	10.031	-0.3	82	0.00
88	T,M	1,3-Dichlorobenzene	10.000	9.881	1.2	88	0.00
89	T,M	1,2,3-Trimethylbenzene	10.000	10.338	-3.4	90	0.00
90	T,M	1,4-Dichlorobenzene	10.000	9.328	6.7	87	-0.02
91	T,M	Benzyl Chloride	-1.000	0.000	0.0	0	0.00
92	T,M	n-Butylbenzene	10.000	10.113	-1.1	84	0.00
93	T,M	1,2-Dichlorobenzene	10.000	9.052	9.5	83	0.00
94	T,M	1,2-Dibromo-3-chloropropane	10.000	8.816	11.8	84	0.00
95	T,M	1,2,4-Trichlorobenzene	10.000	9.097	9.0	86	-0.02
96	T,M	Hexachlorobutadiene	10.000	9.036	9.6	83	0.00
97	T,M	Naphthalene	10.000	9.093	9.1	86	-0.02
98	T,M	1,2,3-Trichlorobenzene	10.000	9.066	9.3	84	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR072.D Vial: 14
Acq On : 20 Jun 2024 6:53 pm Operator: LPriet
Sample : EVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	95	0.00
2	T,M	Chlorotrifluoroethylene	0.000	0.000	0.0	0#	-4.06#
3	T,M	Dichlorodifluoromethane	0.475	0.426	10.3	84	0.00
4	P,T,M	Chloromethane	0.748	0.682	8.8	86	0.00
5	T,M	2-Chloro-1,1,1-trifluoroeth	0.000	0.000	0.0	0#	-4.65#
6	C,T,M	Vinyl chloride	0.674	0.552	18.1	85	0.00
7	T,M	Bromomethane	0.324	0.257	20.7#	83	0.00
8	T,M	Chloroethane	0.334	0.300	10.2	89	0.00
9	T,M	Dichlorofluoromethane	0.833	0.769	7.7	87	0.00
10	T,M	Trichlorofluoromethane	0.558	0.491	12.0	88	-0.04
11	T,M	Acrolein	0.026	0.022	15.4	84	0.00
12	T,M	1,1,2-Trichloro-1,2,2-trifl	0.237	0.211	11.0	90	0.00
13	C,T,M	1,1-Dichloroethene	0.861	0.803	6.7	86	0.00
14	T,M	Acetone	0.072	0.053	26.4#	87	0.00
15	T,M	Iodomethane	0.501	0.437	12.8	85	0.00
16	T,M	Methyl acetate	0.167	0.163	2.4	91	0.00
17	T,M	Carbon disulfide	1.332	1.224	8.1	103	0.02
18	T,M	Methylene chloride	0.551	0.528	4.2	90	0.00
19	T,M	tert-Butyl alcohol	0.013	0.011	15.4	87	0.00
20	T,M	tert-Butyl methyl ether (MT	0.618	0.507	18.0	82	0.00
21	T,M	trans-1,2-Dichloroethene	0.428	0.364	15.0	85	0.00
22	T,M	Acrylonitrile	0.066	0.060	9.1	89	0.00
23	T,M	Isopropyl ether (DIPE)	1.759	1.665	5.3	88	-0.02
24	P,T,M	1,1-Dichloroethane	0.863	0.801	7.2	85	0.00
25	T,M	Vinyl acetate	0.463	0.418	9.7	82	0.00
26	T,M	tert-Butyl ethyl ether (ETB	1.046	0.857	18.1	76	0.00
27	T,M	2,2-Dichloropropane	0.338	0.298	11.8	84	0.00
28	T,M	cis-1,2-Dichloroethene	0.355	0.315	11.3	87	0.00
29	T,M	2-Butanone	0.087	0.082	5.7	87	-0.02
30	T,M	2-Butanol	0.014	0.013	7.1	88	-0.02
31	T,M	Bromochloromethane	0.156	0.138	11.5	84	0.00
32	T,M	Tetrahydrofuran	0.052	0.048	7.7	82	0.00
33	C,T,M	Chloroform	0.708	0.594	16.1	82	0.00
34	S	Dibromofluoromethane	0.312	0.307	1.6	92	-0.02
35	T,M	1,1,1-Trichloroethane	0.488	0.438	10.2	85	0.00
36	T,M	Cyclohexane	0.599	0.532	11.2	90	0.00
37	T,M	1,1-Dichloropropene	0.175	0.161	8.0	88	0.00
38	T,M	Carbon tetrachloride	0.396	0.355	10.4	85	0.00
39	T,M	tert-Amyl alcohol	0.000	0.001	0.0	0#	0.00
40	S	1,2-Dichloroethane-d4	0.298	0.300	-0.7	96	0.00
41	T,M	2,2,4-Trimethylpentane	0.000	0.039	0.0	0#	0.02
42	T,M	Benzene	1.535	1.370	10.7	85	0.00
43	T,M	1,2-Dichloroethane	0.376	0.357	5.1	89	0.00
44	T,M	tert-Amyl methyl ether (TAM	0.640	0.523	18.3	80	0.00
45	T,M	Trichloroethene	0.348	0.309	11.2	81	0.00
46	T,M	Methylcyclohexane	0.668	0.588	12.0	89	-0.02
47	C,T,M	1,2-Dichloropropane	0.382	0.348	8.9	86	-0.02
48	T,M	1,4-Dioxane	0.001	0.001	0.0	84	0.00
49	T,M	Dibromomethane	0.127	0.107	15.7	81	-0.02
50	T,M	Bromodichloromethane	0.436	0.370	15.1	85	-0.02
51	T,M	2-Chloroethyl vinyl ether	0.052	0.037	28.8#	70	0.00
52	T,M	cis-1,3-Dichloropropene	0.465	0.429	7.7	85	0.00
53	T,M	4-Methyl-2-pentanone	0.181	0.170	6.1	87	-0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR072.D Vial: 14
Acq On : 20 Jun 2024 6:53 pm Operator: LPriet
Sample : EVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
54	I	CHLOROBENZENE-D5	1.000	1.000	0.0	99	0.00
55	S	Toluene-d8	1.483	1.493	-0.7	91	0.00
56	C,T,M	Toluene	1.836	1.712	6.8	86	-0.02
57	T,M	Ethyl methacrylate	0.286	0.245	14.3	84	0.00
58	T,M	trans-1,3-Dichloropropene	0.451	0.419	7.1	84	0.00
59	T,M	1,1,2-Trichloroethane	0.226	0.192	15.0	86	0.00
60	T,M	Tetrachloroethene	0.393	0.328	16.5	79	0.00
61	T,M	2-Hexanone	0.147	0.144	2.0	93	-0.02
62	T,M	1,3-Dichloropropane	0.439	0.392	10.7	87	0.00
63	T,M	Dibromochloromethane	0.290	0.250	13.8	84	0.00
64	T,M	1,2-Dibromoethane	0.205	0.179	12.7	84	-0.02
65	T,M	1-Chlorohexane	0.698	0.634	9.2	79	0.00
66	P,M	Chlorobenzene	0.952	0.902	5.3	87	0.00
67	C,T,M	Ethylbenzene	1.838	1.836	0.1	89	-0.02
68	T,M	1,1,1,2-Tetrachloroethane	0.346	0.318	8.1	86	0.00
69	T,M	m-Xylene & p-Xylene	1.339	1.275	4.8	87	0.00
70	T,M	o-Xylene	1.352	1.262	6.7	80	0.00
71	T,M	Styrene	0.892	0.811	9.1	77	-0.02
72	T,M	Isopropylbenzene	1.544	1.532	0.8	88	-0.02
73	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	91	0.00
74	P,T,M	Bromoform	0.403	0.375	6.9	82	0.00
75	S	4-Bromofluorobenzene	1.595	1.489	6.6	83	-0.02
76	P,T,M	1,1,2,2-Tetrachloroethane	0.809	0.723	10.6	84	-0.02
77	T,M	trans-1,4-Dichloro-2-butene	0.348	0.331	4.9	84	0.00
78	T,M	n-Propylbenzene	6.615	6.534	1.2	81	0.00
79	T,M	1,2,3-Trichloropropane	0.175	0.160	8.6	80	0.00
80	T,M	Bromobenzene	1.141	1.057	7.4	83	0.00
81	T,M	1,3,5-Trimethylbenzene	4.010	4.241	-5.8	85	0.00
82	T,M	2-Chlorotoluene	3.889	4.480	-15.2	97	0.00
83	T,M	4-Chlorotoluene	3.446	3.291	4.5	80	-0.02
84	T,M	tert-Butylbenzene	0.965	0.912	5.5	86	0.00
85	T,M	1,2,4-Trimethylbenzene	3.554	3.848	-8.3	93	0.00
86	T,M	sec-Butylbenzene	5.397	5.846	-8.3	91	0.00
87	T,M	p-Isopropyltoluene	3.770	3.781	-0.3	82	0.00
88	T,M	1,3-Dichlorobenzene	1.985	1.961	1.2	88	0.00
89	T,M	1,2,3-Trimethylbenzene	3.504	3.623	-3.4	90	0.00
90	T,M	1,4-Dichlorobenzene	1.844	1.720	6.7	87	-0.02
91	T,M	Benzyl Chloride	0.000	0.000	0.0	0#	0.00
92	T,M	n-Butylbenzene	3.648	3.689	-1.1	84	0.00
93	T,M	1,2-Dichlorobenzene	1.631	1.476	9.5	83	0.00
94	T,M	1,2-Dibromo-3-chloropropane	0.084	0.074	11.9	84	0.00
95	T,M	1,2,4-Trichlorobenzene	0.730	0.664	9.0	86	-0.02
96	T,M	Hexachlorobutadiene	0.549	0.537	2.2	83	0.00
97	T,M	Naphthalene	0.966	0.878	9.1	86	-0.02
98	T,M	1,2,3-Trichlorobenzene	0.535	0.485	9.3	84	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F20\RFR072.D Vial: 14
Acq On : 20 Jun 2024 6:53 pm Operator: LPriet
Sample : EVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 20 19:21 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	15.60	114	3083263	10.00	ug/l	0.00
54) CHLOROBENZENE-D5	20.19	117	2122708	10.00	ug/l	0.00
73) 1,2-DICHLOROBENZENE-D4	23.87	152	557755	10.00	ug/l	0.00
System Monitoring Compounds						
34) Dibromofluoromethane	13.84	111	947952	9.86	ug/l	-0.02
Spiked Amount 10.000			Recovery =	98.60%		
40) 1,2-Dichloroethane-d4	14.87	65	926126	10.09	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.90%		
55) Toluene-d8	18.08	98	3169761	10.07	ug/l	0.00
Spiked Amount 10.000			Recovery =	100.70%		
75) 4-Bromofluorobenzene	21.71	95	830352	9.33	ug/l	-0.02
Spiked Amount 10.000			Recovery =	93.30%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	3.96	85	1314328	8.97	ug/l	99
4) Chloromethane	4.45	50	2102949	9.12	ug/l	99
6) Vinyl chloride	4.68	62	1703122	8.19	ug/l	99
7) Bromomethane	5.61	94	793093	7.93	ug/l	98
8) Chloroethane	5.76	64	926158	9.01	ug/l	98
9) Dichlorofluoromethane	5.82	67	2371402	9.23	ug/l	99
10) Trichlorofluoromethane	6.28	101	1512462	8.79	ug/l	99
11) Acrolein	7.24	56	334077	42.30	ug/l	95
12) 1,1,2-Trichloro-1,2,2-trif	7.30	151	651988	8.92	ug/l	99
13) 1,1-Dichloroethene	7.74	61	2474625	9.32	ug/l	98
14) Acetone	7.39	43	817982	50.20	ug/l	99
15) Iodomethane	8.58	142	1347576	8.72	ug/l	100
16) Methyl acetate	8.55	43	502014	9.73	ug/l	99
17) Carbon disulfide	9.13	76	3773248	9.19	ug/l	100
18) Methylene chloride	9.01	49	1629437	9.58	ug/l	98
19) tert-Butyl alcohol	7.88	59	885199	222.88	ug/l	96
20) tert-Butyl methyl ether (M	9.44	73	1563491	8.20	ug/l	99
21) trans-1,2-Dichloroethene	9.90	96	1121061	8.49	ug/l	99
22) Acrylonitrile	9.37	53	925373	45.77	ug/l	100
23) Isopropyl ether (DIPE)	10.85	45	5134319	9.47	ug/l	99
24) 1,1-Dichloroethane	11.27	63	2471107	9.29	ug/l	100
25) Vinyl acetate	11.25	43	1289705	9.04	ug/l	99
26) tert-Butyl ethyl ether (ET	12.13	59	2643545	8.20	ug/l	99
27) 2,2-Dichloropropane	12.86	77	917340	8.79	ug/l	99
28) cis-1,2-Dichloroethene	12.98	96	971411	8.87	ug/l	99
29) 2-Butanone	12.48	43	1257959	46.86	ug/l	99
30) 2-Butanol	11.91	45	988771	231.09	ug/l	99
31) Bromochloromethane	13.74	130	425130	8.82	ug/l	97
32) Tetrahydrofuran	13.80	42	149032	9.32	ug/l	94
33) Chloroform	13.34	83	1832583	8.40	ug/l	99
35) 1,1,1-Trichloroethane	14.23	97	1350233	8.97	ug/l	97
36) Cyclohexane	14.27	84	1640752	8.88	ug/l	99
37) 1,1-Dichloropropene	14.56	110	495261	9.17	ug/l	99
38) Carbon tetrachloride	14.76	117	1094202	8.97	ug/l	97
42) Benzene	15.09	78	4224146	8.92	ug/l	98
43) 1,2-Dichloroethane	15.05	62	1099811	9.49	ug/l	97
44) tert-Amyl methyl ether (TA	14.78	73	1613236	8.17	ug/l	98
45) Trichloroethene	16.19	130	951950	8.86	ug/l	96
46) Methylcyclohexane	16.29	83	1812781	8.81	ug/l	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\24F20\RFR072.D Vial: 14
Acq On : 20 Jun 2024 6:53 pm Operator: LPriet
Sample : EVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 20 19:21 2024 Quant Results File: VOF3F17.RES

Quant Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration
DataAcq Meth : VOF3F17


	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
47)	1,2-Dichloropropane	16.49	63	1072989	9.11	ug/l	97
48)	1,4-Dioxane	16.90	88	51744	176.17	ug/l	97
49)	Dibromomethane	16.98	93	328744	8.41	ug/l	91
50)	Bromodichloromethane	16.88	83	1141850	8.49	ug/l	100
51)	2-Chloroethyl vinyl ether	17.32	63	115452	7.24	ug/l	100
52)	cis-1,3-Dichloropropene	17.72	75	1321442	9.22	ug/l	98
53)	4-Methyl-2-pentanone	17.36	43	2614415	46.88	ug/l	100
56)	Toluene	18.20	91	3633347	9.32	ug/l	99
57)	Ethyl methacrylate	18.38	69	519378	8.55	ug/l	96
58)	trans-1,3-Dichloropropene	18.44	75	888911	9.28	ug/l	97
59)	1,1,2-Trichloroethane	18.67	97	408135	8.49	ug/l	98
60)	Tetrachloroethene	19.13	164	696443	8.34	ug/l	95
61)	2-Hexanone	18.62	43	1526662	48.78	ug/l	99
62)	1,3-Dichloropropane	19.02	76	832079	8.92	ug/l	99
63)	Dibromochloromethane	19.43	129	530743	8.61	ug/l	99
64)	1,2-Dibromoethane	19.69	107	380319	8.73	ug/l	96
65)	1-Chlorohexane	19.81	91	1346107	9.09	ug/l	97
66)	Chlorobenzene	20.23	112	1914341	9.47	ug/l	99
67)	Ethylbenzene	20.25	91	3897941	9.99	ug/l	97
68)	1,1,1,2-Tetrachloroethane	20.27	131	675870	9.21	ug/l	99
69)	m-Xylene & p-Xylene	20.35	91	5412070	19.04	ug/l	98
70)	o-Xylene	20.93	91	2678711	9.33	ug/l	99
71)	Styrene	20.96	104	1721171	9.09	ug/l	95
72)	Isopropylbenzene	21.35	105	3251501	9.92	ug/l	99
74)	Bromoform	21.48	173	209175	9.31	ug/l	96
76)	1,1,2,2-Tetrachloroethane	21.58	83	403293	8.93	ug/l	95
77)	trans-1,4-Dichloro-2-buten	21.40	53	184640	9.51	ug/l	93
78)	n-Propylbenzene	21.88	91	3644287	9.88	ug/l	100
79)	1,2,3-Trichloropropane	21.78	110	89173	9.63	ug/l	100
80)	Bromobenzene	22.03	156	589473	9.26	ug/l	100
81)	1,3,5-Trimethylbenzene	22.06	105	2365381	10.57	ug/l	96
82)	2-Chlorotoluene	22.18	91	2498568	11.52	ug/l	96
83)	4-Chlorotoluene	22.21	91	1835324	9.55	ug/l	99
84)	tert-Butylbenzene	22.55	134	508443	9.45	ug/l	61
85)	1,2,4-Trimethylbenzene	22.60	105	2146214	10.83	ug/l	96
86)	sec-Butylbenzene	22.83	105	3260486	10.83	ug/l	98
87)	p-Isopropyltoluene	23.00	119	2109129	10.03	ug/l	99
88)	1,3-Dichlorobenzene	23.23	146	1093832	9.88	ug/l	100
89)	1,2,3-Trimethylbenzene	23.28	105	2020708	10.34	ug/l	97
90)	1,4-Dichlorobenzene	23.36	146	959516	9.33	ug/l	97
92)	n-Butylbenzene	23.56	91	2057479	10.11	ug/l	96
93)	1,2-Dichlorobenzene	23.92	146	823427	9.05	ug/l	97
94)	1,2-Dibromo-3-chloropropan	25.04	157	41338	8.82	ug/l	99
95)	1,2,4-Trichlorobenzene	26.40	180	370602	9.10	ug/l	98
96)	Hexachlorobutadiene	26.58	225	299662	9.04	ug/l	96
97)	Naphthalene	26.88	128	489903	9.09	ug/l	98
98)	1,2,3-Trichlorobenzene	27.27	180	270376	9.07	ug/l	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\24F20\RFR072.D Vial: 14
Acq On : 20 Jun 2024 6:53 pm Operator: LPriet
Sample : EVOF3F1703 Inst : F3
Misc : 10ppb 8260/50ppb KET-AA/250ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 20 19:21 2024 Quant Results File: VOF3F17.RES

Method : C:\HPCHEM\1\METHODS\VOF3F17.M (RTE Integrator)
Title : METHOD 8260 25mL
Last Update : Wed Jun 19 12:15:14 2024
Response via : Initial Calibration



ANALYTICAL LOGS

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Comments:

Book #:	AF3-030
Instrument No.:	F3
Analytical Sequence:	24F17
Method File:	VOF3F17
Analytical Batch:	VOF3F176

SOP #
☑ EMAX-8260 Rev. No. 10
☐ EMAX-8260C Rev. No. 1
☐ EMAX-8260SIM Rev. No. 1
☐ EMAX-M8260SIM Rev. No. 0
☐ EMAX-TCPSIM Rev. No. 2
☐ EMAX-624 Rev. No. 6
☐ EMAX-624.1 Rev. No. 1
PURGE AMOUNT
☐ 5-mL Purge
☐ 10-mL Purge
☑ 25-mL Purge
SAMPLE MATRIX
☐ Soil (refer to sample weight log)
☐ Water
☐ pH <2. Outliers indicated on analytical sequence.
☐ Cl_2 <5ppm. Outliers indicated on analytical sequence.
☑ pH <2 and Cl2 are not applicable.

INITIAL CALIBRATION REFERENCE

DATE	6/17/24
ICAL ID	VOF3 F17

STANDARDS

NAME	ID	Amount (µl)	Conc. (mg/L)
DCC GS2 GAS	SV1-43-99-02	5	250
	-45-05-02		250
DCC 4ADD	-43-95-02		250
DCC 8260	-45-01-03		50
DCC KET	-45-04-03	↓	250
BFB	-45-01-02	1	50
IS/SURR. IS	-43-95-01	1	250
SS		5	250
ICV/LCS GS2 GAS	-43-55-02	1	250
	-43-76-03	1	250
ICV/LCS 3ADD	-43-69-03	5	50
ICV/LCS 8260	-43-77-01	5	LAP 6/18/24 250
ICV/LCS 2-BUT KET	-43-48-03	12.5	500
	-43-44-02	5	250
Data File Folder			

	LOT #	Syringe Lot #
pH strip	N/A	MSV-03-04-12-4
Chlorine strip	↓	-04-12-6
Methanol		-03-26
$NaHSO_4$		-02-24
Reagent Water	RW4-23-001	
Sand		

ELECTRONIC DATA ARCHIVAL	
Location	Date
HPCHEM_VOA/TOF3	

Analyzed By: LAP
Date: 6/17/24
Disposed By: LAP
Date Disposed: 6/18/24

Injection Log

Directory: C:\HPCHEM\1\DATA\24F17

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	RFR001.D	1.	BFBF3F01	T/CHK	17 Jun 2024 15:5
2	2	RFR002.D	1.	VOF3F171 0.03/0.15	0.3ppb 8260/1.5ppb KET-AA/7.5ppb TBA	17 Jun 2024 16:3
3	3	RFR003.D	1.	VOF3F172 0.05/0.25	0.5ppb 8260/2.5ppb KET-AA/12.5ppb TBA	17 Jun 2024 17:0
4	4	RFR004.D	1.	VOF3F173 0.1/0.5	1ppb 8260/5ppb KET-AA/25ppb TBA	17 Jun 2024 17:4
5	5	RFR005.D	1.	VOF3F174 0.2/1.0	2ppb 8260/10ppb KET-AA/50ppb TBA	17 Jun 2024 18:1
6	6	RFR006.D	1.	VOF3F175 0.5/2.5	5ppb 8260/25ppb KET-AA/125ppb TBA	17 Jun 2024 18:4
7	7	RFR007.D	1.	VOF3F176 1.0/5.0	10ppb 8260/50ppb KET-AA/250ppb TBA	17 Jun 2024 19:1
8	8	RFR008.D	1.	VOF3F177 2.0/10	20ppb 8260/100ppb KET-AA/500ppb TBA	17 Jun 2024 19:52
9	9	RFR009.D	1.	VOF3F178 3.0/15	30ppb 8260/150ppb KET-AA/750ppb TBA	17 Jun 2024 20:25
10	10	RFR010.D	1.	VOF3F179 5.0/25	50ppb 8260/250ppb KET-AA/1250ppb TBA	17 Jun 2024 20:58
11	11	RFR011.D	1.	VOF3F1710 10/50	100ppb 8260/500ppb KET-AA/2500ppb TBA	17 Jun 2024 21:31
12	12	RFR012.D	1.	RINSE		17 Jun 2024 22:03
13	13	RFR013.D	1.	RINSE		17 Jun 2024 22:36
14	14	RFR014.D	1.	IVOF3F1701	10ppb 8260/50ppb KET-AA/250ppb TBA	17 Jun 2024 23:09
15	15	RFR015.D	1.	RINSE		17 Jun 2024 23:42
16	16	RFR016.D	1.	LOD1 0.02/0.10	0.2ppb 8260/4.0ppb KET-AA/5.0ppb TBA	18 Jun 2024 00:15
17	17	RFR017.D	1.	LOD2 0.03/0.15	0.3ppb 8260/5.0ppb KET-AA/7.5ppb TBA	18 Jun 2024 00:47
18	18	RFR018.D	1.	LOD3	0.4ppb 8260/4.0ppb KET-AA/10ppb TBA	18 Jun 2024 01:20
19	19	RFR019.D	1.	LOQ	80ppb 1,4-Dioxane	18 Jun 2024 01:53

Injection Log

Directory: C:\HPCHEM\1\DATA\24F20

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	RFR059.D	1.	BFBF3F04 ✓	T/CHK	20 Jun 2024 11:14
2	2	RFR060.D	1.	CVOF3F1403 ✓ 2-chlorotoluene ↑RF	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 11:52
3	3	RFR061.D	1.	VOF3F04L	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 12:44
4	4	RFR062.D	1.	VOF3F04C ✓	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 13:17
5	5	RFR063.D	1.	RINSE	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 13:50
6	6	RFR064.D	1.	VOF3F04B ✓	25mL	20 Jun 2024 14:23
7	7	RFR065.D	1.	VOF3F04X ✓	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 14:56
8	8	RFR066.D	1.	RINSE		20 Jun 2024 15:29
9	9	RFR067.D	1.	24F036-11 ✓	25mL	20 Jun 2024 16:03
10	10	RFR068.D	1.	24F036-07 ✓	25mL	20 Jun 2024 16:35
11	11	RFR069.D	1.	24F036-10 ✓	25mL	20 Jun 2024 17:08
12	12	RFR070.D	1.	24F036-08 ✓	25mL	20 Jun 2024 17:41
13	13	RFR071.D	1.	24F034-01 ✓	25mL	20 Jun 2024 18:14
14	14	RFR072.D	1.	RINSE ✓	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 18:53
15	15	RFR073.D	1.	RINSE		20 Jun 2024 19:26
16	16	RFR074.D	1.	24F064-08 No closing kr	25mL	20 Jun 2024 19:59
17	17	RFR075.D	1.	24F064-09	25mL	20 Jun 2024 20:32
18	18	RFR076.D	1.	24F064-05	25mL	20 Jun 2024 21:05
19	19	RFR077.D	1.	24F064-07	25mL	20 Jun 2024 21:38
20	20	RFR078.D	1.	24F064-04	25mL	20 Jun 2024 22:11
21	21	RFR079.D	1.	24F064-10	25mL	20 Jun 2024 22:43
22	22	RFR080.D	1.	24F064-06	25mL	20 Jun 2024 23:16
23		RFR081.D	1.			

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Comments:

Book #: AF3-030
Instrument No.: F3
Analytical Sequence: 24F20
Method File: ~~V001E~~ V0F3F17
Analytical Batch: CV0F3F1703

INITIAL CALIBRATION REFERENCE			
DATE	6/17/24		
ICAL ID	VOF3 F17		
STANDARDS			
NAME	ID	Amount (µl)	Conc. (mg/L)
DCC CS2 GAS	SV1-43-93-02 -45-05-02	1 1	
DCC 4ADD	-43-95-02	1	
DCC 8260	-45-01-03	5	
DCC KET	-45-04-03	5	
BFB	-45-01-02	1	
IS/SURR.	-43-96-01	5	50/250
ICV/LCS CS2 GAS	-43-55-02 -45-76-03	1 1	
ICV/LCS 3ADD	-43-91-05	5	
ICV/LCS 8260	-43-77-01	5	
ICV/LCS KET	-43-94-02	5	
Data File Folder	24F20		
	LOT #	Syringe Lot #	
pH strip		MSV-03-04-12-4	
Chlorine strip		↓ -6	
Methanol			
$NaHSO_4$			
Reagent Water	RW4-23-001		
Sand			

SOP #
☑ EMAX-8260 Rev. No. 10
☐ EMAX-8260C Rev. No. 1
☐ EMAX-8260SIM Rev. No. 1
☐ EMAX-M8260SIM Rev. No. 0
☐ EMAX-TCPSIM Rev. No. 2
☐ EMAX-624 Rev. No. 6
☐ EMAX-624.1 Rev. No. 1
PURGE AMOUNT
☐ 5-mL Purge
☐ 10-mL Purge
☑ 25-mL Purge
SAMPLE MATRIX
☐ Soil (refer to sample weight log)
☑ Water
☑ pH <2. Outliers indicated on analytical sequence.
☑ Cl_2 <5ppm. Outliers indicated on analytical sequence.
☐ pH <2 and Cl2 are not applicable.

ELECTRONIC DATA ARCHIVAL	
Location	Date
HPCHEM_VOA/TOF3	

Analyzed By: LAP
Date: 6/20/24
Disposed By: LAP
Date Disposed: 6/21/24

Injection Log

Directory: C:\HPCHEM\1\DATA\24F20

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	RFR059.D	1.	BFBF3F04	T/CHK	20 Jun 2024 11:14
2	2	RFR060.D	1.	CVOF3F1703	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 11:52
3	3	RFR061.D	1.	VOF3F04L	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 12:44
4	4	RFR062.D	1.	VOF3F04C	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 13:17
5	5	RFR063.D	1.	RINSE	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 13:50
6	6	RFR064.D	1.	VOF3F04B	25mL	20 Jun 2024 14:23
7	7	RFR065.D	1.	VOF3F04X	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 14:56
8	8	RFR066.D	1.	RINSE		20 Jun 2024 15:29
9	9	RFR067.D	1.	24F036-11	25mL	20 Jun 2024 16:03
10	10	RFR068.D	1.	24F036-07	25mL	20 Jun 2024 16:35
11	11	RFR069.D	1.	24F036-10	25mL	20 Jun 2024 17:08
12	12	RFR070.D	1.	24F036-08	25mL	20 Jun 2024 17:41
13	13	RFR071.D	1.	24F034-01	25mL	20 Jun 2024 18:14
14	14	RFR072.D	1.	EVOF3F1703	10ppb 8260/50ppb KET-AA/250ppb TBA	20 Jun 2024 18:53
15	15	RFR073.D	1.	RINSE		20 Jun 2024 19:26
16	16	RFR074.D	1.	24F064-08	25mL	20 Jun 2024 19:59
17	17	RFR075.D	1.	24F064-09	25mL	20 Jun 2024 20:32
18	18	RFR076.D	1.	24F064-05	25mL	20 Jun 2024 21:05
19	19	RFR077.D	1.	24F064-07	25mL	20 Jun 2024 21:38
20	20	RFR078.D	1.	24F064-04	25mL	20 Jun 2024 22:11
21	21	RFR079.D	1.	24F064-10	25mL	20 Jun 2024 22:43
22	22	RFR080.D	1.	24F064-06	25mL	20 Jun 2024 23:16
23		RFR081.D	1.			

STANDARD LOGS

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-08-12	custom VOA mix 38-23	2000ppm	50mL	50.25ppm
			M 1/11/24	

Standard ID	SV1-43-48-01
Name	624 (1°)
Final Volume	2.0 mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/11/24
Exp. Date	7/11/24
Prepared By	M

Syringe ID: MSV-03-03-01

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-10-19	VOA calibration mix #1	5000ppm	0.5mL	250ppm
↓ -13-16	acrolein & acrylonitrile	↓	↓	↓
			M 1/11/24	

Standard ID	SV1-43-48-02
Name	Kct-AA (1°)
Final Volume	10 mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/11/24
Exp. Date	2/6/24
Prepared By	M

Syringe ID: MSV-03-01-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-14-14	2-butanol	10000ppm	1.0mL	500ppm
			M 1/15/24	

Standard ID	SV1-43-48-03
Name	2-butanol (2°)
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/15/24
Exp. Date	7/15/24
Prepared By	M

Syringe ID: MSV-03-01-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-30-11-10	carbon disulfide	5000 ppm	0.5 mL	250 ppm
				LAP 1/22/24

Standard ID	SV1-43-55-01
Name	CS2 (1°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	1/22/24
Exp. Date	7/22/24
Prepared By	LAP

Syringe ID: MSV-03-01-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-08-06	carbon disulfide	5000ppm	0.5mL	250ppm
				VL 1/22/24

Standard ID	SV1-43-55-02
Name	CS2 (2°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	1/22/24
Exp. Date	7/22/24
Prepared By	VL

Syringe ID: MSV-03-01-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-08-06	Carbon disulfide	5000ppm	0.5mL	250ppm
				ZL 1/22/24

Standard ID	SV1-43-55-03
Name	CS2 (2°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	1/22/24
Exp. Date	7/22/24
Prepared By	ZL

Syringe ID: MSV-03-01-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-14-15	tert-amyl alcohol	1000ppm	0.5mL	250ppm
			N	2/7/24

Standard ID	SV1-43-69-01
Name	TAA (2°)
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-02
Prep. Date	2/7/24
Exp. Date	8/7/24
Prepared By	N

Syringe ID: MSV-03-03-04

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-06-16	224-trimethylpentane	1000ppm	100uL	50ppm
			N	2/7/24

Standard ID	SV1-43-69-02
Name	224-TMP (2°)
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-02
Prep. Date	2/7/24
Exp. Date	8/7/24
Prepared By	N

Syringe ID: MSV-03-03-04

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-10-08	methyl acetate	1000ppm	0.5mL	50ppm
↓ -14-20	cyclohexane	↓	↓	↓
↓ -14-11	methylcyclohexane			
			N	2/7/24

Standard ID	SV1-43-69-03
Name	3add (2°)
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-02
Prep. Date	2/7/24
Exp. Date	8/7/24
Prepared By	N

Syringe ID: MSV-03-03-04

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-14-05	VOA Calibration Mix #1	5000ppm	0.5mL	250ppm
↓ 38-15-04	Acrolein + Acrylonitrile	↓	↓	↓
				DH 2/26/24

Standard ID	SV1-43-76-01
Name	Ket-AA (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-11-24-02
Prep. Date	2/26/24
Exp. Date	5/26/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-30-02-02	VOA TUNING CMPD MIX	5000ppm	100uL	50ppm
				EL 2/26/24

Standard ID	SV1-43-76-02
Name	BFB
Final Volume	10mL
MeOH Solvent ID	SWIA-01-24-01
Prep. Date	2/26/24
Exp. Date	8/26/24
Prepared By	EL

Syringe ID: MSV-03-02-25

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-13-17	vinyl acetate	2000ppm	1.25mL	250 ppm
↓ -12-05	8260 gases	↓	↓	↓
				LAP 2/27/24

Standard ID	SV1-43-76-03
Name	GAS (2°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-11-24-02
Prep. Date	2/26/24
Exp. Date	8/26/24
Prepared By	DH

Syringe ID: MSV-03-03-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-09-20	custom 8260 megamix	2000 ppm	250 µL	50 ppm
-02-03	cal oxy mix #1	↓	↓	↓
-11-19	2-Cleve	↓	↓	↓
-10-02	1-chlorohexane	1000 ppm	0.5 mL	↓
-12-06	1,2,3-TMB	2500 ppm	200 µL	↓
↓ -11-16	TBA	50,000 ppm	↓	1000 ppm
				LAP 2/27/24

Standard ID	SV1-43-77-01
Name	8260 (2°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-11-24-02
Prep. Date	2/26/24
Exp. Date	8/26/24
Prepared By	DH

Syringe ID: MSV-03-03-11
↓ -02-04

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-19	VOC Gas Mix	2000 ppm	1.25 mL	250 ppm
↓ -14-09	Vinyl Acetate	2500 ppm	1.0 mL	↓
			IR	2/27/24

Standard ID	SV1-43-77-02
Name	Gas (1°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	2/27/24
Exp. Date	8/27/24
Prepared By	IR

Syringe ID: MSV-03-01-13
-03-03-05

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-09-16	8260 IS	2500 ppm	200 µL	50 ppm
↓ -10-13	8260 A Surr	2500 ppm	↓	↓
			IR	3/04/24

Standard ID	SV1-43-77-03
Name	IS/SS
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	03/04/24
Exp. Date	09/04/24
Prepared By	IR

Syringe ID: MSV-03-03-05

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-08-17	1,2,3 TCP-d5	1000 ppm	5.0 µL	2.5 ppm
↓ -01-02	Toluene-d8	2000 ppm	2.5 µL	↓
		IR 5/07/24		

Standard ID	SV1-43-93-01
Name	IS/SS 123707
Final Volume	2.0mL
MeOH Solvent ID	SW1A-08-24-01
Prep. Date	5/07/24
Exp. Date	11/07/24
Prepared By	IR

Syringe ID: MSV-03-04-09-3

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-10	Carbon Disulfide	5000 ppm	500 µL	250 ppm
			DH 5/8/24	

Standard ID	SV1-43-93-02
Name	CS2 (1°)
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/8/24
Exp. Date	11/8/24
Prepared By	DH

Syringe ID: MSV-03-08-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-14-05	VOA Calibration Mix #1	5000 ppm	0.5mL	250 ppm
SV1-38-15-12	Acrolein & Acrylonitrile	↓	↓	↓
			DH 5/8/24	

Standard ID	SV1-43-93-03
Name	Ket-1A (1°)
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/8/24
Exp. Date	7/26/24
Prepared By	DH

Syringe ID: MSV-05-08-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-15-10	8260 gases	2000 ppm	1.25 mL	250 ppm
↓ -38-15-13	vinyl acetate	↓	↓	↓
			DH 5/8/24	

Standard ID	SV1-43-94-01
Name	GAS (2°)
Final Volume	10 mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/8/24
Exp. Date	11/8/24
Prepared By	LAP

Syringe ID: MSV-03-03-11
↓ -03-04-23

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-15-09	Ketones soln.	2500 ppm	1.0 mL	250 ppm
SV1-38-15-14	Acrolein & Acrylonitrile	↓	1.25 mL	↓
			DH 5/8/24	

Standard ID	SV1-43-94-02
Name	KET-AA (2°)
Final Volume	10 mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/8/24
Exp. Date	7/31/24
Prepared By	LAP

Syringe ID: MSV-03-03-11
↓ ~~03-03~~ DH 5/8/24
MSV-0304-23

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-13-12	8260 IS Mix, 3-30	2500 ppm	1.0 mL	250 ppm
			LAP 5/10/24	

Standard ID	SV1-43-94-03
Name	IS
Final Volume	10 mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	5/10/24
Exp. Date	11/10/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-13-12	8260 IS Mix, 3730	2500 ppm	1.0mL	250 ppm
			LAP 5/10/24	

Standard ID	SV1-43-95-01
Name	IS
Final Volume	10mL
MeOH Solvent ID	SWLA-011-24-01
Prep. Date	5/10/24
Exp. Date	11/10/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-14-01	Methyl acetate	2500 ppm	1.0 mL	250 ppm
↓ -12-13	Methylcyclohexane	↓	↓	↓
-13-14	cyclohexane	2000 ppm	1.25 mL	↓
↓ -08-11	2-butanol	50,000 ppm	↓	@250 ppm
			LAP 5/11/24	

Standard ID	SV1-43-95-02
Name	4 ADD (1°)
Final Volume	10mL
MeOH Solvent ID	SWLA-011-24-01
Prep. Date	5/11/24
Exp. Date	11/11/24
Prepared By	LAP

Syringe ID: MSV-03-03-11
↓ -02-23

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-13-12	8260 IS Mix	2500ppm	200µL	DH 5/15/24 250ppm
↓ 38-15-15	8260A Surr Mix	↓	↓	↓
			DH 5/12/24	

Standard ID	SV1-43-95-03
Name	IS/SS
Final Volume	10mL
MeOH Solvent ID	SWAA-011-24-01
Prep. Date	5/13/24
Exp. Date	11/13/24
Prepared By	DH

Syringe ID: MSV-08-03-11
↓ -02-23

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

DH 5/15/24

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-15-12	8260 IS Mix	2500ppm	200µL	250ppm
↓ 38-15-15	8260A Surr Mix	↓	↓	↓
			DH 5/15/24	

Standard ID	SV1-43-96-01
Name	IS/SS
Final Volume	10mL
MeOH Solvent ID	SWA-011-24-01
Prep. Date	5/13/24
Exp. Date	11/13/24
Prepared By	DH

Syringe ID: MSV-03-03-11 ↓ 02-023

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-13-02	8260 IS	2500ppm	40µL	20ppm
			DH 5/16/24	

Standard ID	SV1-43-96-02
Name	IS (E2)
Final Volume	5mL
MeOH Solvent ID	SWA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/5/24
Prepared By	DH

Syringe ID: MSV-03-02-24

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-10-13	8260A SU	2500ppm	1.0mL	250ppm
			DH 5/16/24	

Standard ID	SV1-43-96-03
Name	SS
Final Volume	10mL
MeOH Solvent ID	SWA-011-24-01
Prep. Date	5/16/24
Exp. Date	11/16/24
Prepared By	DH

Syringe ID: MSV-03-01-14

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-45

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SVI-30-02-02	VOA Tuning Compound Mix	5000 ppm	100 µL	50 ppm

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-45

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SVI-38-06-03	524.2 Surr Std mix	2000ppm	250uL	250ppm

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-45

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-30-14-05	VOA Calibration Mix #1	5000 ppm	0.5 mL	250 ppm
↓ -10-03	Acrolein & Acrylonitrile	↓	↓	↓
				LAP 6/10/24

Standard ID	SV1-45-05-01
Name	KET-AA (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	6/10/24
Exp. Date	9/28/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-30-15-15	VOC Gas Std.	2000 ppm	1.25 ml	250 ppm
↓ -18	Vinyl acetate	2500 ppm	1.0 ml	↓
				LAP 6/10/24

Standard ID	SV1-45-05-02
Name	GAS (1°)
Final Volume	10mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	6/10/24
Exp. Date	12/10/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-30-08-06	Carbon Disulfide	5000ppm	0.5mL	250 ppm
				LAP 6/10/24

Standard ID	SV1-45-05-03
Name	CS2 (2°)
Final Volume	10 mL
MeOH Solvent ID	SWIA-011-24-01
Prep. Date	6/10/24
Exp. Date	12/10/24
Prepared By	LAP

Syringe ID: MSV-03-03-11

Comments:

SV1-38-14-14

SPEXertificate®

Certificate of Reference Material

Catalog Number: S-615
Description: 2-Butanol
Matrix: P&T Methanol

Lot No. NSI231128601

Manufactured Date: 11/28/2023
Expiration Date: 11/30/2026

This **SPEXOrganics®** Certified Reference Material, CRM, was manufactured by NSI Lab Solutions (www.nsilabsolutions.com) and is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled (ug/mL)	Purity	Certified† (ug/mL)		Uncertainty (ug/mL)
2-Butanol	78-92-2	1000	100%	1000	±	7.05

SV-38-14-14

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified Volumetrically and Analytically. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration is based on gravimetric or volumetric measurements. All balances are checked daily by an in-house standard operating procedure. The weights used for this daily verification are calibrated annually by an ISO/IEC 17025 accredited calibration laboratory and are certified traceable to NIST. Certificate of Calibration and Traceability available upon request. All glassware used in the manufacturing of this standard is Class A. Volumetric pipettors are calibrated every four months by an ISO/IEC 17025 accredited calibration laboratory.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: 11/28/2023

Certifying Officer: Kenneth Grzybowski

SVI-38-08-06

Agilent

Certificate of Analysis

Product Name: Carbon Disulfide Standard

Product Number: EPA-1012-1 **Lot Issue Date:** 21-Sep-2020

Lot Number: 0006557585 **Expiration Date:** 30-Sep-2024

Description:
This analytical reference material (RM) was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	Concentration ± Uncertainty
carbon disulfide	000075-15-0	RM08158	5023 ± 25 µg/mL

Matrix: methanol (methyl alcohol)

Storage Conditions: Store Frozen (-25° to -10°C).

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This RM was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Intended Use:
This RM is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Hazards:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this RM.

Expiration of Certification:
The certification of this RM is valid until the expiration date specified above, provided the RM is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the RM is damaged, contaminated, or otherwise modified.

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER
ISO 17034 Cert No. AR-1936

RM was produced in accordance with TUV USA Inc registered ISO 9001 Quality Management System. Cert # 56 100 18560026
Page: 1 of 1
www.agilent.com/quality/
CSD-QA-015.1

ANAB ACCREDITED TESTING LABORATORY
ISO 17025 Cert No. AT-1937

spex certiprep
ACCREDITED
Reference Materials Producer
Cert #2495.01

SPEXertificate®
Certificate of Reference Material

ACCREDITED
Chemical Testing
Cert #2495.02

Catalog Number: S-3893 **Lot No.** ND210224010

Description: Methyl acetate

Matrix: Methanol (Purge & Trap Grade)

Ship Date: January 5, 2023
Expiration Date: January 4, 2026

This **SPEXOrganics®** Certified Reference Material, CRM, is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled	Purity	Certified†	Uncertainty
Methyl acetate	79-20-9	1000 µg/mL	99.5%	1015 µg/mL	± 36 µg/mL

SVI-38-10-08

* - isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified by Gas Chromatography/Mass Spectrometry. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration based on gravimetric weights and corrected for the purity of the compound(s) used to prepare the standard. Analytical balance calibration is verified daily and traceable to NIST and NJ Division of Weights and Measures.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: January 5, 2023

Certifying Officer: Shannon Mora
Shannon Macieira, Operations Manager

© 2021 | Spex, an Antylia Scientific company.

SVI-38-14-20

SPEXertificate®

Certificate of Reference Material

Catalog Number: S-1015 **Lot No.** NSI231122602
Description: Cyclohexane
Matrix: Methanol (Purge & Trap Grade) **Manufactured Date:** 11/22/2023
Expiration Date: 11/30/2026

This **SPEXOrganics®** Certified Reference Material, CRM, was manufactured by NSI Lab Solutions (www.nsilabsolutions.com) and is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled (ug/mL)	Purity	Certified† (ug/mL)		Uncertainty (ug/mL)
Cyclohexane	110-82-7	1000	100.0%	999	±	7.05

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified Volumetrically and Analytically. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration is based on gravimetric or volumetric measurements. All balances are checked daily by an in-house standard operating procedure. The weights used for this daily verification are calibrated annually by an ISO/IEC 17025 accredited calibration laboratory and are certified traceable to NIST. Certificate of Calibration and Traceability available upon request. All glassware used in the manufacturing of this standard is Class A. Volumetric pipettors are calibrated every four months by an ISO/IEC 17025 accredited calibration laboratory.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: 11/22/2023 Certifying Officer: Kenneth Grzybowski

SV1-38-14-11

SPEXertificate®

Certificate of Reference Material

Catalog Number: S-2470 **Lot No.** NSI231116202
Description: Methylcyclohexane
Matrix: P&T Methanol
Manufactured Date: 11/16/2023
Expiration Date: 11/30/2026

This **SPEXOrganics®** Certified Reference Material, CRM, was manufactured by NSI Lab Solutions (www.nsilabsolutions.com) and is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled (ug/mL)	Purity	Certified† (ug/mL)		Uncertainty (ug/mL)
Methylcyclohexane	108-87-2	1000	98.0%	1000	±	7.05

SV1-38-14-11

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified Volumetrically and Analytically. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration is based on gravimetric or volumetric measurements. All balances are checked daily by an in-house standard operating procedure. The weights used for this daily verification are calibrated annually by an ISO/IEC 17025 accredited calibration laboratory and are certified traceable to NIST. Certificate of Calibration and Traceability available upon request. All glassware used in the manufacturing of this standard is Class A. Volumetric pipettors are calibrated every four months by an ISO/IEC 17025 accredited calibration laboratory.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: 11/16/2023 Certifying Officer: Kenneth Grzybowski

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SVI - 38-13-17

CERTIFICATE OF ANALYSIS

Catalog No: APP-9-211-20X
Description: Vinyl acetate
Lot: 223101241
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Oct 19, 2023
Expiration: Apr 19, 2024
Sample Size: 1 mL
Components: 1
Storage Condition: Freeze (<-10 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Vinyl acetate	108-05-4	100.0	2039	2039

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/NO-001
Rev. 7/20

SV1-38-12-05

ibis scientific

Ibis Scientific, 7330 Smoke Ranch Rd., Suite B, Las Vegas, NV 89128 (855) 390-4202

Date manufactured: 11/9/2021
Original issue date: 11/9/2021

Certificate of Analysis

Date Received: _____

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
3200-G34 -120016-03	500823	≤ -10 °C	P/T Methanol	8-Nov-2026	**ISO 17034 - Method 8260 Gases, 2,000 mg/L, 2 x 0.6 mL**

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC), gas chromatography/mass spectrometry (GC/MS), or High Pressure Liquid Chromatography (HPLC) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a k value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
bromomethane	74-83-9	99.5	139.158.1.1P	2006 ± 120
chloroethane	75-00-3	99.94	141.2.3P	1997 ± 120
chloromethane	74-87-3	99.7	140.158.3P	1999 ± 120
dichlorodifluoromethane	75-71-8	99	142.158.5P	1987 ± 130
trichlorofluoromethane	75-69-4	99	144.1.3P	2007 ± 120
vinyl chloride	75-01-4	99	143.158.5.2P	1994 ± 130

Second Source standards are prepared according to NELAC requirements.

Intended Use:

This certified reference material (CRM) is intended for use as a calibration standard or a quality control standard for chromatography instrumentation such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various USEPA, NIOSH, and ASTM methods.

Recommended storage container for ampouled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix
y = boiling point of the solvent

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 575702 **Lot No.:** A0191824

Description : Custom Revised 8260 Megamix

Custom Revised 8260 Megamix 2,000 - 40,000µg/mL, P&T Methanol, 1mL/ampul

SVI-38-09-20

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : November 30, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dichlorofluoromethane (CFC-21)	75-43-4	12841600	99%	2,000.0 µg/mL	+/- 69.1292
2	Diethyl ether (ethyl ether)	60-29-7	SHBP5008	99%	2,011.0 µg/mL	+/- 69.5094
3	1,1,2-Trichlorotrifluoroethane (CFC-113)	76-13-1	00016133	99%	2,008.0 µg/mL	+/- 69.4057
4	1,1-dichloroethene	75-35-4	SHBG8609V	99%	2,001.6 µg/mL	+/- 69.9029
5	Iodomethane (methyl iodide)	74-88-4	RD220125	99%	2,007.5 µg/mL	+/- 69.3884
6	Allyl chloride (3-chloropropene)	107-05-1	RP220405A	99%	2,011.0 µg/mL	+/- 69.5094
7	Methylene chloride (dichloromethane)	75-09-2	SHBP1417	99%	2,001.6 µg/mL	+/- 69.9056
8	trans-1,2-Dichloroethene	156-60-5	MKBH9850V	99%	2,001.7 µg/mL	+/- 69.9064
9	1,1-Dichloroethane	75-34-3	760200	99%	2,001.1 µg/mL	+/- 69.8864
10	Chloroprene (2-chloro-1,3-butadiene)	126-99-8	220712JLM	99%	2,014.0 µg/mL	+/- 69.6131
11	Propionitrile	107-12-0	BCCF4167	99%	20,009.5 µg/mL	+/- 691.5748
12	2,2-Dichloropropane	594-20-7	RD220812	99%	2,004.3 µg/mL	+/- 70.0110
13	cis-1,2-Dichloroethene	156-59-2	MKCP7830	99%	2,014.0 µg/mL	+/- 70.3516
14	Methacrylonitrile	126-98-7	1012014	99%	20,031.5 µg/mL	+/- 692.3351
15	Methyl acrylate	96-33-3	SHBG6616V	99%	2,007.0 µg/mL	+/- 69.3711
16	Isobutanol (2-Methyl-1-propanol)	78-83-1	SHBP7066	99%	40,013.5 µg/mL	+/- 1,382.9594

SVI-38-02-03

RESTEK® CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

Certificate of Analysis

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30465 **Lot No.:** A0168072

Description : California Oxygenates Mixture #1

California Oxygenates Mixture #1 2000-10000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : January 31, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)	
1	tert-Butanol (TBA) **CAS #** 75-65-0 (Lot SHBL5806) **Purity** 99%	10,038.8 µg/mL	+/- 58.7794 µg/mL +/- 215.0444 µg/mL +/- 221.2897 µg/mL	Gravimetric Unstressed Stressed
2	Methyl-tert-butyl ether (MTBE) **CAS #** 1634-04-4 (Lot SHBL0822) **Purity** 99%	2,005.6 µg/mL	+/- 11.7700 µg/mL +/- 42.9699 µg/mL +/- 44.2174 µg/mL	Gravimetric Unstressed Stressed
3	Diisopropyl ether (DIPE) **CAS #** 108-20-3 (Lot SHBH1927V) **Purity** 99%	2,009.6 µg/mL	+/- 11.7935 µg/mL +/- 43.0556 µg/mL +/- 44.3056 µg/mL	Gravimetric Unstressed Stressed
4	Ethyl-tert-butyl ether (ETBE) **CAS #** 637-92-3 (Lot MKCM3774) **Purity** 99%	2,006.0 µg/mL	+/- 11.7723 µg/mL +/- 42.9785 µg/mL +/- 44.2263 µg/mL	Gravimetric Unstressed Stressed
5	tert-Amyl methyl ether (TAME) **CAS #** 994-05-8 (Lot HMBG7745V) **Purity** 99%	2,007.2 µg/mL	+/- 11.7794 µg/mL +/- 43.0042 µg/mL +/- 44.2527 µg/mL	Gravimetric Unstressed Stressed

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: M-601C-10X
Description: 2-Chloroethylvinyl ether
Lot: 223041132
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Apr 11, 2023
Expiration: Apr 11, 2026
Sample Size: 1 mL
Components: 1
Storage Condition: Freeze (<-10 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ilac-MRA

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
2-Chloroethylvinyl ether	110-75-8	100.0	2005	2005

SVI-38-11-19

Uncontrolled Copy

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST. Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

SVL-38-10-02

ISO 17034

Agilent

Trusted Answers

Reference Material Certificate

Product Name:	1-Chlorohexane Standard	**Lot Number:**	0006668972
Product Number:	EPA-1208-1	**Lot Issue Date:**	10-Mar-2022
Storage Conditions:	Store at Room Temperature (15° to 30°C).	**Expiration Date:**	30-Apr-2025

	CERTIFIED VALUES			
Component Name	Concentration	Expanded Uncertainty	CAS#	Analyte Lot
1-chlorohexane	1003	± 5 µg/mL	000544-10-5	RM15291

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Expiration of Certification:
The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

Ibis Scientific, 7330 Smoke Ranch Rd., Suite B, Las Vegas, NV 89128 (855)390-4202

Date manufactured: 6/24/2022
Original issue date: 6/24/2022

Certificate of Analysis

Date Received: _____

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
3200-44	503601	≤ -10 °C	P/T Methanol	23-Jun-2027	1,2,3-Trimethylbenzene Solution, 2500 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
1,2,3-trimethylbenzene	526-73-8	92.7	869.8.4.1P	2536 ± 32.33

SVI-38-12-06

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

SV1-38-11-18

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30470 **Lot No.:** A0188432

Description : tert-Butanol Standard

tert-Butanol Std 50,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : August 31, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound		Grav. Conc. (weight/volume)		Expanded Uncertainty (95% C.L., K=2)		
1	tert-Butanol (TBA)		50,300.0 µg/mL		+/- 294.5176	µg/mL	Gravimetric
	CAS # 75-65-0	(Lot 101619K21F-1)			+/- 1,077.4927	µg/mL	Unstressed
	Purity 99%				+/- 1,108.7850	µg/mL	Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 3/10/2023
Original issue date: 3/10/2023

Certificate of Analysis

Date Received:

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020200-04	498954	≤ -10 °C	P/T Methanol	8-Mar-2028	Carbon Disulfide Solution, 5,000 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
carbon disulfide	75-15-0	99.9	200.24.1VP	5075 ± 260

*Not a certified value

SVL-38-11-10

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVI-38-15-09

14271 Jeffrey Road
#223
Irvine, CA 92620

ibis scientific

For Chemical Emergency, Spill, Leak, Fire Exposure or Accident Call Chromanex Day or Night 800.390.4202

Date Received: 2/8/24

Quality System Audited & Registered by TUV USA to ISO 9001:2015

Certificate of Analysis

Rev 0 Page

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
G34-3200-121020-17	480682	≤ -10 °C	P/T MeOH:Water 9:1	4/28/2027	Ketones Solution, 2500 mg/L, 1 ml ISO17034

Compound	CAS No	Purity (%)	Compound Lot No	Concentration, mg/L
acetone	67-64-1	99.6	196.271.4P	2498 ± 53.47 mg/L
2-butanone (MEK)	78-93-3	99.9	197.1.2P	2498 ± 53.51 mg/L
4-methyl-2-pentanone (MIBK)	108-10-1	99.88	198.421.1.2P	2500 ± 54.02 mg/L
2-hexanone	591-78-6	100	199.7.3P	2501 ± 53.58 mg/L

Melissa Workoff

Certified By: _____
Melissa Workoff

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values

Agilent

Trusted Answers

ISO 17034

Reference Material Certificate

Product Information Sheet

Product Name:	Acrolein and Acrylonitrile Standard	**Lot Number:**	0006788822
Product Number:	AMN-623-1	**Lot Issue Date:**	20-Mar-2024
Storage Conditions:	Store Frozen (-25° to -10°C). SVI-38-15-14	**Expiration Date:**	31-Jul-2024

Component Name	Concentration		Uncertainty	CAS#	Analyte ID
acrolein	2008	±	10 µg/mL	000107-02-8	RM22126
acrylonitrile	2009	±	10 µg/mL	000107-13-1	RM20527

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Expiration of Certification:
The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

CSD-QA-015.2

ISO 17025
Cert No. AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 www.agilent.com/quality

SVI-38-13-12

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 7/13/2022
Original issue date: 7/13/2022

Certificate of Analysis

Date Received: 10/6/23

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -122455-05	484785	-18°C +/- 4°C	P/T Methanol	12-Jul-2027	Method 8260 Internal Standard Mix, 3-30, 2,500 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
chlorobenzene-d5	3114-55-4	99.5	128.120.1P	2504 ± 130
1,2-dichlorobenzene-d_4	2199-69-1	99.7	247.29.3P	2514 ± 130
1,4-difluorobenzene	540-36-3	99.3	129.158.1.2P	2523 ± 140

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SVI-38-14-01

Catalog No: S-6524-0.25X
Description: Methyl acetate
Lot: 223081092
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 7, 2023
Expiration: Aug 7, 2033
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Methyl acetate	79-20-9	100.0	2506	2506

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

OR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SV1-38-12-13

Catalog No: TK-102-09S-12.5X
Description: Methylcyclohexane
Lot: 222081023
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 2, 2022
Expiration: Aug 2, 2032
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity % (GC/FID)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Methylcyclohexane	108-87-2	100.0	2538	2538

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SV1-38-13-19

CERTIFICATE OF ANALYSIS

Catalog No: TK-102-08S-10X
Description: Cyclohexane
Lot: 221101280
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Oct 19, 2021
Expiration: Oct 19, 2031
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER AR-1463

ISO MEA

Component	CAS #	Purity % (GC/MS)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Cyclohexane	110-82-7	100.0	2008	2008

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289671-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SVI-38-08-11

Date manufactured: 10/4/2022
Original issue date: 10/4/2022

Certificate of Analysis

Date Received:

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020354-09	489953	≤ -10 °C	P/T Methanol	3-Oct-2027	2-Butanol Solution, 50000 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-butanol	78-92-2	99.8	354.7.1P	50000 ± 2600

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

SM-38-10-13

Certificate of Analysis

chromatographic plus

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30240 **Lot No.:** A0192204

Description : 8260A Surrogate Mix

8260A Surrogate Mix 2,500µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : December 31, 2027 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2
1	Dibromofluoromethane	1868-53-7	022013	99%	2,517.6 µg/mL	+/- 141.4279
2	1,2-Dichloroethane-d4	17060-07-0	PR-32845	99%	2,507.6 µg/mL	+/- 140.8661
3	Toluene-d8	2037-26-5	I-27008	99%	2,511.4 µg/mL	+/- 141.0796
4	1-Bromo-4-fluorobenzene (BFB)	460-00-4	184975	99%	2,517.8 µg/mL	+/- 141.4391

* Expanded Uncertainty displayed in same units as Grav. Cor

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

SV1-30-02-02

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30003 **Lot No.:** A0150458

Description : VOA Tuning Compound Mix

VOA Tuning Compound Mix 5,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2024 **Storage:** 0°C or colder

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)		
1	1-Bromo-4-fluorobenzene (BFB)	5,030.0 µg/mL	+/- 29.5189	µg/mL	Gravimetric
	CAS # 460-00-4 (Lot 20401KO)		+/- 282.0557	µg/mL	Unstressed
	Purity 99%		+/- 288.6541	µg/mL	Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

SVI-38-13-10

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 10/2/2023
Original issue date: 10/2/2023

Certificate of Analysis

Date Received: 10/6/23

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -126047-01	510112	≤ -10 °C	P/T Methanol	4-Apr-2025	Custom Volatiles Mix, 73-6047, Various Concentrations, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-nitropropane	79-46-9	97.7	219.1.2P	1999 ± 51
allyl chloride	107-05-1	98.9	227.1.2P	1990 ± 300
benzene	71-43-2	99.99	146.1.10VP	2000 ± 51
bromobenzene	108-86-1	100	147.1.3P	2003 ± 51
bromochloromethane	74-97-5	99	148.158.1.1P	2001 ± 65
bromodichloromethane	75-27-4	99.2	149.1.12P	1998 ± 51
bromoform	75-25-2	99.3	150.7.2P	2001 ± 51
n-butylbenzene	104-51-8	99.2	151.7.3.2P	1998 ± 51
sec-butylbenzene	135-98-8	99.5	152.1.2.1P	1999 ± 51
tert-butylbenzene	98-06-6	99.9	153.29.1P	1999 ± 51
carbon tetrachloride	56-23-5	100	154.9.1P	2000 ± 51
chlorobenzene	108-90-7	99.9	155.29.1VP	1999 ± 51
2-chloroethanol	107-07-3	99.5	217.1.3P	2000 ± 51
chloroform	67-66-3	99.8	156.7.1VP	1996 ± 51
chloroprene	126-99-8	98.9	315.5.22P	1982 ± 110
2-chlorotoluene	95-49-8	99.5	157.7.1VP	2001 ± 51
4-chlorotoluene	106-43-4	99.9	158.9.3P	2000 ± 51

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SV1-30-13-20

CERTIFICATE OF ANALYSIS

Catalog No: OGAD-001
Description: Oxygenate Gasoline Additive Standard
Lot: 222081419
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 29, 2022
Expiration: Aug 29, 2025
Sample Size: 1 mL
Components: 5
Storage Condition: Refrig (0-5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity % (GC/MS)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
MtBE	1634-04-4	99.8	2001	1997
EtBE	637-92-3	99.9	2004	2002
Isopropyl ether	108-20-3	100.0	2010	2010
TAME	994-05-8	99.0	2000	1980
t-Butanol	75-65-0	99.6	10005	9965

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORGANO-001
Rev. 7/20

SVI-38-B-08

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 8/24/2022
Original issue date: 8/24/2022

Certificate of Analysis

Date Received: 10/6/23
 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020145-02	492308	≤ -10 °C	P/T Methanol	23-Aug-2027	2-Chloroethyl Vinyl Ether Solution, 2,000 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-chloroethylvinyl ether	110-75-8	99.8	145.1.5P	2010 ± 110

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SVI - 38-13-18

CERTIFICATE OF ANALYSIS

Catalog No: M-8010R-1-04-10X
Description: 1-Chlorohexane
Lot: 223031117
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 8, 2023
Expiration: Mar 8, 2033
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
1-Chlorohexane	544-10-5	98.0	2024	1984

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

SVI-38-13-13

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 6/24/2022
Original issue date: 6/24/2022

Certificate of Analysis

Date Received: 10/6/23
 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020869-08	484154	≤ -10 °C	P/T Methanol	23-Jun-2027	1,2,3-Trimethylbenzene Solution, 2,500 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
1,2,3-trimethylbenzene	526-73-8	92.7	869.8.4.1P	2536 ± 140

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SM - 38-12-11

Date manufactured: 11/16/2022
Original issue date: 11/16/2022

Certificate of Analysis

Date Received:

 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020511-06	492310	≤ -10 °C	P/T Methanol	15-Nov-2027	t-Butyl Alcohol Solution, 50,000 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
tert-butyl alcohol	75-65-0	100	511.7.2P	50110 ± 2600

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SV1-38-14-05

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30006 **Lot No.:** A0198760

Description : VOA Calibration Mix #1

VOA Calibration Mix #1 5,000µg/mL, P&T Methanol/Water(90:10), 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2026 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Acetone	67-64-1	27D1062005	99%	5,000.2 µg/mL	+/- 172.7826
2	2-Butanone (MEK)	78-93-3	SHBL5543	99%	5,006.0 µg/mL	+/- 172.9842
3	4-Methyl-2-pentanone (MIBK)	108-10-1	SHBN3601	99%	5,009.5 µg/mL	+/- 173.1052
4	2-Hexanone	591-78-6	MKCQ6663	99%	5,009.3 µg/mL	+/- 173.0994

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol/Water (90:10)
CAS # 67-56-1/7732-18-5
Purity 99%

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SVI-38-IL-08

Catalog No: M-603-M-5X
Description: Acrolein & Acrylonitrile
Lot: 224051425
Solvent: Methanol (90%)
Water (10%)
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: May 28, 2024
Expiration: Sep 28, 2024
Sample Size: 1 mL
Components: 2
Storage Condition: Freeze (<-10 °C)

Certified Reference Material

ANAB ACCREDITED ISO 17034 AR-1463

ilac-MRA

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Acrolein	107-02-8	90.5	5550*	5023
Acrylonitrile	107-13-1	99.8	5038	5028

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

* Weight compensated to 100% purity.

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4% and was determined in accordance with ISO 17034. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

OR-ORG/NO-001
Rev. 7/20

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

SVA- 38-15-15

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30240 **Lot No.:** A0206374

Description : 8260A Surrogate Mix

8260A Surrogate Mix 2,500µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : January 31, 2029 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dibromofluoromethane	1868-53-7	022013	99%	2,500.8 µg/mL	+/- 140.4813
2	1,2-Dichloroethane-d4	17060-07-0	PR-33313	99%	2,500.8 µg/mL	+/- 140.4813
3	Toluene-d8	2037-26-5	PR-34141	99%	2,501.0 µg/mL	+/- 140.4953
4	1-Bromo-4-fluorobenzene (BFB)	460-00-4	0000194533	99%	2,500.5 µg/mL	+/- 140.4672

* Expanded Uncertainty displayed in same units as Grav. Conc

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SVI-38-15-18

Date manufactured: 11/16/2022
Original issue date: 11/16/2022

Certificate of Analysis

Date Received:

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020232-10	492307	≤ -10 °C	P/T Methanol	20-Nov-2025	Vinyl Acetate Solution, 2,500 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
vinyl acetate	108-05-4	99.9	232.7.1P	2496 ± 160

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

RAW DATA
VOLATILE ORGANICS
(SOIL)

LABORATORY REPORT FOR

PARSONS

TITAN 1-A

METHOD SW5035A/8260B
VOLATILE ORGANICS BY GC/MS

SDG#: 24F034

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F034

METHOD SW5035A/8260B
VOLATILE ORGANICS BY GC/MS

One(1) soil sample was received on 06/07/24 to be analyzed for Volatile Organics by GC/MS in accordance with Method SW5035A/8260B and project specific requirements.

Holding Time
The sample was analyzed within the prescribed holding time.

Instrument Performance and Calibration
Instrument tune check was performed prior to calibration. Result was within acceptance criteria. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried out at a frequency required by the project. There were two(2) CCVs (Data File IDs: RFP096 and RFP102) associated with this SDG. All calibration requirements were satisfied. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. VS02F05B - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. VS02F05L/VS02F05C were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample
No matrix QC sample was provided on this SDG.

Surrogate
Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis
The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met. The internal standard 1,2-Dichlorobenzene-d4 was outside of QC Limit, and all associated target analytes were not found in 24F034-02.

LAB CHRONICLE
VOLATILE ORGANICS BY GC/MS

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F034
Instrument ID : 02

SOIL

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
LCS1S	VS02F05L	1	NA	06/10/2411:21	06/10/2411:21	RFP097	RAF137	VS02F05	Lab Control Sample (LCS)
LCD1S	VS02F05C	1	NA	06/10/2411:45	06/10/2411:45	RFP098	RAF137	VS02F05	LCS Duplicate
MBLK1S	VS02F05B	1	NA	06/10/2412:34	06/10/2412:34	RFP100	RAF137	VS02F05	Method Blank
IDW-SOIL_JUN24	24F034-02	1	10.5	06/10/2412:58	06/10/2412:58	RFP101	RAF137	VS02F05	Field Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD SW5035A/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/06/24 11:20
Project	: TITAN 1-A	Date Received:	06/07/24
Batch No.	: 24F034	Date Extracted:	06/10/24 12:58
Sample ID	: IDW-SOIL_JUN24	Date Analyzed:	06/10/24 12:58
Lab Samp ID:	24F034-02	Dilution Factor:	1
Lab File ID:	RFP101	Matrix:	SOIL
Ext Btch ID:	VS02F05	% Moisture:	10.5
Calib. Ref.:	RAP137	Instrument ID:	02

PARAMETER(S)	RESULTS (ug/kg)	LOQ (ug/kg)	DL (ug/kg)	LOD (ug/kg)
1,1-Dichloroethene	ND	3.0	0.30	0.59
1,2-Dichloroethane	ND	3.0	0.30	0.59
1,4-Dichlorobenzene	ND	3.0	0.30	0.59
2-Butanone	ND	12	3.0	5.9
Benzene	ND	3.0	0.30	0.59
Carbon Tetrachloride	ND	3.0	0.30	0.59
Chlorobenzene	ND	3.0	0.30	0.59
Chloroform	ND	3.0	0.30	0.59
Tetrachloroethene	ND	3.0	0.30	0.59
Trichloroethene	ND	3.0	0.30	0.59
Vinyl Chloride	ND	3.0	0.59	1.2
Hexachlorobutadiene	ND	3.0	0.59	1.2

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	29.2	29.7	99	71-136
4-Bromofluorobenzene	35.4	29.7	119	79-119
Toluene-d8	32.0	29.7	108	85-116
Dibromofluoromethane	27.0	29.7	91	78-119

Notes:
Sample Amount : 9.417g Final Volume : 5ml
Prepared by : IRagas Analyzed by : IRagas
Detection limits are reported relative to sample result significant figures.

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24F10\RFP101.D Vial: 7
Acq On : 10 Jun 2024 12:58 Operator: IRagas
Sample : 24F034-02 Inst : 02
Misc : Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 13:38 2024 Quant Results File: VO02A31.RES


Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.65	114	2969702	50.00	ug/l	0.00
57) CHLOROBENZENE-D5	12.33	117	1959472	50.00	ug/l	0.00
77) 1,2-DICHLOROBENZENE-D4	17.16	152	363450	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.43	111	692978	45.47	ug/l	0.02
Spiked Amount 50.000			Recovery =	90.94%		
44) 1,2-Dichloroethane-d4	7.11	65	663465	49.29	ug/l	0.00
Spiked Amount 50.000			Recovery =	98.58%		
58) Toluene-d8	9.90	98	2633818	53.94	ug/l	0.00
Spiked Amount 50.000			Recovery =	107.88%		
80) 4-Bromofluorobenzene	14.41	95	537695	59.64	ug/l	0.00
Spiked Amount 50.000			Recovery =	119.28%		
Target Compounds						Qvalue
12) Acetone	3.51	43	148572	43.37	ug/l	75
14) tert-Butyl alcohol	3.79	59	10475	8.29	ug/l	97
16) Iodomethane	4.04	142	18036	0.79	ug/l	97
20) Carbon disulfide	4.27	76	668495	11.16	ug/l	98
29) 2-Butanone	5.70	72	4013	3.05	ug/l	93

(#) = qualifier out of range (m) = manual integration

Data File : D:\HPCHEM\1\DATA\24F10\RFP101.D Vial: 7
Acq On : 10 Jun 2024 12:58 Operator: IRagas
Sample : 24F034-02 Inst : 02
Misc : Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 13:38 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration







#12
Acetone
Concen: 43.37 ug/l
RT: 3.51 min Scan# 125
Delta R.T. 0.00 min
Lab File: RFP101.D
Acq: 10 Jun 2024 12:58

Tgt Ion: 43 Resp: 148572

Ion	Ratio	Lower	Upper
43	100		
58	46.3	2.2	62.2







#14
tert-Butyl alcohol
Concen: 8.29 ug/l
RT: 3.79 min Scan# 142
Delta R.T. 0.03 min
Lab File: RFP101.D
Acq: 10 Jun 2024 12:58

Tgt Ion: 59 Resp: 10475

Ion	Ratio	Lower	Upper
59	100		
57	7.9	0.0	36.9







#16
Iodomethane
Concen: 0.79 ug/l
RT: 4.04 min Scan# 159
Delta R.T. -0.01 min
Lab File: RFP101.D
Acq: 10 Jun 2024 12:58

Tgt Ion:142 Resp: 18036

Ion	Ratio	Lower	Upper
142	100		
127	34.5	6.0	66.0







#20
Carbon disulfide
Concen: 11.16 ug/l
RT: 4.27 min Scan# 175
Delta R.T. 0.00 min
Lab File: RFP101.D
Acq: 10 Jun 2024 12:58

Tgt Ion: 76 Resp: 668495

Ion	Ratio	Lower	Upper
76	100		
78	7.5	0.0	38.3






#29
2-Butanone
Concen: 3.05 ug/l
RT: 5.70 min Scan# 273
Delta R.T. 0.02 min
Lab File: RFP101.D
Acq: 10 Jun 2024 12:58

Tgt Ion: 72 Resp: 4013

Ion	Ratio	Lower	Upper
72	100		
57	26.1	0.0	59.9



QC SUMMARIES

METHOD SW5035A/8260C
VOLATILE ORGANICS BY GC/MS

Client	: PARSONS	Date Collected:	06/10/24 12:34
Project	: TITAN 1-A	Date Received:	06/10/24
Batch No.	: 24F034	Date Extracted:	06/10/24 12:34
Sample ID	: MBLK1S	Date Analyzed:	06/10/24 12:34
Lab Samp ID:	VS02F05B	Dilution Factor:	1
Lab File ID:	RFP100	Matrix:	SOIL
Ext Btch ID:	VS02F05	% Moisture:	NA
Calib. Ref.:	RAP137	Instrument ID:	02

PARAMETER(S)	RESULTS (ug/kg)	LOQ (ug/kg)	DL (ug/kg)	LOD (ug/kg)
1,1-Dichloroethene	ND	5.0	0.50	1.0
1,2-Dichloroethane	ND	5.0	0.50	1.0
1,4-Dichlorobenzene	ND	5.0	0.50	1.0
2-Butanone	ND	20	5.0	10
Benzene	ND	5.0	0.50	1.0
Carbon Tetrachloride	ND	5.0	0.50	1.0
Chlorobenzene	ND	5.0	0.50	1.0
Chloroform	ND	5.0	0.50	1.0
Tetrachloroethene	ND	5.0	0.50	1.0
Trichloroethene	ND	5.0	0.50	1.0
Vinyl Chloride	ND	5.0	1.0	2.0
Hexachlorobutadiene	ND	5.0	1.0	2.0

SURROGATE PARAMETER(S)	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
1,2-Dichloroethane-d4	49.6	50.0	99	71-136
4-Bromofluorobenzene	42.6	50.0	85	79-119
Toluene-d8	47.2	50.0	94	85-116
Dibromofluoromethane	45.6	50.0	91	78-119

Notes:
Sample Amount : 5g Final Volume : 5ml
Prepared by : IRagas Analyzed by : IRagas
Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : SW5035A/8260C

MATRIX	: SOIL		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK1S	LCS1S	LCD1S
LAB SAMPLE ID	: VS02F05B	VS02F05L	VS02F05C
LAB FILE ID	: RFP100	RFP097	RFP098
DATE PREPARED	: 06/10/24 12:34	06/10/24 11:21	06/10/24 11:45
DATE ANALYZED	: 06/10/24 12:34	06/10/24 11:21	06/10/24 11:45
PREP BATCH	: VS02F05	VS02F05	VS02F05
CALIBRATION REF:	RAP137	RAP137	RAP137

ACCESSION:

PARAMETERS	MBResult (ug/kg)	SpikeAmt (ug/kg)	LCSResult (ug/kg)	LCSRec (%)	SpikeAmt (ug/kg)	LCDResult (ug/kg)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
1,1-Dichloroethene	ND	50.0	44.9	90	50.0	44.6	89	1	70-131	20
1,2-Dichloroethane	ND	50.0	50.3	101	50.0	50.3	101	0	73-128	20
1,4-Dichlorobenzene	ND	50.0	48.6	97	50.0	48.2	96	1	75-120	20
2-Butanone	ND	250	244	98	250	229	92	6	51-148	20
Benzene	ND	50.0	48.3	97	50.0	48.3	97	0	77-121	20
Carbon Tetrachloride	ND	50.0	45.0	90	50.0	44.0	88	2	70-135	20
Chlorobenzene	ND	50.0	48.9	98	50.0	49.0	98	0	79-120	20
Chloroform	ND	50.0	49.2	98	50.0	48.8	98	1	78-123	20
Tetrachloroethene	ND	50.0	41.6	83	50.0	41.5	83	0	73-128	20
Trichloroethene	ND	50.0	44.1	88	50.0	44.4	89	1	77-123	20
Vinyl Chloride	ND	50.0	52.3	105	50.0	53.8	108	3	56-135	20
Hexachlorobutadiene	ND	50.0	49.4	99	50.0	47.0	94	5	61-135	20

SURROGATE PARAMETERS	SpikeAmt (ug/kg)	LCSResult (ug/kg)	LCSRec (%)	SpikeAmt (ug/kg)	LCDResult (ug/kg)	LCDRec (%)	QCLimit (%)
1,2-Dichloroethane-d4	50.0	48.8	98	50.0	48.7	97	71-136
4-Bromofluorobenzene	50.0	43.9	88	50.0	43.2	86	79-119
Toluene-d8	50.0	47.2	94	50.0	47.6	95	85-116
Dibromofluoromethane	50.0	45.9	92	50.0	45.6	91	78-119

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

QC DATA

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24F10\RFP100.D Vial: 6
Acq On : 10 Jun 2024 12:34 Operator: IRagas
Sample : VS02F05B Inst : 02
Misc : 5.0g Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 13:44 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.66	114	3345925	50.00	ug/l	0.01
57) CHLOROBENZENE-D5	12.33	117	2606901	50.00	ug/l	0.00
77) 1,2-DICHLOROBENZENE-D4	17.16	152	862652	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.43	111	782508	45.57	ug/l	0.01
Spiked Amount 50.000			Recovery =	91.14%		
44) 1,2-Dichloroethane-d4	7.11	65	752430	49.61	ug/l	0.00
Spiked Amount 50.000			Recovery =	99.22%		
58) Toluene-d8	9.90	98	3064842	47.17	ug/l	0.00
Spiked Amount 50.000			Recovery =	94.34%		
80) 4-Bromofluorobenzene	14.41	95	912101	42.62	ug/l	0.00
Spiked Amount 50.000			Recovery =	85.24%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Data File : D:\HPCHEM\1\DATA\24F10\RFP100.D Vial: 6
Acq On : 10 Jun 2024 12:34 Operator: IRagas
Sample : VS02F05B Inst : 02
Misc : 5.0g Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 13:44 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24F10\RFP097.D Vial: 3
Acq On : 10 Jun 2024 11:21 Operator: IRagas
Sample : VS02F05L Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 11:41 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.68	114	3949127	50.00	ug/l	0.03
57) CHLOROBENZENE-D5	12.34	117	3106518	50.00	ug/l	0.01
77) 1,2-DICHLOROBENZENE-D4	17.17	152	1062865	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.45	111	930204	45.90	ug/l	0.03
Spiked Amount 50.000			Recovery = 91.80%			
44) 1,2-Dichloroethane-d4	7.12	65	873380	48.79	ug/l	0.01
Spiked Amount 50.000			Recovery = 97.58%			
58) Toluene-d8	9.92	98	3658041	47.25	ug/l	0.01
Spiked Amount 50.000			Recovery = 94.50%			
80) 4-Bromofluorobenzene	14.42	95	1158414	43.94	ug/l	0.01
Spiked Amount 50.000			Recovery = 87.88%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.76	85	933925	45.87	ug/l	99
3) Chloromethane	2.01	50	1512653	53.24	ug/l	100
4) Vinyl chloride	2.12	62	1261350	52.28	ug/l	98
5) Bromomethane	2.63	94	893466	50.09	ug/l	99
6) Chloroethane	2.71	64	826455	52.34	ug/l	99
7) Dichlorofluoromethane	2.75	67	1778099	51.18	ug/l	99
8) Trichlorofluoromethane	2.99	101	1060079	50.33	ug/l	99
9) sec-Propyl Alcohol	3.29	45	739677	491.16	ug/l	98
10) Acrolein	3.46	56	524341	253.32	ug/l	100
11) 1,1,2-Trichloro-1,2,2-trif	3.50	151	629048	46.61	ug/l	100
12) Acetone	3.53	43	1051000	230.72	ug/l	99
13) 1,1-Dichloroethene	3.70	61	1646610	44.89	ug/l	95
14) tert-Butyl alcohol	3.77	59	884140	526.34	ug/l	97
15) Acetonitrile	3.84	41	1017701	508.67	ug/l	99
16) Iodomethane	4.08	142	1174088	38.75	ug/l	99
17) Methyl Acetate	4.08	43	849373	54.89	ug/l	99
18) Allyl Chloride	4.12	76	653608	45.33	ug/l	97
19) Methylene chloride	4.27	49	1419442	46.43	ug/l	96
20) Carbon disulfide	4.28	76	3740994	46.96	ug/l	100
21) Acrylonitrile	4.42	53	1625921	253.12	ug/l	98
22) tert-Butyl methyl ether (M	4.44	73	2977658	51.27	ug/l	99
23) trans-1,2-Dichloroethene	4.62	96	1129689	43.53	ug/l	99
24) Isopropyl ether (DIPE)	5.03	45	4936001	52.92	ug/l	99
25) 1,1-Dichloroethane	5.16	63	2224534	50.30	ug/l	100
26) Vinyl acetate	5.18	43	2055882	51.06	ug/l	98
28) tert-Butyl ethyl ether (ET	5.54	59	4136923	52.48	ug/l	98
29) 2-Butanone	5.72	72	426390	244.06	ug/l	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24F10\RFP097.D Vial: 3
Acq On : 10 Jun 2024 11:21 Operator: IRagas
Sample : VS02F05L Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 11:41 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30)	Propionitrile	5.81	54	1104513	519.82 ug/l	100
31)	2,2-Dichloropropane	5.89	77	970925	56.46 ug/l	98
32)	cis-1,2-Dichloroethene	5.95	96	1289144	46.93 ug/l	97
33)	Methylacrynonitrile	6.07	52	1359061	514.84 ug/l	98
34)	Isobutyl Alcohol	6.10	43	773861	964.88 ug/l	100
35)	Chloroform	6.16	83	1932520	49.19 ug/l	99
36)	Bromochloromethane	6.38	130	623936	44.06 ug/l	99
37)	Tetrahydrofuran	6.42	42	227354	46.63 ug/l	99
39)	1,1,1-Trichloroethane	6.68	97	1218295	48.90 ug/l	98
40)	Cyclohexane	6.70	84	1837300	51.85 ug/l	99
41)	1,1-Dichloropropene	6.90	110	485793	42.90 ug/l	99
42)	Carbon tetrachloride	7.03	119	955850	45.00 ug/l	99
43)	tert-Amyl methyl ether (TA	7.06	87	647531	48.52 ug/l	99
45)	1,2-Dichloroethane	7.25	62	1134410	50.30 ug/l	99
46)	Benzene	7.27	78	4852004	48.34 ug/l	99
47)	Trichloroethene	8.13	130	1055811	44.06 ug/l	97
48)	Methylcyclohexane	8.20	83	2267725	53.35 ug/l	99
49)	1,2-Dichloropropane	8.39	63	1205882	49.72 ug/l	100
50)	Methyl Methacrylate	8.50	69	660632	48.46 ug/l	96
51)	Bromodichloromethane	8.73	83	1358678	49.51 ug/l	100
52)	1,4-Dioxane	8.77	88	116400	945.77 ug/l	95
53)	Dibromomethane	8.80	93	541958	45.73 ug/l	97
55)	4-Methyl-2-pentanone	9.24	43	4920871	264.03 ug/l	100
56)	cis-1,3-Dichloropropene	9.55	75	1915449	49.60 ug/l	99
59)	Toluene	10.05	91	4725010	48.34 ug/l	99
60)	Ethyl methacrylate	10.34	69	1321937	50.42 ug/l	99
61)	trans-1,3-Dichloropropene	10.34	75	1515833	49.38 ug/l	100
62)	1,1,2-Trichloroethane	10.57	97	823322	49.03 ug/l	99
63)	2-Hexanone	10.60	43	3197569	262.52 ug/l	99
64)	1,3-Dichloropropane	10.98	76	1520539	48.77 ug/l	100
65)	Tetrachloroethene	11.07	164	789762	41.63 ug/l	99
66)	Dibromochloromethane	11.39	129	855018	47.66 ug/l	100
67)	1,2-Dibromoethane	11.72	107	739008	45.69 ug/l	100
68)	1-Chlorohexane	12.01	91	1724492	48.73 ug/l	100
69)	Chlorobenzene	12.40	112	2746098	48.93 ug/l	100
70)	1,1,1,2-Tetrachloroethane	12.49	131	903495	46.98 ug/l	99
71)	Ethylbenzene	12.51	91	5192244	50.22 ug/l	99
72)	m-Xylene & p-Xylene	12.64	91	7657328	98.86 ug/l	99
73)	o-Xylene	13.37	91	3820999	51.98 ug/l	98
74)	Styrene	13.44	104	3041517	52.36 ug/l	99
75)	Isopropylbenzene	14.00	105	4627894	51.72 ug/l	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24F10\RFP097.D Vial: 3
Acq On : 10 Jun 2024 11:21 Operator: IRagas
Sample : VS02F05L Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 11:41 2024 Quant Results File: VO02A31.RES


Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
76)	Cis-1,4-Dichloro-2-Butene	14.10	53	264178	47.64	ug/l	98
78)	Bromoform	14.00	173	428960	42.46	ug/l	99
79)	1,1,2,2-Tetrachloroethane	14.30	83	958681	49.09	ug/l	99
81)	1,2,3-Trichloropropane	14.57	110	221241	47.83	ug/l	99
82)	trans-1,4-Dichloro-2-buten	14.70	53	229913	46.64	ug/l	100
83)	n-Propylbenzene	14.70	91	5771665	50.33	ug/l	99
84)	Bromobenzene	14.74	156	996393	44.31	ug/l	98
85)	1,3,5-Trimethylbenzene	14.99	105	3512635	49.12	ug/l	99
86)	2-Chlorotoluene	14.99	91	3541750	48.56	ug/l	96
87)	4-Chlorotoluene	15.08	91	3224606	50.68	ug/l	99
88)	tert-Butylbenzene	15.61	134	695072	47.33	ug/l	96
89)	1,2,4-Trimethylbenzene	15.68	105	3427875	50.35	ug/l	98
90)	sec-Butylbenzene	15.99	105	4651168	51.13	ug/l	99
91)	p-Isopropyltoluene	16.25	119	3566193	51.65	ug/l	99
92)	1,3-Dichlorobenzene	16.38	146	1836869	48.43	ug/l	99
93)	1,2,3-Trimethylbenzene	16.51	105	3295459	51.03	ug/l	99
94)	1,4-Dichlorobenzene	16.57	146	1824093	48.58	ug/l	99
95)	n-Butylbenzene	16.98	91	3513035	54.73	ug/l	99
96)	1,2-Dichlorobenzene	17.23	146	1604031	48.74	ug/l	100
97)	1,2-Dibromo-3-chloropropan	18.52	157	109377	51.45	ug/l	100
98)	1,2,4-Trichlorobenzene	19.56	180	900870	53.01	ug/l	99
99)	Hexachlorobutadiene	19.72	225	415012	49.41	ug/l	99
100)	Naphthalene	19.82	128	1903564	58.15	ug/l	99
101)	1,2,3-Trichlorobenzene	20.07	180	792869	54.19	ug/l	99

(#) = qualifier out of range (m) = manual integration

Data File : D:\HPCHEM\1\DATA\24F10\RFP097.D Vial: 3
Acq On : 10 Jun 2024 11:21 Operator: IRagas
Sample : VS02F05L Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 11:41 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24F10\RFP098.D Vial: 4
Acq On : 10 Jun 2024 11:45 Operator: IRagas
Sample : VS02F05C Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 12:06 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.66	114	3752826	50.00	ug/l	0.01
57) CHLOROBENZENE-D5	12.34	117	2960214	50.00	ug/l	0.01
77) 1,2-DICHLOROBENZENE-D4	17.17	152	1008836	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.43	111	877671	45.57	ug/l	0.01
Spiked Amount 50.000			Recovery = 91.14%			
44) 1,2-Dichloroethane-d4	7.12	65	827765	48.66	ug/l	0.01
Spiked Amount 50.000			Recovery = 97.32%			
58) Toluene-d8	9.91	98	3510247	47.58	ug/l	0.01
Spiked Amount 50.000			Recovery = 95.16%			
80) 4-Bromofluorobenzene	14.42	95	1080271	43.17	ug/l	0.00
Spiked Amount 50.000			Recovery = 86.34%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.75	85	881472	45.56	ug/l	99
3) Chloromethane	2.01	50	1448974	53.67	ug/l	100
4) Vinyl chloride	2.13	62	1233867	53.81	ug/l	99
5) Bromomethane	2.61	94	848838	50.08	ug/l	100
6) Chloroethane	2.70	64	774973	51.65	ug/l	99
7) Dichlorofluoromethane	2.75	67	1642972	49.76	ug/l	100
8) Trichlorofluoromethane	2.97	101	1001510	50.04	ug/l	99
9) sec-Propyl Alcohol	3.29	45	681381	476.12	ug/l	98
10) Acrolein	3.46	56	452167	229.88	ug/l	97
11) 1,1,2-Trichloro-1,2,2-trif	3.52	151	578654	45.12	ug/l	99
12) Acetone	3.52	43	938372	216.77	ug/l	97
13) 1,1-Dichloroethene	3.68	61	1554049	44.58	ug/l	97
14) tert-Butyl alcohol	3.77	59	782654	490.30	ug/l	99
15) Acetonitrile	3.84	41	826479	434.70	ug/l	99
16) Iodomethane	4.08	142	1099655	38.19	ug/l	99
17) Methyl Acetate	4.08	43	751013	51.08	ug/l	98
18) Allyl Chloride	4.12	76	621619	45.37	ug/l	100
19) Methylene chloride	4.25	49	1311014	45.12	ug/l	98
20) Carbon disulfide	4.28	76	3570357	47.17	ug/l	100
21) Acrylonitrile	4.41	53	1476345	241.85	ug/l	100
22) tert-Butyl methyl ether (M	4.44	73	2796585	50.67	ug/l	99
23) trans-1,2-Dichloroethene	4.62	96	1049465	42.56	ug/l	100
24) Isopropyl ether (DIPE)	5.01	45	4602514	51.92	ug/l	99
25) 1,1-Dichloroethane	5.16	63	2101463	50.00	ug/l	100
26) Vinyl acetate	5.16	43	1883493	49.23	ug/l	99
28) tert-Butyl ethyl ether (ET	5.54	59	3880076	51.80	ug/l	98
29) 2-Butanone	5.70	72	380598	229.24	ug/l	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24F10\RFP098.D Vial: 4
Acq On : 10 Jun 2024 11:45 Operator: IRagas
Sample : VS02F05C Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 12:06 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
30)	Propionitrile	5.80	54	1000415	495.45	ug/l	99
31)	2,2-Dichloropropane	5.88	77	885542	54.19	ug/l	98
32)	cis-1,2-Dichloroethene	5.95	96	1225427	46.95	ug/l	97
33)	Methylacrynonitrile	6.07	52	1277485	509.25	ug/l	97
34)	Isobutyl Alcohol	6.10	43	690875	907.85	ug/l	98
35)	Chloroform	6.16	83	1821531	48.79	ug/l	99
36)	Bromochloromethane	6.37	130	592261	44.01	ug/l	100
37)	Tetrahydrofuran	6.42	42	210531	45.44	ug/l	99
39)	1,1,1-Trichloroethane	6.68	97	1121822	47.38	ug/l	98
40)	Cyclohexane	6.70	84	1665386	49.45	ug/l	100
41)	1,1-Dichloropropene	6.90	110	450509	41.87	ug/l	99
42)	Carbon tetrachloride	7.03	119	887434	43.97	ug/l	98
43)	tert-Amyl methyl ether (TA	7.06	87	606762	47.84	ug/l	98
45)	1,2-Dichloroethane	7.25	62	1079010	50.35	ug/l	99
46)	Benzene	7.27	78	4611790	48.35	ug/l	99
47)	Trichloroethene	8.13	130	1011214	44.41	ug/l	98
48)	Methylcyclohexane	8.20	83	2029024	50.24	ug/l	98
49)	1,2-Dichloropropane	8.38	63	1155812	50.15	ug/l	99
50)	Methyl Methacrylate	8.48	69	621960	48.01	ug/l	96
51)	Bromodichloromethane	8.72	83	1297245	49.74	ug/l	99
52)	1,4-Dioxane	8.76	88	99783	853.16	ug/l	97
53)	Dibromomethane	8.80	93	522885	46.43	ug/l	97
55)	4-Methyl-2-pentanone	9.24	43	4558043	257.36	ug/l	100
56)	cis-1,3-Dichloropropene	9.55	75	1823286	49.69	ug/l	99
59)	Toluene	10.03	91	4479830	48.10	ug/l	99
60)	Ethyl methacrylate	10.34	69	1251293	50.08	ug/l	98
61)	trans-1,3-Dichloropropene	10.32	75	1454745	49.73	ug/l	100
62)	1,1,2-Trichloroethane	10.57	97	795737	49.72	ug/l	99
63)	2-Hexanone	10.60	43	2965965	255.54	ug/l	99
64)	1,3-Dichloropropane	10.98	76	1458424	49.09	ug/l	100
65)	Tetrachloroethene	11.06	164	749659	41.47	ug/l	99
66)	Dibromochloromethane	11.38	129	822773	48.13	ug/l	100
67)	1,2-Dibromoethane	11.71	107	697886	45.28	ug/l	99
68)	1-Chlorohexane	12.01	91	1606556	47.64	ug/l	100
69)	Chlorobenzene	12.40	112	2622415	49.04	ug/l	99
70)	1,1,1,2-Tetrachloroethane	12.48	131	864975	47.20	ug/l	100
71)	Ethylbenzene	12.50	91	4954380	50.29	ug/l	98
72)	m-Xylene & p-Xylene	12.64	91	7335809	99.39	ug/l	98
73)	o-Xylene	13.37	91	3640945	51.98	ug/l	97
74)	Styrene	13.43	104	2873186	51.91	ug/l	99
75)	Isopropylbenzene	14.00	105	4444696	52.12	ug/l	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24F10\RFP098.D Vial: 4
Acq On : 10 Jun 2024 11:45 Operator: IRagas
Sample : VS02F05C Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 12:06 2024 Quant Results File: VO02A31.RES


Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
76)	Cis-1,4-Dichloro-2-Butene	14.10	53	239004	45.30	ug/l	100
78)	Bromoform	13.98	173	414916	43.27	ug/l	99
79)	1,1,2,2-Tetrachloroethane	14.30	83	922460	49.76	ug/l	99
81)	1,2,3-Trichloropropane	14.55	110	203734	46.41	ug/l	97
82)	trans-1,4-Dichloro-2-buten	14.70	53	215777	46.14	ug/l	98
83)	n-Propylbenzene	14.70	91	5407238	49.68	ug/l	99
84)	Bromobenzene	14.74	156	957836	44.88	ug/l	98
85)	1,3,5-Trimethylbenzene	14.98	105	3328354	49.04	ug/l	99
86)	2-Chlorotoluene	14.98	91	3318314	47.93	ug/l	98
87)	4-Chlorotoluene	15.06	91	3079375	50.99	ug/l	98
88)	tert-Butylbenzene	15.61	134	664731	47.69	ug/l	96
89)	1,2,4-Trimethylbenzene	15.66	105	3237174	50.09	ug/l	99
90)	sec-Butylbenzene	15.99	105	4395929	50.91	ug/l	98
91)	p-Isopropyltoluene	16.23	119	3341705	50.99	ug/l	99
92)	1,3-Dichlorobenzene	16.37	146	1732573	48.13	ug/l	99
93)	1,2,3-Trimethylbenzene	16.51	105	3102303	50.61	ug/l	99
94)	1,4-Dichlorobenzene	16.57	146	1718210	48.21	ug/l	99
95)	n-Butylbenzene	16.98	91	3251861	53.37	ug/l	99
96)	1,2-Dichlorobenzene	17.21	146	1514376	48.48	ug/l	100
97)	1,2-Dibromo-3-chloropropan	18.52	157	103352	51.22	ug/l	99
98)	1,2,4-Trichlorobenzene	19.56	180	840338	52.10	ug/l	99
99)	Hexachlorobutadiene	19.72	225	374866	47.02	ug/l	99
100)	Naphthalene	19.82	128	1785237	57.46	ug/l	100
101)	1,2,3-Trichlorobenzene	20.05	180	742989	53.50	ug/l	98

(#) = qualifier out of range (m) = manual integration

Data File : D:\HPCHEM\1\DATA\24F10\RFP098.D Vial: 4
Acq On : 10 Jun 2024 11:45 Operator: IRagas
Sample : VS02F05C Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 12:06 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



INITIAL CALIBRATION(S)

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc. Project : ICAL
Lab Code : EMAX SDG No : ICAL
Lab File ID: RAP131 BFB Injection Date: 01/31/24
Instrument ID: 02 BFB Injection Time: 13:23

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	16.147
75	30 - 60% of mass 95	42.283
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	5.704
173	Less than 2% of mass 174	0.000(0)1
174	Greater than 50% of mass 95	80.139
175	5 - 9% of mass 174	5.417(6.76)1
176	95 - 101% % of mass 174	78.659(98.15)1
177	5 - 9% % of mass 176	4.668(5.93)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following Calibration Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD001	V002A311	RAP132	01/31/24	13:50
2	VSTD002	V002A312	RAP133	01/31/24	14:28
3	VSTD005	V002A313	RAP134	01/31/24	14:53
4	VSTD010	V002A314	RAP135	01/31/24	15:17
5	VSTD020	V002A315	RAP136	01/31/24	15:42
6	VSTD050	V002A316	RAP137	01/31/24	16:06
7	VSTD100	V002A317	RAP138	01/31/24	16:31
8	VSTD200	V002A318	RAP139	01/31/24	16:55
9	VSTD300	V002A319	RAP140	01/31/24	17:20
10	VSTD500	V002A3110	RAP141	01/31/24	17:44
11	VSTD050	IV002A311	RAP144	01/31/24	18:58

SV
3/20/24

INITIAL_CALIBRATION - RELATIVE_RESPONSE_FACTOR

Instrument ID :02
Beginning DateTime :01/31/24 13:50
Spike Units :PPB
IC File :RAP137

Column Spec :RTX502.2 ID :0.25MM
Ending DateTime :01/31/24 17:44
HPChem Method :VO02A31

M	IDX	Parameters	1 13:50 RAP132	2 14:28 RAP133	5 14:53 RAP134	10 15:17 RAP135	20 15:42 RAP136	50 16:06 RAP137	100 16:31 RAP138	200 16:55 RAP139	300 17:20 RAP140	500 17:44 RAP141	Av_RRF	%_RSD	Av_Rt_M
	1	1,4-DIFLUOROBENZENE	1	1	1	1	1	1	1	1	1	1	1	0	7.6504
	2	Dichlorodifluoromethane	0.213	0.224	0.233	0.266	0.279	0.281	0.276	0.273	0.268	0.265	0.258	9.62	1.7457
	3	Chloromethane	0.327	0.344	0.323	0.377	0.388	0.389	0.372	0.364	0.363	0.349	0.360	6.51	2.0005
	4	Vinyl chloride	------	0.273	0.293	0.335	0.339	0.329	0.303	0.266	------	------	0.305	9.79	2.1123
	5	Bromomethane	0.245	0.211	0.210	0.222	0.229	0.234	0.229	0.226	0.227	0.225	0.226	4.52	2.6051
	6	Chloroethane	------	0.165	0.168	0.202	0.211	0.216	0.213	0.207	0.213	0.205	0.200	9.82	2.6924
	7	Dichlorofluoromethane	0.398	0.405	0.416	0.449	0.468	0.474	0.462	0.446	0.452	0.430	0.440	6.01	2.7333
	8	Trichlorofluoromethane	0.206	0.227	0.236	0.284	0.292	0.299	0.289	0.281	0.281	0.272	0.267	11.95	2.9761
10	9	sec-Propyl Alcohol	------	------	0.021	0.019	0.019	0.020	0.018	0.019	0.018	0.017	0.019	5.59	3.2857
5	10	Acrolein	0.027	0.023	0.023	0.025	0.027	0.030	0.026	0.029	0.026	0.026	0.026	8.53	3.4405
	11	1,1,2-Trichloro-1,2,2-trifluoroethane	------	0.153	0.143	0.171	0.178	0.185	0.185	0.173	0.183	0.166	0.171	8.55	3.4848
5	12	Acetone	------	0.070	0.059	0.060	0.058	0.062	0.053	0.054	0.052	0.050	0.058	10.36	3.5150
	13	1,1-Dichloroethene	0.382	0.391	0.442	0.472	0.507	0.512	0.498	0.482	0.493	0.464	0.464	9.93	3.6798
10	14	tert-Butyl alcohol	------	0.016	0.017	0.020	0.022	0.024	0.023	0.024	0.023	0.023	0.021	14.57	3.7638
10	15	Acetonitrile	------	0.021	0.021	0.024	0.028	0.029	0.026	0.026	0.027	0.025	0.025	10.50	3.8354
	16	Iodomethane	------	0.302	0.339	0.379	0.405	0.416	0.414	0.399	0.413	0.388	0.384	10.16	4.0516
	17	Methyl Acetate	0.218	0.198	0.182	0.184	0.191	0.209	0.194	0.200	0.194	0.189	0.196	5.56	4.0676
	18	Allyl Chloride	------	0.144	0.163	0.176	0.187	0.197	0.195	0.192	0.199	0.190	0.183	10.07	4.1069
	19	Methylene chloride	0.380	0.361	0.359	0.392	0.402	0.411	0.397	0.388	0.394	------	0.387	4.55	4.2581
	20	Carbon disulfide	0.798	0.835	0.952	1.075	1.064	1.117	1.113	1.074	1.049	------	1.009	11.83	4.2663
5	21	Acrylonitrile	------	0.066	0.071	0.081	0.084	0.092	0.085	0.088	0.084	0.080	0.081	10.07	4.4045
	22	tert-Butyl methyl ether (MTBE)	------	0.605	0.664	0.737	0.760	0.803	0.767	0.792	0.769	0.720	0.735	8.72	4.4338
	23	trans-1,2-Dichloroethene	0.267	0.295	0.312	0.333	0.346	0.356	0.347	0.347	0.349	0.334	0.329	8.71	4.6062
	24	Isopropyl ether (DIPE)	0.956	1.051	1.122	1.240	1.276	1.315	1.262	1.229	1.178	------	1.181	9.95	5.0110
	25	1,1-Dichloroethane	0.462	0.503	0.544	0.587	0.598	0.609	0.589	0.585	0.581	0.541	0.560	8.39	5.1477
	26	Vinyl acetate	------	0.395	0.422	0.503	0.534	0.575	0.549	0.568	0.544	0.509	0.510	12.16	5.1542
10	27	2-Butanol	------	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
	28	tert-Butyl ethyl ether (ETBE)	------	0.827	0.916	1.007	1.046	1.102	1.057	1.067	1.032	0.929	0.998	8.91	5.5315
5	29	2-Butanone	------	0.016	0.017	0.021	0.023	0.025	0.024	0.025	0.024	0.024	0.022	14.91	5.6941
10	30	Propionitrile	------	0.021	0.023	0.026	0.028	0.030	0.028	0.030	0.028	0.028	0.027	11.20	5.7965
	31	2,2-Dichloropropane	0.199	0.211	0.229	0.235	0.240	0.241	0.229	0.210	0.203	0.180	0.218	9.26	5.8649
	32	cis-1,2-Dichloroethene	0.298	0.308	0.327	0.357	0.366	0.373	0.363	0.367	0.365	0.353	0.348	7.71	5.9322
10	33	Methylacrynonitrile	------	0.027	0.029	0.035	0.035	0.037	0.034	0.036	0.034	------	0.033	10.30	6.0550
20	34	Isobutyl Alcohol	------	0.006	0.007	0.008	0.009	0.011	0.011	0.011	0.010	0.010	0.009	20.66	6.0892
	35	Chloroform	0.438	0.454	0.481	0.513	0.518	0.537	0.516	0.522	0.513	0.482	0.497	6.48	6.1430
	36	Bromochloromethane	------	0.142	0.159	0.176	0.185	0.195	0.186	0.193	0.191	0.187	0.179	9.87	6.3624
	37	Tetrahydrofuran	------	0.059	0.054	0.056	0.060	0.067	0.062	0.068	0.065	0.065	0.062	8.10	6.4014
	38	Dibromofluoromethane	------	0.203	0.233	0.263	0.264	0.276	0.273	0.269	0.269	0.261	0.257	9.28	6.4275
	39	1,1,1-Trichloroethane	0.261	0.271	0.299	0.326	0.334	0.348	0.340	0.329	0.333	0.314	0.315	9.34	6.6713
	40	Cyclohexane	------	0.375	0.390	0.447	0.453	0.484	0.478	0.469	0.481	0.462	0.449	8.87	6.6860
	41	1,1-Dichloropropene	------	0.118	0.126	0.137	0.142	0.153	0.150	0.156	0.155	0.153	0.143	9.68	6.8860
	42	Carbon tetrachloride	------	0.223	0.240	0.264	0.275	0.290	0.285	0.285	0.287	0.273	0.269	8.62	7.0178
	43	tert-Amyl methyl ether (TAME)	------	------	0.131	0.154	0.165	0.179	0.175	0.183	0.183	0.182	0.169	10.95	7.0502
	44	1,2-Dichloroethane-d4	------	0.187	0.202	0.230	0.235	0.245	0.240	0.237	0.235	0.228	0.227	8.52	7.1088
	45	1,2-Dichloroethane	0.229	0.251	0.269	0.294	0.304	0.316	0.302	0.306	0.299	0.286	0.286	9.66	7.2377
	46	Benzene	1.079	1.165	1.225	1.335	1.362	1.414	1.365	1.306	1.187	------	1.271	8.81	7.2535
	47	Trichloroethene	0.241	0.272	0.280	0.303	0.319	0.333	0.324	0.326	0.324	0.312	0.303	9.84	8.1172
	48	Methylcyclohexane	0.422	0.488	0.500	0.553	0.562	0.605	0.581	0.570	0.567	0.533	0.538	10.06	8.1919
	49	1,2-Dichloropropane	0.240	0.262	0.279	0.308	0.325	0.340	0.332	0.333	0.332	0.320	0.307	11.29	8.3705
	50	Methyl Methacrylate	------	------	0.130	0.152	0.168	0.188	0.179	0.192	0.186	0.185	0.173	12.40	8.4717
	51	Bromodichloromethane	0.298	0.302	0.309	0.354	0.359	0.383	0.371	0.375	0.370	0.354	0.347	9.23	8.7115
20	52	1,4-Dioxane	------	------	0.001	0.001	0.002	0.002	0.002	0.002	0.002	0.001	0.002	14.14	8.7516
	53	Dibromomethane	------	0.121	0.131	0.144	0.151	0.163	0.157	0.163	0.162	0.158	0.150	10.15	8.7919
	54	2-Chloroethyl vinyl ether	------	------	------	------	------	------	------	------	------	------	0.000	0.00	0.0000
5	55	4-Methyl-2-pentanone	0.207	0.195	0.204	0.243	0.254	0.283	0.260	0.255	0.223	------	0.236	12.81	9.2326
	56	cis-1,3-Dichloropropene	------	0.401	0.426	0.485	0.507	0.537	0.525	0.532	0.513	0.476	0.489	9.73	9.5383
	57	CHLOROBENZENE-D5	1	1	1	1	1	1	1	1	1	1	1	0	12.3323
	58	Toluene-d8	0.971	1.239	1.210	1.341	1.322	1.351	1.297	1.275	1.207	------	1.246	9.31	9.9025
	59	Toluene	1.302	1.475	1.571	1.689	1.658	1.737	1.647	1.612	1.468	------	1.573	8.67	10.0213
	60	Ethyl methacrylate	------	------	0.303	0.381	0.407	0.455	0.436	0.476	0.463	0.455	0.422	13.62	10.3267
	61	trans-1,3-Dichloropropene	------	0.372	0.423	0.478	0.495	0.542	0.518	0.554	0.540	0.524	0.494	12.32	10.3189
	62	1,1,2-Trichloroethane	0.210	0.233	0.236	0.275	0.283	0.299	0.280	0.298	0.294	0.295	0.270	11.88	10.5628
5	63	2-Hexanone	------	0.149	0.161	0.191	0.202	0.232	0.215	0.226	0.207	0.182	0.196	14.47	10.5937
	64	1,3-Dichloropropane	------	0.420	0.445	0.502	0.520	0.542	0.509	0.538	0.527	0.514	0.502	8.33	10.9710
	65	Tetrachloroethene	0.248	0.292	0.277	0.310	0.303	0.327	0.312	0.328	0.327	0.329	0.305	8.75	11.0473
	66	Dibromochloromethane	0.224	0.226	0.248	0.286	0.296	0.320	0.310	0.330	0.324	0.324	0.289	14.40	11.3707
	67	1,2-Dibromoethane	------	------	0.219	0.247	0.256	0.275	0.262	0.279	0.271	0.272	0.260	7.54	11.6970
	68	1-Chlorohexane	0.449	0.514	0.503	0.586	0.573	0.627	0.609	0.632	0.612	0.590	0.570	10.70	11.9971
	69	Chlorobenzene	0.731	0.829	0.875	0.947	0.962	0.996	0.962	0.969	0.924	0.838	0.903	9.21	12.3923
	70	1,1,1,2-Tetrachloroethane	------	0.245	0.269	0.302	0.311	0.335	0.326	0.339	0.331	0.329	0.310	10.50	12.4719
	71	Ethylbenzene	1.465	1.582	1.568	1.746	1.760	1.867	1.784	1.707	1.497	------	1.664	8.41	12.4947
2	72	m-Xylene & p-Xylene	1.113	1.213	1.207	1.312	1.303	1.395	1.299	1.131	------	------	1.247	7.81	12.6264
	73	o-Xylene	1.038	1.105	1.126	1.268	1.264	1.338	1.289	1.236	1.167	1.001	1.183	9.58	13.3582
	74	Styrene	0.736	0.765	0.838	0.963	0.999	1.073	1.047	1.049	0.993	0.886	0.935	13.00	13.4241
	75	Isopropylbenzene	1.249	1.318	1.351	1.520	1.498	1.624	1.553	1.497	1.353	------	1.440	8.73	13.9875
	76	Cis-1,4-Dichloro-2-Butene	------	0.050	0.058	0.069	0.081	0.092	0.088	0.095	0.091	0.091	0.080	20.77	14.0916
	77	1,2-DICHLOROBENZENE-D4	1	1	1	1	1	1	1	1	1	1	1	0	17.1635
	78	Bromoform	------	------	0.371	0.413	0.439	0.491	0.491	0.531	0.518	0.548	0.475	13.01	13.9746
	79	1,1,2,2-Tetrachloroethane	0.707	0.791	0.844	0.924	0.950	1.006	0.958	1.025	0.977	1.006	0.919	11.45	14.2949
	80	4-Bromofluorobenzene	0.972	1.265	1.142	1.242	1.260	1.303	1.303	1.312	1.295	1.310	1.240	8.65	14.4134
	81	1,2,3-Trichloropropane	0.178	0.187	0.195	0.212	0.220	0.233	0.229	0.245	0.234	0.242	0.218	10.90	14.5481
	82	trans-1,4-Dichloro-2-butene	------	------	0.151	0.187	0.201	0.231	0.227	0.255	0.238	0.243	0.217	15.94	14.6899
	83	n-Propylbenzene	4.580	5.425	5.197	5.805	5.554	6.017	5.815	5.401	4.754	------	5.394	8.97	14.6900
	84	Bromobenzene	------	0.903	0.932	1.036	1.044	1.102	1.089	1.144	1.122	1.150	1.058	8.42	14.7323
	85	1,3,5-Trimethylbenzene	2.812	3.301	3.185	3.584	3.468	3.766	3.657	3.566	3.287	3.016	3.364	8.95	14.9711
	86	2-Chlorotoluene	2.933	3.353	3.404	3.661	3.433	3.694	3.588	3.704	3.414	3.129	3.431	7.32	14.9740
	87	4-Chlorotoluene	2.415	2.853	2.772	3.066	3.128	3.364	3.299	3.198	3.024	2.812	2.993	9.54	15.0633
	88	tert-Butylbenzene	------	0.601	0.583	0.691	0.689	0.747	0.731	0.732	0.711	0.732	0.691	8.62	15.5974
	89	1,2,4-Trimethylbenzene	2.669	3.025	3.043	3.339	3.313	3.583	3.505	3.411	3.191	2.950	3.203	8.81	15.6589
	90	sec-Butylbenzene	3.519	4.122	4.086	4.536	4.413	4.785	4.625	4.416	4.013	------	4.279	9.01	15.9779
	91	p-Isopropyltoluene	2.683	3.116	2.949	3.388	3.398	3.731	3.561	3.451	3.211	2.990	3.248	9.79	16.2341
	92	1,3-Dichlorobenzene	1.454	1.656	1.638	1.834	1.831	1.949	1.895	1.901	1.850	1.834	1.784	8.59	16.3585
	93	1,2,3-Trimethylbenzene	2.559	2.787	2.887	3.195	3.186	3.421	3.272	3.190	3.041	2.844	3.038	8.67	16.5049
	94	1,4-Dichlorobenzene	1.433	1.643	1.631	1.813	1.778	1.941	1.886	1.874	1.843	1.822	1.766	8.70	16.5590
	95	n-Butylbenzene	2.414	2.807	2.655	3.091	3.095	3.494	3.381	3.291	3.107	2.863	3.020	11.13	16.9732
	96	1,2-Dichlorobenzene	1.270	1.474	1.471	1.610	1.583	1.679	1.618	1.606	1.589	1.583	1.548	7.52	17.2074
	97	1,2-Dibromo-3-chloropropane	------	------	0.081	0.089	0.104	0.113	0.113	------	------	------	0.100	14.39	18.5096
	98	1,2,4-Trichlorobenzene	0.630	0.743	0.668	0.789	0.794	0.885	0.854	0.856	0.877	0.898	0.799	11.68	19.5534
	99	Hexachlorobutadiene	------	0.379	0.343	0.382	0.383	0.418	0.412	0.419	0.382	0.438	0.395	7.32	19.7100
	100	Naphthalene	1.218	1.274	1.289	1.498	1.543	1.753	1.668	1.753	1.735	1.670	1.540	13.71	19.8125
	101	1,2,3-Trichlorobenzene	0.543	0.618	0.608	0.682	0.692	0.755	0.716	0.749	0.741	0.777	0.688	11.05	20.0598

Spike Amount = Nominal Amount * M
Ave_%RSD : 10.1 Max_%RSD : 20.8

Use Least Square Linear Regression with weighting factor of inverse concentration for comps with %_RSD > 15
Resp_Ratio = x0 + x1 * Amt_Ratio

IDX	Parameter	x0	x1	CCP
34	Isobutyl Alcohol	-0.00475	0.01040	0.9984
76	Cis-1,4-Dichloro-2-Butene	-0.00250	0.09187	0.9996
82	trans-1,4-Dichloro-2-butene	-0.01123	0.24395	0.9995

Sm
2/7/24

Compound List Report 02

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
Total Cpnds : 101

PK#		Compound Name	QIon	Exp_RT	Rel_RT	Cal	#Qual	A/H	ID
1	I	1,4-DIFLUOROBENZENE	114	7.65	1.000	A	1	A	B
2	T	Dichlorodifluoromethane	85	1.75	0.229	A	1	A	B
3	T	Chloromethane	50	2.01	0.262	A	1	A	B
4	T	Vinyl chloride	62	2.11	0.276	A	1	A	B
5	T	Bromomethane	94	2.61	0.341	A	1	A	B
6	T	Chloroethane	64	2.70	0.353	A	1	A	B
7	T	Dichlorofluoromethane	67	2.73	0.357	A	1	A	B
8	T	Trichlorofluoromethane	101	2.97	0.388	A	1	A	B
9	T	sec-Propyl Alcohol	45	3.29	0.430	A	1	A	B
10	T	Acrolein	56	3.44	0.449	A	1	A	B
11	T	1,1,2-Trichloro-1,2,2-trifluor	151	3.48	0.455	A	1	A	B
12	T	Acetone	43	3.51	0.459	A	1	A	B
13	T	1,1-Dichloroethene	61	3.68	0.481	A	2	A	B
14	T	tert-Butyl alcohol	59	3.76	0.491	A	1	A	B
15	T	Acetonitrile	41	3.83	0.501	A	1	A	B
16	T	Iodomethane	142	4.05	0.529	A	1	A	B
17	T	Methyl Acetate	43	4.06	0.531	A	1	A	B
18	T	Allyl Chloride	76	4.11	0.537	A	1	A	B
19	T	Methylene chloride	49	4.25	0.556	A	2	A	B
20	T	Carbon disulfide	76	4.27	0.558	A	1	A	B
21	T	Acrylonitrile	53	4.40	0.575	A	2	A	B
22	T	tert-Butyl methyl ether (MTBE)	73	4.43	0.579	A	1	A	B
23	T	trans-1,2-Dichloroethene	96	4.60	0.602	A	1	A	B
24	T	Isopropyl ether (DIPE)	45	5.00	0.654	A	1	A	B
25	T	1,1-Dichloroethane	63	5.15	0.673	A	2	A	B
26	T	Vinyl acetate	43	5.15	0.673	A	1	A	B
27	T	2-Butanol	45	5.42	0.709	A	1	A	B
28	T	tert-Butyl ethyl ether (ETBE)	59	5.53	0.723	A	1	A	B
29	T	2-Butanone	72	5.69	0.744	A	1	A	B
30	T	Propionitrile	54	5.79	0.757	A	1	A	B
31	T	2,2-Dichloropropane	77	5.86	0.767	A	2	A	B
32	T	cis-1,2-Dichloroethene	96	5.94	0.776	A	2	A	B
33	T	Methylacrynonitrile	52	6.05	0.791	A	1	A	B
34	T	Isobutyl Alcohol	43	6.08	0.795	L	1	A	B
35	T	Chloroform	83	6.14	0.803	A	2	A	B
36	T	Bromochloromethane	130	6.36	0.832	A	1	A	B
37	T	Tetrahydrofuran	42	6.41	0.837	A	2	A	B
38	S	Dibromofluoromethane	111	6.42	0.839	A	1	A	B
39	T	1,1,1-Trichloroethane	97	6.67	0.872	A	2	A	B
40	T	Cyclohexane	84	6.68	0.874	A	1	A	B
41	T	1,1-Dichloropropene	110	6.89	0.900	A	1	A	B
42	T	Carbon tetrachloride	119	7.00	0.916	A	1	A	B
43	T	tert-Amyl methyl ether (TAME)	87	7.05	0.922	A	1	A	B
44	S	1,2-Dichloroethane-d4	65	7.11	0.929	A	1	A	B
45	T	1,2-Dichloroethane	62	7.24	0.946	A	1	A	B
46	T	Benzene	78	7.25	0.948	A	2	A	B
47	T	Trichloroethene	130	8.12	1.061	A	3	A	B
48	T	Methylcyclohexane	83	8.19	1.071	A	2	A	B
49	T	1,2-Dichloropropane	63	8.37	1.094	A	1	A	B
50	T	Methyl Methacrylate	69	8.47	1.107	A	1	A	B
51	T	Bromodichloromethane	83	8.70	1.138	A	1	A	B
52	T	1,4-Dioxane	88	8.75	1.143	A	1	A	B
53	T	Dibromomethane	93	8.79	1.149	A	2	A	B

54	T	2-Chloroethyl vinyl ether	63	9.21	1.205	A	1	A	B
55	T	4-Methyl-2-pentanone	43	9.23	1.207	A	3	A	B
56	T	cis-1,3-Dichloropropene	75	9.54	1.247	A	2	A	B
57	I	CHLOROBENZENE-D5	117	12.33	1.000	A	2	A	B
58	S	Toluene-d8	98	9.90	0.803	A	1	A	B
59	T	Toluene	91	10.02	0.812	A	1	A	B
60	T	Ethyl methacrylate	69	10.33	0.837	A	1	A	B
61	T	trans-1,3-Dichloropropene	75	10.31	0.836	A	1	A	B
62	T	1,1,2-Trichloroethane	97	10.56	0.856	A	2	A	B
63	T	2-Hexanone	43	10.59	0.859	A	1	A	B
64	T	1,3-Dichloropropane	76	10.97	0.890	A	1	A	B
65	T	Tetrachloroethene	164	11.04	0.896	A	3	A	B
66	T	Dibromochloromethane	129	11.37	0.922	A	1	A	B
67	T	1,2-Dibromoethane	107	11.69	0.948	A	1	A	B
68	T	1-Chlorohexane	91	12.00	0.973	A	1	A	B
69	T	Chlorobenzene	112	12.39	1.005	A	1	A	B
70	T	1,1,1,2-Tetrachloroethane	131	12.46	1.011	A	1	A	B
71	T	Ethylbenzene	91	12.49	1.013	A	1	A	B
72	T	m-Xylene & p-Xylene	91	12.63	1.024	A	1	A	B
73	T	o-Xylene	91	13.36	1.083	A	1	A	B
74	T	Styrene	104	13.42	1.088	A	2	A	B
75	T	Isopropylbenzene	105	13.99	1.134	A	3	A	B
76	T	Cis-1,4-Dichloro-2-Butene	53	14.09	1.142	L	2	A	B
77	I	1,2-DICHLOROBENZENE-D4	152	17.16	1.000	A	1	A	B
78	T	Bromoform	173	13.97	0.814	A	2	A	B
79	T	1,1,2,2-Tetrachloroethane	83	14.29	0.833	A	1	A	B
80	S	4-Bromofluorobenzene	95	14.41	0.840	A	2	A	B
81	T	1,2,3-Trichloropropane	110	14.54	0.847	A	1	A	B
82	T	trans-1,4-Dichloro-2-butene	53	14.69	0.856	L	1	A	B
83	T	n-Propylbenzene	91	14.69	0.856	A	2	A	B
84	T	Bromobenzene	156	14.73	0.858	A	1	A	B
85	T	1,3,5-Trimethylbenzene	105	14.97	0.872	A	2	A	B
86	T	2-Chlorotoluene	91	14.97	0.872	A	1	A	B
87	T	4-Chlorotoluene	91	15.05	0.877	A	1	A	B
88	T	tert-Butylbenzene	134	15.60	0.909	A	1	A	B
89	T	1,2,4-Trimethylbenzene	105	15.65	0.912	A	1	A	B
90	T	sec-Butylbenzene	105	15.98	0.931	A	1	A	B
91	T	p-Isopropyltoluene	119	16.23	0.945	A	2	A	B
92	T	1,3-Dichlorobenzene	146	16.36	0.953	A	2	A	B
93	T	1,2,3-Trimethylbenzene	105	16.50	0.962	A	2	A	B
94	T	1,4-Dichlorobenzene	146	16.55	0.964	A	2	A	B
95	T	n-Butylbenzene	91	16.97	0.989	A	2	A	B
96	T	1,2-Dichlorobenzene	146	17.21	1.003	A	1	A	B
97	T	1,2-Dibromo-3-chloropropane	157	18.51	1.078	A	1	A	B
98	T	1,2,4-Trichlorobenzene	180	19.55	1.139	A	2	A	B
99	T	Hexachlorobutadiene	225	19.71	1.148	A	2	A	B
100	T	Naphthalene	128	19.81	1.154	A	1	A	B
101	T	1,2,3-Trichlorobenzene	180	20.06	1.169	A	2	A	B

Cal A = Average L = Linear LO = Linear w/origin Q = Quad QO = Quad w/origin
#Qual = number of qualifiers
A/H = Area or Height
ID R = R.T. B = R.T. & Q Q = Qvalue L = Largest A = All


VO02A31.M Fri Feb 02 12:59:00 2024

SM 2/7/24

BFB

Data File : D:\HPCHEM\1\DATA\24A31\RAP131.D
Acq On : 31 Jan 2024 13:23
Sample : BFB02A16
Misc : T/CHK
MS Integration Params: RTE.P
Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL

Vial: 1
Operator: IRagas
Inst : 02
Multiplr: 1.00



AutoFind: Scans 867, 868, 869; Background Corrected with Scan 861

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	16.1	7887	PASS
75	95	30	60	42.3	20653	PASS
95	95	100	100	100.0	48845	PASS
96	95	5	9	5.7	2786	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	100	80.1	39144	PASS
175	174	5	9	6.8	2646	PASS
176	174	95	101	98.2	38421	PASS
177	176	5	9	5.9	2280	PASS

RAP131.D VO02A31.M Thu Feb 01 18:48:56 2024

2/1/24

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP132.D Vial: 2
Acq On : 31 Jan 2024 13:50 Operator: IRagas
Sample : VO02A311 0.02uL Inst : 02
Misc : 1ppb 8260\5ppb KET-AA\10ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:40 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.65	114	2830115	50.00	ug/l	0.00
57) CHLOROBENZENE-D5	12.33	117	2226999	50.00	ug/l	0.00
77) 1,2-DICHLOROBENZENE-D4	17.16	152	727904	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.44	111	9190	0.63	ug/l	0.02
Spiked Amount 50.000			Recovery =	1.26%		
44) 1,2-Dichloroethane-d4	7.11	65	8523	0.66	ug/l	0.00
Spiked Amount 50.000			Recovery =	1.32%		
58) Toluene-d8	9.90	98	43266	0.78	ug/l	0.00
Spiked Amount 50.000			Recovery =	1.56%		
80) 4-Bromofluorobenzene	14.41	95	14148	0.78	ug/l	0.00
Spiked Amount 50.000			Recovery =	1.56%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.74	85	12051	0.83	ug/l	98
3) Chloromethane	2.00	50	18507	0.91	ug/l	97
4) Vinyl chloride	2.12	62	14741	0.85	ug/l	97
5) Bromomethane	2.60	94	13859	1.08	ug/l	81
6) Chloroethane	2.69	64	8214	0.73	ug/l	92
7) Dichlorofluoromethane	2.74	67	22555	0.91	ug/l	98
8) Trichlorofluoromethane	2.98	101	11671	0.77	ug/l	94
9) sec-Propyl Alcohol	3.30	45	17356	16.08	ug/l	89
10) Acrolein	3.45	56	7536	5.08	ug/l	68
11) 1,1,2-Trichloro-1,2,2-trif	3.49	151	6768	0.70	ug/l	91
12) Acetone	3.52	43	32109	9.84	ug/l	91
13) 1,1-Dichloroethene	3.68	61	21612	0.82	ug/l	88
14) tert-Butyl alcohol	3.77	59	9947	8.26	ug/l	90
15) Acetonitrile	3.85	41	9293	6.48	ug/l	65
16) Iodomethane	4.07	142	15999	0.74	ug/l	97
17) Methyl Acetate	4.07	43	12313	1.11	ug/l	84
18) Allyl Chloride	4.12	76	7498	0.73	ug/l	83
19) Methylene chloride	4.26	49	21535	0.98	ug/l	97
20) Carbon disulfide	4.27	76	45163	0.79	ug/l	95
21) Acrylonitrile	4.42	53	16064	3.49	ug/l	94
22) tert-Butyl methyl ether (M	4.45	73	30703	0.74	ug/l	97
23) trans-1,2-Dichloroethene	4.61	96	15119	0.81	ug/l	93
24) Isopropyl ether (DIPE)	5.02	45	54119	0.81	ug/l	96
25) 1,1-Dichloroethane	5.15	63	26177	0.83	ug/l	99
26) Vinyl acetate	5.16	43	19728	0.68	ug/l	99
28) tert-Butyl ethyl ether (ET	5.54	59	42400	0.75	ug/l	95
29) 2-Butanone	5.70	72	4546	3.63	ug/l	86

(#) = qualifier out of range (m) = manual integration

Su 2/11/24

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP132.D Vial: 2
Acq On : 31 Jan 2024 13:50 Operator: IRagas
Sample : VO02A311 0.02uL Inst : 02
Misc : 1ppb 8260\5ppb KET-AA\10ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:40 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30)	Propionitrile	5.81	54	11400	7.49 ug/l	96
31)	2,2-Dichloropropane	5.87	77	11270	0.91 ug/l	99
32)	cis-1,2-Dichloroethene	5.94	96	16866	0.86 ug/l	92
33)	Methylacrynonitrile	6.06	52	13543	7.16 ug/l	100
34)	Isobutyl Alcohol	6.10	43	9213	38.48 ug/l	89
35)	Chloroform	6.14	83	24775	0.88 ug/l	97
36)	Bromochloromethane	6.36	130	7586	0.75 ug/l	100
39)	1,1,1-Trichloroethane	6.67	97	14766	0.83 ug/l	99
40)	Cyclohexane	6.68	84	18609	0.73 ug/l	93
41)	1,1-Dichloropropene	6.89	110	5917	0.73 ug/l	98
42)	Carbon tetrachloride	7.02	119	11307	0.74 ug/l	95
43)	tert-Amyl methyl ether (TA	7.05	87	6722	0.70 ug/l	92
45)	1,2-Dichloroethane	7.24	62	12947	0.80 ug/l	98
46)	Benzene	7.26	78	61061	0.85 ug/l	97
47)	Trichloroethene	8.12	130	13627	0.79 ug/l	96
48)	Methylcyclohexane	8.19	83	23890	0.78 ug/l	94
49)	1,2-Dichloropropane	8.38	63	13560	0.78 ug/l	99
50)	Methyl Methacrylate	8.49	69	6522	0.67 ug/l	87
51)	Bromodichloromethane	8.72	83	16842	0.86 ug/l	98
52)	1,4-Dioxane	8.78	88	846	9.59 ug/l	76
53)	Dibromomethane	8.79	93	6286	0.74 ug/l	97
55)	4-Methyl-2-pentanone	9.25	43	58491	4.38 ug/l	92
56)	cis-1,3-Dichloropropene	9.54	75	19203	0.69 ug/l	98
59)	Toluene	10.02	91	57976	0.83 ug/l	100
60)	Ethyl methacrylate	10.33	69	11431	0.61 ug/l	99
61)	trans-1,3-Dichloropropene	10.33	75	14009	0.64 ug/l	91
62)	1,1,2-Trichloroethane	10.56	97	9339	0.78 ug/l	99
63)	2-Hexanone	10.61	43	33654	3.85 ug/l	94
64)	1,3-Dichloropropane	10.97	76	16367	0.73 ug/l	98
65)	Tetrachloroethene	11.05	164	11026	0.81 ug/l	97
66)	Dibromochloromethane	11.37	129	9955	0.77 ug/l	97
67)	1,2-Dibromoethane	11.70	107	8255	0.71 ug/l	93
68)	1-Chlorohexane	12.00	91	19995	0.79 ug/l	100
69)	Chlorobenzene	12.39	112	32560	0.81 ug/l	99
70)	1,1,1,2-Tetrachloroethane	12.47	131	10044	0.73 ug/l	90
71)	Ethylbenzene	12.50	91	65260	0.88 ug/l	100
72)	m-Xylene & p-Xylene	12.63	91	99163	1.79 ug/l	95
73)	o-Xylene	13.36	91	46223	0.88 ug/l	92
74)	Styrene	13.43	104	32779	0.79 ug/l	94
75)	Isopropylbenzene	13.99	105	55618	0.87 ug/l	96
76)	Cis-1,4-Dichloro-2-Butene	14.09	53	1977	1.84 ug/l	88

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP132.D Vial: 2
Acq On : 31 Jan 2024 13:50 Operator: IRagas
Sample : VO02A311 0.02uL Inst : 02
Misc : 1ppb 8260\5ppb KET-AA\10ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:40 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
78)	Bromoform	13.97	173	4069	0.59	ug/l	93
79)	1,1,2,2-Tetrachloroethane	14.30	83	10286	0.77	ug/l	92
81)	1,2,3-Trichloropropane	14.56	110	2591	0.82	ug/l	77
83)	n-Propylbenzene	14.69	91	66676	0.85	ug/l	95
84)	Bromobenzene	14.73	156	10783	0.70	ug/l	96
85)	1,3,5-Trimethylbenzene	14.97	105	40933	0.84	ug/l	96
86)	2-Chlorotoluene	14.98	91	42695	0.85	ug/l	97
87)	4-Chlorotoluene	15.07	91	35153	0.81	ug/l	99
88)	tert-Butylbenzene	15.60	134	7249	0.72	ug/l	94
89)	1,2,4-Trimethylbenzene	15.66	105	38849	0.83	ug/l	100
90)	sec-Butylbenzene	15.98	105	51225	0.82	ug/l	95
91)	p-Isopropyltoluene	16.24	119	39062	0.83	ug/l	96
92)	1,3-Dichlorobenzene	16.36	146	21166	0.81	ug/l	95
93)	1,2,3-Trimethylbenzene	16.51	105	37254	0.84	ug/l	94
94)	1,4-Dichlorobenzene	16.56	146	20858	0.81	ug/l	99
95)	n-Butylbenzene	16.97	91	35148	0.80	ug/l	96
96)	1,2-Dichlorobenzene	17.21	146	18484	0.82	ug/l	90
98)	1,2,4-Trichlorobenzene	19.56	180	9175	0.79	ug/l	99
100)	Naphthalene	19.81	128	17727	0.79	ug/l	94
101)	1,2,3-Trichlorobenzene	20.06	180	7903	0.79	ug/l	84


SG

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP132.D Vial: 2
Acq On : 31 Jan 2024 13:50 Operator: IRagas
Sample : VO02A311 0.02uL Inst : 02
Misc : 1ppb 8260\5ppb KET-AA\10ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:40 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP133.D Vial: 3
Acq On : 31 Jan 2024 14:28 Operator: IRagas
Sample : VO02A312 0.04uL Inst : 02
Misc : 2ppb 8260\10ppb KET-AA\20ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:41 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.65	114	2958773	50.00	ug/l	0.00
57) CHLOROBENZENE-D5	12.33	117	2248120	50.00	ug/l	0.00
77) 1,2-DICHLOROBENZENE-D4	17.16	152	684228	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.44	111	23970	1.58	ug/l	0.02
Spiked Amount 50.000			Recovery =	3.16%		
44) 1,2-Dichloroethane-d4	7.11	65	22091	1.65	ug/l	0.00
Spiked Amount 50.000			Recovery =	3.30%		
58) Toluene-d8	9.90	98	111433	1.99	ug/l	0.00
Spiked Amount 50.000			Recovery =	3.98%		
80) 4-Bromofluorobenzene	14.43	95	34609	2.04	ug/l	0.02
Spiked Amount 50.000			Recovery =	4.08%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.75	85	26473	1.74	ug/l	96
3) Chloromethane	2.00	50	40733	1.91	ug/l	94
4) Vinyl chloride	2.12	62	32347	1.79	ug/l	98
5) Bromomethane	2.60	94	24963	1.87	ug/l	93
6) Chloroethane	2.70	64	19487	1.65	ug/l	90
7) Dichlorofluoromethane	2.74	67	47883	1.84	ug/l	99
8) Trichlorofluoromethane	2.98	101	26811	1.70	ug/l	99
9) sec-Propyl Alcohol	3.30	45	37706	33.42	ug/l	94
10) Acrolein	3.45	56	13629	8.79	ug/l	88
11) 1,1,2-Trichloro-1,2,2-trif	3.49	151	18164	1.80	ug/l	98
12) Acetone	3.52	43	41203	12.07	ug/l	92
13) 1,1-Dichloroethene	3.68	61	46267	1.68	ug/l	97
14) tert-Butyl alcohol	3.77	59	18530	14.72	ug/l	93
15) Acetonitrile	3.85	41	25303	16.88	ug/l	97
16) Iodomethane	4.07	142	35752	1.57	ug/l	99
17) Methyl Acetate	4.08	43	23428	2.02	ug/l	89
18) Allyl Chloride	4.11	76	17006	1.57	ug/l	88
19) Methylene chloride	4.26	49	42739	1.87	ug/l	98
20) Carbon disulfide	4.27	76	98812	1.66	ug/l	96
21) Acrylonitrile	4.42	53	38937	8.09	ug/l	96
22) tert-Butyl methyl ether (M	4.45	73	71611	1.65	ug/l	100
23) trans-1,2-Dichloroethene	4.61	96	34869	1.79	ug/l	98
24) Isopropyl ether (DIPE)	5.02	45	124366	1.78	ug/l	95
25) 1,1-Dichloroethane	5.15	63	59517	1.80	ug/l	95
26) Vinyl acetate	5.16	43	46773	1.55	ug/l	98
28) tert-Butyl ethyl ether (ET	5.54	59	97887	1.66	ug/l	98
29) 2-Butanone	5.70	72	9619	7.35	ug/l	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP133.D Vial: 3
Acq On : 31 Jan 2024 14:28 Operator: IRagas
Sample : VO02A312 0.04uL Inst : 02
Misc : 2ppb 8260\10ppb KET-AA\20ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:41 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Propionitrile	5.81	54	25207	15.83 ug/l	99
31) 2,2-Dichloropropane	5.87	77	24948	1.94 ug/l	97
32) cis-1,2-Dichloroethene	5.94	96	36492	1.77 ug/l	94
33) Methylacrynonitrile	6.06	52	31840	16.10 ug/l	95
34) Isobutyl Alcohol	6.10	43	13754	45.18 ug/l	71
35) Chloroform	6.14	83	53787	1.83 ug/l	97
36) Bromochloromethane	6.36	130	16817	1.58 ug/l	94
37) Tetrahydrofuran	6.42	42	6992	1.91 ug/l	92
39) 1,1,1-Trichloroethane	6.68	97	32068	1.72 ug/l	98
40) Cyclohexane	6.70	84	44348	1.67 ug/l	94
41) 1,1-Dichloropropene	6.89	110	13984	1.65 ug/l	96
42) Carbon tetrachloride	7.02	119	26362	1.66 ug/l	96
43) tert-Amyl methyl ether (TA	7.05	87	13972	1.40 ug/l	88
45) 1,2-Dichloroethane	7.24	62	29760	1.76 ug/l	95
46) Benzene	7.26	78	137913	1.83 ug/l	97
47) Trichloroethene	8.12	130	32166	1.79 ug/l	97
48) Methylcyclohexane	8.19	83	57782	1.81 ug/l	99
49) 1,2-Dichloropropane	8.38	63	31047	1.71 ug/l	97
50) Methyl Methacrylate	8.49	69	13166	1.29 ug/l	88
51) Bromodichloromethane	8.72	83	35794	1.74 ug/l	100
52) 1,4-Dioxane	8.76	88	2955	32.05 ug/l	95
53) Dibromomethane	8.79	93	14337	1.61 ug/l	98
55) 4-Methyl-2-pentanone	9.23	43	115173	8.25 ug/l	95
56) cis-1,3-Dichloropropene	9.54	75	47419	1.64 ug/l	99
59) Toluene	10.02	91	132643	1.88 ug/l	96
60) Ethyl methacrylate	10.33	69	24889	1.31 ug/l	96
61) trans-1,3-Dichloropropene	10.33	75	33490	1.51 ug/l	95
62) 1,1,2-Trichloroethane	10.56	97	20956	1.72 ug/l	98
63) 2-Hexanone	10.61	43	66900	7.59 ug/l	95
64) 1,3-Dichloropropane	10.97	76	37780	1.67 ug/l	100
65) Tetrachloroethene	11.06	164	26217	1.91 ug/l	99
66) Dibromochloromethane	11.38	129	20329	1.57 ug/l	96
67) 1,2-Dibromoethane	11.70	107	16983	1.45 ug/l	99
68) 1-Chlorohexane	12.00	91	46209	1.80 ug/l	98
69) Chlorobenzene	12.39	112	74554	1.84 ug/l	100
70) 1,1,1,2-Tetrachloroethane	12.48	131	22061	1.59 ug/l	97
71) Ethylbenzene	12.50	91	142233	1.90 ug/l	98
72) m-Xylene & p-Xylene	12.63	91	218106	3.89 ug/l	97
73) o-Xylene	13.36	91	99357	1.87 ug/l	97
74) Styrene	13.43	104	68811	1.64 ug/l	99
75) Isopropylbenzene	13.99	105	118519	1.83 ug/l	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP133.D Vial: 3
Acq On : 31 Jan 2024 14:28 Operator: IRagas
Sample : VO02A312 0.04uL Inst : 02
Misc : 2ppb 8260\10ppb KET-AA\20ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:41 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31


	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
76)	Cis-1,4-Dichloro-2-Butene	14.11	53	4528	2.46	ug/l	95
78)	Bromoform	13.99	173	8219	1.26	ug/l	95
79)	1,1,2,2-Tetrachloroethane	14.30	83	21641	1.72	ug/l	92
81)	1,2,3-Trichloropropane	14.56	110	5107	1.72	ug/l	91
82)	trans-1,4-Dichloro-2-buten	14.71	53	4120	3.54	ug/l	89
83)	n-Propylbenzene	14.69	91	148478	2.01	ug/l	98
84)	Bromobenzene	14.73	156	24708	1.71	ug/l	96
85)	1,3,5-Trimethylbenzene	14.98	105	90341	1.96	ug/l	98
86)	2-Chlorotoluene	14.98	91	91769	1.95	ug/l	97
87)	4-Chlorotoluene	15.07	91	78077	1.91	ug/l	100
88)	tert-Butylbenzene	15.60	134	16458	1.74	ug/l	100
89)	1,2,4-Trimethylbenzene	15.67	105	82790	1.89	ug/l	100
90)	sec-Butylbenzene	15.98	105	112811	1.93	ug/l	99
91)	p-Isopropyltoluene	16.24	119	85283	1.92	ug/l	97
92)	1,3-Dichlorobenzene	16.36	146	45331	1.86	ug/l	97
93)	1,2,3-Trimethylbenzene	16.51	105	76269	1.83	ug/l	100
94)	1,4-Dichlorobenzene	16.56	146	44971	1.86	ug/l	97
95)	n-Butylbenzene	16.97	91	76814	1.86	ug/l	98
96)	1,2-Dichlorobenzene	17.21	146	40349	1.90	ug/l	95
97)	1,2-Dibromo-3-chloropropan	18.53	157	1976	1.44	ug/l	96
98)	1,2,4-Trichlorobenzene	19.56	180	20329	1.86	ug/l	98
99)	Hexachlorobutadiene	19.71	225	10365	1.92	ug/l	91
100)	Naphthalene	19.81	128	34873	1.65	ug/l	96
101)	1,2,3-Trichlorobenzene	20.06	180	16927	1.80	ug/l	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP133.D Vial: 3
Acq On : 31 Jan 2024 14:28 Operator: IRagas
Sample : VO02A312 0.04uL Inst : 02
Misc : 2ppb 8260\10ppb KET-AA\20ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:41 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP134.D Vial: 4
Acq On : 31 Jan 2024 14:53 Operator: IRagas
Sample : VO02A313 0.10uL Inst : 02
Misc : 5ppb 8260\25ppb KET-AA\50ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:42 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.65	114	2827279	50.00	ug/l	0.00
57) CHLOROBENZENE-D5	12.33	117	2138542	50.00	ug/l	0.00
77) 1,2-DICHLOROBENZENE-D4	17.16	152	650819	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.44	111	65804	4.54	ug/l	0.02
Spiked Amount 50.000			Recovery =	9.08%		
44) 1,2-Dichloroethane-d4	7.11	65	57161	4.46	ug/l	0.00
Spiked Amount 50.000			Recovery =	8.92%		
58) Toluene-d8	9.91	98	258771	4.86	ug/l	0.00
Spiked Amount 50.000			Recovery =	9.72%		
80) 4-Bromofluorobenzene	14.41	95	74337	4.60	ug/l	0.00
Spiked Amount 50.000			Recovery =	9.20%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.75	85	65978	4.53	ug/l	99
3) Chloromethane	2.00	50	91327	4.49	ug/l	98
4) Vinyl chloride	2.12	62	82813	4.79	ug/l	97
5) Bromomethane	2.60	94	59317	4.65	ug/l	92
6) Chloroethane	2.70	64	47428	4.20	ug/l	98
7) Dichlorofluoromethane	2.74	67	117607	4.73	ug/l	98
8) Trichlorofluoromethane	2.98	101	66749	4.43	ug/l	98
9) sec-Propyl Alcohol	3.30	45	59359	55.06	ug/l	86
10) Acrolein	3.45	56	32429	21.88	ug/l	88
11) 1,1,2-Trichloro-1,2,2-trif	3.49	151	40517	4.19	ug/l	99
12) Acetone	3.52	43	83620	25.64	ug/l	93
13) 1,1-Dichloroethene	3.67	61	124948	4.76	ug/l	98
14) tert-Butyl alcohol	3.77	59	48601	40.41	ug/l	96
15) Acetonitrile	3.85	41	59397	41.47	ug/l	97
16) Iodomethane	4.05	142	95776	4.41	ug/l	96
17) Methyl Acetate	4.08	43	51596	4.66	ug/l	95
18) Allyl Chloride	4.11	76	46200	4.48	ug/l	96
19) Methylene chloride	4.26	49	101393	4.63	ug/l	98
20) Carbon disulfide	4.27	76	269064	4.72	ug/l	98
21) Acrylonitrile	4.42	53	100107	21.77	ug/l	98
22) tert-Butyl methyl ether (M	4.45	73	187829	4.52	ug/l	98
23) trans-1,2-Dichloroethene	4.61	96	88269	4.75	ug/l	99
24) Isopropyl ether (DIPE)	5.02	45	317171	4.75	ug/l	99
25) 1,1-Dichloroethane	5.15	63	153752	4.86	ug/l	97
26) Vinyl acetate	5.16	43	119264	4.14	ug/l	97
28) tert-Butyl ethyl ether (ET	5.54	59	259018	4.59	ug/l	98
29) 2-Butanone	5.70	72	24122	19.29	ug/l	92

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP134.D Vial: 4
Acq On : 31 Jan 2024 14:53 Operator: IRagas
Sample : VO02A313 0.10uL Inst : 02
Misc : 5ppb 8260\25ppb KET-AA\50ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:42 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30)	Propionitrile	5.81	54	64328	42.29 ug/l	98
31)	2,2-Dichloropropane	5.87	77	64715	5.26 ug/l	96
32)	cis-1,2-Dichloroethene	5.94	96	92497	4.70 ug/l	98
33)	Methylacrynonitrile	6.06	52	83337	44.10 ug/l	94
34)	Isobutyl Alcohol	6.10	43	38031	87.50 ug/l	93
35)	Chloroform	6.14	83	136112	4.84 ug/l	98
36)	Bromochloromethane	6.36	130	44989	4.44 ug/l	99
37)	Tetrahydrofuran	6.41	42	15215	4.36 ug/l	94
39)	1,1,1-Trichloroethane	6.67	97	84565	4.74 ug/l	99
40)	Cyclohexane	6.69	84	110251	4.35 ug/l	94
41)	1,1-Dichloropropene	6.89	110	35498	4.38 ug/l	99
42)	Carbon tetrachloride	7.02	119	67798	4.46 ug/l	98
43)	tert-Amyl methyl ether (TA	7.05	87	37005	3.87 ug/l	96
45)	1,2-Dichloroethane	7.24	62	76007	4.71 ug/l	97
46)	Benzene	7.26	78	346269	4.82 ug/l	98
47)	Trichloroethene	8.12	130	79199	4.62 ug/l	99
48)	Methylcyclohexane	8.19	83	141286	4.64 ug/l	98
49)	1,2-Dichloropropane	8.37	63	78909	4.54 ug/l	99
50)	Methyl Methacrylate	8.49	69	36887	3.78 ug/l	100
51)	Bromodichloromethane	8.72	83	87427	4.45 ug/l	99
52)	1,4-Dioxane	8.76	88	6548	74.31 ug/l	89
53)	Dibromomethane	8.79	93	36907	4.35 ug/l	95
55)	4-Methyl-2-pentanone	9.23	43	288150	21.60 ug/l	97
56)	cis-1,3-Dichloropropene	9.54	75	120575	4.36 ug/l	97
59)	Toluene	10.02	91	335979	4.99 ug/l	98
60)	Ethyl methacrylate	10.33	69	64783	3.59 ug/l	92
61)	trans-1,3-Dichloropropene	10.33	75	90415	4.28 ug/l	98
62)	1,1,2-Trichloroethane	10.56	97	50510	4.37 ug/l	97
63)	2-Hexanone	10.59	43	171947	20.51 ug/l	97
64)	1,3-Dichloropropane	10.97	76	95072	4.43 ug/l	100
65)	Tetrachloroethene	11.05	164	59292	4.54 ug/l	97
66)	Dibromochloromethane	11.38	129	52991	4.29 ug/l	100
67)	1,2-Dibromoethane	11.71	107	46909	4.21 ug/l	97
68)	1-Chlorohexane	12.00	91	107575	4.42 ug/l	98
69)	Chlorobenzene	12.39	112	187063	4.84 ug/l	98
70)	1,1,1,2-Tetrachloroethane	12.48	131	57480	4.34 ug/l	98
71)	Ethylbenzene	12.50	91	335330	4.71 ug/l	99
72)	m-Xylene & p-Xylene	12.63	91	516448	9.69 ug/l	98
73)	o-Xylene	13.36	91	240849	4.76 ug/l	99
74)	Styrene	13.43	104	179312	4.48 ug/l	99
75)	Isopropylbenzene	13.99	105	288962	4.69 ug/l	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP134.D Vial: 4
Acq On : 31 Jan 2024 14:53 Operator: IRagas
Sample : VO02A313 0.10uL Inst : 02
Misc : 5ppb 8260\25ppb KET-AA\50ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:42 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
76)	Cis-1,4-Dichloro-2-Butene	14.09	53	12305	4.49	ug/l	94
78)	Bromoform	13.99	173	24162	3.91	ug/l	97
79)	1,1,2,2-Tetrachloroethane	14.30	83	54899	4.59	ug/l	99
81)	1,2,3-Trichloropropane	14.56	110	12715	4.49	ug/l	99
82)	trans-1,4-Dichloro-2-buten	14.69	53	9822	5.39	ug/l	91
83)	n-Propylbenzene	14.69	91	338244	4.82	ug/l	98
84)	Bromobenzene	14.74	156	60635	4.40	ug/l	99
85)	1,3,5-Trimethylbenzene	14.97	105	207297	4.73	ug/l	99
86)	2-Chlorotoluene	14.98	91	221517	4.96	ug/l	95
87)	4-Chlorotoluene	15.07	91	180383	4.63	ug/l	99
88)	tert-Butylbenzene	15.60	134	37918	4.22	ug/l	100
89)	1,2,4-Trimethylbenzene	15.66	105	198021	4.75	ug/l	98
90)	sec-Butylbenzene	15.98	105	265896	4.77	ug/l	98
91)	p-Isopropyltoluene	16.24	119	191897	4.54	ug/l	97
92)	1,3-Dichlorobenzene	16.36	146	106613	4.59	ug/l	98
93)	1,2,3-Trimethylbenzene	16.51	105	187860	4.75	ug/l	97
94)	1,4-Dichlorobenzene	16.56	146	106161	4.62	ug/l	100
95)	n-Butylbenzene	16.97	91	172783	4.40	ug/l	97
96)	1,2-Dichlorobenzene	17.21	146	95741	4.75	ug/l	99
97)	1,2-Dibromo-3-chloropropan	18.51	157	5298	4.07	ug/l	97
98)	1,2,4-Trichlorobenzene	19.56	180	43481	4.18	ug/l	96
99)	Hexachlorobutadiene	19.71	225	22316	4.34	ug/l	96
100)	Naphthalene	19.81	128	83869	4.18	ug/l	96
101)	1,2,3-Trichlorobenzene	20.06	180	39601	4.42	ug/l	97


SU

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP134.D Vial: 4
Acq On : 31 Jan 2024 14:53 Operator: IRagas
Sample : VO02A313 0.10uL Inst : 02
Misc : 5ppb 8260\25ppb KET-AA\50ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:42 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP135.D Vial: 5
Acq On : 31 Jan 2024 15:17 Operator: IRagas
Sample : VO02A314 0.20uL Inst : 02
Misc : 10ppb 8260\50ppb KET-AA\100ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:50 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.65	114	2694609	50.00	ug/l	0.00
57) CHLOROBENZENE-D5	12.33	117	2072489	50.00	ug/l	0.00
77) 1,2-DICHLOROBENZENE-D4	17.16	152	655014	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.44	111	141716	10.25	ug/l	0.02
Spiked Amount 50.000			Recovery =	20.50%		
44) 1,2-Dichloroethane-d4	7.11	65	123817	10.14	ug/l	0.00
Spiked Amount 50.000			Recovery =	20.28%		
58) Toluene-d8	9.90	98	555890	10.76	ug/l	0.00
Spiked Amount 50.000			Recovery =	21.52%		
80) 4-Bromofluorobenzene	14.41	95	162700	10.01	ug/l	0.00
Spiked Amount 50.000			Recovery =	20.02%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.74	85	143477	10.33	ug/l	97
3) Chloromethane	2.00	50	203330	10.49	ug/l	96
4) Vinyl chloride	2.12	62	180502	10.96	ug/l	97
5) Bromomethane	2.60	94	119883	9.85	ug/l	100
6) Chloroethane	2.69	64	108688	10.09	ug/l	98
7) Dichlorofluoromethane	2.74	67	242099	10.21	ug/l	99
8) Trichlorofluoromethane	2.98	101	152971	10.64	ug/l	96
9) sec-Propyl Alcohol	3.28	45	104935	102.12	ug/l	91
10) Acrolein	3.45	56	67781	47.99	ug/l	98
11) 1,1,2-Trichloro-1,2,2-trif	3.49	151	91993	9.99	ug/l	98
12) Acetone	3.52	43	162942	52.42	ug/l	98
13) 1,1-Dichloroethene	3.68	61	254519	10.17	ug/l	99
14) tert-Butyl alcohol	3.77	59	105430	91.98	ug/l	96
15) Acetonitrile	3.84	41	131486	96.32	ug/l	98
16) Iodomethane	4.05	142	204198	9.88	ug/l	98
17) Methyl Acetate	4.06	43	99060	9.38	ug/l	98
18) Allyl Chloride	4.11	76	94967	9.65	ug/l	97
19) Methylene chloride	4.25	49	211100	10.12	ug/l	99
20) Carbon disulfide	4.27	76	579383	10.66	ug/l	99
21) Acrylonitrile	4.40	53	219215	50.01	ug/l	100
22) tert-Butyl methyl ether (M	4.43	73	397257	10.02	ug/l	99
23) trans-1,2-Dichloroethene	4.61	96	179592	10.14	ug/l	99
24) Isopropyl ether (DIPE)	5.02	45	668241	10.50	ug/l	99
25) 1,1-Dichloroethane	5.15	63	316450	10.49	ug/l	98
26) Vinyl acetate	5.16	43	271145	9.87	ug/l	100
28) tert-Butyl ethyl ether (ET	5.53	59	542505	10.09	ug/l	98
29) 2-Butanone	5.70	72	57880	48.55	ug/l	100

(#) = qualifier out of range (m) = manual integration
RAP135.D VO02A31.M Wed Feb 07 11:39:47 2024 Page 1

Sm 2/7/24

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP135.D Vial: 5
Acq On : 31 Jan 2024 15:17 Operator: IRagas
Sample : VO02A314 0.20uL Inst : 02
Misc : 10ppb 8260\50ppb KET-AA\100ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:50 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30)	Propionitrile	5.79	54	141540	97.63 ug/l	100
31)	2,2-Dichloropropane	5.86	77	126815	10.81 ug/l	99
32)	cis-1,2-Dichloroethene	5.94	96	192560	10.27 ug/l	98
33)	Methylacrynonitrile	6.05	52	187118	103.88 ug/l	99
34)	Isobutyl Alcohol	6.08	43	91357	185.82 ug/l	100
35)	Chloroform	6.14	83	276388	10.31 ug/l	99
36)	Bromochloromethane	6.36	130	94737	9.80 ug/l	99
37)	Tetrahydrofuran	6.41	42	30054	9.03 ug/l	97
39)	1,1,1-Trichloroethane	6.67	97	175658	10.33 ug/l	99
40)	Cyclohexane	6.68	84	240891	9.96 ug/l	98
41)	1,1-Dichloropropene	6.89	110	73716	9.54 ug/l	99
42)	Carbon tetrachloride	7.02	119	142431	9.83 ug/l	100
43)	tert-Amyl methyl ether (TA	7.05	87	82919	9.11 ug/l	99
45)	1,2-Dichloroethane	7.24	62	158610	10.31 ug/l	98
46)	Benzene	7.25	78	719416	10.50 ug/l	98
47)	Trichloroethene	8.12	130	163466	10.00 ug/l	98
48)	Methylcyclohexane	8.19	83	298187	10.28 ug/l	98
49)	1,2-Dichloropropane	8.37	63	166162	10.04 ug/l	99
50)	Methyl Methacrylate	8.47	69	81814	8.80 ug/l	94
51)	Bromodichloromethane	8.72	83	190589	10.18 ug/l	100
52)	1,4-Dioxane	8.76	88	14748	175.62 ug/l	97
53)	Dibromomethane	8.79	93	77683	9.61 ug/l	98
55)	4-Methyl-2-pentanone	9.23	43	654528	51.47 ug/l	98
56)	cis-1,3-Dichloropropene	9.54	75	261149	9.91 ug/l	99
59)	Toluene	10.02	91	700055	10.74 ug/l	99
60)	Ethyl methacrylate	10.33	69	157850	9.02 ug/l	98
61)	trans-1,3-Dichloropropene	10.33	75	198270	9.68 ug/l	99
62)	1,1,2-Trichloroethane	10.56	97	113875	10.16 ug/l	100
63)	2-Hexanone	10.59	43	395225	48.64 ug/l	98
64)	1,3-Dichloropropane	10.97	76	208153	10.01 ug/l	97
65)	Tetrachloroethene	11.05	164	128349	10.14 ug/l	99
66)	Dibromochloromethane	11.37	129	118490	9.90 ug/l	99
67)	1,2-Dibromoethane	11.70	107	102438	9.49 ug/l	99
68)	1-Chlorohexane	12.00	91	243095	10.30 ug/l	97
69)	Chlorobenzene	12.39	112	392375	10.48 ug/l	99
70)	1,1,1,2-Tetrachloroethane	12.47	131	125054	9.75 ug/l	97
71)	Ethylbenzene	12.49	91	723772	10.49 ug/l	100
72)	m-Xylene & p-Xylene	12.63	91	1087398	21.04 ug/l	100
73)	o-Xylene	13.36	91	525467	10.72 ug/l	99
74)	Styrene	13.43	104	399205	10.30 ug/l	98
75)	Isopropylbenzene	13.99	105	629863	10.55 ug/l	98

(#) = qualifier out of range (m) = manual integration

RAP135.D VO02A31.M Wed Feb 07 11:39:48 2024 Page 2

2/7/24

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP135.D Vial: 5
Acq On : 31 Jan 2024 15:17 Operator: IRagas
Sample : VO02A314 0.20uL Inst : 02
Misc : 10ppb 8260\50ppb KET-AA\100ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:50 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31


	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
76)	Cis-1,4-Dichloro-2-Butene	14.09	53	28771	8.92 ug/l	99
78)	Bromoform	13.97	173	54039	8.68 ug/l	99
79)	1,1,2,2-Tetrachloroethane	14.29	83	121050	10.06 ug/l	99
81)	1,2,3-Trichloropropane	14.54	110	27828	9.76 ug/l	99
82)	trans-1,4-Dichloro-2-buten	14.69	53	24455	9.95 ug/l	96
83)	n-Propylbenzene	14.69	91	760496	10.76 ug/l	99
84)	Bromobenzene	14.73	156	135656	9.79 ug/l	99
85)	1,3,5-Trimethylbenzene	14.97	105	469453	10.65 ug/l	99
86)	2-Chlorotoluene	14.97	91	479612	10.67 ug/l	98
87)	4-Chlorotoluene	15.06	91	401713	10.25 ug/l	99
88)	tert-Butylbenzene	15.60	134	90465	10.00 ug/l	96
89)	1,2,4-Trimethylbenzene	15.66	105	437459	10.43 ug/l	99
90)	sec-Butylbenzene	15.98	105	594268	10.60 ug/l	98
91)	p-Isopropyltoluene	16.23	119	443837	10.43 ug/l	99
92)	1,3-Dichlorobenzene	16.36	146	240195	10.28 ug/l	98
93)	1,2,3-Trimethylbenzene	16.50	105	418595	10.52 ug/l	100
94)	1,4-Dichlorobenzene	16.56	146	237549	10.27 ug/l	99
95)	n-Butylbenzene	16.97	91	404892	10.23 ug/l	99
96)	1,2-Dichlorobenzene	17.21	146	210888	10.40 ug/l	98
97)	1,2-Dibromo-3-chloropropan	18.51	157	11634	8.88 ug/l	98
98)	1,2,4-Trichlorobenzene	19.55	180	103357	9.87 ug/l	99
99)	Hexachlorobutadiene	19.71	225	50077	9.67 ug/l	95
100)	Naphthalene	19.81	128	196204	9.73 ug/l	99
101)	1,2,3-Trichlorobenzene	20.06	180	89355	9.91 ug/l	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP135.D Vial: 5
Acq On : 31 Jan 2024 15:17 Operator: IRagas
Sample : VO02A314 0.20uL Inst : 02
Misc : 10ppb 8260\50ppb KET-AA\100ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:50 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP136.D Vial: 6
Acq On : 31 Jan 2024 15:42 Operator: IRagas
Sample : VO02A315 0.40uL Inst : 02
Misc : 20ppb 8260\100ppb KET-AA\200ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:51 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.65	114	2759764	50.00	ug/l	0.00
57) CHLOROBENZENE-D5	12.33	117	2168278	50.00	ug/l	0.00
77) 1,2-DICHLOROBENZENE-D4	17.16	152	705635	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.43	111	291228	20.56	ug/l	0.02
Spiked Amount 50.000			Recovery =	41.12%		
44) 1,2-Dichloroethane-d4	7.11	65	259630	20.75	ug/l	0.00
Spiked Amount 50.000			Recovery =	41.50%		
58) Toluene-d8	9.90	98	1146867	21.22	ug/l	0.00
Spiked Amount 50.000			Recovery =	42.44%		
80) 4-Bromofluorobenzene	14.41	95	355560	20.31	ug/l	0.00
Spiked Amount 50.000			Recovery =	40.62%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.75	85	308107	21.65	ug/l	98
3) Chloromethane	2.01	50	428123	21.56	ug/l	99
4) Vinyl chloride	2.11	62	374597	22.22	ug/l	100
5) Bromomethane	2.61	94	252956	20.29	ug/l	100
6) Chloroethane	2.68	64	232661	21.09	ug/l	98
7) Dichlorofluoromethane	2.73	67	516395	21.27	ug/l	100
8) Trichlorofluoromethane	2.97	101	322179	21.89	ug/l	99
9) sec-Propyl Alcohol	3.29	45	214654	203.96	ug/l	96
10) Acrolein	3.44	56	147163	101.74	ug/l	96
11) 1,1,2-Trichloro-1,2,2-trif	3.48	151	196884	20.87	ug/l	100
12) Acetone	3.51	43	322588	101.33	ug/l	99
13) 1,1-Dichloroethene	3.68	61	560143	21.85	ug/l	98
14) tert-Butyl alcohol	3.76	59	239277	203.83	ug/l	98
15) Acetonitrile	3.83	41	305312	218.37	ug/l	98
16) Iodomethane	4.05	142	446791	21.10	ug/l	98
17) Methyl Acetate	4.06	43	210537	19.47	ug/l	99
18) Allyl Chloride	4.11	76	206237	20.47	ug/l	99
19) Methylene chloride	4.25	49	443879	20.78	ug/l	99
20) Carbon disulfide	4.27	76	1174238	21.09	ug/l	99
21) Acrylonitrile	4.40	53	464156	103.40	ug/l	99
22) tert-Butyl methyl ether (M	4.43	73	838681	20.66	ug/l	100
23) trans-1,2-Dichloroethene	4.61	96	381651	21.04	ug/l	98
24) Isopropyl ether (DIPE)	5.02	45	1408445	21.61	ug/l	99
25) 1,1-Dichloroethane	5.15	63	659630	21.34	ug/l	100
26) Vinyl acetate	5.16	43	589177	20.94	ug/l	99
28) tert-Butyl ethyl ether (ET	5.53	59	1154597	20.96	ug/l	99
29) 2-Butanone	5.69	72	124973	102.36	ug/l	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP136.D Vial: 6
Acq On : 31 Jan 2024 15:42 Operator: IRagas
Sample : VO02A315 0.40uL Inst : 02
Misc : 20ppb 8260\100ppb KET-AA\200ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:51 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30)	Propionitrile	5.79	54	304587	205.13 ug/l	99
31)	2,2-Dichloropropane	5.86	77	264940	22.05 ug/l	99
32)	cis-1,2-Dichloroethene	5.94	96	404056	21.05 ug/l	97
33)	Methylacrynonitrile	6.05	52	390273	211.56 ug/l	100
34)	Isobutyl Alcohol	6.08	43	198981	369.45 ug/l	98
35)	Chloroform	6.14	83	571792	20.83 ug/l	99
36)	Bromochloromethane	6.36	130	204284	20.64 ug/l	100
37)	Tetrahydrofuran	6.41	42	65831	19.32 ug/l	99
39)	1,1,1-Trichloroethane	6.67	97	368645	21.17 ug/l	99
40)	Cyclohexane	6.68	84	499687	20.18 ug/l	99
41)	1,1-Dichloropropene	6.89	110	156608	19.79 ug/l	99
42)	Carbon tetrachloride	7.02	119	303292	20.43 ug/l	99
43)	tert-Amyl methyl ether (TA	7.05	87	182026	19.52 ug/l	99
45)	1,2-Dichloroethane	7.24	62	335533	21.29 ug/l	99
46)	Benzene	7.25	78	1504066	21.44 ug/l	100
47)	Trichloroethene	8.12	130	352035	21.02 ug/l	99
48)	Methylcyclohexane	8.19	83	620522	20.89 ug/l	98
49)	1,2-Dichloropropane	8.37	63	358258	21.14 ug/l	98
50)	Methyl Methacrylate	8.47	69	185932	19.52 ug/l	99
51)	Bromodichloromethane	8.72	83	396362	20.67 ug/l	99
52)	1,4-Dioxane	8.75	88	36458	423.89 ug/l	98
53)	Dibromomethane	8.79	93	166552	20.11 ug/l	98
55)	4-Methyl-2-pentanone	9.23	43	1402876	107.71 ug/l	99
56)	cis-1,3-Dichloropropene	9.54	75	559304	20.73 ug/l	99
59)	Toluene	10.02	91	1438263	21.08 ug/l	100
60)	Ethyl methacrylate	10.33	69	352605	19.27 ug/l	99
61)	trans-1,3-Dichloropropene	10.31	75	429322	20.04 ug/l	99
62)	1,1,2-Trichloroethane	10.56	97	245498	20.94 ug/l	99
63)	2-Hexanone	10.59	43	874127	102.82 ug/l	100
64)	1,3-Dichloropropane	10.97	76	450729	20.71 ug/l	100
65)	Tetrachloroethene	11.04	164	263129	19.87 ug/l	99
66)	Dibromochloromethane	11.37	129	256804	20.51 ug/l	99
67)	1,2-Dibromoethane	11.70	107	222286	19.69 ug/l	98
68)	1-Chlorohexane	12.00	91	497134	20.12 ug/l	99
69)	Chlorobenzene	12.39	112	833994	21.29 ug/l	99
70)	1,1,1,2-Tetrachloroethane	12.46	131	269329	20.06 ug/l	99
71)	Ethylbenzene	12.49	91	1526489	21.15 ug/l	99
72)	m-Xylene & p-Xylene	12.63	91	2260671	41.82 ug/l	100
73)	o-Xylene	13.36	91	1096232	21.37 ug/l	99
74)	Styrene	13.42	104	866056	21.36 ug/l	99
75)	Isopropylbenzene	13.99	105	1299086	20.80 ug/l	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP136.D Vial: 6
Acq On : 31 Jan 2024 15:42 Operator: IRagas
Sample : VO02A315 0.40uL Inst : 02
Misc : 20ppb 8260\100ppb KET-AA\200ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:51 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31


	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
76)	Cis-1,4-Dichloro-2-Butene	14.09	53	70059	18.94 ug/l	97
78)	Bromoform	13.97	173	124016	18.49 ug/l	97
79)	1,1,2,2-Tetrachloroethane	14.29	83	268244	20.69 ug/l	99
81)	1,2,3-Trichloropropane	14.54	110	62042	20.20 ug/l	99
82)	trans-1,4-Dichloro-2-buten	14.69	53	56830	18.81 ug/l	99
83)	n-Propylbenzene	14.69	91	1567770	20.59 ug/l	99
84)	Bromobenzene	14.73	156	294781	19.75 ug/l	97
85)	1,3,5-Trimethylbenzene	14.97	105	978782	20.62 ug/l	99
86)	2-Chlorotoluene	14.97	91	968950	20.01 ug/l	100
87)	4-Chlorotoluene	15.05	91	882920	20.90 ug/l	99
88)	tert-Butylbenzene	15.60	134	194522	19.95 ug/l	97
89)	1,2,4-Trimethylbenzene	15.66	105	935010	20.69 ug/l	100
90)	sec-Butylbenzene	15.98	105	1245681	20.63 ug/l	99
91)	p-Isopropyltoluene	16.23	119	959073	20.92 ug/l	100
92)	1,3-Dichlorobenzene	16.36	146	516697	20.52 ug/l	99
93)	1,2,3-Trimethylbenzene	16.50	105	899298	20.97 ug/l	100
94)	1,4-Dichlorobenzene	16.55	146	501745	20.13 ug/l	100
95)	n-Butylbenzene	16.97	91	873596	20.50 ug/l	99
96)	1,2-Dichlorobenzene	17.21	146	446945	20.46 ug/l	99
97)	1,2-Dibromo-3-chloropropan	18.51	157	29232	20.71 ug/l	96
98)	1,2,4-Trichlorobenzene	19.55	180	224199	19.87 ug/l	100
99)	Hexachlorobutadiene	19.71	225	108173	19.40 ug/l	99
100)	Naphthalene	19.81	128	435537	20.04 ug/l	100
101)	1,2,3-Trichlorobenzene	20.06	180	195370	20.11 ug/l	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP136.D Vial: 6
Acq On : 31 Jan 2024 15:42 Operator: IRagas
Sample : VO02A315 0.40uL Inst : 02
Misc : 20ppb 8260\100ppb KET-AA\200ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:51 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP137.D Vial: 7
Acq On : 31 Jan 2024 16:06 Operator: IRagas
Sample : VO02A316 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:51 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.65	114	2861301	50.00 ug/l	0.00
57) CHLOROBENZENE-D5	12.33	117	2252084	50.00 ug/l	0.00
77) 1,2-DICHLOROBENZENE-D4	17.16	152	744411	50.00 ug/l	0.00
System Monitoring Compounds					
38) Dibromofluoromethane	6.42	111	788356	53.69 ug/l	0.00
Spiked Amount 50.000			Recovery =	107.38%	
44) 1,2-Dichloroethane-d4	7.11	65	700537	54.01 ug/l	0.00
Spiked Amount 50.000			Recovery =	108.02%	
58) Toluene-d8	9.90	98	3043446	54.23 ug/l	0.00
Spiked Amount 50.000			Recovery =	108.46%	
80) 4-Bromofluorobenzene	14.41	95	969727	52.51 ug/l	0.00
Spiked Amount 50.000			Recovery =	105.02%	
Target Compounds					Qvalue
2) Dichlorodifluoromethane	1.75	85	804199	54.51 ug/l	100
3) Chloromethane	2.01	50	1114224	54.13 ug/l	100
4) Vinyl chloride	2.11	62	941960	53.88 ug/l	100
5) Bromomethane	2.61	94	668596	51.73 ug/l	100
6) Chloroethane	2.70	64	616838	53.92 ug/l	100
7) Dichlorofluoromethane	2.73	67	1355538	53.85 ug/l	100
8) Trichlorofluoromethane	2.97	101	856933	56.16 ug/l	100
9) sec-Propyl Alcohol	3.29	45	562925	515.91 ug/l	100
10) Acrolein	3.44	56	431808	287.93 ug/l	100
11) 1,1,2-Trichloro-1,2,2-trif	3.48	151	529838	54.18 ug/l	100
12) Acetone	3.51	43	881661	267.13 ug/l	100
13) 1,1-Dichloroethene	3.68	61	1464420	55.10 ug/l	100
14) tert-Butyl alcohol	3.76	59	686783	564.29 ug/l	98
15) Acetonitrile	3.83	41	822929	567.69 ug/l	100
16) Iodomethane	4.05	142	1190092	54.21 ug/l	100
17) Methyl Acetate	4.06	43	597585	53.30 ug/l	100
18) Allyl Chloride	4.11	76	563189	53.91 ug/l	100
19) Methylene chloride	4.25	49	1175300	53.06 ug/l	100
20) Carbon disulfide	4.27	76	3196199	55.38 ug/l	100
21) Acrylonitrile	4.40	53	1310289	281.53 ug/l	100
22) tert-Butyl methyl ether (M	4.43	73	2297810	54.60 ug/l	100
23) trans-1,2-Dichloroethene	4.60	96	1017717	54.13 ug/l	100
24) Isopropyl ether (DIPE)	5.00	45	3762495	55.67 ug/l	100
25) 1,1-Dichloroethane	5.15	63	1743270	54.41 ug/l	100
26) Vinyl acetate	5.15	43	1645085	56.39 ug/l	100
28) tert-Butyl ethyl ether (ET	5.53	59	3153595	55.22 ug/l	100
29) 2-Butanone	5.69	72	362727	286.55 ug/l	98

(#) = qualifier out of range (m) = manual integration

SG 2/7/24

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP137.D Vial: 7
Acq On : 31 Jan 2024 16:06 Operator: IRagas
Sample : VO02A316 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:51 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30)	Propionitrile	5.79	54	860644	559.04 ug/l	100
31)	2,2-Dichloropropane	5.86	77	689803	55.36 ug/l	100
32)	cis-1,2-Dichloroethene	5.94	96	1068258	53.68 ug/l	100
33)	Methylacrynonitrile	6.05	52	1062490	555.51 ug/l	100
34)	Isobutyl Alcohol	6.08	43	611683	1050.55 ug/l	100
35)	Chloroform	6.14	83	1537306	54.00 ug/l	100
36)	Bromochloromethane	6.36	130	557149	54.30 ug/l	100
37)	Tetrahydrofuran	6.41	42	192253	54.42 ug/l	100
39)	1,1,1-Trichloroethane	6.67	97	994736	55.10 ug/l	100
40)	Cyclohexane	6.68	84	1385428	53.96 ug/l	100
41)	1,1-Dichloropropene	6.89	110	438723	53.47 ug/l	100
42)	Carbon tetrachloride	7.01	119	829137	53.88 ug/l	100
43)	tert-Amyl methyl ether (TA	7.05	87	513321	53.09 ug/l	100
45)	1,2-Dichloroethane	7.24	62	903142	55.27 ug/l	100
46)	Benzene	7.25	78	4046020	55.63 ug/l	100
47)	Trichloroethene	8.12	130	952033	54.83 ug/l	100
48)	Methylcyclohexane	8.19	83	1729804	56.17 ug/l	100
49)	1,2-Dichloropropane	8.37	63	972511	55.34 ug/l	100
50)	Methyl Methacrylate	8.47	69	537698	54.44 ug/l	100
51)	Bromodichloromethane	8.70	83	1095555	55.10 ug/l	100
52)	1,4-Dioxane	8.75	88	104775	1174.97 ug/l	100
53)	Dibromomethane	8.79	93	466039	54.27 ug/l	100
55)	4-Methyl-2-pentanone	9.23	43	4050102	299.93 ug/l	100
56)	cis-1,3-Dichloropropene	9.54	75	1535864	54.89 ug/l	100
59)	Toluene	10.02	91	3912132	55.21 ug/l	100
60)	Ethyl methacrylate	10.33	69	1024081	53.88 ug/l	100
61)	trans-1,3-Dichloropropene	10.31	75	1219596	54.80 ug/l	100
62)	1,1,2-Trichloroethane	10.56	97	673568	55.32 ug/l	100
63)	2-Hexanone	10.59	43	2613747	296.00 ug/l	100
64)	1,3-Dichloropropane	10.97	76	1220595	54.01 ug/l	100
65)	Tetrachloroethene	11.04	164	737021	53.59 ug/l	100
66)	Dibromochloromethane	11.37	129	721595	55.48 ug/l	100
67)	1,2-Dibromoethane	11.69	107	619450	52.83 ug/l	100
68)	1-Chlorohexane	12.00	91	1412937	55.07 ug/l	100
69)	Chlorobenzene	12.39	112	2243082	55.14 ug/l	100
70)	1,1,1,2-Tetrachloroethane	12.46	131	753465	54.04 ug/l	100
71)	Ethylbenzene	12.49	91	4204416	56.10 ug/l	100
72)	m-Xylene & p-Xylene	12.63	91	6285151	111.93 ug/l	100
73)	o-Xylene	13.36	91	3012979	56.54 ug/l	100
74)	Styrene	13.42	104	2416307	57.38 ug/l	100
75)	Isopropylbenzene	13.99	105	3658119	56.39 ug/l	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP137.D Vial: 7
Acq On : 31 Jan 2024 16:06 Operator: IRagas
Sample : VO02A316 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:51 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
76)	Cis-1,4-Dichloro-2-Butene	14.09	53	207364	51.47 ug/l	100
78)	Bromoform	13.97	173	365331	51.63 ug/l	100
79)	1,1,2,2-Tetrachloroethane	14.29	83	748946	54.75 ug/l	100
81)	1,2,3-Trichloropropane	14.54	110	173777	53.64 ug/l	100
82)	trans-1,4-Dichloro-2-buten	14.69	53	171988	49.65 ug/l	100
83)	n-Propylbenzene	14.69	91	4479078	55.77 ug/l	100
84)	Bromobenzene	14.73	156	820418	52.09 ug/l	100
85)	1,3,5-Trimethylbenzene	14.97	105	2803288	55.97 ug/l	100
86)	2-Chlorotoluene	14.97	91	2749669	53.83 ug/l	100
87)	4-Chlorotoluene	15.05	91	2504173	56.20 ug/l	100
88)	tert-Butylbenzene	15.60	134	556088	54.07 ug/l	100
89)	1,2,4-Trimethylbenzene	15.65	105	2667568	55.94 ug/l	100
90)	sec-Butylbenzene	15.98	105	3562112	55.91 ug/l	100
91)	p-Isopropyltoluene	16.23	119	2777667	57.44 ug/l	100
92)	1,3-Dichlorobenzene	16.36	146	1450817	54.62 ug/l	100
93)	1,2,3-Trimethylbenzene	16.50	105	2546285	56.29 ug/l	100
94)	1,4-Dichlorobenzene	16.55	146	1444661	54.93 ug/l	100
95)	n-Butylbenzene	16.97	91	2601265	57.86 ug/l	100
96)	1,2-Dichlorobenzene	17.21	146	1249657	54.21 ug/l	100
97)	1,2-Dibromo-3-chloropropan	18.51	157	84422	56.70 ug/l	100
98)	1,2,4-Trichlorobenzene	19.55	180	659147	55.38 ug/l	100
99)	Hexachlorobutadiene	19.71	225	311205	52.90 ug/l	100
100)	Naphthalene	19.81	128	1304816	56.91 ug/l	100
101)	1,2,3-Trichlorobenzene	20.06	180	562040	54.85 ug/l	100


(#) = qualifier out of range (m) = manual integration
RAP137.D VO02A31.M Fri Feb 02 12:54:46 2024 Page 3

2/7/24

Quantitation Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP137.D Vial: 7
Acq On : 31 Jan 2024 16:06 Operator: IRagas
Sample : VO02A316 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:51 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



2/7/24

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP138.D Vial: 8
Acq On : 31 Jan 2024 16:31 Operator: IRagas
Sample : VO02A317 2.00uL Inst : 02
Misc : 100ppb 8260\500ppb KET-AA\1000ppb TBA-2B Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:52 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.65	114	2965634	50.00	ug/l	0.00
57) CHLOROBENZENE-D5	12.32	117	2367575	50.00	ug/l	-0.01
77) 1,2-DICHLOROBENZENE-D4	17.16	152	766752	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.42	111	1617197	106.27	ug/l	0.00
Spiked Amount 50.000			Recovery =	212.54%		
44) 1,2-Dichloroethane-d4	7.11	65	1422914	105.85	ug/l	0.00
Spiked Amount 50.000			Recovery =	211.70%		
58) Toluene-d8	9.89	98	6140987	104.08	ug/l	-0.01
Spiked Amount 50.000			Recovery =	208.16%		
80) 4-Bromofluorobenzene	14.41	95	1998872	105.09	ug/l	0.00
Spiked Amount 50.000			Recovery =	210.18%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.74	85	1634199	106.88	ug/l	100
3) Chloromethane	2.00	50	2208635	103.52	ug/l	100
4) Vinyl chloride	2.11	62	1797296	99.20	ug/l	99
5) Bromomethane	2.60	94	1358674	101.43	ug/l	100
6) Chloroethane	2.69	64	1265645	106.74	ug/l	99
7) Dichlorofluoromethane	2.72	67	2738384	104.96	ug/l	100
8) Trichlorofluoromethane	2.97	101	1713233	108.32	ug/l	100
9) sec-Propyl Alcohol	3.28	45	1091570	965.20	ug/l	95
10) Acrolein	3.43	56	783350	503.96	ug/l	98
11) 1,1,2-Trichloro-1,2,2-trif	3.48	151	1098216	108.36	ug/l	99
12) Acetone	3.51	43	1569721	458.86	ug/l	99
13) 1,1-Dichloroethene	3.67	61	2953468	107.22	ug/l	99
14) tert-Butyl alcohol	3.76	59	1386279	1098.96	ug/l	97
15) Acetonitrile	3.83	41	1566226	1042.44	ug/l	100
16) Iodomethane	4.05	142	2453102	107.80	ug/l	100
17) Methyl Acetate	4.06	43	1149109	98.89	ug/l	100
18) Allyl Chloride	4.11	76	1155776	106.74	ug/l	99
19) Methylene chloride	4.26	49	2353133	102.49	ug/l	100
20) Carbon disulfide	4.26	76	6603825	110.40	ug/l	100
21) Acrylonitrile	4.40	53	2530382	524.56	ug/l	100
22) tert-Butyl methyl ether (M	4.43	73	4550271	104.32	ug/l	100
23) trans-1,2-Dichloroethene	4.61	96	2058413	105.62	ug/l	100
24) Isopropyl ether (DIPE)	5.00	45	7487044	106.88	ug/l	100
25) 1,1-Dichloroethane	5.15	63	3493333	105.19	ug/l	100
26) Vinyl acetate	5.15	43	3254176	107.63	ug/l	100
28) tert-Butyl ethyl ether (ET	5.53	59	6267007	105.87	ug/l	100
29) 2-Butanone	5.69	72	697750	531.82	ug/l	100

(#) = qualifier out of range (m) = manual integration
RAP138.D VO02A31.M Fri Feb 02 12:54:59 2024 Page 1

2/1/24

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP138.D Vial: 8
Acq On : 31 Jan 2024 16:31 Operator: IRagas
Sample : VO02A317 2.00uL Inst : 02
Misc : 100ppb 8260\500ppb KET-AA\1000ppb TBA-2B Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:52 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30)	Propionitrile	5.79	54	1673075	1048.53 ug/l	100
31)	2,2-Dichloropropane	5.87	77	1355788	104.99 ug/l	99
32)	cis-1,2-Dichloroethene	5.92	96	2151991	104.33 ug/l	99
33)	Methylacrynonitrile	6.06	52	2031057	1024.56 ug/l	100
34)	Isobutyl Alcohol	6.08	43	1270029	2081.60 ug/l	98
35)	Chloroform	6.14	83	3058392	103.66 ug/l	98
36)	Bromochloromethane	6.36	130	1104550	103.86 ug/l	100
37)	Tetrahydrofuran	6.39	42	368938	100.77 ug/l	97
39)	1,1,1-Trichloroethane	6.67	97	2018104	107.86 ug/l	100
40)	Cyclohexane	6.68	84	2834625	106.52 ug/l	100
41)	1,1-Dichloropropene	6.87	110	890621	104.73 ug/l	100
42)	Carbon tetrachloride	7.01	119	1687508	105.80 ug/l	99
43)	tert-Amyl methyl ether (TA	7.05	87	1038572	103.63 ug/l	98
45)	1,2-Dichloroethane	7.23	62	1791989	105.81 ug/l	99
46)	Benzene	7.24	78	8096589	107.41 ug/l	99
47)	Trichloroethene	8.10	130	1922412	106.83 ug/l	100
48)	Methylcyclohexane	8.19	83	3447156	108.00 ug/l	99
49)	1,2-Dichloropropane	8.37	63	1969230	108.12 ug/l	99
50)	Methyl Methacrylate	8.47	69	1062216	103.76 ug/l	98
51)	Bromodichloromethane	8.70	83	2201594	106.83 ug/l	100
52)	1,4-Dioxane	8.75	88	196445	2125.48 ug/l	100
53)	Dibromomethane	8.79	93	933745	104.91 ug/l	99
55)	4-Methyl-2-pentanone	9.23	43	7716423	551.33 ug/l	99
56)	cis-1,3-Dichloropropene	9.54	75	3110974	107.28 ug/l	99
59)	Toluene	10.02	91	7797148	104.67 ug/l	100
60)	Ethyl methacrylate	10.31	69	2066034	103.39 ug/l	99
61)	trans-1,3-Dichloropropene	10.31	75	2451988	104.80 ug/l	99
62)	1,1,2-Trichloroethane	10.56	97	1325815	103.59 ug/l	99
63)	2-Hexanone	10.59	43	5092491	548.59 ug/l	99
64)	1,3-Dichloropropane	10.96	76	2411995	101.52 ug/l	100
65)	Tetrachloroethene	11.05	164	1478434	102.26 ug/l	99
66)	Dibromochloromethane	11.37	129	1466773	107.28 ug/l	100
67)	1,2-Dibromoethane	11.69	107	1241163	100.70 ug/l	99
68)	1-Chlorohexane	12.00	91	2883951	106.92 ug/l	100
69)	Chlorobenzene	12.39	112	4553604	106.47 ug/l	100
70)	1,1,1,2-Tetrachloroethane	12.47	131	1541329	105.16 ug/l	99
71)	Ethylbenzene	12.49	91	8447049	107.20 ug/l	99
72)	m-Xylene & p-Xylene	12.63	91	12301614	208.39 ug/l	97
73)	o-Xylene	13.36	91	6102937	108.94 ug/l	100
74)	Styrene	13.42	104	4958327	112.00 ug/l	100
75)	Isopropylbenzene	13.99	105	7352362	107.81 ug/l	100

(#) = qualifier out of range (m) = manual integration

Data File : D:\HPCHEM\1\DATA\24A31\RAP138.D Vial: 8
Acq On : 31 Jan 2024 16:31 Operator: IRagas
Sample : VO02A317 2.00uL Inst : 02
Misc : 100ppb 8260\500ppb KET-AA\1000ppb TBA-2B Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:52 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
76)	Cis-1,4-Dichloro-2-Butene	14.09	53	416690	97.14	ug/l	97
78)	Bromoform	13.97	173	752483	103.25	ug/l	99
79)	1,1,2,2-Tetrachloroethane	14.30	83	1469757	104.32	ug/l	99
81)	1,2,3-Trichloropropane	14.54	110	351334	105.29	ug/l	100
82)	trans-1,4-Dichloro-2-buten	14.69	53	348465	95.45	ug/l	98
83)	n-Propylbenzene	14.69	91	8916822	107.79	ug/l	99
84)	Bromobenzene	14.72	156	1669493	102.92	ug/l	99
85)	1,3,5-Trimethylbenzene	14.97	105	5608730	108.72	ug/l	100
86)	2-Chlorotoluene	14.97	91	5502891	104.58	ug/l	99
87)	4-Chlorotoluene	15.06	91	5058278	110.21	ug/l	97
88)	tert-Butylbenzene	15.60	134	1120999	105.82	ug/l	99
89)	1,2,4-Trimethylbenzene	15.66	105	5374628	109.43	ug/l	100
90)	sec-Butylbenzene	15.98	105	7092118	108.07	ug/l	100
91)	p-Isopropyltoluene	16.23	119	5461407	109.65	ug/l	99
92)	1,3-Dichlorobenzene	16.36	146	2906112	106.22	ug/l	100
93)	1,2,3-Trimethylbenzene	16.51	105	5017190	107.69	ug/l	99
94)	1,4-Dichlorobenzene	16.55	146	2892028	106.77	ug/l	100
95)	n-Butylbenzene	16.97	91	5184849	111.96	ug/l	99
96)	1,2-Dichlorobenzene	17.21	146	2480622	104.48	ug/l	100
97)	1,2-Dibromo-3-chloropropan	18.51	157	173078	112.85	ug/l	97
98)	1,2,4-Trichlorobenzene	19.55	180	1309230	106.79	ug/l	99
99)	Hexachlorobutadiene	19.71	225	631137	104.16	ug/l	100
100)	Naphthalene	19.81	128	2557151	108.28	ug/l	100
101)	1,2,3-Trichlorobenzene	20.05	180	1098638	104.09	ug/l	99


SG

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP138.D Vial: 8
Acq On : 31 Jan 2024 16:31 Operator: IRagas
Sample : VO02A317 2.00uL Inst : 02
Misc : 100ppb 8260\500ppb KET-AA\1000ppb TBA-2B Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:52 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP139.D Vial: 9
Acq On : 31 Jan 2024 16:55 Operator: IRagas
Sample : VO02A318 4.00uL Inst : 02
Misc : 200ppb 8260\1000ppb KET-AA\2000ppb TBA-2 Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:54 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.65	114	3083217	50.00	ug/l	0.00
57) CHLOROBENZENE-D5	12.33	117	2377364	50.00	ug/l	0.00
77) 1,2-DICHLOROBENZENE-D4	17.16	152	754556	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.42	111	3319393	209.80	ug/l	0.00
Spiked Amount 50.000			Recovery = 419.60%			
44) 1,2-Dichloroethane-d4	7.11	65	2928075	209.51	ug/l	0.00
Spiked Amount 50.000			Recovery = 419.02%			
58) Toluene-d8	9.90	98	12127770	204.70	ug/l	0.00
Spiked Amount 50.000			Recovery = 409.40%			
80) 4-Bromofluorobenzene	14.41	95	3958444	211.48	ug/l	0.00
Spiked Amount 50.000			Recovery = 422.96%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.74	85	3362359	211.52	ug/l	99
3) Chloromethane	2.00	50	4485697	202.22	ug/l	100
4) Vinyl chloride	2.09	62	3275984	173.91	ug/l	100
5) Bromomethane	2.60	94	2793239	200.58	ug/l	100
6) Chloroethane	2.69	64	2552871	207.09	ug/l	99
7) Dichlorofluoromethane	2.74	67	5498344	202.71	ug/l	99
8) Trichlorofluoromethane	2.98	101	3467244	210.87	ug/l	100
9) sec-Propyl Alcohol	3.28	45	2300254	1956.39	ug/l	96
10) Acrolein	3.43	56	1776437	1099.26	ug/l	96
11) 1,1,2-Trichloro-1,2,2-trif	3.48	151	2129148	202.06	ug/l	99
12) Acetone	3.51	43	3337400	938.39	ug/l	99
13) 1,1-Dichloroethene	3.68	61	5949814	207.77	ug/l	99
14) tert-Butyl alcohol	3.76	59	2979302	2271.73	ug/l	98
15) Acetonitrile	3.83	41	3206026	2052.47	ug/l	100
16) Iodomethane	4.05	142	4915645	207.78	ug/l	100
17) Methyl Acetate	4.06	43	2471712	204.61	ug/l	99
18) Allyl Chloride	4.11	76	2370246	210.55	ug/l	98
19) Methylene chloride	4.27	49	4789005	200.63	ug/l	99
20) Carbon disulfide	4.27	76	13239664	212.89	ug/l	99
21) Acrylonitrile	4.40	53	5434589	1083.64	ug/l	99
22) tert-Butyl methyl ether (M	4.43	73	9772523	215.51	ug/l	99
23) trans-1,2-Dichloroethene	4.61	96	4283922	211.44	ug/l	100
24) Isopropyl ether (DIPE)	5.02	45	15162361	208.20	ug/l	97
25) 1,1-Dichloroethane	5.15	63	7209964	208.82	ug/l	99
26) Vinyl acetate	5.15	43	6879998	218.87	ug/l	99
28) tert-Butyl ethyl ether (ET	5.53	59	13158352	213.81	ug/l	98
29) 2-Butanone	5.69	72	1524723	1117.81	ug/l	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP139.D Vial: 9
Acq On : 31 Jan 2024 16:55 Operator: IRagas
Sample : VO02A318 4.00uL Inst : 02
Misc : 200ppb 8260\1000ppb KET-AA\2000ppb TBA-2 Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:54 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
30)	Propionitrile	5.79	54	3670211	2212.42	ug/l	100
31)	2,2-Dichloropropane	5.86	77	2587949	192.76	ug/l	98
32)	cis-1,2-Dichloroethene	5.92	96	4530593	211.26	ug/l	98
33)	Methylacrynonitrile	6.05	52	4391609	2130.85	ug/l	96
34)	Isobutyl Alcohol	6.08	43	2783957	4363.63	ug/l	97
35)	Chloroform	6.14	83	6438399	209.89	ug/l	98
36)	Bromochloromethane	6.36	130	2383831	215.59	ug/l	100
37)	Tetrahydrofuran	6.39	42	838977	220.40	ug/l	97
39)	1,1,1-Trichloroethane	6.67	97	4053007	208.35	ug/l	99
40)	Cyclohexane	6.68	84	5783306	209.03	ug/l	99
41)	1,1-Dichloropropene	6.87	110	1927276	218.00	ug/l	100
42)	Carbon tetrachloride	7.02	119	3510900	211.72	ug/l	99
43)	tert-Amyl methyl ether (TA	7.05	87	2258917	216.80	ug/l	97
45)	1,2-Dichloroethane	7.23	62	3768725	214.05	ug/l	99
46)	Benzene	7.25	78	16104927	205.50	ug/l	97
47)	Trichloroethene	8.12	130	4024901	215.13	ug/l	100
48)	Methylcyclohexane	8.19	83	7031033	211.88	ug/l	99
49)	1,2-Dichloropropane	8.37	63	4109952	217.04	ug/l	100
50)	Methyl Methacrylate	8.47	69	2363478	222.08	ug/l	100
51)	Bromodichloromethane	8.70	83	4620474	215.65	ug/l	99
52)	1,4-Dioxane	8.75	88	385929	4016.40	ug/l	97
53)	Dibromomethane	8.79	93	2016087	217.88	ug/l	99
55)	4-Methyl-2-pentanone	9.23	43	15717980	1080.20	ug/l	96
56)	cis-1,3-Dichloropropene	9.54	75	6556158	217.46	ug/l	99
59)	Toluene	10.02	91	15326705	204.91	ug/l	95
60)	Ethyl methacrylate	10.33	69	4531042	225.82	ug/l	99
61)	trans-1,3-Dichloropropene	10.31	75	5272370	224.42	ug/l	98
62)	1,1,2-Trichloroethane	10.56	97	2837591	220.79	ug/l	99
63)	2-Hexanone	10.59	43	10762551	1154.62	ug/l	96
64)	1,3-Dichloropropane	10.97	76	5114314	214.37	ug/l	99
65)	Tetrachloroethene	11.05	164	3115367	214.60	ug/l	99
66)	Dibromochloromethane	11.37	129	3141481	228.81	ug/l	100
67)	1,2-Dibromoethane	11.69	107	2652498	214.31	ug/l	99
68)	1-Chlorohexane	12.00	91	6009493	221.88	ug/l	99
69)	Chlorobenzene	12.39	112	9218326	214.65	ug/l	98
70)	1,1,1,2-Tetrachloroethane	12.47	131	3222347	218.95	ug/l	99
71)	Ethylbenzene	12.49	91	16230736	205.14	ug/l	94
72)	m-Xylene & p-Xylene	12.63	91	21501617	362.74	ug/l	87
73)	o-Xylene	13.36	91	11754339	208.96	ug/l	97
74)	Styrene	13.42	104	9973038	224.35	ug/l	98
75)	Isopropylbenzene	13.99	105	14235188	207.87	ug/l	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP139.D Vial: 9
Acq On : 31 Jan 2024 16:55 Operator: IRagas
Sample : VO02A318 4.00uL Inst : 02
Misc : 200ppb 8260\1000ppb KET-AA\2000ppb TBA-2 Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:54 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31


	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
76)	Cis-1,4-Dichloro-2-Butene	14.09	53	906452	208.85 ug/l	97
78)	Bromoform	13.97	173	1601830	223.35 ug/l	99
79)	1,1,2,2-Tetrachloroethane	14.29	83	3093396	223.10 ug/l	100
81)	1,2,3-Trichloropropane	14.54	110	739539	225.21 ug/l	98
82)	trans-1,4-Dichloro-2-buten	14.69	53	768181	210.96 ug/l	98
83)	n-Propylbenzene	14.69	91	16301736	200.25 ug/l	96
84)	Bromobenzene	14.73	156	3452103	216.25 ug/l	99
85)	1,3,5-Trimethylbenzene	14.97	105	10762759	212.00 ug/l	98
86)	2-Chlorotoluene	14.97	91	11178859	215.89 ug/l	99
87)	4-Chlorotoluene	15.06	91	9651314	213.68 ug/l	96
88)	tert-Butylbenzene	15.60	134	2209333	211.92 ug/l	99
89)	1,2,4-Trimethylbenzene	15.66	105	10293904	212.98 ug/l	98
90)	sec-Butylbenzene	15.98	105	13328636	206.39 ug/l	98
91)	p-Isopropyltoluene	16.23	119	10417012	212.53 ug/l	98
92)	1,3-Dichlorobenzene	16.36	146	5737293	213.09 ug/l	99
93)	1,2,3-Trimethylbenzene	16.50	105	9628977	210.02 ug/l	99
94)	1,4-Dichlorobenzene	16.56	146	5655712	212.17 ug/l	98
95)	n-Butylbenzene	16.97	91	9932614	217.95 ug/l	98
96)	1,2-Dichlorobenzene	17.21	146	4847556	207.48 ug/l	100
97)	1,2-Dibromo-3-chloropropan	18.51	157	374739	248.29 ug/l	99
98)	1,2,4-Trichlorobenzene	19.55	180	2583655	214.15 ug/l	100
99)	Hexachlorobutadiene	19.71	225	1265175	212.18 ug/l	100
100)	Naphthalene	19.81	128	5290270	227.64 ug/l	99
101)	1,2,3-Trichlorobenzene	20.06	180	2260275	217.61 ug/l	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP139.D Vial: 9
Acq On : 31 Jan 2024 16:55 Operator: IRagas
Sample : VO02A318 4.00uL Inst : 02
Misc : 200ppb 8260\1000ppb KET-AA\2000ppb TBA-2 Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:54 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP140.D Vial: 10
Acq On : 31 Jan 2024 17:20 Operator: IRagas
Sample : VO02A319 6.00uL Inst : 02
Misc : 300ppb 8260\1500ppb KET-AA\3000ppb TBA-2 Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:56 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.65	114	3080665	50.00	ug/l	0.00
57) CHLOROBENZENE-D5	12.33	117	2336058	50.00	ug/l	0.00
77) 1,2-DICHLOROBENZENE-D4	17.16	152	741869	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.42	111	4977358	314.85	ug/l	0.00
Spiked Amount 50.000			Recovery =	629.70%		
44) 1,2-Dichloroethane-d4	7.11	65	4352315	311.68	ug/l	0.00
Spiked Amount 50.000			Recovery =	623.36%		
58) Toluene-d8	9.90	98	16918273	290.60	ug/l	0.00
Spiked Amount 50.000			Recovery =	581.20%		
80) 4-Bromofluorobenzene	14.41	95	5765063	313.26	ug/l	0.00
Spiked Amount 50.000			Recovery =	626.52%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.74	85	4951695	311.76	ug/l	98
3) Chloromethane	2.00	50	6714335	302.94	ug/l	99
4) Vinyl chloride	2.09	62	4288480	227.85	ug/l	100
5) Bromomethane	2.60	94	4199126	301.78	ug/l	100
6) Chloroethane	2.68	64	3944043	320.21	ug/l	98
7) Dichlorofluoromethane	2.72	67	8348221	308.03	ug/l	99
8) Trichlorofluoromethane	2.98	101	5191316	315.98	ug/l	100
9) sec-Propyl Alcohol	3.28	45	3404696	2898.13	ug/l	96
10) Acrolein	3.43	56	2431934	1506.13	ug/l	97
11) 1,1,2-Trichloro-1,2,2-trif	3.48	151	3385877	321.59	ug/l	99
12) Acetone	3.51	43	4825410	1357.90	ug/l	98
13) 1,1-Dichloroethene	3.67	61	9113363	318.50	ug/l	99
14) tert-Butyl alcohol	3.76	59	4274518	3262.04	ug/l	97
15) Acetonitrile	3.83	41	4984239	3193.51	ug/l	99
16) Iodomethane	4.05	142	7630054	322.78	ug/l	100
17) Methyl Acetate	4.06	43	3594966	297.84	ug/l	98
18) Allyl Chloride	4.11	76	3670280	326.30	ug/l	98
19) Methylene chloride	4.27	49	7281595	305.31	ug/l	99
20) Carbon disulfide	4.25	76	19397080	312.16	ug/l	98
21) Acrylonitrile	4.40	53	7798317	1556.25	ug/l	99
22) tert-Butyl methyl ether (M	4.43	73	14223365	313.92	ug/l	98
23) trans-1,2-Dichloroethene	4.61	96	6443898	318.31	ug/l	99
24) Isopropyl ether (DIPE)	5.00	45	21768490	299.16	ug/l	95
25) 1,1-Dichloroethane	5.15	63	10739838	311.31	ug/l	98
26) Vinyl acetate	5.15	43	10057077	320.20	ug/l	98
28) tert-Butyl ethyl ether (ET	5.53	59	19080247	310.29	ug/l	97
29) 2-Butanone	5.69	72	2216318	1626.18	ug/l	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP140.D Vial: 10
Acq On : 31 Jan 2024 17:20 Operator: IRagas
Sample : VO02A319 6.00uL Inst : 02
Misc : 300ppb 8260\1500ppb KET-AA\3000ppb TBA-2 Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:56 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Propionitrile	5.79	54	5267324	3177.80 ug/l	99
31) 2,2-Dichloropropane	5.86	77	3758742	280.19 ug/l	97
32) cis-1,2-Dichloroethene	5.92	96	6744186	314.74 ug/l	97
33) Methylacrynonitrile	6.06	52	6273440	3046.45 ug/l	91
34) Isobutyl Alcohol	6.08	43	3878782	6075.71 ug/l	98
35) Chloroform	6.14	83	9485484	309.49 ug/l	97
36) Bromochloromethane	6.36	130	3525745	319.13 ug/l	100
37) Tetrahydrofuran	6.39	42	1202781	316.24 ug/l	97
39) 1,1,1-Trichloroethane	6.67	97	6152380	316.53 ug/l	99
40) Cyclohexane	6.68	84	8881698	321.29 ug/l	99
41) 1,1-Dichloropropene	6.89	110	2861022	323.88 ug/l	100
42) Carbon tetrachloride	7.02	119	5302641	320.03 ug/l	99
43) tert-Amyl methyl ether (TA	7.05	87	3377902	324.46 ug/l	98
45) 1,2-Dichloroethane	7.24	62	5523483	313.97 ug/l	98
46) Benzene	7.26	78	21935916	280.14 ug/l	92
47) Trichloroethene	8.12	130	5990593	320.47 ug/l	100
48) Methylcyclohexane	8.19	83	10478842	316.05 ug/l	99
49) 1,2-Dichloropropane	8.37	63	6130029	323.99 ug/l	100
50) Methyl Methacrylate	8.47	69	3445850	324.04 ug/l	100
51) Bromodichloromethane	8.70	83	6839617	319.49 ug/l	99
52) 1,4-Dioxane	8.75	88	653003	6801.50 ug/l	99
53) Dibromomethane	8.79	93	2991167	323.52 ug/l	99
55) 4-Methyl-2-pentanone	9.23	43	20640776	1419.69 ug/l	92
56) cis-1,3-Dichloropropene	9.54	75	9474600	314.52 ug/l	97
59) Toluene	10.02	91	20573614	279.92 ug/l	91
60) Ethyl methacrylate	10.33	69	6491544	329.25 ug/l	98
61) trans-1,3-Dichloropropene	10.31	75	7571736	328.00 ug/l	98
62) 1,1,2-Trichloroethane	10.56	97	4122545	326.44 ug/l	99
63) 2-Hexanone	10.59	43	14508619	1584.03 ug/l	94
64) 1,3-Dichloropropane	10.97	76	7380918	314.84 ug/l	99
65) Tetrachloroethene	11.05	164	4587419	321.59 ug/l	99
66) Dibromochloromethane	11.37	129	4540499	336.56 ug/l	100
67) 1,2-Dibromoethane	11.69	107	3798838	312.36 ug/l	99
68) 1-Chlorohexane	12.00	91	8582272	322.47 ug/l	98
69) Chlorobenzene	12.39	112	12949612	306.86 ug/l	97
70) 1,1,1,2-Tetrachloroethane	12.48	131	4644499	321.15 ug/l	100
71) Ethylbenzene	12.49	91	20989304	269.98 ug/l	87
73) o-Xylene	13.36	91	16352692	295.85 ug/l	94
74) Styrene	13.42	104	13918444	318.64 ug/l	96
75) Isopropylbenzene	13.99	105	18964926	281.83 ug/l	94
76) Cis-1,4-Dichloro-2-Butene	14.09	53	1280304	299.61 ug/l	95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP140.D Vial: 10
Acq On : 31 Jan 2024 17:20 Operator: IRagas
Sample : VO02A319 6.00uL Inst : 02
Misc : 300ppb 8260\1500ppb KET-AA\3000ppb TBA-2 Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:56 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31


	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
78)	Bromoform	13.97	173	2307817	327.29	ug/l	99
79)	1,1,2,2-Tetrachloroethane	14.29	83	4348121	318.96	ug/l	100
81)	1,2,3-Trichloropropane	14.54	110	1043668	323.27	ug/l	99
82)	trans-1,4-Dichloro-2-buten	14.69	53	1059254	294.94	ug/l	95
83)	n-Propylbenzene	14.69	91	21162754	264.41	ug/l	90
84)	Bromobenzene	14.73	156	4992524	318.09	ug/l	99
85)	1,3,5-Trimethylbenzene	14.97	105	14630588	293.11	ug/l	95
86)	2-Chlorotoluene	14.97	91	15196801	298.50	ug/l	97
87)	4-Chlorotoluene	15.07	91	13460793	303.11	ug/l	93
88)	tert-Butylbenzene	15.60	134	3165786	308.86	ug/l	99
89)	1,2,4-Trimethylbenzene	15.66	105	14202392	298.87	ug/l	95
90)	sec-Butylbenzene	15.98	105	17862603	281.32	ug/l	95
91)	p-Isopropyltoluene	16.24	119	14291712	296.57	ug/l	96
92)	1,3-Dichlorobenzene	16.36	146	8232956	311.01	ug/l	98
93)	1,2,3-Trimethylbenzene	16.50	105	13535077	300.27	ug/l	96
94)	1,4-Dichlorobenzene	16.56	146	8203700	313.02	ug/l	98
95)	n-Butylbenzene	16.97	91	13830606	308.68	ug/l	96
96)	1,2-Dichlorobenzene	17.21	146	7071580	307.84	ug/l	99
97)	1,2-Dibromo-3-chloropropan	18.51	157	535586	360.93	ug/l	99
98)	1,2,4-Trichlorobenzene	19.55	180	3905683	329.26	ug/l	99
99)	Hexachlorobutadiene	19.71	225	1700798	290.11	ug/l	100
100)	Naphthalene	19.81	128	7723871	338.04	ug/l	97
101)	1,2,3-Trichlorobenzene	20.06	180	3299327	323.08	ug/l	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP140.D Vial: 10
Acq On : 31 Jan 2024 17:20 Operator: IRagas
Sample : VO02A319 6.00uL Inst : 02
Misc : 300ppb 8260\1500ppb KET-AA\3000ppb TBA-2 Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:56 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP141.D Vial: 11
Acq On : 31 Jan 2024 17:44 Operator: IRagas
Sample : VO02A3110 10.00uL Inst : 02
Misc : 500ppb 8260\2500ppb KET-AA\5000ppb TBA-2 Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:58 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.65	114	3081601	50.00 ug/l	0.00
57) CHLOROBENZENE-D5	12.33	117	2236073	50.00 ug/l	0.00
77) 1,2-DICHLOROBENZENE-D4	17.16	152	667650	50.00 ug/l	0.00
System Monitoring Compounds					
38) Dibromofluoromethane	6.42	111	8029494	507.76 ug/l	0.00
Spiked Amount 50.000			Recovery	= 1015.52%	
44) 1,2-Dichloroethane-d4	7.11	65	7037775	503.84 ug/l	0.00
Spiked Amount 50.000			Recovery	= 1007.68%	
58) Toluene-d8	9.90	98	23228073	416.82 ug/l	0.00
Spiked Amount 50.000			Recovery	= 833.64%	
80) 4-Bromofluorobenzene	14.41	95	8747523	528.17 ug/l	0.00
Spiked Amount 50.000			Recovery	= 1056.34%	
Target Compounds					Qvalue
2) Dichlorodifluoromethane	1.75	85	8179774	514.85 ug/l	98
3) Chloromethane	1.99	50	10761370	485.39 ug/l	97
4) Vinyl chloride	2.09	62	6499929	345.24 ug/l	99
5) Bromomethane	2.60	94	6927009	497.68 ug/l	100
6) Chloroethane	2.69	64	6317931	512.78 ug/l	98
7) Dichlorofluoromethane	2.73	67	13241197	488.43 ug/l	98
8) Trichlorofluoromethane	2.97	101	8371466	509.39 ug/l	100
9) sec-Propyl Alcohol	3.28	45	5385912	4583.17 ug/l	97
10) Acrolein	3.43	56	3995862	2473.94 ug/l	97
11) 1,1,2-Trichloro-1,2,2-trif	3.48	151	5113116	485.50 ug/l	99
12) Acetone	3.51	43	7779871	2188.65 ug/l	98
13) 1,1-Dichloroethene	3.68	61	14309460	499.95 ug/l	98
14) tert-Butyl alcohol	3.77	59	6985117	5328.98 ug/l	97
15) Acetonitrile	3.83	41	7830145	5015.42 ug/l	100
16) Iodomethane	4.05	142	11942191	505.05 ug/l	99
17) Methyl Acetate	4.07	43	5825036	482.45 ug/l	97
18) Allyl Chloride	4.09	76	5868854	521.61 ug/l	97
19) Methylene chloride	4.27	49	11554522	484.33 ug/l	98
20) Carbon disulfide	4.27	76	29262324	470.78 ug/l	95
21) Acrylonitrile	4.40	53	12400476	2473.92 ug/l	97
22) tert-Butyl methyl ether (M	4.43	73	22186048	489.51 ug/l	96
23) trans-1,2-Dichloroethene	4.61	96	10294089	508.34 ug/l	98
24) Isopropyl ether (DIPE)	5.00	45	31015318	426.11 ug/l	86
25) 1,1-Dichloroethane	5.15	63	16683959	483.47 ug/l	96
26) Vinyl acetate	5.15	43	15670043	498.76 ug/l	96
28) tert-Butyl ethyl ether (ET	5.53	59	28613698	465.18 ug/l	92
29) 2-Butanone	5.69	72	3705868	2718.29 ug/l	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP141.D Vial: 11
Acq On : 31 Jan 2024 17:44 Operator: IRagas
Sample : VO02A3110 10.00uL Inst : 02
Misc : 500ppb 8260\2500ppb KET-AA\5000ppb TBA-2 Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:58 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Propionitrile	5.81	54	8527170	5142.92 ug/l	99
31) 2,2-Dichloropropane	5.87	77	5555910	414.04 ug/l	96
32) cis-1,2-Dichloroethene	5.92	96	10864707	506.89 ug/l	94
34) Isobutyl Alcohol	6.10	43	6062528	9480.59 ug/l	98
35) Chloroform	6.14	83	14848791	484.33 ug/l	94
36) Bromochloromethane	6.36	130	5754973	520.75 ug/l	99
37) Tetrahydrofuran	6.39	42	1996336	524.72 ug/l	95
39) 1,1,1-Trichloroethane	6.67	97	9689799	498.38 ug/l	99
40) Cyclohexane	6.69	84	14242348	515.05 ug/l	100
41) 1,1-Dichloropropene	6.89	110	4728266	535.10 ug/l	100
42) Carbon tetrachloride	7.02	119	8409717	507.39 ug/l	100
43) tert-Amyl methyl ether (TA	7.05	87	5599837	537.72 ug/l	98
45) 1,2-Dichloroethane	7.24	62	8807556	500.50 ug/l	98
47) Trichloroethene	8.12	130	9608139	513.83 ug/l	99
48) Methylcyclohexane	8.19	83	16427972	495.33 ug/l	97
49) 1,2-Dichloropropane	8.37	63	9868395	521.41 ug/l	99
50) Methyl Methacrylate	8.47	69	5699201	535.78 ug/l	96
51) Bromodichloromethane	8.70	83	10905467	509.26 ug/l	97
52) 1,4-Dioxane	8.75	88	906241	9436.29 ug/l	99
53) Dibromomethane	8.79	93	4875901	527.21 ug/l	100
56) cis-1,3-Dichloropropene	9.54	75	14681470	487.22 ug/l	94
60) Ethyl methacrylate	10.33	69	10173626	539.08 ug/l	98
61) trans-1,3-Dichloropropene	10.31	75	11723664	530.56 ug/l	96
62) 1,1,2-Trichloroethane	10.56	97	6590037	545.16 ug/l	99
63) 2-Hexanone	10.59	43	20339439	2319.92 ug/l	86
64) 1,3-Dichloropropane	10.97	76	11484376	511.78 ug/l	97
65) Tetrachloroethene	11.05	164	7364917	539.39 ug/l	98
66) Dibromochloromethane	11.37	129	7239385	560.60 ug/l	99
67) 1,2-Dibromoethane	11.71	107	6092040	523.32 ug/l	99
68) 1-Chlorohexane	12.00	91	13195440	517.98 ug/l	96
69) Chlorobenzene	12.39	112	18744466	464.05 ug/l	91
70) 1,1,1,2-Tetrachloroethane	12.48	131	7360397	531.71 ug/l	99
73) o-Xylene	13.36	91	22374264	422.89 ug/l	85
74) Styrene	13.43	104	19812859	473.87 ug/l	89
75) Isopropylbenzene	13.99	105	24429801	379.28 ug/l	85
76) Cis-1,4-Dichloro-2-Butene	14.09	53	2028430	495.01 ug/l	95
78) Bromoform	13.97	173	3659152	576.63 ug/l	99
79) 1,1,2,2-Tetrachloroethane	14.30	83	6719061	547.67 ug/l	99
81) 1,2,3-Trichloropropane	14.54	110	1613747	555.41 ug/l	98
82) trans-1,4-Dichloro-2-buten	14.69	53	1620734	499.84 ug/l	95
84) Bromobenzene	14.73	156	7676552	543.48 ug/l	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP141.D Vial: 11
Acq On : 31 Jan 2024 17:44 Operator: IRagas
Sample : VO02A3110 10.00uL Inst : 02
Misc : 500ppb 8260\2500ppb KET-AA\5000ppb TBA-2 Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:58 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
85)	1,3,5-Trimethylbenzene	14.98	105	20137253	448.28	ug/l	89
86)	2-Chlorotoluene	14.98	91	20891514	455.97	ug/l	90
87)	4-Chlorotoluene	15.07	91	18775616	469.79	ug/l	86
88)	tert-Butylbenzene	15.60	134	4890462	530.16	ug/l	99
89)	1,2,4-Trimethylbenzene	15.67	105	19695736	460.54	ug/l	87
90)	sec-Butylbenzene	15.98	105	23707207	414.88	ug/l	86
91)	p-Isopropyltoluene	16.24	119	19960912	460.27	ug/l	90
92)	1,3-Dichlorobenzene	16.36	146	12246961	514.07	ug/l	97
93)	1,2,3-Trimethylbenzene	16.51	105	18985660	468.01	ug/l	92
94)	1,4-Dichlorobenzene	16.56	146	12166670	515.83	ug/l	96
95)	n-Butylbenzene	16.97	91	19114148	474.02	ug/l	90
96)	1,2-Dichlorobenzene	17.21	146	10566886	511.14	ug/l	98
97)	1,2-Dibromo-3-chloropropan	18.51	157	847678	634.76	ug/l	100
98)	1,2,4-Trichlorobenzene	19.55	180	5993179	561.40	ug/l	99
99)	Hexachlorobutadiene	19.71	225	2925069	554.40	ug/l	99
100)	Naphthalene	19.81	128	11149729	542.22	ug/l	94
101)	1,2,3-Trichlorobenzene	20.06	180	5188745	564.57	ug/l	99


SA 2/7/24

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP141.D Vial: 11
Acq On : 31 Jan 2024 17:44 Operator: IRagas
Sample : VO02A3110 10.00uL Inst : 02
Misc : 500ppb 8260\2500ppb KET-AA\5000ppb TBA-2 Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 11:58 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



SECOND SOURCE VERIFICATION

CONTINUE_CALIBRATION - CALIBRATION VERIFICATION

Instrument ID :02
IC Beginning DateTime :01/31/24 13:50
Spike Amount :50 PPB
CC/CV File :RAP144
IC File :RAP137

Column Spec :RTX502.2 ID :0.25MM
IC Ending DateTime :01/31/24 17:44
HPChem Method :VO02A31
Date_Time :01/31/24 18:58

M	IDX	Parameters	CC_Con	CC%_D	CC_Resp	CCRRF	AvRRF	CC_RTm	AvRTm	%_RSD	Co_X0	Co_X1	Co_X2	Co_Cor
	1	1,4-DIFLUOROBENZENE	50.000	0	2730552	1	1	7.650	7.650	0				
	2	Dichlorodifluoromethane	55.400	10.8	779924	0.286	0.258	1.750	1.746	9.62				
	3	Chloromethane	54.642	9.3	1073455	0.393	0.360	2.006	2.000	6.51				
	4	Vinyl chloride	56.207	12.4	937686	0.343	0.305	2.112	2.112	9.79				
	5	Bromomethane	53.453	6.9	659246	0.241	0.226	2.609	2.605	4.52				
	6	Chloroethane	54.212	8.4	591858	0.217	0.200	2.700	2.692	9.82				
	7	Dichlorofluoromethane	54.112	8.2	1299860	0.476	0.440	2.730	2.733	6.01				
	8	Trichlorofluoromethane	55.919	11.8	814305	0.298	0.267	2.971	2.976	11.95				
10	9	sec-Propyl Alcohol	520.147	4.0	541619	0.020	0.019	3.288	3.286	5.59				
5	10	Acrolein	272.250	8.9	389640	0.029	0.026	3.439	3.441	8.53				
	11	1,1,2-Trichloro-1,2,2-trifluoroethane	51.119	2.2	477039	0.175	0.171	3.484	3.485	8.55				
5	12	Acetone	247.710	-0.9	780218	0.057	0.058	3.514	3.515	10.36				
	13	1,1-Dichloroethene	54.778	9.6	1389254	0.509	0.464	3.684	3.680	9.93				
10	14	tert-Butyl alcohol	539.294	7.9	626368	0.023	0.021	3.757	3.764	14.57				
10	15	Acetonitrile	554.367	10.9	766891	0.028	0.025	3.830	3.835	10.50				
	16	Iodomethane	52.241	4.5	1094554	0.401	0.384	4.050	4.052	10.16				
	17	Methyl Acetate	49.982	-0.0	534732	0.196	0.196	4.065	4.068	5.56				
	18	Allyl Chloride	52.272	4.5	521139	0.191	0.183	4.109	4.107	10.07				
	19	Methylene chloride	51.680	3.4	1092475	0.400	0.387	4.255	4.258	4.55				
	20	Carbon disulfide	56.381	12.8	3105264	1.137	1.009	4.269	4.266	11.83				
5	21	Acrylonitrile	262.338	4.9	1165171	0.085	0.081	4.401	4.405	10.07				
	22	tert-Butyl methyl ether (MTBE)	53.262	6.5	2138981	0.783	0.735	4.431	4.434	8.72				
	23	trans-1,2-Dichloroethene	53.292	6.6	956254	0.350	0.329	4.606	4.606	8.71				
	24	Isopropyl ether (DIPE)	54.783	9.6	3533288	1.294	1.181	5.001	5.011	9.95				
	25	1,1-Dichloroethane	53.893	7.8	1647948	0.604	0.560	5.148	5.148	8.39				
	26	Vinyl acetate	55.870	11.7	1555384	0.570	0.510	5.162	5.154	12.16				
10	27	2-Butanol												
	28	tert-Butyl ethyl ether (ETBE)	54.301	8.6	2959604	1.084	0.998	5.528	5.531	8.91				
5	29	2-Butanone	263.785	5.5	318654	0.023	0.022	5.689	5.694	14.91				
10	30	Propionitrile	537.935	7.6	790314	0.029	0.027	5.792	5.797	11.20				
	31	2,2-Dichloropropane	56.703	13.4	674218	0.247	0.218	5.865	5.865	9.26				
	32	cis-1,2-Dichloroethene	53.132	6.3	1009112	0.370	0.348	5.938	5.932	7.71				
10	33	Methylacrylonitrile	533.267	6.7	973335	0.036	0.033	6.055	6.055	10.30				
20	34	Isobutyl Alcohol	1010.435	1.0	560949	0.010	0.009	6.084	6.089	20.66	-0.0047	0.0104		0.9984
	35	Chloroform	52.853	5.7	1435812	0.526	0.497	6.143	6.143	6.48				
	36	Bromochloromethane	52.433	4.9	513444	0.188	0.179	6.362	6.362	9.87				
	37	Tetrahydrofuran	51.189	2.4	172566	0.063	0.062	6.406	6.401	8.10				
	38	Dibromofluoromethane	51.111	2.2	716183	0.262	0.257	6.436	6.427	9.28				
	39	1,1,1-Trichloroethane	55.689	11.4	959413	0.351	0.315	6.670	6.671	9.34				
	40	Cyclohexane	52.551	5.1	1287629	0.472	0.449	6.684	6.686	8.87				
	41	1,1-Dichloropropene	54.288	8.6	425058	0.156	0.143	6.889	6.886	9.68				
	42	Carbon tetrachloride	53.090	6.2	779696	0.286	0.269	7.021	7.018	8.62				
	43	tert-Amyl methyl ether (TAME)	51.817	3.6	478156	0.175	0.169	7.050	7.050	10.95				
	44	1,2-Dichloroethane-d4	50.706	1.4	627604	0.230	0.227	7.109	7.109	8.52				
	45	1,2-Dichloroethane	53.736	7.5	837908	0.307	0.286	7.240	7.238	9.66				
	46	Benzene	54.834	9.7	3805749	1.394	1.271	7.255	7.253	8.81				
	47	Trichloroethene	54.449	8.9	902154	0.330	0.303	8.119	8.117	9.84				
	48	Methylcyclohexane	55.686	11.4	1636502	0.599	0.538	8.192	8.192	10.06				
	49	1,2-Dichloropropane	54.212	8.4	909164	0.333	0.307	8.367	8.370	11.29				
	50	Methyl Methacrylate	52.246	4.5	492441	0.180	0.173	8.470	8.472	12.40				
	51	Bromodichloromethane	54.048	8.1	1025558	0.376	0.347	8.719	8.712	9.23				
20	52	1,4-Dioxane	1143.759	14.4	97331	0.002	0.002	8.748	8.752	14.14				
	53	Dibromomethane	53.131	6.3	435406	0.159	0.150	8.792	8.792	10.15				
	54	2-Chloroethyl vinyl ether												
5	55	4-Methyl-2-pentanone	279.534	11.8	3602239	0.264	0.236	9.231	9.233	12.81				
	56	cis-1,3-Dichloropropene	54.172	8.3	1446413	0.530	0.489	9.538	9.538	9.73				
	57	CHLOROBENZENE-D5	50.000	0	2153710	1	1	12.334	12.332	0				
	58	Toluene-d8	54.100	8.2	2903769	1.348	1.246	9.904	9.903	9.31				
	59	Toluene	54.385	8.8	3685243	1.711	1.573	10.021	10.021	8.67				
	60	Ethyl methacrylate	52.874	5.7	961106	0.446	0.422	10.329	10.327	13.62				
	61	trans-1,3-Dichloropropene	53.285	6.6	1134056	0.527	0.494	10.314	10.319	12.32				
	62	1,1,2-Trichloroethane	53.009	6.0	617190	0.287	0.270	10.563	10.563	11.88				
5	63	2-Hexanone	271.904	8.8	2296063	0.213	0.196	10.592	10.594	14.47				
	64	1,3-Dichloropropane	52.344	4.7	1131334	0.525	0.502	10.973	10.971	8.33				
	65	Tetrachloroethene	53.527	7.1	703950	0.327	0.305	11.046	11.047	8.75				
	66	Dibromochloromethane	53.864	7.7	669961	0.311	0.289	11.368	11.371	14.40				
	67	1,2-Dibromoethane	50.602	1.2	567381	0.263	0.260	11.704	11.697	7.54				
	68	1-Chlorohexane	55.852	11.7	1370407	0.636	0.570	11.997	11.997	10.70				
	69	Chlorobenzene	54.897	9.8	2135818	0.992	0.903	12.392	12.392	9.21				
	70	1,1,1,2-Tetrachloroethane	52.657	5.3	702085	0.326	0.310	12.480	12.472	10.50				
	71	Ethylbenzene	55.513	11.0	3979031	1.848	1.664	12.495	12.495	8.41				
2	72	m-Xylene & p-Xylene	111.355	11.4	5979636	1.388	1.247	12.626	12.626	7.81				
	73	o-Xylene	56.059	12.1	2856791	1.326	1.183	13.358	13.358	9.58				
	74	Styrene	56.642	13.3	2281053	1.059	0.935	13.417	13.424	13.00				
	75	Isopropylbenzene	56.216	12.4	3487609	1.619	1.440	13.988	13.988	8.73				
	76	Cis-1,4-Dichloro-2-Butene	48.276	-3.4	185675	0.086	0.080	14.090	14.092	20.77	-0.0025	0.0919		0.9996
	77	1,2-DICHLOROBENZENE-D4	50.000	0	683560	1	1	17.163	17.163	0				
	78	Bromoform	52.245	4.5	339438	0.497	0.475	13.973	13.975	13.01				
	79	1,1,2,2-Tetrachloroethane	54.768	9.5	687938	1.006	0.919	14.295	14.295	11.45				
	80	4-Bromofluorobenzene	54.601	9.2	925858	1.354	1.240	14.412	14.413	8.65				
	81	1,2,3-Trichloropropane	53.264	6.5	158448	0.232	0.218	14.544	14.548	10.90				
	82	trans-1,4-Dichloro-2-butene	49.163	-1.7	156290	0.229	0.217	14.690	14.690	15.94	-0.0112	0.2439		0.9995
	83	n-Propylbenzene	58.218	16.4	4293434	6.281	5.394	14.690	14.690	8.97				
	84	Bromobenzene	52.457	4.9	758610	1.110	1.058	14.734	14.732	8.42				
	85	1,3,5-Trimethylbenzene	57.518	15.0	2645378	3.870	3.364	14.968	14.971	8.95				
	86	2-Chlorotoluene	56.245	12.5	2638426	3.860	3.431	14.968	14.974	7.32				
	87	4-Chlorotoluene	55.363	10.7	2265343	3.314	2.993	15.056	15.063	9.54				
	88	tert-Butylbenzene	55.265	10.5	521950	0.764	0.691	15.597	15.597	8.62				
	89	1,2,4-Trimethylbenzene	57.111	14.2	2500664	3.658	3.203	15.656	15.659	8.81				
	90	sec-Butylbenzene	57.894	15.8	3387077	4.955	4.279	15.978	15.978	9.01				
	91	p-Isopropyltoluene	58.407	16.8	2593409	3.794	3.248	16.241	16.234	9.79				
	92	1,3-Dichlorobenzene	55.135	10.3	1344816	1.967	1.784	16.358	16.358	8.59				
	93	1,2,3-Trimethylbenzene	56.596	13.2	2350683	3.439	3.038	16.505	16.505	8.67				
	94	1,4-Dichlorobenzene	54.250	8.5	1310057	1.917	1.766	16.563	16.559	8.70				
	95	n-Butylbenzene	59.431	18.9	2453595	3.589	3.020	16.973	16.973	11.13				
	96	1,2-Dichlorobenzene	53.450	6.9	1131320	1.655	1.548	17.207	17.207	7.52				
	97	1,2-Dibromo-3-chloropropane	56.739	13.5	77578	0.113	0.100	18.510	18.510	14.39				
	98	1,2,4-Trichlorobenzene	55.548	11.1	607130	0.888	0.799	19.549	19.553	11.68				
	99	Hexachlorobutadiene	53.527	7.1	289146	0.423	0.395	19.710	19.710	7.32				
	100	Naphthalene	55.607	11.2	1170702	1.713	1.540	19.812	19.813	13.71				
	101	1,2,3-Trichlorobenzene	54.744	9.5	515122	0.754	0.688	20.061	20.060	11.05				

Spike Amount = Nominal Amount * M

SW 2/7/24

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP144.D Vial: 14
Acq On : 31 Jan 2024 18:58 Operator: IRagas
Sample : IVO02A311 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	50.000	50.000	0.0	95	0.00
2	T,M	Dichlorodifluoromethane	50.000	55.401	-10.8	97	0.00
3	P,T,M	Chloromethane	50.000	54.643	-9.3	96	0.00
4	C,T,M	Vinyl chloride	50.000	56.208	-12.4	100	0.00
5	T,M	Bromomethane	50.000	53.453	-6.9	99	0.00
6	T,M	Chloroethane	50.000	54.212	-8.4	96	0.00
7	T,M	Dichlorofluoromethane	50.000	54.112	-8.2	96	0.00
8	T,M	Trichlorofluoromethane	50.000	55.919	-11.8	95	0.00
9	T,M	sec-Propyl Alcohol	500.000	520.148	-4.0	96	0.00
10	T,M	Acrolein	250.000	272.250	-8.9	90	0.00
11	T,M	1,1,2-Trichloro-1,2,2-trifl	50.000	51.119	-2.2	90	0.00
12	T,M	Acetone	250.000	247.711	0.9	88	0.00
13	C,T,M	1,1-Dichloroethene	50.000	54.779	-9.6	95	0.00
14	T,M	tert-Butyl alcohol	500.000	539.295	-7.9	91	0.00
15	T,M	Acetonitrile	500.000	554.367	-10.9	93	0.00
16	T,M	Iodomethane	50.000	52.241	-4.5	92	0.00
17	T,M	Methyl Acetate	50.000	49.982	0.0	89	0.00
18	T,M	Allyl Chloride	50.000	52.272	-4.5	93	0.00
19	T,M	Methylene chloride	50.000	51.680	-3.4	93	0.00
20	T,M	Carbon disulfide	50.000	56.381	-12.8	97	0.00
21	T,M	Acrylonitrile	250.000	262.339	-4.9	89	0.00
22	T,M	tert-Butyl methyl ether (MT	50.000	53.262	-6.5	93	0.00
23	T,M	trans-1,2-Dichloroethene	50.000	53.293	-6.6	94	0.00
24	T,M	Isopropyl ether (DIPE)	50.000	54.783	-9.6	94	0.00
25	P,T,M	1,1-Dichloroethane	50.000	53.894	-7.8	95	0.00
26	T,M	Vinyl acetate	50.000	55.870	-11.7	95	0.02
27	T,M	2-Butanol	500.000	0.000	100.0#	0	0.00
28	T,M	tert-Butyl ethyl ether (ETB	50.000	54.301	-8.6	94	0.00
29	T,M	2-Butanone	250.000	263.786	-5.5	88	0.00
30	T,M	Propionitrile	500.000	537.936	-7.6	92	0.00
31	T,M	2,2-Dichloropropane	50.000	56.703	-13.4	98	0.00
32	T,M	cis-1,2-Dichloroethene	50.000	53.132	-6.3	94	0.00
33	T,M	Methylacrynonitrile	500.000	533.267	-6.7	92	0.00
34	T,M	Isobutyl Alcohol	1000.000	1010.435	-1.0	92	0.00
35	C,T,M	Chloroform	50.000	52.854	-5.7	93	0.00
36	T,M	Bromochloromethane	50.000	52.433	-4.9	92	0.00
37	T,M	Tetrahydrofuran	50.000	51.189	-2.4	90	0.00
38	S	Dibromofluoromethane	50.000	51.112	-2.2	91	0.02
39	T,M	1,1,1-Trichloroethane	50.000	55.690	-11.4	96	0.00
40	T,M	Cyclohexane	50.000	52.551	-5.1	93	0.00
41	T,M	1,1-Dichloropropene	50.000	54.288	-8.6	97	0.00

(#) = Out of Range

SM 2/7/24

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP144.D Vial: 14
Acq On : 31 Jan 2024 18:58 Operator: IRagas
Sample : IVO02A311 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
42	T,M	Carbon tetrachloride	50.000	53.090	-6.2	94	0.02
43	T,M	tert-Amyl methyl ether (TAM	50.000	51.817	-3.6	93	0.00
44	S	1,2-Dichloroethane-d4	50.000	50.707	-1.4	90	0.00
45	T,M	1,2-Dichloroethane	50.000	53.736	-7.5	93	0.00
46	T,M	Benzene	50.000	54.835	-9.7	94	0.00
47	T,M	Trichloroethene	50.000	54.449	-8.9	95	0.00
48	T,M	Methylcyclohexane	50.000	55.686	-11.4	95	0.00
49	C,T,M	1,2-Dichloropropane	50.000	54.213	-8.4	93	0.00
50	T,M	Methyl Methacrylate	50.000	52.246	-4.5	92	0.00
51	T,M	Bromodichloromethane	50.000	54.048	-8.1	94	0.02
52	T,M	1,4-Dioxane	1000.000	1143.760	-14.4	93	0.00
53	T,M	Dibromomethane	50.000	53.132	-6.3	93	0.00
54	T,M	2-Chloroethyl vinyl ether	50.000	0.000	100.0#	0	0.02
55	T,M	4-Methyl-2-pentanone	250.000	279.534	-11.8	89	0.00
56	T,M	cis-1,3-Dichloropropene	50.000	54.172	-8.3	94	0.00
57	I	CHLOROBENZENE-D5	50.000	50.000	0.0	96	0.00
58	S	Toluene-d8	50.000	54.100	-8.2	95	0.00
59	C,T,M	Toluene	50.000	54.385	-8.8	94	0.00
60	T,M	Ethyl methacrylate	50.000	52.875	-5.8	94	0.00
61	T,M	trans-1,3-Dichloropropene	50.000	53.285	-6.6	93	0.00
62	T,M	1,1,2-Trichloroethane	50.000	53.010	-6.0	92	0.00
63	T,M	2-Hexanone	250.000	271.905	-8.8	88	0.00
64	T,M	1,3-Dichloropropane	50.000	52.344	-4.7	93	0.00
65	T,M	Tetrachloroethene	50.000	53.528	-7.1	96	0.00
66	T,M	Dibromochloromethane	50.000	53.865	-7.7	93	0.00
67	T,M	1,2-Dibromoethane	50.000	50.603	-1.2	92	0.02
68	T,M	1-Chlorohexane	50.000	55.852	-11.7	97	0.00
69	P,T,M	Chlorobenzene	50.000	54.897	-9.8	95	0.00
70	T,M	1,1,1,2-Tetrachloroethane	50.000	52.658	-5.3	93	0.02
71	C,T,M	Ethylbenzene	50.000	55.514	-11.0	95	0.00
72	T,M	m-Xylene & p-Xylene	100.000	111.355	-11.4	95	0.00
73	T,M	o-Xylene	50.000	56.060	-12.1	95	0.00
74	T,M	Styrene	50.000	56.643	-13.3	94	0.00
75	T,M	Isopropylbenzene	50.000	56.216	-12.4	95	0.00
76	T,M	Cis-1,4-Dichloro-2-Butene	50.000	48.276	3.4	90	0.00
77	I	1,2-DICHLOROBENZENE-D4	50.000	50.000	0.0	92	0.00
78	P,T,M	Bromoform	50.000	52.246	-4.5	93	0.00
79	P,T,M	1,1,2,2-Tetrachloroethane	50.000	54.768	-9.5	92	0.00
80	S	4-Bromofluorobenzene	50.000	54.601	-9.2	95	0.00

(#) = Out of Range

Data File : D:\HPCHEM\1\DATA\24A31\RAP144.D Vial: 14
Acq On : 31 Jan 2024 18:58 Operator: IRagas
Sample : IVO02A311 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
81	T,M	1,2,3-Trichloropropane	50.000	53.264	-6.5	91	0.00
82	T,M	trans-1,4-Dichloro-2-butene	50.000	49.163	1.7	91	0.00
83	T,M	n-Propylbenzene	50.000	58.218	-16.4	96	0.00
84	T,M	Bromobenzene	50.000	52.457	-4.9	92	0.00
85	T,M	1,3,5-Trimethylbenzene	50.000	57.519	-15.0	94	0.00
86	T,M	2-Chlorotoluene	50.000	56.245	-12.5	96	0.00
87	T,M	4-Chlorotoluene	50.000	55.363	-10.7	90	0.00
88	T,M	tert-Butylbenzene	50.000	55.266	-10.5	94	0.00
89	T,M	1,2,4-Trimethylbenzene	50.000	57.112	-14.2	94	0.00
90	T,M	sec-Butylbenzene	50.000	57.894	-15.8	95	0.00
91	T,M	p-Isopropyltoluene	50.000	58.408	-16.8	93	0.02
92	T,M	1,3-Dichlorobenzene	50.000	55.135	-10.3	93	0.00
93	T,M	1,2,3-Trimethylbenzene	50.000	56.597	-13.2	92	0.00
94	T,M	1,4-Dichlorobenzene	50.000	54.250	-8.5	91	0.02
95	T,M	n-Butylbenzene	50.000	59.432	-18.9	94	0.00
96	T,M	1,2-Dichlorobenzene	50.000	53.450	-6.9	91	0.00
97	T,M	1,2-Dibromo-3-chloropropane	50.000	56.740	-13.5	92	0.00
98	T,M	1,2,4-Trichlorobenzene	50.000	55.548	-11.1	92	0.00
99	T,M	Hexachlorobutadiene	50.000	53.527	-7.1	93	0.00
100	T,M	Naphthalene	50.000	55.607	-11.2	90	0.00
101	T,M	1,2,3-Trichlorobenzene	50.000	54.744	-9.5	92	0.00

Sa 2/7/24

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP144.D Vial: 14
Acq On : 31 Jan 2024 18:58 Operator: IRagas
Sample : IVO02A311 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	95	0.00
2	T,M	Dichlorodifluoromethane	0.258	0.286	-10.9	97	0.00
3	P,T,M	Chloromethane	0.360	0.393	-9.2	96	0.00
4	C,T,M	Vinyl chloride	0.305	0.343	-12.5	100	0.00
5	T,M	Bromomethane	0.226	0.241	-6.6	99	0.00
6	T,M	Chloroethane	0.200	0.217	-8.5	96	0.00
7	T,M	Dichlorofluoromethane	0.440	0.476	-8.2	96	0.00
8	T,M	Trichlorofluoromethane	0.267	0.298	-11.6	95	0.00
9	T,M	sec-Propyl Alcohol	0.019	0.020	-5.3	96	0.00
10	T,M	Acrolein	0.026	0.029	-11.5	90	0.00
11	T,M	1,1,2-Trichloro-1,2,2-trifl	0.171	0.175	-2.3	90	0.00
12	T,M	Acetone	0.058	0.057	1.7	88	0.00
13	C,T,M	1,1-Dichloroethene	0.464	0.509	-9.7	95	0.00
14	T,M	tert-Butyl alcohol	0.021	0.023	-9.5	91	0.00
15	T,M	Acetonitrile	0.025	0.028	-12.0	93	0.00
16	T,M	Iodomethane	0.384	0.401	-4.4	92	0.00
17	T,M	Methyl Acetate	0.196	0.196	0.0	89	0.00
18	T,M	Allyl Chloride	0.183	0.191	-4.4	93	0.00
19	T,M	Methylene chloride	0.387	0.400	-3.4	93	0.00
20	T,M	Carbon disulfide	1.009	1.137	-12.7	97	0.00
21	T,M	Acrylonitrile	0.081	0.085	-4.9	89	0.00
22	T,M	tert-Butyl methyl ether (MT	0.735	0.783	-6.5	93	0.00
23	T,M	trans-1,2-Dichloroethene	0.329	0.350	-6.4	94	0.00
24	T,M	Isopropyl ether (DIPE)	1.181	1.294	-9.6	94	0.00
25	P,T,M	1,1-Dichloroethane	0.560	0.604	-7.9	95	0.00
26	T,M	Vinyl acetate	0.510	0.570	-11.8	95	0.02
27	T,M	2-Butanol	0.000	0.019	0.0	0#	0.00
28	T,M	tert-Butyl ethyl ether (ETB	0.998	1.084	-8.6	94	0.00
29	T,M	2-Butanone	0.022	0.023	-4.5	88	0.00
30	T,M	Propionitrile	0.027	0.029	-7.4	92	0.00
31	T,M	2,2-Dichloropropane	0.218	0.247	-13.3	98	0.00
32	T,M	cis-1,2-Dichloroethene	0.348	0.370	-6.3	94	0.00
33	T,M	Methylacrynonitrile	0.033	0.036	-9.1	92	0.00
34	T,M	Isobutyl Alcohol	0.009	0.010	-11.1	92	0.00
35	C,T,M	Chloroform	0.497	0.526	-5.8	93	0.00
36	T,M	Bromochloromethane	0.179	0.188	-5.0	92	0.00
37	T,M	Tetrahydrofuran	0.062	0.063	-1.6	90	0.00
38	S	Dibromofluoromethane	0.257	0.262	-1.9	91	0.02
39	T,M	1,1,1-Trichloroethane	0.315	0.351	-11.4	96	0.00
40	T,M	Cyclohexane	0.449	0.472	-5.1	93	0.00
41	T,M	1,1-Dichloropropene	0.143	0.156	-9.1	97	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP144.D Vial: 14
Acq On : 31 Jan 2024 18:58 Operator: IRagas
Sample : IVO02A311 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
42	T,M	Carbon tetrachloride	0.269	0.286	-6.3	94	0.02
43	T,M	tert-Amyl methyl ether (TAM	0.169	0.175	-3.6	93	0.00
44	S	1,2-Dichloroethane-d4	0.227	0.230	-1.3	90	0.00
45	T,M	1,2-Dichloroethane	0.286	0.307	-7.3	93	0.00
46	T,M	Benzene	1.271	1.394	-9.7	94	0.00
47	T,M	Trichloroethene	0.303	0.330	-8.9	95	0.00
48	T,M	Methylcyclohexane	0.538	0.599	-11.3	95	0.00
49	C,T,M	1,2-Dichloropropane	0.307	0.333	-8.5	93	0.00
50	T,M	Methyl Methacrylate	0.173	0.180	-4.0	92	0.00
51	T,M	Bromodichloromethane	0.347	0.376	-8.4	94	0.02
52	T,M	1,4-Dioxane	0.002	0.002	0.0	93	0.00
53	T,M	Dibromomethane	0.150	0.159	-6.0	93	0.00
54	T,M	2-Chloroethyl vinyl ether	0.000	0.001	0.0	0#	0.02
55	T,M	4-Methyl-2-pentanone	0.236	0.264	-11.9	89	0.00
56	T,M	cis-1,3-Dichloropropene	0.489	0.530	-8.4	94	0.00
57	I	CHLOROBENZENE-D5	1.000	1.000	0.0	96	0.00
58	S	Toluene-d8	1.246	1.348	-8.2	95	0.00
59	C,T,M	Toluene	1.573	1.711	-8.8	94	0.00
60	T,M	Ethyl methacrylate	0.422	0.446	-5.7	94	0.00
61	T,M	trans-1,3-Dichloropropene	0.494	0.527	-6.7	93	0.00
62	T,M	1,1,2-Trichloroethane	0.270	0.287	-6.3	92	0.00
63	T,M	2-Hexanone	0.196	0.213	-8.7	88	0.00
64	T,M	1,3-Dichloropropane	0.502	0.525	-4.6	93	0.00
65	T,M	Tetrachloroethene	0.305	0.327	-7.2	96	0.00
66	T,M	Dibromochloromethane	0.289	0.311	-7.6	93	0.00
67	T,M	1,2-Dibromoethane	0.260	0.263	-1.2	92	0.02
68	T,M	1-Chlorohexane	0.570	0.636	-11.6	97	0.00
69	P,T,M	Chlorobenzene	0.903	0.992	-9.9	95	0.00
70	T,M	1,1,1,2-Tetrachloroethane	0.310	0.326	-5.2	93	0.02
71	C,T,M	Ethylbenzene	1.664	1.848	-11.1	95	0.00
72	T,M	m-Xylene & p-Xylene	1.247	1.388	-11.3	95	0.00
73	T,M	o-Xylene	1.183	1.326	-12.1	95	0.00
74	T,M	Styrene	0.935	1.059	-13.3	94	0.00
75	T,M	Isopropylbenzene	1.440	1.619	-12.4	95	0.00
76	T,M	Cis-1,4-Dichloro-2-Butene	0.080	0.086	-7.5	90	0.00
77	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	92	0.00
78	P,T,M	Bromoform	0.475	0.497	-4.6	93	0.00
79	P,T,M	1,1,2,2-Tetrachloroethane	0.919	1.006	-9.5	92	0.00
80	S	4-Bromofluorobenzene	1.240	1.354	-9.2	95	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP144.D Vial: 14
Acq On : 31 Jan 2024 18:58 Operator: IRagas
Sample : IVO02A311 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	T,M	1,2,3-Trichloropropane	0.218	0.232	-6.4	91	0.00
82	T,M	trans-1,4-Dichloro-2-butene	0.217	0.229	-5.5	91	0.00
83	T,M	n-Propylbenzene	5.394	6.281	-16.4	96	0.00
84	T,M	Bromobenzene	1.058	1.110	-4.9	92	0.00
85	T,M	1,3,5-Trimethylbenzene	3.364	3.870	-15.0	94	0.00
86	T,M	2-Chlorotoluene	3.431	3.860	-12.5	96	0.00
87	T,M	4-Chlorotoluene	2.993	3.314	-10.7	90	0.00
88	T,M	tert-Butylbenzene	0.691	0.764	-10.6	94	0.00
89	T,M	1,2,4-Trimethylbenzene	3.203	3.658	-14.2	94	0.00
90	T,M	sec-Butylbenzene	4.279	4.955	-15.8	95	0.00
91	T,M	p-Isopropyltoluene	3.248	3.794	-16.8	93	0.02
92	T,M	1,3-Dichlorobenzene	1.784	1.967	-10.3	93	0.00
93	T,M	1,2,3-Trimethylbenzene	3.038	3.439	-13.2	92	0.00
94	T,M	1,4-Dichlorobenzene	1.766	1.917	-8.6	91	0.02
95	T,M	n-Butylbenzene	3.020	3.589	-18.8	94	0.00
96	T,M	1,2-Dichlorobenzene	1.548	1.655	-6.9	91	0.00
97	T,M	1,2-Dibromo-3-chloropropane	0.100	0.113	-13.0	92	0.00
98	T,M	1,2,4-Trichlorobenzene	0.799	0.888	-11.1	92	0.00
99	T,M	Hexachlorobutadiene	0.395	0.423	-7.1	93	0.00
100	T,M	Naphthalene	1.540	1.713	-11.2	90	0.00
101	T,M	1,2,3-Trichlorobenzene	0.688	0.754	-9.6	92	0.00

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP144.D Vial: 14
Acq On : 31 Jan 2024 18:58 Operator: IRagas
Sample : IVO02A311 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 12:00 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.65	114	2730552	50.00	ug/l	0.00
57) CHLOROBENZENE-D5	12.33	117	2153710	50.00	ug/l	0.00
77) 1,2-DICHLOROBENZENE-D4	17.16	152	683560	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.44	111	716183	51.11	ug/l	0.02
Spiked Amount 50.000			Recovery = 102.22%			
44) 1,2-Dichloroethane-d4	7.11	65	627604	50.71	ug/l	0.00
Spiked Amount 50.000			Recovery = 101.42%			
58) Toluene-d8	9.90	98	2903769	54.10	ug/l	0.00
Spiked Amount 50.000			Recovery = 108.20%			
80) 4-Bromofluorobenzene	14.41	95	925858	54.60	ug/l	0.00
Spiked Amount 50.000			Recovery = 109.20%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.75	85	779924	55.40	ug/l	100
3) Chloromethane	2.01	50	1073455	54.64	ug/l	100
4) Vinyl chloride	2.11	62	937686	56.21	ug/l	100
5) Bromomethane	2.61	94	659246	53.45	ug/l	100
6) Chloroethane	2.70	64	591858	54.21	ug/l	100
7) Dichlorofluoromethane	2.73	67	1299860	54.11	ug/l	99
8) Trichlorofluoromethane	2.97	101	814305	55.92	ug/l	99
9) sec-Propyl Alcohol	3.29	45	541619	520.15	ug/l	97
10) Acrolein	3.44	56	389640	272.25	ug/l	97
11) 1,1,2-Trichloro-1,2,2-trif	3.48	151	477039	51.12	ug/l	97
12) Acetone	3.51	43	780218	247.71	ug/l	99
13) 1,1-Dichloroethene	3.68	61	1389254	54.78	ug/l	98
14) tert-Butyl alcohol	3.76	59	626368	539.29	ug/l	98
15) Acetonitrile	3.83	41	766891	554.37	ug/l	100
16) Iodomethane	4.05	142	1094554	52.24	ug/l	99
17) Methyl Acetate	4.06	43	534732	49.98	ug/l	100
18) Allyl Chloride	4.11	76	521139	52.27	ug/l	98
19) Methylene chloride	4.25	49	1092475	51.68	ug/l	99
20) Carbon disulfide	4.27	76	3105264	56.38	ug/l	100
21) Acrylonitrile	4.40	53	1165171	262.34	ug/l	99
22) tert-Butyl methyl ether (M	4.43	73	2138981	53.26	ug/l	99
23) trans-1,2-Dichloroethene	4.61	96	956254	53.29	ug/l	100
24) Isopropyl ether (DIPE)	5.00	45	3533288	54.78	ug/l	100
25) 1,1-Dichloroethane	5.15	63	1647948	53.89	ug/l	99
26) Vinyl acetate	5.16	43	1555384	55.87	ug/l	99
28) tert-Butyl ethyl ether (ET	5.53	59	2959604	54.30	ug/l	100
29) 2-Butanone	5.69	72	318654	263.79	ug/l	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP144.D Vial: 14
Acq On : 31 Jan 2024 18:58 Operator: IRagas
Sample : IVO02A311 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 12:00 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
30)	Propionitrile	5.79	54	790314	537.94	ug/l	99
31)	2,2-Dichloropropane	5.86	77	674218	56.70	ug/l	100
32)	cis-1,2-Dichloroethene	5.94	96	1009112	53.13	ug/l	99
33)	Methylacrynonitrile	6.06	52	973335	533.27	ug/l	99
34)	Isobutyl Alcohol	6.08	43	560949	1010.44	ug/l	100
35)	Chloroform	6.14	83	1435812	52.85	ug/l	99
36)	Bromochloromethane	6.36	130	513444	52.43	ug/l	100
37)	Tetrahydrofuran	6.41	42	172566	51.19	ug/l	100
39)	1,1,1-Trichloroethane	6.67	97	959413	55.69	ug/l	99
40)	Cyclohexane	6.68	84	1287629	52.55	ug/l	100
41)	1,1-Dichloropropene	6.89	110	425058	54.29	ug/l	98
42)	Carbon tetrachloride	7.02	119	779696	53.09	ug/l	99
43)	tert-Amyl methyl ether (TA	7.05	87	478156	51.82	ug/l	99
45)	1,2-Dichloroethane	7.24	62	837908	53.74	ug/l	100
46)	Benzene	7.26	78	3805749	54.83	ug/l	100
47)	Trichloroethene	8.12	130	902154	54.45	ug/l	100
48)	Methylcyclohexane	8.19	83	1636502	55.69	ug/l	99
49)	1,2-Dichloropropane	8.37	63	909164	54.21	ug/l	99
50)	Methyl Methacrylate	8.47	69	492441	52.25	ug/l	99
51)	Bromodichloromethane	8.72	83	1025558	54.05	ug/l	100
52)	1,4-Dioxane	8.75	88	97331	1143.76	ug/l	100
53)	Dibromomethane	8.79	93	435406	53.13	ug/l	99
55)	4-Methyl-2-pentanone	9.23	43	3602239	279.53	ug/l	100
56)	cis-1,3-Dichloropropene	9.54	75	1446413	54.17	ug/l	100
59)	Toluene	10.02	91	3685243	54.39	ug/l	100
60)	Ethyl methacrylate	10.33	69	961106	52.87	ug/l	99
61)	trans-1,3-Dichloropropene	10.31	75	1134056	53.29	ug/l	100
62)	1,1,2-Trichloroethane	10.56	97	617190	53.01	ug/l	99
63)	2-Hexanone	10.59	43	2296063	271.90	ug/l	100
64)	1,3-Dichloropropane	10.97	76	1131334	52.34	ug/l	100
65)	Tetrachloroethene	11.05	164	703950	53.53	ug/l	99
66)	Dibromochloromethane	11.37	129	669961	53.86	ug/l	99
67)	1,2-Dibromoethane	11.70	107	567381	50.60	ug/l	99
68)	1-Chlorohexane	12.00	91	1370407	55.85	ug/l	100
69)	Chlorobenzene	12.39	112	2135818	54.90	ug/l	100
70)	1,1,1,2-Tetrachloroethane	12.48	131	702085	52.66	ug/l	100
71)	Ethylbenzene	12.49	91	3979031	55.51	ug/l	100
72)	m-Xylene & p-Xylene	12.63	91	5979636	111.36	ug/l	100
73)	o-Xylene	13.36	91	2856791	56.06	ug/l	100
74)	Styrene	13.42	104	2281053	56.64	ug/l	100
75)	Isopropylbenzene	13.99	105	3487609	56.22	ug/l	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24A31\RAP144.D Vial: 14
Acq On : 31 Jan 2024 18:58 Operator: IRagas
Sample : IVO02A311 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 12:00 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
76)	Cis-1,4-Dichloro-2-Butene	14.09	53	185675	48.28	ug/l	97
78)	Bromoform	13.97	173	339438	52.25	ug/l	100
79)	1,1,2,2-Tetrachloroethane	14.29	83	687938	54.77	ug/l	98
81)	1,2,3-Trichloropropane	14.54	110	158448	53.26	ug/l	100
82)	trans-1,4-Dichloro-2-buten	14.69	53	156290	49.16	ug/l	99
83)	n-Propylbenzene	14.69	91	4293434	58.22	ug/l	100
84)	Bromobenzene	14.73	156	758610	52.46	ug/l	99
85)	1,3,5-Trimethylbenzene	14.97	105	2645378	57.52	ug/l	99
86)	2-Chlorotoluene	14.97	91	2638426	56.25	ug/l	98
87)	4-Chlorotoluene	15.06	91	2265343	55.36	ug/l	98
88)	tert-Butylbenzene	15.60	134	521950	55.27	ug/l	100
89)	1,2,4-Trimethylbenzene	15.66	105	2500664	57.11	ug/l	100
90)	sec-Butylbenzene	15.98	105	3387077	57.89	ug/l	100
91)	p-Isopropyltoluene	16.24	119	2593409	58.41	ug/l	100
92)	1,3-Dichlorobenzene	16.36	146	1344816	55.14	ug/l	99
93)	1,2,3-Trimethylbenzene	16.50	105	2350683	56.60	ug/l	99
94)	1,4-Dichlorobenzene	16.56	146	1310057	54.25	ug/l	98
95)	n-Butylbenzene	16.97	91	2453595	59.43	ug/l	99
96)	1,2-Dichlorobenzene	17.21	146	1131320	53.45	ug/l	100
97)	1,2-Dibromo-3-chloropropan	18.51	157	77578	56.74	ug/l	99
98)	1,2,4-Trichlorobenzene	19.55	180	607130	55.55	ug/l	99
99)	Hexachlorobutadiene	19.71	225	289146	53.53	ug/l	99
100)	Naphthalene	19.81	128	1170702	55.61	ug/l	100
101)	1,2,3-Trichlorobenzene	20.06	180	515122	54.74	ug/l	98


Sa 2/7/24

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : D:\HPCHEM\1\DATA\24A31\RAP144.D Vial: 14
Acq On : 31 Jan 2024 18:58 Operator: IRagas
Sample : IVO02A311 1.00uL Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA-2But Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Feb 2 12:00 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



DAILY CALIBRATIONS

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : EMAX Laboratories, Inc.

Project : TITAN 1-A

Lab Code : EMAX
SDG No : 24F034

Lab File ID: RFP095
BFB Injection Date: 06/10/24

Instrument ID: 02
BFB Injection Time: 10:06

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15 - 40% of mass 95	15.168
75	30 - 60% of mass 95	41.552
95	Base Peak, 100% relative abundance	100.000
96	5 - 9% of mass 95	5.408
173	Less than 2% of mass 174	0.000(0)1
174	Greater than 50% of mass 95	76.737
175	5 - 9% of mass 174	5.023(6.55)1
176	95 - 101% % of mass 174	73.454(95.72)1
177	5 - 9% % of mass 176	4.202(5.72)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following samples, Lab QCs and Standards:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
1	VSTD50	CVO02A3130	RFP096	06/10/24	10:30
2	LCS1S	VS02F05L	RFP097	06/10/24	11:21
3	LCD1S	VS02F05C	RFP098	06/10/24	11:45
4	MBLK1S	VS02F05B	RFP100	06/10/24	12:34
5	IDW-SOIL_JUN24	24F034-02	RFP101	06/10/24	12:58
6	VSTD50	EVO02A3130	RFP102	06/10/24	13:24

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY


Lab Name: EMAX Laboratories, Inc.
Lab Code: EMAX
Lab File ID: RAP137
Instrument ID: 02

Project: TITAN 1-A
SDG No: 24F034
Date Analyzed: 01/31/24
Time Analyzed: 16:06

INTERNAL STANDARD (IS)	1,4-DIFLUOROBENZENE		CHLOROBENZENE-D5		1,2-DICHLOROBENZENE-D4	
	Area #	RT #	Area #	RT #	Area #	RT #
12 HOUR STD	2861301	7.65	2252084	12.33	744411	17.16
UPPER LIMIT	5722602	7.82	4504168	12.50	1488822	17.33
LOWER LIMIT	1430651	7.48	1126042	12.16	372206	16.99
	Area #	RT #	Area #	RT #	Area #	RT #
1 VSTD50	3650747	7.68	2887396	12.36	985478	17.19
2 LCS1S	3949127	7.68	3106518	12.34	1062865	17.17
3 LCD1S	3752826	7.66	2960214	12.34	1008836	17.17
4 MBLK1S	3345925	7.66	2606901	12.33	862652	17.16
5 IDW-SOIL_JUN24	2969702	7.65	1959472	12.33	363450*	17.16
6 VSTD50	3561805	7.65	2848269	12.33	986855	17.16

Area Upper Limit = +100% of ICAL Midpoint IS Area
Area Lower Limit = -50% of ICAL Midpoint IS Area
Retention Time(RT) Upper Limit = +10 seconds of ICAL Midpoint IS RT
Retention Time(RT) Lower Limit = -10 seconds of ICAL Midpoint IS RT

Data File : D:\HPCHEM\1\DATA\24F10\RFP095.D Vial: 1
Acq On : 10 Jun 2024 10:06 Operator: IRagas
Sample : BFB02F05 Inst : 02
Misc : T/CHK Multiplr: 1.00
MS Integration Params: RTE.P
Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL



AutoFind: Scans 870, 871, 872; Background Corrected with Scan 864

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	15.2	7920	PASS
75	95	30	60	41.6	21697	PASS
95	95	100	100	100.0	52216	PASS
96	95	5	9	5.4	2824	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	100	76.7	40069	PASS
175	174	5	9	6.5	2623	PASS
176	174	95	101	95.7	38355	PASS
177	176	5	9	5.7	2194	PASS

RFP095.D VO02A31.M Mon Jun 10 13:48:18 2024

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	50.000	50.000	0.0	128	0.03
2	T,M	Dichlorodifluoromethane	50.000	46.789	6.4	110	0.00
3	P,T,M	Chloromethane	50.000	55.878	-11.8	132	0.00
4	C,T,M	Vinyl chloride	50.000	53.069	-6.1	126	0.00
5	T,M	Bromomethane	50.000	51.919	-3.8	128	0.02
6	T,M	Chloroethane	50.000	54.825	-9.7	130	0.02
7	T,M	Dichlorofluoromethane	50.000	51.620	-3.2	122	0.04
8	T,M	Trichlorofluoromethane	50.000	52.098	-4.2	118	0.02
9	T,M	sec-Propyl Alcohol	500.000	508.065	-1.6	126	0.02
10	T,M	Acrolein	250.000	279.957	-12.0	124	0.02
11	T,M	1,1,2-Trichloro-1,2,2-trifl	50.000	48.367	3.3	114	0.04
12	T,M	Acetone	250.000	272.730	-9.1	130	0.02
13	C,T,M	1,1-Dichloroethene	50.000	45.806	8.4	106	0.03
14	T,M	tert-Butyl alcohol	500.000	581.847	-16.4	132	0.03
15	T,M	Acetonitrile	500.000	561.977	-12.4	126	0.03
16	T,M	Iodomethane	50.000	40.719	18.6	96	0.03
17	T,M	Methyl Acetate	50.000	60.168	-20.3#	144	0.03
18	T,M	Allyl Chloride	50.000	47.359	5.3	112	0.03
19	T,M	Methylene chloride	50.000	48.172	3.7	116	0.02
20	T,M	Carbon disulfide	50.000	50.327	-0.7	116	0.02
21	T,M	Acrylonitrile	250.000	278.780	-11.5	126	0.03
22	T,M	tert-Butyl methyl ether (MT	50.000	54.327	-8.7	127	0.03
23	T,M	trans-1,2-Dichloroethene	50.000	44.506	11.0	105	0.03
24	T,M	Isopropyl ether (DIPE)	50.000	54.502	-9.0	125	0.03
25	P,T,M	1,1-Dichloroethane	50.000	51.365	-2.7	120	0.03
26	T,M	Vinyl acetate	50.000	54.461	-8.9	123	0.03
27	T,M	2-Butanol	500.000	0.000	100.0#	0	0.03
28	T,M	tert-Butyl ethyl ether (ETB	50.000	55.264	-10.5	128	0.03
29	T,M	2-Butanone	250.000	271.708	-8.7	121	0.03
30	T,M	Propionitrile	500.000	565.087	-13.0	129	0.03
31	T,M	2,2-Dichloropropane	50.000	58.389	-16.8	135	0.03
32	T,M	cis-1,2-Dichloroethene	50.000	48.217	3.6	115	0.01
33	T,M	Methylacrynonitrile	500.000	570.191	-14.0	131	0.03
34	T,M	Isobutyl Alcohol	1000.000	1081.643	-8.2	131	0.03
35	C,T,M	Chloroform	50.000	51.049	-2.1	121	0.03
36	T,M	Bromochloromethane	50.000	45.768	8.5	108	0.03
37	T,M	Tetrahydrofuran	50.000	50.761	-1.5	119	0.01
38	S	Dibromofluoromethane	50.000	46.153	7.7	110	0.03
39	T,M	1,1,1-Trichloroethane	50.000	51.345	-2.7	119	0.03
40	T,M	Cyclohexane	50.000	54.033	-8.1	128	0.03
41	T,M	1,1-Dichloropropene	50.000	43.675	12.7	104	0.03

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
42	T,M	Carbon tetrachloride	50.000	46.801	6.4	111	0.04
43	T,M	tert-Amyl methyl ether (TAM	50.000	51.106	-2.2	123	0.03
44	S	1,2-Dichloroethane-d4	50.000	49.744	0.5	118	0.03
45	T,M	1,2-Dichloroethane	50.000	52.846	-5.7	122	0.03
46	T,M	Benzene	50.000	49.764	0.5	114	0.03
47	T,M	Trichloroethene	50.000	45.089	9.8	105	0.03
48	T,M	Methylcyclohexane	50.000	55.248	-10.5	125	0.03
49	C,T,M	1,2-Dichloropropane	50.000	52.391	-4.8	121	0.03
50	T,M	Methyl Methacrylate	50.000	53.034	-6.1	124	0.03
51	T,M	Bromodichloromethane	50.000	52.253	-4.5	121	0.03
52	T,M	1,4-Dioxane	1000.000	1049.904	-5.0	114	0.03
53	T,M	Dibromomethane	50.000	49.384	1.2	116	0.03
54	T,M	2-Chloroethyl vinyl ether	50.000	0.000	100.0#	0	0.06
55	T,M	4-Methyl-2-pentanone	250.000	298.213	-19.3	127	0.03
56	T,M	cis-1,3-Dichloropropene	50.000	51.567	-3.1	120	0.03
57	I	CHLOROBENZENE-D5	50.000	50.000	0.0	128	0.03
58	S	Toluene-d8	50.000	47.264	5.5	112	0.03
59	C,T,M	Toluene	50.000	49.995	0.0	116	0.03
60	T,M	Ethyl methacrylate	50.000	54.181	-8.4	129	0.01
61	T,M	trans-1,3-Dichloropropene	50.000	52.498	-5.0	123	0.03
62	T,M	1,1,2-Trichloroethane	50.000	52.741	-5.5	122	0.03
63	T,M	2-Hexanone	250.000	300.418	-20.2#	130	0.03
64	T,M	1,3-Dichloropropane	50.000	52.300	-4.6	124	0.03
65	T,M	Tetrachloroethene	50.000	42.716	14.6	102	0.03
66	T,M	Dibromochloromethane	50.000	50.908	-1.8	118	0.03
67	T,M	1,2-Dibromoethane	50.000	48.237	3.5	117	0.03
68	T,M	1-Chlorohexane	50.000	49.309	1.4	115	0.03
69	P,T,M	Chlorobenzene	50.000	50.945	-1.9	118	0.03
70	T,M	1,1,1,2-Tetrachloroethane	50.000	49.324	1.4	117	0.03
71	C,T,M	Ethylbenzene	50.000	51.889	-3.8	119	0.03
72	T,M	m-Xylene & p-Xylene	100.000	102.743	-2.7	118	0.01
73	T,M	o-Xylene	50.000	53.668	-7.3	122	0.03
74	T,M	Styrene	50.000	54.237	-8.5	121	0.03
75	T,M	Isopropylbenzene	50.000	53.525	-7.0	122	0.03
76	T,M	Cis-1,4-Dichloro-2-Butene	50.000	50.622	-1.2	126	0.03
77	I	1,2-DICHLOROBENZENE-D4	50.000	50.000	0.0	132	0.02
78	P,T,M	Bromoform	50.000	46.716	6.6	120	0.03
79	P,T,M	1,1,2,2-Tetrachloroethane	50.000	53.514	-7.0	129	0.03
80	S	4-Bromofluorobenzene	50.000	43.635	12.7	110	0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
81	T,M	1,2,3-Trichloropropane	50.000	51.739	-3.5	128	0.02
82	T,M	trans-1,4-Dichloro-2-butene	50.000	51.746	-3.5	138	0.03
83	T,M	n-Propylbenzene	50.000	51.396	-2.8	122	0.03
84	T,M	Bromobenzene	50.000	46.552	6.9	118	0.01
85	T,M	1,3,5-Trimethylbenzene	50.000	50.364	-0.7	119	0.02
86	T,M	2-Chlorotoluene	50.000	49.900	0.2	123	0.02
87	T,M	4-Chlorotoluene	50.000	52.655	-5.3	124	0.02
88	T,M	tert-Butylbenzene	50.000	48.823	2.4	120	0.02
89	T,M	1,2,4-Trimethylbenzene	50.000	51.644	-3.3	122	0.02
90	T,M	sec-Butylbenzene	50.000	52.425	-4.8	124	0.03
91	T,M	p-Isopropyltoluene	50.000	52.798	-5.6	122	0.02
92	T,M	1,3-Dichlorobenzene	50.000	49.313	1.4	120	0.02
93	T,M	1,2,3-Trimethylbenzene	50.000	52.202	-4.4	123	0.02
94	T,M	1,4-Dichlorobenzene	50.000	49.222	1.6	119	0.02
95	T,M	n-Butylbenzene	50.000	54.255	-8.5	124	0.02
96	T,M	1,2-Dichlorobenzene	50.000	49.718	0.6	121	0.02
97	T,M	1,2-Dibromo-3-chloropropane	50.000	56.548	-13.1	132	0.02
98	T,M	1,2,4-Trichlorobenzene	50.000	53.657	-7.3	128	0.02
99	T,M	Hexachlorobutadiene	50.000	48.637	2.7	122	0.00
100	T,M	Naphthalene	50.000	60.928	-21.9#	142	0.00
101	T,M	1,2,3-Trichlorobenzene	50.000	53.035	-6.1	128	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	128	0.03
2	T,M	Dichlorodifluoromethane	0.258	0.241	6.6	110	0.00
3	P,T,M	Chloromethane	0.360	0.402	-11.7	132	0.00
4	C,T,M	Vinyl chloride	0.305	0.324	-6.2	126	0.00
5	T,M	Bromomethane	0.226	0.235	-4.0	128	0.02
6	T,M	Chloroethane	0.200	0.219	-9.5	130	0.02
7	T,M	Dichlorofluoromethane	0.440	0.454	-3.2	122	0.04
8	T,M	Trichlorofluoromethane	0.267	0.278	-4.1	118	0.02
9	T,M	sec-Propyl Alcohol	0.019	0.019	0.0	126	0.02
10	T,M	Acrolein	0.026	0.029	-11.5	124	0.02
11	T,M	1,1,2-Trichloro-1,2,2-trifl	0.171	0.165	3.5	114	0.04
12	T,M	Acetone	0.058	0.063	-8.6	130	0.02
13	C,T,M	1,1-Dichloroethene	0.464	0.425	8.4	106	0.03
14	T,M	tert-Butyl alcohol	0.021	0.025	-19.0	132	0.03
15	T,M	Acetonitrile	0.025	0.028	-12.0	126	0.03
16	T,M	Iodomethane	0.384	0.312	18.8	96	0.03
17	T,M	Methyl Acetate	0.196	0.236	-20.4#	144	0.03
18	T,M	Allyl Chloride	0.183	0.173	5.5	112	0.03
19	T,M	Methylene chloride	0.387	0.373	3.6	116	0.02
20	T,M	Carbon disulfide	1.009	1.015	-0.6	116	0.02
21	T,M	Acrylonitrile	0.081	0.091	-12.3	126	0.03
22	T,M	tert-Butyl methyl ether (MT	0.735	0.799	-8.7	127	0.03
23	T,M	trans-1,2-Dichloroethene	0.329	0.292	11.2	105	0.03
24	T,M	Isopropyl ether (DIPE)	1.181	1.287	-9.0	125	0.03
25	P,T,M	1,1-Dichloroethane	0.560	0.575	-2.7	120	0.03
26	T,M	Vinyl acetate	0.510	0.555	-8.8	123	0.03
27	T,M	2-Butanol	0.000	0.023	0.0	0#	0.03
28	T,M	tert-Butyl ethyl ether (ETB	0.998	1.103	-10.5	128	0.03
29	T,M	2-Butanone	0.022	0.024	-9.1	121	0.03
30	T,M	Propionitrile	0.027	0.030	-11.1	129	0.03
31	T,M	2,2-Dichloropropane	0.218	0.254	-16.5	135	0.03
32	T,M	cis-1,2-Dichloroethene	0.348	0.335	3.7	115	0.01
33	T,M	Methylacrynonitrile	0.033	0.038	-15.2	131	0.03
34	T,M	Isobutyl Alcohol	0.009	0.011	-22.2#	131	0.03
35	C,T,M	Chloroform	0.497	0.508	-2.2	121	0.03
36	T,M	Bromochloromethane	0.179	0.164	8.4	108	0.03
37	T,M	Tetrahydrofuran	0.062	0.063	-1.6	119	0.01
38	S	Dibromofluoromethane	0.257	0.237	7.8	110	0.03
39	T,M	1,1,1-Trichloroethane	0.315	0.324	-2.9	119	0.03
40	T,M	Cyclohexane	0.449	0.485	-8.0	128	0.03
41	T,M	1,1-Dichloropropene	0.143	0.125	12.6	104	0.03

(#) = Out of Range

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
42	T,M	Carbon tetrachloride	0.269	0.252	6.3	111	0.04
43	T,M	tert-Amyl methyl ether (TAM	0.169	0.173	-2.4	123	0.03
44	S	1,2-Dichloroethane-d4	0.227	0.225	0.9	118	0.03
45	T,M	1,2-Dichloroethane	0.286	0.302	-5.6	122	0.03
46	T,M	Benzene	1.271	1.265	0.5	114	0.03
47	T,M	Trichloroethene	0.303	0.274	9.6	105	0.03
48	T,M	Methylcyclohexane	0.538	0.595	-10.6	125	0.03
49	C,T,M	1,2-Dichloropropane	0.307	0.322	-4.9	121	0.03
50	T,M	Methyl Methacrylate	0.173	0.183	-5.8	124	0.03
51	T,M	Bromodichloromethane	0.347	0.363	-4.6	121	0.03
52	T,M	1,4-Dioxane	0.002	0.002	0.0	114	0.03
53	T,M	Dibromomethane	0.150	0.148	1.3	116	0.03
54	T,M	2-Chloroethyl vinyl ether	0.000	0.001	0.0	0#	0.06
55	T,M	4-Methyl-2-pentanone	0.236	0.281	-19.1	127	0.03
56	T,M	cis-1,3-Dichloropropene	0.489	0.504	-3.1	120	0.03
57	I	CHLOROBENZENE-D5	1.000	1.000	0.0	128	0.03
58	S	Toluene-d8	1.246	1.178	5.5	112	0.03
59	C,T,M	Toluene	1.573	1.573	0.0	116	0.03
60	T,M	Ethyl methacrylate	0.422	0.457	-8.3	129	0.01
61	T,M	trans-1,3-Dichloropropene	0.494	0.519	-5.1	123	0.03
62	T,M	1,1,2-Trichloroethane	0.270	0.285	-5.6	122	0.03
63	T,M	2-Hexanone	0.196	0.236	-20.4#	130	0.03
64	T,M	1,3-Dichloropropane	0.502	0.525	-4.6	124	0.03
65	T,M	Tetrachloroethene	0.305	0.261	14.4	102	0.03
66	T,M	Dibromochloromethane	0.289	0.294	-1.7	118	0.03
67	T,M	1,2-Dibromoethane	0.260	0.251	3.5	117	0.03
68	T,M	1-Chlorohexane	0.570	0.562	1.4	115	0.03
69	P,T,M	Chlorobenzene	0.903	0.920	-1.9	118	0.03
70	T,M	1,1,1,2-Tetrachloroethane	0.310	0.305	1.6	117	0.03
71	C,T,M	Ethylbenzene	1.664	1.727	-3.8	119	0.03
72	T,M	m-Xylene & p-Xylene	1.247	1.281	-2.7	118	0.01
73	T,M	o-Xylene	1.183	1.270	-7.4	122	0.03
74	T,M	Styrene	0.935	1.014	-8.4	121	0.03
75	T,M	Isopropylbenzene	1.440	1.542	-7.1	122	0.03
76	T,M	Cis-1,4-Dichloro-2-Butene	0.080	0.091	-13.7	126	0.03
77	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	132	0.02
78	P,T,M	Bromoform	0.475	0.444	6.5	120	0.03
79	P,T,M	1,1,2,2-Tetrachloroethane	0.919	0.983	-7.0	129	0.03
80	S	4-Bromofluorobenzene	1.240	1.082	12.7	110	0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	T,M	1,2,3-Trichloropropane	0.218	0.225	-3.2	128	0.02
82	T,M	trans-1,4-Dichloro-2-butene	0.217	0.241	-11.1	138	0.03
83	T,M	n-Propylbenzene	5.394	5.545	-2.8	122	0.03
84	T,M	Bromobenzene	1.058	0.985	6.9	118	0.01
85	T,M	1,3,5-Trimethylbenzene	3.364	3.389	-0.7	119	0.02
86	T,M	2-Chlorotoluene	3.431	3.424	0.2	123	0.02
87	T,M	4-Chlorotoluene	2.993	3.152	-5.3	124	0.02
88	T,M	tert-Butylbenzene	0.691	0.675	2.3	120	0.02
89	T,M	1,2,4-Trimethylbenzene	3.203	3.308	-3.3	122	0.02
90	T,M	sec-Butylbenzene	4.279	4.487	-4.9	124	0.03
91	T,M	p-Isopropyltoluene	3.248	3.430	-5.6	122	0.02
92	T,M	1,3-Dichlorobenzene	1.784	1.760	1.3	120	0.02
93	T,M	1,2,3-Trimethylbenzene	3.038	3.172	-4.4	123	0.02
94	T,M	1,4-Dichlorobenzene	1.766	1.739	1.5	119	0.02
95	T,M	n-Butylbenzene	3.020	3.277	-8.5	124	0.02
96	T,M	1,2-Dichlorobenzene	1.548	1.539	0.6	121	0.02
97	T,M	1,2-Dibromo-3-chloropropane	0.100	0.113	-13.0	132	0.02
98	T,M	1,2,4-Trichlorobenzene	0.799	0.858	-7.4	128	0.02
99	T,M	Hexachlorobutadiene	0.395	0.384	2.8	122	0.00
100	T,M	Naphthalene	1.540	1.877	-21.9#	142	0.00
101	T,M	1,2,3-Trichlorobenzene	0.688	0.730	-6.1	128	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 10:51 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.68	114	3650747	50.00	ug/l	0.03
57) CHLOROBENZENE-D5	12.36	117	2887396	50.00	ug/l	0.03
77) 1,2-DICHLOROBENZENE-D4	17.19	152	985478	50.00	ug/l	0.02
System Monitoring Compounds						
38) Dibromofluoromethane	6.45	111	864636	46.15	ug/l	0.03
Spiked Amount 50.000			Recovery =	92.30%		
44) 1,2-Dichloroethane-d4	7.14	65	823166	49.74	ug/l	0.03
Spiked Amount 50.000			Recovery =	99.48%		
58) Toluene-d8	9.93	98	3401061	47.26	ug/l	0.03
Spiked Amount 50.000			Recovery =	94.52%		
80) 4-Bromofluorobenzene	14.44	95	1066709	43.63	ug/l	0.02
Spiked Amount 50.000			Recovery =	87.26%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.76	85	880669	46.79	ug/l	100
3) Chloromethane	2.01	50	1467660	55.88	ug/l	100
4) Vinyl chloride	2.12	62	1183673	53.07	ug/l	98
5) Bromomethane	2.63	94	856107	51.92	ug/l	98
6) Chloroethane	2.72	64	800251	54.82	ug/l	98
7) Dichlorofluoromethane	2.77	67	1657862	51.62	ug/l	100
8) Trichlorofluoromethane	2.99	101	1014315	52.10	ug/l	98
9) sec-Propyl Alcohol	3.31	45	707323	508.07	ug/l	96
10) Acrolein	3.46	56	535696	279.96	ug/l	99
11) 1,1,2-Trichloro-1,2,2-trif	3.52	151	603465	48.37	ug/l	99
12) Acetone	3.53	43	1148510	272.73	ug/l	96
13) 1,1-Dichloroethene	3.71	61	1553192	45.81	ug/l	96
14) tert-Butyl alcohol	3.79	59	903532	581.85	ug/l	99
15) Acetonitrile	3.86	41	1039408	561.98	ug/l	99
16) Iodomethane	4.08	142	1140647	40.72	ug/l	100
17) Methyl Acetate	4.09	43	860631	60.17	ug/l	98
18) Allyl Chloride	4.14	76	631278	47.36	ug/l	100
19) Methylene chloride	4.27	49	1361494	48.17	ug/l	96
20) Carbon disulfide	4.28	76	3705897	50.33	ug/l	100
21) Acrylonitrile	4.43	53	1655467	278.78	ug/l	99
22) tert-Butyl methyl ether (M	4.46	73	2917008	54.33	ug/l	100
23) trans-1,2-Dichloroethene	4.63	96	1067721	44.51	ug/l	99
24) Isopropyl ether (DIPE)	5.03	45	4699717	54.50	ug/l	99
25) 1,1-Dichloroethane	5.18	63	2099909	51.36	ug/l	100
26) Vinyl acetate	5.18	43	2027091	54.46	ug/l	98
28) tert-Butyl ethyl ether (ET	5.56	59	4027184	55.26	ug/l	98
29) 2-Butanone	5.72	72	438836	271.71	ug/l	100

(#) = qualifier out of range (m) = manual integration

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 10:51 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Propionitrile	5.82	54	1109982	565.09 ug/l	99
31) 2,2-Dichloropropane	5.89	77	928228	58.39 ug/l	98
32) cis-1,2-Dichloroethene	5.95	96	1224374	48.22 ug/l	96
33) Methylacrynonitrile	6.08	52	1391456	570.19 ug/l	97
34) Isobutyl Alcohol	6.11	43	804064	1081.64 ug/l	99
35) Chloroform	6.17	83	1854149	51.05 ug/l	99
36) Bromochloromethane	6.39	130	599217	45.77 ug/l	99
37) Tetrahydrofuran	6.42	42	228791	50.76 ug/l	99
39) 1,1,1-Trichloroethane	6.70	97	1182672	51.35 ug/l	98
40) Cyclohexane	6.71	84	1770094	54.03 ug/l	99
41) 1,1-Dichloropropene	6.92	110	457199	43.67 ug/l	99
42) Carbon tetrachloride	7.05	119	918967	46.80 ug/l	100
43) tert-Amyl methyl ether (TA	7.08	87	630515	51.11 ug/l	98
45) 1,2-Dichloroethane	7.27	62	1101724	52.85 ug/l	99
46) Benzene	7.28	78	4617729	49.76 ug/l	99
47) Trichloroethene	8.15	130	998833	45.09 ug/l	97
48) Methylcyclohexane	8.22	83	2170780	55.25 ug/l	99
49) 1,2-Dichloropropane	8.39	63	1174708	52.39 ug/l	99
50) Methyl Methacrylate	8.50	69	668323	53.03 ug/l	95
51) Bromodichloromethane	8.73	83	1325639	52.25 ug/l	99
52) 1,4-Dioxane	8.77	88	119453	1049.90 ug/l	97
53) Dibromomethane	8.82	93	541073	49.38 ug/l	97
55) 4-Methyl-2-pentanone	9.26	43	5138008	298.21 ug/l	99
56) cis-1,3-Dichloropropene	9.56	75	1840835	51.57 ug/l	99
59) Toluene	10.05	91	4541833	49.99 ug/l	99
60) Ethyl methacrylate	10.34	69	1320353	54.18 ug/l	99
61) trans-1,3-Dichloropropene	10.34	75	1497919	52.50 ug/l	100
62) 1,1,2-Trichloroethane	10.59	97	823249	52.74 ug/l	98
63) 2-Hexanone	10.62	43	3401044	300.42 ug/l	99
64) 1,3-Dichloropropane	11.00	76	1515442	52.30 ug/l	100
65) Tetrachloroethene	11.07	164	753132	42.72 ug/l	99
66) Dibromochloromethane	11.39	129	848896	50.91 ug/l	100
67) 1,2-Dibromoethane	11.71	107	725107	48.24 ug/l	99
68) 1-Chlorohexane	12.02	91	1622013	49.31 ug/l	99
69) Chlorobenzene	12.42	112	2657240	50.94 ug/l	99
70) 1,1,1,2-Tetrachloroethane	12.49	131	881665	49.32 ug/l	99
71) Ethylbenzene	12.52	91	4986215	51.89 ug/l	98
72) m-Xylene & p-Xylene	12.64	91	7396649	102.74 ug/l	98
73) o-Xylene	13.38	91	3666560	53.67 ug/l	97
74) Styrene	13.44	104	2928244	54.24 ug/l	99
75) Isopropylbenzene	14.01	105	4451901	53.53 ug/l	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 10:51 2024 Quant Results File: VO02A31.RES


Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
76)	Cis-1,4-Dichloro-2-Butene	14.11	53	261371	50.62	ug/l	100
78)	Bromoform	14.00	173	437570	46.72	ug/l	99
79)	1,1,2,2-Tetrachloroethane	14.32	83	969080	53.51	ug/l	100
81)	1,2,3-Trichloropropane	14.57	110	221890	51.74	ug/l	99
82)	trans-1,4-Dichloro-2-buten	14.71	53	237738	51.75	ug/l	98
83)	n-Propylbenzene	14.71	91	5464444	51.40	ug/l	99
84)	Bromobenzene	14.74	156	970564	46.55	ug/l	99
85)	1,3,5-Trimethylbenzene	14.99	105	3339417	50.36	ug/l	100
86)	2-Chlorotoluene	14.99	91	3374682	49.90	ug/l	96
87)	4-Chlorotoluene	15.08	91	3106149	52.65	ug/l	100
88)	tert-Butylbenzene	15.62	134	664763	48.82	ug/l	95
89)	1,2,4-Trimethylbenzene	15.68	105	3260042	51.64	ug/l	99
90)	sec-Butylbenzene	16.00	105	4421774	52.42	ug/l	99
91)	p-Isopropyltoluene	16.25	119	3379782	52.80	ug/l	99
92)	1,3-Dichlorobenzene	16.38	146	1734068	49.31	ug/l	99
93)	1,2,3-Trimethylbenzene	16.53	105	3125769	52.20	ug/l	99
94)	1,4-Dichlorobenzene	16.57	146	1713645	49.22	ug/l	99
95)	n-Butylbenzene	17.00	91	3229212	54.26	ug/l	99
96)	1,2-Dichlorobenzene	17.23	146	1517123	49.72	ug/l	100
97)	1,2-Dibromo-3-chloropropan	18.53	157	111465	56.55	ug/l	100
98)	1,2,4-Trichlorobenzene	19.57	180	845490	53.66	ug/l	99
99)	Hexachlorobutadiene	19.72	225	378771	48.64	ug/l	99
100)	Naphthalene	19.82	128	1849287	60.93	ug/l	99
101)	1,2,3-Trichlorobenzene	20.07	180	719456	53.04	ug/l	100

(#) = qualifier out of range (m) = manual integration

Data File : D:\HPCHEM\1\DATA\24F10\RFP096.D Vial: 2
Acq On : 10 Jun 2024 10:30 Operator: IRagas
Sample : CVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 10:51 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	50.000	50.000	0.0	124	0.00
2	T,M	Dichlorodifluoromethane	50.000	48.301	3.4	110	0.00
3	P,T,M	Chloromethane	50.000	55.063	-10.1	127	0.00
4	C,T,M	Vinyl chloride	50.000	57.037	-14.1	132	0.00
5	T,M	Bromomethane	50.000	50.742	-1.5	122	0.00
6	T,M	Chloroethane	50.000	51.446	-2.9	119	0.00
7	T,M	Dichlorofluoromethane	50.000	49.439	1.1	114	0.00
8	T,M	Trichlorofluoromethane	50.000	54.396	-8.8	121	0.00
9	T,M	sec-Propyl Alcohol	500.000	516.684	-3.3	125	0.00
10	T,M	Acrolein	250.000	268.559	-7.4	116	0.00
11	T,M	1,1,2-Trichloro-1,2,2-trifl	50.000	49.833	0.3	114	0.00
12	T,M	Acetone	250.000	252.941	-1.2	118	0.00
13	C,T,M	1,1-Dichloroethene	50.000	45.990	8.0	104	0.00
14	T,M	tert-Butyl alcohol	500.000	540.646	-8.1	119	0.00
15	T,M	Acetonitrile	500.000	478.757	4.2	105	0.00
16	T,M	Iodomethane	50.000	40.960	18.1	94	0.02
17	T,M	Methyl Acetate	50.000	57.083	-14.2	133	0.00
18	T,M	Allyl Chloride	50.000	45.311	9.4	105	0.00
19	T,M	Methylene chloride	50.000	46.477	7.0	109	-0.01
20	T,M	Carbon disulfide	50.000	50.069	-0.1	113	0.00
21	T,M	Acrylonitrile	250.000	264.828	-5.9	117	0.00
22	T,M	tert-Butyl methyl ether (MT	50.000	51.801	-3.6	118	0.00
23	T,M	trans-1,2-Dichloroethene	50.000	43.855	12.3	101	0.00
24	T,M	Isopropyl ether (DIPE)	50.000	52.841	-5.7	118	0.00
25	P,T,M	1,1-Dichloroethane	50.000	50.870	-1.7	116	0.00
26	T,M	Vinyl acetate	50.000	53.963	-7.9	119	0.00
27	T,M	2-Butanol	500.000	0.000	100.0#	0	0.00
28	T,M	tert-Butyl ethyl ether (ETB	50.000	52.902	-5.8	119	0.00
29	T,M	2-Butanone	250.000	260.945	-4.4	113	0.00
30	T,M	Propionitrile	500.000	541.600	-8.3	121	0.00
31	T,M	2,2-Dichloropropane	50.000	55.078	-10.2	124	0.00
32	T,M	cis-1,2-Dichloroethene	50.000	47.596	4.8	110	0.00
33	T,M	Methylacrynonitrile	500.000	546.665	-9.3	122	0.00
34	T,M	Isobutyl Alcohol	1000.000	1038.630	-3.9	123	0.00
35	C,T,M	Chloroform	50.000	50.023	-0.0	115	0.00
36	T,M	Bromochloromethane	50.000	45.232	9.5	104	0.00
37	T,M	Tetrahydrofuran	50.000	49.616	0.8	113	0.00
38	S	Dibromofluoromethane	50.000	45.287	9.4	105	0.00
39	T,M	1,1,1-Trichloroethane	50.000	50.315	-0.6	114	0.00
40	T,M	Cyclohexane	50.000	52.710	-5.4	122	0.00
41	T,M	1,1-Dichloropropene	50.000	43.208	13.6	101	0.00

(#) = Out of Range

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
42	T,M	Carbon tetrachloride	50.000	46.127	7.7	107	0.00
43	T,M	tert-Amyl methyl ether (TAM	50.000	48.975	2.0	115	0.00
44	S	1,2-Dichloroethane-d4	50.000	48.838	2.3	113	0.00
45	T,M	1,2-Dichloroethane	50.000	51.381	-2.8	116	-0.02
46	T,M	Benzene	50.000	49.245	1.5	110	0.00
47	T,M	Trichloroethene	50.000	46.045	7.9	105	-0.02
48	T,M	Methylcyclohexane	50.000	54.532	-9.1	121	0.00
49	C,T,M	1,2-Dichloropropane	50.000	51.136	-2.3	115	0.00
50	T,M	Methyl Methacrylate	50.000	51.843	-3.7	119	0.00
51	T,M	Bromodichloromethane	50.000	50.561	-1.1	114	0.00
52	T,M	1,4-Dioxane	1000.000	916.117	8.4	97	0.00
53	T,M	Dibromomethane	50.000	48.109	3.8	110	0.00
54	T,M	2-Chloroethyl vinyl ether	50.000	0.000	100.0#	0	0.01
55	T,M	4-Methyl-2-pentanone	250.000	280.492	-12.2	116	0.00
56	T,M	cis-1,3-Dichloropropene	50.000	50.473	-0.9	114	0.00
57	I	CHLOROBENZENE-D5	50.000	50.000	0.0	126	0.00
58	S	Toluene-d8	50.000	47.007	6.0	110	0.00
59	C,T,M	Toluene	50.000	48.721	2.6	112	0.00
60	T,M	Ethyl methacrylate	50.000	51.991	-4.0	122	-0.02
61	T,M	trans-1,3-Dichloropropene	50.000	50.063	-0.1	116	0.00
62	T,M	1,1,2-Trichloroethane	50.000	51.179	-2.4	117	0.00
63	T,M	2-Hexanone	250.000	276.684	-10.7	118	0.00
64	T,M	1,3-Dichloropropane	50.000	50.281	-0.6	118	0.00
65	T,M	Tetrachloroethene	50.000	43.017	14.0	102	0.00
66	T,M	Dibromochloromethane	50.000	48.175	3.7	110	0.00
67	T,M	1,2-Dibromoethane	50.000	47.024	6.0	113	0.00
68	T,M	1-Chlorohexane	50.000	48.985	2.0	112	0.00
69	P,T,M	Chlorobenzene	50.000	49.408	1.2	113	0.00
70	T,M	1,1,1,2-Tetrachloroethane	50.000	48.191	3.6	113	0.00
71	C,T,M	Ethylbenzene	50.000	50.631	-1.3	114	0.00
72	T,M	m-Xylene & p-Xylene	100.000	101.195	-1.2	114	0.00
73	T,M	o-Xylene	50.000	52.600	-5.2	118	0.00
74	T,M	Styrene	50.000	53.160	-6.3	117	0.00
75	T,M	Isopropylbenzene	50.000	53.321	-6.6	120	0.00
76	T,M	Cis-1,4-Dichloro-2-Butene	50.000	47.046	5.9	115	0.00
77	I	1,2-DICHLOROBENZENE-D4	50.000	50.000	0.0	133	0.00
78	P,T,M	Bromoform	50.000	44.313	11.4	114	0.00
79	P,T,M	1,1,2,2-Tetrachloroethane	50.000	52.003	-4.0	126	0.00
80	S	4-Bromofluorobenzene	50.000	42.709	14.6	108	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
81	T,M	1,2,3-Trichloropropane	50.000	48.540	2.9	120	0.00
82	T,M	trans-1,4-Dichloro-2-butene	50.000	48.335	3.3	129	0.00
83	T,M	n-Propylbenzene	50.000	50.704	-1.4	121	0.00
84	T,M	Bromobenzene	50.000	45.371	9.3	115	0.00
85	T,M	1,3,5-Trimethylbenzene	50.000	49.841	0.3	118	0.00
86	T,M	2-Chlorotoluene	50.000	48.432	3.1	119	0.00
87	T,M	4-Chlorotoluene	50.000	51.372	-2.7	121	0.00
88	T,M	tert-Butylbenzene	50.000	47.360	5.3	116	0.00
89	T,M	1,2,4-Trimethylbenzene	50.000	50.864	-1.7	121	0.00
90	T,M	sec-Butylbenzene	50.000	51.739	-3.5	123	0.00
91	T,M	p-Isopropyltoluene	50.000	52.405	-4.8	121	0.00
92	T,M	1,3-Dichlorobenzene	50.000	48.736	2.5	118	0.00
93	T,M	1,2,3-Trimethylbenzene	50.000	50.869	-1.7	120	0.00
94	T,M	1,4-Dichlorobenzene	50.000	49.026	1.9	118	0.00
95	T,M	n-Butylbenzene	50.000	54.772	-9.5	125	0.00
96	T,M	1,2-Dichlorobenzene	50.000	48.849	2.3	119	0.00
97	T,M	1,2-Dibromo-3-chloropropane	50.000	52.720	-5.4	123	0.00
98	T,M	1,2,4-Trichlorobenzene	50.000	53.281	-6.6	128	0.00
99	T,M	Hexachlorobutadiene	50.000	50.346	-0.7	126	0.00
100	T,M	Naphthalene	50.000	58.397	-16.8	136	0.00
101	T,M	1,2,3-Trichlorobenzene	50.000	53.605	-7.2	130	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	124	0.00
2	T,M	Dichlorodifluoromethane	0.258	0.249	3.5	110	0.00
3	P,T,M	Chloromethane	0.360	0.396	-10.0	127	0.00
4	C,T,M	Vinyl chloride	0.305	0.348	-14.1	132	0.00
5	T,M	Bromomethane	0.226	0.229	-1.3	122	0.00
6	T,M	Chloroethane	0.200	0.206	-3.0	119	0.00
7	T,M	Dichlorofluoromethane	0.440	0.435	1.1	114	0.00
8	T,M	Trichlorofluoromethane	0.267	0.290	-8.6	121	0.00
9	T,M	sec-Propyl Alcohol	0.019	0.020	-5.3	125	0.00
10	T,M	Acrolein	0.026	0.028	-7.7	116	0.00
11	T,M	1,1,2-Trichloro-1,2,2-trifl	0.171	0.170	0.6	114	0.00
12	T,M	Acetone	0.058	0.058	0.0	118	0.00
13	C,T,M	1,1-Dichloroethene	0.464	0.427	8.0	104	0.00
14	T,M	tert-Butyl alcohol	0.021	0.023	-9.5	119	0.00
15	T,M	Acetonitrile	0.025	0.024	4.0	105	0.00
16	T,M	Iodomethane	0.384	0.314	18.2	94	0.02
17	T,M	Methyl Acetate	0.196	0.224	-14.3	133	0.00
18	T,M	Allyl Chloride	0.183	0.165	9.8	105	0.00
19	T,M	Methylene chloride	0.387	0.360	7.0	109	-0.01
20	T,M	Carbon disulfide	1.009	1.010	-0.1	113	0.00
21	T,M	Acrylonitrile	0.081	0.086	-6.2	117	0.00
22	T,M	tert-Butyl methyl ether (MT	0.735	0.762	-3.7	118	0.00
23	T,M	trans-1,2-Dichloroethene	0.329	0.288	12.5	101	0.00
24	T,M	Isopropyl ether (DIPE)	1.181	1.248	-5.7	118	0.00
25	P,T,M	1,1-Dichloroethane	0.560	0.570	-1.8	116	0.00
26	T,M	Vinyl acetate	0.510	0.550	-7.8	119	0.00
27	T,M	2-Butanol	0.000	0.021	0.0	0#	0.00
28	T,M	tert-Butyl ethyl ether (ETB	0.998	1.056	-5.8	119	0.00
29	T,M	2-Butanone	0.022	0.023	-4.5	113	0.00
30	T,M	Propionitrile	0.027	0.029	-7.4	121	0.00
31	T,M	2,2-Dichloropropane	0.218	0.240	-10.1	124	0.00
32	T,M	cis-1,2-Dichloroethene	0.348	0.331	4.9	110	0.00
33	T,M	Methylacrynonitrile	0.033	0.037	-12.1	122	0.00
34	T,M	Isobutyl Alcohol	0.009	0.011	-22.2#	123	0.00
35	C,T,M	Chloroform	0.497	0.498	-0.2	115	0.00
36	T,M	Bromochloromethane	0.179	0.162	9.5	104	0.00
37	T,M	Tetrahydrofuran	0.062	0.061	1.6	113	0.00
38	S	Dibromofluoromethane	0.257	0.232	9.7	105	0.00
39	T,M	1,1,1-Trichloroethane	0.315	0.317	-0.6	114	0.00
40	T,M	Cyclohexane	0.449	0.473	-5.3	122	0.00
41	T,M	1,1-Dichloropropene	0.143	0.124	13.3	101	0.00

(#) = Out of Range

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
42	T,M	Carbon tetrachloride	0.269	0.248	7.8	107	0.00
43	T,M	tert-Amyl methyl ether (TAM	0.169	0.166	1.8	115	0.00
44	S	1,2-Dichloroethane-d4	0.227	0.221	2.6	113	0.00
45	T,M	1,2-Dichloroethane	0.286	0.293	-2.4	116	-0.02
46	T,M	Benzene	1.271	1.252	1.5	110	0.00
47	T,M	Trichloroethene	0.303	0.279	7.9	105	-0.02
48	T,M	Methylcyclohexane	0.538	0.587	-9.1	121	0.00
49	C,T,M	1,2-Dichloropropane	0.307	0.314	-2.3	115	0.00
50	T,M	Methyl Methacrylate	0.173	0.179	-3.5	119	0.00
51	T,M	Bromodichloromethane	0.347	0.351	-1.2	114	0.00
52	T,M	1,4-Dioxane	0.002	0.001	50.0#	97	0.00
53	T,M	Dibromomethane	0.150	0.144	4.0	110	0.00
54	T,M	2-Chloroethyl vinyl ether	0.000	0.001	0.0	0#	0.01
55	T,M	4-Methyl-2-pentanone	0.236	0.265	-12.3	116	0.00
56	T,M	cis-1,3-Dichloropropene	0.489	0.494	-1.0	114	0.00
57	I	CHLOROBENZENE-D5	1.000	1.000	0.0	126	0.00
58	S	Toluene-d8	1.246	1.171	6.0	110	0.00
59	C,T,M	Toluene	1.573	1.533	2.5	112	0.00
60	T,M	Ethyl methacrylate	0.422	0.439	-4.0	122	-0.02
61	T,M	trans-1,3-Dichloropropene	0.494	0.495	-0.2	116	0.00
62	T,M	1,1,2-Trichloroethane	0.270	0.277	-2.6	117	0.00
63	T,M	2-Hexanone	0.196	0.217	-10.7	118	0.00
64	T,M	1,3-Dichloropropane	0.502	0.505	-0.6	118	0.00
65	T,M	Tetrachloroethene	0.305	0.263	13.8	102	0.00
66	T,M	Dibromochloromethane	0.289	0.278	3.8	110	0.00
67	T,M	1,2-Dibromoethane	0.260	0.245	5.8	113	0.00
68	T,M	1-Chlorohexane	0.570	0.558	2.1	112	0.00
69	P,T,M	Chlorobenzene	0.903	0.893	1.1	113	0.00
70	T,M	1,1,1,2-Tetrachloroethane	0.310	0.298	3.9	113	0.00
71	C,T,M	Ethylbenzene	1.664	1.685	-1.3	114	0.00
72	T,M	m-Xylene & p-Xylene	1.247	1.262	-1.2	114	0.00
73	T,M	o-Xylene	1.183	1.245	-5.2	118	0.00
74	T,M	Styrene	0.935	0.994	-6.3	117	0.00
75	T,M	Isopropylbenzene	1.440	1.536	-6.7	120	0.00
76	T,M	Cis-1,4-Dichloro-2-Butene	0.080	0.084	-5.0	115	0.00
77	I	1,2-DICHLOROBENZENE-D4	1.000	1.000	0.0	133	0.00
78	P,T,M	Bromoform	0.475	0.421	11.4	114	0.00
79	P,T,M	1,1,2,2-Tetrachloroethane	0.919	0.956	-4.0	126	0.00
80	S	4-Bromofluorobenzene	1.240	1.059	14.6	108	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.16min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	T,M	1,2,3-Trichloropropane	0.218	0.211	3.2	120	0.00
82	T,M	trans-1,4-Dichloro-2-butene	0.217	0.225	-3.7	129	0.00
83	T,M	n-Propylbenzene	5.394	5.470	-1.4	121	0.00
84	T,M	Bromobenzene	1.058	0.960	9.3	115	0.00
85	T,M	1,3,5-Trimethylbenzene	3.364	3.353	0.3	118	0.00
86	T,M	2-Chlorotoluene	3.431	3.324	3.1	119	0.00
87	T,M	4-Chlorotoluene	2.993	3.075	-2.7	121	0.00
88	T,M	tert-Butylbenzene	0.691	0.654	5.4	116	0.00
89	T,M	1,2,4-Trimethylbenzene	3.203	3.258	-1.7	121	0.00
90	T,M	sec-Butylbenzene	4.279	4.428	-3.5	123	0.00
91	T,M	p-Isopropyltoluene	3.248	3.404	-4.8	121	0.00
92	T,M	1,3-Dichlorobenzene	1.784	1.739	2.5	118	0.00
93	T,M	1,2,3-Trimethylbenzene	3.038	3.091	-1.7	120	0.00
94	T,M	1,4-Dichlorobenzene	1.766	1.732	1.9	118	0.00
95	T,M	n-Butylbenzene	3.020	3.308	-9.5	125	0.00
96	T,M	1,2-Dichlorobenzene	1.548	1.513	2.3	119	0.00
97	T,M	1,2-Dibromo-3-chloropropane	0.100	0.105	-5.0	123	0.00
98	T,M	1,2,4-Trichlorobenzene	0.799	0.852	-6.6	128	0.00
99	T,M	Hexachlorobutadiene	0.395	0.398	-0.8	126	0.00
100	T,M	Naphthalene	1.540	1.799	-16.8	136	0.00
101	T,M	1,2,3-Trichlorobenzene	0.688	0.738	-7.3	130	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 13:44 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	7.65	114	3561805	50.00	ug/l	0.00
57) CHLOROBENZENE-D5	12.33	117	2848269	50.00	ug/l	0.00
77) 1,2-DICHLOROBENZENE-D4	17.16	152	986855	50.00	ug/l	0.00
System Monitoring Compounds						
38) Dibromofluoromethane	6.42	111	827745	45.29	ug/l	0.00
Spiked Amount 50.000			Recovery =	90.58%		
44) 1,2-Dichloroethane-d4	7.11	65	788495	48.84	ug/l	0.00
Spiked Amount 50.000			Recovery =	97.68%		
58) Toluene-d8	9.90	98	3336743	47.01	ug/l	0.00
Spiked Amount 50.000			Recovery =	94.02%		
80) 4-Bromofluorobenzene	14.41	95	1045537	42.71	ug/l	0.00
Spiked Amount 50.000			Recovery =	85.42%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.74	85	886976	48.30	ug/l	100
3) Chloromethane	2.01	50	1411004	55.06	ug/l	100
4) Vinyl chloride	2.12	62	1241192	57.04	ug/l	99
5) Bromomethane	2.62	94	816324	50.74	ug/l	99
6) Chloroethane	2.71	64	732639	51.45	ug/l	99
7) Dichlorofluoromethane	2.74	67	1549130	49.44	ug/l	98
8) Trichlorofluoromethane	2.98	101	1033253	54.40	ug/l	99
9) sec-Propyl Alcohol	3.28	45	701797	516.68	ug/l	98
10) Acrolein	3.44	56	501367	268.56	ug/l	100
11) 1,1,2-Trichloro-1,2,2-trif	3.49	151	606603	49.83	ug/l	99
12) Acetone	3.52	43	1039226	252.94	ug/l	97
13) 1,1-Dichloroethene	3.68	61	1521440	45.99	ug/l	95
14) tert-Butyl alcohol	3.76	59	819099	540.65	ug/l	98
15) Acetonitrile	3.83	41	863915	478.76	ug/l	100
16) Iodomethane	4.06	142	1119431	40.96	ug/l	98
17) Methyl Acetate	4.06	43	796618	57.08	ug/l	98
18) Allyl Chloride	4.11	76	589259	45.31	ug/l	98
19) Methylene chloride	4.24	49	1281578	46.48	ug/l	97
20) Carbon disulfide	4.27	76	3597057	50.07	ug/l	99
21) Acrylonitrile	4.40	53	1534302	264.83	ug/l	99
22) tert-Butyl methyl ether (M	4.43	73	2713586	51.80	ug/l	99
23) trans-1,2-Dichloroethene	4.60	96	1026463	43.86	ug/l	100
24) Isopropyl ether (DIPE)	5.00	45	4445533	52.84	ug/l	99
25) 1,1-Dichloroethane	5.15	63	2029038	50.87	ug/l	99
26) Vinyl acetate	5.15	43	1959628	53.96	ug/l	99
28) tert-Butyl ethyl ether (ET	5.53	59	3761107	52.90	ug/l	98
29) 2-Butanone	5.69	72	411184	260.94	ug/l	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 13:44 2024 Quant Results File: VO02A31.RES

Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
30)	Propionitrile	5.79	54	1037929	541.60	ug/l	100
31)	2,2-Dichloropropane	5.86	77	854266	55.08	ug/l	99
32)	cis-1,2-Dichloroethene	5.94	96	1179148	47.60	ug/l	97
33)	Methylacrynonitrile	6.05	52	1301543	546.66	ug/l	98
34)	Isobutyl Alcohol	6.08	43	752606	1038.63	ug/l	98
35)	Chloroform	6.14	83	1772613	50.02	ug/l	99
36)	Bromochloromethane	6.36	130	577761	45.23	ug/l	99
37)	Tetrahydrofuran	6.40	42	218181	49.62	ug/l	99
39)	1,1,1-Trichloroethane	6.67	97	1130699	50.31	ug/l	98
40)	Cyclohexane	6.68	84	1684679	52.71	ug/l	99
41)	1,1-Dichloropropene	6.89	110	441294	43.21	ug/l	99
42)	Carbon tetrachloride	7.00	119	883656	46.13	ug/l	99
43)	tert-Amyl methyl ether (TA	7.05	87	589506	48.98	ug/l	100
45)	1,2-Dichloroethane	7.22	62	1045076	51.38	ug/l	100
46)	Benzene	7.25	78	4458319	49.25	ug/l	99
47)	Trichloroethene	8.10	130	995169	46.05	ug/l	98
48)	Methylcyclohexane	8.19	83	2090451	54.53	ug/l	99
49)	1,2-Dichloropropane	8.36	63	1118635	51.14	ug/l	99
50)	Methyl Methacrylate	8.47	69	637393	51.84	ug/l	97
51)	Bromodichloromethane	8.70	83	1251459	50.56	ug/l	100
52)	1,4-Dioxane	8.74	88	101692	916.12	ug/l	96
53)	Dibromomethane	8.79	93	514269	48.11	ug/l	97
55)	4-Methyl-2-pentanone	9.23	43	4714956	280.49	ug/l	100
56)	cis-1,3-Dichloropropene	9.53	75	1757897	50.47	ug/l	99
59)	Toluene	10.02	91	4366089	48.72	ug/l	99
60)	Ethyl methacrylate	10.31	69	1249801	51.99	ug/l	100
61)	trans-1,3-Dichloropropene	10.31	75	1409078	50.06	ug/l	99
62)	1,1,2-Trichloroethane	10.56	97	788046	51.18	ug/l	98
63)	2-Hexanone	10.59	43	3089906	276.68	ug/l	100
64)	1,3-Dichloropropane	10.97	76	1437196	50.28	ug/l	99
65)	Tetrachloroethene	11.04	164	748174	43.02	ug/l	98
66)	Dibromochloromethane	11.36	129	792436	48.18	ug/l	99
67)	1,2-Dibromoethane	11.69	107	697292	47.02	ug/l	99
68)	1-Chlorohexane	11.99	91	1589522	48.98	ug/l	99
69)	Chlorobenzene	12.39	112	2542163	49.41	ug/l	100
70)	1,1,1,2-Tetrachloroethane	12.46	131	849745	48.19	ug/l	99
71)	Ethylbenzene	12.49	91	4799343	50.63	ug/l	99
72)	m-Xylene & p-Xylene	12.62	91	7186528	101.20	ug/l	99
73)	o-Xylene	13.35	91	3544932	52.60	ug/l	98
74)	Styrene	13.41	104	2831200	53.16	ug/l	99
75)	Isopropylbenzene	13.98	105	4374775	53.32	ug/l	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 13:44 2024 Quant Results File: VO02A31.RES


Quant Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration
DataAcq Meth : VO02A31

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
76)	Cis-1,4-Dichloro-2-Butene	14.08	53	239113	47.05	ug/l	98
78)	Bromoform	13.97	173	415644	44.31	ug/l	99
79)	1,1,2,2-Tetrachloroethane	14.29	83	943035	52.00	ug/l	98
81)	1,2,3-Trichloropropane	14.54	110	208460	48.54	ug/l	98
82)	trans-1,4-Dichloro-2-buten	14.68	53	221649	48.34	ug/l	96
83)	n-Propylbenzene	14.68	91	5398421	50.70	ug/l	99
84)	Bromobenzene	14.73	156	947255	45.37	ug/l	99
85)	1,3,5-Trimethylbenzene	14.96	105	3309324	49.84	ug/l	98
86)	2-Chlorotoluene	14.96	91	3279991	48.43	ug/l	98
87)	4-Chlorotoluene	15.05	91	3034697	51.37	ug/l	98
88)	tert-Butylbenzene	15.59	134	645752	47.36	ug/l	95
89)	1,2,4-Trimethylbenzene	15.65	105	3215286	50.86	ug/l	98
90)	sec-Butylbenzene	15.97	105	4370018	51.74	ug/l	98
91)	p-Isopropyltoluene	16.22	119	3359315	52.41	ug/l	99
92)	1,3-Dichlorobenzene	16.35	146	1716180	48.74	ug/l	99
93)	1,2,3-Trimethylbenzene	16.50	105	3050242	50.87	ug/l	98
94)	1,4-Dichlorobenzene	16.56	146	1709186	49.03	ug/l	99
95)	n-Butylbenzene	16.97	91	3264517	54.77	ug/l	99
96)	1,2-Dichlorobenzene	17.20	146	1492681	48.85	ug/l	99
97)	1,2-Dibromo-3-chloropropan	18.50	157	104065	52.72	ug/l	99
98)	1,2,4-Trichlorobenzene	19.56	180	840730	53.28	ug/l	99
99)	Hexachlorobutadiene	19.70	225	392625	50.35	ug/l	98
100)	Naphthalene	19.80	128	1774934	58.40	ug/l	100
101)	1,2,3-Trichlorobenzene	20.05	180	728202	53.60	ug/l	97

(#) = qualifier out of range (m) = manual integration

Data File : D:\HPCHEM\1\DATA\24F10\RFP102.D Vial: 8
Acq On : 10 Jun 2024 13:24 Operator: IRagas
Sample : EVO02A3130 Inst : 02
Misc : 50ppb 8260\250ppb KET-AA\500ppb TBA Multiplr: 1.00
MS Integration Params: RTE.P
Quant Time: Jun 10 13:44 2024 Quant Results File: VO02A31.RES

Method : D:\HPCHEM\1\METHODS\VO02A31.M (RTE Integrator)
Title : METHOD 8260 5.0mL
Last Update : Fri Feb 02 11:22:06 2024
Response via : Initial Calibration



ANALYTICAL LOG(S)

EMAX LABORATORIES, INC.

ANALYSIS RUN LOG
for
VOLATILES

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Comments:

Book #:	A02-064
Instrument No.:	02
Analytical Sequence:	24A31
Method File:	V002A31
Analytical Batch:	V002A31S

SOP #	
☑	EMAX-8260 Rev. No. 10
☐	EMAX-8260C Rev. No. 1
☐	EMAX-8260SIM Rev. No. 1
☐	EMAX-M8260SIM Rev. No. 0
☐	EMAX-TCPSIM Rev. No. 2
☐	EMAX-624 Rev. No. 6
☐	EMAX-624.1 Rev. No. 1

PURGE AMOUNT	
☑	5-mL Purge
☐	10-mL Purge
☐	25-mL Purge

SAMPLE MATRIX	
☐	Soil (refer to sample weight log)
☐	Water
☐	pH <2. Outliers indicated on analytical sequence.
☐	Cl_2 <5ppm. Outliers indicated on analytical sequence.

INITIAL CALIBRATION REFERENCE

DATE	1/31/24
ICAL ID	V002A31

STANDARDS

NAME	ID	Amount (µl)	Conc. (mg/L)
DCC	SV1-43-38-03	*	
DCC	-43-44-02		
DCC	-43-44-03		
DCC	-43-36-02		
BFB	-43-38-02	1	
IS/SURR. IS	-43-35-02	1	50/250
IS/SURR. SS	-43-35-03	*	
ICV/LCS CS2	-43-27-01	1	
ICV/LCS KET-QA 8260	-43-33-01	5	
ICV/LCS 8260	-43-27-03	5	
ICV/LCS	-43-40-02	1	
ICV/LCS	-43-31-03	5	
ICV/LCS	-43-40-01	5	
Data File Folder	24A31		

	LOT #	Syringe Lot #
pH strip		MSV-03-02-18
Chlorine strip		-03-04-13-6
Methanol		-03-02-08
$NaHSO_4$	SWA-011-18-07	
Reagent Water	RW3-23-001	
Sand	SWB-004-06-19	

ELECTRONIC DATA ARCHIVAL	
Location	Date
HPCHEM_VOA/TO	

Analyzed By: IR
Date: 1/31/24
Disposed By: IR
Date Disposed: 2/01/24

Injection Log

Directory: D:\HPCHEM\1\DATA\24A31

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	RAP131.D	1.	BFB02A16	T/CHK	31 Jan 2024 13:23
2	2	RAP132.D	1.	VO02A311 0.02uL	1ppb 8260\5ppb KET-AA\10ppb TBA-2But	31 Jan 2024 13:50
3	3	RAP133.D	1.	VO02A312 0.04uL	2ppb 8260\10ppb KET-AA\20ppb TBA-2But	31 Jan 2024 14:28
4	4	RAP134.D	1.	VO02A313 0.10uL	5ppb 8260\25ppb KET-AA\50ppb TBA-2But	31 Jan 2024 14:53
5	5	RAP135.D	1.	VO02A314 0.20uL	10ppb 8260\50ppb KET-AA\100ppb TBA-2But	31 Jan 2024 15:17
6	6	RAP136.D	1.	VO02A315 0.40uL	20ppb 8260\100ppb KET-AA\200ppb TBA-2Bu	31 Jan 2024 15:42
7	7	RAP137.D	1.	VO02A316 1.00uL	50ppb 8260\250ppb KET-AA\500ppb TBA-2Bu	31 Jan 2024 16:06
8	8	RAP138.D	1.	VO02A317 2.00uL	100ppb 8260\500ppb KET-AA\1000ppb TBA-2	31 Jan 2024 16:31
9	9	RAP139.D	1.	VO02A318 4.00uL	200ppb 8260\1000ppb KET-AA\2000ppb TBA-	31 Jan 2024 16:55
10	10	RAP140.D	1.	VO02A319 6.00uL	300ppb 8260\1500ppb KET-AA\3000ppb TBA-	31 Jan 2024 17:20
11	11	RAP141.D	1.	VO02A3110 10.00uL	500ppb 8260\2500ppb KET-AA\5000ppb TBA-	31 Jan 2024 17:44
12	12	RAP142.D	1.	RINSE	5.0mL	31 Jan 2024 18:09
13	13	RAP143.D	1.	RINSE	5.0mL	31 Jan 2024 18:33
14	14	RAP144.D	1.	IVO02A311 1.00uL	50ppb 8260\250ppb KET-AA\500ppb TBA-2Bu	31 Jan 2024 18:58
15	15	RAP145.D	1.	RINSE	5.0mL	31 Jan 2024 19:22
16	16	RAP146.D	1.	LOD VERF	1ppb 8260\5ppb KET-AA\10ppb TBA-2But	31 Jan 2024 19:46

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Comments:

Book #:	A02-054
Instrument No.:	02
Analytical Sequence:	24F10
Method File:	V002A31
Analytical Batch:	CV002A3130

SOP #
☑ EMAX-8260 Rev. No. 10
☐ EMAX-8260C Rev. No. 1
☐ EMAX-8260SIM Rev. No. 1
☐ EMAX-M8260SIM Rev. No. 0
☐ EMAX-TCPSIM Rev. No. 2
☐ EMAX-624 Rev. No. 6
☐ EMAX-624.1 Rev. No. 1

PURGE AMOUNT
☑ 5-mL Purge
☐ 10-mL Purge
☐ 25-mL Purge

SAMPLE MATRIX
☑ Soil (refer to sample weight log)
☐ Water
☐ pH <2. Outliers indicated on analytical sequence.
☐ Cl_2 <5ppm. Outliers indicated on analytical sequence.

INITIAL CALIBRATION REFERENCE

DATE	1/31/24
ICAL ID	VO02A31

STANDARDS

NAME	ID	Amount (ul)	Conc. (mg/L)
DCC	SV1-43-54-03	1	
DCC	-89-01	5	
	-73-01	5	
DCC	-77-02	1	
DCC	-73-03	1	
BFB	-38-04	1	
IS/SURR.	-88-03	1	50/50
ICV/LCS	-79-02	1	
ICV/LCS	-92-01	5	
	-51-01	5	
ICV/LCS	-88-02	1	
ICV/LCS	-90-01	5	
	-40-01	5	
Data File Folder	24F10		

	LOT #	Syringe Lot #
pH strip		MSU-03-02-18
Chlorine strip		↓ -03-04-11-5
Methanol		
$NaHSO_4$	SWIA-011-18-07	
Reagent Water	RW3-23-001	
Sand	SWIB-004-06-09	

ELECTRONIC DATA ARCHIVAL	
Location	Date
HPCHEM_VOA/TO	

Analyzed By: IR
Date: 6/10/24
Disposed By: IR
Date Disposed: 6/10/24

Injection Log

Directory: D:\HPCHEM\1\DATA\24F10

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	RFP095.D	1.	BFB02F05	T/CHK	10 Jun 2024 10:06
2	2	RFP096.D	1.	CVO02A3130	50ppb 8260\250ppb KET-AA\500ppb TBA	10 Jun 2024 10:30
3	3	RFP097.D	1.	VS02F05L	50ppb 8260\250ppb KET-AA\500ppb TBA	10 Jun 2024 11:21
4	4	RFP098.D	1.	VS02F05C	50ppb 8260\250ppb KET-AA\500ppb TBA	10 Jun 2024 11:45
5	5	RFP099.D	1.	RINSE	50ppb 8260\250ppb KET-AA\500ppb TBA	10 Jun 2024 12:09
6	6	RFP100.D	1.	VS02F05B	5.0g	10 Jun 2024 12:34
7	7	RFP101.D	1.	24F034-02	RP ISD - no Target Analyte affected	10 Jun 2024 12:58
8	8	RFP102.D	1.	EVO02A3130	50ppb 8260\250ppb KET-AA\500ppb TBA	10 Jun 2024 13:24

EXTRACTION LOG(S)

EMAX LABORATORIES, INC.

EXTRACTION LOG FOR VOLATILES

FileID: 24VMF003

PrepBatchID	Lab Sample ID	W1 (g)	DateTime	Wf (g)	DateTime	ExpWs(g)	Ws(g)	%Moisture	CorrExt Vol(ml)	Prep Factor	PFx50 df(I)	df(J)	df(K)	Comments
24VMF00301	24F034-02I	29.41	6/7/24 12:27	39.83	6/7/24 12:27	5	10.420		5	0.48	24			

☑ EMAX-5035 Rev.5 ☑ Balance Calibration Check performed prior to use BlankSoil Lot#: Prepared By: EDegui

☐ Encore ☐ Balance ID 25650797 MeOH/Surr. ID: 22410031 Standard Added By: N/A

☐ Frozen Sample ☑ Balance ID 25451062 Weight MeOH(g): Witnessed By: N/A

☑ Pre-weighed vial / jar 01122011 Vol MeOH(ml): 5 Extract Rcvd By: *IRagas*

☐ Volumetric dispenser was checked with 5-ml volumetric flask Expected Ws(g) 5 Extract Location: *VW01*

W1=Weight of Vial+Solvent Wf=W1 + Sample

PRESERVATION LOG(S)

EMAX LABORATORIES, INC.

PRESERVATION LOG FOR VOLATILES

24VPF003

PrepBatchID	Lab Sample ID	W1 (g)	DateTime	Wf (g)	DateTime	ExpWs(g)	Ws(g)	PrepBFactor	Comments
24VPF00301	24F034-02	31.58	6/7/24 12:31	41.00	6/7/24 12:31	5	9.417	0.531	
24VPF00302	24F034-02R	31.41	6/7/24 12:33	41.93	6/7/24 12:33	5	10.523	0.4751	

☑ EMAX-5035 Rev. 5 ☑ Balance Calibration Check performed prior to use Surrogate ID: Prepared By: EDegui

☐ Encore+$NaHSO_4 \cdot H_2O$ ☑ BalanceID 25451062 ☐ BalanceID 25650797 BlankSoil Lot#: Standard Added By: N/A

☐ Frozen Sample ☐ Pre-weighed vial w/ H2O NaHSO4H2O: 225461 Witnessed By: N/A

☑ Pre-weighed vial w/ NaHSO4•H2O soln 0112201I Expected Ws(g): 5 Extract Rcvd By: IRagas

☐ Volumetric dispenser was checked with 5-ml volumetric flask Sample Location: VW01 Checked By: IRagas

W1=Weight of Vial + Stirrer+NaHSO4•H2O+Solvent Wf=W1 + Sample

EMAX LABORATORIES, INC.

PRESERVATION LOG FOR VOLATILES

24VPF003

PrepBatchID	Lab Sample ID	W1 (g)	DateTime	Wf (g)	DateTime	ExpWs(g)	Ws(g)	Prep Factor	Comments
24VPF00301	24034-02	31.58	6/7/24 12:31	41.00	6/7/24 12:31	5	9.417	0.531	
24VPF00302	24034-02R	31.41	6/7/24 12:33	41.93	6/7/24 12:33	5	10.523	0.4751	
	F								

☑ EMAX-5035 Rev. 5 ☑ Balance Calibration Check performed prior to use Surrogate ID: Prepared By: EDegui

☐ Encore+$NaHSO_4 \cdot H_2O$ ☑ BalanceID 25451062 ☐ BalanceID 25650797 BlankSoil Lot#: Standard Added By: N/A

☐ Frozen Sample ☐ Pre-weighed vial w/ H2O NaHSO4H2O: 225461 Witnessed By: N/A

☑ Pre-weighed vial w/ NaHSO4•H2O soln 0112201J Expected Ws(g): 5 Extract Rcvd By: IRagas

☐ Volumetric dispenser was checked with 5-ml volumetric flask Sample Location: VW01 Checked By: IRagas

W1=Weight of Vial + Stirrer+NaHSO4•H2O+Solvent Wf=W1 + Sample

STANDARD LOGS

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-11	custom VOA mix 73-6047	2000ppm	250mL	50 ppm
-11-01	oxy gas add std	↓	↓	↓
-13-08	2-cleve			
-11-02	1-chlorohexane			
-09-07	1,2,3-TMB	2500 ppm	200mL	
-09-11	TBA	50,000ppm	↓	1000ppm
			N 1/3/24	

Standard ID	SV1-43-38-01
Name	8260 (17)
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/3/24
Exp. Date	7/3/24
Prepared By	N

Syringe ID: MSV-03-01-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-02-02	VOA tuning cmpd mix	5000ppm	100mL	50ppm
			N	1/3/24

Standard ID	SV1-43-38-02
Name	BFB
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/3/24
Exp. Date	7/3/24
Prepared By	N

Syringe ID:

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-10	carbon disulfide	5000ppm	0.5mL	250ppm
			N	1/3/24

Standard ID	SV1-43-38-03
Name	CS2 (19)
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/3/24
Exp. Date	7/3/24
Prepared By	N

Syringe ID: MSV-04-01-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SVL-38-10-17	8260 IS	2500ppm	200uL	50ppm
L -10-12	8260A SS	L	L	L
			N 1/3/24	

Standard ID	SV1-43-35-01
Name	IS/SS
Final Volume	10 mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/3/24
Exp. Date	7/3/24
Prepared By	N

Syringe ID: MSV-03-01-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-10-17	8260 IS	2500ppm	1.0mL	250ppm
			N 1/3/24	

Standard ID	SV1-43-35-02
Name	IS
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/3/24
Exp. Date	7/3/24
Prepared By	N

Syringe ID: MSV-03-01-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-10-17	8260A SS	2500ppm	1.0mL	250ppm
			N	1/3/24

Standard ID	SV1-43-35-03
Name	SS
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/3/24
Exp. Date	7/3/24
Prepared By	N

Syringe ID: MSV-03-01-11

Comments:

BMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-192	haloalkanes std	200ppm	25 µL	2.5ppm

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-15	methyl acetate	2500ppm	1.0mL	250ppm
↓ -12-13	methylcyclohexane	↓	↓	↓
↓ -12-12	cyclohexane	2000ppm	1.25mL	↓
↓ -11-08	2-butanol	50,000ppm	↓	6250ppm
			N 1/3/24	

Standard ID	SV1-43-36-01
Name	4add (1°)
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/3/24
Exp. Date	7/3/24
Prepared By	VL

Syringe ID: MSV-03-01-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-19	VOC gas std	2000ppm	1.25mL	250ppm
↓ -13-07	vinyl acetate	2500ppm	1.0mL	↓
			N	1/3/24

Standard ID	SV1-43-36-02
Name	GAS (1°)
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/3/24
Exp. Date	7/3/24
Prepared By	VL

Syringe ID: MSV-03-01-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-19	VOC gas std	2000ppm	1.25mL	250ppm
↓ -13-07	vinyl acetate	2500ppm	1.0mL	↓
			N	1/3/24

Standard ID	SV1-43-36-03
Name	GAS (1°)
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/3/24
Exp. Date	7/3/24
Prepared By	VL

Syringe ID: MSV-03-01-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-08-06	carbon disulfide	5000ppm	0.5mL	250ppm
			N 11/21/23	

Standard ID	SV1-43-27-01
Name	CS_2 (2°)
Final Volume	10 mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	11/21/23
Exp. Date	05/21/24
Prepared By	N

Syringe ID: MSV-03-01-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-11-11	custom VOA mix 73-6047	2000ppm	250uL	50ppm
-11-01	oxy gas add std	↓	↓	↓
-09-12	2-cleve	↓	↓	↓
-11-02	1-chlorohexane	↓	↓	↓
-09-07	1,2,3-TMB	2500ppm	200uL	↓
-09-11	TBA	50,000ppm	50uL	500ppm
↓ -13-06	acetonimile	20,000ppm	250uL	↓
			N 11/21/23	

Standard ID	SV1-43-27-02
Name	8260(1°)(soil)
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	11/21/23
Exp. Date	05/21/24
Prepared By	N

Syringe ID: MSV-03-01-11
↓ -03-01

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
N 11/21/23 SV1-438-09-20	custom 8260 megamix	2000ppm	250uL	50ppm
-30-12-09	CAL oxy mix #1	↓	↓	↓
-38-11-19	2-cleve	↓	↓	↓
-38-10-02	1-chlorohexane	1000ppm	0.5mL	↓
-30-12-16	1,2,3-TMB	2500ppm	200uL	↓
-38-11-18	TBA	50,000ppm	50uL	500ppm
↓ -30-12-17	acetonitrile		20 ↓ 250uL	↓
			N 11/21/23	
			N	11/21/23

Standard ID	SV1-43-27-03
Name	8260(2°)(soil)
Final Volume	10 mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	11/21/23
Exp. Date	05/21/24
Prepared By	N

Syringe ID: MSV-03-01-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SVI-38-12-17	ketones soln	2500ppm	1.0mL	250ppm
↓ -14-17	acrolein & acrylonitrile	2000ppm	1.25mL	↓

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-10-09	2-butanol	10000ppm	1.0mL	5000ppm
		"	1/3/24	

Standard ID	SV1-43-40-01
Name	2-butanol (2°)
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/3/24
Exp. Date	7/3/24
Prepared By	VL

Syringe ID: MSV-03-01-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-12-05	8260 gases	2000ppm	1.25mL	250ppm
↓ -12-16	Vinyl acetate	↓	↓	↓
			" 1/4/24	

Standard ID	SV1-43-40-02
Name	GAS (2°)
Final Volume	10mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/4/24
Exp. Date	2/9/24
Prepared By	VL

Syringe ID: MSV-03-01-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-10-15	TAA	10,000ppm	250mL	1250ppm
↓ -10-07	Isooctane	2000ppm	↓	250ppm
			"	1/4/24

Standard ID	SV1-43-40-03
Name	TAA-224 (1°)
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	1/4/24
Exp. Date	7/4/24
Prepared By	VL

Syringe ID: MSV-07-01-11

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR VOLATILES

Book No: SV1-43

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-09-20	custom 8260 megamix	2000ppm	250 mL	250 ppm
-38-02-03	cal oxy mix #1	↓	↓	↓
-38-11-19	2-cleve	↓	↓	↓
-38-10-01	1-chlorohexane	1000ppm	0.5mL	↓
-30-12-16	1,2,3-TMB	2500ppm	200 mL	↓
-38-11-18	TBA	50,000ppm	↓	5000 ppm
-30-12-17	acetonitrile	20,000ppm	250 mL	2500ppm
			M 11/29/23	

Standard ID	SV1-43-31-01
Name	8260(2°)(31)
Final Volume	2.0mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	11/29/23
Exp. Date	05/29/24
Prepared By	M

Syringe ID: MSV-03-01-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-10-08	methyl acetate	1000ppm	0.5mL	50ppm
-14-12	cyclohexane	↓	↓	↓
-14-11	methylcyclohexane	↓	↓	↓
			M 12/13/23	

Standard ID	SV1-43-31-02
Name	3add (2°)
Final Volume	10 mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	12/13/23
Exp. Date	06/13/24
Prepared By	M

Syringe ID: MSV-03-01-11

Comments:

Parent ID	Parent Standard Name	Conc.	Aliquot	Final Conc.
SV1-38-10-08	methyl acetate	1000ppm	0.5mL	50ppm
-14-12	cyclohexane	↓	↓	↓
-14-11	methylcyclohexane	↓	↓	↓
			M 12/13/23	

Standard ID	SV1-43-31-03
Name	3add (2°)
Final Volume	10 mL
MeOH Solvent ID	SW1A-011-24-01
Prep. Date	12/13/23
Exp. Date	06/13/24
Prepared By	M

Syringe ID: MSV-03-01-11

Comments:

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

SVI-30-02-02

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ilac-MRA

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30003 **Lot No.:** A0150458

Description : VOA Tuning Compound Mix

VOA Tuning Compound Mix 5,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2024 **Storage:** 0°C or colder

CERTIFIED VALUES

Elution Order	Compound		Grav. Conc. (weight/volume)		Expanded Uncertainty (95% C.L.; K=2)		
1	1-Bromo-4-fluorobenzene (BFB)		5,030.0	µg/mL	+/- 29.5189	µg/mL	Gravimetric
	CAS # 460-00-4	(Lot 20401KO)			+/- 282.0557	µg/mL	Unstressed
	Purity 99%				+/- 288.6541	µg/mL	Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Walker Workman - Operations Technician I

Date Mixed: 27-Jun-2019 Balance: 1128342314

Date Passed: 01-Jul-2019

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 7/13/2022
Original issue date: 7/13/2022

Certificate of Analysis

Date Received:

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -122455-05	484785	-18°C +/- 4°C	P/T Methanol	12-Jul-2027	Method 8260 Internal Standard Mix, 3-30, 2,500 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
chlorobenzene-d5	3114-55-4	99.5	128.120.1P	2504 ± 130
1,2-dichlorobenzene-d_4	2199-69-1	99.7	247.29.3P	2514 ± 130
1,4-difluorobenzene	540-36-3	99.3	129.158.1.2P	2523 ± 140

*Not a certified value

SVI - 38-10-17

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

SVI-38-10-17

Certificate of Analysis

Catalog No.: Z-G34-122455-05 Lot No.: 484785 Expiration Date: 7/12/2027

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 12-Jul-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Bradley Richter	Jared Ball	Susan Mathews
Production Chemist I	Quality Control Chemist I	Quality Control Team Lead

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

SM-38-10-B

Certificate of Analysis

chromatographic plus

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30240 **Lot No.:** A0192204

Description : 8260A Surrogate Mix

8260A Surrogate Mix 2,500µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : December 31, 2027 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L., K=2
1	Dibromofluoromethane	1868-53-7	022013	99%	2,517.6 µg/mL	+/- 141.4279
2	1,2-Dichloroethane-d4	17060-07-0	PR-32845	99%	2,507.6 µg/mL	+/- 140.8661
3	Toluene-d8	2037-26-5	I-27008	99%	2,511.4 µg/mL	+/- 141.0796
4	1-Bromo-4-fluorobenzene (BFB)	460-00-4	184975	99%	2,517.8 µg/mL	+/- 141.4391

* Expanded Uncertainty displayed in same units as Grav. Cor

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)

Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)


Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID

Split Vent:
40 ml/min

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Daniel Wasson - Operations Tech I — Date Mixed: 02-Dec-2022 — Balance Serial #: 1128342314

Christie Mills - Operations Tech II - ARM QC — Date Passed: 06-Dec-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k\sqrt{u^2_{gravimetric} + u^2_{homogeneity} + u^2_{storage\ stability} + u^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 3/10/2023
Original issue date: 3/10/2023

Certificate of Analysis

Date Received:
 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020200-04	498954	≤ -10 °C	P/T Methanol	8-Mar-2028	Carbon Disulfide Solution, 5,000 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
carbon disulfide	75-15-0	99.9	200.24.1VP	5075 ± 260

*Not a certified value

SVL 38-41-10

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVI-38-1-10

Certificate of Analysis

Catalog No.: Z-G34-020200-04 **Lot No.:** 498954 **Expiration Date:** 3/8/2028

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 8-Mar-2028

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	**Quality Control Chemist I**	**Quality Control Team Lead**

SV1-38-10-19

RESTEK® CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30006 **Lot No.:** A0186767

Description : VOA Calibration Mix #1

VOA Calibration Mix #1 5,000µg/mL, P&T Methanol/Water(90:10), 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound		Grav. Conc. (weight/volume)		Expanded Uncertainty (95% C.L., K=2)		
1	Acetone CAS # 67-64-1 Purity 99%	(Lot MKCQ7914)	5,046.8	µg/mL	+/- 29.3427 +/- 304.4978 +/- 305.2207	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
2	2-Butanone (MEK) CAS # 78-93-3 Purity 99%	(Lot SHBN2844)	5,048.8	µg/mL	+/- 29.3544 +/- 304.6185 +/- 305.3417	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
3	4-Methyl-2-pentanone (MIBK) CAS # 108-10-1 Purity 99%	(Lot SHBN3601)	5,045.0	µg/mL	+/- 29.3321 +/- 304.3872 +/- 305.1099	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed
4	2-Hexanone CAS # 591-78-6 Purity 99%	(Lot MKCQ6663)	5,045.3	µg/mL	+/- 29.3340 +/- 304.4073 +/- 305.1300	µg/mL µg/mL µg/mL	Gravimetric Unstressed Stressed

Solvent: P&T Methanol/Water (90:10)
CAS # 67-56-1/7732-18-5
Purity 99%

SVI-38-10-19

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Bethany Lowery - Operations Tech I — **Date Mixed:** 28-Jun-2022 — **Balance:** B251644995

Christie Mills - Operations Tech II - ARM QC — **Date Passed:** 30-Jun-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

SVI-38-10-19

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

SV1-38-13-16

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: M-603-M-5X
Description: Acrolein & Acrylonitrile
Lot: 223101045
Solvent: Methanol (90%)
Water (10%)
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Oct 6, 2023
Expiration: Feb 6, 2024
Sample Size: 1 mL
Components: 2
Storage Condition: Freeze (<-10 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ilac-MRA

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Acrolein	107-02-8	86.1	5814*	5006
Acrylonitrile	107-13-1	99.8	5010	5000

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

* Weight compensated to 100% purity.

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SVI-38-12-12

Catalog No: TK-102-08S-10X
Description: Cyclohexane
Lot: 221101280
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Oct 19, 2021
Expiration: Oct 19, 2031
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB AR-1463 ILAC-MRA

Component	CAS #	Purity % (GC/MS)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Cyclohexane	110-82-7	100.0	2008	2008

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: _____
Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_c = \sqrt{(u(V))^2 + (u(m))^2 + (u(lV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SVI-38-12-13

Catalog No: TK-102-09S-12.5X
Description: Methylcyclohexane
Lot: 222081023
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 2, 2022
Expiration: Aug 2, 2032
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB AR-1463

Component	CAS #	Purity % (GC/FID)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Methylcyclohexane	108-87-2	100.0	2538	2538

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expended uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: _____
Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(TV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: S-6524-0.25X
Description: Methyl acetate
Lot: 223081092
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 7, 2023
Expiration: Aug 7, 2033
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB AR-1463 ilac-MRA

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Methyl acetate	79-20-9	100.0	2506	2506

SV1-38-12-15

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST; Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/IKO-001
Rev. 7/20

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_c = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of k=2 is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 2/23/2021
Original issue date: 2/23/2021

Certificate of Analysis

Date Received:

 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020354-09	441317	≤ -10 °C	P/T Methanol	22-Feb-2026	2-Butanol Solution, 50000 mg/L, 1 ml

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-butanol	78-92-2	99.8	354.7.1P	49720 ± 2500

*Not a certified value

SVL 38-11-09

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVI-3811-09

Certificate of Analysis

Catalog No.: Z-G34-020354-09 **Lot No.:** 441317 **Expiration Date:** 2/22/2026

(95% confidence) values listed are determined gravimetricily.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$; u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 22-Feb-2026

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Claire Desrochers	Susan Mathews
Melissa Workoff	Claire Desrochers	Susan Mathews
Production Chemist II	**Quality Control Chemist I**	**Quality Control Team Lead**

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SVI-38-11-11

Date manufactured: 3/13/2023
Original issue date: 3/13/2023

Certificate of Analysis

Date Received:

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -126047-01	498957	≤ -10 °C	P/T Methanol	13-Sep-2024	Custom Volatiles Mix, 73-6047, Various Concentrations, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, me/L
2-nitropropane	79-46-9	97.7	219.1.2P	2003 ± 110
allyl chloride	107-05-1	98.9	227.1.2P	2024 ± 120
benzene	71-43-2	99.99	146.1.10P	1997 ± 110
bromobenzene	108-86-1	100	147.7.1P	1999 ± 140
bromochloromethane	74-97-5	99.7	148.1.3P	1998 ± 110
bromodichloromethane	75-27-4	99.2	149.1.12P	1988 ± 110
bromoform	75-25-2	99.3	150.7.2P	1989 ± 110
n-butylbenzene	104-51-8	99.2	151.7.3.2P	1997 ± 110
sec-butylbenzene	135-98-8	99.5	152.1.2.1P	1999 ± 110
tert-butylbenzene	98-06-6	99.9	153.29.1P	1999 ± 110
carbon tetrachloride	56-23-5	100	154.9.1P	1997 ± 110
chlorobenzene	108-90-7	99.9	155.29.1P	2001 ± 110
2-chloroethanol	107-07-3	99.5	217.1.3P	2000 ± 110
chloroform	67-66-3	99.8	156.7.1P	1998 ± 110
chloroprene	126-99-8	98.9	315.5.22P	1982 ± 140
2-chlorotoluene	95-49-8	99.5	157.7.1P	1998 ± 110
4-chlorotoluene	106-43-4	99.9	158.9.3P	2000 ± 110

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

cis-1,2-dichloroethylene	156-59-2	98.5	166.1.7.1P	1997 ± 110
dibromochloromethane	124-48-1	98.6	159.1.8.1P	2013 ± 110
1,2-dibromo-3-chloropropane	96-12-8	98.6	160.7.2.3P	2000 ± 110
1,2-dibromoethane	106-93-4	99.9	161.9.1P	2008 ± 110
dibromomethane	74-95-3	99.8	162.1.2P	1996 ± 120
1,2-dichlorobenzene	95-50-1	99.5	43.1.2P	1999 ± 110
1,3-dichlorobenzene	541-73-1	99.5	44.1.3P	2001 ± 110
1,4-dichlorobenzene	106-46-7	99.9	45.29.1P	2000 ± 110
cis-1,4-dichloro-2-butene	1476-11-5	98	209.1.5P	2004 ± 110
trans-1,4-dichloro-2-butene	110-57-6	93.5	201.1.17.1P	1991 ± 110
1,1-dichloroethane	75-34-3	98.1	163.247.1.2P	1992 ± 110
1,2-dichloroethane	107-06-2	99.9	164.158.1P	2001 ± 110
1,1-dichloroethylene	75-35-4	99.98	165.1.4P	1999 ± 110
trans-1,2-dichloroethylene	156-60-5	99.7	167.1.7P	1999 ± 110
dichlorofluoromethane (Freon 21)	75-43-4	98	986.5.4.2P	1960 ± 140
1,2-dichloropropane	78-87-5	99.7	168.8.1.1P	2001 ± 120
1,3-dichloropropane	142-28-9	100	169.7.3P	1971 ± 140
2,2-dichloropropane	594-20-7	98.1	170.7.4P	2002 ± 110
1,1-dichloropropylene	563-58-6	99	171.158.2.4P	2001 ± 120
cis-1,3-dichloropropylene	10061-01-5	99.5	172.7.6.1P	2010 ± 110
trans-1,3-dichloropropylene	10061-02-6	98.8	173.7.4.12P	1991 ± 110
1,4-dioxane	123-91-1	99.93	223.1.4P	40750 ± 2100
ethyl ether	60-29-7	99.8	226.9.1P	2000 ± 110
ethyl methacrylate	97-63-2	99.5	216.7.1P	2004 ± 110
ethylbenzene	100-41-4	100	174.7.1P	1998 ± 110

Manufactured By:

Sanquetta Coakley
Production Chemist I

Certified By:

Dominique Lindner
Quality Control Chemist I

Released By:

Susan Mathews
Quality Control Team Lead

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

hexachlorobutadiene	87-68-3	98	47.158.3P	2000 ± 120
iodomethane	74-88-4	99.9	203.29.2P	2000 ± 110
isobutyl alcohol	78-83-1	99.8	220.7.3P	39990 ± 2100
isopropylbenzene	98-82-8	99.9	176.9.3P	2004 ± 110
4-isopropyltoluene	99-87-6	99.9	177.9.3P	1988 ± 110
methyl acrylonitrile	126-98-7	98	212.286.1.2P	19960 ± 1300
methyl methacrylate	80-62-6	100	231.7.4P	2043 ± 110
methyl acrylate	96-33-3	98.5	349.7.1P	1999 ± 110
methylene chloride	75-09-2	99.9	178.24.4P	1999 ± 110
naphthalene	91-20-3	99.8	26.9.1P	2020 ± 110
nitrobenzene	98-95-3	100	94.7.1P	2002 ± 110
propionitrile	107-12-0	99.7	218.7.2.1P	19950 ± 1000
n-propylbenzene	103-65-1	99.7	179.7.2.2P	1998 ± 110
styrene	100-42-5	99.5	180.9.4P	1999 ± 110
1,1,1,2-tetrachloroethane	630-20-6	99.8	181.7.2.9P	2003 ± 110
1,1,2,2-tetrachloroethane	79-34-5	99.4	182.8.2P	2000 ± 120
tetrachloroethylene	127-18-4	100	183.1.2VP	2004 ± 110
tetrahydrofuran (THF)	109-99-9	100	299.7.1P	1996 ± 110
toluene	108-88-3	100	184.48.1P	2000 ± 110
1,2,3-trichlorobenzene	87-61-6	99.8	185.1.2P	1999 ± 110
1,2,4-trichlorobenzene	120-82-1	99.6	54.29.1P	1987 ± 110
1,1,1-trichloroethane	71-55-6	99	187.1.1P	1998 ± 120
1,1,2-trichloroethane	79-00-5	99.6	195.7.1.6P	1997 ± 110
trichloroethylene	79-01-6	100	188.29.2P	1998 ± 110
1,2,3-trichloropropane	96-18-4	99.5	189.1.3P	1998 ± 110

Manufactured By:

Sanquetta Coakley
Production Chemist I

Certified By:

Dominique Lindner
Quality Control Chemist I

Released By:

Susan Mathews
Quality Control Team Lead

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	76-13-1	99	270.158.3.1P	2002 ± 120
1,2,4-trimethylbenzene	95-63-6	98.7	190.7.1P	1999 ± 110
1,3,5-trimethylbenzene	108-67-8	99.5	191.7.1P	2001 ± 110
m-xylene	108-38-3	99.7	193.7.1.2P	1999 ± 110
o-xylene	95-47-6	99	192.29.3P	1998 ± 120
p-xylene	106-42-3	99.9	194.7.1P	1999 ± 110

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)

y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Manufactured By:	Certified By:	Released By:
Sanquetta Coakley	Dominique Lindner	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

Certificate of Analysis

Catalog No.: Z-G34-126047-01 **Lot No.:** 498957 **Expiration Date:** 9/13/2024

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 13-Sep-2024

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Sanquetta Coakley	Dominique Lindner	Susan Mathews
Production Chemist I	**Quality Control Chemist I**	**Quality Control Team Lead**

125 Markel Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SVI-38-11-01

CERTIFICATE OF ANALYSIS

Catalog No: OGAD-001
Description: Oxygenate Gasoline Additive Standard
Lot: 222011266
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jan 19, 2022
Expiration: Jan 19, 2025
Sample Size: 1 mL
Components: 5
Storage Condition: Refrig (0-5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

ilac-MRA

Component	CAS #	Purity % (GC/MS)	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
MtBE	1634-04-4	99.8	2001	1997
EtBE	637-92-3	99.9	2004	2002
Isopropyl ether	108-20-3	100.0	2010	2010
TAME	994-05-8	99.0	2003	1983
t-Butanol	75-65-0	99.6	10005	9965

This Certified Reference Material was verified in accordance with ISO/IEC 17025

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: _____
Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORGMNO-001
Rev. 7/20

SVI-38-11-01

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(\mathrm{V}))^2 + (u(\mathrm{m}))^2 + (u(\mathrm{IV}))^2 + (u(\mathrm{RO}))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of k=2 is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: M-8010R-1-04-10X
Description: 1-Chlorohexane
Lot: 223031117
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 8, 2023
Expiration: Mar 8, 2033
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER AR-1463

ilac-MRA

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
1-Chlorohexane	544-10-5	98.0	2024	1984

SVI-38-11-02

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292505-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

SVF38-11-02

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of k=2 is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SVL-38-09-12

Date manufactured: 8/24/2022
Original issue date: 8/24/2022

Certificate of Analysis

Date Received:

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020145-02	492308	≤ -10 °C	P/T Methanol	23-Aug-2027	2-Chloroethyl Vinyl Ether Solution, 2,000 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
2-chloroethylvinyl ether	110-75-8	99.8	145.1.5P	2010 ± 110

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVI-38-09-42

Certificate of Analysis

Catalog No.: Z-G34-020145-02 **Lot No.:** 492308 **Expiration Date:** 8/23/2027

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 23-Aug-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Sanquetta Coakley	Dominique Lindner	Susan Mathews
Production Chemist I	Quality Control Chemist I	Quality Control Team Lead

SVI-38-13-06

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 3/5/2021
Original issue date: 3/5/2021

Certificate of Analysis

Date Received: 10/6/23
 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020204-30	443045	≤ -10 °C	P/T Methanol	4-Mar-2026	Acetonitrile Solution, 20000 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
acetonitrile	75-05-8	99.98	204.24.1P	19940 ± 1000

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly

SVL-38-13-06

Certificate of Analysis

Catalog No.: Z-G34-020204-30 Lot No.: 443045 Expiration Date: 3/4/2026

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 4-Mar-2026

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	C. Desrochers	Susan Mathews
Melissa Workoff	Claire Desrochers	Susan Mathews
Production Chemist II	Quality Control Chemist I	Quality Control Team Lead

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SV1-38-09-07

Date manufactured: 6/24/2022
Original issue date: 6/24/2022

Certificate of Analysis

Date Received:

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020869-08	484154	≤ -10 °C	P/T Methanol	23-Jun-2027	1,2,3-Trimethylbenzene Solution, 2,500 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
1,2,3-trimethylbenzene	526-73-8	92.7	869.8.4.1P	2536 ± 140

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVF38-09-05

Certificate of Analysis

Catalog No.: Z-G34-020869-08 **Lot No.:** 484154 **Expiration Date:** 6/23/2027

(95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 23-Jun-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Brian Stokes	J Ball	Susan Mathews
Brian Stokes	Jared Ball	Susan Mathews
Production Chemist I	Quality Control Chemist I	Quality Control Team Lead

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

SV1-38-09-U

Date manufactured: 11/16/2022
Original issue date: 11/16/2022

Certificate of Analysis

Date Received:

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020511-06	492310	≤ -10 °C	P/T Methanol	15-Nov-2027	t-Butyl Alcohol Solution, 50,000 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
tert-butyl alcohol	75-65-0	100	511.7.2P	50110 ± 2600

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty

SVI-38-09-4

Certificate of Analysis

Catalog No.: Z-G34-020511-06 Lot No.: 492310 Expiration Date: 11/15/2027

(95% confidence) values listed are determined gravimetricllly.

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 15-Nov-2027

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist I	Quality Control Chemist I	Quality Control Team Lead

SVI-38-12-19

Agilent

Trusted Answers

ISO 17034

Reference Material Certificate

Product Information Sheet

Product Name: VOC Gas Standard

Product Number: DWM-544-1

Storage Conditions: Store Frozen (-25° to -10°C).

Lot Number: 0006744131

Lot Issue Date: 23-May-2023

Expiration Date: 30-Jun-2026

Component Name	Concentration		Uncertainty	CAS#	Analyte Lot
bromomethane	2009	±	10 µg/mL	000074-83-9	RM00064
chloroethane	2008	±	10 µg/mL	000075-00-3	RM00065
chloromethane	2008	±	10 µg/mL	000074-87-3	RM12571
dichlorodifluoromethane	2010	±	10 µg/mL	000075-71-8	RM05289
trichlorofluoromethane	2009	±	10 µg/mL	000075-69-4	RM00017
vinyl chloride	2009	±	10 µg/mL	000075-01-4	RM05458

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

SVI-38-12-19

Agilent

Trusted Answers

Expiration of Certification:
The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB
ACCREDITED
REFERENCE MATERIAL PRODUCER

ISO 17034
Cert No. AR-1936

RM was produced in accordance with the TUV/SUD registered ISO 9001:2015 Quality Management System. Cert# 951215321

www.agilent.com/quality/
CSD-QA-015.2

ISO 17025
Cert No. AT-1937

SVI-38-B-07

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Date manufactured: 11/16/2022
Original issue date: 11/16/2022

Certificate of Analysis

Date Received: 10/6/23
 Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
Z-G34 -020232-10	492307	≤ -10 °C	P/T Methanol	20-Nov-2025	Vinyl Acetate Solution, 2,500 mg/L, 1 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
vinyl acetate	108-05-4	99.9	232.7.1P	2496 ± 160

*Not a certified value

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various EN, ISO, EPA, and ASTM methods.

Recommended storage container for ampuled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix (degrees K)
y = boiling point of the solvent (degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

SVI-38-13-07

Certificate of Analysis

Catalog No.: Z-G34-020232-10 Lot No.: 492307 Expiration Date: 11/20/2025

Packaging and Storage:

The solution should be stored according to the following storage requirements:
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology(NIST). Balances are checked daily in accordance to in house procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 and ISO 17034:2016 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $u=ku_c$: u=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 20-Nov-2025

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Dominique Lindner	Susan Mathews
Production Chemist II	Quality Control Chemist I	Quality Control Team Lead

SVI-38-08-06

Agilent

Certificate of Analysis

Product Name: Carbon Disulfide Standard

Product Number: EPA-1012-1 **Lot Issue Date:** 21-Sep-2020

Lot Number: 0006557585 **Expiration Date:** 30-Sep-2024

Description:
This analytical reference material (RM) was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	Concentration ± Uncertainty
carbon disulfide	000075-15-0	RM08158	5023 ± 25 µg/mL

Matrix: methanol (methyl alcohol)

Storage Conditions: Store Frozen (-25° to -10°C).

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This RM was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Intended Use:
This RM is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Hazards:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this RM.

Expiration of Certification:
The certification of this RM is valid until the expiration date specified above, provided the RM is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the RM is damaged, contaminated, or otherwise modified.

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB ACCREDITED ISO 17034 REFERENCE MATERIAL PRODUCER
ISO 17034 Cert No. AR-1936

RM was produced in accordance with TUV USA Inc registered ISO 9001 Quality Management System. Cert # 56 100 18560026

www.agilent.com/quality/
CSD-QA-015.1

ANAB ACCREDITED TESTING LABORATORY
ISO 17025 Cert No. AT-1937

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic

ACCREDITED ISO 17034 Accredited Reference Material Producer Certificate #3222.01

ACCREDITED ISO/IEC 17025 Accredited Testing Laboratory Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 575702 **Lot No.:** A0191824

Description : Custom Revised 8260 Megamix

Custom Revised 8260 Megamix 2,000 - 40,000µg/mL, P&T Methanol, 1mL/ampul

SVI-38-09-20

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : November 30, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dichlorofluoromethane (CFC-21)	75-43-4	12841600	99%	2,000.0 µg/mL	+/- 69.1292
2	Diethyl ether (ethyl ether)	60-29-7	SHBP5008	99%	2,011.0 µg/mL	+/- 69.5094
3	1,1,2-Trichlorotrifluoroethane (CFC-113)	76-13-1	00016133	99%	2,008.0 µg/mL	+/- 69.4057
4	1,1-dichloroethene	75-35-4	SHBG8609V	99%	2,001.6 µg/mL	+/- 69.9029
5	Iodomethane (methyl iodide)	74-88-4	RD220125	99%	2,007.5 µg/mL	+/- 69.3884
6	Allyl chloride (3-chloropropene)	107-05-1	RP220405A	99%	2,011.0 µg/mL	+/- 69.5094
7	Methylene chloride (dichloromethane)	75-09-2	SHBP1417	99%	2,001.6 µg/mL	+/- 69.9056
8	trans-1,2-Dichloroethene	156-60-5	MKBH9850V	99%	2,001.7 µg/mL	+/- 69.9064
9	1,1-Dichloroethane	75-34-3	760200	99%	2,001.1 µg/mL	+/- 69.8864
10	Chloroprene (2-chloro-1,3-butadiene)	126-99-8	220712JLM	99%	2,014.0 µg/mL	+/- 69.6131
11	Propionitrile	107-12-0	BCCF4167	99%	20,009.5 µg/mL	+/- 691.5748
12	2,2-Dichloropropane	594-20-7	RD220812	99%	2,004.3 µg/mL	+/- 70.0110
13	cis-1,2-Dichloroethene	156-59-2	MKCP7830	99%	2,014.0 µg/mL	+/- 70.3516
14	Methacrylonitrile	126-98-7	1012014	99%	20,031.5 µg/mL	+/- 692.3351
15	Methyl acrylate	96-33-3	SHBG6616V	99%	2,007.0 µg/mL	+/- 69.3711
16	Isobutanol (2-Methyl-1-propanol)	78-83-1	SHBP7066	99%	40,013.5 µg/mL	+/- 1,382.9594

17	chloroform	67-66-3	SHBN8469	99%	2,002.3	µg/mL	+/- 69.9291
18	Bromochloromethane	74-97-5	00008541	99%	2,011.9	µg/mL	+/- 70.2782
19	Tetrahydrofuran	109-99-9	SHBP0039	99%	2,005.0	µg/mL	+/- 69.3020
20	1,1,1-trichloroethane	71-55-6	RD220613	98%	2,001.2	µg/mL	+/- 69.8893
21	1,1-Dichloropropene	563-58-6	220617JLM	99%	2,014.0	µg/mL	+/- 70.3498
22	carbon tetrachloride	56-23-5	SHBL8097	99%	2,000.1	µg/mL	+/- 69.8514
23	1,2-Dichloroethane	107-06-2	MKCN9758	99%	2,001.6	µg/mL	+/- 69.9056
24	Benzene	71-43-2	MKCQ2104	99%	2,010.5	µg/mL	+/- 70.2293
25	2-Chloroethanol	107-07-3	RD220606A	99%	2,002.5	µg/mL	+/- 69.2156
26	Trichloroethene	79-01-6	SHBN3720	99%	2,001.6	µg/mL	+/- 69.9047
27	1,2-Dichloropropane	78-87-5	BCBR0882V	99%	2,001.8	µg/mL	+/- 69.9125
28	Methyl methacrylate	80-62-6	MKCQ2755	99%	2,007.5	µg/mL	+/- 69.3884
29	bromodichloromethane	75-27-4	MKCF8470	99%	2,001.7	µg/mL	+/- 69.9082
30	1,4-Dioxane	123-91-1	SHBP8653	99%	40,041.0	µg/mL	+/- 1,383.9099
31	2-Nitropropane	79-46-9	BCCB9352	97%	2,003.5	µg/mL	+/- 69.2514
32	Dibromomethane	74-95-3	10233302	99%	2,013.0	µg/mL	+/- 70.3149
33	cis-1,3-Dichloropropene	10061-01-5	RD220311	99%	2,001.9	µg/mL	+/- 69.9152
34	Toluene	108-88-3	ED097-US	99%	2,011.4	µg/mL	+/- 70.2608
35	Ethyl methacrylate	97-63-2	MKCN6206	97%	2,004.0	µg/mL	+/- 69.2681
36	trans-1,3-Dichloropropene	10061-02-6	RD220816	99%	2,000.5	µg/mL	+/- 69.8671
37	1,1,2-Trichloroethane	79-00-5	FGB01	99%	2,001.9	µg/mL	+/- 69.9134
38	1,3-Dichloropropane	142-28-9	BCCB9817	99%	2,011.1	µg/mL	+/- 70.2485
39	Tetrachloroethene	127-18-4	SHBJ7422	99%	2,001.2	µg/mL	+/- 69.8890
40	dibromochloromethane	124-48-1	MKCM8659	99%	2,002.2	µg/mL	+/- 69.9256
41	1,2-Dibromoethane (EDB)	106-93-4	BCCF5058	99%	2,006.0	µg/mL	+/- 70.0704
42	Chlorobenzene	108-90-7	SHBN6640	99%	2,000.1	µg/mL	+/- 69.8506
43	1,1,1,2-Tetrachloroethane	630-20-6	GC01	99%	2,009.8	µg/mL	+/- 70.2031
44	Ethylbenzene	100-41-4	094632L21G	99%	2,016.4	µg/mL	+/- 70.4337
45	m-Xylene	108-38-3	SHBN6673	98%	2,012.6	µg/mL	+/- 70.3019
46	p-Xylene	106-42-3	10234437	99%	2,009.1	µg/mL	+/- 70.1787
47	o-Xylene	95-47-6	SHBN5105	98%	2,010.1	µg/mL	+/- 70.2163
48	Styrene	100-42-5	MKCQ3390	99%	2,012.6	µg/mL	+/- 70.3027
49	Isopropylbenzene (cumene)	98-82-8	Z20D022	99%	2,009.3	µg/mL	+/- 70.1874
50	bromoform	75-25-2	MKCR0680	99%	2,000.8	µg/mL	+/- 69.8750
51	cis-1,4-Dichloro-2-butene	1476-11-5	RD220907	97%	2,000.0	µg/mL	+/- 69.1290
52	1,1,2,2-Tetrachloroethane	79-34-5	OXACF	99%	2,002.8	µg/mL	+/- 69.9466

53	1,2,3-Trichloropropane	96-18-4	332900	99%	2,010.3	µg/mL	+/- 70.2206
54	trans-1,4-dichloro-2-butene	110-57-6	RD220921RSR	94%	1,999.9	µg/mL	+/- 69.1240
55	n-Propylbenzene	103-65-1	MKCN1126	99%	2,009.1	µg/mL	+/- 70.1804
56	Bromobenzene	108-86-1	WXBC5147V	99%	2,012.5	µg/mL	+/- 70.2992
57	1,3,5-Trimethylbenzene	108-67-8	BCCF4166	99%	2,010.8	µg/mL	+/- 70.2381
58	2-Chlorotoluene	95-49-8	MKCF5243	99%	2,007.5	µg/mL	+/- 70.1228
59	4-Chlorotoluene	106-43-4	MKCC8496	99%	2,012.4	µg/mL	+/- 70.2957
60	tert-Butylbenzene	98-06-6	STBJ1937	99%	2,009.0	µg/mL	+/- 70.1769
61	1,2,4-Trimethylbenzene	95-63-6	WXBC9428V	98%	2,004.8	µg/mL	+/- 70.0297
62	sec-Butylbenzene	135-98-8	MKCP2266	99%	2,009.2	µg/mL	+/- 70.1839
63	p-Isopropyltoluene (p-Cymene)	99-87-6	MKCR6143	99%	2,007.6	µg/mL	+/- 70.1280
64	1,3-Dichlorobenzene	541-73-1	BCCD5315	99%	2,000.7	µg/mL	+/- 69.8715
65	1,4-Dichlorobenzene	106-46-7	MKBS4401V	99%	2,002.0	µg/mL	+/- 69.9195
66	n-Butylbenzene	104-51-8	09804AE	99%	2,006.9	µg/mL	+/- 70.1036
67	1,2-Dichlorobenzene	95-50-1	SHBN3835	99%	2,001.2	µg/mL	+/- 69.8898
68	1,2-Dibromo-3-chloropropane	96-12-8	HBMVB	97%	2,006.3	µg/mL	+/- 70.0843
69	Nitrobenzene	98-95-3	10224044	99%	2,004.0	µg/mL	+/- 69.2674
70	1,2,4-Trichlorobenzene	120-82-1	SHBM0526	99%	2,009.7	µg/mL	+/- 70.1996
71	Hexachlorobutadiene	87-68-3	X05J	99%	2,007.4	µg/mL	+/- 70.1210
72	Naphthalene	91-20-3	MKCH0219	99%	2,001.5	µg/mL	+/- 69.9132
73	1,2,3-Trichlorobenzene	87-61-6	MKBX7627V	99%	2,015.7	µg/mL	+/- 70.4092

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
60m x 0.25mm x 1.4µm
Rtx-502.2 (cat.#10916)

Carrier Gas:
helium-constant pressure 30 psi

Temp. Program:
40°C (hold 6 min.) to 240°C
@ 6°C/min. (hold 10 min.)


Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
MSD

Split Vent:
20.0 ml/min.

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Cathleen Soltis - Mix Technician

Date Mixed: 18-Nov-2022 **Balance Serial #** B251644995

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 05-Dec-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k\sqrt{u^2_{gravimetric} + u^2_{homogeneity} + u^2_{storage\ stability} + u^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

SVL-30-12-09

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ilac-MRA

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30465 **Lot No.:** A0164741

Description : California Oxygenates Mixture #1

California Oxygenates Mixture #1 2000-10000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2025 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound		Gravi-Conc (weight/volume)		Expanded Uncertainty (95% C.L., K=2)		
1	tert-Butanol (TBA)		10,033.6	µg/mL	+/- 58.7489	µg/mL	Gravimetric
	CAS # 75-65-0	(Lot SHBL5806)			+/- 214.9330	µg/mL	Unstressed
	Purity 99%				+/- 221.1750	µg/mL	Stressed
2	Methyl-tert-butyl ether (MTBE)		2,000.0	µg/mL	+/- 11.7371	µg/mL	Gravimetric
	CAS # 1634-04-4	(Lot SHBL0822)			+/- 42.8500	µg/mL	Unstressed
	Purity 99%				+/- 44.0940	µg/mL	Stressed
3	Diisopropyl ether (DIPE)		2,006.0	µg/mL	+/- 11.7723	µg/mL	Gravimetric
	CAS # 108-20-3	(Lot SHBH1927V)			+/- 42.9785	µg/mL	Unstressed
	Purity 99%				+/- 44.2263	µg/mL	Stressed
4	Ethyl-tert-butyl ether (ETBE)		2,017.6	µg/mL	+/- 11.8404	µg/mL	Gravimetric
	CAS # 637-92-3	(Lot MKCM3774)			+/- 43.2270	µg/mL	Unstressed
	Purity 99%				+/- 44.4820	µg/mL	Stressed
5	tert-Amyl methyl ether (TAME)		2,009.2	µg/mL	+/- 11.7911	µg/mL	Gravimetric
	CAS # 994-05-8	(Lot BMBG7745V)			+/- 43.0471	µg/mL	Unstressed
	Purity 99%				+/- 44.2968	µg/mL	Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen-constant pressure 11.0 psi

Temp. Program:
40°C (hold 7 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Walker Workman - Operations Technician I

Date Mixed: 24-Sep-2020 **Balance:** 1108360905

Justine Albertson - Operations Technician III

Date Passed: 27-Sep-2020

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: M-601C-10X
Description: 2-Chloroethylvinyl ether
Lot: 223041132
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Apr 11, 2023
Expiration: Apr 11, 2026
Sample Size: 1 mL
Components: 1
Storage Condition: Freeze (<-10 °C)

Certified Reference Material

ANAB AR-1463 ilac-MRA

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
2-Chloroethylvinyl ether	110-75-8	100.0	2005	2005

SVI-38-11-19

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

SVI-38-11-19

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of k=2 is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

SVL-38-10-02

ISO 17034

Agilent
Trusted Answers

Reference Material Certificate

Product Name:	1-Chlorohexane Standard	**Lot Number:**	0006668972
Product Number:	EPA-1208-1	**Lot Issue Date:**	10-Mar-2022
Storage Conditions:	Store at Room Temperature (15° to 30°C).	**Expiration Date:**	30-Apr-2025

Component Name	CERTIFIED VALUES Concentration, Expanded Uncertainty	CAS#	Analyte Lot
1-chlorohexane	1003 ± 5 µg/mL	000544-10-5	RM15291

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Expiration of Certification:
The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

Maintenance of Certification:
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

Ibis Scientific
SIMPLE SOLUTIONS FOR ADVANCED SCIENCE
Chromanex, 14271 Jeffey Rd #223, Irvine, CA 92620 (800)390-4202, Fax (763)682-0111

Date manufactured: 10/15/2020
Original issue date: 10/15/2020

Certificate of Analysis

Date Received: _____
Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
3200-44	453887	≤ -10 °C	P/T Methanol	14-Oct-2025	1,2,3-Trimethylbenzene Solution, 2500 mg/L, 1 mL

Certified Values:

SVI - 30 - 42 - Lp

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
1,2,3-trimethylbenzene	526-73-8	95.2	869.3.19P	2515 ± 9.27

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements: ≤ -10 °C
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated

Certificate of Analysis

Catalog No.: 3200-44 Lot No.: 453887 Expiration Date: 10/14/2025

using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology (NIST). Balances are checked daily in accordance to in house procedure O2-LB-004. Balances are calibrated annually by an ISO/IEC 17025:2005 and ISO Guide 34:2009 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-10. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC guide 17025:2005 and ISO guide 34:2009.

Hazardous information:

Refer to MSDS

Calculation of Uncertainty

The following equations are used to calculate the value of the expanded uncertainty: $U=ku_c$: U=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 14—Oct—2025

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Melissa Workoff	Claire Desrochers	Susan Mathews

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

SV1-38-11-18

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30470 Lot No.: A0188432

Description : tert-Butanol Standard

tert-Butanol Std 50,000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL Pkg Amt: > 1 mL

Expiration Date : August 31, 2025 Storage: 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L., K=2)	
1	tert-Butanol (TBA)	50,300.0 µg/mL	+/- 294.5176 µg/mL	Gravimetric
	CAS # 75-65-0 (Lot 101619K21F-1)		+/- 1,077.4927 µg/mL	Unstressed
	Purity 99%		+/- 1,108.7850 µg/mL	Stressed

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

SVI-38-11-18

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)


Carrier Gas:
hydrogen-constant pressure 11.0 psi

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Malina Homan - Operations Technician I Date Mixed: 11-Aug-2022 Balance: B251644995

Marlina Cowan – Operations Tech II ARM QC Date Passed: 15-Aug-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

SVL-3871-18

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

Ibis Scientific
SIMPLE SOLUTIONS FOR ADVANCED SCIENCE
Chromanex, 14271 Jeffey Rd #223, Irvine, CA 92620 (800)390-4202, Fax (763)682-0111

Date manufactured: 8/10/2020
Original issue date: 8/10/2020

Certificate of Analysis

Date Received: _____
Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
34-3200 -115001	453884	≤ -10 °C	P/T Methanol	9-Aug-2025	Acetonitrile Solution, 20000 mg/L, 1 mL (ISO17034)

Certified Values:

SVI - 30 - 12 - 13

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC) or gas chromatograph/mass spectrometry (GC/MS) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
acetonitrile	75-05-8	99.98	204.24.1P	20060 ± 69.69

Intended Uses:

This Certified Reference material (CRM) is intended for use as a calibration standard or a quality control standard for Chromatography Equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may aslo be used for various USEPA, NIOSH, and ASTM methods.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements: ≤ -10 °C
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a seal ampule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All Glassware is calibrated

Certificate of Analysis

Catalog No.: 34-3200 Lot No.: 453884 Expiration Date: 8/9/2025

using NIST traceable weights.

Weights and Balance Calibration:

Weights used perform daily checks on balances calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to the National Institute of Standards and Technology (NIST). Balances are checked daily in accordance to in house procedure O2-LB-004. Balances are calibrated annually by an ISO/IEC 17025:2005 and ISO Guide 34:2009 accredited metrology service.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-10. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC guide 17025:2005 and ISO guide 34:2009.

Hazardous information:

Refer to MSDS

Calculation of Uncertainty

The following equations are used to calculate the value of the expanded uncertainty: $U=ku_c$; U=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The Stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 9—Aug—2025

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Erica Lawson	Claire Desrochers	HulChen Stavros. Ph.D.

SVI-38-12-17

14271 Jeffrey Road
#223
Irvine, CA 92620

ibis scientific

For Chemical Emergency, Spill, Leak, Fire Exposure or Accident Call Chromanex Day or Night 800.390.4202

Quality System Audited & Registered by TUV USA to ISO 9001:2015

Date Received: 9/19/23

Certificate of Analysis

Rev 0 Page

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
G34-3200-121020-17	480682	≤ -10 °C	P/T MeOH:Water 9:1	4/28/2027	Ketones Solution, 2500 mg/L, 1 ml ISO17034

Compound	CAS No	Purity (%)	Compound Lot No	Concentration, mg/L
acetone	67-64-1	99.6	196.271.4P	2498 ± 53.47 mg/L
2-butanone (MEK)	78-93-3	99.9	197.1.2P	2498 ± 53.51 mg/L
4-methyl-2-pentanone (MIBK)	108-10-1	99.88	198.421.1.2P	2500 ± 54.02 mg/L
2-hexanone	591-78-6	100	199.7.3P	2501 ± 53.58 mg/L

Certified By: Melissa Workoff

Melissa Workoff

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values

Agilent

Trusted Answers

SVI-43-14-17
38 VL 12/14/23

ISO 17034

Reference Material Certificate

Product Information Sheet

Product Name:	Acrolein and Acrylonitrile Standard	**Lot Number:**	0006770748
Product Number:	AMN-623-1	**Lot Issue Date:**	22-Nov-2023
Storage Conditions:	Store Frozen (-25° to -10°C).	**Expiration Date:**	31-Mar-2024

Component Name	Certified Value		Uncertainty	CAS #	Ampule Lot #
acrolein	2008	±	10 µg/mL	000107-02-8	RM21721
acrylonitrile	2009	±	10 µg/mL	000107-13-1	RM20527

Matrix: methanol (methyl alcohol)

Description:
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

Traceability:
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Safety:
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

Intended Use:
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Expiration of Certification:
The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

CSD-QA-015.2

ISO 17025
Cert No. AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 www.agilent.com/quality

spex certiprep
ACCREDITED
Reference Materials Producer
Cert #2495.01

SPEXertificate®
Certificate of Reference Material

ACCREDITED
Chemical Testing
Cert #2495.02

Catalog Number: S-615 **Lot No.** CP200928022

Description: 2-Butanol

Matrix: Methanol (Purge & Trap Grade)

Ship Date: January 5, 2023
Expiration Date: January 4, 2026

This **SPEXOrganics®** Certified Reference Material, CRM, is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled	Purity	Certified†	Uncertainty
2-Butanol	78-92-2	1000 µg/mL	100%	1000 µg/mL	± 35 µg/mL

SVI-38-10-09

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified by Gas Chromatography/Mass Spectrometry. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration based on gravimetric weights and corrected for the purity of the compound(s) used to prepare the standard. Analytical balance calibration is verified daily and traceable to NIST and NJ Division of Weights and Measures.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: January 5, 2023

Certifying Officer: Shannon Mace
Shannon Macieira, Operations Manager

© 2021 | Spex, an Ametek scientific company.

SVI-38-10-09

Report of Certification

Catalog Number: S-615 **Lot No.** CP200928022

Description: 2-Butanol

Matrix: Methanol (Purge & Trap Grade)

Ship Date: January 5, 2023

Expiration Date: January 4, 2026

This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by DQS), ISO/IEC 17025 (accredited by A2LA) and ISO 17034 (accredited by A2LA) quality system consistent with the following standards:

- ISO 9001: Quality management systems - Requirements
- ISO/IEC 17025: General requirements for the competence of testing and calibration laboratories
- ISO 17034: General requirements for the competence of reference material producers
- ISO Guide 31: Reference Materials - Contents of certificates, labels, and accompanying documentation
- ISO Guide 30: Reference Materials - Selected terms and definitions
- ISO Guide 35: Reference Materials - General and Statistical principles for certification
- Guide to the Expression of Uncertainty in Measurement
- EURACHEM/CITAC Guide: Qualifying Uncertainty in Analytical Measurement
- NIST Technical Note 1297

Storage Requirements:

To ensure the stability of the product once it arrives in your laboratory, please store this product in ambient conditions (18°C to 27°C). Note: Shipping conditions may differ from storage conditions. The EXPIRATION DATE is calculated from the SHIPPED DATE using our stability data and is applicable only if the product is stored under the laboratory specified conditions.

Instructions for Use:

Let material come to room temperature before use. Check for precipitate and if necessary sonicate for one minute. If compounds do not dissolve after one minute then sonicate further until the product is dissolved. A clear appearance is acceptable. The minimum recommended amount that should be removed from this vial is 5µL with a 25µL gas tight syringe. All solutions should be thoroughly mixed, by shaking, prior to use. All surfaces that come in contact with the solution must be thoroughly cleaned prior to use. Dilutions should be performed only with Class A volumetric glassware.

Material Source:

All analytes and matrix materials are obtained and verified by SPEX CertiPrep from pre-qualified vendors as per ISO guidelines. Vendor identifications are proprietary, however sources of all materials used in the preparation and testing of SPEX CertiPrep CRMs are tracked and documented. For assistance, please contact sales support at crmsales@spexcsp.com.

Method of Preparation:

Clean laboratory procedures and techniques have been used throughout the preparation. All materials, equipment, and analytical instrumentation have been qualified prior to use. The highest purity solvents and Class A / calibrated volumetrics have been used in all preparations.

Homogeneity:

The homogeneity of this CRM has been confirmed by procedures consistent with ISO 17025, ISO 17034, and ASTM D6362-98 Appendix X2. Random, replicate samples of the final, packaged material have been analyzed to prove homogeneity in accordance with our internal procedure. This is consistent with the intended use of this CRM. The Degree of Homogeneity, as expressed as maximum between-bottle variation, is 1.2%

Statistical Estimator and Confidence Limits:

The Certified value 'X' as listed on the reverse of this document is at the 95% level of confidence and can be expressed as:

- $X = x \pm U$ where X=certified value, U=expanded uncertainty, x=property value
- $U = ku_c$ where k=2 is the coverage factor at the 95% confidence level
- u_c = combined standard uncertainty obtained by combining the individual compound standard uncertainty components u_i where $u_c = \sqrt{\sum u_i^2}$

Legal Notice:

SPEX CertiPrep Certified Reference Materials are not for any cosmetic, drug, or household application and are to be used only by qualified individuals who are trained in appropriate procedures. No claims against SPEX CertiPrep of any kind whatsoever, whether based on breech of warranty, alleged negligence, or otherwise, with respect to this Reference Material shall be greater than the purchase price. In no event shall SPEX CertiPrep be liable for any loss of profits or any incidental, special, or consequential damages.

SPEX CertiPrep®
Your Science is Our Passion.®

203 Norcross Ave. Metuchen, NJ 08840
www.spexcertiprep.com • E-mail: crmsales@spexcsp.com
Phone: 1-732-549-7144 • Fax 1-732-603-9647

SVI-38-12-05

Ibis Scientific, 7330 Smoke Ranch Rd., Suite B, Las Vegas, NV 89128 (855) 390-4202

Date manufactured: 11/9/2021
Original issue date: 11/9/2021

Certificate of Analysis

Date Received: _____
Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Expiration Date:	Description:
3200-G34 -120016-03	500823	≤ -10 °C	P/T Methanol	8-Nov-2026	ISO 17034 - Method 8260 Gases, 2,000 mg/L, 2 x 0.6 mL

Certified Values:

The certified value is based on gravimetric and volumetric preparation of this CRM. This CRM has been confirmed by gas chromatography (GC), gas chromatography/mass spectrometry (GC/MS), or High Pressure Liquid Chromatography (HPLC) using an internally developed method against an independent source. The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration, mg/L
bromomethane	74-83-9	99.5	139.158.1.1P	2006 ± 120
chloroethane	75-00 3	99.94	141.2.3P	1997 ± 120
chloromethane	74-87-3	99.7	140.158.3P	1999 ± 120
dichlorodifluoromethane	75-71-8	99	142.158.5P	1987 ± 130
trichlorofluoromethane	75-69-4	99	144.1.3P	2007 ± 120
vinyl chloride	75-01-4	99	143.158.5.2P	1994 ± 130

Second Source standards are prepared according to NELAC requirements.

Intended Use:

This certified reference material (CRM) is intended for use as a calibration standard or a quality control standard for chromatography instrumentation such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various USEPA, NIOSH, and ASTM methods.

Recommended storage container for ampouled products after opening is a 12mmx32mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = (-0.018\ln(x+31) + 0.1157) + 636.54y^{-3.202}$$

where x = boiling point of the most volatile analyte in the mix
y = boiling point of the solvent

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened

SVI-38-12-05

Certificate of Analysis

Catalog No.: 3200-G34-120016 Lot No.: 500823 Expiration Date: 11/8/2026

ampoule should be stored.

Method of Preparation:

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Packaging and Storage:

The solution should be stored according to the following storage requirements: ≤ -10 °C
Once the product is opened, it should be transferred to a vial with minimum head space if the product was in a sealed ampoule. Once opened, the expiration is determined by user specifications.

Glassware Calibration:

Only Class A glassware is used in the manufacture and quality control of Standards. All glassware is calibrated using NIST traceable weights.

Weights and Balance Calibration:

This standard was prepared gravimetrically using balances that are calibrated to the requirements of ISO/IEC 17025. All balances are calibrated externally by an accredited ISO/IEC 17025 calibration laboratory using weight sets traceable to the International System of Units (SI) through the national reference standards maintained by NIST.

Homogeneity:

Random replicate samples of the final packaged CRM have been analyzed to prove homogeneity in accordance with internal procedure O2-QS-011. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025 and ISO 17034.

Hazardous Information:

Refer to MSDS

Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty: $U=ku_c$: U=Expanded Uncertainty, k= the coverage factor at the 95% confidence level, k=2, u_c = the combined uncertainty $u_c = \sqrt{\sum u_i^2}$ where u_i are the individual uncertainty components for characterization, transportation, homogeneity, and shelf life.

Expiration Information:

The stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. This standard is guaranteed until the following date: 8-Nov-2026

Manufactured By:	Certified By:	Released By:
Bradley Richter	Kayla Coleman	HuiChen Stavros
Bradley Richter Production Chemist I	Kayla Coleman Team Leader, Volatiles	HuiChen Stavros, Ph.D. Research Scientist

SVI-38-12-05

Certificate of Analysis

Catalog No.: 3200-G34-120016 **Lot No.:** 500823 **Expiration Date:** 11/8/2026

Accreditation:

This CRM was manufactured by an ISO 17025:2017 chemical testing lab (Certificate number 3031.01) and ISO 17034:2016 Reference Material Producer (RMP) Certificate number 3031.02 accredited by The American Association of Laboratory Accreditation (A2LA).

Manufactured By:	Certified By:	Released By:
Bradley Richter	Kayla Coleman	HuiChen Stavros
Bradley Richter Production Chemist I	Kavla Coleman Team Leader, Volatiles	HuiChen Stavros, Ph.D. Research Scientist

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Catalog No: APP-9-211-20X
Description: Vinyl acetate
Lot: 223081164
Solvent: Methanol
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 9, 2023
Expiration: Feb 9, 2024
Sample Size: 1 mL
Components: 1
Storage Condition: Freeze (<-10 °C)

Certified Reference Material

ANAB AR-1463 ilac-MRA

Component	CAS #	Purity[3] %	Prepared Concentration[2] (µg/mL)	Certified Analyte Concentration[1] (µg/mL)
Vinyl acetate	108-05-4	100.0	2031	2031

SV1-38-1d-16

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

[2] All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

[3] Purity/Identity determined by one or more of the following methods: GC/MS, LC/MS, NMR, FTIR, Melting Point.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

1. **Quality Standards:**

   ISO 17034:2016 – General Requirements for the Competence of Reference Material Producers

   ISO/IEC 17025:2017 – General Requirements for the Competence of Testing And Calibration Laboratories

   ISO 9001:2015 – Quality Management System – Requirements
   Eagle Registrations

2. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 7.

3. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards. Good Laboratory Practices have been used throughout the preparation of this Standard.

4. **Homogeneity:** This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.

5. **Stability:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label

6. **Uncertainty:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula: $u_a = \sqrt{(u(V))^2 + (u(m))^2 + (u(IV))^2 + (u(RO))^2}$ This formula represents uncertainty components from the mass, volume, short-term stability, long-term stability and homogeneity factors associated with the production of this product. The expanded uncertainty, assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level.

7. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.

spex certiprep
ACCREDITED
Reference Materials Producer
Cert #2495.01

SPEXertificate®
Certificate of Reference Material

ilac-MRA ACCREDITED
Chemical Testing
Cert #2495.02

Catalog Number: S-3893 **Lot No.** ND210224010

Description: Methyl acetate

Matrix: Methanol (Purge & Trap Grade)

Ship Date: January 5, 2023
Expiration Date: January 4, 2026

This **SPEXOrganics®** Certified Reference Material, CRM, is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled	Purity	Certified†	Uncertainty
Methyl acetate	79-20-9	1000 µg/mL	99.5%	1015 µg/mL	± 36 µg/mL

SVI-38-10-08

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified by Gas Chromatography/Mass Spectrometry. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration based on gravimetric weights and corrected for the purity of the compound(s) used to prepare the standard. Analytical balance calibration is verified daily and traceable to NIST and NJ Division of Weights and Measures.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: January 5, 2023

Certifying Officer: Shannon Mace
Shannon Macieira, Operations Manager

© 2021 | Spex, an Ametek scientific company.

Report of Certification

SVI-38-10-08

Catalog Number: S-3893 **Lot No.** ND210224010

Description: Methyl acetate

Matrix: Methanol (Purge & Trap Grade)

Ship Date: January 5, 2023

Expiration Date: January 4, 2026

This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by DQS), ISO/IEC 17025 (accredited by A2LA) and ISO 17034 (accredited by A2LA) quality system consistent with the following standards:

- ISO 9001: Quality management systems - Requirements
- ISO/IEC 17025: General requirements for the competence of testing and calibration laboratories
- ISO 17034: General requirements for the competence of reference material producers
- ISO Guide 31: Reference Materials - Contents of certificates, labels, and accompanying documentation
- ISO Guide 30: Reference Materials - Selected terms and definitions
- ISO Guide 35: Reference Materials - General and Statistical principles for certification
- Guide to the Expression of Uncertainty in Measurement
- EURACHEM/CITAC Guide: Qualifying Uncertainty in Analytical Measurement
- NIST Technical Note 1297

Storage Requirements:

To ensure the stability of the product once it arrives in your laboratory, please store this product in ambient conditions (18°C to 27°C). Note: Shipping conditions may differ from storage conditions. The EXPIRATION DATE is calculated from the SHIPPED DATE using our stability data and is applicable only if the product is stored under the laboratory specified conditions.

Instructions for Use:

Let material come to room temperature before use. Check for precipitate and if necessary sonicate for one minute. If compounds do not dissolve after one minute then sonicate further until the product is dissolved. A clear appearance is acceptable. The minimum recommended amount that should be removed from this vial is 5µL with a 25µL gas tight syringe. All solutions should be thoroughly mixed, by shaking, prior to use. All surfaces that come in contact with the solution must be thoroughly cleaned prior to use. Dilutions should be performed only with Class A volumetric glassware.

Material Source:

All analytes and matrix materials are obtained and verified by SPEX CertiPrep from pre-qualified vendors as per ISO guidelines. Vendor identifications are proprietary, however sources of all materials used in the preparation and testing of SPEX CertiPrep CRMs are tracked and documented. For assistance, please contact sales support at crmsales@spexcsp.com.

Method of Preparation:

Clean laboratory procedures and techniques have been used throughout the preparation. All materials, equipment, and analytical instrumentation have been qualified prior to use. The highest purity solvents and Class A / calibrated volumetrics have been used in all preparations.

Homogeneity:

The homogeneity of this CRM has been confirmed by procedures consistent with ISO 17025, ISO 17034, and ASTM D6362-98 Appendix X2. Random, replicate samples of the final, packaged material have been analyzed to prove homogeneity in accordance with our internal procedure. This is consistent with the intended use of this CRM. The Degree of Homogeneity, as expressed as maximum between-bottle variation, is 1.2%

Statistical Estimator and Confidence Limits:

The Certified value 'X' as listed on the reverse of this document is at the 95% level of confidence and can be expressed as:

- $X = x \pm U$ where X=certified value, U=expanded uncertainty, x=property value
- $U = ku_c$ where k=2 is the coverage factor at the 95% confidence level
- u_c = combined standard uncertainty obtained by combining the individual compound standard uncertainty components u_i where $u_c = \sqrt{\sum u_i^2}$

Legal Notice:

SPEX CertiPrep Certified Reference Materials are not for any cosmetic, drug, or household application and are to be used only by qualified individuals who are trained in appropriate procedures. No claims against SPEX CertiPrep of any kind whatsoever, whether based on breech of warranty, alleged negligence, or otherwise, with respect to this Reference Material shall be greater than the purchase price. In no event shall SPEX CertiPrep be liable for any loss of profits or any incidental, special, or consequential damages.

SPEX CertiPrep.®
Your Science is Our Passion.®

203 Norcross Ave. Metuchen, NJ 08840
www.spexcertiprep.com • E-mail: crmsales@spexcsp.com
Phone: 1-732-549-7144 • Fax 1-732-603-9647

SV1-38-14-12

SPEXertificate®

Certificate of Reference Material

Catalog Number: S-1015 **Lot No.** NSI231116204
Description: Cyclohexane
Matrix: Methanol (Purge & Trap Grade) **Manufactured Date:** 11/16/2023
Expiration Date: 11/30/2026

This **SPEXOrganics®** Certified Reference Material, CRM, was manufactured by NSI Lab Solutions (www.nsilabsolutions.com) and is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled (ug/mL)	Purity	Certified† (ug/mL)		Uncertainty (ug/mL)
Cyclohexane	110-82-7	1000	100.0%	999	±	7.05

SV1-38-14-12

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified Volumetrically and Analytically. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration is based on gravimetric or volumetric measurements. All balances are checked daily by an in-house standard operating procedure. The weights used for this daily verification are calibrated annually by an ISO/IEC 17025 accredited calibration laboratory and are certified traceable to NIST. Certificate of Calibration and Traceability available upon request. All glassware used in the manufacturing of this standard is Class A. Volumetric pipettors are calibrated every four months by an ISO/IEC 17025 accredited calibration laboratory.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: 11/16/2023 Certifying Officer: Kenneth Grzybowski

1 Identification

· Product identifier

· Product Name: Cyclohexane

Pure Name: S-1515
Application of the substance / the mixture Certified Reference Material

· Details of the supplier of the safety data sheet
· Manufacturer/Supplier:
SPEX CertiPrep, LLC
203 Norcross Ave, Metuchen,
NJ 08840 USA
732-549-7144
USAfax-CRMSales@satnet.net

· Information department: product safety department
· Emergency telephone number:
Emergency Phone Number (24 hours)
CHEMTREC 1-800-424-9300
Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly Flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Inhalation 3 H331 Toxic if inhaled.



GHS08 Health hazard

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the respiratory

· Label elements
· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
· Hazard pictograms



GHS02 GHS06 GHS08

· Signal word Danger


· Hazard-determining components of labeling:
methanol
· Hazard statements
H225 Highly flammable liquid and vapor.
H331 Toxic if inhaled.
H370 Causes damage to the central nervous system and the visual organs.
· Precautionary statements
P210 Keep away from heat/sparks/open flame/hot surfaces. - No smoking.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352+P333 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P307+P311 If exposed: Call a POISON CENTER or doctor/physician.
P321 Specific treatment (see on this label).
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.

(Contd. on page 2)

(Contd. of page 1)


P405 Store locked up.
P501 Dispose of contents/container in accordance with all local, regional, national, and international regulations

· Classification system:
· NFPA ratings (scale 0 - 4)



Health = 1
Fire = 3
Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *1
Fire = 3
Reactivity = 0

· Other hazards
· Results of PBT and vPvB assessment
· PBT: Not applicable.
· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures
· Description: Mixture of the substances listed below, with nonhazardous additions.
· Dangerous components:
67-56-1 methanol 99.9%
· Chemical identification of the substance/preparation
110-82-7 cyclohexane 99.1%

4 First aid measures

· Description of first aid measures
· General information:
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
· After inhalation:
Supply fresh air; consult doctor in case of complaints.
In case of unconsciousness place patient stably in side position for transportation.
· After skin contact: Immediately wash with water and soap and rinse thoroughly.
· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
· After swallowing: Do not induce vomiting; call for medical help immediately.
· Information for Doctor:
Most important symptoms and effects, both acute and delayed No further relevant information available.
· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media
· Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
· Advice for firefighters
· Protective equipment: Wear self-contained breathing apparatus.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

(Contd. on page 3)

(Contd. of page 4)

· Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.
· Chemical stability
Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications
· Possibility of hazardous reactions No dangerous reactions known
· Conditions to avoid No further relevant information available
· Incompatible materials: No further relevant information available
Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

· Information on toxicological effects
Acute toxicity:
· LD/LC50 values that are relevant for classification:
67-56-1 methanol
Oral LD50 5,628 mg/kg (rat)
Dermal LD50 15,800 mg/kg (rabbit)
· Primary irritant effect:
· on the eye: No irritating effect.
· Sensitization: No sensitizing effects known.
· Additional toxicological information:
The product shows the following dangers according to internally approved calculation methods for preparations:
Toxic

· Carcinogenic categories
IARC (International Agency for Research on Cancer)
None of the ingredients is listed.
NTP (National Toxicology Program)
None of the ingredients is listed.
· OSHA-Ca (Occupational Safety & Health Administration)
None of the ingredients is listed.

12 Ecological information

Toxicity
· Aquatic toxicity: No further relevant information available.
· Persistence and degradability No further relevant information available.
· Behavior in environmental systems
· Bioaccumulative potential No further relevant information available.
· Mobility in soil No further relevant information available.
· Additional ecological information:
· General notes:
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Results of PBT and vPvB assessment
· PBT: Not applicable.
· vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
· Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleaning agent: Water, if necessary with cleansing agents.

(Contd. on page 6)

(Contd. of page 5)

14 Transport information

· UN Number
· DOT, ADR, IMDG, IATA UN1230

· UN proper shipping name
· DOT Methanol
· ADR 1230 METHANOL
· IMDG, IATA METHANOL

· Transport hazard class(es)
· DOT



Class 3 Flammable liquid
Label 3

· ADR



Class 3 Flammable liquid
Label 3

· IMDG



Class 3 Flammable liquid
· Label 3

· IATA



Class 3 Flammable liquid
· Label 3

· Packing group
· DOT, ADR, IMDG, IATA II

· Environmental hazards: Not applicable

· Special precautions for user Warning: Flammable liquids
· Hazard identification number (Kemler code): 336
· EMS Number: F-E,S-D
· Stowage Category B
· Stowage Code SW1 Clear of living quarters.

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

· Transport/Additional information:

· ADR
· Excepted quantities (EQ): Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

· IMDG
· Limited quantities (LQ) 1L
· Excepted quantities (EQ): Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

(Contd. on page 7)

SVI-38-14-11

SPEXertificate®

Certificate of Reference Material

Catalog Number: S-2470 **Lot No.** NSI231116202
Description: Methylcyclohexane
Matrix: P&T Methanol **Manufactured Date:** 11/16/2023
Expiration Date: 11/30/2026

This SPEXOrganics® Certified Reference Material, CRM, was manufactured by NSI Lab Solutions (www.nsilabsolutions.com) and is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC-MS, LC, and LC-MS. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:

Compound	CAS #	Labeled (ug/mL)	Purity	Certified† (ug/mL)		Uncertainty (ug/mL)
Methylcyclohexane	108-87-2	1000	98.0%	1000	±	7.05

SVI-38-14-11

* - Isomer ratios (when applicable) are an uncertified parameter.

Final Solution Verification:

Final solution integrity verified Volumetrically and Analytically. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration is based on gravimetric or volumetric measurements. All balances are checked daily by an in-house standard operating procedure. The weights used for this daily verification are calibrated annually by an ISO/IEC 17025 accredited calibration laboratory and are certified traceable to NIST. Certificate of Calibration and Traceability available upon request. All glassware used in the manufacturing of this standard is Class A. Volumetric pipettors are calibrated every four months by an ISO/IEC 17025 accredited calibration laboratory.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short term and long term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at crmsales@spexcsp.com.

Date of Certification: 11/16/2023 Certifying Officer: _____
Kenneth Grzybowski

Printing date 09/25/2023 Revised on 09/25/2023

1 Identification

· **Product identifier**

· **Product Name: Methylcyclohexane**

· **Part Name: 5-2470**
Application of the substance / the mixture For Laboratory Use Only
Uses advised against Not for Human or Animal Use

· **Details of the supplier of the safety data sheet**
Manufacturer/Supplier:
Spex CertiPrep, LLC.
203 Norcross Ave Metuchen,
NJ 08840 USA
732-603-9144
SDS-CB@SpexCertiPrep.com

· **Information department:** Quality Assurance Department
· **Emergency telephone number:**
Emergency Phone Number (24 hours):
CHEMTREC 1-800-424-9300,
Outside US 703-527-3887

2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor



GHS08 Skull and crossbones

Acute Toxicity - Inhalation 4 H331 Toxic if inhaled.



GHS08 Health hazard

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the vital organs.

Label elements
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**



GHS02 GHS06 GHS08

· **Signal word Danger**

Hazard-determining components of labeling:
methylcyclohexane
· **Hazard statements**
H225 Highly flammable liquid and vapor.
H331 Toxic if inhaled.
H370 Causes damage to the central nervous system and the vital organs.
Precautionary statements

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P240	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P307+P311	If exposed: Call a POISON CENTER or doctor/physician.
P233	Keep container tightly closed.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 2)

Printing date 09/25/2023 Revised on 09/25/2023

Product Name: Methylcyclohexane

(Contd. of page 1)

P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**
NFPA ratings (scale 0 - 4)



Health = 1
Fire = 3
Reactivity = 0

HMIS-ratings (scale 0 - 4)



HEALTH 1
FIRE 3
REACTIVITY 0

Health = 1
Fire = 3
Reactivity = 0

· **Other hazards**
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures
· **Description:** Mixture of the substances listed below with nonhazardous additions.
Dangerous components:
108-87-2 methylcyclohexane 99.5%
Chemical identification of the substance/preparation
108-87-2 methylcyclohexane

4 First aid measures

Description of first aid measures
General information:
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after considerable time has passed - not only the same day.
In case of unconsciousness or respiratory arrest provide artificial respiration.
· **After inhalation:**
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
After skin contact: Immediately wash with water and soap and rinse thoroughly.
After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing: Do not give anything to eat or drink. Do not induce vomiting.
Information for Doctor:
Most important symptoms and effects, both acute and delayed No further relevant information available.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture Carbon oxides in the case of fire possible exposure to smoke.
· **Advice for firefighters**
Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions:
Do not allow to enter sewers/ surface or ground water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.

(Contd. on page 3)

(Cont'd. of page 4)

Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.
· Chemical stability
· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
· Possibility of hazardous reactions No dangerous reactions known.
· Conditions to avoid No further relevant information available.
· Incompatible materials: No further relevant information available.
· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects
· Acute toxicity:
· LD/LC50 values that are relevant for classification:

67-56-1 methanol

Oral LD50 5,628 mg/kg (rat)

Dermal LD50 15,840 mg/kg (rabbit)

· Primary irritant effect:
· on the eye: No irritating effect.
· Sensitization: No sensitizing effects known.
· Additional toxicological information:
The product shows the following dangers according to internally approved calculation methods for preparations:
Toxic

· Carcinogenic categories
· IARC (International Agency for Research on Cancer)
None of the ingredients is listed.

NTP (National Toxicology Program)
None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)
None of the ingredients is listed.

12 Ecological information

· Toxicity
· Aquatic toxicity: No further relevant information available.
· Persistence and degradability No further relevant information available.
· Behavior in environmental systems:
· Bioaccumulative potential No further relevant information available.
· Mobility in soil No further relevant information available.
· Additional ecological information:
· General notes:
Water hazard class 1 (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
· Results of PBT and vPvB assessment
· PBT: Not applicable.
· vPvB: Not applicable.
· Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
· Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
· Recommended cleaning agent: Water, if necessary, with cleaning agents.

· Cont'd. on page 6

(Cont'd. of page 5)

14 Transport information

· UN-Number
DOT, ADR, IMDG, IATA UN1230

· UN proper shipping name
· DOT Methanol
· ADR (271) METHANOL
· IMDG, IATA METHANOL

Transport hazard class(es)

DOT



Class 3 (Flammable liquid)
Label 3

· ADR



Class 3 (Flammable liquids)
Label 3 (+)

· IMDG



Class 3 (Flammable liquids)
Label 3 (+)

· IATA



Class 3 (Flammable liquids)
Label 3 (+)

Packing group
DOT, ADR, IMDG, IATA II

Environmental hazards: Not applicable

Special precautions for user Warning: Flammable liquids
Hazard identification number (Kemler code): 336
EMS Number: F-E,S-D
Stowage Category B
· Stowage Code SW2 Clear of living quarters.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

· ADR
Excepted quantities (EQ) Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

· IMDG
Limited quantities (LQ) 1L
Excepted quantities (EQ) Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

(Cont'd. on page 7)

RAW DATA
METALS / MERCURY

METALS
(WATER)

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F034

METHOD 3010A/6010C
METALS BY TRACE ICP

One(1) water sample was received on 06/07/24 to be analyzed for Metals by Trace ICP in accordance with Method 3010A/6010C and project specific requirements.

Holding Time
The sample was digested and analyzed within the prescribed holding time.

Calibration
Initial Calibration was established as prescribed by the method and was verified using a secondary source(ICV). Interference checks were performed and results were within required limits. Continuing calibration verifications and continuing calibration blanks were carried out at the frequency specified by the project. All calibration requirements were satisfied. MRL was analyzed as required by the project.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. IPF009WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. IPF009WL/IPF009WC were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample
Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. F034-01M/F034-01S - all analytes were within MS/MSD QC limits. Refer to Matrix QC summary form for details.

Sample Analysis
The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
METALS BY TRACE ICP

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Instrument ID : D8

WATER

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
MBLK1W	IPF009WB	1.000	NA	06/20/2419:15	06/14/2409:28	ID8F008060	ID8F008053	IPF009W	Method Blank
LCS1W	IPF009WL	1.000	NA	06/20/2419:20	06/14/2409:28	ID8F008061	ID8F008053	IPF009W	Lab Control Sample (LCS)
LCD1W	IPF009WC	1.000	NA	06/20/2419:24	06/14/2409:28	ID8F008062	ID8F008053	IPF009W	LCS Duplicate
IDW-WATER_JUN24	F034-01	1.000	NA	06/20/2419:44	06/14/2409:28	ID8F008066	ID8F008063	IPF009W	Field Sample
IDW-WATER_JUN24MS	F034-01M	1.000	NA	06/20/2419:54	06/14/2409:28	ID8F008068	ID8F008063	IPF009W	Matrix Spike Sample (MS)
IDW-WATER_JUN24MSD	F034-01S	1.000	NA	06/20/2419:59	06/14/2409:28	ID8F008069	ID8F008063	IPF009W	MS Duplicate (MSD)

FN - Filename
% Moist - Percent Moisture

METHOD 3010A/6010C
METALS BY TRACE ICP

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Sample ID: IDW-WATER_JUN24
Lab Samp ID: F034-01
Lab File ID: ID8F008066
Ext Btch ID: IPF009W
Calib. Ref.: ID8F008063

Date Collected: 06/06/24 11:40
Date Received: 06/07/24
Date Extracted: 06/14/24 09:28
Date Analyzed: 06/20/24 19:44
Dilution Factor: 1
Matrix: WATER
% Moisture: NA
Instrument ID: D8

PARAMETERS	Result (mg/L)	LOQ (mg/L)	DL (mg/L)	LOD (mg/L)
Antimony	ND	0.100	0.0150	0.0300
Arsenic	0.0118J	0.0400	0.0100	0.0200
Barium	0.0406	0.0100	0.00100	0.00200
Beryllium	ND	0.0100	0.00100	0.00200
Cadmium	ND	0.0100	0.00250	0.00500
Chromium	ND	0.0100	0.00200	0.00500
Cobalt	ND	0.0100	0.00100	0.00200
Copper	0.0113	0.0100	0.00250	0.00500
Lead	ND	0.0100	0.00250	0.00500
Molybdenum	0.0278	0.0100	0.00200	0.00500
Nickel	0.00243J	0.0100	0.00200	0.00500
Selenium	ND	0.0200	0.00500	0.0100
Silver	ND	0.0100	0.00200	0.00500
Thallium	ND	0.0100	0.00250	0.00500
Vanadium	0.0175	0.0100	0.00100	0.00200
Zinc	ND	0.0500	0.0100	0.0200

Note: Detection limits are reported relative to sample result significant figures.
Sample Amount : 50ml
Prepared by : JChun

Final Volume:50ml
Analyzed by:JFeng/JChun

METHOD 3010A/6010C
METALS BY TRACE ICP

Client	: PARSONS	Date Collected:	NA
Project	: TITAN 1-A	Date Received:	NA
SDG NO.	: 24F034	Date Extracted:	06/14/24 09:28
Sample ID:	MBLK1W	Date Analyzed:	06/20/24 19:15
Lab Samp ID:	IPF009WB	Dilution Factor:	1
Lab File ID:	ID8F008060	Matrix:	WATER
Ext Btch ID:	IPF009W	% Moisture:	NA
Calib. Ref.:	ID8F008053	Instrument ID:	D8

PARAMETERS	Result (mg/L)	LOQ (mg/L)	DL (mg/L)	LOD (mg/L)
Antimony	ND	0.100	0.0150	0.0300
Arsenic	ND	0.0400	0.0100	0.0200
Barium	ND	0.0100	0.00100	0.00200
Beryllium	ND	0.0100	0.00100	0.00200
Cadmium	ND	0.0100	0.00250	0.00500
Chromium	ND	0.0100	0.00200	0.00500
Cobalt	ND	0.0100	0.00100	0.00200
Copper	ND	0.0100	0.00250	0.00500
Lead	ND	0.0100	0.00250	0.00500
Molybdenum	ND	0.0100	0.00200	0.00500
Nickel	ND	0.0100	0.00200	0.00500
Selenium	ND	0.0200	0.00500	0.0100
Silver	ND	0.0100	0.00200	0.00500
Thallium	ND	0.0100	0.00250	0.00500
Vanadium	ND	0.0100	0.00100	0.00200
Zinc	ND	0.0500	0.0100	0.0200

Note: Detection limits are reported relative to sample result significant figures.

Sample Amount	: 50ml	Final Volume:	50ml
Prepared by	: JChun	Analyzed by:	JFeng/JChun

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : 3010A/6010C

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR	: 1.000	1.000	1.000
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: IPF009WB	IPF009WL	IPF009WC
LAB FILE ID	: ID8F008060	ID8F008061	ID8F008062
DATE PREPARED	: 06/14/24 09:28	06/14/24 09:28	06/14/24 09:28
DATE ANALYZED	: 06/20/24 19:15	06/20/24 19:20	06/20/24 19:24
PREP BATCH	: IPF009W	IPF009W	IPF009W
CALIBRATION REF	: ID8F008053	ID8F008053	ID8F008053

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Antimony	ND	2.5	2.32	93	2.5	2.34	94	1	88-113	20
Arsenic	ND	0.5	0.492	98	0.5	0.492	98	0	87-113	20
Barium	ND	0.5	0.473	95	0.5	0.475	95	0	88-113	20
Beryllium	ND	0.5	0.483	97	0.5	0.483	97	0	89-112	20
Cadmium	ND	0.5	0.494	99	0.5	0.494	99	0	88-113	20
Chromium	ND	0.5	0.475	95	0.5	0.481	96	1	90-113	20
Cobalt	ND	0.5	0.466	93	0.5	0.465	93	0	89-114	20
Copper	ND	0.5	0.467	93	0.5	0.468	94	0	86-114	20
Lead	ND	0.5	0.459	92	0.5	0.458	92	0	86-113	20
Molybdenum	ND	0.5	0.487	97	0.5	0.488	98	0	89-113	20
Nickel	ND	0.5	0.497	99	0.5	0.496	99	0	88-113	20
Selenium	ND	0.5	0.495	99	0.5	0.493	99	0	83-114	20
Silver	ND	0.5	0.483	97	0.5	0.485	97	0	84-115	20
Thallium	ND	0.5	0.470	94	0.5	0.470	94	0	85-114	20
Vanadium	ND	0.5	0.481	96	0.5	0.482	96	0	90-111	20
Zinc	ND	0.5	0.505	101	0.5	0.504	101	0	87-115	20

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : 3010A/6010C

MATRIX	: WATER		% MOISTURE: NA
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: IDW-WATER_JUN24	IDW-WATER_JUN24MS	IDW-WATER_JUN24MSD
LAB SAMPLE ID	: F034-01	F034-01M	F034-01S
LAB FILE ID	: ID8F008066	ID8F008068	ID8F008069
DATE PREPARED	: 06/14/24 09:28	06/14/24 09:28	06/14/24 09:28
DATE ANALYZED	: 06/20/24 19:44	06/20/24 19:54	06/20/24 19:59
PREP BATCH	: IPF009W	IPF009W	IPF009W
CALIBRATION REF	: ID8F008063	ID8F008063	ID8F008063

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Antimony	ND	2.5	2.36	94	2.5	2.38	95	1	88-113	20
Arsenic	0.0118J	.5	0.512	100	.5	0.516	101	1	87-113	20
Barium	0.0406	.5	0.519	96	.5	0.522	96	1	88-113	20
Beryllium	ND	.5	0.482	96	.5	0.484	97	0	89-112	20
Cadmium	ND	.5	0.489	98	.5	0.490	98	0	88-113	20
Chromium	ND	.5	0.480	96	.5	0.482	96	0	90-113	20
Cobalt	ND	.5	0.458	92	.5	0.460	92	0	89-114	20
Copper	0.0113	.5	0.478	93	.5	0.480	94	0	86-114	20
Lead	ND	.5	0.446	89	.5	0.447	89	0	86-113	20
Molybdenum	0.0278	.5	0.513	97	.5	0.518	98	1	89-113	20
Nickel	0.00243J	.5	0.489	97	.5	0.490	98	0	88-113	20
Selenium	ND	.5	0.494	99	.5	0.499	100	1	83-114	20
Silver	ND	.5	0.497	99	.5	0.500	100	1	84-115	20
Thallium	ND	.5	0.455	91	.5	0.455	91	0	85-114	20
Vanadium	0.0175	.5	0.501	97	.5	0.503	97	0	90-111	20
Zinc	ND	.5	0.500	100	.5	0.502	100	0	87-115	20

PSResult - Parent Sample Result

ICP (6010) QC CHECK TABLE

QC	ICV	CCV	ICSAB	ICSA
Limit%	90-110	90-110	80-120	80-120
Comp	mg/L	mg/L	mg/L	mg/L
Al	100	100	400	400
Sb	1.5	1.5	1	0
As	1	1	1	0
Ba	2	2	0.5	0
Be	1.5	1.5	0.5	0
B	2.5	2.5	1	0
Cd	2	2	1	0
Ca	75	75	500	500
Cr	2.5	2.5	0.5	0
Co	1	1	0.5	0
Cu	2.5	2.5	0.5	0
Fe	25	25	200	200
Pb	2.5	2.5	1	0
Li	0.5	0.5	1	0
Mg	60	60	200	200
Mn	2.5	2.5	0.5	0
Mo	2.5	2.5	1	0
Ni	2.5	2.5	1	0
K	60	60	75	0
Se	1	1	1	0
Ag	0.5	0.5	1	0
Na	60	60	75	0
Sr	0.5	0.5	0.5	0
Tl	2.5	2.5	1	0
Sn	0.5	0.5	1	0
Ti	0.5	0.5	1	0
V	1.5	1.5	0.5	0
Zn	2.5	2.5	1	0

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Start Date: 6/20/24 12:28
End Date: 6/21/24 00:35

SOP #	Rev. #
☑ EMAX-6010	9
☑ EMAX-6010C	3
☐ EMAX-200.7	6
☐ EMAX-	

Comments: See Analytical Sequence

Book #: AD8-075
Instrument No.: D8
Analytical Batch: ID8F008
Analytical Sequence: S-24F6010 (v19)
Method File: 6/20/24 24F6010 (v19)
Database: EMAX21
Micropipette ID: ☐ 942780530
Micropipette ID: ☑ D42761999
Micropipette ID: ☑ 542740566
Micropipette ID: ☑ D42781151
Micropipette ID: ☐

	STANDARDS ID		STANDARDS ID
S0	SMIB-29-38-02	S26	SMIB-29-44-01
S1	N/A	S27	-44-02
S2		S28	-18-01
S3		S29	-18-02
S4		S30	-24-02
S5		S31	-25-01
S6		ICV	SMIB-29-40-01
S7		CCV	-19-01
S8		ICSA	-24-01
S9		ICSAB	-37-01
S10		CRI/MRL1	-26-01
S11		CRI/MRL2	-37-02
S12		CRI/MRL3	-20-01(2X)
S16		CRI/MRL4	-12-01
S17		Internal Standard	SMIA-025-12-04
S18		Post-Spike 1	-07-02
S20	SMIB-29-39-01	Post-Spike 2	-07-03
S21	-39-02	Post-Spike 3	-07-04
S22	-16-02		
S23	-17-01		
S24	-43-01		
S25	-43-02		

Analyzed By: JF/JC
Date: 6/20/24

SEQUENCE FILE : ID8F008

4-18	19-33	34-43	44-53	54-63
LFID	LSID	TIME	DATE	DF
ID8F008001	S024F6010	12:28	06/20/24	1.000
ID8F008002	S20	12:33	06/20/24	1.000
ID8F008003	S21	12:38	06/20/24	1.000
ID8F008004	S22	12:43	06/20/24	1.000
ID8F008005	S23	12:48	06/20/24	1.000
ID8F008006	S24	12:54	06/20/24	1.000
ID8F008007	S25	12:58	06/20/24	1.000
ID8F008008	S26	13:04	06/20/24	1.000
ID8F008009	S27	13:08	06/20/24	1.000
ID8F008010	S28	13:13	06/20/24	1.000
ID8F008011	S29	13:18	06/20/24	1.000
ID8F008012	S30	13:23	06/20/24	1.000
ID8F008013	S31	13:28	06/20/24	1.000
ID8F008014	ICV	13:33	06/20/24	1.000
ID8F008015	ICB	13:38	06/20/24	1.000
ID8F008016	MRLF2001	13:43	06/20/24	1.000
ID8F008017	MRLF2002	13:48	06/20/24	1.000
ID8F008018	ICSA1	13:53	06/20/24	1.000
ID8F008019	ICSAB1	13:58	06/20/24	1.000
ID8F008020	MRLF2003	14:03	06/20/24	1.000
ID8F008021	MRLF2004	14:08	06/20/24	1.000
ID8F008022	CCV1	14:12	06/20/24	1.000
ID8F008023	CCB1	14:17	06/20/24	1.000
ID8F008024	IPF005WB	16:17	06/20/24	1.000
ID8F008025	IPF005WL	16:22	06/20/24	1.000
ID8F008026	IPF005WC	16:27	06/20/24	1.000
ID8F008027	F020-02	16:31	06/20/24	1.000
ID8F008028	F020-03A	16:36	06/20/24	1.000
ID8F008029	F020-03	16:41	06/20/24	1.000
ID8F008030	F020-03J	16:46	06/20/24	5.000
ID8F008031	F020-03M	16:51	06/20/24	1.000
ID8F008032	F020-03S	16:56	06/20/24	1.000
ID8F008033	CCV2	17:01	06/20/24	1.000
ID8F008034	CCB2	17:06	06/20/24	1.000
ID8F008035	F020-04	17:11	06/20/24	1.000
ID8F008036	F020-05	17:15	06/20/24	1.000
ID8F008037	F020-06	17:20	06/20/24	1.000
ID8F008038	TXF002SB	17:25	06/20/24	1.000
ID8F008039	F008-04A	17:30	06/20/24	1.000
ID8F008040	F008-04	17:35	06/20/24	1.000
ID8F008041	F008-04J	17:40	06/20/24	5.000
ID8F008042	F008-04M	17:45	06/20/24	1.000
ID8F008043	F008-04S	17:50	06/20/24	1.000
ID8F008044	TXF003SB	17:55	06/20/24	1.000
ID8F008045	CCV3	18:00	06/20/24	1.000
ID8F008046	CCB3	18:05	06/20/24	1.000
ID8F008047	F032-05	18:10	06/20/24	1.000
ID8F008048	F034-02	18:16	06/20/24	1.000
ID8F008049	F428-01	18:21	06/20/24	1.000
ID8F008050	IPF010SB	18:26	06/20/24	1.000
ID8F008051	IPF010SL	18:31	06/20/24	1.000
ID8F008052	IPF010SC	18:36	06/20/24	1.000
ID8F008053	CCV4	18:40	06/20/24	1.000
ID8F008054	CCB4	18:45	06/20/24	1.000
ID8F008055	F034-02A	18:50	06/20/24	1.000
ID8F008056	F034-02	18:55	06/20/24	1.000
ID8F008057	F034-02J	19:00	06/20/24	5.000
ID8F008058	F034-02M	19:05	06/20/24	1.000
ID8F008059	F034-02S	19:10	06/20/24	1.000
ID8F008060	IPF009WB	19:15	06/20/24	1.000
ID8F008061	IPF009WL	19:20	06/20/24	1.000
ID8F008062	IPF009WC	19:24	06/20/24	1.000

ID8F008063	CCV5	19:29	06/20/24	1.000
ID8F008064	CCB5	19:34	06/20/24	1.000
ID8F008065	F034-01A	19:39	06/20/24	1.000
ID8F008066	F034-01	19:44	06/20/24	1.000
ID8F008067	F034-01J	19:49	06/20/24	5.000
ID8F008068	F034-01M	19:54	06/20/24	1.000
ID8F008069	F034-01S	19:59	06/20/24	1.000
ID8F008070	CCV6	20:03	06/20/24	1.000
ID8F008071	CCB6	20:08	06/20/24	1.000
ID8F008072	IPF011WB	20:13	06/20/24	1.000
ID8F008073	IPF011WL	20:18	06/20/24	1.000
ID8F008074	IPF011WC	20:23	06/20/24	1.000
ID8F008075	TX004WB	20:28	06/20/24	1.000
ID8F008076	F058-01A	20:33	06/20/24	1.000
ID8F008077	F058-01	20:38	06/20/24	1.000
ID8F008078	F058-01J	20:43	06/20/24	5.000
ID8F008079	F058-01M	20:48	06/20/24	1.000
ID8F008080	F058-01S	20:52	06/20/24	1.000
ID8F008081	CCV7	20:57	06/20/24	1.000
ID8F008082	CCB7	21:02	06/20/24	1.000
ID8F008083	IPF006SB	21:07	06/20/24	1.000
ID8F008084	IPF006SL	21:12	06/20/24	1.000
ID8F008085	IPF006SC	21:17	06/20/24	1.000
ID8F008086	F427-01A	21:22	06/20/24	1.000
ID8F008087	F427-01	21:27	06/20/24	1.000
ID8F008088	F427-01J	21:32	06/20/24	5.000
ID8F008089	F427-01M	21:37	06/20/24	1.000
ID8F008090	F427-01S	21:41	06/20/24	1.000
ID8F008091	CCV8	21:46	06/20/24	1.000
ID8F008092	CCB8	21:51	06/20/24	1.000
ID8F008093	IPF015SB	21:56	06/20/24	1.000
ID8F008094	IPF015SL	22:01	06/20/24	1.000
ID8F008095	IPF015SC	22:06	06/20/24	1.000
ID8F008096	F476-01A	22:11	06/20/24	1.000
ID8F008097	F476-01	22:15	06/20/24	1.000
ID8F008098	F476-01J	22:20	06/20/24	5.000
ID8F008099	F476-01M	22:25	06/20/24	1.000
ID8F008100	F476-01S	22:30	06/20/24	1.000
ID8F008101	CCV9	22:35	06/20/24	1.000
ID8F008102	CCB9	22:40	06/20/24	1.000
ID8F008103	IPF016WB	22:45	06/20/24	1.000
ID8F008104	IPF016WL	22:50	06/20/24	1.000
ID8F008105	IPF016WC	22:55	06/20/24	1.000
ID8F008106	CCV10	23:00	06/20/24	1.000
ID8F008107	CCB10	23:05	06/20/24	1.000
ID8F008108	WTF002SB	23:10	06/20/24	5.000
ID8F008109	E112-01A	23:15	06/20/24	5.000
ID8F008110	E112-01	23:20	06/20/24	5.000
ID8F008111	E112-01J	23:25	06/20/24	25.000
ID8F008112	E112-01M	23:30	06/20/24	5.000
ID8F008113	E112-01S	23:35	06/20/24	5.000
ID8F008114	CCV11	23:40	06/20/24	1.000
ID8F008115	CCB11	23:45	06/20/24	1.000
ID8F008116	MRL2005	23:50	06/20/24	1.000
ID8F008117	MRL2006	23:55	06/20/24	1.000
ID8F008118	WTF001SB	00:00	06/21/24	5.000
ID8F008119	F034-02A	00:05	06/21/24	5.000
ID8F008120	F034-02	00:10	06/21/24	5.000
ID8F008121	F034-02J	00:15	06/21/24	25.000
ID8F008122	F034-02M	00:20	06/21/24	5.000
ID8F008123	F034-02S	00:25	06/21/24	5.000
ID8F008124	CCV12	00:30	06/21/24	1.000
ID8F008125	CCB12	00:35	06/21/24	1.000

INITIAL CALIBRATION VERIFICATION SUMMARY FORM

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Method : METHOD 3010A/6010C
Sequence : ID8F008
InstrumentID: D8

Lab Samp ID :	ICV	ICSA1	ICSAB1
QC Limit :	%R:90-110/RSD:<5	%R:80-120/<LOD	%R:80-120
Lab File ID :	ID8F008014	ID8F008018	ID8F008019
DateAnalyed :	06/20/2413:33	06/20/2413:53	06/20/2413:58

Parameter		Result	ICV EV	RSD	%Recovery	Result	ICSA EV	%Rec/LOD	Result	ICSAB EV	%Recovery
Aluminum		97.211	100	1.0598	97	427.13	400	107	393.82	400	98
Antimony	T	1.5120	1.5	.48754	101	.00341	0	<0.030	.98030	1	98
Arsenic	T	.97284	1.0	.79739	97	.00052	0	<0.02	.99520	1	100
Barium	T	1.8909	2.0	.16430	95	.00038	0	<0.002	.46414	0.5	93
Beryllium	T	1.4106	1.5	.17814	94	-.00002	0	<0.002	.45548	0.5	91
Boron		2.3651	2.5	.09104	95	-.00519	0	<0.01	.97195	1.0	97
Cadmium	T	1.9290	2.0	.30745	96	-.00088	0	<0.005	.90537	1	91
Calcium		74.758	75	.05652	100	491.83	500	98	452.47	500	90
Chromium	T	2.3623	2.5	.07450	94	.00173	0	<0.005	.45155	0.5	90
Cobalt	T	.91737	1.0	.05552	92	-.00021	0	<0.002	.45867	0.5	92
Copper	T	2.3152	2.5	.09362	93	.00004	0	<0.005	.46089	0.5	92
Iron		22.705	25	.11138	91	191.00	200	96	170.99	200	85
Lead	T	2.2661	2.5	.09844	91	-.00398	0	<0.005	.89361	1	89
Lithium		.49770	0.5	.09084	100	.00000	0	<0.05	.94251	1	94
Magnesium		55.879	60	.15134	93	187.56	200	94	170.38	200	85
Manganese		2.2925	2.5	.13963	92	-.00177	0	<0.003	.45355	0.5	91
Molybdenum	T	2.4067	2.5	.08768	96	.00077	0	<0.005	.99245	1	99
Nickel	T	2.4347	2.5	.08786	97	-.00044	0	<0.005	.96364	1	96
Potassium		60.684	60	.25992	101	.06875	0	<0.1	74.837	75	100
Selenium	T	.98453	1.0	.44386	98	.00157	0	<0.01	.93145	1	93
Silver	T	.47292	0.5	.06232	95	-.00063	0	<0.005	.98569	1	99
Sodium		60.526	60	.07110	101	.14504	0	>0.1	74.826	75	100
Strontium		.46511	0.5	.12812	93	-.00056	0	<0.001	.45968	0.5	92
Thallium	T	2.2792	2.5	.43089	91	.00017	0	<0.005	.82674	1	83
Tin		.48910	0.5	.19450	98	.00033	0	<0.005	.95942	1	96
Titanium		.47216	0.5	.21530	94	.00000	0	<0.005	.90409	1	90
Vanadium	T	1.3869	1.5	.10397	92	-.00001	0	<0.002	.45211	0.5	90
Zinc	T	2.5064	2.5	.09736	100	.00300	0	<0.02	.99515	1	100

Unit: mg/L
T: Target analyte
EV: Expected Value
Comment:

CONTINUING CALIBRATION VERIFICATION SUMMARY FORM

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Method : 3010A/6010C
Sequence : IDBF008
Instrument ID: D8

		CCV SampleID	CCV4			CCV5			CCV6		
		CCV DataFileID	ID8F008053			ID8F008063			ID8F008070		
		CCV DateTime	06/20/24 18:40			06/20/24 19:29			06/20/24 20:03		
PARAMETER		CCV EV	RESULT	%REC	RSD	RESULT	%REC	RSD	RESULT	%REC	RSD
Aluminum		100	95.5	96	.19554	94.3	94	.69280	93.2	93	.53211
Antimony	T	1.5	1.5	100	.29934	1.51	101	.60562	1.52	102	.29970
Arsenic	T	1.0	0.961	96	.63346	0.971	97	.03805	0.987	99	.44364
Barium	T	2.0	1.89	95	.05464	1.92	96	.16021	1.95	98	.20957
Beryllium	T	1.5	1.42	94	.11839	1.43	95	.10693	1.44	96	.12628
Boron		2.5	2.34	94	.22776	2.36	94	.21625	2.39	96	.06872
Cadmium	T	2.0	1.93	96	.07084	1.94	97	.32249	1.96	98	.43807
Calcium		75	75.3	100	.13657	75.4	100	.14916	74.6	99	.11492
Chromium	T	2.5	2.32	93	.13710	2.38	95	.21813	2.42	97	.07021
Cobalt	T	1.0	0.916	92	.11887	0.916	92	.13443	0.916	92	.03343
Copper	T	2.5	2.3	92	.12995	2.31	93	.19803	2.35	94	.04598
Iron		25	22.5	90	.21289	23	92	.43358	23.5	94	.06077
Lead	T	2.5	2.26	90	.07493	2.26	91	.12073	2.26	90	.11634
Lithium		0.5	0.497	99	.90178	0.531	106	.87207	0.572	114*	.47824
Magnesium		60	55	92	.34819	57.5	96	.26164	59.6	99	.19944
Manganese		2.5	2.33	93	.09185	2.36	94	.08025	2.36	94	.05833
Molybdenum	T	2.5	2.41	96	.02517	2.41	96	.03995	2.42	97	.02933
Nickel	T	2.5	2.43	97	.03676	2.44	97	.04493	2.44	98	.00912
Potassium		60	60.1	100	.31582	63.3	106	.21253	66.1	110	.15163
Selenium	T	1.0	0.979	98	.43813	0.984	98	.26532	0.995	99	.69393
Silver	T	0.5	0.468	94	.24923	0.479	96	.51048	0.491	98	.06622
Sodium		60	61	102	.03485	62.2	104	.06022	63.4	106	.10189
Strontium		0.5	0.465	93	.21449	0.463	93	.05135	0.462	92	.13392
Thallium	T	2.5	2.28	91	.15498	2.28	91	.24580	2.29	92	.51595
Tin		0.5	0.492	98	.04726	0.489	98	.50584	0.49	98	.14127
Titanium		0.5	0.465	93	.29386	0.48	96	.37143	0.49	98	.31456
Vanadium	T	1.5	1.38	92	.21122	1.4	93	.29272	1.42	95	.06175
Zinc	T	2.5	2.51	100	.03054	2.51	100	.06421	2.5	100	.06034

Unit:	ug/L
T:	Target analyte
%Rec QC Limit:	90-110
RSD QC Limit:	<5
CCV EV:	CCV Expected Value ug/L
Comment:	* Out of QC limit

CONTINUING CALIBRATION BLANK SUMMARY FORM

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Method : 3010A/6010C
Sequence : ID8F008
Instrument ID: D8

CB SampleID			: ICB		CCB4		CCB5		CCB6	
CB DataFileID			: ID8F008015		ID8F008054		ID8F008064		ID8F008071	
CB DateTime			: 06/20/2413:38		06/20/2418:45		06/20/2419:34		06/20/2420:08	
PARAMETER		LOD	RESULT	< LOD >	RESULT	< LOD >	RESULT	< LOD >	RESULT	< LOD >
Aluminum		0.03	0.009	<0.03	0.02	<0.03	0.02	<0.03	0.02	<0.03
Antimony	T	0.030	0.0007	<0.030	0.00001	<0.030	0.0008	<0.030	0.00	<0.030
Arsenic	T	0.02	0.00006	<0.02	0.0002	<0.02	0.0007	<0.02	0.0001	<0.02
Barium	T	0.002	0.0001	<0.002	0.0002	<0.002	0.00003	<0.002	0.0004	<0.002
Beryllium	T	0.002	0.0002	<0.002	0.0003	<0.002	0.0002	<0.002	0.0003	<0.002
Boron		0.01	0.007	<0.01	0.004	<0.01	0.005	<0.01	0.009	<0.01
Cadmium	T	0.005	0.00	<0.005	0.00004	<0.005	0.00001	<0.005	0.00002	<0.005
Calcium		0.1	0.17	>0.1	0.17	>0.1	0.16	>0.1	0.16	>0.1
Chromium	T	0.005	0.0002	<0.005	0.0001	<0.005	0.0005	<0.005	0.0003	<0.005
Cobalt	T	0.002	0.0001	<0.002	0.00009	<0.002	0.00001	<0.002	0.00002	<0.002
Copper	T	0.005	0.0001	<0.005	0.0001	<0.005	0.0002	<0.005	0.00003	<0.005
Iron		0.04	0.003	<0.04	0.004	<0.04	0.006	<0.04	0.00003	<0.04
Lead	T	0.005	0.00009	<0.005	0.0001	<0.005	0.0003	<0.005	0.00004	<0.005
Lithium		0.05	0.002	<0.05	0.0002	<0.05	0.001	<0.05	0.002	<0.05
Magnesium		0.1	0.01	<0.1	0.01	<0.1	0.0006	<0.1	0.02	<0.1
Manganese		0.003	0.0002	<0.003	0.0003	<0.003	0.0004	<0.003	0.0001	<0.003
Molybdenum	T	0.005	0.0004	<0.005	0.00005	<0.005	0.0002	<0.005	0.0002	<0.005
Nickel	T	0.005	0.0004	<0.005	0.0005	<0.005	0.0004	<0.005	0.0003	<0.005
Potassium		0.1	0.11	>0.1	0.04	<0.1	0.02	<0.1	0.12	>0.1
Selenium	T	0.01	0.002	<0.01	0.0005	<0.01	0.002	<0.01	0.002	<0.01
Silver	T	0.005	0.00004	<0.005	0.0004	<0.005	0.0003	<0.005	0.0002	<0.005
Sodium		0.1	0.01	<0.1	0.04	<0.1	0.02	<0.1	0.02	<0.1
Strontium		0.001	0.0004	<0.001	0.0005	<0.001	0.0003	<0.001	0.0004	<0.001
Thallium	T	0.005	0.0005	<0.005	0.0005	<0.005	0.002	<0.005	0.002	<0.005
Tin		0.005	0.0005	<0.005	0.00003	<0.005	0.0002	<0.005	0.0002	<0.005
Titanium		0.005	0.0006	<0.005	0.0002	<0.005	0.0006	<0.005	0.00007	<0.005
Vanadium	T	0.002	0.00005	<0.002	0.00009	<0.002	0.00006	<0.002	0.0003	<0.002
Zinc	T	0.02	0.003	<0.02	0.002	<0.02	0.002	<0.02	0.002	<0.02

Unit:	mg/L
CB:	Calibration Blank
T:	Target analyte
Acceptance Criteria:	CCB Result <LOD
Comment:	

Element, Wavelength and Order	Date of Fit	Date of Cal.	Type of Fit	Weighting	A0	A1	A2	n (Exponent)	Correlation	Std Error of Est	Predicted MDL
Al 308.215 {109}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.000276	0.017897	0.000000	1.000000	0.999975	0.000138	0.035575
Sb 206.833 {463}	06/20/2024 15:33:38	06/20/2024 13:23:39	Linear	1/Conc	0.000011	0.005403	0.000000	1.000000	0.999997	0.000003	0.002072
As 189.042 {478}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.000023	0.002754	0.000000	1.000000	0.999996	0.000000	0.002817
Ba 455.403 { 74}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.001346	0.724162	0.000000	1.000000	1.000000	0.000052	0.000358
Be 313.042 {108}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	0.001162	0.717046	0.000000	1.000000	0.999992	0.000517	0.000145
B 249.773 {135}	06/20/2024 15:33:38	06/20/2024 13:03:57	Linear	1/Conc	0.000287	0.131674	0.000000	1.000000	0.999962	0.000207	0.000342
Cd 226.502 {449}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	-0.000043	0.141311	0.000000	1.000000	0.999886	0.000388	0.000111
Ca 317.933 {106}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.006429	0.033166	0.000000	1.000000	0.999751	0.006714	0.003640
Cr 267.716 {126}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.000500	0.157130	0.000000	1.000000	1.000000	0.000026	0.000316
Co 228.616 {447}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	-0.000292	0.678009	0.000000	1.000000	0.999959	0.000223	0.000300
Cu 324.754 {104}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.000731	0.225991	0.000000	1.000000	0.999954	0.000389	0.000341
Fe 271.441 {124}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.000021	0.006859	0.000000	1.000000	0.999993	0.000032	0.006722
Pb 220.353 {453}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	-0.000485	0.346577	0.000000	1.000000	0.999951	0.000625	0.000767
Li 670.784 { 50}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.000828	0.119696	0.000000	1.000000	0.999949	0.000032	0.004072
Mg 279.079 {121}	06/20/2024 15:33:38	06/20/2024 13:23:39	Linear	1/Conc	-0.000369	0.003749	0.000000	1.000000	0.999983	0.000040	0.035998
Mn 257.610 {131}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	0.000005	0.151351	0.000000	1.000000	0.999954	0.000264	0.000465
Mo 202.030 {467}	06/20/2024 15:33:38	06/20/2024 13:03:57	Linear	1/Conc	-0.000331	0.544414	0.000000	1.000000	1.000000	0.000044	0.000301
Ni 231.604 {446}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.001349	0.784881	0.000000	1.000000	0.999991	0.000593	0.000348
K 766.490 { 44}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	-0.003358	0.005706	0.000000	1.000000	0.999878	0.000810	0.063357
Se 196.090 {472}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.000018	0.002900	0.000000	1.000000	0.999994	0.000001	0.002942
Si 212.412 {459}	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
Ag 328.068 {103}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.000187	0.173641	0.000000	1.000000	0.999967	0.000038	0.000489
Na 589.592 { 57}	06/20/2024 15:33:38	06/20/2024 13:03:57	Linear	1/Conc	-0.001230	0.018063	0.000000	1.000000	0.999848	0.002283	0.018029
Sr 421.552 { 80}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.001069	0.840338	0.000000	1.000000	0.999987	0.000114	0.000263
Tl 190.856 {477}	06/20/2024 15:33:38	06/20/2024 13:23:39	Linear	1/Conc	0.000001	0.005817	0.000000	1.000000	0.999589	0.000020	0.001571
Sn 189.989 {477}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.000061	0.098434	0.000000	1.000000	0.999915	0.000035	0.000927
Ti 334.941 {101}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.000261	0.096682	0.000000	1.000000	0.999988	0.000013	0.001288
U 409.014 { 82}	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
V 292.402 {115}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.000005	0.157811	0.000000	1.000000	0.999999	0.000045	0.000351
Zn 206.200 {463}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.002579	0.776066	0.000000	1.000000	0.999973	0.001041	0.000174
Sc 227.318 {448}*	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
Sc 361.384 { 93}*	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
Sc 364.531 { 92}*	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000

ID8F008
6/20/24 JF

Status

Revision	19				
Date Created	08/14/2006 16:36:29	by admin			
Date Modified	06/20/2024 15:33:37	by admin			
Date Calibrated	06/20/2024 15:33:38				
Current Status	by admin				
Number of Elements	31				
Number of Wavelengths	33				
Calibration Type	External				
Notes:					

Analysis Preferences

Sample Options	# Repeats:	3			
	Delay Time:	0.0 seconds			
	Sample Flush Time:	50 seconds			
	Analysis mode	Speed			
Source	Sample Introduction	Nebulizer			
	Plasma View:	Line Selection			
Analysis Maximum Integration Times (sec)	Low WL Range	Axial	15	Radial	15
	High WL Range:	Axial	10	Radial	5
Calibration Mode	Concentration				
Trailing Full Frame Options	Intelli-Frame:		No		
	Max Integration Time (sec):		30		
	WL Range:		Low		
	View:		Axial		
	Auto-Increment Sample Names:		Yes		
	Use Sample Weight Corrections:		No		

Source Settings

Nebulizer Pump	Flush Pump Rate (rpm):	88	
	Analysis Pump Rate (rpm):	36	
	Pump Relaxation Time (sec):	5	
	Pump Tubing Type:	Tygon Orange/White	
	RF Power:	1150	W

ID8F008
6/20/24 JF

Sample Name: S024F6010 Acquired: 06/20/2024 12:28:51 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00028	.00001	-.00002	.00135	.00115	.00029	-.00005	.00632	.00050	-.00029
Stddev	.00052	.00001	.00000	.00013	.00005	.00003	.00001	.00014	.00005	.00013
%RSD	186.16	133.21	18.238	9.5072	3.9680	11.762	27.781	2.2064	9.8259	43.988
#1	.00086	.00001	-.00002	.00122	.00114	.00025	-.00005	.00619	.00055	-.00043
#2	-.00014	.00000	-.00003	.00148	.00120	.00032	-.00003	.00631	.00049	-.00022
#3	.00011	.00002	-.00002	.00133	.00111	.00030	-.00006	.00647	.00046	-.00021

Elem	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00073	.00002	-.00050	-.00083	-.00037	.00000	-.00033	.00134	-.00337	.00002
Stddev	.00004	.00001	.00015	.00002	.00003	.00003	.00001	.00018	.00026	.00001
%RSD	5.5622	61.611	30.384	2.9483	8.0148	3048.7	4.1362	13.454	7.7921	52.295
#1	.00068	.00002	-.00063	-.00082	-.00035	-.00003	-.00033	.00118	-.00314	.00001
#2	.00075	.00001	-.00052	-.00086	-.00036	-.00001	-.00032	.00153	-.00366	.00002
#3	.00074	.00003	-.00034	-.00081	-.00040	.00003	-.00034	.00131	-.00331	.00003

Elem	Ag	Na	Sr	Tl	Sn	Ti	V	Zn
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	-.00019	-.00126	-.00107	.00000	.00006	.00026	.00001	.00256
Stddev	.00003	.00026	.00011	.00001	.00010	.00006	.00005	.00012
%RSD	16.422	20.382	10.573	1859.3	168.99	22.391	838.16	4.7798
#1	-.00022	-.00097	-.00102	.00001	.00017	.00020	-.00004	.00270
#2	-.00016	-.00135	-.00100	-.00001	.00005	.00026	.00000	.00246
#3	-.00018	-.00147	-.00120	.00000	-.00004	.00032	.00005	.00253

Sample Name: S024F6010 Acquired: 06/20/2024 12:28:51 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5543.7	42943.	93337.
Stddev	14.5	352.	127.
%RSD	.26210	.81975	.13572
#1	5531.5	43341.	93463.
#2	5559.8	42814.	93338.
#3	5539.8	42673.	93210.

Sample Name: S20 Acquired: 06/20/2024 12:33:48 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Be	Cd	Pb	Mn
Units	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.72720	.14802	.35697	.15595
Stddev	.00171	.00004	.00037	.00011
%RSD	.23507	.02698	.10409	.07295
#1	.72898	.14807	.35731	.15583
#2	.72557	.14801	.35703	.15606
#3	.72705	.14799	.35657	.15594

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5609.0	43142.	95140.
Stddev	13.6	282.	132.
%RSD	.24188	.65350	.13849
#1	5595.0	42837.	95015.
#2	5622.2	43196.	95278.
#3	5609.7	43394.	95126.

Sample Name: S21 Acquired: 06/20/2024 12:38:42 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Be	Cd	Pb	Mn
Units	Cts/S	Cts/S	Cts/S	Cts/S
Avg	7.1626	1.4063	3.4544	1.5089
Stddev	.0816	.0134	.0047	.0019
%RSD	1.1392	.94932	.13541	.12749
#1	7.0686	1.3960	3.4565	1.5068
#2	7.2142	1.4214	3.4576	1.5106
#3	7.2051	1.4015	3.4490	1.5094

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5626.3	43828.	95219.
Stddev	22.1	369.	183.
%RSD	.39274	.84193	.19242
#1	5611.3	44151.	95422.
#2	5616.0	43426.	95067.
#3	5651.7	43908.	95167.

Sample Name: S22 Acquired: 06/20/2024 12:43:51 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Ba	Co	Cu	Fe	V
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.72642	.13143	.23328	.01774	.15709
Stddev	.00161	.00051	.00041	.00005	.00015
%RSD	.22138	.38548	.17416	.26374	.09817
#1	.72625	.13162	.23360	.01770	.15694
#2	.72810	.13085	.23341	.01779	.15724
#3	.72490	.13181	.23282	.01774	.15711

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5629.6	43448.	94979.
Stddev	4.2	134.	67.
%RSD	.07462	.30911	.07087
#1	5625.8	43404.	94917.
#2	5634.1	43340.	95051.
#3	5628.9	43598.	94970.

Sample Name: S23 Acquired: 06/20/2024 12:48:49 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Ba	Co	Cu	Fe	V
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	7.2421	1.3596	2.2362	1.3712	1.5842
Stddev	.0552	.0008	.0278	.0040	.0021
%RSD	.76193	.05637	1.2438	.29323	.13031
#1	7.1978	1.3598	2.2117	1.3669	1.5822
#2	7.3039	1.3588	2.2664	1.3749	1.5863
#3	7.2245	1.3603	2.2304	1.3717	1.5840

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5359.5	45111.	96740.
Stddev	16.2	426.	750.
%RSD	.30216	.94365	.77541
#1	5344.7	45065.	97240.
#2	5357.0	44709.	95877.
#3	5376.8	45557.	97102.

Sample Name: S24 Acquired: 06/20/2024 12:54:00 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	B	Mo	Na
Units	Cts/S	Cts/S	Cts/S
Avg	.12835	.54332	.94050
Stddev	.00027	.00045	.00123
%RSD	.21061	.08207	.13101
#1	.12859	.54382	.93909
#2	.12840	.54297	.94109
#3	.12806	.54316	.94133

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5527.1	44720.	93836.
Stddev	5.7	177.	218.
%RSD	.10251	.39549	.23275
#1	5522.5	44696.	93629.
#2	5533.4	44556.	93815.
#3	5525.3	44907.	94064.

Sample Name: S25 Acquired: 06/20/2024 12:58:56 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	B	Mo	Na
Units	Cts/S	Cts/S	Cts/S
Avg	1.3206	5.4446	5.3789
Stddev	.0008	.0014	.0838
%RSD	.06020	.02493	1.5583
#1	1.3215	5.4443	5.2838
#2	1.3200	5.4434	5.4111
#3	1.3204	5.4460	5.4419

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5203.3	43787.	87968.
Stddev	6.6	220.	162.
%RSD	.12711	.50252	.18453
#1	5209.6	43885.	88118.
#2	5196.4	43942.	87990.
#3	5203.8	43535.	87796.

Sample Name: S26 Acquired: 06/20/2024 13:04:00 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Al	Ca	Cr	Ni	K
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.03355	1.7816	.15719	.79655	.29605
Stddev	.00039	.0027	.00019	.00178	.00090
%RSD	1.1660	.15097	.11952	.22331	.30241
#1	.03397	1.7793	.15698	.79528	.29505
#2	.03350	1.7846	.15722	.79579	.29677
#3	.03319	1.7810	.15736	.79859	.29633

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5413.7	43990.	92458.
Stddev	9.0	462.	248.
%RSD	.16661	1.0509	.26837
#1	5413.1	43458.	92737.
#2	5405.1	44293.	92264.
#3	5423.1	44219.	92371.

Sample Name: S27 Acquired: 06/20/2024 13:08:56 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Al	Ca	Cr	Ni	K
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	**3.5821**	**16.473**	1.5722	**7.8398**	**2.8355**
Stddev	.0327	.261	.0025	.0022	.0080
%RSD	.91254	1.5865	.15908	.02851	.28149
#1	3.6194	16.230	1.5715	7.8406	2.8266
#2	3.5584	16.439	1.5702	7.8373	2.8420
#3	3.5684	16.749	1.5750	7.8416	2.8380

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	**4715.2**	**42287.**	**82369.**
Stddev	8.4	472.	449.
%RSD	.17855	1.1161	.54567
#1	4715.3	42817.	82255.
#2	4706.7	41912.	82864.
#3	4723.6	42131.	81987.

Sample Name: S28 Acquired: 06/20/2024 13:13:56 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Sb	Mg	Tl
Units	Cts/S	Cts/S	Cts/S
Avg	.00537	**.03782**	**.00615**
Stddev	.00001	.00008	.00001
%RSD	.27916	.20046	.18102
#1	.00536	.03775	.00615
#2	.00536	.03781	.00614
#3	.00539	.03790	.00616

Int. Std.	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S
Avg	**44988.**	**98199.**
Stddev	55.	40.
%RSD	.12331	.04119
#1	44931.	98245.
#2	44992.	98168.
#3	45042.	98184.

Sample Name: S29 Acquired: 06/20/2024 13:18:49 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Sb	Mg	Tl
Units	Cts/S	Cts/S	Cts/S
Avg	**.05409**	**.37384**	**.02294**
Stddev	.00013	.00121	.00006
%RSD	.23807	.32441	.25816
#1	.05395	.37316	.02288
#2	.05410	.37524	.02293
#3	.05421	.37311	.02300

Int. Std.	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S
Avg	**44634.**	**94189.**
Stddev	407.	191.
%RSD	.91149	.20253
#1	44541.	94257.
#2	44282.	94336.
#3	45080.	93973.

Sample Name: S30 Acquired: 06/20/2024 13:23:43 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	As	Li	Se	Ag	Sr	Sn	Tl	Zn
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00136	.02365	.00148	.03517	.16891	.02032	.01981	.79677
Stddev	.00002	.00029	.00002	.00012	.00009	.00011	.00012	.00044
%RSD	1.6746	1.2382	1.2564	.33823	.05412	.54131	.60489	.05464
#1	.00136	.02394	.00147	.03531	.16886	.02043	.01978	.79701
#2	.00134	.02366	.00146	.03509	.16901	.02021	.01971	.79627
#3	.00139	.02335	.00150	.03512	.16885	.02033	.01994	.79703

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5706.0	43266.	96063.
Stddev	8.7	145.	522.
%RSD	.15229	.33515	.54361
#1	5700.2	43233.	95723.
#2	5701.9	43424.	96665.
#3	5716.0	43140.	95803.

Sample Name: S31 Acquired: 06/20/2024 13:28:39 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	As	Li	Se	Ag	Sr	Sn	Tl	Zn
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00548	.11833	.00581	.17282	.83736	.09792	.09673	7.7451
Stddev	.00003	.00057	.00004	.00032	.00034	.00009	.00012	.0100
%RSD	.49930	.48507	.72773	.18645	.04110	.09065	.12591	.12949
#1	.00547	.11802	.00581	.17282	.83729	.09784	.09667	7.7342
#2	.00551	.11798	.00585	.17315	.83773	.09791	.09687	7.7473
#3	.00545	.11899	.00576	.17250	.83705	.09801	.09666	7.7539

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5735.5	44109.	96779.
Stddev	10.6	57.	279.
%RSD	.18463	.12840	.28793
#1	5738.0	44091.	96785.
#2	5744.6	44063.	96497.
#3	5723.9	44172.	97054.

Sample Name: ICV Acquired: 06/20/2024 13:33:33 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008014 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	97.211	1.5120	.97284	1.8909	1.4106	2.3651	1.9290	74.758	2.3623	.91737	2.3152
Stddev	1.030	.0074	.00776	.0031	.0025	.0022	.0059	.042	.0018	.00051	.0022
%RSD	1.0598	.48754	.79739	.16430	.17814	.09104	.30745	.05652	.07450	.05552	.09362
#1	96.032	1.5205	.98179	1.8927	1.4091	2.3638	1.9357	74.712	2.3636	.91729	2.3136
#2	97.937	1.5076	.96804	1.8873	1.4092	2.3640	1.9244	74.764	2.3603	.91691	2.3144
#3	97.665	1.5078	.96869	1.8927	1.4135	2.3676	1.9268	74.796	2.3630	.91792	2.3177
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	22.705	2.2661	.49770	55.879	2.2925	2.4067	2.4347	60.684	.98453	.47292	60.526
Stddev	.025	.0022	.00045	.085	.0032	.0021	.0021	.158	.00437	.00029	.043
%RSD	.11138	.09844	.09084	.15134	.13963	.08768	.08786	.25992	.44386	.06232	.07110
#1	22.732	2.2649	.49783	55.793	2.2950	2.4086	2.4351	60.506	.98726	.47326	60.479
#2	22.682	2.2648	.49719	55.882	2.2889	2.4044	2.4323	60.807	.97949	.47278	60.537
#3	22.701	2.2687	.49807	55.962	2.2936	2.4070	2.4365	60.739	.98684	.47272	60.563
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Sample Name: ICV Acquired: 06/20/2024 13:33:33 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008014 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46511	2.2792	.48910	.47216	1.3869	2.5064
Stddev	.00060	.0098	.00095	.00102	.0014	.0024
%RSD	.12812	.43089	.19450	.21530	.10397	.09736
#1	.46512	2.2899	.48912	.47184	1.3871	2.5067
#2	.46570	2.2707	.48814	.47134	1.3882	2.5038
#3	.46451	2.2770	.49004	.47330	1.3853	2.5087
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value						
Range						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5152.6	43966.	90069.
Stddev	3.2	493.	315.
%RSD	.06277	1.1208	.34930
#1	5149.7	43398.	89710.
#2	5152.0	44278.	90199.
#3	5156.1	44223.	90298.

Sample Name: ICB Acquired: 06/20/2024 13:38:17 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008015 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.00903	-.00067	.00006	-.00014	-.00015	.00686	.00000	-.17178	-.00022	-.00013	-.00010
Stddev	.01011	.00074	.00080	.00022	.00008	.00012	.0001	.00213	.00012	.00011	.00020
%RSD	111.98	109.87	1289.0	154.47	52.215	1.7687	2237.1	1.2392	51.671	83.116	208.81
#1	.00304	.00012	.00036	-.00016	-.00007	.00697	.00003	-.17418	-.00034	-.00013	.00012
#2	.02070	-.00135	-.00084	.00009	-.00023	.00687	-.00008	-.17102	-.00022	-.00002	-.00029
#3	.00334	-.00079	.00067	-.00035	-.00014	.00673	.00004	-.17013	-.00011	-.00024	-.00012
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00301	-.00009	-.00152	.01164	.00015	.00042	-.00037	.10900	.00210	.00004	.01475
Stddev	.00158	.00040	.00012	.00997	.00008	.00023	.00012	.04234	.00125	.00056	.00544
%RSD	52.532	440.04	7.7178	85.618	51.928	54.317	33.570	38.846	59.502	1491.9	36.898
#1	-.00300	.00024	-.00150	.01247	.00008	.00017	-.00025	.08960	.00135	-.00006	.02073
#2	-.00460	.00003	-.00165	.02118	.00023	.00062	-.00036	.15756	.00140	.00064	.01344
#3	-.00144	-.00054	-.00142	.00129	.00014	.00047	-.00050	.07983	.00354	-.00047	.01008
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Sample Name: ICB Acquired: 06/20/2024 13:38:17 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008015 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00040	.00047	-.00045	.00057	.00005	-.00257
Stddev	.00028	.00057	.00083	.00055	.00019	.00006
%RSD	69.913	120.40	186.23	95.665	381.56	2.2238
#1	-.00030	.00100	.00042	.00083	.00017	-.00251
#2	-.00018	-.00013	-.00052	.00094	.00015	-.00258
#3	-.00071	.00054	-.00124	-.00006	-.00017	-.00262
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit						
Low Limit						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5907.9	44918.	99093.
Stddev	12.4	139.	337.
%RSD	.20994	.30980	.33961
#1	5893.6	45054.	99450.
#2	5914.1	44925.	98782.
#3	5916.1	44776.	99047.

Sample Name: MRLF2001 Acquired: 06/20/2024 13:43:15 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008016 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.21871	.09685	.01127	.01015	.00968	.10162	.00988	1.0159	.01018	.00967	.01077
Stddev	.02785	.00132	.00253	.00015	.00021	.00047	.00018	.0016	.00037	.00002	.00008
%RSD	12.733	1.3622	22.458	1.4516	2.2103	.46244	1.8190	.15419	3.6712	.22652	.76748
#1	.24130	.09758	.01346	.00998	.00943	.10156	.01009	1.0166	.01001	.00965	.01068
#2	.22723	.09532	.01185	.01026	.00984	.10118	.00979	1.0170	.01061	.00969	.01080
#3	.18760	.09764	.00850	.01020	.00976	.10211	.00976	1.0141	.00992	.00966	.01084
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.20268	.00983	.01055	1.0412	.01169	.01000	.01003	1.1427	.00925	.01095	1.1558
Stddev	.00237	.00017	.00459	.0104	.00029	.00021	.00012	.0288	.00232	.00027	.0095
%RSD	1.1692	1.7407	43.531	.99838	2.4468	2.1478	1.1705	2.5240	25.090	2.4243	.82549
#1	.20012	.00977	.01378	1.0294	.01148	.00978	.01015	1.1371	.01183	.01067	1.1466
#2	.20480	.00969	.00529	1.0489	.01157	.01021	.00991	1.1739	.00859	.01120	1.1656
#3	.20311	.01002	.01259	1.0454	.01202	.00999	.01003	1.1170	.00734	.01097	1.1552
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Sample Name: MRLF2001 Acquired: 06/20/2024 13:43:15 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008016 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.00987	.01082	.10345	.01088	.00967	.02102
Stddev	.00003	.00139	.00163	.00085	.00023	.00016
%RSD	.30425	12.856	1.5721	7.8427	2.3652	.77518
#1	.00988	.01237	.10170	.01080	.00949	.02112
#2	.00984	.00970	.10373	.01007	.00993	.02111
#3	.00989	.01037	.10492	.01177	.00959	.02084
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value						
Range						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5613.0	43052.	94506.
Stddev	5.0	278.	342.
%RSD	.08923	.64516	.36240
#1	5614.3	42834.	94383.
#2	5617.2	43365.	94242.
#3	5607.4	42957.	94893.

Sample Name: MRLF2002 Acquired: 06/20/2024 13:48:13 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008017 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.19993	.05131	.01110	.00512	.00383	.10029	.00506	.45971	.01032	.00959
Stddev	.02616	.00217	.00280	.00035	.00002	.00030	.00008	.00315	.00018	.00006
%RSD	13.085	4.2229	25.240	6.8124	.58722	.29733	1.6056	.68446	1.7606	.59417
#1	.19641	.05306	.00823	.00529	.00380	.10013	.00514	.45793	.01025	.00953
#2	.22767	.05198	.01122	.00472	.00384	.10063	.00498	.46335	.01053	.00965
#3	.17570	.04889	.01383	.00536	.00384	.10010	.00505	.45787	.01019	.00960
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value										
Range										

Elem	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.01190	.10685	.00984	.10214	.22423	.00582	.01017	.01046	1.1689	.01097
Stddev	.00017	.00507	.00050	.00153	.01467	.00005	.00014	.00018	.0692	.00205
%RSD	1.4540	4.7433	5.1216	1.4961	6.5429	.94378	1.3307	1.7319	5.9180	18.722
#1	.01181	.11049	.00964	.10123	.22026	.00580	.01031	.01052	1.1790	.00860
#2	.01179	.10107	.01041	.10390	.21195	.00578	.01004	.01026	1.2325	.01228
#3	.01210	.10901	.00947	.10128	.24048	.00588	.01018	.01061	1.0952	.01203
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value										
Range										

Sample Name: MRLF2002 Acquired: 06/20/2024 13:48:13 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008017 Type: Anaylst: JFeng/JChun
Comment:

Elem	Ag	Na	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.01048	.58388	.01005	.01143	.01036	.01101	.00980	F .01353
Stddev	.00063	.00274	.00024	.00114	.00039	.00018	.00019	.00015
%RSD	6.0087	.46911	2.4058	9.9622	3.7496	1.6746	1.9430	1.1421
#1	.01120	.58126	.00999	.01044	.01045	.01099	.01000	.01363
#2	.01017	.58672	.00985	.01118	.00994	.01084	.00962	.01335
#3	.01006	.58366	.01032	.01267	.01070	.01121	.00979	.01361
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Fail
Value								.01000
Range								20.000%

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5634.6	43363.	94938.
Stddev	9.2	301.	144.
%RSD	.16239	.69411	.15139
#1	5628.9	43295.	94813.
#2	5645.2	43101.	95095.
#3	5629.8	43692.	94906.

Sample Name: ICSA1 Acquired: 06/20/2024 13:53:09 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008018 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	427.13	.00341	.00052	.00038	-.00002	-.00519	-.00088	491.83	.00173	-.00021	.00004
Stddev	4.74	.00011	.00243	.00032	.00004	.00219	.00012	7.25	.00019	.00017	.00005
%RSD	1.1097	3.2077	467.36	83.459	256.16	42.146	13.239	1.4735	10.961	79.279	130.89
#1	421.92	.00329	.00208	.00005	.00002	-.00567	-.00095	500.16	.00189	-.00040	.00010
#2	431.19	.00344	-.00228	.00068	-.00001	-.00709	-.00075	486.97	.00178	-.00012	.00001
#3	428.26	.00350	.00176	.00041	-.00007	-.00280	-.00095	488.37	.00152	-.00011	.00001
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	191.00	-.00398	.00000	187.56	-.00177	.00077	-.00044	.06875	.00157	-.00063	.14504
Stddev	.38	.00027	.0061	.50	.00039	.00031	.00013	.03548	.00113	.00072	.01123
%RSD	.19863	6.8899	2735800.	.26846	21.848	39.909	29.594	51.608	72.102	115.03	7.7441
#1	191.38	-.00368	-.00632	188.12	-.00192	.00097	-.00047	.02781	.00172	.00008	.13830
#2	190.62	-.00421	.00583	187.14	-.00133	.00041	-.00030	.09060	.00262	-.00061	.15801
#3	190.99	-.00405	.00049	187.42	-.00206	.00091	-.00056	.08783	.00037	-.00136	.13881
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Sample Name: ICSA1 Acquired: 06/20/2024 13:53:09 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008018 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00056	.00017	.00033	.00000	-.00001	.00300
Stddev	.00005	.00265	.00144	.00093	.00037	.00027
%RSD	9.4360	1556.2	442.25	1287e15	5723.8	8.8349
#1	-.00059	-.00062	.00036	.00075	-.00023	.00284
#2	-.00059	-.00199	-.00113	.00029	-.00021	.00286
#3	-.00050	.00312	.00175	-.00104	.00042	.00331
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit						
Low Limit						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	4395.5	42207.	81423.
Stddev	11.1	462.	96.
%RSD	.25241	1.0940	.11741
#1	4397.4	41676.	81315.
#2	4383.5	42515.	81458.
#3	4405.5	42430.	81496.

Sample Name: ICSAB1 Acquired: 06/20/2024 13:58:10 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008019 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	393.82	.98030	.99520	.46414	.45548	.97195	.90537	452.47	.45155	.45867	.46089
Stddev	4.30	.00284	.00450	.00114	.00133	.00072	.00145	9.05	.00070	.00038	.00088
%RSD	1.0920	.29014	.45174	.24542	.29190	.07372	.15994	2.0000	.15544	.08176	.19126
#1	398.79	.98338	.99613	.46321	.45404	.97150	.90700	442.95	.45092	.45855	.46057
#2	391.38	.97976	.99916	.46382	.45665	.97158	.90489	453.48	.45143	.45837	.46189
#3	391.30	.97777	.99031	.46541	.45677	.97278	.90423	460.96	.45230	.45909	.46022
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	170.99	.89361	.94251	170.38	.45355	.99245	.96364	74.837	.93145	.98569	74.826
Stddev	.21	.00360	.00847	.55	.00175	.00177	.00086	.162	.00762	.00089	.147
%RSD	.12072	.40337	.89881	.32398	.38646	.17857	.08877	.21606	.81801	.09034	.19584
#1	170.76	.89735	.93516	169.82	.45188	.99414	.96462	74.818	.93991	.98467	74.709
#2	171.03	.89330	.94060	170.39	.45538	.99061	.96304	74.686	.92932	.98633	74.778
#3	171.17	.89016	.95178	170.92	.45339	.99260	.96327	75.008	.92512	.98606	74.990
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Sample Name: ICSAB1 Acquired: 06/20/2024 13:58:10 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008019 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.45968	.82674	.95942	.90409	.45211	.99515
Stddev	.00016	.00326	.00225	.00450	.00121	.00146
%RSD	.03482	.39409	.23493	.49784	.26806	.14685
#1	.45965	.82819	.95927	.89929	.45072	.99675
#2	.45985	.82903	.95724	.90476	.45280	.99482
#3	.45954	.82301	.96174	.90822	.45283	.99389
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value						
Range						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	4762.7	45630.	88099.
Stddev	12.5	451.	282.
%RSD	.26336	.98862	.31980
#1	4749.8	46149.	87785.
#2	4774.9	45407.	88329.
#3	4763.5	45333.	88182.

Sample Name: MRLF2003 Acquired: 06/20/2024 14:03:03 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008020 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.10180	.04857	.00362	.00513	.00486	.05173	.00502	.46226	.00488	.00485	.00540
Stddev	.02615	.00154	.00310	.00014	.00010	.00019	.00009	.00024	.00015	.00020	.00018
%RSD	25.683	3.1621	85.674	2.6537	1.9971	.37039	1.7533	.05117	3.0106	4.1095	3.2694
#1	.07706	.04927	.00717	.00520	.00475	.05186	.00497	.46252	.00502	.00486	.00559
#2	.09919	.04680	.00227	.00498	.00490	.05151	.00513	.46205	.00473	.00465	.00537
#3	.12916	.04962	.00142	.00523	.00492	.05182	.00498	.46221	.00491	.00505	.00524

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.10558	.00428	.00345	.52081	.00564	.00512	.00486	.61183	.00522	.00556	.58825
Stddev	.00141	.00037	.00378	.03758	.00013	.00043	.00007	.04040	.00424	.00052	.00858
%RSD	1.3400	8.6869	109.68	7.2149	2.2676	8.4994	1.4656	6.6039	81.233	9.3076	1.4580
#1	.10691	.00387	.00339	.48777	.00560	.00521	.00494	.56527	.00211	.00542	.59552
#2	.10574	.00438	.00727	.56169	.00554	.00549	.00481	.63774	.01006	.00613	.57879
#3	.10410	.00460	-.00030	.51299	.00579	.00464	.00484	.63247	.00350	.00512	.59042

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.00490	.00466	.05244	.00587	.00485	.01368
Stddev	.00005	.00034	.00067	.00039	.00025	.00003
%RSD	.93232	7.3862	1.2835	6.7256	5.2123	.23354
#1	.00486	.00433	.05169	.00625	.00460	.01372
#2	.00495	.00463	.05300	.00546	.00510	.01366
#3	.00491	.00502	.05263	.00589	.00485	.01367

Sample Name: MRLF2003 Acquired: 06/20/2024 14:03:03 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008020 Type: Anaylst: JFeng/JChun
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5617.3	42870.	94163.
Stddev	16.6	159.	272.
%RSD	.29498	.37108	.28899
#1	5630.8	42930.	94475.
#2	5598.8	42990.	94033.
#3	5622.3	42689.	93980.

Sample Name: MRLF2004 Acquired: 06/20/2024 14:08:00 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008021 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00474	-.00055	-.00098	.00025	.00500	.00082	.00521	-.08864	-.00005	.00008	.00015
Stddev	.01594	.00241	.00177	.00007	.00006	.00039	.00012	.00235	.00010	.00003	.00024
%RSD	336.51	437.59	180.20	30.492	1.1588	47.571	2.3975	2.6551	196.78	36.330	162.32
#1	-.01559	-.00177	-.00031	.00026	.00503	.00115	.00517	-.08960	-.00009	.00005	.00030
#2	.01356	.00222	-.00299	.00031	.00503	.00091	.00511	-.08595	.00006	.00011	.00029
#3	-.01218	-.00211	.00035	.00017	.00493	.00039	.00535	-.09035	-.00012	.00008	-.00013

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.00635	.00014	.00184	-.00990	.00094	.00025	-.00027	.18451	.00059	.00005	.04583
Stddev	.00744	.00053	.00155	.02699	.00024	.00019	.00026	.04277	.00235	.00022	.01993
%RSD	117.03	380.40	84.437	272.55	25.126	77.759	93.532	23.178	396.04	418.53	43.482
#1	.01245	-.00047	.00075	-.03108	.00098	.00003	-.00004	.16068	.00110	.00025	.02289
#2	-.00193	.00039	.00362	.02048	.00068	.00038	-.00023	.15895	-.00197	.00009	.05887
#3	.00855	.00050	.00115	-.01911	.00115	.00033	-.00055	.23388	.00265	-.00019	.05572

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00009	-.00043	.00068	.00045	.00491	.10437
Stddev	.00018	.00091	.00116	.00027	.00027	.00035
%RSD	204.35	213.54	171.17	60.916	5.5312	.33540
#1	.00011	-.00144	-.00036	.00036	.00521	.10449
#2	-.00015	-.00017	.00046	.00075	.00482	.10398
#3	-.00023	.00033	.00194	.00023	.00470	.10464

Sample Name: MRLF2004 Acquired: 06/20/2024 14:08:00 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008021 Type: Anaylst: JFeng/JChun
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5894.1	43794.	98259.
Stddev	18.7	324.	185.
%RSD	.31647	.73907	.18865
#1	5875.2	43453.	98458.
#2	5912.5	43832.	98226.
#3	5894.7	44097.	98092.

Sample Name: CCV1 Acquired: 06/20/2024 14:12:57 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008022 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	96.586	1.5164	.97146	1.9127	1.4122	2.3633	1.9281	74.567	2.3775	.91740	2.3211
Stddev	1.099	.0084	.00631	.0070	.0021	.0013	.0102	.240	.0010	.00081	.0030
%RSD	1.1376	.55376	.64959	.36678	.15078	.05671	.52723	.32165	.04375	.08883	.13074
#1	96.597	1.5163	.97016	1.9192	1.4124	2.3645	1.9326	74.377	2.3779	.91677	2.3238
#2	95.482	1.5249	.97831	1.9136	1.4143	2.3618	1.9353	74.837	2.3784	.91832	2.3178
#3	97.679	1.5081	.96589	1.9053	1.4100	2.3636	1.9165	74.488	2.3764	.91710	2.3218
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	22.853	2.2616	.52137	56.780	2.3043	2.4132	2.4388	62.523	.98846	.47623	61.615
Stddev	.040	.0008	.00181	.336	.0038	.0043	.0028	.270	.01013	.00078	.161
%RSD	.17303	.03694	.34765	.59111	.16596	.17691	.11339	.43115	1.0248	.16461	.26109
#1	22.893	2.2606	.52283	56.654	2.3017	2.4086	2.4380	62.388	.99255	.47670	61.553
#2	22.814	2.2617	.51935	57.161	2.3087	2.4171	2.4419	62.833	.99591	.47533	61.797
#3	22.852	2.2623	.52194	56.526	2.3025	2.4138	2.4365	62.348	.97693	.47667	61.494
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Sample Name: CCV1 Acquired: 06/20/2024 14:12:57 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008022 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46580	2.2723	.48893	.47731	1.3926	2.5018
Stddev	.00098	.0104	.00130	.00234	.0017	.0011
%RSD	.20943	.45663	.26664	.48998	.12452	.04367
#1	.46470	2.2796	.48754	.47813	1.3938	2.5022
#2	.46656	2.2769	.48913	.47912	1.3906	2.5026
#3	.46613	2.2604	.49012	.47467	1.3933	2.5006
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value						
Range						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5150.9	43599.	90036.
Stddev	7.2	621.	391.
%RSD	.14018	1.4238	.43476
#1	5144.3	43579.	89715.
#2	5158.6	42988.	89921.
#3	5149.8	44229.	90472.

Sample Name: CCB1 Acquired: 06/20/2024 14:17:43 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008023 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.01435	-.00075	-.00169	-.00019	-.00028	.00515	-.00010	-.17550	-.00030	.00007	-.00031
Stddev	.02012	.00238	.00116	.00009	.00013	.00037	.00010	.00320	.00032	.00007	.00060
%RSD	140.16	316.12	68.757	49.858	45.321	7.2666	98.531	1.8248	106.56	95.474	196.75
#1	-.00056	-.00129	-.00100	-.00008	-.00037	.00549	-.00017	-.17756	-.00010	.00000	-.00100
#2	-.03744	.00185	-.00303	-.00022	-.00013	.00522	-.00014	-.17181	-.00014	.00008	.00009
#3	-.00507	-.00282	-.00104	-.00026	-.00033	.00475	.00001	-.17713	-.00068	.00014	-.00001
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00273	-.00058	.00013	.01803	-.00018	.00016	-.00056	.03780	.00004	.00014	.00737
Stddev	.00224	.00070	.00391	.02718	.00021	.00029	.00015	.04816	.00147	.00016	.02522
%RSD	82.089	121.56	2946.8	150.79	118.03	183.64	26.950	127.42	3444.5	114.63	342.42
#1	-.00442	-.00089	.00417	.03951	-.00030	.00043	-.00063	.02690	-.00012	.00015	.02606
#2	-.00358	-.00108	-.00364	.02710	.00007	-.00014	-.00039	-.00398	-.00133	-.00002	-.02132
#3	-.00019	.00023	-.00013	-.01253	-.00031	.00019	-.00066	.09047	.00158	.00030	.01736
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Sample Name: CCB1 Acquired: 06/20/2024 14:17:43 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008023 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00027	.00079	-.00049	.00075	-.00030	-.00309
Stddev	.00008	.00051	.00102	.00092	.00024	.00011
%RSD	28.200	64.673	209.24	122.69	79.152	3.6777
#1	-.00035	.00020	-.00161	-.00030	-.00009	-.00322
#2	-.00027	.00111	.00039	.00141	-.00025	-.00300
#3	-.00019	.00105	-.00025	.00115	-.00056	-.00305
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit						
Low Limit						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5933.3	44700.	99287.
Stddev	13.1	323.	797.
%RSD	.22155	.72207	.80256
#1	5944.8	44638.	99131.
#2	5918.9	44412.	98579.
#3	5936.1	45049.	100150.

Sample Name: CCV4 Acquired: 06/20/2024 18:40:55 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008053 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	95.549	1.5048	.96136	1.8938	1.4173	2.3423	1.9267	75.253	2.3239	.91637
Stddev	.187	.0045	.00609	.0010	.0017	.0053	.0014	.103	.0032	.00109
%RSD	.19554	.29934	.63346	.05464	.11839	.22776	.07084	.13657	.13710	.11887
#1	95.542	1.5075	.95451	1.8945	1.4187	2.3370	1.9281	75.144	2.3208	.91621
#2	95.739	1.5073	.96618	1.8942	1.4178	2.3476	1.9264	75.347	2.3272	.91753
#3	95.366	1.4996	.96337	1.8926	1.4155	2.3422	1.9254	75.270	2.3239	.91536
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value										
Range										

Elem	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	2.2967	F 22.488	2.2622	.49728	54.992	2.3260	2.4095	2.4290	60.148	.97890
Stddev	.0030	.048	.0017	.00448	.191	.0021	.0006	.0009	.190	.00429
%RSD	.12995	.21289	.07493	.90178	.34819	.09185	.02517	.03676	.31582	.43813
#1	2.2945	22.482	2.2617	.50213	54.916	2.3237	2.4098	2.4288	59.933	.98359
#2	2.3001	22.538	2.2608	.49641	55.210	2.3279	2.4088	2.4282	60.294	.97518
#3	2.2954	22.443	2.2641	.49329	54.850	2.3264	2.4100	2.4299	60.216	.97792
Check ?	Chk Pass	Chk Fail	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value		25.000								
Range		-10.000%								

Sample Name: CCV4 Acquired: 06/20/2024 18:40:55 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008053 Type: Anaylst: JFeng/JChun
Comment:

Elem	Ag	Na	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46765	60.995	.46480	2.2773	.49194	.46510	1.3806	2.5076
Stddev	.00117	.021	.00100	.0035	.00023	.00137	.0029	.0008
%RSD	.24923	.03485	.21449	.15498	.04726	.29386	.21122	.03054
#1	.46689	60.999	.46366	2.2769	.49176	.46638	1.3784	2.5068
#2	.46899	60.972	.46551	2.2810	.49220	.46366	1.3839	2.5077
#3	.46707	61.014	.46523	2.2740	.49186	.46528	1.3794	2.5083
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value								
Range								

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5131.3	42700.	90023.
Stddev	10.5	181.	178.
%RSD	.20549	.42274	.19789
#1	5143.3	42824.	90173.
#2	5123.4	42784.	89826.
#3	5127.2	42493.	90070.

Sample Name: CCB4 Acquired: 06/20/2024 18:45:43 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008054 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.02453	-.00001	-.00018	-.00018	-.00026	.00398	-.00004	-.16567	-.00010	.00009	-.00010
Stddev	.00460	.00075	.00152	.00036	.00018	.00018	.00005	.00409	.00017	.00010	.00038
%RSD	18.757	8868.0	830.05	192.98	69.026	4.5659	129.50	2.4677	168.92	111.25	371.70
#1	-.02726	-.00070	-.00119	.00020	-.00011	.00377	-.00010	-.16249	-.00007	.00015	-.00053
#2	-.02711	.00079	-.00092	-.00024	-.00045	.00410	-.00001	-.16423	.00005	-.00003	.00020
#3	-.01922	-.00011	.00157	-.00051	-.00021	.00408	-.00001	-.17028	-.00028	.00015	.00003
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00402	-.00011	-.00015	-.01373	-.00029	.00005	-.00053	.03860	.00054	-.00036	.03563
Stddev	.00147	.00021	.00228	.01554	.00023	.00017	.00024	.01931	.00370	.00061	.03187
%RSD	36.677	180.46	1554.9	113.17	79.537	319.30	44.753	50.039	687.80	171.92	89.444
#1	-.00551	-.00032	.00133	-.02044	-.00043	-.00006	-.00071	.05946	-.00030	.00030	-.00082
#2	-.00257	-.00012	-.00277	-.02479	-.00002	-.00003	-.00061	.03498	-.00267	-.00091	.04949
#3	-.00398	.00010	.00100	.00404	-.00043	.00026	-.00026	.02135	.00458	-.00045	.05821
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Sample Name: CCB4 Acquired: 06/20/2024 18:45:43 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008054 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00045	.00049	.00003	.00018	-.00009	-.00244
Stddev	.00007	.00076	.00090	.00141	.00026	.00007
%RSD	15.168	155.86	3189.2	781.22	281.06	2.6659
#1	-.00038	.00105	.00072	-.00057	.00015	-.00245
#2	-.00045	.00078	-.00099	-.00069	-.00005	-.00250
#3	-.00052	-.00037	.00035	.00180	-.00038	-.00237
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit						
Low Limit						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5979.1	44303.	100620.
Stddev	2.3	785.	85.
%RSD	.03894	1.7718	.08465
#1	5981.7	43415.	100720.
#2	5978.5	44905.	100600.
#3	5977.1	44588.	100550.

Sample Name: IPF009WB Acquired: 06/20/2024 19:15:02 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008060 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00190	-.00112	-.00066	-.00023	-.00020	.00197	-.00002	-.15848	-.00035	-.00010	.00029
Stddev	.01499	.00130	.00175	.00011	.00009	.00033	.00008	.00569	.00029	.00028	.00017
%RSD	787.33	115.44	266.61	45.939	45.394	16.846	545.29	3.5931	83.497	296.87	57.363
#1	.00224	-.00250	.00019	-.00028	-.00010	.00236	-.00010	-.15619	-.00019	-.00042	.00011
#2	-.01853	-.00094	.00051	-.00011	-.00027	.00178	.00000	-.15429	-.00069	.00003	.00043
#3	.01058	.00007	-.00266	-.00031	-.00023	.00179	.00006	-.16496	-.00017	.00011	.00033
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00009	.00018	-.00288	-.00002	.00011	.00010	-.00019	.02554	.00191	-.00042	.01420
Stddev	.00321	.00073	.00200	.00286	.00018	.00007	.00032	.04118	.00149	.00022	.00808
%RSD	3657.0	414.83	69.459	13362.	156.15	74.530	171.80	161.24	77.895	51.413	56.886
#1	.00023	.00030	-.00501	-.00019	.00015	.00003	.00016	.04794	.00351	-.00050	.00584
#2	-.00344	.00084	-.00103	.00292	-.00008	.00017	-.00048	.05065	.00056	-.00018	.01480
#3	.00295	-.00061	-.00262	-.00280	.00027	.00010	-.00024	-.02198	.00166	-.00059	.02196
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Sample Name: IPF009WB Acquired: 06/20/2024 19:15:02 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008060 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00016	-.00146	.00022	.00099	-.00035	-.00226
Stddev	.00019	.00052	.00027	.00180	.00023	.00017
%RSD	118.92	35.520	120.87	181.42	65.736	7.7061
#1	-.00026	-.00101	.00032	.00297	-.00025	-.00211
#2	-.00027	-.00203	.00042	.00059	-.00019	-.00245
#3	.00006	-.00135	-.00008	-.00057	-.00062	-.00221
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit						
Low Limit						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5908.6	44086.	99872.
Stddev	11.6	202.	241.
%RSD	.19590	.45869	.24169
#1	5896.0	44141.	99636.
#2	5910.9	44254.	100120.
#3	5918.8	43861.	99862.

Sample Name: IPF009WL Acquired: 06/20/2024 19:20:01 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008061 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	F 6.4486	2.3162	.49155	.47324	.48326	.46657	.49359	50.031	.47501	.46589
Stddev	.0373	.0065	.00364	.00086	.00054	.00078	.00063	.081	.00042	.00004
%RSD	.57779	.27935	.74027	.18104	.11214	.16673	.12708	.16273	.08830	.00799
#1	6.4163	2.3098	.49051	.47245	.48269	.46568	.49306	49.975	.47489	.46585
#2	6.4401	2.3228	.49559	.47415	.48377	.46687	.49428	50.125	.47467	.46590
#3	6.4893	2.3161	.48854	.47311	.48332	.46715	.49341	49.994	.47548	.46592
Check ?	Chk Fail	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value	5.0000									
Range	14.500%									

Elem	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46740	4.7074	.45914	F .01649	46.968	.49040	.48727	.49736	50.327	.49450
Stddev	.00051	.0085	.00048	.00435	.152	.00069	.00036	.00120	.119	.00713
%RSD	.10844	.17975	.10517	26.388	.32465	.14164	.07485	.24103	.23553	1.4412
#1	.46796	4.7058	.45957	.01330	46.901	.49021	.48758	.49620	50.250	.48970
#2	.46698	4.6999	.45924	.01471	47.143	.48981	.48735	.49728	50.463	.50269
#3	.46725	4.7166	.45862	.02144	46.861	.49116	.48687	.49859	50.267	.49112
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Fail	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value				.50000						
Range				-15.200%						

Sample Name: IPF009WL Acquired: 06/20/2024 19:20:01 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008061 Type: Anaylst: JFeng/JChun
Comment:

Elem	Ag	Na	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.48344	51.398	.46028	.46964	.49320	.46801	.48117	.50512
Stddev	.00084	.066	.00104	.00139	.00065	.00036	.00072	.00046
%RSD	.17306	.12743	.22640	.29643	.13126	.07672	.14998	.09136
#1	.48439	51.363	.45950	.46820	.49325	.46766	.48170	.50548
#2	.48282	51.474	.46146	.46973	.49254	.46798	.48146	.50528
#3	.48310	51.359	.45987	.47098	.49383	.46838	.48035	.50460
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value								
Range								

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5324.5	42901.	92614.
Stddev	22.1	216.	300.
%RSD	.41499	.50412	.32432
#1	5302.0	42653.	92407.
#2	5325.3	42995.	92477.
#3	5346.2	43054.	92959.

Sample Name: IPF009WC Acquired: 06/20/2024 19:24:50 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008062 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	F 6.4336	2.3405	.49160	.47483	.48349	.47045	.49428	49.983	.48079	.46456
Stddev	.0735	.0053	.00190	.00160	.00060	.00097	.00073	.088	.00090	.00070
%RSD	1.1428	.22761	.38653	.33775	.12342	.20572	.14869	.17602	.18760	.15074
#1	6.3524	2.3355	.49131	.47653	.48330	.47156	.49345	49.907	.48159	.46533
#2	6.4956	2.3461	.49363	.47334	.48415	.47002	.49455	50.080	.48096	.46442
#3	6.4527	2.3399	.48986	.47464	.48301	.46977	.49484	49.963	.47981	.46395
Check ?	Chk Fail	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value	5.0000									
Range	14.500%									

Elem	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46802	4.7104	.45770	F .01481	48.205	.49008	.48838	.49612	51.930	.49346
Stddev	.00096	.0136	.00031	.00200	.122	.00139	.00067	.00025	.172	.00301
%RSD	.20421	.28967	.06765	13.470	.25401	.28304	.13733	.05137	.33168	.61090
#1	.46902	4.7148	.45739	.01401	48.071	.48984	.48882	.49620	51.903	.49694
#2	.46793	4.7212	.45772	.01334	48.311	.49157	.48871	.49584	51.772	.49161
#3	.46711	4.6951	.45801	.01708	48.232	.48883	.48761	.49633	52.114	.49183
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Fail	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value				.50000						
Range				-15.200%						

Sample Name: IPF009WC Acquired: 06/20/2024 19:24:50 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008062 Type: Anaylst: JFeng/JChun
Comment:

Elem	Ag	Na	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.48521	51.859	.46166	.46962	.49338	.47749	.48167	.50414
Stddev	.00149	.064	.00100	.00039	.00101	.00022	.00048	.00090
%RSD	.30741	.12326	.21702	.08295	.20507	.04584	.09929	.17950
#1	.48603	51.801	.46085	.46991	.49265	.47753	.48210	.50516
#2	.48610	51.849	.46278	.46977	.49297	.47726	.48177	.50341
#3	.48348	51.927	.46136	.46917	.49454	.47769	.48116	.50386
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value								
Range								

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5342.7	43088.	92401.
Stddev	6.9	286.	160.
%RSD	.12831	.66476	.17309
#1	5341.3	42759.	92526.
#2	5336.7	43287.	92221.
#3	5350.2	43216.	92457.

Sample Name: CCV5 Acquired: 06/20/2024 19:29:41 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008063 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	94.342	1.5084	.97083	1.9159	1.4270	2.3601	1.9381	75.359	2.3769	.91559	2.3148
Stddev	.654	.0091	.00037	.0031	.0015	.0051	.0063	.112	.0052	.00123	.0046
%RSD	.69280	.60562	.03805	.16021	.10693	.21626	.32249	.14916	.21813	.13443	.19803
#1	93.590	1.5024	.97105	1.9172	1.4271	2.3570	1.9325	75.248	2.3711	.91688	2.3116
#2	94.662	1.5189	.97041	1.9181	1.4285	2.3660	1.9449	75.357	2.3809	.91443	2.3201
#3	94.774	1.5039	.97104	1.9124	1.4255	2.3574	1.9370	75.472	2.3787	.91547	2.3129
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	22.968	2.2631	.53104	57.468	2.3575	2.4082	2.4354	63.347	.98419	.47874	62.217
Stddev	.100	.0027	.00463	.150	.0019	.0010	.0011	.135	.00261	.00244	.037
%RSD	.43358	.12073	.87207	.26164	.08025	.03996	.04493	.21253	.26532	.51048	.06022
#1	22.887	2.2646	.52776	57.302	2.3590	2.4086	2.4361	63.192	.98716	.47646	62.217
#2	23.079	2.2648	.53634	57.596	2.3582	2.4089	2.4359	63.422	.98226	.48132	62.179
#3	22.937	2.2599	.52903	57.505	2.3554	2.4071	2.4341	63.428	.98315	.47846	62.254
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Sample Name: CCV5 Acquired: 06/20/2024 19:29:41 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008063 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46326	2.2788	.48878	.47997	1.3989	2.5123
Stddev	.00024	.0056	.00247	.00178	.0041	.0016
%RSD	.05136	.24580	.50584	.37143	.29272	.06421
#1	.46353	2.2727	.48770	.47798	1.3955	2.5139
#2	.46316	2.2838	.49161	.48142	1.4034	2.5125
#3	.46309	2.2797	.48703	.48051	1.3977	2.5107
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value						
Range						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5170.0	42192.	90044.
Stddev	9.4	274.	326.
%RSD	.18094	.65046	.36183
#1	5173.7	41901.	90420.
#2	5176.9	42446.	89847.
#3	5159.4	42228.	89866.

Sample Name: CCB5 Acquired: 06/20/2024 19:34:29 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008064 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.01614	-.00082	.00072	.00003	-.00017	.00536	-.00001	-.16448	-.00045	-.00001	-.00024
Stddev	.02691	.00200	.00179	.00049	.00015	.00023	.00010	.00225	.00016	.00029	.00033
%RSD	166.77	243.56	249.14	1406.3	85.269	4.2674	1143.1	1.3696	35.538	3574.0	136.79
#1	-.00943	-.00190	.00087	-.00016	-.00020	.00551	.00007	-.16344	-.00028	-.00009	-.00028
#2	.04422	.00149	.00243	.00059	-.00001	.00548	.00003	-.16294	-.00045	-.00025	.00011
#3	.01362	-.00205	-.00114	-.00033	-.00031	.00510	-.00012	-.16707	-.00060	.00032	-.00056
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00608	.00030	-.00105	-.00056	-.00038	.00023	-.00040	.02440	.00181	.00032	.02494
Stddev	.00362	.00041	.00253	.02831	.00013	.00034	.00014	.04262	.00255	.00044	.00243
%RSD	59.558	135.41	240.10	5048.4	35.696	152.46	34.555	174.70	140.81	139.09	9.7278
#1	-.00954	.00008	-.00106	.02878	-.00022	.00034	-.00056	-.02335	.00393	-.00018	.02220
#2	-.00231	.00005	-.00359	-.02771	-.00044	.00050	-.00032	.03793	-.00102	.00048	.02682
#3	-.00638	.00077	.00148	-.00275	-.00046	-.00016	-.00032	.05860	.00251	.00065	.02578
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Sample Name: CCB5 Acquired: 06/20/2024 19:34:29 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008064 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Ti	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00026	.00166	.00018	.00057	.00006	-.00217
Stddev	.00019	.00079	.00080	.00020	.00037	.00003
%RSD	72.471	47.497	439.36	34.492	576.55	1.4853
#1	-.00009	.00193	-.00031	.00045	.00047	-.00220
#2	-.00046	.00228	-.00025	.00079	-.00027	-.00215
#3	-.00023	.00077	.00111	.00046	-.00001	-.00215
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit						
Low Limit						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	6003.4	43340.	99539.
Stddev	4.6	278.	527.
%RSD	.07656	.64099	.52912
#1	5998.1	43449.	99657.
#2	6006.0	43024.	98963.
#3	6006.1	43547.	99996.

Sample Name: F034-01A Acquired: 06/20/2024 19:39:30 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008065 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	7.2189	2.7044	.56251	.56362	.53333	1.7928	.54121	85.212	.52309	.51335	.53034
Stddev	.0666	.0041	.00512	.00262	.00092	.0007	.00083	.194	.00041	.00034	.00021
%RSD	.92252	.15001	.91017	.46442	.17244	.03880	.15384	.22778	.07932	.06712	.04026
#1	7.1420	2.7057	.56047	.56640	.53336	1.7926	.54142	85.046	.52306	.51332	.53014
#2	7.2590	2.7076	.56834	.56119	.53239	1.7922	.54193	85.164	.52269	.51302	.53057
#3	7.2556	2.6998	.55873	.56328	.53423	1.7936	.54030	85.425	.52352	.51371	.53031

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	5.7329	.49415	.06073	64.642	.59733	.56045	.54603	77.976	.53338	.54006	118.00
Stddev	.0123	.00176	.00199	.218	.00146	.00092	.00054	.094	.00343	.00138	.11
%RSD	.21472	.35542	3.2806	.33747	.24392	.16416	.09914	.12029	.64281	.25496	.08943
#1	5.7202	.49431	.06174	64.606	.59566	.56102	.54578	77.882	.53420	.53949	117.92
#2	5.7448	.49232	.05844	64.444	.59801	.55939	.54566	77.975	.53632	.54163	117.96
#3	5.7337	.49582	.06203	64.876	.59832	.56094	.54665	78.070	.52961	.53906	118.12

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.73492	.49969	.53351	.54012	.53697	.56908
Stddev	.00006	.00248	.00020	.00312	.00078	.00059
%RSD	.00779	.49535	.03767	.57707	.14600	.10312
#1	.73487	.50162	.53328	.54174	.53787	.56952
#2	.73498	.50054	.53366	.53652	.53649	.56841
#3	.73492	.49690	.53359	.54209	.53654	.56930

Sample Name: F034-01A Acquired: 06/20/2024 19:39:30 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008065 Type: Anaylst: JFeng/JChun
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5200.4	42477.	89662.
Stddev	6.0	303.	184.
%RSD	.11519	.71406	.20489
#1	5195.6	42130.	89567.
#2	5207.1	42614.	89546.
#3	5198.6	42688.	89874.

Sample Name: F034-01 Acquired: 06/20/2024 19:44:17 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008066 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.16409	.00033	.01179	.04060	-.00007	1.2669	.00006	29.863	.00114	.00026	.01128
Stddev	.01272	.00135	.00049	.00012	.00015	.0009	.00014	.008	.00009	.00013	.00019
%RSD	7.7534	407.51	4.1398	.30125	205.93	.07043	239.56	.02597	8.0105	49.669	1.6649
#1	.16900	.00140	.01228	.04056	-.00013	1.2659	-.00003	29.860	.00112	.00026	.01148
#2	.17362	.00079	.01131	.04050	.00010	1.2677	.00021	29.858	.00124	.00039	.01125
#3	.14964	-.00119	.01180	.04074	-.00018	1.2669	-.00001	29.872	.00106	.00013	.01111

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.57307	.00077	.03798	10.704	.06770	.02777	.00243	18.483	.00264	.00035	60.236
Stddev	.00901	.00045	.00459	.091	.00037	.00008	.00028	.043	.00236	.00031	.063
%RSD	1.5720	58.138	12.081	.84654	.54301	.30020	11.503	.23077	89.385	88.420	.10375
#1	.56470	.00035	.03649	10.601	.06784	.02767	.00275	18.523	.00004	.00051	60.287
#2	.57192	.00124	.04313	10.742	.06728	.02783	.00225	18.489	.00324	.00055	60.255
#3	.58260	.00071	.03432	10.770	.06797	.02780	.00228	18.438	.00465	-.00001	60.166

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.23936	.00082	.00090	.01110	.01748	.00405
Stddev	.00015	.00184	.00097	.00051	.00015	.00012
%RSD	.06419	225.13	107.30	4.5987	.88615	3.0149
#1	.23952	-.00128	-.00018	.01053	.01744	.00402
#2	.23922	.00155	.00121	.01151	.01735	.00419
#3	.23933	.00219	.00168	.01126	.01765	.00395

Sample Name: F034-01 Acquired: 06/20/2024 19:44:17 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008066 Type: Anaylst: JFeng/JChun
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5633.0	43793.	95032.
Stddev	8.3	128.	124.
%RSD	.14706	.29200	.13013
#1	5625.3	43653.	95128.
#2	5641.7	43821.	95076.
#3	5631.9	43904.	94892.

Sample Name: F034-01J Acquired: 06/20/2024 19:49:15 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008067 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.03173	.00070	.00047	.00907	-.00028	.26368	-.00003	6.4758	-.00003	.00003	.00245
Stddev	.01012	.00233	.00448	.00023	.00014	.00382	.00003	.1022	.00007	.00018	.00030
%RSD	31.876	331.78	957.47	2.4982	49.942	1.4500	87.860	1.5784	291.35	682.03	12.380
#1	.04326	.00139	.00564	.00882	-.00013	.26715	.00000	6.5638	-.00011	-.00017	.00273
#2	.02434	.00261	-.00219	.00914	-.00030	.26433	-.00004	6.4999	-.00001	.00017	.00249
#3	.02760	-.00189	-.00205	.00925	-.00042	.25958	-.00005	6.3637	.00004	.00008	.00213

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.11476	.00124	.00809	2.4047	.01513	.00541	-.00039	4.2084	.00124	.00033	13.712
Stddev	.00724	.00054	.00190	.0085	.00042	.00021	.00007	.0208	.00133	.00056	.187
%RSD	6.3118	43.468	23.469	.35208	2.7896	3.9232	17.295	.49381	107.59	171.07	1.3655
#1	.10715	.00115	.00913	2.4142	.01542	.00562	-.00038	4.2311	.00133	-.00031	13.872
#2	.11558	.00076	.00926	2.4017	.01532	.00519	-.00032	4.1904	-.00014	.00074	13.758
#3	.12156	.00182	.00590	2.3981	.01465	.00541	-.00045	4.2038	.00252	.00056	13.506

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.05320	.00045	.00002	.00212	.00352	-.00167
Stddev	.00068	.00106	.00076	.00054	.00018	.00024
%RSD	1.2749	237.26	3501.1	25.307	5.1216	14.127
#1	.05355	.00024	.00033	.00202	.00353	-.00150
#2	.05363	.00159	-.00084	.00269	.00333	-.00194
#3	.05242	-.00049	.00058	.00163	.00369	-.00156

Sample Name: F034-01J Acquired: 06/20/2024 19:49:15 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008067 Type: Anaylst: JFeng/JChun
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5992.7	43068.	97283.
Stddev	53.6	321.	309.
%RSD	.89433	.74546	.31715
#1	5935.8	42943.	97293.
#2	5999.9	42828.	96970.
#3	6042.3	43432.	97586.

Sample Name: F034-01M Acquired: 06/20/2024 19:54:12 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008068 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	6.5845	2.3634	.51169	.51915	.48222	1.7449	.48852	77.805	.48027	.45832	.47844
Stddev	.0303	.0068	.00144	.00176	.00089	.0018	.00118	.173	.00078	.00075	.00080
%RSD	.45967	.28654	.28151	.33889	.18512	.10283	.24170	.22292	.16267	.16274	.16808
#1	6.5910	2.3556	.51004	.52110	.48286	1.7469	.48718	77.608	.48036	.45747	.47926
#2	6.5515	2.3668	.51270	.51869	.48260	1.7441	.48897	77.873	.48100	.45886	.47765
#3	6.6110	2.3677	.51233	.51767	.48120	1.7436	.48941	77.934	.47945	.45864	.47842

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	5.3372	.44640	.05641	58.784	.54739	.51306	.48916	71.073	.49409	.49727	110.90
Stddev	.0070	.00141	.00197	.157	.00053	.00037	.00082	.226	.00108	.00117	.05
%RSD	.13192	.31653	3.4865	.26684	.09692	.07238	.16784	.31783	.21772	.23498	.04591
#1	5.3382	.44803	.05816	58.617	.54747	.51276	.49006	70.814	.49302	.49861	110.86
#2	5.3437	.44564	.05428	58.928	.54788	.51294	.48846	71.228	.49407	.49644	110.88
#3	5.3297	.44554	.05679	58.809	.54683	.51347	.48895	71.178	.49517	.49676	110.96

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.68782	.45455	.48456	.48898	.50054	.49998
Stddev	.00057	.00117	.00055	.00179	.00064	.00035
%RSD	.08273	.25789	.11403	.36524	.12728	.07069
#1	.68785	.45323	.48462	.48809	.50112	.50033
#2	.68723	.45500	.48508	.49104	.50065	.49998
#3	.68837	.45544	.48398	.48781	.49986	.49963

Sample Name: F034-01M Acquired: 06/20/2024 19:54:12 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008068 Type: Anaylst: JFeng/JChun
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5344.0	44067.	92031.
Stddev	8.7	277.	73.
%RSD	.16287	.62959	.07932
#1	5334.0	44382.	92058.
#2	5348.6	43962.	92087.
#3	5349.5	43858.	91949.

Sample Name: F034-01S Acquired: 06/20/2024 19:59:01 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008069 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	6.5833	2.3835	.51556	.52217	.48426	1.7622	.48991	78.413	.48241	.46027	.48011
Stddev	.0542	.0132	.00091	.00174	.00113	.0012	.00143	.064	.00031	.00078	.00058
%RSD	.82386	.55239	.17693	.33269	.23309	.06766	.29095	.08129	.06343	.17051	.12095
#1	6.5861	2.3714	.51451	.52396	.48530	1.7629	.48866	78.353	.48230	.46116	.48063
#2	6.5277	2.3816	.51618	.52049	.48306	1.7628	.48960	78.480	.48275	.45967	.48023
#3	6.6361	2.3976	.51599	.52206	.48443	1.7608	.49146	78.406	.48217	.45999	.47948

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	5.3584	.44711	.05887	59.528	.54915	.51777	.49036	71.929	.49909	.50016	111.93
Stddev	.0191	.00082	.00390	.132	.00032	.00081	.00107	.196	.00242	.00133	.07
%RSD	.35543	.18233	6.6286	.22179	.05763	.15601	.21899	.27216	.48421	.26597	.06028
#1	5.3791	.44782	.05778	59.377	.54933	.51838	.49139	71.706	.49792	.50137	111.85
#2	5.3542	.44727	.06320	59.586	.54933	.51685	.48925	72.006	.49748	.49874	111.98
#3	5.3417	.44622	.05563	59.621	.54879	.51808	.49046	72.074	.50187	.50037	111.96

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.69278	.45517	.48766	.49183	.50302	.50182
Stddev	.00053	.00052	.00090	.00180	.00046	.00077
%RSD	.07643	.11402	.18467	.36679	.09177	.15372
#1	.69247	.45490	.48662	.49391	.50349	.50269
#2	.69339	.45577	.48821	.49070	.50301	.50123
#3	.69248	.45485	.48815	.49088	.50257	.50153

Sample Name: F034-01S Acquired: 06/20/2024 19:59:01 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008069 Type: Anaylst: JFeng/JChun
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5296.5	43399.	91220.
Stddev	18.6	488.	41.
%RSD	.35133	1.1245	.04458
#1	5276.1	43352.	91178.
#2	5301.2	42936.	91259.
#3	5312.4	43909.	91224.

Sample Name: CCV6 Acquired: 06/20/2024 20:03:50 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008070 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	93.212	1.5230	.98741	1.9530	1.4445	2.3883	1.9576	74.618	2.4178	.91624
Stddev	.496	.0046	.00438	.0041	.0018	.0016	.0086	.086	.0017	.00031
%RSD	.53211	.29970	.44364	.20957	.12628	.06872	.43807	.11492	.07021	.03343
#1	93.425	1.5177	.98376	1.9574	1.4437	2.3901	1.9482	74.539	2.4192	.91615
#2	93.566	1.5261	.99227	1.9494	1.4465	2.3869	1.9648	74.709	2.4159	.91658
#3	92.645	1.5251	.98619	1.9522	1.4431	2.3879	1.9600	74.606	2.4183	.91599
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value										
Range										

Elem	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	2.3468	23.540	2.2563	F .57214	59.641	2.3614	2.4230	2.4403	F 66.071	.99468
Stddev	.0011	.014	.0026	.00274	.119	.0014	.0007	.0002	.100	.00690
%RSD	.04598	.06077	.11634	.47824	.19944	.05833	.02933	.00912	.15163	.69393
#1	2.3481	23.551	2.2593	.56900	59.586	2.3626	2.4231	2.4404	66.073	.98679
#2	2.3463	23.524	2.2548	.57398	59.559	2.3599	2.4237	2.4405	65.970	.99958
#3	2.3461	23.546	2.2547	.57345	59.777	2.3617	2.4223	2.4401	66.170	.99767
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Fail	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Fail	Chk Pass
Value				.50000					60.000	
Range				10.000%					10.000%	

Sample Name: CCV6 Acquired: 06/20/2024 20:03:50 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008070 Type: Anaylst: JFeng/JChun
Comment:

Elem	Ag	Na	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.49126	63.353	.46153	2.2892	.48953	.49020	1.4185	2.5024
Stddev	.00033	.065	.00062	.0118	.00069	.00154	.0009	.0015
%RSD	.06622	.10189	.13392	.51595	.14127	.31456	.06175	.06034
#1	.49113	63.405	.46209	2.2755	.48999	.48877	1.4193	2.5019
#2	.49163	63.281	.46087	2.2966	.48987	.48999	1.4175	2.5040
#3	.49102	63.375	.46164	2.2953	.48874	.49184	1.4186	2.5011
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value								
Range								

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5164.2	41876.	88916.
Stddev	27.7	195.	136.
%RSD	.53640	.46618	.15345
#1	5132.7	41742.	88839.
#2	5175.2	42100.	88836.
#3	5184.7	41786.	89074.

Sample Name: CCB6 Acquired: 06/20/2024 20:08:39 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008071 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.01885	.00000	.00012	.00039	-.00030	.00912	.00002	-.16281	-.00033	-.00002	.00003
Stddev	.01753	.00143	.00213	.00016	.00004	.00008	.00010	.00328	.00025	.00005	.00012
%RSD	92.965	152330.	1788.2	40.753	12.835	.88658	422.41	2.0152	76.489	238.35	428.86
#1	-.01309	-.00120	-.00179	.00035	-.00033	.00918	.00014	-.16627	-.00019	-.00008	.00000
#2	-.00494	-.00037	.00242	.00025	-.00025	.00903	-.00004	-.16242	-.00018	-.00001	-.00008
#3	-.03854	.00158	-.00026	.00057	-.00031	.00915	-.00003	-.15974	-.00062	.00002	.00017
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.00003	-.00004	.00175	-.01723	-.00012	.00015	-.00028	.11517	.00166	.00022	.02027
Stddev	.00254	.00041	.00423	.01136	.00032	.00039	.00006	.02450	.00590	.00013	.00850
%RSD	7905.7	1041.6	242.38	65.941	262.80	262.56	20.364	21.274	354.89	58.143	41.926
#1	.00281	.00042	-.00257	-.01751	-.00010	.00059	-.00034	.12656	.00759	.00035	.01046
#2	-.00054	-.00037	.00588	-.02846	.00018	-.00002	-.00023	.13189	-.00421	.00010	.02528
#3	-.00218	-.00017	.00192	-.00574	-.00045	-.00013	-.00027	.08704	.00160	.00019	.02509
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Sample Name: CCB6 Acquired: 06/20/2024 20:08:39 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008071 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00038	.00177	-.00020	.00007	-.00026	-.00225
Stddev	.00013	.00137	.00051	.00046	.00044	.00011
%RSD	33.847	77.534	251.29	627.48	170.78	5.0552
#1	-.00034	.00320	-.00011	.00018	.00012	-.00212
#2	-.00052	.00047	.00026	-.00043	-.00016	-.00229
#3	-.00027	.00164	-.00076	.00047	-.00074	-.00233
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit						
Low Limit						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5906.5	42428.	97552.
Stddev	4.4	553.	175.
%RSD	.07528	1.3022	.17936
#1	5905.9	42234.	97359.
#2	5911.1	41999.	97597.
#3	5902.3	43052.	97700.

EMAX LABORATORIES, INC.

DIGESTION LOG
for
ICP METALS

Note: For samples, relevant QCs/Standards digested, refer to attached digestion sequence.

Comments:

Digestion Vessel Lot # LV2401060T-F-41092-LC

Filter Lot # N/A

Book #: EIP-163
Batch: JPF009W
Matrix: WATER
Digestor ID: E

SOP #	Rev. #
☑ EMAX-3010	8
☐ EMAX-3050	9
☐ EMAX-200.7	6
☐ EMAX-	

Start	Temp	End	Temp
	91.6 °C		93.3 °C

Standards	ID	Amount Added (mL/g)
LCS-1	SW1A-025-07-02	0.25
LCS-2	↓ -03	0.25
LCS-3	↓ -04	0.50
MS	Same Spike Std and volume as	LCS 1-3
Blank Soil (Bead)	N/A	N/A
Reagent	**Lot# / ID**	**Amount Added (mL)**
HNO_3	SW1A-012-09-01	1.50 + 1.50
HCl	↓ -03-01	2.50 + 2.50
H_2O_2	N/A	N/A
HNO_3(1:1)	↓	↓
pH Strip (0-14)	HC439875	↓

Digestate Location	METALS
Extract Location	N/A
☑ Reagent Water ID: SW1A-012-11-09	
☑ Thermometer ID: 230389472/E8	
☑ Pipette ID: D42361741	
☑ Pipette ID: D42781023	
☐ Pipette ID:	
☐ HNO_3 dispenser checked @ 5.0 mL with Class A volumetric flask	
☐ HCl dispenser checked @ 5.0 mL with Class A volumetric flask	

Prepared By: JC

Standard Added By: JC Witnessed By: MC

Extract Rcvd By: JC Checked By: JC

EMAX LABORATORIES

DIGESTION LOG FOR METALS

PrepBatchID	LabSampleID	Aliquot	Unit	DateTime	Vd(ml)	ExpAmt	ExpVd(ml)	PrepFctr	Comments
24IPF009W01	IPF009WB	50	ml	6/14/24 8:44	50	50	50	1	
24IPF009W02	IPF009WL	50	ml	6/14/24 8:44	50	50	50	1	
24IPF009W03	IPF009WC	50	ml	6/14/24 8:44	50	50	50	1	
24IPF009W04	F034-01	50	ml	6/14/24 8:44	50	50	50	1	
24IPF009W05	F034-01M	50	ml	6/14/24 8:44	50	50	50	1	
24IPF009W06	F034-01S	50	ml	6/14/24 8:44	50	50	50	1	
24IPF009W07	WTF001SB	10	ml	6/14/24 9:10	50	50	50	5	STLC
24IPF009W08	F034-02	5	ml	6/14/24 9:10	50	50	50	10	STLC YELLOW
24IPF009W09	F034-02M	5	ml	6/14/24 9:10	50	50	50	10	STLC YELLOW
24IPF009W10	F034-02S	5	ml	6/14/24 9:10	50	50	50	10	STLC YELLOW

JC 6/19/24

Vd=digestate volume PrepFctr=)ExpAmt/Aliquot)*(Vd/ExpVd)

☑ Digestion Started @ 6/14/24 9:28

☑ Digestion Ended @ 6/14/24 13:48

Prepared By: JChun

Checked By: JC

Comments:

Date 6/14/24

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
MIXED 12A	SM1A-025-09-08	MIXED	1.0	MIXED
MIXED 12B	-0909	MIXED	1.0	MIXED
Al	10-04	10,000	10	100
Ca	10-09	10000	7.5	75
Fe	10-10	10,000	2.5	25
Mo	07-10	1000	2.5	25
			TH 12/12/23	

Standard ID	SM1B-29-11-01
Name	ICV (6010)
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A012-0602
Preservative #1	HNO3
ID	SW1A-012-0506
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-0304
Volume (mL)	100
Prep. Date	12/12/23
Exp. Date	6/12/24
Prepared By	TH

Micropipette ID:

- ☐ 542740566 ☐
- ☐ C42761044 ☐
- ☑ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
MIXED 11A	SM1A-025-05-05	MIXED	10	MIXED
MIXED 11B	-0506	MIXED	10	MIXED
Al	10-04	10,000	40	400
Fe	10-10	10,000	20	200
Ca	10-09	10,000	50	500
Mg	0602	10,000	20	200
B	07-07	1000	0.5	0.5
			TH 12/12/23	

Standard ID	SM1B-29-11-02
Name	ICSAB (6010)
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A012-0602
Preservative #1	HNO3
ID	SW1A-012-0506
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-03-01
Volume (mL)	100
Prep. Date	12/12/23
Exp. Date	2/29/24
Prepared By	TH

Micropipette ID:

- ☐ 542740566 ☑ D42761999
- ☐ C42761044 ☐
- ☑ 942780530 ☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Be	SM1A-025-0401	1000	0.005	0.005
Cd	-0402	1000	0.005	0.005
V	0705	1000	0.005	0.005
Zn	0804	1000	0.1	0.1
		7H 12/12/23		

Standard ID	SM1B-29-12-01
Name	MRL4e
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A012-0602
Preservative #1	HNO3
ID	SW1A012-0506
Volume (mL)	60
Preservative #2	HCl
ID	SW1A012-0901
Volume (mL)	100
Prep. Date	12/12/23
Exp. Date	6/12/24
Prepared By	7H

Micropipette ID:

☑ 542740566	☑ GFAA-07
☐ C42761044	☐
☐ 942780530	☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)

Standard ID	SM1B 29-12-02
Name	
Final Volume (mL)	
Solvent	Reagent Water
Solvent ID	
Preservative #1	
ID	
Volume (mL)	
Preservative #2	
ID	
Volume (mL)	
Prep. Date	
Exp. Date	
Prepared By	

Micropipette ID:

☐ 542740566	☐
☐ C42761044	☐
☐ 942780530	☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Al	SM1A 025-04-08	10,000	10	100
Ca	SM1A 025-01-05	10,000	12.5	125
Fe	SM1A 025-06-05	10,000	5.0	50
Mg	SM1A 025-06-07	10,000	5.0	50
			TH 1/18/24	

Standard ID	SM1B-29-16-01
Name	ICSA (WW)
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A012-07-01
Preservative #1	HNO3
ID	SW1A012-05-06
Volume (mL)	60
Preservative #2	HCl
ID	SW1A011-23-02
Volume (mL)	100
Prep. Date	1/18/24
Exp. Date	7/18/24
Prepared By	TH

Micropipette ID:

- ☐ 542740566 ☐
- ☐ C42761044 ☐
- ☑ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Co	SM1A 025-04-01	1000	0.2	0.2
Fe	SM1A 025-06-05	10,000	0.25	2.5
Ba	SM1A 018-15-08	1000	1.0	1.0
Cu	SM1A 025-06-06	1000	1.0	1.0
V	SM1A 025-06-10	1000	1.0	1.0
			TH 2/13/24	

Standard ID	SM1B-29-16-02
Name	522
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A012-07-02
Preservative #1	HNO3
ID	SW1A012-05-06
Volume (mL)	60
Preservative #2	HCl
ID	SW1A012-03-01
Volume (mL)	100
Prep. Date	2/13/24
Exp. Date	8/13/24
Prepared By	TH

Micropipette ID:

- ☐ 542740566 ☑ 0427601999
- ☐ C42761044 ☐
- ☐ 942780530 ☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Co	SMIA025004-01	1000	2	2
Fe	SMIA-025-0605	10000	20	200
Ba	SMIA-018-1508	1000	10	10
Cu	SMIA-025-0606	1000	10	10
V	SMIA-025-0610	1000	10	10
			TH	
			2/13/24	

Standard ID	SM1B-29-17-01
Name	S23
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SWIA-012-07-02
Preservative #1	HNO3
ID	SWIA-012-05-06
Volume (mL)	60
Preservative #2	HCl
ID	SWIA-012-03-01
Volume (mL)	100
Prep. Date	2/13/24
Exp. Date	8/13/24
Prepared By	TH

Micropipette ID:

- ☐ 542740566 ☐
- ☐ C42761044 ☐
- ☑ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)

Standard ID	SM1B-29 17-02
Name	
Final Volume (mL)	
Solvent	Reagent Water
Solvent ID	
Preservative #1	
ID	
Volume (mL)	
Preservative #2	
ID	
Volume (mL)	
Prep. Date	
Exp. Date	
Prepared By	

Micropipette ID:

- ☐ 542740566 ☐
- ☐ C42761044 ☐
- ☐ 942780530 ☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Sb	SM1A025-10-07	10,000	0.1	1.0
Mg	SM1A-025-06-07	10,000	1.0	10.0
Tl	SM1A-025-06-09	1000	1.0	1.0
			TH 2/20/24	

Standard ID	SM1B-29-18-01
Name	528
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-08-01
Preservative #1	HNO3
ID	SW1A-012-05-06
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-03-01
Volume (mL)	100
Prep. Date	2/20/24
Exp. Date	8/20/24
Prepared By	TH

Micropipette ID:

☐ 542740566	☑ D42761999
☐ C42761044	☐
☐ 942780530	☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Sb	SM1A-025-10-07	1000	1	10
Mg	SM1A-025-06-07	10,000	10	100
Tl	SM1A-025-06-09	1000	4	40
			TH 2/20/24	

Standard ID	SM1B 29-18-02
Name	529
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-08-01
Preservative #1	HNO3
ID	SW1A-012-05-06
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-03-01
Volume (mL)	100
Prep. Date	2/20/24
Exp. Date	8/20/24
Prepared By	TH

Micropipette ID:

☐ 542740566	☑ D42751151
☐ C42761044	☐
☐ 942780530	☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Al	SMIA-025-04-08	10,000	10	100
Ca	-10-01	10,000	7.5	75
Fe	-06-05	10,000	2.5	25
Mg	-06-07	10,000	6.0	60
Na	-01-07	10,000	6.0	60
K	-01-06	10,000	6.0	60
Sb	10-07	10,000	0.15	1.5
Be	-03-10	1000	1.5	1.5
V	-06-10	1000	1.5	1.5
As	-10-03	1000	1.0	1.0
Co	-04-01	1000	1.0	1.0
Se	-10-08	1000	1.0	1.0
Ba	SMIA-018-15-08	1000 TH 2/20/24	2.80	2.0
Cd	16-02	1000	2.0	2.0
B	SMIA-018-16-01	1000	2.5	2.5
Cu	SMIA-025-06-06	1000	2.5	2.5
Cr	SMIA-018-10-06 TH 2/20/24	1000	2.5	2.5
Pb	SMIA-018-16-03	1000	2.5	2.5
Mn	06-08	1000	2.5	2.5
Mo	SMIA-018-15-09	1000	2.5	2.5

Standard ID	SM1B-29-19-01
Name	CCV
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SWIA012408-01
Preservative #1	HNO3
ID	SWIA-012-050b
Volume (mL)	60
Preservative #2	HCl
ID	SWIA-012-032-01
Volume (mL)	100
Prep. Date	2/20/24
Exp. Date	8/20/24
Prepared By	TH

Micropipette ID:

- ☑ 542740566 ☑ D42781151
- ☐ C42761044 ☑ D42761999
- ☐ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Ni	SMIA-025-04-09	1000	2.5	2.5
Tl	-06-09	1000	2.5	2.5
Zn	SMIA-018-16-04	1000	2.5	2.5
Sn	SMIA-018-12-08	10,000	0.05	0.5
Li	SMIA-025-04-02	1000	0.5	0.5
Ag	-10-02	1000	0.5	0.5
Sr	-04-10	1000	0.5	0.5
Ti	-05-01	1000	0.5	0.5

TH 2/20/24

Standard ID	SM1B-29-19-02
Name	
Final Volume (mL)	
Solvent	Reagent Water
Solvent ID	
Preservative #1	
ID	
Volume (mL)	
Preservative #2	
ID	
Volume (mL)	
Prep. Date	
Exp. Date	
Prepared By	

Micropipette ID:

- ☐ 542740566 ☐
- ☐ C42761044 ☐
- ☐ 942780530 ☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Al	SM1A-025-04-08	10,000	0.02	0.2
Sb	↓ 10-07	10,000	0.01	0.1
As	↓ 10-03	1000	0.01	0.01
Ba	SM1A-018-15-08	1000	0.01	0.01
Be	SM1A-025-03-10	1000	0.01	0.01
B	SM1A-018-16-01	1000	0.1	0.1
Cd	↓ 16-02	1000	0.01	0.01
Ca	SM1A-025-10-01	10,000	0.1	1.0
Cr	SM1A-018-25 10-06 TH 2/20/24	1000	0.01	0.01
Co	SM1A-025-04-01	1000	0.01	0.01
Cu	SM1A-018-25 06-06 TH 2/20/24	1000	0.01	0.01
Fe	SM1A-025-06-05	10,000	0.02	0.2
Pb	SM1A-018-16-03	1000	0.01	0.01
Li	SM1A-025-04-02	1000	0.01	0.01
Mg	↓ 06-07	10,000	0.1	1.0
Mn	SM1A-018-06-08	1000	0.01	0.01
Mo	↓ 15-09	1000	0.01	0.01
Ni	SM1A-025-04-09	1000	0.01	0.01
K	↓ -01-06	10,000	0.1	1.0
Se	↓ 10-08	1000	0.01	0.01

Standard ID	SM1B-29-20-01
Name	MRL EMAX
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-080
Preservative #1	HNO3
ID	SW1A-012-0506
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-030
Volume (mL)	100
Prep. Date	2/20/24
Exp. Date	8/20/24
Prepared By	TH

Micropipette ID:

☑ 542740566	☑ D42761999
☐ C42761044	☑ D42781151
☐ 942780530	☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Ag	SM1A-025-10-02	1000	0.01	0.01
Sr	↓ 04-10	1000	0.01	0.01
Na	↓ -01-07	10,000	0.1	1.0
Tl	↓ -06-09	1000	0.01	0.01
Sn	SM1A-018-12-08	10,000	0.01 TH 2/20	0.01 0.01
Ti	SM1A-025-05-01	1000	0.01	0.01
V	↓ 06-10	1000	0.01	0.01
Zn	SM1A-018-16-04	1000	0.02	0.02

TH 2/20/24

Standard ID	SM1B-29-20-02
Name	
Final Volume (mL)	
Solvent	Reagent Water
Solvent ID	
Preservative #1	
ID	
Volume (mL)	
Preservative #2	
ID	
Volume (mL)	
Prep. Date	
Exp. Date	
Prepared By	

Micropipette ID:

☐ 542740566	☐
☐ C42761044	☐
☐ 942780530	☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Al	SM1A025-0408	10,000	40	400
Fe	-0605	10,000	20	200
Ca	-1001	10,000	50	500
Mg	0607	10,000	20	200
			TH 2/23/24	

Standard ID	SM1B-29-24-01
Name	ICSA
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-0404
Preservative #1	HNO3
ID	SW1A-012-0901
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-0301
Volume (mL)	100
Prep. Date	2/23/24
Exp. Date	8/23/24
Prepared By	TH

Micropipette ID:

☐ 542740566 ☑ D42781151

☐ C42761044 ☐

☐ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
As	SM1A025-10-03	1000	0.5	0.5
Li	-0402	1000	0.2	02
Se	-1008	1000	0.5	0.5
Ag	-10-02	1000	0.2	0.2
Sr	-04-10	1000	0.2	0.2
Sn	SM1A-018-1208	10,000	0.02	0.2
Ti	SM1A025-05-01	1000	0.2	0.2
Zn	SM1A018-16-04	1000	1.0	1.0
			TH 2/23/24	

Standard ID	SM1B-29-24-02
Name	S30
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-0404
Preservative #1	HNO3
ID	SW1A-012-0901
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-0301
Volume (mL)	100
Prep. Date	2/23/24
Exp. Date	8/23/24
Prepared By	TH

Micropipette ID:

☑ 542740566 ☑ D42761999

☐ C42761044 ☐

☐ 942780530 ☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
As	SM1A-025-1203	1000	2.0	2.0
Li	0402	1000	1.0	1.0
Se	10-08	1000	2.0	2.0
Ag	10-02	1000	1.0	1.0
Sr	0410	1000	1.0	1.0
Sn	SM1A018-1208	10,000	0.1	1.0
Ti	SM1A025-0501	1000	1.0	1.0
Zn	SM1A018-1604	1000	10	10
			TH 2/23/24	

Standard ID	SM1B-29-25-01
Name	S31
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-0904
Preservative #1	HNO3
ID	SW1A-012-0901
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-0301
Volume (mL)	100
Prep. Date	2/23/24
Exp. Date	8/23/24
Prepared By	TH

Micropipette ID:

☐ 542740566	☑ D42781151
☐ C42761044	☑ D42761999
☐ 942780530	☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)

Standard ID	SM1B-29-25-02
Name	
Final Volume (mL)	
Solvent	Reagent Water
Solvent ID	
Preservative #1	
ID	
Volume (mL)	
Preservative #2	
ID	
Volume (mL)	
Prep. Date	
Exp. Date	
Prepared By	

Micropipette ID:

☐ 542740566	☐
☐ C42761044	☐
☐ 942780530	☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
MIX IIA	SM1A-025-11-08	MIXED	10	MIXED
MIX IIB	SM1A-025-11-09	MIXED	10	MIXED
Al	SM1A-025-11-10	10,000	40	400
Fe	SM1A-025-10-10	10,000	20	200
Ca	SM1A-025-10-09	10,000	50	500
Mg	SM1A-025-11-01	10,000	20	200
B	SM1A-025-07-07	1,000	0.5	0.5
				JC 3/4/24

Standard ID	SM1B-29-37-01
Name	ICSAB (6010)
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SWIA-012-09-04
Preservative #1	HNO3
ID	SWIA-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SWIA-012-03-01
Volume (mL)	100
Prep. Date	3/4/24
Exp. Date	9/4/24
Prepared By	JC

Micropipette ID:

- ☐ 542740566 ☑ D42781151
- ☐ C42761044 ☑ D42768999
- ☐ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
3/4/24 MIX C.IS	SM1A-025-10-08	MIXED	1.0	MIXED
Sb	SM1A-025-08-07	1000	0.01	0.01
Pb	SM1A-025-08-06	1,000	0.001	0.001
				JC 3/4/24

Standard ID	SM1B 29-37-02
Name	MRL AECEE
Final Volume (mL)	1,000
Solvent	Reagent Water
Solvent ID	SWIA-012-09-04
Preservative #1	3/4/24 HNO3
ID	SWIA-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SWIA-012-03-01
Volume (mL)	100
Prep. Date	3/4/24
Exp. Date	9/4/24
Prepared By	JC

Micropipette ID:

- ☐ 542740566 ☑ D42761044
- ☐ C42761044 ☑ GSNA-07
- ☐ 942780530 ☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
MIX 12A	SM1A - 025 - 09-08	MIXED	2.5	MIXED
MIX 12B	-09- 09	MIXED	2.5	MIXED
Al	- 11 - 10	10,000	2.5	25
Fe	- 10 - 10	10,000	0.625	6.25
Ca	- 10 - 09	10,000	1.875	18.75
Mn	- 08 - 09	1,000	1.875	1.875
Tl	- 08 - 01	1,000	1.875	1.875
Mo	- 07 - 10	1,000	0.678	0.625
Co	- 09 - 03	1,000	1.75	1.75

JC 3/11/24

Standard ID	SM1B-29-38-01
Name	ICV WW
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-09-04
Preservative #1	HNO_3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	3/11/24
Exp. Date	9/11/24
Prepared By	JC

Micropipette ID:

☐ 542740566	☑ D427811151
☐ C42761044	☑ D427619999
☐ 942780530	☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)

4/29/24
JF

Standard ID	SM1B-29-38-02
Name	SO
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-09-04
Preservative #1	HNO_3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-03-01
Volume (mL)	100
Prep. Date	4/29/24
Exp. Date	10/29/24
Prepared By	JF

Micropipette ID:

☐ 542740566	☐
☐ C42761044	☐
☐ 942780530	☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Be	SM1A-025-03-10	1,000	1.0	1.0
Cd	SM1A-018-16-02	1,000	1.0	1.0
Mn	SM1A-025-06-08	1,000	1.0	1.0
Pb	SM1A-018-16-03	1,000	1.0	1.0

4/30/24 JF

Standard ID	SM1B-29-39-01
Name	S20
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-09-04
Preservative #1	HNO3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl 4/30/24
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	4/30/24
Exp. Date	10/30/24
Prepared By	JF

Micropipette ID:

- ☐ 542740566 ☑ D42761999
- ☒ C42761044 ☐ 4/30/24 JF
- ☐ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Be	SM1A-025-03-10	1000	1.0	1.0
Cd	SM1A-018-16-02	1000	1.0	1.0
Mn	SM1A-025-06-08	1000	1.0	1.0
Pb	SM1A-018-16-03	1000	1.0	1.0

4/30/24 JF

Standard ID	SM1B-29-39-02
Name	S21
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-09-04
Preservative #1	HNO3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	4/30/24 JF ~~HNO3~~ HCl 4/30/24 JF
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	4/30/24
Exp. Date	10/30/24
Prepared By	JF

Micropipette ID:

- ☐ 542740566 ☑ D42781151
- ☐ C42761044 ☐
- ☒ 942780530 ☐ 4/30/24 JF

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Mixed 12A	SM1A-025-09-08	Mixed	10	Mixed
Mixed 12B	-09-09	Mixed	10	Mixed
Al	-10-04	10000	10	100
Ca	-10-09	10000	75	75
Fe	-10-10	10000	25	25
* Mo	-07-10	1000	2.5	25
				6/17/24 JF

Standard ID	SM1B-29-40-01
Name	ICV (6010)
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-11-09
Preservative #1	HNO_3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	6/17/24 JF ~~6/12/24~~
Exp. Date	6/17/24 JF ~~12/12/24~~ 11/25/24
Prepared By	JF

Micropipette ID:

- ☐ 542740566 ☑ D4276099
- ☐ C42761044 ☐
- ☐ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)

Standard ID	SM1B-29-40-02
Name	
Final Volume (mL)	
Solvent	Reagent Water
Solvent ID	
Preservative #1	
ID	
Volume (mL)	
Preservative #2	
ID	
Volume (mL)	
Prep. Date	
Exp. Date	
Prepared By	

Micropipette ID:

- ☐ 542740566 ☐
- ☐ C42761044 ☐
- ☐ 942780530 ☐

Comments:

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
B	SM1A-018-16-01	1000	1.0	1.0
Mo	SM1A-018-15-09	1000	1.0	1.0
Na	SM1A-025-01-07	10000	6.0	60

Standard ID	SM1B-29-43-01
Name	S24
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-11-02
Preservative #1	HNO3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	6/8/24
Exp. Date	11/8/24
Prepared By	JF

Micropipette ID:

- ☒ 542740566 ☑ D42761999
- ☐ C42761044 ☑ D42781151
- ☐ 942780530 ☐

Comments:

5/8/24 JF

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
B	SM1A-018-16-01	1000	10	10
Mo	SM1A-018-15-09	1000	10	10
Na	SM1A-025-01-07	10000	30	300

Standard ID	SM1B-29-43-02
Name	S25
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-11-02
Preservative #1	HNO3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	5/8/24
Exp. Date	11/8/24
Prepared By	JF

Micropipette ID:

- ☐ 542740566 ☑ D42761999
- ☐ C42761044 ☑ D42781151
- ☐ 942780530 ☐

Comments:

5/8/24 JF

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Al	SM1A-025-04-08	10000	0.2	2.0
Ca	SM1A-025-10-01	10000	5.0	50
K	SM1A-018 ~~-09 = 06~~ 5/28/24 JF	10000	5.0	50
Cr	SM1A-025-10-06	1000	1.0	1.0
Ni	SM1A-025-04-09	1000	1.0	1.0
				5/28/24 JF

Standard ID	SM1B-29-44-01
Name	S26
Final Volume (mL)	1,000
Solvent	Reagent Water
Solvent ID	SW1A-012-11-09
Preservative #1	HNO_3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	5/28/24
Exp. Date	11/28/24
Prepared By	JF

Micropipette ID:

☐ 542740566	☑ D4276199
☐ C42761044	☑ D4278151
☐ 942780530	☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Al	SM1A-025-04-08	10000	20	200
Ca	SM1A-025-10-01	10000	50	500
K	SM1A-025-01-06	10000	50	500
Cr	SM1A-025-10-06	1000	10	10
Ni	SM1A-025-04-09	1000	10	10
				5/28/24 JF

Standard ID	SM1B-29-44-02
Name	S27
Final Volume (mL)	1,000
Solvent	Reagent Water
Solvent ID	SW1A-012-11-09
Preservative #1	HNO_3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	5/28/24
Exp. Date	11/28/24
Prepared By	JF

Micropipette ID:

☐ 542740566	☑ D4276199
☐ C42761044	☑ D4278151
☐ 942780530	☐

Comments:

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Recv 4/6/22 NT

CERTIFICATE OF ANALYSIS

SM1A-025-04-08
opened 6/13/22 NT

AccuTrace™ Reference Standard

Catalog No: ICP-01N-10X-5
Description: Aluminum ICP Standard
Element: Aluminum (Al)
SRM: 3101a
Lot: 221095060
Matrix: 5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Sep 15, 2021
Expiration: Sep 15, 2026
Density: 1.075 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Tl	nd<0.02
Al	*	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Ti	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	1.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	0.08	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	0.15	Fe	0.18	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	0.19	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Rec. 8/9/23 NT
SMIA-025-09-10

AccuTrace™ Reference Standard

Catalog No: ICP-01N-10X-5
Description: Aluminum ICP Standard
Element: Aluminum (Al)
SRM: 3101a
Lot: 221095060
Matrix: 5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Sep 15, 2021
Expiration: Sep 15, 2026
Density: 1.075 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material



Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	*	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	1.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	0.08	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	0.15	Fe	0.18	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	0.19	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Rec 12/7/23 NT
SM1A-025-10-07

AccuTrace™ Reference Standard

Catalog No: ICP-MS-02N-1
Description: Antimony ICP-MS Standard
Element: Antimony (Sb)
SRM: 3102a
Lot: 223105012
Matrix: 2-5% HNO3, tr. Tartaric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Oct 3, 2023
Expiration: Oct 3, 2028
Density: 1.040 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Tl	0.02
Al	0.31	Co	nd<0.02	Ge	nd<0.2	Mg	0.11	Pd	nd<0.2	Se	N/A	Tl	nd<0.2
As	nd<0.2	Cr	0.03	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	0.04	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	0.38	Fe	0.08	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	*	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)
This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #19305, traceable to NIST.
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Rec. 8/9/23 NT
SM1A-025-10-03

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-03N-1
Description: Arsenic ICP Standard
Element: Arsenic (As)
SRM: 3103a
Lot: 222065166
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jun 27, 2022
Expiration: Jun 27, 2027
Density: 1.012 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	nd<0.02	**Tl**	nd<0.02
Al	nd<0.02	**Co**	nd<0.02	**Ge**	nd<0.2	**Mg**	nd<0.02	**Pd**	nd<0.2	**Se**	nd<0.2	**Tl**	nd<0.2
As	*	**Cr**	nd<0.02	**Hf**	nd<0.02	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	N/A	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	nd<0.2	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	nd<0.2	**Cu**	N/A	**Ho**	nd<0.02	**Na**	nd<0.02	**Rb**	N/A	**Sn**	N/A	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	N/A	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	nd<0.02	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	N/A	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	nd<0.02	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	nd<0.02	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	nd<0.2	**Zn**	nd<0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	N/A	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #19305, traceable to NIST.

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Rec. 8/25/20 NT
SM1A-018-15-08

AccuTrace™ Reference Standard

Catalog No: ICP-04N-1
Description: Barium ICP Standard
Element: Barium (Ba)
SRM: 3104a
Lot: 218055112-01
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: May 12, 2020
Expiration: May 12, 2025
Density: 1.014 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339 ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	N/A
B	nd<0.2	Cu	N/A	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	*	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	N/A	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #928 (lead nitrate).

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 822-275872-11

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

OR-ORG/INO-001
Rev. 5/18

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

SM1A-025-0310

Rec 1/11/22 TH

Catalog No: ICP-05N-1
Description: Beryllium ICP Standard
Element: Beryllium (Be)
SRM: 3105a
Lot: 221105162
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Oct 28, 2021
Expiration: Oct 28, 2026
Density: 1.019 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	N/A	Co	nd<0.02	Ge	N/A	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	N/A
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	N/A	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	*	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed gravimetrically, using a balance calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SM1A-018-16-01
rec. 12/9/20 NT

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-07W-1
Description: Boron ICP Standard
Element: Boron (B)
SRM: 3107
Lot: 220025114
Matrix: Water, tr. NH4OH
Hazards: *Refer to SDS for complete safety information*

GHS

Signal Word: None

Date Certified: Feb 27, 2020
Expiration: Feb 27, 2025
Density: 1.004 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339 ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	N/A	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	N/A	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	*	Cu	nd<0.02	Ho	nd<0.02	Na	0.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	N/A	Sr	N/A	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	N/A	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	N/A	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This solution was assayed by acid/base titration using NaOH which was standardized against NIST SRM #84J (potassium hydrogen pthalate).

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SMA-018-16-02
Rec. 12/9/20 NT

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-08N-1
Description: Cadmium ICP Standard
Element: Cadmium (Cd)
SRM: 3108
Lot: 220065069
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jun 18, 2020
Expiration: Jun 18, 2025
Density: 1.013 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339 ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	N/A	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	N/A	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	N/A	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	N/A	Zn	nd<0.02
Cd	*	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #928 (lead nitrate).

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Rec. 8/9/23 MT

CERTIFICATE OF ANALYSIS

SM1A-025-10-01

AccuTrace™ Reference Standard

Catalog No: ICP-09N-10X-5
Description: Calcium ICP Standard
Element: Calcium (Ca)
SRM: 3109a
Lot: 223045009
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Apr 6, 2023
Expiration: Apr 6, 2028
Density: 1.043 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material



Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Tl	nd<0.02
Al	N/A	Co	nd<0.02	Ge	N/A	Mg	1.84	Pd	nd<0.2	Se	N/A	Ti	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	0.08	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	0.04	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	*	Fe	nd<0.02	La	N/A	Os	N/A	S	N/A	Te	nd<0.2	Zn	0.04
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)
This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG-INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SM1A-025-01-05
Rec. 9/27/21 NT
Exp 8/30/26

AccuTrace™ Reference Standard

Catalog No: ICP-09N-10X-5
Description: Calcium ICP Standard
Element: Calcium (Ca)
SRM: 3109a
Lot: 221085109
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 30, 2021
Expiration: Aug 30, 2026
Density: 1.043 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ilac-MRA

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	N/A	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	N/A	Co	nd<0.02	Ge	N/A	Mg	0.04	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	0.12	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	N/A	Nb	nd<0.2	Re	nd<0.2	Sr	0.10	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	*	Fe	nd<0.02	La	N/A	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Rec. 12/7/23 MT
SM1A-025-10-06

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-13H-1
Description: Chromium ICP Standard
Element: Chromium (Cr)
SRM: 3112a
Lot: 222115119
Matrix: 5% Hydrochloric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Nov 17, 2022
Expiration: Nov 17, 2027
Density: 1.015 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	N/A	Ce	nd<0.2	Gd	N/A	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Tl	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	N/A
As	nd<0.2	Cr	*	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	N/A	Pt	nd<0.2	Sm	nd<0.2	U	N/A
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	N/A	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	N/A	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	0.06	La	nd<0.02	Os	N/A	S	N/A	Te	N/A	Zn	nd<0.02
Cd	nd<0.02	Ga	N/A	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #NJ86563, traceable to NIST

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG#NO-001
Rev 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

SM1A-025-04-01
Rec 1/11/22 TH

Catalog No: ICP-14N-1
Description: Cobalt ICP Standard
Element: Cobalt (Co)
SRM: 3113
Lot: 221045116
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Apr 27, 2021
Expiration: Apr 27, 2026
Density: 1.014 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339 ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	N/A	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	*	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	N/A
As	nd<0.2	Cr	N/A	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	N/A	Cs	N/A	Hg	N/A	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	N/A
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	N/A	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	N/A	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	N/A	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	N/A	La	nd<0.02	Os	N/A	S	1.9	Te	N/A	Zn	nd<0.02
Cd	N/A	Ga	N/A	Li	nd<0.02	P	N/A	Sb	N/A	Th	nd<0.02	Zr	nd<0.02

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SM1A-025-06-06
Rec. 1/17/23 NT

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-15N-1
Description: Copper ICP Standard
Element: Copper (Cu)
SRM: 3114
Lot: 221075081
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jul 28, 2021
Expiration: Jul 28, 2026
Density: 1.011 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	N/A	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	nd<0.02	**Tl**	nd<0.02
Al	nd<0.02	**Co**	nd<0.02	**Ge**	N/A	**Mg**	nd<0.02	**Pd**	nd<0.2	**Se**	nd<0.2	**Ti**	nd<0.2
As	nd<0.2	**Cr**	nd<0.02	**Hf**	nd<0.02	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	N/A	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	N/A	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	nd<0.2	**Cu**	*	**Ho**	nd<0.02	**Na**	nd<0.02	**Rb**	N/A	**Sn**	nd<0.02	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	nd<0.2	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	nd<0.02	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	N/A	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	nd<0.02	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	nd<0.02	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	N/A	**Zn**	N/A
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Rec 12/8/22 NT
SM1A-025-06-05
Exp. 4/5/27

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-27N-10X-5
Description: Iron ICP Standard
Element: Iron (Fe)
SRM: 3126a
Lot: 222035160
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Apr 5, 2022
Expiration: Apr 5, 2027
Density: 1.061 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

ISO 17034

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	N/A	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	N/A	Ge	N/A	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	N/A	Mo	nd<0.02	Pt	N/A	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	N/A	Ho	nd<0.02	Na	0.13	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	N/A	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	N/A	Yb	nd<0.02
Ca	0.14	Fe	*	La	nd<0.02	Os	N/A	S	N/A	Te	N/A	Zn	N/A
Cd	nd<0.02	Ga	N/A	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	N/A

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SM1A-018-16-03
Rec. 12/9/20 HT

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-29N-1
Description: Lead ICP Standard
Element: Lead (Pb)
SRM: 3128
Lot: 220055040
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: May 12, 2020
Expiration: May 12, 2025
Density: 1.013 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339 ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	*	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	N/A	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All glassware used in preparation is Class A.
All weights are traceable through NIST, Test No. 684/289871-17
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

SM1A-025-0402
Rec 1/11/22 TH

Catalog No: ICP-30N-1
Description: Lithium ICP Standard
Element: Lithium (Li)
SRM: 3129a
Lot: 221115031
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*

Date Certified: Nov 5, 2021
Expiration: Nov 5, 2026
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material



Signal Word: Danger

ANAB ACCREDITED AR-1463

ISO Guide 34

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	N/A	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	N/A	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	*	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SMIA-025-06-07
Rec. 1/17/23 NT

AccuTrace™ Reference Standard

Catalog No: ICP-32N-10X-5
Description: Magnesium ICP Standard
Element: Magnesium (Mg)
SRM: 3131a
Lot: 222015045
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jan 14, 2022
Expiration: Jan 14, 2027
Density: 1.055 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	nd<0.02	**Tl**	nd<0.02
Al	nd<0.02	**Co**	nd<0.02	**Ge**	nd<0.2	**Mg**	*	**Pd**	nd<0.2	**Se**	nd<0.2	**Tl**	nd<0.2
As	nd<0.2	**Cr**	nd<0.02	**Hf**	nd<0.02	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	nd<0.2	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	nd<0.2	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	nd<0.2	**Cu**	nd<0.02	**Ho**	nd<0.02	**Na**	0.03	**Rb**	N/A	**Sn**	nd<0.02	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	N/A	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	nd<0.02	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	nd<0.2	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	nd<0.02	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	0.2	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	nd<0.2	**Zr**	0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SMA-025-06-08
Rec 1/17/23 NT

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-33N-1
Description: Manganese ICP Standard
Element: Manganese (Mn)
SRM: 3132
Lot: 222035090
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 21, 2022
Expiration: Mar 21, 2027
Density: 1.011 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	nd<0.02	**Ti**	nd<0.02
Al	N/A	**Co**	nd<0.02	**Ge**	N/A	**Mg**	0.04	**Pd**	nd<0.2	**Se**	N/A	**Tl**	nd<0.2
As	N/A	**Cr**	N/A	**Hf**	nd<0.02	**Mn**	*	**Pr**	nd<0.2	**Si**	N/A	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	N/A	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	N/A	**Cu**	nd<0.02	**Ho**	nd<0.02	**Na**	nd<0.02	**Rb**	N/A	**Sn**	nd<0.02	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	N/A	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	nd<0.02	**Ir**	N/A	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	N/A	**Y**	nd<0.02
Bi	N/A	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	N/A	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	0.02	**Fe**	N/A	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	nd<0.2	**Zn**	nd<0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025
This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/289871-17
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

rec. 8/25/20 HT
SHIA-018-15-09

AccuTrace™ Reference Standard

Catalog No: ICP-35W-1
Description: Molybdenum ICP Standard
Element: Molybdenum (Mo)
SRM: 3134
Lot: 218065027-02
Matrix: Water, dilute NH4OH
Hazards: *Refer to SDS for complete safety information*

None Required

Signal Word: Warning

Date Certified: Jun 22, 2020
Expiration: Jun 22, 2025
Density: 1.000 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	N/A	Ce	nd<0.2	Gd	N/A	Lu	nd<0.02	Pb	N/A	Sc	N/A	Tl	nd<0.02
Al	N/A	Co	N/A	Ge	N/A	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	nd<0.2
As	N/A	Cr	N/A	Hf	N/A	Mn	nd<0.02	Pr	N/A	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	*	Pt	nd<0.2	Sm	nd<0.2	U	N/A
B	nd<0.2	Cu	N/A	Ho	nd<0.02	Na	N/A	Rb	N/A	Sn	nd<0.02	V	N/A
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	N/A	Nd	nd<0.02	Rh	N/A	Ta	nd<0.2	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	N/A	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	N/A	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	N/A	Zr	N/A

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #19305 , traceable to NIST.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 822-275872-11

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Megan O'Leary
Megan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INC-001
Rev. 5/18

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Recv 4/6/22 NT

CERTIFICATE OF ANALYSIS

SM1A-025-04-09

AccuTrace™ Reference Standard

Catalog No: ICP-37N-1
Description: Nickel ICP Standard
Element: Nickel (Ni)
SRM: 3136
Lot: 220075062
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jul 14, 2020
Expiration: Jul 14, 2025
Density: 1.014 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material



Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	N/A	Sc	nd<0.02	Tl	nd<0.02
Al	N/A	Co	N/A	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	N/A	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	N/A	Mo	nd<0.02	Pt	N/A	Sm	nd<0.2	U	nd<0.2
B	N/A	Cu	nd<0.02	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	N/A	Nd	nd<0.02	Rh	nd<0.2	Ta	N/A	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	*	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	N/A	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	N/A	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025
This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/289871-17
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

JHIA-025-01-06
rec. 9/27/21 NT
Exp 9/17/26

AccuTrace™ Reference Standard

Catalog No: ICP-43N-10X-5
Description: Potassium ICP Std.
Element: Potassium (K)
SRM: 3141a
Lot: 221095092
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Sep 17, 2021
Expiration: Sep 17, 2026
Density: 1.031g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1469 ilac-MRA

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	N/A	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	0.47	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	*	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	0.12	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	0.05
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025
This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All glassware used in preparation is Class A.
All weights are traceable through NIST, Test No. 684/289871-17
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Megan O'Leary
Megan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

SMIA-250701

Rec 3/6/23 TH

Catalog No: ICP-50N-5
Description: Scandium ICP Standard
Element: Scandium (Sc)
SRM: 3148a
Lot: 222085106
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*

Signal Word: Danger

Date Certified: Sep 1, 2022
Expiration: Sep 1, 2027
Density: 1.013 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	N/A	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	*	**Ti**	N/A
Al	nd<0.02	**Co**	nd<0.02	**Ge**	N/A	**Mg**	nd<0.02	**Pd**	nd<0.2	**Se**	N/A	**Tl**	nd<0.2
As	nd<0.2	**Cr**	nd<0.02	**Hf**	**0.04**	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	N/A	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	N/A	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	N/A
B	N/A	**Cu**	N/A	**Ho**	nd<0.02	**Na**	N/A	**Rb**	N/A	**Sn**	nd<0.02	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	N/A	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	N/A	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	N/A	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	nd<0.2	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	nd<0.02	**Ru**	nd<0.02	**Tb**	N/A	**Yb**	nd<0.02
Ca	**0.05**	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	N/A	**Zn**	nd<0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	N/A	**Zr**	**0.08**

This Certified Reference Material was verified in accordance with ISO/IEC 17025
This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/289871-17
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Rec 12/7/23 NT
SM1A-025-10-08

AccuTrace™ Reference Standard

Catalog No: ICP-51N-1
Description: Selenium ICP Standard
Element: Selenium (Se)
SRM: 3149
Lot: 223045074
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Apr 26, 2023
Expiration: Apr 26, 2028
Density: 1.011 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	nd<0.02	**Ti**	nd<0.02
Al	nd<0.02	**Co**	nd<0.02	**Ge**	nd<0.2	**Mg**	nd<0.02	**Pd**	nd<0.2	**Se**	*	**Tl**	nd<0.2
As	nd<0.2	**Cr**	nd<0.02	**Hf**	nd<0.02	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	N/A	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	nd<0.2	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	nd<0.2	**Cu**	nd<0.02	**Ho**	nd<0.02	**Na**	0.02	**Rb**	N/A	**Sn**	nd<0.02	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	N/A	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	nd<0.02	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	nd<0.2	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	nd<0.02	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	nd<0.02	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	nd<0.2	**Zn**	nd<0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)
This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG-NO-001
Rev. 7:20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Rec. 8/9/23 NT
SMIA-025-10-02

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-53N-1
Description: Silver ICP Standard
Element: Silver (Ag)
SRM: 3151
Lot: 221085036
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 13, 2021
Expiration: Aug 13, 2026
Density: 1.011 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material



Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	*	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	nd<0.02	**Ti**	nd<0.02
Al	N/A	**Co**	nd<0.02	**Ge**	nd<0.2	**Mg**	nd<0.02	**Pd**	nd<0.2	**Se**	nd<0.2	**Tl**	nd<0.2
As	nd<0.2	**Cr**	nd<0.02	**Hf**	nd<0.02	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	nd<0.2	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	nd<0.2	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	nd<0.2	**Cu**	nd<0.02	**Ho**	nd<0.02	**Na**	0.02	**Rb**	N/A	**Sn**	N/A	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	N/A	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	N/A
Be	nd<0.02	**Er**	nd<0.02	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	N/A	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	nd<0.02	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	nd<0.02	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	nd<0.2	**Zn**	nd<0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using a Volhard titration calibrated against 99.999% silver shot.

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/NO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SMIA-025-01-07
Rec. 9/27/21 HT
Exp 9/27/26

AccuTrace™ Reference Standard

Catalog No: ICP-54N-10X-5
Description: Sodium ICP Standard
Element: Sodium (Na)
SRM: 3152a
Lot: 221085140
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Sep 1, 2021
Expiration: Sep 1, 2026
Density: 1.036 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

ilac-MRA

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	*	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	0.04	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I-18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Recv 4/6/22 NT

CERTIFICATE OF ANALYSIS

SMA-025-04-10

AccuTrace™ Reference Standard

Catalog No: ICP-55N-1
Description: Strontium ICP Standard
Element: Strontium (Sr)
SRM: 3153a
Lot: 219065099-02
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Feb 8, 2022
Expiration: Feb 8, 2027
Density: 1.013 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1483

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	N/A	Sc	nd<0.02	Ti	nd<0.02
Al	N/A	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	N/A
B	nd<0.2	Cu	N/A	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	0.12	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	*	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/NO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SM1A-025-06-09

AccuTrace™ Reference Standard rec. 2/1/23 NT

Catalog No: ICP-60N-1
Description: Thallium ICP Standard
Element: Thallium (Tl)
SRM: 3158
Lot: 222065021
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jun 6, 2022
Expiration: Jun 6, 2027
Density: 1.012 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	nd<0.2	**Sc**	nd<0.02	**Ti**	nd<0.02
Al	nd<0.02	**Co**	nd<0.02	**Ge**	nd<0.2	**Mg**	nd<0.02	**Pd**	nd<0.2	**Se**	nd<0.2	**Tl**	*
As	nd<0.2	**Cr**	nd<0.02	**Hf**	nd<0.02	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	N/A	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	nd<0.2	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	nd<0.2	**Cu**	nd<0.02	**Ho**	nd<0.02	**Na**	nd<0.02	**Rb**	N/A	**Sn**	N/A	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	nd<0.2	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	nd<0.02	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	nd<0.2	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	N/A	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	N/A	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	nd<0.2	**Zn**	nd<0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SM1A-018-12-08
Rcvd. 01/03/20 LW

AccuTrace™ Reference Standard

Catalog No: ICP-63H-10X-1
Description: Tin ICP Standard
Element: Tin (Sn)
SRM: 3161a
Lot: 217115110-01
Matrix: 20% Hydrochloric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Dec 10, 2019
Expiration: Dec 10, 2024
Density: 1.045 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339 ilac-MRA

Certified Concentration: 9999 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	*	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	0.03	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #19305, traceable to NIST.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A and calibrated regularly.

All weights are traceable through NIST, Test No. 822-275872-11

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 5/18

125 Market Street
New Haven, CT 06513
USA

AccuStandard®, Inc.

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Rec. 5/17/22 NT
SM1A-025-05-01

AccuTrace™ Reference Standard

Catalog No: ICP-64W-1
Description: Titanium ICP Standard
Element: Titanium (Ti)
SRM: 3162a
Lot: 220115136
Matrix: Water, tr. HF
Hazards: *Refer to SDS for complete safety information*

Signal Word: Warning

Date Certified: Nov 20, 2020
Expiration: Nov 20, 2025
Density: 1.004 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	N/A	**Ce**	nd<0.2	**Gd**	N/A	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	nd<0.02	**Ti**	*
Al	N/A	**Co**	nd<0.02	**Ge**	N/A	**Mg**	nd<0.02	**Pd**	N/A	**Se**	nd<0.2	**Tl**	nd<0.2
As	nd<0.2	**Cr**	N/A	**Hf**	nd<0.02	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	N/A	**Tm**	N/A
Au	nd<0.02	**Cs**	N/A	**Hg**	nd<0.2	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	N/A
B	nd<0.2	**Cu**	nd<0.02	**Ho**	nd<0.02	**Na**	nd<0.02	**Rb**	N/A	**Sn**	N/A	**V**	N/A
Ba	nd<0.02	**Dy**	nd<0.02	**In**	N/A	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	nd<0.02	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	N/A	**Y**	nd<0.02
Bi	N/A	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	nd<0.02	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	nd<0.02	**Fe**	nd<0.02	**La**	N/A	**Os**	N/A	**S**	N/A	**Te**	N/A	**Zn**	nd<0.02
Cd	nd<0.02	**Ga**	N/A	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025
This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/289871-17
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan C. O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SM1A-025-06-10

AccuTrace™ Reference Standard Rec. 2/1/23 NT

Catalog No: ICP-67N-1
Description: Vanadium ICP Standard
Element: Vanadium (V)
SRM: 3165
Lot: 221065136
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jun 29, 2021
Expiration: Jun 29, 2026
Density: 1.014 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	N/A
Al	N/A	Co	nd<0.02	Ge	N/A	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	nd<0.2
As	N/A	Cr	N/A	Hf	nd<0.02	Mn	N/A	Pr	N/A	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	N/A	Mo	nd<0.02	Pt	N/A	Sm	nd<0.2	U	N/A
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	N/A	Rb	N/A	Sn	N/A	V	*
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	N/A	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	N/A	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	N/A	Yb	nd<0.02
Ca	N/A	Fe	N/A	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	N/A	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025
This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/289871-17
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SHIA-018-16-04
rec. 12/9/20 NT

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-70N-1
Description: Zinc ICP Standard
Element: Zinc (Zn)
SRM: 3168a
Lot: 220065027
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jun 9, 2020
Expiration: Jun 9, 2025
Density: 1.014 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AI-1339 ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	N/A	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	N/A	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	N/A	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	N/A	Zn	*
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

CPI INTERNATIONAL

SM1A-025-10-04
Rec 8/29/23 NT
Exp 2/22/25

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100011

Aluminum (Al) – 1000 µg/mL

Lot #: 1136191-68

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Al	1002 ± 2 µg/mL (w/v)
	991.0 ± 2.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure aluminum nitrate [$Al(NO_3)_3$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3101a, lot #140903**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	MAJOR	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	2	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	41	Pt	<0.5	Sm	<0.2	V	<1
Ba	2	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	5	Y	<0.5
Ca	44	Fe	20	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	39	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

August 22, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SM1A-025-11-10

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Rec 2/28/24 TH

Product #: S4400-10M11

Aluminum (Al) – 10,000 µg/mL

Lot #: 1440218

Matrix: 5% HNO_3

*Expiration Date: 9 July 2026

Element	Certified Concentration & Uncertainty
Al	10,025 ± 37 µg/mL (w/v)
	9400 ± 34 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.999% pure aluminum nitrate [$Al(NO_3)_3$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3101a, lot #140903**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	<10	Ge	<5	Lu	<2	P	<1000	Sb	15	Te	<10
Al	MAJOR	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	28	Hg	<5	Mn	<10	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	12
Ba	11	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	<5	W	<5
Bi	<5	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	361	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	296	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution until the date shown above or ***12 Months** from the date opened, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

25 July 2023

Chuck Goudreau, Certifying Officer — **Certification Date** — **Date Opened**

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

SMIA-025-08-07
Rec. 5/31/23 HT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100023

Antimony (Sb) – 1000 µg/mL

Lot #: 1225595-14

Matrix: 5% HNO_3/0.1% HF

Element	Certified Concentration & Uncertainty
Sb	1001 ± 2 µg/mL (w/v)
	980.0 ± 2.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 9001**, **ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure antimony (Sb) The solution was diluted with filtered (0.22 µm), 18 M-ohm deionized water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3102a, lot #140911**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	MAJOR	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	0.9	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	2	Rb	3	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	7	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100031

Arsenic (As) – 1000 µg/mL

Lot #: 1218353-64

NT 5/31/23

25 SMIA 08-08-10

Rec. 5/31/23

Exp. 11/25/24

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
As	1002 ± 3 µg/mL (w/v)
	987.0 ± 3.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 9001**, **ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure arsenic (As). The solution was diluted with filtered (0.22 µm), 18 M-ohm deionized water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3103a, lot #100818**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	3	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	MAJOR	Cr	<0.5	Hg	<0.5	Mn	4	Pd	2	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	2	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	0.4	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	19	Ru	24	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023

Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMLA-025-09-07
Rec 5/3/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100041

Barium (Ba) – 1000 µg/mL

Lot #: 1361521-1

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Ba	998.0 ± 4.0 µg/mL (w/v)
	988.0 ± 4.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure barium nitrate [$Ba(NO_3)_2$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3104a, lot #140909**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	0.92	V	<1
Ba	MAJOR	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	10.89	K	<25	Nd	<0.2	Re	<0.2	Sr	8.892	Y	0.83
Ca	<25	Fe	<10	La	2.118	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

SM1A-025-09-01
Rec. 5/31/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100051

Beryllium (Be) – 1000 µg/mL

Lot #: 1273018-32

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Be	995.0 ± 5.0 µg/mL (w/v)
	984.0 ± 5.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to, **ISO 17034**, **ISO/IEC 17025** and **ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.995% pure beryllium acetate [$Be_4O(C_2H_3O_2)_6$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3105a, lot #090514**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	2	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	4	Te	12
Al	<2	Cs	<0.5	Hf	2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	0.7	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard
Santa Rosa, CA 95403
P: 707.525.5788
P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P
1013BG Amsterdam
The Netherlands
P: +31 20 638 05 97
F: +31 20 420 28 36

www.cpiinternational.com

CPI INTERNATIONAL

NT 5/31/23 Stet SM1A-025-07-07 Rec. 5/31/23 NT Exp. 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100074

Boron (B) – 1000 µg/mL

Lot #: 1284162-23

Matrix: H_2O

Element	Certified Concentration & Uncertainty
B	995.0 ± 3.0 µg/mL (w/v)
	997.0 ± 3.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 9001**, **ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.9995% pure boric acid (H_3BO_3) dissolved and diluted with filtered (0.22µm), 18 M-ohm deionized water. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration prvider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3107, lot #190605**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	2	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	MAJOR	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	0.7	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	18
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	16	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	8
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

Rec. 12/8/23 TH
SMA-025-10-09

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-10M91

Calcium (Ca) – 10,000 µg/mL

Lot #: 1420618

Matrix: 4% HNO_3

*Expiration Date: 25 February 2026

Element	Certified Concentration & Uncertainty
Ca	10,050 ± 35 µg/mL (w/v)
	9696 ± 34 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.999% pure calcium carbonate ($CaCO_3$). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3109a, lot #130213**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	<10	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	51	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	<5	Hg	<5	Mn	<10	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	<10
Ba	<10	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	<5	W	<5
Bi	2.01	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	76	Y	<5
Ca	MAJOR	Fe	<100	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	<5	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution until the date shown above or ***12 Months** from the date opened, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

13 March 2023
Certification Date

Date Opened

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SHI A-025-07-06
Rec. 5/31/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000121

Chromium (Cr) – 1000 µg/mL

Lot #: 1222801-30

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Cr	1004 ± 3 µg/mL (w/v)
	997.0 ± 3.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.996% pure chromium (Cr). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3112a, lot #170630**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	5
Al	<2	Cs	<0.5	Hf	2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	MAJOR	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	84	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	1
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	0.8	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023

Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

SMA-025-09-02
Rec. 5/31/23 HT
Exp 6/9/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100081

Cadmium (Cd) – 1000 µg/mL

Lot #: 1363528-3

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Cd	999.0 ± 4.0 µg/mL (w/v)
	994.0 ± 4.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 9001**, **ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure cadmium (Cd) dissolved in high purity nitric acid (HNO_3) and diluted with filtered (0.22µm), 18 M-ohm deionized water. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3108, lot #130116**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	1.053	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	MAJOR	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	4
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-09-03
Rec 5/31/23 NT

CERTIFICATE OF ANALYSIS Exp 11/25/24

Single-Element Aqueous CRM

Product #: S4400-1000131

Cobalt (Co) – 1000 µg/mL

Lot #: 1222807-57

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Co	991.0 ± 3.0 µg/mL (w/v)
	985.0 ± 3.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and certified under a quality management system that is registered/accredited to **ISO 9001, ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.998% pure cobalt (Co) dissolved in high purity nitric acid (HNO_3) and diluted with filtered (0.22µm), 18 M-ohm deionized water. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3113, lot #190630**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	MAJOR	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	28	Sc	<5	Ti	<2
As	75	Cr	5	Hg	<0.5	Mn	5	Pd	<0.5	Se	4	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	2	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	5	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	7	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	1	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-09-05
Rec 5/31/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S 4400-1000141

Copper (Cu) – 1000 µg/mL

Lot #: 1259550-18

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Cu	1008 ± 3 µg/mL (w/v)
	998.0 ± 3.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.9999% pure copper (Cu). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3114, lot #121207**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	<10	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	<20	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	<5	Hg	<5	Mn	<10	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	MAJOR	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	<10
Ba	<10	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	<5	W	<5
Bi	<2	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	<100	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	<5	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-10M261 (1)

Iron (Fe) – 10,000 µg/mL

Lot #: 1240670-6

SMA-025-06-01
Rec 9|13|22 NT
Exp 3|6|24

Matrix: 4% HNO_3

Element	Certified Concentration & Uncertainty
Fe	9981 ± 39 µg/mL (w/v)
	9562 ± 38 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.999% pure iron nitrate nonahydrate [$Fe(NO_3)_3$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3126a, lot #140812**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	19	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	<20	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	17	Hg	<5	Mn	14	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	<10
Ba	<10	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	<5	W	<5
Bi	<2	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	MAJOR	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	<5	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

September 6, 2022
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

Rec. 12/8/23 TH
SM1A-025-10-10

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-10M261

Iron (Fe) – 10,000 µg/mL

Lot #: 1420611

Matrix: 4% HNO_3

*Expiration Date: 29 March 2026

Element	Certified Concentration & Uncertainty
Fe	10,030 ± 39 µg/mL (w/v)
	9631 ± 37 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034**, **ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.999% pure iron nitrate nonahydrate [$Fe(NO_3)_3$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3126a, lot #140812**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	18	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	<20	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	9	Hg	<5	Mn	<10	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	<10
Ba	<10	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	<5	W	<5
Bi	<2	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	MAJOR	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	11	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution until the date shown above or ***12 Months** from the date opened, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

12 April 2023
Certification Date

Date Opened

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901
www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SM1A-025-08-06
Rec. 5/31/23
Exp 11/25/2324
NT 5/31/23

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000281

Lead (Pb) – 1000 µg/mL

Lot #: 1292047-29

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Pb	998.0 ± 4.0 µg/mL (w/v)
	993.0 ± 4.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure lead (Pb). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3128, lot #101026**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	MAJOR	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	3
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	4	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	36	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	6
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

SM1A – 025 – 11-06
rcv. 01/16/24 HC

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM — Product #: S4400-1000291

Lithium (Li) – 1000 µg/mL — Lot #: 1421712

Matrix: 3% HNO_3 — *Expiration Date: 19 February 2026

Element	Certified Concentration & Uncertainty
Li	1010 ± 3 µg/mL (w/v)
	1002 ± 3 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure lithium carbonate (Li_2CO_3). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3129a, lot #100714**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	1	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	MAJOR	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution until the date shown above or ***12 Months** from the date opened, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer — 28 February 2023 **Certification Date** — **Date Opened**

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901
www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

CPI INTERNATIONAL

Rec. 12/8/23 TH
SM1A-025-11-01

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Magnesium (Mg) – 10,000 µg/mL

Matrix: 4% HNO_3

Product #: S4400-10M311

Lot #: 1412370

*Expiration Date: 30 September 2026

Element	Certified Concentration & Uncertainty
Mg	10,087 ± 23 µg/mL (w/v)
	9599 ± 22 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.999% pure magnesium nitrate [$Mg(NO_3)_2$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3131a, lot #140110**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	<10	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	<20	Cs	<5	Hf	<2	Mg	MAJOR	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	<5	Hg	<5	Mn	18	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	<10
Ba	12	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	14	W	<5
Bi	<2	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	<100	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	<5	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution until the date shown above or ***12 Months** from the date opened, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

16 October 2023
Certification Date

Date Opened

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SM1A-025-08-08
Rec. 5/31/23 DT
Exp. 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000321

Manganese (Mn) – 1000 µg/mL

Lot #: 1137585-82

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Mn	1010 ± 5 µg/mL (w/v)
	1005 ± 5 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034**, **ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.98% pure manganese (Mn). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3132, lot #050429**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	13	Cs	<0.5	Hf	<0.2	Mg	30	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	12	Hg	<0.5	Mn	MAJOR	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	0.6	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-07-10
Rec. 5/31/23 NT
Exp. 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000343

Molybdenum (Mo) – 1000 µg/mL

Lot #: 1339101-6

Matrix: 2% HNO_3/0.1% HF

Element	Certified Concentration & Uncertainty
Mo	1005 ± 4 µg/mL (w/v)
	986.0 ± 4.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034**, **ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure molybdenum (Mo). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3134, lot #130418**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	1	Te	<1
Al	<2	Cs	<0.5	Hf	0.7	Mg	<5	Pb	<1	Sc	<5	Ti	102
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	2	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	MAJOR	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	6	Rb	<0.5	Sn	1	W	74
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	8	Sr	<1	Y	<0.5
Ca	<25	Fe	33	La	<0.5	Ni	<2	Rh	<0.5	Ta	3	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-08-09
Rec. 5/31/23 NT
Exp. 11/25/24

REPORT OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000361

Nickel (Ni) – 1000 µg/mL

Lot #: 1338414-10

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Ni	998.0 ± 4.0 µg/mL (w/v)
	989.0 ± 4.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.996% pure nickel (Ni). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3136 lot #120619.** The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	45	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	MAJOR	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

CPI INTERNATIONAL

Rec. 12/8/23 TH
SMA-025-11-02

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Potassium (K) – 10,000 µg/mL

Matrix: 1% HNO_3

Product #: S4400-10M411

Lot #: 1402510

*Expiration Date: 2 January 2026

Element	Certified Concentration & Uncertainty
K	9974 ± 48 µg/mL (w/v)
	9747 ± 47 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034**, **ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.997% pure potassium nitrate (KNO_3). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3141a, lot #140813**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	<10	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	<20	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	<5	Hg	<5	Mn	<10	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	<10
Ba	16	Er	<2	Ir	<2	Nb	<5	Rb	53	Sn	<5	W	<5
Bi	<2	Eu	<2	K	MAJOR	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	<100	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	<5	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution until the date shown above or ***12 Months** from the date opened, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

9 January 2023
Certification Date

Date Opened

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMIA-025-07-09
Rec. 5/31/23 HT

CERTIFICATE OF ANALYSIS

Exp 11/25/24

Single-Element Aqueous CRM

Product #: S4400-1000491

Selenium (Se) – 1000 µg/mL

Lot #: 1242587-28

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Se	993.0 ± 5.0 µg/mL (w/v)
	985.0 ± 5.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure selenium (Se). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3149, lot #100901**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	MAJOR	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	0.92	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901
www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SM4-025-09-04
Rec. 5/31/23 HT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000511

Silver (Ag) – 1000 µg/mL

Lot #: 1211976-63

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Ag	1006 ± 2 µg/mL (w/v)
	999.0 ± 2.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 9001**, **ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure silver (Ag) dissolved in high purity nitric acid (HNO_3) and diluted with filtered (0.22 µm), 18 M-ohm deionized water. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3151, lot #160729**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	MAJOR	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	0.6	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	0.6	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SWA-025-08-03
Rec. 5/31/23 HT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-10M521

Sodium (Na) – 10,000 µg/mL

Lot #: 1339275-8

Matrix: 3% HNO_3

Element	Certified Concentration & Uncertainty
Na	10,050 ± 22 µg/mL (w/v)
	9758 ± 21 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.997% pure sodium carbonate (Na_2CO_3). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3152a, lot #200413**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	<10	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	<20	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	<5	Hg	<5	Mn	<10	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	MAJOR	Pt	<5	Sm	<2	V	<10
Ba	<10	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	<5	W	<5
Bi	<2	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	<100	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	<5	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-09-06
Rec. 5/31/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000531

Strontium (Sr) – 1000 µg/mL

Lot #: 1303809-5

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Sr	996.0 ± 5.0 µg/mL (w/v)
	993.0 ± 5.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.9965% pure strontium nitrate [$Sr(NO_3)_2$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3153a, lot #990906**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	0.7	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	81	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	MAJOR	Y	2
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	2	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	0.6	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

SMA-025-08-01
Rec. 5/31/23 NT
Exp. 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000581

Thallium (Tl) – 1000 µg/mL

Lot #: 1239312-24

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Tl	994.0 ± 6.0 µg/mL (w/v)
	935.0 ± 5.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 9001**, **ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.99% pure thallium (Tl) dissolved in high purity nitric acid (HNO_3) and diluted with filtered (0.22 µm), 18 M-ohm deionized water. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3158, lot #151215**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	2	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	24
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	9	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	51	Mn	<1	Pd	19	Se	5	Tl	MAJOR
Au	<0.5	Cu	8	Ho	<0.2	Mo	15	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	1	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	0.6
Bi	0.4	Eu	<0.2	K	<25	Nd	<0.2	Re	0.4	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	4	Ni	<2	Rh	5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	3	Ru	9	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-08-02
Rec. 5/31/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000613

Tin (Sn) – 1000 µg/mL

Lot #: 1222809-18

Matrix: 2% HNO_3/0.5% HF

Element	Certified Concentration & Uncertainty
Sn	1000 ± 3 µg/mL (w/v)
	982.0 ± 3.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure tin (Sn). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3161a, lot #140917**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	35	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	4	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	2	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	2	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	1	Sn	MAJOR	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	190	Rh	<0.5	Ta	1	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

SMA-025-07-08
Rec 5/31/23 HT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000623

Titanium (Ti) – 1000 µg/mL

Lot #: 1195496-37

Matrix: 2% HNO_3/0.5% HF

Element	Certified Concentration & Uncertainty
Ti	999.0 ± 2.0 µg/mL (w/v)
	978.0 ± 2.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.99+% pure titanium (Ti). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3162a, lot #130925**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	0.697	Co	1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	10	Cs	<0.5	Hf	23	Mg	1171	Pb	<1	Sc	<5	Ti	MAJOR
As	30	Cr	2	Hg	<0.5	Mn	<1	Pd	1	Se	<2	Tl	<0.5
Au	<0.5	Cu	11	Ho	<0.2	Mo	55.97	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	83	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	2	Nb	0.7	Rb	0.7	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	196.8	Sr	<1	Y	<0.5
Ca	<25	Fe	24	La	<0.5	Ni	8	Rh	<0.5	Ta	1	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	5	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMIA-025-08-05
Rec 5/31/23
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000641

Uranium (U) – 1000 µg/mL

Lot #: 1249254-17

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
U	995.0 ± 5.0 µg/mL (w/v)
	990.0 ± 5.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034**, **ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.99% pure uranyl nitrate hexahydrate $[UO_2(NO_3)_2{\cdot}6H_2O]$. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3164, lot #080521**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	4	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	3	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

SMA-025-07-05
Rec. 5/31/25 PT
Exp. 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000651

Vanadium (V) – 1000 µg/mL

Lot #: 1361538-2

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
V	996.0 ± 5.0 µg/mL (w/v)
	982.0 ± 4.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.995% pure vanadium pentoxide (V_2O_5). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3165, lot #160906**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	0.7	Te	<1
Al	13	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	18
As	<2	Cr	185	Hg	<0.5	Mn	10	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	1	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	MAJOR
Ba	1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	1	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	168.6	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	0.9	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	13
Ce	0.3	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI international waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SM1A-025-08-04
Rec. 5/31/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000681

Zinc (Zn) – 1000 µg/mL

Lot #: 1216101-67

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Zn	1010 ± 6 µg/mL (w/v)
	1002 ± 6 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034**, **ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.9999% pure zinc (Zn). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3168a, lot #120629**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	MAJOR
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

CPI INTERNATIONAL

SM1A-025-10-05
Rec 9/5/23 NT
Exp. 2/28/25

Certificate of Analysis

Custom Standard

Catalog Number: 4400-110117RH09-100 (MRL AFCEE)
Lot Number: 2324017
Manufacture Date: August 28, 2023

Expiration: February 28, 2025
Matrix: 5% HNO3 / Tr HF

Analyte	Certified Concentration (µg/mL)	Analyte	Certified Concentration (µg/mL)
Ag	10.0 ± 0.1	Mg	200 ± 2
Al	200 ± 2	Mn	5.00 ± 0.05
As	10.0 ± 0.1	Mo	10.0 ± 0.1
B	100 ± 1	Na	500 ± 5
Ba	5.00 ± 0.05	Ni	10.0 ± 0.1
Be	4.00 ± 0.04	Pb	3.00 ± 0.03
Ca	500 ± 5	Sb	50.0 ± 0.5
Cd	5.00 ± 0.05	Se	10.0 ± 0.1
Co	10.0 ± 0.1	Sr	10.0 ± 0.1
Cr	10.0 ± 0.1	Ti	10.0 ± 0.1
Cu	10.0 ± 0.1	Tl	10.0 ± 0.1
Fe	100 ± 1	V	10.0 ± 0.1
K	1000 ± 10	Zn	10.0 ± 0.1
Li	100 ± 1		

Packaging, Storage, Instructions For Use

Store at room temperature (15-30°C)

This certified reference material (CRM) is packaged in HDPE as a whole volume ready to use sample. No secondary preparative steps are necessary. Allow to equilibrate to room temperature before use. Small aliquots should be poured out of the bottle rather than directly pipetted out of bottle in order to prevent contamination or premature degradation. This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by Perry Johnson), ISO/IEC 17025 (accredited by ANAB), and ISO 17034 (accredited by ANAB) quality system.

Traceability Information

Analyte Source Materials: The highest purity analyte source materials are used in the manufacture of this CRM. The traceability of this standard is maintained through an unbroken chain of comparisons to appropriate standards with suitable procedure and measurement uncertainties.

Method: This CRM was verified by ICP.

Balance: The standard weights (NBS weights Inventory No 20231A) are calibrated every two years by South Carolina Metrology Laboratory that is a participant in 'NIST Weights and Measures Measurement Assurance Program' with a certificate of measurement traceability to NIST primary standards. The balances are calibrated yearly by the ISO 17025 accredited metrology service, and are verified weekly by an in-house method using standard weights.

Thermometer: The standard thermometers are calibrated every year by the ISO 17025 accredited metrology service. The thermometers used in-house are verified against the standard thermometers yearly.

Glassware: All glassware used in the manufacture of our CRMs is Class A. An in-house standard operating procedure is used to verify all glassware prior to it being placed into service. The calibrations of volumetric vessels are verified using the ASTM method E542.

CPI INTERNATIONAL

SM1A-025-06-04
Rec. 9/15/22 TH
Exp. 3/31/24

Certificate of Analysis

Mix 12 A

Catalog Number: 4400-110117RH12 (Soln A)
Lot Number: 220824
Manufacture Date: 09/02/22

Rec 9/15/22 TH

Expiration: 03/31/2024
Matrix: 2% HNO3
Hazards: Irritant, Corrosive

Analyte	Certified Concentration (ppm)
Arsenic (As)	100 ± 0.575
Barium (Ba)	200 ± 1.15
Beryllium (Be)	150 ± 0.863
Boron (B)	250 ± 1.44
Cadmium (Cd)	200 ± 1.15
Chromium (Cr)	250 ± 1.44
Cobalt (Co)	100 ± 0.575
Copper (Cu)	250 ± 1.44
Lead (Pb)	250 ± 1.44
Lithium (Li)	50.0 ± 0.288
Magnesium (Mg)	6000 ± 34.5
Manganese (Mn)	250 ± 1.44
Nickel (Ni)	250 ± 1.44
Potassium (K)	6000 ± 34.5
Selenium (Se)	100 ± 0.575
Silver (Ag)	50.0 ± 0.288
Sodium (Na)	6000 ± 34.5
Strontium (Sr)	50.0 ± 0.288
Thallium (Tl)	250 ± 1.44
Vanadium (V)	150 ± 0.863
Zinc (Zn)	250 ± 1.44

Catalog Number: 4400-110117RH12 (Soln B)
Lot Number: 220723
Manufacture Date: 08/04/22

Mix 12 B

Expiration: 02/29/2024
Matrix: 5% HNO3/tr. HF
Hazards: Irritant, Corrosive

SM1A-025-05-08
Rec. 8/15/22 NT
Exp. 2/29/24

Analyte	Certified Concentration (ppm)
Antimony (Sb)	150 ± 0.863
Tin (Sn)	50.0 ± 0.288
Titanium (Ti)	50.0 ± 0.288

Mixed 12A
SM1A-025-09-08
Rec. 7/11/23 NT
Exp. 1/31/25

Certificate of Analysis

Custom Standard

Catalog Number: 4400-110117RH12-A-100
Lot Number: 2318102
Manufacture Date: July 3, 2023

Expiration: January 31, 2025
Matrix: 2% HNO3

Analyte	Certified Concentration (µg/mL)	Analyte	Certified Concentration (µg/mL)
Ag	50.0 ± 0.5	Mg	6000 ± 40
As	100 ± 1	Mn	250 ± 4
B	250 ± 3	Na	6000 ± 40
Ba	200 ± 2	Ni	250 ± 3
Be	150 ± 2	Pb	250 ± 3
Cd	200 ± 2	Se	100 ± 1
Co	100 ± 1	Sr	50.0 ± 0.5
Cr	250 ± 3	Tl	250 ± 3
Cu	250 ± 3	V	150 ± 2
K	6000 ± 60	Zn	250 ± 3
Li	50.0 ± 0.5		

Packaging, Storage, Instructions For Use

Store at room temperature (15-30°C)

This certified reference material (CRM) is packaged in HDPE as a whole volume ready to use sample. No secondary preparative steps are necessary. Allow to equilibrate to room temperature before use. Small aliquots should be poured out of the bottle rather than directly pipetted out of bottle in order to prevent contamination or premature degradation. This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by Perry Johnson), ISO/IEC 17025 (accredited by ANAB), and ISO 17034 (accredited by ANAB) quality system.

Traceability Information

Analyte Source Materials: The highest purity analyte source materials are used in the manufacture of this CRM. The traceability of this standard is maintained through an unbroken chain of comparisons to appropriate standards with suitable procedure and measurement uncertainties.

Method: This CRM was verified by ICP.

Balance: The standard weights (NBS weights Inventory No 20231A) are calibrated every two years by South Carolina Metrology Laboratory that is a participant in 'NIST Weights and Measures Measurement Assurance Program' with a certificate of measurement traceability to NIST primary standards. The balances are calibrated yearly by the ISO 17025 accredited metrology service, and are verified weekly by an in-house method using standard weights.

Thermometer: The standard thermometers are calibrated every year by the ISO 17025 accredited metrology service. The thermometers used in-house are verified against the standard thermometers yearly.

Glassware: All glassware used in the manufacture of our CRMs is Class A. An in-house standard operating procedure is used to verify all glassware prior to it being placed into service. The calibrations of volumetric vessels are verified using the ASTM method E542.

CPI INTERNATIONAL

Mixed 12 B
SMA-025-09-09
Rec. 7/11/23 NT
Exp. 1/31/25

Certificate of Analysis

Custom Standard

Catalog Number: 4400-110117RH12-B-100
Lot Number: 2318123
Manufacture Date: June 30, 2023

Expiration: January 31, 2025
Matrix: 5% HNO3 / 0.5% HF

Analyte	Certified Concentration (µg/mL)
Sb	150 ± 2
Sn	50.0 ± 0.5
Ti	50.0 ± 0.5

Packaging, Storage, Instructions For Use

Store at room temperature (15-30°C)

This certified reference material (CRM) is packaged in HDPE as a whole volume ready to use sample. No secondary preparative steps are necessary. Allow to equilibrate to room temperature before use. Small aliquots should be poured out of the bottle rather than directly pipetted out of bottle in order to prevent contamination or premature degradation. This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by Perry Johnson), ISO/IEC 17025 (accredited by ANAB), and ISO 17034 (accredited by ANAB) quality system.

Traceability Information

Analyte Source Materials: The highest purity analyte source materials are used in the manufacture of this CRM. The traceability of this standard is maintained through an unbroken chain of comparisons to appropriate standards with suitable procedure and measurement uncertainties.

Method: This CRM was verified by ICP.

Balance: The standard weights (NBS weights Inventory No 20231A) are calibrated every two years by South Carolina Metrology Laboratory that is a participant in 'NIST Weights and Measures Measurement Assurance Program' with a certificate of measurement traceability to NIST primary standards. The balances are calibrated yearly by the ISO 17025 accredited metrology service, and are verified weekly by an in-house method using standard weights.

Thermometer: The standard thermometers are calibrated every year by the ISO 17025 accredited metrology service. The thermometers used in-house are verified against the standard thermometers yearly.

Glassware: All glassware used in the manufacture of our CRMs is Class A. An in-house standard operating procedure is used to verify all glassware prior to it being placed into service. The calibrations of volumetric vessels are verified using the ASTM method E542.

CPI INTERNATIONAL

Certificate of Analysis

Mix 11 Solutions A & B

Catalog Number: 4400-110117RH11 (Soln A)
Lot Number: 220718
Manufacture Date: 08/02/22

Expiration: 02/29/2024
Matrix: 2% HNO3
Hazards: Irritant, Corrosive

SMIA-025-05.05
Rec. 8/15/22 NT
Exp. 2/29/24

Analyte	Certified Concentration (ppm)
Arsenic (As)	100 ± 0.575
Barium (Ba)	50.0 ± 0.288
Beryllium (Be)	50.0 ± 0.288
Boron (B)	50.0 ± 0.288
Cadmium (Cd)	100 ± 0.575
Chromium (Cr)	50.0 ± 0.288
Cobalt (Co)	50.0 ± 0.288
Copper (Cu)	50.0 ± 0.288
Lead (Pb)	100 ± 0.575
Lithium (Li)	100 ± 0.575
Manganese (Mn)	50.0 ± 0.288
Nickel (Ni)	100 ± 0.575
Potassium (K)	7500 ± 43.1
Selenium (Se)	100 ± 0.575
Silver (Ag)	100 ± 0.575
Sodium (Na)	7500 ± 43.1
Strontium (Sr)	50.0 ± 0.288
Thallium (Tl)	100 ± 0.575
Vanadium (V)	50.0 ± 0.288
Zinc (Zn)	100 ± 0.575

Catalog Number: 4400-110117RH11 (Soln B)
Lot Number: 220719
Manufacture Date: 08/01/22

Expiration: 02/29/2024
Matrix: 5% HNO3/1% HF
Hazards: Irritant, Corrosive

SMIA-025-05-06
Rec. 8/15/22 HT
Exp. 2/29/24

Analyte	Certified Concentration (ppm)
Antimony (Sb)	100 ± 0.575
Molybdenum (Mo)	100 ± 0.575
Tin (Sn)	100 ± 0.575
Titanium (Ti)	100 ± 0.575

CPI INTERNATIONAL

Certificate of Analysis

SM1A-025-11-08
Rec: 2/13/24 JC
Exp: 7/31/25

Custom Standard (Mix 11A)

Catalog Number: 4400-110117RH11-A-100
Lot Number: 2401901
Manufacture Date: January 19, 2024
Expiration: July 31, 2025
Matrix: 2% HNO3

Analyte	Certified Concentration (µg/mL)	Analyte	Certified Concentration (µg/mL)
Ag	100 ± 1	Li	100 ± 1
As	100 ± 1	Mn	50.0 ± 0.8
B	50.0 ± 0.5	Na	7500 ± 50
Ba	50.0 ± 0.5	Ni	100 ± 1
Be	50.0 ± 0.5	Pb	100 ± 1
Cd	100 ± 1	Se	100 ± 1
Co	50.0 ± 0.5	Sr	50.0 ± 0.5
Cr	50.0 ± 0.5	Tl	100 ± 1
Cu	50.0 ± 0.5	V	50.0 ± 0.5
K	7500 ± 80	Zn	100 ± 1

Packaging, Storage, Instructions For Use

Store at room temperature (15-30°C)

This certified reference material (CRM) is packaged in HDPE as a whole volume ready to use sample. No secondary preparative steps are necessary. Allow to equilibrate to room temperature before use. Small aliquots should be poured out of the bottle rather than directly pipetted out of bottle in order to prevent contamination or premature degradation. This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by Perry Johnson), ISO/IEC 17025 (accredited by ANAB), and ISO 17034 (accredited by ANAB) quality system.

Traceability Information

Analyte Source Materials: The highest purity analyte source materials are used in the manufacture of this CRM. The traceability of this standard is maintained through an unbroken chain of comparisons to appropriate standards with suitable procedure and measurement uncertainties.

Method: This CRM was verified by ICP.

Balance: The standard weights (NBS weights Inventory No 20231A) are calibrated every two years by South Carolina Metrology Laboratory that is a participant in 'NIST Weights and Measures Measurement Assurance Program' with a certificate of measurement traceability to NIST primary standards. The balances are calibrated yearly by the ISO 17025 accredited metrology service, and are verified weekly by an in-house method using standard weights.

Thermometer: The standard thermometers are calibrated every year by the ISO 17025 accredited metrology service. The thermometers used in-house are verified against the standard thermometers yearly.

Glassware: All glassware used in the manufacture of our CRMs is Class A. An in-house standard operating procedure is used to verify all glassware prior to it being placed into service. The calibrations of volumetric vessels are verified using the ASTM method E542.

CPI INTERNATIONAL

Certificate of Analysis

SM1A-025-11-09
Rec: 2/13/24 JC
Exp: 7/31/25

Custom Standard (MIX 11B)

Catalog Number: 4400-110117RH11-B-100
Lot Number: 2402029
Manufacture Date: January 22, 2024
Expiration: July 31, 2025
Matrix: 5% HNO3 / 1% HF

Analyte	Certified Concentration (µg/mL)
Mo	100 ± 1
Sb	100 ± 1
Sn	100 ± 1
Ti	100 ± 1

Packaging, Storage, Instructions For Use

Store at room temperature (15-30°C)

This certified reference material (CRM) is packaged in HDPE as a whole volume ready to use sample. No secondary preparative steps are necessary. Allow to equilibrate to room temperature before use. Small aliquots should be poured out of the bottle rather than directly pipetted out of bottle in order to prevent contamination or premature degradation. This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by Perry Johnson), ISO/IEC 17025 (accredited by ANAB), and ISO 17034 (accredited by ANAB) quality system.

Traceability Information

Analyte Source Materials: The highest purity analyte source materials are used in the manufacture of this CRM. The traceability of this standard is maintained through an unbroken chain of comparisons to appropriate standards with suitable procedure and measurement uncertainties.

Method: This CRM was verified by ICP.

Balance: The standard weights (NBS weights Inventory No 20231A) are calibrated every two years by South Carolina Metrology Laboratory that is a participant in 'NIST Weights and Measures Measurement Assurance Program' with a certificate of measurement traceability to NIST primary standards. The balances are calibrated yearly by the ISO 17025 accredited metrology service, and are verified weekly by an in-house method using standard weights.

Thermometer: The standard thermometers are calibrated every year by the ISO 17025 accredited metrology service. The thermometers used in-house are verified against the standard thermometers yearly.

Glassware: All glassware used in the manufacture of our CRMs is Class A. An in-house standard operating procedure is used to verify all glassware prior to it being placed into service. The calibrations of volumetric vessels are verified using the ASTM method E542.

CERTIFICATE OF ANALYSIS

Multi-Element Aqueous CRM

Product #: 4400-131927

SMIA-MS-07-02

Custom EMAX Mix 4

exp 10/4/2024

Lot #: 1358563

Matrix: 3% HNO_3

LCS 1

Element	Certified Concentration & Uncertainty	Element	Certified Concentration & Uncertainty	Element	Certified Concentration & Uncertainty
Ag	100.0 ± 0.5 µg/mL	Co	100.0 ± 0.5 µg/mL	Pb	100.0 ± 0.5 µg/mL
Al	1000 ± 5 µg/mL	Cr	100.0 ± 0.5 µg/mL	Se	100.0 ± 0.5 µg/mL
As	100.0 ± 0.5 µg/mL	Cu	99.99 ± 0.50 µg/mL	Tl	100.0 ± 0.5 µg/mL
Ba	100.0 ± 0.5 µg/mL	Fe	1000 ± 5 µg/mL	V	100.0 ± 0.5 µg/mL
Be	100.0 ± 0.5 µg/mL	Mn	100.0 ± 0.5 µg/mL	Zn	100.0 ± 0.5 µg/mL
Cd	100.0 ± 0.5 µg/mL	Ni	100.0 ± 0.5 µg/mL		

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited **ISO 17034, ISO/IEC 17025 and** to **ISO 9001**. This CRM was prepared to the certified concentrations shown above by gravimetric methods, using single-element concentrates that were certified using the "High Performance ICP-OES" protocol developed by NIST and are directly traceable to **NIST SRMs (see reverse side)**. The solution was diluted with filtered (0.22 µm), 18 M-ohm deionized water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentrations were determined based upon gravimetric procedures. Secondary verification of the certified concentrations was performed using ICP-OES that was calibrated and/or referenced against **NIST SRMs (see reverse side)**. The uncertainty associated with each certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

April 4, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901
www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

CERTIFICATE OF ANALYSIS LCS2

Multi-Element Aqueous CRM

Product #: 4400-110110RH01

Custom Standard Mix 5 Solution A SMIA-025-0703

Lot #: 1358562

Matrix: 5% HNO_3/0.6% HF

Element	Certified Concentration & Uncertainty	Element	Certified Concentration & Uncertainty	Element	Certified Concentration & Uncertainty
B	99.96 ± 0.50 µg/mL	Sb	500.0 ± 2.5 µg/mL	Sr	99.98 ± 0.50 µg/mL
Mo	100.0 ± 0.5 µg/mL	Sn	99.99 ± 0.50 µg/mL	Ti	100.0 ± 0.5 µg/mL

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited **ISO 17034, ISO/IEC 17025 and** to **ISO 9001**. This CRM was prepared to the certified concentrations shown above by gravimetric methods, using single-element concentrates that were certified using the "High Performance ICP-OES" protocol developed by NIST and are directly traceable to **NIST SRMs (see reverse side)**. The solution was diluted with filtered (0.22 µm), 18 M-ohm deionized water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentrations were determined based upon gravimetric procedures. Secondary verification of the certified concentrations was performed using ICP-OES that was calibrated and/or referenced against **NIST SRMs (see reverse side)**. The uncertainty associated with each certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

April 4, 2023
Certification Date

Exp 10/4/24

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

CERTIFICATE OF ANALYSIS LCS3

Multi-Element Aqueous CRM

Product #: 4400-110110RH02

Custom Standard Mix 5 Solution B SM1A-025-07-04

Lot #: 1283861-5

Matrix: 5% HNO_3

Element	Certified Concentration & Uncertainty	Element	Certified Concentration & Uncertainty
Ca	5000 ± 25 µg/mL	Mg	5000 ± 25 µg/mL
K	5000 ± 25 µg/mL	Na	5000 ± 25 µg/mL

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited **ISO 17034**, **ISO/IEC 17025 and** to **ISO 9001**. This CRM was prepared to the certified concentrations shown above by gravimetric methods, using single-element concentrates that were certified using the "High Performance ICP-OES" protocol developed by NIST and are directly traceable to **NIST SRMs (see reverse side)**. The solution was diluted with filtered (0.22 µm), 18 M-ohm deionized water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentrations were determined based upon gravimetric procedures. Secondary verification of the certified concentrations was performed using ICP-OES that was calibrated and/or referenced against **NIST SRMs (see reverse side)**. The uncertainty associated with each certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

April 4, 2023
Certification Date

Exp 10/4/2024

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

MT 6/9/23

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

METALS
(SOIL)

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F034

METHOD 3050B/6010C
METALS BY TRACE ICP

One(1) soil sample was received on 06/07/24 to be analyzed for Metals by Trace ICP in accordance with Method 3050B/6010C and project specific requirements.

Holding Time
The sample was digested and analyzed within the prescribed holding time.

Calibration
Initial Calibration was established as prescribed by the method and was verified using a secondary source(ICV). Interference checks were performed and results were within required limits. Continuing calibration verifications and continuing calibration blanks were carried out at the frequency specified by the project. All calibration requirements were satisfied. MRL was analyzed as required by the project.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. IPF010SB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. IPF010SL/IPF010SC were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample
Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed and the following were noted: F034-02M/F034-02S - Percent recoveries for Antimony, Selenium and Thallium were not within MS/MSD QC limits. Percent recoveries for Barium and Nickel(1X) was not within MS QC limit. Presence of matrix interference was suspected. The rest of the analytes were in control. Analytical spike and serial dilution were analyzed and evaluated as appropriate. Results were within expected values. Refer to Matrix QC summary form for details.

Sample Analysis
The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met with the exception of those that were discussed within the associated QC parameter.

LAB CHRONICLE
METALS BY TRACE ICP

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F034
Instrument ID : D8

SOIL

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
MBLK1S	IPF010SB	1.000	NA	06/20/2418:26	06/14/2409:36	ID8F008050	ID8F008045	IPF010S	Method Blank
LCS1S	IPF010SL	1.000	NA	06/20/2418:31	06/14/2409:36	ID8F008051	ID8F008045	IPF010S	Lab Control Sample (LCS)
LCD1S	IPF010SC	1.000	NA	06/20/2418:36	06/14/2409:36	ID8F008052	ID8F008045	IPF010S	LCS Duplicate
IDW-SOIL_JUN24	F034-02A	1.000	10.5	06/20/2418:50	06/14/2409:36	ID8F008055	ID8F008053	IPF010S	Analytical Spike Sample
IDW-SOIL_JUN24	F034-02	1.000	10.5	06/20/2418:55	06/14/2409:36	ID8F008056	ID8F008053	IPF010S	Field Sample
IDW-SOIL_JUN24	F034-02J	5.000	10.5	06/20/2419:00	06/14/2409:36	ID8F008057	ID8F008053	IPF010S	Diluted Sample
IDW-SOIL_JUN24MS	F034-02M	1.000	10.5	06/20/2419:05	06/14/2409:36	ID8F008058	ID8F008053	IPF010S	Matrix Spike Sample (MS)
IDW-SOIL_JUN24MSD	F034-02S	1.000	10.5	06/20/2419:10	06/14/2409:36	ID8F008059	ID8F008053	IPF010S	MS Duplicate (MSD)

FN - Filename
% Moist - Percent Moisture

METHOD 3050B/6010C
METALS BY TRACE ICP

Client	: PARSONS	Date Collected:	06/06/24 11:20
Project	: TITAN 1-A	Date Received:	06/07/24
SDG NO.	: 24F034	Date Extracted:	06/14/24 09:36
Sample ID:	IDW-SOIL_JUN24	Date Analyzed:	06/20/24 18:55
Lab Samp ID:	F034-02	Dilution Factor:	1
Lab File ID:	ID8F008056	Matrix:	SOIL
Ext Btch ID:	IPF010S	% Moisture:	10.5
Calib. Ref.:	ID8F008053	Instrument ID:	D8

PARAMETERS	Result (mg/kg)	LOQ (mg/kg)	DL (mg/kg)	LOD (mg/kg)
Antimony	ND	10.8	1.08	3.25
Arsenic	12.8	2.17	0.542	1.08
Barium	197	1.08	0.217	0.542
Beryllium	0.679	0.542	0.108	0.217
Cadmium	ND	0.542	0.108	0.217
Chromium	63.1	1.08	0.271	0.542
Cobalt	12.9	1.08	0.108	0.217
Copper	21.3	1.08	0.271	0.542
Lead	4.47	2.17	0.542	1.08
Molybdenum	0.624J	1.08	0.271	0.542
Nickel	29.2	1.08	0.271	0.542
Selenium	ND	2.17	0.542	1.08
Silver	ND	1.08	0.108	0.217
Thallium	ND	1.08	0.271	0.542
Vanadium	82.8	1.08	0.108	0.217
Zinc	48.3	10.8	2.17	5.42

Note: Detection limits are reported relative to sample result significant figures.

Sample Amount	: 1.03g	Final Volume:	100ml
Prepared by	: JChun	Analyzed by:	JFeng/JChun

METHOD 3050B/6010C
METALS BY TRACE ICP

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Sample ID: MBLK1S
Lab Samp ID: IPF010SB
Lab File ID: ID8F008050
Ext Btch ID: IPF010S
Calib. Ref.: ID8F008045

Date Collected: NA
Date Received: NA
Date Extracted: 06/14/24 09:36
Date Analyzed: 06/20/24 18:26
Dilution Factor: 1
Matrix: SOIL
% Moisture: NA
Instrument ID: D8

PARAMETERS	Result (mg/kg)	LOQ (mg/kg)	DL (mg/kg)	LOD (mg/kg)
Antimony	ND	10.0	1.00	3.00
Arsenic	ND	2.00	0.500	1.00
Barium	ND	1.00	0.200	0.500
Beryllium	ND	0.500	0.100	0.200
Cadmium	ND	0.500	0.100	0.200
Chromium	ND	1.00	0.250	0.500
Cobalt	ND	1.00	0.100	0.200
Copper	ND	1.00	0.250	0.500
Lead	ND	2.00	0.500	1.00
Molybdenum	ND	1.00	0.250	0.500
Nickel	ND	1.00	0.250	0.500
Selenium	ND	2.00	0.500	1.00
Silver	ND	1.00	0.100	0.200
Thallium	ND	1.00	0.250	0.500
Vanadium	ND	1.00	0.100	0.200
Zinc	ND	10.0	2.00	5.00

Note: Detection limits are reported relative to sample result significant figures.
Sample Amount : 1g
Prepared by : JChun

Final Volume:100ml
Analyzed by:JFeng/JChun

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : 3050B/6010C

MATRIX	: SOIL		% MOISTURE:NA
DILUTION FACTOR	: 1.000	1.000	1.000
SAMPLE ID	: MBLK1S	LCS1S	LCD1S
LAB SAMPLE ID	: IPF010SB	IPF010SL	IPF010SC
LAB FILE ID	: ID8F008050	ID8F008051	ID8F008052
DATE PREPARED	: 06/14/24 09:36	06/14/24 09:36	06/14/24 09:36
DATE ANALYZED	: 06/20/24 18:26	06/20/24 18:31	06/20/24 18:36
PREP BATCH	: IPF010S	IPF010S	IPF010S
CALIBRATION REF	: ID8F008045	ID8F008045	ID8F008045

ACCESSION:

PARAMETERS	MBResult (mg/kg)	SpikeAmt (mg/kg)	LCSResult (mg/kg)	LCSRec (%)	SpikeAmt (mg/kg)	LCDResult (mg/kg)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Antimony	ND	250	231	92	250	224	90	3	79-114	20
Arsenic	ND	50	48.5	97	50	47.0	94	3	82-111	20
Barium	ND	50	47.7	95	50	46.9	94	2	83-113	20
Beryllium	ND	50	48.3	97	50	47.4	95	2	83-113	20
Cadmium	ND	50	49.0	98	50	47.7	95	3	82-113	20
Chromium	ND	50	47.8	96	50	46.8	94	2	85-113	20
Cobalt	ND	50	48.0	96	50	47.2	94	2	85-112	20
Copper	ND	50	46.9	94	50	46.1	92	2	81-117	20
Lead	ND	50	46.4	93	50	45.5	91	2	81-112	20
Molybdenum	ND	50	51.4	103	50	50.2	100	2	82-116	20
Nickel	ND	50	50.9	102	50	50.0	100	2	83-113	20
Selenium	ND	50	48.4	97	50	47.0	94	3	78-111	20
Silver	ND	50	46.8	94	50	46.0	92	2	82-112	20
Thallium	ND	50	46.1	92	50	45.0	90	2	83-111	20
Vanadium	ND	50	48.5	97	50	47.6	95	2	82-114	20
Zinc	ND	50	51.5	103	50	50.6	101	2	82-113	20

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : 3050B/6010C

MATRIX : SOIL % MOISTURE: 10.5
DILUTION FACTOR: 1 1 1
SAMPLE ID : IDW-SOIL_JUN24 IDW-SOIL_JUN24MS IDW-SOIL_JUN24MSD
LAB SAMPLE ID : F034-02 F034-02M F034-02S
LAB FILE ID : ID8F008056 ID8F008058 ID8F008059
DATE PREPARED : 06/14/24 09:36 06/14/24 09:36 06/14/24 09:36
DATE ANALYZED : 06/20/24 18:55 06/20/24 19:05 06/20/24 19:10
PREP BATCH : IPF010S IPF010S IPF010S
CALIBRATION REF: ID8F008053 ID8F008053 ID8F008053

ACCESSION:

PARAMETERS	PSResult (mg/kg)	SpikeAmt (mg/kg)	MSResult (mg/kg)	MSRec (%)	SpikeAmt (mg/kg)	MSDResult (mg/kg)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Antimony	ND	271	186	69*	271	183	68*	2	79-114	20
Arsenic	12.8	54.2	65.5	97	54.2	60.9	89	7	82-111	20
Barium	197	54.2	259	114*	54.2	252	101	3	83-113	20
Beryllium	0.679	54.2	51.6	94	54.2	51.1	93	1	83-113	20
Cadmium	ND	54.2	49.3	91	54.2	49.1	91	0	82-113	20
Chromium	63.1	54.2	121	107	54.2	118	101	3	85-113	20
Cobalt	12.9	54.2	67.0	100	54.2	65.4	97	2	85-112	20
Copper	21.3	54.2	71.4	92	54.2	70.7	91	1	81-117	20
Lead	4.47	54.2	55.5	94	54.2	54.8	93	1	81-112	20
Molybdenum	0.624J	54.2	54.9	100	54.2	53.7	98	2	82-116	20
Nickel	29.2	54.2	91.4	115*	54.2	86.5	106	6	83-113	20
Selenium	ND	54.2	40.7	75*	54.2	40.9	75*	0	78-111	20
Silver	ND	54.2	49.7	92	54.2	49.1	91	1	82-112	20
Thallium	ND	54.2	43.1	80*	54.2	42.6	79*	1	83-111	20
Vanadium	82.8	54.2	143	111	54.2	141	107	1	82-114	20
Zinc	48.3	54.2	109	112	54.2	107	108	2	82-113	20

PSResult - Parent Sample Result
* Out of QC limit

EMAX QUALITY CONTROL DATA
ANALYTICAL SPIKE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : 3050B/6010C

MATRIX : SOIL % MOISTURE: 10.5
DILUTION FACTOR: 1 1
SAMPLE ID : IDW-SOIL_JUN24 IDW-SOIL_JUN24
LAB SAMPLE ID : F034-02 F034-02A
LAB FILE ID : ID8F008056 ID8F008055
DATE PREPARED : 06/14/24 09:36 06/14/24 09:36
DATE ANALYZED : 06/20/24 18:55 06/20/24 18:50
PREP BATCH : IPF010S IPF010S
CALIBRATION REF: ID8F008053 ID8F008053

ACCESSION:

PARAMETERS	Sample Result (mg/kg)	Spike Amt (mg/kg)	AS Result (mg/kg)	AS Rec (%)	QC Limit (%)
Antimony	ND	271	275	101	80-120
Arsenic	12.8	54.2	68.4	102	80-120
Barium	197	54.2	250	98	80-120
Beryllium	0.679	54.2	56.6	103	80-120
Cadmium	ND	54.2	54.9	101	80-120
Chromium	63.1	54.2	116	98	80-120
Cobalt	12.9	54.2	71.8	109	80-120
Copper	21.3	54.2	75.8	100	80-120
Lead	4.47	54.2	60.4	103	80-120
Molybdenum	0.624J	54.2	62.2	114	80-120
Nickel	29.2	54.2	90.9	114	80-120
Selenium	ND	54.2	46.3	85	80-120
Silver	ND	54.2	50.0	92	80-120
Thallium	ND	54.2	48.3	89	80-120
Vanadium	82.8	54.2	136	98	80-120
Zinc	48.3	54.2	113	119	80-120

AS - Analytical Spike

EMAX QUALITY CONTROL DATA
SERIAL DILUTION ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : 3050B/6010C

MATRIX : SOIL % MOISTURE: 10.5
DILUTION FACTOR: 1 5
SAMPLE ID : IDW-SOIL_JUN24 IDW-SOIL_JUN24
LAB SAMPLE ID : F034-02 F034-02J
LAB FILE ID : ID8F008056 ID8F008057
DATE PREPARED : 06/14/24 09:36 06/14/24 09:36
DATE ANALYZED : 06/20/24 18:55 06/20/24 19:00
PREP BATCH : IPF010S IPF010S
CALIBRATION REF: ID8F008053 ID8F008053

ACCESSION:

PARAMETERS	Sample Result (mg/kg)	SD Result (mg/kg)	%Difference (%)	Max %D (%)
Antimony	ND	ND	0	10
Arsenic	12.8	12.4	3	10
Barium	197	199	1	10
Beryllium	0.679	0.575J	NA	10
Cadmium	ND	ND	0	10
Chromium	63.1	65.5	4	10
Cobalt	12.9	12.3	5	10
Copper	21.3	21.6	1	10
Lead	4.47	4.32J	NA	10
Molybdenum	0.624J	ND	NA	10
Nickel	29.2	27.5	6	10
Selenium	ND	ND	0	10
Silver	ND	ND	0	10
Thallium	ND	ND	0	10
Vanadium	82.8	84.3	2	10
Zinc	48.3	43.8J	NA	10

SD - Serial Dilution

ICP (6010) QC CHECK TABLE

QC	ICV	CCV	ICSAB	ICSA
Limit%	90-110	90-110	80-120	80-120
Comp	mg/L	mg/L	mg/L	mg/L
Al	100	100	400	400
Sb	1.5	1.5	1	0
As	1	1	1	0
Ba	2	2	0.5	0
Be	1.5	1.5	0.5	0
B	2.5	2.5	1	0
Cd	2	2	1	0
Ca	75	75	500	500
Cr	2.5	2.5	0.5	0
Co	1	1	0.5	0
Cu	2.5	2.5	0.5	0
Fe	25	25	200	200
Pb	2.5	2.5	1	0
Li	0.5	0.5	1	0
Mg	60	60	200	200
Mn	2.5	2.5	0.5	0
Mo	2.5	2.5	1	0
Ni	2.5	2.5	1	0
K	60	60	75	0
Se	1	1	1	0
Ag	0.5	0.5	1	0
Na	60	60	75	0
Sr	0.5	0.5	0.5	0
Tl	2.5	2.5	1	0
Sn	0.5	0.5	1	0
Ti	0.5	0.5	1	0
V	1.5	1.5	0.5	0
Zn	2.5	2.5	1	0

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Start Date: 6/20/24 12:28
End Date: 6/21/24 00:35

SOP #	Rev. #
☑ EMAX-6010	9
☑ EMAX-6010C	3
☐ EMAX-200.7	6
☐ EMAX-	

Comments: See Analytical Sequence

Book #: AD8-075
Instrument No.: D8
Analytical Batch: ID8F003
Analytical Sequence: S-24F6010 (v19)
Method File: 6/20/24 24F6010 (v19)
Database: EMAX31
Micropipette ID: ☐ 942780530
Micropipette ID: ☑ D42761999
Micropipette ID: ☑ S42740566
Micropipette ID: ☑ D42781151
Micropipette ID: ☐

	STANDARDS ID		STANDARDS ID
S0	SMIB-29-38-02	S26	SMIB-29-44-01
S1	N/A	S27	-44-02
S2		S28	-18-01
S3		S29	-18-02
S4		S30	-24-02
S5		S31	-25-01
S6		ICV	SMIB-29-40-01
S7		CCV	-19-01
S8		ICSA	-24-01
S9		ICSAB	-37-01
S10		CRI/MRL1	-26-01
S11		CRI/MRL2	-37-02
S12		CRI/MRL3	-20-01(2x)
S16		CRI/MRL4	-12-01
S17		Internal Standard	SMIA-025-12-04
S18		Post-Spike 1	-07-02
S20	SMIB-29-39-01	Post-Spike 2	-07-03
S21	-39-02	Post-Spike 3	-07-04
S22	-16-02		
S23	-17-01		
S24	-43-01		
S25	-43-02		

Analyzed By: JF/JC
Date: 6/20/24

SEQUENCE FILE : ID8F008

4-18	19-33	34-43	44-53	54-63
LFID	LSID	TIME	DATE	DF
ID8F008001	S024F6010	12:28	06/20/24	1.000
ID8F008002	S20	12:33	06/20/24	1.000
ID8F008003	S21	12:38	06/20/24	1.000
ID8F008004	S22	12:43	06/20/24	1.000
ID8F008005	S23	12:48	06/20/24	1.000
ID8F008006	S24	12:54	06/20/24	1.000
ID8F008007	S25	12:58	06/20/24	1.000
ID8F008008	S26	13:04	06/20/24	1.000
ID8F008009	S27	13:08	06/20/24	1.000
ID8F008010	S28	13:13	06/20/24	1.000
ID8F008011	S29	13:18	06/20/24	1.000
ID8F008012	S30	13:23	06/20/24	1.000
ID8F008013	S31	13:28	06/20/24	1.000
ID8F008014	ICV	13:33	06/20/24	1.000
ID8F008015	ICB	13:38	06/20/24	1.000
ID8F008016	MRLF2001	13:43	06/20/24	1.000
ID8F008017	MRLF2002	13:48	06/20/24	1.000
ID8F008018	ICSA1	13:53	06/20/24	1.000
ID8F008019	ICSAB1	13:58	06/20/24	1.000
ID8F008020	MRLF2003	14:03	06/20/24	1.000
ID8F008021	MRLF2004	14:08	06/20/24	1.000
ID8F008022	CCV1	14:12	06/20/24	1.000
ID8F008023	CCB1	14:17	06/20/24	1.000
ID8F008024	IPF005WB	16:17	06/20/24	1.000
ID8F008025	IPF005WL	16:22	06/20/24	1.000
ID8F008026	IPF005WC	16:27	06/20/24	1.000
ID8F008027	F020-02	16:31	06/20/24	1.000
ID8F008028	F020-03A	16:36	06/20/24	1.000
ID8F008029	F020-03	16:41	06/20/24	1.000
ID8F008030	F020-03J	16:46	06/20/24	5.000
ID8F008031	F020-03M	16:51	06/20/24	1.000
ID8F008032	F020-03S	16:56	06/20/24	1.000
ID8F008033	CCV2	17:01	06/20/24	1.000
ID8F008034	CCB2	17:06	06/20/24	1.000
ID8F008035	F020-04	17:11	06/20/24	1.000
ID8F008036	F020-05	17:15	06/20/24	1.000
ID8F008037	F020-06	17:20	06/20/24	1.000
ID8F008038	TXF002SB	17:25	06/20/24	1.000
ID8F008039	F008-04A	17:30	06/20/24	1.000
ID8F008040	F008-04	17:35	06/20/24	1.000
ID8F008041	F008-04J	17:40	06/20/24	5.000
ID8F008042	F008-04M	17:45	06/20/24	1.000
ID8F008043	F008-04S	17:50	06/20/24	1.000
ID8F008044	TXF003SB	17:55	06/20/24	1.000
ID8F008045	CCV3	18:00	06/20/24	1.000
ID8F008046	CCB3	18:05	06/20/24	1.000
ID8F008047	F032-05	18:10	06/20/24	1.000
ID8F008048	F034-02	18:16	06/20/24	1.000
ID8F008049	F428-01	18:21	06/20/24	1.000
ID8F008050	IPF010SB	18:26	06/20/24	1.000
ID8F008051	IPF010SL	18:31	06/20/24	1.000
ID8F008052	IPF010SC	18:36	06/20/24	1.000
ID8F008053	CCV4	18:40	06/20/24	1.000
ID8F008054	CCB4	18:45	06/20/24	1.000
ID8F008055	F034-02A	18:50	06/20/24	1.000
ID8F008056	F034-02	18:55	06/20/24	1.000
ID8F008057	F034-02J	19:00	06/20/24	5.000
ID8F008058	F034-02M	19:05	06/20/24	1.000
ID8F008059	F034-02S	19:10	06/20/24	1.000
ID8F008060	IPF009WB	19:15	06/20/24	1.000
ID8F008061	IPF009WL	19:20	06/20/24	1.000
ID8F008062	IPF009WC	19:24	06/20/24	1.000

ID8F008063	CCV5	19:29	06/20/24	1.000
ID8F008064	CCB5	19:34	06/20/24	1.000
ID8F008065	F034-01A	19:39	06/20/24	1.000
ID8F008066	F034-01	19:44	06/20/24	1.000
ID8F008067	F034-01J	19:49	06/20/24	5.000
ID8F008068	F034-01M	19:54	06/20/24	1.000
ID8F008069	F034-01S	19:59	06/20/24	1.000
ID8F008070	CCV6	20:03	06/20/24	1.000
ID8F008071	CCB6	20:08	06/20/24	1.000
ID8F008072	IPF011WB	20:13	06/20/24	1.000
ID8F008073	IPF011WL	20:18	06/20/24	1.000
ID8F008074	IPF011WC	20:23	06/20/24	1.000
ID8F008075	TX004WB	20:28	06/20/24	1.000
ID8F008076	F058-01A	20:33	06/20/24	1.000
ID8F008077	F058-01	20:38	06/20/24	1.000
ID8F008078	F058-01J	20:43	06/20/24	5.000
ID8F008079	F058-01M	20:48	06/20/24	1.000
ID8F008080	F058-01S	20:52	06/20/24	1.000
ID8F008081	CCV7	20:57	06/20/24	1.000
ID8F008082	CCB7	21:02	06/20/24	1.000
ID8F008083	IPF006SB	21:07	06/20/24	1.000
ID8F008084	IPF006SL	21:12	06/20/24	1.000
ID8F008085	IPF006SC	21:17	06/20/24	1.000
ID8F008086	F427-01A	21:22	06/20/24	1.000
ID8F008087	F427-01	21:27	06/20/24	1.000
ID8F008088	F427-01J	21:32	06/20/24	5.000
ID8F008089	F427-01M	21:37	06/20/24	1.000
ID8F008090	F427-01S	21:41	06/20/24	1.000
ID8F008091	CCV8	21:46	06/20/24	1.000
ID8F008092	CCB8	21:51	06/20/24	1.000
ID8F008093	IPF015SB	21:56	06/20/24	1.000
ID8F008094	IPF015SL	22:01	06/20/24	1.000
ID8F008095	IPF015SC	22:06	06/20/24	1.000
ID8F008096	F476-01A	22:11	06/20/24	1.000
ID8F008097	F476-01	22:15	06/20/24	1.000
ID8F008098	F476-01J	22:20	06/20/24	5.000
ID8F008099	F476-01M	22:25	06/20/24	1.000
ID8F008100	F476-01S	22:30	06/20/24	1.000
ID8F008101	CCV9	22:35	06/20/24	1.000
ID8F008102	CCB9	22:40	06/20/24	1.000
ID8F008103	IPF016WB	22:45	06/20/24	1.000
ID8F008104	IPF016WL	22:50	06/20/24	1.000
ID8F008105	IPF016WC	22:55	06/20/24	1.000
ID8F008106	CCV10	23:00	06/20/24	1.000
ID8F008107	CCB10	23:05	06/20/24	1.000
ID8F008108	WTF002SB	23:10	06/20/24	5.000
ID8F008109	E112-01A	23:15	06/20/24	5.000
ID8F008110	E112-01	23:20	06/20/24	5.000
ID8F008111	E112-01J	23:25	06/20/24	25.000
ID8F008112	E112-01M	23:30	06/20/24	5.000
ID8F008113	E112-01S	23:35	06/20/24	5.000
ID8F008114	CCV11	23:40	06/20/24	1.000
ID8F008115	CCB11	23:45	06/20/24	1.000
ID8F008116	MRL2005	23:50	06/20/24	1.000
ID8F008117	MRL2006	23:55	06/20/24	1.000
ID8F008118	WTF001SB	00:00	06/21/24	5.000
ID8F008119	F034-02A	00:05	06/21/24	5.000
ID8F008120	F034-02	00:10	06/21/24	5.000
ID8F008121	F034-02J	00:15	06/21/24	25.000
ID8F008122	F034-02M	00:20	06/21/24	5.000
ID8F008123	F034-02S	00:25	06/21/24	5.000
ID8F008124	CCV12	00:30	06/21/24	1.000
ID8F008125	CCB12	00:35	06/21/24	1.000

INITIAL CALIBRATION VERIFICATION SUMMARY FORM

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Method : METHOD 3050B/6010C
Sequence : ID8F008
InstrumentID: D8

Lab Samp ID :		ICV				ICSA1			ICSAB1		
QC Limit :		%R:90-110/RSD:<5				%R:80-120/<LOD			%R:80-120		
Lab File ID :		ID8F008014				ID8F008018			ID8F008019		
DateAnalyed :		06/20/2413:33				06/20/2413:53			06/20/2413:58		
Parameter		Result	ICV EV	RSD	%Recovery	Result	ICSA EV	%Rec/LOD	Result	ICSAB EV	%Recovery
Aluminum		97.211	100	1.0598	97	427.13	400	107	393.82	400	98
Antimony	T	1.5120	1.5	.48754	101	.00341	0	<0.030	.98030	1	98
Arsenic	T	.97284	1.0	.79739	97	.00052	0	<0.02	.99520	1	100
Barium	T	1.8909	2.0	.16430	95	.00038	0	<0.002	.46414	0.5	93
Beryllium	T	1.4106	1.5	.17814	94	-.00002	0	<0.002	.45548	0.5	91
Boron		2.3651	2.5	.09104	95	-.00519	0	<0.01	.97195	1.0	97
Cadmium	T	1.9290	2.0	.30745	96	-.00088	0	<0.005	.90537	1	91
Calcium		74.758	75	.05652	100	491.83	500	98	452.47	500	90
Chromium	T	2.3623	2.5	.07450	94	.00173	0	<0.005	.45155	0.5	90
Cobalt	T	.91737	1.0	.05552	92	-.00021	0	<0.002	.45867	0.5	92
Copper	T	2.3152	2.5	.09362	93	.00004	0	<0.005	.46089	0.5	92
Iron		23.705	25	.11138	95	191.00	200	96	170.99	200	85
Lead	T	2.2661	2.5	.09844	91	-.00398	0	<0.005	.89361	1	89
Lithium		.49770	0.5	.09084	100	.00000	0	<0.05	.94251	1	94
Magnesium		55.879	60	.15134	93	187.56	200	94	170.38	200	85
Manganese		2.2925	2.5	.13963	92	-.00177	0	<0.003	.45355	0.5	91
Molybdenum	T	2.4067	2.5	.08768	96	.00077	0	<0.005	.99245	1	99
Nickel	T	2.4347	2.5	.08786	97	-.00044	0	<0.005	.96364	1	96
Potassium		60.684	60	.25992	101	.06875	0	<0.1	74.837	75	100
Selenium	T	.98453	1.0	.44386	98	.00157	0	<0.01	.93145	1	93
Silver	T	.47292	0.5	.06232	95	-.00063	0	<0.005	.98569	1	99
Sodium		60.526	60	.07110	101	.14504	0	>0.1	74.826	75	100
Strontium		.46511	0.5	.12812	93	-.00056	0	<0.001	.45968	0.5	92
Thallium	T	2.2792	2.5	.43089	91	.00017	0	<0.005	.82674	1	83
Tin		.48910	0.5	.19450	98	.00033	0	<0.005	.95942	1	96
Titanium		.47216	0.5	.21530	94	.00000	0	<0.005	.90409	1	90
Vanadium	T	1.3869	1.5	.10397	92	-.00001	0	<0.002	.45211	0.5	90
Zinc	T	2.5064	2.5	.09736	100	.00300	0	<0.02	.99515	1	100

| Unit: mg/L
| T: Target analyte
| EV: Expected Value
| Comment:

CONTINUING CALIBRATION VERIFICATION SUMMARY FORM

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Method : 3050B/6010C
Sequence : ID8F008
Instrument ID: D8

CCV SampleID		: CCV3			CCV4			CCV5		
CCV DataFileID		: ID8F008C45			ID8F0C8053			ID8F0C8063		
CCV DateTime		: 06/20/24 18:00			06/20/24 18:40			06/20/24 19:29		
PARAMETER		CCV EV RESULT	%REC	RSD	RESULT	%REC	RSD	RESULT	%REC	RSD
Aluminum		100	96.8	97	.51633	95.5	96	.19554	94.3	94	.69280
Antimony	T	1.5	1.5	100	.22495	1.5	100	.29934	1.51	101	.60562
Arsenic	T	1.0	0.961	96	.40587	0.961	96	.63346	0.971	97	.03805
Barium	T	2.0	1.9	95	.24650	1.89	95	.05464	1.92	96	.16021
Beryllium	T	1.5	1.42	95	.18968	1.42	94	.11839	1.43	95	.10693
Boron		2.5	2.35	94	.14233	2.34	94	.22776	2.36	94	.21626
Cadmium	T	2.0	1.92	96	.27562	1.93	96	.07084	1.94	97	.32249
Calcium		75	75.1	100	.14952	75.3	100	.13657	75.4	100	.14916
Chromium	T	2.5	2.33	93	.09302	2.32	93	.13710	2.38	95	.21813
Cobalt	T	1.0	0.918	92	.26298	0.916	92	.11887	0.916	92	.13443
Copper	T	2.5	2.3	92	.06179	2.3	92	.12995	2.31	93	.19803
Iron		25	22.6	90	.42877	22.5	90	.21289	23	92	.43358
Lead	T	2.5	2.26	91	.12563	2.26	90	.07493	2.25	91	.12073
Lithium		0.5	0.503	101	.45686	0.497	99	.90178	0.531	106	.87207
Magnesium		60	55.2	92	.32284	55	92	.34819	57.5	96	.26164
Manganese		2.5	2.32	93	.18035	2.33	93	.09185	2.36	94	.08025
Molybdenum	T	2.5	2.41	96	.04966	2.41	96	.02517	2.41	96	.03996
Nickel	T	2.5	2.43	97	.11069	2.43	97	.03676	2.44	97	.04493
Potassium		60	60.4	101	.18533	60.1	100	.31582	63.3	106	.21253
Selenium	T	1.0	0.98	98	.52711	0.979	98	.43813	0.984	98	.26532
Silver	T	0.5	0.47	94	.44780	0.468	94	.24923	0.479	96	.51048
Sodium		60	61.1	102	.09268	61	102	.03485	62.2	104	.06022
Strontium		0.5	0.465	93	.11465	0.465	93	.21449	0.463	93	.05136
Thallium	T	2.5	2.25	91	.42170	2.28	91	.15498	2.28	91	.24580
Tin		0.5	0.49	98	.23263	0.492	98	.04726	0.489	98	.50584
Titanium		0.5	0.469	94	.06259	0.465	93	.29386	0.48	96	.37143
Vanadium	T	1.5	1.38	92	.27271	1.38	92	.21122	1.4	93	.29272
Zinc	T	2.5	2.51	100	.06477	2.51	100	.03054	2.51	100	.06421

Unit: ug/L
T: Target analyte
%Rec QC Limit: 90-110
RSD QC Limit: <5
CCV EV: CCV Expected Value ug/L
Comment:

CONTINUING CALIBRATION BLANK SUMMARY FORM

Client : PARSONS
Project : TITAN 1-A
SDG NO. : 24F034
Method : 3050B/6010C
Sequence : ID8F008
Instrument ID: D8

CB SampleID		: ICB	CCB3	CCB4	CCB5
CB DataFileID		: ID8F008015	ID8F008046	ID8F008054	ID8F008064
CB DateTime		: 06/20/2413:38	06/20/2418:05	06/20/2418:45	06/20/2419:34

PARAMETER		LCD	RESULT	< LOD >	RESULT	< LOD >	RESULT	< LOD >	RESULT	< LOD >
Aluminum		0.03	0.009	<0.03	0.01	<0.03	0.02	<0.03	0.02	<0.03
Antimony	T	0.030	0.0007	<0.030	0.0008	<0.030	0.00001	<0.030	0.0008	<0.030
Arsenic	T	0.02	0.00006	<0.02	0.0002	<0.02	0.0002	<0.02	0.0007	<0.02
Barium	T	0.002	0.0001	<0.002	0.00005	<0.002	0.0002	<0.002	0.00003	<0.002
Beryllium	T	0.002	0.0002	<0.002	0.0003	<0.002	0.0003	<0.002	0.0002	<0.002
Boron		0.01	0.007	<0.01	0.004	<0.01	0.004	<0.01	0.005	<0.01
Cadmium	T	0.005	0.00	<0.005	0.00008	<0.005	0.00004	<0.005	0.00001	<0.005
Calcium		0.1	0.17	>0.1	0.17	>0.1	0.17	>0.1	0.16	>0.1
Chromium	T	0.005	0.0002	<0.005	0.0004	<0.005	0.0001	<0.005	0.0005	<0.005
Cobalt	T	0.002	0.0001	<0.002	0.00006	<0.002	0.00009	<0.002	0.00001	<0.002
Copper	T	0.005	0.0001	<0.005	0.0001	<0.005	0.0001	<0.005	0.0002	<0.005
Iron		0.04	0.003	<0.04	0.004	<0.04	0.004	<0.04	0.006	<0.04
Lead	T	0.005	0.00009	<0.005	0.0003	<0.005	0.0001	<0.005	0.0003	<0.005
Lithium		0.05	0.002	<0.05	0.0009	<0.05	0.0002	<0.05	0.001	<0.05
Magnesium		0.1	0.01	<0.1	0.008	<0.1	0.01	<0.1	0.0006	<0.1
Manganese		0.003	0.0002	<0.003	0.0002	<0.003	0.0003	<0.003	0.0004	<0.003
Molybdenum	T	0.005	0.0004	<0.005	0.0002	<0.005	0.00005	<0.005	0.0002	<0.005
Nickel	T	0.005	0.0004	<0.005	0.0005	<0.005	0.0005	<0.005	0.0004	<0.005
Potassium		0.1	0.11	>0.1	0.009	<0.1	0.04	<0.1	0.02	<0.1
Selenium	T	0.01	0.002	<0.01	0.002	<0.01	0.0005	<0.01	0.002	<0.01
Silver	T	0.005	0.00004	<0.005	0.00007	<0.005	0.0004	<0.005	0.0003	<0.005
Sodium		0.1	0.01	<0.1	0.05	<0.1	0.04	<0.1	0.02	<0.1
Strontium		0.001	0.0004	<0.001	0.0004	<0.001	0.0005	<0.001	0.0003	<0.001
Thallium	T	0.005	0.0005	<0.005	0.0001	<0.005	0.0005	<0.005	0.002	<0.005
Tin		0.005	0.0005	<0.005	0.00009	<0.005	0.00003	<0.005	0.0002	<0.005
Titanium		0.005	0.0006	<0.005	0.0005	<0.005	0.0002	<0.005	0.0006	<0.005
Vanadium	T	0.002	0.00005	<0.002	0.00007	<0.002	0.00009	<0.002	0.00006	<0.002
Zinc	T	0.02	0.003	<0.02	0.003	<0.02	0.002	<0.02	0.002	<0.02

Unit: mg/L
CB: Calibration Blank
T: Target analyte
Acceptance Criteria: CCB Result <LOD
Comment:

	Pos ID	Rack	Row	Col	Type	Samplename	Comment	Date File	Type	Anaylst	CorrFact	Check	Check Table	Fail Action
1	0	0	0	0	Unk	S0		ID8F008001		JFeng/JChun	1	☒	unk6010C	---
2	0	0	0	0	Unk	S20		ID8F008002		JFeng/JChun	1	☒	unk6010C	---
3	0	0	0	0	Unk	S21		ID8F008003		JFeng/JChun	1	☒	unk6010C	---
4	0	0	0	0	Unk	S22		ID8F008004		JFeng/JChun	1	☒	unk6010C	---
5	0	0	0	0	Unk	S23		ID8F008005		JFeng/JChun	1	☒	unk6010C	---
6	0	0	0	0	Unk	S24		ID8F008006		JFeng/JChun	1	☒	unk6010C	---
7	0	0	0	0	Unk	S25		ID8F008007		JFeng/JChun	1	☒	unk6010C	---
8	0	0	0	0	Unk	S26		ID8F008008		JFeng/JChun	1	☒	unk6010C	---
9	0	0	0	0	Unk	S27		ID8F008009		JFeng/JChun	1	☒	unk6010C	---
10	0	0	0	0	Unk	S28		ID8F008010		JFeng/JChun	1	☒	unk6010C	---
11	0	0	0	0	Unk	S29		ID8F008011		JFeng/JChun	1	☒	unk6010C	---
12	0	0	0	0	Unk	S30		ID8F008012		JFeng/JChun	1	☒	unk6010C	---
13	0	0	0	0	Unk	S31		ID8F008013		JFeng/JChun	1	☒	unk6010C	---
14	1	2	1	1	QC	ICV		ID8F008014		JFeng/JChun	1	☒	CCV	None
15	2	2	2	1	QC	ICB		ID8F008015		JFeng/JChun	1	☒	LOD	None
16	3	2	3	1	QC	MRLF2001		ID8F008016		JFeng/JChun	1	☒	MRL-EMAX	None
17	4	2	4	1	QC	MRLF2002		ID8F008017		JFeng/JChun	1	☒	MRL-AFCEE	None
18	5	2	5	1	QC	ICSA1		ID8F008018		JFeng/JChun	1	☒	ICSA-DoD	None
19	6	2	6	1	QC	ICSAB1		ID8F008019		JFeng/JChun	1	☒	ICSAB	None
20	7	2	7	1	Unk	MRLF2003		ID8F008020		JFeng/JChun	1	☒	unk6010C	---
21	8	2	8	1	Unk	MRLF2004		ID8F008021		JFeng/JChun	1	☒	unk6010C	---
22	9	2	9	1	QC	CCV1		ID8F008022		JFeng/JChun	1	☒	CCV	None
23	10	2	10	1	QC	CCB1		ID8F008023		JFeng/JChun	1	☒	LOD	None
24	61	3	1	1	QC	IPF005WB		ID8F008024		JFeng/JChun	1	☒	1/2LOQ	None
25	62	3	2	1	QC	IPF005WL		ID8F008025		JFeng/JChun	1	☒	LCS	None
26	63	3	3	1	QC	IPF005WC		ID8F008026		JFeng/JChun	1	☒	LCS	None
27	64	3	4	1	Unk	F020-02		ID8F008027		JFeng/JChun	1	☒	unk	---
28	65	3	5	1	Unk	F020-03A		ID8F008028		JFeng/JChun	1	☒	unk	---
29	66	3	6	1	Unk	F020-03		ID8F008029		JFeng/JChun	1	☒	unk	---
30	67	3	7	1	Unk	F020-03J		ID8F008030		JFeng/JChun	1	☒	unk	---
31	68	3	8	1	Unk	F020-03M		ID8F008031		JFeng/JChun	1	☒	unk	---
32	69	3	9	1	Unk	F020-03S		ID8F008032		JFeng/JChun	1	☒	unk	---
33	157	4	1	4	QC	CCV2		ID8F008033		JFeng/JChun	1	☒	CCV	None
34	169	4	1	5	QC	CCB2		ID8F008034		JFeng/JChun	1	☒	LOD	None
35	70	3	10	1	Unk	F020-04		ID8F008035		JFeng/JChun	1	☒	unk	---
36	71	3	11	1	Unk	F020-05		ID8F008036		JFeng/JChun	1	☒	unk	---
37	72	3	12	1	Unk	F020-06		ID8F008037		JFeng/JChun	1	☒	unk	---
38	73	3	1	2	QC	TXF002SB		ID8F008038		JFeng/JChun	1	☒	1/2LOQ	None
39	74	3	2	2	Unk	F008-04A	TCLP	ID8F008039		JFeng/JChun	1	☒	unk	---
40	75	3	3	2	Unk	F008-04	TCLP	ID8F008040		JFeng/JChun	1	☒	unk	---

	Pos ID	Rack	Row	Col	Type	Samplename	Comment	Date File	Type	Anaylst	CorrFact	Check	Check Table	Fail Action
41	76	3	4	2	Unk	F008-04J	TCLP	ID8F008041		JFeng/JChun	1	☒	unk	—
42	77	3	5	2	Unk	F008-04M	TCLP	ID8F008042		JFeng/JChun	1	☒	unk	—
43	78	3	6	2	Unk	F008-04S	TCLP	ID8F008043		JFeng/JChun	1	☒	unk	—
44	79	3	7	2	QC	TXF003SB		ID8F008044		JFeng/JChun	1	☒	1/2LOQ	None
45	158	4	2	4	QC	CCV3		ID8F008045		JFeng/JChun	1	☒	CCV	None
46	170	4	2	5	QC	CCB3		ID8F008046		JFeng/JChun	1	☒	LOD	None
47	80	3	8	2	Unk	F032-05	TCLP	ID8F008047		JFeng/JChun	1	☒	unk	—
48	81	3	9	2	Unk	F034-02	TCLP	ID8F008048		JFeng/JChun	1	☒	unk	—
49	82	3	10	2	Unk	F428-01	TCLP	ID8F008049		JFeng/JChun	1	☒	unk	—
50	83	3	11	2	QC	IPF010SB		ID8F008050		JFeng/JChun	1	☒	1/2LOQ	None
51	84	3	12	2	QC	IPF010SL		ID8F008051		JFeng/JChun	1	☒	LCS-SDoD	None
52	85	3	1	3	QC	IPF010SC		ID8F008052		JFeng/JChun	1	☒	LCS-SDoD	None
53	159	4	3	4	QC	CCV4		ID8F008053		JFeng/JChun	1	☒	CCV	None
54	171	4	3	5	QC	CCB4		ID8F008054		JFeng/JChun	1	☒	LOD	None
55	86	3	2	3	Unk	F034-02A		ID8F008055		JFeng/JChun	1	☒	unk	—
56	87	3	3	3	Unk	F034-02		ID8F008056		JFeng/JChun	1	☒	unk	—
57	88	3	4	3	Unk	F034-02J		ID8F008057		JFeng/JChun	1	☒	unk	—
58	89	3	5	3	Unk	F034-02M		ID8F008058		JFeng/JChun	1	☒	unk	—
59	90	3	6	3	Unk	F034-02S		ID8F008059		JFeng/JChun	1	☒	unk	—
60	91	3	7	3	QC	IPF009WB		ID8F008060		JFeng/JChun	1	☒	1/2LOQ	None
61	92	3	8	3	QC	IPF009WL		ID8F008061		JFeng/JChun	1	☒	LCS-WDoD	None
62	93	3	9	3	QC	IPF009WC		ID8F008062		JFeng/JChun	1	☒	LCS-WDoD	None
63	160	4	4	4	QC	CCV5		ID8F008063		JFeng/JChun	1	☒	CCV	None
64	172	4	4	5	QC	CCB5		ID8F008064		JFeng/JChun	1	☒	LOD	None
65	94	3	10	3	Unk	F034-01A		ID8F008065		JFeng/JChun	1	☒	unk	—
66	95	3	11	3	Unk	F034-01		ID8F008066		JFeng/JChun	1	☒	unk	—
67	96	3	12	3	Unk	F034-01J		ID8F008067		JFeng/JChun	1	☒	unk	—
68	97	3	1	4	Unk	F034-01M		ID8F008068		JFeng/JChun	1	☒	unk	—
69	98	3	2	4	Unk	F034-01S		ID8F008069		JFeng/JChun	1	☒	unk	—
70	161	4	5	4	QC	CCV6		ID8F008070		JFeng/JChun	1	☒	CCV	None
71	173	4	5	5	QC	CCB6		ID8F008071		JFeng/JChun	1	☒	LOD	None
72	99	3	3	4	QC	IPF011WB		ID8F008072		JFeng/JChun	1	☒	1/2LOQ	None
73	100	3	4	4	QC	IPF011WL		ID8F008073		JFeng/JChun	1	☒	LCS-WDoD	None
74	101	3	5	4	QC	IPF011WC		ID8F008074		JFeng/JChun	1	☒	LCS-WDoD	None
75	102	3	6	4	QC	TX004WB	TCLP	ID8F008075		JFeng/JChun	1	☒	1/2LOQ	None
76	103	3	7	4	Unk	F058-01A	TCLP	ID8F008076		JFeng/JChun	1	☒	unk6010C	—
77	104	3	8	4	Unk	F058-01	TCLP	ID8F008077		JFeng/JChun	1	☒	unk6010C	—
78	105	3	9	4	Unk	F058-01J	TCLP	ID8F008078		JFeng/JChun	1	☒	unk6010C	—
79	106	3	10	4	Unk	F058-01M	TCLP	ID8F008079		JFeng/JChun	1	☒	unk6010C	—
80	107	3	11	4	Unk	F058-01S	TCLP	ID8F008080		JFeng/JChun	1	☒	unk6010C	—

	Pos ID	Rack	Row	Col	Type	Samplename	Comment	Date File	Type	Anaylst	CorrFact	Check	Check Table	Fail Action
81	162	4	6	4	QC	CCV7		ID8F008081		JFeng/JChun	1	☒	CCV	None
82	174	4	6	5	QC	CCB7		ID8F008082		JFeng/JChun	1	☒	LOD	None
83	108	3	12	4	QC	IPF006SB		ID8F008083		JFeng/JChun	1	☒	1/2LOQ	None
84	109	3	1	5	QC	IPF006SL		ID8F008084		JFeng/JChun	1	☒	LCS	None
85	110	3	2	5	QC	IPF006SC		ID8F008085		JFeng/JChun	1	☒	LCS	None
86	111	3	3	5	Unk	F427-01A		ID8F008086		JFeng/JChun	1	☒	unk	—
87	112	3	4	5	Unk	F427-01		ID8F008087		JFeng/JChun	1	☒	unk	—
88	113	3	5	5	Unk	F427-01J		ID8F008088		JFeng/JChun	1	☒	unk	—
89	114	3	6	5	Unk	F427-01M		ID8F008089		JFeng/JChun	1	☒	unk	—
90	115	3	7	5	Unk	F427-01S		ID8F008090		JFeng/JChun	1	☒	unk	—
91	163	4	7	4	QC	CCV8		ID8F008091		JFeng/JChun	1	☒	CCV	None
92	175	4	7	5	QC	CCB8		ID8F008092		JFeng/JChun	1	☒	LOD	None
93	116	3	8	5	QC	IPF015SB		ID8F008093		JFeng/JChun	1	☒	1/2LOQ	None
94	117	3	9	5	QC	IPF015SL		ID8F008094		JFeng/JChun	1	☒	LCS	None
95	118	3	10	5	QC	IPF015SC		ID8F008095		JFeng/JChun	1	☒	LCS	None
96	119	3	11	5	Unk	F476-01A		ID8F008096		JFeng/JChun	1	☒	unk	—
97	120	3	12	5	Unk	F476-01		ID8F008097		JFeng/JChun	1	☒	unk	—
98	121	4	1	1	Unk	F476-01J		ID8F008098		JFeng/JChun	1	☒	unk	—
99	122	4	2	1	Unk	F476-01M		ID8F008099		JFeng/JChun	1	☒	unk	—
100	123	4	3	1	Unk	F476-01S		ID8F008100		JFeng/JChun	1	☒	unk	—
101	164	4	8	4	QC	CCV9		ID8F008101		JFeng/JChun	1	☒	LOD	None
102	176	4	8	5	QC	CCB9		ID8F008102		JFeng/JChun	1	☒	LOD	None
103	124	4	4	1	QC	IPF016WB		ID8F008103		JFeng/JChun	1	☒	1/2LOQ	None
104	125	4	5	1	QC	IPF016WL		ID8F008104		JFeng/JChun	1	☒	LCS	None
105	126	4	6	1	QC	IPF016WC		ID8F008105		JFeng/JChun	1	☒	LCS	None
106	165	4	9	4	QC	CCV10		ID8F008106		JFeng/JChun	1	☒	CCV	None
107	177	4	9	5	QC	CCB10		ID8F008107		JFeng/JChun	1	☒	LOD	None
108	127	4	7	1	QC	WTF002SB	STLC 5X	ID8F008108		JFeng/JChun	1	☒	1/2LOQ	None
109	128	4	8	1	Unk	E112-01A	STLC 5X	ID8F008109		JFeng/JChun	1	☒	unk	—
110	129	4	9	1	Unk	E112-01	STLC 5X	ID8F008110		JFeng/JChun	1	☒	unk	—
111	130	4	10	1	Unk	E112-01J	STLC 25X	ID8F008111		JFeng/JChun	1	☒	unk	—
112	131	4	11	1	Unk	E112-01M	STLC 5X	ID8F008112		JFeng/JChun	1	☒	unk	—
113	132	4	12	1	Unk	E112-01S	STLC 5X	ID8F008113		JFeng/JChun	1	☒	unk	—
114	166	4	10	4	QC	CCV11		ID8F008114		JFeng/JChun	1	☒	CCV	None
115	178	4	10	5	QC	CCB11		ID8F008115		JFeng/JChun	1	☒	LOD	None
116	168	4	12	4	QC	MRL2005		ID8F008116		JFeng/JChun	1	☒	MRL-EMAX	None
117	180	4	12	5	QC	MRL2006		ID8F008117		JFeng/JChun	1	☒	MRL-EMAX	None
118	133	4	1	2	QC	WTF001SB	STLC 5X	ID8F008118		JFeng/JChun	1	☒	1/2LOQ	None
119	134	4	2	2	Unk	F034-02A	STLC 5X	ID8F008119		JFeng/JChun	1	☒	unk	—
120	135	4	3	2	Unk	F034-02	STLC 5X	ID8F008120		JFeng/JChun	1	☒	unk	—

	Pos ID	Rack	Row	Col	Type	Samplename	Comment	Date File	Type	Anaylst	CorrFact	Check	Check Table	Fail Action
121	136	4	4	2	Unk	F034-02J	STLC 25X	ID8F008121		JFeng/JChun	1	☒	unk	---
122	137	4	5	2	Unk	F034-02M	STLC 5X	ID8F008122		JFeng/JChun	1	☒	unk	---
123	138	4	6	2	Unk	F034-02S	STLC 5X	ID8F008123		JFeng/JChun	1	☒	unk	---
124	167	4	11	4	QC	CCV12		ID8F008124		JFeng/JChun	1	☒	CCV	None
125	179	4	11	5	QC	CCB12		ID8F008125		JFeng/JChun	1	☒	LOD	None

Element, Wavelength and Order	Date of Fit	Date of Cal.	Type of Fit	Weighting	A0	A1	A2	n (Exponent)	Correlation	Std Error of Est	Predicted MDL
Al 308.215 {109}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.000276	0.017897	0.000000	1.000000	0.999975	0.000138	0.035575
Sb 206.833 {463}	06/20/2024 15:33:38	06/20/2024 13:23:39	Linear	1/Conc	0.000011	0.005403	0.000000	1.000000	0.999997	0.000003	0.002072
As 189.042 {478}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.000023	0.002754	0.000000	1.000000	0.999996	0.000000	0.002817
Ba 455.403 { 74}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.001346	0.724162	0.000000	1.000000	1.000000	0.000052	0.000358
Be 313.042 {108}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	0.001162	0.717046	0.000000	1.000000	0.999992	0.000517	0.000145
B 249.773 {135}	06/20/2024 15:33:38	06/20/2024 13:03:57	Linear	1/Conc	0.000287	0.131674	0.000000	1.000000	0.999962	0.000207	0.000342
Cd 226.502 {449}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	-0.000043	0.141311	0.000000	1.000000	0.999886	0.000388	0.000111
Ca 317.933 {106}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.006429	0.033166	0.000000	1.000000	0.999751	0.006714	0.003640
Cr 267.716 {126}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.000500	0.157130	0.000000	1.000000	1.000000	0.000026	0.000316
Co 228.616 {447}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	-0.000292	0.678009	0.000000	1.000000	0.999959	0.000223	0.000300
Cu 324.754 {104}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.000731	0.225991	0.000000	1.000000	0.999954	0.000389	0.000341
Fe 271.441 {124}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.000021	0.006859	0.000000	1.000000	0.999993	0.000032	0.006722
Pb 220.353 {453}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	-0.000485	0.346577	0.000000	1.000000	0.999951	0.000625	0.000767
Li 670.784 { 50}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.000828	0.119696	0.000000	1.000000	0.999949	0.000032	0.004072
Mg 279.079 {121}	06/20/2024 15:33:38	06/20/2024 13:23:39	Linear	1/Conc	-0.000369	0.003749	0.000000	1.000000	0.999983	0.000040	0.035998
Mn 257.610 {131}	06/20/2024 15:33:38	06/20/2024 12:43:47	Linear	1/Conc	0.000005	0.151351	0.000000	1.000000	0.999954	0.000264	0.000465
Mo 202.030 {467}	06/20/2024 15:33:38	06/20/2024 13:03:57	Linear	1/Conc	-0.000331	0.544414	0.000000	1.000000	1.000000	0.000044	0.000301
Ni 231.604 {446}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	0.001349	0.784881	0.000000	1.000000	0.999991	0.000593	0.000348
K 766.490 { 44}	06/20/2024 15:33:38	06/20/2024 13:13:52	Linear	1/Conc	-0.003358	0.005706	0.000000	1.000000	0.999878	0.000810	0.063357
Se 196.090 {472}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.000018	0.002900	0.000000	1.000000	0.999994	0.000001	0.002942
Si 212.412 {459}	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
Ag 328.068 {103}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.000187	0.173641	0.000000	1.000000	0.999967	0.000038	0.000489
Na 589.592 { 57}	06/20/2024 15:33:38	06/20/2024 13:03:57	Linear	1/Conc	-0.001230	0.018063	0.000000	1.000000	0.999848	0.002283	0.018029
Sr 421.552 { 80}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	-0.001069	0.840338	0.000000	1.000000	0.999987	0.000114	0.000263
Ti 190.856 {477}	06/20/2024 15:33:38	06/20/2024 13:23:39	Linear	1/Conc	0.000001	0.005817	0.000000	1.000000	0.999589	0.000020	0.001571
Sn 189.989 {477}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.000061	0.098434	0.000000	1.000000	0.999915	0.000035	0.000927
Ti 334.941 {101}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.000261	0.096682	0.000000	1.000000	0.999988	0.000013	0.001288
U 409.014 { 82}	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
V 292.402 {115}	06/20/2024 15:33:38	06/20/2024 12:53:55	Linear	1/Conc	0.000005	0.157811	0.000000	1.000000	0.999999	0.000045	0.000351
Zn 206.200 {463}	06/20/2024 15:33:38	06/20/2024 13:33:29	Linear	1/Conc	0.002579	0.776066	0.000000	1.000000	0.999973	0.001041	0.000174
Sc 227.318 {448}*	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
Sc 361.384 { 93}*	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000
Sc 364.531 { 92}*	06/20/2024 15:33:38	06/20/2024 12:33:45	Linear	1/Conc	0.000000	0.000000	0.000000	1.000000	0.000000	0.000000	-1.000000

ID8F008
6/20/24 JF

Status

Revision	19				
Date Created	08/14/2006 16:36:29	by admin			
Date Modified	06/20/2024 15:33:37	by admin			
Date Calibrated	06/20/2024 15:33:38				
Current Status	by admin				
Number of Elements	31				
Number of Wavelengths	33				
Calibration Type	External				
Notes:					

Analysis Preferences

Sample Options	# Repeats:	3			
	Delay Time:	0.0 seconds			
	Sample Flush Time:	50 seconds			
	Analysis mode	Speed			
Source	Sample Introduction	Nebulizer			
	Plasma View:	Line Selection			
Analysis Maximum Integration Times (sec)	Low WL Range	Axial	15	Radial	15
	High WL Range:	Axial	10	Radial	5
Calibration Mode	Concentration				
Trailing Full Frame Options	Intelli-Frame:		No		
	Max Integration Time (sec):		30		
	WL Range:		Low		
	View:		Axial		
	Auto-Increment Sample Names:		Yes		
	Use Sample Weight Corrections:		No		

Source Settings

Nebulizer Pump	Flush Pump Rate (rpm):	88	
	Analysis Pump Rate (rpm):	36	
	Pump Relaxation Time (sec):	5	
	Pump Tubing Type:	Tygon Orange/White	
	RF Power:	1150	W

ID8F008
6/20/24 JF

Sample Name: S024F6010 Acquired: 06/20/2024 12:28:51 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00028	.00001	-.00002	.00135	.00115	.00029	-.00005	.00632	.00050	-.00029
Stddev	.00052	.00001	.00000	.00013	.00005	.00003	.00001	.00014	.00005	.00013
%RSD	186.16	133.21	18.238	9.5072	3.9680	11.762	27.781	2.2064	9.8259	43.988
#1	.00086	.00001	-.00002	.00122	.00114	.00025	-.00005	.00619	.00055	-.00043
#2	-.00014	.00000	-.00003	.00148	.00120	.00032	-.00003	.00631	.00049	-.00022
#3	.00011	.00002	-.00002	.00133	.00111	.00030	-.00006	.00647	.00046	-.00021

Elem	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00073	.00002	-.00050	-.00083	-.00037	.00000	-.00033	.00134	-.00337	.00002
Stddev	.00004	.00001	.00015	.00002	.00003	.00003	.00001	.00018	.00026	.00001
%RSD	5.5622	61.611	30.384	2.9483	8.0148	3048.7	4.1362	13.454	7.7921	52.295
#1	.00068	.00002	-.00063	-.00082	-.00035	-.00003	-.00033	.00118	-.00314	.00001
#2	.00075	.00001	-.00052	-.00086	-.00036	-.00001	-.00032	.00153	-.00366	.00002
#3	.00074	.00003	-.00034	-.00081	-.00040	.00003	-.00034	.00131	-.00331	.00003

Elem	Ag	Na	Sr	Tl	Sn	Ti	V	Zn
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	-.00019	-.00126	-.00107	.00000	.00006	.00026	.00001	.00256
Stddev	.00003	.00026	.00011	.00001	.00010	.00006	.00005	.00012
%RSD	16.422	20.382	10.573	1859.3	168.99	22.391	838.16	4.7798
#1	-.00022	-.00097	-.00102	.00001	.00017	.00020	-.00004	.00270
#2	-.00016	-.00135	-.00100	-.00001	.00005	.00026	.00000	.00246
#3	-.00018	-.00147	-.00120	.00000	-.00004	.00032	.00005	.00253

Sample Name: S024F6010 Acquired: 06/20/2024 12:28:51 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5543.7	42943.	93337.
Stddev	14.5	352.	127.
%RSD	.26210	.81975	.13572
#1	5531.5	43341.	93463.
#2	5559.8	42814.	93338.
#3	5539.8	42673.	93210.

Sample Name: S20 Acquired: 06/20/2024 12:33:48 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Be	Cd	Pb	Mn
Units	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.72720	.14802	.35697	.15595
Stddev	.00171	.00004	.00037	.00011
%RSD	.23507	.02698	.10409	.07295
#1	.72898	.14807	.35731	.15583
#2	.72557	.14801	.35703	.15606
#3	.72705	.14799	.35657	.15594

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5609.0	43142.	95140.
Stddev	13.6	282.	132.
%RSD	.24188	.65350	.13849
#1	5595.0	42837.	95015.
#2	5622.2	43196.	95278.
#3	5609.7	43394.	95126.

Sample Name: S21 Acquired: 06/20/2024 12:38:42 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Be	Cd	Pb	Mn
Units	Cts/S	Cts/S	Cts/S	Cts/S
Avg	**7.1626**	**1.4063**	**3.4544**	**1.5089**
Stddev	.0816	.0134	.0047	.0019
%RSD	1.1392	.94932	.13541	.12749
#1	7.0686	1.3960	3.4565	1.5068
#2	7.2142	1.4214	3.4576	1.5106
#3	7.2051	1.4015	3.4490	1.5094

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	**5626.3**	**43828.**	**95219.**
Stddev	22.1	369.	183.
%RSD	.39274	.84193	.19242
#1	5611.3	44151.	95422.
#2	5616.0	43426.	95067.
#3	5651.7	43908.	95167.

Sample Name: S22 Acquired: 06/20/2024 12:43:51 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Ba	Co	Cu	Fe	V
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.72642	.13143	.23328	.01774	.15709
Stddev	.00161	.00051	.00041	.00005	.00015
%RSD	.22138	.38548	.17416	.26374	.09817
#1	.72625	.13162	.23360	.01770	.15694
#2	.72810	.13085	.23341	.01779	.15724
#3	.72490	.13181	.23282	.01774	.15711

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5629.6	43448.	94979.
Stddev	4.2	134.	67.
%RSD	.07462	.30911	.07087
#1	5625.8	43404.	94917.
#2	5634.1	43340.	95051.
#3	5628.9	43598.	94970.

Sample Name: S23 Acquired: 06/20/2024 12:48:49 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Ba	Co	Cu	Fe	V
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	7.2421	1.3596	2.2362	1.3712	1.5842
Stddev	.0552	.0008	.0278	.0040	.0021
%RSD	.76193	.05637	1.2438	.29323	.13031
#1	7.1978	1.3598	2.2117	1.3669	1.5822
#2	7.3039	1.3588	2.2664	1.3749	1.5863
#3	7.2246	1.3603	2.2304	1.3717	1.5840

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5359.5	45111.	96740.
Stddev	16.2	426.	750.
%RSD	.30216	.94365	.77541
#1	5344.7	45065.	97240.
#2	5357.0	44709.	95877.
#3	5376.8	45557.	97102.

Sample Name: S24 Acquired: 06/20/2024 12:54:00 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	B	Mo	Na
Units	Cts/S	Cts/S	Cts/S
Avg	.12835	.54332	.94050
Stddev	.00027	.00045	.00123
%RSD	.21061	.08207	.13101
#1	.12859	.54382	.93909
#2	.12840	.54297	.94109
#3	.12806	.54316	.94133

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5527.1	44720.	93836.
Stddev	5.7	177.	218.
%RSD	.10251	.39549	.23275
#1	5522.5	44696.	93629.
#2	5533.4	44556.	93815.
#3	5525.3	44907.	94064.

Sample Name: S25 Acquired: 06/20/2024 12:58:56 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	B	Mo	Na
Units	Cts/S	Cts/S	Cts/S
Avg	**1.3206**	**5.4446**	**5.3789**
Stddev	.0008	.0014	.0838
%RSD	.06020	.02493	1.5583
#1	1.3215	5.4443	5.2838
#2	1.3200	5.4434	5.4111
#3	1.3204	5.4460	5.4419

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	**5203.3**	**43787.**	**87968.**
Stddev	6.6	220.	162.
%RSD	.12711	.50252	.18453
#1	5209.6	43885.	88118.
#2	5196.4	43942.	87990.
#3	5203.8	43535.	87796.

Sample Name: S26 Acquired: 06/20/2024 13:04:00 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Al	Ca	Cr	Ni	K
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.03355	1.7816	.15719	.79655	.29605
Stddev	.00039	.0027	.00019	.00178	.00090
%RSD	1.1660	.15097	.11952	.22331	.30241
#1	.03397	1.7793	.15698	.79528	.29505
#2	.03350	1.7846	.15722	.79579	.29677
#3	.03319	1.7810	.15736	.79859	.29633

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5413.7	43990.	92458.
Stddev	9.0	462.	248.
%RSD	.16661	1.0509	.26837
#1	5413.1	43458.	92737.
#2	5405.1	44293.	92264.
#3	5423.1	44219.	92371.

Sample Name: S27 Acquired: 06/20/2024 13:08:56 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Al	Ca	Cr	Ni	K
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3.5821	16.473	1.5722	7.8398	2.8355
Stddev	.0327	.261	.0025	.0022	.0080
%RSD	.91254	1.5865	.15908	.02851	.28149
#1	3.6194	16.230	1.5715	7.8406	2.8266
#2	3.5584	16.439	1.5702	7.8373	2.8420
#3	3.5684	16.749	1.5750	7.8416	2.8380

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	4715.2	42287.	82369.
Stddev	8.4	472.	449.
%RSD	.17855	1.1161	.54567
#1	4715.3	42817.	82255.
#2	4706.7	41912.	82864.
#3	4723.6	42131.	81987.

Sample Name: S28 Acquired: 06/20/2024 13:13:56 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Sb	Mg	Tl
Units	Cts/S	Cts/S	Cts/S
Avg	.00537	.03782	.00615
Stddev	.00001	.00008	.00001
%RSD	.27916	.20046	.18102
#1	.00536	.03775	.00615
#2	.00536	.03781	.00614
#3	.00539	.03790	.00616

Int. Std.	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S
Avg	44988.	98199.
Stddev	55.	40.
%RSD	.12331	.04119
#1	44931.	98245.
#2	44992.	98168.
#3	45042.	98184.

Sample Name: S29 Acquired: 06/20/2024 13:18:49 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	Sb	Mg	Tl
Units	Cts/S	Cts/S	Cts/S
Avg	**.05409**	.37384	**.02294**
Stddev	.00013	.00121	.00006
%RSD	.23807	.32441	.25816
#1	.05395	.37316	.02288
#2	.05410	.37524	.02293
#3	.05421	.37311	.02300

Int. Std.	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S
Avg	**44634.**	**94189.**
Stddev	407.	191.
%RSD	.91149	.20253
#1	44541.	94257.
#2	44282.	94336.
#3	45080.	93973.

Sample Name: S30 Acquired: 06/20/2024 13:23:43 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	As	Li	Se	Ag	Sr	Sn	Tl	Zn
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00136	.02365	.00148	.03517	.16891	.02032	.01981	.79677
Stddev	.00002	.00029	.00002	.00012	.00009	.00011	.00012	.00044
%RSD	1.6746	1.2382	1.2564	.33823	.05412	.54131	.60489	.05464
#1	.00136	.02394	.00147	.03531	.16886	.02043	.01978	.79701
#2	.00134	.02366	.00146	.03509	.16901	.02021	.01971	.79627
#3	.00139	.02335	.00150	.03512	.16885	.02033	.01994	.79703

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5705.0	43266.	96063.
Stddev	8.7	145.	522.
%RSD	.15229	.33515	.54361
#1	5700.2	43233.	95723.
#2	5701.9	43424.	96665.
#3	5716.0	43140.	95803.

Sample Name: S31 Acquired: 06/20/2024 13:28:39 Type: Cal
Method: 24F6010(v19) Mode: IR Corr. Factor: 1.000000
User: admin Date File: Type: Anaylst:
Comment:

Elem	As	Li	Se	Ag	Sr	Sn	Tl	Zn
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00548	.11833	.00581	.17282	.83736	.09792	.09673	7.7451
Stddev	.00003	.00057	.00004	.00032	.00034	.00009	.00012	.0100
%RSD	.49930	.48507	.72773	.18645	.04110	.09065	.12591	.12949
#1	.00547	.11802	.00581	.17282	.83729	.09784	.09667	7.7342
#2	.00551	.11798	.00585	.17315	.83773	.09791	.09687	7.7473
#3	.00545	.11899	.00576	.17250	.83705	.09801	.09666	7.7539

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5735.5	44109.	96779.
Stddev	10.6	57.	279.
%RSD	.18463	.12840	.28793
#1	5738.0	44091.	96785.
#2	5744.6	44063.	96497.
#3	5723.9	44172.	97054.

Sample Name: ICV Acquired: 06/20/2024 13:33:33 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008014 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	97.211	1.5120	.97284	1.8909	1.4106	2.3651	1.9290	74.758	2.3623	.91737	2.3152
Stddev	1.030	.0074	.00776	.0031	.0025	.0022	.0059	.042	.0018	.00051	.0022
%RSD	1.0598	.48754	.79739	.16430	.17814	.09104	.30745	.05652	.07450	.05552	.09362
#1	96.032	1.5205	.98179	1.8927	1.4091	2.3638	1.9357	74.712	2.3636	.91729	2.3136
#2	97.937	1.5076	.96804	1.8873	1.4092	2.3640	1.9244	74.764	2.3603	.91691	2.3144
#3	97.665	1.5078	.96869	1.8927	1.4135	2.3676	1.9268	74.796	2.3630	.91792	2.3177
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	22.705	2.2661	.49770	55.879	2.2925	2.4067	2.4347	60.684	.98453	.47292	60.526
Stddev	.025	.0022	.00045	.085	.0032	.0021	.0021	.158	.00437	.00029	.043
%RSD	.11138	.09844	.09084	.15134	.13963	.08768	.08786	.25992	.44386	.06232	.07110
#1	22.732	2.2649	.49783	55.793	2.2950	2.4086	2.4351	60.506	.98726	.47326	60.479
#2	22.682	2.2648	.49719	55.882	2.2889	2.4044	2.4323	60.807	.97949	.47278	60.537
#3	22.701	2.2687	.49807	55.962	2.2936	2.4070	2.4365	60.739	.98684	.47272	60.563
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Sample Name: ICV Acquired: 06/20/2024 13:33:33 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008014 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46511	2.2792	.48910	.47216	1.3869	2.5064
Stddev	.00060	.0098	.00095	.00102	.0014	.0024
%RSD	.12812	.43089	.19450	.21530	.10397	.09736
#1	.46512	2.2899	.48912	.47184	1.3871	2.5067
#2	.46570	2.2707	.48814	.47134	1.3882	2.5038
#3	.46451	2.2770	.49004	.47330	1.3853	2.5087
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value						
Range						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5152.6	43966.	90069.
Stddev	3.2	493.	315.
%RSD	.06277	1.1208	.34930
#1	5149.7	43398.	89710.
#2	5152.0	44278.	90199.
#3	5156.1	44223.	90298.

Sample Name: ICB Acquired: 06/20/2024 13:38:17 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008015 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.00903	-.00067	.00006	-.00014	-.00015	.00686	.00000	-.17178	-.00022	-.00013	-.00010
Stddev	.01011	.00074	.00080	.00022	.00008	.00012	.0001	.00213	.00012	.00011	.00020
%RSD	111.98	109.87	1289.0	154.47	52.215	1.7687	2237.1	1.2392	51.671	83.116	208.81
#1	.00304	.00012	.00036	-.00016	-.00007	.00697	.00003	-.17418	-.00034	-.00013	.00012
#2	.02070	-.00135	-.00084	.00009	-.00023	.00687	-.00008	-.17102	-.00022	-.00002	-.00029
#3	.00334	-.00079	.00067	-.00035	-.00014	.00673	.00004	-.17013	-.00011	-.00024	-.00012
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00301	-.00009	-.00152	.01164	.00015	.00042	-.00037	.10900	.00210	.00004	.01475
Stddev	.00158	.00040	.00012	.00997	.00008	.00023	.00012	.04234	.00125	.00056	.00544
%RSD	52.532	440.04	7.7178	85.618	51.928	54.317	33.570	38.846	59.502	1491.9	36.898
#1	-.00300	.00024	-.00150	.01247	.00008	.00017	-.00025	.08960	.00135	-.00006	.02073
#2	-.00460	.00003	-.00165	.02118	.00023	.00062	-.00036	.15756	.00140	.00064	.01344
#3	-.00144	-.00054	-.00142	.00129	.00014	.00047	-.00050	.07983	.00354	-.00047	.01008
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Sample Name: ICB Acquired: 06/20/2024 13:38:17 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008015 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00040	.00047	-.00045	.00057	.00005	-.00257
Stddev	.00028	.00057	.00083	.00055	.00019	.00006
%RSD	69.913	120.40	186.23	95.665	381.56	2.2238
#1	-.00030	.00100	.00042	.00083	.00017	-.00251
#2	-.00018	-.00013	-.00052	.00094	.00015	-.00258
#3	-.00071	.00054	-.00124	-.00006	-.00017	-.00262
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit						
Low Limit						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5907.9	44918.	99093.
Stddev	12.4	139.	337.
%RSD	.20994	.30980	.33961
#1	5893.6	45054.	99450.
#2	5914.1	44925.	98782.
#3	5916.1	44776.	99047.

Sample Name: MRLF2001 Acquired: 06/20/2024 13:43:15 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008016 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.21871	.09685	.01127	.01015	.00968	.10162	.00988	1.0159	.01018	.00967	.01077
Stddev	.02785	.00132	.00253	.00015	.00021	.00047	.00018	.0016	.00037	.00002	.00008
%RSD	12.733	1.3622	22.458	1.4516	2.2103	.46244	1.8190	.15419	3.6712	.22652	.76748
#1	.24130	.09758	.01346	.00998	.00943	.10156	.01009	1.0166	.01001	.00965	.01068
#2	.22723	.09532	.01185	.01026	.00984	.10118	.00979	1.0170	.01061	.00969	.01080
#3	.18760	.09764	.00850	.01020	.00976	.10211	.00976	1.0141	.00992	.00966	.01084
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.20268	.00983	.01055	1.0412	.01169	.01000	.01003	1.1427	.00925	.01095	1.1558
Stddev	.00237	.00017	.00459	.0104	.00029	.00021	.00012	.0288	.00232	.00027	.0095
%RSD	1.1692	1.7407	43.531	.99838	2.4468	2.1478	1.1705	2.5240	25.090	2.4243	.82549
#1	.20012	.00977	.01378	1.0294	.01148	.00978	.01015	1.1371	.01183	.01067	1.1466
#2	.20480	.00969	.00529	1.0489	.01157	.01021	.00991	1.1739	.00859	.01120	1.1656
#3	.20311	.01002	.01259	1.0454	.01202	.00999	.01003	1.1170	.00734	.01097	1.1552
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Sample Name: MRLF2001 Acquired: 06/20/2024 13:43:15 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008016 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.00987	.01082	.10345	.01088	.00967	.02102
Stddev	.00003	.00139	.00163	.00085	.00023	.00016
%RSD	.30425	12.856	1.5721	7.8427	2.3652	.77518
#1	.00988	.01237	.10170	.01080	.00949	.02112
#2	.00984	.00970	.10373	.01007	.00993	.02111
#3	.00989	.01037	.10492	.01177	.00959	.02084
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value						
Range						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5613.0	43052.	94506.
Stddev	5.0	278.	342.
%RSD	.08923	.64516	.36240
#1	5614.3	42834.	94383.
#2	5617.2	43365.	94242.
#3	5607.4	42957.	94893.

Sample Name: MRLF2002 Acquired: 06/20/2024 13:48:13 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008017 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.19993	.05131	.01110	.00512	.00383	.10029	.00506	.45971	.01032	.00959
Stddev	.02616	.00217	.00280	.00035	.00002	.00030	.00008	.00315	.00018	.00006
%RSD	13.085	4.2229	25.240	6.8124	.58722	.29733	1.6056	.68446	1.7606	.59417
#1	.19641	.05306	.00823	.00529	.00380	.10013	.00514	.45793	.01025	.00953
#2	.22767	.05198	.01122	.00472	.00384	.10063	.00498	.46335	.01053	.00965
#3	.17570	.04889	.01383	.00536	.00384	.10010	.00505	.45787	.01019	.00960
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value										
Range										

Elem	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.01190	.10685	.00984	.10214	.22423	.00582	.01017	.01046	1.1689	.01097
Stddev	.00017	.00507	.00050	.00153	.01467	.00005	.00014	.00018	.0692	.00205
%RSD	1.4540	4.7433	5.1216	1.4961	6.5429	.94378	1.3307	1.7319	5.9180	18.722
#1	.01181	.11049	.00964	.10123	.22026	.00580	.01031	.01052	1.1790	.00860
#2	.01179	.10107	.01041	.10390	.21195	.00578	.01004	.01026	1.2325	.01228
#3	.01210	.10901	.00947	.10128	.24048	.00588	.01018	.01061	1.0952	.01203
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value										
Range										

Sample Name: MRLF2002 Acquired: 06/20/2024 13:48:13 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008017 Type: Anaylst: JFeng/JChun
Comment:

Elem	Ag	Na	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.01048	.58388	.01005	.01143	.01036	.01101	.00980	F .01353
Stddev	.00063	.00274	.00024	.00114	.00039	.00018	.00019	.00015
%RSD	6.0087	.46911	2.4058	9.9622	3.7496	1.6746	1.9430	1.1421
#1	.01120	.58126	.00999	.01044	.01045	.01099	.01000	.01363
#2	.01017	.58672	.00985	.01118	.00994	.01084	.00962	.01335
#3	.01006	.58366	.01032	.01267	.01070	.01121	.00979	.01361
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Fail
Value								.01000
Range								20.000%

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5634.6	43363.	94938.
Stddev	9.2	301.	144.
%RSD	.16239	.69411	.15139
#1	5628.9	43295.	94813.
#2	5645.2	43101.	95095.
#3	5629.8	43692.	94906.

Sample Name: ICSA1 Acquired: 06/20/2024 13:53:09 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008018 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	427.13	.00341	.00052	.00038	-.00002	-.00519	-.00088	491.83	.00173	-.00021	.00004
Stddev	4.74	.00011	.00243	.00032	.00004	.00219	.00012	7.25	.00019	.00017	.00005
%RSD	1.1097	3.2077	467.36	83.459	256.16	42.146	13.239	1.4735	10.961	79.279	130.89
#1	421.92	.00329	.00208	.00005	.00002	-.00567	-.00095	500.16	.00189	-.00040	.00010
#2	431.19	.00344	-.00228	.00068	-.00001	-.00709	-.00075	486.97	.00178	-.00012	.00001
#3	428.26	.00350	.00176	.00041	-.00007	-.00280	-.00095	488.37	.00152	-.00011	.00001
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	191.00	-.00398	.00000	187.56	-.00177	.00077	-.00044	.06875	.00157	-.00063	.14504
Stddev	.38	.00027	.0061	.50	.00039	.00031	.00013	.03548	.00113	.00072	.01123
%RSD	.19863	6.8899	2735800.	.26846	21.848	39.909	29.594	51.608	72.102	115.03	7.7441
#1	191.38	-.00368	-.00632	188.12	-.00192	.00097	-.00047	.02781	.00172	.00008	.13830
#2	190.62	-.00421	.00583	187.14	-.00133	.00041	-.00030	.09060	.00262	-.00061	.15801
#3	190.99	-.00405	.00049	187.42	-.00206	.00091	-.00056	.08783	.00037	-.00136	.13881
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Sample Name: ICSA1 Acquired: 06/20/2024 13:53:09 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008018 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00056	.00017	.00033	.00000	-.00001	.00300
Stddev	.00005	.00265	.00144	.00093	.00037	.00027
%RSD	9.4360	1556.2	442.25	1287e15	5723.8	8.8349
#1	-.00059	-.00062	.00036	.00075	-.00023	.00284
#2	-.00059	-.00199	-.00113	.00029	-.00021	.00286
#3	-.00050	.00312	.00175	-.00104	.00042	.00331
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit						
Low Limit						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	4395.5	42207.	81423.
Stddev	11.1	462.	96.
%RSD	.25241	1.0940	.11741
#1	4397.4	41676.	81315.
#2	4383.5	42515.	81458.
#3	4405.5	42430.	81496.

Sample Name: ICSAB1 Acquired: 06/20/2024 13:58:10 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008019 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	393.82	.98030	.99520	.46414	.45548	.97195	.90537	452.47	.45155	.45867	.46089
Stddev	4.30	.00284	.00450	.00114	.00133	.00072	.00145	9.05	.00070	.00038	.00088
%RSD	1.0920	.29014	.45174	.24542	.29190	.07372	.15994	2.0000	.15544	.08176	.19126
#1	398.79	.98338	.99613	.46321	.45404	.97150	.90700	442.95	.45092	.45855	.46057
#2	391.38	.97976	.99916	.46382	.45665	.97158	.90489	453.48	.45143	.45837	.46189
#3	391.30	.97777	.99031	.46541	.45577	.97278	.90423	460.96	.45230	.45909	.46022
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	170.99	.89361	.94251	170.38	.45355	.99245	.96364	74.837	.93145	.98569	74.826
Stddev	.21	.00360	.00847	.55	.00175	.00177	.00086	.162	.00762	.00089	.147
%RSD	.12072	.40337	.89881	.32398	.38646	.17857	.08877	.21606	.81801	.09034	.19584
#1	170.76	.89735	.93516	169.82	.45188	.99414	.96462	74.818	.93991	.98467	74.709
#2	171.03	.89330	.94060	170.39	.45538	.99061	.96304	74.686	.92932	.98633	74.778
#3	171.17	.89016	.95178	170.92	.45339	.99260	.96327	75.008	.92512	.98606	74.990
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Sample Name: ICSAB1 Acquired: 06/20/2024 13:58:10 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008019 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.45968	.82674	.95942	.90409	.45211	.99515
Stddev	.00016	.00326	.00225	.00450	.00121	.00146
%RSD	.03482	.39409	.23493	.49784	.26806	.14685
#1	.45965	.82819	.95927	.89929	.45072	.99675
#2	.45985	.82903	.95724	.90476	.45280	.99482
#3	.45954	.82301	.96174	.90822	.45283	.99389
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value						
Range						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	4762.7	45630.	88099.
Stddev	12.5	451.	282.
%RSD	.26336	.98862	.31980
#1	4749.8	46149.	87785.
#2	4774.9	45407.	88329.
#3	4763.5	45333.	88182.

Sample Name: MRLF2003 Acquired: 06/20/2024 14:03:03 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008020 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.10180	.04857	.00362	.00513	.00486	.05173	.00502	.46226	.00488	.00485	.00540
Stddev	.02615	.00154	.00310	.00014	.00010	.00019	.00009	.00024	.00015	.00020	.00018
%RSD	25.683	3.1621	85.674	2.6537	1.9971	.37039	1.7533	.05117	3.0106	4.1095	3.2694
#1	.07706	.04927	.00717	.00520	.00475	.05186	.00497	.46252	.00502	.00486	.00559
#2	.09919	.04680	.00227	.00498	.00490	.05151	.00513	.46205	.00473	.00465	.00537
#3	.12916	.04962	.00142	.00523	.00492	.05182	.00498	.46221	.00491	.00505	.00524

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.10558	.00428	.00345	.52081	.00564	.00512	.00486	.61183	.00522	.00556	.58825
Stddev	.00141	.00037	.00378	.03758	.00013	.00043	.00007	.04040	.00424	.00052	.00858
%RSD	1.3400	8.6869	109.68	7.2149	2.2676	8.4994	1.4656	6.6039	81.233	9.3076	1.4580
#1	.10691	.00387	.00339	.48777	.00560	.00521	.00494	.56527	.00211	.00542	.59552
#2	.10574	.00438	.00727	.56169	.00554	.00549	.00481	.63774	.01006	.00613	.57879
#3	.10410	.00460	-.00030	.51299	.00579	.00464	.00484	.63247	.00350	.00512	.59042

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.00490	.00466	.05244	.00587	.00485	.01368
Stddev	.00005	.00034	.00067	.00039	.00025	.00003
%RSD	.93232	7.3862	1.2835	6.7256	5.2123	.23354
#1	.00486	.00433	.05169	.00625	.00460	.01372
#2	.00495	.00463	.05300	.00546	.00510	.01366
#3	.00491	.00502	.05263	.00589	.00485	.01367

Sample Name: MRLF2003 Acquired: 06/20/2024 14:03:03 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008020 Type: Anaylst: JFeng/JChun
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5617.3	42870.	94163.
Stddev	16.6	159.	272.
%RSD	.29498	.37108	.28899
#1	5630.8	42930.	94475.
#2	5598.8	42990.	94033.
#3	5622.3	42689.	93980.

Sample Name: MRLF2004 Acquired: 06/20/2024 14:08:00 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008021 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00474	-.00055	-.00098	.00025	.00500	.00082	.00521	-.08864	-.00005	.00008	.00015
Stddev	.01594	.00241	.00177	.00007	.00006	.00039	.00012	.00235	.00010	.00003	.00024
%RSD	336.51	437.59	180.20	30.492	1.1588	47.571	2.3975	2.6551	196.78	36.330	162.32
#1	-.01559	-.00177	-.00031	.00026	.00503	.00115	.00517	-.08960	-.00009	.00005	.00030
#2	.01356	.00222	-.00299	.00031	.00503	.00091	.00511	-.08595	.00006	.00011	.00029
#3	-.01218	-.00211	.00035	.00017	.00493	.00039	.00535	-.09035	-.00012	.00008	-.00013

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.00635	.00014	.00184	-.00990	.00094	.00025	-.00027	.18451	.00059	.00005	.04583
Stddev	.00744	.00053	.00155	.02699	.00024	.00019	.00026	.04277	.00235	.00022	.01993
%RSD	117.03	380.40	84.437	272.55	25.126	77.759	93.532	23.178	396.04	418.53	43.482
#1	.01245	-.00047	.00075	-.03108	.00098	.00003	-.00004	.16068	.00110	.00025	.02289
#2	-.00193	.00039	.00362	.02048	.00068	.00038	-.00023	.15895	-.00197	.00009	.05887
#3	.00855	.00050	.00115	-.01911	.00115	.00033	-.00055	.23388	.00265	-.00019	.05572

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00009	-.00043	.00068	.00045	.00491	.10437
Stddev	.00018	.00091	.00116	.00027	.00027	.00035
%RSD	204.35	213.54	171.17	60.916	5.5312	.33540
#1	.00011	-.00144	-.00036	.00036	.00521	.10449
#2	-.00015	-.00017	.00046	.00075	.00482	.10398
#3	-.00023	.00033	.00194	.00023	.00470	.10464

Sample Name: MRLF2004 Acquired: 06/20/2024 14:08:00 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008021 Type: Anaylst: JFeng/JChun
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5894.1	43794.	98259.
Stddev	18.7	324.	185.
%RSD	.31647	.73907	.18865
#1	5875.2	43453.	98458.
#2	5912.5	43832.	98226.
#3	5894.7	44097.	98092.

Sample Name: CCV1 Acquired: 06/20/2024 14:12:57 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008022 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	96.586	1.5164	.97146	1.9127	1.4122	2.3633	1.9281	74.567	2.3775	.91740	2.3211
Stddev	1.099	.0084	.00631	.0070	.0021	.0013	.0102	.240	.0010	.00081	.0030
%RSD	1.1376	.55376	.64959	.36678	.15078	.05671	.52723	.32165	.04375	.08883	.13074
#1	96.597	1.5163	.97016	1.9192	1.4124	2.3645	1.9326	74.377	2.3779	.91677	2.3238
#2	95.482	1.5249	.97831	1.9136	1.4143	2.3618	1.9353	74.837	2.3784	.91832	2.3178
#3	97.679	1.5081	.96589	1.9053	1.4100	2.3636	1.9165	74.488	2.3764	.91710	2.3218
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	22.853	2.2616	.52137	56.780	2.3043	2.4132	2.4388	62.523	.98846	.47623	61.615
Stddev	.040	.0008	.00181	.336	.0038	.0043	.0028	.270	.01013	.00078	.161
%RSD	.17303	.03694	.34765	.59111	.16596	.17691	.11339	.43115	1.0248	.16461	.26109
#1	22.893	2.2606	.52283	56.654	2.3017	2.4086	2.4380	62.388	.99255	.47670	61.553
#2	22.814	2.2617	.51935	57.161	2.3087	2.4171	2.4419	62.833	.99591	.47533	61.797
#3	22.852	2.2623	.52194	56.526	2.3025	2.4138	2.4365	62.348	.97693	.47667	61.494
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Sample Name: CCV1 Acquired: 06/20/2024 14:12:57 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008022 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46580	2.2723	.48893	.47731	1.3926	2.5018
Stddev	.00098	.0104	.00130	.00234	.0017	.0011
%RSD	.20943	.45663	.26664	.48998	.12452	.04367
#1	.46470	2.2796	.48754	.47813	1.3938	2.5022
#2	.46656	2.2769	.48913	.47912	1.3906	2.5026
#3	.46613	2.2604	.49012	.47467	1.3933	2.5006
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value						
Range						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5150.9	43599.	90036.
Stddev	7.2	621.	391.
%RSD	.14018	1.4238	.43476
#1	5144.3	43579.	89715.
#2	5158.6	42988.	89921.
#3	5149.8	44229.	90472.

Sample Name: CCB1 Acquired: 06/20/2024 14:17:43 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008023 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.01435	-.00075	-.00169	-.00019	-.00028	.00515	-.00010	-.17550	-.00030	.00007	-.00031
Stddev	.02012	.00238	.00116	.00009	.00013	.00037	.00010	.00320	.00032	.00007	.00060
%RSD	140.16	316.12	68.757	49.858	45.321	7.2666	98.531	1.8248	106.56	95.474	196.75
#1	-.00056	-.00129	-.00100	-.00008	-.00037	.00549	-.00017	-.17756	-.00010	.00000	-.00100
#2	-.03744	.00185	-.00303	-.00022	-.00013	.00522	-.00014	-.17181	-.00014	.00008	.00009
#3	-.00507	-.00282	-.00104	-.00026	-.00033	.00475	.00001	-.17713	-.00068	.00014	-.00001
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00273	-.00058	.00013	.01803	-.00018	.00016	-.00056	.03780	.00004	.00014	.00737
Stddev	.00224	.00070	.00391	.02718	.00021	.00029	.00015	.04816	.00147	.00016	.02522
%RSD	82.089	121.56	2946.8	150.79	118.03	183.64	26.950	127.42	3444.5	114.63	342.42
#1	-.00442	-.00089	.00417	.03951	-.00030	.00043	-.00063	.02690	-.00012	.00015	.02606
#2	-.00358	-.00108	-.00364	.02710	.00007	-.00014	-.00039	-.00398	-.00133	-.00002	-.02132
#3	-.00019	.00023	-.00013	-.01253	-.00031	.00019	-.00066	.09047	.00158	.00030	.01736
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Sample Name: CCB1 Acquired: 06/20/2024 14:17:43 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008023 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00027	.00079	-.00049	.00075	-.00030	-.00309
Stddev	.00008	.00051	.00102	.00092	.00024	.00011
%RSD	28.200	64.673	209.24	122.69	79.152	3.6777
#1	-.00035	.00020	-.00161	-.00030	-.00009	-.00322
#2	-.00027	.00111	.00039	.00141	-.00025	-.00300
#3	-.00019	.00105	-.00025	.00115	-.00056	-.00305
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit						
Low Limit						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5933.3	44700.	99287.
Stddev	13.1	323.	797.
%RSD	.22155	.72207	.80256
#1	5944.8	44638.	99131.
#2	5918.9	44412.	98579.
#3	5936.1	45049.	100150.

Sample Name: CCV3 Acquired: 06/20/2024 18:00:58 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008045 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	96.762	1.4986	.96062	1.8977	1.4176	2.3457	1.9173	75.050	2.3319	.91787	2.3040
Stddev	.500	.0034	.00390	.0047	.0027	.0033	.0053	.112	.0022	.00241	.0014
%RSD	.51633	.22495	.40587	.24650	.18968	.14233	.27562	.14952	.09302	.26298	.06179
#1	96.809	1.4978	.96365	1.8923	1.4161	2.3465	1.9127	75.172	2.3303	.91716	2.3043
#2	96.241	1.4957	.95622	1.9011	1.4160	2.3486	1.9162	74.951	2.3344	.91590	2.3053
#3	97.237	1.5023	.96198	1.8996	1.4207	2.3421	1.9230	75.025	2.3311	.92057	2.3025
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	22.577	2.2644	.50346	55.212	2.3185	2.4095	2.4311	60.381	.98035	.46990	61.101
Stddev	.097	.0028	.00230	.178	.0042	.0012	.0027	.112	.00517	.00210	.057
%RSD	.42877	.12563	.45686	.32284	.18035	.04966	.11069	.18533	.52711	.44780	.09268
#1	22.514	2.2621	.50137	55.239	2.3180	2.4084	2.4304	60.489	.98158	.46821	61.151
#2	22.688	2.2636	.50308	55.022	2.3146	2.4093	2.4289	60.266	.97468	.47226	61.039
#3	22.528	2.2676	.50592	55.375	2.3229	2.4108	2.4341	60.387	.98480	.46924	61.111
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Sample Name: CCV3 Acquired: 06/20/2024 18:00:58 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008045 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46531	2.2646	.49005	.46931	1.3842	2.5056
Stddev	.00053	.0095	.00114	.00029	.0038	.0016
%RSD	.11465	.42170	.23263	.06259	.27271	.06477
#1	.46593	2.2582	.48960	.46932	1.3815	2.5050
#2	.46507	2.2600	.49135	.46959	1.3885	2.5043
#3	.46495	2.2756	.48921	.46901	1.3826	2.5074
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value						
Range						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5129.2	43287.	90363.
Stddev	6.7	193.	112.
%RSD	.13137	.44486	.12360
#1	5121.5	43201.	90369.
#2	5132.6	43152.	90471.
#3	5133.6	43508.	90248.

Sample Name: CCB3 Acquired: 06/20/2024 18:05:46 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008046 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.01299	-.00080	.00021	.00005	-.00030	.00405	.00008	-.16816	-.00044	.00006	-.00010
Stddev	.02117	.00038	.00206	.00024	.00007	.00029	.00007	.00082	.00010	.00017	.00010
%RSD	162.93	47.757	979.54	475.73	23.721	7.1716	80.760	.48795	21.795	273.15	96.831
#1	.01114	-.00118	.00119	.00029	-.00024	.00433	.00001	-.16897	-.00037	.00016	-.00002
#2	-.02171	-.00041	.00160	.00006	-.00038	.00375	.00014	-.16733	-.00055	.00016	-.00021
#3	-.02841	-.00082	-.00216	-.00019	-.00029	.00406	.00011	-.16820	-.00040	-.00013	-.00007
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00410	.00028	-.00093	.00804	-.00015	.00016	-.00047	.00858	.00175	-.00007	.04977
Stddev	.00559	.00022	.00198	.01583	.00020	.00020	.00031	.07575	.00248	.00023	.00692
%RSD	136.20	79.194	214.25	196.90	133.89	128.42	66.052	882.75	141.25	318.07	13.904
#1	-.00636	.00025	-.00140	.01645	.00008	.00035	-.00077	-.04939	.00388	-.00012	.05737
#2	-.00820	.00052	-.00263	.01789	-.00026	.00019	-.00047	.09429	-.00097	.00018	.04810
#3	.00226	.00007	.00125	-.01022	-.00027	-.00006	-.00016	-.01915	.00235	-.00028	.04383
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Sample Name: CCB3 Acquired: 06/20/2024 18:05:46 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008046 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00036	.00011	.00009	.00051	-.00007	-.00253
Stddev	.00017	.00077	.00037	.00064	.00006	.00012
%RSD	47.223	710.70	424.81	125.20	79.233	4.8324
#1	-.00053	-.00068	.00038	-.00012	-.00003	-.00258
#2	-.00019	.00015	-.00033	.00049	-.00004	-.00239
#3	-.00038	.00086	.00022	.00117	-.00014	-.00262
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit						
Low Limit						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	6063.1	44722.	101530.
Stddev	3.5	246.	288.
%RSD	.05745	.55043	.28378
#1	6060.4	44438.	101340.
#2	6067.1	44863.	101400.
#3	6061.9	44865.	101860.

Sample Name: IPF010SB Acquired: 06/20/2024 18:26:16 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008050 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.00008	-.00195	.00184	-.00019	-.00032	.00025	-.00008	-.05046	.00014
Stddev	.02994	.00065	.00275	.00040	.00008	.00022	.00008	.00138	.00014
%RSD	35656.	33.103	149.62	206.65	25.999	88.610	96.660	2.7306	96.507
#1	-.00284	-.00200	.00371	-.00042	-.00026	.00048	-.00001	-.04967	.00002
#2	-.02829	-.00258	.00312	.00027	-.00029	.00003	-.00016	-.05206	.00029
#3	.03138	-.00129	-.00132	-.00043	-.00042	.00026	-.00006	-.04967	.00012
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit									
Low Limit									

Elem	Co	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00032	-.00006	.00788	.00046	F -.00523	.01628	.00056	.00064	-.00029
Stddev	.00012	.00011	.00902	.00040	.00040	.00284	.00057	.00041	.00016
%RSD	37.999	186.50	114.48	87.170	7.6963	17.425	101.14	64.832	54.132
#1	-.00023	-.00019	-.00203	.00009	-.00552	.01437	.00090	.00084	-.00011
#2	-.00046	.00001	.01563	.00040	-.00539	.01493	-.00009	.00016	-.00040
#3	-.00027	.00000	.01005	.00089	-.00477	.01954	.00087	.00090	-.00035
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Fail	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit					.00500				
Low Limit					-.00500				

Sample Name: IPF010SB Acquired: 06/20/2024 18:26:16 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008050 Type: Anaylst: JFeng/JChun
Comment:

Elem	K	Se	Ag	Na	Sr	Tl	Sn	Ti	V
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.10848	.00220	-.00002	.15490	-.00006	-.00119	F .03567	.00056	-.00028
Stddev	.01924	.00069	.00019	.00895	.00010	.00084	.00040	.00090	.00023
%RSD	17.737	31.412	790.07	5.7758	177.12	70.355	1.1172	160.99	81.836
#1	.08693	.00274	.00019	.16503	-.00001	-.00170	.03549	.00159	-.00035
#2	.11456	.00243	-.00009	.15158	.00001	-.00166	.03612	.00007	-.00002
#3	.12395	.00142	-.00016	.14808	-.00017	-.00022	.03538	.00001	-.00047
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Fail	Chk Pass	Chk Pass
High Limit							.01000		
Low Limit							-.01000		

Elem	Zn
Units	mg/L
Avg	-.00202
Stddev	.00006
%RSD	3.1603
#1	-.00208
#2	-.00201
#3	-.00195
Check ?	Chk Pass
High Limit	
Low Limit	

Sample Name: IPF010SB Acquired: 06/20/2024 18:26:16 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008050 Type: Anaylst: JFeng/JChun
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5614.9	44150.	99557.
Stddev	34.5	68.	356.
%RSD	.61520	.15430	.35804
#1	5578.3	44203.	99369.
#2	5619.4	44073.	99968.
#3	5646.9	44173.	99334.

Sample Name: IPF010SL Acquired: 06/20/2024 18:31:17 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008051 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	F 6.6628	2.3081	.48480	.47710	.48316	.43722	.48955	50.396	.47768	.48041
Stddev	.0269	.0165	.00119	.00083	.00079	.00119	.00231	.080	.00114	.00031
%RSD	.40306	.71570	.24558	.17441	.16400	.27118	.47255	.15926	.23912	.06357
#1	6.6496	2.3067	.48516	.47630	.48398	.43789	.48962	50.410	.47753	.48016
#2	6.6450	2.3252	.48577	.47704	.48240	.43792	.49182	50.469	.47888	.48075
#3	6.6937	2.2923	.48347	.47796	.48310	.43585	.48720	50.310	.47661	.48032
Check ?	Chk Fail	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value	5.0000									
Range	19.200%									

Elem	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46905	4.6453	.46388	F .01650	47.004	.49465	.51381	.50903	50.418	.48353
Stddev	.00120	.0165	.00055	.00381	.063	.00063	.00016	.00074	.120	.00307
%RSD	.25679	.35633	.11947	23.091	.13334	.12824	.03081	.14486	.23828	.63547
#1	.47007	4.6614	.46452	.01814	47.030	.49514	.51399	.50829	50.281	.48000
#2	.46936	4.6462	.46350	.01922	46.932	.49487	.51368	.50904	50.506	.48502
#3	.46772	4.6284	.46363	.01215	47.049	.49393	.51377	.50977	50.466	.48558
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Fail	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value				.50000						
Range				-14.800%						

Sample Name: IPF010SL Acquired: 06/20/2024 18:31:17 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008051 Type: Anaylst: JFeng/JChun
Comment:

Elem	Ag	Na	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46846	51.707	.47025	.46058	.53861	.47499	.48462	.51499
Stddev	.00266	.139	.00022	.00257	.00067	.00151	.00158	.00087
%RSD	.56834	.26921	.04748	.55693	.12422	.31895	.32697	.16858
#1	.47130	51.550	.47034	.46160	.53888	.47333	.48618	.51469
#2	.46808	51.755	.47042	.46249	.53910	.47630	.48466	.51432
#3	.46601	51.816	.47000	.45767	.53785	.47534	.48301	.51597
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value								
Range								

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5121.1	43194.	91577.
Stddev	21.1	335.	298.
%RSD	.41278	.77637	.32584
#1	5103.2	43209.	91278.
#2	5144.4	42851.	91578.
#3	5115.6	43521.	91874.

Sample Name: IPF010SC Acquired: 06/20/2024 18:36:05 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008052 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	F 6.6237	2.2391	.46974	.46869	.47359	.42785	.47718	49.387	.46846	.47197
Stddev	.0206	.0131	.00451	.00057	.00068	.00031	.00252	.067	.00073	.00018
%RSD	.31120	.58583	.96054	.12191	.14378	.07296	.52834	.13512	.15609	.03794
#1	6.6454	2.2507	.47204	.46896	.47392	.42821	.47995	49.410	.46930	.47217
#2	6.6212	2.2248	.46455	.46803	.47281	.42764	.47502	49.312	.46798	.47192
#3	6.6044	2.2418	.47265	.46908	.47405	.42770	.47656	49.440	.46809	.47182
Check ?	Chk Fail	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value	5.0000									
Range	19.200%									

Elem	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46095	4.5772	.45466	F .01574	45.631	.48094	.50196	.49985	49.057	.47045
Stddev	.00037	.0059	.00115	.00152	.113	.00106	.00035	.00012	.260	.00377
%RSD	.08116	.12903	.25206	9.6520	.24824	.22064	.06909	.02310	.52956	.80076
#1	.46074	4.5821	.45567	.01417	45.509	.48217	.50200	.49997	48.773	.47286
#2	.46138	4.5707	.45490	.01584	45.651	.48025	.50228	.49984	49.115	.47238
#3	.46072	4.5790	.45342	.01721	45.733	.48041	.50159	.49974	49.283	.46611
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Fail	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value				.50000						
Range				-14.800%						

Sample Name: IPF010SC Acquired: 06/20/2024 18:36:05 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008052 Type: Anaylst: JFeng/JChun
Comment:

Elem	Ag	Na	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46008	50.385	.45974	.44985	.53051	.46523	.47612	.50568
Stddev	.00085	.074	.00041	.00142	.00207	.00172	.00065	.00072
%RSD	.18442	.14681	.08975	.31562	.38976	.36920	.13671	.14171
#1	.46040	50.301	.45988	.45135	.52984	.46355	.47587	.50519
#2	.46072	50.414	.45928	.44853	.52886	.46516	.47563	.50650
#3	.45912	50.441	.46007	.44966	.53283	.46699	.47686	.50535
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value								
Range								

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5144.2	43886.	92692.
Stddev	13.0	171.	536.
%RSD	.25273	.38895	.57859
#1	5141.0	44061.	92073.
#2	5133.0	43720.	93022.
#3	5158.4	43878.	92980.

Sample Name: CCV4 Acquired: 06/20/2024 18:40:55 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008053 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	95.549	1.5048	.96136	1.8938	1.4173	2.3423	1.9267	75.253	2.3239	.91637
Stddev	.187	.0045	.00609	.0010	.0017	.0053	.0014	.103	.0032	.00109
%RSD	.19554	.29934	.63346	.05464	.11839	.22776	.07084	.13657	.13710	.11887
#1	95.542	1.5075	.95451	1.8945	1.4187	2.3370	1.9281	75.144	2.3208	.91621
#2	95.739	1.5073	.96618	1.8942	1.4178	2.3476	1.9264	75.347	2.3272	.91753
#3	95.366	1.4996	.96337	1.8926	1.4155	2.3422	1.9254	75.270	2.3239	.91536
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value										
Range										

Elem	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	2.2967	F 22.488	2.2622	.49728	54.992	2.3260	2.4095	2.4290	60.148	.97890
Stddev	.0030	.048	.0017	.00448	.191	.0021	.0006	.0009	.190	.00429
%RSD	.12995	.21289	.07493	.90178	.34819	.09185	.02517	.03676	.31582	.43813
#1	2.2945	22.482	2.2617	.50213	54.916	2.3237	2.4098	2.4288	59.933	.98359
#2	2.3001	22.538	2.2608	.49641	55.210	2.3279	2.4088	2.4282	60.294	.97518
#3	2.2954	22.443	2.2641	.49329	54.850	2.3264	2.4100	2.4299	60.216	.97792
Check ?	Chk Pass	Chk Fail	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value		25.000								
Range		-10.000%								

Sample Name: CCV4 Acquired: 06/20/2024 18:40:55 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008053 Type: Anaylst: JFeng/JChun
Comment:

Elem	Ag	Na	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46765	60.995	.46480	2.2773	.49194	.46510	1.3806	2.5076
Stddev	.00117	.021	.00100	.0035	.00023	.00137	.0029	.0008
%RSD	.24923	.03485	.21449	.15498	.04726	.29386	.21122	.03054
#1	.46689	60.999	.46366	2.2769	.49176	.46638	1.3784	2.5068
#2	.46899	60.972	.46551	2.2810	.49220	.46366	1.3839	2.5077
#3	.46707	61.014	.46523	2.2740	.49186	.46528	1.3794	2.5083
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value								
Range								

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5131.3	42700.	90023.
Stddev	10.5	181.	178.
%RSD	.20549	.42274	.19789
#1	5143.3	42824.	90173.
#2	5123.4	42784.	89826.
#3	5127.2	42493.	90070.

Sample Name: CCB4 Acquired: 06/20/2024 18:45:43 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008054 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.02453	-.00001	-.00018	-.00018	-.00026	.00398	-.00004	-.16567	-.00010	.00009	-.00010
Stddev	.00460	.00075	.00152	.00036	.00018	.00018	.00005	.00409	.00017	.00010	.00038
%RSD	18.757	8868.0	830.05	192.98	69.026	4.5659	129.50	2.4677	168.92	111.25	371.70
#1	-.02726	-.00070	-.00119	.00020	-.00011	.00377	-.00010	-.16249	-.00007	.00015	-.00053
#2	-.02711	.00079	-.00092	-.00024	-.00045	.00410	-.00001	-.16423	.00005	-.00003	.00020
#3	-.01922	-.00011	.00157	-.00051	-.00021	.00408	-.00001	-.17028	-.00028	.00015	.00003
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00402	-.00011	-.00015	-.01373	-.00029	.00005	-.00053	.03860	.00054	-.00036	.03563
Stddev	.00147	.00021	.00228	.01554	.00023	.00017	.00024	.01931	.00370	.00061	.03187
%RSD	36.677	180.46	1554.9	113.17	79.537	319.30	44.753	50.039	687.80	171.92	89.444
#1	-.00551	-.00032	.00133	-.02044	-.00043	-.00006	-.00071	.05946	-.00030	.00030	-.00082
#2	-.00257	-.00012	-.00277	-.02479	-.00002	-.00003	-.00061	.03498	-.00267	-.00091	.04949
#3	-.00398	.00010	.00100	.00404	-.00043	.00026	-.00026	.02135	.00458	-.00045	.05821
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Sample Name: CCB4 Acquired: 06/20/2024 18:45:43 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008054 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00045	.00049	.00003	.00018	-.00009	-.00244
Stddev	.00007	.00076	.00090	.00141	.00026	.00007
%RSD	15.168	155.86	3189.2	781.22	281.06	2.6659
#1	-.00038	.00105	.00072	-.00057	.00015	-.00245
#2	-.00045	.00078	-.00099	-.00069	-.00005	-.00250
#3	-.00052	-.00037	.00035	.00180	-.00038	-.00237
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit						
Low Limit						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5979.1	44303.	100620.
Stddev	2.3	785.	85.
%RSD	.03894	1.7718	.08465
#1	5981.7	43415.	100720.
#2	5978.5	44905.	100600.
#3	5977.1	44588.	100550.

Sample Name: F034-02A Acquired: 06/20/2024 18:50:44 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008055 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	118.46	2.5308	.63022	2.3047	.52191	.55030	.50644	111.04	1.0666	.66163	.69846
Stddev	.59	.0032	.00231	.0071	.00066	.00075	.00109	.09	.0022	.00130	.00074
%RSD	.49865	.12649	.36636	.30701	.12591	.13545	.21581	.07669	.21067	.19598	.10605
#1	118.35	2.5344	.63254	2.3042	.52243	.54944	.50736	110.98	1.0675	.66304	.69800
#2	119.11	2.5283	.62793	2.2979	.52117	.55068	.50523	111.14	1.0683	.66049	.69931
#3	117.94	2.5296	.63018	2.3121	.52211	.55079	.50673	111.01	1.0641	.66135	.69807

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	224.52	.55643	.13029	87.463	1.8377	.57367	.83825	70.919	.42639	.46071	58.994
Stddev	.73	.00059	.00198	.196	.0019	.00089	.00071	.104	.00566	.00151	.048
%RSD	.32731	.10565	1.5196	.22402	.10323	.15552	.08459	.14613	1.3271	.32817	.08088
#1	224.48	.55575	.13076	87.237	1.8381	.57381	.83787	70.807	.42404	.46112	58.984
#2	225.27	.55672	.13199	87.576	1.8394	.57271	.83781	71.012	.42227	.46197	58.952
#3	223.80	.55682	.12812	87.577	1.8356	.57447	.83907	70.937	.43284	.45903	59.046

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	1.1089	.44554	.58804	3.9464	1.2530	1.0392
Stddev	.0023	.00197	.00135	.0132	.0018	.0005
%RSD	.20681	.44280	.22923	.33347	.14139	.04466
#1	1.1088	.44706	.58652	3.9399	1.2536	1.0395
#2	1.1112	.44331	.58854	3.9378	1.2543	1.0394
#3	1.1066	.44625	.58908	3.9616	1.2510	1.0386

Sample Name: F034-02A Acquired: 06/20/2024 18:50:44 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008055 Type: Anaylst: JFeng/JChun
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	4592.4	42345.	89324.
Stddev	8.9	190.	275.
%RSD	.19390	.44906	.30807
#1	4585.3	42274.	89042.
#2	4589.6	42560.	89337.
#3	4602.4	42200.	89592.

Sample Name: F034-02 Acquired: 06/20/2024 18:55:31 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008056 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	109.40	.00856	.11811	1.8158	.00626	.09217	-.00015	56.542	.58163
Stddev	1.26	.00035	.00129	.0039	.00007	.00176	.00012	.022	.00067
%RSD	1.1515	4.1343	1.0944	.21244	1.1573	1.9089	80.515	.03923	.11472
#1	108.64	.00815	.11860	1.8197	.00627	.09143	-.00009	56.557	.58230
#2	110.86	.00873	.11664	1.8157	.00632	.09418	-.00007	56.516	.58164
#3	108.71	.00879	.11908	1.8120	.00618	.09090	-.00028	56.553	.58096

Elem	Co	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.11873	.19602	222.03	.04123	.11622	37.958	1.3489	.00575	.26903
Stddev	.00031	.00117	.09	.00126	.00334	.082	.0014	.00051	.00042
%RSD	.25692	.59777	.04156	3.0454	2.8781	.21695	.10703	8.7907	.15457
#1	.11866	.19722	221.96	.04032	.11681	37.882	1.3499	.00601	.26950
#2	.11907	.19488	221.99	.04266	.11262	38.046	1.3496	.00607	.26888
#3	.11847	.19597	222.13	.04070	.11923	37.947	1.3473	.00517	.26871

Elem	K	Se	Ag	Na	Sr	Tl	Sn	Ti	V
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	15.339	F -.06565	-.00252	1.9260	.61427	F -.01669	.03143	3.4698	.76343
Stddev	.021	.00276	.00032	.0164	.00021	.00144	.00150	.0076	.00083
%RSD	.13650	4.2040	12.684	.85349	.03363	8.6145	4.7603	.22001	.10889
#1	15.362	-.06283	-.00230	1.9075	.61435	-.01766	.03159	3.4782	.76407
#2	15.321	-.06835	-.00237	1.9389	.61443	-.01738	.02986	3.4681	.76249
#3	15.335	-.06577	-.00289	1.9317	.61403	-.01504	.03284	3.4632	.76373

Sample Name: F034-02 Acquired: 06/20/2024 18:55:31 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008056 Type: Anaylst: JFeng/JChun
Comment:

Elem	Zn
Units	mg/L
Avg	.44555
Stddev	.00135
%RSD	.30324
#1	.44692
#2	.44552
#3	.44422

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	4865.7	43686.	94166.
Stddev	8.1	394.	360.
%RSD	.16715	.90256	.38216
#1	4870.4	43473.	94118.
#2	4856.3	44141.	93833.
#3	4870.4	43445.	94548.

Sample Name: F034-02J Acquired: 06/20/2024 19:00:23 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008057 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	19.843	.00210	.02284	.36729	.00106	.02453	-.00010	11.478	.12071
Stddev	.114	.00067	.00023	.00080	.00007	.00126	.00010	.018	.00012
%RSD	.57406	31.949	.99939	.21859	6.7243	5.1268	101.04	.16007	.09912
#1	19.738	.00148	.02308	.36784	.00103	.02409	-.00001	11.480	.12073
#2	19.827	.00281	.02262	.36637	.00102	.02355	-.00008	11.459	.12082
#3	19.964	.00201	.02282	.36767	.00114	.02595	-.00020	11.496	.12058

Elem	Co	Cu	Fe	Pb	Li	Mg	Mn	Mo	Ni
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.02261	.03987	46.331	.00796	.01943	7.9320	.27763	.00123	.05070
Stddev	.00042	.00009	.295	.00032	.00290	.0202	.00090	.00049	.00037
%RSD	1.8376	.21750	.63596	3.9949	14.933	.25500	.32371	39.997	.72299
#1	.02300	.03977	46.428	.00819	.01643	7.9298	.27730	.00180	.05054
#2	.02218	.03993	46.565	.00760	.02222	7.9532	.27695	.00096	.05045
#3	.02266	.03991	46.000	.00810	.01965	7.9129	.27865	.00094	.05112

Elem	K	Se	Ag	Na	Sr	Tl	Sn	Ti	V
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	3.1256	F -.01320	-.00047	.40168	.12517	F -.00539	.00532	.70119	.15547
Stddev	.0489	.00070	.00026	.00642	.00015	.00096	.00050	.00225	.00056
%RSD	1.5659	5.3145	55.275	1.5993	.12356	17.862	9.3186	.32072	.36066
#1	3.1364	-.01279	-.00046	.39862	.12530	-.00555	.00585	.70359	.15596
#2	3.1682	-.01402	-.00074	.39737	.12520	-.00626	.00525	.69913	.15559
#3	3.0721	-.01281	-.00022	.40907	.12500	-.00436	.00486	.70086	.15486

Sample Name: F034-02J Acquired: 06/20/2024 19:00:23 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008057 Type: Anaylst: JFeng/JChun
Comment:

Elem	Zn
Units	mg/L
Avg	.08073
Stddev	.00020
%RSD	.25280
#1	.08056
#2	.08068
#3	.08096

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5646.1	44725.	98963.
Stddev	11.9	412.	308.
%RSD	.21120	.92078	.31150
#1	5653.4	44526.	98903.
#2	5632.4	44451.	98690.
#3	5652.7	45199.	99297.

Sample Name: F034-02M Acquired: 06/20/2024 19:05:16 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008058 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	178.01	1.7130	.60416	2.3845	.47551	.56296	.45404	136.97	1.1140	.61745	.65774
Stddev	1.20	.0025	.00508	.0001	.00040	.00872	.00178	1.52	.0004	.00076	.00033
%RSD	.67542	.14503	.84166	.00516	.08507	1.5497	.39171	1.1064	.04007	.12333	.04977
#1	177.22	1.7154	.60971	2.3845	.47509	.57213	.45585	137.83	1.1144	.61753	.65736
#2	179.40	1.7105	.60307	2.3847	.47554	.56199	.45399	137.86	1.1135	.61664	.65792
#3	177.43	1.7132	.59971	2.3845	.47589	.55476	.45229	135.22	1.1141	.61816	.65794

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	252.37	.51151	.17733	86.182	2.0191	.50572	.84302	65.676	.37501	.45794	52.432
Stddev	1.50	.00213	.00194	.337	.0021	.00081	.00010	.056	.00231	.00129	.056
%RSD	.59491	.41550	1.0958	.39115	.10559	.16050	.01213	.08581	.61676	.28110	.10668
#1	250.79	.51193	.17520	85.923	2.0176	.50500	.84307	65.639	.37418	.45856	52.371
#2	252.54	.51340	.17900	86.061	2.0182	.50557	.84290	65.649	.37762	.45880	52.444
#3	253.77	.50921	.17778	86.563	2.0215	.50660	.84308	65.741	.37322	.45646	52.481

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	1.1194	.39744	.54190	4.7985	1.3186	1.0049
Stddev	.0003	.00149	.00183	.0036	.0020	.0009
%RSD	.02664	.37403	.33831	.07391	.15093	.08786
#1	1.1197	.39915	.54359	4.8024	1.3188	1.0039
#2	1.1193	.39648	.54216	4.7955	1.3205	1.0055
#3	1.1191	.39668	.53995	4.7975	1.3165	1.0053

Sample Name: F034-02M Acquired: 06/20/2024 19:05:16 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008058 Type: Anaylst: JFeng/JChun
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	4583.6	42639.	90561.
Stddev	2.6	257.	244.
%RSD	.05724	.60181	.26968
#1	4586.6	42611.	90372.
#2	4581.8	42908.	90476.
#3	4582.3	42397.	90837.

Sample Name: F034-02S Acquired: 06/20/2024 19:10:15 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008059 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	173.31	1.6850	.56167	2.3206	.47129	.52426	.45228	121.05	1.0875	.60267	.65196
Stddev	1.71	.0026	.00080	.0047	.00077	.00097	.00085	.26	.0016	.00059	.00061
%RSD	.98500	.15429	.14171	.20473	.16337	.18490	.18898	.21345	.14732	.09753	.09350
#1	173.85	1.6833	.56250	2.3153	.47041	.52425	.45226	121.08	1.0888	.60229	.65246
#2	174.68	1.6880	.56160	2.3244	.47184	.52329	.45315	120.78	1.0880	.60335	.65215
#3	171.40	1.6838	.56091	2.3220	.47162	.52523	.45144	121.30	1.0857	.60238	.65128

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	236.09	.50478	.17264	84.708	1.8909	.49466	.79738	64.985	.37714	.45233	51.959
Stddev	.50	.00083	.00080	.335	.0011	.00103	.00052	.272	.00421	.00206	.068
%RSD	.20980	.16485	.46176	.39572	.05978	.20873	.06563	.41882	1.1171	.45627	.13082
#1	236.44	.50402	.17354	84.575	1.8908	.49477	.79739	65.095	.38114	.45458	51.921
#2	236.30	.50567	.17232	84.460	1.8899	.49564	.79791	64.675	.37274	.45190	51.919
#3	235.52	.50465	.17205	85.089	1.8921	.49358	.79686	65.185	.37753	.45052	52.038

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	1.1322	.39258	.53393	4.7024	1.2986	.98184
Stddev	.0002	.00180	.00343	.0075	.0038	.00031
%RSD	.02090	.45845	.64180	.15837	.29083	.03112
#1	1.1319	.39051	.53746	4.6959	1.3011	.98174
#2	1.1322	.39373	.53061	4.7006	1.3003	.98160
#3	1.1324	.39351	.53372	4.7105	1.2942	.98218

Sample Name: F034-02S Acquired: 06/20/2024 19:10:15 Type: Unk
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008059 Type: Anaylst: JFeng/JChun
Comment:

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	4660.3	42892.	91272.
Stddev	10.7	479.	269.
%RSD	.22949	1.1173	.29518
#1	4648.2	42982.	91000.
#2	4664.5	43319.	91278.
#3	4668.3	42373.	91539.

Sample Name: CCV5 Acquired: 06/20/2024 19:29:41 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008063 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	94.342	1.5084	.97083	1.9159	1.4270	2.3601	1.9381	75.359	2.3769	.91559	2.3148
Stddev	.654	.0091	.00037	.0031	.0015	.0051	.0063	.112	.0052	.00123	.0046
%RSD	.69280	.60562	.03805	.16021	.10693	.21626	.32249	.14916	.21813	.13443	.19803
#1	93.590	1.5024	.97105	1.9172	1.4271	2.3570	1.9325	75.248	2.3711	.91688	2.3116
#2	94.662	1.5189	.97041	1.9181	1.4285	2.3660	1.9449	75.357	2.3809	.91443	2.3201
#3	94.774	1.5039	.97104	1.9124	1.4255	2.3574	1.9370	75.472	2.3787	.91547	2.3129
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	22.968	2.2631	.53104	57.468	2.3575	2.4082	2.4354	63.347	.98419	.47874	62.217
Stddev	.100	.0027	.00463	.150	.0019	.0010	.0011	.135	.00261	.00244	.037
%RSD	.43358	.12073	.87207	.26164	.08025	.03996	.04493	.21253	.26532	.51048	.06022
#1	22.887	2.2646	.52776	57.302	2.3590	2.4086	2.4361	63.192	.98716	.47646	62.217
#2	23.079	2.2648	.53634	57.596	2.3582	2.4089	2.4359	63.422	.98226	.48132	62.179
#3	22.937	2.2599	.52903	57.505	2.3554	2.4071	2.4341	63.428	.98315	.47846	62.254
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value											
Range											

Sample Name: CCV5 Acquired: 06/20/2024 19:29:41 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008063 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.46326	2.2788	.48878	.47997	1.3989	2.5123
Stddev	.00024	.0056	.00247	.00178	.0041	.0016
%RSD	.05136	.24580	.50584	.37143	.29272	.06421
#1	.46353	2.2727	.48770	.47798	1.3955	2.5139
#2	.46316	2.2838	.49161	.48142	1.4034	2.5125
#3	.46309	2.2797	.48703	.48051	1.3977	2.5107
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
Value						
Range						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	5170.0	42192.	90044.
Stddev	9.4	274.	326.
%RSD	.18094	.65046	.36183
#1	5173.7	41901.	90420.
#2	5176.9	42446.	89847.
#3	5159.4	42228.	89866.

Sample Name: CCB5 Acquired: 06/20/2024 19:34:29 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008064 Type: Anaylst: JFeng/JChun
Comment:

Elem	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	.01614	-.00082	.00072	.00003	-.00017	.00536	-.00001	-.16448	-.00045	-.00001	-.00024
Stddev	.02691	.00200	.00179	.00049	.00015	.00023	.00010	.00225	.00016	.00029	.00033
%RSD	166.77	243.56	249.14	1406.3	85.269	4.2674	1143.1	1.3696	35.538	3574.0	136.79
#1	-.00943	-.00190	.00087	-.00016	-.00020	.00551	.00007	-.16344	-.00028	-.00009	-.00028
#2	.04422	.00149	.00243	.00059	-.00001	.00548	.00003	-.16294	-.00045	-.00025	.00011
#3	.01362	-.00205	-.00114	-.00033	-.00031	.00510	-.00012	-.16707	-.00060	.00032	-.00056
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Elem	Fe	Pb	Li	Mg	Mn	Mo	Ni	K	Se	Ag	Na
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00608	.00030	-.00105	-.00056	-.00038	.00023	-.00040	.02440	.00181	.00032	.02494
Stddev	.00362	.00041	.00253	.02831	.00013	.00034	.00014	.04262	.00255	.00044	.00243
%RSD	59.558	135.41	240.10	5048.4	35.696	152.46	34.555	174.70	140.81	139.09	9.7278
#1	-.00954	.00008	-.00106	.02878	-.00022	.00034	-.00056	-.02335	.00393	-.00018	.02220
#2	-.00231	.00005	-.00359	-.02771	-.00044	.00050	-.00032	.03793	-.00102	.00048	.02682
#3	-.00638	.00077	.00148	-.00275	-.00046	-.00016	-.00032	.05860	.00251	.00065	.02578
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit											
Low Limit											

Sample Name: CCB5 Acquired: 06/20/2024 19:34:29 Type: QC
Method: 24F6010(v19) Mode: CONC Corr. Factor: 1.000000
User: admin Date File: ID8F008064 Type: Anaylst: JFeng/JChun
Comment:

Elem	Sr	Tl	Sn	Ti	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Avg	-.00026	.00166	.00018	.00057	.00006	-.00217
Stddev	.00019	.00079	.00080	.00020	.00037	.00003
%RSD	72.471	47.497	439.36	34.492	576.55	1.4853
#1	-.00009	.00193	-.00031	.00045	.00047	-.00220
#2	-.00046	.00228	-.00025	.00079	-.00027	-.00215
#3	-.00023	.00077	.00111	.00046	-.00001	-.00215
Check ?	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass	Chk Pass
High Limit						
Low Limit						

Int. Std.	Sc2273_A	Sc3613_R	Sc3645_A
Units	Cts/S	Cts/S	Cts/S
Avg	6003.4	43340.	99539.
Stddev	4.6	278.	527.
%RSD	.07656	.64099	.52912
#1	5998.1	43449.	99657.
#2	6006.0	43024.	98963.
#3	6006.1	43547.	99996.

EMAX LABORATORIES, INC.

DIGESTION LOG
for
ICP METALS

Note: For samples, relevant QCs/Standards digested, refer to attached digestion sequence.

Comments:

Digestion Vessel Lot # 293230 08

Filter Lot # N/A

Book #: EIP-163

Batch: IPF010W5

Matrix: SOIL SC 6/14/24

Digestor ID: F

SOP #	Rev. #
☐ EMAX-3010	8
☑ EMAX-3050	9
☐ EMAX-200.7	6
☐ EMAX-	

Start	Temp	End	Temp
	94.4 °C		92.8 °C

Standards	ID	Amount Added (mL/g)
LCS-1	SM1A-025-07-02	0.50
LCS-2	-03	0.50
LCS-3	-04	1.00
MS	Same spike std and volume as LCS 1-3	
Blank Soil (Bead)	SM5A-05-03-02	1g
Reagent	**Lot# / ID**	**Amount Added (mL)**
HNO_3	SW1A-012-09-01	10.0
HCl	-012-03-01	5.0 + 5.0
H_2O_2	-011-23-06	10.0
HNO_3(1:1)	SM5B-06-30-02	10.0
pH Strip (0-14)	N/A	N/A

Digestate Location	METALS
Extract Location	N/A

☑ Reagent Water ID: SW1A-012-11-09

☑ Thermometer ID: 230167652 / F4

☑ Pipette ID: c42761741

☑ Pipette ID: p42781023

☐ Pipette ID:

☐ HNO_3 dispenser checked @ 5.0 mL with Class A volumetric flask

☐ HCl dispenser checked @ 5.0 mL with Class A volumetric flask

Prepared By: JC

Standard Added By: JC Witnessed By: HC

Extract Rcvd By: JC Checked By: JC

EMAX LABORATORIES

DIGESTION LOG FOR METALS

PrepBatchID	LabSampleID	Aliquot	Unit	DateTime	Vd(ml)	ExpAmt	ExpVd(ml)	PrepFctr	Comments
24IPF010S01	IPF010SB	1	g	6/14/24 8:58	100	1	100	1	
24IPF010S02	IPF010SL	1	g	6/14/24 8:59	100	1	100	1	
24IPF010S03	IPF010SC	1	g	6/14/24 9:00	100	1	100	1	
24IPF010S04	F034-02	1.03	g	6/14/24 9:01	100	1	100	0.971	
24IPF010S05	F034-02M	1.03	g	6/14/24 9:01	100	1	100	0.971	
24IPF010S06	F034-02S	1.03	g	6/14/24 9:02	100	1	100	0.971	

JC 6/14/24

Balance ID: 10203192. Calibration check was verified prior to use.

Vd=digestate volume

PrepFctr=)ExpAmt/Aliquot)*(Vd/ExpVd)

☑ Digestion Started @ 6/14/24 9:36

☑ Digestion Ended @ 6/14/24 11:04

Prepared By: JChun

Checked By: JC

Comments:

Date 6/14/24

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
MIXED 12A	SM1A-025-09-08	MIXED	1.0	MIXED
MIXED 12B	-0909	MIXED	1.0	MIXED
Al	10-04	10,000	10	100
Ca	10-09	10000	7.5	75
Fe	10-10	10,000	2.5	25
Mo	07-10	1000	2.5	25
			TH 12/12/23	

Standard ID	SM1B-29-11-01
Name	ICV (6010)
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A012-0602
Preservative #1	HNO3
ID	SW1A-012-0506
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-0304
Volume (mL)	100
Prep. Date	12/12/23
Exp. Date	6/12/24
Prepared By	TH

Micropipette ID:

- ☐ 542740566 ☐
- ☐ C42761044 ☐
- ☑ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
MIXED 11A	SM1A-025-05-05	MIXED	10	MIXED
MIXED 11B	-0506	MIXED	10	MIXED
Al	10-04	10,000	40	400
Fe	10-10	10,000	20	200
Ca	10-09	10,000	50	500
Mg	0602	10,000	20	200
B	07-07	1000	0.5	0.5
			TH 12/12/23	

Standard ID	SM1B-29-11-02
Name	ICSAB (6010)
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A012-0602
Preservative #1	HNO3
ID	SW1A-012-0506
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-03-01
Volume (mL)	100
Prep. Date	12/12/23
Exp. Date	2/29/24
Prepared By	TH

Micropipette ID:

- ☐ 542740566 ☑ D42761999
- ☐ C42761044 ☐
- ☑ 942780530 ☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Be	SM1A-025-0401	1000	0.005	0.005
Cd	-0402	1000	0.005	0.005
V	0705	1000	0.005	0.005
Zn	0804	1000	0.1	0.1
		7H 12/12/23		

Standard ID	SM1B-29-12-01
Name	MRL4e
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A012-0602
Preservative #1	HNO3
ID	SW1A012-0506
Volume (mL)	60
Preservative #2	HCl
ID	SW1A012-0901
Volume (mL)	100
Prep. Date	12/12/23
Exp. Date	6/12/24
Prepared By	7H

Micropipette ID:

☑ 542740566	☑ GFAA-07
☐ C42761044	☐
☐ 942780530	☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)

Standard ID	SM1B 29-12-02
Name	
Final Volume (mL)	
Solvent	Reagent Water
Solvent ID	
Preservative #1	
ID	
Volume (mL)	
Preservative #2	
ID	
Volume (mL)	
Prep. Date	
Exp. Date	
Prepared By	

Micropipette ID:

☐ 542740566	☐
☐ C42761044	☐
☐ 942780530	☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Al	SM1A025040408	10,000	10	100
Ca	SM1A025010505	10,000	12.5	125
Fe	SM1A025060505	10,000	5.0	50
Mg	SM1A025060607	10,000	5.0	50
			TH 1/18/24	

Standard ID	SM1B-29-16-01
Name	ICSA (WW)
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A012-07-01
Preservative #1	HNO3
ID	SW1A012-05-06
Volume (mL)	60
Preservative #2	HCl
ID	SW1A011-23-02
Volume (mL)	100
Prep. Date	1/18/24
Exp. Date	7/18/24
Prepared By	TH

Micropipette ID:

- ☐ 542740566 ☐
- ☐ C42761044 ☐
- ☑ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Co	SM1A025040101	1000	0.2	0.2
Fe	SM1A025-06-05	10,000	0.25	2.5
Ba	SM1A018-15-08	1000	1.0	1.0
Cu	SM1A025060606	1000	1.0	1.0
V	SM1A025-06-10	1000	1.0	1.0
			TH 2/13/24	

Standard ID	SM1B-29-16-02
Name	5.22
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A012-07-02
Preservative #1	HNO3
ID	SW1A012-05-06
Volume (mL)	60
Preservative #2	HCl
ID	SW1A012-03-01
Volume (mL)	100
Prep. Date	2/13/24
Exp. Date	8/13/24
Prepared By	TH

Micropipette ID:

- ☐ 542740566 ☑ 0427661999
- ☐ C42761044 ☐
- ☐ 942780530 ☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Co	SMIA025004-01	1000	2	2
Fe	SMIA-025-0605	19000	20	200
Ba	SMIA-018-1508	1000	10	10
Cu	SMIA-025-0606	1000	10	10
V	SMIA-025-0610	1000	10	10
			TH	
			2/13/24	

Standard ID	SM1B-29-17-01
Name	S23
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SWIA-012-07-02
Preservative #1	HNO3
ID	SWIA-012-05-06
Volume (mL)	60
Preservative #2	HCl
ID	SWIA-012-03-01
Volume (mL)	100
Prep. Date	2/13/24
Exp. Date	8/13/24
Prepared By	TH

Micropipette ID:

- ☐ 542740566 ☐
- ☐ C42761044 ☐
- ☑ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)

Standard ID	SM1B-29 17-02
Name	
Final Volume (mL)	
Solvent	Reagent Water
Solvent ID	
Preservative #1	
ID	
Volume (mL)	
Preservative #2	
ID	
Volume (mL)	
Prep. Date	
Exp. Date	
Prepared By	

Micropipette ID:

- ☐ 542740566 ☐
- ☐ C42761044 ☐
- ☐ 942780530 ☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Sb	SM1A025-10-07	10,000	0.1	1.0
Mg	SM1A-025-06-07	10,000	1.0	10.0
Tl	SM1A-025-06-09	1000	1.0	1.0
			TH 2/20/24	

Standard ID	SM1B-29-18-01
Name	S28
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-08-01
Preservative #1	HNO3
ID	SW1A-012-05-06
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-03-01
Volume (mL)	100
Prep. Date	2/20/24
Exp. Date	8/20/24
Prepared By	TH

Micropipette ID:

☐ 542740566	☑ D42761999
☐ C42761044	☐
☐ 942780530	☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Sb	SM1A-025-10-07	1000	1	10
Mg	SM1A-025-06-07	10,000	10	100
Tl	SM1A-025-06-09	1000	4	40
		TH	2/20/24	

Standard ID	SM1B 29-18-02
Name	S29
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-08-01
Preservative #1	HNO3
ID	SW1A-012-05-06
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-03-01
Volume (mL)	100
Prep. Date	2/20/24
Exp. Date	8/20/24
Prepared By	TH

Micropipette ID:

☐ 542740566	☑ D42751151
☐ C42761044	☐
☐ 942780530	☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Al	SMIA-025-04-08	10,000	10	100
Ca	-10-01	10,000	7.5	75
Fe	-06-05	10,000	2.5	25
Mg	-06-07	10,000	6.0	60
Na	-01-07	10,000	6.0	60
K	-01-06	10,000	6.0	60
Sb	10-07	10,000	0.15	1.5
Be	-03-10	1000	1.5	1.5
V	-06-10	1000	1.5	1.5
As	-10-03	1000	1.0	1.0
Co	-04-01	1000	1.0	1.0
Se	-10-08	1000	1.0	1.0
Ba	SMIA-018-15-08	1000 TH 2/20/24	2.80	2.0
Cd	16-02	1000	2.0	2.0
B	SMIA-018-16-01	1000	2.5	2.5
Cu	SMIA-025-06-06	1000	2.5	2.5
Cr	SMIA-018-10-06 TH 2/20/24	1000	2.5	2.5
Pb	SMIA-018-16-03	1000	2.5	2.5
Mn	06-08	1000	2.5	2.5
Mo	SMIA-018-15-09	1000	2.5	2.5

Standard ID	SM1B-29-19-01
Name	CCV
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SWIA012408-01
Preservative #1	HNO3
ID	SWIA-012-050b
Volume (mL)	60
Preservative #2	HCl
ID	SWIA-012-037D1
Volume (mL)	100
Prep. Date	2/20/24
Exp. Date	8/20/24
Prepared By	TH

Micropipette ID:

- ☑ 542740566 ☑ D42781151
- ☐ C42761044 ☑ D42761999
- ☐ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Ni	SMIA-025-04-09	1000	2.5	2.5
Tl	-06-09	1000	2.5	2.5
Zn	SMIA-018-16-04	1000	2.5	2.5
Sn	SMIA-018-12-08	10,000	0.05	0.5
Li	SMIA-025-04-02	1000	0.5	0.5
Ag	-10-02	1000	0.5	0.5
Sr	-04-10	1000	0.5	0.5
Ti	-05-01	1000	0.5	0.5

TH 2/20/24

Standard ID	SM1B-29-19-02
Name	
Final Volume (mL)	
Solvent	Reagent Water
Solvent ID	
Preservative #1	
ID	
Volume (mL)	
Preservative #2	
ID	
Volume (mL)	
Prep. Date	
Exp. Date	
Prepared By	

Micropipette ID:

- ☐ 542740566 ☐
- ☐ C42761044 ☐
- ☐ 942780530 ☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Al	SM1A-025-04-08	10,000	0.02	0.2
Sb	↓ 10-07	10,000	0.01	0.1
As	↓ 10-03	1000	0.01	0.01
Ba	SM1A-018-15-08	1000	0.01	0.01
Be	SM1A-025-03-10	1000	0.01	0.01
B	SM1A-018-16-01	1000	0.1	0.1
Cd	↓ 16-02	1000	0.01	0.01
Ca	SM1A-025-10-01	10,000	0.1	1.0
Cr	SM1A-018-25 10-06 TH 2/20/24	1000	0.01	0.01
Co	SM1A-025-04-01	1000	0.01	0.01
Cu	SM1A-018-25 06-06 TH 2/20/24	1000	0.01	0.01
Fe	SM1A-025-06-05	10,000	0.02	0.2
Pb	SM1A-018-16-03	1000	0.01	0.01
Li	SM1A-025-04-02	1000	0.01	0.01
Mg	↓ 06-07	10,000	0.1	1.0
Mn	SM1A-018-06-08	1000	0.01	0.01
Mo	↓ 15-09	1000	0.01	0.01
Ni	SM1A-025-04-09	1000	0.01	0.01
K	↓ -01-06	10,000	0.1	1.0
Se	↓ 10-08	1000	0.01	0.01

Standard ID	SM1B-29-20-01
Name	MRL EMAX
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-080
Preservative #1	HNO3
ID	SW1A-012-0506
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-030
Volume (mL)	100
Prep. Date	2/20/24
Exp. Date	8/20/24
Prepared By	TH

Micropipette ID:

☑ 542740566	☑ D42761999
☐ C42761044	☑ D42781151
☐ 942780530	☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Ag	SM1A-025-10-02	1000	0.01	0.01
Sr	↓ 04-10	1000	0.01	0.01
Na	↓ -01-07	10,000	0.1	1.0
Tl	↓ -06-09	1000	0.01	0.01
Sn	SM1A-018-12-08	10,000	0.01 TH 2/20	0.01 0.01
Ti	SM1A-025-05-01	1000	0.01	0.01
V	↓ 06-10	1000	0.01	0.01
Zn	SM1A-018-16-04	1000	0.02	0.02

TH 2/20/24

Standard ID	SM1B-29-20-02
Name	
Final Volume (mL)	
Solvent	Reagent Water
Solvent ID	
Preservative #1	
ID	
Volume (mL)	
Preservative #2	
ID	
Volume (mL)	
Prep. Date	
Exp. Date	
Prepared By	

Micropipette ID:

☐ 542740566	☐
☐ C42761044	☐
☐ 942780530	☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Al	SM1A025-0408	10,000	40	400
Fe	-0605	10,000	20	200
Ca	-1001	10,000	50	500
Mg	0607	10,000	20	200
			TH 2/23/24	

Standard ID	SM1B-29-24-01
Name	ICSA
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-0404
Preservative #1	HNO3
ID	SW1A-012-0901
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-0301
Volume (mL)	100
Prep. Date	2/23/24
Exp. Date	8/23/24
Prepared By	TH

Micropipette ID:

☐ 542740566 ☑ D42781151

☐ C42761044 ☐

☐ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
As	SM1A025-10-03	1000	0.5	0.5
Li	-0402	1000	0.2	02
Se	-1008	1000	0.5	0.5
Ag	-10-02	1000	0.2	0.2
Sr	-04-10	1000	0.2	0.2
Sn	SM1A-018-1208	10,000	0.02	0.2
Ti	SM1A025-05-01	1000	0.2	0.2
Zn	SM1A018-16-04	1000	1.0	1.0
			TH 2/23/24	

Standard ID	SM1B-29-24-02
Name	S30
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-0404
Preservative #1	HNO3
ID	SW1A-012-0901
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-0301
Volume (mL)	100
Prep. Date	2/23/24
Exp. Date	8/23/24
Prepared By	TH

Micropipette ID:

☑ 542740566 ☑ D42761999

☐ C42761044 ☐

☐ 942780530 ☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
As	SM1A-025-1203	1000	2.0	2.0
Li	0402	1000	1.0	1.0
Se	10-08	1000	2.0	2.0
Ag	10-02	1000	1.0	1.0
Sr	0410	1000	1.0	1.0
Sn	SM1A018-1208	10,000	0.1	1.0
Ti	SM1A025-0501	1000	1.0	1.0
Zn	SM1A018-1604	1000	10	10
			TH 2/23/24	

Standard ID	SM1B-29-25-01
Name	S31
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-0904
Preservative #1	HNO3
ID	SW1A-012-0901
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-0301
Volume (mL)	100
Prep. Date	2/23/24
Exp. Date	8/23/24
Prepared By	TH

Micropipette ID:

☐ 542740566	☑ D42781151
☐ C42761044	☑ D42761999
☐ 942780530	☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)

Standard ID	SM1B-29-25-02
Name	
Final Volume (mL)	
Solvent	Reagent Water
Solvent ID	
Preservative #1	
ID	
Volume (mL)	
Preservative #2	
ID	
Volume (mL)	
Prep. Date	
Exp. Date	
Prepared By	

Micropipette ID:

☐ 542740566	☐
☐ C42761044	☐
☐ 942780530	☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
MIX IIA	SM1A-025-11-08	MIXED	10	MIXED
MIX IIB	SM1A-025-11-09	MIXED	10	MIXED
Al	SM1A-025-11-10	10,000	40	400
Fe	SM1A-025-10-10	10,000	20	200
Ca	SM1A-025-10-09	10,000	50	500
Mg	SM1A-025-11-01	10,000	20	200
B	SM1A-025-07-07	1,000	0.5	0.5
				JC 3/4/24

Standard ID	SM1B-29-37-01
Name	ICSAB (6010)
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SWIA-012-09-04
Preservative #1	HNO3
ID	SWIA-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SWIA-012-03-01
Volume (mL)	100
Prep. Date	3/4/24
Exp. Date	9/4/24
Prepared By	JC

Micropipette ID:

- ☐ 542740566 ☑ D42781151
- ☐ C42761044 ☑ D42761999
- ☐ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
3/4/24 MIX C IS	SM1A-025-10-08	MIXED	1.0	MIXED
Sb	SM1A-025-08-07	1000	0.01	0.01
Pb	SM1A-025-08-06	1,000	0.001	0.001
				JC 3/4/24

Standard ID	SM1B 29-37-02
Name	MRL AECEE
Final Volume (mL)	1,000
Solvent	Reagent Water
Solvent ID	SWIA-012-09-04
Preservative #1	~~HNO3~~ 3/4/24 HNO3
ID	SWIA-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SWIA-012-03-01
Volume (mL)	100
Prep. Date	3/4/24
Exp. Date	9/4/24
Prepared By	JC

Micropipette ID:

- ☐ 542740566 ☑ D42761999
- ☐ C42761044 ☑ QSNA-07
- ☐ 942780530 ☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
MIX 12A	SM1A - 025 - 09-08	MIXED	2.5	MIXED
MIX 12B	-09- 09	MIXED	2.5	MIXED
Al	- 11 - 10	10,000	2.5	25
Fe	- 10 - 10	10,000	0.625	6.25
Ca	- 10 - 09	10,000	1.875	18.75
Mn	- 08 - 09	1,000	1.875	1.875
Tl	- 08 - 01	1,000	1.875	1.875
Mo	- 07 - 10	1,000	0.678	0.625
Co	- 09 - 03	1,000	1.75	1.75

JC 3/11/24

Standard ID	SM1B-29-38-01
Name	ICV WW
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-09-04
Preservative #1	HNO_3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	3/11/24
Exp. Date	9/11/24
Prepared By	JC

Micropipette ID:

☐ 542740566	☑ D427811151
☐ C42761044	☑ D427619999
☐ 942780530	☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)

4/29/24
JF

Standard ID	SM1B-29-38-02
Name	SO
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-09-04
Preservative #1	HNO_3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-03-01
Volume (mL)	100
Prep. Date	4/29/24
Exp. Date	10/29/24
Prepared By	JF

Micropipette ID:

☐ 542740566	☐
☐ C42761044	☐
☐ 942780530	☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Be	SM1A-025-03-10	1,000	1.0	1.0
Cd	SM1A-018-16-02	1,000	1.0	1.0
Mn	SM1A-025-06-08	1,000	1.0	1.0
Pb	SM1A-018-16-03	1,000	1.0	1.0

4/30/24 JF

Standard ID	SM1B-29-39-01
Name	S20
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-09-04
Preservative #1	HNO_3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl 4/30/24
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	4/30/24
Exp. Date	10/30/24
Prepared By	JF

Micropipette ID:

- ☐ 542740566 ☑ D42761999
- ☒ C42761044 ☐ 4/30/24 JF
- ☐ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Be	SM1A-025-03-10	1000	1.0	1.0
Cd	SM1A-018-16-02	1000	1.0	1.0
Mn	SM1A-025-06-08	1000	1.0	1.0
Pb	SM1A-018-16-03	1000	1.0	1.0

4/30/24 JF

Standard ID	SM1B-29-39-02
Name	S21
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-09-04
Preservative #1	HNO_3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	4/30/24 JF ~~HNO_3~~ HCl 4/30/24 JF
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	4/30/24
Exp. Date	10/30/24
Prepared By	JF

Micropipette ID:

- ☐ 542740566 ☑ D42781151
- ☐ C42761044 ☐
- ☒ 942780530 ☐ 4/30/24 JF

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Mixed 12A	SM1A-025-09-08	Mixed	10	Mixed
Mixed 12B	-09-09	Mixed	10	Mixed
Al	-10-04	10000	10	100
Ca	-10-09	10000	7.5	75
Fe	-10-10	10000	2.5	25
* Mo	-07-10	1000	2.5	25
				6/17/24 JF

Standard ID	SM1B-29-40-01
Name	ICV (6010)
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-11-09
Preservative #1	HNO_3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	6/17/24 JF ~~6/12/24~~ 6/12/24
Exp. Date	6/17/24 JF ~~10/12/24~~ 11/25/24
Prepared By	JF

Micropipette ID:

- ☐ 542740566 ☑ D4276099
- ☐ C42761044 ☐
- ☐ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)

Standard ID	SM1B-29-40-02
Name	
Final Volume (mL)	
Solvent	Reagent Water
Solvent ID	
Preservative #1	
ID	
Volume (mL)	
Preservative #2	
ID	
Volume (mL)	
Prep. Date	
Exp. Date	
Prepared By	

Micropipette ID:

- ☐ 542740566 ☐
- ☐ C42761044 ☐
- ☐ 942780530 ☐

Comments:

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
B	SM1A-018-16-01	1000	1.0	1.0
Mo	SM1A-018-15-09	1000	1.0	1.0
Na	SM1A-025-01-07	10000	6.0	60

5/6/24 JF

Standard ID	SM1B-29-43-01
Name	S24
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-11-02
Preservative #1	HNO3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	5/8/24
Exp. Date	11/8/24
Prepared By	JF

Micropipette ID:

- ☒ 542740566 ☑ D42761999
- ☐ C42761044 ☑ D42781151
- ☐ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
B	SM1A-018-16-01	1000	10	10
Mo	SM1A-018-15-09	1000	10	10
Na	SM1A-025-01-07	10000	30	300

5/6/24 JF

Standard ID	SM1B-29-43-02
Name	S25
Final Volume (mL)	1000
Solvent	Reagent Water
Solvent ID	SW1A-012-11-02
Preservative #1	HNO3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	5/8/24
Exp. Date	11/8/24
Prepared By	JF

Micropipette ID:

- ☐ 542740566 ☑ D42761999
- ☐ C42761044 ☑ D42781151
- ☐ 942780530 ☐

Comments:

EMAX LABORATORIES, INC.

STANDARDS LOG FOR ICP

Book No: SM1B-29

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Al	SM1A-025-04-08	10000	0.2	2.0
Ca	SM1A-025-10-01	10000	5.0	50
K	SM1A-018 ~~-09 = 06~~ 5/28/24 JF	10000	5.0	50
Cr	SM1A-025-10-06	1000	1.0	1.0
Ni	SM1A-025-04-09	1000	1.0	1.0
				5/28/24 JF

Standard ID	SM1B-29-44-01
Name	S26
Final Volume (mL)	1,000
Solvent	Reagent Water
Solvent ID	SW1A-012-11-09
Preservative #1	HNO_3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	5/28/24
Exp. Date	11/28/24
Prepared By	JF

Micropipette ID:

- ☐ 542740566 ☑ D4276199
- ☐ C42761044 ☑ D4278151
- ☐ 942780530 ☐

Comments:

Parent Name	Parent Standard ID	Conc. (mg/L)	Aliquot (mL)	Final Conc. (mg/L)
Al	SM1A-025-04-08	10000	20	200
Ca	SM1A-025-10-01	10000	50	500
K	SM1A-025-01-06	10000	50	500
Cr	SM1A-025-10-06	1000	10	10
Ni	SM1A-025-04-09	1000	10	10
				5/28/24 JF

Standard ID	SM1B-29-44-02
Name	S27
Final Volume (mL)	1,000
Solvent	Reagent Water
Solvent ID	SW1A-012-11-09
Preservative #1	HNO_3
ID	SW1A-012-09-01
Volume (mL)	60
Preservative #2	HCl
ID	SW1A-012-09-03
Volume (mL)	100
Prep. Date	5/28/24
Exp. Date	11/28/24
Prepared By	JF

Micropipette ID:

- ☐ 542740566 ☑ D4276199
- ☐ C42761044 ☑ D4278151
- ☐ 942780530 ☐

Comments:

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Recv 4/6/22 NT

CERTIFICATE OF ANALYSIS

SM1A-025-04-08
opened 6/13/22 NT

AccuTrace™ Reference Standard

Catalog No: ICP-01N-10X-5
Description: Aluminum ICP Standard
Element: Aluminum (Al)
SRM: 3101a
Lot: 221095060
Matrix: 5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Sep 15, 2021
Expiration: Sep 15, 2026
Density: 1.075 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Tl	nd<0.02
Al	*	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	1.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	0.08	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	0.15	Fe	0.18	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	0.19	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Rec. 8/9/23 NT
SMIA-025-09-10

AccuTrace™ Reference Standard

Catalog No: ICP-01N-10X-5
Description: Aluminum ICP Standard
Element: Aluminum (Al)
SRM: 3101a
Lot: 221095060
Matrix: 5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Sep 15, 2021
Expiration: Sep 15, 2026
Density: 1.075 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material



Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	*	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	1.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	0.08	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	0.15	Fe	0.18	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	0.19	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Rec 12/7/23 NT
SM1A-025-10-07

AccuTrace™ Reference Standard

Catalog No: ICP-MS-02N-1
Description: Antimony ICP-MS Standard
Element: Antimony (Sb)
SRM: 3102a
Lot: 223105012
Matrix: 2-5% HNO3, tr. Tartaric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Oct 3, 2023
Expiration: Oct 3, 2028
Density: 1.040 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Tl	0.02
Al	0.31	Co	nd<0.02	Ge	nd<0.2	Mg	0.11	Pd	nd<0.2	Se	N/A	Tl	nd<0.2
As	nd<0.2	Cr	0.03	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	0.04	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	0.38	Fe	0.08	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	*	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)
This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #19305, traceable to NIST.
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Rec. 8/9/23 NT
SM1A-025-10-03

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-03N-1
Description: Arsenic ICP Standard
Element: Arsenic (As)
SRM: 3103a
Lot: 222065166
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jun 27, 2022
Expiration: Jun 27, 2027
Density: 1.012 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	nd<0.02	**Tl**	nd<0.02
Al	nd<0.02	**Co**	nd<0.02	**Ge**	nd<0.2	**Mg**	nd<0.02	**Pd**	nd<0.2	**Se**	nd<0.2	**Tl**	nd<0.2
As	*	**Cr**	nd<0.02	**Hf**	nd<0.02	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	N/A	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	nd<0.2	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	nd<0.2	**Cu**	N/A	**Ho**	nd<0.02	**Na**	nd<0.02	**Rb**	N/A	**Sn**	N/A	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	N/A	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	nd<0.02	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	N/A	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	nd<0.02	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	nd<0.02	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	nd<0.2	**Zn**	nd<0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	N/A	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025
This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #19305, traceable to NIST.
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/289871-17
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Rec. 8/25/20 NT
SM1A-018-15-08

AccuTrace™ Reference Standard

Catalog No: ICP-04N-1
Description: Barium ICP Standard
Element: Barium (Ba)
SRM: 3104a
Lot: 218055112-01
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: May 12, 2020
Expiration: May 12, 2025
Density: 1.014 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339 ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	N/A
B	nd<0.2	Cu	N/A	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	*	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	N/A	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #928 (lead nitrate).

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 822-275872-11

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

SM1A-025-0310

Rec 1/11/22 TH

Catalog No: ICP-05N-1
Description: Beryllium ICP Standard
Element: Beryllium (Be)
SRM: 3105a
Lot: 221105162
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Oct 28, 2021
Expiration: Oct 28, 2026
Density: 1.019 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	N/A	Co	nd<0.02	Ge	N/A	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	N/A
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	N/A	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	*	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed gravimetrically, using a balance calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SM1A-018-16-01
rec. 12/9/20 NT

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-07W-1
Description: Boron ICP Standard
Element: Boron (B)
SRM: 3107
Lot: 220025114
Matrix: Water, tr. NH4OH
Hazards: *Refer to SDS for complete safety information*

Signal Word: None

Date Certified: Feb 27, 2020
Expiration: Feb 27, 2025
Density: 1.004 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339 ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	N/A	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	N/A	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	*	Cu	nd<0.02	Ho	nd<0.02	Na	0.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	N/A	Sr	N/A	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	N/A	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	N/A	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This solution was assayed by acid/base titration using NaOH which was standardized against NIST SRM #84J (potassium hydrogen pthalate).

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SMA-018-16-02
Rec. 12/9/20 NT

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-08N-1
Description: Cadmium ICP Standard
Element: Cadmium (Cd)
SRM: 3108
Lot: 220065069
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jun 18, 2020
Expiration: Jun 18, 2025
Density: 1.013 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339 ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	N/A	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	N/A	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	N/A	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	N/A	Zn	nd<0.02
Cd	*	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #928 (lead nitrate).

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Rec. 8/9/23 MT

CERTIFICATE OF ANALYSIS

SM1A-025-10-01

AccuTrace™ Reference Standard

Catalog No: ICP-09N-10X-5
Description: Calcium ICP Standard
Element: Calcium (Ca)
SRM: 3109a
Lot: 223045009
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Apr 6, 2023
Expiration: Apr 6, 2028
Density: 1.043 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Tl	nd<0.02
Al	N/A	Co	nd<0.02	Ge	N/A	Mg	1.84	Pd	nd<0.2	Se	N/A	Ti	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	0.08	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	0.04	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	*	Fe	nd<0.02	La	N/A	Os	N/A	S	N/A	Te	nd<0.2	Zn	0.04
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)
This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SM1A-025-01-05
Rec. 9/27/21 NT
exp 8/30/26

AccuTrace™ Reference Standard

Catalog No: ICP-09N-10X-5
Description: Calcium ICP Standard
Element: Calcium (Ca)
SRM: 3109a
Lot: 221085109
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 30, 2021
Expiration: Aug 30, 2026
Density: 1.043 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ilac-MRA

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	N/A	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	N/A	Co	nd<0.02	Ge	N/A	Mg	0.04	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	0.12	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	N/A	Nb	nd<0.2	Re	nd<0.2	Sr	0.10	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	*	Fe	nd<0.02	La	N/A	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Rec. 12/7/23 NT
SM1A-025-10-06

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-13H-1
Description: Chromium ICP Standard
Element: Chromium (Cr)
SRM: 3112a
Lot: 222115119
Matrix: 5% Hydrochloric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Nov 17, 2022
Expiration: Nov 17, 2027
Density: 1.015 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	N/A	Ce	nd<0.2	Gd	N/A	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Tl	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	N/A
As	nd<0.2	Cr	*	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	N/A	Pt	nd<0.2	Sm	nd<0.2	U	N/A
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	N/A	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	N/A	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	0.06	La	nd<0.02	Os	N/A	S	N/A	Te	N/A	Zn	nd<0.02
Cd	nd<0.02	Ga	N/A	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #NJ86563, traceable to NIST

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

OR-ORG#NO-001
Rev 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

SM1A-025-04-01
Rec 1/11/22 TH

Catalog No: ICP-14N-1
Description: Cobalt ICP Standard
Element: Cobalt (Co)
SRM: 3113
Lot: 221045116
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Apr 27, 2021
Expiration: Apr 27, 2026
Density: 1.014 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339 ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	N/A	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	*	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	N/A
As	nd<0.2	Cr	N/A	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	N/A	Cs	N/A	Hg	N/A	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	N/A
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	N/A	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	N/A	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	N/A	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	N/A	La	nd<0.02	Os	N/A	S	1.9	Te	N/A	Zn	nd<0.02
Cd	N/A	Ga	N/A	Li	nd<0.02	P	N/A	Sb	N/A	Th	nd<0.02	Zr	nd<0.02

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SM1A-025-06-06
Rec. 1/17/23 NT

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-15N-1
Description: Copper ICP Standard
Element: Copper (Cu)
SRM: 3114
Lot: 221075081
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jul 28, 2021
Expiration: Jul 28, 2026
Density: 1.011 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	N/A	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	nd<0.02	**Tl**	nd<0.02
Al	nd<0.02	**Co**	nd<0.02	**Ge**	N/A	**Mg**	nd<0.02	**Pd**	nd<0.2	**Se**	nd<0.2	**Ti**	nd<0.2
As	nd<0.2	**Cr**	nd<0.02	**Hf**	nd<0.02	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	N/A	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	N/A	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	nd<0.2	**Cu**	*	**Ho**	nd<0.02	**Na**	nd<0.02	**Rb**	N/A	**Sn**	nd<0.02	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	nd<0.2	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	nd<0.02	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	N/A	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	nd<0.02	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	nd<0.02	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	N/A	**Zn**	N/A
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Rec 12/8/22 NT
SM1A-025-06-05
Exp. 4/5/27

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-27N-10X-5
Description: Iron ICP Standard
Element: Iron (Fe)
SRM: 3126a
Lot: 222035160
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Apr 5, 2022
Expiration: Apr 5, 2027
Density: 1.061 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

ISO 17034

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	N/A	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	N/A	Ge	N/A	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	N/A	Mo	nd<0.02	Pt	N/A	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	N/A	Ho	nd<0.02	Na	0.13	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	N/A	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	N/A	Yb	nd<0.02
Ca	0.14	Fe	*	La	nd<0.02	Os	N/A	S	N/A	Te	N/A	Zn	N/A
Cd	nd<0.02	Ga	N/A	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	N/A

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SM1A-018-16-03
Rec. 12/9/20 HT

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-29N-1
Description: Lead ICP Standard
Element: Lead (Pb)
SRM: 3128
Lot: 220055040
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: May 12, 2020
Expiration: May 12, 2025
Density: 1.013 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339 ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	*	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	N/A	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All glassware used in preparation is Class A.
All weights are traceable through NIST, Test No. 684/289871-17
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

SM1A-025-0402
Rec 1/11/22 TH

Catalog No: ICP-30N-1
Description: Lithium ICP Standard
Element: Lithium (Li)
SRM: 3129a
Lot: 221115031
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*

Date Certified: Nov 5, 2021
Expiration: Nov 5, 2026
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material



Signal Word: Danger

ANAB ACCREDITED AR-1463

ISO Guide 34

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	N/A	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	N/A	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	*	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SMA-025-06-07
Rec. 1/17/23 NT

AccuTrace™ Reference Standard

Catalog No: ICP-32N-10X-5
Description: Magnesium ICP Standard
Element: Magnesium (Mg)
SRM: 3131a
Lot: 222015045
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jan 14, 2022
Expiration: Jan 14, 2027
Density: 1.055 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	nd<0.02	**Tl**	nd<0.02
Al	nd<0.02	**Co**	nd<0.02	**Ge**	nd<0.2	**Mg**	*	**Pd**	nd<0.2	**Se**	nd<0.2	**Tl**	nd<0.2
As	nd<0.2	**Cr**	nd<0.02	**Hf**	nd<0.02	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	nd<0.2	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	nd<0.2	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	nd<0.2	**Cu**	nd<0.02	**Ho**	nd<0.02	**Na**	0.03	**Rb**	N/A	**Sn**	nd<0.02	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	N/A	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	nd<0.02	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	nd<0.2	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	nd<0.02	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	0.2	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	nd<0.2	**Zr**	0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SMA-025-06-08
Rec 1/17/23 NT

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-33N-1
Description: Manganese ICP Standard
Element: Manganese (Mn)
SRM: 3132
Lot: 222035090
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 21, 2022
Expiration: Mar 21, 2027
Density: 1.011 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	nd<0.02	**Ti**	nd<0.02
Al	N/A	**Co**	nd<0.02	**Ge**	N/A	**Mg**	0.04	**Pd**	nd<0.2	**Se**	N/A	**Tl**	nd<0.2
As	N/A	**Cr**	N/A	**Hf**	nd<0.02	**Mn**	*	**Pr**	nd<0.2	**Si**	N/A	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	N/A	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	N/A	**Cu**	nd<0.02	**Ho**	nd<0.02	**Na**	nd<0.02	**Rb**	N/A	**Sn**	nd<0.02	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	N/A	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	nd<0.02	**Ir**	N/A	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	N/A	**Y**	nd<0.02
Bi	N/A	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	N/A	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	0.02	**Fe**	N/A	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	nd<0.2	**Zn**	nd<0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025
This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/289871-17
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

rec. 8/25/20 HT
SHIA-018-15-09

AccuTrace™ Reference Standard

Catalog No: ICP-35W-1
Description: Molybdenum ICP Standard
Element: Molybdenum (Mo)
SRM: 3134
Lot: 218065027-02
Matrix: Water, dilute NH4OH
Hazards: *Refer to SDS for complete safety information*

None Required

Signal Word: Warning

Date Certified: Jun 22, 2020
Expiration: Jun 22, 2025
Density: 1.000 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	N/A	Ce	nd<0.2	Gd	N/A	Lu	nd<0.02	Pb	N/A	Sc	N/A	Tl	nd<0.02
Al	N/A	Co	N/A	Ge	N/A	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	nd<0.2
As	N/A	Cr	N/A	Hf	N/A	Mn	nd<0.02	Pr	N/A	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	*	Pt	nd<0.2	Sm	nd<0.2	U	N/A
B	nd<0.2	Cu	N/A	Ho	nd<0.02	Na	N/A	Rb	N/A	Sn	nd<0.02	V	N/A
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	N/A	Nd	nd<0.02	Rh	N/A	Ta	nd<0.2	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	N/A	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	N/A	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	N/A	Zr	N/A

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #19305 , traceable to NIST.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 822-275872-11

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Megan O'Leary
Megan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INC-001
Rev. 5/18

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Recv 4/6/22 NT

CERTIFICATE OF ANALYSIS

SM1A-025-04-09

AccuTrace™ Reference Standard

Catalog No: ICP-37N-1
Description: Nickel ICP Standard
Element: Nickel (Ni)
SRM: 3136
Lot: 220075062
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jul 14, 2020
Expiration: Jul 14, 2025
Density: 1.014 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material



Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	N/A	Sc	nd<0.02	Tl	nd<0.02
Al	N/A	Co	N/A	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	N/A	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	N/A	Mo	nd<0.02	Pt	N/A	Sm	nd<0.2	U	nd<0.2
B	N/A	Cu	nd<0.02	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	N/A	Nd	nd<0.02	Rh	nd<0.2	Ta	N/A	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	*	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	N/A	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	N/A	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025
This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/289871-17
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

JHIA-025-01-06
rec. 9/27/21 NT
Exp 9/17/26

AccuTrace™ Reference Standard

Catalog No: ICP-43N-10X-5
Description: Potassium ICP Std.
Element: Potassium (K)
SRM: 3141a
Lot: 221095092
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Sep 17, 2021
Expiration: Sep 17, 2026
Density: 1.031g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1469 ilac-MRA

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	N/A	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	0.47	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	*	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	0.12	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	0.05
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025
This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All glassware used in preparation is Class A.
All weights are traceable through NIST, Test No. 684/289871-17
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

SMIA-250701

Rec 3/6/23 TH

Catalog No: ICP-50N-5
Description: Scandium ICP Standard
Element: Scandium (Sc)
SRM: 3148a
Lot: 222085106
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Sep 1, 2022
Expiration: Sep 1, 2027
Density: 1.013 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	N/A	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	*	**Ti**	N/A
Al	nd<0.02	**Co**	nd<0.02	**Ge**	N/A	**Mg**	nd<0.02	**Pd**	nd<0.2	**Se**	N/A	**Tl**	nd<0.2
As	nd<0.2	**Cr**	nd<0.02	**Hf**	**0.04**	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	N/A	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	N/A	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	N/A
B	N/A	**Cu**	N/A	**Ho**	nd<0.02	**Na**	N/A	**Rb**	N/A	**Sn**	nd<0.02	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	N/A	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	N/A	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	N/A	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	nd<0.2	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	nd<0.02	**Ru**	nd<0.02	**Tb**	N/A	**Yb**	nd<0.02
Ca	**0.05**	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	N/A	**Zn**	nd<0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	N/A	**Zr**	**0.08**

This Certified Reference Material was verified in accordance with ISO/IEC 17025
This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/289871-17
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Rec 12/7/23 NT
SM1A-025-10-08

AccuTrace™ Reference Standard

Catalog No: ICP-51N-1
Description: Selenium ICP Standard
Element: Selenium (Se)
SRM: 3149
Lot: 223045074
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Apr 26, 2023
Expiration: Apr 26, 2028
Density: 1.011 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	nd<0.02	**Ti**	nd<0.02
Al	nd<0.02	**Co**	nd<0.02	**Ge**	nd<0.2	**Mg**	nd<0.02	**Pd**	nd<0.2	**Se**	*	**Tl**	nd<0.2
As	nd<0.2	**Cr**	nd<0.02	**Hf**	nd<0.02	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	N/A	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	nd<0.2	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	nd<0.2	**Cu**	nd<0.02	**Ho**	nd<0.02	**Na**	0.02	**Rb**	N/A	**Sn**	nd<0.02	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	N/A	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	nd<0.02	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	nd<0.2	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	nd<0.02	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	nd<0.02	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	nd<0.2	**Zn**	nd<0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG-NO-001
Rev. 7:20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Rec. 8/9/23 NT
SMIA-025-10-02

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-53N-1
Description: Silver ICP Standard
Element: Silver (Ag)
SRM: 3151
Lot: 221085036
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Aug 13, 2021
Expiration: Aug 13, 2026
Density: 1.011 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	*	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	N/A	**Sc**	nd<0.02	**Ti**	nd<0.02
Al	N/A	**Co**	nd<0.02	**Ge**	nd<0.2	**Mg**	nd<0.02	**Pd**	nd<0.2	**Se**	nd<0.2	**Tl**	nd<0.2
As	nd<0.2	**Cr**	nd<0.02	**Hf**	nd<0.02	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	nd<0.2	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	nd<0.2	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	nd<0.2	**Cu**	nd<0.02	**Ho**	nd<0.02	**Na**	0.02	**Rb**	N/A	**Sn**	N/A	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	N/A	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	N/A
Be	nd<0.02	**Er**	nd<0.02	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	N/A	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	nd<0.02	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	nd<0.02	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	nd<0.2	**Zn**	nd<0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using a Volhard titration calibrated against 99.999% silver shot.

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/NO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SMIA-025-01-07
Rec. 9/27/21 HT
Exp 9/27/26

AccuTrace™ Reference Standard

Catalog No: ICP-54N-10X-5
Description: Sodium ICP Standard
Element: Sodium (Na)
SRM: 3152a
Lot: 221085140
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Sep 1, 2021
Expiration: Sep 1, 2026
Density: 1.036 g/mL
Sample Size: 500 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

ilac-MRA

Certified Concentration: 10000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	*	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	0.04	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I-18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

Recv 4/6/22 NT

CERTIFICATE OF ANALYSIS

SMA-025-04-10

AccuTrace™ Reference Standard

Catalog No: ICP-55N-1
Description: Strontium ICP Standard
Element: Strontium (Sr)
SRM: 3153a
Lot: 219065099-02
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Feb 8, 2022
Expiration: Feb 8, 2027
Density: 1.013 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1483

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	N/A	Sc	nd<0.02	Ti	nd<0.02
Al	N/A	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	N/A
B	nd<0.2	Cu	N/A	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	nd<0.02	V	nd<0.02
Ba	0.12	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	*	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/NO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SM1A-025-06-09
rec. 2/1/23 NT

AccuTrace™ Reference Standard

Catalog No: ICP-60N-1
Description: Thallium ICP Standard
Element: Thallium (Tl)
SRM: 3158
Lot: 222065021
Matrix: 2% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jun 6, 2022
Expiration: Jun 6, 2027
Density: 1.012 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	**Ce**	nd<0.2	**Gd**	nd<0.02	**Lu**	nd<0.02	**Pb**	nd<0.2	**Sc**	nd<0.02	**Ti**	nd<0.02
Al	nd<0.02	**Co**	nd<0.02	**Ge**	nd<0.2	**Mg**	nd<0.02	**Pd**	nd<0.2	**Se**	nd<0.2	**Tl**	*
As	nd<0.2	**Cr**	nd<0.02	**Hf**	nd<0.02	**Mn**	nd<0.02	**Pr**	nd<0.2	**Si**	N/A	**Tm**	nd<0.02
Au	nd<0.02	**Cs**	N/A	**Hg**	nd<0.2	**Mo**	nd<0.02	**Pt**	nd<0.2	**Sm**	nd<0.2	**U**	nd<0.2
B	nd<0.2	**Cu**	nd<0.02	**Ho**	nd<0.02	**Na**	nd<0.02	**Rb**	N/A	**Sn**	N/A	**V**	nd<0.02
Ba	nd<0.02	**Dy**	nd<0.02	**In**	nd<0.2	**Nb**	nd<0.2	**Re**	nd<0.2	**Sr**	nd<0.02	**W**	nd<0.2
Be	nd<0.02	**Er**	nd<0.02	**Ir**	nd<0.2	**Nd**	nd<0.02	**Rh**	nd<0.2	**Ta**	nd<0.2	**Y**	nd<0.02
Bi	nd<0.2	**Eu**	nd<0.02	**K**	nd<0.2	**Ni**	N/A	**Ru**	nd<0.02	**Tb**	nd<0.02	**Yb**	nd<0.02
Ca	N/A	**Fe**	nd<0.02	**La**	nd<0.02	**Os**	N/A	**S**	N/A	**Te**	nd<0.2	**Zn**	nd<0.02
Cd	nd<0.02	**Ga**	nd<0.02	**Li**	nd<0.02	**P**	N/A	**Sb**	nd<0.2	**Th**	nd<0.02	**Zr**	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SM1A-018-12-08
Rcvd. 01/03/20 LW

AccuTrace™ Reference Standard

Catalog No: ICP-63H-10X-1
Description: Tin ICP Standard
Element: Tin (Sn)
SRM: 3161a
Lot: 217115110-01
Matrix: 20% Hydrochloric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Dec 10, 2019
Expiration: Dec 10, 2024
Density: 1.045 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AT-1339 ilac-MRA

Certified Concentration: 9999 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	nd<0.2	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	*	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	0.03	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #19305, traceable to NIST.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A and calibrated regularly.

All weights are traceable through NIST, Test No. 822-275872-11

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 5/18

125 Market Street
New Haven, CT 06513
USA

AccuStandard®, Inc.

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

Rec. 5/17/22 NT
SM1A-025-05-01

AccuTrace™ Reference Standard

Catalog No: ICP-64W-1
Description: Titanium ICP Standard
Element: Titanium (Ti)
SRM: 3162a
Lot: 220115136
Matrix: Water, tr. HF
Hazards: *Refer to SDS for complete safety information*

Signal Word: Warning

Date Certified: Nov 20, 2020
Expiration: Nov 20, 2025
Density: 1.004 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

ILAC-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	N/A	Ce	nd<0.2	Gd	N/A	Lu	nd<0.02	Pb	N/A	Sc	nd<0.02	Ti	*
Al	N/A	Co	nd<0.02	Ge	N/A	Mg	nd<0.02	Pd	N/A	Se	nd<0.2	Tl	nd<0.2
As	nd<0.2	Cr	N/A	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	N/A
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	N/A
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	N/A	V	N/A
Ba	nd<0.02	Dy	nd<0.02	In	N/A	Nb	nd<0.2	Re	nd<0.2	Sr	0.02	W	nd<0.2
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	N/A	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	N/A	Os	N/A	S	N/A	Te	N/A	Zn	nd<0.02
Cd	nd<0.02	Ga	N/A	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025
This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST
A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.
The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.
In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.
All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.
All weights are traceable through NIST, Test No. 684/289871-17
All glassware used in preparation is Class A.
All bottles are acid leached and triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan C. O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SM1A-025-06-10

AccuTrace™ Reference Standard Rec. 2/1/23 NT

Catalog No: ICP-67N-1
Description: Vanadium ICP Standard
Element: Vanadium (V)
SRM: 3165
Lot: 221065136
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jun 29, 2021
Expiration: Jun 29, 2026
Density: 1.014 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	nd<0.2	Sc	nd<0.02	Ti	N/A
Al	N/A	Co	nd<0.02	Ge	N/A	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	nd<0.2
As	N/A	Cr	N/A	Hf	nd<0.02	Mn	N/A	Pr	N/A	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	N/A	Mo	nd<0.02	Pt	N/A	Sm	nd<0.2	U	N/A
B	nd<0.2	Cu	nd<0.02	Ho	nd<0.02	Na	N/A	Rb	N/A	Sn	N/A	V	*
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	N/A	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	N/A	Rh	nd<0.2	Ta	nd<0.2	Y	nd<0.02
Bi	nd<0.2	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	N/A	Yb	nd<0.02
Ca	N/A	Fe	N/A	La	nd<0.02	Os	N/A	S	N/A	Te	nd<0.2	Zn	nd<0.02
Cd	N/A	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This Certified Reference Material was verified in accordance with ISO/IEC 17025

This solution was assayed gravimetrically, using a balance calibrated against weight sets, ID #88270, traceable to NIST

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All weights are traceable through NIST, Test No. 684/289871-17

All glassware used in preparation is Class A.

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

SHIA-018-16-04
rec. 12/9/20 NT

CERTIFICATE OF ANALYSIS

AccuTrace™ Reference Standard

Catalog No: ICP-70N-1
Description: Zinc ICP Standard
Element: Zinc (Zn)
SRM: 3168a
Lot: 220065027
Matrix: 2-5% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Jun 9, 2020
Expiration: Jun 9, 2025
Density: 1.014 g/mL
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ANAB ACCREDITED AI-1339 ilac-MRA

Certified Concentration: 1000 µg/mL

Trace Elements in µg/mL

Ag	nd<0.02	Ce	nd<0.2	Gd	nd<0.02	Lu	nd<0.02	Pb	N/A	Sc	nd<0.02	Ti	nd<0.02
Al	nd<0.02	Co	nd<0.02	Ge	nd<0.2	Mg	nd<0.02	Pd	nd<0.2	Se	N/A	Tl	nd<0.2
As	nd<0.2	Cr	nd<0.02	Hf	nd<0.02	Mn	nd<0.02	Pr	nd<0.2	Si	N/A	Tm	nd<0.02
Au	nd<0.02	Cs	N/A	Hg	nd<0.2	Mo	nd<0.02	Pt	nd<0.2	Sm	nd<0.2	U	nd<0.2
B	nd<0.2	Cu	N/A	Ho	nd<0.02	Na	nd<0.02	Rb	N/A	Sn	N/A	V	nd<0.02
Ba	nd<0.02	Dy	nd<0.02	In	nd<0.2	Nb	nd<0.2	Re	nd<0.2	Sr	nd<0.02	W	N/A
Be	nd<0.02	Er	nd<0.02	Ir	nd<0.2	Nd	nd<0.02	Rh	nd<0.2	Ta	N/A	Y	nd<0.02
Bi	N/A	Eu	nd<0.02	K	nd<0.2	Ni	nd<0.02	Ru	nd<0.02	Tb	nd<0.02	Yb	nd<0.02
Ca	nd<0.02	Fe	nd<0.02	La	nd<0.02	Os	N/A	S	N/A	Te	N/A	Zn	*
Cd	nd<0.02	Ga	nd<0.02	Li	nd<0.02	P	N/A	Sb	nd<0.2	Th	nd<0.02	Zr	nd<0.02

This solution was assayed titrimetrically, using EDTA which was standardized against NIST SRM #915a (calcium carbonate).

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%.

In order to verify the concentration(s), the final solution was checked by plasma emission spectroscopy (ICP) against material traceable to the above listed NIST SRM(s).

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All trace level elemental impurities were determined via plasma emission spectroscopy on the concentrate.

All glassware used in preparation is Class A.

All weights are traceable through NIST, Test No. 684/289871-17

All bottles are acid leached and triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 7/20

SM1A-025-10-04
Rec 8/29/23 NT
Exp 2/22/25

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100011

Aluminum (Al) – 1000 µg/mL

Lot #: 1136191-68

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Al	1002 ± 2 µg/mL (w/v)
	991.0 ± 2.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure aluminum nitrate [$Al(NO_3)_3$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3101a, lot #140903**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	MAJOR	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	2	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	41	Pt	<0.5	Sm	<0.2	V	<1
Ba	2	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	5	Y	<0.5
Ca	44	Fe	20	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	39	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

August 22, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SM1A-025-11-10

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Rec 2/28/24 TH

Product #: S4400-10M11

Aluminum (Al) – 10,000 µg/mL

Lot #: 1440218

Matrix: 5% HNO_3

*Expiration Date: 9 July 2026

Element	Certified Concentration & Uncertainty
Al	10,025 ± 37 µg/mL (w/v)
	9400 ± 34 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.999% pure aluminum nitrate [$Al(NO_3)_3$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3101a, lot #140903**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	<10	Ge	<5	Lu	<2	P	<1000	Sb	15	Te	<10
Al	MAJOR	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	28	Hg	<5	Mn	<10	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	12
Ba	11	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	<5	W	<5
Bi	<5	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	361	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	296	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution until the date shown above or ***12 Months** from the date opened, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

25 July 2023

Chuck Goudreau, Certifying Officer

Certification Date

Date Opened

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

SMIA-025-08-07
Rec. 5/31/23 HT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100023

Antimony (Sb) – 1000 µg/mL

Lot #: 1225595-14

Matrix: 5% HNO_3/0.1% HF

Element	Certified Concentration & Uncertainty
Sb	1001 ± 2 µg/mL (w/v)
	980.0 ± 2.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 9001**, **ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure antimony (Sb) The solution was diluted with filtered (0.22 µm), 18 M-ohm deionized water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3102a, lot #140911**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	MAJOR	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	0.9	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	2	Rb	3	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	7	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100031

Arsenic (As) – 1000 µg/mL

Lot #: 1218353-64

NT 5/31/23

25 SMIA 08-08-10

Rec. 5/31/23

Exp. 11/25/24

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
As	1002 ± 3 µg/mL (w/v)
	987.0 ± 3.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 9001**, **ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure arsenic (As). The solution was diluted with filtered (0.22 µm), 18 M-ohm deionized water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3103a, lot #100818**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	3	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	MAJOR	Cr	<0.5	Hg	<0.5	Mn	4	Pd	2	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	2	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	0.4	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	19	Ru	24	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023

Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMLA-025-09-07
Rec 5/3/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100041

Barium (Ba) – 1000 µg/mL

Lot #: 1361521-1

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Ba	998.0 ± 4.0 µg/mL (w/v)
	988.0 ± 4.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure barium nitrate [$Ba(NO_3)_2$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3104a, lot #140909**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	0.92	V	<1
Ba	MAJOR	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	10.89	K	<25	Nd	<0.2	Re	<0.2	Sr	8.892	Y	0.83
Ca	<25	Fe	<10	La	2.118	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

SM1A-025-09-01
Rec. 5/31/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100051

Beryllium (Be) – 1000 µg/mL

Lot #: 1273018-32

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Be	995.0 ± 5.0 µg/mL (w/v)
	984.0 ± 5.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to, **ISO 17034**, **ISO/IEC 17025** and **ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.995% pure beryllium acetate [$Be_4O(C_2H_3O_2)_6$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3105a, lot #090514**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	2	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	4	Te	12
Al	<2	Cs	<0.5	Hf	2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	0.7	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard
Santa Rosa, CA 95403
P: 707.525.5788
P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P
1013BG Amsterdam
The Netherlands
P: +31 20 638 05 97
F: +31 20 420 28 36

www.cpiinternational.com

CPI INTERNATIONAL

NT 5/31/23 ~~Stet~~ SM1A-025-07-07
Rec. 5/31/23 NT
Exp. 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100074

Boron (B) – 1000 µg/mL

Lot #: 1284162-23

Matrix: H_2O

Element	Certified Concentration & Uncertainty
B	995.0 ± 3.0 µg/mL (w/v)
	997.0 ± 3.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 9001**, **ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.9995% pure boric acid (H_3BO_3) dissolved and diluted with filtered (0.22µm), 18 M-ohm deionized water. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration prvider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3107, lot #190605**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	2	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	MAJOR	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	0.7	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	18
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	16	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	8
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

Rec. 12/8/23 TH
SMA-025-10-09

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-10M91

Calcium (Ca) – 10,000 µg/mL

Lot #: 1420618

Matrix: 4% HNO_3

*Expiration Date: 25 February 2026

Element	Certified Concentration & Uncertainty
Ca	10,050 ± 35 µg/mL (w/v)
	9696 ± 34 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.999% pure calcium carbonate ($CaCO_3$). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3109a, lot #130213**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	<10	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	51	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	<5	Hg	<5	Mn	<10	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	<10
Ba	<10	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	<5	W	<5
Bi	2.01	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	76	Y	<5
Ca	MAJOR	Fe	<100	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	<5	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution until the date shown above or ***12 Months** from the date opened, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

13 March 2023
Certification Date

Date Opened

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SHI A-025-07-06
Rec. 5/31/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000121

Chromium (Cr) – 1000 µg/mL

Lot #: 1222801-30

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Cr	1004 ± 3 µg/mL (w/v)
	997.0 ± 3.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.996% pure chromium (Cr). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3112a, lot #170630**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	5
Al	<2	Cs	<0.5	Hf	2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	MAJOR	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	84	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	1
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	0.8	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023

Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

SM1A-025-09-02
Rec. 5/31/23 HT
Exp 6/9/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-100081

Cadmium (Cd) – 1000 µg/mL

Lot #: 1363528-3

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Cd	999.0 ± 4.0 µg/mL (w/v)
	994.0 ± 4.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 9001**, **ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure cadmium (Cd) dissolved in high purity nitric acid (HNO_3) and diluted with filtered (0.22µm), 18 M-ohm deionized water. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3108, lot #130116**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	1.053	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	MAJOR	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	4
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-09-03
Rec 5/31/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000131

Cobalt (Co) – 1000 µg/mL

Lot #: 1222807-57

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Co	991.0 ± 3.0 µg/mL (w/v)
	985.0 ± 3.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and certified under a quality management system that is registered/accredited to **ISO 9001, ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.998% pure cobalt (Co) dissolved in high purity nitric acid (HNO_3) and diluted with filtered (0.22µm), 18 M-ohm deionized water. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3113, lot #190630**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	MAJOR	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	28	Sc	<5	Ti	<2
As	75	Cr	5	Hg	<0.5	Mn	5	Pd	<0.5	Se	4	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	2	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	5	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	7	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	1	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-09-05
Rec 5/31/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S 4400-1000141

Copper (Cu) – 1000 µg/mL

Lot #: 1259550-18

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Cu	1008 ± 3 µg/mL (w/v)
	998.0 ± 3.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.9999% pure copper (Cu). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3114, lot #121207**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	<10	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	<20	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	<5	Hg	<5	Mn	<10	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	MAJOR	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	<10
Ba	<10	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	<5	W	<5
Bi	<2	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	<100	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	<5	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-10M261 (1)

Iron (Fe) – 10,000 µg/mL

Lot #: 1240670-6

SMA-025-06-01
Rec 9/13/22 NT
Exp 3/6/24

Matrix: 4% HNO_3

Element	Certified Concentration & Uncertainty
Fe	9981 ± 39 µg/mL (w/v)
	9562 ± 38 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.999% pure iron nitrate nonahydrate [$Fe(NO_3)_3$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3126a, lot #140812**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	19	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	<20	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	17	Hg	<5	Mn	14	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	<10
Ba	<10	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	<5	W	<5
Bi	<2	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	MAJOR	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	<5	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

September 6, 2022
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

Rec. 12/8/23 TH
SM1A-025-10-10

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM — Product #: S4400-10M261

Iron (Fe) – 10,000 µg/mL — Lot #: 1420611

Matrix: 4% HNO_3 — *Expiration Date: 29 March 2026

Element	Certified Concentration & Uncertainty
Fe	10,030 ± 39 µg/mL (w/v)
	9631 ± 37 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034**, **ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.999% pure iron nitrate nonahydrate [$Fe(NO_3)_3$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3126a, lot #140812**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	18	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	<20	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	9	Hg	<5	Mn	<10	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	<10
Ba	<10	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	<5	W	<5
Bi	<2	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	MAJOR	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	11	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution until the date shown above or ***12 Months** from the date opened, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer — 12 April 2023 **Certification Date** — **Date Opened**

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901
www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SM1A-025-08-06
Rec. 5/31/23
Exp 11/25/2324
NT 5/31/23

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000281

Lead (Pb) – 1000 µg/mL

Lot #: 1292047-29

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Pb	998.0 ± 4.0 µg/mL (w/v)
	993.0 ± 4.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure lead (Pb). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3128, lot #101026**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	MAJOR	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	3
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	4	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	36	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	6
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

SM1A – 025 – 11-06
rcv. 01/16/24 HC

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM — Product #: S4400-1000291

Lithium (Li) – 1000 µg/mL — Lot #: 1421712

Matrix: 3% HNO_3 — *Expiration Date: 19 February 2026

Element	Certified Concentration & Uncertainty
Li	1010 ± 3 µg/mL (w/v)
	1002 ± 3 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure lithium carbonate (Li_2CO_3). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3129a, lot #100714**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	1	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	MAJOR	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution until the date shown above or ***12 Months** from the date opened, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer — 28 February 2023 **Certification Date** — **Date Opened**

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

Rec. 12/8/23 TH
SM1A-025-11-01

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Magnesium (Mg) – 10,000 µg/mL

Matrix: 4% HNO_3

Product #: S4400-10M311

Lot #: 1412370

*Expiration Date: 30 September 2026

Element	Certified Concentration & Uncertainty
Mg	10,087 ± 23 µg/mL (w/v)
	9599 ± 22 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.999% pure magnesium nitrate [$Mg(NO_3)_2$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3131a, lot #140110**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	<10	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	<20	Cs	<5	Hf	<2	Mg	MAJOR	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	<5	Hg	<5	Mn	18	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	<10
Ba	12	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	14	W	<5
Bi	<2	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	<100	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	<5	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution until the date shown above or ***12 Months** from the date opened, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

16 October 2023
Certification Date

Date Opened

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-08-08
Rec. 5/31/23 DT
Exp. 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000321

Manganese (Mn) – 1000 µg/mL

Lot #: 1137585-82

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Mn	1010 ± 5 µg/mL (w/v)
	1005 ± 5 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034**, **ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.98% pure manganese (Mn). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3132, lot #050429**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	13	Cs	<0.5	Hf	<0.2	Mg	30	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	12	Hg	<0.5	Mn	MAJOR	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	0.6	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-07-10
Rec. 5/31/23 NT
Exp. 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000343

Molybdenum (Mo) – 1000 µg/mL

Lot #: 1339101-6

Matrix: 2% HNO_3/0.1% HF

Element	Certified Concentration & Uncertainty
Mo	1005 ± 4 µg/mL (w/v)
	986.0 ± 4.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034**, **ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure molybdenum (Mo). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3134, lot #130418**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	1	Te	<1
Al	<2	Cs	<0.5	Hf	0.7	Mg	<5	Pb	<1	Sc	<5	Ti	102
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	2	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	MAJOR	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	6	Rb	<0.5	Sn	1	W	74
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	8	Sr	<1	Y	<0.5
Ca	<25	Fe	33	La	<0.5	Ni	<2	Rh	<0.5	Ta	3	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-08-09
Rec. 5/31/23 NT
Exp. 11/25/24

REPORT OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000361

Nickel (Ni) – 1000 µg/mL

Lot #: 1338414-10

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Ni	998.0 ± 4.0 µg/mL (w/v)
	989.0 ± 4.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.996% pure nickel (Ni). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3136 lot #120619.** The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	45	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	MAJOR	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

CPI INTERNATIONAL

Rec. 12/8/23 TH
SM4-025-11-02

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Potassium (K) – 10,000 µg/mL

Matrix: 1% HNO_3

Product #: S4400-10M411

Lot #: 1402510

*Expiration Date: 2 January 2026

Element	Certified Concentration & Uncertainty
K	9974 ± 48 µg/mL (w/v)
	9747 ± 47 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034**, **ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.997% pure potassium nitrate (KNO_3). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3141a, lot #140813**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	<10	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	<20	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	<5	Hg	<5	Mn	<10	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	<250	Pt	<5	Sm	<2	V	<10
Ba	16	Er	<2	Ir	<2	Nb	<5	Rb	53	Sn	<5	W	<5
Bi	<2	Eu	<2	K	MAJOR	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	<100	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	<5	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution until the date shown above or ***12 Months** from the date opened, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

9 January 2023
Certification Date

Date Opened

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMIA-025-07-09
Rec. 5/31/23 HT

CERTIFICATE OF ANALYSIS Exp 11/25/24

Single-Element Aqueous CRM

Product #: S4400-1000491

Selenium (Se) – 1000 µg/mL

Lot #: 1242587-28

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Se	993.0 ± 5.0 µg/mL (w/v)
	985.0 ± 5.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure selenium (Se). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3149, lot #100901**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	MAJOR	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	0.92	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901
www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SM4-025-09-04
Rec. 5/31/23 HT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000511

Silver (Ag) – 1000 µg/mL

Lot #: 1211976-63

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Ag	1006 ± 2 µg/mL (w/v)
	999.0 ± 2.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 9001**, **ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure silver (Ag) dissolved in high purity nitric acid (HNO_3) and diluted with filtered (0.22 µm), 18 M-ohm deionized water. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3151, lot #160729**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	MAJOR	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	0.6	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	0.6	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SWA-025-08-03
Rec. 5/31/23 HT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-10M521

Sodium (Na) – 10,000 µg/mL

Lot #: 1339275-8

Matrix: 3% HNO_3

Element	Certified Concentration & Uncertainty
Na	10,050 ± 22 µg/mL (w/v)
	9758 ± 21 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 10,000 µg/mL by gravimetric methods using 99.997% pure sodium carbonate (Na_2CO_3). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3152a, lot #200413**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<5	Co	<10	Ge	<5	Lu	<2	P	<1000	Sb	<5	Te	<10
Al	<20	Cs	<5	Hf	<2	Mg	<50	Pb	<10	Sc	<50	Ti	<20
As	<20	Cr	<5	Hg	<5	Mn	<10	Pd	<5	Se	<20	Tl	<5
Au	<5	Cu	<10	Ho	<2	Mo	<5	Pr	<2	Si	<1000	Tm	<2
B	<50	Dy	<2	In	nd	Na	MAJOR	Pt	<5	Sm	<2	V	<10
Ba	<10	Er	<2	Ir	<2	Nb	<5	Rb	<5	Sn	<5	W	<5
Bi	<2	Eu	<2	K	<250	Nd	<2	Re	<2	Sr	<10	Y	<5
Ca	<250	Fe	<100	La	<5	Ni	<20	Rh	<5	Ta	<5	Yb	<2
Cd	<5	Ga	<5	Li	<20	Os	<5	Ru	<5	Tb	<5	Zn	<20
Ce	<2	Gd	<2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-09-06
Rec. 5/31/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000531

Strontium (Sr) – 1000 µg/mL

Lot #: 1303809-5

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Sr	996.0 ± 5.0 µg/mL (w/v)
	993.0 ± 5.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.9965% pure strontium nitrate [$Sr(NO_3)_2$]. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3153a, lot #990906**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	0.7	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	81	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	MAJOR	Y	2
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	2	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	0.6	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901
www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-08-01
Rec. 5/31/23 HT
Exp. 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000581

Thallium (Tl) – 1000 µg/mL

Lot #: 1239312-24

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Tl	994.0 ± 6.0 µg/mL (w/v)
	935.0 ± 5.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 9001**, **ISO 17034**, and **ISO/IEC 17025**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.99% pure thallium (Tl) dissolved in high purity nitric acid (HNO_3) and diluted with filtered (0.22 µm), 18 M-ohm deionized water. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3158, lot #151215**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	2	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	24
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	9	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	51	Mn	<1	Pd	19	Se	5	Tl	MAJOR
Au	<0.5	Cu	8	Ho	<0.2	Mo	15	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	1	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	0.6
Bi	0.4	Eu	<0.2	K	<25	Nd	<0.2	Re	0.4	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	4	Ni	<2	Rh	5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	3	Ru	9	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SMA-025-08-02
Rec. 5/31/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000613

Tin (Sn) – 1000 µg/mL

Lot #: 1222809-18

Matrix: 2% HNO_3/0.5% HF

Element	Certified Concentration & Uncertainty
Sn	1000 ± 3 µg/mL (w/v)
	982.0 ± 3.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.999% pure tin (Sn). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3161a, lot #140917**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	35	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	4	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	2	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	2	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	1	Sn	MAJOR	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	190	Rh	<0.5	Ta	1	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

SMA-025-07-08
Rec 5/31/23 HT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000623

Titanium (Ti) – 1000 µg/mL

Lot #: 1195496-37

Matrix: 2% HNO_3/0.5% HF

Element	Certified Concentration & Uncertainty
Ti	999.0 ± 2.0 µg/mL (w/v)
	978.0 ± 2.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.99+% pure titanium (Ti). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3162a, lot #130925**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	0.697	Co	1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	10	Cs	<0.5	Hf	23	Mg	1171	Pb	<1	Sc	<5	Ti	MAJOR
As	30	Cr	2	Hg	<0.5	Mn	<1	Pd	1	Se	<2	Tl	<0.5
Au	<0.5	Cu	11	Ho	<0.2	Mo	55.97	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	83	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	2	Nb	0.7	Rb	0.7	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	196.8	Sr	<1	Y	<0.5
Ca	<25	Fe	24	La	<0.5	Ni	8	Rh	<0.5	Ta	1	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	5	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SM1A-025-08-05
Rec 5/31/23
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000641

Uranium (U) – 1000 µg/mL

Lot #: 1249254-17

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
U	995.0 ± 5.0 µg/mL (w/v)
	990.0 ± 5.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034**, **ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.99% pure uranyl nitrate hexahydrate $\{UO_2(NO_3)_2{\cdot}6H_2O\}$. The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3164, lot #080521**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	4	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	3	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	<2
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

SMA-025-07-05
Rec. 5/31/25 PT
Exp. 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000651

Vanadium (V) – 1000 µg/mL

Lot #: 1361538-2

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
V	996.0 ± 5.0 µg/mL (w/v)
	982.0 ± 4.0 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034, ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.995% pure vanadium pentoxide (V_2O_5). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3165, lot #160906**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	0.7	Te	<1
Al	13	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	18
As	<2	Cr	185	Hg	<0.5	Mn	10	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	1	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	MAJOR
Ba	1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	1	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	168.6	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	0.9	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	13
Ce	0.3	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI international waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

SM1A-025-08-04
Rec. 5/31/23 NT
Exp 11/25/24

CERTIFICATE OF ANALYSIS

Single-Element Aqueous CRM

Product #: S4400-1000681

Zinc (Zn) – 1000 µg/mL

Lot #: 1216101-67

Matrix: 2% HNO_3

Element	Certified Concentration & Uncertainty
Zn	1010 ± 6 µg/mL (w/v)
	1002 ± 6 µg/g (w/w)

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited to **ISO 17034**, **ISO/IEC 17025 and ISO 9001**. This CRM was prepared to a nominal concentration of 1000 µg/mL by gravimetric methods using 99.9999% pure zinc (Zn). The solution was diluted with filtered (0.22um), 18 M-ohm water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentration and uncertainty were determined using the "High Performance ICP-OES" protocol developed by NIST, and both the certified concentration and uncertainty values are traceable to **NIST SRM 3168a, lot #120629**. The uncertainty associated with the certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Indicative Values: ICP-MS was used to determine trace metal concentrations for this product (nd = not determined).

Trace Concentrations (µg/L)

Ag	<0.5	Co	<1	Ge	<0.5	Lu	<0.2	P	<100	Sb	<0.5	Te	<1
Al	<2	Cs	<0.5	Hf	<0.2	Mg	<5	Pb	<1	Sc	<5	Ti	<2
As	<2	Cr	<0.5	Hg	<0.5	Mn	<1	Pd	<0.5	Se	<2	Tl	<0.5
Au	<0.5	Cu	<1	Ho	<0.2	Mo	<0.5	Pr	<0.2	Si	<100	Tm	<0.2
B	<5	Dy	<0.2	In	nd	Na	<25	Pt	<0.5	Sm	<0.2	V	<1
Ba	<1	Er	<0.2	Ir	<0.2	Nb	<0.5	Rb	<0.5	Sn	<0.5	W	<0.5
Bi	<0.2	Eu	<0.2	K	<25	Nd	<0.2	Re	<0.2	Sr	<1	Y	<0.5
Ca	<25	Fe	<10	La	<0.5	Ni	<2	Rh	<0.5	Ta	<0.5	Yb	<0.2
Cd	<0.5	Ga	<0.5	Li	<2	Os	<0.5	Ru	<0.5	Tb	<0.5	Zn	MAJOR
Ce	<0.2	Gd	<0.2										

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

May 25, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

CPI INTERNATIONAL

SM1A-025-10-05
Rec 9/5/23 NT
Exp. 2/28/25

Certificate of Analysis

Custom Standard

Catalog Number: 4400-110117RH09-100 (MRL AFCEE)
Lot Number: 2324017
Manufacture Date: August 28, 2023

Expiration: February 28, 2025
Matrix: 5% HNO3 / Tr HF

Analyte	Certified Concentration (µg/mL)	Analyte	Certified Concentration (µg/mL)
Ag	10.0 ± 0.1	Mg	200 ± 2
Al	200 ± 2	Mn	5.00 ± 0.05
As	10.0 ± 0.1	Mo	10.0 ± 0.1
B	100 ± 1	Na	500 ± 5
Ba	5.00 ± 0.05	Ni	10.0 ± 0.1
Be	4.00 ± 0.04	Pb	3.00 ± 0.03
Ca	500 ± 5	Sb	50.0 ± 0.5
Cd	5.00 ± 0.05	Se	10.0 ± 0.1
Co	10.0 ± 0.1	Sr	10.0 ± 0.1
Cr	10.0 ± 0.1	Ti	10.0 ± 0.1
Cu	10.0 ± 0.1	Tl	10.0 ± 0.1
Fe	100 ± 1	V	10.0 ± 0.1
K	1000 ± 10	Zn	10.0 ± 0.1
Li	100 ± 1		

Packaging, Storage, Instructions For Use

Store at room temperature (15-30°C)

This certified reference material (CRM) is packaged in HDPE as a whole volume ready to use sample. No secondary preparative steps are necessary. Allow to equilibrate to room temperature before use. Small aliquots should be poured out of the bottle rather than directly pipetted out of bottle in order to prevent contamination or premature degradation. This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by Perry Johnson), ISO/IEC 17025 (accredited by ANAB), and ISO 17034 (accredited by ANAB) quality system.

Traceability Information

Analyte Source Materials: The highest purity analyte source materials are used in the manufacture of this CRM. The traceability of this standard is maintained through an unbroken chain of comparisons to appropriate standards with suitable procedure and measurement uncertainties.

Method: This CRM was verified by ICP.

Balance: The standard weights (NBS weights Inventory No 20231A) are calibrated every two years by South Carolina Metrology Laboratory that is a participant in 'NIST Weights and Measures Measurement Assurance Program' with a certificate of measurement traceability to NIST primary standards. The balances are calibrated yearly by the ISO 17025 accredited metrology service, and are verified weekly by an in-house method using standard weights.

Thermometer: The standard thermometers are calibrated every year by the ISO 17025 accredited metrology service. The thermometers used in-house are verified against the standard thermometers yearly.

Glassware: All glassware used in the manufacture of our CRMs is Class A. An in-house standard operating procedure is used to verify all glassware prior to it being placed into service. The calibrations of volumetric vessels are verified using the ASTM method E542.

CPI INTERNATIONAL

SM1A-025-06-04
Rec. 9/15/22 TH
Exp. 3/31/24

Certificate of Analysis

Mix 12 A

Catalog Number: 4400-110117RH12 (Soln A)
Lot Number: 220824
Manufacture Date: 09/02/22

Rec 9/15/22 TH

Expiration: 03/31/2024
Matrix: 2% HNO3
Hazards: Irritant, Corrosive

Analyte	Certified Concentration (ppm)
Arsenic (As)	100 ± 0.575
Barium (Ba)	200 ± 1.15
Beryllium (Be)	150 ± 0.863
Boron (B)	250 ± 1.44
Cadmium (Cd)	200 ± 1.15
Chromium (Cr)	250 ± 1.44
Cobalt (Co)	100 ± 0.575
Copper (Cu)	250 ± 1.44
Lead (Pb)	250 ± 1.44
Lithium (Li)	50.0 ± 0.288
Magnesium (Mg)	6000 ± 34.5
Manganese (Mn)	250 ± 1.44
Nickel (Ni)	250 ± 1.44
Potassium (K)	6000 ± 34.5
Selenium (Se)	100 ± 0.575
Silver (Ag)	50.0 ± 0.288
Sodium (Na)	6000 ± 34.5
Strontium (Sr)	50.0 ± 0.288
Thallium (Tl)	250 ± 1.44
Vanadium (V)	150 ± 0.863
Zinc (Zn)	250 ± 1.44

Catalog Number: 4400-110117RH12 (Soln B)
Lot Number: 220723
Manufacture Date: 08/04/22

Mix 12 B

Expiration: 02/29/2024
Matrix: 5% HNO3/tr. HF
Hazards: Irritant, Corrosive

SM1A-025-05-08
Rec. 8/15/22 NT
Exp. 2/29/24

Analyte	Certified Concentration (ppm)
Antimony (Sb)	150 ± 0.863
Tin (Sn)	50.0 ± 0.288
Titanium (Ti)	50.0 ± 0.288

CPI INTERNATIONAL

Mixed 12A
SM1A-025-09-08
Rec. 7/11/23 NT
Exp. 1/31/25

Certificate of Analysis

Custom Standard

Catalog Number: 4400-110117RH12-A-100
Lot Number: 2318102
Manufacture Date: July 3, 2023

Expiration: January 31, 2025
Matrix: 2% HNO3

Analyte	Certified Concentration (µg/mL)	Analyte	Certified Concentration (µg/mL)
Ag	50.0 ± 0.5	Mg	6000 ± 40
As	100 ± 1	Mn	250 ± 4
B	250 ± 3	Na	6000 ± 40
Ba	200 ± 2	Ni	250 ± 3
Be	150 ± 2	Pb	250 ± 3
Cd	200 ± 2	Se	100 ± 1
Co	100 ± 1	Sr	50.0 ± 0.5
Cr	250 ± 3	Tl	250 ± 3
Cu	250 ± 3	V	150 ± 2
K	6000 ± 60	Zn	250 ± 3
Li	50.0 ± 0.5		

Packaging, Storage, Instructions For Use

Store at room temperature (15-30°C)

This certified reference material (CRM) is packaged in HDPE as a whole volume ready to use sample. No secondary preparative steps are necessary. Allow to equilibrate to room temperature before use. Small aliquots should be poured out of the bottle rather than directly pipetted out of bottle in order to prevent contamination or premature degradation. This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by Perry Johnson), ISO/IEC 17025 (accredited by ANAB), and ISO 17034 (accredited by ANAB) quality system.

Traceability Information

Analyte Source Materials: The highest purity analyte source materials are used in the manufacture of this CRM. The traceability of this standard is maintained through an unbroken chain of comparisons to appropriate standards with suitable procedure and measurement uncertainties.

Method: This CRM was verified by ICP.

Balance: The standard weights (NBS weights Inventory No 20231A) are calibrated every two years by South Carolina Metrology Laboratory that is a participant in 'NIST Weights and Measures Measurement Assurance Program' with a certificate of measurement traceability to NIST primary standards. The balances are calibrated yearly by the ISO 17025 accredited metrology service, and are verified weekly by an in-house method using standard weights.

Thermometer: The standard thermometers are calibrated every year by the ISO 17025 accredited metrology service. The thermometers used in-house are verified against the standard thermometers yearly.

Glassware: All glassware used in the manufacture of our CRMs is Class A. An in-house standard operating procedure is used to verify all glassware prior to it being placed into service. The calibrations of volumetric vessels are verified using the ASTM method E542.

CPI INTERNATIONAL

Mixed 12 B
SMA-025-09-09
Rec. 7/11/23 NT
Exp. 1/31/25

Certificate of Analysis

Custom Standard

Catalog Number: 4400-110117RH12-B-100
Lot Number: 2318123
Manufacture Date: June 30, 2023

Expiration: January 31, 2025
Matrix: 5% HNO3 / 0.5% HF

Analyte	Certified Concentration (µg/mL)
Sb	150 ± 2
Sn	50.0 ± 0.5
Ti	50.0 ± 0.5

Packaging, Storage, Instructions For Use

Store at room temperature (15-30°C)

This certified reference material (CRM) is packaged in HDPE as a whole volume ready to use sample. No secondary preparative steps are necessary. Allow to equilibrate to room temperature before use. Small aliquots should be poured out of the bottle rather than directly pipetted out of bottle in order to prevent contamination or premature degradation. This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by Perry Johnson), ISO/IEC 17025 (accredited by ANAB), and ISO 17034 (accredited by ANAB) quality system.

Traceability Information

Analyte Source Materials: The highest purity analyte source materials are used in the manufacture of this CRM. The traceability of this standard is maintained through an unbroken chain of comparisons to appropriate standards with suitable procedure and measurement uncertainties.

Method: This CRM was verified by ICP.

Balance: The standard weights (NBS weights Inventory No 20231A) are calibrated every two years by South Carolina Metrology Laboratory that is a participant in 'NIST Weights and Measures Measurement Assurance Program' with a certificate of measurement traceability to NIST primary standards. The balances are calibrated yearly by the ISO 17025 accredited metrology service, and are verified weekly by an in-house method using standard weights.

Thermometer: The standard thermometers are calibrated every year by the ISO 17025 accredited metrology service. The thermometers used in-house are verified against the standard thermometers yearly.

Glassware: All glassware used in the manufacture of our CRMs is Class A. An in-house standard operating procedure is used to verify all glassware prior to it being placed into service. The calibrations of volumetric vessels are verified using the ASTM method E542.

CPI INTERNATIONAL

Certificate of Analysis

Mix 11 Solutions A & B

Catalog Number: 4400-110117RH11 (Soln A)
Lot Number: 220718
Manufacture Date: 08/02/22

Expiration: 02/29/2024
Matrix: 2% HNO3
Hazards: Irritant, Corrosive

SM1A-025-05-05
Rec. 8/15/22 NT
Exp. 2/29/24

Analyte	Certified Concentration (ppm)
Arsenic (As)	100 ± 0.575
Barium (Ba)	50.0 ± 0.288
Beryllium (Be)	50.0 ± 0.288
Boron (B)	50.0 ± 0.288
Cadmium (Cd)	100 ± 0.575
Chromium (Cr)	50.0 ± 0.288
Cobalt (Co)	50.0 ± 0.288
Copper (Cu)	50.0 ± 0.288
Lead (Pb)	100 ± 0.575
Lithium (Li)	100 ± 0.575
Manganese (Mn)	50.0 ± 0.288
Nickel (Ni)	100 ± 0.575
Potassium (K)	7500 ± 43.1
Selenium (Se)	100 ± 0.575
Silver (Ag)	100 ± 0.575
Sodium (Na)	7500 ± 43.1
Strontium (Sr)	50.0 ± 0.288
Thallium (Tl)	100 ± 0.575
Vanadium (V)	50.0 ± 0.288
Zinc (Zn)	100 ± 0.575

Catalog Number: 4400-110117RH11 (Soln B)
Lot Number: 220719
Manufacture Date: 08/01/22

Expiration: 02/29/2024
Matrix: 5% HNO3/1% HF
Hazards: Irritant, Corrosive

SM1A-025-05-06
Rec. 8/15/22 HT
Exp. 2/29/24

Analyte	Certified Concentration (ppm)
Antimony (Sb)	100 ± 0.575
Molybdenum (Mo)	100 ± 0.575
Tin (Sn)	100 ± 0.575
Titanium (Ti)	100 ± 0.575

CPI INTERNATIONAL

Certificate of Analysis

SM1A-025-11-08
Rec: 2/13/24 JC
Exp: 7/31/25

Custom Standard (Mix IIA)

Catalog Number: 4400-110117RH11-A-100
Lot Number: 2401901
Manufacture Date: January 19, 2024
Expiration: July 31, 2025
Matrix: 2% HNO3

Analyte	Certified Concentration (µg/mL)	Analyte	Certified Concentration (µg/mL)
Ag	100 ± 1	Li	100 ± 1
As	100 ± 1	Mn	50.0 ± 0.8
B	50.0 ± 0.5	Na	7500 ± 50
Ba	50.0 ± 0.5	Ni	100 ± 1
Be	50.0 ± 0.5	Pb	100 ± 1
Cd	100 ± 1	Se	100 ± 1
Co	50.0 ± 0.5	Sr	50.0 ± 0.5
Cr	50.0 ± 0.5	Tl	100 ± 1
Cu	50.0 ± 0.5	V	50.0 ± 0.5
K	7500 ± 80	Zn	100 ± 1

Packaging, Storage, Instructions For Use

Store at room temperature (15-30°C)

This certified reference material (CRM) is packaged in HDPE as a whole volume ready to use sample. No secondary preparative steps are necessary. Allow to equilibrate to room temperature before use. Small aliquots should be poured out of the bottle rather than directly pipetted out of bottle in order to prevent contamination or premature degradation. This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by Perry Johnson), ISO/IEC 17025 (accredited by ANAB), and ISO 17034 (accredited by ANAB) quality system.

Traceability Information

Analyte Source Materials: The highest purity analyte source materials are used in the manufacture of this CRM. The traceability of this standard is maintained through an unbroken chain of comparisons to appropriate standards with suitable procedure and measurement uncertainties.

Method: This CRM was verified by ICP.

Balance: The standard weights (NBS weights Inventory No 20231A) are calibrated every two years by South Carolina Metrology Laboratory that is a participant in 'NIST Weights and Measures Measurement Assurance Program' with a certificate of measurement traceability to NIST primary standards. The balances are calibrated yearly by the ISO 17025 accredited metrology service, and are verified weekly by an in-house method using standard weights.

Thermometer: The standard thermometers are calibrated every year by the ISO 17025 accredited metrology service. The thermometers used in-house are verified against the standard thermometers yearly.

Glassware: All glassware used in the manufacture of our CRMs is Class A. An in-house standard operating procedure is used to verify all glassware prior to it being placed into service. The calibrations of volumetric vessels are verified using the ASTM method E542.

CPI INTERNATIONAL

Certificate of Analysis

SM1A-025-11-09
Rec: 2/13/24 JC
Exp: 7/31/25

Custom Standard (Mix 11B)

Catalog Number: 4400-110117RH11-B-100
Lot Number: 2402029
Manufacture Date: January 22, 2024
Expiration: July 31, 2025
Matrix: 5% HNO3 / 1% HF

Analyte	Certified Concentration (µg/mL)
Mo	100 ± 1
Sb	100 ± 1
Sn	100 ± 1
Ti	100 ± 1

Packaging, Storage, Instructions For Use

Store at room temperature (15-30°C)

This certified reference material (CRM) is packaged in HDPE as a whole volume ready to use sample. No secondary preparative steps are necessary. Allow to equilibrate to room temperature before use. Small aliquots should be poured out of the bottle rather than directly pipetted out of bottle in order to prevent contamination or premature degradation. This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by Perry Johnson), ISO/IEC 17025 (accredited by ANAB), and ISO 17034 (accredited by ANAB) quality system.

Traceability Information

Analyte Source Materials: The highest purity analyte source materials are used in the manufacture of this CRM. The traceability of this standard is maintained through an unbroken chain of comparisons to appropriate standards with suitable procedure and measurement uncertainties.

Method: This CRM was verified by ICP.

Balance: The standard weights (NBS weights Inventory No 20231A) are calibrated every two years by South Carolina Metrology Laboratory that is a participant in 'NIST Weights and Measures Measurement Assurance Program' with a certificate of measurement traceability to NIST primary standards. The balances are calibrated yearly by the ISO 17025 accredited metrology service, and are verified weekly by an in-house method using standard weights.

Thermometer: The standard thermometers are calibrated every year by the ISO 17025 accredited metrology service. The thermometers used in-house are verified against the standard thermometers yearly.

Glassware: All glassware used in the manufacture of our CRMs is Class A. An in-house standard operating procedure is used to verify all glassware prior to it being placed into service. The calibrations of volumetric vessels are verified using the ASTM method E542.

CERTIFICATE OF ANALYSIS

Multi-Element Aqueous CRM

Product #: 4400-131927

SMIA-MS-07-02

Custom EMAX Mix 4

exp 10/4/2024

Lot #: 1358563

Matrix: 3% HNO_3

LCS 1

Element	Certified Concentration & Uncertainty	Element	Certified Concentration & Uncertainty	Element	Certified Concentration & Uncertainty
Ag	100.0 ± 0.5 µg/mL	Co	100.0 ± 0.5 µg/mL	Pb	100.0 ± 0.5 µg/mL
Al	1000 ± 5 µg/mL	Cr	100.0 ± 0.5 µg/mL	Se	100.0 ± 0.5 µg/mL
As	100.0 ± 0.5 µg/mL	Cu	99.99 ± 0.50 µg/mL	Tl	100.0 ± 0.5 µg/mL
Ba	100.0 ± 0.5 µg/mL	Fe	1000 ± 5 µg/mL	V	100.0 ± 0.5 µg/mL
Be	100.0 ± 0.5 µg/mL	Mn	100.0 ± 0.5 µg/mL	Zn	100.0 ± 0.5 µg/mL
Cd	100.0 ± 0.5 µg/mL	Ni	100.0 ± 0.5 µg/mL		

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited **ISO 17034, ISO/IEC 17025 and** to **ISO 9001**. This CRM was prepared to the certified concentrations shown above by gravimetric methods, using single-element concentrates that were certified using the "High Performance ICP-OES" protocol developed by NIST and are directly traceable to **NIST SRMs (see reverse side)**. The solution was diluted with filtered (0.22 µm), 18 M-ohm deionized water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentrations were determined based upon gravimetric procedures. Secondary verification of the certified concentrations was performed using ICP-OES that was calibrated and/or referenced against **NIST SRMs (see reverse side)**. The uncertainty associated with each certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

April 4, 2023
Certification Date

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901
www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

CERTIFICATE OF ANALYSIS LCS2

Multi-Element Aqueous CRM

Product #: 4400-110110RH01

Custom Standard Mix 5 Solution A SMIA-025-0703

Lot #: 1358562

Matrix: 5% HNO_3/0.6% HF

Element	Certified Concentration & Uncertainty	Element	Certified Concentration & Uncertainty	Element	Certified Concentration & Uncertainty
B	99.96 ± 0.50 µg/mL	Sb	500.0 ± 2.5 µg/mL	Sr	99.98 ± 0.50 µg/mL
Mo	100.0 ± 0.5 µg/mL	Sn	99.99 ± 0.50 µg/mL	Ti	100.0 ± 0.5 µg/mL

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited **ISO 17034, ISO/IEC 17025 and** to **ISO 9001**. This CRM was prepared to the certified concentrations shown above by gravimetric methods, using single-element concentrates that were certified using the "High Performance ICP-OES" protocol developed by NIST and are directly traceable to **NIST SRMs (see reverse side)**. The solution was diluted with filtered (0.22 µm), 18 M-ohm deionized water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentrations were determined based upon gravimetric procedures. Secondary verification of the certified concentrations was performed using ICP-OES that was calibrated and/or referenced against **NIST SRMs (see reverse side)**. The uncertainty associated with each certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

April 4, 2023
Certification Date

Exp 10/4/24

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

www.cpiinternational.com

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

CERTIFICATE OF ANALYSIS LCS3

Multi-Element Aqueous CRM

Product #: 4400-110110RH02

Custom Standard Mix 5 Solution B SM14-025-0704

Lot #: 1283861-5

Matrix: 5% HNO_3

Element	Certified Concentration & Uncertainty	Element	Certified Concentration & Uncertainty
Ca	5000 ± 25 µg/mL	Mg	5000 ± 25 µg/mL
K	5000 ± 25 µg/mL	Na	5000 ± 25 µg/mL

Intended Use: This solution is intended for use as a certified reference material (CRM) or calibration standard for inductively coupled plasma optical emission spectroscopy (ICP-OES), inductively coupled plasma mass spectrometry (ICP-MS), flame or furnace atomic absorption spectroscopy (AA or GFAA), and other techniques for elemental analysis.

Certification & Traceability: This CRM was manufactured, processed, and/or certified under a quality management system that is registered/accredited **ISO 17034, ISO/IEC 17025 and** to **ISO 9001**. This CRM was prepared to the certified concentrations shown above by gravimetric methods, using single-element concentrates that were certified using the "High Performance ICP-OES" protocol developed by NIST and are directly traceable to **NIST SRMs (see reverse side)**. The solution was diluted with filtered (0.22 µm), 18 M-ohm deionized water and stabilized with the appropriate high-purity acid as indicated in the listed matrix. The balances used in the preparation of this CRM are calibrated regularly with traceability to NIST, using a calibration provider that is accredited to ISO/IEC 17025 by a mutually recognized accreditation body. All volumetric dilutions are performed in Class A calibrated glassware. The certified concentrations were determined based upon gravimetric procedures. Secondary verification of the certified concentrations was performed using ICP-OES that was calibrated and/or referenced against **NIST SRMs (see reverse side)**. The uncertainty associated with each certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of k=2.

Instructions for Use: We recommend that the solution be thoroughly mixed by repeated shaking or swirling of the bottle immediately prior to use. To achieve the highest accuracy, the analyst should: (1) use only pre-cleaned containers and transferware, (2) not pipette directly from the CRM's original container, (3) never pour used product back into the original container, (4) make dilutions using calibrated balances or certified class A volumetric flasks and pipettes, (5) use a minimum sub-sample size of 500 µL, and (6) dilute with the same matrix as the original CRM or other chemically suitable matrix. The solution should be kept tightly capped and stored under normal laboratory conditions. Do not freeze, heat, or immerse the bottle or its contents, and avoid exposure to direct sunlight or moisture.

Period of Validity: CPI International ensures the accuracy of this solution for **18 months** from the certification date shown below, provided the instructions for use are followed. During the period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution.

Chuck Goudreau

Chuck Goudreau, Certifying Officer

April 4, 2023
Certification Date

Exp 10/4/2024

CPI International waives all responsibility for any damages resulting from the usage and/or implementation of the products/data described herein.

MT 6/9/23

USA
5580 Skylane Boulevard P: 707.525.5788
Santa Rosa, CA 95403 P: 800.878.7654
F: 707.545.7901

Europe
Nieuwe Hemweg 7P P: +31 20 638 05 97
1013BG Amsterdam F: +31 20 420 28 36
The Netherlands

www.cpiinternational.com

MERCURY
(WATER)

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F034

METHOD SW7470A
MERCURY BY COLD VAPOR

One(1) water sample was received on 06/07/24 to be analyzed for Mercury by Cold Vapor in accordance with Method SW7470A and project specific requirements.

Holding Time
The sample was digested and analyzed within the prescribed holding time.

Calibration
Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. MRL was analyzed as required by the project.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. Mercury was not detected in HGF009WB. Refer to sample result summary form for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. HGF009WL/HGF009WC were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample
Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Mercury was within MS QC limits in F034-01M/F034-01S. Refer to Matrix QC summary form for details.

Sample Analysis
The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
MERCURY BY COLD VAPOR

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F034
Instrument ID : 47

WATER

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
MBLK1W	HGF009WB	1	NA	06/20/2413:46	06/20/2410:11	M47F007012	M47F007	24HGF009W	Method Blank
LCS1W	HGF009WL	1	NA	06/20/2413:48	06/20/2410:11	M47F007013	M47F007	24HGF009W	Lab Control Sample (LCS)
LCD1W	HGF009WC	1	NA	06/20/2413:50	06/20/2410:11	M47F007014	M47F007	24HGF009W	LCS Duplicate
IDW-WATER_JUN24MS	F034-01M	1	NA	06/20/2414:16	06/20/2410:11	M47F007028	M47F007	24HGF009W	Matrix Spike Sample (MS)
IDW-WATER_JUN24MSD	F034-01S	1	NA	06/20/2414:18	06/20/2410:11	M47F007029	M47F007	24HGF009W	MS Duplicate (MSD)
IDW-WATER_JUN24	F034-01	1	NA	06/20/2414:21	06/20/2410:11	M47F007031	M47F007	24HGF009W	Field Sample

FN - Filename
% Moist - Percent Moisture

METHOD SW7470A
MERCURY BY COLD VAPOR

Client : PARSONS
Project : TITAN 1-A
Batch No. : 24F034

Matrix : WATER
InstrumentID : 47

CLIENT SAMPLE ID	EMAX SAMPLE ID	RESULTS (ug/L)	DILT'N FACTOR	MOIST (%)	LOQ (ug/L)	DL (ug/L)	LOD (ug/L)	ANALYSIS DATETIME	PREPARATION DATETIME	DATA FILE ID	CAL REF	PREP BATCH	COLLECTION DATETIME	RECEIVED DATE
MBLK1W	HGF009WB	ND	1	NA	0.500	0.100	0.200	06/20/2413:46	06/20/2410:11	M47F007012	M47F007	24HGF009W	NA	NA
LCS1W	HGF009WL	2.52	1	NA	0.500	0.100	0.200	06/20/2413:48	06/20/2410:11	M47F007013	M47F007	24HGF009W	NA	NA
LCD1W	HGF009WC	2.47	1	NA	0.500	0.100	0.200	06/20/2413:50	06/20/2410:11	M47F007014	M47F007	24HGF009W	NA	NA
IDW-WATER_JUN24MS	F034-01M	2.54	1	NA	0.500	0.100	0.200	06/20/2414:16	06/20/2410:11	M47F007028	M47F007	24HGF009W	06/06/2411:40	06/07/24
IDW-WATER_JUN24MSD	F034-01S	2.57	1	NA	0.500	0.100	0.200	06/20/2414:18	06/20/2410:11	M47F007029	M47F007	24HGF009W	06/06/2411:40	06/07/24
IDW-WATER_JUN24	F034-01	ND	1	NA	0.500	0.100	0.200	06/20/2414:21	06/20/2410:11	M47F007031	M47F007	24HGF009W	06/06/2411:40	06/07/24

Note: Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : METHOD SW7470A

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: HGFC09WB	HGF009WL	HGF009WC
LAB FILE ID	: M47F007012	M47F007013	M47F007014
DATE PREPARED	: 06/20/2410:11	06/20/2410:11	06/20/2410:11
DATE ANALYZED	: 06/20/2413:46	06/20/2413:48	06/20/2413:50
PREP BATCH	: 24HGF009W	24HGF009W	24HGF009W
CALIBRATION REF:	M47F007	M47F007	M47F007

ACCESSION:

PARAMETERS	MBResult (ug/L)	SpikeAmt (ug/L)	LCSResult (ug/L)	LCSRec (%)	SpikeAmt (ug/L)	LCDResult (ug/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Mercury	ND	2.50	2.52	101	2.50	2.47	99	2	82-119	20

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : METHOD SW7470A

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: IDW-WATER_JUN24	IDW-WATER_JUN24MS	IDW-WATER_JUN24MSD
LAB SAMPLE ID	: F034-01	F034-01M	F034-01S
LAB FILE ID	: M47F007031	M47F007028	M47F007029
DATE PREPARED	: 06/20/2410:11	06/20/2410:11	06/20/2410:11
DATE ANALYZED	: 06/20/2414:21	06/20/2414:16	06/20/2414:18
PREP BATCH	: 24HGF009W	24HGF009W	24HGF009W
CALIBRATION REF:	M47F007	M47F007	M47F007

ACCESSION:

PARAMETERS	PSResult (ug/L)	SpikeAmt (ug/L)	MSResult (ug/L)	MSRec (%)	SpikeAmt (ug/L)	MSDResult (ug/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Mercury	. ND	2.50	2.54	102	2.50	2.57	103	1	82-119	20

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

EMAX LABORATORIES, INC.

ANALYSIS RUN LOG
for
MERCURY

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Start Date: 6/20/24 Start Time: 13:25

End Date: 6/20/24 End Time: 14:38

Comments: QC ok

Book #:	A47-140
Instrument No.:	47
Analytical Sequence/Batch:	M47F007
Method File:	HG1
Micropipette ID:	☐ 339342032
Micropipette ID:	☑ HG-03
Micropipette ID:	☑ C42780212
Micropipette ID:	☑ HG-06
Micropipette ID:	☐

SOP #	Rev. #
☑ EMAX-7470	9
☐ EMAX-7471	10
☐ EMAX-245.1	5
☐ EMAX	

STANDARDS ID	
S1	BLANK
S2	SMB-24-38-02
S3	
S4	
S5	
S6	
CCV	↓
ICV	SMB-24-38-03
ICS	↓
Analytical Spike	SMB-24-38-04
	7 V 5 mg/L

Analyzed By: AMR

Date: 6/20/24

Disposed By: AMR

Date: 6/21/24


"M47F007"

EMAXlfid	EMAXlsid	conc	Raw_resp	rsd/rf	adatetime	DF
M47F007001	STD01REP1	0	1357		06/20/2413:25	1
M47F007002	STD02REP1	.2	10118		06/20/2413:27	1
M47F007003	STD03REP1	.5	25246		06/20/2413:29	1
M47F007004	STD04REP1	1	53389		06/20/2413:31	1
M47F007005	STD05REP1	2	94684		06/20/2413:33	1
M47F007006	STD06REP1	5	225232		06/20/2413:36	1
M47F007007	ICV	1.99	92428	0	06/20/2413:38	1
M47F007008	ICB	-.016	2807	0	06/20/2413:39	1
M47F007009	MRLF2001	.498	25805	0	06/20/2413:41	1
M47F007010	CCV1	1.98	91873	0	06/20/2413:43	1
M47F007011	CCB1	-.035	1979	0	06/20/2413:45	1
M47F007012	HGF009WB	.066	6459	0	06/20/2413:46	1
M47F007013	HGF009WL	2.52	116318	0	06/20/2413:48	1
M47F007014	HGF009WC	2.47	113765	0	06/20/2413:50	1
M47F007015	TXF006WB	.052	5847	0	06/20/2413:52	1
M47F007016	F473-01	-.04	1719	0	06/20/2413:54	1
M47F007017	F474-01	-.064	662	0	06/20/2413:56	1
M47F007018	F475-01	-.057	983	0	06/20/2413:57	1
M47F007019	F477-01	.001	3577	0	06/20/2413:59	1
M47F007020	TXF004WB	-.046	1463	0	06/20/2414:01	1
M47F007021	F058-01M	2.65	122019	0	06/20/2414:03	1
M47F007022	CCV2	1.84	85817	0	06/20/2414:04	1
M47F007023	CCB2	.038	5247	0	06/20/2414:06	1
M47F007024	F058-01S	2.57	118202	0	06/20/2414:08	1
M47F007025	F058-01A	2.91	133451	0	06/20/2414:10	1
M47F007026	F058-01	-.025	2410	0	06/20/2414:12	1
M47F007027	F058-01J	.014	4162	0	06/20/2414:14	5
M47F007028	F034-01M	2.54	117079	0	06/20/2414:16	1
M47F007029	F034-01S	2.57	118383	0	06/20/2414:18	1
M47F007030	F034-01A	2.99	137054	0	06/20/2414:20	1
M47F007031	F034-01	-.198	-5308	0	06/20/2414:21	1
M47F007032	F034-01J	.017	4284	0	06/20/2414:23	5
M47F007033	F057-01	-.063	701	0	06/20/2414:25	1
M47F007034	CCV3	1.87	87046	0	06/20/2414:27	1
M47F007035	CCB3	-.033	2050	0	06/20/2414:29	1
M47F007036	F057-02	-.088	-392	0	06/20/2414:30	1
M47F007037	F057-03	-.029	2237	0	06/20/2414:32	1
M47F007038	F072-01	.023	4546	0	06/20/2414:34	1
M47F007039	CCV4	1.93	89866	0	06/20/2414:36	1
M47F007040	CCB4	-.013	2955	0	06/20/2414:38	1

M47F007

cup	sample ID	extended ID	weight	volume	? A D F P S U SC UI US C1..7
1	ICV		1.0000	1.0000	
2	ICB		1.0000	1.0000	
3	MRLF2001	0.5	1.0000	1.0000	
4	CCV1		1.0000	1.0000	
5	CCB1		1.0000	1.0000	
6	HGF009WB		1.0000	1.0000	
7	HGF009WL		1.0000	1.0000	
8	HGF009WC		1.0000	1.0000	
9	TXF006WB	TCLP	1.0000	1.0000	
10	F473-01	TCLP	1.0000	1.0000	
11	F474-01	TCLP	1.0000	1.0000	
12	F475-01	TCLP	1.0000	1.0000	
13	F477-01	TCLP	1.0000	1.0000	
14	TXF004WB	TCLP	1.0000	1.0000	
15	F058-01M	TCLP	1.0000	1.0000	
16	CCV2		1.0000	1.0000	
17	CCB2		1.0000	1.0000	
18	F058-01S	TCLP	1.0000	1.0000	
19	F058-01A	TCLP	1.0000	1.0000	
20	F058-01	TCLP	1.0000	1.0000	
21	F058-01J	5X TCLP	1.0000	1.0000	
22	F034-01M		1.0000	1.0000	
23	F034-01S		1.0000	1.0000	
24	F034-01A		1.0000	1.0000	
25	F034-01		1.0000	1.0000	
26	F034-01J	5X	1.0000	1.0000	
27	F057-01	DISSOLVED	1.0000	1.0000	
28	CCV3		1.0000	1.0000	
29	CCB3		1.0000	1.0000	
30	F057-02	DISSOLVED	1.0000	1.0000	
31	F057-03	DISSOLVED	1.0000	1.0000	
32	F072-01		1.0000	1.0000	
33	CCV4		1.0000	1.0000	
34	CCB4		1.0000	1.0000	
35			1.0000	1.0000	
36			1.0000	1.0000	
37			1.0000	1.0000	
38			1.0000	1.0000	
39			1.0000	1.0000	
40			1.0000	1.0000	
41			1.0000	1.0000	
42			1.0000	1.0000	
43			1.0000	1.0000	
44			1.0000	1.0000	

AMR 6/20/24


WinHg Database 1.3
File Utility Help
RN
RN
Protocol HG1
Dataset/Proto M47F007 /HG1
Protocol
Line info
Cal Curve
Report
Ctrl Chart
Viewer
Reset
Calib Coeffs
New Cal
Update Coeffs
Spike Coeffs
A
B 2.23734e-5
C -7.89457e-2
Rho .999383
Type Linear
Calibrated
Accepted
Accept
Include S1 Rep 1
Rel. Abs.
225232
Accepted
New
Conc. 5.00
S Conc. Calc. Dev. Mean SD or %RSD Rep 1 Rep 2 Rep 3
01 .00000 -.049 -.049 1357 1 1357
02 .20000 .147 -.053 10119 0% 10118
03 .50000 .486 -.014 25246 0% 25246
04 1.0000 1.12 .116 53390 0% 53389
05 2.0000 2.04 .039 94684 0% 94684
06 5.0000 4.96 -.040 225233 0% 225232
Ready
CAP NUM

Line	Conc.	Units	SD/RSD	1	2	3	4	5
*** Standard: 1 Rep: 1				Seq: 1	13:25:45 20 Jun 24	HG		
Hg	.000	ppb	1357					
*** Standard: 2 Rep: 1				Seq: 2	13:27:30 20 Jun 24	HG		
Hg	.200	ppb	10118					
*** Standard: 3 Rep: 1				Seq: 3	13:29:28 20 Jun 24	HG		
Hg	.500	ppb	25246					
*** Standard: 4 Rep: 1				Seq: 4	13:31:18 20 Jun 24	HG		
Hg	1.00	ppb	53389					
*** Standard: 5 Rep: 1				Seq: 5	13:33:17 20 Jun 24	HG		
Hg	2.00	ppb	94684					
*** Standard: 6 Rep: 1				Seq: 6	13:36:32 20 Jun 24	HG		
Hg	5.00	ppb	225232					
*** Sample ID: ICV				Seq: 7	13:38:17 20 Jun 24	HG		
Hg	1.99	ppb	92428					
*** Sample ID: ICB				Seq: 8	13:39:58 20 Jun 24	HG		
Hg	-.016	ppb	2807					
*** Sample ID: MRLF2001				Seq: 9	13:41:38 20 Jun 24	HG		
			0.5					
Hg	.498	ppb	25805					
*** Sample ID: CCV1				Seq: 10	13:43:21 20 Jun 24	HG		
Hg	1.98	ppb	91873					
*** Sample ID: CCB1				Seq: 11	13:45:05 20 Jun 24	HG		
Hg	-.035	ppb	1979					
*** Sample ID: HGF009WB				Seq: 12	13:46:57 20 Jun 24	HG		
Hg	.066	ppb	6459					
*** Sample ID: HGF009WL				Seq: 13	13:48:47 20 Jun 24	HG		
Hg	2.52	ppb	116318					
*** Sample ID: HGF009WC				Seq: 14	13:50:36 20 Jun 24	HG		
Hg	2.47	ppb	113765					
*** Sample ID: TXF006WB				Seq: 15	13:52:21 20 Jun 24	HG		
			TCLP					
Hg	.052	ppb	5847					

Line	Conc.	Units	SD/RSD	1	2	3	4	5
*** Sample ID: F473-01				Seq: 16	13:54:17 20 Jun 24	HG		
			TCLP					
Hg	-.040	ppb	1719					
*** Sample ID: F474-01				Seq: 17	13:56:08 20 Jun 24	HG		
			TCLP					
Hg	-.064	ppb	662					
*** Sample ID: F475-01				Seq: 18	13:57:57 20 Jun 24	HG		
			TCLP					
Hg	-.057	ppb	983					
*** Sample ID: F477-01				Seq: 19	13:59:40 20 Jun 24	HG		
			TCLP					
Hg	.001	ppb	3577					
*** Sample ID: TXF004WB				Seq: 20	14:01:20 20 Jun 24	HG		
			TCLP					
Hg	-.046	ppb	1463					
*** Sample ID: F058-01M				Seq: 21	14:03:13 20 Jun 24	HG		
			TCLP					
Hg	2.65	ppb	122019					
*** Sample ID: CCV2				Seq: 22	14:04:55 20 Jun 24	HG		
Hg	1.84	ppb	85817					
*** Sample ID: CCB2				Seq: 23	14:06:44 20 Jun 24	HG		
Hg	.038	ppb	5247					
*** Sample ID: F058-01S				Seq: 24	14:08:28 20 Jun 24	HG		
			TCLP					
Hg	2.57	ppb	118202					
*** Sample ID: F058-01A				Seq: 25	14:10:31 20 Jun 24	HG		
			TCLP					
Hg	2.91	ppb	133451					
*** Sample ID: F058-01				Seq: 26	14:12:35 20 Jun 24	HG		
			TCLP					
Hg	-.025	ppb	2410					
*** Sample ID: F058-01J				Seq: 27	14:14:20 20 Jun 24	HG		
			5X TCLP					
Hg	.014	ppb	4162					
*** Sample ID: F034-01M				Seq: 28	14:16:15 20 Jun 24	HG		
Hg	2.54	ppb	117079					
*** Sample ID: F034-01S				Seq: 29	14:18:14 20 Jun 24	HG		
Hg	2.57	ppb	118383					
*** Sample ID: F034-01A				Seq: 30	14:20:05 20 Jun 24	HG		
Hg	2.99	ppb	137054					

Line	Conc.	Units	SD/RSD	1	2	3	4	5
*** Sample ID: F034-01				Seq: 31	14:21:58 20 Jun 24	HG		
Hg	-.198	ppb	-5308					
*** Sample ID: F034-01J				Seq: 32	14:23:43 20 Jun 24	HG		
			5X					
Hg	.017	ppb	4284					
*** Sample ID: F057-01				Seq: 33	14:25:52 20 Jun 24	HG		
			DISSOLVED					
Hg	-.063	ppb	701					
*** Sample ID: CCV3				Seq: 34	14:27:34 20 Jun 24	HG		
Hg	1.87	ppb	87046					
*** Sample ID: CCB3				Seq: 35	14:29:14 20 Jun 24	HG		
Hg	-.033	ppb	2050					
*** Sample ID: F057-02				Seq: 36	14:30:56 20 Jun 24	HG		
			DISSOLVED					
Hg	-.088	ppb	-392					
*** Sample ID: F057-03				Seq: 37	14:32:55 20 Jun 24	HG		
			DISSOLVED					
Hg	-.029	ppb	2237					
*** Sample ID: F072-01				Seq: 38	14:34:56 20 Jun 24	HG		
Hg	.023	ppb	4546					
*** Sample ID: CCV4				Seq: 39	14:36:41 20 Jun 24	HG		
Hg	1.93	ppb	89866					
*** Sample ID: CCB4				Seq: 40	14:38:44 20 Jun 24	HG		
Hg	-.013	ppb	2955					

Note: For samples, relevant QCs/Standards digested, refer to attached digestion sequence.

Comments: AMR 6/24/24

Digestion Vessel Lot #: ~~32-2~~ VC-24-022

Aqua Regia Prep. Vessel Lot#: N/A

Sample pH<2

Book #: E47-135

Batch No.: HGF0094

Matrix: water

SOP #	Rev. #
☑ EMAX-7470	9
☐ EMAX-7471	10
☐ EMAX-245.1	5
☐ EMAX-	

Standards	ID	Conc. (µg/L)	Amount Added (ml)
ICAL	SMB-24-38-02	50	0.3, 0.5, 1.25
CCV	↓	|	2
ICV	SMB-24-38-03	|	2
LCS/MS	↓	↓	2.5
Reagent	**ID / Lot #**		
HNO_3	SWA-02-09-01		
HCl	N/A		
H_2SO_4	SWA-02-05-05		
$KMnO_4$	SMSB-06-30-03		
$K_2S_2O_8$	SMSB-06-29-03		
$NH_2OH \cdot HCl \cdot NaCl$	SMSB-06-29-04		
$SnCl_2$	SMSB-06-30-04		
Silica Sand	N/A		
Reagent Water	RW-24-002		
pH strip 0-14	HC210380		
Digestor ID/ Temp (°C)	A/96.0		
Thermometer ID/LOC:	230389388 / AIR		
Thermometer ID/LOC:	N/A		
Pipette ID:	HG06, HG-03, C42780212		
☑ H_2SO_4 dispenser checked @ 2.5 ml with Class A graduated cylinder			
☐ HCl dispenser checked @ ml with Class A graduated cylinder			
☐ HNO_3 dispenser checked @ ml with Class A graduated cylinder			

Prepared By: AMR

Standard Added By: AMR Witnessed By: JC

EMAX

LABORATORIES

DIGESTION LOG FOR MERCURY

PrepBatchID	LabSampleID	Aliquot	Unit	DateTime	Vd(ml)	ExpAmt	ExpVd(ml)	PrepFctr	Comments
24HGF009W01	HGF009WB	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W02	HGF009WL	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W03	HGF009WC	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W04	TXF006WB	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W05	F473-01	1	ml	6/20/24 7:50	80	50	80	50	TCLP
24HGF009W06	F474-01	1	ml	6/20/24 7:50	80	50	80	50	TCLP
24HGF009W07	F475-01	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W08	F477-01	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W09	TXF004WB	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W10	F058-01	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W11	F058-01M	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W12	F058-01S	5	ml	6/20/24 7:50	80	50	80	10	TCLP
24HGF009W13	F034-01	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W14	F034-01M	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W15	F034-01S	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W16	F057-01	50	ml	6/20/24 7:50	80	50	80	1	DISSOLVED
24HGF009W17	F057-02	50	ml	6/20/24 7:50	80	50	80	1	DISSOLVED
24HGF009W18	F057-03	50	ml	6/20/24 7:50	80	50	80	1	DISSOLVED
24HGF009W19	F072-01	50	ml	6/20/24 7:50	80	50	80	1	QC
24HGF009W20	S-0/ICB/CCB	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W21	S-0.2	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W22	S-0.5/MRL	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W23	S-1	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W24	S-2/CCV	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W25	S-5	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W26	ICV	50	ml	6/20/24 7:50	80	50	80	1	
24HGF009W27	PS WATER	50	ml	6/20/24 7:50	80	50	80	1	

AMR
6/20/24

Vd=digestate volume PrepFctr=(ExpAmt/Aliquot)*(Vd/ExpVd)

☑ Digestion Started @ 6/20/24 10:11

☑ Digestion Ended @ 6/20/24 12:11

Prepared By: ARiver

Checked By: AMR

Comments: F473-01, F474-01 opaque white color

Date 6/20/24

EMAX LABORATORIES, INC.

STANDARDS LOG FOR MERCURY

Method: Mercury — Book #: SM3B -24

Standard ID	SM3B -24-38-01 PS Soil	Aliquot	1 mL	Prepared on	6/18/24	Micropipette ID:	
Name	Hg ERA	Solvent ID	Rwt-24002	Expires on	6/19/24	☐ 742781062	
Source	SM3B-24-37-01	Final Volume	100 mL	Prepared by	AMR	☒ HG-03	
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-38-02	Aliquot	0.5 mL	Prepared on	6/20/24	Micropipette ID:	
Name	Hg ERA	Solvent ID	Rwt-24-002	Expires on	6/21/24	☐ 742781062	
Source	SM3B-24-37-01	Final Volume	100 mL	Prepared by	AMR	☒ HG-03	
Concentration	10 mg/L	Final Concentration	50 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-38-03	Aliquot	0.5 mL	Prepared on	6/20/24	Micropipette ID:	
Name	Hg Acc	Solvent ID	Rwt-24-002	Expires on	6/21/24	☐ 742781062	
Source	SM3B-24-3702	Final Volume	100 mL	Prepared by	AMR	☒ HG-03	
Concentration	10 mg/L	Final Concentration	50 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-38-04 PS water	Aliquot	0.5 mL	Prepared on	6/20/24	Micropipette ID:	
Name	Hg ERA	Solvent ID	Rwt-24-002	Expires on	6/21/24	☐ 742781062	
Source	SM3B-24-3701	Final Volume	50 mL	Prepared by	AMR	☒ HG-03	
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-38-05	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			
Standard ID	SM3B -24-38-06	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			
Standard ID	SM3B -24-38-07	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			
Standard ID	SM3B -24-38-08	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			
Standard ID	SM3B -24-38-09	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			
Standard ID	SM3B -24-38-10	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			

LABORATORIES, INC

STANDARDS LOG FOR MERCURY

Method: Mercury — Book #: SM3B-24

Standard ID	SM3B-24-37-01 INTERMEDIATE	Aliquot	1 mL	Prepared on	6/10/24	Micropipette ID:
Name	Hg ERA	Solvent ID	RWI-24-002	Expires on	7/10/24	☐ 742781062
Source	SM3A-10-01-01	Final Volume	100 mL	Prepared by	AMR	☑ HG-03
Concentration	1,000 mg/L	Final Concentration	10,000 µg/L	Reviewed by	AMR	

Standard ID	SM3B-24-37-02 INTERMEDIATE	Aliquot	1 mL	Prepared on	6/10/24	Micropipette ID:
Name	Hg ACCU	Solvent ID	RWI-24-002	Expires on	7/10/24	☐ 742781062
Source	SM3A-10-01-02	Final Volume	100 mL	Prepared by	AMR	☑ HG-03
Concentration	1,000 mg/L	Final Concentration	10,000 µg/L	Reviewed by	AMR	

Standard ID	SM3B-24-37-03	Aliquot	1 mL	Prepared on	6/10/24	Micropipette ID:
Name	Hg ERA	Solvent ID	RWI-24-002	Expires on	6/11/24	☐ 742781062
Source	SM3B-24-37-01	Final Volume	100 mL	Prepared by	AMR	☑ HG-03
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR	

Standard ID	SM3B-24-37-04	Aliquot	1 mL	Prepared on	6/10/24	Micropipette ID:
Name	Hg ACCU	Solvent ID	RWI-24-002	Expires on	6/11/24	☐ 742781062
Source	SM3B-24-37-02	Final Volume	100 mL	Prepared by	AMR	☑ HG-03
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR	

Standard ID	SM3B-24-37-05 PS501	Aliquot	1 mL	Prepared on	6/10/24	Micropipette ID:
Name	Hg ERA	Solvent ID	RWI-24-002	Expires on	6/11/24	☐ 742781062
Source	SM3B-24-37-01	Final Volume	100 mL	Prepared by	AMR	☑ HG-03
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR	

Standard ID	SM3B-24-37-06	Aliquot	0.5 mL	Prepared on	6/12/24	Micropipette ID:
Name	Hg ERA	Solvent ID	RWI-24-002	Expires on	6/13/24	☐ 742781062
Source	SM3B-24-37-01	Final Volume	100 mL	Prepared by	AMR	☑ HG-03
Concentration	10 mg/L	Final Concentration	50 µg/L	Reviewed by	AMR	

Standard ID	SM3B-24-37-07	Aliquot	0.5 mL	Prepared on	6/12/24	Micropipette ID:
Name	Hg ACCU	Solvent ID	RWI-24-002	Expires on	6/13/24	☐ 742781062
Source	SM3B-24-37-02	Final Volume	100 mL	Prepared by	AMR	☑ HG-03
Concentration	10 mg/L	Final Concentration	50 µg/L	Reviewed by	AMR	

Standard ID	SM3B-24-37-08 PS water	Aliquot	0.5 mL	Prepared on	6/12/24	Micropipette ID:
Name	Hg ERA	Solvent ID	RWI-24-002	Expires on	6/13/24	☐ 742781062
Source	SM3B-24-37-01	Final Volume	50 mL	Prepared by	AMR	☑ HG-03
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR	

Standard ID	SM3B-24-37-09	Aliquot	1 mL	Prepared on	6/18/24	Micropipette ID:
Name	Hg ERA	Solvent ID	RWI-24-002	Expires on	6/19/24	☐ 742781062
Source	SM3B-24-37-01	Final Volume	100 mL	Prepared by	AMR	☑ HG-03
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR	

Standard ID	SM3B-24-37-10	Aliquot	1 mL	Prepared on	6/18/24	Micropipette ID:
Name	Hg ACCU	Solvent ID	RWI-24-002	Expires on	6/19/24	☐ 742781062
Source	SM3B-24-37-02	Final Volume	100 mL	Prepared by	AMR	☑ HG-03
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR	

ERA

A Waters Company

Certified Reference Material

Certificate of Analysi

SM3A-10-01-0
QCV 6|8|22 ph
Exp. 7|8|24

Product:	1000 mg/L Mercury
Catalog Number:	027
Lot No.	120721m
Starting Material:	Mercury Metal (Hg)
Matrix:	18 megohm deionized water and 1% (v/v) HNO_3
Density:	1.0083 ± 0.0002 g/mL 20.4 °C and 747 mm Hg
Verification Method:	CVAA
Certificate Issue Date:	July 30, 2021
Expiration Date:	July 8, 2024
Revision Number:	Original

CERTIFICATION

Parameter	Certified Value[1]	Uncertainty[2]	NIST Traceability	
	mg/L	%	SRM Number[3]	Recovery
Mercury	1000	2.57	3133	101

16341 Table Mountain Pkwy - Golden, CO 80403 - 800.372.0122 - 303.431.8454 - fax 303.421.0159 - www.eraqc.com

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SM3A-10-01-02
Rec 11/27/23

AccuTrace™ Reference Standard

Catalog No: AA34N-R-1
Description: Mercury AA Standard
Element: Mercury (Hg)
SRM: 3133
Lot: 223035030
Matrix: 10% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 10, 2023
Expiration: Mar 10, 2028
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED AR-1463 ISO/IEC 17025 ISO 17034 ILAC-MRA

Component		SRM #	Prepared Concentration (µg/mL)
Hg	Mercury	3133	1000

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT 1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

This product contains mercury and MUST be disposed of in accordance with all federal, state and local regulations.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

All glassware used in preparation is Class A.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped.

Certified By: Meghan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis

MERCURY
(SOIL)

CASE NARRATIVE

Client : PARSONS

Project: TITAN 1-A

SDG : 24F034

METHOD SW7471B
MERCURY BY COLD VAPOR

One(1) soil sample was received on 06/07/24 to be analyzed for Mercury by Cold Vapor in accordance with Method SW7471B and project specific requirements.

Holding Time
The sample was analyzed within the prescribed holding time.

Calibration
Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. MRL was analyzed as required by the project.

Method Blank
Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. Mercury was not detected in HGF007SB. Refer to sample result summary form for details.

Lab Control Sample
Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. HGF007SL/HGF007SC were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample
Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Mercury was within MS QC limits in F034-02M/F034-02S. Refer to Matrix QC summary form for details.

Sample Analysis
The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
MERCURY BY COLD VAPOR

Client : PARSONS
Project : TITAN 1-A

SDG NO. : 24F034
Instrument ID : 47

SOIL

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
MBLK1S	HGF007SB	1	NA	06/18/2413:19	06/18/2411:16	M47F006012	M47F006	24HGF007S	Method Blank
LCS1S	HGF007SL	1	NA	06/18/2413:21	06/18/2411:16	M47F006013	M47F006	24HGF007S	Lab Control Sample (LCS)
LCD1S	HGF007SC	1	NA	06/18/2413:22	06/18/2411:16	M47F006014	M47F006	24HGF007S	LCS Duplicate
IDW-SOIL_JUN24MS	F034-02M	1	10.5	06/18/2413:31	06/18/2411:16	M47F006019	M47F006	24HGF007S	Matrix Spike Sample (MS)
IDW-SOIL_JUN24MSD	F034-02S	1	10.5	06/18/2413:33	06/18/2411:16	M47F006020	M47F006	24HGF007S	MS Duplicate (MSD)
IDW-SOIL_JUN24	F034-02	1	10.5	06/18/2413:42	06/18/2411:16	M47F006024	M47F006	24HGF007S	Field Sample

FN - Filename
% Moist - Percent Moisture

METHOD SW7471B
MERCURY BY COLD VAPOR

Client : PARSONS
Project : TITAN 1-A
Batch No. : 24F034

Matrix : SOIL
InstrumentID : 47

CLIENT SAMPLE ID	EMAX SAMPLE ID	RESULTS (mg/Kg)	DILUTN FACTOR	MOIST (%)	LOQ (mg/Kg)	DL (mg/Kg)	LOD (mg/Kg)	ANALYSIS DATETIME	PREPARATION DATETIME	DATA FILE ID	CAL REF	PREP BATCH	COLLECTION DATETIME	RECEIVED DATE
MBLK1S	HGF007SB	ND	1	NA	0.100	0.0330	0.0670	06/18/2413:19	06/18/2411:16	M47F006012	M47F006	24EGF007S	NA	NA
LCS1S	HGF007SL	0.430	1	NA	0.100	0.0330	0.0670	06/18/2413:21	06/18/2411:16	M47F006013	M47F006	24EGF007S	NA	NA
LCD1S	HGF007SC	0.438	1	NA	0.100	0.0330	0.0670	06/18/2413:22	06/18/2411:16	M47F006014	M47F006	24EGF007S	NA	NA
IDW-SOIL_JUN24MS	F034-02M	0.478	1	10.5	0.109	0.0361	0.0733	06/18/2413:31	06/18/2411:16	M47F006019	M47F006	24EGF007S	06/06/2411:20	06/07/24
IDW-SOIL_JUN24MSD	F034-02S	0.500	1	10.5	0.110	0.0363	0.0737	06/18/2413:33	06/18/2411:16	M47F006020	M47F006	24EGF007S	06/06/2411:20	06/07/24
IDW-SOIL_JUN24	F034-02	ND	1	10.5	0.110	0.0363	0.0737	06/18/2413:42	06/18/2411:16	M47F006024	M47F006	24EGF007S	06/06/2411:20	06/07/24

Note: Detection limits are reported relative to sample result significant figures.

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : METHOD SW7471B

MATRIX	: SOIL		% MOISTURE:NA
DILUTION FACTOR	: 1	1	1
SAMPLE ID	: MBLK1S	LCS1S	LCD1S
LAB SAMPLE ID	: HGF007SB	HGF007SL	HGF007SC
LAB FILE ID	: M47F006012	M47F006013	M47F006014
DATE PREPARED	: 06/18/2411:16	06/18/2411:16	06/18/2411:16
DATE ANALYZED	: 06/18/2413:19	06/18/2413:21	06/18/2413:22
PREP BATCH	: 24HGF007S	24HGF007S	24HGF007S
CALIBRATION REF	: M47F006	M47F006	M47F006

ACCESSION:

PARAMETERS	MBResult (mg/Kg)	SpikeAmt (mg/Kg)	LCSResult (mg/Kg)	LCSRec (%)	SpikeAmt (mg/Kg)	LCDResult (mg/Kg)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Mercury	ND	0.417	0.430	103	0.417	0.438	105	2	80-124	20

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : PARSONS
PROJECT : TITAN 1-A
BATCH NO. : 24F034
METHOD : METHOD SW7471B

MATRIX : SOIL % MOISTURE:10.5
DILUTION FACTOR: 1 1 1
SAMPLE ID : IDW-SOIL_JUN24 IDW-SOIL_JUN24MS IDW-SOIL_JUN24MSD
LAB SAMPLE ID : F034-02 F034-02M F034-02S
LAB FILE ID : M47F006024 M47F006019 M47F006020
DATE PREPARED : 06/18/2411:16 06/18/2411:16 06/18/2411:16
DATE ANALYZED : 06/18/2413:42 06/18/2413:31 06/18/2413:33
PREP BATCH : 24HGF007S 24HGF007S 24HGF007S
CALIBRATION REF: M47F006 M47F006 M47F006

ACCESSION:

PARAMETERS	PSResult (mg/Kg)	SpikeAmt (mg/Kg)	MSResult (mg/Kg)	MSRec (%)	SpikeAmt (mg/Kg)	MSDResult (mg/Kg)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Mercury	ND	0.456	0.478	105	0.458	0.500	109	4	80-124	20

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

EMAX LABORATORIES, INC.

ANALYSIS RUN LOG
for
MERCURY

Note: For samples and relevant QCs/Standards analyzed, refer to attached analytical sequence.

Start Date: 6/18/24 Start Time: 12:59

End Date: 6/18/24 End Time: 14:10

Comments:

QC ok

Book #: A47-140

Instrument No.: 47

Analytical Sequence/Batch: M471006

Method File: Hg-1

Micropipette ID: ☐ 339342032

Micropipette ID: ☑ HG-03

Micropipette ID: ☑ C42780212

Micropipette ID: ☐ HG-06

Micropipette ID: ☐

SOP #	Rev. #
☐ EMAX-7470	9
☑ EMAX-7471	10
☐ EMAX-245.1	5
☐ EMAX-	

STANDARDS ID	
S1	BLANK
S2	SM3B-24-37-09
S3	
S4	
S5	
S6	
CCV	
ICV	SM3B-24-37-10
ICS	
Analytical Spike	SM3B-24-37-01 TV 3 ug/L

Analyzed By: AMR

Date: 6/18/24

Disposed By: AMR

Date: 6/18/24


"M47F006"

EMAXlfid	EMAXlsid	conc	Raw_resp	rsd/rf	adatetime	DF
M47F006001	STD01REP1	0	6562		06/18/2412:59	1
M47F006002	STD02REP1	.2	15203		06/18/2413:00	1
M47F006003	STD03REP1	.5	42983		06/18/2413:02	1
M47F006004	STD04REP1	1	77303		06/18/2413:04	1
M47F006005	STD05REP1	2	166373		06/18/2413:05	1
M47F006006	STD06REP1	5	392120		06/18/2413:07	1
M47F006007	ICV	2.02	161438	0	06/18/2413:09	1
M47F006008	ICB	.009	4211	0	06/18/2413:11	1
M47F006009	MRLF1801	.513	43540	0	06/18/2413:12	1
M47F006010	CCV1	2.01	160438	0	06/18/2413:15	1
M47F006011	CCB1	.003	3725	0	06/18/2413:17	1
M47F006012	HGF007SB	-.076	-2399	0	06/18/2413:19	1
M47F006013	HGF007SL	2.58	205037	0	06/18/2413:21	1
M47F006014	HGF007SC	2.63	208717	0	06/18/2413:22	1
M47F006015	F427-01	-.008	2844	0	06/18/2413:24	1
M47F006016	F476-01	.017	4846	0	06/18/2413:26	1
M47F006017	E558-04	.15	15194	0	06/18/2413:28	1
M47F006018	E558-09	.078	9630	0	06/18/2413:29	1
M47F006019	F034-02M	2.62	208019	0	06/18/2413:31	1
M47F006020	F034-02S	2.73	216594	0	06/18/2413:33	1
M47F006021	F034-02A	2.92	231664	0	06/18/2413:35	1
M47F006022	CCV2	1.94	155417	0	06/18/2413:37	1
M47F006023	CCB2	-.091	-3607	0	06/18/2413:39	1
M47F006024	F034 02	.097	11085	0	06/18/2413:42	1
M47F006025	F034-02J	-.009	2805	0	06/18/2413:44	5
M47F006026	HGF008SB	-.04	413	0	06/18/2413:46	1
M47F006027	HGF008SL	2.5	198443	0	06/18/2413:47	1
M47F006028	HGF008SC	2.52	199945	0	06/18/2413:49	1
M47F006029	E558-01	.025	5477	0	06/18/2413:51	1
M47F006030	E558-02	.067	8720	0	06/18/2413:53	1
M47F006031	E558-03	-.007	2986	0	06/18/2413:55	1
M47F006032	E558-05	-.089	-3432	0	06/18/2413:56	1
M47F006033	E558-06	-.049	-323	0	06/18/2413:58	1
M47F006034	CCV3	2	159448	0	06/18/2414:00	1
M47F006035	CCB3	-.013	2478	0	06/18/2414:02	1
M47F006036	E558-07	.236	21924	0	06/18/2414:04	1
M47F006037	E558-08	.142	14615	0	06/18/2414:05	1
M47F006038	E558-10	-.004	3192	0	06/18/2414:07	1
M47F006039	CCV4	1.92	153674	0	06/18/2414:09	1
M47F006040	CCB4	-.047	-205	0	06/18/2414:10	1

M47F006

cup	sample ID	extended ID	weight	volume	? A D F P S U SC UI US C1..7
1	ICV		1.0000	1.0000	
2	ICB		1.0000	1.0000	
3	MRLF1801	0.5	1.0000	1.0000	
4	CCV1		1.0000	1.0000	
5	CCB1		1.0000	1.0000	
6	HGF007SB		1.0000	1.0000	
7	HGF007SL		1.0000	1.0000	
8	HGF007SC		1.0000	1.0000	
9	F427-01		1.0000	1.0000	
10	F476-01		1.0000	1.0000	
11	E558-04		1.0000	1.0000	
12	E558-09		1.0000	1.0000	
13	F034-02M		1.0000	1.0000	
14	F034-02S		1.0000	1.0000	
15	F034-02A		1.0000	1.0000	
16	CCV2		1.0000	1.0000	
17	CCB2		1.0000	1.0000	
18	F034-02		1.0000	1.0000	
19	F034-02J	5X	1.0000	1.0000	
20	HGF008SB		1.0000	1.0000	
21	HGF008SL		1.0000	1.0000	
22	HGF008SC		1.0000	1.0000	
23	E558-01		1.0000	1.0000	
24	E558-02		1.0000	1.0000	
25	E558-03		1.0000	1.0000	
26	E558-05		1.0000	1.0000	
27	E558-06		1.0000	1.0000	
28	CCV3		1.0000	1.0000	
29	CCB3		1.0000	1.0000	
30	E558-07		1.0000	1.0000	
31	E558-08		1.0000	1.0000	
32	E558-10		1.0000	1.0000	
33	CCV4		1.0000	1.0000	
34	CCB4		1.0000	1.0000	
35			1.0000	1.0000	
36			1.0000	1.0000	
37			1.0000	1.0000	
38			1.0000	1.0000	
39			1.0000	1.0000	
40			1.0000	1.0000	
41			1.0000	1.0000	
42			1.0000	1.0000	
43			1.0000	1.0000	
44			1.0000	1.0000	

AMR 6/18/24


WinHg Database 1.3
File Utility Help
RN
RN
Protocol HG1
Dataset/Proto M47F006 /HG1
Protocol
Line info
Cal Curve
Report
Ctrl Chart
Viewer
Reset
Calib Coeffs
New Cal
Update Coeffs
Spike Coeffs
A
B 1.28027e-5
C -4.48146e-2
Rho .999576
Calibrated
Accepted
Type Linear
Accept
Include S1 Rep 1
Rel. Abs.
392120
Accepted
New
Conc. 5.00
S Conc. Calc. Dev. Mean SD or %RSD Rep 1 Rep 2 Rep 3
01 .00000 .039 .039 6562 0 6562
02 .20000 .150 -.050 15203 0% 15203
03 .50000 .505 .005 42983 0% 42983
04 1.0000 .945 -.055 77303 0% 77303
05 2.0000 2.09 .085 166373 0% 166373
06 5.0000 4.98 -.025 392121 0% 392120
Ready
CAP NUM

Line	Conc.	Units	SD/RSD	1	2	3	4	5	
*** Standard: 1 Rep: 1				Seq: 1		12:59:03 18 Jun 24			HG
Hg	.000	ppb	6562						
*** Standard: 2 Rep: 1				Seq: 2		13:00:54 18 Jun 24			HG
Hg	.200	ppb	15203						
*** Standard: 3 Rep: 1				Seq: 3		13:02:37 18 Jun 24			HG
Hg	.500	ppb	42983						
*** Standard: 4 Rep: 1				Seq: 4		13:04:18 18 Jun 24			HG
Hg	1.00	ppb	77303						
*** Standard: 5 Rep: 1				Seq: 5		13:05:58 18 Jun 24			HG
Hg	2.00	ppb	166373						
*** Standard: 6 Rep: 1				Seq: 6		13:07:38 18 Jun 24			HG
Hg	5.00	ppb	392120						
*** Sample ID: ICV				Seq: 7		13:09:28 18 Jun 24			HG
Hg	2.02	ppb	161438						
*** Sample ID: ICB				Seq: 8		13:11:07 18 Jun 24			HG
Hg	.009	ppb	4211						
*** Sample ID: MRLF1S01			0.5	Seq: 9		13:12:55 18 Jun 24			HG
Hg	.513	ppb	43540						
*** Sample ID: CCV1				Seq: 10		13:15:36 18 Jun 24			HG
Hg	2.01	ppb	160438						
*** Sample ID: CCB1				Seq: 11		13:17:17 18 Jun 24			HG
Hg	.003	ppb	3725						
*** Sample ID: HGF007SB				Seq: 12		13:19:29 18 Jun 24			HG
Hg	-.076	ppb	-2399						
*** Sample ID: HGF007SL				Seq: 13		13:21:14 18 Jun 24			HG
Hg	2.58	ppb	205037						
*** Sample ID: HGF007SC				Seq: 14		13:22:55 18 Jun 24			HG
Hg	2.63	ppb	208717						
*** Sample ID: F427-01				Seq: 15		13:24:39 18 Jun 24			HG
Hg	-.008	ppb	2844						

Line	Conc.	Units	SD/RSD	1	2	3	4	5
*** Sample ID: F476-01				Seq: 16	13:26:34 18 Jun 24	HG		
Hg	.017	ppb	4846					
*** Sample ID: E558-04				Seq: 17	13:28:15 18 Jun 24	HG		
Hg	.150	ppb	15194					
*** Sample ID: E558-09				Seq: 18	13:29:52 18 Jun 24	HG		
Hg	.078	ppb	9630					
*** Sample ID: F034-02M				Seq: 19	13:31:36 18 Jun 24	HG		
Hg	2.62	ppb	208019					
*** Sample ID: F034-02S				Seq: 20	13:33:29 18 Jun 24	HG		
Hg	2.73	ppb	216594					
*** Sample ID: F034-02A				Seq: 21	13:35:28 18 Jun 24	HG		
Hg	2.92	ppb	231664					
*** Sample ID: CCV2				Seq: 22	13:37:12 18 Jun 24	HG		
Hg	1.94	ppb	155417					
*** Sample ID: CCB2				Seq: 23	13:39:26 18 Jun 24	HG		
Hg	-.091	ppb	-3607					
*** Sample ID: F034-02				Seq: 24	13:42:35 18 Jun 24	HG		
Hg	.097	ppb	11085					
*** Sample ID: F034-02J			5X	Seq: 25	13:44:17 18 Jun 24	HG		
Hg	-.009	ppb	2805					
*** Sample ID: HGF008SB				Seq: 26	13:46:17 18 Jun 24	HG		
Hg	-.040	ppb	413					
*** Sample ID: HGF008SL				Seq: 27	13:47:58 18 Jun 24	HG		
Hg	2.50	ppb	198443					
*** Sample ID: HGF008SC				Seq: 28	13:49:38 18 Jun 24	HG		
Hg	2.52	ppb	199945					
*** Sample ID: E558-01				Seq: 29	13:51:22 18 Jun 24	HG		
Hg	.025	ppb	5477					
*** Sample ID: E558-02				Seq: 30	13:53:01 18 Jun 24	HG		
Hg	.067	ppb	8720					

Line	Conc.	Units	SD/RSD	1	2	3	4	5
*** Sample ID: E558-03				Seq: 31	13:55:04 18 Jun 24	HG		
Hg	-.007	ppb	2986					
*** Sample ID: E558-05				Seq: 32	13:56:45 18 Jun 24	HG		
Hg	-.089	ppb	-3432					
*** Sample ID: E558-06				Seq: 33	13:58:27 18 Jun 24	HG		
Hg	-.049	ppb	-323					
*** Sample ID: CCV3				Seq: 34	14:00:22 18 Jun 24	HG		
Hg	2.00	ppb	159448					
*** Sample ID: CCB3				Seq: 35	14:02:01 18 Jun 24	HG		
Hg	-.013	ppb	2478					
*** Sample ID: E558-07				Seq: 36	14:04:01 18 Jun 24	HG		
Hg	.236	ppb	21924					
*** Sample ID: E558-08				Seq: 37	14:05:42 18 Jun 24	HG		
Hg	.142	ppb	14615					
*** Sample ID: E558-10				Seq: 38	14:07:23 18 Jun 24	HG		
Hg	-.004	ppb	3192					
*** Sample ID: CCV4				Seq: 39	14:09:05 18 Jun 24	HG		
Hg	1.92	ppb	153674					
*** Sample ID: CCB4				Seq: 40	14:10:47 18 Jun 24	HG		
Hg	-.047	ppb	-205					

Note: For samples, relevant QCs/Standards digested, refer to attached digestion sequence.

Comments:

Digestion Vessel Lot #: 29323008

Aqua Regia Prep. Vessel Lot#: 32922001

Book #: E47-135

Batch No.: HGF0075

Matrix: Soil

SOP #	Rev. #
☐ EMAX-7470	9
☑ EMAX-7471	10
☐ EMAX-245.1	5
☐ EMAX-	

Standards	ID	Conc. (µg/L)	Amount Added (ml)
ICAL	SMSB-24-37-09	100	0.2, 0.5, 1, 2.5
CCV	↓	↓	2
ICV	SMSB-24-37-10		2
LCS/MS	↓	↓	2.5
Reagent	**ID / Lot #**		
HNO_3 - Aqua Regia	SWA-012-05-06		
HCl	SWA-012-09-03		
H_2SO_4	N/A		
$KMnO_4$	SMSB-06-30-03		
$K_2S_2O_8$	N/A		
$NH_2OH \cdot HCl \cdot NaCl$	SMSB-06-29-04		
$SnCl_2$	SMSB-06-30-04		
Silica Sand	SMSA-05-02-03		
Reagent Water	RW-24-002		
pH strip 0-14	N/A		

Digestor ID/ Temp (°C) A / 96.1

Thermometer ID/LOC: 230389388 / A 11

Thermometer ID/LOC: N/A

Pipette ID: HG-06, HG-03, C4278021Z

☐ H_2SO_4 dispenser checked @ 2.5 ml with Class A graduated cylinder

☐ HCl dispenser checked @ ___ ml with Class A graduated cylinder

☐ HNO_3 dispenser checked @ ___ ml with Class A graduated cylinder

Prepared By: AMR

Standard Added By: AMR Witnessed By: JC

EMAX LABORATORIES

DIGESTION LOG FOR MERCURY

PrepBatchID	LabSampleID	Aliquot	Unit	DateTime	Vd(ml)	ExpAmt	ExpVd(ml)	PrepFctr	Comments
24HGF007S01	HGF007SB	0.6	g	6/18/24 9:11	100	0.6	100	1	
24HGF007S02	HGF007SL	0.6	g	6/18/24 9:11	100	0.6	100	1	
24HGF007S03	HGF007SC	0.6	g	6/18/24 9:11	100	0.6	100	1	
24HGF007S04	F427-01	0.601	g	6/18/24 9:15	100	0.6	100	0.998	
24HGF007S05	F476-01	0.605	g	6/18/24 9:16	100	0.6	100	0.992	
24HGF007S06	E558-04	0.618	g	6/18/24 9:19	100	0.6	100	0.971	
24HGF007S07	E558-09	0.607	g	6/18/24 9:20	100	0.6	100	0.988	
24HGF007S08	F034-02	0.609	g	6/18/24 9:21	100	0.6	100	0.985	
24HGF007S09	F034-02M	0.613	g	6/18/24 9:22	100	0.6	100	0.979	
24HGF007S10	F034-02S	0.61	g	6/18/24 9:23	100	0.6	100	0.984	
24HGF007S11	S-0/ICB/CCB	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S12	S-0.2	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S13	S-0.5/MRL	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S14	S-1	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S15	S-2/CCV	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S16	S-5	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S17	ICV	0.6	g	6/18/24 9:24	100	0.6	100	1	
24HGF007S18	PS SOIL	0.6	g	6/18/24 9:24	100	0.6	100	1	

AMR 6/18/24

Balance ID: 671302. Calibration check was verified prior to use.

Vd=digestate volume

PrepFctr=(ExpAmt/Aliquot)*(Vd/ExpVd)

☑ Digestion Started @ 6/18/24 11:16

☑ Digestion Ended @ 6/18/24 11:46

Prepared By: ARiver

Checked By: AMR

Comments:

Date 6/18/24

EMAX LABORATORIES, INC.

STANDARDS LOG FOR MERCURY

Method: Mercury — Book #: SM3B -24

Standard ID	SM3B -24-37-01 INTERMEDIATE	Aliquot	1 mL	Prepared on	6/10/24	Micropipette ID:	
Name	HG ERA	Solvent ID	Rwl-24-002	Expires on	7/10/24	☐ 742781062	
Source	SM3A-10-01-01	Final Volume	100 mL	Prepared by	AMR	☑ HG-03	
Concentration	1,000 mg/L	Final Concentration	10,000 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-37-02 INTERMEDIATE	Aliquot	1 ml	Prepared on	6/10/24	Micropipette ID:	
Name	HG ACCU	Solvent ID	Rwl-24-002	Expires on	7/10/24	☐ 742781062	
Source	SM3A-10-01-02	Final Volume	100 mL	Prepared by	AMR	☐ HG-03	
Concentration	1,000 mg/L	Final Concentration	10,000 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-37-03	Aliquot	1 mL	Prepared on	6/10/24	Micropipette ID:	
Name	Hg ERA	Solvent ID	Rwl-24-002	Expires on	6/11/24	☐ 742781062	
Source	SM3B-24-37-01	Final Volume	100 ml	Prepared by	AMR	☑ HG-03	
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-37-04	Aliquot	1 mL	Prepared on	6/10/24	Micropipette ID:	
Name	Hg ACCU	Solvent ID	Rwl-24-002	Expires on	6/11/24	☐ 742781062	
Source	SM3B-24-37-02	Final Volume	100 mL	Prepared by	AMR	☑ HG-03	
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-37-05 PS soil	Aliquot	1 mL	Prepared on	6/10/24	Micropipette ID:	
Name	Hg ERA	Solvent ID	Rwl-24-002	Expires on	6/11/24	☐ 742781062	
Source	SM3B-24-37-01	Final Volume	100 mL	Prepared by	AMR	☑ HG-03	
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-37-06	Aliquot	0.5 mL	Prepared on	6/12/24	Micropipette ID:	
Name	Hg ERA	Solvent ID	Rwl-24-002	Expires on	6/13/24	☐ 742781062	
Source	SM3B-24-37-01	Final Volume	100 mL	Prepared by	AMR	☑ HG-03	
Concentration	10 mg/L	Final Concentration	50 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-37-07	Aliquot	0.5 mL	Prepared on	6/12/24	Micropipette ID	
Name	Hg ACCU	Solvent ID	Rwl-24-002	Expires on	6/13/24	☐ 742781062	
Source	SM3B-24-37-02	Final Volume	100 mL	Prepared by	AMR	☑ HG-03	
Concentration	10 mg/L	Final Concentration	50 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-37-08 PS water	Aliquot	0.5 mL	Prepared on	6/12/24	Micropipette ID:	
Name	Hg ERA	Solvent ID	Rwl-24-002	Expires on	6/13/24	☐ 742781062	
Source	SM3B-24-37-01	Final Volume	50 mL	Prepared by	AMR	☑ HG-03	
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-37-09	Aliquot	1 mL	Prepared on	6/18/24	Micropipette ID	
Name	Hg ERA	Solvent ID	Rwl-24-002	Expires on	6/19/24	☐ 742781062	
Source	SM3B-24-37-01	Final Volume	100 mL	Prepared by	AMR	☑ HG-03	
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-37-10	Aliquot	1 mL	Prepared on	6/18/24	Micropipette ID:	
Name	Hg ACCU	Solvent ID	Rwl-24-002	Expires on	6/19/24	☐ 742781062	
Source	SM3B-24-37-02	Final Volume	100 mL	Prepared by	AMR	☑ HG-03	
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR		

EMAX LABORATORIES, INC.

STANDARDS LOG FOR MERCURY

Method: Mercury — Book #: SM3B -24

Standard ID	SM3B -24-38-01 PS Soil	Aliquot	1 mL	Prepared on	6/18/24	Micropipette ID:	
Name	Hg ERA	Solvent ID	Rwf-24002	Expires on	6/19/24	☐ 742781062	
Source	SM3B-24-37-01	Final Volume	100 mL	Prepared by	AMR	☑ HG-03	
Concentration	10 mg/L	Final Concentration	100 µg/L	Reviewed by	AMR		
Standard ID	SM3B -24-38-02	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			
Standard ID	SM3B -24-38-03	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			
Standard ID	SM3B -24-38-04	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			
Standard ID	SM3B -24-38-05	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			
Standard ID	SM3B -24-38-06	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			
Standard ID	SM3B -24-38-07	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			
Standard ID	SM3B -24-38-08	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			
Standard ID	SM3B -24-38-09	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			
Standard ID	SM3B -24-38-10	Aliquot	mL	Prepared on		Micropipette ID:	
Name		Solvent ID		Expires on		☐ 742781062	
Source		Final Volume	mL	Prepared by		☐ HG-03	
Concentration	mg/L	Final Concentration	µg/L	Reviewed by			

ERA

A Waters Company

Certified Reference Material

• Certificate of Analysis

SM3A-10-01-01
Recv 6/8/21 JF
Exp. 7/8/24

Product:	1000 mg/L Mercury
Catalog Number:	027
Lot No.	120721m
Starting Material:	Mercury Metal (Hg)
Matrix:	18 megohm deionized water and 1% (v/v) HNO_3
Density:	1.0083 ± 0.0002 g/mL 20.4 °C and 747 mm Hg
Verification Method:	CVAA
Certificate Issue Date:	July 30, 2021
Expiration Date:	July 8, 2024
Revision Number:	Original

CERTIFICATION

Parameter	Certified Value[1]	Uncertainty[2]	NIST Traceability	
	mg/L	%	SRM Number[3]	Recovery %
Mercury	1000	2.57	3133	101

16341 Table Mountain Pkwy • Golden, CO 80403 • 800.372.0122 • 303.431.8454 • fax 303.421.0159 • www.eraqc.com

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

SM3A-10-01-02
Rec 11/27/23

AccuTrace™ Reference Standard

Catalog No: AA34N-R-1
Description: Mercury AA Standard
Element: Mercury (Hg)
SRM: 3133
Lot: 223035030
Matrix: 10% Nitric acid
Hazards: *Refer to SDS for complete safety information*



Signal Word: Danger

Date Certified: Mar 10, 2023
Expiration: Mar 10, 2028
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Certified Reference Material

ANAB ACCREDITED PROVIDER AR-1463

ilac-MRA

Component		SRM #	Prepared Concentration (µg/mL)
Hg	Mercury	3133	1000

This Certified Reference Material was verified in accordance with ISO/IEC 17025 (AT-1339) and ISO 17034 (AR-1463)

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

This product contains mercury and MUST be disposed of in accordance with all federal, state and local regulations.

The gravimetric uncertainty for this product is ±0.24%. The CRM uncertainty is ±2.4%

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as high purity acids and ASTM Type I 18 megohm deionized water.

All weights are traceable through NIST, Test No. 684/291344-18 & 684/292805-19

All glassware used in preparation is Class A

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware. Keep bottle tightly capped

Certified By: Meagan O'Leary
Meagan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015



Electronic Comprehensive Validation Package (eCVP)

Vera Belitsky Vera Belitsky 06-18-2024

CONFIDENTIALITY NOTICE: This communication and any accompanying documents are confidential and privileged. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If you received this transmission in error, you are advised that any disclosure, copying, distribution, or the taking of any action in reliance upon the communication is strictly prohibited. If you have received this communication in error, please contact Eurofins Air Toxics at (916)-985-1000.

eurofins | Air Toxics

WORK ORDER #: 2406133

Work Order Summary

CLIENT:	Mr. Mark Rigby PARSONS GOVERNMENT SERVICES INC. 10235 So. South Jordan Gateway Suite 300 South Jordan, UT 84095	**BILL TO:**	Mr. Mark Rigby PARSONS GOVERNMENT SERVICES INC. 10235 So. South Jordan Gateway Suite 300
PHONE:	801-572-5999	**P.O. #**	PO-0015539
FAX:	801-572-9069	**PROJECT #**	Titan 1-A Semi -Annual GW and SV samplin
DATE RECEIVED:	06/03/2024	**CONTACT:**	Brian Whittaker
DATE COMPLETED:	06/17/2024		

FRACTION #	NAME	TEST	RECEIPT VAC./PRES.	FINAL PRESSURE
01A	T1AMF-SV018_May24	TO-15	6.3 "Hg	9.9 psi
02A(cancelled)	T1AMF-SV021_May24	TO-15	29.8 "Hg	9.9 psi
03A	T1AMF-SV001_May24	TO-15	6.3 "Hg	9.9 psi
04A	T1AMF-SV033_May24	TO-15	8.6 "Hg	10 psi
04AA	T1AMF-SV033_May24 Lab Duplicate	TO-15	8.6 "Hg	10 psi
05A	T1AMF-SV023_May24	TO-15	7.1 "Hg	9.9 psi
05AA	T1AMF-SV023_May24 Lab Duplicate	TO-15	7.1 "Hg	9.9 psi
06A	T1AMF-SV023_May24_FD	TO-15	6.7 "Hg	8.1 psi
07A	T1AMF-SV024_May24	TO-15	5.1 "Hg	9.7 psi
08A	T1AMF-SV026_May24	TO-15	7.6 "Hg	10 psi
09A	T1AMF-SV026_May24_FD	TO-15	9.8 "Hg	10 psi
10A	T1AMF-SV022_May24	TO-15	11.2 "Hg	10 psi
11A	T1AMF-SV020_May24	TO-15	15.5 "Hg	9.9 psi
12A	T1AMF-SV017B_May24	TO-15	11.4 "Hg	10 psi
13A	T1AMF-SV007_May24	TO-15	7.3 "Hg	9.8 psi
14A	T1AMF-SV006_May24	TO-15	8.2 "Hg	9.9 psi
15A	T1AMF-SV016_May24	TO-15	8.6 "Hg	9.8 psi
16A	T1AMF-SV008_May24	TO-15	8.8 "Hg	10 psi
17A	T1AMF-SV005B_May24	TO-15	9.6 "Hg	10.3 psi
18A	T1AMF-SV004_May24	TO-15	9 "Hg	9.7 psi
19A	T1AMF-SV025_May24	TO-15	8.4 "Hg	9.8 psi
20A	T1AMF-SV019_May24	TO-15	7.6 "Hg	10 psi
21A	T1AMF-SV002_May24	TO-15	8.2 "Hg	9.7 psi

Continued on next page

eurofins | Air Toxics

WORK ORDER #: 2406133

Work Order Summary

CLIENT:	Mr. Mark Rigby PARSONS GOVERNMENT SERVICES INC. 10235 So. South Jordan Gateway Suite 300 South Jordan, UT 84095	**BILL TO:**	Mr. Mark Rigby PARSONS GOVERNMENT SERVICES INC. 10235 So. South Jordan Gateway Suite 300
PHONE:	801-572-5999	**P.O. #**	PO-0015539
FAX:	801-572-9069	**PROJECT #**	Titan 1-A Semi -Annual GW and SV samplin
DATE RECEIVED:	06/03/2024	**CONTACT:**	Brian Whittaker
DATE COMPLETED:	06/17/2024		

FRACTION #	NAME	TEST	RECEIPT VAC./PRES.	FINAL PRESSURE
22A	T1AMF-SV015B_May24	TO-15	6.7 "Hg	9.6 psi
23A	Lab Blank	TO-15	NA	NA
23B	Lab Blank	TO-15	NA	NA
24A	CCV	TO-15	NA	NA
24B	CCV	TO-15	NA	NA
24C	CCV	TO-15	NA	NA
24D	CCV	TO-15	NA	NA
25A	LCS	TO-15	NA	NA
25AA	LCSD	TO-15	NA	NA
25B	LCS	TO-15	NA	NA
25BB	LCSD	TO-15	NA	NA

CERTIFIED BY: Heidi Hayes DATE: 06/17/24

Technical Director

Certification numbers: AZ Licensure AZ0775, FL NELAP – E87680, LA NELAP – 02089, NH NELAP – 209222, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP – T104704434-22-18, UT NELAP – CA009332022-14, VA NELAP - 12240, WA ELAP - C935
Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-017
Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630
(916) 985-1000

LABORATORY NARRATIVE
DoD QSM - TO-15
PARSONS GOVERNMENT SERVICES INC.
Workorder# 2406133

Twenty-two 1 Liter Summa Canister samples were received on June 03, 2024. The laboratory performed analysis via EPA Method TO-15 using GC/MS in the full scan mode.

Please note the following narratives are project specific therefore may or may not be applicable to the associated sample set:

1) A Limit of Detection (LOD) and Method Detection Limit (MDL) study are not maintained for Total Xylenes and non-standard compounds.

2) Total Xylenes concentration is calculated by summing the individual concentrations of m,p-Xylene and o-Xylene.

3) Non-standard compounds may have different acceptance criteria than the standard TO-14A/TO-15 compound list as per contract or verbal agreement.

Receiving Notes

The Chain of Custody (COC) information for sample T1AMF-SV019_May24 did not match the information on the canister with regard to canister barcode. The sample labeled 1L4781 on the COC is labeled as 1L4761 on the canister. The client was notified of the discrepancy and the information on the canister was used to process and report the sample.

Samples T1AMF-SV021_May24 and T1AMF-SV020_May24 were received with significant vacuum remaining in the canister. The residual canister vacuum resulted in elevated reporting limits.

Sample T1AMF-SV021_May24 was cancelled on 6/13/24 per client's request.

Analytical Notes

A DoD QSM waiver has been established and approved between Eurofins Air Toxics and the client. A copy of the waiver is available upon request.

As per client project requirements, the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. Concentrations that are below the level at which the canister was certified may be false positives.

Samples were analyzed in two analytical batches on MSD-3 on 6/13/24 and 6/14/24. The initial continuing calibration verification (CCV) for the batches are reported as lab fractions 24A and 24B and the ending CCV are reported as lab fractions 24C and 24D.

Dilution was performed on samples T1AMF-SV001_May24, T1AMF-SV024_May24 and T1AMF-SV022_May24 due to the presence of high level target species.

Samples were received by courier, therefore shipping documents are not applicable.

Definition of Data Qualifying Flags

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Table 1								
Client Sample ID	Lab Sample ID	Date Collected	Date Received	Date Extracted	Sample Holding Time (Days)	Date Analyzed	Sample Extract Holding Time (Days)	Sample Condition
T1AMF-SV018_May24	2406133-01A	05/28/2024	06/03/2024	NA	17	06/14/2024	NA	GOOD
T1AMF-SV001_May24	2406133-03A	05/28/2024	06/03/2024	NA	17	06/14/2024	NA	GOOD
T1AMF-SV033_May24	2406133-04A	05/28/2024	06/03/2024	NA	17	06/14/2024	NA	GOOD
T1AMF-SV033_May24 Lab Duplicate	2406133-04AA	05/28/2024	06/03/2024	NA	None	06/14/2024	NA	GOOD
T1AMF-SV023_May24	2406133-05A	05/29/2024	06/03/2024	NA	16	06/14/2024	NA	GOOD
T1AMF-SV023_May24 Lab Duplicate	2406133-05AA	05/29/2024	06/03/2024	NA	None	06/14/2024	NA	GOOD
T1AMF-SV023_May24_FD	2406133-06A	05/29/2024	06/03/2024	NA	16	06/14/2024	NA	GOOD
T1AMF-SV024_May24	2406133-07A	05/29/2024	06/03/2024	NA	16	06/14/2024	NA	GOOD
T1AMF-SV026_May24	2406133-08A	05/29/2024	06/03/2024	NA	16	06/14/2024	NA	GOOD
T1AMF-SV026_May24_FD	2406133-09A	05/29/2024	06/03/2024	NA	16	06/14/2024	NA	GOOD
T1AMF-SV022_May24	2406133-10A	05/29/2024	06/03/2024	NA	16	06/14/2024	NA	GOOD
T1AMF-SV020_May24	2406133-11A	05/29/2024	06/03/2024	NA	16	06/14/2024	NA	GOOD
T1AMF-SV017B_May24	2406133-12A	05/29/2024	06/03/2024	NA	16	06/14/2024	NA	GOOD
T1AMF-SV007_May24	2406133-13A	05/30/2024	06/03/2024	NA	15	06/14/2024	NA	GOOD
T1AMF-SV006_May24	2406133-14A	05/30/2024	06/03/2024	NA	16	06/15/2024	NA	GOOD
T1AMF-SV016_May24	2406133-15A	05/30/2024	06/03/2024	NA	16	06/15/2024	NA	GOOD
T1AMF-SV008_May24	2406133-16A	05/30/2024	06/03/2024	NA	16	06/15/2024	NA	GOOD
T1AMF-SV005B_May24	2406133-17A	05/30/2024	06/03/2024	NA	16	06/15/2024	NA	GOOD
T1AMF-SV004_May24	2406133-18A	05/30/2024	06/03/2024	NA	16	06/15/2024	NA	GOOD
T1AMF-SV025_May24	2406133-19A	05/31/2024	06/03/2024	NA	15	06/15/2024	NA	GOOD
T1AMF-SV019_May24	2406133-20A	05/31/2024	06/03/2024	NA	15	06/15/2024	NA	GOOD
T1AMF-SV002_May24	2406133-21A	05/31/2024	06/03/2024	NA	15	06/15/2024	NA	GOOD
T1AMF-SV015B_May24	2406133-22A	05/31/2024	06/03/2024	NA	15	06/15/2024	NA	GOOD
Lab Blank	2406133-23A	NA	NA	NA	NA	06/13/2024	NA	GOOD
Lab Blank	2406133-23B	NA	NA	NA	NA	06/14/2024	NA	GOOD
CCV	2406133-24A	NA	NA	NA	NA	06/13/2024	NA	GOOD
CCV	2406133-24B	NA	NA	NA	NA	06/14/2024	NA	GOOD
CCV	2406133-24C	NA	NA	NA	NA	06/14/2024	NA	GOOD
CCV	2406133-24D	NA	NA	NA	NA	06/15/2024	NA	GOOD
LCS	2406133-25A	NA	NA	NA	NA	06/13/2024	NA	GOOD
LCSD	2406133-25AA	NA	NA	NA	NA	06/13/2024	NA	GOOD
LCS	2406133-25B	NA	NA	NA	NA	06/14/2024	NA	GOOD
LCSD	2406133-25BB	NA	NA	NA	NA	06/14/2024	NA	GOOD

Sample Results and Raw Data

eurofins | Air Toxics

Client ID:	T1AMF-SV018_May24		
Lab ID:	2406133-01A	**Date/Time Analyzed:**	6/14/24 02:18 AM
Date/Time Collected:	5/28/24 10:57 AM	**Dilution Factor:**	2.12
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061325

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	3.8	4.2	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.1	5.7	6.4	Not Detected U
Benzene	71-43-2	0.80	3.0	3.4	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.91	3.8	4.2	Not Detected U
Ethyl Benzene	100-41-4	1.1	4.1	4.6	Not Detected U
m,p-Xylene	108-38-3	0.66	4.1	9.2	Not Detected U
o-Xylene	95-47-6	1.1	4.1	4.6	Not Detected U
Toluene	108-88-3	1.0	3.6	8.0	Not Detected U
trans-1,2-Dichloroethene	156-60-5	1.9	3.8	4.2	Not Detected U
Trichloroethene	79-01-6	1.7	5.1	5.7	Not Detected U
Vinyl Chloride	75-01-4	2.3	2.4	2.7	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	88
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/13JUN24.b/3061325.d
Lab Smp Id: 2406133-01A
Inj Date : 14-JUN-2024 02:18
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N7505
Misc Info : 6.3 Hg->9.9 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/13JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:00 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 8
Dil Factor: 2.12000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane							CAS #: 74-97-5	
5.432	5.432 (1.000)	130	105686	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	82414				47.79- 107.79	77.98
5.432	5.432 (1.000)	49	156269				131.33- 191.33	147.86
$ 104 1,2-Dichloroethane-d4							CAS #: 17060-07-0	
6.019	6.019 (1.108)	65	121911	22.1465	22.146		80.00- 120.00	100.00
6.019	6.019 (1.108)	67	64031				23.17- 83.17	52.52
* 108 1,4-Difluorobenzene							CAS #: 540-36-3	
6.420	6.420 (1.000)	114	383023	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	55573				0.00- 45.65	14.51
$ 134 Toluene-d8							CAS #: 2037-26-5	
7.760	7.760 (1.209)	98	361660	24.2888	24.289		80.00- 120.00	100.00
7.760	7.760 (1.209)	70	37790				0.00- 41.42	10.45
7.760	7.760 (1.209)	100	240884				37.54- 97.54	66.61
* 153 Chlorobenzene-d5							CAS #: 3114-55-4	
9.149	9.149 (1.000)	117	392737	25.0000			80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
* 153 Chlorobenzene-d5 (continued)							
9.149	9.149 (1.000)	82	196272			22.92- 82.92	49.98
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	298834	25.6037	25.604	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	327118			88.49- 148.49	109.46
10.288	10.288 (1.124)	176	288336			66.73- 126.73	96.49

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061325.d
Lab Smp Id: 2406133-01A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 6.3 Hg->9.9 psi

Calibration Date: 13-JUN-2024
Calibration Time: 11:42
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	94691	56815	132567	105686	11.61
108 1,4-Difluorobenze	348240	208944	487536	383023	9.99
153 Chlorobenzene-d5	341662	204997	478327	392737	14.95

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:03

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 13JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-01A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 6.3 Hg->9.9 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.146	88.59	68-132
$ 134 Toluene-d8	25.000	24.289	97.16	91-110
$ 170 4-Bromofluorobenz	25.000	25.604	102.41	77-125

Data File: /chem/msd3.i/13JUN24.b/3061325.d

Date : 14-JUN-2024 02:18

Client ID:


Instrument: msd3.i

Sample Info: 200mL N7505

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



eurofins | Air Toxics

Client ID:	T1AMF-SV001_May24		
Lab ID:	2406133-03A	**Date/Time Analyzed:**	6/14/24 03:24 AM
Date/Time Collected:	5/28/24 01:29 PM	**Dilution Factor:**	9.41
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061327

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.7	17	19	Not Detected U
1,4-Dichlorobenzene	106-46-7	9.5	25	28	Not Detected U
Benzene	71-43-2	3.6	14	15	Not Detected U
cis-1,2-Dichloroethene	156-59-2	4.0	17	19	4.7 J
Ethyl Benzene	100-41-4	4.9	18	20	Not Detected U
m,p-Xylene	108-38-3	2.9	18	41	Not Detected U
o-Xylene	95-47-6	4.9	18	20	Not Detected U
Toluene	108-88-3	4.4	16	35	Not Detected U
trans-1,2-Dichloroethene	156-60-5	8.6	17	19	Not Detected U
Trichloroethene	79-01-6	7.6	23	25	6000
Vinyl Chloride	75-01-4	10	11	12	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	89
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	96

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/13JUN24.b/3061327.d
Lab Smp Id: 2406133-03A
Inj Date : 14-JUN-2024 03:24
Operator : ACE Inst ID: msd3.i
Smp Info : 45mL N8282
Misc Info : 6.3 Hg->9.9 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/13JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:00 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 10
Dil Factor: 9.41000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
85 cis-1,2-Dichloroethene						CAS #: 156-59-2		
5.188	5.181 (0.955)	98	222	0.12640		1.189	80.00- 120.00	100.00(a)
5.188	5.181 (0.955)	96	527				125.53- 185.53	236.85
5.181	5.181 (0.954)	61	811				219.86- 279.86	364.20
* 90 Bromochloromethane						CAS #: 74-97-5		
5.432	5.432 (1.000)	130	98440	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	75754				47.79- 107.79	76.95
5.432	5.432 (1.000)	49	145971				131.33- 191.33	148.28
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	114245	22.2815		22.282	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	58736				23.17- 83.17	51.41
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	355668	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	51823				0.00- 45.65	14.57
111 Trichloroethene						CAS #: 79-01-6		
6.628	6.628 (1.032)	95	408129	118.206		1112.3	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
111 Trichloroethene (continued)							
6.628	6.628 (1.032)	130	458014			80.23- 140.23	112.22
6.628	6.628 (1.032)	97	262082			34.78- 94.78	64.22
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	333903	24.1494	24.149	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	34897			0.00- 41.42	10.45
7.760	7.760 (1.209)	100	223154			37.54- 97.54	66.83
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	367238	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	183520			22.92- 82.92	49.97
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	277754	25.4500	25.450	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	302617			88.49- 148.49	108.95
10.288	10.288 (1.124)	176	271157			66.73- 126.73	97.62

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061327.d
Lab Smp Id: 2406133-03A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 6.3 Hg->9.9 psi

Calibration Date: 13-JUN-2024
Calibration Time: 11:42
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	94691	56815	132567	98440	3.96
108 1,4-Difluorobenze	348240	208944	487536	355668	2.13
153 Chlorobenzene-d5	341662	204997	478327	367238	7.49

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:04

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 13JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-03A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 6.3 Hg->9.9 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.282	89.13	68-132
$ 134 Toluene-d8	25.000	24.149	96.60	91-110
$ 170 4-Bromofluorobenz	25.000	25.450	101.80	77-125

Data File: /chem/msd3.i/13JUN24.b/3061327.d

Date : 14-JUN-2024 03:24

Client ID:


Instrument: msd3.i

Sample Info: 45mL N8282

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/13JUN24.b/3061327.d

Date : 14-JUN-2024 03:24

Client ID:

Instrument: msd3.i

Sample Info: 45mL N8282


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


85 cis-1,2-Dichloroethene


Concentration: 1.189 PPBV

















Data File: /chem/msd3.i/13JUN24.b/3061327.d

Date : 14-JUN-2024 03:24

Client ID:

Instrument: msd3.i

Sample Info: 45mL N8282


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 1112.3 PPBV

















eurofins | Air Toxics

Client ID:	T1AMF-SV033_May24		
Lab ID:	2406133-04A	**Date/Time Analyzed:**	6/14/24 04:24 PM
Date/Time Collected:	5/28/24 02:52 PM	**Dilution Factor:**	2.36
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061409

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.4	4.2	4.7	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.4	6.4	7.1	Not Detected U
Benzene	71-43-2	0.89	3.4	3.8	13
cis-1,2-Dichloroethene	156-59-2	1.0	4.2	4.7	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.6	5.1	11
m,p-Xylene	108-38-3	0.73	4.6	10	36
o-Xylene	95-47-6	1.2	4.6	5.1	12
Toluene	108-88-3	1.1	4.0	8.9	89
trans-1,2-Dichloroethene	156-60-5	2.1	4.2	4.7	Not Detected U
Trichloroethene	79-01-6	1.9	5.7	6.3	68
Vinyl Chloride	75-01-4	2.5	2.7	3.0	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	90
4-Bromofluorobenzene	460-00-4	77-125	100
Toluene-d8	2037-26-5	91-110	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061409.d
Lab Smp Id: 2406133-04A
Inj Date : 14-JUN-2024 16:24
Operator : RT Inst ID: msd3.i
Smp Info : 200mL N8353
Misc Info : 8.6 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 2
Dil Factor: 2.36000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane							CAS #: 74-97-5	
5.432	5.432 (1.000)	130	102169	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	78418				47.79- 107.79	76.75
5.432	5.432 (1.000)	49	149910				131.33- 191.33	146.73
$ 104 1,2-Dichloroethane-d4							CAS #: 17060-07-0	
6.019	6.019 (1.108)	65	119319	22.4218	22.422		80.00- 120.00	100.00
6.019	6.019 (1.108)	67	62784				23.17- 83.17	52.62
102 Benzene							CAS #: 71-43-2	
5.990	5.990 (0.933)	78	12602	1.68754	3.982		80.00- 120.00	100.00
5.998	5.990 (0.934)	77	3237				0.00- 53.69	25.69
* 108 1,4-Difluorobenzene							CAS #: 540-36-3	
6.420	6.420 (1.000)	114	370903	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	54757				0.00- 45.65	14.76
111 Trichloroethene							CAS #: 79-01-6	
6.628	6.628 (1.032)	95	19275	5.35328	12.634		80.00- 120.00	100.00
6.628	6.628 (1.032)	130	21405				80.23- 140.23	111.05

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
111 Trichloroethene (continued)							
6.628	6.628 (1.032)	97	12445			34.78- 94.78	64.57
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	350370	24.2995	24.299	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	38247			0.00- 41.42	10.92
7.760	7.760 (1.209)	100	234125			37.54- 97.54	66.82
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	103797	10.0407	23.696	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	61572			27.89- 87.89	59.32
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	381883	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	190264			22.92- 82.92	49.82
155 Ethyl Benzene					CAS #: 100-41-4		
9.250	9.242 (1.011)	106	4855	1.09089	2.574	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	14963			281.09- 341.09	308.20
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	19540	3.52252	8.313	80.00- 120.00	100.00
9.357	9.364 (1.023)	91	37557			170.33- 230.33	192.20
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	6207	1.17999	2.785	80.00- 120.00	100.00
9.751	9.744 (1.066)	91	13414			181.23- 241.23	216.10
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	283991	25.0236	25.024	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	316087			88.49- 148.49	111.30
10.288	10.288 (1.124)	176	280939			66.73- 126.73	98.93

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061409.d
Lab Smp Id: 2406133-04A
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.6 Hg->10 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	102169	5.01
108 1,4-Difluorobenze	356185	213711	498659	370903	4.13
153 Chlorobenzene-d5	352841	211705	493977	381883	8.23

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:40

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-04A
Level: LOW Operator: RT
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.6 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.422	89.69	68-132
$ 134 Toluene-d8	25.000	24.299	97.20	91-110
$ 170 4-Bromofluorobenz	25.000	25.024	100.09	77-125

Data File: /chem/msd3.i/14JUN24.b/3061409.d

Page 1

Date : 14-JUN-2024 16:24

Client ID:


Instrument: msd3.i

Sample Info: 200mL N8353

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061409.d

Date : 14-JUN-2024 16:24

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8353


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 3.982 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061409.d

Date : 14-JUN-2024 16:24

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8353


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 12.634 PPBV

















Data File: /chem/msd3.i/14JUN24.b/3061409.d

Date : 14-JUN-2024 16:24

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8353


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 23.696 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061409.d

Date : 14-JUN-2024 16:24

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8353


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 2.574 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061409.d

Date : 14-JUN-2024 16:24

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8353


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 8.313 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061409.d

Date : 14-JUN-2024 16:24

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8353


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 2.785 PPBV














Client ID:	T1AMF-SV033_May24 Lab Duplicate		
Lab ID:	2406133-04AA	**Date/Time Analyzed:**	6/14/24 04:59 PM
Date/Time Collected:	5/28/24 02:52 PM	**Dilution Factor:**	2.36
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061410

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.4	4.2	4.7	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.4	6.4	7.1	Not Detected U
Benzene	71-43-2	0.89	3.4	3.8	13
cis-1,2-Dichloroethene	156-59-2	1.0	4.2	4.7	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.6	5.1	11
m,p-Xylene	108-38-3	0.73	4.6	10	36
o-Xylene	95-47-6	1.2	4.6	5.1	13
Toluene	108-88-3	1.1	4.0	8.9	90
trans-1,2-Dichloroethene	156-60-5	2.1	4.2	4.7	Not Detected U
Trichloroethene	79-01-6	1.9	5.7	6.3	68
Vinyl Chloride	75-01-4	2.5	2.7	3.0	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	90
4-Bromofluorobenzene	460-00-4	77-125	101
Toluene-d8	2037-26-5	91-110	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061410.d
Lab Smp Id: 2406133-04AA
Inj Date : 14-JUN-2024 16:59
Operator : RT Inst ID: msd3.i
Smp Info : 200mL N8353
Misc Info : 8.6 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 2
Dil Factor: 2.36000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.439	5.432 (1.000)	130	97430	25.0000			80.00- 120.00	100.00
5.439	5.432 (1.000)	128	76983				47.79- 107.79	79.01
5.432	5.432 (1.000)	49	145001				131.33- 191.33	148.83
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.026	6.019 (1.108)	65	114651	22.5925		22.592	80.00- 120.00	100.00
6.019	6.019 (1.107)	67	60974				23.17- 83.17	53.18
102 Benzene						CAS #: 71-43-2		
5.990	5.990 (0.933)	78	12598	1.71372		4.044	80.00- 120.00	100.00
5.990	5.990 (0.933)	77	3134				0.00- 53.69	24.88
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	365121	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	53820				0.00- 45.65	14.74
111 Trichloroethene						CAS #: 79-01-6		
6.628	6.628 (1.032)	95	18942	5.34410		12.612	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	21817				80.23- 140.23	115.18

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE		RATIO
==	====== ========	====	========	=======	=======	==========		=====
111 Trichloroethene (continued)								
6.628	6.628 (1.032)	97	12263			34.78-	94.78	64.74
$ 134 Toluene-d8					CAS #: 2037-26-5			
7.767	7.760 (1.210)	98	345900	24.3694	24.369	80.00-	120.00	100.00
7.767	7.760 (1.210)	70	37252			0.00-	41.42	10.77
7.767	7.760 (1.210)	100	233255			37.54-	97.54	67.43
137 Toluene					CAS #: 108-88-3			
7.824	7.824 (1.219)	91	103302	10.1510	23.956	80.00-	120.00	100.00
7.824	7.824 (1.219)	92	59792			27.89-	87.89	57.88
* 153 Chlorobenzene-d5					CAS #: 3114-55-4			
9.149	9.149 (1.000)	117	371816	25.0000		80.00-	120.00	100.00
9.149	9.149 (1.000)	82	187165			22.92-	82.92	50.34
155 Ethyl Benzene					CAS #: 100-41-4			
9.249	9.242 (1.011)	106	4686	1.08142	2.552	80.00-	120.00	100.00
9.242	9.242 (1.010)	91	14385			281.09-	341.09	306.97
158 m,p-Xylene					CAS #: 108-38-3			
9.357	9.364 (1.023)	106	19159	3.54735	8.372	80.00-	120.00	100.00
9.357	9.364 (1.023)	91	37703			170.33-	230.33	196.78
164 o-Xylene					CAS #: 95-47-6			
9.744	9.744 (1.065)	106	6298	1.22970	2.902	80.00-	120.00	100.00
9.744	9.744 (1.065)	91	13261			181.23-	241.23	210.55
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4			
10.288	10.288 (1.124)	174	278346	25.1902	25.190	80.00-	120.00	100.00
10.288	10.288 (1.124)	95	305594			88.49-	148.49	109.79
10.288	10.288 (1.124)	176	275920			66.73-	126.73	99.13

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061410.d
Lab Smp Id: 2406133-04AA
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.6 Hg->10 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	97430	0.14
108 1,4-Difluorobenze	356185	213711	498659	365121	2.51
153 Chlorobenzene-d5	352841	211705	493977	371816	5.38

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.44	0.13
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:44

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-04AA
Level: LOW Operator: RT
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.6 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.592	90.37	68-132
$ 134 Toluene-d8	25.000	24.369	97.48	91-110
$ 170 4-Bromofluorobenz	25.000	25.190	100.76	77-125

Data File: /chem/msd3.i/14JUN24.b/3061410.d

Date : 14-JUN-2024 16:59

Client ID:


Instrument: msd3.i

Sample Info: 200mL N8353

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061410.d

Date : 14-JUN-2024 16:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8353


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 4.044 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061410.d

Date : 14-JUN-2024 16:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8353


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 12.612 PPBV

















Data File: /chem/msd3.i/14JUN24.b/3061410.d

Date : 14-JUN-2024 16:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8353


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 23.956 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061410.d

Page 5

Date : 14-JUN-2024 16:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8353


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 2.552 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061410.d

Date : 14-JUN-2024 16:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8353


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 8.372 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061410.d

Date : 14-JUN-2024 16:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8353


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 2.902 PPBV














Client ID:	T1AMF-SV023_May24		
Lab ID:	2406133-05A	**Date/Time Analyzed:**	6/14/24 04:35 AM
Date/Time Collected:	5/29/24 09:02 AM	**Dilution Factor:**	2.19
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061329

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	3.9	4.3	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.2	5.9	6.6	Not Detected U
Benzene	71-43-2	0.83	3.1	3.5	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.94	3.9	4.3	Not Detected U
Ethyl Benzene	100-41-4	1.1	4.3	4.8	Not Detected U
m,p-Xylene	108-38-3	0.68	4.3	9.5	3.1 J
o-Xylene	95-47-6	1.1	4.3	4.8	1.3 J
Toluene	108-88-3	1.0	3.7	8.2	3.0 J
trans-1,2-Dichloroethene	156-60-5	2.0	3.9	4.3	Not Detected U
Trichloroethene	79-01-6	1.8	5.3	5.9	Not Detected U
Vinyl Chloride	75-01-4	2.3	2.5	2.8	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	90
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/13JUN24.b/3061329.d
Lab Smp Id: 2406133-05A
Inj Date : 14-JUN-2024 04:35
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N3414
Misc Info : 7.1 Hg->9.9 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/13JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:00 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 12
Dil Factor: 2.19000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.439	5.432 (1.000)	130	98935	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	77609				47.79- 107.79	78.44
5.432	5.432 (1.000)	49	146371				131.33- 191.33	147.95
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.026	6.019 (1.108)	65	115514	22.4163		22.416	80.00- 120.00	100.00
6.026	6.019 (1.108)	67	60623				23.17- 83.17	52.48
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	363677	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	52599				0.00- 45.65	14.46
$ 134 Toluene-d8						CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	343759	24.3147		24.315	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	36743				0.00- 41.42	10.69
7.760	7.760 (1.209)	100	228606				37.54- 97.54	66.50
137 Toluene						CAS #: 108-88-3		
7.824	7.824 (1.219)	91	3679	0.36295		0.7949	80.00- 120.00	100.00(a)

					CONCENTRATIONS ON-COL (PPBV)	FINAL (PPBV)	TARGET RANGE	RATIO
RT	EXP RT (REL RT)	MASS	RESPONSE					
137 Toluene (continued)								
7.824	7.824 (1.219)	92	2301				27.89- 87.89	62.55
* 153 Chlorobenzene-d5						CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	376739	25.0000			80.00- 120.00	100.00
9.149	9.149 (1.000)	82	189147				22.92- 82.92	50.21
158 m,p-Xylene						CAS #: 108-38-3		
9.357	9.364 (1.023)	106	1812	0.33111		0.7251	80.00- 120.00	100.00(a)
9.357	9.364 (1.023)	91	3636				170.33- 230.33	200.61
164 o-Xylene						CAS #: 95-47-6		
9.744	9.744 (1.065)	106	694	0.13373		0.2929	80.00- 120.00	100.00(a)
9.744	9.744 (1.065)	91	1480				181.23- 241.23	213.27
$ 170 4-Bromofluorobenzene						CAS #: 460-00-4		
10.288	10.288 (1.124)	174	284678	25.4266		25.427	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	313414				88.49- 148.49	110.09
10.288	10.288 (1.124)	176	279228				66.73- 126.73	98.09

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061329.d
Lab Smp Id: 2406133-05A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 7.1 Hg->9.9 psi

Calibration Date: 13-JUN-2024
Calibration Time: 11:42
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	94691	56815	132567	98935	4.48
108 1,4-Difluorobenze	348240	208944	487536	363677	4.43
153 Chlorobenzene-d5	341662	204997	478327	376739	10.27

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.44	0.13
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:05

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 13JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-05A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 7.1 Hg->9.9 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.416	89.67	68-132
$ 134 Toluene-d8	25.000	24.315	97.26	91-110
$ 170 4-Bromofluorobenz	25.000	25.427	101.71	77-125

Data File: /chem/msd3.i/13JUN24.b/3061329.d

Date : 14-JUN-2024 04:35

Client ID:


Instrument: msd3.i

Sample Info: 200mL N3414

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/13JUN24.b/3061329.d

Date : 14-JUN-2024 04:35

Client ID:

Instrument: msd3.i

Sample Info: 200mL N3414


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 0.7949 PPBV














Data File: /chem/msd3.i/13JUN24.b/3061329.d

Date : 14-JUN-2024 04:35

Client ID:

Instrument: msd3.i

Sample Info: 200mL N3414


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.7251 PPBV














Data File: /chem/msd3.i/13JUN24.b/3061329.d

Date : 14-JUN-2024 04:35

Client ID:

Instrument: msd3.i

Sample Info: 200mL N3414


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 0.2929 PPBV














eurofins | Air Toxics

Client ID:	T1AMF-SV023_May24 Lab Duplicate		
Lab ID:	2406133-05AA	**Date/Time Analyzed:**	6/14/24 05:10 AM
Date/Time Collected:	5/29/24 09:02 AM	**Dilution Factor:**	2.19
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061330

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	3.9	4.3	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.2	5.9	6.6	Not Detected U
Benzene	71-43-2	0.83	3.1	3.5	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.94	3.9	4.3	Not Detected U
Ethyl Benzene	100-41-4	1.1	4.3	4.8	Not Detected U
m,p-Xylene	108-38-3	0.68	4.3	9.5	3.2 J
o-Xylene	95-47-6	1.1	4.3	4.8	1.2 J
Toluene	108-88-3	1.0	3.7	8.2	2.9 J
trans-1,2-Dichloroethene	156-60-5	2.0	3.9	4.3	Not Detected U
Trichloroethene	79-01-6	1.8	5.3	5.9	Not Detected U
Vinyl Chloride	75-01-4	2.3	2.5	2.8	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	91
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/13JUN24.b/3061330.d
Lab Smp Id: 2406133-05AA
Inj Date : 14-JUN-2024 05:10
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N3414
Misc Info : 7.1 Hg->9.9 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/13JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:00 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 12
Dil Factor: 2.19000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.439	5.432 (1.000)	130	98975	25.0000			80.00- 120.00	100.00
5.439	5.432 (1.000)	128	77209				47.79- 107.79	78.01
5.439	5.432 (1.000)	49	147612				131.33- 191.33	149.14
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.026	6.019 (1.108)	65	116964	22.6885	22.688		80.00- 120.00	100.00
6.026	6.019 (1.108)	67	60654				23.17- 83.17	51.86
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	365944	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	54033				0.00- 45.65	14.77
$ 134 Toluene-d8						CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	346884	24.3837	24.384		80.00- 120.00	100.00
7.767	7.760 (1.210)	70	36566				0.00- 41.42	10.54
7.767	7.760 (1.210)	100	234274				37.54- 97.54	67.54
137 Toluene						CAS #: 108-88-3		
7.824	7.824 (1.219)	91	3621	0.35502	0.7775		80.00- 120.00	100.00(a)

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	FINAL (PPBV)	TARGET RANGE	RATIO
137 Toluene (continued)							
7.824	7.824 (1.219)	92	2346			27.89- 87.89	64.79
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	378697	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	191778			22.92- 82.92	50.64
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	1843	0.33504	0.7337	80.00- 120.00	100.00(a)
9.357	9.364 (1.023)	91	3294			170.33- 230.33	178.73
164 o-Xylene					CAS #: 95-47-6		
9.751	9.744 (1.066)	106	648	0.12422	0.2720	80.00- 120.00	100.00(a)
9.751	9.744 (1.066)	91	1640			181.23- 241.23	253.09
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	288050	25.5948	25.595	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	317420			88.49- 148.49	110.20
10.288	10.288 (1.124)	176	280226			66.73- 126.73	97.28

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061330.d
Lab Smp Id: 2406133-05AA
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 7.1 Hg->9.9 psi

Calibration Date: 13-JUN-2024
Calibration Time: 11:42
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	94691	56815	132567	98975	4.52
108 1,4-Difluorobenze	348240	208944	487536	365944	5.08
153 Chlorobenzene-d5	341662	204997	478327	378697	10.84

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.44	0.13
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 09:50

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 13JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-05AA
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 7.1 Hg->9.9 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.688	90.75	68-132
$ 134 Toluene-d8	25.000	24.384	97.53	91-110
$ 170 4-Bromofluorobenz	25.000	25.595	102.38	77-125

Data File: /chem/msd3.i/13JUN24.b/3061330.d

Date : 14-JUN-2024 05:10

Client ID:


Instrument: msd3.i

Sample Info: 200mL N3414

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/13JUN24.b/3061330.d

Date : 14-JUN-2024 05:10

Client ID:

Instrument: msd3.i

Sample Info: 200mL N3414


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 0.7775 PPBV














Data File: /chem/msd3.i/13JUN24.b/3061330.d

Date : 14-JUN-2024 05:10

Client ID:

Instrument: msd3.i

Sample Info: 200mL N3414


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.7337 PPBV














Data File: /chem/msd3.i/13JUN24.b/3061330.d

Date : 14-JUN-2024 05:10

Client ID:

Instrument: msd3.i

Sample Info: 200mL N3414


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 0.2720 PPBV














Client ID:	T1AMF-SV023_May24_FD		
Lab ID:	2406133-06A	**Date/Time Analyzed:**	6/14/24 03:59 AM
Date/Time Collected:	5/29/24 09:03 AM	**Dilution Factor:**	2.00
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061328

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.0	3.6	4.0	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.0	5.4	6.0	Not Detected U
Benzene	71-43-2	0.76	2.9	3.2	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.86	3.6	4.0	Not Detected U
Ethyl Benzene	100-41-4	1.0	3.9	4.3	1.2 J
m,p-Xylene	108-38-3	0.62	3.9	8.7	3.7 J
o-Xylene	95-47-6	1.0	3.9	4.3	1.8 J
Toluene	108-88-3	0.94	3.4	7.5	4.1 J
trans-1,2-Dichloroethene	156-60-5	1.8	3.6	4.0	Not Detected U
Trichloroethene	79-01-6	1.6	4.8	5.4	Not Detected U
Vinyl Chloride	75-01-4	2.1	2.3	2.6	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	89
4-Bromofluorobenzene	460-00-4	77-125	103
Toluene-d8	2037-26-5	91-110	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/13JUN24.b/3061328.d
Lab Smp Id: 2406133-06A
Inj Date : 14-JUN-2024 03:59
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL S1463
Misc Info : 6.7 Hg->8.1 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/13JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:00 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 11
Dil Factor: 2.00000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.432 (1.000)	130	99089	25.0000		80.00- 120.00	100.00
5.439	5.432 (1.000)	128	77171			47.79- 107.79	77.88
5.432	5.432 (1.000)	49	147631			131.33- 191.33	148.99
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.019 (1.108)	65	114892	22.2609	22.261	80.00- 120.00	100.00
6.026	6.019 (1.108)	67	59807			23.17- 83.17	52.06
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	366743	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	53966			0.00- 45.65	14.72
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	348331	24.4321	24.432	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	36349			0.00- 41.42	10.44
7.767	7.760 (1.210)	100	232919			37.54- 97.54	66.87
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	5599	0.54776	1.096	80.00- 120.00	100.00(a)

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
137 Toluene (continued)							
7.824	7.824 (1.219)	92	3387			27.89- 87.89	60.51
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	378864	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	187565			22.92- 82.92	49.51
155 Ethyl Benzene					CAS #: 100-41-4		
9.249	9.242 (1.011)	106	622	0.14087	0.2817	80.00- 120.00	100.00(a)
9.249	9.242 (1.011)	91	1885			281.09- 341.09	302.63
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	2345	0.42611	0.8522	80.00- 120.00	100.00(a)
9.364	9.364 (1.023)	91	4409			170.33- 230.33	188.00
164 o-Xylene					CAS #: 95-47-6		
9.751	9.744 (1.066)	106	1080	0.20695	0.4139	80.00- 120.00	100.00(a)
9.744	9.744 (1.065)	91	1977			181.23- 241.23	183.03
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.288 (1.125)	174	289310	25.6954	25.695	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	317935			88.49- 148.49	109.89
10.288	10.288 (1.124)	176	280232			66.73- 126.73	96.86

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061328.d
Lab Smp Id: 2406133-06A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 6.7 Hg->8.1 psi

Calibration Date: 13-JUN-2024
Calibration Time: 11:42
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	94691	56815	132567	99089	4.64
108 1,4-Difluorobenze	348240	208944	487536	366743	5.31
153 Chlorobenzene-d5	341662	204997	478327	378864	10.89

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.44	0.13
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:05

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 13JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-06A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 6.7 Hg->8.1 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.261	89.04	68-132
$ 134 Toluene-d8	25.000	24.432	97.73	91-110
$ 170 4-Bromofluorobenz	25.000	25.695	102.78	77-125

Data File: /chem/msd3.i/13JUN24.b/3061328.d

Date : 14-JUN-2024 03:59

Client ID:


Instrument: msd3.i

Sample Info: 200mL S1463

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/13JUN24.b/3061328.d

Date : 14-JUN-2024 03:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL S1463


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 1.096 PPBV














Data File: /chem/msd3.i/13JUN24.b/3061328.d

Date : 14-JUN-2024 03:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL S1463


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 0.2817 PPBV














Data File: /chem/msd3.i/13JUN24.b/3061328.d

Date : 14-JUN-2024 03:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL S1463


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.8522 PPBV














Data File: /chem/msd3.i/13JUN24.b/3061328.d

Date : 14-JUN-2024 03:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL S1463


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 0.4139 PPBV














Client ID:	T1AMF-SV024_May24		
Lab ID:	2406133-07A	**Date/Time Analyzed:**	6/14/24 05:30 PM
Date/Time Collected:	5/29/24 11:02 AM	**Dilution Factor:**	10.0
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061411

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	10	18	20	Not Detected U
1,4-Dichlorobenzene	106-46-7	10	27	30	Not Detected U
Benzene	71-43-2	3.8	14	16	Not Detected U
cis-1,2-Dichloroethene	156-59-2	4.3	18	20	Not Detected U
Ethyl Benzene	100-41-4	5.2	20	22	Not Detected U
m,p-Xylene	108-38-3	3.1	20	43	Not Detected U
o-Xylene	95-47-6	5.2	20	22	Not Detected U
Toluene	108-88-3	4.7	17	38	Not Detected U
trans-1,2-Dichloroethene	156-60-5	9.1	18	20	Not Detected U
Trichloroethene	79-01-6	8.0	24	27	6300
Vinyl Chloride	75-01-4	11	12	13	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	90
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061411.d
Lab Smp Id: 2406133-07A
Inj Date : 14-JUN-2024 17:30
Operator : RT Inst ID: msd3.i
Smp Info : 40mL N7562
Misc Info : 5.1 Hg->9.7 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 3
Dil Factor: 10.00000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	96521	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	74917			47.79- 107.79	77.62
5.432	5.432 (1.000)	49	143615			131.33- 191.33	148.79
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	113049	22.4866	22.487	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	59180			23.17- 83.17	52.35
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	350388	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	51961			0.00- 45.65	14.83
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	397698	116.920	1169.2	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	445778			80.23- 140.23	112.09
6.628	6.628 (1.032)	97	258805			34.78- 94.78	65.08
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	329343	24.1785	24.178	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	70	35692			0.00- 41.42	10.84
7.760	7.760 (1.209)	100	220470			37.54- 97.54	66.94
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	352152	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	177072			22.92- 82.92	50.28
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	265589	25.3779	25.378	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	293314			88.49- 148.49	110.44
10.288	10.288 (1.124)	176	256626			66.73- 126.73	96.63

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061411.d
Lab Smp Id: 2406133-07A
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 5.1 Hg->9.7 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	96521	-0.80
108 1,4-Difluorobenze	356185	213711	498659	350388	-1.63
153 Chlorobenzene-d5	352841	211705	493977	352152	-0.20

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:44

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-07A
Level: LOW Operator: RT
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 5.1 Hg->9.7 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.487	89.95	68-132
$ 134 Toluene-d8	25.000	24.178	96.71	91-110
$ 170 4-Bromofluorobenz	25.000	25.378	101.51	77-125

Data File: /chem/msd3.i/14JUN24.b/3061411.d

Date : 14-JUN-2024 17:30

Client ID:


Instrument: msd3.i

Sample Info: 40mL N7562

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061411.d

Date : 14-JUN-2024 17:30

Client ID:

Instrument: msd3.i

Sample Info: 40mL N7562


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 1169.2 PPBV

















Client ID:	T1AMF-SV026_May24		
Lab ID:	2406133-08A	**Date/Time Analyzed:**	6/14/24 06:05 PM
Date/Time Collected:	5/29/24 12:20 PM	**Dilution Factor:**	2.25
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061412

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.0	4.5	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.3	6.1	6.8	Not Detected U
Benzene	71-43-2	0.85	3.2	3.6	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.97	4.0	4.5	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.4	4.9	Not Detected U
m,p-Xylene	108-38-3	0.70	4.4	9.8	3.0 J
o-Xylene	95-47-6	1.2	4.4	4.9	1.2 J
Toluene	108-88-3	1.1	3.8	8.5	1.7 J
trans-1,2-Dichloroethene	156-60-5	2.0	4.0	4.5	Not Detected U
Trichloroethene	79-01-6	1.8	5.4	6.0	1100
Vinyl Chloride	75-01-4	2.4	2.6	2.9	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	91
4-Bromofluorobenzene	460-00-4	77-125	104
Toluene-d8	2037-26-5	91-110	94

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061412.d
Lab Smp Id: 2406133-08A
Inj Date : 14-JUN-2024 18:05
Operator : RT Inst ID: msd3.i
Smp Info : 200mL N5475
Misc Info : 7.6 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 4
Dil Factor: 2.25000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	108993	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	83856			47.79- 107.79	76.94
5.432	5.432 (1.000)	49	162145			131.33- 191.33	148.77
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.019 (1.109)	65	128876	22.7014	22.701	80.00- 120.00	100.00
6.026	6.019 (1.109)	67	67102			23.17- 83.17	52.07
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	387485	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	56931			0.00- 45.65	14.69
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	333550	88.6730	199.51	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	375132			80.23- 140.23	112.47
6.628	6.628 (1.032)	97	215526			34.78- 94.78	64.62
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	355016	23.5680	23.568	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.767	7.760 (1.210)	70	38028			0.00- 41.42	10.71
7.767	7.760 (1.210)	100	240792			37.54- 97.54	67.83
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	2190	0.20278	0.4562	80.00- 120.00	100.00(a)
7.824	7.824 (1.219)	92	1100			27.89- 87.89	50.25
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	403551	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	203458			22.92- 82.92	50.42
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	1820	0.31048	0.6986	80.00- 120.00	100.00(a)
9.364	9.364 (1.023)	91	3108			170.33- 230.33	170.71
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	679	0.12215	0.2748	80.00- 120.00	100.00(a)
9.744	9.744 (1.065)	91	1493			181.23- 241.23	219.73
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	310500	25.8904	25.890	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	341336			88.49- 148.49	109.93
10.288	10.288 (1.124)	176	304361			66.73- 126.73	98.02

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061412.d
Lab Smp Id: 2406133-08A
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 7.6 Hg->10 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	108993	12.02
108 1,4-Difluorobenze	356185	213711	498659	387485	8.79
153 Chlorobenzene-d5	352841	211705	493977	403551	14.37

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:46

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-08A
Level: LOW Operator: RT
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 7.6 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.701	90.81	68-132
$ 134 Toluene-d8	25.000	23.568	94.27	91-110
$ 170 4-Bromofluorobenz	25.000	25.890	103.56	77-125

Data File: /chem/msd3.i/14JUN24.b/3061412.d

Date : 14-JUN-2024 18:05

Client ID:


Instrument: msd3.i

Sample Info: 200mL N5475

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061412.d

Date : 14-JUN-2024 18:05

Client ID:

Instrument: msd3.i

Sample Info: 200mL N5475


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 199.51 PPBV

















Data File: /chem/msd3.i/14JUN24.b/3061412.d

Date : 14-JUN-2024 18:05

Client ID:

Instrument: msd3.i

Sample Info: 200mL N5475


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 0.4562 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061412.d

Date : 14-JUN-2024 18:05

Client ID:

Instrument: msd3.i

Sample Info: 200mL N5475


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.6986 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061412.d

Date : 14-JUN-2024 18:05

Client ID:

Instrument: msd3.i

Sample Info: 200mL N5475


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 0.2748 PPBV














eurofins | Air Toxics

Client ID:	T1AMF-SV026_May24_FD		
Lab ID:	2406133-09A	**Date/Time Analyzed:**	6/14/24 06:40 PM
Date/Time Collected:	5/29/24 12:20 PM	**Dilution Factor:**	2.50
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061413

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.6	4.5	5.0	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.5	6.8	7.5	Not Detected U
Benzene	71-43-2	0.94	3.6	4.0	Not Detected U
cis-1,2-Dichloroethene	156-59-2	1.1	4.5	5.0	Not Detected U
Ethyl Benzene	100-41-4	1.3	4.9	5.4	Not Detected U
m,p-Xylene	108-38-3	0.78	4.9	11	1.9 J
o-Xylene	95-47-6	1.3	4.9	5.4	Not Detected U
Toluene	108-88-3	1.2	4.2	9.4	1.3 J
trans-1,2-Dichloroethene	156-60-5	2.3	4.5	5.0	Not Detected U
Trichloroethene	79-01-6	2.0	6.0	6.7	1000
Vinyl Chloride	75-01-4	2.7	2.9	3.2	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	91
4-Bromofluorobenzene	460-00-4	77-125	104
Toluene-d8	2037-26-5	91-110	95

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061413.d
Lab Smp Id: 2406133-09A
Inj Date : 14-JUN-2024 18:40
Operator : RT Inst ID: msd3.i
Smp Info : 200mL N5166
Misc Info : 9.8 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 5
Dil Factor: 2.50000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.432	5.432 (1.000)	130	106230	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	83004				47.79- 107.79	78.14
5.432	5.432 (1.000)	49	161396				131.33- 191.33	151.93
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	125614	22.7023	22.702		80.00- 120.00	100.00
6.026	6.019 (1.109)	67	65619				23.17- 83.17	52.24
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	383242	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	54907				0.00- 45.65	14.33
111 Trichloroethene						CAS #: 79-01-6		
6.628	6.628 (1.032)	95	289719	77.8734	194.68		80.00- 120.00	100.00
6.628	6.628 (1.032)	130	322936				80.23- 140.23	111.47
6.628	6.628 (1.032)	97	186118				34.78- 94.78	64.24
$ 134 Toluene-d8						CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	353490	23.7265	23.726		80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.767	7.760 (1.210)	70	37946			0.00- 41.42	10.73
7.767	7.760 (1.210)	100	235802			37.54- 97.54	66.71
137 Toluene					CAS #: 108-88-3		
7.831	7.824 (1.220)	91	1508	0.14118	0.3529	80.00- 120.00	100.00(a)
7.824	7.824 (1.219)	92	768			27.89- 87.89	50.95
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	387966	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	193020			22.92- 82.92	49.75
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	1007	0.17869	0.4467	80.00- 120.00	100.00(a)
9.364	9.364 (1.023)	91	2240			170.33- 230.33	222.51
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	299800	26.0024	26.002	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	330669			88.49- 148.49	110.30
10.288	10.288 (1.124)	176	333982			66.73- 126.73	111.40

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061413.d
Lab Smp Id: 2406133-09A
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 9.8 Hg->10 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	106230	9.18
108 1,4-Difluorobenze	356185	213711	498659	383242	7.60
153 Chlorobenzene-d5	352841	211705	493977	387966	9.95

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:47

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-09A
Level: LOW Operator: RT
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 9.8 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.702	90.81	68-132
$ 134 Toluene-d8	25.000	23.726	94.91	91-110
$ 170 4-Bromofluorobenz	25.000	26.002	104.01	77-125

Data File: /chem/msd3.i/14JUN24.b/3061413.d

Page 1

Date : 14-JUN-2024 18:40

Client ID:


Instrument: msd3.i

Sample Info: 200mL N5166

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061413.d

Date : 14-JUN-2024 18:40

Client ID:

Instrument: msd3.i

Sample Info: 200mL N5166


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 194.68 PPBV

















Data File: /chem/msd3.i/14JUN24.b/3061413.d

Date : 14-JUN-2024 18:40

Client ID:

Instrument: msd3.i

Sample Info: 200mL N5166


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 0.3529 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061413.d

Date : 14-JUN-2024 18:40

Client ID:

Instrument: msd3.i

Sample Info: 200mL N5166


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.4467 PPBV














Client ID:	T1AMF-SV022_May24		
Lab ID:	2406133-10A	**Date/Time Analyzed:**	6/14/24 07:11 PM
Date/Time Collected:	5/29/24 01:15 PM	**Dilution Factor:**	11.9
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061414

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	12	21	24	Not Detected U
1,4-Dichlorobenzene	106-46-7	12	32	36	Not Detected U
Benzene	71-43-2	4.5	17	19	Not Detected U
cis-1,2-Dichloroethene	156-59-2	5.1	21	24	30
Ethyl Benzene	100-41-4	6.1	23	26	Not Detected U
m,p-Xylene	108-38-3	3.7	23	52	Not Detected U
o-Xylene	95-47-6	6.2	23	26	Not Detected U
Toluene	108-88-3	5.6	20	45	Not Detected U
trans-1,2-Dichloroethene	156-60-5	11	21	24	Not Detected U
Trichloroethene	79-01-6	9.6	29	32	7200
Vinyl Chloride	75-01-4	13	14	15	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	90
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	96

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061414.d
Lab Smp Id: 2406133-10A
Inj Date : 14-JUN-2024 19:11
Operator : RT Inst ID: msd3.i
Smp Info : 45mL N2678
Misc Info : 11.2 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 6
Dil Factor: 11.90000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
85 cis-1,2-Dichloroethene						CAS #: 156-59-2		
5.188	5.181 (0.955)	98	1117	0.64274		7.648	80.00- 120.00	100.00
5.181	5.181 (0.954)	96	1927				125.53- 185.53	172.50
5.181	5.181 (0.954)	61	2954				219.86- 279.86	264.45
* 90 Bromochloromethane						CAS #: 74-97-5		
5.432	5.432 (1.000)	130	97409	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	75818				47.79- 107.79	77.83
5.432	5.432 (1.000)	49	144149				131.33- 191.33	147.98
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	113943	22.4578		22.458	80.00- 120.00	100.00(a)
6.019	6.019 (1.108)	67	58839				23.17- 83.17	51.64
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	347964	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	50792				0.00- 45.65	14.60
111 Trichloroethene						CAS #: 79-01-6		
6.628	6.628 (1.032)	95	383165	113.432		1349.8	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
111 Trichloroethene (continued)							
6.628	6.628 (1.032)	130	428856			80.23- 140.23	111.92
6.628	6.628 (1.032)	97	246987			34.78- 94.78	64.46
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	326389	24.1286	24.128	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	35622			0.00- 41.42	10.91
7.760	7.760 (1.209)	100	219944			37.54- 97.54	67.39
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	356109	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	178642			22.92- 82.92	50.16
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	269696	25.4840	25.484	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	295292			88.49- 148.49	109.49
10.288	10.288 (1.124)	176	264632			66.73- 126.73	98.12

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061414.d
Lab Smp Id: 2406133-10A
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 11.2 Hg->10 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	97409	0.11
108 1,4-Difluorobenze	356185	213711	498659	347964	-2.31
153 Chlorobenzene-d5	352841	211705	493977	356109	0.93

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:48

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-10A
Level: LOW Operator: RT
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 11.2 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.458	89.83	68-132
$ 134 Toluene-d8	25.000	24.128	96.51	91-110
$ 170 4-Bromofluorobenz	25.000	25.484	101.94	77-125

Data File: /chem/msd3.i/14JUN24.b/3061414.d

Date : 14-JUN-2024 19:11

Client ID:


Instrument: msd3.i

Sample Info: 45mL N2678

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061414.d

Date : 14-JUN-2024 19:11

Client ID:

Instrument: msd3.i

Sample Info: 45mL N2678


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


85 cis-1,2-Dichloroethene


Concentration: 7.648 PPBV

















Data File: /chem/msd3.i/14JUN24.b/3061414.d

Date : 14-JUN-2024 19:11

Client ID:

Instrument: msd3.i

Sample Info: 45mL N2678


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 1349.8 PPBV

















eurofins | Air Toxics

Client ID:	T1AMF-SV020_May24		
Lab ID:	2406133-11A	**Date/Time Analyzed:**	6/14/24 07:46 PM
Date/Time Collected:	5/29/24 03:05 PM	**Dilution Factor:**	3.46
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061415

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	3.6	6.2	6.8	Not Detected U
1,4-Dichlorobenzene	106-46-7	3.5	9.4	10	Not Detected U
Benzene	71-43-2	1.3	5.0	5.5	3.7 J
cis-1,2-Dichloroethene	156-59-2	1.5	6.2	6.8	Not Detected U
Ethyl Benzene	100-41-4	1.8	6.8	7.5	2.1 J
m,p-Xylene	108-38-3	1.1	6.8	15	3.5 J
o-Xylene	95-47-6	1.8	6.8	7.5	Not Detected U
Toluene	108-88-3	1.6	5.9	13	5.9 J
trans-1,2-Dichloroethene	156-60-5	3.2	6.2	6.8	Not Detected U
Trichloroethene	79-01-6	2.8	8.4	9.3	390
Vinyl Chloride	75-01-4	3.7	4.0	4.4	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	92
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	96

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061415.d
Lab Smp Id: 2406133-11A
Inj Date : 14-JUN-2024 19:46
Operator : RT Inst ID: msd3.i
Smp Info : 200mL 1L1792
Misc Info : 15.5 Hg->9.9 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 7
Dil Factor: 3.46000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.432	5.432 (1.000)	130	97924	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	77063				47.79- 107.79	78.70
5.432	5.432 (1.000)	49	149021				131.33- 191.33	152.18
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	117878	23.1112	23.111		80.00- 120.00	100.00
6.026	6.019 (1.109)	67	62063				23.17- 83.17	52.65
102 Benzene						CAS #: 71-43-2		
5.998	5.990 (0.934)	78	2466	0.33729	1.167		80.00- 120.00	100.00(a)
5.990	5.990 (0.933)	77	493				0.00- 53.69	20.01
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	363132	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	51887				0.00- 45.65	14.29
111 Trichloroethene						CAS #: 79-01-6		
6.628	6.628 (1.032)	95	74187	21.0450	72.816		80.00- 120.00	100.00
6.628	6.628 (1.032)	130	84584				80.23- 140.23	114.02

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
111 Trichloroethene (continued)							
6.628	6.628 (1.032)	97	48854			34.78- 94.78	65.85
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	340581	24.1261	24.126	80.00- 120.00	100.00
7.767	7.760 (1.210)	70	37326			0.00- 41.42	10.96
7.760	7.760 (1.209)	100	228578			37.54- 97.54	67.11
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	4557	0.45025	1.558	80.00- 120.00	100.00(a)
7.824	7.824 (1.219)	92	2762			27.89- 87.89	60.62
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	373157	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	185878			22.92- 82.92	49.81
155 Ethyl Benzene					CAS #: 100-41-4		
9.250	9.242 (1.011)	106	600	0.13797	0.4774	80.00- 120.00	100.00(a)
9.250	9.242 (1.011)	91	1818			281.09- 341.09	302.69
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	1251	0.23079	0.7985	80.00- 120.00	100.00(a)
9.364	9.364 (1.023)	91	2525			170.33- 230.33	201.81
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	281866	25.4171	25.417	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	309957			88.49- 148.49	109.97
10.288	10.288 (1.124)	176	276171			66.73- 126.73	97.98

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061415.d
Lab Smp Id: 2406133-11A
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 15.5 Hg->9.9 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	97924	0.64
108 1,4-Difluorobenze	356185	213711	498659	363132	1.95
153 Chlorobenzene-d5	352841	211705	493977	373157	5.76

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:48

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-11A
Level: LOW Operator: RT
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 15.5 Hg->9.9 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	23.111	92.44	68-132
$ 134 Toluene-d8	25.000	24.126	96.50	91-110
$ 170 4-Bromofluorobenz	25.000	25.417	101.67	77-125

Data File: /chem/msd3.i/14JUN24.b/3061415.d

Page 1

Date : 14-JUN-2024 19:46

Client ID:


Instrument: msd3.i

Sample Info: 200mL 1L1792

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061415.d

Date : 14-JUN-2024 19:46

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L1792


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 1.167 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061415.d

Date : 14-JUN-2024 19:46

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L1792


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 72.816 PPBV

















Data File: /chem/msd3.i/14JUN24.b/3061415.d

Date : 14-JUN-2024 19:46

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L1792


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 1.558 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061415.d

Date : 14-JUN-2024 19:46

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L1792


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 0.4774 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061415.d

Date : 14-JUN-2024 19:46

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L1792


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.7985 PPBV














eurofins | Air Toxics

Client ID:	T1AMF-SV017B_May24		
Lab ID:	2406133-12A	**Date/Time Analyzed:**	6/14/24 08:21 PM
Date/Time Collected:	5/29/24 04:25 PM	**Dilution Factor:**	2.71
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061416

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.8	4.8	5.4	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.7	7.3	8.1	Not Detected U
Benzene	71-43-2	1.0	3.9	4.3	Not Detected U
cis-1,2-Dichloroethene	156-59-2	1.2	4.8	5.4	Not Detected U
Ethyl Benzene	100-41-4	1.4	5.3	5.9	Not Detected U
m,p-Xylene	108-38-3	0.84	5.3	12	Not Detected U
o-Xylene	95-47-6	1.4	5.3	5.9	Not Detected U
Toluene	108-88-3	1.3	4.6	10	Not Detected U
trans-1,2-Dichloroethene	156-60-5	2.5	4.8	5.4	Not Detected U
Trichloroethene	79-01-6	2.2	6.6	7.3	23
Vinyl Chloride	75-01-4	2.9	3.1	3.5	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	92
4-Bromofluorobenzene	460-00-4	77-125	100
Toluene-d8	2037-26-5	91-110	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061416.d
Lab Smp Id: 2406133-12A
Inj Date : 14-JUN-2024 20:21
Operator : RT Inst ID: msd3.i
Smp Info : 200mL N7793
Misc Info : 11.4 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 8
Dil Factor: 2.71000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	95394	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	74614			47.79- 107.79	78.22
5.432	5.432 (1.000)	49	144134			131.33- 191.33	151.09
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	114798	23.1043	23.104	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	58686			23.17- 83.17	51.12
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	351805	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	51187			0.00- 45.65	14.55
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	5495	1.60898	4.360	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	5944			80.23- 140.23	108.17
6.628	6.628 (1.032)	97	3565			34.78- 94.78	64.87
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	332555	24.3160	24.316	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	70	35939			0.00- 41.42	10.81
7.767	7.760 (1.210)	100	224751			37.54- 97.54	67.58
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	361527	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	181519			22.92- 82.92	50.21
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	269255	25.0610	25.061	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	299279			88.49- 148.49	111.15
10.288	10.288 (1.124)	176	262272			66.73- 126.73	97.41

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061416.d
Lab Smp Id: 2406133-12A
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 11.4 Hg->10 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	95394	-1.96
108 1,4-Difluorobenze	356185	213711	498659	351805	-1.23
153 Chlorobenzene-d5	352841	211705	493977	361527	2.46

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:51

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-12A
Level: LOW Operator: RT
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 11.4 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	23.104	92.42	68-132
$ 134 Toluene-d8	25.000	24.316	97.26	91-110
$ 170 4-Bromofluorobenz	25.000	25.061	100.24	77-125

Data File: /chem/msd3.i/14JUN24.b/3061416.d

Date : 14-JUN-2024 20:21

Client ID:


Instrument: msd3.i

Sample Info: 200mL N7793

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061416.d

Date : 14-JUN-2024 20:21

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7793


Operator: RT


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 4.360 PPBV

















eurofins | Air Toxics

Client ID:	T1AMF-SV007_May24		
Lab ID:	2406133-13A	**Date/Time Analyzed:**	6/14/24 08:56 PM
Date/Time Collected:	5/30/24 09:11 AM	**Dilution Factor:**	2.20
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061417

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	3.9	4.4	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.2	6.0	6.6	Not Detected U
Benzene	71-43-2	0.83	3.2	3.5	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.95	3.9	4.4	Not Detected U
Ethyl Benzene	100-41-4	1.1	4.3	4.8	Not Detected U
m,p-Xylene	108-38-3	0.68	4.3	9.6	Not Detected U
o-Xylene	95-47-6	1.1	4.3	4.8	Not Detected U
Toluene	108-88-3	1.0	3.7	8.3	Not Detected U
trans-1,2-Dichloroethene	156-60-5	2.0	3.9	4.4	Not Detected U
Trichloroethene	79-01-6	1.8	5.3	5.9	Not Detected U
Vinyl Chloride	75-01-4	2.4	2.5	2.8	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	91
4-Bromofluorobenzene	460-00-4	77-125	101
Toluene-d8	2037-26-5	91-110	96

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061417.d
Lab Smp Id: 2406133-13A
Inj Date : 14-JUN-2024 20:56
Operator : RT Inst ID: msd3.i
Smp Info : 200mL N5605
Misc Info : 7.3 Hg->9.8 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 9
Dil Factor: 2.20000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.432	5.432 (1.000)	130	96418	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	76551				47.79- 107.79	79.39
5.432	5.432 (1.000)	49	146597				131.33- 191.33	152.04
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	114189	22.7376	22.738		80.00- 120.00	100.00
6.019	6.019 (1.108)	67	59425				23.17- 83.17	52.04
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	358815	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	52097				0.00- 45.65	14.52
$ 134 Toluene-d8						CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	336523	24.1254	24.125		80.00- 120.00	100.00
7.760	7.760 (1.209)	70	35548				0.00- 41.42	10.56
7.760	7.760 (1.209)	100	228931				37.54- 97.54	68.03
* 153 Chlorobenzene-d5						CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	365351	25.0000			80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
9.149	9.149 (1.000)	82	183650			22.92- 82.92	50.27
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	274520	25.2836	25.284	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	302697			88.49- 148.49	110.26
10.288	10.288 (1.124)	176	266309			66.73- 126.73	97.01

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061417.d
Lab Smp Id: 2406133-13A
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 7.3 Hg->9.8 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	96418	-0.90
108 1,4-Difluorobenze	356185	213711	498659	358815	0.74
153 Chlorobenzene-d5	352841	211705	493977	365351	3.55

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:53

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-13A
Level: LOW Operator: RT
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 7.3 Hg->9.8 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.738	90.95	68-132
$ 134 Toluene-d8	25.000	24.125	96.50	91-110
$ 170 4-Bromofluorobenz	25.000	25.284	101.13	77-125

Data File: /chem/msd3.i/14JUN24.b/3061417.d

Page 1

Date : 14-JUN-2024 20:56

Client ID:


Instrument: msd3.i

Sample Info: 200mL N5605

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



eurofins | Air Toxics

Client ID:	T1AMF-SV006_May24		
Lab ID:	2406133-14A	**Date/Time Analyzed:**	6/15/24 12:02 AM
Date/Time Collected:	5/30/24 10:28 AM	**Dilution Factor:**	2.30
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061420

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.4	4.1	4.6	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.3	6.2	6.9	Not Detected U
Benzene	71-43-2	0.87	3.3	3.7	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.99	4.1	4.6	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.5	5.0	Not Detected U
m,p-Xylene	108-38-3	0.72	4.5	10	Not Detected U
o-Xylene	95-47-6	1.2	4.5	5.0	Not Detected U
Toluene	108-88-3	1.1	3.9	8.7	Not Detected U
trans-1,2-Dichloroethene	156-60-5	2.1	4.1	4.6	Not Detected U
Trichloroethene	79-01-6	1.8	5.6	6.2	2.8 J
Vinyl Chloride	75-01-4	2.5	2.6	2.9	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	92
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061420.d
Lab Smp Id: 2406133-14A
Inj Date : 15-JUN-2024 00:02
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL 1L4700
Misc Info : 8.2 Hg->9.9 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 3
Dil Factor: 2.30000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.432 (1.000)	130	98968	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	78621			47.79- 107.79	79.44
5.432	5.432 (1.000)	49	147737			131.33- 191.33	149.28
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.107)	65	118021	22.8952	22.895	80.00- 120.00	100.00
6.019	6.019 (1.107)	67	60802			23.17- 83.17	51.52
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	358784	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	52310			0.00- 45.65	14.58
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.628 (1.033)	95	805	0.23113	0.5316	80.00- 120.00	100.00(a)
6.628	6.628 (1.032)	130	1092			80.23- 140.23	135.58
6.628	6.628 (1.032)	97	900			34.78- 94.78	111.79
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	340447	24.4088	24.409	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	70	36214			0.00- 41.42	10.64
7.767	7.760 (1.210)	100	228070			37.54- 97.54	66.99
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	374417	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	186486			22.92- 82.92	49.81
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	284042	25.5271	25.527	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	314841			88.49- 148.49	110.84
10.288	10.288 (1.124)	176	278782			66.73- 126.73	98.15

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061420.d
Lab Smp Id: 2406133-14A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.2 Hg->9.9 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	98968	1.72
108 1,4-Difluorobenze	356185	213711	498659	358784	0.73
153 Chlorobenzene-d5	352841	211705	493977	374417	6.11

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.44	0.13
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:55

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-14A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.2 Hg->9.9 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.895	91.58	68-132
$ 134 Toluene-d8	25.000	24.409	97.64	91-110
$ 170 4-Bromofluorobenz	25.000	25.527	102.11	77-125

Data File: /chem/msd3.i/14JUN24.b/3061420.d

Page 1

Date : 15-JUN-2024 00:02

Client ID:


Instrument: msd3.i

Sample Info: 200mL 1L4700

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061420.d

Date : 15-JUN-2024 00:02

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4700


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 0.5316 PPBV

















Client ID:	T1AMF-SV016_May24		
Lab ID:	2406133-15A	**Date/Time Analyzed:**	6/15/24 12:37 AM
Date/Time Collected:	5/30/24 11:37 AM	**Dilution Factor:**	2.34
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061421

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.4	4.2	4.6	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.4	6.3	7.0	Not Detected U
Benzene	71-43-2	0.88	3.4	3.7	Not Detected U
cis-1,2-Dichloroethene	156-59-2	1.0	4.2	4.6	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.6	5.1	Not Detected U
m,p-Xylene	108-38-3	0.73	4.6	10	Not Detected U
o-Xylene	95-47-6	1.2	4.6	5.1	Not Detected U
Toluene	108-88-3	1.1	4.0	8.8	Not Detected U
trans-1,2-Dichloroethene	156-60-5	2.1	4.2	4.6	Not Detected U
Trichloroethene	79-01-6	1.9	5.6	6.3	140
Vinyl Chloride	75-01-4	2.5	2.7	3.0	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	91
4-Bromofluorobenzene	460-00-4	77-125	101
Toluene-d8	2037-26-5	91-110	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061421.d
Lab Smp Id: 2406133-15A
Inj Date : 15-JUN-2024 00:37
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N7285
Misc Info : 8.6 Hg->9.8 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 4
Dil Factor: 2.34000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	98259	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	77639			47.79- 107.79	79.02
5.432	5.432 (1.000)	49	148841			131.33- 191.33	151.48
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	115975	22.6606	22.660	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	59260			23.17- 83.17	51.10
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	358720	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	52371			0.00- 45.65	14.60
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	40332	11.5819	27.102	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	44028			80.23- 140.23	109.16
6.628	6.628 (1.032)	97	25645			34.78- 94.78	63.58
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	339821	24.3683	24.368	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	70	35948			0.00- 41.42	10.58
7.760	7.760 (1.209)	100	228178			37.54- 97.54	67.15
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	375660	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	187035			22.92- 82.92	49.79
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	281990	25.2589	25.259	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	308765			88.49- 148.49	109.49
10.288	10.288 (1.124)	176	274012			66.73- 126.73	97.17

Report Date: 17-Jun-2024 08:55

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061421.d
Lab Smp Id: 2406133-15A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.6 Hg->9.8 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	98259	0.99
108 1,4-Difluorobenze	356185	213711	498659	358720	0.71
153 Chlorobenzene-d5	352841	211705	493977	375660	6.47

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:55

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-15A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.6 Hg->9.8 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.660	90.64	68-132
$ 134 Toluene-d8	25.000	24.368	97.47	91-110
$ 170 4-Bromofluorobenz	25.000	25.259	101.04	77-125

Data File: /chem/msd3.i/14JUN24.b/3061421.d

Date : 15-JUN-2024 00:37

Client ID:


Instrument: msd3.i

Sample Info: 200mL N7285

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061421.d

Date : 15-JUN-2024 00:37

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7285


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 27.102 PPBV

















eurofins | Air Toxics

Client ID:	T1AMF-SV008_May24		
Lab ID:	2406133-16A	**Date/Time Analyzed:**	6/15/24 01:12 AM
Date/Time Collected:	5/30/24 12:51 PM	**Dilution Factor:**	2.38
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061422

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.4	4.2	4.7	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.4	6.4	7.2	Not Detected U
Benzene	71-43-2	0.90	3.4	3.8	Not Detected U
cis-1,2-Dichloroethene	156-59-2	1.0	4.2	4.7	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.6	5.2	Not Detected U
m,p-Xylene	108-38-3	0.74	4.6	10	3.3 J
o-Xylene	95-47-6	1.2	4.6	5.2	1.9 J
Toluene	108-88-3	1.1	4.0	9.0	2.1 J
trans-1,2-Dichloroethene	156-60-5	2.2	4.2	4.7	Not Detected U
Trichloroethene	79-01-6	1.9	5.8	6.4	Not Detected U
Vinyl Chloride	75-01-4	2.6	2.7	3.0	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	91
4-Bromofluorobenzene	460-00-4	77-125	103
Toluene-d8	2037-26-5	91-110	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061422.d
Lab Smp Id: 2406133-16A
Inj Date : 15-JUN-2024 01:12
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N8419
Misc Info : 8.8 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 5
Dil Factor: 2.38000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.432	5.432 (1.000)	130	97310	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	75999				47.79- 107.79	78.10
5.432	5.432 (1.000)	49	146195				131.33- 191.33	150.24
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	114867	22.6630	22.663		80.00- 120.00	100.00
6.019	6.019 (1.108)	67	59292				23.17- 83.17	51.62
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	355528	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	51531				0.00- 45.65	14.49
$ 134 Toluene-d8						CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	334261	24.1848	24.185		80.00- 120.00	100.00
7.767	7.760 (1.210)	70	35794				0.00- 41.42	10.71
7.767	7.760 (1.210)	100	225944				37.54- 97.54	67.60
137 Toluene						CAS #: 108-88-3		
7.824	7.824 (1.219)	91	2296	0.23171	0.5514		80.00- 120.00	100.00(a)

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
137 Toluene (continued)							
7.824	7.824 (1.219)	92	1595			27.89- 87.89	69.48
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	367397	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	184622			22.92- 82.92	50.25
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	1711	0.32061	0.7630	80.00- 120.00	100.00(a)
9.357	9.364 (1.023)	91	3661			170.33- 230.33	213.93
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	926	0.18298	0.4355	80.00- 120.00	100.00(a)
9.744	9.744 (1.065)	91	1855			181.23- 241.23	200.16
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.288 (1.125)	174	281799	25.8095	25.809	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	308194			88.49- 148.49	109.37
10.295	10.288 (1.125)	176	276389			66.73- 126.73	98.08

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061422.d
Lab Smp Id: 2406133-16A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.8 Hg->10 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	97310	0.01
108 1,4-Difluorobenze	356185	213711	498659	355528	-0.18
153 Chlorobenzene-d5	352841	211705	493977	367397	4.13

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:55

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-16A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.8 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.663	90.65	68-132
$ 134 Toluene-d8	25.000	24.185	96.74	91-110
$ 170 4-Bromofluorobenz	25.000	25.809	103.24	77-125

Data File: /chem/msd3.i/14JUN24.b/3061422.d

Date : 15-JUN-2024 01:12

Client ID:


Instrument: msd3.i

Sample Info: 200mL N8419

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061422.d

Date : 15-JUN-2024 01:12

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8419


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 0.5514 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061422.d

Date : 15-JUN-2024 01:12

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8419


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.7630 PPBV














Data File: /chem/msd3.i/14JUN24.b/3061422.d

Date : 15-JUN-2024 01:12

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8419


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 0.4355 PPBV














eurofins | Air Toxics

Client ID:	T1AMF-SV005B_May24		
Lab ID:	2406133-17A	**Date/Time Analyzed:**	6/15/24 01:47 AM
Date/Time Collected:	5/30/24 03:04 PM	**Dilution Factor:**	2.50
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061423

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.6	4.5	5.0	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.5	6.8	7.5	Not Detected U
Benzene	71-43-2	0.94	3.6	4.0	Not Detected U
cis-1,2-Dichloroethene	156-59-2	1.1	4.5	5.0	Not Detected U
Ethyl Benzene	100-41-4	1.3	4.9	5.4	Not Detected U
m,p-Xylene	108-38-3	0.78	4.9	11	1.9 J
o-Xylene	95-47-6	1.3	4.9	5.4	Not Detected U
Toluene	108-88-3	1.2	4.2	9.4	Not Detected U
trans-1,2-Dichloroethene	156-60-5	2.3	4.5	5.0	Not Detected U
Trichloroethene	79-01-6	2.0	6.0	6.7	110
Vinyl Chloride	75-01-4	2.7	2.9	3.2	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	90
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	99

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061423.d
Lab Smp Id: 2406133-17A
Inj Date : 15-JUN-2024 01:47
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N8082
Misc Info : 9.6 Hg->10.3 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 6
Dil Factor: 2.50000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.432	5.432 (1.000)	130	97269	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	74675				47.79- 107.79	76.77
5.432	5.432 (1.000)	49	146216				131.33- 191.33	150.32
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.026	6.019 (1.109)	65	114618	22.6234	22.623		80.00- 120.00	100.00
6.019	6.019 (1.108)	67	59663				23.17- 83.17	52.05
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	354335	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	52687				0.00- 45.65	14.87
111 Trichloroethene						CAS #: 79-01-6		
6.628	6.628 (1.032)	95	28633	8.32412	20.810		80.00- 120.00	100.00
6.628	6.628 (1.032)	130	32474				80.23- 140.23	113.41
6.628	6.628 (1.032)	97	18409				34.78- 94.78	64.29
$ 134 Toluene-d8						CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	339988	24.6820	24.682		80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	70	35547			0.00- 41.42	10.46
7.767	7.760 (1.210)	100	225976			37.54- 97.54	66.47
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	370574	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	186151			22.92- 82.92	50.23
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	930	0.17277	0.4319	80.00- 120.00	100.00(a)
9.364	9.364 (1.023)	91	1828			170.33- 230.33	196.49
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	281168	25.5309	25.531	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	309522			88.49- 148.49	110.08
10.288	10.288 (1.124)	176	273161			66.73- 126.73	97.15

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

Report Date: 17-Jun-2024 08:57

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061423.d
Lab Smp Id: 2406133-17A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 9.6 Hg->10.3 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	97269	-0.03
108 1,4-Difluorobenze	356185	213711	498659	354335	-0.52
153 Chlorobenzene-d5	352841	211705	493977	370574	5.03

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:57

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-17A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 9.6 Hg->10.3 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.623	90.49	68-132
$ 134 Toluene-d8	25.000	24.682	98.73	91-110
$ 170 4-Bromofluorobenz	25.000	25.531	102.12	77-125

Data File: /chem/msd3.i/14JUN24.b/3061423.d

Page 1

Date : 15-JUN-2024 01:47

Client ID:


Instrument: msd3.i

Sample Info: 200mL N8082

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061423.d

Date : 15-JUN-2024 01:47

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8082


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 20.810 PPBV

















Data File: /chem/msd3.i/14JUN24.b/3061423.d

Date : 15-JUN-2024 01:47

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8082


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.4319 PPBV














eurofins | Air Toxics

Client ID:	T1AMF-SV004_May24		
Lab ID:	2406133-18A	**Date/Time Analyzed:**	6/15/24 02:22 AM
Date/Time Collected:	5/30/24 04:26 PM	**Dilution Factor:**	2.37
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061424

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.4	4.2	4.7	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.4	6.4	7.1	Not Detected U
Benzene	71-43-2	0.90	3.4	3.8	Not Detected U
cis-1,2-Dichloroethene	156-59-2	1.0	4.2	4.7	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.6	5.1	Not Detected U
m,p-Xylene	108-38-3	0.74	4.6	10	1.2 J
o-Xylene	95-47-6	1.2	4.6	5.1	Not Detected U
Toluene	108-88-3	1.1	4.0	8.9	Not Detected U
trans-1,2-Dichloroethene	156-60-5	2.2	4.2	4.7	Not Detected U
Trichloroethene	79-01-6	1.9	5.7	6.4	3.2 J
Vinyl Chloride	75-01-4	2.5	2.7	3.0	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	90
4-Bromofluorobenzene	460-00-4	77-125	103
Toluene-d8	2037-26-5	91-110	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061424.d
Lab Smp Id: 2406133-18A
Inj Date : 15-JUN-2024 02:22
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL B2546
Misc Info : 9 Hg->9.7 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 7
Dil Factor: 2.37000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	98337	25.0000		80.00- 120.00	100.00
5.439	5.432 (1.000)	128	75373			47.79- 107.79	76.65
5.432	5.432 (1.000)	49	146342			131.33- 191.33	148.82
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	115203	22.4919	22.492	80.00- 120.00	100.00
6.026	6.019 (1.109)	67	60022			23.17- 83.17	52.10
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	355711	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	51943			0.00- 45.65	14.60
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	873	0.25281	0.5992	80.00- 120.00	100.00(a)
6.628	6.628 (1.032)	130	844			80.23- 140.23	96.70
6.621	6.628 (1.031)	97	453			34.78- 94.78	51.93
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	338178	24.4556	24.456	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.767	7.760 (1.210)	70	35577			0.00- 41.42	10.52
7.767	7.760 (1.210)	100	226605			37.54- 97.54	67.01
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	367409	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	185642			22.92- 82.92	50.53
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	632	0.11842	0.2806	80.00- 120.00	100.00(a)
9.357	9.364 (1.023)	91	1359			170.33- 230.33	214.89
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.288 (1.125)	174	281925	25.8202	25.820	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	307300			88.49- 148.49	109.00
10.295	10.288 (1.125)	176	275027			66.73- 126.73	97.55

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061424.d
Lab Smp Id: 2406133-18A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 9 Hg->9.7 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	98337	1.07
108 1,4-Difluorobenze	356185	213711	498659	355711	-0.13
153 Chlorobenzene-d5	352841	211705	493977	367409	4.13

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:57

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-18A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 9 Hg->9.7 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.492	89.97	68-132
$ 134 Toluene-d8	25.000	24.456	97.82	91-110
$ 170 4-Bromofluorobenz	25.000	25.820	103.28	77-125

Data File: /chem/msd3.i/14JUN24.b/3061424.d

Date : 15-JUN-2024 02:22

Client ID:


Instrument: msd3.i

Sample Info: 200mL B2546

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061424.d

Date : 15-JUN-2024 02:22

Client ID:

Instrument: msd3.i

Sample Info: 200mL B2546


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 0.5992 PPBV

















Data File: /chem/msd3.i/14JUN24.b/3061424.d

Date : 15-JUN-2024 02:22

Client ID:

Instrument: msd3.i

Sample Info: 200mL B2546


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.2806 PPBV














eurofins | Air Toxics

Client ID:	T1AMF-SV025_May24		
Lab ID:	2406133-19A	**Date/Time Analyzed:**	6/15/24 02:57 AM
Date/Time Collected:	5/31/24 09:07 AM	**Dilution Factor:**	2.31
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061425

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.4	4.1	4.6	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.3	6.2	6.9	Not Detected U
Benzene	71-43-2	0.87	3.3	3.7	Not Detected U
cis-1,2-Dichloroethene	156-59-2	1.0	4.1	4.6	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.5	5.0	Not Detected U
m,p-Xylene	108-38-3	0.72	4.5	10	0.98 J
o-Xylene	95-47-6	1.2	4.5	5.0	Not Detected U
Toluene	108-88-3	1.1	3.9	8.7	Not Detected U
trans-1,2-Dichloroethene	156-60-5	2.1	4.1	4.6	Not Detected U
Trichloroethene	79-01-6	1.8	5.6	6.2	2.2 J
Vinyl Chloride	75-01-4	2.5	2.6	3.0	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	90
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061425.d
Lab Smp Id: 2406133-19A
Inj Date : 15-JUN-2024 02:57
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N8317
Misc Info : 8.4 Hg->9.8 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 8
Dil Factor: 2.31000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.432 (1.000)	130	97566	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	75350			47.79- 107.79	77.23
5.432	5.432 (1.000)	49	145578			131.33- 191.33	149.21
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.019 (1.108)	65	114366	22.5049	22.505	80.00- 120.00	100.00
6.026	6.019 (1.108)	67	59047			23.17- 83.17	51.63
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	355792	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	51366			0.00- 45.65	14.44
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	605	0.17516	0.4046	80.00- 120.00	100.00(a)
6.628	6.628 (1.032)	130	766			80.23- 140.23	126.61
6.635	6.628 (1.033)	97	402			34.78- 94.78	66.53
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	338097	24.4442	24.444	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.767	7.760 (1.210)	70	34999			0.00- 41.42	10.35
7.767	7.760 (1.210)	100	226193			37.54- 97.54	66.90
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	366279	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	184919			22.92- 82.92	50.49
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	521	0.09792	0.2262	80.00- 120.00	100.00(a)
9.364	9.364 (1.023)	91	1203			170.33- 230.33	230.51
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	277909	25.5309	25.531	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	303009			88.49- 148.49	109.03
10.295	10.288 (1.125)	176	273929			66.73- 126.73	98.57

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

Report Date: 17-Jun-2024 08:59

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061425.d
Lab Smp Id: 2406133-19A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.4 Hg->9.8 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	97566	0.28
108 1,4-Difluorobenze	356185	213711	498659	355792	-0.11
153 Chlorobenzene-d5	352841	211705	493977	366279	3.81

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.44	0.13
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:59

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-19A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.4 Hg->9.8 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.505	90.02	68-132
$ 134 Toluene-d8	25.000	24.444	97.78	91-110
$ 170 4-Bromofluorobenz	25.000	25.531	102.12	77-125

Data File: /chem/msd3.i/14JUN24.b/3061425.d

Date : 15-JUN-2024 02:57

Client ID:


Instrument: msd3.i

Sample Info: 200mL N8317

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061425.d

Date : 15-JUN-2024 02:57

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8317


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 0.4046 PPBV

















Data File: /chem/msd3.i/14JUN24.b/3061425.d

Date : 15-JUN-2024 02:57

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8317


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.2262 PPBV














Client ID:	T1AMF-SV019_May24		
Lab ID:	2406133-20A	**Date/Time Analyzed:**	6/15/24 03:32 AM
Date/Time Collected:	5/31/24 10:09 AM	**Dilution Factor:**	2.25
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061426

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.0	4.5	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.3	6.1	6.8	Not Detected U
Benzene	71-43-2	0.85	3.2	3.6	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.97	4.0	4.5	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.4	4.9	Not Detected U
m,p-Xylene	108-38-3	0.70	4.4	9.8	0.87 J
o-Xylene	95-47-6	1.2	4.4	4.9	Not Detected U
Toluene	108-88-3	1.1	3.8	8.5	Not Detected U
trans-1,2-Dichloroethene	156-60-5	2.0	4.0	4.5	Not Detected U
Trichloroethene	79-01-6	1.8	5.4	6.0	4.8 J
Vinyl Chloride	75-01-4	2.4	2.6	2.9	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	91
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061426.d
Lab Smp Id: 2406133-20A
Inj Date : 15-JUN-2024 03:32
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL 1L4761
Misc Info : 7.6 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 9
Dil Factor: 2.25000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane							CAS #: 74-97-5	
5.432	5.432 (1.000)	130	96277	25.0000			80.00- 120.00	100.00
5.439	5.432 (1.000)	128	74138				47.79- 107.79	77.01
5.432	5.432 (1.000)	49	144884				131.33- 191.33	150.49
$ 104 1,2-Dichloroethane-d4							CAS #: 17060-07-0	
6.019	6.019 (1.108)	65	114286	22.7903	22.790		80.00- 120.00	100.00
6.026	6.019 (1.109)	67	58708				23.17- 83.17	51.37
* 108 1,4-Difluorobenzene							CAS #: 540-36-3	
6.420	6.420 (1.000)	114	350140	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	50484				0.00- 45.65	14.42
111 Trichloroethene							CAS #: 79-01-6	
6.628	6.628 (1.032)	95	1341	0.39452	0.8877		80.00- 120.00	100.00(a)
6.635	6.628 (1.033)	130	1432				80.23- 140.23	106.82
6.628	6.628 (1.032)	97	923				34.78- 94.78	68.87
$ 134 Toluene-d8							CAS #: 2037-26-5	
7.767	7.760 (1.210)	98	333897	24.5302	24.530		80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	70	35822			0.00- 41.42	10.73
7.767	7.760 (1.210)	100	223195			37.54- 97.54	66.85
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	365460	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	180275			22.92- 82.92	49.33
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	471	0.08872	0.1996	80.00- 120.00	100.00(a)
9.364	9.364 (1.023)	91	817			170.33- 230.33	173.22
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	277047	25.5087	25.509	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	304299			88.49- 148.49	109.84
10.288	10.288 (1.124)	176	269692			66.73- 126.73	97.35

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061426.d
Lab Smp Id: 2406133-20A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 7.6 Hg->10 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	96277	-1.05
108 1,4-Difluorobenze	356185	213711	498659	350140	-1.70
153 Chlorobenzene-d5	352841	211705	493977	365460	3.58

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 08:59

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-20A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 7.6 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.790	91.16	68-132
$ 134 Toluene-d8	25.000	24.530	98.12	91-110
$ 170 4-Bromofluorobenz	25.000	25.509	102.03	77-125

Data File: /chem/msd3.i/14JUN24.b/3061426.d

Date : 15-JUN-2024 03:32

Client ID:


Instrument: msd3.i

Sample Info: 200mL 1L4761

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061426.d

Date : 15-JUN-2024 03:32

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4761


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 0.8877 PPBV

















Data File: /chem/msd3.i/14JUN24.b/3061426.d

Date : 15-JUN-2024 03:32

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4761


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.1996 PPBV














eurofins | Air Toxics

Client ID:	T1AMF-SV002_May24		
Lab ID:	2406133-21A	**Date/Time Analyzed:**	6/15/24 04:07 AM
Date/Time Collected:	5/31/24 11:28 AM	**Dilution Factor:**	2.28
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061427

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.1	4.5	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.3	6.2	6.8	Not Detected U
Benzene	71-43-2	0.86	3.3	3.6	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.98	4.1	4.5	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.4	4.9	Not Detected U
m,p-Xylene	108-38-3	0.71	4.4	9.9	Not Detected U
o-Xylene	95-47-6	1.2	4.4	5.0	Not Detected U
Toluene	108-88-3	1.1	3.9	8.6	Not Detected U
trans-1,2-Dichloroethene	156-60-5	2.1	4.1	4.5	Not Detected U
Trichloroethene	79-01-6	1.8	5.5	6.1	2.3 J
Vinyl Chloride	75-01-4	2.4	2.6	2.9	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	90
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061427.d
Lab Smp Id: 2406133-21A
Inj Date : 15-JUN-2024 04:07
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N5169
Misc Info : 8.2 Hg->9.7 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 10
Dil Factor: 2.28000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	96611	25.0000		80.00- 120.00	100.00
5.439	5.432 (1.000)	128	75112			47.79- 107.79	77.75
5.432	5.432 (1.000)	49	145237			131.33- 191.33	150.33
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	113679	22.5909	22.591	80.00- 120.00	100.00
6.026	6.019 (1.109)	67	58893			23.17- 83.17	51.81
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	354707	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	51595			0.00- 45.65	14.55
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	654	0.18993	0.4330	80.00- 120.00	100.00(a)
6.628	6.628 (1.032)	130	495			80.23- 140.23	75.80
6.628	6.628 (1.032)	97	225			34.78- 94.78	34.47
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	333532	24.1879	24.188	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	70	35716			0.00- 41.42	10.71
7.760	7.760 (1.209)	100	225301			37.54- 97.54	67.55
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	364388	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	181808			22.92- 82.92	49.89
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	276743	25.5557	25.556	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	299804			88.49- 148.49	108.33
10.288	10.288 (1.124)	176	265610			66.73- 126.73	95.98

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061427.d
Lab Smp Id: 2406133-21A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.2 Hg->9.7 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	96611	-0.71
108 1,4-Difluorobenze	356185	213711	498659	354707	-0.41
153 Chlorobenzene-d5	352841	211705	493977	364388	3.27

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 09:04

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-21A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 8.2 Hg->9.7 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.591	90.36	68-132
$ 134 Toluene-d8	25.000	24.188	96.75	91-110
$ 170 4-Bromofluorobenz	25.000	25.556	102.22	77-125

Data File: /chem/msd3.i/14JUN24.b/3061427.d

Date : 15-JUN-2024 04:07

Client ID:


Instrument: msd3.i

Sample Info: 200mL N5169

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/14JUN24.b/3061427.d

Date : 15-JUN-2024 04:07

Client ID:

Instrument: msd3.i

Sample Info: 200mL N5169


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 0.4330 PPBV

















eurofins | Air Toxics

Client ID:	T1AMF-SV015B_May24		
Lab ID:	2406133-22A	**Date/Time Analyzed:**	6/15/24 04:42 AM
Date/Time Collected:	5/31/24 01:15 PM	**Dilution Factor:**	2.13
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061428

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	3.8	4.2	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.2	5.8	6.4	Not Detected U
Benzene	71-43-2	0.80	3.1	3.4	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.92	3.8	4.2	Not Detected U
Ethyl Benzene	100-41-4	1.1	4.2	4.6	Not Detected U
m,p-Xylene	108-38-3	0.66	4.2	9.2	Not Detected U
o-Xylene	95-47-6	1.1	4.2	4.6	Not Detected U
Toluene	108-88-3	1.0	3.6	8.0	Not Detected U
trans-1,2-Dichloroethene	156-60-5	1.9	3.8	4.2	Not Detected U
Trichloroethene	79-01-6	1.7	5.2	5.7	Not Detected U
Vinyl Chloride	75-01-4	2.3	2.4	2.7	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	90
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061428.d
Lab Smp Id: 2406133-22A
Inj Date : 15-JUN-2024 04:42
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL O0248
Misc Info : 6.7 Hg->9.6 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 11
Dil Factor: 2.13000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	97334	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	75361			47.79- 107.79	77.43
5.432	5.432 (1.000)	49	144747			131.33- 191.33	148.71
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.019 (1.109)	65	113885	22.4637	22.464	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	59397			23.17- 83.17	52.16
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	352622	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	51646			0.00- 45.65	14.65
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	336665	24.5595	24.559	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	35247			0.00- 41.42	10.47
7.767	7.760 (1.210)	100	226296			37.54- 97.54	67.22
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	365505	25.0000		80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
9.149	9.149 (1.000)	82	183690			22.92- 82.92	50.26
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	277301	25.5290	25.529	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	302015			88.49- 148.49	108.91
10.288	10.288 (1.124)	176	268087			66.73- 126.73	96.68

Report Date: 17-Jun-2024 09:10

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061428.d
Lab Smp Id: 2406133-22A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 6.7 Hg->9.6 psi

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	97334	0.04
108 1,4-Difluorobenze	356185	213711	498659	352622	-1.00
153 Chlorobenzene-d5	352841	211705	493977	365505	3.59

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 17-Jun-2024 09:10

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406133-22A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 6.7 Hg->9.6 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.464	89.85	68-132
$ 134 Toluene-d8	25.000	24.559	98.24	91-110
$ 170 4-Bromofluorobenz	25.000	25.529	102.12	77-125

Data File: /chem/msd3.i/14JUN24.b/3061428.d

Page 1

Date : 15-JUN-2024 04:42

Client ID:


Instrument: msd3.i

Sample Info: 200mL 00248

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



QC Results and Raw Data

eurofins | Air Toxics

Client ID:	Lab Blank		
Lab ID:	2406133-23A	**Date/Time Analyzed:**	6/13/24 01:19 PM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061306c

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.0	1.8	2.0	Not Detected U
1,4-Dichlorobenzene	106-46-7	1.0	2.7	3.0	Not Detected U
Benzene	71-43-2	0.38	1.4	1.6	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.43	1.8	2.0	Not Detected U
Ethyl Benzene	100-41-4	0.52	2.0	2.2	Not Detected U
m,p-Xylene	108-38-3	0.31	2.0	4.3	Not Detected U
o-Xylene	95-47-6	0.52	2.0	2.2	Not Detected U
Toluene	108-88-3	0.47	1.7	3.8	Not Detected U
trans-1,2-Dichloroethene	156-60-5	0.91	1.8	2.0	Not Detected U
Trichloroethene	79-01-6	0.80	2.4	2.7	Not Detected U
Vinyl Chloride	75-01-4	1.1	1.2	1.3	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	90
4-Bromofluorobenzene	460-00-4	77-125	99
Toluene-d8	2037-26-5	91-110	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/13JUN24.b/3061306c.d
Lab Smp Id: Lab Blank Client Smp ID: Lab Blank
Inj Date : 13-JUN-2024 13:19
Operator : RT Inst ID: msd3.i
Smp Info : 200mL N1876
Misc Info : Humid
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/13JUN24.b/324q0423a.m
Meth Date : 13-Jun-2024 15:08 yrc5 Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 12
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	102137	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	79104			47.79- 107.79	77.45
5.432	5.432 (1.000)	49	152691			131.33- 191.33	149.50
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	120018	22.5602	22.560	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	62099			23.17- 83.17	51.74
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	374972	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	54215			0.00- 45.65	14.46
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	356994	24.4902	24.490	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	37170			0.00- 41.42	10.41
7.760	7.760 (1.209)	100	238168			37.54- 97.54	66.71
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	381816	25.0000		80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
* 153 Chlorobenzene-d5 (continued)							
9.149	9.149 (1.000)	82	190504			22.92- 82.92	49.89
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	281635	24.8203	24.820	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	308910			88.49- 148.49	109.68
10.288	10.288 (1.124)	176	274417			66.73- 126.73	97.44

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061306c.d
Lab Smp Id: Lab Blank
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: Humid

Calibration Date: 13-JUN-2024
Calibration Time: 11:42
Client Smp ID: Lab Blank
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	94691	56815	132567	102137	7.86
108 1,4-Difluorobenze	348240	208944	487536	374972	7.68
153 Chlorobenzene-d5	341662	204997	478327	381816	11.75

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 13-Jun-2024 15:08

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 13JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: Lab Blank Client Smp ID: Lab Blank
Level: LOW Operator: RT
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: Humid

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.560	90.24	68-132
$ 134 Toluene-d8	25.000	24.490	97.96	91-110
$ 170 4-Bromofluorobenz	25.000	24.820	99.28	77-125

Data File: /chem/msd3.i/13JUN24.b/3061306c.d

Date : 13-JUN-2024 13:19

Client ID: Lab Blank


Instrument: msd3.i

Sample Info: 200mL N1876

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Client ID:	Lab Blank		
Lab ID:	2406133-23B	**Date/Time Analyzed:**	6/14/24 01:40 PM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061406a

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.0	1.8	2.0	Not Detected U
1,4-Dichlorobenzene	106-46-7	1.0	2.7	3.0	Not Detected U
Benzene	71-43-2	0.38	1.4	1.6	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.43	1.8	2.0	Not Detected U
Ethyl Benzene	100-41-4	0.52	2.0	2.2	Not Detected U
m,p-Xylene	108-38-3	0.31	2.0	4.3	Not Detected U
o-Xylene	95-47-6	0.52	2.0	2.2	Not Detected U
Toluene	108-88-3	0.47	1.7	3.8	Not Detected U
trans-1,2-Dichloroethene	156-60-5	0.91	1.8	2.0	Not Detected U
Trichloroethene	79-01-6	0.80	2.4	2.7	Not Detected U
Vinyl Chloride	75-01-4	1.1	1.2	1.3	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	90
4-Bromofluorobenzene	460-00-4	77-125	100
Toluene-d8	2037-26-5	91-110	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061406a.d
Lab Smp Id: Lab Blank Client Smp ID: Lab Blank
Inj Date : 14-JUN-2024 13:40
Operator : RT Inst ID: msd3.i
Smp Info : 200mL 34424
Misc Info : Humid
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 14-Jun-2024 12:32 yrc5 Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 11
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	98497	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	76569			47.79- 107.79	77.74
5.432	5.432 (1.000)	49	147231			131.33- 191.33	149.48
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	115935	22.5980	22.598	80.00- 120.00	100.00
6.026	6.019 (1.109)	67	60928			23.17- 83.17	52.55
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	368760	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	53670			0.00- 45.65	14.55
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	347065	24.2101	24.210	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	36661			0.00- 41.42	10.56
7.760	7.760 (1.209)	100	233498			37.54- 97.54	67.28
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	371862	25.0000		80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
* 153 Chlorobenzene-d5 (continued)							
9.149	9.149 (1.000)	82	187569			22.92- 82.92	50.44
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	277630	25.1223	25.122	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	305436			88.49- 148.49	110.02
10.288	10.288 (1.124)	176	269055			66.73- 126.73	96.91

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061406a.d
Lab Smp Id: Lab Blank
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: Humid

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Client Smp ID: Lab Blank
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	98497	1.23
108 1,4-Difluorobenze	356185	213711	498659	368760	3.53
153 Chlorobenzene-d5	352841	211705	493977	371862	5.39

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 14-Jun-2024 15:09

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: Lab Blank Client Smp ID: Lab Blank
Level: LOW Operator: RT
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: Humid

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.598	90.39	68-132
$ 134 Toluene-d8	25.000	24.210	96.84	91-110
$ 170 4-Bromofluorobenz	25.000	25.122	100.49	77-125

Data File: /chem/msd3.i/14JUN24.b/3061406a.d

Date : 14-JUN-2024 13:40

Client ID: Lab Blank


Instrument: msd3.i

Sample Info: 200mL 34424

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



LEVEL-IV VALIDATABLE

MODIFIED EPA METHOD TO-15

SURROGATE RECOVERY FORM

Lab Name : Eurofins Air Toxics _____ SDG No. :2406133

	CLIENT SAMPLE NO.	SURROGATE % RECOVERY						
		1,2-Dichloroethane-d4	#	Toluene-d8	#	4-Bromofluorobenzene	#	TOTAL OUT
1	T1AMF-SV018_May24	88		97		102		
2	T1AMF-SV001_May24	89		96		102		
3	T1AMF-SV033_May24	90		97		100		
4	T1AMF-SV033_May24 Lab Duplicat	90		97		101		
5	T1AMF-SV023_May24	90		97		102		
6	T1AMF-SV023_May24 Lab Duplicat	91		98		102		
7	T1AMF-SV023_May24_FD	89		98		103		
8	T1AMF-SV024_May24	90		97		102		
9	T1AMF-SV026_May24	91		94		104		
10	T1AMF-SV026_May24_FD	91		95		104		
11	T1AMF-SV022_May24	90		96		102		
12	T1AMF-SV020_May24	92		96		102		
13	T1AMF-SV017B_May24	92		97		100		
14	T1AMF-SV007_May24	91		96		101		
15	T1AMF-SV006_May24	92		98		102		
16	T1AMF-SV016_May24	91		97		101		
17	T1AMF-SV008_May24	91		97		103		
18	T1AMF-SV005B_May24	90		99		102		
19	T1AMF-SV004_May24	90		98		103		
20	T1AMF-SV025_May24	90		98		102		
21	T1AMF-SV019_May24	91		98		102		
22	T1AMF-SV002_May24	90		97		102		
23	T1AMF-SV015B_May24	90		98		102		
24	Lab Blank	90		98		99		
25	Lab Blank	90		97		100		
26	CCV	93		97		100		
27	CCV	91		97		101		
28	CCV	91		96		100		
29	CCV	92		98		100		
30	LCS	91		97		102		
31	LCSD	92		96		100		
32	LCS	90		97		100		
33	LCSD	92		96		101		

Surrogate Recovery Limits

1,2-Dichloroethane-d4	68 - 132
Toluene-d8	91 - 110
4-Bromofluorobenzene	77 - 125

* Designates Values Outside of QC limits

LEVEL-IV VALIDATABLE

MODIFIED EPA METHOD TO-15

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name : Eurofins Air Toxics File ID: 3061303a.d Date : 2024-06-13 11:42:00 SDG No. : 2406133

		Bromochloromethane		RT		1,4-Difluorobenzene		RT		Chlorobenzene-d5		RT	
	24-HOUR CCV	94691		5.43		348240		6.42		341662		9.15	
	UPPER LIMIT	132567		5.76		487535		6.75		478326		9.48	
	LOWER LIMIT	56814		5.10		208944		6.09		204997		8.82	
	CLIENT SAMPLE NO.												
1	T1AMF-SV018_May24	105686		5.43		383023		6.42		392737		9.15	
2	T1AMF-SV001_May24	98440		5.43		355668		6.42		367238		9.15	
3	T1AMF-SV023_May24	98935		5.44		363677		6.42		376739		9.15	
4	T1AMF-SV023_May24 Lab Duplicat	98975		5.44		365944		6.42		378697		9.15	
5	T1AMF-SV023_May24_FD	99089		5.44		366743		6.42		378864		9.15	
6	Lab Blank	102137		5.43		374972		6.42		381816		9.15	
7	CCV	94691		5.43		348240		6.42		341662		9.15	
8	CCV	99024		5.43		358909		6.42		349704		9.15	
9	LCS	94778		5.43		341342		6.42		336630		9.15	
10	LCSD	94751		5.43		345903		6.42		338443		9.15	

Area Upper Limit = +40% of intenral standard area

Area Lower Limit = -40% of intenral standard area

RT Upper Limit = +0.33 minutes of internal standard RT

RT Lower Limit = -0.33 minutes of internal standard RT

* Designates Values Outside of QC limits

LEVEL-IV VALIDATABLE

MODIFIED EPA METHOD TO-15

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name : Eurofins Air Toxics File ID: 3061403a.d Date : 2024-06-14 12:02:00 SDG No. : 2406133

		Bromochloromethane		RT		1,4-Difluorobenzene		RT		Chlorobenzene-d5		RT	
	24-HOUR CCV	97298		5.43		356185		6.42		352841		9.15	
	UPPER LIMIT	136217		5.76		498658		6.75		493977		9.48	
	LOWER LIMIT	58378		5.10		213711		6.09		211704		8.82	
	CLIENT SAMPLE NO.												
1	T1AMF-SV033_May24	102169		5.43		370903		6.42		381883		9.15	
2	T1AMF-SV033_May24 Lab Duplicat	97430		5.44		365121		6.42		371816		9.15	
3	T1AMF-SV024_May24	96521		5.43		350388		6.42		352152		9.15	
4	T1AMF-SV026_May24	108993		5.43		387485		6.42		403551		9.15	
5	T1AMF-SV026_May24_FD	106230		5.43		383242		6.42		387966		9.15	
6	T1AMF-SV022_May24	97409		5.43		347964		6.42		356109		9.15	
7	T1AMF-SV020_May24	97924		5.43		363132		6.42		373157		9.15	
8	T1AMF-SV017B_May24	95394		5.43		351805		6.42		361527		9.15	
9	T1AMF-SV007_May24	96418		5.43		358815		6.42		365351		9.15	
10	T1AMF-SV006_May24	98968		5.44		358784		6.42		374417		9.15	
11	T1AMF-SV016_May24	98259		5.43		358720		6.42		375660		9.15	
12	T1AMF-SV008_May24	97310		5.43		355528		6.42		367397		9.15	
13	T1AMF-SV005B_May24	97269		5.43		354335		6.42		370574		9.15	
14	T1AMF-SV004_May24	98337		5.43		355711		6.42		367409		9.15	
15	T1AMF-SV025_May24	97566		5.44		355792		6.42		366279		9.15	
16	T1AMF-SV019_May24	96277		5.43		350140		6.42		365460		9.15	
17	T1AMF-SV002_May24	96611		5.43		354707		6.42		364388		9.15	
18	T1AMF-SV015B_May24	97334		5.43		352622		6.42		365505		9.15	
19	Lab Blank	98497		5.43		368760		6.42		371862		9.15	
20	CCV	97298		5.43		356185		6.42		352841		9.15	
21	CCV	94062		5.43		341260		6.42		337707		9.15	
22	LCS	98163		5.43		353455		6.42		348308		9.15	
23	LCSD	96328		5.43		353186		6.42		347473		9.15	

Area Upper Limit = +40% of intenral standard area

Area Lower Limit = -40% of intenral standard area

RT Upper Limit = +0.33 minutes of internal standard RT

RT Lower Limit = -0.33 minutes of internal standard RT

* Designates Values Outside of QC limits

SAMPLE RESULTS/SAMPLE RESULTS DUPLICATE

Lab File ID: 3061409.d & 3061410.d

Lab Sample ID: 04A & 04AA

CAS Number	Compound	Original Amount	Duplicate Amount	RPD	Result Less Than 5X RL
75-35-4	1,1-Dichloroethene	ND	ND	0	
106-46-7	1,4-Dichlorobenzene	ND	ND	0	
71-43-2	Benzene	3.982	4.044	1.5	Y
156-59-2	cis-1,2-Dichloroethene	ND	ND	0	
100-41-4	Ethyl Benzene	2.574	2.552	0.86	Y
108-38-3	m,p-Xylene	8.313	8.372	0.71	Y
95-47-6	o-Xylene	2.785	2.902	4.1	Y
108-88-3	Toluene	23	23	1.1	
156-60-5	trans-1,2-Dichloroethene	ND	ND	0	
79-01-6	Trichloroethene	12	12	0.17	
75-01-4	Vinyl Chloride	ND	ND	0	

SAMPLE RESULTS/SAMPLE RESULTS DUPLICATE

Lab File ID: 3061329.d & 3061330.d

Lab Sample ID: 05A & 05AA

CAS Number	Compound	Original Amount	Duplicate Amount	RPD	Result Less Than 5X RL
75-35-4	1,1-Dichloroethene	ND	ND	0	
106-46-7	1,4-Dichlorobenzene	ND	ND	0	
71-43-2	Benzene	ND	ND	0	
156-59-2	cis-1,2-Dichloroethene	ND	ND	0	
100-41-4	Ethyl Benzene	ND	ND	0	
108-38-3	m,p-Xylene	0.7251	0.7337	1.2	Y
95-47-6	o-Xylene	0.2929	0.272	7.4	Y
108-88-3	Toluene	0.7949	0.7775	2.2	Y
156-60-5	trans-1,2-Dichloroethene	ND	ND	0	
79-01-6	Trichloroethene	ND	ND	0	
75-01-4	Vinyl Chloride	ND	ND	0	

SAMPLE RESULTS/SAMPLE RESULTS DUPLICATE

Lab File ID: 3061304a.d & 3061305a.d

Lab Sample ID: 25A & 25AA

CAS Number	Compound	Original Amount	Duplicate Amount	RPD	Result Less Than 5X RL
75-35-4	1,1-Dichloroethene	102	102	0	
106-46-7	1,4-Dichlorobenzene	101	100	1.00	
71-43-2	Benzene	94	91	3.2	
156-59-2	cis-1,2-Dichloroethene	88	88	0	
100-41-4	Ethyl Benzene	102	101	0.99	
108-38-3	m,p-Xylene	100	98	2.0	
95-47-6	o-Xylene	100	100	0	
108-88-3	Toluene	93	90	3.3	
156-60-5	trans-1,2-Dichloroethene	88	88	0	
79-01-6	Trichloroethene	96	93	3.2	
75-01-4	Vinyl Chloride	93	91	2.2	

SAMPLE RESULTS/SAMPLE RESULTS DUPLICATE

Lab File ID: 3061404a.d & 3061405a.d

Lab Sample ID: 25B & 25BB

CAS Number	Compound	Original Amount	Duplicate Amount	RPD	Result Less Than 5X RL
75-35-4	1,1-Dichloroethene	101	86	16	
106-46-7	1,4-Dichlorobenzene	100	99	1.0	
71-43-2	Benzene	93	92	1.1	
156-59-2	cis-1,2-Dichloroethene	90	88	2.2	
100-41-4	Ethyl Benzene	100	100	0	
108-38-3	m,p-Xylene	99	98	1.0	
95-47-6	o-Xylene	100	98	2.0	
108-88-3	Toluene	92	91	1.1	
156-60-5	trans-1,2-Dichloroethene	89	89	0	
79-01-6	Trichloroethene	96	94	2.1	
75-01-4	Vinyl Chloride	93	93	0	

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Calibration File Names:
Level 2: /chem/msd3.i/23APR24.b/3042307.d
Level 3: /chem/msd3.i/23APR24.b/3042308.d
Level 4: /chem/msd3.i/23APR24.b/3042309.d
Level 5: /chem/msd3.i/23APR24.b/3042310.d
Level 6: /chem/msd3.i/23APR24.b/3042311.d
Level 7: /chem/msd3.i/23APR24.b/3042312.d
Level 8: /chem/msd3.i/23APR24.b/3042313.d
Level 9: /chem/msd3.i/23APR24.b/3042314.d

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	RRF	% RSD
1 Dimethyl Ether	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
2 1,1-Dichloro-1-Fluoroethane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
3 Freon 143a	+++++	+++++	+++++	0.30523	0.37100	0.37702	0.36181	0.27107	0.33723	13.852
4 Freon 134a	+++++	0.72119	0.70420	0.52336	0.52292	0.55741	0.55245	0.46348	0.57786	16.814
5 Propylene	+++++	+++++	0.77776	0.68917	0.55183	0.61351	0.64995	0.64651	0.65479	11.571
6 Propane	+++++	+++++	0.22880	0.25542	0.21349	0.22284	0.23289	0.23470	0.23136	6.085

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
7 1,1-Difluoroethane	+++++	+++++	0.44889	0.36911	0.34787	0.36855	0.37256	0.35777	0.37746	9.580
8 Freon 12	1.54241	1.56672	1.62097	1.60242	1.25762	1.37796	1.43356	1.44271	1.48055	8.455
9 Chlorodifluoromethane	+++++	0.18924	0.24469	0.19953	0.15516	0.17120	0.17024	0.16682	0.18527	16.222
10 Freon 114	1.40804	1.35024	1.29615	1.36279	1.17198	1.22351	1.28545	1.31396	1.30152	5.865
11 Freon 14	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
12 Isobutane	+++++	1.48998	1.44089	1.44830	1.25214	1.31313	1.36493	1.38236	1.38453	5.998
13 Freon 142b	+++++	+++++	1.43876	1.35654	1.07715	1.13372	1.18303	1.18223	1.22857	11.320
14 Acetaldehyde	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
15 Chloromethane	+++++	+++++	0.86661	0.67727	0.67218	0.70827	0.70855	0.65013	0.71383	10.947

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	___ RRF	% RSD
	100.000 Level 8	200.000 Level 9						
16 Hexafluoropropene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
17 Freon 13	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
18 Butane	+++++	+++++	0.18116	0.15164	0.13259	0.13363		
	0.13777	0.12193					0.14312	14.649
19 Vinyl Chloride	0.69616	0.80550	0.81980	0.66054	0.59336	0.66247		
	0.68917	0.59843					0.69068	12.184
20 1,3-Butadiene	0.81338	0.79437	0.66097	0.66462	0.54792	0.58727		
	0.59388	0.52824					0.64883	16.496
21 Vinyl Fluoride	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
22 Ethylene Oxide	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
23 Methanol	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
24 Bromomethane	+++++	+++++	0.40518	0.47518	0.44807	0.52114		
	0.55257	0.55915					0.49355	12.412

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
25 Isobutylene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
26 2-Butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
27 trans-2-butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
28 1-Butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
29 cis-2-Butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
30 Chloroethane	+++++	+++++	0.38536	0.31345	0.29052	0.31927	0.33707	0.34165	0.33122	9.726
31 Isopentane	+++++	+++++	1.04072	0.85546	0.96194	0.93154	0.93447	0.94699	0.94519	6.306
32 Vinyl Bromide	+++++	0.52342	0.61309	0.55313	0.53106	0.58046	0.60821	0.60881	0.57403	6.668
33 Freon 11	1.83641	1.80285	1.72892	1.54797	1.63886	1.65186	1.69723	1.74103	1.70564	5.456

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
34 Dichlorofluoromethane	+++++	1.53285	1.52317	1.23917	1.17294	1.31548	1.36451	1.37229	1.36006	9.876
35 Pentane	+++++	1.44735	1.51433	1.41840	1.35200	1.41404	1.44984	1.47106	1.43815	3.534
36 1-Pentene	+++++	+++++	0.83987	0.78490	0.69911	0.73005	0.75784	0.76439	0.76269	6.311
37 3-Methyl-1-butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
38 Ethyl Ether	+++++	+++++	0.37748	0.34533	0.27498	0.29021	0.30103	0.30356	0.31543	12.168
39 Ethanol	+++++	0.18436	0.15266	0.18262	0.10055	0.10656	0.10931	0.11118	0.13532	27.382
40 Freon 123a	+++++	+++++	1.10488	1.03219	0.98058	0.93242	0.94532	0.96848	0.99398	6.480
41 Freon 123	+++++	+++++	0.94985	1.08149	0.91929	0.86109	0.86805	0.84384	0.92060	9.586
42 Acrolein	+++++	0.45376	0.30802	0.32146	0.24344	0.23561	0.23653	0.23990	0.29124	27.546

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
43 Freon 113	1.86595	1.62688	1.61512	1.24434	1.49765	1.41698	1.39875	1.39329	1.50737	12.705
44 1,1-Dichloroethene	0.60515	0.64374	0.70492	0.59015	0.54121	0.59791	0.71158	0.73634	0.64138	10.842
45 2-Chloropropane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
46 2,3-Dimethylbutane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
47 Acetone	+++++	+++++	0.42680	0.41978	0.30301	0.33798	0.34974	0.35251	0.36497	13.300
48 Carbon Disulfide	+++++	+++++	2.11106	1.95784	1.44200	1.60640	1.67756	1.69837	1.74887	13.935
49 Iodomethane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
50 Isoprene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
51 2-Methyl-2-butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	___ RRF	% RSD
	100.000 Level 8	200.000 Level 9						
52 2-Propanol	+++++	1.59656	1.58240	1.62245	1.31642	1.44540		
	1.51827	1.54012					1.51737	6.996
53 trans-2-Pentene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
54 3-Chloropropene	+++++	0.32850	0.32028	0.31749	0.24397	0.27020		
	0.28643	0.29557					0.29464	10.331
55 Cyclopentene	+++++	+++++	1.44282	1.48469	1.30213	1.34016		
	1.41190	1.42761					1.40155	4.845
56 Methyl Acetate	+++++	+++++	1.59483	1.69469	1.38900	1.49856		
	1.58305	1.58399					1.55735	6.638
57 Acetonitrile	+++++	0.65897	0.73844	0.74834	0.55568	0.63778		
	0.67282	0.67595					0.66971	9.656
58 cis-2-Pentene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
59 Methylene Chloride	+++++	+++++	1.14712	1.07953	0.86078	0.95197		
	0.99215	0.98325					1.00247	9.972
60 Cyclopentane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
61 1,2-Dichloro-1-fluoroethane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
62 tert-Butyl alcohol	+++++	1.56703	1.57171	1.60247	1.49502	1.50125	1.52466	1.57384	1.54800	2.650
63 Methyl tert-butyl ether	+++++	1.92056	1.95032	1.87485	1.79398	1.76698	1.75121	1.75247	1.83005	4.582
64 trans-1,2-Dichloroethene	0.47268	0.43721	0.48794	0.44315	0.35780	0.40059	0.41677	0.42969	0.43073	9.472
65 2,2-Dimethylbutane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
66 Acrylonitrile	0.64422	0.58003	0.58670	0.59640	0.44803	0.51586	0.54117	0.54380	0.55703	10.634
67 Hexane	1.65487	1.52953	1.36816	1.34111	1.19658	1.19460	1.22132	1.23061	1.34210	12.707
68 1-Hexene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
69 Bromoethane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
70 4-Methyl-1-pentene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
71 1,1-Dichloroethane	1.24460	1.26119	1.31574	1.32803	1.11842	1.17721	1.23670	1.27584	1.24472	5.582
72 Isopropyl ether	+++++	+++++	3.24648	3.13736	2.87519	2.89213	2.89682	2.86013	2.98469	5.518
73 Vinyl Acetate	+++++	+++++	0.11404	0.12014	0.09644	0.10183	0.11301	0.11214	0.10960	7.979
74 Chloroprene	+++++	+++++	1.26428	1.31386	1.11547	1.16905	1.21348	1.23187	1.21800	5.742
75 1-Propanol	+++++	+++++	0.25710	0.20346	0.15090	0.16014	0.16563	0.16613	0.18389	21.811
76 2-Methylpentane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
77 3-Methylpentane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
78 1-Chloropropane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
79 Ethyl-tert-butyl ether	+++++	+++++	2.75531	2.65379	2.48569	2.51261	2.53286	2.50305	2.57389	4.168
80 2-Methyl-1-pentene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
81 2,4-Dimethylpentane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
82 2,3-Dimethylpentane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
83 tert-Butyl chloride	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
84 2,2-Dichloropropane	+++++	1.31945	1.29341	1.26298	1.17426	1.17411	1.18343	1.19351	1.22874	5.020
85 cis-1,2-Dichloroethene	0.46125	0.47677	0.47182	0.47609	0.36451	0.42051	0.44224	0.45504	0.44603	8.532
86 2-Butanone	+++++	+++++	0.34177	0.34187	0.28276	0.30720	0.32374	0.33076	0.32135	7.126
87 Ethyl Acetate	+++++	+++++	0.38512	0.37168	0.27937	0.28477	0.29875	0.30863	0.32139	14.172

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
88 Methyl Acrylate	+++++	+++++	1.60607	1.64484	1.39944	1.45742	1.52750	1.54470	1.53000	5.955
89 Tetrahydrofuran	1.28654	1.07693	1.08622	0.98581	0.79039	0.83986	0.88563	0.90886	0.98253	16.509
91 trans-2-Hexene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
92 Chloroform	1.35563	1.33982	1.45390	1.42088	1.15708	1.25447	1.33475	1.37612	1.33658	7.028
93 cis-2-Hexene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
94 Cyclohexane	0.99540	0.93743	0.92644	0.89452	0.85339	0.83859	0.84916	0.85834	0.89416	6.158
95 Methylcyclopentane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
96 1,1,1-Trichloroethane	1.60340	1.53238	1.47206	1.46911	1.37215	1.39443	1.39735	1.42105	1.45774	5.405
97 Carbon Tetrachloride	1.61055	1.58709	1.56807	1.56249	1.47251	1.49761	1.51807	1.54704	1.54543	3.009

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD	
98 sec-Butyl chloride	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	
99 1,1-Dichloropropene	+++++	0.10001	0.10593	0.10864	0.08893	0.09693	0.10082	0.10366	0.10070	6.439	
100 2,3,4-Trimethylpentane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	
101 2,2,4-Trimethylpentane	4.26844	4.27194	4.51433	4.12747	3.87811	4.11479	4.20640	4.16454	4.19325	4.283	
102 Benzene	0.50968	0.52474	0.51595	0.52404	0.47043	0.48482	0.49512	0.50197	0.50334	3.816	
103 Isobutanol	+++++	+++++	0.39361	0.28525	0.19888	0.19090	0.19163	0.19133	0.24193	34.299	<-
105 tert-Amyl methyl ether	+++++	+++++	0.14228	0.13717	0.12791	0.13512	0.13480	0.13431	0.13527	3.436	
106 1,2-Dichloroethane	0.25865	0.27354	0.27466	0.27214	0.23744	0.25358	0.26210	0.26839	0.26256	4.817	
107 Heptane	0.25383	0.21439	0.19616	0.18555	0.18848	0.18567	0.18621	0.18482	0.19939	12.113	

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
109 Butanal	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
110 n-Butanol	+++++	+++++	0.13527	0.12388	0.09763	0.10499	0.11072	0.11416	0.11444	11.778
111 Trichloroethene	0.23758	0.24994	0.25444	0.25396	0.22305	0.23406	0.24296	0.24553	0.24269	4.438
112 Isobutyl chloride	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
113 Ethyl acrylate	+++++	+++++	0.04543	0.03459	0.03257	0.03005	0.03070	0.03102	0.03406	17.035
114 1,2-Dichloropropane	0.28441	0.23995	0.24045	0.24053	0.21628	0.22308	0.22499	0.22513	0.23685	9.012
115 2-Pentanone	+++++	+++++	0.70658	0.73057	0.69131	0.66454	0.65813	0.66307	0.68570	4.227
116 Methyl Methacrylate	+++++	0.24043	0.21136	0.20244	0.19208	0.19232	0.19438	0.19242	0.20363	8.710
117 1,4-Dioxane	+++++	0.12076	0.13725	0.12669	0.12361	0.12524	0.12445	0.12834	0.12662	4.155

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	___ RRF	% RSD
	100.000 Level 8	200.000 Level 9						
118 Dibromomethane	0.23316	0.24540	0.24152	0.24634	0.21249	0.22899		
	0.23945	0.23974					0.23589	4.703
119 Methacrylonitrile	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
120 2-Chloropentane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
121 2-Butanol	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
122 Bromodichloromethane	0.41983	0.38665	0.39632	0.40576	0.36410	0.37925		
	0.39259	0.39834					0.39286	4.288
123 1-Bromopropane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
124 Chloroacetonitrile	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
125 n-Butylchloride	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
126 cis-1,3-Dichloropropene	0.34838	0.34464	0.31610	0.34757	0.31316	0.32974		
	0.33797	0.34281					0.33505	4.162

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
127 Methylcyclohexane	0.39648	0.38057	0.33993	0.33497	0.32409	0.33010	0.32904	0.32274	0.34474	8.095
128 Thiophene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
129 2-Methylhexane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
130 3-Methylhexane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
131 4-Methyl-2-pentanone	0.29812	0.26405	0.22395	0.22071	0.21330	0.20882	0.20899	0.20581	0.23047	14.367
132 Cyclohexene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
135 1-Methoxy-2-propanol	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
136 Octane	0.32287	0.27822	0.25531	0.23909	0.24015	0.23445	0.23310	0.22766	0.25386	12.684
137 Toluene	0.78471	0.74154	0.68333	0.68293	0.67720	0.66782	0.66839	0.66840	0.69679	6.170

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
138 1-Heptene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
139 trans-1,3-Dichloropropene	0.28676	0.27970	0.27634	0.27601	0.26307	0.27338	0.27798	0.27673	0.27625	2.399
140 2,3-Dichloro-1-propene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
141 1,1,2-Trichloroethane	0.25345	0.25739	0.24496	0.22993	0.22045	0.21941	0.22369	0.22203	0.23391	6.678
142 Tetrachloroethene	0.33635	0.36992	0.36041	0.35454	0.34844	0.34547	0.34740	0.34728	0.35123	2.922
143 2-Hexanone	+++++	+++++	0.30106	0.29413	0.29864	0.29197	0.29159	0.28336	0.29346	2.116
144 1,3-Dichloropropane	0.37820	0.34167	0.32451	0.32788	0.30706	0.30655	0.31305	0.31442	0.32667	7.329
145 Butyl Acetate	+++++	+++++	0.34232	0.32050	0.31137	0.29172	0.28889	0.28849	0.30722	7.061
146 Dibromochloromethane	0.44178	0.46173	0.47130	0.45502	0.45829	0.46166	0.47412	0.47444	0.46229	2.396

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
147 Bromodichloroethene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
148 1,2-Dibromoethane (EDB)	0.41661	0.40683	0.39382	0.36945	0.36433	0.36919	0.37445	0.37227	0.38337	5.147
149 2-Methylheptane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
150 3-Methylheptane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
151 1-Bromo-2-Chloroethane	+++++	+++++	0.42547	0.44098	0.39135	0.40974	0.41924	0.42059	0.41790	3.962
152 Diethyl Ketone	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
154 Chlorobenzene	0.64590	0.61258	0.56831	0.56934	0.57208	0.56119	0.55922	0.54524	0.57923	5.728
155 Ethyl Benzene	0.34499	0.28334	0.29447	0.27993	0.29172	0.28288	0.27884	0.27466	0.29135	7.771
156 Nonane	+++++	0.74003	0.70447	0.66323	0.67965	0.66256	0.65147	0.63540	0.67669	5.230

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
157 1,1,1,2-Tetrachloroethane	0.35563	0.32382	0.32969	0.31387	0.32511	0.32948	0.33367	0.32859	0.32998	3.613
158 m,p-Xylene	0.38806	0.37196	0.37479	0.34696	0.36238	0.35333	0.35311	0.35457	0.36315	3.849
159 2-Nitropropane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
160 bis(chloromethyl) Ether	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
161 1-Octene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
162 Epichlorohydrin	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
163 2-Chloroethyl Vinyl Ether	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
164 o-Xylene	0.40209	0.34964	0.34797	0.32588	0.34054	0.33242	0.33325	0.32310	0.34436	7.320
165 Styrene	0.64339	0.60920	0.60187	0.56893	0.59025	0.57007	0.56553	0.55555	0.58810	4.961

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
166 2-Heptanone	+++++	+++++	2.26292	2.29755	1.83581	1.69779	1.71158	1.67700	1.91377	15.124
167 Bromoform	0.47985	0.44432	0.46220	0.45018	0.47109	0.47294	0.47940	0.47764	0.46720	2.921
168 Cumene	1.08781	1.08680	1.06370	0.99495	1.05629	1.02865	1.01865	0.99104	1.04099	3.686
169 Cyclohexanone	+++++	0.54850	0.46370	0.40669	0.38129	0.36645	0.35965	0.35664	0.41185	17.214
171 Vinyl Cyclohexene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
172 D-Limonene	+++++	+++++	0.42776	0.42305	0.43916	0.40816	0.39433	0.38844	0.41348	4.809
173 Ethyl Methacrylate	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
174 1-Chloro-2-Bromopropane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
175 1,1,2,2-Tetrachloroethane	0.60370	0.57369	0.54421	0.52923	0.53384	0.51460	0.51060	0.50957	0.53993	6.182

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
176 1-Nitropropane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
177 Bromobenzene	+++++	0.38420	0.37407	0.36341	0.36785	0.35242	0.35057	0.34627	0.36268	3.803
178 Propylbenzene	0.32257	0.31541	0.31928	0.29710	0.31386	0.30018	0.29865	0.29546	0.30782	3.586
179 1,2,3-Trichloropropane	0.19923	0.17769	0.16355	0.15525	0.15811	0.15273	0.15189	0.15248	0.16387	10.175
180 Bromodichloroethane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
181 trans-1,4-Dichloro-2-butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
182 Decane	+++++	1.11371	0.90143	0.73985	0.74979	0.71130	0.70358	0.65697	0.79666	20.004
183 4-Ethyltoluene	0.35363	0.37151	0.32716	0.32450	0.33904	0.32680	0.32627	0.31513	0.33550	5.524
184 2-Chlorotoluene	0.32107	0.29194	0.28243	0.27891	0.28190	0.27360	0.27431	0.26677	0.28387	5.908

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
185 1,3,5-Trimethylbenzene	0.46745	0.46422	0.46533	0.43457	0.45121	0.44279	0.45269	0.44143	0.45246	2.727
186 4-Chlorotoluene	+++++	+++++	0.28404	0.28217	0.29891	0.27670	0.26718	0.26221	0.27853	4.702
187 Diisobutyl Ketone	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
188 alpha Methyl Styrene	0.53107	0.51235	0.47664	0.45796	0.47466	0.46749	0.46099	0.45313	0.47929	5.804
189 tert-Butylbenzene	+++++	0.92359	0.89137	0.84643	0.84541	0.84302	0.85144	0.82020	0.86021	4.074
190 1,2,4-Trimethylbenzene	1.01543	0.97599	0.92965	0.90214	0.92668	0.89012	0.88834	0.87232	0.92509	5.274
191 Pentachloroethane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
192 sec-Butylbenzene	0.30354	0.28276	0.29262	0.27716	0.27875	0.27454	0.27371	0.26951	0.28157	4.005
193 bis(2-Chloroethyl) Ether	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
194 p-Cymene	1.19625	1.20042	1.18168	1.13009	1.16132	1.12736	1.12277	1.09226	1.15152	3.408
195 1,3-Dichlorobenzene	0.78164	0.73321	0.68866	0.65917	0.68218	0.65105	0.64870	0.63947	0.68551	7.166
196 1,4-Dichlorobenzene	0.75334	0.74271	0.69941	0.67618	0.69122	0.66662	0.66257	0.66294	0.69437	5.149
197 1,2,3-Trimethylbenzene	+++++	+++++	0.40193	0.38449	0.41004	0.37408	0.36355	0.35834	0.38207	5.430
198 1-Nonene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
199 alpha-Chlorotoluene	0.98062	0.89585	0.84943	0.84438	0.87686	0.86218	0.86691	0.85822	0.87930	5.003
200 1-Chlorohexane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
201 Undecane	+++++	1.32781	1.06101	0.91543	0.88800	0.83829	0.81732	0.78285	0.94724	20.126
202 Butylbenzene	0.34962	0.33683	0.31362	0.31022	0.32073	0.30935	0.30296	0.29552	0.31736	5.642

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
203 Butyl Ether	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
204 1,2-Dichlorobenzene	0.74094	0.71274	0.66907	0.64219	0.65422	0.63868	0.63421	0.63019	0.66528	6.106
205 Hexachloroethane	+++++	+++++	0.22170	0.22256	0.23463	0.23203	0.23447	0.23954	0.23082	3.105
206 1,2-Dibromo-3-chloropropane	+++++	+++++	0.40926	0.40209	0.39946	0.39306	0.38422	0.37285	0.39349	3.353
207 Dodecane	+++++	1.00928	0.98725	0.96385	0.96445	0.94356	0.92759	0.88318	0.95417	4.319
208 1,3,5-Trichlorobenzene	+++++	+++++	0.52381	0.53118	0.56713	0.53420	0.51853	0.51621	0.53184	3.505
209 1-Decene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
210 alpha-Pinene	+++++	+++++	0.69171	0.67534	0.63894	0.63762	0.64453	0.64806	0.65603	3.390
211 1,4-Dichloro-2-Butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
212 3-Ethyltoluene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
213 1,2,4-Trichlorobenzene	+++++	+++++	0.71469	0.68493	0.66886	0.64552	0.63062	0.61116	0.65930	5.735
214 beta-Pinene	+++++	+++++	0.53224	0.53323	0.50244	0.49877	0.50176	0.49675	0.51087	3.341
215 Hexachlorobutadiene	+++++	+++++	0.50511	0.48799	0.47763	0.47421	0.47908	0.46151	0.48092	3.044
216 Naphthalene	+++++	1.63680	1.46081	1.39424	1.32515	1.28774	1.28318	1.24446	1.37605	9.922
217 Limonene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
218 Benzaldehyde	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
219 Indan	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
220 Indene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
221 Isobutylbenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
222 1,2,3-Trichlorobenzene	+++++	+++++	0.71060	0.67759	0.64378	0.62766	0.61624	0.60041	0.64605	6.373
223 2-Ethyltoluene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
224 1-Undecene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
225 4-Ethyl-1,2-dimethylbenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
226 1,3-Diethylbenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
227 1,4-Diethylbenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
228 1,2,4,5-tetramethylbenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
229 1-Dodecene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
230 Nitrobenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
231 Tridecane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
232 2-Methylnaphthalene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
233 1,3,5-Triethylbenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
M 234 1,2-Dichloroethene (Total)	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
M 235 Chlorobutane (Total)	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
M 236 Total Xylene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
M 237 3 and 4-Ethyltoluene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
238 Total Volatile Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
239 TPH reference to Hexane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
240 TPH reference to Heptane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
241 TPH reference to Gasoline	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
242 TPH reference MineralSpirits	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
243 TPH reference to Stoddard	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
244 TVOC reference to Hexane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
245 TVOC reference to Heptane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
246 TVOC reference to Toluene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
247 TVOC reference to Toluene-d8	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	___ RRF	% RSD
	100.000 Level 8	200.000 Level 9						
248 NMOC reference to Hexane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
249 NMOC reference to Heptane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
250 NMOC reference to Toluene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
251 C3 - C4 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
252 C4 - C5 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
253 C5 - C6 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
254 C6 - C7 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
255 C7 - C8 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
256 C8 - C9 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
257 C9 - C10 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
258 C10+ Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
259 C5 - C6 Aliphatic ref C5 + C6	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
260 C6-C8 Aliphatic ref Heptane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
261 C8-C10 Aliphatic ref Decane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
262 C10-C12 Aliphatic ref Dodecan	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
263 C8-C10 Aromatic	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
264 C8-C10 Aromatic ref 1,2,3-TMB	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
265 C10-C12 Aromatic	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	___ RRF	% RSD
	100.000 Level 8	200.000 Level 9						
266 C10-C12 Aromatic 1,2,4,5-TMB	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
267 C10-C12 Aromatic Naphthalene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
$ 104 1,2-Dichloroethane-d4	1.27432	1.28441	1.29311	1.29692	1.26692	1.28758		
	1.31044	1.40349					1.30215	3.308
$ 133 Benzene-d6	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
$ 134 Toluene-d8	0.98330	0.98577	0.97060	0.96491	0.96648	0.96328		
	0.97076	0.96989					0.97187	0.854
$ 170 4-Bromofluorobenzene	0.74001	0.74557	0.73268	0.73541	0.74519	0.73880		
	0.74494	0.76109					0.74296	1.175

Report Date: 25-Apr-2024 11:52

Calibration History

Method : /chem/msd3.i/23APR24.b/324q0423a.m
Start Cal Date: 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06

Initial Calibration

Injection Date	Sublist	Calibration File
Cal Level: 2 , Cal Amount: 0.50000		
23-APR-2024 21:18	AT23_Level2	/chem/msd3.i/23APR24.b/3042307.d
Cal Level: 3 , Cal Amount: 1.00000		
23-APR-2024 21:50	AT23_Level3	/chem/msd3.i/23APR24.b/3042308.d
Cal Level: 4 , Cal Amount: 2.00000		
23-APR-2024 22:22	AT23ICAL	/chem/msd3.i/23APR24.b/3042309.d
18-APR-2024 09:31	AT21spICAL	/chem/msd3.i/23APR24.b/3041803.d
Cal Level: 5 , Cal Amount: 5.00000		
23-APR-2024 22:57	AT23ICAL	/chem/msd3.i/23APR24.b/3042310.d
18-APR-2024 10:06	AT21spICAL	/chem/msd3.i/23APR24.b/3041804.d
Cal Level: 6 , Cal Amount: 20.00000		
23-APR-2024 23:27	AT23ICAL	/chem/msd3.i/23APR24.b/3042311.d
18-APR-2024 10:37	AT21spICAL	/chem/msd3.i/23APR24.b/3041805.d
Cal Level: 7 , Cal Amount: 50.00000		
23-APR-2024 23:59	AT23ICAL	/chem/msd3.i/23APR24.b/3042312.d
18-APR-2024 11:08	AT21spICAL	/chem/msd3.i/23APR24.b/3041806.d
Cal Level: 8 , Cal Amount: 100.00000		
24-APR-2024 00:31	AT23ICAL	/chem/msd3.i/23APR24.b/3042313.d
18-APR-2024 11:41	AT21spICAL	/chem/msd3.i/23APR24.b/3041807.d

Cal Level: 9 , Cal Amount: 200.00000
24-APR-2024 01:06 | AT23ICAL | /chem/msd3.i/23APR24.b/3042314.d
18-APR-2024 12:16 | AT21spICAL | /chem/msd3.i/23APR24.b/3041808.d

Continuing Calibration
Ccal Level Mode: GLOBAL LEVEL 7

Ccal Level: 7 , Ccal Amount: 50.000
23-APR-2024 23:59 | AT23ICAL | /chem/msd3.i/23APR24.b/3042312a.d
Ccal Level: 7 , Ccal Amount: 50.000
23-APR-2024 23:59 | AT23ICAL | /chem/msd3.i/23APR24.b/3042312.d
Ccal Level: 7 , Ccal Amount: 50.000
18-APR-2024 11:08 | AT21spCCV | /chem/msd3.i/23APR24.b/3041806a.d
Ccal Level: 7 , Ccal Amount: 50.000
18-APR-2024 11:08 | AT21spICAL | /chem/msd3.i/23APR24.b/3041806.d

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Calibration File Names:
Level 2: /chem/msd3.i/23APR24.b/3042307.d
Level 3: /chem/msd3.i/23APR24.b/3042308.d
Level 4: /chem/msd3.i/23APR24.b/3042309.d
Level 5: /chem/msd3.i/23APR24.b/3042310.d
Level 6: /chem/msd3.i/23APR24.b/3042311.d
Level 7: /chem/msd3.i/23APR24.b/3042312.d
Level 8: /chem/msd3.i/23APR24.b/3042313.d
Level 9: /chem/msd3.i/23APR24.b/3042314.d

jrf 4/26/24

Please see Calibration History page(s) for all the calibration files.

LD 4/26/24

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	RRF	% RSD
	100.000 Level 8	200.000 Level 9						
1 Dimethyl Ether	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
2 1,1-Dichloro-1-Fluoroethane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
3 Freon 143a	+++++	+++++	+++++	0.30523	0.37100	0.37702		
	0.36181	0.27107					0.33723	13.852
4 Freon 134a	+++++	0.72119	0.70420	0.52336	0.52292	0.55741		
	0.55245	0.46348					0.57786	16.814
5 Propylene	+++++	+++++	0.77776	0.68917	0.55183	0.61351		
	0.64995	0.64651					0.65479	11.571
6 Propane	+++++	+++++	0.22880	0.25542	0.21349	0.22284		
	0.23289	0.23470					0.23136	6.085

Initial Calibration Narrative
324Q0423A.m

A multi-point **AT-23** initial calibration was analyzed on MSD-3 on 04/23/24 and 4/24/24.

ICAL: 0 out.
Naphthalene @ 9.922%RSD.

The low point spike verification file is 3042307x.d for BTEXS.

ICV: 2 out. Vinyl Acetate @ 154% recovery and n-Butanol @ 167% recovery. File: 3042404.d
Naphthalene Recovery: @ 112%
DOD QSM: 2 out. Vinyl Acetate @ 154% recovery and n-Butanol @ 167% recovery. See File: 3042404a.d
RCP: 0 out RCP. See File: 3042404c.d

Naphthalene and Acrolein were adjusted in the ICV due to the certified concentration exceeding more than 15% of the nominal concentration

The concentrations for Acetonitrile, Ethanol, Acrolein, Tert-Butanol, and Naphthalene were adjusted in the calibration due to the certified concentration exceeding more than 15% of the nominal concentration.

-Ethanol was curved at 1.232ppbv→246.4ppbv
-Acrolein was curved at 1.165ppbv→233ppbv
-Acetonitrile was curved at 1.176ppbv→235.2ppbv
-Tert-Butanol was curved at 1.152ppbv →230.4ppbv
-Naphthalene calibrated 0.116ppbv→23.2ppbv

A multi-point **AT-21 Supplemental** initial calibration was analyzed on MSD-3 on 4/18/24.

-Freon 143a was curved at 5.0ppbv→200ppbv **(Raised RL)**

No ICV.

BFB tune files: 3042306, and 3042402.

The AT23MDL Expires 8/29/24.

z

MSD3

BFB Tune Verification: (176/174): (193,856/199,488) * 100 = 97.18%			
	3329-901	Exp. Date:	4/4/2025
BCM	119983		
1,4-DFB	454158		
CB-d5	459698		

Verified CCV vs. ICAL midpoint (-40%):	jrf
Method:	324Q0423a.m

		Method TO-15/TO-14				
		SOP# 6				
		Vacuum:	NA			
Surrogate # 3329-901		Exp Date:	4/4/2025			
CCV	3018-4439	Exp Date:	7/15/2024	LCS	3018-4441	Exp Date 7/15/2024
CCV SP 1 #	3018-4328	Exp Date:	5/21/2024	LCS Sp #1		Exp Date
CCV SP 2 #	3018-4329	Exp Date:	5/21/2024	LCS Sp #2		Exp Date
CCV SP 3#		Exp Date:		LCS Sp #3		Exp Date
CCV SP 4#		Exp Date:				

Use	File #	Enter/Scan Sample IDs	Canister#	Cart Pos.	Pressure	Amount	DF	Verify Load	Loaded Init.	Date Analyzed	Time	Review Init	Comments
√	3041801	System Blank	N1876	12	Humid	200mL	1.00	DF	mjs	04/18/24	0824	DF	
√	3041802	BFB Tune Check	3329-901	12	36ng	50mL	1.00	DF	mjs	04/18/24	0859	DF	
√	3041803	ICAL Level #4	3018-4329	1	2.0ppbv (5.0ppbv)	80ml	1.00	DF	mjs	04/18/24	0931	mjb	Exp. 5/21/24
√	3041804	ICAL Level #5	3018-4329	1	5.0ppbv (5.0ppbv)	200ml	1.00	DF	mjs	04/18/24	1006	mjb	
√	3041805	ICAL Level #6	3018-4328	2	20ppbv (200ppbv)	20ml	1.00	DF	mjs	04/18/24	1037	mjb	Exp. 5/21/24
√	3041806	ICAL Level #7	3018-4328	2	50ppbv (200ppbv)	50ml	1.00	DF	mjs	04/18/24	1108	mjb	
√	3041807	ICAL Level #8	3018-4328	2	100ppbv (200ppbv)	100ml	1.00	DF	mjs	04/18/24	1141	mjb	
√	3041808	ICAL Level #9	3018-4328	2	200ppbv (200ppbv)	200ml	1.00	DF	mjs	04/18/24	1216	mjb	
√	3041809	System Blank	N1876	12	Humid	200mL	1.00	DF	mjs	04/18/24	1251	mjb	
X	3041810	ICAL Level #2	3018-4458	3	0.5ppbv (5.0ppbv)	20ml	1.00	DF	mjs	04/18/24	1321	mjb	exp. 7/15/24
X	3041811	ICAL Level #3	3018-4458	3	1.0ppbv (5.0ppbv)	40ml	1.00	DF	mjs	04/18/24	1352	mjb	
X	3041812	ICAL Level #4	3018-4458	3	2.0ppbv (5.0ppbv)	80ml	1.00	DF	mjs	04/18/24	1425	mjb	
X	3041813	ICAL Level #5	3018-4458	3	5.0ppbv (5.0ppbv)	200ml	1.00	DF	mjs	04/18/24	1500	mjb	
X	3041814	ICAL Level #6	3018-4439	13	20ppbv (200ppbv)	20ml	1.00	DF	mjs	04/18/24	1530	mjb	exp. 7/15/24
X	3041815	ICAL Level #7	3018-4439	13	50ppbv (200ppbv)	50ml	1.00	DF	mjs	04/18/24	1601	mjb	
X	3041816	ICAL Level #8	3018-4439	13	100ppbv (200ppbv)	100ml	1.00	DF	mjs	04/18/24	1634	mjb	
X	3041817	ICAL Level #9	3018-4439	13	200ppbv (200ppbv)	200ml	1.00	DF	mjs	04/18/24	1709	mjb	
X	3041818	System Blank	N1876	12	Humid	200mL	1.00	DF	mjs	04/18/24	1744	mjb	
√	3041819	System Blank	N1876	12	Humid	200mL	1.00	DF	mjs	04/18/24	1819	mjb	
√	3041820	System Blank	N1876	12	Humid	200mL	1.00	jrf	mjs	04/19/24	0706	mjb	instrument idle
X	3041821	ICV	3018-4441	14	50ppbv (200ppbv)	50ml	1.00	jrf	mjs	04/19/24	0738	mjb	
√	3041822	System Blank	N1876	12	Humid	200mL	1.00	jrf	jrf	04/19/24	1336	mjb	
T	3041823	CCV	3018-4439	13	200ppbv (200ppbv)	200mL	1.00	jrf	jrf	04/19/24	1411	mjb	Test Standard
√	3041824	System Blank	N1876	12	Humid	200mL	1.00	jrf	jrf	04/19/24	1445	mjb	

4/26/24

z

MSD3

BFB Tune Verification: (176/174): (164,032/169,344) * 100 = 96.86%			
	3169-901	Exp. Date:	4/4/2025
BCM	106185		
1,4-DFB	390964		
CB-d5	392003		

Verified CCV vs. ICAL midpoint (-40%):	jrf
Method:	324Q0423a.m

Surrogate # 3169-901		Method TO-15/TO-14			
CCV	3018-4439	SOP# 6			
CCV SP 1 #	3018-4466	Vacuum:	NA		
CCV SP 2 #		Exp Date:	4/4/2025		
CCV SP 3#		Exp Date:	7/15/2024	LCS	3018-4441
CCV SP 4#		Exp Date:	7/22/2024	LCS Sp #1	
		Exp Date:		LCS Sp #2	
		Exp Date:		LCS Sp #3	
		Exp Date:			

Use	File #	Enter/Scan Sample IDs	Canister#	Cart Pos.	Pressure	Amount	DF	Verify Load	Loaded Init.	Date Analyzed	Time	Review Init	Comments
√	3042305	System Blank	N1876	12	Humid	200mL	1.00	DF	DF	04/23/24	1959	DF	
√	3042306	BFB Tune Check	3169-901	12	36ng	50mL	1.00	DF	DF	04/23/24	2030	DF	dynamic ramp ion 219 14.56->15.06 volts
√	3042307	ICAL Level #2	3018-4466	3	0.5ppbv (5.0ppbv)	20ml	1.00	DF	DF	04/23/24	2118	jrf	exp. 7/22/24
√	3042308	ICAL Level #3	3018-4466	3	1.0ppbv (5.0ppbv)	40ml	1.00	DF	DF	04/23/24	2150	jrf	
√	3042309	ICAL Level #4	3018-4466	3	2.0ppbv (5.0ppbv)	80ml	1.00	jrf	DF	04/23/24	2222	jrf	
√	3042310	ICAL Level #5	3018-4466	3	5.0ppbv (5.0ppbv)	200ml	1.00	jrf	DF	04/23/24	2257	jrf	
√	3042311	ICAL Level #6	3018-4439	13	20ppbv (200ppbv)	20ml	1.00	jrf	DF	04/23/24	2327	jrf	exp. 7/15/24
√	3042312	ICAL Level #7	3018-4439	13	50ppbv (200ppbv)	50ml	1.00	jrf	DF	04/23/24	2359	jrf	
√	3042313	ICAL Level #8	3018-4439	13	100ppbv (200ppbv)	100ml	1.00	jrf	DF	04/24/24	0031	jrf	
√	3042314	ICAL Level #9	3018-4439	13	200ppbv (200ppbv)	200ml	1.00	jrf	DF	04/24/24	0106	jrf	
√	3042315	System Blank	N1876	12	Humid	200mL	1.00	jrf	DF	04/24/24	0141	jrf	
√	3042316	System Blank	N1876	12	Humid	200mL	1.00	jrf	DF	04/24/24	0216	jrf	

√04/26/24

z

MSD3

BFB Tune Verification: (176/174): (153216/157696) * 100 = 97.16%			
	3169-901	Exp. Date:	4/4/2025
BCM	99858		
1,4-DFB	376895		
CB-d5	365862		

Verified CCV vs. ICAL midpoint (-40%):	jrf
Method:	324Q0423a.m

Surrogate # 3169-901		Method TO-15/TO-14			
CCV	3018-4439	SOP# 6			
CCV SP 1 #		Vacuum:	NA		
CCV SP 2 #		Exp Date:	4/4/2025		
CCV SP 3#		Exp Date:	7/15/2024	LCS	3018-4441
CCV SP 4#		Exp Date:		LCS Sp #1	
		Exp Date:		LCS Sp #2	
		Exp Date:		LCS Sp #3	
		Exp Date:			

Use	File #	Enter/Scan Sample IDs	Canister#	Cart Pos.	Pressure	Amount	DF	Verify Load	Loaded Init.	Date Analyzed	Time	Review Init	Comments
												Exp Date	7/15/2024
√	3042401	System Blank	N1876	2	Humid	200mL	1.00	jrf	jrf	04/24/24	1026	jrf	leg validation 1+2
√	3042402	BFB Tune Check	3169-901	2	36ng	50mL	1.00	jrf	jrf	04/24/24	1057	jrf	Exp. 4/4/25.
√	3042403	CCV	3018-4439	13	50ppbv (200ppbv)	50mL	1.00	jrf	jrf	04/24/24	1128	jrf	Exp. 7/15/24.
√	3042404	ICV	3018-4441	14	50ppbv (200ppbv)	50mL	1.00	jrf	jrf	04/24/24	1200	jrf	Exp. 7/15/24. AT23: 2 out.
√	3042405	LCSD	3018-4441	14	50ppbv (200ppbv)	50mL	1.00	jrf	jrf	04/24/24	1231	jrf	Exp. 7/15/24. AT23: 2 out. RPD ok.
√	3042406	Lab Blank	N1876	4	Humid	200mL	1.00	jrf	jrf	04/24/24	1321	jrf	leg validation 3+4+5
√	3042407	2404535-01A	N8309	1	4.5 Hg->9.9 psi	200mL	1.97	DF	jrf	04/24/24	1518	DF	
√	3042408	2404535-02A	N7521	2	6.5 Hg->10.1 psi	200mL	2.15	DF	jrf	04/24/24	1553	DF	
√	3042409	2404535-03A	N6689	3	4.1 Hg->10.2 psi	200mL	1.96	DF	jrf	04/24/24	1628	DF	
√	3042410	2404537-01A	LC709	4	5.3 Hg->10 psi	100mL	4.08	DF	jrf	04/24/24	1700	DF	dil TC
√	3042411	2404537-02A	1039	5	11.4 Hg->10 psi	40mL	13.6	DF	jrf	04/24/24	1731	DF	dil TC
√	3042412	2404537-06A	B2091	6	9.8 Hg->9.9 psi	30mL	16.6	DF	jrf	04/24/24	1802	DF	dil TC
√	3042413	2404537-07A	1L1517	7	5.9 Hg->9.9 psi	45mL	9.26	DF	jrf	04/24/24	1833	DF	dil TC
√	3042414	2404537-08A	34002006	8	5.9 Hg->9.8 psi	30mL	13.8	DF	jrf	04/24/24	1904	DF	dil TC
√	3042415	2404537-09A	N5570	9	5.1 Hg->9.9 psi	200mL	2.02	DF	jrf	04/24/24	1939	DF	"E" flag 1,1 DFA,> 400
√	3042416	System Blank	N1876	9	Humid	200mL	1.00	jrf	DF	04/24/24	2201	jrf	1,1-DFA>RL. Ok for TO15.
√	3042417	2404535-04A	N3415	1	6.1 Hg->9.9 psi	200mL	2.10	jrf	DF	04/24/24	2237	jrf	
√	3042418	2404535-05A	N6704	2	5.1 Hg->10 psi	200mL	2.02	jrf	DF	04/24/24	2312	jrf	
√	3042419	2404535-06A	N6693	3	6.1 Hg->9.8 psi	200mL	2.09	jrf	DF	04/24/24	2347	jrf	
√	3042420	2404535-07A	N2024	4	5.5 Hg->9.8 psi	200mL	2.04	jrf	DF	04/25/24	0022	jrf	
√	3042421	2404535-08A	1L4672	5	5.9 Hg->10 psi	200mL	2.09	jrf	DF	04/26/24	0057	jrf	
√	3042422	2404535-09A	O0833	6	8.4 Hg->10 psi	200mL	2.33	jrf	DF	04/27/24	0132	jrf	
√	3042423	2404535-10A	N6733	7	8.2 Hg->9.9 psi	200mL	2.30	jrf	DF	04/28/24	0207	jrf	
√	3042424	2404535-11A	1L4706	8	8.2 Hg->9.8 psi	200mL	2.29	jrf	DF	04/29/24	0242	jrf	

4/26/24

IS and Associated Target Compounds and Surr.
Instruction #: I1.20

Modified EPA Methods TO-14A/TO-15
Internal Standard and Associated Target Compounds and Surrogates

Bromochloromethane*
Target Compounds:
Freon 12
Freon 114
Chloromethane
Vinyl Chloride
1,3-Butadiene
Bromomethane
Chloroethane
Freon 11
Ethanol
Freon 113
1,1-Dichloroethene
Acetone
2-Propanol
Carbon Disulfide
3-Chloropropene
Methylene Chloride
Methyl tert-butyl ether
trans-1,2-Dichloroethene
Hexane
1,1-Dichloroethane
2-Butanone (Methyl Ethyl Ketone)
cis-1,2-Dichloroethene
Tetrahydrofuran
Chloroform
1,1,1-Trichloroethane
Cyclohexane
Carbon Tetrachloride
2,2,4-Trimethylpentane
Surrogates:
1,2-Dichloroethane-d4

1,4-Difluorobenzene
Target Compounds:
Benzene
1,2-Dichloroethane
Heptane
Trichloroethene
1,2-Dichloropropane
1,4-Dioxane
Bromodichloromethane
cis-1,3-Dichloropropene
4-Methyl-2-pentanone
Toluene
Surrogates:
Toluene-d8

Chlorobenzene-d5
Target Compounds:
trans-1,3-Dichloropropene
1,1,2-Trichloroethane
Tetrachloroethene
2-Hexanone
Dibromochloromethane
1,2-Dibromoethane (EDB)
Chlorobenzene
Ethyl Benzene
m,p-Xylene
o-Xylene
Styrene
Bromoform
Cumene
1,1,2,2-Tetrachloroethane
Propylbenzene
4-Ethyltoluene
1,3,5-Trimethylbenzene
1,2,4-Trimethylbenzene
1,3-Dichlorobenzene
1,4-Dichlorobenzene
alpha-Chlorotoluene
1,2-Dichlorobenzene
1,2,4-Trichlorobenzene
Hexachlorobutadiene
Surrogates:
Bromofluorobenzene

*Note: If Bromochloromethane (BCM) is required as a target compound, the internal standard mix is blended without BCM. Compounds and surrogates assigned to BCM are re-assigned to 1,4-Difluorobenzene for calibration and subsequent quantitation.

THE LINDE GROUP

Linde

ISO/IEC 17025

ANAB

ACCREDITED

Analysis Report

IS/Surr.

Std. ID: 3169-901
Rec'd: 4/14/23
By: MJB

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 1 of 2
Report ID: 37530
Revision: 0

Sales#:	117466144	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1581959	**Cylinder # :**	CC-17972
Report Date:	Apr-04-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75404616	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24100578	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Apr-04-2025	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

1st Review: All w/in ±15%, MJB 4/14/23
2nd Review: All w/in ±5% JL 4/14/23

Primary Reference Material intended for the calibration of gas analyzers or instrumentation. General instructions for proper use of gas mixtures are found in "ISO 16664: Gas analysis – handling of calibration gases and gas mixtures".

Contents under pressure, store in secure area and do not expose to temperatures greater than 150 °F.

Recommended Operating temperature within 32°F (0°C) and 125°F (52°C).

Recommended minimum sample size 10 mL.

Except where noted, results are reported in mole/mole ppm as determined by Gas Chromatography using qualified reference standards under ANA-50-741-ALP and ANA-50-742-ALP and meets ISO/IEC 17025 requirements. Every cylinder is analyzed and represents one unique lot.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor providing a level of confidence of 95% and has been carried out in accordance with ISO/IEC 17025 requirements.

This report is issued in accordance with the laboratory accreditation requirements of ANAB. It provides traceability of measurement to recognized national standards, and to units of measurement realized by the National Institute of Standards and Technology (NIST).

Linde Spectra Environmental Gases

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740
www.lideus.com

This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

ISO/IEC 17025

Analysis Report

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 2 of 2
Report ID: 37530
Revision: 0

Sales#:	117466144	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1581959	**Cylinder # :**	CC-17972
Report Date:	Apr-04-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75404616	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24100578	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Apr-04-2025	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Reported Conc	Uncertainty
Bromochloromethane	74-97-5	5.000 ppm	2.571	5.271 ppm	± 0.33 ppm
1,2-Dichloroethane-d4	17060-07-0	5.000 ppm	2.571	5.445 ppm	± 0.32 ppm
1,4-Difluorobenzene	540-36-3	5.000 ppm	2.571	5.331 ppm	± 0.33 ppm
Toluene-d8	2037-26-5	5.000 ppm	2.571	5.487 ppm	± 0.35 ppm
Chlorobenzene-d5	3114-55-4	5.000 ppm	2.571	5.230 ppm	± 0.33 ppm
4-Bromofluorobenzene	460-00-4	5.000 ppm	2.571	5.185 ppm	± 0.33 ppm
Nitrogen	7727-37-9	Balance		Balance	

ANALYST: Lou Lorenzetti

DATE: Apr-04-2023

Linde Spectra Environmental Gases
This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.
80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

4700 Precision Diluter Standards Preparation Report

Dilution ID: 4944

Canister Size: 6000cc **Canister ID:** 0254 **Target Final Psia:** 29.4

Comment: AT23 CCV 5.0ppbv, 100uL H2O, exp. 7/22/2024

Date: 4/22/2024 9:05:18 AM

Report ID: 3018-4466

Prepared By: mjs

Channel Methods

Ch.	Title	Init. Conc.	Target Conc.	Dilution Factor	Init. Psia	Target Psid	Final Psid	Target Psia	Final Psia	Duration	Final Conc.
1	Diluent	100 percent	100 percent	1	-0.05	11.93	11.93	11.88	11.88	00:06:46	N/A
6	3018-4465	200 ppb	5 ppb	40	11.88	0.74	0.74	12.62	12.62	00:02:50	5.03 ppb
1	Diluent	100 percent	100 percent	1	12.62	16.78	16.77	29.40	29.40	00:10:48	N/A

Total Duration: 00:20:31

Channel Configuration and Standards Inventory

Ch.	Source	Init. Conc.	Cylinder ID	Expiration Date	Notes
1	Diluent	100 percent	488009Y	9/9/9999	E70263095101, Zero Air. No exp. date.
6	3018-4465	200 ppb	24889	7/22/2024	AT23 CCV

MJS 4/22/24

Verify Lot# of CCV/CAL (primary) is different than ICV/LCS (secondary)

initial/date MJS 4/22/24

Verify Concentration and Expiration date from COA

initial/date MJS 4/22/24

4700 Precision Diluter Standards Preparation Report

Dilution ID: 4943

Canister Size: 6000cc **Canister ID:** 24889 **Target Final Psia:** 29.7

Comment: AT23 CCV 200ppbv, 100uL H2O, exp. 7/22/2024

Date: 4/22/2024 8:15:29 AM

Report ID: 3018-4465

Prepared By: mjs

Channel Methods

Ch.	Title	Init. Conc.	Target Conc.	Dilution Factor	Init. Psia	Target Psid	Final Psid	Target Psia	Final Psia	Duration	Final Conc.
1	Diluent	100 percent	100 percent	1	0.10	11.77	11.77	11.87	11.87	00:06:31	N/A
2	AT23 CCV Part A 3169-799	1000 ppb	200 ppb	5	11.87	5.92	5.92	17.79	17.79	00:05:48	199.99 ppb
3	AT23 CCV Part B 3169-800	1000 ppb	200 ppb	5	17.79	5.92	5.92	23.71	23.71	00:05:56	199.99 ppb
1	Diluent	100 percent	100 percent	1	23.71	5.99	5.99	29.70	29.70	00:04:30	N/A

Total Duration: 00:22:53

Channel Configuration and Standards Inventory

Ch.	Source	Init. Conc.	Cylinder ID	Expiration Date	Notes
1	Diluent	100 percent	488009Y	9/9/9999	Zero Air. E701263095101. Exp. 9/9/9999 = No Exp. Date.
2	AT23 CCV Part A 3169-799	1000 ppb	EB-0140173	7/25/2024	Production #1571522
3	AT23 CCV Part B 3169-800	1000 ppb	EB-0140118	7/30/2024	Production #1571521

4/22/24

Verify Lot# of CCV/ECAL (primary) is different than ICV/LCS (secondary)

initial/date MJS 4/22/24

Verify Concentration and Expiration date from COA

initial/date MJS 4/22/24

4700 Precision Diluter Standards Preparation Report

Dilution ID: 4914

Canister Size: 6000cc **Canister ID:** N1856 **Target Final Psia:** 29.7

Comment: 200ppbv AT23 CCV, 100uL H2O. Exp. 7/15/24.

Date: 4/15/2024 10:22:53 AM

Report ID: 3018-4439

Prepared By: ef

Channel Methods

Ch.	Title	Init. Conc.	Target Conc.	Dilution Factor	Init. Psia	Target Psid	Final Psid	Target Psia	Final Psia	Duration	Final Conc.
1	Diluent	100 percent	100 percent	1	-0.02	11.93	11.93	11.91	11.91	00:06:58	N/A
2	AT23 CCV Part A 3169-799	1000 ppb	200 ppb	5	11.91	5.94	5.94	17.85	17.85	00:06:08	199.89 ppb
3	AT23 CCV Part B 3169-800	1000 ppb	200 ppb	5	17.85	5.94	5.94	23.79	23.79	00:06:58	199.89 ppb
1	Diluent	100 percent	100 percent	1	23.79	5.91	5.91	29.70	29.70	00:04:31	N/A

Total Duration: 00:24:44

Channel Configuration and Standards Inventory

Ch.	Source	Init. Conc.	Cylinder ID	Expiration Date	Notes
1	Diluent	100 percent	488009Y	9/9/9999	Zero Air. E701263095101. Exp. 9/9/9999 = No Exp. Date.
2	AT23 CCV Part A 3169-799	1000 ppb	EB-0140173	7/25/2024	Production #1571522
3	AT23 CCV Part B 3169-800	1000 ppb	EB-0140118	7/30/2024	Production #1571521

MB 4/15/24

Verify Lot# of CCV/RCAL (primary) is different than ICV/LCS (secondary)

initial/date 4/15/24

Verify Concentration and Expiration date from COA

initial/date 4/15/24

ISO 17034 Certificate

Certified Reference Material

AT-23 1° Source
Part A

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 1 of 3
Report ID: 37130
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571522	**Cylinder # :**	EB0140173
Report Date:	Jan-25-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17034	**Cylinder Volume:**	29.5 Liter
Material#:	24108088	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-25-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig 3 on 3/16/23	**Method of Analysis:**	GC-FID

Std. ID: 3169-799
Rec'd: 2/8/23
By: MGJ

1st Review: 2 > ±15%.
MGJ 2/13/23

2ND REVIEW: 3 OUT > ±15%
2/13/23

Primary Reference Material intended for the calibration of gas analyzers or instrumentation. General instructions for proper use of gas mixtures are found in "ISO 16664: Gas analysis – handling of calibration gases and gas mixtures".

Contents under pressure, store in secure area and do not expose to temperatures greater than 150 °F.

Recommended Operating temperature within 32°F (0°C) and 125°F (52°C).

Recommended minimum sample size 10 mL.

Except where noted, results are reported in mole/mole ppm as determined by Gas Chromatography using qualified reference standards under ANA-50-741-ALP and ANA-50-742-ALP and meets ISO 17025 requirements. Every cylinder is analyzed and represents one unique lot.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor providing a level of confidence of 95% and has been carried out in accordance with ISO 17025 requirements.

This certificate is issued in accordance with the laboratory accreditation requirements of ANAB. It provides traceability of measurement to recognized national standards, and to units of measurement realized by the National Institute of Standards and Technology (NIST).

Linde Spectra Environmental Gases

This certificate may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740
www.lideus.com

ISO 17034 Certificate

Certified Reference Material

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

Report ID: 37130
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571522	**Cylinder # :**	EB0140173
Report Date:	Jan-25-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17034	**Cylinder Volume:**	29.5 Liter
Material#:	24108088	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-25-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Certified Conc	Uncertainty
Acetonitrile	75-05-8	1.000 ppm	2.571	1.176 ppm	± 0.059 ppm *
Acetone	67-64-1	1.000 ppm	2.571	1.046 ppm	± 0.043 ppm
Isopropyl Alcohol	67-63-0	1.000 ppm	2.571	1.145 ppm	± 0.045 ppm
Iodomethane	74-88-4	1.000 ppm	2.571	1.047 ppm	± 0.042 ppm
Methylene Chloride	75-09-2	1.000 ppm	2.571	1.040 ppm	± 0.039 ppm
Tert-Butanol	75-65-0	1.000 ppm	2.571	1.152 ppm *	± 0.044 ppm *
Methyl Tert Butyl Ether	1634-04-4	1.000 ppm	2.571	1.037 ppm	± 0.039 ppm
Vinyl Acetate	108-05-4	1.000 ppm	2.571	1.107 ppm	± 0.044 ppm
Methyl Ethyl Ketone	78-93-3	1.000 ppm	2.571	1.052 ppm	± 0.040 ppm
n-Hexane	110-54-3	1.000 ppm	2.571	1.041 ppm	± 0.045 ppm
Chloroform	67-66-3	1.000 ppm	2.571	1.036 ppm	± 0.036 ppm
Ethyl Acetate	141-78-6	1.000 ppm	2.571	1.036 ppm	± 0.036 ppm
Diisopropyl Ether	108-20-3	1.000 ppm	2.571	1.035 ppm	± 0.037 ppm
Tetrahydrofuran	109-99-9	1.000 ppm	2.571	1.033 ppm	± 0.040 ppm
1,2-Dichloroethane	107-06-2	1.000 ppm	2.571	1.045 ppm	± 0.040 ppm
Benzene	71-43-2	1.000 ppm	2.571	1.045 ppm	± 0.044 ppm
1-Butanol	71-36-3	1.000 ppm	2.571	0.970 ppm	± 0.044 ppm
Cyclohexane	110-82-7	1.000 ppm	2.571	1.038 ppm	± 0.038 ppm
1,2-Dichloropropane	78-87-5	1.000 ppm	2.571	1.038 ppm	± 0.039 ppm
Trichloroethylene	79-01-6	1.000 ppm	2.571	1.041 ppm	± 0.038 ppm
1,4-Dioxane	123-91-1	1.000 ppm	2.571	1.043 ppm	± 0.038 ppm
2,2,4-Trimethylpentane	540-84-1	1.000 ppm	2.571	1.036 ppm	± 0.038 ppm
n-Heptane	142-82-5	1.000 ppm	2.571	1.036 ppm	± 0.039 ppm
Methyl Isobutyl Ketone	108-10-1	1.000 ppm	2.571	1.038 ppm	± 0.038 ppm
Toluene	108-88-3	1.000 ppm	2.571	1.045 ppm	± 0.046 ppm
Methyl Butyl Ketone	591-78-6	1.000 ppm	2.571	1.050 ppm	± 0.039 ppm
Tetrachloroethylene	127-18-4	1.000 ppm	2.571	1.043 ppm	± 0.038 ppm

Linde Spectra Environmental Gases

This certificate may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.
80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

ISO 17034 Certificate

Certified Reference Material

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

Report ID: 37130
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571522	**Cylinder # :**	EB0140173
Report Date:	Jan-25-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17034	**Cylinder Volume:**	29.5 Liter
Material#:	24108088	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-25-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Certified Conc	Uncertainty
Chlorobenzene	108-90-7	1.000 ppm	2.571	1.042 ppm	± 0.036 ppm
Ethylbenzene	100-41-4	1.000 ppm	2.571	1.042 ppm	± 0.036 ppm
p-Xylene	106-42-3	0.500 ppm	2.571	0.525 ppm	± 0.018 ppm
m-Xylene	108-38-3	0.500 ppm	2.571	0.524 ppm	± 0.018 ppm
o-Xylene	95-47-6	1.000 ppm	2.571	1.045 ppm	± 0.035 ppm
Cumene	98-82-8	1.000 ppm	2.571	1.038 ppm	± 0.035 ppm
Naphthalene	91-20-3	0.100 ppm	2.571	0.116 ppm	± 0.007 ppm
Nitrogen	7727-37-9	Balance		Balance	

ANALYST: Lou Lorenzetti

DATE: Jan-25-2023

Linde Spectra Environmental Gases

This certificate may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.
80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

ISO/IEC 17025

Analysis Report

AT-23 1° source Part B

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 1 of 5
Report ID: 37157
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571521	**Cylinder # :**	EB0140118
Report Date:	Jan-30-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24099162	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-30-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

Std. ID: 3169-800
Rec'd: 2/8/23
By: MJS

1st Review: 27±15%
MJS 2/13/23.

2ND REVIEW: 27 ±15%
& 2/13/23

Primary Reference Material intended for the calibration of gas analyzers or instrumentation. General instructions for proper use of gas mixtures are found in "ISO 16664: Gas analysis – handling of calibration gases and gas mixtures".

Contents under pressure, store in secure area and do not expose to temperatures greater than 150 °F.

Recommended Operating temperature within 32°F (0°C) and 125°F (52°C).

Recommended minimum sample size 10 mL.

Except where noted, results are reported in mole/mole ppm as determined by Gas Chromatography using qualified reference standards under ANA-50-741-ALP and ANA-50-742-ALP and meets ISO/IEC 17025 requirements. Every cylinder is analyzed and represents one unique lot.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor providing a level of confidence of 95% and has been carried out in accordance with ISO/IEC 17025 requirements.

This report is issued in accordance with the laboratory accreditation requirements of ANAB. It provides traceability of measurement to recognized national standards, and to units of measurement realized by the National Institute of Standards and Technology (NIST).

Linde Spectra Environmental Gases

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740
www.lideus.com

This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

ISO/IEC 17025

Analysis Report

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 2 of 5
Report ID: 37157
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571521	**Cylinder # :**	EB0140118
Report Date:	Jan-30-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24099162	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-30-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Reported Conc	Uncertainty
1,1,1,2-Tetrafluoroethane	811-97-2	1.000 ppm	2.571	1.054 ppm	± 0.035 ppm
1,1-Difluoroethane	75-37-6	1.000 ppm	2.571	1.063 ppm	± 0.033 ppm
Propylene	115-07-1	1.000 ppm	2.571	1.059 ppm	± 0.033 ppm
Chlorodifluoromethane	75-45-6	1.000 ppm	2.571	1.055 ppm	± 0.032 ppm
Freon-12	75-71-8	1.000 ppm	2.571	1.067 ppm	± 0.029 ppm
Chloromethane	74-87-3	1.000 ppm	2.571	1.057 ppm	± 0.030 ppm
Isobutane	75-28-5	1.000 ppm	2.571	1.071 ppm	± 0.032 ppm
Freon-114	76-14-2	1.000 ppm	2.571	1.060 ppm	± 0.028 ppm
Vinyl Chloride	75-01-4	1.000 ppm	2.571	1.063 ppm	± 0.032 ppm
1,3-Butadiene	106-99-0	1.000 ppm	2.571	1.062 ppm	± 0.036 ppm
n-Butane	106-97-8	1.000 ppm	2.571	1.056 ppm	± 0.035 ppm
Bromomethane	74-83-9	1.000 ppm	2.571	1.062 ppm	± 0.034 ppm
Chloroethane	75-00-3	1.000 ppm	2.571	1.062 ppm	± 0.037 ppm
Dichlorofluoromethane	75-43-4	1.000 ppm	2.571	1.068 ppm	± 0.037 ppm
Vinyl Bromide	593-60-2	1.000 ppm	2.571	1.065 ppm	± 0.037 ppm
Ethanol (No Stability Guarantee)	64-17-5	1.000 ppm	2.571	1.232 ppm	± 0.11 ppm
Acrolein	107-02-8	1.000 ppm	2.571	1.165 ppm	± 0.074 ppm
Isopentane	78-78-4	1.000 ppm	2.571	1.070 ppm	± 0.030 ppm
Freon-11	75-69-4	1.000 ppm	2.571	1.068 ppm	± 0.032 ppm
n-Pentane	109-66-0	1.000 ppm	2.571	1.071 ppm	± 0.037 ppm
Acrylonitrile	107-13-1	1.000 ppm	2.571	1.064 ppm	± 0.037 ppm
1,1-Dichloroethene	75-35-4	1.000 ppm	2.571	1.068 ppm	± 0.036 ppm
Carbon Disulfide	75-15-0	1.000 ppm	2.571	1.067 ppm	± 0.036 ppm
3-Chloropropene	107-05-1	1.000 ppm	2.571	1.057 ppm	± 0.038 ppm
Freon-113	76-13-1	1.000 ppm	2.571	1.050 ppm	± 0.031 ppm
Trans-1,2-Dichloroethene	156-60-5	1.000 ppm	2.571	1.092 ppm	± 0.038 ppm
1,1-Dichloroethane	75-34-3	1.000 ppm	2.571	1.056 ppm	± 0.039 ppm

Linde Spectra Environmental Gases

This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

ISO/IEC 17025

Analysis Report

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

Report ID: 37157
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571521	**Cylinder # :**	EB0140118
Report Date:	Jan-30-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24099162	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-30-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Reported Conc	Uncertainty
Cis-1,2-Dichloroethene	156-59-2	1.000 ppm	2.571	1.055 ppm	± 0.036 ppm
2,2-Dichloropropane	594-20-7	1.000 ppm	2.571	1.064 ppm	± 0.041 ppm
Ethyl Tert Butyl Ether	637-92-3	1.000 ppm	2.571	1.066 ppm	± 0.038 ppm
1,1,1-Trichloroethane	71-55-6	1.000 ppm	2.571	1.059 ppm	± 0.038 ppm
1,1-Dichloropropene	563-58-6	1.000 ppm	2.571	1.067 ppm	± 0.037 ppm
Carbon Tetrachloride	56-23-5	1.000 ppm	2.571	1.067 ppm	± 0.042 ppm
Tert Amyl Methyl Ether	994-05-8	1.000 ppm	2.571	1.065 ppm	± 0.039 ppm
Dibromomethane	74-95-3	1.000 ppm	2.571	1.063 ppm	± 0.037 ppm
Bromodichloromethane	75-27-4	1.000 ppm	2.571	1.084 ppm	± 0.075 ppm
Methyl Methacrylate	80-62-6	1.000 ppm	2.571	1.057 ppm	± 0.036 ppm
1-Bromo-2-Chloroethane	107-04-0	1.000 ppm	2.571	1.060 ppm	± 0.043 ppm
Cis-1,3-Dichloropropene	10061-01-5	1.000 ppm	2.571	1.059 ppm	± 0.038 ppm
Methylcyclohexane	108-87-2	1.000 ppm	2.571	1.079 ppm	± 0.039 ppm
Trans-1,3-Dichloropropene	10061-02-6	1.000 ppm	2.571	1.060 ppm	± 0.038 ppm
1,1,2-Trichloroethane	79-00-5	1.000 ppm	2.571	1.060 ppm	± 0.036 ppm
1,3-Dichloropropane	142-28-9	1.000 ppm	2.571	1.064 ppm	± 0.038 ppm
Dibromochloromethane	124-48-1	1.000 ppm	2.571	1.069 ppm	± 0.036 ppm
1,2-Dibromoethane	106-93-4	1.000 ppm	2.571	1.056 ppm	± 0.037 ppm
n-Octane	111-65-9	1.000 ppm	2.571	1.068 ppm	± 0.036 ppm
1,1,1,2-Tetrachloroethane	630-20-6	1.000 ppm	2.571	1.060 ppm	± 0.036 ppm
Bromoform	75-25-2	1.000 ppm	2.571	1.070 ppm	± 0.038 ppm
Cyclohexanone	108-94-1	1.000 ppm	2.571	1.073 ppm	± 0.029 ppm
Styrene	100-42-5	1.000 ppm	2.571	1.062 ppm	± 0.031 ppm
1,1,2,2-Tetrachloroethane	79-34-5	1.000 ppm	2.571	1.052 ppm	± 0.031 ppm
1,2,3-Trichloropropane	96-18-4	1.000 ppm	2.571	1.053 ppm	± 0.029 ppm
Trans-1,4-Dichloro-2-Butene	110-57-6	1.000 ppm	2.571	1.044 ppm	± 0.029 ppm
Nonane	111-84-2	1.000 ppm	2.571	1.060 ppm	± 0.033 ppm

Linde Spectra Environmental Gases

This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

ISO/IEC 17025

Analysis Report

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 4 of 5
Report ID: 37157
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571521	**Cylinder # :**	EB0140118
Report Date:	Jan-30-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24099162	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-30-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Reported Conc	Uncertainty
Bromobenzene	108-86-1	1.000 ppm	2.571	1.060 ppm	± 0.035 ppm
2-Chlorotoluene	95-49-8	1.000 ppm	2.571	1.055 ppm	± 0.028 ppm
n-Propylbenzene	103-65-1	1.000 ppm	2.571	1.063 ppm	± 0.029 ppm
4-Ethyltoluene	622-96-8	1.000 ppm	2.571	1.062 ppm	± 0.026 ppm
1,3,5-Trimethylbenzene	108-67-8	1.000 ppm	2.571	1.050 ppm	± 0.028 ppm
alpha-Methyl Styrene (No Stability Gu	98-83-9	1.000 ppm	2.571	1.042 ppm	± 0.025 ppm
Tert-Butyl Benzene	98-06-6	1.000 ppm	2.571	1.054 ppm	± 0.027 ppm
1,2,4-Trimethylbenzene	95-63-6	1.000 ppm	2.571	1.062 ppm	± 0.027 ppm
1,3-Dichlorobenzene	541-73-1	1.000 ppm	2.571	1.061 ppm	± 0.024 ppm
Benzyl Chloride	100-44-7	1.000 ppm	2.571	1.064 ppm	± 0.024 ppm
n-Decane	124-18-5	1.000 ppm	2.571	1.052 ppm	± 0.024 ppm
1,4-Dichlorobenzene	106-46-7	1.000 ppm	2.571	1.052 ppm	± 0.023 ppm
sec-Butylbenzene	135-98-8	1.000 ppm	2.571	1.062 ppm	± 0.027 ppm
4-Isopropyltoluene	99-87-6	1.000 ppm	2.571	1.048 ppm	± 0.023 ppm
1,2-Dichlorobenzene	95-50-1	1.000 ppm	2.571	1.052 ppm	± 0.023 ppm
n-Butylbenzene	104-51-8	1.000 ppm	2.571	1.050 ppm	± 0.022 ppm
1,2-Dibromo-3-Chloropropane	96-12-8	1.000 ppm	2.571	1.031 ppm	± 0.034 ppm
n-Undecane	1120-21-4	1.000 ppm	2.571	1.060 ppm	± 0.027 ppm
1,2,4-Trichlorobenzene	120-82-1	1.000 ppm	2.571	1.089 ppm	± 0.071 ppm
n-Dodecane	112-40-3	1.000 ppm	2.571	1.059 ppm	± 0.051 ppm

Linde Spectra Environmental Gases

This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

ISO/IEC 17025

Analysis Report

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 5 of 5
Report ID: 37157
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571521	**Cylinder # :**	EB0140118
Report Date:	Jan-30-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24099162	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-30-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Reported Conc	Uncertainty
1,2,3-Trichlorobenzene	87-61-6	1.000 ppm	2.571	1.082 ppm	± 0.10 ppm
Hexachloro-1,3-Butadiene	87-68-3	1.000 ppm	2.571	1.085 ppm	± 0.052 ppm
Nitrogen	7727-37-9	Balance		Balance	

ANALYST: Lou Lorenzetti

DATE: Jan-30-2023

Linde Spectra Environmental Gases

This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

4700 Precision Diluter Standards Preparation Report

Dilution ID: 4916

Canister Size: 6000cc **Canister ID:** 0916 **Target Final Psia:** 29.7

Comment: 200ppbv AT23 LCS, 100uL H2O. Exp. 7/15/24.

Date: 4/15/2024 12:01:16 PM

Report ID: 3018-4441

Prepared By: ef

Channel Methods

Ch.	Title	Init. Conc.	Target Conc.	Dilution Factor	Init. Psia	Target Psid	Final Psid	Target Psia	Final Psia	Duration	Final Conc.
1	Diluent	100 percent	100 percent	1	0.21	11.67	11.67	11.88	11.88	00:06:44	N/A
2	AT23 LCS 3169-801	1000 ppb	200 ppb	5	11.88	5.90	5.90	17.78	17.78	00:06:22	200.09 ppb
1	Diluent	100 percent	100 percent	1	17.78	11.92	11.92	29.70	29.70	00:07:59	N/A

Total Duration: 00:21:12

Channel Configuration and Standards Inventory

Ch.	Source	Init. Conc.	Cylinder ID	Expiration Date	Notes
1	Diluent	100 percent	488009Y	9/9/9999	Zero Air. N701263095101. 9/9/9999 = no exp.
2	AT23 LCS 3169-801	1000 ppb	EB0139594	7/31/2024	Production #1575260


mjb 04/15/24

Verify Lot# of OCV/ICAL (primary) is different than ICV/LCS (secondary)

Initial/date ef 4/15/24

Verify Concentration and Expiration date from COA

Initial/date ef 4/15/24



SHIPPED TO: AT-23 2° Source

Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

Std. ID: 3169-801
Recd: 2/9/23
BY: MJB


ANALYSIS REPORT

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1575260	**Cylinder # :**	EB0139594
Report Date:	Jan-31-2023	**Cylinder Pressure:**	2000 psig
P.O.# :	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	QUALIFIED	**Cylinder Volume:**	29.5 Liter
Material#:	24086943	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-31-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Analytical Accuracy:**	5% Relative

1st Review: All w/in ±15%
2nd Review: All w/in +/-15%

COMPONENT	CAS NUMBER	REQUESTED CONC	QUALIFIED CONC
1,1,1,2-Tetrafluoroethane	811-97-2	1.00 ppm	1.03 ppm
1,1-Difluoroethane	75-37-6	1.00 ppm	1.04 ppm
Propylene	115-07-1	1.00 ppm	1.04 ppm
Chlorodifluoromethane	75-45-6	1.00 ppm	1.03 ppm
Freon-12	75-71-8	1.00 ppm	1.05 ppm
Chloromethane	74-87-3	1.00 ppm	1.04 ppm
Isobutane	75-28-5	1.00 ppm	1.05 ppm
Freon-114	76-14-2	1.00 ppm	1.04 ppm
Vinyl Chloride	75-01-4	1.00 ppm	1.05 ppm
1,3-Butadiene	106-99-0	1.00 ppm	1.04 ppm
n-Butane	106-97-8	1.00 ppm	1.04 ppm
Bromomethane	74-83-9	1.00 ppm	1.05 ppm
Chloroethane	75-00-3	1.00 ppm	1.05 ppm
Dichlorofluoromethane	75-43-4	1.00 ppm	1.04 ppm
Vinyl Bromide	593-60-2	1.00 ppm	1.04 ppm
Ethanol (Analytical Accuracy ± 10%)	64-17-5	1.00 ppm	1.14 ppm
Acetonitrile (Analytical Accuracy ± 10%)	75-05-8	1.00 ppm	1.05 ppm
Acrolein (Analytical Accuracy ± 10%)	107-02-8	1.00 ppm	1.14 ppm
Isopentane	78-78-4	1.00 ppm	1.05 ppm
Acetone	67-64-1	1.00 ppm	1.06 ppm
Freon-11	75-69-4	1.00 ppm	1.04 ppm
Isopropyl Alcohol	67-63-0	1.00 ppm	1.06 ppm
n-Pentane	109-66-0	1.00 ppm	1.08 ppm
Acrylonitrile	107-13-1	1.00 ppm	1.07 ppm
Iodomethane	74-88-4	1.00 ppm	1.07 ppm
1,1-Dichloroethene	75-35-4	1.00 ppm	1.01 ppm
Carbon Disulfide (Analytical Accuracy ± 10%)	75-15-0	1.00 ppm	1.01 ppm
Methylene Chloride	75-09-2	1.00 ppm	1.03 ppm
Tert-Butanol (Analytical Accuracy ± 10%)	75-65-0	1.00 ppm	1.08 ppm
3-Chloropropene	107-05-1	1.00 ppm	1.03 ppm

Linde Gas North America LLC
(908) 329-9700 Main (908) 329-9740 Fax
www.Lindeus.com




SHIPPED TO: Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

ANALYSIS REPORT

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1575260	**Cylinder # :**	EB0139594
Report Date:	Jan-31-2023	**Cylinder Pressure:**	2000 psig
P.O.# :	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	QUALIFIED	**Cylinder Volume:**	29.5 Liter
Material#:	24086943	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-31-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Analytical Accuracy:**	5% Relative

COMPONENT	CAS NUMBER	REQUESTED CONC	QUALIFIED CONC
Freon-113	76-13-1	1.00 ppm	1.00 ppm
Trans-1,2-Dichloroethene	156-60-5	1.00 ppm	1.07 ppm
1,1-Dichloroethane	75-34-3	1.00 ppm	1.04 ppm
Methyl Tert Butyl Ether	1634-04-4	1.00 ppm	1.03 ppm
Vinyl Acetate	108-05-4	1.00 ppm	1.10 ppm
Methyl Ethyl Ketone	78-93-3	1.00 ppm	1.05 ppm
Cis-1,2-Dichloroethene	156-59-2	1.00 ppm	1.04 ppm
n-Hexane	110-54-3	1.00 ppm	1.02 ppm
Chloroform	67-66-3	1.00 ppm	1.05 ppm
Ethyl Acetate	141-78-6	1.00 ppm	1.05 ppm
Diisopropyl Ether	108-20-3	1.00 ppm	1.05 ppm
2,2-Dichloropropane	594-20-7	1.00 ppm	1.05 ppm
Tetrahydrofuran	109-99-9	1.00 ppm	1.06 ppm
Ethyl Tert Butyl Ether	637-92-3	1.00 ppm	1.08 ppm
1,2-Dichloroethane	107-06-2	1.00 ppm	1.06 ppm
1,1,1-Trichloroethane	71-55-6	1.00 ppm	1.04 ppm
1,1-Dichloropropene	563-58-6	1.00 ppm	1.04 ppm
Benzene	71-43-2	1.00 ppm	1.05 ppm
1-Butanol (Analytical Accuracy ± 10%)	71-36-3	1.00 ppm	1.10 ppm
Carbon Tetrachloride	56-23-5	1.00 ppm	1.04 ppm
Cyclohexane	110-82-7	1.00 ppm	1.04 ppm
Tert Amyl Methyl Ether	994-05-8	1.00 ppm	1.06 ppm
Dibromomethane	74-95-3	1.00 ppm	1.03 ppm
1,2-Dichloropropane	78-87-5	1.00 ppm	1.03 ppm
Trichloroethylene	79-01-6	1.00 ppm	1.05 ppm
1,4-Dioxane	123-91-1	1.00 ppm	1.05 ppm
Bromodichloromethane	75-27-4	1.00 ppm	1.05 ppm
2,2,4-Trimethylpentane	540-84-1	1.00 ppm	1.03 ppm
Methyl Methacrylate	80-62-6	1.00 ppm	1.04 ppm
Heptane	142-82-5	1.00 ppm	1.05 ppm




SHIPPED TO: Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

ANALYSIS REPORT

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1575260	**Cylinder # :**	EB0139594
Report Date:	Jan-31-2023	**Cylinder Pressure:**	2000 psig
P.O.# :	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	QUALIFIED	**Cylinder Volume:**	29.5 Liter
Material#:	24086943	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-31-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Analytical Accuracy:**	5% Relative

COMPONENT	CAS NUMBER	REQUESTED CONC	QUALIFIED CONC
1-Bromo-2-Chloroethane	107-04-0	1.00 ppm	1.05 ppm
Cis-1,3-Dichloropropene	10061-01-5	1.00 ppm	1.03 ppm
Methyl Isobutyl Ketone	108-10-1	1.00 ppm	1.02 ppm
Methylcyclohexane	108-87-2	1.00 ppm	1.03 ppm
Trans-1,3-Dichloropropene	10061-02-6	1.00 ppm	1.05 ppm
1,1,2-Trichloroethane	79-00-5	1.00 ppm	1.05 ppm
Toluene	108-88-3	1.00 ppm	1.04 ppm
1,3-Dichloropropane	142-28-9	1.00 ppm	1.04 ppm
Methyl Butyl Ketone	591-78-6	1.00 ppm	1.06 ppm
Dibromochloromethane	124-48-1	1.00 ppm	1.05 ppm
1,2-Dibromoethane	106-93-4	1.00 ppm	1.05 ppm
n-Octane	111-65-9	1.00 ppm	1.06 ppm
Tetrachloroethylene	127-18-4	1.00 ppm	1.05 ppm
1,1,1,2-Tetrachloroethane	630-20-6	1.00 ppm	1.04 ppm
Chlorobenzene	108-90-7	1.00 ppm	1.04 ppm
Ethylbenzene	100-41-4	1.00 ppm	1.05 ppm
p-xylene	106-42-3	0.500 ppm	0.513 ppm
m-xylene	108-38-3	0.500 ppm	0.511 ppm
Bromoform	75-25-2	1.00 ppm	1.03 ppm
Cyclohexanone	108-94-1	1.00 ppm	1.07 ppm
Styrene	100-42-5	1.00 ppm	1.06 ppm
o-xylene	95-47-6	1.00 ppm	1.04 ppm
1,1,2,2-Tetrachloroethane	79-34-5	1.00 ppm	1.04 ppm
1,2,3-Trichloropropane	96-18-4	1.00 ppm	1.07 ppm
Trans-1,4-Dichloro-2-Butene	110-57-6	1.00 ppm	1.04 ppm
Nonane	111-84-2	1.00 ppm	1.07 ppm
Cumene	98-82-8	1.00 ppm	1.02 ppm
Bromobenzene	108-86-1	1.00 ppm	1.04 ppm



SHIPPED TO: Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

ANALYSIS REPORT

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1575260	**Cylinder # :**	EB0139594
Report Date:	Jan-31-2023	**Cylinder Pressure:**	2000 psig
P.O.# :	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	QUALIFIED	**Cylinder Volume:**	29.5 Liter
Material#:	24086943	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-31-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Analytical Accuracy:**	5% Relative

COMPONENT	CAS NUMBER	REQUESTED CONC	QUALIFIED CONC
2-Chlorotoluene	95-49-8	1.00 ppm	1.06 ppm
n-Propylbenzene	103-65-1	1.00 ppm	1.05 ppm
4-Ethyltoluene	622-96-8	1.00 ppm	1.05 ppm
1,3,5-Trimethylbenzene	108-67-8	1.00 ppm	1.05 ppm
alpha-Methyl Styrene (Analytical Accuracy ± 10%)	98-83-9	1.00 ppm	1.04 ppm
Tert-Butyl Benzene	98-06-6	1.00 ppm	1.06 ppm
1,2,4-Trimethylbenzene	95-63-6	1.00 ppm	1.06 ppm
1,3-Dichlorobenzene	541-73-1	1.00 ppm	1.06 ppm
Benzyl Chloride (Analytical Accuracy ± 10%)	100-44-7	1.00 ppm	1.06 ppm
n-Decane	124-18-5	1.00 ppm	1.05 ppm
1,4-Dichlorobenzene	106-46-7	1.00 ppm	1.04 ppm
sec-Butylbenzene	135-98-8	1.00 ppm	1.05 ppm
4-Isopropyltoluene	99-87-6	1.00 ppm	1.06 ppm
1,2-Dichlorobenzene	95-50-1	1.00 ppm	1.06 ppm
n-Butylbenzene	104-51-8	1.00 ppm	1.05 ppm
1,2-Dibromo-3-Chloropropane	96-12-8	1.00 ppm	1.05 ppm
n-Undecane	1120-21-4	1.00 ppm	1.05 ppm
1,2,4-Trichlorobenzene	120-82-1	1.00 ppm	1.10 ppm
Naphthalene (Analytical Accuracy ± 10%)	91-20-3	0.100 ppm	0.114 ppm
n-Dodecane	112-40-3	1.00 ppm	1.06 ppm
1,2,3-Trichlorobenzene	87-61-6	1.00 ppm	1.10 ppm
Hexachloro-1,3-Butadiene	87-68-3	1.00 ppm	1.10 ppm
Nitrogen	7727-37-9	Balance	Balance

ANALYST: Lou Lorenzetti **DATE:** Jan-31-2023

Linde Gas North America LLC
(908) 329-9700 Main (908) 329-9740 Fax
www.Lindeus.com

4700 Precision Diluter Standards Preparation Report

Dilution ID: 4777

Canister Size: 6000cc **Canister ID:** N0076 **Target Final Psia:** 29.7

Comment: 5.0ppbv AT23 Supplemental CCV, 100uL H2O. Exp. 5/21/24.

Date: 2/22/2024 7:35:42 AM

Report ID: 3018-4329

Prepared By: ef

Channel Methods

Ch.	Title	Init. Conc.	Target Conc.	Dilution Factor	Init. Psia	Target Psid	Final Psid	Target Psia	Final Psia	Duration	Final Conc.
1	Diluent	100 percent	100 percent	1	0.09	11.86	11.86	11.94	11.94	00:10:07	N/A
6	3018-4328	200 ppb	5 ppb	40	11.94	0.74	0.74	12.68	12.68	00:03:15	5 ppb
1	Diluent	100 percent	100 percent	1	12.68	17.02	17.02	29.70	29.70	00:17:45	N/A

Total Duration: 00:31:14

Channel Configuration and Standards Inventory

Ch.	Source	Init. Conc.	Cylinder ID	Expiration Date	Notes
1	Diluent	100 percent	488009Y	9/9/9999	N701263095101, Zero Air. No exp. date.
6	3018-4328	200 ppb	N1781	5/21/2024	AT23 Supplemental CCV.

Verify Lot# of CCV/ICAL (primary) is different than ICV/LCS (secondary)

initial/date ef 2/22/24

Verify Concentration and Expiration date from COA

initial/date ef 2/22/24

2/22/24

4700 Precision Diluter Standards Preparation Report

Dilution ID: 4776

Canister Size: 6000cc **Canister ID:** N1781 **Target Final Psia:** 29.7

Comment: 200ppbv AT21 Supplemental CCV, 100uL H2O. Exp. 5/21/24.

Date: 2/21/2024 3:22:06 PM

Report ID: 3018-4328

Prepared By: ef

Channel Methods

Ch.	Title	Init. Conc.	Target Conc.	Dilution Factor	Init. Psia	Target Psid	Final Psid	Target Psia	Final Psia	Duration	Final Conc.
1	Diluent	100 percent	100 percent	1	0.10	11.83	11.83	11.93	11.93	00:10:07	N/A
2	3169-159c	1000 ppb	200 ppb	5	11.93	5.92	5.92	17.85	17.85	00:09:50	199.92 ppb
1	Diluent	100 percent	100 percent	1	17.85	11.85	11.86	29.70	29.71	00:13:44	N/A

Total Duration: 00:33:48

Channel Configuration and Standards Inventory

Ch.	Source	Init. Conc.	Cylinder ID	Expiration Date	Notes
1	Diluent	100 percent	488009Y	9/9/9999	Zero Air lot # N701263095101.
2	3169-159c	1000 ppb	CC-748779	2/1/2025	TO-15 Supplemental CCV. Original production #1540452. Current # 1603451.


AM 2/22/24

Verify Lot# of CCV/ICAL (primary) is different than ICV/LCS (secondary)

initial/date ef 2/21/24

Verify Concentration and Expiration date from COA

initial/date ef 2/21/24



Recert

SHIPPED TO: Eurofins Air Toxics
AT-21 Supplemental CCV 180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 1 of 1

Original Production#:
1540452

Std. ID: 3169-159C
Recd: 2/12/24
BY: MJB

ANALYSIS REPORT

Sales#:	117492265	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1603451	**Cylinder # :**	CC-748779
Report Date:	Feb-01-2024	**Cylinder Pressure:**	1800 psig
P.O.# :	75696909	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	QUALIFIED	**Cylinder Volume:**	29.5 Liter
Material#:	24106776	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	3600 Liters
Expiration Date:	Feb-01-2025	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Analytical Accuracy:**	5% Relative

COMPONENT	CAS NUMBER	REQUESTED CONC	QUALIFIED CONC
1,1,1-Trifluoroethane	420-46-2	1.00 ppm	1.01 ppm
Propane	74-98-6	1.00 ppm	1.04 ppm
1-Chloro-1,1-Difluoroethane	75-68-3	1.00 ppm	1.01 ppm
2,2-Dichloro-1,1,1-Trifluoroethane	306-83-2	1.00 ppm	1.03 ppm
1,2-Dichloro-1,1,2-Trifluoroethane	354-23-4	1.00 ppm	1.02 ppm
1-Pentene	109-67-1	1.00 ppm	1.04 ppm
Ethyl Ether	60-29-7	1.00 ppm	1.04 ppm
Methyl Acetate	79-20-9	1.00 ppm	1.06 ppm
Cyclopentene	142-29-0	1.00 ppm	1.04 ppm
1-Propanol	71-23-8	1.00 ppm	1.08 ppm
2-Chloroprene	126-99-8	1.00 ppm	1.05 ppm
Methyl Acrylate	96-33-3	1.00 ppm	1.05 ppm
Isobutanol	78-83-1	1.00 ppm	1.09 ppm
2-Pentanone	107-87-9	1.00 ppm	1.05 ppm
Ethyl Acrylate	140-88-5	1.00 ppm	1.05 ppm
n-Butyl Acetate	123-86-4	1.00 ppm	1.04 ppm
2-Heptanone	110-43-0	1.00 ppm	1.07 ppm
alpha-Pinene (No Stability Guarantee)	80-56-8	1.00 ppm	1.11 ppm
4-Chlorotoluene	106-43-4	1.00 ppm	1.04 ppm
beta-Pinene (No Stability Guarantee)	127-91-3	1.00 ppm	1.08 ppm
1,2,3-Trimethylbenzene	526-73-8	1.00 ppm	1.05 ppm
d-Limonene (No Stability Guarantee)	5989-27-5	1.00 ppm	1.11 ppm
Hexachloroethane	67-72-1	1.00 ppm	1.03 ppm
1,3,5-Trichlorobenzene	108-70-3	1.00 ppm	1.04 ppm
Nitrogen	7727-37-9	Balance	Balance

ANALYST: Lou Lorenzetti **DATE:** Feb-01-2024

1st Review: All w/in ±15%. MJB 2/12/24
2nd Review: All w/in ±15%. 2/12/24

Linde Gas North America LLC
(908) 329-9700 Main (908) 329-9740 Fax
www.Lindeus.com

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042307.d
Lab Smp Id: ICAL Level #2 Client Smp ID: ICAL Levl #2
Inj Date : 23-APR-2024 21:18
Operator : DF Inst ID: msd3.i
Smp Info : 20ml 3018-4466
Misc Info : 0.5ppbv (5.0ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 21:18 Cal File: 3042307.d
Als bottle: 3 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23_Level2.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.439 (1.000)	130	104933	25.0000		80.00- 120.00	100.00
5.432	5.439 (1.000)	128	82973			47.79- 107.79	79.07
5.432	5.439 (1.000)	49	175240			131.33- 191.33	167.00
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	393969	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	60984			0.00- 45.65	15.48
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	399290	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	213137			22.92- 82.92	53.38
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.109)	65	133718	25.0000	24.466	80.00- 120.00	100.00
6.026	6.026 (1.109)	67	69390			23.17- 83.17	51.89
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	387391	25.0000	25.294	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	42857			0.00- 41.42	11.06

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	AMOUNTS ON-COL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.767	7.767 (1.208)	100	257316			37.54- 97.54	66.42
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	295479	25.0000	24.901	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	353190			88.49- 148.49	119.53
10.295	10.295 (1.124)	176	281619			66.73- 126.73	95.31
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.270)	85	3237	0.50000	0.5209	80.00- 120.00	100.00
1.465	1.465 (0.270)	87	712			2.88- 62.88	22.00
10 Freon 114					CAS #: 76-14-2		
1.577	1.577 (0.290)	135	2955	0.50000	0.5409	80.00- 120.00	100.00
1.577	1.577 (0.290)	137	660			2.10- 62.10	22.34
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.759 (0.324)	62	1461	0.50000	0.5040	80.00- 120.00	100.00
1.744	1.759 (0.321)	64	355			3.10- 63.10	24.30
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	1707	0.50000	0.6268	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	3090			78.74- 138.74	181.02
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	3854	0.50000	0.5383	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	2736			34.93- 94.93	70.99
43 Freon 113					CAS #: 76-13-1		
3.068	3.061 (0.565)	151	3916	0.50000	0.6189	80.00- 120.00	100.00
3.061	3.061 (0.563)	153	1952			35.07- 95.07	49.85
3.075	3.061 (0.566)	101	1436			87.45- 147.45	36.67
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.082	3.097 (0.567)	96	1270	0.50000	0.4718	80.00- 120.00	100.00(a)
3.096	3.097 (0.570)	98	806			33.27- 93.27	63.46
3.089	3.097 (0.569)	61	2660			159.05- 219.05	209.45
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	992	0.50000	0.5487	80.00- 120.00	100.00
4.028	4.028 (0.742)	61	2225			232.13- 292.13	224.29
4.021	4.028 (0.740)	96	949			127.26- 187.26	95.67
66 Acrylonitrile					CAS #: 107-13-1		
4.142	4.142 (0.763)	52	1352	0.50000	0.5783	80.00- 120.00	100.00
4.135	4.142 (0.761)	53	1661			86.45- 146.45	122.86

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.784)	57	3473	0.50000	0.6165	80.00- 120.00	100.00(T)
4.264	4.257 (0.785)	43	3291			40.97- 100.97	94.76
0.000	4.257 (0.000)	86	0			0.00- 42.68	0.00
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.558 (0.838)	63	2612	0.50000	0.5000	80.00- 120.00	100.00
4.543	4.558 (0.836)	65	1039			0.47- 60.47	39.78
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.188	5.188 (0.955)	98	968	0.50000	0.5171	80.00- 120.00	100.00
5.188	5.188 (0.955)	96	1386			125.53- 185.53	143.18
5.188	5.188 (0.955)	61	2121			219.86- 279.86	219.11
89 Tetrahydrofuran					CAS #: 109-99-9		
5.432	5.425 (1.000)	42	2700	0.50000	0.6547	80.00- 120.00	100.00
5.439	5.425 (1.001)	71	621			0.00- 58.54	23.00
5.439	5.425 (1.001)	72	602			0.00- 59.59	22.30
92 Chloroform					CAS #: 67-66-3		
5.503	5.518 (1.013)	83	2845	0.50000	0.5071	80.00- 120.00	100.00
5.510	5.518 (1.014)	85	1685			35.77- 95.77	59.23
94 Cyclohexane					CAS #: 110-82-7		
5.611	5.611 (1.033)	84	2089	0.50000	0.5566	80.00- 120.00	100.00
5.611	5.611 (1.033)	56	3770			125.79- 185.79	180.47
5.611	5.611 (1.033)	41	1631			61.55- 121.55	78.08
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.639	5.639 (1.038)	97	3365	0.50000	0.5500	80.00- 120.00	100.00
5.639	5.639 (1.038)	99	1917			32.84- 92.84	56.97
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.061)	119	3380	0.50000	0.5211	80.00- 120.00	100.00
5.761	5.761 (1.061)	117	3334			75.19- 135.19	98.64
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.998	5.998 (1.104)	57	8958	0.50000	0.5090	80.00- 120.00	100.00
6.005	5.998 (1.105)	56	3599			3.09- 63.09	40.18
5.998	5.998 (1.104)	41	2569			0.00- 57.28	28.68
102 Benzene					CAS #: 71-43-2		
5.998	5.998 (0.933)	78	4016	0.50000	0.5063	80.00- 120.00	100.00
6.005	5.998 (0.934)	77	1017			0.00- 53.69	25.32
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.105 (0.949)	62	2038	0.50000	0.4925	80.00- 120.00	100.00(a)

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
106 1,2-Dichloroethane (continued)							
6.098	6.105 (0.949)	64	1037			1.80- 61.80	50.88
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	2000	0.50000	0.6365	80.00- 120.00	100.00
6.177	6.184 (0.961)	43	5172			207.73- 267.73	258.60
6.184	6.184 (0.962)	57	2330			84.83- 144.83	116.50
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	1872	0.50000	0.4895	80.00- 120.00	100.00(a)
6.635	6.635 (1.032)	130	1937			80.23- 140.23	103.47
6.635	6.635 (1.032)	97	1340			34.78- 94.78	71.58
127 Methylcyclohexane					CAS #: 108-87-2		
6.742	6.735 (1.049)	83	3124	0.50000	0.5750	80.00- 120.00	100.00(a)
6.735	6.735 (1.048)	98	1345			14.83- 74.83	43.05
6.735	6.735 (1.048)	55	3478			71.50- 131.50	111.33
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	2241	0.50000	0.6004	80.00- 120.00	100.00
6.886	6.893 (1.071)	62	1559			40.39- 100.39	69.57
6.886	6.893 (1.071)	41	1140			31.86- 91.86	50.87
118 Dibromomethane					CAS #: 74-95-3		
7.008	7.008 (0.765)	174	1862	0.50000	0.4942	80.00- 120.00	100.00(a)
7.008	7.008 (0.765)	93	1957			62.68- 122.68	105.10
7.008	7.008 (0.765)	95	1522			47.70- 107.70	81.74
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	3308	0.50000	0.5343	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	2089			34.96- 94.96	63.15
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.574 (1.178)	75	2745	0.50000	0.5199	80.00- 120.00	100.00
7.566	7.574 (1.177)	77	1127			1.26- 61.26	41.06
7.566	7.574 (1.177)	39	2308			35.06- 95.06	84.08
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.710	7.710 (1.199)	58	2349	0.50000	0.6468	80.00- 120.00	100.00
7.710	7.710 (1.199)	43	5903			259.88- 319.88	251.30
7.710	7.710 (1.199)	85	946			7.58- 67.58	40.27
137 Toluene					CAS #: 108-88-3		
7.831	7.831 (1.218)	91	6183	0.50000	0.5631	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	3264			27.89- 87.89	52.79

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	2544	0.50000	0.6359	80.00- 120.00	100.00
7.867	7.860 (1.224)	85	1960			63.53- 123.53	77.04
7.860	7.860 (1.223)	43	5250			246.00- 306.00	206.37
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	2290	0.50000	0.5190	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	1656			1.83- 61.83	72.31
8.118	8.118 (0.887)	39	2509			31.97- 91.97	109.56
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.283	8.290 (0.905)	97	2024	0.50000	0.5418	80.00- 120.00	100.00
8.283	8.290 (0.905)	99	1386			32.52- 92.52	68.48
8.290	8.290 (0.905)	83	1854			58.90- 118.90	91.60
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	2686	0.50000	0.4788	80.00- 120.00	100.00(a)
8.318	8.318 (0.908)	129	2374			45.32- 105.32	88.38
8.318	8.318 (0.908)	131	2207			44.17- 104.17	82.17
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	2980	0.50000	0.5789	80.00- 120.00	100.00(a)
8.447	8.447 (1.314)	41	2449			59.72- 119.72	82.18
8.447	8.447 (1.314)	78	913			3.08- 63.08	30.64
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	3528	0.50000	0.4778	80.00- 120.00	100.00(a)
8.626	8.626 (0.942)	127	2957			47.27- 107.27	83.82
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	3327	0.50000	0.5434	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	3078			64.18- 124.18	92.52
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.185 (1.002)	112	5158	0.50000	0.5575	80.00- 120.00	100.00
9.178	9.185 (1.002)	114	1764			1.91- 61.91	34.20
9.171	9.185 (1.002)	77	3672			22.97- 82.97	71.19
155 Ethyl Benzene					CAS #: 100-41-4		
9.250	9.250 (1.010)	106	2755	0.50000	0.5920	80.00- 120.00	100.00
9.250	9.250 (1.010)	91	7999			281.09- 341.09	290.34
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.271	9.271 (1.013)	131	2840	0.50000	0.5389	80.00- 120.00	100.00
9.271	9.271 (1.013)	117	3170			37.10- 97.10	111.62
9.264	9.271 (1.012)	95	999			4.93- 64.93	35.18

				AMOUNTS				
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========		=======	=======	==========	=====
158 m,p-Xylene						CAS #: 108-38-3		
9.364	9.364 (1.023)	106	3099	0.50000	0.5343	80.00- 120.00		100.00
9.364	9.364 (1.023)	91	6271			170.33- 230.33		202.36
164 o-Xylene						CAS #: 95-47-6		
9.751	9.751 (1.065)	106	3211	0.50000	0.5838	80.00- 120.00		100.00
9.751	9.751 (1.065)	91	6633			181.23- 241.23		206.57
165 Styrene						CAS #: 100-42-5		
9.780	9.780 (1.068)	104	5138	0.50000	0.5470	80.00- 120.00		100.00
9.780	9.780 (1.068)	78	2757			17.26- 77.26		53.66
167 Bromoform						CAS #: 75-25-2		
9.987	9.987 (1.091)	173	3832	0.50000	0.5135	80.00- 120.00		100.00
9.987	9.987 (1.091)	171	1961			21.45- 81.45		51.17
168 Cumene						CAS #: 98-82-8		
10.095	10.095 (1.102)	105	8687	0.50000	0.5225	80.00- 120.00		100.00
10.088	10.095 (1.102)	120	2646			0.00- 56.93		30.46
10.095	10.095 (1.102)	51	1622			0.00- 42.24		18.67
175 1,1,2,2-Tetrachloroethane						CAS #: 79-34-5		
10.467	10.475 (1.143)	83	4821	0.50000	0.5590	80.00- 120.00		100.00
10.474	10.475 (1.144)	85	3068			34.97- 94.97		63.64
178 Propylbenzene						CAS #: 103-65-1		
10.496	10.496 (1.146)	120	2576	0.50000	0.5240	80.00- 120.00		100.00
10.496	10.496 (1.146)	91	11934			383.60- 443.60		463.28
10.496	10.496 (1.146)	105	455			0.00- 46.14		17.66
179 1,2,3-Trichloropropane						CAS #: 96-18-4		
10.517	10.525 (1.149)	110	1591	0.50000	0.6079	80.00- 120.00		100.00
10.525	10.525 (1.149)	75	5059			324.28- 384.28		317.98
10.517	10.518 (1.149)	61	1438			57.24- 117.24		90.38
184 2-Chlorotoluene						CAS #: 95-49-8		
10.611	10.611 (1.159)	126	2564	0.50000	0.5655	80.00- 120.00		100.00(a)
10.603	10.611 (1.158)	91	7999			282.78- 342.78		311.97
10.603	10.603 (1.158)	65	1532			17.33- 77.33		59.75
183 4-Ethyltoluene						CAS #: 622-96-8		
10.603	10.611 (1.158)	120	2824	0.50000	0.5270	80.00- 120.00		100.00
10.611	10.611 (1.159)	105	9689			298.94- 358.94		343.09
185 1,3,5-Trimethylbenzene						CAS #: 108-67-8		
10.675	10.675 (1.166)	120	3733	0.50000	0.5166	80.00- 120.00		100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
185 1,3,5-Trimethylbenzene (continued)							
10.675	10.675 (1.166)	105	7916			172.08- 232.08	212.05
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	4241	0.50000	0.5540	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	2465			25.64- 85.64	58.12
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	8109	0.50000	0.5488	80.00- 120.00	100.00
11.040	11.040 (1.206)	120	3515			16.63- 76.63	43.35
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	2424	0.50000	0.5390	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	11674			436.99- 496.99	481.60
11.191	11.198 (1.222)	91	2208			41.69- 101.69	91.09
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	9553	0.50000	0.5194	80.00- 120.00	100.00(a)
11.341	11.341 (1.239)	134	2589			0.00- 57.62	27.10
11.334	11.341 (1.238)	91	2713			0.00- 53.03	28.40
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	6242	0.50000	0.5701	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	3843			34.18- 94.18	61.57
11.348	11.348 (1.239)	111	2474			10.06- 70.06	39.63
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.441	11.449 (1.250)	146	6016	0.50000	0.5424	80.00- 120.00	100.00
11.449	11.449 (1.250)	148	3705			33.55- 93.55	61.59
11.441	11.449 (1.250)	111	2400			7.98- 67.98	39.89
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	7831	0.50000	0.5576	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	1681			0.00- 52.77	21.47
202 Butylbenzene					CAS #: 104-51-8		
11.749	11.750 (1.283)	134	2792	0.50000	0.5508	80.00- 120.00	100.00
11.742	11.742 (1.282)	91	9786			310.82- 370.82	350.50
11.742	11.742 (1.282)	92	5003			151.53- 211.53	179.19
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	5917	0.50000	0.5569	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	3762			33.00- 93.00	63.58
11.821	11.821 (1.291)	111	2659			10.87- 70.87	44.94

QC Flag Legend

T - Target compound detected outside RT window.
a - Target compound detected but, quantitated amount
    Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042307.d
Lab Smp Id: ICAL Level #2
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 0.5ppbv (5.0ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Levl #2
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	104933	-1.18
108 1,4-Difluorobenze	390964	234578	547350	393969	0.77
153 Chlorobenzene-d5	392003	235202	548804	399290	1.86

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.43	-0.13
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042307.d

Page 1

Date : 23-APR-2024 21:18

Client ID: ICAL Levl #2


Instrument: msd3.i

Sample Info: 20ml 3018-4466

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042308.d
Lab Smp Id: ICAL Level #3 Client Smp ID: ICAL Level #3
Inj Date : 23-APR-2024 21:50
Operator : DF Inst ID: msd3.i
Smp Info : 40ml 3018-4466
Misc Info : 1.0ppbv (5.0ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 21:50 Cal File: 3042308.d
Als bottle: 3 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23_Level3.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					AMOUNTS			
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	=======	==========	=====
4 Freon 134a						CAS #: 811-97-2		
1.423	1.409 (0.262)	83	3045	1.00000	1.248	80.00- 120.00	100.00(a)	
1.381	1.409 (0.254)	69	2917			64.17- 124.17	95.80	
1.479	1.493 (0.272)	51	11034			365.46- 425.46	362.36	
8 Freon 12						CAS #: 75-71-8		
1.451	1.465 (0.267)	85	6615	1.00000	1.058	80.00- 120.00	100.00	
1.465	1.465 (0.270)	87	2169			2.88- 62.88	32.79	
9 Chlorodifluoromethane						CAS #: 75-45-6		
1.479	1.493 (0.272)	67	799	1.00000	1.021	80.00- 120.00	100.00	
1.479	1.493 (0.272)	51	11034			1257.55-1317.55	1380.98	
10 Freon 114						CAS #: 76-14-2		
1.577	1.577 (0.290)	135	5701	1.00000	1.037	80.00- 120.00	100.00	
1.577	1.577 (0.290)	137	1791			2.10- 62.10	31.42	
12 Isobutane						CAS #: 75-28-5		
1.577	1.591 (0.290)	43	6291	1.00000	1.076	80.00- 120.00	100.00(Ta)	
1.577	1.591 (0.290)	42	3194			1.69- 61.69	50.77	

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
12 Isobutane (continued)							
0.000	1.577 (0.000)	58	0			0.00- 33.32	0.00
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.759 (0.324)	62	3401	1.00000	1.166	80.00- 120.00	100.00
1.758	1.759 (0.324)	64	2582			3.10- 63.10	75.92
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	3354	1.00000	1.224	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	3084			78.74- 138.74	91.95
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.416 (0.442)	106	2210	1.00000	0.9118	80.00- 120.00	100.00
2.402	2.416 (0.442)	108	2232			64.21- 124.21	101.00
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	7612	1.00000	1.057	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	4986			34.93- 94.93	65.50
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.472 (0.453)	67	6472	1.00000	1.127	80.00- 120.00	100.00(a)
2.458	2.472 (0.453)	69	2513			1.95- 61.95	38.83
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	6111	1.00000	1.006	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	1388			0.00- 44.64	22.71
2.514	2.514 (0.463)	72	388			0.00- 37.90	6.35
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	959	1.23200	1.678	80.00- 120.00	100.00(a)
2.766	2.752 (0.509)	45	2139			224.40- 284.40	223.04
42 Acrolein					CAS #: 107-02-8		
3.046	3.061 (0.561)	55	2232	1.16500	1.815	80.00- 120.00	100.00(a)
3.046	3.061 (0.561)	56	3014			108.02- 168.02	135.04
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	6869	1.00000	1.079	80.00- 120.00	100.00
3.061	3.061 (0.563)	153	4670			35.07- 95.07	67.99
3.061	3.061 (0.563)	101	8304			87.45- 147.45	120.89
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.089	3.097 (0.569)	96	2718	1.00000	1.004	80.00- 120.00	100.00
3.097	3.097 (0.570)	98	1879			33.27- 93.27	69.13
3.089	3.097 (0.569)	61	4975			159.05- 219.05	183.04

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.631)	45	6741	1.00000	1.052	80.00- 120.00	100.00(a)
3.440	3.426 (0.633)	43	2549			0.00- 48.18	37.81
54 3-Chloropropene					CAS #: 107-05-1		
3.584	3.584 (0.660)	76	1387	1.00000	1.115	80.00- 120.00	100.00
3.576	3.584 (0.658)	41	4693			366.80- 426.80	338.36
57 Acetonitrile					CAS #: 75-05-8		
3.691	3.684 (0.680)	41	3272	1.17600	1.157	80.00- 120.00	100.00(a)
3.677	3.684 (0.677)	40	2304			22.74- 82.74	70.42
3.677	3.684 (0.677)	38	755			0.00- 42.52	23.07
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.906	3.913 (0.719)	59	7622	1.15200	1.166	80.00- 120.00	100.00(a)
3.913	3.913 (0.720)	41	1398			0.00- 51.85	18.34
3.906	3.913 (0.719)	57	1456			0.00- 40.17	19.10
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.738)	73	8109	1.00000	1.049	80.00- 120.00	100.00
3.999	4.006 (0.736)	57	2900			0.00- 58.72	35.76
4.006	4.006 (0.738)	41	3388			0.00- 59.38	41.78
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.021	4.028 (0.740)	98	1846	1.00000	1.015	80.00- 120.00	100.00
4.021	4.028 (0.740)	61	4841			232.13- 292.13	262.24
4.028	4.028 (0.742)	96	3011			127.26- 187.26	163.11
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.142 (0.761)	52	2449	1.00000	1.041	80.00- 120.00	100.00
4.142	4.142 (0.763)	53	2906			86.45- 146.45	118.66
67 Hexane					CAS #: 110-54-3		
4.264	4.257 (0.785)	57	6458	1.00000	1.140	80.00- 120.00	100.00
4.250	4.257 (0.782)	43	6027			40.97- 100.97	93.33
4.250	4.257 (0.782)	86	494			0.00- 42.68	7.65
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.839)	63	5325	1.00000	1.013	80.00- 120.00	100.00
4.551	4.558 (0.838)	65	1937			0.47- 60.47	36.38
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.145	5.145 (0.947)	77	5571	1.00000	1.074	80.00- 120.00	100.00(a)
5.138	5.145 (0.946)	79	2032			2.39- 62.39	36.47
5.145	5.145 (0.947)	97	1440			0.00- 53.57	25.85

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
85 cis-1,2-Dichloroethene						CAS #: 156-59-2	
5.188	5.188 (0.955)	98	2013	1.00000	1.069	80.00- 120.00	100.00
5.188	5.188 (0.955)	96	2852			125.53- 185.53	141.68
5.188	5.188 (0.955)	61	5409			219.86- 279.86	268.70
89 Tetrahydrofuran						CAS #: 109-99-9	
5.432	5.425 (1.000)	42	4547	1.00000	1.096	80.00- 120.00	100.00
5.432	5.425 (1.000)	71	1354			0.00- 58.54	29.78
5.446	5.425 (1.003)	72	1094			0.00- 59.59	24.06
* 90 Bromochloromethane						CAS #: 74-97-5	
5.432	5.439 (1.000)	130	105555	25.0000		80.00- 120.00	100.00
5.432	5.439 (1.000)	128	82343			47.79- 107.79	78.01
5.432	5.439 (1.000)	49	174252			131.33- 191.33	165.08
92 Chloroform						CAS #: 67-66-3	
5.510	5.518 (1.014)	83	5657	1.00000	1.002	80.00- 120.00	100.00
5.518	5.518 (1.016)	85	3832			35.77- 95.77	67.74
94 Cyclohexane						CAS #: 110-82-7	
5.611	5.611 (1.033)	84	3958	1.00000	1.048	80.00- 120.00	100.00
5.611	5.611 (1.033)	56	6255			125.79- 185.79	158.03
5.604	5.611 (1.032)	41	3602			61.55- 121.55	91.01
96 1,1,1-Trichloroethane						CAS #: 71-55-6	
5.632	5.639 (1.037)	97	6470	1.00000	1.051	80.00- 120.00	100.00
5.632	5.639 (1.037)	99	3984			32.84- 92.84	61.58
97 Carbon Tetrachloride						CAS #: 56-23-5	
5.754	5.761 (1.059)	119	6701	1.00000	1.027	80.00- 120.00	100.00
5.754	5.761 (1.059)	117	7143			75.19- 135.19	106.60
99 1,1-Dichloropropene						CAS #: 563-58-6	
5.804	5.804 (0.903)	110	1581	1.00000	0.9932	80.00- 120.00	100.00(a)
5.804	5.804 (0.903)	75	4402			234.16- 294.16	278.43
102 Benzene						CAS #: 71-43-2	
5.998	5.998 (0.933)	78	8295	1.00000	1.042	80.00- 120.00	100.00
5.998	5.998 (0.933)	77	2221			0.00- 53.69	26.78
101 2,2,4-Trimethylpentane						CAS #: 540-84-1	
5.998	5.998 (1.104)	57	18037	1.00000	1.019	80.00- 120.00	100.00
6.005	5.998 (1.105)	56	6830			3.09- 63.09	37.87
5.990	5.998 (1.103)	41	6382			0.00- 57.28	35.38
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0	
6.026	6.026 (1.109)	65	135576	25.0000	24.659	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
$ 104 1,2-Dichloroethane-d4 (continued)							
6.026	6.026 (1.109)	67	71106			23.17- 83.17	52.45
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.105 (0.949)	62	4324	1.00000	1.042	80.00- 120.00	100.00
6.098	6.105 (0.949)	64	1800			1.80- 61.80	41.63
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	3389	1.00000	1.075	80.00- 120.00	100.00
6.177	6.184 (0.961)	43	7153			207.73- 267.73	211.07
6.177	6.184 (0.961)	57	4659			84.83- 144.83	137.47
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	395193	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	61604			0.00- 45.65	15.59
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	3951	1.00000	1.030	80.00- 120.00	100.00
6.635	6.635 (1.032)	130	4307			80.23- 140.23	109.01
6.628	6.635 (1.031)	97	2589			34.78- 94.78	65.53
127 Methylcyclohexane					CAS #: 108-87-2		
6.743	6.735 (1.049)	83	6016	1.00000	1.104	80.00- 120.00	100.00(a)
6.735	6.735 (1.048)	98	2515			14.83- 74.83	41.81
6.735	6.735 (1.048)	55	6399			71.50- 131.50	106.37
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.893 (1.071)	63	3793	1.00000	1.013	80.00- 120.00	100.00
6.886	6.893 (1.071)	62	2986			40.39- 100.39	78.72
6.893	6.893 (1.072)	41	2456			31.86- 91.86	64.75
116 Methyl Methacrylate					CAS #: 80-62-6		
6.986	6.979 (0.763)	69	3771	1.00000	1.181	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	5654			145.81- 205.81	149.93
6.986	6.979 (0.763)	100	1420			10.05- 70.05	37.66
117 1,4-Dioxane					CAS #: 123-91-1		
7.000	6.993 (1.089)	88	1909	1.00000	0.9538	80.00- 120.00	100.00
7.000	6.993 (1.089)	58	1983			56.33- 116.33	103.88
7.000	6.993 (1.089)	57	663			2.08- 62.08	34.73
118 Dibromomethane					CAS #: 74-95-3		
7.008	7.008 (0.765)	174	3849	1.00000	1.040	80.00- 120.00	100.00
7.015	7.008 (0.766)	93	3544			62.68- 122.68	92.08
7.008	7.008 (0.765)	95	2997			47.70- 107.70	77.86

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	6112	1.00000	0.9842	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	3930			34.96- 94.96	64.30
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.574 (1.178)	75	5448	1.00000	1.029	80.00- 120.00	100.00
7.566	7.574 (1.177)	77	1757			1.26- 61.26	32.25
7.573	7.574 (1.178)	39	4900			35.06- 95.06	89.94
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.710	7.710 (1.199)	58	4174	1.00000	1.146	80.00- 120.00	100.00
7.710	7.710 (1.199)	43	12185			259.88- 319.88	291.93
7.710	7.710 (1.199)	85	1445			7.58- 67.58	34.62
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	389568	25.0000	25.357	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	42634			0.00- 41.42	10.94
7.767	7.767 (1.208)	100	257041			37.54- 97.54	65.98
137 Toluene					CAS #: 108-88-3		
7.824	7.831 (1.217)	91	11722	1.00000	1.064	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	6660			27.89- 87.89	56.82
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	4398	1.00000	1.096	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	4011			63.53- 123.53	91.20
7.860	7.860 (1.223)	43	10565			246.00- 306.00	240.22
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	4387	1.00000	1.012	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	2198			1.83- 61.83	50.10
8.118	8.118 (0.887)	39	3661			31.97- 91.97	83.45
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.290	8.290 (0.905)	97	4037	1.00000	1.100	80.00- 120.00	100.00
8.283	8.290 (0.905)	99	2376			32.52- 92.52	58.86
8.283	8.290 (0.905)	83	3423			58.90- 118.90	84.79
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	5802	1.00000	1.053	80.00- 120.00	100.00
8.318	8.318 (0.908)	129	4585			45.32- 105.32	79.02
8.318	8.318 (0.908)	131	4419			44.17- 104.17	76.16
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	5401	1.00000	1.046	80.00- 120.00	100.00(a)
8.447	8.447 (1.314)	41	4507			59.72- 119.72	83.45

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane (continued)							
8.447	8.447 (1.314)	78	1853			3.08- 63.08	34.31
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	7242	1.00000	0.9988	80.00- 120.00	100.00
8.626	8.626 (0.942)	127	5844			47.27- 107.27	80.70
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.748	8.741 (0.955)	107	6381	1.00000	1.061	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	5819			64.18- 124.18	91.19
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	392113	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	212516			22.92- 82.92	54.20
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.185 (1.002)	112	9608	1.00000	1.058	80.00- 120.00	100.00
9.185	9.185 (1.003)	114	3456			1.91- 61.91	35.97
9.178	9.185 (1.002)	77	5923			22.97- 82.97	61.65
155 Ethyl Benzene					CAS #: 100-41-4		
9.250	9.250 (1.010)	106	4444	1.00000	0.9725	80.00- 120.00	100.00
9.250	9.250 (1.010)	91	14977			281.09- 341.09	337.02
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.271	9.271 (1.012)	131	5079	1.00000	0.9813	80.00- 120.00	100.00(a)
9.271	9.271 (1.012)	117	4831			37.10- 97.10	95.12
9.271	9.271 (1.012)	95	1921			4.93- 64.93	37.82
156 Nonane					CAS #: 111-84-2		
9.314	9.314 (1.017)	43	11607	1.00000	1.094	80.00- 120.00	100.00
9.314	9.314 (1.017)	57	9566			50.62- 110.62	82.42
9.314	9.314 (1.017)	85	2930			0.00- 55.65	25.24
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	5834	1.00000	1.024	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	12882			170.33- 230.33	220.81
164 o-Xylene					CAS #: 95-47-6		
9.751	9.751 (1.065)	106	5484	1.00000	1.015	80.00- 120.00	100.00
9.751	9.751 (1.065)	91	11995			181.23- 241.23	218.73
165 Styrene					CAS #: 100-42-5		
9.780	9.780 (1.068)	104	9555	1.00000	1.036	80.00- 120.00	100.00
9.780	9.780 (1.068)	78	4796			17.26- 77.26	50.19

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.091)	173	6969	1.00000	0.9510	80.00- 120.00	100.00
9.987	9.987 (1.091)	171	3968			21.45- 81.45	56.94
168 Cumene					CAS #: 98-82-8		
10.095	10.095 (1.102)	105	17046	1.00000	1.044	80.00- 120.00	100.00
10.095	10.095 (1.102)	120	4573			0.00- 56.93	26.83
10.095	10.095 (1.102)	51	2487			0.00- 42.24	14.59
169 Cyclohexanone					CAS #: 108-94-1		
10.260	10.260 (1.120)	55	8603	1.00000	1.332	80.00- 120.00	100.00(a)
10.260	10.260 (1.120)	98	2587			5.15- 65.15	30.07
10.260	10.260 (1.120)	42	5789			41.99- 101.99	67.29
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	292348	25.0000	25.088	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	346945			88.49- 148.49	118.68
10.295	10.295 (1.124)	176	281580			66.73- 126.73	96.32
177 Bromobenzene					CAS #: 108-86-1		
10.431	10.432 (1.139)	156	6026	1.00000	1.059	80.00- 120.00	100.00(a)
10.431	10.432 (1.139)	158	5821			67.47- 127.47	96.60
10.431	10.432 (1.139)	77	8791			108.68- 168.68	145.88
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.475 (1.143)	83	8998	1.00000	1.062	80.00- 120.00	100.00
10.467	10.475 (1.143)	85	5767			34.97- 94.97	64.09
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.146)	120	4947	1.00000	1.025	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	21927			383.60- 443.60	443.24
10.496	10.496 (1.146)	105	778			0.00- 46.14	15.73
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.525 (1.149)	110	2787	1.00000	1.084	80.00- 120.00	100.00
10.525	10.525 (1.149)	75	9673			324.28- 384.28	347.08
10.517	10.518 (1.149)	61	2787			57.24- 117.24	100.00
184 2-Chlorotoluene					CAS #: 95-49-8		
10.611	10.611 (1.159)	126	4579	1.00000	1.028	80.00- 120.00	100.00(a)
10.603	10.611 (1.158)	91	15266			282.78- 342.78	333.39
10.603	10.603 (1.158)	65	2503			17.33- 77.33	54.66
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.611 (1.158)	120	5827	1.00000	1.107	80.00- 120.00	100.00
10.611	10.611 (1.159)	105	18601			298.94- 358.94	319.22

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
182 Decane					CAS #: 124-18-5		
10.603	10.611 (1.158)	57	17468	1.00000	1.398	80.00- 120.00	100.00
10.611	10.611 (1.159)	71	5419			1.11- 61.11	31.02
10.611	10.611 (1.159)	142	600			0.00- 34.44	3.43
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	7281	1.00000	1.026	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	15245			172.08- 232.08	209.38
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	8036	1.00000	1.069	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	4215			25.64- 85.64	52.45
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.983 (1.199)	119	14486	1.00000	1.074	80.00- 120.00	100.00
10.976	10.983 (1.199)	134	3244			0.00- 55.10	22.39
10.976	10.976 (1.199)	91	9878			34.53- 94.53	68.19
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	15308	1.00000	1.055	80.00- 120.00	100.00
11.040	11.040 (1.206)	120	7141			16.63- 76.63	46.65
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	4435	1.00000	1.004	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	21189			436.99- 496.99	477.77
11.191	11.198 (1.222)	91	3795			41.69- 101.69	85.57
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	18828	1.00000	1.042	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	5172			0.00- 57.62	27.47
11.341	11.341 (1.239)	91	4671			0.00- 53.03	24.81
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	11500	1.00000	1.070	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	7232			34.18- 94.18	62.89
11.348	11.348 (1.239)	111	4561			10.06- 70.06	39.66
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.449	11.449 (1.250)	146	11649	1.00000	1.070	80.00- 120.00	100.00
11.449	11.449 (1.250)	148	7223			33.55- 93.55	62.01
11.449	11.449 (1.250)	111	4635			7.98- 67.98	39.79
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	14051	1.00000	1.019	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	3017			0.00- 52.77	21.47

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
202 Butylbenzene					CAS #: 104-51-8		
11.742	11.750 (1.282)	134	5283	1.00000	1.061	80.00- 120.00	100.00(a)
11.742	11.742 (1.282)	91	18507			310.82- 370.82	350.31
11.742	11.742 (1.282)	92	9789			151.53- 211.53	185.29
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	20826	1.00000	1.402	80.00- 120.00	100.00
11.785	11.785 (1.287)	43	20809			63.59- 123.59	99.92
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	11179	1.00000	1.071	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	6969			33.00- 93.00	62.34
11.814	11.821 (1.290)	111	4628			10.87- 70.87	41.40
207 Dodecane					CAS #: 112-40-3		
12.853	12.860 (1.404)	57	15830	1.00000	1.058	80.00- 120.00	100.00
12.853	12.860 (1.404)	43	15626			58.52- 118.52	98.71
216 Naphthalene					CAS #: 91-20-3		
13.641	13.648 (1.490)	128	2978	0.11600	0.1380	80.00- 120.00	100.00(a)
13.641	13.648 (1.490)	127	331			0.00- 42.72	11.11

QC Flag Legend

T - Target compound detected outside RT window.
a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042308.d
Lab Smp Id: ICAL Level #3
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 1.0ppbv (5.0ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #3
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	105555	-0.59
108 1,4-Difluorobenze	390964	234578	547350	395193	1.08
153 Chlorobenzene-d5	392003	235202	548804	392113	0.03

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.43	-0.13
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042308.d

Page 1

Date : 23-APR-2024 21:50

Client ID: ICAL Level #3


Instrument: msd3.i

Sample Info: 40ml 3018-4466

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3041803.d
Lab Smp Id: ICAL Level #4 Client Smp ID: ICAL Level #4
Inj Date : 18-APR-2024 09:31
Operator : mjs Inst ID: msd3.i
Smp Info : 80ml 3018-4329
Misc Info : 2.0ppbv (5.0ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 22:22 Cal File: 3042309.d
Als bottle: 1 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT21spICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	120138	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	94112			47.79- 107.79	78.34
5.432	5.439 (1.000)	49	197929			131.33- 191.33	164.75
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	463814	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	72133			0.00- 45.65	15.55
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	464193	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	248970			22.92- 82.92	53.64
6 Propane					CAS #: 74-98-6		
1.437	1.423 (0.264)	43	2199	2.00000	1.978	80.00- 120.00	100.00(a)
1.437	1.437 (0.264)	39	1839			37.94- 97.94	83.63
1.437	1.423 (0.264)	41	2298			21.79- 81.79	104.50
13 Freon 142b					CAS #: 75-68-3		
1.605	1.604 (0.295)	65	13828	2.00000	2.342	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
13 Freon 142b (continued)							
1.605	1.604 (0.295)	45	4425			0.00- 58.87	32.00
36 1-Pentene					CAS #: 109-67-1		
2.458	2.458 (0.452)	55	8072	2.00000	2.202	80.00- 120.00	100.00(a)
2.458	2.458 (0.452)	42	11065			114.47- 174.47	137.08
38 Ethyl Ether					CAS #: 60-29-7		
2.808	2.794 (0.516)	74	3628	2.00000	2.393	80.00- 120.00	100.00
2.808	2.794 (0.516)	59	6132			138.79- 198.79	169.02
2.808	2.794 (0.516)	45	4292			114.58- 174.58	118.30
40 Freon 123a					CAS #: 354-23-4		
2.892	2.906 (0.532)	117	10619	2.00000	2.223	80.00- 120.00	100.00(a)
2.906	2.892 (0.534)	67	12422			102.78- 162.78	116.98
41 Freon 123					CAS #: 306-83-2		
2.990	2.990 (0.550)	83	9129	2.00000	2.064	80.00- 120.00	100.00
2.990	2.990 (0.550)	133	3180			0.00- 53.60	34.83
2.990	2.990 (0.550)	85	7579			36.72- 96.72	83.02
55 Cyclopentene					CAS #: 142-29-0		
3.598	3.591 (0.662)	67	13867	2.00000	2.059	80.00- 120.00	100.00
3.591	3.591 (0.660)	68	6700			8.38- 68.38	48.32
3.598	3.591 (0.662)	53	3442			0.00- 54.97	24.82
56 Methyl Acetate					CAS #: 79-20-9		
3.627	3.619 (0.667)	43	15328	2.00000	2.048	80.00- 120.00	100.00(a)
3.619	3.619 (0.665)	74	3100			0.00- 45.84	20.22
74 Chloroprene					CAS #: 126-99-8		
4.608	4.608 (0.847)	53	12151	2.00000	2.076	80.00- 120.00	100.00
4.608	4.608 (0.847)	88	5571			14.44- 74.44	45.85
4.608	4.608 (0.847)	50	4172			0.00- 56.76	34.33
75 1-Propanol					CAS #: 71-23-8		
4.723	4.715 (0.868)	59	2471	2.00000	2.796	80.00- 120.00	100.00
4.723	4.715 (0.868)	42	2071			63.00- 123.00	83.81
4.701	4.715 (0.864)	41	570			28.69- 88.69	23.07
88 Methyl Acrylate					CAS #: 96-33-3		
5.296	5.288 (0.974)	55	15436	2.00000	2.099	80.00- 120.00	100.00(a)
5.303	5.288 (0.975)	85	2706			0.00- 43.17	17.53
5.296	5.288 (0.974)	58	1878			0.00- 38.59	12.17
103 Isobutanol					CAS #: 78-83-1		
5.998	5.990 (1.103)	39	3783	2.00000	3.254	80.00- 120.00	100.00(a)

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
103 Isobutanol (continued)							
5.998	5.990 (1.103)	43	9246			402.02- 462.02	244.41
5.998	5.990 (1.103)	41	7110			275.29- 335.29	187.95
113 Ethyl acrylate					CAS #: 140-88-5		
6.764	6.764 (0.739)	99	1687	2.00000	2.668	80.00- 120.00	100.00
6.764	6.764 (0.739)	45	2466			144.38- 204.38	146.18
6.764	6.764 (0.739)	55	21134			1723.57-1783.57	1252.76
115 2-Pentanone					CAS #: 107-87-9		
6.864	6.857 (0.750)	43	26239	2.00000	2.061	80.00- 120.00	100.00
6.857	6.857 (0.749)	58	2558			0.00- 37.02	9.75
6.864	6.857 (0.750)	86	3819			0.00- 43.48	14.55
145 Butyl Acetate					CAS #: 123-86-4		
8.576	8.576 (1.334)	56	12702	2.00000	2.228	80.00- 120.00	100.00(a)
8.583	8.576 (1.335)	73	4522			2.83- 62.83	35.60
8.576	8.576 (1.334)	43	33172			240.40- 300.40	261.16
166 2-Heptanone					CAS #: 110-43-0		
9.901	9.901 (1.821)	58	21749	2.00000	2.365	80.00- 120.00	100.00
9.901	9.901 (1.821)	43	38769			146.16- 206.16	178.26
210 alpha-Pinene					CAS #: 80-56-8		
10.037	10.037 (1.096)	93	25687	2.00000	2.109	80.00- 120.00	100.00
10.030	10.037 (1.095)	77	7202			0.00- 59.07	28.04
214 beta-Pinene					CAS #: 127-91-3		
10.697	10.696 (1.168)	93	19765	2.00000	2.084	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	35220			151.21- 211.21	178.19
186 4-Chlorotoluene					CAS #: 106-43-4		
10.725	10.725 (1.171)	126	10548	2.00000	2.040	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	35220			296.65- 356.65	333.90
10.725	10.725 (1.171)	63	4731			10.84- 70.84	44.85
172 D-Limonene					CAS #: 5989-27-5		
11.277	11.277 (1.232)	68	15885	2.00000	2.069	80.00- 120.00	100.00
11.277	11.277 (1.232)	93	11230			41.19- 101.19	70.70
197 1,2,3-Trimethylbenzene					CAS #: 526-73-8		
11.463	11.463 (1.252)	120	14926	2.00000	2.104	80.00- 120.00	100.00(a)
11.463	11.463 (1.252)	105	33561			201.76- 261.76	224.85
11.463	11.463 (1.252)	77	4736			0.00- 57.12	31.73
205 Hexachloroethane					CAS #: 67-72-1		
12.022	12.014 (1.313)	201	8233	2.00000	1.921	80.00- 120.00	100.00(a)

				AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
RT	EXP RT (REL RT)	MASS	RESPONSE				
205 Hexachloroethane (continued)							
12.014	12.014 (1.312)	117	12206			114.78- 174.78	148.26
208 1,3,5-Trichlorobenzene					CAS #: 108-70-3		
12.752	12.752 (1.393)	180	19452	2.00000	1.970	80.00- 120.00	100.00(a)
12.752	12.752 (1.393)	182	17981			64.68- 124.68	92.44

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3041803.d
Lab Smp Id: ICAL Level #4
Analysis Type: VOA
Quant Type: ISTD
Operator: mjs
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 2.0ppbv (5.0ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #4
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	120138	13.14
108 1,4-Difluorobenze	390964	234578	547350	463814	18.63
153 Chlorobenzene-d5	392003	235202	548804	464193	18.42

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3041803.d

Date : 18-APR-2024 09:31

Client ID: ICAL Level #4


Instrument: msd3.i

Sample Info: 80ml 3018-4329

Operator: mjs

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042309.d
Lab Smp Id: ICAL Level #4 Client Smp ID: ICAL Level #4
Inj Date : 23-APR-2024 22:22
Operator : DF Inst ID: msd3.i
Smp Info : 80ml 3018-4466
Misc Info : 2.0ppbv (5.0ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 22:22 Cal File: 3042309.d
Als bottle: 3 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23ICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
4 Freon 134a					CAS #: 811-97-2		
1.423	1.409 (0.262)	83	5897	2.00000	2.437	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	5510			64.17- 124.17	93.44
1.493	1.493 (0.274)	51	21754			365.46- 425.46	368.90
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	6513	2.00000	2.376	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	4167			35.86- 95.86	63.98
1.437	1.437 (0.264)	39	4456			41.66- 101.66	68.42
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.465 (0.269)	65	3759	2.00000	2.378	80.00- 120.00	100.00
1.493	1.493 (0.274)	51	21754			568.10- 628.10	578.72
1.577	1.577 (0.290)	47	1180			0.00- 50.57	31.39
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.269)	85	13574	2.00000	2.190	80.00- 120.00	100.00
1.465	1.465 (0.269)	87	4729			2.88- 62.88	34.84
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.493 (0.274)	67	2049	2.00000	2.641	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
9 Chlorodifluoromethane (continued)							
1.493	1.493 (0.274)	51	21754			1257.55-1317.55	1061.69
10 Freon 114					CAS #: 76-14-2		
1.577	1.577 (0.290)	135	10854	2.00000	1.992	80.00- 120.00	100.00
1.577	1.577 (0.290)	137	3795			2.10- 62.10	34.96
12 Isobutane					CAS #: 75-28-5		
1.577	1.591 (0.290)	43	12066	2.00000	2.081	80.00- 120.00	100.00
1.577	1.591 (0.290)	42	3407			1.69- 61.69	28.24
1.591	1.577 (0.292)	58	471			0.00- 33.32	3.90
15 Chloromethane					CAS #: 74-87-3		
1.674	1.675 (0.308)	50	7257	2.00000	2.428	80.00- 120.00	100.00
1.674	1.675 (0.308)	52	2862			1.38- 61.38	39.44
18 Butane					CAS #: 106-97-8		
1.716	1.731 (0.316)	58	1517	2.00000	2.532	80.00- 120.00	100.00
1.716	1.731 (0.316)	43	11141			866.38- 926.38	734.41
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.759 (0.323)	62	6865	2.00000	2.374	80.00- 120.00	100.00
1.758	1.759 (0.323)	64	2833			3.10- 63.10	41.27
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	5535	2.00000	2.037	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	6354			78.74- 138.74	114.80
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	3393	2.00000	1.642	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	3140			64.19- 124.19	92.54
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.408)	64	3227	2.00000	2.327	80.00- 120.00	100.00
2.220	2.220 (0.408)	66	1150			2.32- 62.32	35.64
2.206	2.220 (0.406)	49	1850			6.33- 66.33	57.33
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	8715	2.00000	2.202	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	5665			31.77- 91.77	65.00
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.416 (0.442)	106	5134	2.00000	2.136	80.00- 120.00	100.00
2.416	2.416 (0.444)	108	4900			64.21- 124.21	95.44
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.449)	101	14478	2.00000	2.027	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
33 Freon 11 (continued)							
2.444	2.444 (0.449)	103	9770			34.93- 94.93	67.48
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.472 (0.452)	67	12755	2.00000	2.240	80.00- 120.00	100.00
2.458	2.472 (0.452)	69	4599			1.95- 61.95	36.06
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.462)	43	12681	2.00000	2.106	80.00- 120.00	100.00
2.514	2.514 (0.462)	57	2708			0.00- 44.64	21.35
2.514	2.514 (0.462)	72	1182			0.00- 37.90	9.32
39 Ethanol					CAS #: 64-17-5		
2.766	2.752 (0.509)	46	1575	2.46400	2.780	80.00- 120.00	100.00
2.766	2.752 (0.509)	45	3644			224.40- 284.40	231.37
42 Acrolein					CAS #: 107-02-8		
3.046	3.061 (0.560)	55	3005	2.33000	2.464	80.00- 120.00	100.00
3.046	3.061 (0.560)	56	4910			108.02- 168.02	163.39
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	13525	2.00000	2.143	80.00- 120.00	100.00
3.068	3.061 (0.564)	153	8605			35.07- 95.07	63.62
3.061	3.061 (0.563)	101	15440			87.45- 147.45	114.16
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.096	3.097 (0.569)	96	5903	2.00000	2.198	80.00- 120.00	100.00
3.089	3.097 (0.568)	98	3613			33.27- 93.27	61.21
3.089	3.097 (0.568)	61	11064			159.05- 219.05	187.43
47 Acetone					CAS #: 67-64-1		
3.247	3.247 (0.597)	58	3574	2.00000	2.339	80.00- 120.00	100.00
3.247	3.247 (0.597)	43	11985			329.45- 389.45	335.34
48 Carbon Disulfide					CAS #: 75-15-0		
3.333	3.333 (0.613)	76	17678	2.00000	2.414	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.433	3.426 (0.631)	45	13251	2.00000	2.086	80.00- 120.00	100.00
3.433	3.426 (0.631)	43	2934			0.00- 48.18	22.14
54 3-Chloropropene					CAS #: 107-05-1		
3.584	3.584 (0.659)	76	2682	2.00000	2.174	80.00- 120.00	100.00
3.576	3.584 (0.658)	41	9250			366.80- 426.80	344.89
57 Acetonitrile					CAS #: 75-05-8		
3.691	3.684 (0.679)	41	7272	2.35200	2.593	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
57 Acetonitrile (continued)							
3.691	3.684 (0.679)	40	4117			22.74- 82.74	56.61
3.691	3.684 (0.679)	38	1529			0.00- 42.52	21.03
59 Methylene Chloride					CAS #: 75-09-2		
3.784	3.784 (0.696)	49	9606	2.00000	2.288	80.00- 120.00	100.00
3.777	3.784 (0.694)	84	5293			24.90- 84.90	55.10
3.777	3.784 (0.694)	51	3159			0.00- 59.67	32.89
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.913	3.913 (0.719)	59	15162	2.30400	2.339	80.00- 120.00	100.00
3.913	3.913 (0.719)	41	3105			0.00- 51.85	20.48
3.906	3.913 (0.718)	57	1989			0.00- 40.17	13.12
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.737)	73	16332	2.00000	2.131	80.00- 120.00	100.00
4.006	4.006 (0.737)	57	5857			0.00- 58.72	35.86
4.006	4.006 (0.737)	41	4635			0.00- 59.38	28.38
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.035	4.028 (0.742)	98	4086	2.00000	2.266	80.00- 120.00	100.00
4.028	4.028 (0.741)	61	9876			232.13- 292.13	241.70
4.028	4.028 (0.741)	96	5890			127.26- 187.26	144.15
66 Acrylonitrile					CAS #: 107-13-1		
4.142	4.142 (0.762)	52	4913	2.00000	2.106	80.00- 120.00	100.00
4.142	4.142 (0.762)	53	5946			86.45- 146.45	121.03
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.783)	57	11457	2.00000	2.039	80.00- 120.00	100.00
4.264	4.257 (0.784)	43	9671			40.97- 100.97	84.41
4.264	4.257 (0.784)	86	1521			0.00- 42.68	13.28
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.838)	63	11018	2.00000	2.114	80.00- 120.00	100.00
4.558	4.558 (0.838)	65	3860			0.47- 60.47	35.03
72 Isopropyl ether					CAS #: 108-20-3		
4.558	4.558 (0.838)	45	27186	2.00000	2.175	80.00- 120.00	100.00
4.558	4.558 (0.838)	87	5261			0.00- 49.55	19.35
4.558	4.558 (0.838)	59	3158			0.00- 40.42	11.62
73 Vinyl Acetate					CAS #: 108-05-4		
4.615	4.608 (0.849)	86	955	2.00000	2.081	80.00- 120.00	100.00
4.615	4.608 (0.849)	43	15173			1727.95-1787.95	1588.80

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
79 Ethyl-tert-butyl ether						CAS #: 637-92-3	
4.945	4.945 (0.909)	59	23073	2.00000	2.141	80.00- 120.00	100.00
4.945	4.945 (0.909)	87	7530			3.90- 63.90	32.64
4.945	4.945 (0.909)	41	4934			0.00- 49.72	21.38
84 2,2-Dichloropropane						CAS #: 594-20-7	
5.138	5.145 (0.945)	77	10831	2.00000	2.105	80.00- 120.00	100.00
5.138	5.145 (0.945)	79	3451			2.39- 62.39	31.86
5.145	5.145 (0.946)	97	2782			0.00- 53.57	25.69
85 cis-1,2-Dichloroethene						CAS #: 156-59-2	
5.188	5.188 (0.954)	98	3951	2.00000	2.116	80.00- 120.00	100.00
5.188	5.188 (0.954)	96	6179			125.53- 185.53	156.39
5.188	5.188 (0.954)	61	9696			219.86- 279.86	245.41
86 2-Butanone						CAS #: 78-93-3	
5.224	5.217 (0.960)	72	2862	2.00000	2.127	80.00- 120.00	100.00
5.245	5.217 (0.964)	43	32757			1138.34-1198.34	1144.55
5.224	5.217 (0.960)	57	1871			10.83- 70.83	65.37
87 Ethyl Acetate						CAS #: 141-78-6	
5.260	5.245 (0.967)	45	3225	2.00000	2.397	80.00- 120.00	100.00
5.188	5.188 (0.954)	61	9696			338.96- 398.96	300.65
5.245	5.245 (0.964)	70	1539			24.53- 84.53	47.72
89 Tetrahydrofuran						CAS #: 109-99-9	
5.439	5.425 (1.000)	42	9096	2.00000	2.211	80.00- 120.00	100.00
5.432	5.425 (0.999)	71	2352			0.00- 58.54	25.86
5.439	5.425 (1.000)	72	2558			0.00- 59.59	28.12
* 90 Bromochloromethane						CAS #: 74-97-5	
5.439	5.439 (1.000)	130	104675	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	81068			47.79- 107.79	77.45
5.432	5.439 (1.000)	49	173402			131.33- 191.33	165.66
92 Chloroform						CAS #: 67-66-3	
5.518	5.518 (1.014)	83	12175	2.00000	2.176	80.00- 120.00	100.00
5.510	5.518 (1.013)	85	7815			35.77- 95.77	64.19
94 Cyclohexane						CAS #: 110-82-7	
5.611	5.611 (1.032)	84	7758	2.00000	2.072	80.00- 120.00	100.00
5.611	5.611 (1.032)	56	12287			125.79- 185.79	158.38
5.611	5.611 (1.032)	41	8272			61.55- 121.55	106.63
96 1,1,1-Trichloroethane						CAS #: 71-55-6	
5.639	5.639 (1.037)	97	12327	2.00000	2.020	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
96 1,1,1-Trichloroethane (continued)							
5.639	5.639 (1.037)	99	7781			32.84- 92.84	63.12
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.059)	119	13131	2.00000	2.029	80.00- 120.00	100.00
5.761	5.761 (1.059)	117	13615			75.19- 135.19	103.69
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.804	5.804 (0.903)	110	3415	2.00000	2.104	80.00- 120.00	100.00
5.804	5.804 (0.903)	75	8896			234.16- 294.16	260.50
102 Benzene					CAS #: 71-43-2		
5.998	5.998 (0.933)	78	16634	2.00000	2.050	80.00- 120.00	100.00
5.998	5.998 (0.933)	77	4094			0.00- 53.69	24.61
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
6.005	5.998 (1.104)	57	37803	2.00000	2.153	80.00- 120.00	100.00
5.990	5.998 (1.101)	56	13706			3.09- 63.09	36.26
6.005	5.998 (1.104)	41	10984			0.00- 57.28	29.06
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.108)	65	135356	25.0000	24.826	80.00- 120.00	100.00
6.026	6.026 (1.108)	67	69905			23.17- 83.17	51.65
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.091	6.091 (0.948)	87	4587	2.00000	2.104	80.00- 120.00	100.00
6.098	6.091 (0.949)	73	17779			365.76- 425.76	387.60
6.098	6.091 (0.949)	55	6634			92.58- 152.58	144.63
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	8855	2.00000	2.092	80.00- 120.00	100.00
6.098	6.105 (0.949)	64	3296			1.80- 61.80	37.22
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	6324	2.00000	1.968	80.00- 120.00	100.00
6.184	6.184 (0.962)	43	14662			207.73- 267.73	231.85
6.184	6.184 (0.962)	57	7644			84.83- 144.83	120.87
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	402992	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	61782			0.00- 45.65	15.33
110 n-Butanol					CAS #: 71-36-3		
6.635	6.628 (1.032)	56	4361	2.00000	2.364	80.00- 120.00	100.00
6.635	6.628 (1.032)	41	2697			47.73- 107.73	61.84
6.642	6.628 (1.033)	43	2440			31.60- 91.60	55.95

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	8203	2.00000	2.097	80.00- 120.00	100.00
6.635	6.635 (1.032)	130	8805			80.23- 140.23	107.34
6.628	6.635 (1.031)	97	5628			34.78- 94.78	68.61
127 Methylcyclohexane					CAS #: 108-87-2		
6.742	6.735 (1.049)	83	10959	2.00000	1.972	80.00- 120.00	100.00(a)
6.742	6.735 (1.049)	98	4864			14.83- 74.83	44.38
6.735	6.735 (1.048)	55	12780			71.50- 131.50	116.62
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	7752	2.00000	2.030	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	5684			40.39- 100.39	73.32
6.893	6.893 (1.072)	41	4710			31.86- 91.86	60.76
116 Methyl Methacrylate					CAS #: 80-62-6		
6.979	6.979 (0.762)	69	6763	2.00000	2.076	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	11614			145.81- 205.81	171.73
6.986	6.979 (0.763)	100	2712			10.05- 70.05	40.10
117 1,4-Dioxane					CAS #: 123-91-1		
7.000	6.993 (1.089)	88	4425	2.00000	2.168	80.00- 120.00	100.00
7.000	6.993 (1.089)	58	3471			56.33- 116.33	78.44
7.000	6.993 (1.089)	57	1731			2.08- 62.08	39.12
118 Dibromomethane					CAS #: 74-95-3		
7.008	7.008 (0.765)	174	7728	2.00000	2.048	80.00- 120.00	100.00
7.008	7.008 (0.765)	93	7446			62.68- 122.68	96.35
7.008	7.008 (0.765)	95	6421			47.70- 107.70	83.09
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	12777	2.00000	2.018	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	8281			34.96- 94.96	64.81
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.459	7.459 (1.160)	63	13717	2.00000	2.036	80.00- 120.00	100.00
7.459	7.459 (1.160)	65	4627			0.43- 60.43	33.73
7.459	7.459 (1.160)	144	1571			0.00- 40.48	11.45
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.574 (1.178)	75	10191	2.00000	1.887	80.00- 120.00	100.00
7.573	7.574 (1.178)	77	3513			1.26- 61.26	34.47
7.573	7.574 (1.178)	39	8021			35.06- 95.06	78.71
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.710	7.710 (1.199)	58	7220	2.00000	1.943	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
131 4-Methyl-2-pentanone (continued)							
7.710	7.710 (1.199)	43	19705			259.88- 319.88	272.92
7.710	7.710 (1.199)	85	2922			7.58- 67.58	40.47
$ 134 Toluene-d8						CAS #: 2037-26-5	
7.767	7.767 (1.208)	98	391144	25.0000	24.967	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	43548			0.00- 41.42	11.13
7.767	7.767 (1.208)	100	261861			37.54- 97.54	66.95
137 Toluene						CAS #: 108-88-3	
7.831	7.831 (1.218)	91	22030	2.00000	1.961	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	12881			27.89- 87.89	58.47
136 Octane						CAS #: 111-65-9	
7.860	7.860 (1.223)	57	8231	2.00000	2.011	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	7430			63.53- 123.53	90.27
7.860	7.860 (1.223)	43	22328			246.00- 306.00	271.27
139 trans-1,3-Dichloropropene						CAS #: 10061-02-6	
8.118	8.118 (0.887)	75	8842	2.00000	2.001	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	4399			1.83- 61.83	49.75
8.118	8.118 (0.887)	39	6542			31.97- 91.97	73.99
141 1,1,2-Trichloroethane						CAS #: 79-00-5	
8.283	8.290 (0.905)	97	7838	2.00000	2.094	80.00- 120.00	100.00
8.290	8.290 (0.905)	99	4440			32.52- 92.52	56.65
8.283	8.290 (0.905)	83	6480			58.90- 118.90	82.67
142 Tetrachloroethene						CAS #: 127-18-4	
8.318	8.318 (0.908)	166	11532	2.00000	2.052	80.00- 120.00	100.00
8.318	8.318 (0.908)	129	8623			45.32- 105.32	74.77
8.318	8.318 (0.908)	131	8697			44.17- 104.17	75.42
144 1,3-Dichloropropane						CAS #: 142-28-9	
8.447	8.447 (1.314)	76	10462	2.00000	1.987	80.00- 120.00	100.00(a)
8.447	8.447 (1.314)	41	8805			59.72- 119.72	84.16
8.447	8.447 (1.314)	78	3364			3.08- 63.08	32.15
143 2-Hexanone						CAS #: 591-78-6	
8.497	8.490 (0.928)	58	9633	2.00000	2.052	80.00- 120.00	100.00
8.490	8.490 (0.927)	43	20274			177.32- 237.32	210.46
8.490	8.490 (0.927)	100	1732			0.00- 47.18	17.98
146 Dibromochloromethane						CAS #: 124-48-1	
8.626	8.626 (0.942)	129	15080	2.00000	2.039	80.00- 120.00	100.00
8.626	8.626 (0.942)	127	11601			47.27- 107.27	76.93

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
148 1,2-Dibromoethane (EDB)						CAS #: 106-93-4	
8.741	8.741 (0.955)	107	12601	2.00000	2.054	80.00- 120.00	100.00
8.748	8.741 (0.955)	109	11635			64.18- 124.18	92.33
* 153 Chlorobenzene-d5						CAS #: 3114-55-4	
9.156	9.157 (1.000)	117	399961	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	213575			22.92- 82.92	53.40
154 Chlorobenzene						CAS #: 108-90-7	
9.178	9.185 (1.002)	112	18184	2.00000	1.962	80.00- 120.00	100.00
9.185	9.185 (1.003)	114	6150			1.91- 61.91	33.82
9.178	9.185 (1.002)	77	12124			22.97- 82.97	66.67
155 Ethyl Benzene						CAS #: 100-41-4	
9.250	9.250 (1.010)	106	9422	2.00000	2.021	80.00- 120.00	100.00
9.250	9.250 (1.010)	91	29862			281.09- 341.09	316.94
157 1,1,1,2-Tetrachloroethane						CAS #: 630-20-6	
9.271	9.271 (1.012)	131	10549	2.00000	1.998	80.00- 120.00	100.00
9.271	9.271 (1.012)	117	8100			37.10- 97.10	76.78
9.271	9.271 (1.012)	95	3829			4.93- 64.93	36.30
156 Nonane						CAS #: 111-84-2	
9.314	9.314 (1.017)	43	22541	2.00000	2.082	80.00- 120.00	100.00
9.314	9.314 (1.017)	57	17914			50.62- 110.62	79.47
9.314	9.314 (1.017)	85	5625			0.00- 55.65	24.95
158 m,p-Xylene						CAS #: 108-38-3	
9.364	9.364 (1.023)	106	11992	2.00000	2.064	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	23754			170.33- 230.33	198.08
164 o-Xylene						CAS #: 95-47-6	
9.751	9.751 (1.065)	106	11134	2.00000	2.021	80.00- 120.00	100.00
9.751	9.751 (1.065)	91	23722			181.23- 241.23	213.06
165 Styrene						CAS #: 100-42-5	
9.780	9.780 (1.068)	104	19258	2.00000	2.047	80.00- 120.00	100.00
9.780	9.780 (1.068)	78	9514			17.26- 77.26	49.40
167 Bromoform						CAS #: 75-25-2	
9.987	9.987 (1.091)	173	14789	2.00000	1.978	80.00- 120.00	100.00
9.987	9.987 (1.091)	171	7634			21.45- 81.45	51.62
168 Cumene						CAS #: 98-82-8	
10.095	10.095 (1.102)	105	34035	2.00000	2.044	80.00- 120.00	100.00
10.095	10.095 (1.102)	120	9118			0.00- 56.93	26.79

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
168 Cumene (continued)							
10.095	10.095 (1.102)	51	4751			0.00- 42.24	13.96
169 Cyclohexanone					CAS #: 108-94-1		
10.260	10.260 (1.120)	55	14837	2.00000	2.252	80.00- 120.00	100.00(a)
10.267	10.260 (1.121)	98	4451			5.15- 65.15	30.00
10.260	10.260 (1.120)	42	10067			41.99- 101.99	67.85
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	293042	25.0000	24.654	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	349289			88.49- 148.49	119.19
10.295	10.295 (1.124)	176	283911			66.73- 126.73	96.88
177 Bromobenzene					CAS #: 108-86-1		
10.431	10.432 (1.139)	156	11969	2.00000	2.063	80.00- 120.00	100.00
10.431	10.432 (1.139)	158	11350			67.47- 127.47	94.83
10.431	10.432 (1.139)	77	17083			108.68- 168.68	142.73
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.474	10.475 (1.144)	83	17413	2.00000	2.016	80.00- 120.00	100.00
10.467	10.475 (1.143)	85	11391			34.97- 94.97	65.42
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.146)	120	10216	2.00000	2.074	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	42042			383.60- 443.60	411.53
10.496	10.496 (1.146)	105	1730			0.00- 46.14	16.93
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.525 (1.149)	110	5233	2.00000	1.996	80.00- 120.00	100.00
10.525	10.525 (1.149)	75	18275			324.28- 384.28	349.23
10.525	10.518 (1.149)	61	4727			57.24- 117.24	90.33
182 Decane					CAS #: 124-18-5		
10.611	10.611 (1.159)	57	28843	2.00000	2.263	80.00- 120.00	100.00
10.611	10.611 (1.159)	71	8930			1.11- 61.11	30.96
10.611	10.611 (1.159)	142	1328			0.00- 34.44	4.60
183 4-Ethyltoluene					CAS #: 622-96-8		
10.611	10.611 (1.159)	120	10468	2.00000	1.950	80.00- 120.00	100.00
10.611	10.611 (1.159)	105	35698			298.94- 358.94	341.02
184 2-Chlorotoluene					CAS #: 95-49-8		
10.611	10.611 (1.159)	126	9037	2.00000	1.990	80.00- 120.00	100.00
10.611	10.611 (1.159)	91	27713			282.78- 342.78	306.66
10.611	10.603 (1.159)	65	4642			17.33- 77.33	51.37

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	14889	2.00000	2.057	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	29605			172.08- 232.08	198.84
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	15251	2.00000	1.989	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	8574			25.64- 85.64	56.22
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.983 (1.199)	119	28521	2.00000	2.072	80.00- 120.00	100.00
10.983	10.983 (1.199)	134	7363			0.00- 55.10	25.82
10.976	10.976 (1.199)	91	19058			34.53- 94.53	66.82
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	29746	2.00000	2.010	80.00- 120.00	100.00
11.040	11.040 (1.206)	120	13927			16.63- 76.63	46.82
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	9363	2.00000	2.078	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	43333			436.99- 496.99	462.81
11.198	11.198 (1.223)	91	7530			41.69- 101.69	80.42
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	37810	2.00000	2.052	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	10117			0.00- 57.62	26.76
11.341	11.341 (1.239)	91	9260			0.00- 53.03	24.49
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	22035	2.00000	2.009	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	13740			34.18- 94.18	62.36
11.348	11.348 (1.239)	111	8969			10.06- 70.06	40.70
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.449	11.449 (1.250)	146	22379	2.00000	2.014	80.00- 120.00	100.00
11.449	11.449 (1.250)	148	14223			33.55- 93.55	63.56
11.449	11.449 (1.250)	111	8858			7.98- 67.98	39.58
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	27179	2.00000	1.932	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	6214			0.00- 52.77	22.86
202 Butylbenzene					CAS #: 104-51-8		
11.742	11.750 (1.282)	134	10035	2.00000	1.976	80.00- 120.00	100.00
11.742	11.742 (1.282)	91	37009			310.82- 370.82	368.80
11.749	11.742 (1.283)	92	19169			151.53- 211.53	191.02

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	33949	2.00000	2.240	80.00- 120.00	100.00
11.785	11.785 (1.287)	43	33248			63.59- 123.59	97.94
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	21408	2.00000	2.011	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	13878			33.00- 93.00	64.83
11.821	11.821 (1.291)	111	9018			10.87- 70.87	42.12
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.378)	157	13095	2.00000	2.080	80.00- 120.00	100.00
12.616	12.616 (1.378)	75	10947			48.09- 108.09	83.60
12.616	12.616 (1.378)	155	9937			47.89- 107.89	75.88
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.404)	57	31589	2.00000	2.069	80.00- 120.00	100.00
12.860	12.860 (1.404)	43	29002			58.52- 118.52	91.81
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.463)	180	22868	2.00000	2.168	80.00- 120.00	100.00
13.397	13.397 (1.463)	182	21388			64.84- 124.84	93.53
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.504	13.512 (1.475)	225	16162	2.00000	2.100	80.00- 120.00	100.00
13.504	13.512 (1.475)	223	10274			32.80- 92.80	63.57
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.490)	128	5422	0.23200	0.2463	80.00- 120.00	100.00(a)
13.640	13.648 (1.490)	127	867			0.00- 42.72	15.99
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.517)	180	22737	2.00000	2.200	80.00- 120.00	100.00
13.891	13.891 (1.517)	182	21439			65.07- 125.07	94.29
13.891	13.891 (1.517)	145	7506			4.48- 64.48	33.01

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042309.d
Lab Smp Id: ICAL Level #4
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 2.0ppbv (5.0ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #4
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	104675	-1.42
108 1,4-Difluorobenze	390964	234578	547350	402992	3.08
153 Chlorobenzene-d5	392003	235202	548804	399961	2.03

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042309.d

Page 1

Date : 23-APR-2024 22:22

Client ID: ICAL Level #4


Instrument: msd3.i

Sample Info: 80ml 3018-4466

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3041804.d
Lab Smp Id: ICAL Level #5 Client Smp ID: ICAL Level #5
Inj Date : 18-APR-2024 10:06
Operator : mjs Inst ID: msd3.i
Smp Info : 200ml 3018-4329
Misc Info : 5.0ppbv (5.0ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 22:57 Cal File: 3042310.d
Als bottle: 1 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT21spICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	126067	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	99297			47.79- 107.79	78.77
5.432	5.439 (1.000)	49	208135			131.33- 191.33	165.10
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	490360	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	75735			0.00- 45.65	15.44
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	496101	25.0000		80.00- 120.00	100.00
9.149	9.157 (1.000)	82	267400			22.92- 82.92	53.90
3 Freon 143a					CAS #: 420-46-2		
1.367	1.395 (0.251)	65	7696	5.00000	4.526	80.00- 120.00	100.00
1.381	1.395 (0.254)	69	14051			237.43- 297.43	182.58
1.367	1.395 (0.251)	64	1813			0.00- 57.02	23.56
6 Propane					CAS #: 74-98-6		
1.437	1.423 (0.264)	43	6440	5.00000	5.520	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
6 Propane (continued)							
1.437	1.437 (0.264)	39	4465			37.94- 97.94	69.33
1.423	1.423 (0.262)	41	3895			21.79- 81.79	60.48
13 Freon 142b					CAS #: 75-68-3		
1.604	1.604 (0.295)	65	34203	5.00000	5.521	80.00- 120.00	100.00
1.618	1.604 (0.298)	45	11065			0.00- 58.87	32.35
36 1-Pentene					CAS #: 109-67-1		
2.444	2.458 (0.449)	55	19790	5.00000	5.146	80.00- 120.00	100.00
2.444	2.458 (0.449)	42	27275			114.47- 174.47	137.82
38 Ethyl Ether					CAS #: 60-29-7		
2.808	2.794 (0.516)	74	8707	5.00000	5.474	80.00- 120.00	100.00
2.808	2.794 (0.516)	59	14625			138.79- 198.79	167.97
2.808	2.794 (0.516)	45	12313			114.58- 174.58	141.41
40 Freon 123a					CAS #: 354-23-4		
2.892	2.906 (0.532)	117	26025	5.00000	5.192	80.00- 120.00	100.00(a)
2.892	2.892 (0.532)	67	32898			102.78- 162.78	126.41
41 Freon 123					CAS #: 306-83-2		
2.990	2.990 (0.550)	83	27268	5.00000	5.874	80.00- 120.00	100.00
2.990	2.990 (0.550)	133	6683			0.00- 53.60	24.51
2.990	2.990 (0.550)	85	16019			36.72- 96.72	58.75
55 Cyclopentene					CAS #: 142-29-0		
3.583	3.591 (0.659)	67	37434	5.00000	5.296	80.00- 120.00	100.00
3.583	3.591 (0.659)	68	15715			8.38- 68.38	41.98
3.583	3.591 (0.659)	53	9501			0.00- 54.97	25.38
56 Methyl Acetate					CAS #: 79-20-9		
3.634	3.619 (0.668)	43	42729	5.00000	5.441	80.00- 120.00	100.00
3.634	3.619 (0.668)	74	7001			0.00- 45.84	16.38
74 Chloroprene					CAS #: 126-99-8		
4.608	4.608 (0.847)	53	33127	5.00000	5.394	80.00- 120.00	100.00
4.608	4.608 (0.847)	88	14365			14.44- 74.44	43.36
4.608	4.608 (0.847)	50	9775			0.00- 56.76	29.51
75 1-Propanol					CAS #: 71-23-8		
4.744	4.715 (0.872)	59	5130	5.00000	5.532	80.00- 120.00	100.00
4.701	4.715 (0.864)	42	134			63.00- 123.00	2.61
4.744	4.715 (0.872)	41	3169			28.69- 88.69	61.77
88 Methyl Acrylate					CAS #: 96-33-3		
5.295	5.288 (0.974)	55	41472	5.00000	5.375	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
88 Methyl Acrylate (continued)							
5.295	5.288 (0.974)	85	6368			0.00- 43.17	15.35
5.295	5.288 (0.974)	58	4572			0.00- 38.59	11.02
103 Isobutanol					CAS #: 78-83-1		
6.012	5.990 (1.105)	39	7192	5.00000	5.895	80.00- 120.00	100.00
5.969	5.990 (1.097)	43	496			402.02- 462.02	6.90
6.012	5.990 (1.105)	41	17388			275.29- 335.29	241.77
113 Ethyl acrylate					CAS #: 140-88-5		
6.764	6.764 (0.739)	99	3432	5.00000	5.078	80.00- 120.00	100.00
6.771	6.764 (0.739)	45	6099			144.38- 204.38	177.71
6.771	6.764 (0.739)	55	56924			1723.57-1783.57	1658.62
115 2-Pentanone					CAS #: 107-87-9		
6.864	6.857 (0.750)	43	72487	5.00000	5.327	80.00- 120.00	100.00
6.864	6.857 (0.750)	58	5135			0.00- 37.02	7.08
6.864	6.857 (0.750)	86	10337			0.00- 43.48	14.26
145 Butyl Acetate					CAS #: 123-86-4		
8.576	8.576 (1.334)	56	31432	5.00000	5.216	80.00- 120.00	100.00
8.576	8.576 (1.334)	73	11274			2.83- 62.83	35.87
8.576	8.576 (1.334)	43	88940			240.40- 300.40	282.96
166 2-Heptanone					CAS #: 110-43-0		
9.901	9.901 (1.821)	58	57929	5.00000	6.003	80.00- 120.00	100.00
9.901	9.901 (1.821)	43	101541			146.16- 206.16	175.29
210 alpha-Pinene					CAS #: 80-56-8		
10.037	10.037 (1.096)	93	67007	5.00000	5.147	80.00- 120.00	100.00
10.037	10.037 (1.096)	77	20176			0.00- 59.07	30.11
214 beta-Pinene					CAS #: 127-91-3		
10.696	10.696 (1.168)	93	52907	5.00000	5.219	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	90054			151.21- 211.21	170.21
186 4-Chlorotoluene					CAS #: 106-43-4		
10.725	10.725 (1.171)	126	27997	5.00000	5.065	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	90054			296.65- 356.65	321.66
10.718	10.725 (1.171)	63	12105			10.84- 70.84	43.24
172 D-Limonene					CAS #: 5989-27-5		
11.277	11.277 (1.232)	68	41975	5.00000	5.116	80.00- 120.00	100.00
11.277	11.277 (1.232)	93	30322			41.19- 101.19	72.24
197 1,2,3-Trimethylbenzene					CAS #: 526-73-8		
11.463	11.463 (1.252)	120	38149	5.00000	5.032	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
197 1,2,3-Trimethylbenzene (continued)							
11.463	11.463 (1.252)	105	87829			201.76- 261.76	230.23
11.463	11.463 (1.252)	77	10805			0.00- 57.12	28.32
205 Hexachloroethane					CAS #: 67-72-1		
12.014	12.014 (1.312)	201	22082	5.00000	4.821	80.00- 120.00	100.00
12.014	12.014 (1.312)	117	31891			114.78- 174.78	144.42
208 1,3,5-Trichlorobenzene					CAS #: 108-70-3		
12.759	12.752 (1.393)	180	52704	5.00000	4.994	80.00- 120.00	100.00
12.766	12.752 (1.394)	182	49468			64.68- 124.68	93.86

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3041804.d
Lab Smp Id: ICAL Level #5
Analysis Type: VOA
Quant Type: ISTD
Operator: mjs
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 5.0ppbv (5.0ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #5
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	126067	18.72
108 1,4-Difluorobenze	390964	234578	547350	490360	25.42
153 Chlorobenzene-d5	392003	235202	548804	496101	26.56

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3041804.d

Page 1

Date : 18-APR-2024 10:06

Client ID: ICAL Level #5


Instrument: msd3.i

Sample Info: 200ml 3018-4329

Operator: mjs

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042310.d
Lab Smp Id: ICAL Level #5 Client Smp ID: ICAL Level #5
Inj Date : 23-APR-2024 22:57
Operator : DF Inst ID: msd3.i
Smp Info : 200ml 3018-4466
Misc Info : 5.0ppbv (5.0ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 22:57 Cal File: 3042310.d
Als bottle: 3 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23ICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
4 Freon 134a					CAS #: 811-97-2		
1.409	1.409 (0.259)	83	12045	5.00000	4.528	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	8302			64.17- 124.17	68.92
1.493	1.493 (0.275)	51	54371			365.46- 425.46	451.40
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	15861	5.00000	5.262	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	10736			35.86- 95.86	67.69
1.437	1.437 (0.264)	39	11600			41.66- 101.66	73.14
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.465 (0.270)	65	8495	5.00000	4.889	80.00- 120.00	100.00
1.493	1.493 (0.275)	51	54371			568.10- 628.10	640.04
1.562	1.577 (0.288)	47	2288			0.00- 50.57	26.93
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.270)	85	36879	5.00000	5.412	80.00- 120.00	100.00
1.465	1.465 (0.270)	87	12423			2.88- 62.88	33.69
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.493 (0.275)	67	4592	5.00000	5.385	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
9 Chlorodifluoromethane (continued)							
1.493	1.493 (0.275)	51	54371			1257.55-1317.55	1184.04
10 Freon 114					CAS #: 76-14-2		
1.576	1.577 (0.290)	135	31364	5.00000	5.235	80.00- 120.00	100.00
1.576	1.577 (0.290)	137	10227			2.10- 62.10	32.61
12 Isobutane					CAS #: 75-28-5		
1.576	1.591 (0.290)	43	33332	5.00000	5.230	80.00- 120.00	100.00
1.576	1.591 (0.290)	42	11165			1.69- 61.69	33.50
1.576	1.577 (0.290)	58	1319			0.00- 33.32	3.96
15 Chloromethane					CAS #: 74-87-3		
1.660	1.675 (0.306)	50	15587	5.00000	4.744	80.00- 120.00	100.00
1.660	1.675 (0.306)	52	5953			1.38- 61.38	38.19
18 Butane					CAS #: 106-97-8		
1.716	1.731 (0.316)	58	3490	5.00000	5.298	80.00- 120.00	100.00
1.716	1.731 (0.316)	43	27663			866.38- 926.38	792.64
19 Vinyl Chloride					CAS #: 75-01-4		
1.744	1.759 (0.321)	62	15202	5.00000	4.782	80.00- 120.00	100.00
1.758	1.759 (0.324)	64	5758			3.10- 63.10	37.88
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	15296	5.00000	5.122	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	14930			78.74- 138.74	97.61
24 Bromomethane					CAS #: 74-83-9		
2.094	2.108 (0.386)	94	10936	5.00000	4.814	80.00- 120.00	100.00
2.094	2.108 (0.386)	96	10181			64.19- 124.19	93.10
30 Chloroethane					CAS #: 75-00-3		
2.206	2.220 (0.406)	64	7214	5.00000	4.732	80.00- 120.00	100.00
2.206	2.220 (0.406)	66	3137			2.32- 62.32	43.48
2.206	2.220 (0.406)	49	3642			6.33- 66.33	50.49
31 Isopentane					CAS #: 78-78-4		
2.220	2.234 (0.409)	43	19688	5.00000	4.525	80.00- 120.00	100.00
2.220	2.234 (0.409)	57	12514			31.77- 91.77	63.56
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.416 (0.442)	106	12730	5.00000	4.818	80.00- 120.00	100.00
2.402	2.416 (0.442)	108	12007			64.21- 124.21	94.32
33 Freon 11					CAS #: 75-69-4		
2.430	2.444 (0.447)	101	35626	5.00000	4.538	80.00- 120.00	100.00

				AMOUNTS				
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========		=======	=======	==========	=====
33 Freon 11 (continued)								
2.430	2.444 (0.447)	103	23729				34.93- 94.93	66.61
34 Dichlorofluoromethane						CAS #: 75-43-4		
2.458	2.472 (0.453)	67	28519	5.00000		4.556	80.00- 120.00	100.00
2.458	2.472 (0.453)	69	9453				1.95- 61.95	33.15
35 Pentane						CAS #: 109-66-0		
2.500	2.514 (0.460)	43	32644	5.00000		4.931	80.00- 120.00	100.00
2.500	2.514 (0.460)	57	4865				0.00- 44.64	14.90
2.500	2.514 (0.460)	72	2705				0.00- 37.90	8.29
39 Ethanol						CAS #: 64-17-5		
2.808	2.752 (0.517)	46	5178	6.16000		8.313	80.00- 120.00	100.00
2.808	2.752 (0.517)	45	7274				224.40- 284.40	140.48
42 Acrolein						CAS #: 107-02-8		
3.061	3.061 (0.563)	55	8619	5.82500		6.429	80.00- 120.00	100.00
3.068	3.061 (0.565)	56	10283				108.02- 168.02	119.31
43 Freon 113						CAS #: 76-13-1		
3.046	3.061 (0.561)	151	28638	5.00000		4.128	80.00- 120.00	100.00
3.046	3.061 (0.561)	153	18570				35.07- 95.07	64.84
3.046	3.061 (0.561)	101	33225				87.45- 147.45	116.02
44 1,1-Dichloroethene						CAS #: 75-35-4		
3.075	3.097 (0.566)	96	13582	5.00000		4.601	80.00- 120.00	100.00
3.075	3.097 (0.566)	98	8644				33.27- 93.27	63.64
3.075	3.097 (0.566)	61	31509				159.05- 219.05	231.99
47 Acetone						CAS #: 67-64-1		
3.268	3.247 (0.602)	58	9661	5.00000		5.751	80.00- 120.00	100.00
3.268	3.247 (0.602)	43	33888				329.45- 389.45	350.77
48 Carbon Disulfide						CAS #: 75-15-0		
3.311	3.333 (0.610)	76	45059	5.00000		5.597	80.00- 120.00	100.00
52 2-Propanol						CAS #: 67-63-0		
3.483	3.426 (0.641)	45	37340	5.00000		5.346	80.00- 120.00	100.00
3.490	3.426 (0.643)	43	6824				0.00- 48.18	18.28
54 3-Chloropropene						CAS #: 107-05-1		
3.576	3.584 (0.658)	76	7307	5.00000		5.388	80.00- 120.00	100.00
3.569	3.584 (0.657)	41	27335				366.80- 426.80	374.09
57 Acetonitrile						CAS #: 75-05-8		
3.705	3.684 (0.682)	41	20254	5.88000		6.570	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
57 Acetonitrile (continued)							
3.705	3.684 (0.682)	40	10443			22.74- 82.74	51.56
3.662	3.684 (0.674)	38	104			0.00- 42.52	0.51
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.784 (0.695)	49	24845	5.00000	5.384	80.00- 120.00	100.00
3.777	3.784 (0.695)	84	14006			24.90- 84.90	56.37
3.770	3.784 (0.694)	51	8345			0.00- 59.67	33.59
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.963	3.913 (0.730)	59	42486	5.76000	5.963	80.00- 120.00	100.00
3.963	3.913 (0.730)	41	9211			0.00- 51.85	21.68
3.963	3.913 (0.730)	57	4226			0.00- 40.17	9.95
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.020	4.006 (0.740)	73	43149	5.00000	5.122	80.00- 120.00	100.00
4.013	4.006 (0.739)	57	14491			0.00- 58.72	33.58
4.013	4.006 (0.739)	41	13768			0.00- 59.38	31.91
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.020	4.028 (0.740)	98	10199	5.00000	5.144	80.00- 120.00	100.00
4.020	4.028 (0.740)	61	27200			232.13- 292.13	266.69
4.020	4.028 (0.740)	96	16522			127.26- 187.26	162.00
66 Acrylonitrile					CAS #: 107-13-1		
4.149	4.142 (0.764)	52	13726	5.00000	5.353	80.00- 120.00	100.00
4.149	4.142 (0.764)	53	16536			86.45- 146.45	120.47
67 Hexane					CAS #: 110-54-3		
4.250	4.257 (0.782)	57	30865	5.00000	4.996	80.00- 120.00	100.00
4.242	4.257 (0.781)	43	21968			40.97- 100.97	71.17
4.250	4.257 (0.782)	86	3886			0.00- 42.68	12.59
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.558 (0.838)	63	30564	5.00000	5.335	80.00- 120.00	100.00
4.551	4.558 (0.838)	65	9852			0.47- 60.47	32.23
72 Isopropyl ether					CAS #: 108-20-3		
4.565	4.558 (0.840)	45	72205	5.00000	5.256	80.00- 120.00	100.00
4.565	4.558 (0.840)	87	13883			0.00- 49.55	19.23
4.572	4.558 (0.842)	59	7604			0.00- 40.42	10.53
73 Vinyl Acetate					CAS #: 108-05-4		
4.615	4.608 (0.850)	86	2765	5.00000	5.481	80.00- 120.00	100.00
4.615	4.608 (0.850)	43	43995			1727.95-1787.95	1591.14

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
79 Ethyl-tert-butyl ether						CAS #: 637-92-3	
4.952	4.945 (0.912)	59	61076	5.00000	5.155	80.00- 120.00	100.00
4.952	4.945 (0.912)	87	20989			3.90- 63.90	34.37
4.944	4.945 (0.910)	41	12315			0.00- 49.72	20.16
84 2,2-Dichloropropane						CAS #: 594-20-7	
5.138	5.145 (0.946)	77	29067	5.00000	5.139	80.00- 120.00	100.00
5.138	5.145 (0.946)	79	9741			2.39- 62.39	33.51
5.138	5.145 (0.946)	97	7646			0.00- 53.57	26.30
85 cis-1,2-Dichloroethene						CAS #: 156-59-2	
5.181	5.188 (0.954)	98	10957	5.00000	5.337	80.00- 120.00	100.00
5.181	5.188 (0.954)	96	17033			125.53- 185.53	155.45
5.181	5.188 (0.954)	61	26295			219.86- 279.86	239.98
86 2-Butanone						CAS #: 78-93-3	
5.231	5.217 (0.963)	72	7868	5.00000	5.319	80.00- 120.00	100.00
5.253	5.217 (0.967)	43	93302			1138.34-1198.34	1185.84
5.231	5.217 (0.963)	57	4050			10.83- 70.83	51.47
87 Ethyl Acetate						CAS #: 141-78-6	
5.253	5.245 (0.967)	45	8554	5.00000	5.782	80.00- 120.00	100.00
5.181	5.188 (0.954)	61	26295			338.96- 398.96	307.40
5.260	5.245 (0.968)	70	4295			24.53- 84.53	50.21
89 Tetrahydrofuran						CAS #: 109-99-9	
5.439	5.425 (1.001)	42	22688	5.00000	5.017	80.00- 120.00	100.00
5.439	5.425 (1.001)	71	6413			0.00- 58.54	28.27
5.439	5.425 (1.001)	72	6417			0.00- 59.59	28.28
* 90 Bromochloromethane						CAS #: 74-97-5	
5.432	5.439 (1.000)	130	115073	25.0000		80.00- 120.00	100.00
5.432	5.439 (1.000)	128	91680			47.79- 107.79	79.67
5.432	5.439 (1.000)	49	191536			131.33- 191.33	166.45
92 Chloroform						CAS #: 67-66-3	
5.510	5.518 (1.014)	83	32701	5.00000	5.315	80.00- 120.00	100.00
5.510	5.518 (1.014)	85	21652			35.77- 95.77	66.21
94 Cyclohexane						CAS #: 110-82-7	
5.603	5.611 (1.032)	84	20587	5.00000	5.002	80.00- 120.00	100.00
5.603	5.611 (1.032)	56	32656			125.79- 185.79	158.62
5.603	5.611 (1.032)	41	18678			61.55- 121.55	90.73
96 1,1,1-Trichloroethane						CAS #: 71-55-6	
5.632	5.639 (1.037)	97	33811	5.00000	5.039	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
96 1,1,1-Trichloroethane (continued)							
5.632	5.639 (1.037)	99	21498			32.84- 92.84	63.58
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.754	5.761 (1.059)	119	35960	5.00000	5.055	80.00- 120.00	100.00
5.754	5.761 (1.059)	117	38234			75.19- 135.19	106.32
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.797	5.804 (0.902)	110	9481	5.00000	5.394	80.00- 120.00	100.00
5.797	5.804 (0.902)	75	24476			234.16- 294.16	258.16
102 Benzene					CAS #: 71-43-2		
5.997	5.998 (0.933)	78	45735	5.00000	5.206	80.00- 120.00	100.00
5.997	5.998 (0.933)	77	11347			0.00- 53.69	24.81
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.983	5.998 (1.102)	57	94992	5.00000	4.922	80.00- 120.00	100.00
5.990	5.998 (1.103)	56	31376			3.09- 63.09	33.03
5.983	5.998 (1.102)	41	28004			0.00- 57.28	29.48
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.109)	65	149241	25.0000	24.900	80.00- 120.00	100.00
6.026	6.026 (1.109)	67	77331			23.17- 83.17	51.82
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.091	6.091 (0.948)	87	11971	5.00000	5.070	80.00- 120.00	100.00
6.091	6.091 (0.948)	73	47052			365.76- 425.76	393.05
6.091	6.091 (0.948)	55	14233			92.58- 152.58	118.90
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	23751	5.00000	5.182	80.00- 120.00	100.00
6.098	6.105 (0.949)	64	8897			1.80- 61.80	37.46
107 Heptane					CAS #: 142-82-5		
6.177	6.184 (0.961)	71	16194	5.00000	4.653	80.00- 120.00	100.00
6.177	6.184 (0.961)	43	40834			207.73- 267.73	252.16
6.177	6.184 (0.961)	57	19832			84.83- 144.83	122.47
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	436367	25.0000		80.00- 120.00	100.00
6.420	6.427 (1.000)	88	66912			0.00- 45.65	15.33
110 n-Butanol					CAS #: 71-36-3		
6.649	6.628 (1.035)	56	10811	5.00000	5.412	80.00- 120.00	100.00
6.649	6.628 (1.035)	41	7342			47.73- 107.73	67.91
6.649	6.628 (1.035)	43	6475			31.60- 91.60	59.89

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
111 Trichloroethene						CAS #: 79-01-6	
6.628	6.635 (1.031)	95	22164	5.00000	5.232	80.00- 120.00	100.00
6.628	6.635 (1.031)	130	23903			80.23- 140.23	107.85
6.628	6.635 (1.031)	97	14984			34.78- 94.78	67.61
127 Methylcyclohexane						CAS #: 108-87-2	
6.728	6.735 (1.047)	83	29234	5.00000	4.858	80.00- 120.00	100.00
6.728	6.735 (1.047)	98	13458			14.83- 74.83	46.04
6.728	6.735 (1.047)	55	31447			71.50- 131.50	107.57
114 1,2-Dichloropropane						CAS #: 78-87-5	
6.893	6.893 (1.072)	63	20992	5.00000	5.078	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	15006			40.39- 100.39	71.48
6.886	6.893 (1.071)	41	12920			31.86- 91.86	61.55
116 Methyl Methacrylate						CAS #: 80-62-6	
6.979	6.979 (0.763)	69	18093	5.00000	4.970	80.00- 120.00	100.00
6.979	6.979 (0.763)	41	30893			145.81- 205.81	170.75
6.986	6.979 (0.764)	100	7329			10.05- 70.05	40.51
117 1,4-Dioxane						CAS #: 123-91-1	
7.007	6.993 (1.090)	88	11057	5.00000	5.003	80.00- 120.00	100.00
7.000	6.993 (1.089)	58	10009			56.33- 116.33	90.52
7.000	6.993 (1.089)	57	4556			2.08- 62.08	41.20
118 Dibromomethane						CAS #: 74-95-3	
7.007	7.008 (0.766)	174	22017	5.00000	5.222	80.00- 120.00	100.00
7.007	7.008 (0.766)	93	20262			62.68- 122.68	92.03
7.007	7.008 (0.766)	95	16864			47.70- 107.70	76.60
122 Bromodichloromethane						CAS #: 75-27-4	
7.151	7.151 (1.113)	83	35412	5.00000	5.164	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	23047			34.96- 94.96	65.08
151 1-Bromo-2-Chloroethane						CAS #: 107-04-0	
7.452	7.459 (1.159)	63	38486	5.00000	5.276	80.00- 120.00	100.00
7.459	7.459 (1.160)	65	11935			0.43- 60.43	31.01
7.459	7.459 (1.160)	144	4284			0.00- 40.48	11.13
126 cis-1,3-Dichloropropene						CAS #: 10061-01-5	
7.573	7.574 (1.178)	75	30334	5.00000	5.187	80.00- 120.00	100.00
7.573	7.574 (1.178)	77	10100			1.26- 61.26	33.30
7.566	7.574 (1.177)	39	20351			35.06- 95.06	67.09
131 4-Methyl-2-pentanone						CAS #: 108-10-1	
7.709	7.710 (1.199)	58	19262	5.00000	4.788	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
131 4-Methyl-2-pentanone (continued)							
7.709	7.710 (1.199)	43	54486			259.88- 319.88	282.87
7.709	7.710 (1.199)	85	7043			7.58- 67.58	36.56
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	421056	25.0000	24.821	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	46966			0.00- 41.42	11.15
7.767	7.767 (1.208)	100	281063			37.54- 97.54	66.75
137 Toluene					CAS #: 108-88-3		
7.824	7.831 (1.217)	91	59602	5.00000	4.900	80.00- 120.00	100.00
7.824	7.831 (1.217)	92	34878			27.89- 87.89	58.52
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	20866	5.00000	4.709	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	19494			63.53- 123.53	93.42
7.860	7.860 (1.223)	43	55025			246.00- 306.00	263.71
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	24669	5.00000	4.996	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	8239			1.83- 61.83	33.40
8.118	8.118 (0.887)	39	15878			31.97- 91.97	64.36
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.282	8.290 (0.905)	97	20550	5.00000	4.915	80.00- 120.00	100.00
8.282	8.290 (0.905)	99	12876			32.52- 92.52	62.66
8.282	8.290 (0.905)	83	17892			58.90- 118.90	87.07
142 Tetrachloroethene					CAS #: 127-18-4		
8.311	8.318 (0.908)	166	31688	5.00000	5.047	80.00- 120.00	100.00
8.311	8.318 (0.908)	129	23187			45.32- 105.32	73.17
8.311	8.318 (0.908)	131	23579			44.17- 104.17	74.41
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	28615	5.00000	5.018	80.00- 120.00	100.00
8.447	8.447 (1.314)	41	26087			59.72- 119.72	91.17
8.447	8.447 (1.314)	78	9192			3.08- 63.08	32.12
143 2-Hexanone					CAS #: 591-78-6		
8.497	8.490 (0.929)	58	26288	5.00000	5.011	80.00- 120.00	100.00
8.497	8.490 (0.929)	43	55403			177.32- 237.32	210.75
8.497	8.490 (0.929)	100	4741			0.00- 47.18	18.03
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	40668	5.00000	4.921	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	31926			47.27- 107.27	78.50

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	33020	5.00000	4.818	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	31725			64.18- 124.18	96.08
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.157 (1.000)	117	446883	25.0000		80.00- 120.00	100.00
9.149	9.157 (1.000)	82	237443			22.92- 82.92	53.13
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.185 (1.003)	112	50886	5.00000	4.915	80.00- 120.00	100.00
9.178	9.185 (1.003)	114	16282			1.91- 61.91	32.00
9.178	9.185 (1.003)	77	31112			22.97- 82.97	61.14
155 Ethyl Benzene					CAS #: 100-41-4		
9.249	9.250 (1.011)	106	25019	5.00000	4.804	80.00- 120.00	100.00
9.249	9.250 (1.011)	91	78223			281.09- 341.09	312.65
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.271	9.271 (1.013)	131	28053	5.00000	4.756	80.00- 120.00	100.00
9.271	9.271 (1.013)	117	22204			37.10- 97.10	79.15
9.271	9.271 (1.013)	95	10330			4.93- 64.93	36.82
156 Nonane					CAS #: 111-84-2		
9.314	9.314 (1.018)	43	59277	5.00000	4.900	80.00- 120.00	100.00
9.314	9.314 (1.018)	57	46936			50.62- 110.62	79.18
9.314	9.314 (1.018)	85	15060			0.00- 55.65	25.41
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	31010	5.00000	4.777	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	63013			170.33- 230.33	203.20
164 o-Xylene					CAS #: 95-47-6		
9.751	9.751 (1.066)	106	29126	5.00000	4.732	80.00- 120.00	100.00
9.751	9.751 (1.066)	91	61652			181.23- 241.23	211.67
165 Styrene					CAS #: 100-42-5		
9.780	9.780 (1.069)	104	50849	5.00000	4.837	80.00- 120.00	100.00
9.780	9.780 (1.069)	78	25060			17.26- 77.26	49.28
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.092)	173	40236	5.00000	4.818	80.00- 120.00	100.00
9.987	9.987 (1.092)	171	20951			21.45- 81.45	52.07
168 Cumene					CAS #: 98-82-8		
10.095	10.095 (1.103)	105	88925	5.00000	4.779	80.00- 120.00	100.00
10.095	10.095 (1.103)	120	24787			0.00- 56.93	27.87

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
168 Cumene (continued)							
10.088	10.095 (1.103)	51	11553			0.00- 42.24	12.99
169 Cyclohexanone					CAS #: 108-94-1		
10.259	10.260 (1.121)	55	36349	5.00000	4.937	80.00- 120.00	100.00(a)
10.267	10.260 (1.122)	98	12224			5.15- 65.15	33.63
10.259	10.260 (1.121)	42	25657			41.99- 101.99	70.59
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.125)	174	328640	25.0000	24.746	80.00- 120.00	100.00
10.295	10.295 (1.125)	95	390974			88.49- 148.49	118.97
10.295	10.295 (1.125)	176	316981			66.73- 126.73	96.45
177 Bromobenzene					CAS #: 108-86-1		
10.431	10.432 (1.140)	156	32480	5.00000	5.010	80.00- 120.00	100.00
10.431	10.432 (1.140)	158	30981			67.47- 127.47	95.38
10.431	10.432 (1.140)	77	44459			108.68- 168.68	136.88
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.475 (1.144)	83	47301	5.00000	4.901	80.00- 120.00	100.00
10.467	10.475 (1.144)	85	30625			34.97- 94.97	64.74
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.147)	120	26554	5.00000	4.826	80.00- 120.00	100.00
10.496	10.496 (1.147)	91	110753			383.60- 443.60	417.09
10.496	10.496 (1.147)	105	4547			0.00- 46.14	17.12
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.525 (1.150)	110	13876	5.00000	4.737	80.00- 120.00	100.00
10.524	10.525 (1.150)	75	48974			324.28- 384.28	352.94
10.517	10.518 (1.150)	61	12910			57.24- 117.24	93.04
182 Decane					CAS #: 124-18-5		
10.603	10.611 (1.159)	57	66125	5.00000	4.643	80.00- 120.00	100.00
10.610	10.611 (1.160)	71	20761			1.11- 61.11	31.40
10.610	10.611 (1.160)	142	2874			0.00- 34.44	4.35
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.611 (1.159)	120	29003	5.00000	4.836	80.00- 120.00	100.00
10.603	10.611 (1.159)	105	94876			298.94- 358.94	327.12
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.611 (1.159)	126	24928	5.00000	4.913	80.00- 120.00	100.00
10.603	10.611 (1.159)	91	77188			282.78- 342.78	309.64
10.603	10.603 (1.159)	65	12088			17.33- 77.33	48.49

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.167)	120	38840	5.00000	4.802	80.00- 120.00	100.00
10.675	10.675 (1.167)	105	79192			172.08- 232.08	203.89
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.192)	118	40931	5.00000	4.778	80.00- 120.00	100.00
10.904	10.904 (1.192)	103	23190			25.64- 85.64	56.66
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.983 (1.200)	119	75651	5.00000	4.920	80.00- 120.00	100.00
10.983	10.983 (1.200)	134	18730			0.00- 55.10	24.76
10.976	10.976 (1.200)	91	49041			34.53- 94.53	64.83
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.207)	105	80630	5.00000	4.876	80.00- 120.00	100.00
11.040	11.040 (1.207)	120	37019			16.63- 76.63	45.91
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.224)	134	24772	5.00000	4.922	80.00- 120.00	100.00
11.198	11.198 (1.224)	105	115657			436.99- 496.99	466.89
11.191	11.198 (1.223)	91	18608			41.69- 101.69	75.12
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.240)	119	101004	5.00000	4.907	80.00- 120.00	100.00
11.341	11.341 (1.240)	134	28012			0.00- 57.62	27.73
11.341	11.341 (1.240)	91	23280			0.00- 53.03	23.05
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.240)	146	58914	5.00000	4.808	80.00- 120.00	100.00
11.348	11.348 (1.240)	148	38396			34.18- 94.18	65.17
11.348	11.348 (1.240)	111	23260			10.06- 70.06	39.48
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.449	11.449 (1.251)	146	60435	5.00000	4.869	80.00- 120.00	100.00
11.449	11.449 (1.251)	148	38720			33.55- 93.55	64.07
11.449	11.449 (1.251)	111	23179			7.98- 67.98	38.35
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.267)	91	75468	5.00000	4.801	80.00- 120.00	100.00
11.592	11.592 (1.267)	126	16647			0.00- 52.77	22.06
202 Butylbenzene					CAS #: 104-51-8		
11.749	11.750 (1.284)	134	27726	5.00000	4.887	80.00- 120.00	100.00
11.742	11.742 (1.283)	91	97568			310.82- 370.82	351.90
11.742	11.742 (1.283)	92	50942			151.53- 211.53	183.73

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	AMOUNTS ON-COL (PPBV)	TARGET RANGE	RATIO
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.288)	57	81818	5.00000	4.832	80.00- 120.00	100.00
11.785	11.785 (1.288)	43	77006			63.59- 123.59	94.12
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.821 (1.291)	146	57397	5.00000	4.826	80.00- 120.00	100.00
11.821	11.821 (1.292)	148	36810			33.00- 93.00	64.13
11.814	11.821 (1.291)	111	23674			10.87- 70.87	41.25
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.379)	157	35937	5.00000	5.109	80.00- 120.00	100.00
12.616	12.616 (1.379)	75	28356			48.09- 108.09	78.90
12.616	12.616 (1.379)	155	28052			47.89- 107.89	78.06
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.406)	57	86146	5.00000	5.051	80.00- 120.00	100.00
12.860	12.860 (1.406)	43	76798			58.52- 118.52	89.15
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.464)	180	61217	5.00000	5.194	80.00- 120.00	100.00
13.397	13.397 (1.464)	182	59446			64.84- 124.84	97.11
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.504	13.512 (1.476)	225	43615	5.00000	5.074	80.00- 120.00	100.00
13.504	13.512 (1.476)	223	28353			32.80- 92.80	65.01
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.492)	128	14455	0.58000	0.5877	80.00- 120.00	100.00
13.640	13.648 (1.491)	127	2034			0.00- 42.72	14.07
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.518)	180	60561	5.00000	5.244	80.00- 120.00	100.00
13.891	13.891 (1.518)	182	57783			65.07- 125.07	95.41
13.891	13.891 (1.518)	145	20574			4.48- 64.48	33.97

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042310.d
Lab Smp Id: ICAL Level #5
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 5.0ppbv (5.0ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #5
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	115073	8.37
108 1,4-Difluorobenze	390964	234578	547350	436367	11.61
153 Chlorobenzene-d5	392003	235202	548804	446883	14.00

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.43	-0.13
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.15	-0.08

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042310.d

Page 1

Date : 23-APR-2024 22:57

Client ID: ICAL Level #5


Instrument: msd3.i

Sample Info: 200ml 3018-4466

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3041805.d
Lab Smp Id: ICAL Level #6 Client Smp ID: ICAL Level #6
Inj Date : 18-APR-2024 10:37
Operator : mjs Inst ID: msd3.i
Smp Info : 20ml 3018-4328
Misc Info : 20ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 23:27 Cal File: 3042311.d
Als bottle: 2 Calibration Sample, Level: 6
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT21spICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.439 (1.000)	130	118794	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	93112			47.79- 107.79	78.38
5.432	5.439 (1.000)	49	196256			131.33- 191.33	165.21
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	449529	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	70071			0.00- 45.65	15.59
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	451897	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	243010			22.92- 82.92	53.78
3 Freon 143a					CAS #: 420-46-2		
1.395	1.395 (0.257)	65	35258	20.0000	22.003	80.00- 120.00	100.00
1.395	1.395 (0.257)	69	94335			237.43- 297.43	267.56
1.367	1.395 (0.252)	64	10052			0.00- 57.02	28.51
6 Propane					CAS #: 74-98-6		
1.423	1.423 (0.262)	43	20289	20.0000	18.455	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
6 Propane (continued)							
1.423	1.437 (0.262)	39	14159			37.94- 97.94	69.79
1.437	1.423 (0.264)	41	10072			21.79- 81.79	49.64
13 Freon 142b					CAS #: 75-68-3		
1.604	1.604 (0.295)	65	102367	20.0000	17.535	80.00- 120.00	100.00
1.604	1.604 (0.295)	45	29390			0.00- 58.87	28.71
36 1-Pentene					CAS #: 109-67-1		
2.458	2.458 (0.453)	55	66440	20.0000	18.333	80.00- 120.00	100.00
2.458	2.458 (0.453)	42	98045			114.47- 174.47	147.57
38 Ethyl Ether					CAS #: 60-29-7		
2.794	2.794 (0.514)	74	26133	20.0000	17.435	80.00- 120.00	100.00
2.794	2.794 (0.514)	59	42791			138.79- 198.79	163.74
2.794	2.794 (0.514)	45	36951			114.58- 174.58	141.40
40 Freon 123a					CAS #: 354-23-4		
2.892	2.906 (0.532)	117	93190	20.0000	19.730	80.00- 120.00	100.00
2.892	2.892 (0.532)	67	121608			102.78- 162.78	130.49
41 Freon 123					CAS #: 306-83-2		
2.990	2.990 (0.550)	83	87365	20.0000	19.972	80.00- 120.00	100.00
2.990	2.990 (0.550)	133	21898			0.00- 53.60	25.06
2.990	2.990 (0.550)	85	57237			36.72- 96.72	65.51
55 Cyclopentene					CAS #: 142-29-0		
3.591	3.591 (0.661)	67	123748	20.0000	18.581	80.00- 120.00	100.00
3.591	3.591 (0.661)	68	47470			8.38- 68.38	38.36
3.591	3.591 (0.661)	53	30591			0.00- 54.97	24.72
56 Methyl Acetate					CAS #: 79-20-9		
3.619	3.619 (0.666)	43	132004	20.0000	17.838	80.00- 120.00	100.00
3.619	3.619 (0.666)	74	21278			0.00- 45.84	16.12
74 Chloroprene					CAS #: 126-99-8		
4.608	4.608 (0.848)	53	106009	20.0000	18.316	80.00- 120.00	100.00
4.608	4.608 (0.848)	88	46823			14.44- 74.44	44.17
4.608	4.608 (0.848)	50	28587			0.00- 56.76	26.97
75 1-Propanol					CAS #: 71-23-8		
4.715	4.715 (0.868)	59	14341	20.0000	16.412	80.00- 120.00	100.00
4.715	4.715 (0.868)	42	13304			63.00- 123.00	92.77
4.715	4.715 (0.868)	41	8666			28.69- 88.69	60.43
88 Methyl Acrylate					CAS #: 96-33-3		
5.288	5.288 (0.974)	55	132996	20.0000	18.293	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
88 Methyl Acrylate (continued)							
5.288	5.288 (0.974)	85	18154			0.00- 43.17	13.65
5.288	5.288 (0.974)	58	12404			0.00- 38.59	9.33
103 Isobutanol					CAS #: 78-83-1		
5.997	5.990 (1.104)	39	18901	20.0000	16.441	80.00- 120.00	100.00
5.990	5.990 (1.103)	43	79450			402.02- 462.02	420.35
5.990	5.990 (1.103)	41	56593			275.29- 335.29	299.42
113 Ethyl acrylate					CAS #: 140-88-5		
6.764	6.764 (0.739)	99	11774	20.0000	19.124	80.00- 120.00	100.00
6.764	6.764 (0.739)	45	20473			144.38- 204.38	173.88
6.764	6.764 (0.739)	55	198211			1723.57-1783.57	1683.46
115 2-Pentanone					CAS #: 107-87-9		
6.857	6.857 (0.749)	43	249920	20.0000	20.164	80.00- 120.00	100.00
6.857	6.857 (0.749)	58	17533			0.00- 37.02	7.02
6.857	6.857 (0.749)	86	33047			0.00- 43.48	13.22
145 Butyl Acetate					CAS #: 123-86-4		
8.576	8.576 (1.334)	56	111977	20.0000	20.271	80.00- 120.00	100.00
8.576	8.576 (1.334)	73	37262			2.83- 62.83	33.28
8.576	8.576 (1.334)	43	306735			240.40- 300.40	273.93
166 2-Heptanone					CAS #: 110-43-0		
9.901	9.901 (1.823)	58	174467	20.0000	19.185	80.00- 120.00	100.00
9.901	9.901 (1.823)	43	308567			146.16- 206.16	176.86
210 alpha-Pinene					CAS #: 80-56-8		
10.037	10.037 (1.096)	93	230988	20.0000	19.479	80.00- 120.00	100.00
10.037	10.037 (1.096)	77	68427			0.00- 59.07	29.62
214 beta-Pinene					CAS #: 127-91-3		
10.696	10.696 (1.168)	93	181641	20.0000	19.670	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	352734			151.21- 211.21	194.19
186 4-Chlorotoluene					CAS #: 106-43-4		
10.725	10.725 (1.171)	126	108061	20.0000	21.463	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	352734			296.65- 356.65	326.42
10.725	10.725 (1.171)	63	44976			10.84- 70.84	41.62
172 D-Limonene					CAS #: 5989-27-5		
11.277	11.277 (1.232)	68	158763	20.0000	21.242	80.00- 120.00	100.00
11.277	11.277 (1.232)	93	113646			41.19- 101.19	71.58
197 1,2,3-Trimethylbenzene					CAS #: 526-73-8		
11.463	11.463 (1.252)	120	148235	20.0000	21.464	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
197 1,2,3-Trimethylbenzene (continued)							
11.463	11.463 (1.252)	105	342312			201.76- 261.76	230.93
11.463	11.463 (1.252)	77	39370			0.00- 57.12	26.56
205 Hexachloroethane					CAS #: 67-72-1		
12.014	12.014 (1.312)	201	84823	20.0000	20.330	80.00- 120.00	100.00
12.014	12.014 (1.312)	117	123616			114.78- 174.78	145.73
208 1,3,5-Trichlorobenzene					CAS #: 108-70-3		
12.752	12.752 (1.393)	180	205026	20.0000	21.327	80.00- 120.00	100.00
12.759	12.752 (1.393)	182	194831			64.68- 124.68	95.03

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3041805.d
Lab Smp Id: ICAL Level #6
Analysis Type: VOA
Quant Type: ISTD
Operator: mjs
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 20ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #6
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	118794	11.87
108 1,4-Difluorobenze	390964	234578	547350	449529	14.98
153 Chlorobenzene-d5	392003	235202	548804	451897	15.28

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.43	-0.13
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3041805.d

Date : 18-APR-2024 10:37

Client ID: ICAL Level #6


Instrument: msd3.i

Sample Info: 20ml 3018-4328

Operator: mjs

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042311.d
Lab Smp Id: ICAL Level #6 Client Smp ID: ICAL Level #6
Inj Date : 23-APR-2024 23:27
Operator : DF Inst ID: msd3.i
Smp Info : 20ml 3018-4439
Misc Info : 20ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 23:27 Cal File: 3042311.d
Als bottle: 13 Calibration Sample, Level: 6
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23ICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
4 Freon 134a					CAS #: 811-97-2		
1.395	1.409 (0.256)	83	44081	20.0000	18.098	80.00- 120.00	100.00
1.395	1.409 (0.256)	69	42264			64.17- 124.17	95.88
1.478	1.493 (0.272)	51	176627			365.46- 425.46	400.69
5 Propylene					CAS #: 115-07-1		
1.423	1.437 (0.262)	41	46518	20.0000	16.855	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	32824			35.86- 95.86	70.56
1.423	1.437 (0.262)	39	33275			41.66- 101.66	71.53
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.464	1.465 (0.269)	65	29325	20.0000	18.432	80.00- 120.00	100.00
1.478	1.493 (0.272)	51	176627			568.10- 628.10	602.31
1.562	1.577 (0.287)	47	6094			0.00- 50.57	20.78
8 Freon 12					CAS #: 75-71-8		
1.464	1.465 (0.269)	85	106014	20.0000	16.988	80.00- 120.00	100.00
1.464	1.465 (0.269)	87	34415			2.88- 62.88	32.46
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.492	1.493 (0.274)	67	13080	20.0000	16.750	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
9 Chlorodifluoromethane (continued)							
1.478	1.493 (0.272)	51	176627			1257.55-1317.55	1350.36
10 Freon 114					CAS #: 76-14-2		
1.576	1.577 (0.290)	135	98795	20.0000	18.009	80.00- 120.00	100.00
1.576	1.577 (0.290)	137	31606			2.10- 62.10	31.99
12 Isobutane					CAS #: 75-28-5		
1.576	1.591 (0.290)	43	105552	20.0000	18.087	80.00- 120.00	100.00
1.576	1.591 (0.290)	42	33758			1.69- 61.69	31.98
1.576	1.577 (0.290)	58	3723			0.00- 33.32	3.53
15 Chloromethane					CAS #: 74-87-3		
1.674	1.675 (0.308)	50	56663	20.0000	18.833	80.00- 120.00	100.00
1.674	1.675 (0.308)	52	18491			1.38- 61.38	32.63
18 Butane					CAS #: 106-97-8		
1.716	1.731 (0.316)	58	11177	20.0000	18.528	80.00- 120.00	100.00
1.716	1.731 (0.316)	43	96162			866.38- 926.38	860.36
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.759 (0.323)	62	50019	20.0000	17.182	80.00- 120.00	100.00
1.758	1.759 (0.323)	64	17989			3.10- 63.10	35.96
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	46188	20.0000	16.889	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	50872			78.74- 138.74	110.14
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	37771	20.0000	18.157	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	35857			64.19- 124.19	94.93
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.408)	64	24490	20.0000	17.542	80.00- 120.00	100.00
2.220	2.220 (0.408)	66	8171			2.32- 62.32	33.36
2.220	2.220 (0.408)	49	9554			6.33- 66.33	39.01
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	81089	20.0000	20.354	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	49827			31.77- 91.77	61.45
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.416 (0.442)	106	44767	20.0000	18.503	80.00- 120.00	100.00
2.402	2.416 (0.442)	108	41514			64.21- 124.21	92.73
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.449)	101	138152	20.0000	19.217	80.00- 120.00	100.00

				AMOUNTS				
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	=======	==========	=====
33 Freon 11 (continued)								
2.444	2.444 (0.449)	103	89978				34.93- 94.93	65.13
34 Dichlorofluoromethane						CAS #: 75-43-4		
2.458	2.472 (0.452)	67	98876	20.0000	17.248		80.00- 120.00	100.00
2.472	2.472 (0.455)	69	33145				1.95- 61.95	33.52
35 Pentane						CAS #: 109-66-0		
2.514	2.514 (0.462)	43	113970	20.0000	18.802		80.00- 120.00	100.00
2.514	2.514 (0.462)	57	17233				0.00- 44.64	15.12
2.514	2.514 (0.462)	72	8871				0.00- 37.90	7.78
39 Ethanol						CAS #: 64-17-5		
2.752	2.752 (0.506)	46	10443	24.6400	18.309		80.00- 120.00	100.00
2.752	2.752 (0.506)	45	27008				224.40- 284.40	258.62
42 Acrolein						CAS #: 107-02-8		
3.061	3.061 (0.563)	55	23907	23.3000	19.475		80.00- 120.00	100.00
3.053	3.061 (0.561)	56	31091				108.02- 168.02	130.05
43 Freon 113						CAS #: 76-13-1		
3.061	3.061 (0.563)	151	126248	20.0000	19.871		80.00- 120.00	100.00
3.061	3.061 (0.563)	153	80808				35.07- 95.07	64.01
3.061	3.061 (0.563)	101	143360				87.45- 147.45	113.55
44 1,1-Dichloroethene						CAS #: 75-35-4		
3.096	3.097 (0.569)	96	45623	20.0000	16.877		80.00- 120.00	100.00
3.089	3.097 (0.568)	98	28751				33.27- 93.27	63.02
3.089	3.097 (0.568)	61	86074				159.05- 219.05	188.66
47 Acetone						CAS #: 67-64-1		
3.247	3.247 (0.597)	58	25543	20.0000	16.605		80.00- 120.00	100.00
3.247	3.247 (0.597)	43	93038				329.45- 389.45	364.24
48 Carbon Disulfide						CAS #: 75-15-0		
3.333	3.333 (0.613)	76	121557	20.0000	16.491		80.00- 120.00	100.00
52 2-Propanol						CAS #: 67-63-0		
3.426	3.426 (0.630)	45	110971	20.0000	17.351		80.00- 120.00	100.00
3.426	3.426 (0.630)	43	20349				0.00- 48.18	18.34
54 3-Chloropropene						CAS #: 107-05-1		
3.583	3.584 (0.659)	76	20566	20.0000	16.561		80.00- 120.00	100.00
3.583	3.584 (0.659)	41	79666				366.80- 426.80	387.37
57 Acetonitrile						CAS #: 75-05-8		
3.684	3.684 (0.677)	41	55087	23.5200	19.515		80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
57 Acetonitrile (continued)							
3.684	3.684 (0.677)	40	29640			22.74- 82.74	53.81
3.684	3.684 (0.677)	38	7948			0.00- 42.52	14.43
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.784 (0.694)	49	72562	20.0000	17.173	80.00- 120.00	100.00
3.777	3.784 (0.694)	84	39611			24.90- 84.90	54.59
3.777	3.784 (0.694)	51	19920			0.00- 59.67	27.45
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.913	3.913 (0.719)	59	145183	23.0400	22.252	80.00- 120.00	100.00
3.906	3.913 (0.718)	41	32139			0.00- 51.85	22.14
3.906	3.913 (0.718)	57	15832			0.00- 40.17	10.90
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.737)	73	151228	20.0000	19.606	80.00- 120.00	100.00
4.006	4.006 (0.737)	57	43407			0.00- 58.72	28.70
4.006	4.006 (0.737)	41	44964			0.00- 59.38	29.73
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.741)	98	30162	20.0000	16.614	80.00- 120.00	100.00
4.028	4.028 (0.741)	61	78140			232.13- 292.13	259.07
4.028	4.028 (0.741)	96	46386			127.26- 187.26	153.79
66 Acrylonitrile					CAS #: 107-13-1		
4.142	4.142 (0.762)	52	37768	20.0000	16.086	80.00- 120.00	100.00
4.142	4.142 (0.762)	53	44522			86.45- 146.45	117.88
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.783)	57	100869	20.0000	17.832	80.00- 120.00	100.00
4.257	4.257 (0.783)	43	70980			40.97- 100.97	70.37
4.257	4.257 (0.783)	86	12635			0.00- 42.68	12.53
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.838)	63	94280	20.0000	17.971	80.00- 120.00	100.00
4.558	4.558 (0.838)	65	28557			0.47- 60.47	30.29
72 Isopropyl ether					CAS #: 108-20-3		
4.550	4.558 (0.837)	45	242372	20.0000	19.266	80.00- 120.00	100.00
4.550	4.558 (0.837)	87	46404			0.00- 49.55	19.15
4.550	4.558 (0.837)	59	25195			0.00- 40.42	10.40
73 Vinyl Acetate					CAS #: 108-05-4		
4.615	4.608 (0.849)	86	8130	20.0000	17.599	80.00- 120.00	100.00
4.608	4.608 (0.847)	43	138704			1727.95-1787.95	1706.08

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.937	4.945 (0.908)	59	209538	20.0000	19.315	80.00- 120.00	100.00
4.944	4.945 (0.909)	87	70355			3.90- 63.90	33.58
4.944	4.945 (0.909)	41	40958			0.00- 49.72	19.55
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.145	5.145 (0.946)	77	98987	20.0000	19.113	80.00- 120.00	100.00
5.145	5.145 (0.946)	79	31838			2.39- 62.39	32.16
5.145	5.145 (0.946)	97	23422			0.00- 53.57	23.66
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.188	5.188 (0.954)	98	30727	20.0000	16.344	80.00- 120.00	100.00
5.188	5.188 (0.954)	96	49856			125.53- 185.53	162.25
5.188	5.188 (0.954)	61	79780			219.86- 279.86	259.64
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.959)	72	23836	20.0000	17.598	80.00- 120.00	100.00
5.238	5.217 (0.963)	43	280867			1138.34-1198.34	1178.33
5.217	5.217 (0.959)	57	10427			10.83- 70.83	43.74
87 Ethyl Acetate					CAS #: 141-78-6		
5.245	5.245 (0.964)	45	23550	20.0000	17.385	80.00- 120.00	100.00
5.188	5.188 (0.954)	61	79780			338.96- 398.96	338.77
5.245	5.245 (0.964)	70	12523			24.53- 84.53	53.18
89 Tetrahydrofuran					CAS #: 109-99-9		
5.432	5.425 (0.999)	42	66628	20.0000	16.089	80.00- 120.00	100.00
5.432	5.425 (0.999)	71	19191			0.00- 58.54	28.80
5.432	5.425 (0.999)	72	20468			0.00- 59.59	30.72
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	105372	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	82575			47.79- 107.79	78.37
5.432	5.439 (1.000)	49	172332			131.33- 191.33	163.55
92 Chloroform					CAS #: 67-66-3		
5.510	5.518 (1.013)	83	97539	20.0000	17.314	80.00- 120.00	100.00
5.510	5.518 (1.013)	85	63480			35.77- 95.77	65.08
94 Cyclohexane					CAS #: 110-82-7		
5.611	5.611 (1.032)	84	71939	20.0000	19.088	80.00- 120.00	100.00
5.611	5.611 (1.032)	56	111037			125.79- 185.79	154.35
5.611	5.611 (1.032)	41	65845			61.55- 121.55	91.53
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.639	5.639 (1.037)	97	115669	20.0000	18.826	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
96 1,1,1-Trichloroethane (continued)							
5.639	5.639 (1.037)	99	73673			32.84- 92.84	63.69
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.059)	119	124129	20.0000	19.056	80.00- 120.00	100.00
5.761	5.761 (1.059)	117	129978			75.19- 135.19	104.71
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.804	5.804 (0.903)	110	27557	20.0000	17.662	80.00- 120.00	100.00
5.804	5.804 (0.903)	75	74120			234.16- 294.16	268.97
102 Benzene					CAS #: 71-43-2		
5.997	5.998 (0.933)	78	145772	20.0000	18.692	80.00- 120.00	100.00
5.997	5.998 (0.933)	77	34402			0.00- 53.69	23.60
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.997	5.998 (1.103)	57	326915	20.0000	18.497	80.00- 120.00	100.00
5.990	5.998 (1.101)	56	106606			3.09- 63.09	32.61
5.997	5.998 (1.103)	41	88748			0.00- 57.28	27.15
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.108)	65	133498	25.0000	24.324	80.00- 120.00	100.00
6.026	6.026 (1.108)	67	72096			23.17- 83.17	54.01
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.091	6.091 (0.948)	87	39637	20.0000	18.913	80.00- 120.00	100.00
6.091	6.091 (0.948)	73	159227			365.76- 425.76	401.71
6.091	6.091 (0.948)	55	48863			92.58- 152.58	123.28
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	73577	20.0000	18.086	80.00- 120.00	100.00
6.098	6.105 (0.949)	64	23399			1.80- 61.80	31.80
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	58406	20.0000	18.906	80.00- 120.00	100.00
6.176	6.184 (0.961)	43	138592			207.73- 267.73	237.29
6.184	6.184 (0.962)	57	66511			84.83- 144.83	113.88
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	387341	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	59602			0.00- 45.65	15.39
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.031)	56	30254	20.0000	17.062	80.00- 120.00	100.00
6.628	6.628 (1.031)	41	23143			47.73- 107.73	76.50
6.635	6.628 (1.032)	43	18672			31.60- 91.60	61.72

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	69118	20.0000	18.382	80.00- 120.00	100.00
6.635	6.635 (1.032)	130	74876			80.23- 140.23	108.33
6.635	6.635 (1.032)	97	43215			34.78- 94.78	62.52
127 Methylcyclohexane					CAS #: 108-87-2		
6.735	6.735 (1.048)	83	100426	20.0000	18.802	80.00- 120.00	100.00
6.735	6.735 (1.048)	98	44794			14.83- 74.83	44.60
6.735	6.735 (1.048)	55	100797			71.50- 131.50	100.37
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	67019	20.0000	18.263	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	48513			40.39- 100.39	72.39
6.893	6.893 (1.072)	41	42594			31.86- 91.86	63.56
116 Methyl Methacrylate					CAS #: 80-62-6		
6.979	6.979 (0.762)	69	59621	20.0000	18.865	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	105602			145.81- 205.81	177.12
6.979	6.979 (0.762)	100	23677			10.05- 70.05	39.71
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.088)	88	38302	20.0000	19.524	80.00- 120.00	100.00
6.993	6.993 (1.088)	58	33441			56.33- 116.33	87.31
6.993	6.993 (1.088)	57	12928			2.08- 62.08	33.75
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.008 (0.765)	174	65955	20.0000	18.016	80.00- 120.00	100.00
7.007	7.008 (0.765)	93	61285			62.68- 122.68	92.92
7.007	7.008 (0.765)	95	50251			47.70- 107.70	76.19
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	112826	20.0000	18.536	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	71711			34.96- 94.96	63.56
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.459	7.459 (1.160)	63	121270	20.0000	18.730	80.00- 120.00	100.00
7.459	7.459 (1.160)	65	36871			0.43- 60.43	30.40
7.459	7.459 (1.160)	144	13106			0.00- 40.48	10.81
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.574 (1.178)	75	97041	20.0000	18.694	80.00- 120.00	100.00
7.573	7.574 (1.178)	77	30879			1.26- 61.26	31.82
7.573	7.574 (1.178)	39	64383			35.06- 95.06	66.35
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.709	7.710 (1.199)	58	66096	20.0000	18.510	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
131 4-Methyl-2-pentanone (continued)							
7.709	7.710 (1.199)	43	193625			259.88- 319.88	292.95
7.709	7.710 (1.199)	85	24352			7.58- 67.58	36.84
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	374356	25.0000	24.861	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	41512			0.00- 41.42	11.09
7.767	7.767 (1.208)	100	249906			37.54- 97.54	66.76
137 Toluene					CAS #: 108-88-3		
7.831	7.831 (1.218)	91	209847	20.0000	19.438	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	122262			27.89- 87.89	58.26
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	74417	20.0000	18.920	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	69540			63.53- 123.53	93.45
7.860	7.860 (1.223)	43	201715			246.00- 306.00	271.06
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	81656	20.0000	19.046	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	27268			1.83- 61.83	33.39
8.118	8.118 (0.887)	39	50910			31.97- 91.97	62.35
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.290	8.290 (0.905)	97	68426	20.0000	18.849	80.00- 120.00	100.00
8.290	8.290 (0.905)	99	42821			32.52- 92.52	62.58
8.290	8.290 (0.905)	83	60821			58.90- 118.90	88.89
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	108155	20.0000	19.841	80.00- 120.00	100.00
8.311	8.318 (0.908)	129	83105			45.32- 105.32	76.84
8.318	8.318 (0.908)	131	80958			44.17- 104.17	74.85
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	95148	20.0000	18.799	80.00- 120.00	100.00
8.447	8.447 (1.314)	41	82825			59.72- 119.72	87.05
8.447	8.447 (1.314)	78	30636			3.08- 63.08	32.20
143 2-Hexanone					CAS #: 591-78-6		
8.490	8.490 (0.927)	58	92695	20.0000	20.353	80.00- 120.00	100.00
8.490	8.490 (0.927)	43	193573			177.32- 237.32	208.83
8.497	8.490 (0.928)	100	16113			0.00- 47.18	17.38
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	142251	20.0000	19.827	80.00- 120.00	100.00
8.626	8.626 (0.942)	127	110476			47.27- 107.27	77.66

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.748	8.741 (0.955)	107	113086	20.0000	19.007	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	107760			64.18- 124.18	95.29
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	387994	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	206315			22.92- 82.92	53.17
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.185 (1.002)	112	177570	20.0000	19.753	80.00- 120.00	100.00
9.178	9.185 (1.002)	114	56779			1.91- 61.91	31.98
9.178	9.185 (1.002)	77	97465			22.97- 82.97	54.89
155 Ethyl Benzene					CAS #: 100-41-4		
9.249	9.250 (1.010)	106	90547	20.0000	20.025	80.00- 120.00	100.00
9.249	9.250 (1.010)	91	279450			281.09- 341.09	308.62
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.271	9.271 (1.013)	131	100913	20.0000	19.705	80.00- 120.00	100.00
9.271	9.271 (1.013)	117	68921			37.10- 97.10	68.30
9.271	9.271 (1.013)	95	35004			4.93- 64.93	34.69
156 Nonane					CAS #: 111-84-2		
9.314	9.314 (1.017)	43	210960	20.0000	20.088	80.00- 120.00	100.00
9.314	9.314 (1.017)	57	170121			50.62- 110.62	80.64
9.314	9.314 (1.017)	85	52826			0.00- 55.65	25.04
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	112481	20.0000	19.958	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	226409			170.33- 230.33	201.29
164 o-Xylene					CAS #: 95-47-6		
9.751	9.751 (1.065)	106	105703	20.0000	19.778	80.00- 120.00	100.00
9.751	9.751 (1.065)	91	224067			181.23- 241.23	211.98
165 Styrene					CAS #: 100-42-5		
9.780	9.780 (1.068)	104	183210	20.0000	20.073	80.00- 120.00	100.00
9.780	9.780 (1.068)	78	87478			17.26- 77.26	47.75
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.091)	173	146225	20.0000	20.166	80.00- 120.00	100.00
9.987	9.987 (1.091)	171	75636			21.45- 81.45	51.73
168 Cumene					CAS #: 98-82-8		
10.095	10.095 (1.102)	105	327866	20.0000	20.294	80.00- 120.00	100.00
10.095	10.095 (1.102)	120	89042			0.00- 56.93	27.16

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
168 Cumene (continued)							
10.095	10.095 (1.102)	51	41048			0.00- 42.24	12.52
169 Cyclohexanone					CAS #: 108-94-1		
10.259	10.260 (1.120)	55	118351	20.0000	18.516	80.00- 120.00	100.00
10.259	10.260 (1.120)	98	41307			5.15- 65.15	34.90
10.259	10.260 (1.120)	42	85210			41.99- 101.99	72.00
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	289128	25.0000	25.075	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	339599			88.49- 148.49	117.46
10.295	10.295 (1.124)	176	279985			66.73- 126.73	96.84
177 Bromobenzene					CAS #: 108-86-1		
10.431	10.432 (1.139)	156	114180	20.0000	20.285	80.00- 120.00	100.00
10.431	10.432 (1.139)	158	109697			67.47- 127.47	96.07
10.431	10.432 (1.139)	77	157973			108.68- 168.68	138.35
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.474	10.475 (1.144)	83	165702	20.0000	19.774	80.00- 120.00	100.00
10.474	10.475 (1.144)	85	106548			34.97- 94.97	64.30
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.146)	120	97421	20.0000	20.393	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	400299			383.60- 443.60	410.90
10.496	10.496 (1.146)	105	15304			0.00- 46.14	15.71
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.524	10.525 (1.149)	110	49077	20.0000	19.298	80.00- 120.00	100.00
10.524	10.525 (1.149)	75	172840			324.28- 384.28	352.18
10.517	10.518 (1.149)	61	43229			57.24- 117.24	88.08
182 Decane					CAS #: 124-18-5		
10.610	10.611 (1.159)	57	232731	20.0000	18.823	80.00- 120.00	100.00
10.610	10.611 (1.159)	71	71877			1.11- 61.11	30.88
10.610	10.611 (1.159)	142	9888			0.00- 34.44	4.25
183 4-Ethyltoluene					CAS #: 622-96-8		
10.610	10.611 (1.159)	120	105236	20.0000	20.211	80.00- 120.00	100.00
10.610	10.611 (1.159)	105	346471			298.94- 358.94	329.23
184 2-Chlorotoluene					CAS #: 95-49-8		
10.610	10.611 (1.159)	126	87501	20.0000	19.862	80.00- 120.00	100.00
10.610	10.611 (1.159)	91	274344			282.78- 342.78	313.53
10.603	10.603 (1.158)	65	41861			17.33- 77.33	47.84

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	140052	20.0000	19.944	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	282348			172.08- 232.08	201.60
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	147331	20.0000	19.807	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	83181			25.64- 85.64	56.46
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.983 (1.199)	119	262412	20.0000	19.656	80.00- 120.00	100.00
10.976	10.983 (1.199)	134	64297			0.00- 55.10	24.50
10.976	10.976 (1.199)	91	169745			34.53- 94.53	64.69
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	287638	20.0000	20.034	80.00- 120.00	100.00
11.040	11.040 (1.206)	120	133705			16.63- 76.63	46.48
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	86522	20.0000	19.799	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	406796			436.99- 496.99	470.16
11.198	11.198 (1.223)	91	64787			41.69- 101.69	74.88
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	360469	20.0000	20.170	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	99481			0.00- 57.62	27.60
11.341	11.341 (1.239)	91	84078			0.00- 53.03	23.32
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	211744	20.0000	19.903	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	133553			34.18- 94.18	63.07
11.348	11.348 (1.239)	111	84074			10.06- 70.06	39.71
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.448	11.449 (1.250)	146	214552	20.0000	19.909	80.00- 120.00	100.00
11.448	11.449 (1.250)	148	136091			33.55- 93.55	63.43
11.448	11.449 (1.250)	111	82582			7.98- 67.98	38.49
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	272172	20.0000	19.944	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	61779			0.00- 52.77	22.70
202 Butylbenzene					CAS #: 104-51-8		
11.749	11.750 (1.283)	134	99554	20.0000	20.213	80.00- 120.00	100.00
11.742	11.742 (1.282)	91	341058			310.82- 370.82	342.59
11.742	11.742 (1.282)	92	180947			151.53- 211.53	181.76

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	275631	20.0000	18.749	80.00- 120.00	100.00
11.785	11.785 (1.287)	43	258766			63.59- 123.59	93.88
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	203068	20.0000	19.668	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	128940			33.00- 93.00	63.50
11.814	11.821 (1.290)	111	84248			10.87- 70.87	41.49
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.378)	157	123991	20.0000	20.304	80.00- 120.00	100.00
12.616	12.616 (1.378)	75	98849			48.09- 108.09	79.72
12.616	12.616 (1.378)	155	95311			47.89- 107.89	76.87
207 Dodecane					CAS #: 112-40-3		
12.852	12.860 (1.404)	57	299361	20.0000	20.216	80.00- 120.00	100.00
12.852	12.860 (1.404)	43	262573			58.52- 118.52	87.71
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.390	13.397 (1.462)	180	207611	20.0000	20.290	80.00- 120.00	100.00
13.390	13.397 (1.462)	182	198397			64.84- 124.84	95.56
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.504	13.512 (1.475)	225	148253	20.0000	19.863	80.00- 120.00	100.00
13.504	13.512 (1.475)	223	95299			32.80- 92.80	64.28
216 Naphthalene					CAS #: 91-20-3		
13.640	13.648 (1.490)	128	47713	2.32000	2.234	80.00- 120.00	100.00
13.640	13.648 (1.490)	127	6433			0.00- 42.72	13.48
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.517)	180	199826	20.0000	19.930	80.00- 120.00	100.00
13.891	13.891 (1.517)	182	190105			65.07- 125.07	95.14
13.891	13.891 (1.517)	145	68227			4.48- 64.48	34.14

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042311.d
Lab Smp Id: ICAL Level #6
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 20ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #6
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	105372	-0.77
108 1,4-Difluorobenze	390964	234578	547350	387341	-0.93
153 Chlorobenzene-d5	392003	235202	548804	387994	-1.02

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042311.d

Page 1

Date : 23-APR-2024 23:27

Client ID: ICAL Level #6


Instrument: msd3.i

Sample Info: 20ml 3018-4439

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3041806.d
Lab Smp Id: ICAL Level #7 Client Smp ID: ICAL Level #7
Inj Date : 18-APR-2024 11:08
Operator : mjs Inst ID: msd3.i
Smp Info : 50ml 3018-4328
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 25-Apr-2024 09:22 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 23:59 Cal File: 3042312.d
Als bottle: 2 Calibration Sample, Level: 7
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT21spICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	119983	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	92951			47.79- 107.79	77.47
5.432	5.432 (1.000)	49	196196			131.33- 191.33	163.52
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	454158	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	70795			0.00- 45.65	15.59
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.156 (1.000)	117	459698	25.0000		80.00- 120.00	100.00
9.156	9.156 (1.000)	82	247843			22.92- 82.92	53.91
3 Freon 143a					CAS #: 420-46-2		
1.395	1.395 (0.256)	65	90473	50.0000	53.226	80.00- 120.00	100.00
1.395	1.395 (0.256)	69	241950			237.43- 297.43	267.43
1.395	1.395 (0.256)	64	24445			0.00- 57.02	27.02
6 Propane					CAS #: 74-98-6		
1.423	1.423 (0.262)	43	53475	50.0000	48.160	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
6 Propane (continued)							
1.437	1.437 (0.264)	39	36329			37.94- 97.94	67.94
1.423	1.423 (0.262)	41	27695			21.79- 81.79	51.79
13 Freon 142b					CAS #: 75-68-3		
1.604	1.604 (0.295)	65	272054	50.0000	46.140	80.00- 120.00	100.00
1.604	1.604 (0.295)	45	78547			0.00- 58.87	28.87
36 1-Pentene					CAS #: 109-67-1		
2.458	2.458 (0.452)	55	175188	50.0000	47.860	80.00- 120.00	100.00
2.458	2.458 (0.452)	42	253096			114.47- 174.47	144.47
38 Ethyl Ether					CAS #: 60-29-7		
2.794	2.794 (0.514)	74	69640	50.0000	46.002	80.00- 120.00	100.00
2.794	2.794 (0.514)	59	117545			138.79- 198.79	168.79
2.794	2.794 (0.514)	45	100686			114.58- 174.58	144.58
40 Freon 123a					CAS #: 354-23-4		
2.906	2.906 (0.534)	117	223749	50.0000	46.903	80.00- 120.00	100.00
2.892	2.892 (0.532)	67	297098			102.78- 162.78	132.78
41 Freon 123					CAS #: 306-83-2		
2.990	2.990 (0.550)	83	206632	50.0000	46.768	80.00- 120.00	100.00
2.990	2.990 (0.550)	133	48769			0.00- 53.60	23.60
2.990	2.990 (0.550)	85	137860			36.72- 96.72	66.72
55 Cyclopentene					CAS #: 142-29-0		
3.591	3.591 (0.660)	67	321593	50.0000	47.810	80.00- 120.00	100.00
3.591	3.591 (0.660)	68	123415			8.38- 68.38	38.38
3.591	3.591 (0.660)	53	80292			0.00- 54.97	24.97
56 Methyl Acetate					CAS #: 79-20-9		
3.619	3.619 (0.665)	43	359604	50.0000	48.112	80.00- 120.00	100.00
3.626	3.626 (0.667)	74	56973			0.00- 45.84	15.84
74 Chloroprene					CAS #: 126-99-8		
4.608	4.608 (0.847)	53	280533	50.0000	47.991	80.00- 120.00	100.00
4.608	4.608 (0.847)	88	124670			14.44- 74.44	44.44
4.608	4.608 (0.847)	50	75081			0.00- 56.76	26.76
75 1-Propanol					CAS #: 71-23-8		
4.715	4.715 (0.867)	59	38427	50.0000	43.540	80.00- 120.00	100.00
4.715	4.715 (0.867)	42	35739			63.00- 123.00	93.00
4.715	4.715 (0.867)	41	22553			28.69- 88.69	58.69
88 Methyl Acrylate					CAS #: 96-33-3		
5.288	5.288 (0.972)	55	349732	50.0000	47.628	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
88 Methyl Acrylate (continued)							
5.288	5.288 (0.972)	85	46068			0.00- 43.17	13.17
5.288	5.288 (0.972)	58	30031			0.00- 38.59	8.59
103 Isobutanol					CAS #: 78-83-1		
5.990	5.990 (1.101)	39	45810	50.0000	39.453	80.00- 120.00	100.00
5.990	5.990 (1.101)	43	197908			402.02- 462.02	432.02
5.990	5.990 (1.101)	41	139855			275.29- 335.29	305.29
113 Ethyl acrylate					CAS #: 140-88-5		
6.764	6.764 (0.739)	99	27632	50.0000	44.120	80.00- 120.00	100.00
6.764	6.764 (0.739)	45	48186			144.38- 204.38	174.38
6.764	6.764 (0.739)	55	484546			1723.57-1783.57	1753.57
115 2-Pentanone					CAS #: 107-87-9		
6.857	6.857 (0.749)	43	610975	50.0000	48.457	80.00- 120.00	100.00
6.857	6.857 (0.749)	58	42905			0.00- 37.02	7.02
6.857	6.857 (0.749)	86	82371			0.00- 43.48	13.48
145 Butyl Acetate					CAS #: 123-86-4		
8.576	8.576 (1.334)	56	264971	50.0000	47.478	80.00- 120.00	100.00
8.576	8.576 (1.334)	73	86980			2.83- 62.83	32.83
8.576	8.576 (1.334)	43	716480			240.40- 300.40	270.40
166 2-Heptanone					CAS #: 110-43-0		
9.901	9.901 (1.821)	58	407413	50.0000	44.357	80.00- 120.00	100.00
9.901	9.901 (1.821)	43	717695			146.16- 206.16	176.16
210 alpha-Pinene					CAS #: 80-56-8		
10.037	10.037 (1.096)	93	586228	50.0000	48.597	80.00- 120.00	100.00
10.037	10.037 (1.096)	77	170412			0.00- 59.07	29.07
214 beta-Pinene					CAS #: 127-91-3		
10.696	10.696 (1.168)	93	458570	50.0000	48.816	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	830974			151.21- 211.21	181.21
186 4-Chlorotoluene					CAS #: 106-43-4		
10.725	10.725 (1.171)	126	254394	50.0000	49.670	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	830974			296.65- 356.65	326.65
10.725	10.725 (1.171)	63	103898			10.84- 70.84	40.84
172 D-Limonene					CAS #: 5989-27-5		
11.277	11.277 (1.232)	68	375261	50.0000	49.356	80.00- 120.00	100.00
11.277	11.277 (1.232)	93	267137			41.19- 101.19	71.19
197 1,2,3-Trimethylbenzene					CAS #: 526-73-8		
11.463	11.463 (1.252)	120	343932	50.0000	48.955	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
197 1,2,3-Trimethylbenzene (continued)							
11.463	11.463 (1.252)	105	797105			201.76- 261.76	231.76
11.463	11.463 (1.252)	77	93261			0.00- 57.12	27.12
205 Hexachloroethane					CAS #: 67-72-1		
12.014	12.014 (1.312)	201	213327	50.0000	50.262	80.00- 120.00	100.00
12.014	12.014 (1.312)	117	308856			114.78- 174.78	144.78
208 1,3,5-Trichlorobenzene					CAS #: 108-70-3		
12.752	12.752 (1.393)	180	491142	50.0000	50.222	80.00- 120.00	100.00
12.752	12.752 (1.393)	182	465024			64.68- 124.68	94.68

Report Date: 25-Apr-2024 09:22

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3041806.d
Lab Smp Id: ICAL Level #7
Analysis Type: VOA
Quant Type: ISTD
Operator: mjs
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 18-APR-2024
Calibration Time: 11:08
Client Smp ID: ICAL Level #7
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	119983	71990	167976	119983	0.00
108 1,4-Difluorobenze	454158	272495	635821	454158	0.00
153 Chlorobenzene-d5	459698	275819	643577	459698	0.00

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3041806.d

Date : 18-APR-2024 11:08

Client ID: ICAL Level #7


Instrument: msd3.i

Sample Info: 50ml 3018-4328

Operator: mjs

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042312.d
Lab Smp Id: ICAL Level #7 Client Smp ID: ICAL Level #7
Inj Date : 23-APR-2024 23:59
Operator : DF Inst ID: msd3.i
Smp Info : 50ml 3018-4439
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:44 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 23:59 Cal File: 3042312.d
Als bottle: 13 Calibration Sample, Level: 7
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23ICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
4 Freon 134a					CAS #: 811-97-2		
1.409	1.409 (0.259)	83	118377	50.0000	48.230	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	111479			64.17- 124.17	94.17
1.493	1.493 (0.274)	51	468129			365.46- 425.46	395.46
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	130292	50.0000	46.848	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	85812			35.86- 95.86	65.86
1.437	1.437 (0.264)	39	93364			41.66- 101.66	71.66
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.465 (0.269)	65	78270	50.0000	48.820	80.00- 120.00	100.00
1.493	1.493 (0.274)	51	468129			568.10- 628.10	598.10
1.577	1.577 (0.290)	47	16100			0.00- 50.57	20.57
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.269)	85	292638	50.0000	46.536	80.00- 120.00	100.00
1.465	1.465 (0.269)	87	96221			2.88- 62.88	32.88
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.493 (0.274)	67	36358	50.0000	46.204	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
9 Chlorodifluoromethane (continued)							
1.493	1.493 (0.274)	51	468129			1257.55-1317.55	1287.55
10 Freon 114					CAS #: 76-14-2		
1.577	1.577 (0.290)	135	259836	50.0000	47.003	80.00- 120.00	100.00
1.577	1.577 (0.290)	137	83395			2.10- 62.10	32.10
12 Isobutane					CAS #: 75-28-5		
1.591	1.591 (0.292)	43	278870	50.0000	47.422	80.00- 120.00	100.00
1.591	1.591 (0.292)	42	88374			1.69- 61.69	31.69
1.577	1.577 (0.290)	58	9264			0.00- 33.32	3.32
15 Chloromethane					CAS #: 74-87-3		
1.675	1.675 (0.308)	50	150415	50.0000	49.610	80.00- 120.00	100.00
1.689	1.689 (0.310)	52	47202			1.38- 61.38	31.38
18 Butane					CAS #: 106-97-8		
1.731	1.731 (0.318)	58	28380	50.0000	46.686	80.00- 120.00	100.00
1.717	1.717 (0.316)	43	254393			866.38- 926.38	896.38
19 Vinyl Chloride					CAS #: 75-01-4		
1.759	1.759 (0.323)	62	140689	50.0000	47.958	80.00- 120.00	100.00
1.759	1.759 (0.323)	64	46571			3.10- 63.10	33.10
20 1,3-Butadiene					CAS #: 106-99-0		
1.773	1.773 (0.326)	54	124719	50.0000	45.256	80.00- 120.00	100.00
1.773	1.773 (0.326)	39	135625			78.74- 138.74	108.74
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	110674	50.0000	52.795	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	104242			64.19- 124.19	94.19
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.408)	64	67803	50.0000	48.196	80.00- 120.00	100.00
2.220	2.220 (0.408)	66	21916			2.32- 62.32	32.32
2.220	2.220 (0.408)	49	24636			6.33- 66.33	36.33
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	197832	50.0000	49.278	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	122197			31.77- 91.77	61.77
32 Vinyl Bromide					CAS #: 593-60-2		
2.416	2.416 (0.444)	106	123272	50.0000	50.560	80.00- 120.00	100.00
2.416	2.416 (0.444)	108	116140			64.21- 124.21	94.21
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.449)	101	350806	50.0000	48.423	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
33 Freon 11 (continued)							
2.444	2.444 (0.449)	103	227788			34.93- 94.93	64.93
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.472	2.472 (0.455)	67	279368	50.0000	48.361	80.00- 120.00	100.00
2.472	2.472 (0.455)	69	89253			1.95- 61.95	31.95
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.462)	43	300300	50.0000	49.162	80.00- 120.00	100.00
2.514	2.514 (0.462)	57	43974			0.00- 44.64	14.64
2.514	2.514 (0.462)	72	23738			0.00- 37.90	7.90
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.506)	46	27880	61.6000	48.507	80.00- 120.00	100.00
2.752	2.752 (0.506)	45	70928			224.40- 284.40	254.40
42 Acrolein					CAS #: 107-02-8		
3.061	3.061 (0.563)	55	58292	58.2500	47.122	80.00- 120.00	100.00
3.061	3.061 (0.563)	56	80457			108.02- 168.02	138.02
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	300923	50.0000	47.002	80.00- 120.00	100.00
3.068	3.068 (0.564)	153	195800			35.07- 95.07	65.07
3.061	3.061 (0.563)	101	353437			87.45- 147.45	117.45
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.097	3.097 (0.569)	96	126978	50.0000	46.612	80.00- 120.00	100.00
3.097	3.097 (0.569)	98	80334			33.27- 93.27	63.27
3.097	3.097 (0.569)	61	240053			159.05- 219.05	189.05
47 Acetone					CAS #: 67-64-1		
3.247	3.247 (0.597)	58	71777	50.0000	46.303	80.00- 120.00	100.00
3.247	3.247 (0.597)	43	257999			329.45- 389.45	359.45
48 Carbon Disulfide					CAS #: 75-15-0		
3.333	3.333 (0.613)	76	341151	50.0000	45.927	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.630)	45	306959	50.0000	47.628	80.00- 120.00	100.00
3.426	3.426 (0.630)	43	55811			0.00- 48.18	18.18
54 3-Chloropropene					CAS #: 107-05-1		
3.584	3.584 (0.659)	76	57383	50.0000	45.854	80.00- 120.00	100.00
3.584	3.584 (0.659)	41	227693			366.80- 426.80	396.80
57 Acetonitrile					CAS #: 75-05-8		
3.684	3.684 (0.677)	41	159283	58.8000	55.996	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
57 Acetonitrile (continued)							
3.684	3.684 (0.677)	40	84004			22.74- 82.74	52.74
3.684	3.684 (0.677)	38	19944			0.00- 42.52	12.52
59 Methylene Chloride					CAS #: 75-09-2		
3.784	3.784 (0.696)	49	202170	50.0000	47.481	80.00- 120.00	100.00
3.784	3.784 (0.696)	84	110985			24.90- 84.90	54.90
3.784	3.784 (0.696)	51	59978			0.00- 59.67	29.67
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.913	3.913 (0.719)	59	367280	57.6000	55.860	80.00- 120.00	100.00
3.913	3.913 (0.719)	41	80258			0.00- 51.85	21.85
3.913	3.913 (0.719)	57	37370			0.00- 40.17	10.17
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.737)	73	375253	50.0000	48.277	80.00- 120.00	100.00
4.006	4.006 (0.737)	57	107755			0.00- 58.72	28.72
4.006	4.006 (0.737)	41	110264			0.00- 59.38	29.38
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.741)	98	85073	50.0000	46.501	80.00- 120.00	100.00
4.028	4.028 (0.741)	61	223006			232.13- 292.13	262.13
4.028	4.028 (0.741)	96	133783			127.26- 187.26	157.26
66 Acrylonitrile					CAS #: 107-13-1		
4.142	4.142 (0.762)	52	109554	50.0000	46.305	80.00- 120.00	100.00
4.142	4.142 (0.762)	53	127571			86.45- 146.45	116.45
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.783)	57	253698	50.0000	44.505	80.00- 120.00	100.00
4.257	4.257 (0.783)	43	180039			40.97- 100.97	70.97
4.257	4.257 (0.783)	86	32163			0.00- 42.68	12.68
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.838)	63	250004	50.0000	47.288	80.00- 120.00	100.00
4.558	4.558 (0.838)	65	76182			0.47- 60.47	30.47
72 Isopropyl ether					CAS #: 108-20-3		
4.558	4.558 (0.838)	45	614202	50.0000	48.450	80.00- 120.00	100.00
4.551	4.551 (0.837)	87	120106			0.00- 49.55	19.55
4.551	4.551 (0.837)	59	64002			0.00- 40.42	10.42
73 Vinyl Acetate					CAS #: 108-05-4		
4.608	4.608 (0.847)	86	21625	50.0000	46.454	80.00- 120.00	100.00
4.608	4.608 (0.847)	43	380156			1727.95-1787.95	1757.95

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
79 Ethyl-tert-butyl ether						CAS #: 637-92-3	
4.945	4.945 (0.909)	59	533603	50.0000	48.810	80.00- 120.00	100.00
4.945	4.945 (0.909)	87	180892			3.90- 63.90	33.90
4.945	4.945 (0.909)	41	105236			0.00- 49.72	19.72
84 2,2-Dichloropropane						CAS #: 594-20-7	
5.145	5.145 (0.946)	77	249345	50.0000	47.777	80.00- 120.00	100.00
5.145	5.145 (0.946)	79	80765			2.39- 62.39	32.39
5.145	5.145 (0.946)	97	58766			0.00- 53.57	23.57
85 cis-1,2-Dichloroethene						CAS #: 156-59-2	
5.188	5.188 (0.954)	98	89304	50.0000	47.140	80.00- 120.00	100.00
5.188	5.188 (0.954)	96	138898			125.53- 185.53	155.53
5.188	5.188 (0.954)	61	223135			219.86- 279.86	249.86
86 2-Butanone						CAS #: 78-93-3	
5.217	5.217 (0.959)	72	65240	50.0000	47.798	80.00- 120.00	100.00
5.238	5.238 (0.963)	43	762225			1138.34-1198.34	1168.34
5.217	5.217 (0.959)	57	26636			10.83- 70.83	40.83
87 Ethyl Acetate						CAS #: 141-78-6	
5.245	5.245 (0.964)	45	60477	50.0000	44.304	80.00- 120.00	100.00
5.188	5.188 (0.954)	61	223135			338.96- 398.96	368.96
5.245	5.245 (0.964)	70	32976			24.53- 84.53	54.53
89 Tetrahydrofuran						CAS #: 109-99-9	
5.425	5.425 (0.997)	42	178361	50.0000	42.740	80.00- 120.00	100.00
5.432	5.432 (0.999)	71	50912			0.00- 58.54	28.54
5.432	5.432 (0.999)	72	52777			0.00- 59.59	29.59
* 90 Bromochloromethane						CAS #: 74-97-5	
5.439	5.439 (1.000)	130	106185	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	82598			47.79- 107.79	77.79
5.439	5.439 (1.000)	49	171308			131.33- 191.33	161.33
92 Chloroform						CAS #: 67-66-3	
5.518	5.518 (1.014)	83	266411	50.0000	46.928	80.00- 120.00	100.00
5.518	5.518 (1.014)	85	175219			35.77- 95.77	65.77
94 Cyclohexane						CAS #: 110-82-7	
5.611	5.611 (1.032)	84	178092	50.0000	46.893	80.00- 120.00	100.00
5.611	5.611 (1.032)	56	277448			125.79- 185.79	155.79
5.611	5.611 (1.032)	41	163035			61.55- 121.55	91.55
96 1,1,1-Trichloroethane						CAS #: 71-55-6	
5.639	5.639 (1.037)	97	296136	50.0000	47.828	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
96 1,1,1-Trichloroethane (continued)							
5.639	5.639 (1.037)	99	186099			32.84- 92.84	62.84
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.059)	119	318047	50.0000	48.453	80.00- 120.00	100.00
5.761	5.761 (1.059)	117	334551			75.19- 135.19	105.19
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.804	5.804 (0.903)	110	75796	50.0000	48.129	80.00- 120.00	100.00
5.804	5.804 (0.903)	75	200226			234.16- 294.16	264.16
102 Benzene					CAS #: 71-43-2		
5.998	5.998 (0.933)	78	379091	50.0000	48.159	80.00- 120.00	100.00
5.998	5.998 (0.933)	77	89789			0.00- 53.69	23.69
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.998	5.998 (1.103)	57	873858	50.0000	49.064	80.00- 120.00	100.00
5.998	5.998 (1.103)	56	289123			3.09- 63.09	33.09
5.998	5.998 (1.103)	41	238381			0.00- 57.28	27.28
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.108)	65	136722	25.0000	24.720	80.00- 120.00	100.00
6.026	6.026 (1.108)	67	72691			23.17- 83.17	53.17
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.091	6.091 (0.948)	87	105657	50.0000	49.947	80.00- 120.00	100.00
6.091	6.091 (0.948)	73	418149			365.76- 425.76	395.76
6.091	6.091 (0.948)	55	129517			92.58- 152.58	122.58
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	198281	50.0000	48.289	80.00- 120.00	100.00
6.105	6.105 (0.950)	64	63059			1.80- 61.80	31.80
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	145181	50.0000	46.560	80.00- 120.00	100.00
6.184	6.184 (0.962)	43	345142			207.73- 267.73	237.73
6.184	6.184 (0.962)	57	166711			84.83- 144.83	114.83
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	390964	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	61173			0.00- 45.65	15.65
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.031)	56	82098	50.0000	45.872	80.00- 120.00	100.00
6.628	6.628 (1.031)	41	63814			47.73- 107.73	77.73
6.628	6.628 (1.031)	43	50571			31.60- 91.60	61.60

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	183021	50.0000	48.222	80.00- 120.00	100.00
6.635	6.635 (1.032)	130	201749			80.23- 140.23	110.23
6.635	6.635 (1.032)	97	118558			34.78- 94.78	64.78
127 Methylcyclohexane					CAS #: 108-87-2		
6.735	6.735 (1.048)	83	258114	50.0000	47.877	80.00- 120.00	100.00
6.735	6.735 (1.048)	98	115701			14.83- 74.83	44.83
6.735	6.735 (1.048)	55	261985			71.50- 131.50	101.50
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	174430	50.0000	47.092	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	122782			40.39- 100.39	70.39
6.893	6.893 (1.072)	41	107902			31.86- 91.86	61.86
116 Methyl Methacrylate					CAS #: 80-62-6		
6.979	6.979 (0.762)	69	150781	50.0000	47.222	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	265090			145.81- 205.81	175.81
6.979	6.979 (0.762)	100	60383			10.05- 70.05	40.05
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.088)	88	97926	50.0000	49.454	80.00- 120.00	100.00
6.993	6.993 (1.088)	58	84537			56.33- 116.33	86.33
6.993	6.993 (1.088)	57	31413			2.08- 62.08	32.08
118 Dibromomethane					CAS #: 74-95-3		
7.008	7.008 (0.765)	174	179531	50.0000	48.538	80.00- 120.00	100.00
7.008	7.008 (0.765)	93	166388			62.68- 122.68	92.68
7.008	7.008 (0.765)	95	139490			47.70- 107.70	77.70
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	296549	50.0000	48.269	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	192642			34.96- 94.96	64.96
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.459	7.459 (1.160)	63	320384	50.0000	49.024	80.00- 120.00	100.00
7.459	7.459 (1.160)	65	97487			0.43- 60.43	30.43
7.459	7.459 (1.160)	144	33579			0.00- 40.48	10.48
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.574	7.574 (1.178)	75	257832	50.0000	49.208	80.00- 120.00	100.00
7.574	7.574 (1.178)	77	80600			1.26- 61.26	31.26
7.574	7.574 (1.178)	39	167739			35.06- 95.06	65.06
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.710	7.710 (1.199)	58	163280	50.0000	45.303	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
131 4-Methyl-2-pentanone (continued)							
7.710	7.710 (1.199)	43	473310			259.88- 319.88	289.88
7.710	7.710 (1.199)	85	61360			7.58- 67.58	37.58
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	376606	25.0000	24.779	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	43024			0.00- 41.42	11.42
7.767	7.767 (1.208)	100	254350			37.54- 97.54	67.54
137 Toluene					CAS #: 108-88-3		
7.831	7.831 (1.218)	91	522189	50.0000	47.921	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	302287			27.89- 87.89	57.89
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	183324	50.0000	46.178	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	171465			63.53- 123.53	93.53
7.860	7.860 (1.223)	43	505975			246.00- 306.00	276.00
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	214335	50.0000	49.482	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	68227			1.83- 61.83	31.83
8.118	8.118 (0.887)	39	132830			31.97- 91.97	61.97
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.290	8.290 (0.905)	97	172017	50.0000	46.899	80.00- 120.00	100.00
8.290	8.290 (0.905)	99	107541			32.52- 92.52	62.52
8.283	8.283 (0.905)	83	152927			58.90- 118.90	88.90
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	270854	50.0000	49.181	80.00- 120.00	100.00
8.318	8.318 (0.908)	129	204001			45.32- 105.32	75.32
8.318	8.318 (0.908)	131	200899			44.17- 104.17	74.17
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	239701	50.0000	46.921	80.00- 120.00	100.00
8.447	8.447 (1.314)	41	215057			59.72- 119.72	89.72
8.447	8.447 (1.314)	78	79295			3.08- 63.08	33.08
143 2-Hexanone					CAS #: 591-78-6		
8.490	8.490 (0.927)	58	228908	50.0000	49.747	80.00- 120.00	100.00
8.490	8.490 (0.927)	43	474575			177.32- 237.32	207.32
8.490	8.490 (0.927)	100	39328			0.00- 47.18	17.18
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	361941	50.0000	49.931	80.00- 120.00	100.00
8.626	8.626 (0.942)	127	279672			47.27- 107.27	77.27

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	289451	50.0000	48.151	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	272604			64.18- 124.18	94.18
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.157	9.157 (1.000)	117	392003	25.0000		80.00- 120.00	100.00
9.157	9.157 (1.000)	82	207446			22.92- 82.92	52.92
154 Chlorobenzene					CAS #: 108-90-7		
9.185	9.185 (1.003)	112	439974	50.0000	48.442	80.00- 120.00	100.00
9.185	9.185 (1.003)	114	140384			1.91- 61.91	31.91
9.178	9.178 (1.002)	77	233044			22.97- 82.97	52.97
155 Ethyl Benzene					CAS #: 100-41-4		
9.250	9.250 (1.010)	106	221782	50.0000	48.547	80.00- 120.00	100.00
9.250	9.250 (1.010)	91	689934			281.09- 341.09	311.09
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.271	9.271 (1.013)	131	258312	50.0000	49.923	80.00- 120.00	100.00
9.271	9.271 (1.013)	117	173321			37.10- 97.10	67.10
9.271	9.271 (1.013)	95	90231			4.93- 64.93	34.93
156 Nonane					CAS #: 111-84-2		
9.314	9.314 (1.017)	43	519451	50.0000	48.956	80.00- 120.00	100.00
9.314	9.314 (1.017)	57	418804			50.62- 110.62	80.62
9.314	9.314 (1.017)	85	133228			0.00- 55.65	25.65
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	277013	50.0000	48.649	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	554941			170.33- 230.33	200.33
164 o-Xylene					CAS #: 95-47-6		
9.751	9.751 (1.065)	106	260621	50.0000	48.266	80.00- 120.00	100.00
9.751	9.751 (1.065)	91	550517			181.23- 241.23	211.23
165 Styrene					CAS #: 100-42-5		
9.780	9.780 (1.068)	104	446935	50.0000	48.467	80.00- 120.00	100.00
9.780	9.780 (1.068)	78	211208			17.26- 77.26	47.26
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.091)	173	370788	50.0000	50.614	80.00- 120.00	100.00
9.987	9.987 (1.091)	171	190754			21.45- 81.45	51.45
168 Cumene					CAS #: 98-82-8		
10.095	10.095 (1.102)	105	806471	50.0000	49.408	80.00- 120.00	100.00
10.095	10.095 (1.102)	120	217213			0.00- 56.93	26.93

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
168 Cumene (continued)							
10.095	10.095 (1.102)	51	98730			0.00- 42.24	12.24
169 Cyclohexanone					CAS #: 108-94-1		
10.260	10.260 (1.120)	55	287299	50.0000	44.488	80.00- 120.00	100.00
10.260	10.260 (1.120)	98	100976			5.15- 65.15	35.15
10.260	10.260 (1.120)	42	206820			41.99- 101.99	71.99
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	289610	25.0000	24.860	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	343157			88.49- 148.49	118.49
10.295	10.295 (1.124)	176	280149			66.73- 126.73	96.73
177 Bromobenzene					CAS #: 108-86-1		
10.432	10.432 (1.139)	156	276298	50.0000	48.585	80.00- 120.00	100.00
10.432	10.432 (1.139)	158	269302			67.47- 127.47	97.47
10.432	10.432 (1.139)	77	383158			108.68- 168.68	138.68
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.475	10.475 (1.144)	83	403453	50.0000	47.655	80.00- 120.00	100.00
10.475	10.475 (1.144)	85	262135			34.97- 94.97	64.97
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.146)	120	235343	50.0000	48.760	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	973373			383.60- 443.60	413.60
10.496	10.496 (1.146)	105	37993			0.00- 46.14	16.14
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.525	10.525 (1.149)	110	119738	50.0000	46.601	80.00- 120.00	100.00
10.525	10.525 (1.149)	75	424208			324.28- 384.28	354.28
10.518	10.518 (1.149)	61	104455			57.24- 117.24	87.24
182 Decane					CAS #: 124-18-5		
10.611	10.611 (1.159)	57	557664	50.0000	44.643	80.00- 120.00	100.00
10.611	10.611 (1.159)	71	173478			1.11- 61.11	31.11
10.611	10.611 (1.159)	142	24768			0.00- 34.44	4.44
183 4-Ethyltoluene					CAS #: 622-96-8		
10.611	10.611 (1.159)	120	256210	50.0000	48.702	80.00- 120.00	100.00
10.611	10.611 (1.159)	105	842767			298.94- 358.94	328.94
184 2-Chlorotoluene					CAS #: 95-49-8		
10.611	10.611 (1.159)	126	214507	50.0000	48.192	80.00- 120.00	100.00
10.611	10.611 (1.159)	91	670938			282.78- 342.78	312.78
10.603	10.603 (1.158)	65	101528			17.33- 77.33	47.33

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	347148	50.0000	48.931	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	701508			172.08- 232.08	202.08
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	366513	50.0000	48.769	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	203934			25.64- 85.64	55.64
189 tert-Butylbenzene					CAS #: 98-06-6		
10.983	10.983 (1.199)	119	660932	50.0000	49.001	80.00- 120.00	100.00
10.983	10.983 (1.199)	134	165884			0.00- 55.10	25.10
10.976	10.976 (1.199)	91	426484			34.53- 94.53	64.53
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	697860	50.0000	48.110	80.00- 120.00	100.00
11.040	11.040 (1.206)	120	325384			16.63- 76.63	46.63
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	215240	50.0000	48.750	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	1005150			436.99- 496.99	466.99
11.198	11.198 (1.223)	91	154312			41.69- 101.69	71.69
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	883857	50.0000	48.951	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	244087			0.00- 57.62	27.62
11.341	11.341 (1.239)	91	203563			0.00- 53.03	23.03
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	510428	50.0000	47.487	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	327614			34.18- 94.18	64.18
11.348	11.348 (1.239)	111	204477			10.06- 70.06	40.06
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.449	11.449 (1.250)	146	522636	50.0000	48.002	80.00- 120.00	100.00
11.449	11.449 (1.250)	148	332150			33.55- 93.55	63.55
11.449	11.449 (1.250)	111	198480			7.98- 67.98	37.98
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	675951	50.0000	49.026	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	153933			0.00- 52.77	22.77
202 Butylbenzene					CAS #: 104-51-8		
11.750	11.750 (1.283)	134	242530	50.0000	48.738	80.00- 120.00	100.00
11.742	11.742 (1.282)	91	826602			310.82- 370.82	340.82
11.742	11.742 (1.282)	92	440268			151.53- 211.53	181.53

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	657222	50.0000	44.249	80.00- 120.00	100.00
11.785	11.785 (1.287)	43	615095			63.59- 123.59	93.59
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	500732	50.0000	48.001	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	315470			33.00- 93.00	63.00
11.814	11.814 (1.290)	111	204643			10.87- 70.87	40.87
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.378)	157	308162	50.0000	49.945	80.00- 120.00	100.00
12.616	12.616 (1.378)	75	240658			48.09- 108.09	78.09
12.616	12.616 (1.378)	155	240025			47.89- 107.89	77.89
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.404)	57	739756	50.0000	49.444	80.00- 120.00	100.00
12.860	12.860 (1.404)	43	654818			58.52- 118.52	88.52
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.463)	180	506089	50.0000	48.955	80.00- 120.00	100.00
13.397	13.397 (1.463)	182	479986			64.84- 124.84	94.84
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.512	13.512 (1.476)	225	371784	50.0000	49.302	80.00- 120.00	100.00
13.512	13.512 (1.476)	223	233497			32.80- 92.80	62.80
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.490)	128	117113	5.80000	5.428	80.00- 120.00	100.00
13.648	13.648 (1.490)	127	14900			0.00- 42.72	12.72
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.517)	180	492088	50.0000	48.577	80.00- 120.00	100.00
13.891	13.891 (1.517)	182	467815			65.07- 125.07	95.07
13.891	13.891 (1.517)	145	169692			4.48- 64.48	34.48

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042312.d
Lab Smp Id: ICAL Level #7
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #7
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	106185	0.00
108 1,4-Difluorobenze	390964	234578	547350	390964	0.00
153 Chlorobenzene-d5	392003	235202	548804	392003	0.00

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042312.d

Page 1

Date : 23-APR-2024 23:59

Client ID: ICAL Level #7


Instrument: msd3.i

Sample Info: 50ml 3018-4439

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3041807.d
Lab Smp Id: ICAL Level #8 Client Smp ID: ICAL Level #8
Inj Date : 18-APR-2024 11:41
Operator : mjs Inst ID: msd3.i
Smp Info : 100ml 3018-4328
Misc Info : 100ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 24-APR-2024 00:31 Cal File: 3042313.d
Als bottle: 2 Calibration Sample, Level: 8
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT21spICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	118285	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	92003			47.79- 107.79	77.78
5.439	5.439 (1.000)	49	192470			131.33- 191.33	162.72
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	456464	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	71642			0.00- 45.65	15.69
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	465967	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	251207			22.92- 82.92	53.91
3 Freon 143a					CAS #: 420-46-2		
1.409	1.395 (0.259)	65	171189	100.000	107.29	80.00- 120.00	100.00
1.395	1.395 (0.256)	69	462607			237.43- 297.43	270.23
1.395	1.395 (0.256)	64	42504			0.00- 57.02	24.83
6 Propane					CAS #: 74-98-6		
1.437	1.423 (0.264)	43	110189	100.000	100.66	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
6 Propane (continued)							
1.437	1.437 (0.264)	39	72330			37.94- 97.94	65.64
1.437	1.423 (0.264)	41	58496			21.79- 81.79	53.09
13 Freon 142b					CAS #: 75-68-3		
1.618	1.604 (0.298)	65	559739	100.000	96.293	80.00- 120.00	100.00
1.618	1.604 (0.298)	45	162709			0.00- 58.87	29.07
36 1-Pentene					CAS #: 109-67-1		
2.458	2.458 (0.452)	55	358563	100.000	99.363	80.00- 120.00	100.00
2.458	2.458 (0.452)	42	517690			114.47- 174.47	144.38
38 Ethyl Ether					CAS #: 60-29-7		
2.808	2.794 (0.516)	74	142427	100.000	95.433	80.00- 120.00	100.00
2.794	2.794 (0.514)	59	235608			138.79- 198.79	165.42
2.794	2.794 (0.514)	45	206733			114.58- 174.58	145.15
40 Freon 123a					CAS #: 354-23-4		
2.906	2.906 (0.534)	117	447270	100.000	95.105	80.00- 120.00	100.00
2.906	2.892 (0.534)	67	589909			102.78- 162.78	131.89
41 Freon 123					CAS #: 306-83-2		
2.990	2.990 (0.550)	83	410711	100.000	94.292	80.00- 120.00	100.00
2.990	2.990 (0.550)	133	90197			0.00- 53.60	21.96
2.990	2.990 (0.550)	85	272675			36.72- 96.72	66.39
55 Cyclopentene					CAS #: 142-29-0		
3.591	3.591 (0.660)	67	668026	100.000	100.74	80.00- 120.00	100.00
3.591	3.591 (0.660)	68	253928			8.38- 68.38	38.01
3.591	3.591 (0.660)	53	164167			0.00- 54.97	24.57
56 Methyl Acetate					CAS #: 79-20-9		
3.626	3.619 (0.667)	43	749002	100.000	101.65	80.00- 120.00	100.00
3.626	3.619 (0.667)	74	115795			0.00- 45.84	15.46
74 Chloroprene					CAS #: 126-99-8		
4.608	4.608 (0.847)	53	574145	100.000	99.628	80.00- 120.00	100.00
4.608	4.608 (0.847)	88	258258			14.44- 74.44	44.98
4.608	4.608 (0.847)	50	153572			0.00- 56.76	26.75
75 1-Propanol					CAS #: 71-23-8		
4.715	4.715 (0.867)	59	78368	100.000	90.070	80.00- 120.00	100.00
4.715	4.715 (0.867)	42	75931			63.00- 123.00	96.89
4.715	4.715 (0.867)	41	47829			28.69- 88.69	61.03
88 Methyl Acrylate					CAS #: 96-33-3		
5.288	5.288 (0.972)	55	722722	100.000	99.837	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
88 Methyl Acrylate (continued)							
5.295	5.288 (0.974)	85	95993			0.00- 43.17	13.28
5.288	5.288 (0.972)	58	61204			0.00- 38.59	8.47
103 Isobutanol					CAS #: 78-83-1		
5.990	5.990 (1.101)	39	90670	100.000	79.209	80.00- 120.00	100.00
5.990	5.990 (1.101)	43	400031			402.02- 462.02	441.19
5.990	5.990 (1.101)	41	281417			275.29- 335.29	310.37
113 Ethyl acrylate					CAS #: 140-88-5		
6.764	6.764 (0.739)	99	57225	100.000	90.142	80.00- 120.00	100.00
6.764	6.764 (0.739)	45	98757			144.38- 204.38	172.58
6.764	6.764 (0.739)	55	980424			1723.57-1783.57	1713.28
115 2-Pentanone					CAS #: 107-87-9		
6.857	6.857 (0.749)	43	1226660	100.000	95.979	80.00- 120.00	100.00
6.857	6.857 (0.749)	58	87729			0.00- 37.02	7.15
6.857	6.857 (0.749)	86	166870			0.00- 43.48	13.60
145 Butyl Acetate					CAS #: 123-86-4		
8.576	8.576 (1.334)	56	527472	100.000	94.035	80.00- 120.00	100.00
8.576	8.576 (1.334)	73	172066			2.83- 62.83	32.62
8.576	8.576 (1.334)	43	1431296			240.40- 300.40	271.35
166 2-Heptanone					CAS #: 110-43-0		
9.901	9.901 (1.821)	58	809815	100.000	89.434	80.00- 120.00	100.00
9.901	9.901 (1.821)	43	1415889			146.16- 206.16	174.84
210 alpha-Pinene					CAS #: 80-56-8		
10.037	10.037 (1.096)	93	1201325	100.000	98.247	80.00- 120.00	100.00
10.037	10.037 (1.096)	77	348279			0.00- 59.07	28.99
214 beta-Pinene					CAS #: 127-91-3		
10.696	10.696 (1.168)	93	935215	100.000	98.218	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	1630866			151.21- 211.21	174.38
186 4-Chlorotoluene					CAS #: 106-43-4		
10.725	10.725 (1.171)	126	497990	100.000	95.924	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	1630866			296.65- 356.65	327.49
10.725	10.725 (1.171)	63	201355			10.84- 70.84	40.43
172 D-Limonene					CAS #: 5989-27-5		
11.277	11.277 (1.232)	68	734980	100.000	95.368	80.00- 120.00	100.00
11.277	11.277 (1.232)	93	518516			41.19- 101.19	70.55
197 1,2,3-Trimethylbenzene					CAS #: 526-73-8		
11.463	11.463 (1.252)	120	677610	100.000	95.152	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
197 1,2,3-Trimethylbenzene (continued)							
11.463	11.463 (1.252)	105	1565838			201.76- 261.76	231.08
11.463	11.463 (1.252)	77	180458			0.00- 57.12	26.63
205 Hexachloroethane					CAS #: 67-72-1		
12.014	12.014 (1.312)	201	437026	100.000	101.58	80.00- 120.00	100.00
12.014	12.014 (1.312)	117	629191			114.78- 174.78	143.97
208 1,3,5-Trichlorobenzene					CAS #: 108-70-3		
12.759	12.752 (1.393)	180	966470	100.000	97.497	80.00- 120.00	100.00
12.759	12.752 (1.393)	182	923585			64.68- 124.68	95.56

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3041807.d
Lab Smp Id: ICAL Level #8
Analysis Type: VOA
Quant Type: ISTD
Operator: mjs
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 100ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #8
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	118285	11.40
108 1,4-Difluorobenze	390964	234578	547350	456464	16.75
153 Chlorobenzene-d5	392003	235202	548804	465967	18.87

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3041807.d

Page 1

Date : 18-APR-2024 11:41

Client ID: ICAL Level #8


Instrument: msd3.i

Sample Info: 100ml 3018-4328

Operator: mjs

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042313.d
Lab Smp Id: ICAL Level #8 Client Smp ID: ICAL Level #8
Inj Date : 24-APR-2024 00:31
Operator : DF Inst ID: msd3.i
Smp Info : 100ml 3018-4439
Misc Info : 100ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 24-APR-2024 00:31 Cal File: 3042313.d
Als bottle: 13 Calibration Sample, Level: 8
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23ICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
4 Freon 134a					CAS #: 811-97-2		
1.423	1.409 (0.262)	83	233889	100.000	95.603	80.00- 120.00	100.00
1.423	1.409 (0.262)	69	218520			64.17- 124.17	93.43
1.492	1.493 (0.274)	51	972848			365.46- 425.46	415.94
5 Propylene					CAS #: 115-07-1		
1.436	1.437 (0.264)	41	275170	100.000	99.261	80.00- 120.00	100.00
1.436	1.437 (0.264)	42	179505			35.86- 95.86	65.23
1.436	1.437 (0.264)	39	193538			41.66- 101.66	70.33
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.478	1.465 (0.272)	65	157731	100.000	98.702	80.00- 120.00	100.00
1.492	1.493 (0.274)	51	972848			568.10- 628.10	616.78
1.576	1.577 (0.290)	47	32982			0.00- 50.57	20.91
8 Freon 12					CAS #: 75-71-8		
1.464	1.465 (0.269)	85	606922	100.000	96.826	80.00- 120.00	100.00
1.464	1.465 (0.269)	87	196368			2.88- 62.88	32.35
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.506	1.493 (0.277)	67	72073	100.000	91.887	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
9 Chlorodifluoromethane (continued)							
1.492	1.493 (0.274)	51	972848			1257.55-1317.55	1349.81
10 Freon 114					CAS #: 76-14-2		
1.576	1.577 (0.290)	135	544220	100.000	98.766	80.00- 120.00	100.00
1.576	1.577 (0.290)	137	173490			2.10- 62.10	31.88
12 Isobutane					CAS #: 75-28-5		
1.590	1.591 (0.292)	43	577867	100.000	98.584	80.00- 120.00	100.00
1.590	1.591 (0.292)	42	178573			1.69- 61.69	30.90
1.590	1.577 (0.292)	58	18550			0.00- 33.32	3.21
15 Chloromethane					CAS #: 74-87-3		
1.688	1.675 (0.310)	50	299977	100.000	99.260	80.00- 120.00	100.00
1.688	1.675 (0.310)	52	90827			1.38- 61.38	30.28
18 Butane					CAS #: 106-97-8		
1.730	1.731 (0.318)	58	58329	100.000	96.264	80.00- 120.00	100.00
1.730	1.731 (0.318)	43	529531			866.38- 926.38	907.83
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.759 (0.323)	62	291774	100.000	99.782	80.00- 120.00	100.00
1.758	1.759 (0.323)	64	88995			3.10- 63.10	30.50
20 1,3-Butadiene					CAS #: 106-99-0		
1.786	1.773 (0.328)	54	251430	100.000	91.531	80.00- 120.00	100.00
1.786	1.773 (0.328)	39	281058			78.74- 138.74	111.78
24 Bromomethane					CAS #: 74-83-9		
2.122	2.108 (0.390)	94	233940	100.000	111.96	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	219932			64.19- 124.19	94.01
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.408)	64	142706	100.000	101.77	80.00- 120.00	100.00
2.220	2.220 (0.408)	66	43744			2.32- 62.32	30.65
2.220	2.220 (0.408)	49	50917			6.33- 66.33	35.68
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	395624	100.000	98.866	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	246841			31.77- 91.77	62.39
32 Vinyl Bromide					CAS #: 593-60-2		
2.416	2.416 (0.444)	106	257498	100.000	105.96	80.00- 120.00	100.00
2.416	2.416 (0.444)	108	239156			64.21- 124.21	92.88
33 Freon 11					CAS #: 75-69-4		
2.458	2.444 (0.452)	101	718554	100.000	99.507	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
33 Freon 11 (continued)							
2.458	2.444 (0.452)	103	471661			34.93- 94.93	65.64
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.472	2.472 (0.455)	67	577688	100.000	100.33	80.00- 120.00	100.00
2.472	2.472 (0.455)	69	185727			1.95- 61.95	32.15
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.462)	43	613816	100.000	100.81	80.00- 120.00	100.00
2.514	2.514 (0.462)	57	88699			0.00- 44.64	14.45
2.514	2.514 (0.462)	72	47993			0.00- 37.90	7.82
39 Ethanol					CAS #: 64-17-5		
2.766	2.752 (0.509)	46	57015	123.200	99.519	80.00- 120.00	100.00
2.766	2.752 (0.509)	45	143206			224.40- 284.40	251.17
42 Acrolein					CAS #: 107-02-8		
3.061	3.061 (0.563)	55	116660	116.500	94.612	80.00- 120.00	100.00
3.061	3.061 (0.563)	56	168234			108.02- 168.02	144.21
43 Freon 113					CAS #: 76-13-1		
3.068	3.061 (0.564)	151	592188	100.000	92.794	80.00- 120.00	100.00
3.068	3.061 (0.564)	153	385161			35.07- 95.07	65.04
3.068	3.061 (0.564)	101	666908			87.45- 147.45	112.62
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.096	3.097 (0.569)	96	301261	100.000	110.95	80.00- 120.00	100.00
3.096	3.097 (0.569)	98	167959			33.27- 93.27	55.75
3.096	3.097 (0.569)	61	498243			159.05- 219.05	165.39
47 Acetone					CAS #: 67-64-1		
3.247	3.247 (0.597)	58	148068	100.000	95.827	80.00- 120.00	100.00
3.247	3.247 (0.597)	43	537163			329.45- 389.45	362.78
48 Carbon Disulfide					CAS #: 75-15-0		
3.333	3.333 (0.613)	76	710224	100.000	95.922	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.433	3.426 (0.631)	45	642786	100.000	100.06	80.00- 120.00	100.00
3.433	3.426 (0.631)	43	122192			0.00- 48.18	19.01
54 3-Chloropropene					CAS #: 107-05-1		
3.583	3.584 (0.659)	76	121265	100.000	97.215	80.00- 120.00	100.00
3.583	3.584 (0.659)	41	471311			366.80- 426.80	388.66
57 Acetonitrile					CAS #: 75-05-8		
3.691	3.684 (0.679)	41	334986	117.600	118.15	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
57 Acetonitrile (continued)							
3.684	3.684 (0.677)	40	172907			22.74- 82.74	51.62
3.684	3.684 (0.677)	38	40298			0.00- 42.52	12.03
59 Methylene Chloride					CAS #: 75-09-2		
3.784	3.784 (0.696)	49	420045	100.000	98.971	80.00- 120.00	100.00
3.784	3.784 (0.696)	84	231441			24.90- 84.90	55.10
3.784	3.784 (0.696)	51	125628			0.00- 59.67	29.91
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.913	3.913 (0.719)	59	743605	115.200	113.46	80.00- 120.00	100.00
3.913	3.913 (0.719)	41	162125			0.00- 51.85	21.80
3.913	3.913 (0.719)	57	80421			0.00- 40.17	10.82
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.737)	73	741406	100.000	95.692	80.00- 120.00	100.00
4.006	4.006 (0.737)	57	213348			0.00- 58.72	28.78
4.006	4.006 (0.737)	41	218919			0.00- 59.38	29.53
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.035	4.028 (0.742)	98	176446	100.000	96.758	80.00- 120.00	100.00
4.028	4.028 (0.741)	61	467010			232.13- 292.13	264.68
4.035	4.028 (0.742)	96	280492			127.26- 187.26	158.97
66 Acrylonitrile					CAS #: 107-13-1		
4.149	4.142 (0.763)	52	229116	100.000	97.154	80.00- 120.00	100.00
4.149	4.142 (0.763)	53	285142			86.45- 146.45	124.45
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.783)	57	517066	100.000	91.000	80.00- 120.00	100.00
4.257	4.257 (0.783)	43	367195			40.97- 100.97	71.02
4.257	4.257 (0.783)	86	65677			0.00- 42.68	12.70
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.838)	63	523580	100.000	99.356	80.00- 120.00	100.00
4.558	4.558 (0.838)	65	160766			0.47- 60.47	30.71
72 Isopropyl ether					CAS #: 108-20-3		
4.550	4.558 (0.837)	45	1226420	100.000	97.056	80.00- 120.00	100.00
4.558	4.558 (0.838)	87	239988			0.00- 49.55	19.57
4.550	4.558 (0.837)	59	123985			0.00- 40.42	10.11
73 Vinyl Acetate					CAS #: 108-05-4		
4.615	4.608 (0.849)	86	47844	100.000	103.11	80.00- 120.00	100.00
4.608	4.608 (0.847)	43	780354			1727.95-1787.95	1631.04

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.937	4.945 (0.908)	59	1072332	100.000	98.406	80.00- 120.00	100.00
4.944	4.945 (0.909)	87	366422			3.90- 63.90	34.17
4.937	4.945 (0.908)	41	210371			0.00- 49.72	19.62
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.145	5.145 (0.946)	77	501026	100.000	96.313	80.00- 120.00	100.00
5.145	5.145 (0.946)	79	161864			2.39- 62.39	32.31
5.145	5.145 (0.946)	97	118677			0.00- 53.57	23.69
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.188	5.188 (0.954)	98	187231	100.000	99.151	80.00- 120.00	100.00
5.188	5.188 (0.954)	96	289937			125.53- 185.53	154.86
5.188	5.188 (0.954)	61	470007			219.86- 279.86	251.03
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.959)	72	137061	100.000	100.74	80.00- 120.00	100.00
5.238	5.217 (0.963)	43	1592983			1138.34-1198.34	1162.24
5.217	5.217 (0.959)	57	54006			10.83- 70.83	39.40
87 Ethyl Acetate					CAS #: 141-78-6		
5.245	5.245 (0.964)	45	126480	100.000	92.956	80.00- 120.00	100.00
5.188	5.188 (0.954)	61	470007			338.96- 398.96	371.61
5.245	5.245 (0.964)	70	69046			24.53- 84.53	54.59
89 Tetrahydrofuran					CAS #: 109-99-9		
5.432	5.425 (0.999)	42	374946	100.000	90.138	80.00- 120.00	100.00
5.432	5.425 (0.999)	71	106420			0.00- 58.54	28.38
5.432	5.425 (0.999)	72	111677			0.00- 59.59	29.78
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	105842	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	83069			47.79- 107.79	78.48
5.439	5.439 (1.000)	49	172113			131.33- 191.33	162.61
92 Chloroform					CAS #: 67-66-3		
5.517	5.518 (1.014)	83	565091	100.000	99.863	80.00- 120.00	100.00
5.517	5.518 (1.014)	85	370641			35.77- 95.77	65.59
94 Cyclohexane					CAS #: 110-82-7		
5.611	5.611 (1.032)	84	359507	100.000	94.967	80.00- 120.00	100.00
5.611	5.611 (1.032)	56	552721			125.79- 185.79	153.74
5.611	5.611 (1.032)	41	325050			61.55- 121.55	90.42
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.639	5.639 (1.037)	97	591595	100.000	95.857	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
96 1,1,1-Trichloroethane (continued)							
5.639	5.639 (1.037)	99	376125			32.84- 92.84	63.58
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.059)	119	642704	100.000	98.230	80.00- 120.00	100.00
5.761	5.761 (1.059)	117	669686			75.19- 135.19	104.20
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.804	5.804 (0.903)	110	159905	100.000	100.11	80.00- 120.00	100.00
5.804	5.804 (0.903)	75	420011			234.16- 294.16	262.66
102 Benzene					CAS #: 71-43-2		
5.997	5.998 (0.933)	78	785301	100.000	98.366	80.00- 120.00	100.00
5.997	5.998 (0.933)	77	185549			0.00- 53.69	23.63
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.990	5.998 (1.101)	57	1780857	100.000	100.31	80.00- 120.00	100.00
5.990	5.998 (1.101)	56	589538			3.09- 63.09	33.10
5.990	5.998 (1.101)	41	491319			0.00- 57.28	27.59
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.108)	65	138700	25.0000	25.159	80.00- 120.00	100.00
6.026	6.026 (1.108)	67	82615			23.17- 83.17	59.56
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.090	6.091 (0.948)	87	213810	100.000	99.657	80.00- 120.00	100.00
6.090	6.091 (0.948)	73	848451			365.76- 425.76	396.82
6.090	6.091 (0.948)	55	259377			92.58- 152.58	121.31
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	415718	100.000	99.824	80.00- 120.00	100.00
6.105	6.105 (0.950)	64	132642			1.80- 61.80	31.91
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	295338	100.000	93.388	80.00- 120.00	100.00
6.184	6.184 (0.962)	43	705437			207.73- 267.73	238.86
6.184	6.184 (0.962)	57	339527			84.83- 144.83	114.96
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	396522	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	60780			0.00- 45.65	15.33
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.031)	56	175615	100.000	96.750	80.00- 120.00	100.00
6.628	6.628 (1.031)	41	135185			47.73- 107.73	76.98
6.628	6.628 (1.031)	43	107643			31.60- 91.60	61.29

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	385359	100.000	100.11	80.00- 120.00	100.00
6.635	6.635 (1.032)	130	420282			80.23- 140.23	109.06
6.635	6.635 (1.032)	97	247896			34.78- 94.78	64.33
127 Methylcyclohexane					CAS #: 108-87-2		
6.735	6.735 (1.048)	83	521879	100.000	95.445	80.00- 120.00	100.00
6.735	6.735 (1.048)	98	234798			14.83- 74.83	44.99
6.735	6.735 (1.048)	55	529750			71.50- 131.50	101.51
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	356857	100.000	94.992	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	254327			40.39- 100.39	71.27
6.893	6.893 (1.072)	41	220968			31.86- 91.86	61.92
116 Methyl Methacrylate					CAS #: 80-62-6		
6.979	6.979 (0.762)	69	309787	100.000	95.457	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	541842			145.81- 205.81	174.91
6.979	6.979 (0.762)	100	124306			10.05- 70.05	40.13
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.088)	88	197381	100.000	98.283	80.00- 120.00	100.00
6.993	6.993 (1.088)	58	172789			56.33- 116.33	87.54
6.993	6.993 (1.088)	57	63133			2.08- 62.08	31.99
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.008 (0.765)	174	381602	100.000	101.51	80.00- 120.00	100.00
7.007	7.008 (0.765)	93	352368			62.68- 122.68	92.34
7.007	7.008 (0.765)	95	293123			47.70- 107.70	76.81
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	622682	100.000	99.932	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	405152			34.96- 94.96	65.07
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.459	7.459 (1.160)	63	664952	100.000	100.32	80.00- 120.00	100.00
7.459	7.459 (1.160)	65	202248			0.43- 60.43	30.42
7.459	7.459 (1.160)	144	71736			0.00- 40.48	10.79
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.574 (1.178)	75	536050	100.000	100.87	80.00- 120.00	100.00
7.573	7.574 (1.178)	77	171485			1.26- 61.26	31.99
7.573	7.574 (1.178)	39	348968			35.06- 95.06	65.10
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.709	7.710 (1.199)	58	331484	100.000	90.683	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
131 4-Methyl-2-pentanone (continued)							
7.709	7.710 (1.199)	43	967531			259.88- 319.88	291.88
7.709	7.710 (1.199)	85	121207			7.58- 67.58	36.56
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	384928	25.0000	24.971	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	43720			0.00- 41.42	11.36
7.767	7.767 (1.208)	100	262520			37.54- 97.54	68.20
137 Toluene					CAS #: 108-88-3		
7.831	7.831 (1.218)	91	1060130	100.000	95.924	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	616016			27.89- 87.89	58.11
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	369712	100.000	91.822	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	344482			63.53- 123.53	93.18
7.860	7.860 (1.223)	43	1007724			246.00- 306.00	272.57
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	443012	100.000	100.63	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	141332			1.83- 61.83	31.90
8.118	8.118 (0.887)	39	271120			31.97- 91.97	61.20
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.290	8.290 (0.905)	97	356494	100.000	95.630	80.00- 120.00	100.00
8.290	8.290 (0.905)	99	222775			32.52- 92.52	62.49
8.290	8.290 (0.905)	83	311459			58.90- 118.90	87.37
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	553652	100.000	98.911	80.00- 120.00	100.00
8.318	8.318 (0.908)	129	425367			45.32- 105.32	76.83
8.318	8.318 (0.908)	131	417713			44.17- 104.17	75.45
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	496519	100.000	95.831	80.00- 120.00	100.00
8.447	8.447 (1.314)	41	440869			59.72- 119.72	88.79
8.447	8.447 (1.314)	78	160031			3.08- 63.08	32.23
143 2-Hexanone					CAS #: 591-78-6		
8.490	8.490 (0.927)	58	464697	100.000	99.362	80.00- 120.00	100.00
8.490	8.490 (0.927)	43	963714			177.32- 237.32	207.39
8.490	8.490 (0.927)	100	79775			0.00- 47.18	17.17
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	755601	100.000	102.56	80.00- 120.00	100.00
8.626	8.626 (0.942)	127	585162			47.27- 107.27	77.44

				AMOUNTS				
				CAL-AMT	ON-COL			
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE		RATIO
==	====== ========	====	========	=======	=======	==========		=====
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4			
8.748	8.741 (0.955)	107	596749	100.000	97.672	80.00- 120.00		100.00
8.748	8.741 (0.955)	109	564389			64.18- 124.18		94.58
* 153 Chlorobenzene-d5					CAS #: 3114-55-4			
9.156	9.157 (1.000)	117	398422	25.0000		80.00- 120.00		100.00
9.156	9.157 (1.000)	82	211171			22.92- 82.92		53.00
154 Chlorobenzene					CAS #: 108-90-7			
9.185	9.185 (1.003)	112	891221	100.000	96.545	80.00- 120.00		100.00
9.185	9.185 (1.003)	114	283609			1.91- 61.91		31.82
9.178	9.185 (1.002)	77	470841			22.97- 82.97		52.83
155 Ethyl Benzene					CAS #: 100-41-4			
9.249	9.250 (1.010)	106	444390	100.000	95.707	80.00- 120.00		100.00
9.249	9.250 (1.010)	91	1374525			281.09- 341.09		309.31
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6			
9.271	9.271 (1.013)	131	531773	100.000	101.12	80.00- 120.00		100.00
9.271	9.271 (1.013)	117	357246			37.10- 97.10		67.18
9.271	9.271 (1.013)	95	181859			4.93- 64.93		34.20
156 Nonane					CAS #: 111-84-2			
9.314	9.314 (1.017)	43	1038239	100.000	96.273	80.00- 120.00		100.00
9.314	9.314 (1.017)	57	841060			50.62- 110.62		81.01
9.314	9.314 (1.017)	85	263825			0.00- 55.65		25.41
158 m,p-Xylene					CAS #: 108-38-3			
9.371	9.364 (1.023)	106	562748	100.000	97.237	80.00- 120.00		100.00
9.371	9.364 (1.023)	91	1122896			170.33- 230.33		199.54
164 o-Xylene					CAS #: 95-47-6			
9.751	9.751 (1.065)	106	531095	100.000	96.773	80.00- 120.00		100.00
9.751	9.751 (1.065)	91	1106036			181.23- 241.23		208.26
165 Styrene					CAS #: 100-42-5			
9.779	9.780 (1.068)	104	901272	100.000	96.162	80.00- 120.00		100.00
9.779	9.780 (1.068)	78	430200			17.26- 77.26		47.73
167 Bromoform					CAS #: 75-25-2			
9.987	9.987 (1.091)	173	764011	100.000	102.61	80.00- 120.00		100.00
9.987	9.987 (1.091)	171	393935			21.45- 81.45		51.56
168 Cumene					CAS #: 98-82-8			
10.095	10.095 (1.102)	105	1623414	100.000	97.855	80.00- 120.00		100.00
10.095	10.095 (1.102)	120	439762			0.00- 56.93		27.09

				AMOUNTS				
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
168 Cumene (continued)								
10.095	10.095 (1.102)	51	196064				0.00- 42.24	12.08
169 Cyclohexanone						CAS #: 108-94-1		
10.259	10.260 (1.120)	55	573173	100.000		87.326	80.00- 120.00	100.00
10.259	10.260 (1.120)	98	203718				5.15- 65.15	35.54
10.259	10.260 (1.120)	42	412326				41.99- 101.99	71.94
$ 170 4-Bromofluorobenzene						CAS #: 460-00-4		
10.295	10.295 (1.124)	174	296799	25.0000		25.066	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	349798				88.49- 148.49	117.86
10.295	10.295 (1.124)	176	289385				66.73- 126.73	97.50
177 Bromobenzene						CAS #: 108-86-1		
10.431	10.432 (1.139)	156	558700	100.000		96.660	80.00- 120.00	100.00
10.431	10.432 (1.139)	158	546276				67.47- 127.47	97.78
10.431	10.432 (1.139)	77	768495				108.68- 168.68	137.55
175 1,1,2,2-Tetrachloroethane						CAS #: 79-34-5		
10.474	10.475 (1.144)	83	813731	100.000		94.567	80.00- 120.00	100.00
10.474	10.475 (1.144)	85	524090				34.97- 94.97	64.41
178 Propylbenzene						CAS #: 103-65-1		
10.496	10.496 (1.146)	120	475959	100.000		97.023	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	1967721				383.60- 443.60	413.42
10.496	10.496 (1.146)	105	76416				0.00- 46.14	16.06
179 1,2,3-Trichloropropane						CAS #: 96-18-4		
10.524	10.525 (1.149)	110	242072	100.000		92.694	80.00- 120.00	100.00
10.524	10.525 (1.149)	75	873427				324.28- 384.28	360.81
10.524	10.518 (1.149)	61	211752				57.24- 117.24	87.47
182 Decane						CAS #: 124-18-5		
10.610	10.611 (1.159)	57	1121284	100.000		88.316	80.00- 120.00	100.00
10.610	10.611 (1.159)	71	352921				1.11- 61.11	31.47
10.610	10.611 (1.159)	142	48194				0.00- 34.44	4.30
183 4-Ethyltoluene						CAS #: 622-96-8		
10.610	10.611 (1.159)	120	519968	100.000		97.247	80.00- 120.00	100.00
10.610	10.611 (1.159)	105	1707948				298.94- 358.94	328.47
184 2-Chlorotoluene						CAS #: 95-49-8		
10.610	10.611 (1.159)	126	437162	100.000		96.633	80.00- 120.00	100.00
10.610	10.611 (1.159)	91	1364629				282.78- 342.78	312.16
10.610	10.603 (1.159)	65	204643				17.33- 77.33	46.81

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	721444	100.000	100.05	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	1454356			172.08- 232.08	201.59
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	734672	100.000	96.182	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	410215			25.64- 85.64	55.84
189 tert-Butylbenzene					CAS #: 98-06-6		
10.983	10.983 (1.199)	119	1356930	100.000	98.981	80.00- 120.00	100.00
10.983	10.983 (1.199)	134	341712			0.00- 55.10	25.18
10.983	10.976 (1.199)	91	878858			34.53- 94.53	64.77
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	1415739	100.000	96.028	80.00- 120.00	100.00
11.047	11.040 (1.207)	120	660251			16.63- 76.63	46.64
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	436208	100.000	97.207	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	2036768			436.99- 496.99	466.93
11.198	11.198 (1.223)	91	314010			41.69- 101.69	71.99
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	1789348	100.000	97.504	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	489513			0.00- 57.62	27.36
11.341	11.341 (1.239)	91	412100			0.00- 53.03	23.03
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	1033818	100.000	94.630	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	656564			34.18- 94.18	63.51
11.348	11.348 (1.239)	111	413943			10.06- 70.06	40.04
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.448	11.449 (1.250)	146	1055927	100.000	95.420	80.00- 120.00	100.00
11.448	11.449 (1.250)	148	670982			33.55- 93.55	63.54
11.448	11.449 (1.250)	111	404166			7.98- 67.98	38.28
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	1381580	100.000	98.590	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	316241			0.00- 52.77	22.89
202 Butylbenzene					CAS #: 104-51-8		
11.749	11.750 (1.283)	134	482826	100.000	95.464	80.00- 120.00	100.00
11.749	11.742 (1.283)	91	1647148			310.82- 370.82	341.15
11.749	11.742 (1.283)	92	873623			151.53- 211.53	180.94

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	1302554	100.000	86.284	80.00- 120.00	100.00
11.785	11.785 (1.287)	43	1209695			63.59- 123.59	92.87
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	1010740	100.000	95.330	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	639756			33.00- 93.00	63.30
11.821	11.821 (1.291)	111	413337			10.87- 70.87	40.89
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.378)	157	612326	100.000	97.644	80.00- 120.00	100.00
12.616	12.616 (1.378)	75	473919			48.09- 108.09	77.40
12.616	12.616 (1.378)	155	475901			47.89- 107.89	77.72
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.404)	57	1478291	100.000	97.215	80.00- 120.00	100.00
12.860	12.860 (1.404)	43	1300190			58.52- 118.52	87.95
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.463)	180	1005016	100.000	95.651	80.00- 120.00	100.00
13.397	13.397 (1.463)	182	959165			64.84- 124.84	95.44
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.511	13.512 (1.476)	225	763508	100.000	99.618	80.00- 120.00	100.00
13.511	13.512 (1.476)	223	480549			32.80- 92.80	62.94
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.490)	128	237219	11.6000	10.817	80.00- 120.00	100.00
13.648	13.648 (1.490)	127	29486			0.00- 42.72	12.43
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.517)	180	982100	100.000	95.387	80.00- 120.00	100.00
13.891	13.891 (1.517)	182	938291			65.07- 125.07	95.54
13.891	13.891 (1.517)	145	338917			4.48- 64.48	34.51

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042313.d
Lab Smp Id: ICAL Level #8
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 100ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #8
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	105842	-0.32
108 1,4-Difluorobenze	390964	234578	547350	396522	1.42
153 Chlorobenzene-d5	392003	235202	548804	398422	1.64

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042313.d

Page 1

Date : 24-APR-2024 00:31

Client ID: ICAL Level #8


Instrument: msd3.i

Sample Info: 100ml 3018-4439

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3041808.d
Lab Smp Id: ICAL Level #9 Client Smp ID: ICAL Level #9
Inj Date : 18-APR-2024 12:16
Operator : mjs Inst ID: msd3.i
Smp Info : 200ml 3018-4328
Misc Info : 200ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 2 Calibration Sample, Level: 9
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT21spICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	120006	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	93128			47.79- 107.79	77.60
5.439	5.439 (1.000)	49	193408			131.33- 191.33	161.17
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	458183	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	72127			0.00- 45.65	15.74
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.157	9.157 (1.000)	117	467934	25.0000		80.00- 120.00	100.00
9.157	9.157 (1.000)	82	252927			22.92- 82.92	54.05
3 Freon 143a					CAS #: 420-46-2		
1.409	1.395 (0.259)	65	260245	200.000	160.76	80.00- 120.00	100.00
1.409	1.395 (0.259)	69	706811			237.43- 297.43	271.59
1.409	1.395 (0.259)	64	64311			0.00- 57.02	24.71
6 Propane					CAS #: 74-98-6		
1.437	1.423 (0.264)	43	225328	200.000	202.89	80.00- 120.00	100.00(A)

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
6 Propane (continued)							
1.437	1.437 (0.264)	39	150266			37.94- 97.94	66.69
1.437	1.423 (0.264)	41	119790			21.79- 81.79	53.16
13 Freon 142b					CAS #: 75-68-3		
1.619	1.604 (0.298)	65	1134995	200.000	192.46	80.00- 120.00	100.00
1.619	1.604 (0.298)	45	327199			0.00- 58.87	28.83
36 1-Pentene					CAS #: 109-67-1		
2.458	2.458 (0.452)	55	733847	200.000	200.44	80.00- 120.00	100.00(A)
2.458	2.458 (0.452)	42	1064716			114.47- 174.47	145.09
38 Ethyl Ether					CAS #: 60-29-7		
2.808	2.794 (0.516)	74	291432	200.000	192.47	80.00- 120.00	100.00
2.808	2.794 (0.516)	59	486012			138.79- 198.79	166.77
2.794	2.794 (0.514)	45	424006			114.58- 174.58	145.49
40 Freon 123a					CAS #: 354-23-4		
2.906	2.906 (0.534)	117	929788	200.000	194.87	80.00- 120.00	100.00
2.906	2.892 (0.534)	67	1210967			102.78- 162.78	130.24
41 Freon 123					CAS #: 306-83-2		
2.990	2.990 (0.550)	83	810128	200.000	183.32	80.00- 120.00	100.00
2.990	2.990 (0.550)	133	183216			0.00- 53.60	22.62
2.990	2.990 (0.550)	85	548129			36.72- 96.72	67.66
55 Cyclopentene					CAS #: 142-29-0		
3.598	3.591 (0.662)	67	1370577	200.000	203.72	80.00- 120.00	100.00(A)
3.598	3.591 (0.662)	68	518522			8.38- 68.38	37.83
3.598	3.591 (0.662)	53	334677			0.00- 54.97	24.42
56 Methyl Acetate					CAS #: 79-20-9		
3.627	3.619 (0.667)	43	1520707	200.000	203.42	80.00- 120.00	100.00(A)
3.627	3.619 (0.667)	74	239531			0.00- 45.84	15.75
74 Chloroprene					CAS #: 126-99-8		
4.608	4.608 (0.847)	53	1182655	200.000	202.28	80.00- 120.00	100.00(A)
4.608	4.608 (0.847)	88	527130			14.44- 74.44	44.57
4.608	4.608 (0.847)	50	310870			0.00- 56.76	26.29
75 1-Propanol					CAS #: 71-23-8		
4.715	4.715 (0.867)	59	159495	200.000	180.68	80.00- 120.00	100.00
4.715	4.715 (0.867)	42	155026			63.00- 123.00	97.20
4.723	4.715 (0.868)	41	95604			28.69- 88.69	59.94
88 Methyl Acrylate					CAS #: 96-33-3		
5.289	5.288 (0.972)	55	1482990	200.000	201.92	80.00- 120.00	100.00(A)

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
88 Methyl Acrylate (continued)							
5.289	5.288 (0.972)	85	193920			0.00- 43.17	13.08
5.289	5.288 (0.972)	58	124079			0.00- 38.59	8.37
103 Isobutanol					CAS #: 78-83-1		
5.998	5.990 (1.103)	39	183688	200.000	158.17	80.00- 120.00	100.00
5.998	5.990 (1.103)	43	817115			402.02- 462.02	444.84
5.998	5.990 (1.103)	41	574154			275.29- 335.29	312.57
113 Ethyl acrylate					CAS #: 140-88-5		
6.764	6.764 (0.739)	99	116107	200.000	182.12	80.00- 120.00	100.00
6.764	6.764 (0.739)	45	198660			144.38- 204.38	171.10
6.764	6.764 (0.739)	55	1988303			1723.57-1783.57	1712.47
115 2-Pentanone					CAS #: 107-87-9		
6.857	6.857 (0.749)	43	2482194	200.000	193.40	80.00- 120.00	100.00
6.857	6.857 (0.749)	58	177457			0.00- 37.02	7.15
6.857	6.857 (0.749)	86	336830			0.00- 43.48	13.57
145 Butyl Acetate					CAS #: 123-86-4		
8.576	8.576 (1.334)	56	1057450	200.000	187.81	80.00- 120.00	100.00
8.576	8.576 (1.334)	73	345843			2.83- 62.83	32.71
8.576	8.576 (1.334)	43	2829149			240.40- 300.40	267.54
166 2-Heptanone					CAS #: 110-43-0		
9.902	9.901 (1.820)	58	1609997	200.000	175.26	80.00- 120.00	100.00
9.902	9.901 (1.820)	43	2792761			146.16- 206.16	173.46
210 alpha-Pinene					CAS #: 80-56-8		
10.038	10.037 (1.096)	93	2425999	200.000	197.57	80.00- 120.00	100.00
10.038	10.037 (1.096)	77	698349			0.00- 59.07	28.79
214 beta-Pinene					CAS #: 127-91-3		
10.697	10.696 (1.168)	93	1859561	200.000	194.47	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	3220890			151.21- 211.21	173.21
186 4-Chlorotoluene					CAS #: 106-43-4		
10.725	10.725 (1.171)	126	981566	200.000	188.28	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	3220890			296.65- 356.65	328.14
10.725	10.725 (1.171)	63	397359			10.84- 70.84	40.48
172 D-Limonene					CAS #: 5989-27-5		
11.277	11.277 (1.232)	68	1454130	200.000	187.89	80.00- 120.00	100.00
11.277	11.277 (1.232)	93	1032179			41.19- 101.19	70.98
197 1,2,3-Trimethylbenzene					CAS #: 526-73-8		
11.463	11.463 (1.252)	120	1341440	200.000	187.58	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
197 1,2,3-Trimethylbenzene (continued)							
11.463	11.463 (1.252)	105	3091684			201.76- 261.76	230.48
11.463	11.463 (1.252)	77	355581			0.00- 57.12	26.51
205 Hexachloroethane					CAS #: 67-72-1		
12.015	12.014 (1.312)	201	896700	200.000	207.55	80.00- 120.00	100.00(A)
12.015	12.014 (1.312)	117	1289620			114.78- 174.78	143.82
208 1,3,5-Trichlorobenzene					CAS #: 108-70-3		
12.760	12.752 (1.393)	180	1932410	200.000	194.12	80.00- 120.00	100.00
12.760	12.752 (1.393)	182	1836171			64.68- 124.68	95.02

QC Flag Legend

A - Target compound detected but, quantitated amount exceeded maximum amount.

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3041808.d
Lab Smp Id: ICAL Level #9
Analysis Type: VOA
Quant Type: ISTD
Operator: mjs
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 200ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #9
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	120006	13.02
108 1,4-Difluorobenze	390964	234578	547350	458183	17.19
153 Chlorobenzene-d5	392003	235202	548804	467934	19.37

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3041808.d

Page 1

Date : 18-APR-2024 12:16

Client ID: ICAL Level #9


Instrument: msd3.i

Sample Info: 200ml 3018-4328

Operator: mjs

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042314.d
Lab Smp Id: ICAL Level #9 Client Smp ID: ICAL Level #9
Inj Date : 24-APR-2024 01:06
Operator : DF Inst ID: msd3.i
Smp Info : 200ml 3018-4439
Misc Info : 200ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 13 Calibration Sample, Level: 9
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23ICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
4 Freon 134a					CAS #: 811-97-2		
1.409	1.409 (0.259)	83	410084	200.000	160.41	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	385370			64.17- 124.17	93.97
1.492	1.493 (0.274)	51	1962393			365.46- 425.46	478.53
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	572032	200.000	197.47	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	373175			35.86- 95.86	65.24
1.437	1.437 (0.264)	39	404626			41.66- 101.66	70.73
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.479	1.465 (0.272)	65	316553	200.000	189.56	80.00- 120.00	100.00
1.492	1.493 (0.274)	51	1962393			568.10- 628.10	619.93
1.576	1.577 (0.290)	47	82323			0.00- 50.57	26.01
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.269)	85	1276509	200.000	194.89	80.00- 120.00	100.00
1.465	1.465 (0.269)	87	414137			2.88- 62.88	32.44
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.506	1.493 (0.277)	67	147604	200.000	180.09	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
9 Chlorodifluoromethane (continued)							
1.492	1.493 (0.274)	51	1962393			1257.55-1317.55	1329.50
10 Freon 114					CAS #: 76-14-2		
1.576	1.577 (0.290)	135	1162594	200.000	201.91	80.00- 120.00	100.00(A)
1.576	1.577 (0.290)	137	376760			2.10- 62.10	32.41
12 Isobutane					CAS #: 75-28-5		
1.590	1.591 (0.292)	43	1223113	200.000	199.69	80.00- 120.00	100.00
1.590	1.591 (0.292)	42	375366			1.69- 61.69	30.69
1.576	1.577 (0.290)	58	37940			0.00- 33.32	3.10
15 Chloromethane					CAS #: 74-87-3		
1.674	1.675 (0.308)	50	575232	200.000	182.15	80.00- 120.00	100.00
1.674	1.675 (0.308)	52	169123			1.38- 61.38	29.40
18 Butane					CAS #: 106-97-8		
1.716	1.731 (0.316)	58	107881	200.000	170.38	80.00- 120.00	100.00
1.716	1.731 (0.316)	43	983482			866.38- 926.38	911.64
19 Vinyl Chloride					CAS #: 75-01-4		
1.744	1.759 (0.321)	62	529490	200.000	173.29	80.00- 120.00	100.00
1.744	1.759 (0.321)	64	162361			3.10- 63.10	30.66
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	467384	200.000	162.83	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	538307			78.74- 138.74	115.17
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	494739	200.000	226.58	80.00- 120.00	100.00(A)
2.108	2.108 (0.388)	96	462041			64.19- 124.19	93.39
30 Chloroethane					CAS #: 75-00-3		
2.206	2.220 (0.406)	64	302289	200.000	206.30	80.00- 120.00	100.00(A)
2.206	2.220 (0.406)	66	90590			2.32- 62.32	29.97
2.206	2.220 (0.406)	49	105013			6.33- 66.33	34.74
31 Isopentane					CAS #: 78-78-4		
2.220	2.234 (0.408)	43	837900	200.000	200.38	80.00- 120.00	100.00(A)
2.220	2.234 (0.408)	57	515900			31.77- 91.77	61.57
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.416 (0.442)	106	538671	200.000	212.12	80.00- 120.00	100.00(A)
2.402	2.416 (0.442)	108	501592			64.21- 124.21	93.12
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.449)	101	1540465	200.000	204.15	80.00- 120.00	100.00(A)

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
33 Freon 11 (continued)							
2.444	2.444 (0.449)	103	1006228			34.93- 94.93	65.32
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.472 (0.452)	67	1214198	200.000	201.80	80.00- 120.00	100.00(A)
2.458	2.472 (0.452)	69	384330			1.95- 61.95	31.65
35 Pentane					CAS #: 109-66-0		
2.500	2.514 (0.460)	43	1301593	200.000	204.58	80.00- 120.00	100.00(A)
2.500	2.514 (0.460)	57	185621			0.00- 44.64	14.26
2.500	2.514 (0.460)	72	106619			0.00- 37.90	8.19
39 Ethanol					CAS #: 64-17-5		
2.780	2.752 (0.511)	46	121197	246.400	202.45	80.00- 120.00	100.00(A)
2.780	2.752 (0.511)	45	317519			224.40- 284.40	261.99
42 Acrolein					CAS #: 107-02-8		
3.068	3.061 (0.564)	55	247283	233.000	191.92	80.00- 120.00	100.00
3.068	3.061 (0.564)	56	352334			108.02- 168.02	142.48
43 Freon 113					CAS #: 76-13-1		
3.053	3.061 (0.561)	151	1232782	200.000	184.86	80.00- 120.00	100.00
3.053	3.061 (0.561)	153	785359			35.07- 95.07	63.71
3.053	3.061 (0.561)	101	1424886			87.45- 147.45	115.58
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.089	3.097 (0.568)	96	651515	200.000	229.61	80.00- 120.00	100.00(A)
3.089	3.097 (0.568)	98	403777			33.27- 93.27	61.98
3.089	3.097 (0.568)	61	1213559			159.05- 219.05	186.27
47 Acetone					CAS #: 67-64-1		
3.261	3.247 (0.600)	58	311901	200.000	193.17	80.00- 120.00	100.00
3.254	3.247 (0.598)	43	1132404			329.45- 389.45	363.07
48 Carbon Disulfide					CAS #: 75-15-0		
3.326	3.333 (0.611)	76	1502714	200.000	194.22	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.447	3.426 (0.634)	45	1362696	200.000	203.00	80.00- 120.00	100.00(A)
3.447	3.426 (0.634)	43	245979			0.00- 48.18	18.05
54 3-Chloropropene					CAS #: 107-05-1		
3.583	3.584 (0.659)	76	261523	200.000	200.64	80.00- 120.00	100.00(A)
3.583	3.584 (0.659)	41	985150			366.80- 426.80	376.70
57 Acetonitrile					CAS #: 75-05-8		
3.691	3.684 (0.679)	41	703344	235.200	237.39	80.00- 120.00	100.00(A)

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
57 Acetonitrile (continued)							
3.691	3.684 (0.679)	40	361433			22.74- 82.74	51.39
3.691	3.684 (0.679)	38	84172			0.00- 42.52	11.97
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.784 (0.694)	49	869976	200.000	196.16	80.00- 120.00	100.00
3.777	3.784 (0.694)	84	481094			24.90- 84.90	55.30
3.777	3.784 (0.694)	51	262111			0.00- 59.67	30.13
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.927	3.913 (0.722)	59	1604202	230.400	234.25	80.00- 120.00	100.00(A)
3.920	3.913 (0.721)	41	353540			0.00- 51.85	22.04
3.927	3.913 (0.722)	57	165542			0.00- 40.17	10.32
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.737)	73	1550587	200.000	191.52	80.00- 120.00	100.00
4.006	4.006 (0.737)	57	452421			0.00- 58.72	29.18
4.006	4.006 (0.737)	41	454741			0.00- 59.38	29.33
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.741)	98	380192	200.000	199.52	80.00- 120.00	100.00
4.028	4.028 (0.741)	61	1003569			232.13- 292.13	263.96
4.028	4.028 (0.741)	96	595937			127.26- 187.26	156.75
66 Acrylonitrile					CAS #: 107-13-1		
4.149	4.142 (0.763)	52	481156	200.000	195.25	80.00- 120.00	100.00
4.149	4.142 (0.763)	53	597806			86.45- 146.45	124.24
67 Hexane					CAS #: 110-54-3		
4.250	4.257 (0.781)	57	1088847	200.000	183.39	80.00- 120.00	100.00
4.250	4.257 (0.781)	43	771046			40.97- 100.97	70.81
4.257	4.257 (0.783)	86	136306			0.00- 42.68	12.52
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.838)	63	1128866	200.000	205.00	80.00- 120.00	100.00(A)
4.558	4.558 (0.838)	65	348102			0.47- 60.47	30.84
72 Isopropyl ether					CAS #: 108-20-3		
4.551	4.558 (0.837)	45	2530646	200.000	191.65	80.00- 120.00	100.00
4.551	4.558 (0.837)	87	498237			0.00- 49.55	19.69
4.551	4.558 (0.837)	59	258472			0.00- 40.42	10.21
73 Vinyl Acetate					CAS #: 108-05-4		
4.608	4.608 (0.847)	86	99221	200.000	204.63	80.00- 120.00	100.00(A)
4.608	4.608 (0.847)	43	1618671			1727.95-1787.95	1631.38

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
79 Ethyl-tert-butyl ether						CAS #: 637-92-3	
4.937	4.945 (0.908)	59	2214700	200.000	194.50	80.00- 120.00	100.00
4.937	4.945 (0.908)	87	749366			3.90- 63.90	33.84
4.937	4.945 (0.908)	41	433972			0.00- 49.72	19.60
84 2,2-Dichloropropane						CAS #: 594-20-7	
5.138	5.145 (0.945)	77	1056020	200.000	194.27	80.00- 120.00	100.00
5.145	5.145 (0.946)	79	339244			2.39- 62.39	32.12
5.145	5.145 (0.946)	97	247687			0.00- 53.57	23.45
85 cis-1,2-Dichloroethene						CAS #: 156-59-2	
5.188	5.188 (0.954)	98	402619	200.000	204.04	80.00- 120.00	100.00(A)
5.188	5.188 (0.954)	96	619017			125.53- 185.53	153.75
5.188	5.188 (0.954)	61	995983			219.86- 279.86	247.38
86 2-Butanone						CAS #: 78-93-3	
5.224	5.217 (0.960)	72	292653	200.000	205.85	80.00- 120.00	100.00(A)
5.238	5.217 (0.963)	43	3428922			1138.34-1198.34	1171.67
5.217	5.217 (0.959)	57	119189			10.83- 70.83	40.73
87 Ethyl Acetate						CAS #: 141-78-6	
5.245	5.245 (0.964)	45	273075	200.000	192.06	80.00- 120.00	100.00
5.188	5.188 (0.954)	61	995983			338.96- 398.96	364.73
5.245	5.245 (0.964)	70	147385			24.53- 84.53	53.97
89 Tetrahydrofuran						CAS #: 109-99-9	
5.432	5.425 (0.999)	42	804158	200.000	185.00	80.00- 120.00	100.00
5.432	5.425 (0.999)	71	227549			0.00- 58.54	28.30
5.432	5.425 (0.999)	72	240332			0.00- 59.59	29.89
* 90 Bromochloromethane						CAS #: 74-97-5	
5.439	5.439 (1.000)	130	110600	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	86924			47.79- 107.79	78.59
5.439	5.439 (1.000)	49	176948			131.33- 191.33	159.99
92 Chloroform						CAS #: 67-66-3	
5.510	5.518 (1.013)	83	1217588	200.000	205.92	80.00- 120.00	100.00(A)
5.510	5.518 (1.013)	85	795214			35.77- 95.77	65.31
94 Cyclohexane						CAS #: 110-82-7	
5.611	5.611 (1.032)	84	759463	200.000	191.99	80.00- 120.00	100.00
5.611	5.611 (1.032)	56	1169477			125.79- 185.79	153.99
5.611	5.611 (1.032)	41	679265			61.55- 121.55	89.44
96 1,1,1-Trichloroethane						CAS #: 71-55-6	
5.632	5.639 (1.036)	97	1257346	200.000	194.97	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
96 1,1,1-Trichloroethane (continued)							
5.632	5.639 (1.036)	99	803746			32.84- 92.84	63.92
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.059)	119	1368824	200.000	200.21	80.00- 120.00	100.00(A)
5.761	5.761 (1.059)	117	1428526			75.19- 135.19	104.36
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.804	5.804 (0.903)	110	349336	200.000	205.88	80.00- 120.00	100.00(A)
5.797	5.804 (0.902)	75	909794			234.16- 294.16	260.44
102 Benzene					CAS #: 71-43-2		
5.997	5.998 (0.933)	78	1691616	200.000	199.45	80.00- 120.00	100.00
5.997	5.998 (0.933)	77	401396			0.00- 53.69	23.73
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.983	5.998 (1.100)	57	3684783	200.000	198.63	80.00- 120.00	100.00
5.983	5.998 (1.100)	56	1186264			3.09- 63.09	32.19
5.983	5.998 (1.100)	41	1019972			0.00- 57.28	27.68
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.108)	65	155226	25.0000	26.946	80.00- 120.00	100.00
6.026	6.026 (1.108)	67	79858			23.17- 83.17	51.45
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.091	6.091 (0.948)	87	452633	200.000	198.59	80.00- 120.00	100.00
6.091	6.091 (0.948)	73	1790511			365.76- 425.76	395.58
6.091	6.091 (0.948)	55	545645			92.58- 152.58	120.55
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	904476	200.000	204.44	80.00- 120.00	100.00(A)
6.105	6.105 (0.950)	64	285349			1.80- 61.80	31.55
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	622835	200.000	185.39	80.00- 120.00	100.00
6.184	6.184 (0.962)	43	1497699			207.73- 267.73	240.46
6.184	6.184 (0.962)	57	719582			84.83- 144.83	115.53
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	421244	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	64317			0.00- 45.65	15.27
110 n-Butanol					CAS #: 71-36-3		
6.635	6.628 (1.032)	56	384703	200.000	199.50	80.00- 120.00	100.00
6.635	6.628 (1.032)	41	289063			47.73- 107.73	75.14
6.635	6.628 (1.032)	43	231842			31.60- 91.60	60.27

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.635 (1.031)	95	827420	200.000	202.34	80.00- 120.00	100.00(A)
6.635	6.635 (1.032)	130	906648			80.23- 140.23	109.58
6.628	6.635 (1.031)	97	531936			34.78- 94.78	64.29
127 Methylcyclohexane					CAS #: 108-87-2		
6.735	6.735 (1.048)	83	1087624	200.000	187.24	80.00- 120.00	100.00
6.735	6.735 (1.048)	98	489096			14.83- 74.83	44.97
6.735	6.735 (1.048)	55	1111233			71.50- 131.50	102.17
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	758683	200.000	190.10	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	544138			40.39- 100.39	71.72
6.886	6.893 (1.071)	41	466611			31.86- 91.86	61.50
116 Methyl Methacrylate					CAS #: 80-62-6		
6.979	6.979 (0.762)	69	661206	200.000	188.99	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	1145845			145.81- 205.81	173.30
6.979	6.979 (0.762)	100	265624			10.05- 70.05	40.17
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.088)	88	432494	200.000	202.71	80.00- 120.00	100.00(A)
6.993	6.993 (1.088)	58	369163			56.33- 116.33	85.36
6.993	6.993 (1.088)	57	132525			2.08- 62.08	30.64
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.008 (0.765)	174	823798	200.000	203.27	80.00- 120.00	100.00(A)
7.007	7.008 (0.765)	93	755755			62.68- 122.68	91.74
7.007	7.008 (0.765)	95	627471			47.70- 107.70	76.17
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	1342387	200.000	202.79	80.00- 120.00	100.00(A)
7.151	7.151 (1.113)	85	862599			34.96- 94.96	64.26
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.459	7.459 (1.160)	63	1417371	200.000	201.29	80.00- 120.00	100.00(A)
7.459	7.459 (1.160)	65	433726			0.43- 60.43	30.60
7.459	7.459 (1.160)	144	152560			0.00- 40.48	10.76
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.574 (1.178)	75	1155256	200.000	204.63	80.00- 120.00	100.00(A)
7.573	7.574 (1.178)	77	367433			1.26- 61.26	31.81
7.573	7.574 (1.178)	39	735758			35.06- 95.06	63.69
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.709	7.710 (1.199)	58	693561	200.000	178.60	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
131 4-Methyl-2-pentanone (continued)							
7.709	7.710 (1.199)	43	2018305			259.88- 319.88	291.01
7.709	7.710 (1.199)	85	259221			7.58- 67.58	37.38
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	408561	25.0000	24.949	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	44902			0.00- 41.42	10.99
7.767	7.767 (1.208)	100	277631			37.54- 97.54	67.95
137 Toluene					CAS #: 108-88-3		
7.831	7.831 (1.218)	91	2252473	200.000	191.85	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	1316629			27.89- 87.89	58.45
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	767219	200.000	179.36	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	712466			63.53- 123.53	92.86
7.860	7.860 (1.223)	43	2093560			246.00- 306.00	272.88
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	950900	200.000	200.35	80.00- 120.00	100.00(A)
8.118	8.118 (0.887)	77	304969			1.83- 61.83	32.07
8.118	8.118 (0.887)	39	579697			31.97- 91.97	60.96
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.290	8.290 (0.905)	97	762947	200.000	189.84	80.00- 120.00	100.00
8.290	8.290 (0.905)	99	473869			32.52- 92.52	62.11
8.290	8.290 (0.905)	83	668871			58.90- 118.90	87.67
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	1193313	200.000	197.75	80.00- 120.00	100.00
8.318	8.318 (0.908)	129	907251			45.32- 105.32	76.03
8.318	8.318 (0.908)	131	885260			44.17- 104.17	74.19
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	1059573	200.000	192.50	80.00- 120.00	100.00
8.447	8.447 (1.314)	41	940665			59.72- 119.72	88.78
8.447	8.447 (1.314)	78	342806			3.08- 63.08	32.35
143 2-Hexanone					CAS #: 591-78-6		
8.490	8.490 (0.927)	58	973677	200.000	193.12	80.00- 120.00	100.00
8.490	8.490 (0.927)	43	2036651			177.32- 237.32	209.17
8.497	8.490 (0.928)	100	171419			0.00- 47.18	17.61
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	1630261	200.000	205.25	80.00- 120.00	100.00(A)
8.626	8.626 (0.942)	127	1267909			47.27- 107.27	77.77

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.748	8.741 (0.955)	107	1279201	200.000	194.21	80.00- 120.00	100.00
8.748	8.741 (0.955)	109	1207964			64.18- 124.18	94.43
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	429525	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	226464			22.92- 82.92	52.72
154 Chlorobenzene					CAS #: 108-90-7		
9.185	9.185 (1.003)	112	1873551	200.000	188.26	80.00- 120.00	100.00
9.185	9.185 (1.003)	114	605172			1.91- 61.91	32.30
9.178	9.185 (1.002)	77	992370			22.97- 82.97	52.97
155 Ethyl Benzene					CAS #: 100-41-4		
9.257	9.250 (1.011)	106	943770	200.000	188.54	80.00- 120.00	100.00
9.249	9.250 (1.010)	91	2925092			281.09- 341.09	309.94
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.271	9.271 (1.013)	131	1129091	200.000	199.15	80.00- 120.00	100.00
9.271	9.271 (1.013)	117	759840			37.10- 97.10	67.30
9.271	9.271 (1.013)	95	393103			4.93- 64.93	34.82
156 Nonane					CAS #: 111-84-2		
9.314	9.314 (1.017)	43	2183354	200.000	187.80	80.00- 120.00	100.00
9.314	9.314 (1.017)	57	1775351			50.62- 110.62	81.31
9.314	9.314 (1.017)	85	555366			0.00- 55.65	25.44
158 m,p-Xylene					CAS #: 108-38-3		
9.371	9.364 (1.023)	106	1218383	200.000	195.28	80.00- 120.00	100.00
9.371	9.364 (1.023)	91	2425009			170.33- 230.33	199.04
164 o-Xylene					CAS #: 95-47-6		
9.751	9.751 (1.065)	106	1110220	200.000	187.65	80.00- 120.00	100.00
9.751	9.751 (1.065)	91	2318220			181.23- 241.23	208.81
165 Styrene					CAS #: 100-42-5		
9.780	9.780 (1.068)	104	1908989	200.000	188.93	80.00- 120.00	100.00
9.780	9.780 (1.068)	78	918924			17.26- 77.26	48.14
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.091)	173	1641262	200.000	204.47	80.00- 120.00	100.00(A)
9.987	9.987 (1.091)	171	852142			21.45- 81.45	51.92
168 Cumene					CAS #: 98-82-8		
10.095	10.095 (1.102)	105	3405406	200.000	190.40	80.00- 120.00	100.00
10.095	10.095 (1.102)	120	923765			0.00- 56.93	27.13

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
168 Cumene (continued)							
10.095	10.095 (1.102)	51	412658			0.00- 42.24	12.12
169 Cyclohexanone					CAS #: 108-94-1		
10.267	10.260 (1.121)	55	1225485	200.000	173.19	80.00- 120.00	100.00
10.267	10.260 (1.121)	98	434200			5.15- 65.15	35.43
10.259	10.260 (1.120)	42	870161			41.99- 101.99	71.01
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	326907	25.0000	25.610	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	385916			88.49- 148.49	118.05
10.295	10.295 (1.124)	176	314790			66.73- 126.73	96.29
177 Bromobenzene					CAS #: 108-86-1		
10.431	10.432 (1.139)	156	1189847	200.000	190.95	80.00- 120.00	100.00
10.431	10.432 (1.139)	158	1156108			67.47- 127.47	97.16
10.431	10.432 (1.139)	77	1637640			108.68- 168.68	137.63
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.474	10.475 (1.144)	83	1750995	200.000	188.76	80.00- 120.00	100.00
10.474	10.475 (1.144)	85	1133485			34.97- 94.97	64.73
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.146)	120	1015276	200.000	191.98	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	4182455			383.60- 443.60	411.95
10.496	10.496 (1.146)	105	158103			0.00- 46.14	15.57
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.524	10.525 (1.149)	110	523959	200.000	186.10	80.00- 120.00	100.00
10.524	10.525 (1.149)	75	1889460			324.28- 384.28	360.61
10.524	10.518 (1.149)	61	457068			57.24- 117.24	87.23
182 Decane					CAS #: 124-18-5		
10.610	10.611 (1.159)	57	2257489	200.000	164.93	80.00- 120.00	100.00
10.610	10.611 (1.159)	71	721289			1.11- 61.11	31.95
10.610	10.611 (1.159)	142	100740			0.00- 34.44	4.46
183 4-Ethyltoluene					CAS #: 622-96-8		
10.610	10.611 (1.159)	120	1082851	200.000	187.85	80.00- 120.00	100.00
10.610	10.611 (1.159)	105	3581183			298.94- 358.94	330.72
184 2-Chlorotoluene					CAS #: 95-49-8		
10.610	10.611 (1.159)	126	916658	200.000	187.95	80.00- 120.00	100.00
10.610	10.611 (1.159)	91	2885973			282.78- 342.78	314.84
10.610	10.603 (1.159)	65	429813			17.33- 77.33	46.89

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	1516834	200.000	195.12	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	3071263			172.08- 232.08	202.48
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	1557047	200.000	189.08	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	873206			25.64- 85.64	56.08
189 tert-Butylbenzene					CAS #: 98-06-6		
10.983	10.983 (1.199)	119	2818355	200.000	190.70	80.00- 120.00	100.00
10.983	10.983 (1.199)	134	710984			0.00- 55.10	25.23
10.983	10.976 (1.199)	91	1831070			34.53- 94.53	64.97
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.047	11.040 (1.207)	105	2997479	200.000	188.59	80.00- 120.00	100.00
11.047	11.040 (1.207)	120	1399751			16.63- 76.63	46.70
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	926105	200.000	191.43	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	4263896			436.99- 496.99	460.41
11.198	11.198 (1.223)	91	664178			41.69- 101.69	71.72
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	3753209	200.000	189.71	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	1033850			0.00- 57.62	27.55
11.341	11.341 (1.239)	91	866218			0.00- 53.03	23.08
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	2197354	200.000	186.57	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	1392077			34.18- 94.18	63.35
11.348	11.348 (1.239)	111	886962			10.06- 70.06	40.37
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.449	11.449 (1.250)	146	2277989	200.000	190.94	80.00- 120.00	100.00
11.449	11.449 (1.250)	148	1451384			33.55- 93.55	63.71
11.449	11.449 (1.250)	111	880508			7.98- 67.98	38.65
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	2949028	200.000	195.20	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	685991			0.00- 52.77	23.26
202 Butylbenzene					CAS #: 104-51-8		
11.749	11.750 (1.283)	134	1015482	200.000	186.24	80.00- 120.00	100.00
11.749	11.742 (1.283)	91	3451801			310.82- 370.82	339.92
11.749	11.742 (1.283)	92	1836149			151.53- 211.53	180.82

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	2690035	200.000	165.29	80.00- 120.00	100.00
11.785	11.785 (1.287)	43	2434104			63.59- 123.59	90.49
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	2165447	200.000	189.45	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	1378276			33.00- 93.00	63.65
11.821	11.821 (1.291)	111	893293			10.87- 70.87	41.25
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.378)	157	1281198	200.000	189.51	80.00- 120.00	100.00
12.616	12.616 (1.378)	75	986158			48.09- 108.09	76.97
12.616	12.616 (1.378)	155	997199			47.89- 107.89	77.83
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.404)	57	3034771	200.000	185.12	80.00- 120.00	100.00
12.860	12.860 (1.404)	43	2628320			58.52- 118.52	86.61
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.463)	180	2100057	200.000	185.40	80.00- 120.00	100.00
13.397	13.397 (1.463)	182	2001703			64.84- 124.84	95.32
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.511	13.512 (1.476)	225	1585826	200.000	191.92	80.00- 120.00	100.00
13.511	13.512 (1.476)	223	1007250			32.80- 92.80	63.52
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.490)	128	496040	23.2000	20.981	80.00- 120.00	100.00
13.648	13.648 (1.490)	127	64018			0.00- 42.72	12.91
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.898	13.891 (1.518)	180	2063122	200.000	185.87	80.00- 120.00	100.00
13.898	13.891 (1.518)	182	1965614			65.07- 125.07	95.27
13.891	13.891 (1.517)	145	715192			4.48- 64.48	34.67

QC Flag Legend

A - Target compound detected but, quantitated amount exceeded maximum amount.

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042314.d
Lab Smp Id: ICAL Level #9
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 200ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #9
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	110600	4.16
108 1,4-Difluorobenze	390964	234578	547350	421244	7.74
153 Chlorobenzene-d5	392003	235202	548804	429525	9.57

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042314.d

Page 1

Date : 24-APR-2024 01:06

Client ID: ICAL Level #9


Instrument: msd3.i

Sample Info: 200ml 3018-4439

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/24APR24.b/3042404.d
Lab Smp Id: ICV Client Smp ID: ICV
Inj Date : 24-APR-2024 12:00
Operator : jrf Inst ID: msd3.i
Smp Info : 50mL 3018-4441
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/24APR24.b/324q0423a.m
Meth Date : 25-Apr-2024 08:47 z8dr Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 14 QC Sample: ICV
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	99038	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	77862			47.79- 107.79	78.62
5.439	5.439 (1.000)	49	163970			131.33- 191.33	165.56
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	376074	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	57604			0.00- 45.65	15.32
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.156 (1.000)	117	364730	25.0000		80.00- 120.00	100.00
9.156	9.156 (1.000)	82	194368			22.92- 82.92	53.29
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.108)	65	131864	25.5625	25.562	80.00- 120.00	100.00
6.026	6.026 (1.108)	67	71926			23.17- 83.17	54.55
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	360913	24.6865	24.686	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	39301			0.00- 41.42	10.89

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.767	7.767 (1.208)	100	243706			37.54- 97.54	67.52
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	267193	24.6507	24.651	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	319453			88.49- 148.49	119.56
10.295	10.295 (1.124)	176	259024			66.73- 126.73	96.94
4 Freon 134a					CAS #: 811-97-2		
1.409	1.409 (0.259)	83	110401	48.2269	48.227	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	106007			64.17- 124.17	96.02
1.493	1.493 (0.274)	51	440873			365.46- 425.46	399.34
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	122092	47.0677	47.068	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	81432			35.86- 95.86	66.70
1.437	1.437 (0.264)	39	88344			41.66- 101.66	72.36
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.465 (0.269)	65	74074	49.5373	49.537	80.00- 120.00	100.00
1.493	1.493 (0.274)	51	440873			568.10- 628.10	595.18
1.576	1.577 (0.290)	47	16099			0.00- 50.57	21.73
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.269)	85	281817	48.0489	48.049	80.00- 120.00	100.00
1.465	1.465 (0.269)	87	91392			2.88- 62.88	32.43
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.493 (0.274)	67	33736	45.9655	45.965	80.00- 120.00	100.00
1.493	1.493 (0.274)	51	440873			1257.55-1317.55	1306.83
10 Freon 114					CAS #: 76-14-2		
1.576	1.577 (0.290)	135	245083	47.5337	47.534	80.00- 120.00	100.00
1.576	1.577 (0.290)	137	79041			2.10- 62.10	32.25
12 Isobutane					CAS #: 75-28-5		
1.590	1.591 (0.292)	43	262061	47.7790	47.779	80.00- 120.00	100.00
1.590	1.591 (0.292)	42	83864			1.69- 61.69	32.00
1.576	1.577 (0.290)	58	8383			0.00- 33.32	3.20
15 Chloromethane					CAS #: 74-87-3		
1.674	1.674 (0.308)	50	141151	49.9143	49.914	80.00- 120.00	100.00
1.674	1.674 (0.308)	52	44313			1.38- 61.38	31.39
18 Butane					CAS #: 106-97-8		
1.716	1.716 (0.316)	58	26801	47.2701	47.270	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
18 Butane (continued)							
1.716	1.716 (0.316)	43	236008			866.38- 926.38	880.59
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.758 (0.323)	62	131824	48.1788	48.179	80.00- 120.00	100.00
1.758	1.758 (0.323)	64	42933			3.10- 63.10	32.57
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.772 (0.326)	54	115386	44.8910	44.891	80.00- 120.00	100.00
1.772	1.772 (0.326)	39	124709			78.74- 138.74	108.08
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	91182	46.6357	46.636	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	86143			64.19- 124.19	94.47
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.408)	64	64257	48.9714	48.971	80.00- 120.00	100.00
2.220	2.220 (0.408)	66	20597			2.32- 62.32	32.05
2.220	2.220 (0.408)	49	22709			6.33- 66.33	35.34
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	183972	49.1329	49.133	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	116761			31.77- 91.77	63.47
32 Vinyl Bromide					CAS #: 593-60-2		
2.416	2.416 (0.444)	106	112885	49.6413	49.641	80.00- 120.00	100.00
2.416	2.416 (0.444)	108	104506			64.21- 124.21	92.58
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.449)	101	324578	48.0362	48.036	80.00- 120.00	100.00
2.444	2.444 (0.449)	103	211890			34.93- 94.93	65.28
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.472 (0.452)	67	255022	47.3324	47.332	80.00- 120.00	100.00
2.472	2.472 (0.455)	69	81207			1.95- 61.95	31.84
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.462)	43	274602	48.1991	48.199	80.00- 120.00	100.00
2.514	2.514 (0.462)	57	40525			0.00- 44.64	14.76
2.514	2.514 (0.462)	72	21941			0.00- 37.90	7.99
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.506)	46	24035	47.7169	47.717	80.00- 120.00	100.00
2.752	2.752 (0.506)	45	62090			224.40- 284.40	258.33
42 Acrolein					CAS #: 107-02-8		
3.053	3.054 (0.561)	55	57232	49.6042	49.604	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
42 Acrolein (continued)							
3.061	3.061 (0.563)	56	76372			108.02- 168.02	133.44
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	275792	46.1849	46.185	80.00- 120.00	100.00
3.061	3.068 (0.563)	153	180621			35.07- 95.07	65.49
3.061	3.061 (0.563)	101	316874			87.45- 147.45	114.90
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.096	3.096 (0.569)	96	112117	44.1263	44.126	80.00- 120.00	100.00
3.096	3.096 (0.569)	98	71956			33.27- 93.27	64.18
3.096	3.096 (0.569)	61	212710			159.05- 219.05	189.72
47 Acetone					CAS #: 67-64-1		
3.247	3.247 (0.597)	58	67916	46.9737	46.974	80.00- 120.00	100.00
3.247	3.247 (0.597)	43	241612			329.45- 389.45	355.75
48 Carbon Disulfide					CAS #: 75-15-0		
3.333	3.333 (0.613)	76	323188	46.6483	46.648	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.630)	45	297215	58.2790	58.279	80.00- 120.00	100.00
3.426	3.426 (0.630)	43	53192			0.00- 48.18	17.90
54 3-Chloropropene					CAS #: 107-05-1		
3.584	3.584 (0.659)	76	53744	46.0451	46.045	80.00- 120.00	100.00
3.584	3.584 (0.659)	41	209522			366.80- 426.80	389.85
57 Acetonitrile					CAS #: 75-05-8		
3.684	3.684 (0.677)	41	124124	46.7849	46.785	80.00- 120.00	100.00
3.684	3.684 (0.677)	40	67744			22.74- 82.74	54.58
3.684	3.684 (0.677)	38	14545			0.00- 42.52	11.72
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.784 (0.694)	49	183738	46.2665	46.266	80.00- 120.00	100.00
3.784	3.784 (0.696)	84	102136			24.90- 84.90	55.59
3.784	3.784 (0.696)	51	56156			0.00- 59.67	30.56
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.913	3.913 (0.719)	59	318673	51.9653	51.965	80.00- 120.00	100.00
3.913	3.913 (0.719)	41	70083			0.00- 51.85	21.99
3.913	3.913 (0.719)	57	34694			0.00- 40.17	10.89
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.737)	73	356738	49.2066	49.207	80.00- 120.00	100.00
4.006	4.006 (0.737)	57	101700			0.00- 58.72	28.51

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
63 Methyl tert-butyl ether (continued)							
4.006	4.006 (0.737)	41	104021			0.00- 59.38	29.16
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.741)	98	77965	45.6912	45.691	80.00- 120.00	100.00
4.028	4.028 (0.741)	61	205899			232.13- 292.13	264.09
4.028	4.028 (0.741)	96	122524			127.26- 187.26	157.15
66 Acrylonitrile					CAS #: 107-13-1		
4.142	4.142 (0.762)	52	101466	45.9814	45.981	80.00- 120.00	100.00
4.142	4.142 (0.762)	53	118398			86.45- 146.45	116.69
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.783)	57	239531	45.0522	45.052	80.00- 120.00	100.00
4.257	4.257 (0.783)	43	169397			40.97- 100.97	70.72
4.264	4.264 (0.784)	86	29850			0.00- 42.68	12.46
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.838)	63	235775	47.8151	47.815	80.00- 120.00	100.00
4.558	4.558 (0.838)	65	72628			0.47- 60.47	30.80
72 Isopropyl ether					CAS #: 108-20-3		
4.558	4.558 (0.838)	45	598348	50.6050	50.605	80.00- 120.00	100.00
4.558	4.558 (0.838)	87	117336			0.00- 49.55	19.61
4.551	4.551 (0.837)	59	61208			0.00- 40.42	10.23
73 Vinyl Acetate					CAS #: 108-05-4		
4.608	4.608 (0.847)	86	32122	76.9705	76.970	80.00- 120.00	100.00(R)
4.608	4.608 (0.847)	43	520795			1727.95-1787.95	1621.30
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.944	4.945 (0.909)	59	514746	50.4826	50.482	80.00- 120.00	100.00
4.944	4.945 (0.909)	87	174807			3.90- 63.90	33.96
4.937	4.937 (0.908)	41	100366			0.00- 49.72	19.50
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.145	5.145 (0.946)	77	228270	46.8952	46.895	80.00- 120.00	100.00
5.145	5.145 (0.946)	79	73480			2.39- 62.39	32.19
5.145	5.145 (0.946)	97	54964			0.00- 53.57	24.08
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.188	5.188 (0.954)	98	83429	47.2165	47.216	80.00- 120.00	100.00
5.188	5.188 (0.954)	96	128416			125.53- 185.53	153.92
5.188	5.188 (0.954)	61	207989			219.86- 279.86	249.30
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.959)	72	61493	48.3043	48.304	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.238	5.238 (0.963)	43	723157			1138.34-1198.34	1176.00
5.217	5.217 (0.959)	57	25516			10.83- 70.83	41.49
87 Ethyl Acetate					CAS #: 141-78-6		
5.245	5.245 (0.964)	45	59985	47.1145	47.114	80.00- 120.00	100.00
5.188	5.188 (0.954)	61	207989			338.96- 398.96	346.74
5.245	5.245 (0.964)	70	32788			24.53- 84.53	54.66
89 Tetrahydrofuran					CAS #: 109-99-9		
5.432	5.432 (0.999)	42	180157	46.2854	46.285	80.00- 120.00	100.00
5.432	5.432 (0.999)	71	49389			0.00- 58.54	27.41
5.432	5.432 (0.999)	72	51590			0.00- 59.59	28.64
92 Chloroform					CAS #: 67-66-3		
5.510	5.518 (1.013)	83	249441	47.1097	47.110	80.00- 120.00	100.00
5.510	5.518 (1.013)	85	160385			35.77- 95.77	64.30
94 Cyclohexane					CAS #: 110-82-7		
5.611	5.611 (1.032)	84	172177	48.6070	48.607	80.00- 120.00	100.00
5.611	5.611 (1.032)	56	265557			125.79- 185.79	154.23
5.611	5.611 (1.032)	41	155796			61.55- 121.55	90.49
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.639	5.639 (1.037)	97	281508	48.7470	48.747	80.00- 120.00	100.00
5.639	5.639 (1.037)	99	178065			32.84- 92.84	63.25
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.059)	119	300713	49.1181	49.118	80.00- 120.00	100.00
5.761	5.761 (1.059)	117	314926			75.19- 135.19	104.73
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.804	5.804 (0.903)	110	70771	46.7175	46.718	80.00- 120.00	100.00
5.804	5.804 (0.903)	75	185140			234.16- 294.16	261.60
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.997	5.998 (1.103)	57	830193	49.9765	49.976	80.00- 120.00	100.00
5.997	5.990 (1.103)	56	277365			3.09- 63.09	33.41
5.997	5.990 (1.103)	41	225916			0.00- 57.28	27.21
102 Benzene					CAS #: 71-43-2		
5.997	5.998 (0.933)	78	362504	47.8756	47.876	80.00- 120.00	100.00
5.997	5.998 (0.933)	77	86494			0.00- 53.69	23.86
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.091	6.091 (0.948)	87	101155	49.7121	49.712	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
105 tert-Amyl methyl ether (continued)							
6.091	6.091 (0.948)	73	399924			365.76- 425.76	395.36
6.091	6.091 (0.948)	55	123977			92.58- 152.58	122.56
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	189844	48.0649	48.065	80.00- 120.00	100.00
6.105	6.105 (0.950)	64	60444			1.80- 61.80	31.84
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	139283	46.4370	46.437	80.00- 120.00	100.00
6.184	6.184 (0.962)	43	334940			207.73- 267.73	240.47
6.184	6.184 (0.962)	57	160716			84.83- 144.83	115.39
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.031)	56	143484	83.3461	83.346	80.00- 120.00	100.00(R)
6.628	6.628 (1.031)	41	107673			47.73- 107.73	75.04
6.628	6.628 (1.031)	43	85592			31.60- 91.60	59.65
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	171664	47.0210	47.021	80.00- 120.00	100.00
6.635	6.635 (1.032)	130	190232			80.23- 140.23	110.82
6.635	6.635 (1.032)	97	110913			34.78- 94.78	64.61
127 Methylcyclohexane					CAS #: 108-87-2		
6.735	6.735 (1.048)	83	236805	45.6633	45.663	80.00- 120.00	100.00
6.735	6.735 (1.048)	98	106532			14.83- 74.83	44.99
6.735	6.735 (1.048)	55	243405			71.50- 131.50	102.79
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	160756	45.1186	45.118	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	114903			40.39- 100.39	71.48
6.886	6.893 (1.071)	41	100166			31.86- 91.86	62.31
116 Methyl Methacrylate					CAS #: 80-62-6		
6.979	6.979 (0.762)	69	143437	48.2814	48.281	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	249521			145.81- 205.81	173.96
6.979	6.979 (0.762)	100	57087			10.05- 70.05	39.80
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.088)	88	93851	49.2725	49.272	80.00- 120.00	100.00
6.993	6.993 (1.088)	58	80946			56.33- 116.33	86.25
6.993	6.993 (1.088)	57	29551			2.08- 62.08	31.49
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.008 (0.765)	174	170136	49.4380	49.438	80.00- 120.00	100.00
7.007	7.008 (0.765)	93	156928			62.68- 122.68	92.24

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
118 Dibromomethane (continued)							
7.007	7.008 (0.765)	95	131562			47.70- 107.70	77.33
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	274926	46.5211	46.521	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	178289			34.96- 94.96	64.85
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.573 (1.178)	75	239250	47.4692	47.469	80.00- 120.00	100.00
7.573	7.573 (1.178)	77	75830			1.26- 61.26	31.69
7.573	7.573 (1.178)	39	156864			35.06- 95.06	65.56
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.709	7.710 (1.199)	58	153130	44.1688	44.169	80.00- 120.00	100.00
7.709	7.710 (1.199)	43	450916			259.88- 319.88	294.47
7.709	7.710 (1.199)	85	57438			7.58- 67.58	37.51
137 Toluene					CAS #: 108-88-3		
7.831	7.831 (1.218)	91	484854	46.2568	46.257	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	280607			27.89- 87.89	57.87
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	170596	44.6733	44.673	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	163470			63.53- 123.53	95.82
7.860	7.860 (1.223)	43	470317			246.00- 306.00	275.69
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	199117	49.4059	49.406	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	65012			1.83- 61.83	32.65
8.118	8.118 (0.887)	39	123125			31.97- 91.97	61.84
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.290	8.290 (0.905)	97	163757	47.9859	47.986	80.00- 120.00	100.00
8.282	8.290 (0.905)	99	101184			32.52- 92.52	61.79
8.282	8.283 (0.905)	83	143488			58.90- 118.90	87.62
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	255477	49.8577	49.858	80.00- 120.00	100.00
8.318	8.318 (0.908)	129	193091			45.32- 105.32	75.58
8.318	8.318 (0.908)	131	190424			44.17- 104.17	74.54
143 2-Hexanone					CAS #: 591-78-6		
8.490	8.490 (0.927)	58	212865	49.7198	49.720	80.00- 120.00	100.00
8.490	8.490 (0.927)	43	451322			177.32- 237.32	212.02
8.490	8.490 (0.927)	100	37624			0.00- 47.18	17.68

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	227016	46.1976	46.198	80.00- 120.00	100.00
8.447	8.447 (1.314)	41	194960			59.72- 119.72	85.88
8.447	8.447 (1.314)	78	74355			3.08- 63.08	32.75
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	336212	49.8501	49.850	80.00- 120.00	100.00
8.626	8.626 (0.942)	127	262138			47.27- 107.27	77.97
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	270406	48.3467	48.347	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	256036			64.18- 124.18	94.69
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.452	7.459 (1.159)	63	301119	47.9001	47.900	80.00- 120.00	100.00
7.459	7.459 (1.160)	65	91793			0.43- 60.43	30.48
7.459	7.459 (1.160)	144	32373			0.00- 40.48	10.75
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.002)	112	414577	49.0594	49.059	80.00- 120.00	100.00
9.178	9.178 (1.002)	114	133179			1.91- 61.91	32.12
9.178	9.178 (1.002)	77	219597			22.97- 82.97	52.97
155 Ethyl Benzene					CAS #: 100-41-4		
9.249	9.250 (1.010)	106	212260	49.9366	49.936	80.00- 120.00	100.00
9.249	9.250 (1.010)	91	662858			281.09- 341.09	312.29
156 Nonane					CAS #: 111-84-2		
9.314	9.314 (1.017)	43	497088	50.3517	50.352	80.00- 120.00	100.00
9.314	9.314 (1.017)	57	403822			50.62- 110.62	81.24
9.314	9.314 (1.017)	85	125336			0.00- 55.65	25.21
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.271	9.271 (1.013)	131	246966	51.2996	51.300	80.00- 120.00	100.00
9.271	9.271 (1.013)	117	165935			37.10- 97.10	67.19
9.271	9.271 (1.013)	95	85198			4.93- 64.93	34.50
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	260935	49.2516	49.252	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	525774			170.33- 230.33	201.50
164 o-Xylene					CAS #: 95-47-6		
9.751	9.751 (1.065)	106	250263	49.8139	49.814	80.00- 120.00	100.00
9.751	9.751 (1.065)	91	525204			181.23- 241.23	209.86
165 Styrene					CAS #: 100-42-5		
9.780	9.780 (1.068)	104	421405	49.1155	49.115	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
165 Styrene (continued)							
9.780	9.780 (1.068)	78	199566			17.26- 77.26	47.36
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.091)	173	343655	50.4179	50.418	80.00- 120.00	100.00
9.987	9.987 (1.091)	171	176745			21.45- 81.45	51.43
168 Cumene					CAS #: 98-82-8		
10.095	10.095 (1.102)	105	766297	50.4569	50.457	80.00- 120.00	100.00
10.095	10.095 (1.102)	120	207829			0.00- 56.93	27.12
10.095	10.095 (1.102)	51	92957			0.00- 42.24	12.13
169 Cyclohexanone					CAS #: 108-94-1		
10.259	10.260 (1.120)	55	282331	46.9884	46.988	80.00- 120.00	100.00
10.259	10.260 (1.120)	98	98671			5.15- 65.15	34.95
10.259	10.260 (1.120)	42	202870			41.99- 101.99	71.86
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.143)	83	392198	49.7893	49.789	80.00- 120.00	100.00
10.474	10.467 (1.144)	85	252893			34.97- 94.97	64.48
177 Bromobenzene					CAS #: 108-86-1		
10.431	10.431 (1.139)	156	259801	49.1000	49.100	80.00- 120.00	100.00
10.431	10.431 (1.139)	158	252666			67.47- 127.47	97.25
10.431	10.431 (1.139)	77	354910			108.68- 168.68	136.61
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.146)	120	226691	50.4792	50.479	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	928756			383.60- 443.60	409.70
10.496	10.496 (1.146)	105	35639			0.00- 46.14	15.72
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.517 (1.149)	110	116704	48.8162	48.816	80.00- 120.00	100.00
10.525	10.525 (1.149)	75	422564			324.28- 384.28	362.08
10.517	10.517 (1.149)	61	101572			57.24- 117.24	87.03
182 Decane					CAS #: 124-18-5		
10.610	10.611 (1.159)	57	540146	46.4736	46.474	80.00- 120.00	100.00
10.610	10.611 (1.159)	71	169945			1.11- 61.11	31.46
10.610	10.611 (1.159)	142	23418			0.00- 34.44	4.34
183 4-Ethyltoluene					CAS #: 622-96-8		
10.610	10.611 (1.159)	120	244852	50.0235	50.024	80.00- 120.00	100.00
10.610	10.611 (1.159)	105	804106			298.94- 358.94	328.40
184 2-Chlorotoluene					CAS #: 95-49-8		
10.610	10.611 (1.159)	126	210759	50.8908	50.891	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
184 2-Chlorotoluene (continued)							
10.610	10.611 (1.159)	91	651229			282.78- 342.78	308.99
10.610	10.611 (1.159)	65	96416			17.33- 77.33	45.75
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	334529	50.6784	50.678	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	682353			172.08- 232.08	203.97
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	357365	51.1077	51.108	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	199934			25.64- 85.64	55.95
189 tert-Butylbenzene					CAS #: 98-06-6		
10.983	10.983 (1.199)	119	633334	50.4659	50.466	80.00- 120.00	100.00
10.976	10.983 (1.199)	134	157381			0.00- 55.10	24.85
10.976	10.976 (1.199)	91	410717			34.53- 94.53	64.85
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	675602	50.0585	50.058	80.00- 120.00	100.00
11.040	11.040 (1.206)	120	313940			16.63- 76.63	46.47
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	205522	50.0303	50.030	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	960521			436.99- 496.99	467.36
11.198	11.198 (1.223)	91	148515			41.69- 101.69	72.26
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	866367	51.5703	51.570	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	238078			0.00- 57.62	27.48
11.341	11.341 (1.239)	91	198678			0.00- 53.03	22.93
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	490450	49.0400	49.040	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	311205			34.18- 94.18	63.45
11.348	11.348 (1.239)	111	195621			10.06- 70.06	39.89
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.449	11.449 (1.250)	146	496815	49.0422	49.042	80.00- 120.00	100.00
11.449	11.449 (1.250)	148	316268			33.55- 93.55	63.66
11.441	11.449 (1.250)	111	188839			7.98- 67.98	38.01
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	641862	50.0346	50.035	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	146221			0.00- 52.77	22.78
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	630692	45.6377	45.638	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
201 Undecane (continued)							
11.785	11.785 (1.287)	43	588181			63.59- 123.59	93.26
202 Butylbenzene					CAS #: 104-51-8		
11.749	11.742 (1.283)	134	233321	50.3935	50.393	80.00- 120.00	100.00
11.742	11.742 (1.282)	91	804930			310.82- 370.82	344.99
11.742	11.742 (1.282)	92	424596			151.53- 211.53	181.98
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	481317	49.5901	49.590	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	302426			33.00- 93.00	62.83
11.814	11.814 (1.290)	111	196504			10.87- 70.87	40.83
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.378)	157	299069	52.0962	52.096	80.00- 120.00	100.00
12.616	12.616 (1.378)	75	234676			48.09- 108.09	78.47
12.616	12.616 (1.378)	155	232608			47.89- 107.89	77.78
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.404)	57	728690	52.3465	52.346	80.00- 120.00	100.00
12.860	12.860 (1.404)	43	644840			58.52- 118.52	88.49
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.463)	180	494421	51.4025	51.402	80.00- 120.00	100.00
13.397	13.397 (1.463)	182	468953			64.84- 124.84	94.85
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.511	13.512 (1.476)	225	356997	50.8814	50.881	80.00- 120.00	100.00
13.511	13.504 (1.476)	223	224938			32.80- 92.80	63.01
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.490)	128	127738	6.36288	6.363	80.00- 120.00	100.00
13.648	13.648 (1.490)	127	16748			0.00- 42.72	13.11
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.517)	180	488033	51.7790	51.779	80.00- 120.00	100.00
13.891	13.891 (1.517)	182	466089			65.07- 125.07	95.50
13.891	13.891 (1.517)	145	168134			4.48- 64.48	34.45

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042404.d
Lab Smp Id: ICV
Analysis Type: VOA
Quant Type: ISTD
Operator: jrf
Method File: /chem/msd3.i/24APR24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 24-APR-2024
Calibration Time: 11:28
Client Smp ID: ICV
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	99858	59915	139801	99038	-0.82
108 1,4-Difluorobenze	376895	226137	527653	376074	-0.22
153 Chlorobenzene-d5	365862	219517	512207	364730	-0.31

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 24APR24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: ICV Client Smp ID: ICV
Level: LOW Operator: jrf
Data Type: MS DATA SampleType: ICV
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: AT23.sub
Method File: /chem/msd3.i/24APR24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
4 Freon 134a	50.000	48.227	96.45	70-130
5 Propylene	50.000	47.068	94.14	70-130
7 1,1-Difluoroethan	50.000	49.537	99.07	70-130
8 Freon 12	50.000	48.049	96.10	70-130
9 Chlorodifluoromet	50.000	45.965	91.93	70-130
10 Freon 114	50.000	47.534	95.07	70-130
12 Isobutane	50.000	47.779	95.56	70-130
15 Chloromethane	50.000	49.914	99.83	70-130
18 Butane	50.000	47.270	94.54	70-130
19 Vinyl Chloride	50.000	48.179	96.36	70-130
20 1,3-Butadiene	50.000	44.891	89.78	70-130
24 Bromomethane	50.000	46.636	93.27	70-130
30 Chloroethane	50.000	48.971	97.94	70-130
31 Isopentane	50.000	49.133	98.27	70-130
32 Vinyl Bromide	50.000	49.641	99.28	70-130
33 Freon 11	50.000	48.036	96.07	70-130
34 Dichlorofluoromet	50.000	47.332	94.66	70-130
35 Pentane	50.000	48.199	96.40	70-130
39 Ethanol	50.000	47.717	95.43	70-130
42 Acrolein	57.000	49.604	87.02	70-130
43 Freon 113	50.000	46.185	92.37	70-130
44 1,1-Dichloroethen	50.000	44.126	88.25	70-130
47 Acetone	50.000	46.974	93.95	70-130
48 Carbon Disulfide	50.000	46.648	93.30	70-130
52 2-Propanol	50.000	58.279	116.56	70-130
54 3-Chloropropene	50.000	46.045	92.09	70-130
57 Acetonitrile	50.000	46.785	93.57	70-130
59 Methylene Chlorid	50.000	46.266	92.53	70-130
62 tert-Butyl alcoho	50.000	51.965	103.93	70-130
63 Methyl tert-butyl	50.000	49.207	98.41	70-130
64 trans-1,2-Dichlor	50.000	45.691	91.38	70-130
66 Acrylonitrile	50.000	45.981	91.96	70-130
67 Hexane	50.000	45.052	90.10	70-130

	SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
71	1,1-Dichloroethan	50.000	47.815	95.63	70-130
72	Isopropyl ether	50.000	50.605	101.21	70-130
73	Vinyl Acetate	50.000	76.970	153.94*	70-130
79	Ethyl-tert-butyl	50.000	50.482	100.97	70-130
84	2,2-Dichloropropa	50.000	46.895	93.79	70-130
85	cis-1,2-Dichloroe	50.000	47.216	94.43	70-130
86	2-Butanone	50.000	48.304	96.61	70-130
87	Ethyl Acetate	50.000	47.114	94.23	70-130
89	Tetrahydrofuran	50.000	46.285	92.57	70-130
92	Chloroform	50.000	47.110	94.22	70-130
94	Cyclohexane	50.000	48.607	97.21	70-130
96	1,1,1-Trichloroet	50.000	48.747	97.49	70-130
99	1,1-Dichloroprope	50.000	46.718	93.44	70-130
97	Carbon Tetrachlor	50.000	49.118	98.24	70-130
101	2,2,4-Trimethylpe	50.000	49.976	99.95	70-130
102	Benzene	50.000	47.876	95.75	70-130
105	tert-Amyl methyl	50.000	49.712	99.42	70-130
106	1,2-Dichloroethan	50.000	48.065	96.13	70-130
107	Heptane	50.000	46.437	92.87	70-130
110	n-Butanol	50.000	83.346	166.69*	70-130
111	Trichloroethene	50.000	47.021	94.04	70-130
118	Dibromomethane	50.000	49.438	98.88	70-130
127	Methylcyclohexane	50.000	45.663	91.33	70-130
114	1,2-Dichloropropa	50.000	45.118	90.24	70-130
116	Methyl Methacryla	50.000	48.281	96.56	70-130
117	1,4-Dioxane	50.000	49.272	98.54	70-130
122	Bromodichlorometh	50.000	46.521	93.04	70-130
126	cis-1,3-Dichlorop	50.000	47.469	94.94	70-130
131	4-Methyl-2-pentan	50.000	44.169	88.34	70-130
136	Octane	50.000	44.673	89.35	70-130
137	Toluene	50.000	46.257	92.51	70-130
139	trans-1,3-Dichlor	50.000	49.406	98.81	70-130
141	1,1,2-Trichloroet	50.000	47.986	95.97	70-130
142	Tetrachloroethene	50.000	49.858	99.72	70-130
143	2-Hexanone	50.000	49.720	99.44	70-130
144	1,3-Dichloropropa	50.000	46.198	92.40	70-130
146	Dibromochlorometh	50.000	49.850	99.70	70-130
148	1,2-Dibromoethane	50.000	48.347	96.69	70-130
151	1-Bromo-2-Chloroe	50.000	47.900	95.80	70-130
154	Chlorobenzene	50.000	49.059	98.12	70-130
155	Ethyl Benzene	50.000	49.936	99.87	70-130
156	Nonane	50.000	50.352	100.70	70-130
157	1,1,1,2-Tetrachlo	50.000	51.300	102.60	70-130
158	m,p-Xylene	50.000	49.252	98.50	70-130
164	o-Xylene	50.000	49.814	99.63	70-130
165	Styrene	50.000	49.115	98.23	70-130
167	Bromoform	50.000	50.418	100.84	70-130

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
168 Cumene	50.000	50.457	100.91	70-130
169 Cyclohexanone	50.000	46.988	93.98	70-130
175 1,1,2,2-Tetrachlo	50.000	49.789	99.58	70-130
177 Bromobenzene	50.000	49.100	98.20	70-130
178 Propylbenzene	50.000	50.479	100.96	70-130
179 1,2,3-Trichloropr	50.000	48.816	97.63	70-130
182 Decane	50.000	46.474	92.95	70-130
183 4-Ethyltoluene	50.000	50.024	100.05	70-130
184 2-Chlorotoluene	50.000	50.891	101.78	70-130
185 1,3,5-Trimethylbe	50.000	50.678	101.36	70-130
188 alpha Methyl Styr	50.000	51.108	102.22	70-130
189 tert-Butylbenzene	50.000	50.466	100.93	70-130
190 1,2,4-Trimethylbe	50.000	50.058	100.12	70-130
192 sec-Butylbenzene	50.000	50.030	100.06	70-130
194 p-Cymene	50.000	51.570	103.14	70-130
195 1,3-Dichlorobenze	50.000	49.040	98.08	70-130
196 1,4-Dichlorobenze	50.000	49.042	98.08	70-130
199 alpha-Chlorotolue	50.000	50.035	100.07	70-130
201 Undecane	50.000	45.638	91.28	70-130
202 Butylbenzene	50.000	50.393	100.79	70-130
204 1,2-Dichlorobenze	50.000	49.590	99.18	70-130
206 1,2-Dibromo-3-chl	50.000	52.096	104.19	70-130
207 Dodecane	50.000	52.346	104.69	70-130
213 1,2,4-Trichlorobe	50.000	51.402	102.80	70-130
215 Hexachlorobutadie	50.000	50.881	101.76	70-130
216 Naphthalene	5.700	6.363	111.63	60-140
222 1,2,3-Trichlorobe	50.000	51.779	103.56	70-130

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	25.562	102.25	70-130
$ 134 Toluene-d8	25.000	24.686	98.75	70-130
$ 170 4-Bromofluorobenz	25.000	24.651	98.60	70-130

Report Date: 26-Apr-2024 11:38

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 24APR24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: ICV Client Smp ID: ICV
Level: LOW Operator: jrf
Data Type: MS DATA SampleType: ICV
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: AT23_cont051124.sub
Method File: /chem/msd3.i/24APR24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
4 Freon 134a	50.000	48.227	96.45	70-130
5 Propylene	50.000	47.068	94.14	70-130
7 1,1-Difluoroethan	50.000	49.537	99.07	70-130
8 Freon 12	50.000	48.049	96.10	70-130
9 Chlorodifluoromet	50.000	45.965	91.93	70-130
10 Freon 114	50.000	47.534	95.07	70-130
12 Isobutane	50.000	47.779	95.56	70-130
15 Chloromethane	50.000	49.914	99.83	70-130
18 Butane	50.000	47.270	94.54	70-130
19 Vinyl Chloride	50.000	48.179	96.36	70-130
20 1,3-Butadiene	50.000	44.891	89.78	70-130
24 Bromomethane	50.000	46.636	93.27	70-130
30 Chloroethane	50.000	48.971	97.94	70-130
31 Isopentane	50.000	49.133	98.27	70-130
32 Vinyl Bromide	50.000	49.641	99.28	70-130
33 Freon 11	50.000	48.036	96.07	70-130
34 Dichlorofluoromet	50.000	47.332	94.66	70-130
35 Pentane	50.000	48.199	96.40	70-130
39 Ethanol	50.000	44.835	89.67	70-130
42 Acrolein	57.000	49.604	87.02	70-130
43 Freon 113	50.000	46.185	92.37	70-130
44 1,1-Dichloroethen	50.000	44.126	88.25	70-130
47 Acetone	50.000	46.974	93.95	70-130
48 Carbon Disulfide	50.000	46.648	93.30	70-130
52 2-Propanol	50.000	49.444	98.89	70-130
54 3-Chloropropene	50.000	46.045	92.09	70-130
57 Acetonitrile	50.000	46.785	93.57	70-130
59 Methylene Chlorid	50.000	46.266	92.53	70-130
62 tert-Butyl alcoho	50.000	51.965	103.93	70-130
63 Methyl tert-butyl	50.000	49.207	98.41	70-130
64 trans-1,2-Dichlor	50.000	45.691	91.38	70-130
66 Acrylonitrile	50.000	45.981	91.96	70-130
67 Hexane	50.000	45.052	90.10	70-130

	SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
71	1,1-Dichloroethan	50.000	47.815	95.63	70-130
72	Isopropyl ether	50.000	50.605	101.21	70-130
73	Vinyl Acetate	50.000	73.982	147.96*	70-130
79	Ethyl-tert-butyl	50.000	50.482	100.97	70-130
84	2,2-Dichloropropa	50.000	46.895	93.79	70-130
85	cis-1,2-Dichloroe	50.000	47.216	94.43	70-130
86	2-Butanone	50.000	48.304	96.61	70-130
87	Ethyl Acetate	50.000	47.114	94.23	70-130
89	Tetrahydrofuran	50.000	46.285	92.57	70-130
92	Chloroform	50.000	47.110	94.22	70-130
94	Cyclohexane	50.000	48.607	97.21	70-130
96	1,1,1-Trichloroet	50.000	48.747	97.49	70-130
99	1,1-Dichloroprope	50.000	46.718	93.44	70-130
97	Carbon Tetrachlor	50.000	49.118	98.24	70-130
101	2,2,4-Trimethylpe	50.000	49.976	99.95	70-130
102	Benzene	50.000	47.876	95.75	70-130
105	tert-Amyl methyl	50.000	49.712	99.42	70-130
106	1,2-Dichloroethan	50.000	48.065	96.13	70-130
107	Heptane	50.000	46.437	92.87	70-130
110	n-Butanol	50.000	83.346	166.69*	70-130
111	Trichloroethene	50.000	47.021	94.04	70-130
118	Dibromomethane	50.000	49.438	98.88	70-130
127	Methylcyclohexane	50.000	45.663	91.33	70-130
114	1,2-Dichloropropa	50.000	45.118	90.24	70-130
116	Methyl Methacryla	50.000	48.281	96.56	70-130
117	1,4-Dioxane	50.000	49.272	98.54	70-130
122	Bromodichlorometh	50.000	46.521	93.04	70-130
126	cis-1,3-Dichlorop	50.000	47.469	94.94	70-130
131	4-Methyl-2-pentan	50.000	44.169	88.34	70-130
136	Octane	50.000	44.673	89.35	70-130
137	Toluene	50.000	46.257	92.51	70-130
139	trans-1,3-Dichlor	50.000	49.406	98.81	70-130
141	1,1,2-Trichloroet	50.000	47.986	95.97	70-130
142	Tetrachloroethene	50.000	49.858	99.72	70-130
143	2-Hexanone	50.000	49.720	99.44	70-130
144	1,3-Dichloropropa	50.000	46.198	92.40	70-130
146	Dibromochlorometh	50.000	49.850	99.70	70-130
148	1,2-Dibromoethane	50.000	48.347	96.69	70-130
151	1-Bromo-2-Chloroe	50.000	47.900	95.80	70-130
154	Chlorobenzene	50.000	49.059	98.12	70-130
155	Ethyl Benzene	50.000	49.936	99.87	70-130
156	Nonane	50.000	50.352	100.70	70-130
157	1,1,1,2-Tetrachlo	50.000	51.300	102.60	70-130
158	m,p-Xylene	50.000	49.252	98.50	70-130
164	o-Xylene	50.000	49.814	99.63	70-130
165	Styrene	50.000	49.115	98.23	70-130
167	Bromoform	50.000	50.418	100.84	70-130

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
168 Cumene	50.000	50.457	100.91	70-130
169 Cyclohexanone	50.000	46.988	93.98	70-130
175 1,1,2,2-Tetrachlo	50.000	49.789	99.58	70-130
177 Bromobenzene	50.000	49.100	98.20	70-130
178 Propylbenzene	50.000	50.479	100.96	70-130
179 1,2,3-Trichloropr	50.000	48.816	97.63	70-130
182 Decane	50.000	46.474	92.95	70-130
183 4-Ethyltoluene	50.000	50.024	100.05	70-130
184 2-Chlorotoluene	50.000	50.891	101.78	70-130
185 1,3,5-Trimethylbe	50.000	50.678	101.36	70-130
188 alpha Methyl Styr	50.000	51.108	102.22	70-130
189 tert-Butylbenzene	50.000	50.466	100.93	70-130
190 1,2,4-Trimethylbe	50.000	50.058	100.12	70-130
192 sec-Butylbenzene	50.000	50.030	100.06	70-130
194 p-Cymene	50.000	51.570	103.14	70-130
195 1,3-Dichlorobenze	50.000	49.040	98.08	70-130
196 1,4-Dichlorobenze	50.000	49.042	98.08	70-130
199 alpha-Chlorotolue	50.000	50.035	100.07	70-130
201 Undecane	50.000	45.638	91.28	70-130
202 Butylbenzene	50.000	50.393	100.79	70-130
204 1,2-Dichlorobenze	50.000	49.590	99.18	70-130
206 1,2-Dibromo-3-chl	50.000	52.096	104.19	70-130
207 Dodecane	50.000	52.346	104.69	70-130
213 1,2,4-Trichlorobe	50.000	51.402	102.80	70-130
215 Hexachlorobutadie	50.000	50.881	101.76	70-130
216 Naphthalene	5.700	6.363	111.63	60-140
222 1,2,3-Trichlorobe	50.000	51.779	103.56	70-130

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	25.562	102.25	65-134
$ 134 Toluene-d8	25.000	24.686	98.75	92-109
$ 170 4-Bromofluorobenz	25.000	24.651	98.60	85-118

Data File: /chem/msd3.i/24APR24.b/3042404.d

Page 1

Date : 24-APR-2024 12:00

Client ID: ICV


Instrument: msd3.i

Sample Info: 50mL 3018-4441

Operator: jrf

Column phase: RTX-624

Column diameter: 0.25



TO-15 QUAD POOLED MDL CASE NARRATIVE

A Method Detection Limit Study for TO-15 Quad method was analyzed 8/01/23-8/29/23 for MSDA, MSD3, MSDP, MSDJ, MSD16, and MSD91.

0.5ppbv MDL: Standard # 3018-3932, 3018-3942, 3018-3921 (5.0ppbv); 20mL load volume. Spike amount of 0.5ppbv.

Notes:

1. MDL verification was analyzed on 9/01/23. Standard #3018-3942; 5.0ppbv, 18mL load volume; file #91090108; spike concentration of 0.45ppbv.
2. MDL spike calculated on file #91081408x
3. The MDL spikes for MSD-91 were re-analyzed due to the initial spikes having multiple compounds recover outside of 50-150%.

2.0ppbv MDL: Standard # 3018-3932, 3018-3942, 3018-3921 (5.0ppbv); 80mL load volume. Spike amount of 2.0ppbv.

Notes:

1. MDL verification was analyzed on 9/01/23. Standard #3018-3942; 5.0ppbv, 60mL load volume; file #91090109; spike concentration of 1.5ppbv.
2. MDL verification for Ethanol and Acetone was analyzed on 9/01/23. Standard #3018-3942; 5.0ppbv, 160ml load volume; file#91090111; spike concentration of 4.0ppbv.
3. MDL spike calculated on file# 91080109x
4. MDL verification for Napthalene was analyzed on 9/01/23. Standard #3018-3942; 5.0ppbv, 80ml load volume; file#91090110; spike concentration of 2.0ppbv (0.2ppbv for Napthalene).
5. MDL spike calculated on file# 91080109ax

The concentrations for Acetonitrile,Tert-butanol, Naphthalene, Ethanol, and Acrolein were adjusted in the MDL spike due to the certified concentration exceeding more than 15% of nominal concentration.

MDL values for the following compounds were taken from the MDL blank:

Acetone (1.3907ppbv)
1,3-Dichlorobenzene (0.11681ppbv)
1,4-Dichlorobenzene (0.16832ppbv)

The ratio of the mean recovered concentration was between 1 and 20 for all compounds.

Iodomethane and trans-1,4-Dichlorobutane were not included in the MDL study.

MDL Expires 8/29/24

AT23 0.5ppbv Quad Pooled MDL

MDL Verification for 0.5ppbv MDL
Standard #3018-3942 (5.0ppbv)
Load volume of 18ml.
Spike concentration of 0.45ppbv.
File#91090108

The ratio of the mean recovered concentration and the MDL was between 1 and 20 for all compounds.

[(s12H Report Date : 01-SEP-2023 07:50 Page 1
US32TAR1
SPIKED METHOD DETECTION LIMIT SUMMARY REPORT
Method File: /chem/msda.i/29AUG23.b/a23q0825a.m Spiked ID(s) Spiked Vol(s)
Batch File: /chem/msda.i/29AUG23.b
Instrument Names: msdp.i
Student T 2.718 for 12 Replicates with 99% Confidence

ID:	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL010	MDL11	MDL12	AVG CONC	STD DEV	SPK AMT	RL	RATIO	MDL
FILENAME:	p080108	p080208	91081408	91081508	3082309	3082409	j082411	j082507	16082507	16082807	a082808	a082908						
INJ.DATE:	1-Aug-23	2-Aug-23	14-Aug-23	15-Aug-23	23-Aug-23	24-Aug-23	24-Aug-23	25-Aug-23	25-Aug-23	28-Aug-23	28-Aug-23	29-Aug-23						
INJ.TIME:	14:44	14:11	12:15	12:34	21:30	15:24	15:53	14:13	15:09	12:47	14:56	16:04						
Compound	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL10	MDL11	MDL12						
1 Freon 12	480.54	516.84	353.31	332.41	616.10	619.01	453.56	503.79	465.78	456.36	555.10	516.96	489.15	87.94	0.00	500.00	2.05	239.02
2 Freon 114	558.43	603.17	452.00	449.12	528.53	575.78	533.15	549.15	464.69	459.68	518.68	511.88	517.02	51.26	0.00	500.00	3.71	139.34
3 Vinyl Chloride	358.58	437.48	302.48	295.26	702.68	792.24	330.71	377.68	478.87	455.46	539.14	475.21	462.15	154.43	0.00	500.00	1.10	419.74
4 1,3-Butadiene	430.80	584.01	361.88	317.19	592.24	703.18	416.37	412.30	455.22	467.86	535.48	473.86	479.20	108.13	0.00	500.00	1.63	293.89
5 Freon 11	498.13	540.14	458.53	449.18	588.93	647.40	501.73	515.21	451.14	464.39	537.21	507.82	513.32	59.36	0.00	500.00	3.18	161.34
6 Freon 113	538.82	565.96	510.45	456.46	537.11	546.87	511.97	531.12	450.60	450.56	543.58	520.06	513.63	39.89	0.00	500.00	4.74	108.43
7 1,1-Dichloroethene	426.92	461.56	359.17	336.60	559.22	666.54	408.12	384.79	443.03	447.90	561.80	505.32	463.41	95.37	0.00	500.00	1.79	259.22
8 trans-1,2-Dichloroethene	429.25	523.45	369.30	336.68	582.08	602.74	414.26	445.99	429.22	433.13	510.53	557.18	469.48	84.51	0.00	500.00	2.04	229.70
9 Acrylonitrile	388.99	494.23	374.39	321.14	712.25	735.53	373.47	389.75	400.73	367.64	488.78	449.49	457.62	133.98	0.00	500.00	1.26	364.15
10 Hexane	467.95	419.45	477.91	467.13	589.60	552.84	400.66	432.18	441.56	424.18	527.26	489.44	474.18	57.52	0.00	500.00	3.03	156.33
11 1,1-Dichloroethane	481.17	480.22	467.73	434.17	567.58	562.41	489.81	494.86	458.95	456.30	512.82	478.62	490.39	40.25	0.00	500.00	4.48	109.40
12 cis-1,2-Dichloroethene	470.64	455.38	467.30	450.37	524.72	492.72	426.59	443.54	415.38	399.10	517.43	417.30	456.71	40.02	0.00	500.00	4.20	108.78
* 13 Bromochloromethane	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
14 Tetrahydrofuran	568.82	471.54	498.86	437.10	739.14	789.14	453.10	467.51	439.10	437.19	559.24	537.19	533.16	117.90	0.00	500.00	1.66	320.45
15 Chloroform	534.00	530.13	489.78	519.46	557.98	552.02	525.20	506.14	448.31	413.30	529.76	502.52	509.05	41.98	0.00	500.00	4.46	114.10
16 1,1,1-Trichloroethane	530.04	526.27	473.07	473.92	567.19	566.14	495.97	502.10	439.04	430.64	542.04	497.80	503.69	44.77	0.00	500.00	4.14	121.67
17 Cyclohexane	442.44	421.57	447.38	450.82	548.50	575.58	351.66	381.93	404.88	429.14	518.66	505.91	456.54	67.72	0.00	500.00	2.48	184.07
18 Carbon Tetrachloride	499.91	557.42	452.00	420.30	577.02	539.52	540.44	511.12	418.56	415.38	552.94	511.87	499.71	58.73	0.00	500.00	3.13	159.63
19 2,2,4-Trimethylpentane	368.77	409.79	402.67	388.91	548.01	558.02	359.98	387.46	445.32	436.02	531.29	506.30	445.21	72.11	0.00	500.00	2.27	195.99
20 Benzene	541.04	519.95	521.68	555.69	565.10	588.10	559.58	552.33	440.25	464.31	566.80	514.94	532.48	43.50	0.00	500.00	4.50	118.22
$ 21 1,2-Dichloroethane-d4	24566.00	25833.00	25963.00	25696.00	25165.00	25682.00	25322.00	25520.00	10259.00	10268.00	24392.00	23951.00	22718.08	5850.20	0.00	400.00	1.43	15900.85
22 1,2-Dichloroethane	671.73	563.33	478.16	488.98	583.09	651.58	506.77	546.54	488.96	503.53	541.50	514.44	544.88	69.30	0.00	500.00	3.17	172.06
23 Heptane	431.18	490.71	489.31	500.11	560.48	628.53	469.13	502.61	403.60	433.66	556.78	487.36	496.12	62.50	0.00	500.00	2.92	169.88
* 24 1,4-Difluorobenzene	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
25 Trichloroethene	519.57	602.58	480.73	461.64	591.60	615.84	529.24	526.29	461.85	467.12	501.38	495.00	521.07	55.05	0.00	500.00	3.48	149.64
26 1,2-Dichloropropane	597.28	544.58	504.54	552.35	586.44	631.86	516.28	545.64	457.79	480.64	530.85	502.26	537.54	50.11	0.00	500.00	3.95	136.19
27 Dibromomethane	528.85	536.36	466.38	490.94	555.95	607.82	586.41	571.97	456.90	426.75	532.50	500.67	521.79	55.06	0.00	500.00	3.49	149.66
28 Bromodichloromethane	541.72	582.87	502.59	499.10	588.58	594.10	527.55	536.73	425.88	433.38	561.89	471.32	522.14	57.31	0.00	500.00	3.35	155.76
29 cis-1,3-Dichloropropene	486.67	544.44	500.12	492.66	555.58	559.74	488.08	480.49	410.76	440.61	512.12	460.61	494.32	44.91	0.00	500.00	4.05	122.08
30 4-Methyl-2-pentanone	527.84	463.63	497.25	539.64	655.87	524.37	472.46	499.70	392.20	379.58	484.64	498.75	494.66	70.93	0.00	500.00	2.57	192.79
$ 31 Toluene-d8	24769.00	24734.00	24140.00	24043.00	25232.00	25371.00	25634.00	25730.00	10050.00	9955.30	25155.00	24777.00	22465.86	5844.68	0.00	400.00	1.41	15885.83
32 Toluene	543.46	510.78	570.65	548.38	574.66	572.00	570.54	575.41	451.05	448.01	534.47	507.80	533.93	46.01	0.00	500.00	4.27	125.06
33 trans-1,3-Dichloropropene	459.08	490.10	480.81	484.78	485.36	558.75	480.24	453.05	522.79	504.42	492.10	473.64	490.43	28.33	0.00	500.00	6.37	77.00
34 1,1,2-Trichloroethane	504.11	583.16	490.10	458.32	600.01	603.80	556.17	583.71	439.85	442.89	555.49	508.50	527.18	60.96	0.00	500.00	3.18	165.69
35 Tetrachloroethene	515.83	523.84	555.19	536.17	534.34	564.81	567.43	563.79	423.99	439.36	531.19	490.25	520.52	47.33	0.00	500.00	4.08	128.64
36 1,3-Dichloropropane	577.27	555.01	510.30	505.47	549.39	600.62	566.94	564.38	472.40	474.19	556.31	494.10	535.53	42.43	0.00	500.00	4.64	115.33
37 Dibromochloromethane	518.57	565.77	510.06	524.38	527.07	585.61	537.69	543.47	417.15	400.80	532.84	485.05	512.37	54.70	0.00	500.00	3.45	148.66
38 1,2-Dibromoethane (EDB)	582.61	578.76	445.39	437.26	531.45	546.97	535.03	541.38	426.45	420.17	541.82	473.58	508.07	60.30	0.00	500.00	3.08	163.90
* 39 Chlorobenzene-d5	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
40 Chlorobenzene	535.27	497.64	479.10	490.46	569.79	552.58	571.28	567.91	475.15	470.59	523.96	502.26	519.67	38.76	0.00	500.00	4.93	105.35
41 Ethyl Benzene	448.50	457.30	480.89	508.15	525.19	572.64	511.99	506.23	459.41	402.39	508.38	478.17	488.27	43.77	0.00	500.00	4.10	118.96
42 1,1,1,2-Tetrachloroethane	518.82	565.19	534.97	529.22	545.37	572.20	552.25	596.60	431.45	409.42	548.70	497.72	525.16	55.35	0.00	500.00	3.49	150.44
43 m,p-Xylene	483.83	458.86	509.02	491.08	497.55	531.74	463.20	460.44	467.73	452.96	514.81	512.75	487.00	26.38	0.00	500.00	6.79	71.70
44 o-Xylene	446.69	463.60	475.79	474.07	523.62	551.68	413.86	449.49	446.11	409.46	522.04	443.68	468.34	44.06	0.00	500.00	3.91	119.76
45 Styrene	423.58	411.25	483.17	456.35	467.30	477.44	404.18	423.44	408.53	420.63	497.63	455.66	444.10	32.56	0.00	500.00	5.02	88.50

Blank (1/2 L.)

x= 160.105
2x=320.210 (1/2 L.)
3x=480.316
4x=640.421

46 Bromoform	532.74	584.35	541.83	548.07	510.80	548.92	544.76	586.95	382.53	368.14	518.67	444.43	509.35	72.55	0.00	500.00	2.58	197.18	23.32
47 Cumene	453.31	416.87	483.80	476.23	516.79	524.91	434.18	438.38	428.49	413.66	515.41	485.32	465.61	40.21	0.00	500.00	4.26	109.28	-
$ 48 4-Bromofluorobenzene	23911.00	24748.00	25504.00	25060.00	24991.00	24818.00	25090.00	24894.00	9835.60	9471.70	24778.00	24685.00	22915.53	5926.20	0.00	400.00	1.39	16107.41	-
49 1,1,2,2-Tetrachloroethane	513.07	606.08	590.63	579.81	547.75	601.66	603.91	595.63	448.59	420.90	531.41	497.95	544.78	63.52	0.00	500.00	3.16	172.66	2.61
50 Propylbenzene	431.78	492.40	511.26	505.99	532.60	573.85	456.38	505.64	455.23	443.63	516.72	474.54	491.67	41.12	0.00	500.00	4.40	111.77	4.26
51 1,2,3-Trichloropropane	545.89	655.60	561.72	501.15	641.29	608.30	569.65	598.55	461.41	442.06	540.59	487.68	551.16	68.51	0.00	500.00	2.96	186.20	-
52 4-Ethyltoluene	468.47	429.25	515.78	507.04	504.95	565.29	470.56	493.55	445.26	428.84	525.99	487.04	486.83	40.81	0.00	500.00	4.39	110.91	50.62
53 1,3,5-Trimethylbenzene	416.91	432.28	503.18	493.37	553.08	536.14	438.38	453.33	438.56	412.42	533.15	482.49	474.44	49.23	0.00	500.00	3.55	133.79	38.13
54 alpha Methyl Styrene	418.51	405.94	486.16	416.11	394.31	382.13	401.38	318.86	316.46	388.32	385.97	332.69	387.24	47.56	0.00	500.00	3.00	179.28	3.97
55 1,2,4-Trimethylbenzene	401.85	468.06	513.51	504.71	509.75	532.54	397.24	399.83	456.34	421.79	505.56	480.07	465.94	49.67	0.00	500.00	3.45	134.99	64.40
56 sec-Butylbenzene	407.94	448.90	513.35	540.23	508.83	570.02	428.12	439.92	425.40	428.56	549.13	517.85	481.52	57.16	0.00	500.00	3.10	155.37	28.61
57 p-Cymene	392.25	436.54	511.82	514.81	507.70	512.07	411.02	413.15	436.42	397.56	509.08	485.97	460.70	50.40	0.00	500.00	3.36	136.99	41.35
58 1,3-Dichlorobenzene	508.16	499.02	586.08	600.41	560.15	576.36	560.63	576.87	521.19	496.43	539.24	523.76	545.69	35.81	0.00	500.00	5.61	87.33	16.51
59 1,4-Dichlorobenzene	473.23	523.08	595.39	584.78	570.77	573.18	532.71	549.35	557.77	537.76	529.08	500.56	543.97	35.44	0.00	500.00	5.65	86.31	68.32
60 alpha-Chlorotoluene	463.47	483.78	576.84	547.91	451.53	479.30	397.03	401.42	414.93	393.60	455.41	411.50	456.39	59.13	0.00	500.00	2.84	160.71	109.39
61 Butylbenzene	441.29	381.41	554.61	534.42	543.71	563.94	393.69	412.55	450.80	436.81	514.19	478.80	475.52	65.02	0.00	500.00	2.69	176.71	71.27
62 1,2-Dichlorobenzene	489.86	559.24	610.60	603.76	551.81	590.65	556.04	573.27	501.84	448.26	553.52	505.58	545.37	49.45	0.00	500.00	4.06	134.40	121.32

Blank (ppbv)

Reviewer 1 _____ Date: 9/1/23

Reviewer 2 _____ Date: 09/06/23

AT-23 2.0ppbv Quad Pooled MDL

B(s12H Report Date : 01-SEP-2023 07:25 Page 1

US32TAR1

SPIKED METHOD DETECTION LIMIT SUMMARY REPORT

Method File: /chem/msda.i/29AUG23.b/a23q0825a.m Spiked ID(s) Spiked Vol(s)

Batch File: /chem/msda.i/29AUG23.b

Instrument Names: msdp.i

Student T 2.718 for 12 Replicates with 99% Confidence B(s14H

The ratio of the mean recovered concentration and the MDL was between 1 and 20 for all compounds.

ID:	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL010	MDL11	MDL12	AVG CONC	STD DEV	SPK AMT	RL	RATIO	MDL
FILENAME:	p080109	p080209	91080109	9108027	3082310	308240	j082412	j082508	16082508	16082808	a082809	a082909						
INJ.DATE:	1-Aug-23	2-Aug-23	1-Aug-23	2-Aug-23	23-Aug-23	24-Aug-23	24-Aug-23	25-Aug-23	25-Aug-23	28-Aug-23	28-Aug-23	29-Aug-23						
INJ.TIME:	15:13	14:40	12:20	14:19	22:02	15:56	16:18	14:38	15:50	13:29	15:33	16:40						
Compound	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL10	MDL11	MDL12	AVG CONC	STD DEV	SPK AMT	RL	RATIO	MDL
1 Freon 134a	2241.40	2551.70	1778.20	1582.50	2197.60	2363.00	1835.40	1958.30	2699.20	2641.90	2299.80	2143.20	2191.02	351.52	0.00	2000.00	2.29	955.44
2 Propylene	2116.90	2156.60	1959.60	1939.50	1814.20	2706.20	1982.20	2142.20	2183.00	2163.80	2081.20	2110.40	2112.98	218.09	0.00	2000.00	3.56	592.76
3 1,1-Difluoroethane	1938.10	2139.10	1743.60	1575.50	2447.80	2680.20	1771.40	1949.20	2380.90	2469.20	2106.70	1903.00	2092.01	339.94	0.00	2000.00	2.26	923.95
4 Chlorodifluoromethane	1862.60	2432.70	1845.40	1831.40	2434.40	2396.40	1594.60	1689.60	2350.60	2178.20	2234.10	1957.20	2067.27	304.81	0.00	2000.00	2.50	828.47
5 Isobutane	1873.50	2067.80	2000.00	1855.30	1998.20	2229.40	1942.80	2038.90	2306.70	2271.40	2164.70	1978.50	2060.38	150.92	0.00	2000.00	5.02	410.21
6 Chloromethane	2056.50	2159.60	2048.20	1886.90	2627.40	2956.30	2014.80	2244.70	2466.20	2431.50	2576.00	2481.50	2329.08	313.30	0.00	5000.00	2.74	851.56
7 Butane	1830.10	2170.00	1949.70	1598.00	2746.60	2543.90	1806.20	1917.80	2099.30	2344.40	2185.90	1843.90	2086.27	332.61	0.00	2000.00	2.91	904.02
8 Bromomethane	2209.40	2356.80	1778.90	1600.40	2017.00	2576.10	1950.60	2084.60	2089.70	2119.20	2685.90	2550.50	2168.26	327.18	0.00	5000.00	2.44	889.28
9 Chloroethane	2941.10	1869.50	1822.10	1738.40	1678.80	2878.50	1991.10	2069.20	2219.40	2214.40	2300.10	2353.50	2081.34	254.86	0.00	2000.00	3.00	892.71
10 Isopentane	2016.20	1970.80	2111.60	1912.50	2399.20	2648.80	1906.90	1970.00	2315.10	2401.50	2206.60	1991.50	2154.17	239.17	0.00	2000.00	3.31	650.06
11 Vinyl Bromide	2003.10	2072.40	1728.40	1640.10	2203.40	2414.40	1830.90	1949.40	2041.10	2140.40	2156.80	1972.70	2012.76	212.68	0.00	2000.00	3.48	578.08
12 Dichlorofluoromethane	1976.00	2176.30	1970.40	1757.00	2095.50	2270.00	2246.30	2423.50	2154.40	2212.90	2099.30	1965.30	2112.24	176.50	0.00	2000.00	4.40	479.72
13 Pentane	1757.10	1961.80	1985.00	1870.10	2345.50	2324.60	1732.40	1854.60	2322.60	2327.80	2186.90	1982.80	2054.27	234.80	0.00	2000.00	3.22	638.19
14 Ethanol	1795.70	2774.90	2316.90	2332.60	4565.70	4807.40	2823.90	3891.90	2985.30	2936.50	2813.20	2569.30	3051.11	912.09	0.00	5000.00	1.23	2479.06
15 Acrolein	2150.20	2222.90	2152.80	2101.20	2784.00	4047.80	2210.40	2343.30	2603.60	2438.70	2567.40	2360.00	2498.53	531.05	0.00	2000.00	1.73	1443.38
16 Acetone	2336.40	2088.00	2072.60	2133.80	2889.30	2483.50	2359.50	2477.40	2766.40	2496.40	2571.80	2771.50	2448.88	271.01	0.00	2000.00	3.32	736.59
17 Iodomethane	1559.20	2013.90	0.00	0.00	0.00	0.00	0.00	0.00	3017.20	3093.10	1450.60	1103.20	853.83	930.40	0.00	5000.00	0.34	2528.82
18 Carbon Disulfide	2093.70	2141.00	1997.80	1888.70	2211.90	2447.80	2009.30	2178.20	2103.70	2091.00	2204.00	2037.60	2117.06	140.11	0.00	2000.00	5.56	380.83
19 2-Propanol	1929.70	2023.40	1901.80	1859.90	2060.90	2254.50	2368.20	2775.00	2056.70	2029.80	2118.70	1963.70	2111.86	259.84	0.00	2000.00	3.06	689.95
20 3-Chloropropene	1839.10	2238.20	1809.60	1729.30	2101.30	2152.20	1636.40	1815.70	2005.70	2134.00	1967.80	1894.10	1945.28	188.79	0.00	2000.00	3.79	512.98
21 Acetonitrile	2385.90	2795.10	2281.40	2223.70	2538.50	2459.60	2364.20	2635.20	2820.00	2647.80	2422.90	1963.80	2460.96	245.71	0.00	2000.00	3.69	667.83
22 Methylene Chloride	2100.60	1989.40	1955.40	1811.60	2189.50	2378.70	2062.60	2135.60	2294.90	2258.00	2087.60	2013.50	2103.12	154.08	0.00	5000.00	5.02	418.79
23 tert-Butyl alcohol	2191.10	2075.90	2177.20	2121.40	2258.90	2188.70	2868.50	3469.60	2225.10	2188.90	2236.60	2293.50	2357.90	404.08	0.00	2000.00	2.15	1098.30
24 Methyl tert-butyl ether	1757.90	1797.90	1974.80	1864.30	1917.60	1951.10	1660.80	1706.70	2035.00	2050.00	2049.80	1957.00	1891.91	134.41	0.00	2000.00	5.18	365.34
25 Isopropyl ether	1760.70	1844.80	2087.70	1899.20	2069.10	2124.50	1532.70	1643.70	2176.50	2137.10	2053.60	1968.70	1941.52	208.36	0.00	2000.00	3.43	566.33
26 Vinyl Acetate	1298.70	1060.20	1822.80	1848.70	1903.80	1989.70	1898.80	1858.40	1802.00	1958.90	1861.00	1983.30	1688.86	317.86	0.00	2000.00	1.95	863.94
27 Ethyl-tert-butyl ether	1695.90	1837.00	2091.60	1924.30	1961.10	2041.70	1564.60	1718.20	2046.60	2080.50	2083.00	1911.40	1912.99	175.28	0.00	2000.00	4.02	476.41
28 2,2-Dichloropropane	2005.40	2194.50	2104.90	1959.90	1884.40	1989.90	1821.10	1982.20	2087.00	2123.00	2157.90	1951.10	2021.72	113.07	0.00	2000.00	6.58	307.32
29 2-Butanone	1848.00	1910.00	2042.70	1944.50	2035.20	2138.10	1731.90	1843.40	1945.10	2003.40	2163.60	1982.40	1965.64	123.98	0.00	2000.00	5.88	336.97
30 Ethyl Acetate	1879.60	2155.20	2222.40	2082.70	2638.50	2605.60	1725.80	1948.20	2480.40	2481.80	2013.60	1881.60	2176.28	309.16	0.00	2000.00	2.59	840.30
* 31 Bromochloromethane	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
32 1,1-Dichloropropene	1864.20	1972.50	2027.90	1863.90	2032.20	2182.80	1758.00	1900.40	2116.60	2123.20	2113.40	1992.70	1995.65	128.95	0.00	2000.00	5.69	350.47
$ 33 1,2-Dichloroethane-d4	26025.00	26363.00	25657.00	24467.00	24850.00	24807.00	25416.00	25684.00	10078.00	10190.00	24749.00	24130.00	22701.17	5906.78	0.00	400.00	1.41	16054.64
34 tert-Amyl methyl ether	1760.50	1771.10	1905.60	1966.10	1876.70	2159.00	1611.70	1725.20	2101.90	2162.40	2071.00	1940.40	1920.97	180.15	0.00	2000.00	3.92	489.64
* 35 1,4-Difluorobenzene	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
36 n-Butanol	2124.90	1909.00	2071.90	2290.50	2192.60	1960.10	2961.30	3976.30	2181.60	2184.00	2047.10	2003.80	2275.26	440.07	0.00	2000.00	1.90	1196.11
37 Methylcyclohexane	1841.00	1786.80	1932.70	1832.30	1900.90	1992.30	1753.30	1855.20	2177.00	2155.00	2085.60	1878.00	1992.51	140.78	0.00	2000.00	5.05	382.63
38 Methyl Methacrylate	1664.30	1789.30	2056.50	1776.90	1965.10	1997.80	1730.80	1817.00	2051.60	2172.80	2057.80	1936.10	1918.00	158.54	0.00	2000.00	4.45	490.92
39 1,4-Dioxane	1864.90	1867.80	2142.60	2042.60	1996.50	2081.10	2114.90	2528.80	2119.40	2062.50	2022.40	2008.10	2070.97	169.38	0.00	2000.00	4.50	460.38
40 1-Bromo-2-Chloroethane	2001.30	2152.40	1990.80	1951.90	2034.60	2284.70	2074.60	2211.80	2153.60	2241.10	2116.50	1946.50	2092.48	107.81	0.00	2000.00	7.14	293.02
$ 41 Toluene-d8	24761.00	24391.00	24575.00	24488.00	25262.00	25221.00	24941.00	25118.00	10023.00	10049.00	24696.00	24836.00	22963.42	5764.70	0.00	400.00	1.43	15668.45
42 Octane	1850.10	1927.00	1899.80	1911.00	1941.70	2081.10	1935.20	2153.00	2191.40	2228.30	1877.20	1926.50	1993.96	131.82	0.00	2000.00	5.56	358.29
43 2-Hexanone	1679.80	1601.70	1957.40	2012.40	2098.40	1908.90	1634.50	1615.40	2182.60	2142.20	1897.90	1912.50	1887.73	207.50	0.00	2000.00	3.35	563.97
* 44 Chlorobenzene-d5	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
45 Nonane	1674.90	1730.00	2204.90	2200.00	1927.00	2080.70	1887.20	1985.90	2261.80	2281.80	2078.00	1879.10	2015.84	202.57	0.00	2000.00	3.66	550.59
46 Cyclohexanone	1770.00	1744.40	1917.70	2025.20	2078.70	1818.90	2344.80	2260.20	2097.60	2129.00	1778.00	1972.90	1994.73	197.09	0.00	2000.00	3.72	535.69
$ 47 4-Bromofluorobenzene	24461.00	24686.00	24852.00	24750.00	25290.00	25158.00	24720.00	24623.00	9315.60	9311.70	24439.00	24741.00	22195.61	6022.18	0.00	400.00	1.36	16368.28
48 Bromobenzene	1926.10	2017.10	2143.00	2152.00	1978.00	2112.10	2101.50	2297.90	2131.80	2147.50	2106.60	1966.20	2084.98	92.55	0.00	2000.00	8.29	251.55
49 trans-1,4-Dichloro-2-butene	1847.10	2006.90	0.00	0.00	1559.10	1622.10	0.00	0.00	2095.00	2038.40	1730.30	1663.20	1318.16	915.43	0.00	5000.00	0.49	3487.83
50 Decane	1615.10	1778.60	2129.40	2181.10	2009.60	2132.80	2045.60	2154.60	2182.20	2093.70	1905.70	1735.20	1996.47	193.34	0.00	2000.00	3.80	525.49

Blank (ppbv)

1390.7 ug/L/23 Ratio 1 to 20 Failed

362.53 241.23

21.99

59.34

691.92

23.08 73.03

42.34 77.70

46.01 ug/L/23

51 2-Chlorotoluene	1899.50	2034.60	2098.60	2099.60	2017.10	2057.00	2149.80	2270.00	2109.40	2155.90	2046.80	1929.80	2072.94	100.19	0.00	2000.00	7.61	272.31	37.65
52 tert-Butylbenzene	1709.50	1815.20	2101.20	2190.60	1962.60	2023.50	1924.80	2003.70	2167.50	2171.80	2116.10	1963.00	2012.45	148.72	0.00	2000.00	4.98	404.22	
53 Undecane	1412.40	1602.70	2253.60	2278.00	1994.40	2099.90	2003.60	2085.80	2074.90	1977.60	1998.80	1746.60	1960.26	254.65	0.00	2000.00	2.83	692.13	170.54
54 1,2-Dibromo-3-chloropropane	1905.80	2087.80	2121.00	2135.10	2009.30	2143.50	1906.70	2031.00	1892.00	1907.10	1898.50	1871.70	1992.46	107.11	0.00	2000.00	6.84	291.17	113.55
55 Dodecane	1238.50	1242.90	1478.10	1658.20	1866.80	1934.00	1997.00	1963.10	1961.40	1767.90	1840.10	1781.10	1723.16	269.76	0.00	2000.00	2.35	733.21	72.63
56 1,2,4-Trichlorobenzene	1758.20	1893.80	2103.50	2224.80	2132.60	2072.60	2173.90	2241.20	2067.10	1990.90	2068.10	2043.70	2064.20	136.16	0.00	2000.00	5.58	370.09	134.06
57 Hexachlorobutadiene	1993.70	2084.30	2485.40	2472.80	2129.70	2134.60	2476.50	2588.60	2178.30	2043.70	2068.00	2021.80	2218.95	209.31	0.00	2000.00	3.90	568.90	102.47
58 1,2,3-Trichlorobenzene	1838.50	1816.30	2232.90	2399.70	2249.60	2127.00	2250.00	2906.00	2129.10	1894.90	2075.90	2093.70	2117.30	186.49	0.00	2000.00	4.18	506.89	119.68

Reviewer 1 _____ Date: 9/1/27

Reviewer 2 _____ Date: 09/06/23

Blank (ppbv)

x=595.640 (ppbv)
2x=1191.281
3x=1786.921
4x=2382.562

MDL Verification for 2.0ppbv MDL
Standard #3018-3942 (5.0ppbv)
Load volume of 60ml
Spike concentration of 1.5ppbv
File #91090109.

Ethanol and Acetone (ppbv)
x=1934.88
2x=3869.76
3x=5804.64
4x=7739.52

MDL Verification for Ethanol and Acetone MDL
Standard #3018-3942 (5.0ppbv)
Load volume of 160ml
Spike concentration of 4.0ppbv
File #91090111

AT23 Naphthalene (0.2ppbv) MDL

]s12H Report Date : 01-SEP-2023 07:53 Page 1
US32TAR1
SPIKED METHOD DETECTION LIMIT SUMMARY REPORT
Method File: /chem/msda.i/29AUG23.b/a23q0825a.m Spiked ID(s) Spiked Vol(s)
Batch File: /chem/msda.i/29AUG23.b
Instrument Names: msdp.i
Student T 2.718 for 12 Replicates with 99% Confidence
]s14H

ID:	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL10	MDL11	MDL12						
FILENAME:	p0801095	p0802098	91080109a	91080217a	30823105	30824104	j082412a	j082508a	16082508a	16082808a	a082809a	a082909a						
INJ.DATE:	1-Aug-23	2-Aug-23	1-Aug-23	2-Aug-23	23-Aug-23	24-Aug-23	24-Aug-23	25-Aug-23	25-Aug-23	28-Aug-23	28-Aug-23	29-Aug-23						
INJ.TIME:	15:13	14:40	12:20	14:19	22:02	15:56	16:18	14:38	15:50	13:29	15:33	16:40						
Compound	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL10	MDL11	MDL12	AVG CONC	STD DEV	SPK AMT	RL	RATIO	MDL
* 1 Bromochloromethane	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
$ 2 1,2-Dichloroethane-d4	26025.00	26363.00	25657.00	24467.00	24850.00	24807.00	25416.00	25684.00	10076.00	10190.00	24749.00	24130.00	22701.17	5906.78	0.00	400.00	1.41	16054.64
* 3 1,4-Difluorobenzene	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
$ 4 Toluene-d8	24761.00	24391.00	24575.00	24488.00	25262.00	25221.00	24941.00	25118.00	10023.00	10049.00	24696.00	24836.00	22363.42	5764.70	0.00	400.00	1.43	15668.45
* 5 Chlorobenzene-d5	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
$ 6 4-Bromofluorobenzene	24461.00	24686.00	24852.00	24750.00	25290.00	25158.00	24720.00	24623.00	9315.60	9311.70	24439.00	24741.00	22195.51	6022.18	0.00	400.00	1.36	16368.28
7 Naphthalene	181.56	193.92	260.52	263.44	229.12	224.77	185.56	186.35	188.71	185.39	217.65	217.05	210.75	29.12	0.00	1000.00	2.66	79.14

Blank (ppbv)

Reviewer 1 _____ Date: 9/1/23
Reviewer 2 _____ Date: 09/06/23

57.36

x= 79.14 (ppbv)
2x=158.28
3x=237.42
4x=316.56

MDL Verification for Naph MDL
Standard #3018-3942 (5.0ppbv)
Load volume of 80ml
Spike concentration of 2.0ppbv (0.2ppbv for Naph)
File #91090110

MDL Blank

Il(s12H Report Date : 30-AUG-2023 13:01 Page 1
US32TAR1

BLANK METHOD DETECTION LIMIT SUMMARY REPORT

Method File: /chem/msda.i/29AUG23.b/a23q0825a.m
Batch File: /chem/msda.i/29AUG23.b
Instrument Names: msdp.i Il(s14H
Student T 2.718 for 12 Replicates with 99% Confidence

ID:	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL010	MDL11	MDL12						
FILENAME:	p080107EPALB	p080207EPALB	91080107EPALB	91080209EPALB	3082311EPALB	308240 8EPALB	J082406EPALB	J082506EPALB	16082506EPALB	16082806EPALB	a082807EPALB	a082907EPALB						
INJ.DATE:	1-Aug-23	2-Aug-23	1-Aug-23	2-Aug-23	23-Aug-23	24-Aug-23	24-Aug-23	25-Aug-23	25-Aug-23	28-Aug-23	28-Aug-23	29-Aug-23						
INJ.TIME:	13:48	12:58	10:44	12:53	22:38	14:35	13:54	13:05	14:30	12:08	14:12	15:15						
Compound	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL10	MDL11	MDL12	AVG CONC	STD DEV	MAX	RL	CAL MDL	MDL
1 Freon 134a	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
2 Propylene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
3 1,1-Difluoroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
4 Freon 12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
5 Chlorodifluoromethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
6 Freon 114	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
7 Isobutane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
8 Chloromethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
9 Butane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
10 Vinyl Chloride	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
11 1,3-Butadiene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
12 Bromomethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
13 Chloroethane	0.00	0.00	0.00	0.00	0.00	0.00	201.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
14 Isopentane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	16.77	58.08	201.19	400.00	157.86	201.19
15 Vinyl Bromide	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
16 Freon 11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
17 Dichlorofluoromethane	0.00	0.00	0.00	0.00	0.00	0.00	37.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
18 Pentane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.11	10.77	37.30	400.00	29.27	37.30
19 Ethanol	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
20 Acrolein	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
21 Freon 113	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
22 1,1-Dichloroethene	0.00	0.00	0.00	0.00	0.00	0.00	33.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
23 Acetone	207.02	579.74	441.04	520.73	0.00	730.09	1267.20	873.67	106.84	422.40	1390.70	665.19	600.38	425.07	1390.70	400.00	1155.35	1390.70
24 Iodomethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
25 Carbon Disulfide	93.48	82.92	50.79	52.35	296.45	367.53	162.66	111.28	0.00	0.00	0.00	0.00	101.45	120.31	367.53	400.00	327.00	367.53
26 2-Propanol	0.00	0.00	85.63	0.00	0.00	0.00	112.88	0.00	110.76	241.23	0.00	126.58	56.42	78.83	241.23	400.00	214.26	241.23
27 3-Chloropropene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
28 Acetonitrile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
29 Methylene Chloride	0.00	0.00	21.99	21.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.64	8.51	21.99	400.00	23.13	21.99
30 tert-Butyl alcohol	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
31 Methyl tert-butyl ether	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
32 trans-1,2-Dichloroethene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
33 Acrylonitrile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
34 Hexane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
35 Isopropyl ether	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
36 1,1-Dichloroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
37 Vinyl Acetate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
38 Ethyl-tert-butyl ether	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
39 2,2-Dichloropropane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
40 cis-1,2-Dichloroethene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
41 2-Butanone	0.00	0.00	52.76	33.88	0.00	0.00	159.34	0.00	0.00	0.00	70.07	0.00	26.34	48.53	159.34	400.00	131.90	159.34
42 Ethyl Acetate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
* 43 Bromochloromethane	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	25.00	400.00	15.87	38.37
44 Tetrahydrofuran	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.00	10.38	35.97	400.00	28.22	35.97
45 Chloroform	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
46 Cyclohexane	0.00	0.00	0.00	0.00	0.00	0.00	35.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
47 1,1,1-Trichloroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
48 Carbon Tetrachloride	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
49 1,1-Dichloropropene	0.00	0.00	0.00	0.00	0.00	0.00	21.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
50 2,2,4-Trimethylpentane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.82	6.32	21.89	400.00	17.17	21.89
51 Benzene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
$ 52 1,2-Dichloroethane-d4	24758.00	25080.00	26504.00	24839.00	24674.00	25600.00	25846.00	26006.00	10407.00	10060.00	24947.00	24442.00	22763.58	5885.28	26504.00	400.00	15996.19	38759.77
53 tert-Amyl methyl ether	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
54 1,2-Dichloroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
55 Heptane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.47	18.94	65.60	400.00	51.47	65.60
* 56 1,4-Difluorobenzene	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	25.00	400.00	15.87	38.37
57 n-Butanol	0.00	0.00	264.70	217.12	0.00	0.00	691.92	0.00	0.00	0.00	0.00	0.00	97.81	209.14	691.92	400.00	568.45	691.92
58 Trichloroethene	0.00	0.00	0.00	0.00	0.00	0.00	44.26	0.00	0.00	0.00	0.00	0.00	3.69	12.78	44.26	400.00	34.73	44.26
59 Methylcyclohexane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00

60 1,2-Dichloropropane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00		
61 Methyl Methacrylate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00		
62 1,4-Dioxane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00		
63 Dibromomethane	0.00	0.00	23.76	0.00	0.00	0.00	91.72	50.70	20.88	0.00	21.04	11.94	18.34	27.85	91.72	400.00	75.70	91.72	
64 Bromodichloromethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
65 1-Bromo-2-Chloroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
66 cis-1,3-Dichloropropene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
67 4-Methyl-2-pentanone	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00	
$ 68 Toluene-d8	24696.00	24545.00	24337.00	24161.00	25397.00	25226.00	24915.00	24785.00	9947.10	9867.60	25184.00	25022.00	22340.23	5818.67	25397.00	400.00	15815.14	38155.37	
69 Octane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
70 Toluene	0.00	0.00	9.01	0.00	0.00	0.00	46.35	0.00	19.93	24.25	0.00	0.00	8.29	14.74	46.35	400.00	40.05	46.35	
71 trans-1,3-Dichloropropene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
72 1,1,2-Trichloroethane	0.00	0.00	0.00	0.00	0.00	0.00	36.41	0.00	0.00	0.00	0.00	0.00	3.03	10.51	36.41	400.00	28.57	36.41	
73 Tetrachloroethene	0.00	0.00	0.00	0.00	0.00	0.00	39.53	0.00	0.00	0.00	0.00	0.00	3.29	11.41	39.53	400.00	31.02	39.53	
74 1,3-Dichloropropane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.12	0.00	0.00	0.68	2.34	8.12	2000.00	6.37	8.12	
75 2-Hexanone	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	73.03	0.00	0.00	6.09	21.08	73.03	400.00	57.30	73.03	
76 Dibromochloromethane	0.00	0.00	0.00	0.00	0.00	0.00	33.54	0.00	0.00	0.00	0.00	0.00	2.80	9.68	33.54	400.00	26.32	33.54	
77 1,2-Dibromoethane (EDB)	0.00	0.00	0.00	0.00	0.00	0.00	28.82	0.00	25.12	12.81	0.00	0.00	5.56	10.68	28.82	400.00	29.02	28.82	
* 78 Chlorobenzene-d5	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	25.00	400.00	15.87	38.37	
79 Chlorobenzene	0.00	0.00	0.00	0.00	0.00	0.00	66.22	0.00	35.37	39.31	0.00	0.00	11.74	22.41	66.22	400.00	60.92	66.22	
80 Ethyl Benzene	0.00	0.00	0.00	0.00	0.00	0.00	34.82	0.00	0.00	0.00	0.00	0.00	2.90	10.05	34.82	400.00	27.32	34.82	
81 1,1,1,2-Tetrachloroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	500.00	0.00	0.00	
82 Nonane	0.00	0.00	0.00	0.00	0.00	0.00	42.34	0.00	0.00	38.73	0.00	0.00	6.76	15.80	42.34	400.00	42.94	42.34	
83 m,p-Xylene	0.00	0.00	0.00	0.00	0.00	0.00	32.23	0.00	0.00	0.00	0.00	0.00	2.69	9.30	32.23	400.00	25.29	32.23	
84 o-Xylene	0.00	0.00	0.00	0.00	0.00	0.00	29.28	0.00	0.00	8.21	0.00	0.00	3.12	8.57	29.28	400.00	23.29	29.28	
85 Styrene	0.00	0.00	0.00	0.00	0.00	18.10	35.03	0.00	60.20	56.88	0.00	0.00	14.18	23.35	60.20	400.00	63.47	60.20	
86 Bromoform	0.00	0.00	0.00	0.00	0.00	0.00	23.32	0.00	0.00	17.67	0.00	0.00	3.42	8.07	23.32	400.00	21.93	23.32	
87 Cumene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
88 Cyclohexanone	0.00	0.00	34.82	0.00	0.00	0.00	0.00	0.00	0.00	53.54	0.00	0.00	13.84	26.66	77.70	5000.00	72.47	77.70	
$ 89 4-Bromofluorobenzene	24121.00	23417.00	24496.00	24780.00	25519.00	25079.00	24470.00	24251.00	9759.80	9991.30	24430.00	25018.00	22111.01	5739.76	25519.00	400.00	15600.67	37711.67	
90 1,1,2,2-Tetrachloroethane	0.00	0.00	0.00	0.00	0.00	0.00	42.61	0.00	0.00	0.00	0.00	0.00	3.55	12.30	42.61	400.00	33.44	42.61	
91 Bromobenzene	0.00	0.00	0.00	0.00	0.00	0.00	40.69	0.00	64.54	68.01	0.00	0.00	14.44	26.87	68.01	2000.00	73.05	68.01	
92 Propylbenzene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	34.26	0.00	0.00	2.85	9.89	34.26	400.00	26.88	34.26	
93 1,2,3-Trichloropropane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
94 trans-1,4-Dichloro-2-buten	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00	
95 Decane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.45	15.90	50.62	400.00	43.22	50.62	
96 4-Ethyltoluene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	37.65	0.00	0.00	3.14	10.87	37.65	400.00	29.54	37.65	
97 2-Chlorotoluene	0.00	0.00	0.00	0.00	0.00	0.00	26.79	0.00	0.00	50.62	0.00	0.00	6.45	15.90	50.62	400.00	43.22	50.62	
98 1,3,5-Trimethylbenzene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	37.65	0.00	0.00	3.14	10.87	37.65	400.00	29.54	37.65	
99 alpha Methyl Styrene	0.00	0.00	0.00	0.00	0.00	0.00	28.82	0.00	0.00	38.13	0.00	0.00	5.58	13.18	38.13	400.00	35.83	38.13	
100 tert-Butylbenzene	0.00	0.00	0.00	0.00	0.00	0.00	30.19	0.00	60.99	63.97	0.00	0.00	12.93	24.71	63.97	400.00	67.17	63.97	
101 1,2,4-Trimethylbenzene	29.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
102 sec-Butylbenzene	0.00	0.00	0.00	0.00	13.91	0.00	27.85	0.00	60.86	64.40	0.00	0.00	16.39	24.27	64.40	400.00	65.96	64.40	
103 p-Cymene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	28.61	25.79	0.00	0.00	4.53	10.61	28.61	400.00	28.83	28.61	
104 1,3-Dichlorobenzene	0.00	0.00	0.00	0.00	0.00	0.00	31.61	0.00	41.35	0.00	0.00	0.00	6.08	14.35	41.35	400.00	39.01	41.35	
105 1,4-Dichlorobenzene	0.00	0.00	9.33	7.30	0.00	0.00	49.70	0.00	116.81	115.32	0.00	0.00	25.75	44.92	116.81	400.00	122.09	116.81	
106 alpha-Chlorotoluene	0.00	0.00	0.00	0.00	0.00	0.00	50.40	0.00	168.32	154.12	0.00	0.00	32.46	61.88	168.32	400.00	168.20	168.32	
107 Butylbenzene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	97.90	109.39	0.00	0.00	17.27	40.42	109.39	400.00	109.85	109.39	
108 Undecane	21.72	14.70	18.88	0.00	0.00	0.00	26.58	0.00	65.74	71.27	0.00	0.00	13.63	26.76	71.27	400.00	72.73	71.27	
109 1,2-Dichlorobenzene	0.00	0.00	7.18	0.00	0.00	0.00	40.83	0.00	52.63	48.43	170.54	40.65	34.03	47.35	170.54	400.00	128.71	170.54	
110 1,2-Dibromo-3-chloropror	0.00	0.00	0.00	0.00	0.00	0.00	51.20	0.00	111.80	121.32	0.00	0.00	24.29	45.54	121.32	400.00	123.77	121.32	
111 Dodecane	8.77	17.03	0.00	17.47	0.00	0.00	41.43	0.00	113.55	97.70	0.00	0.00	21.06	41.38	113.55	2000.00	112.47	113.55	
112 1,2,4-Trichlorobenzene	48.41	0.00	15.24	9.93	34.23	20.59	75.10	0.00	92.63	79.73	65.78	23.19	31.64	35.80	92.63	400.00	97.31	92.63	
113 Hexachlorobutadiene	24.52	26.43	7.37	0.00	0.00	0.00	143.17	14.62	334.06	330.59	33.96	30.59	84.62	121.37	334.06	400.00	329.89	334.06	
114 Naphthalene	11.90	14.18	2.14	0.00	36.08	18.14	102.47	0.00	72.85	61.35	0.00	0.00	24.58	35.26	102.47	400.00	95.83	102.47	
115 1,2,3-Trichlorobenzene	0.00	0.00	17.12	10.07	0.00	0.00	32.58	9.14	56.59	57.36	13.32	11.66	21.92	19.45	57.36	400.00	52.87	57.36	
							201.96	0.00	319.68	308.69	42.02	33.30	77.74	123.96	319.68	400.00	336.92	319.68	

(ppt.)

Reviewer 1 _____ Date: 9/1/23

Reviewer 2 _____ Date: 09/06/23

Client ID:	CCV		
Lab ID:	2406133-24A	**Date/Time Analyzed:**	6/13/24 11:42 AM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061303a

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	94
1,4-Dichlorobenzene	106-46-7	98
Benzene	71-43-2	93
cis-1,2-Dichloroethene	156-59-2	93
Ethyl Benzene	100-41-4	97
m,p-Xylene	108-38-3	98
o-Xylene	95-47-6	97
Toluene	108-88-3	92
trans-1,2-Dichloroethene	156-60-5	93
Trichloroethene	79-01-6	117
Vinyl Chloride	75-01-4	97

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	93
4-Bromofluorobenzene	460-00-4	77-125	100
Toluene-d8	2037-26-5	91-110	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/13JUN24.b/3061303a.d
Lab Smp Id: CCV Client Smp ID: CCV
Inj Date : 13-JUN-2024 11:42
Operator : RT Inst ID: msd3.i
Smp Info : 50mL 3018-4465
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/13JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:00 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 13 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23_cont111224.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					AMOUNTS			
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	=======	==========	=====
* 90 Bromochloromethane						CAS #: 74-97-5		
5.432	5.432 (1.000)	130	94691	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	74234				47.79- 107.79	78.40
5.432	5.432 (1.000)	49	143700				131.33- 191.33	151.76
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	348240	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	49973				0.00- 45.65	14.35
* 153 Chlorobenzene-d5						CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	341662	25.0000			80.00- 120.00	100.00
9.149	9.149 (1.000)	82	170326				22.92- 82.92	49.85
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	114844	25.0000	23.285		80.00- 120.00	100.00
6.019	6.019 (1.108)	67	64467				23.17- 83.17	56.13
$ 134 Toluene-d8						CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	327173	25.0000	24.167		80.00- 120.00	100.00
7.760	7.760 (1.209)	70	34632				0.00- 41.42	10.59

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	222313			37.54- 97.54	67.95
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	253138	25.0000	24.931	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	278203			88.49- 148.49	109.90
10.288	10.288 (1.124)	176	246745			66.73- 126.73	97.47
4 Freon 134a					CAS #: 811-97-2		
1.409	1.409 (0.259)	83	113150	50.0000	51.697	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	103149			64.17- 124.17	91.16
1.493	1.493 (0.275)	51	436018			365.46- 425.46	385.35
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	118286	50.0000	47.694	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	78829			35.86- 95.86	66.64
1.437	1.437 (0.264)	39	86295			41.66- 101.66	72.95
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.465 (0.270)	65	72199	50.0000	50.500	80.00- 120.00	100.00
1.493	1.493 (0.275)	51	436018			568.10- 628.10	603.91
1.577	1.577 (0.290)	47	14580			0.00- 50.57	20.19
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.270)	85	284314	50.0000	50.700	80.00- 120.00	100.00
1.465	1.465 (0.270)	87	91764			2.88- 62.88	32.28
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.507	1.507 (0.277)	67	33467	50.0000	47.692	80.00- 120.00	100.00
1.493	1.493 (0.275)	51	436018			1257.55-1317.55	1302.83
10 Freon 114					CAS #: 76-14-2		
1.577	1.577 (0.290)	135	257550	50.0000	52.245	80.00- 120.00	100.00
1.577	1.577 (0.290)	137	83569			2.10- 62.10	32.45
12 Isobutane					CAS #: 75-28-5		
1.577	1.577 (0.290)	43	249308	50.0000	47.540	80.00- 120.00	100.00
1.577	1.577 (0.290)	42	79320			1.69- 61.69	31.82
1.577	1.577 (0.290)	58	8286			0.00- 33.32	3.32
15 Chloromethane					CAS #: 74-87-3		
1.674	1.674 (0.308)	50	136720	50.0000	50.567	80.00- 120.00	100.00
1.674	1.674 (0.308)	52	42075			1.38- 61.38	30.77
18 Butane					CAS #: 106-97-8		
1.716	1.716 (0.316)	58	25434	50.0000	46.918	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
18 Butane (continued)							
1.716	1.716 (0.316)	43	222152			866.38- 926.38	873.44
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.758 (0.324)	62	126953	50.0000	48.529	80.00- 120.00	100.00
1.758	1.758 (0.324)	64	42658			3.10- 63.10	33.60
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.772 (0.326)	54	111416	50.0000	45.336	80.00- 120.00	100.00
1.772	1.772 (0.326)	39	119541			78.74- 138.74	107.29
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	101389	50.0000	54.237	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	95947			64.19- 124.19	94.63
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.409)	64	65202	50.0000	51.973	80.00- 120.00	100.00
2.220	2.220 (0.409)	66	19363			2.32- 62.32	29.70
2.220	2.220 (0.409)	49	21926			6.33- 66.33	33.63
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	171494	50.0000	47.903	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	108026			31.77- 91.77	62.99
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.402 (0.442)	106	113337	50.0000	52.128	80.00- 120.00	100.00
2.402	2.402 (0.442)	108	105912			64.21- 124.21	93.45
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	325550	50.0000	50.392	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	213710			34.93- 94.93	65.65
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.458 (0.453)	67	245261	50.0000	47.610	80.00- 120.00	100.00
2.458	2.458 (0.453)	69	77801			1.95- 61.95	31.72
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	254864	50.0000	46.788	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	38090			0.00- 44.64	14.95
2.514	2.514 (0.463)	72	20660			0.00- 37.90	8.11
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	23834	61.6000	46.501	80.00- 120.00	100.00
2.752	2.752 (0.507)	45	62834			224.40- 284.40	263.63
42 Acrolein					CAS #: 107-02-8		
3.054	3.054 (0.562)	55	28326	58.2500	25.678	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
42 Acrolein (continued)							
3.054	3.054 (0.562)	56	39087			108.02- 168.02	137.99
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	285980	50.0000	50.090	80.00- 120.00	100.00
3.054	3.054 (0.562)	153	183921			35.07- 95.07	64.31
3.061	3.061 (0.563)	101	314402			87.45- 147.45	109.94
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.089	3.089 (0.569)	96	114628	50.0000	47.186	80.00- 120.00	100.00
3.089	3.089 (0.569)	98	72634			33.27- 93.27	63.36
3.089	3.089 (0.569)	61	237241			159.05- 219.05	206.97
47 Acetone					CAS #: 67-64-1		
3.247	3.247 (0.598)	58	61099	50.0000	44.199	80.00- 120.00	100.00
3.240	3.240 (0.596)	43	219487			329.45- 389.45	359.23
48 Carbon Disulfide					CAS #: 75-15-0		
3.326	3.326 (0.612)	76	298533	50.0000	45.068	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.631)	45	240273	50.0000	41.806	80.00- 120.00	100.00
3.426	3.426 (0.631)	43	44560			0.00- 48.18	18.55
54 3-Chloropropene					CAS #: 107-05-1		
3.584	3.584 (0.660)	76	49193	50.0000	44.081	80.00- 120.00	100.00
3.576	3.576 (0.658)	41	186238			366.80- 426.80	378.59
57 Acetonitrile					CAS #: 75-05-8		
3.677	3.677 (0.677)	41	137291	58.8000	54.123	80.00- 120.00	100.00
3.677	3.677 (0.677)	40	69125			22.74- 82.74	50.35
3.677	3.677 (0.677)	38	16119			0.00- 42.52	11.74
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.777 (0.695)	49	173531	50.0000	45.702	80.00- 120.00	100.00
3.777	3.777 (0.695)	84	100141			24.90- 84.90	57.71
3.777	3.777 (0.695)	51	52836			0.00- 59.67	30.45
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.906	3.906 (0.719)	59	282756	57.6000	48.225	80.00- 120.00	100.00
3.906	3.906 (0.719)	41	65485			0.00- 51.85	23.16
3.906	3.906 (0.719)	57	28475			0.00- 40.17	10.07
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
3.999	3.999 (0.736)	73	311299	50.0000	44.910	80.00- 120.00	100.00
4.006	4.006 (0.738)	57	90479			0.00- 58.72	29.06

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
63 Methyl tert-butyl ether (continued)							
3.999	3.999 (0.736)	41	91896			0.00- 59.38	29.52
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	76011	50.0000	46.591	80.00- 120.00	100.00
4.021	4.021 (0.740)	61	190898			232.13- 292.13	251.15
4.028	4.028 (0.742)	96	119600			127.26- 187.26	157.35
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.135 (0.761)	52	91964	50.0000	43.588	80.00- 120.00	100.00
4.135	4.135 (0.761)	53	109767			86.45- 146.45	119.36
67 Hexane					CAS #: 110-54-3		
4.250	4.250 (0.782)	57	217073	50.0000	42.702	80.00- 120.00	100.00
4.257	4.257 (0.784)	43	149984			40.97- 100.97	69.09
4.257	4.257 (0.784)	86	27947			0.00- 42.68	12.87
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.551 (0.838)	63	215025	50.0000	45.609	80.00- 120.00	100.00
4.551	4.551 (0.838)	65	66231			0.47- 60.47	30.80
72 Isopropyl ether					CAS #: 108-20-3		
4.551	4.551 (0.838)	45	510292	50.0000	45.139	80.00- 120.00	100.00
4.551	4.551 (0.838)	87	101846			0.00- 49.55	19.96
4.551	4.551 (0.838)	59	53392			0.00- 40.42	10.46
73 Vinyl Acetate					CAS #: 108-05-4		
4.608	4.608 (0.848)	86	5519	50.0000	13.295	80.00- 120.00	100.00
4.601	4.601 (0.847)	43	113311			1727.95-1787.95	2053.11
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.937	4.937 (0.909)	59	433809	50.0000	44.498	80.00- 120.00	100.00
4.937	4.937 (0.909)	87	149883			3.90- 63.90	34.55
4.937	4.937 (0.909)	41	89094			0.00- 49.72	20.54
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.138	5.138 (0.946)	77	208885	50.0000	44.883	80.00- 120.00	100.00
5.138	5.138 (0.946)	79	67495			2.39- 62.39	32.31
5.138	5.138 (0.946)	97	49492			0.00- 53.57	23.69
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.181	5.181 (0.954)	98	78530	50.0000	46.484	80.00- 120.00	100.00
5.181	5.181 (0.954)	96	121626			125.53- 185.53	154.88
5.181	5.181 (0.954)	61	189029			219.86- 279.86	240.71
86 2-Butanone					CAS #: 78-93-3		
5.210	5.210 (0.959)	72	54619	50.0000	44.874	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.231	5.231 (0.963)	43	606244			1138.34-1198.34	1109.95
5.210	5.210 (0.959)	57	21859			10.83- 70.83	40.02
87 Ethyl Acetate						CAS #: 141-78-6	
5.238	5.238 (0.964)	45	48195	50.0000	39.592	80.00- 120.00	100.00
5.181	5.181 (0.954)	61	189029			338.96- 398.96	392.22
5.238	5.238 (0.964)	70	24924			24.53- 84.53	51.71
89 Tetrahydrofuran						CAS #: 109-99-9	
5.424	5.424 (0.999)	42	147804	50.0000	39.717	80.00- 120.00	100.00
5.424	5.424 (0.999)	71	42988			0.00- 58.54	29.08
5.424	5.424 (0.999)	72	44241			0.00- 59.59	29.93
92 Chloroform						CAS #: 67-66-3	
5.510	5.510 (1.014)	83	238061	50.0000	47.024	80.00- 120.00	100.00
5.510	5.510 (1.014)	85	154819			35.77- 95.77	65.03
94 Cyclohexane						CAS #: 110-82-7	
5.604	5.604 (1.032)	84	154173	50.0000	45.522	80.00- 120.00	100.00
5.604	5.604 (1.032)	56	232747			125.79- 185.79	150.96
5.604	5.604 (1.032)	41	132250			61.55- 121.55	85.78
96 1,1,1-Trichloroethane						CAS #: 71-55-6	
5.632	5.632 (1.037)	97	259873	50.0000	47.066	80.00- 120.00	100.00
5.632	5.632 (1.037)	99	167020			32.84- 92.84	64.27
97 Carbon Tetrachloride						CAS #: 56-23-5	
5.754	5.754 (1.059)	119	288283	50.0000	49.249	80.00- 120.00	100.00
5.754	5.754 (1.059)	117	300118			75.19- 135.19	104.11
99 1,1-Dichloropropene						CAS #: 563-58-6	
5.797	5.797 (0.903)	110	67012	50.0000	47.772	80.00- 120.00	100.00
5.797	5.797 (0.903)	75	172106			234.16- 294.16	256.83
101 2,2,4-Trimethylpentane						CAS #: 540-84-1	
5.990	5.990 (1.103)	57	729101	50.0000	45.906	80.00- 120.00	100.00
5.990	5.990 (1.103)	56	243929			3.09- 63.09	33.46
5.990	5.990 (1.103)	41	193864			0.00- 57.28	26.59
102 Benzene						CAS #: 71-43-2	
5.990	5.990 (0.933)	78	326248	50.0000	46.531	80.00- 120.00	100.00
5.990	5.990 (0.933)	77	76822			0.00- 53.69	23.55
105 tert-Amyl methyl ether						CAS #: 994-05-8	
6.083	6.083 (0.948)	87	85357	50.0000	45.301	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
105 tert-Amyl methyl ether (continued)							
6.083	6.083 (0.948)	73	335999			365.76- 425.76	393.64
6.083	6.083 (0.948)	55	112578			92.58- 152.58	131.89
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.098 (0.950)	62	169632	50.0000	46.380	80.00- 120.00	100.00
6.098	6.098 (0.950)	64	54107			1.80- 61.80	31.90
107 Heptane					CAS #: 142-82-5		
6.177	6.177 (0.962)	71	119749	50.0000	43.115	80.00- 120.00	100.00
6.177	6.177 (0.962)	43	284258			207.73- 267.73	237.38
6.177	6.177 (0.962)	57	141448			84.83- 144.83	118.12
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.032)	56	63505	50.0000	39.837	80.00- 120.00	100.00
6.628	6.628 (1.032)	41	47013			47.73- 107.73	74.03
6.628	6.628 (1.032)	43	39438			31.60- 91.60	62.10
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	198389	50.0000	58.685	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	225300			80.23- 140.23	113.56
6.628	6.628 (1.032)	97	128387			34.78- 94.78	64.71
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.886 (1.073)	63	144949	50.0000	43.934	80.00- 120.00	100.00
6.886	6.886 (1.073)	62	104697			40.39- 100.39	72.23
6.886	6.886 (1.073)	41	87302			31.86- 91.86	60.23
116 Methyl Methacrylate					CAS #: 80-62-6		
6.972	6.972 (0.762)	69	120731	50.0000	43.382	80.00- 120.00	100.00
6.972	6.972 (0.762)	41	202367			145.81- 205.81	167.62
6.972	6.972 (0.762)	100	49067			10.05- 70.05	40.64
117 1,4-Dioxane					CAS #: 123-91-1		
6.986	6.986 (1.088)	88	82970	50.0000	47.042	80.00- 120.00	100.00
6.986	6.986 (1.088)	58	68021			56.33- 116.33	81.98
6.986	6.986 (1.088)	57	24692			2.08- 62.08	29.76
118 Dibromomethane					CAS #: 74-95-3		
7.008	7.008 (0.766)	174	168911	50.0000	52.396	80.00- 120.00	100.00
7.000	7.000 (0.765)	93	147489			62.68- 122.68	87.32
7.000	7.000 (0.765)	95	123544			47.70- 107.70	73.14
122 Bromodichloromethane					CAS #: 75-27-4		
7.144	7.144 (1.113)	83	262800	50.0000	48.024	80.00- 120.00	100.00
7.144	7.144 (1.113)	85	169322			34.96- 94.96	64.43

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.566	7.566 (1.179)	75	213638	50.0000	45.776	80.00- 120.00	100.00
7.566	7.566 (1.179)	77	67511			1.26- 61.26	31.60
7.566	7.566 (1.179)	39	130481			35.06- 95.06	61.08
127 Methylcyclohexane					CAS #: 108-87-2		
6.728	6.728 (1.048)	83	220226	50.0000	45.860	80.00- 120.00	100.00
6.728	6.728 (1.048)	98	100666			14.83- 74.83	45.71
6.728	6.728 (1.048)	55	216877			71.50- 131.50	98.48
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.702	7.702 (1.200)	58	128459	50.0000	40.014	80.00- 120.00	100.00
7.702	7.702 (1.200)	43	376432			259.88- 319.88	293.04
7.702	7.702 (1.200)	85	48122			7.58- 67.58	37.46
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	448938	50.0000	46.254	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	260089			27.89- 87.89	57.93
136 Octane					CAS #: 111-65-9		
7.853	7.853 (1.223)	57	149104	50.0000	42.166	80.00- 120.00	100.00
7.853	7.853 (1.223)	85	144903			63.53- 123.53	97.18
7.853	7.853 (1.223)	43	412890			246.00- 306.00	276.91
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.111	8.111 (0.886)	75	175308	50.0000	46.435	80.00- 120.00	100.00
8.111	8.111 (0.886)	77	56492			1.83- 61.83	32.22
8.111	8.111 (0.886)	39	101589			31.97- 91.97	57.95
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.283	8.283 (0.905)	97	152303	50.0000	47.643	80.00- 120.00	100.00
8.283	8.283 (0.905)	99	94520			32.52- 92.52	62.06
8.283	8.283 (0.905)	83	131239			58.90- 118.90	86.17
142 Tetrachloroethene					CAS #: 127-18-4		
8.311	8.311 (0.908)	166	251460	50.0000	52.387	80.00- 120.00	100.00
8.311	8.311 (0.908)	129	188459			45.32- 105.32	74.95
8.311	8.311 (0.908)	131	184204			44.17- 104.17	73.25
143 2-Hexanone					CAS #: 591-78-6		
8.483	8.483 (0.927)	58	178587	50.0000	44.530	80.00- 120.00	100.00
8.483	8.483 (0.927)	43	372125			177.32- 237.32	208.37
8.490	8.490 (0.928)	100	31917			0.00- 47.18	17.87
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.440	8.440 (1.315)	76	202890	50.0000	44.588	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
144 1,3-Dichloropropane (continued)							
8.440	8.440 (1.315)	41	172089			59.72- 119.72	84.82
8.440	8.440 (1.315)	78	66822			3.08- 63.08	32.94
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	330717	50.0000	52.346	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	256888			47.27- 107.27	77.68
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	256046	50.0000	48.870	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	240825			64.18- 124.18	94.06
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.452	7.452 (1.161)	63	270032	50.0000	46.388	80.00- 120.00	100.00
7.452	7.452 (1.161)	65	81461			0.43- 60.43	30.17
7.452	7.452 (1.161)	144	30848			0.00- 40.48	11.42
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.003)	112	391090	50.0000	49.405	80.00- 120.00	100.00
9.178	9.178 (1.003)	114	124695			1.91- 61.91	31.88
9.171	9.171 (1.002)	77	197405			22.97- 82.97	50.48
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	194010	50.0000	48.725	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	591872			281.09- 341.09	305.07
156 Nonane					CAS #: 111-84-2		
9.307	9.307 (1.017)	43	419553	50.0000	45.367	80.00- 120.00	100.00
9.307	9.307 (1.017)	57	341163			50.62- 110.62	81.32
9.307	9.307 (1.017)	85	108952			0.00- 55.65	25.97
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.264	9.264 (1.013)	131	234596	50.0000	52.020	80.00- 120.00	100.00
9.264	9.264 (1.013)	117	153015			37.10- 97.10	65.22
9.264	9.264 (1.013)	95	79313			4.93- 64.93	33.81
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	243245	50.0000	49.012	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	475237			170.33- 230.33	195.37
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	227361	50.0000	48.311	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	474087			181.23- 241.23	208.52
165 Styrene					CAS #: 100-42-5		
9.772	9.772 (1.068)	104	385706	50.0000	47.990	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
165 Styrene (continued)							
9.772	9.772 (1.068)	78	177187			17.26- 77.26	45.94
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.092)	173	346374	50.0000	54.248	80.00- 120.00	100.00
9.987	9.987 (1.092)	171	176920			21.45- 81.45	51.08
168 Cumene					CAS #: 98-82-8		
10.088	10.088 (1.103)	105	704540	50.0000	49.523	80.00- 120.00	100.00
10.088	10.088 (1.103)	120	193479			0.00- 56.93	27.46
10.088	10.088 (1.103)	51	82322			0.00- 42.24	11.68
169 Cyclohexanone					CAS #: 108-94-1		
10.252	10.252 (1.121)	55	220921	50.0000	39.250	80.00- 120.00	100.00
10.260	10.260 (1.121)	98	81109			5.15- 65.15	36.71
10.252	10.252 (1.121)	42	153801			41.99- 101.99	69.62
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.144)	83	273819	50.0000	37.108	80.00- 120.00	100.00
10.467	10.467 (1.144)	85	177400			34.97- 94.97	64.79
177 Bromobenzene					CAS #: 108-86-1		
10.424	10.424 (1.139)	156	252734	50.0000	50.989	80.00- 120.00	100.00
10.424	10.424 (1.139)	158	248348			67.47- 127.47	98.26
10.424	10.424 (1.139)	77	321252			108.68- 168.68	127.11
178 Propylbenzene					CAS #: 103-65-1		
10.489	10.489 (1.146)	120	208324	50.0000	49.521	80.00- 120.00	100.00
10.489	10.489 (1.146)	91	850787			383.60- 443.60	408.40
10.489	10.489 (1.146)	105	32692			0.00- 46.14	15.69
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.517 (1.150)	110	105244	50.0000	46.995	80.00- 120.00	100.00
10.517	10.517 (1.150)	75	349197			324.28- 384.28	331.80
10.517	10.517 (1.150)	61	86042			57.24- 117.24	81.75
182 Decane					CAS #: 124-18-5		
10.603	10.603 (1.159)	57	445774	50.0000	40.943	80.00- 120.00	100.00
10.603	10.603 (1.159)	71	139293			1.11- 61.11	31.25
10.603	10.603 (1.159)	142	20961			0.00- 34.44	4.70
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.603 (1.159)	120	222470	50.0000	48.520	80.00- 120.00	100.00
10.603	10.603 (1.159)	105	728957			298.94- 358.94	327.67
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.603 (1.159)	126	190171	50.0000	49.020	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
184 2-Chlorotoluene (continued)							
10.603	10.603 (1.159)	91	567048			282.78- 342.78	298.18
10.603	10.603 (1.159)	65	83292			17.33- 77.33	43.80
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.668	10.668 (1.166)	120	301733	50.0000	48.796	80.00- 120.00	100.00
10.668	10.668 (1.166)	105	604459			172.08- 232.08	200.33
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.897	10.897 (1.191)	118	317154	50.0000	48.419	80.00- 120.00	100.00
10.897	10.897 (1.191)	103	179734			25.64- 85.64	56.67
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.976 (1.200)	119	580012	50.0000	49.338	80.00- 120.00	100.00
10.976	10.976 (1.200)	134	147472			0.00- 55.10	25.43
10.976	10.976 (1.200)	91	364012			34.53- 94.53	62.76
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.033	11.033 (1.206)	105	600754	50.0000	47.518	80.00- 120.00	100.00
11.033	11.033 (1.206)	120	282881			16.63- 76.63	47.09
192 sec-Butylbenzene					CAS #: 135-98-8		
11.191	11.191 (1.223)	134	192495	50.0000	50.023	80.00- 120.00	100.00
11.191	11.191 (1.223)	105	876792			436.99- 496.99	455.49
11.191	11.191 (1.223)	91	133243			41.69- 101.69	69.22
194 p-Cymene					CAS #: 99-87-6		
11.334	11.334 (1.239)	119	772839	50.0000	49.109	80.00- 120.00	100.00
11.334	11.334 (1.239)	134	216086			0.00- 57.62	27.96
11.334	11.334 (1.239)	91	170354			0.00- 53.03	22.04
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.341	11.341 (1.240)	146	459898	50.0000	49.090	80.00- 120.00	100.00
11.341	11.341 (1.240)	148	291718			34.18- 94.18	63.43
11.341	11.341 (1.240)	111	176839			10.06- 70.06	38.45
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.441	11.441 (1.251)	146	466675	50.0000	49.177	80.00- 120.00	100.00
11.441	11.441 (1.251)	148	296827			33.55- 93.55	63.60
11.441	11.441 (1.251)	111	172847			7.98- 67.98	37.04
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.585	11.585 (1.266)	91	538415	50.0000	44.804	80.00- 120.00	100.00
11.585	11.585 (1.266)	126	127814			0.00- 52.77	23.74
201 Undecane					CAS #: 1120-21-4		
11.778	11.778 (1.287)	57	520366	50.0000	40.197	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
201 Undecane (continued)							
11.778	11.778 (1.287)	43	482340			63.59- 123.59	92.69
202 Butylbenzene					CAS #: 104-51-8		
11.742	11.742 (1.283)	134	213540	50.0000	49.235	80.00- 120.00	100.00
11.735	11.735 (1.283)	91	707711			310.82- 370.82	331.42
11.735	11.735 (1.283)	92	376199			151.53- 211.53	176.17
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.814 (1.291)	146	442827	50.0000	48.705	80.00- 120.00	100.00
11.814	11.814 (1.291)	148	280704			33.00- 93.00	63.39
11.814	11.814 (1.291)	111	176112			10.87- 70.87	39.77
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.609	12.609 (1.378)	157	265633	50.0000	49.396	80.00- 120.00	100.00
12.609	12.609 (1.378)	75	196400			48.09- 108.09	73.94
12.609	12.609 (1.378)	155	207445			47.89- 107.89	78.09
207 Dodecane					CAS #: 112-40-3		
12.853	12.853 (1.405)	57	568004	50.0000	43.558	80.00- 120.00	100.00
12.853	12.853 (1.405)	43	499371			58.52- 118.52	87.92
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.390	13.390 (1.463)	180	438946	50.0000	48.716	80.00- 120.00	100.00
13.390	13.390 (1.463)	182	420162			64.84- 124.84	95.72
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.504	13.504 (1.476)	225	328686	50.0000	50.009	80.00- 120.00	100.00
13.504	13.504 (1.476)	223	211452			32.80- 92.80	64.33
216 Naphthalene					CAS #: 91-20-3		
13.640	13.640 (1.491)	128	95102	5.80000	5.057	80.00- 120.00	100.00
13.640	13.640 (1.491)	127	12373			0.00- 42.72	13.01
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.518)	180	420685	50.0000	47.647	80.00- 120.00	100.00
13.884	13.884 (1.518)	182	404615			65.07- 125.07	96.18
13.884	13.884 (1.518)	145	138870			4.48- 64.48	33.01

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 13-JUN-2024 11:42
Lab File ID: 3061303a.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/13JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE	
$ 104 1,2-Dichloroethane-d4	1.30215	1.21283	0.010	6.85948	30.00000	Averaged	
$ 134 Toluene-d8	0.97187	0.93950	0.010	3.33057	30.00000	Averaged	
$ 170 4-Bromofluorobenzene	0.74296	0.74090	0.010	0.27688	30.00000	Averaged	
4 Freon 134a	0.57786	0.59747	0.010	-3.39375	30.00000	Averaged	
5 Propylene	0.65479	0.62459	0.010	4.61237	30.00000	Averaged	
7 1,1-Difluoroethane	0.37746	0.38123	0.010	-0.99992	30.00000	Averaged	
8 Freon 12	1.48055	1.50127	0.010	-1.39997	30.00000	Averaged	
9 Chlorodifluoromethane	0.18527	0.17672	0.010	4.61540	30.00000	Averaged	
10 Freon 114	1.30152	1.35995	0.010	-4.48966	30.00000	Averaged	
12 Isobutane	1.38453	1.31643	0.010	4.91884	30.00000	Averaged	
15 Chloromethane	0.71383	0.72193	0.010	-1.13387	30.00000	Averaged	
18 Butane	0.14312	0.13430	0.010	6.16311	30.00000	Averaged	
19 Vinyl Chloride	0.69068	0.67035	0.010	2.94280	30.00000	Averaged	
20 1,3-Butadiene	0.64883	0.58831	0.010	9.32719	30.00000	Averaged	
24 Bromomethane	0.49355	0.53537	0.010	-8.47332	30.00000	Averaged	
30 Chloroethane	0.33122	0.34429	0.010	-3.94554	30.00000	Averaged	
31 Isopentane	0.94519	0.90555	0.010	4.19404	30.00000	Averaged	
32 Vinyl Bromide	0.57403	0.59846	0.010	-4.25627	30.00000	Averaged	
33 Freon 11	1.70564	1.71901	0.010	-0.78382	30.00000	Averaged	
34 Dichlorofluoromethane	1.36006	1.29506	0.010	4.77897	30.00000	Averaged	
35 Pentane	1.43815	1.34577	0.010	6.42348	30.00000	Averaged	
39 Ethanol	0.13532	0.10215	0.010	24.51148	30.00000	Averaged	
42 Acrolein	0.29124	0.12839	0.010	55.91788	30.00000	Averaged	<-
43 Freon 113	1.50737	1.51007	0.010	-0.17915	30.00000	Averaged	
44 1,1-Dichloroethene	0.64138	0.60527	0.010	5.62872	30.00000	Averaged	
47 Acetone	0.36497	0.32262	0.010	11.60259	30.00000	Averaged	
48 Carbon Disulfide	1.74887	1.57635	0.010	9.86447	30.00000	Averaged	
52 2-Propanol	1.51737	1.26872	0.010	16.38696	30.00000	Averaged	
54 3-Chloropropene	0.29464	0.25976	0.010	11.83833	30.00000	Averaged	
57 Acetonitrile	0.66971	0.61645	0.010	7.95339	30.00000	Averaged	
59 Methylene Chloride	1.00247	0.91630	0.010	8.59540	30.00000	Averaged	
62 tert-Butyl alcohol	1.54800	1.29605	0.010	16.27585	30.00000	Averaged	
63 Methyl tert-butyl ether	1.83005	1.64376	0.010	10.17955	30.00000	Averaged	
64 trans-1,2-Dichloroethene	0.43073	0.40136	0.010	6.81788	30.00000	Averaged	
66 Acrylonitrile	0.55703	0.48560	0.010	12.82294	30.00000	Averaged	

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 13-JUN-2024 11:42
Lab File ID: 3061303a.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/13JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE	
67 Hexane	1.34210	1.14622	0.010	14.59508	30.00000	Averaged	
71 1,1-Dichloroethane	1.24472	1.13540	0.010	8.78217	30.00000	Averaged	
72 Isopropyl ether	2.98469	2.69451	0.010	9.72208	30.00000	Averaged	
73 Vinyl Acetate	0.10960	0.02914	0.010	73.41057	30.00000	Averaged	<-
79 Ethyl-tert-butyl ether	2.57389	2.29066	0.010	11.00403	30.00000	Averaged	
84 2,2-Dichloropropane	1.22874	1.10298	0.010	10.23435	30.00000	Averaged	
85 cis-1,2-Dichloroethene	0.44603	0.41466	0.010	7.03156	30.00000	Averaged	
86 2-Butanone	0.32135	0.28841	0.010	10.25149	30.00000	Averaged	
87 Ethyl Acetate	0.32139	0.25449	0.010	20.81609	30.00000	Averaged	
89 Tetrahydrofuran	0.98253	0.78045	0.010	20.56672	30.00000	Averaged	
92 Chloroform	1.33658	1.25704	0.010	5.95099	30.00000	Averaged	
94 Cyclohexane	0.89416	0.81408	0.010	8.95525	30.00000	Averaged	
96 1,1,1-Trichloroethane	1.45774	1.37222	0.010	5.86704	30.00000	Averaged	
97 Carbon Tetrachloride	1.54543	1.52223	0.010	1.50109	30.00000	Averaged	
99 1,1-Dichloropropene	0.10070	0.09622	0.010	4.45635	30.00000	Averaged	
101 2,2,4-Trimethylpentane	4.19325	3.84990	0.010	8.18830	30.00000	Averaged	
102 Benzene	0.50334	0.46842	0.010	6.93763	30.00000	Averaged	
105 tert-Amyl methyl ether	0.13527	0.12255	0.010	9.39775	30.00000	Averaged	
106 1,2-Dichloroethane	0.26256	0.24356	0.010	7.23946	30.00000	Averaged	
107 Heptane	0.19939	0.17193	0.010	13.76907	30.00000	Averaged	
110 n-Butanol	0.11444	0.09118	0.010	20.32644	30.00000	Averaged	
111 Trichloroethene	0.24269	0.28485	0.010	-17.36929	30.00000	Averaged	
114 1,2-Dichloropropane	0.23685	0.20812	0.010	12.13251	30.00000	Averaged	
116 Methyl Methacrylate	0.20363	0.17668	0.010	13.23552	30.00000	Averaged	
117 1,4-Dioxane	0.12662	0.11913	0.010	5.91699	30.00000	Averaged	
118 Dibromomethane	0.23589	0.24719	0.010	-4.79189	30.00000	Averaged	
122 Bromodichloromethane	0.39286	0.37733	0.010	3.95288	30.00000	Averaged	
126 cis-1,3-Dichloropropene	0.33505	0.30674	0.010	8.44897	30.00000	Averaged	
127 Methylcyclohexane	0.34474	0.31620	0.010	8.27885	30.00000	Averaged	
131 4-Methyl-2-pentanone	0.23047	0.18444	0.010	19.97150	30.00000	Averaged	
137 Toluene	0.69679	0.64458	0.010	7.49277	30.00000	Averaged	
136 Octane	0.25386	0.21408	0.010	15.66790	30.00000	Averaged	
139 trans-1,3-Dichloropropene	0.27625	0.25655	0.010	7.12963	30.00000	Averaged	
141 1,1,2-Trichloroethane	0.23391	0.22289	0.010	4.71436	30.00000	Averaged	
142 Tetrachloroethene	0.35123	0.36800	0.010	-4.77412	30.00000	Averaged	

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 13-JUN-2024 11:42
Lab File ID: 3061303a.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/13JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE
143 2-Hexanone	0.29346	0.26135	0.010	10.94067	30.00000	Averaged
144 1,3-Dichloropropane	0.32667	0.29131	0.010	10.82402	30.00000	Averaged
146 Dibromochloromethane	0.46229	0.48398	0.010	-4.69211	30.00000	Averaged
148 1,2-Dibromoethane (EDB)	0.38337	0.37471	0.010	2.25973	30.00000	Averaged
151 1-Bromo-2-Chloroethane	0.41790	0.38771	0.010	7.22345	30.00000	Averaged
154 Chlorobenzene	0.57923	0.57233	0.010	1.19058	30.00000	Averaged
155 Ethyl Benzene	0.29135	0.28392	0.010	2.55051	30.00000	Averaged
156 Nonane	0.67669	0.61399	0.010	9.26551	30.00000	Averaged
157 1,1,1,2-Tetrachloroethane	0.32998	0.34332	0.010	-4.04040	30.00000	Averaged
158 m,p-Xylene	0.36315	0.35597	0.010	1.97499	30.00000	Averaged
164 o-Xylene	0.34436	0.33273	0.010	3.37835	30.00000	Averaged
165 Styrene	0.58810	0.56446	0.010	4.02016	30.00000	Averaged
167 Bromoform	0.46720	0.50690	0.010	-8.49560	30.00000	Averaged
168 Cumene	1.04099	1.03105	0.010	0.95461	30.00000	Averaged
169 Cyclohexanone	0.41185	0.32330	0.010	21.49921	30.00000	Averaged
175 1,1,2,2-Tetrachloroethane	0.53993	0.40072	0.010	25.78369	30.00000	Averaged
177 Bromobenzene	0.36268	0.36986	0.010	-1.97862	30.00000	Averaged
178 Propylbenzene	0.30782	0.30487	0.010	0.95726	30.00000	Averaged
179 1,2,3-Trichloropropane	0.16387	0.15402	0.010	6.01037	30.00000	Averaged
182 Decane	0.79666	0.65236	0.010	18.11311	30.00000	Averaged
183 4-Ethyltoluene	0.33550	0.32557	0.010	2.96086	30.00000	Averaged
184 2-Chlorotoluene	0.28387	0.27830	0.010	1.96015	30.00000	Averaged
185 1,3,5-Trimethylbenzene	0.45246	0.44157	0.010	2.40739	30.00000	Averaged
188 alpha Methyl Styrene	0.47929	0.46413	0.010	3.16124	30.00000	Averaged
189 tert-Butylbenzene	0.86021	0.84881	0.010	1.32498	30.00000	Averaged
190 1,2,4-Trimethylbenzene	0.92509	0.87916	0.010	4.96397	30.00000	Averaged
192 sec-Butylbenzene	0.28157	0.28170	0.010	-0.04581	30.00000	Averaged
194 p-Cymene	1.15152	1.13100	0.010	1.78194	30.00000	Averaged
195 1,3-Dichlorobenzene	0.68551	0.67303	0.010	1.82018	30.00000	Averaged
196 1,4-Dichlorobenzene	0.69437	0.68295	0.010	1.64544	30.00000	Averaged
199 alpha-Chlorotoluene	0.87930	0.78794	0.010	10.39113	30.00000	Averaged
201 Undecane	0.94724	0.76152	0.010	19.60657	30.00000	Averaged
202 Butylbenzene	0.31736	0.31250	0.010	1.52986	30.00000	Averaged
204 1,2-Dichlorobenzene	0.66528	0.64805	0.010	2.59028	30.00000	Averaged
206 1,2-Dibromo-3-chloropropane	0.39349	0.38874	0.010	1.20798	30.00000	Averaged
207 Dodecane	0.95417	0.83124	0.010	12.88340	30.00000	Averaged

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 13-JUN-2024 11:42
Lab File ID: 3061303a.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/13JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE
213 1,2,4-Trichlorobenzene	0.65930	0.64237	0.010	2.56768	30.00000	Averaged
215 Hexachlorobutadiene	0.48092	0.48101	0.010	-0.01852	30.00000	Averaged
216 Naphthalene	1.37605	1.19979	0.010	12.80936	30.00000	Averaged
222 1,2,3-Trichlorobenzene	0.64605	0.61564	0.010	4.70588	30.00000	Averaged

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061303a.d
Lab Smp Id: CCV
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 13-JUN-2024
Calibration Time: 11:42
Client Smp ID: CCV
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	94691	56815	132567	94691	0.00
108 1,4-Difluorobenze	348240	208944	487536	348240	0.00
153 Chlorobenzene-d5	341662	204997	478327	341662	0.00

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/13JUN24.b/3061303a.d

Page 1

Date : 13-JUN-2024 11:42

Client ID: CCV


Instrument: msd3.i

Sample Info: 50mL 3018-4465

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Client ID:	CCV		
Lab ID:	2406133-24B	**Date/Time Analyzed:**	6/14/24 12:02 PM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061403a

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	109
1,4-Dichlorobenzene	106-46-7	97
Benzene	71-43-2	92
cis-1,2-Dichloroethene	156-59-2	92
Ethyl Benzene	100-41-4	96
m,p-Xylene	108-38-3	96
o-Xylene	95-47-6	96
Toluene	108-88-3	92
trans-1,2-Dichloroethene	156-60-5	92
Trichloroethene	79-01-6	118
Vinyl Chloride	75-01-4	96

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	91
4-Bromofluorobenzene	460-00-4	77-125	101
Toluene-d8	2037-26-5	91-110	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061403a.d
Lab Smp Id: CCV Client Smp ID: CCV
Inj Date : 14-JUN-2024 12:02
Operator : RT Inst ID: msd3.i
Smp Info : 50mL 3018-4465
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 17-Jun-2024 08:29 ugdc Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 13 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23_cont111224.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					AMOUNTS			
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========		=======	=======	==========	=====
* 90 Bromochloromethane						CAS #: 74-97-5		
5.432	5.432 (1.000)	130	97298	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	75071				47.79- 107.79	77.16
5.432	5.432 (1.000)	49	144176				131.33- 191.33	148.18
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	356185	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	52319				0.00- 45.65	14.69
* 153 Chlorobenzene-d5						CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	352841	25.0000			80.00- 120.00	100.00
9.149	9.149 (1.000)	82	177126				22.92- 82.92	50.20
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	115351	25.0000	22.761		80.00- 120.00	100.00
6.019	6.019 (1.108)	67	65910				23.17- 83.17	57.14
$ 134 Toluene-d8						CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	335984	25.0000	24.265		80.00- 120.00	100.00
7.760	7.760 (1.209)	70	35541				0.00- 41.42	10.58

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	225336			37.54- 97.54	67.07
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	266020	25.0000	25.369	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	289397			88.49- 148.49	108.79
10.288	10.288 (1.124)	176	255266			66.73- 126.73	95.96
4 Freon 134a					CAS #: 811-97-2		
1.409	1.409 (0.259)	83	113151	50.0000	50.312	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	104406			64.17- 124.17	92.27
1.492	1.492 (0.275)	51	437213			365.46- 425.46	386.40
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	118201	50.0000	46.382	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	79360			35.86- 95.86	67.14
1.437	1.437 (0.264)	39	83253			41.66- 101.66	70.43
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.464	1.464 (0.270)	65	73436	50.0000	49.989	80.00- 120.00	100.00
1.492	1.492 (0.275)	51	437213			568.10- 628.10	595.37
1.576	1.576 (0.290)	47	15022			0.00- 50.57	20.46
8 Freon 12					CAS #: 75-71-8		
1.464	1.464 (0.270)	85	284417	50.0000	49.359	80.00- 120.00	100.00
1.464	1.464 (0.270)	87	93848			2.88- 62.88	33.00
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.492	1.492 (0.275)	67	33691	50.0000	46.725	80.00- 120.00	100.00
1.492	1.492 (0.275)	51	437213			1257.55-1317.55	1297.71
10 Freon 114					CAS #: 76-14-2		
1.576	1.576 (0.290)	135	262972	50.0000	51.915	80.00- 120.00	100.00
1.576	1.576 (0.290)	137	83625			2.10- 62.10	31.80
12 Isobutane					CAS #: 75-28-5		
1.590	1.590 (0.293)	43	245221	50.0000	45.508	80.00- 120.00	100.00
1.590	1.590 (0.293)	42	78748			1.69- 61.69	32.11
1.576	1.576 (0.290)	58	8177			0.00- 33.32	3.33
15 Chloromethane					CAS #: 74-87-3		
1.674	1.674 (0.308)	50	136087	50.0000	48.984	80.00- 120.00	100.00
1.674	1.674 (0.308)	52	41531			1.38- 61.38	30.52
18 Butane					CAS #: 106-97-8		
1.716	1.716 (0.316)	58	24831	50.0000	44.579	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
18 Butane (continued)							
1.716	1.716 (0.316)	43	217263			866.38- 926.38	874.97
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.758 (0.324)	62	129459	50.0000	48.160	80.00- 120.00	100.00
1.758	1.758 (0.324)	64	41820			3.10- 63.10	32.30
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.772 (0.326)	54	111917	50.0000	44.320	80.00- 120.00	100.00
1.772	1.772 (0.326)	39	116232			78.74- 138.74	103.86
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	103904	50.0000	54.093	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	97864			64.19- 124.19	94.19
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.409)	64	61711	50.0000	47.872	80.00- 120.00	100.00
2.220	2.220 (0.409)	66	19363			2.32- 62.32	31.38
2.220	2.220 (0.409)	49	22211			6.33- 66.33	35.99
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	169744	50.0000	46.144	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	108890			31.77- 91.77	64.15
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.402 (0.442)	106	114781	50.0000	51.378	80.00- 120.00	100.00
2.402	2.402 (0.442)	108	107900			64.21- 124.21	94.01
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	326553	50.0000	49.193	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	211973			34.93- 94.93	64.91
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.458 (0.453)	67	247883	50.0000	46.830	80.00- 120.00	100.00
2.458	2.458 (0.453)	69	78765			1.95- 61.95	31.78
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	256073	50.0000	45.751	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	37984			0.00- 44.64	14.83
2.514	2.514 (0.463)	72	20990			0.00- 37.90	8.20
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	23574	61.6000	44.761	80.00- 120.00	100.00
2.752	2.752 (0.507)	45	61813			224.40- 284.40	262.21
42 Acrolein					CAS #: 107-02-8		
3.053	3.053 (0.562)	55	29037	58.2500	25.617	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
42 Acrolein (continued)							
3.053	3.053 (0.562)	56	39883			108.02- 168.02	137.35
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	285962	50.0000	48.744	80.00- 120.00	100.00
3.061	3.061 (0.563)	153	189265			35.07- 95.07	66.19
3.061	3.061 (0.563)	101	316238			87.45- 147.45	110.59
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.096	3.096 (0.570)	96	136462	50.0000	54.668	80.00- 120.00	100.00
3.089	3.089 (0.569)	98	73958			33.27- 93.27	54.20
3.089	3.089 (0.569)	61	207970			159.05- 219.05	152.40
47 Acetone					CAS #: 67-64-1		
3.247	3.247 (0.598)	58	63076	50.0000	44.406	80.00- 120.00	100.00
3.240	3.240 (0.596)	43	216844			329.45- 389.45	343.78
48 Carbon Disulfide					CAS #: 75-15-0		
3.326	3.326 (0.612)	76	303564	50.0000	44.599	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.631)	45	243610	50.0000	41.251	80.00- 120.00	100.00
3.426	3.426 (0.631)	43	45402			0.00- 48.18	18.64
54 3-Chloropropene					CAS #: 107-05-1		
3.576	3.576 (0.658)	76	51508	50.0000	44.918	80.00- 120.00	100.00
3.576	3.576 (0.658)	41	183159			366.80- 426.80	355.59
57 Acetonitrile					CAS #: 75-05-8		
3.684	3.684 (0.678)	41	134227	58.8000	51.498	80.00- 120.00	100.00
3.684	3.684 (0.678)	40	72409			22.74- 82.74	53.95
3.677	3.677 (0.677)	38	16451			0.00- 42.52	12.26
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.777 (0.695)	49	175057	50.0000	44.869	80.00- 120.00	100.00
3.777	3.777 (0.695)	84	100869			24.90- 84.90	57.62
3.777	3.777 (0.695)	51	52471			0.00- 59.67	29.97
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.913	3.913 (0.720)	59	286126	57.6000	47.492	80.00- 120.00	100.00
3.906	3.906 (0.719)	41	64828			0.00- 51.85	22.66
3.906	3.906 (0.719)	57	29797			0.00- 40.17	10.41
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
3.999	3.999 (0.736)	73	316864	50.0000	44.488	80.00- 120.00	100.00
3.999	3.999 (0.736)	57	91199			0.00- 58.72	28.78

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
63 Methyl tert-butyl ether (continued)							
3.999	3.999 (0.736)	41	91784			0.00- 59.38	28.97
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	77491	50.0000	46.226	80.00- 120.00	100.00
4.028	4.028 (0.742)	61	192512			232.13- 292.13	248.43
4.028	4.028 (0.742)	96	119909			127.26- 187.26	154.74
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.135 (0.761)	52	94053	50.0000	43.384	80.00- 120.00	100.00
4.135	4.135 (0.761)	53	109649			86.45- 146.45	116.58
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.784)	57	219487	50.0000	42.020	80.00- 120.00	100.00
4.257	4.257 (0.784)	43	153072			40.97- 100.97	69.74
4.257	4.257 (0.784)	86	28166			0.00- 42.68	12.83
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.550	4.550 (0.838)	63	219283	50.0000	45.266	80.00- 120.00	100.00
4.550	4.550 (0.838)	65	66953			0.47- 60.47	30.53
72 Isopropyl ether					CAS #: 108-20-3		
4.550	4.550 (0.838)	45	510641	50.0000	43.960	80.00- 120.00	100.00
4.550	4.550 (0.838)	87	103791			0.00- 49.55	20.33
4.550	4.550 (0.838)	59	54371			0.00- 40.42	10.65
73 Vinyl Acetate					CAS #: 108-05-4		
4.608	4.608 (0.848)	86	5697	50.0000	13.356	80.00- 120.00	100.00
4.601	4.601 (0.847)	43	96992			1727.95-1787.95	1702.51
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.937	4.937 (0.909)	59	441737	50.0000	44.097	80.00- 120.00	100.00
4.937	4.937 (0.909)	87	155649			3.90- 63.90	35.24
4.937	4.937 (0.909)	41	89084			0.00- 49.72	20.17
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.138	5.138 (0.946)	77	211829	50.0000	44.296	80.00- 120.00	100.00
5.138	5.138 (0.946)	79	67694			2.39- 62.39	31.96
5.138	5.138 (0.946)	97	50599			0.00- 53.57	23.89
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.181	5.181 (0.954)	98	80027	50.0000	46.101	80.00- 120.00	100.00
5.181	5.181 (0.954)	96	124688			125.53- 185.53	155.81
5.181	5.181 (0.954)	61	192978			219.86- 279.86	241.14
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.960)	72	56485	50.0000	45.164	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.231	5.231 (0.963)	43	614568			1138.34-1198.34	1088.02
5.217	5.217 (0.960)	57	23120			10.83- 70.83	40.93
87 Ethyl Acetate					CAS #: 141-78-6		
5.238	5.238 (0.964)	45	48620	50.0000	38.871	80.00- 120.00	100.00
5.181	5.181 (0.954)	61	192978			338.96- 398.96	396.91
5.238	5.238 (0.964)	70	25120			24.53- 84.53	51.67
89 Tetrahydrofuran					CAS #: 109-99-9		
5.424	5.424 (0.999)	42	147442	50.0000	38.558	80.00- 120.00	100.00
5.424	5.424 (0.999)	71	43599			0.00- 58.54	29.57
5.424	5.424 (0.999)	72	45010			0.00- 59.59	30.53
92 Chloroform					CAS #: 67-66-3		
5.510	5.510 (1.014)	83	239323	50.0000	46.007	80.00- 120.00	100.00
5.510	5.510 (1.014)	85	157796			35.77- 95.77	65.93
94 Cyclohexane					CAS #: 110-82-7		
5.611	5.611 (1.033)	84	155164	50.0000	44.587	80.00- 120.00	100.00
5.603	5.603 (1.032)	56	235378			125.79- 185.79	151.70
5.603	5.603 (1.032)	41	131684			61.55- 121.55	84.87
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.632	5.632 (1.037)	97	262260	50.0000	46.226	80.00- 120.00	100.00
5.632	5.632 (1.037)	99	167421			32.84- 92.84	63.84
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.754	5.754 (1.059)	119	287883	50.0000	47.863	80.00- 120.00	100.00
5.754	5.754 (1.059)	117	301680			75.19- 135.19	104.79
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.797	5.797 (0.903)	110	69299	50.0000	48.300	80.00- 120.00	100.00
5.797	5.797 (0.903)	75	174064			234.16- 294.16	251.18
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.990	5.990 (1.103)	57	738257	50.0000	45.237	80.00- 120.00	100.00
5.983	5.983 (1.102)	56	245120			3.09- 63.09	33.20
5.983	5.983 (1.102)	41	190988			0.00- 57.28	25.87
102 Benzene					CAS #: 71-43-2		
5.990	5.990 (0.933)	78	330022	50.0000	46.020	80.00- 120.00	100.00
5.990	5.990 (0.933)	77	78407			0.00- 53.69	23.76
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.083	6.083 (0.948)	87	88533	50.0000	45.939	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
105 tert-Amyl methyl ether (continued)							
6.083	6.083 (0.948)	73	343486			365.76- 425.76	387.98
6.083	6.083 (0.948)	55	110573			92.58- 152.58	124.89
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.098 (0.950)	62	170615	50.0000	45.608	80.00- 120.00	100.00
6.098	6.098 (0.950)	64	54627			1.80- 61.80	32.02
107 Heptane					CAS #: 142-82-5		
6.176	6.176 (0.962)	71	122357	50.0000	43.072	80.00- 120.00	100.00
6.176	6.176 (0.962)	43	285444			207.73- 267.73	233.29
6.176	6.176 (0.962)	57	141790			84.83- 144.83	115.88
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.032)	56	63349	50.0000	38.852	80.00- 120.00	100.00
6.628	6.628 (1.032)	41	47120			47.73- 107.73	74.38
6.628	6.628 (1.032)	43	38622			31.60- 91.60	60.97
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	203441	50.0000	58.837	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	228614			80.23- 140.23	112.37
6.628	6.628 (1.032)	97	130587			34.78- 94.78	64.19
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.886 (1.073)	63	149617	50.0000	44.337	80.00- 120.00	100.00
6.886	6.886 (1.073)	62	106271			40.39- 100.39	71.03
6.886	6.886 (1.073)	41	87207			31.86- 91.86	58.29
116 Methyl Methacrylate					CAS #: 80-62-6		
6.972	6.972 (0.762)	69	122645	50.0000	42.674	80.00- 120.00	100.00
6.972	6.972 (0.762)	41	204004			145.81- 205.81	166.34
6.972	6.972 (0.762)	100	51481			10.05- 70.05	41.98
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.089)	88	83898	50.0000	46.507	80.00- 120.00	100.00
6.993	6.993 (1.089)	58	69958			56.33- 116.33	83.38
6.993	6.993 (1.089)	57	25784			2.08- 62.08	30.73
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.007 (0.766)	174	172348	50.0000	51.768	80.00- 120.00	100.00
7.000	7.000 (0.765)	93	151239			62.68- 122.68	87.75
7.000	7.000 (0.765)	95	125780			47.70- 107.70	72.98
122 Bromodichloromethane					CAS #: 75-27-4		
7.144	7.144 (1.113)	83	268412	50.0000	47.955	80.00- 120.00	100.00
7.144	7.144 (1.113)	85	171941			34.96- 94.96	64.06

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.566	7.566 (1.179)	75	218526	50.0000	45.778	80.00- 120.00	100.00
7.566	7.566 (1.179)	77	70547			1.26- 61.26	32.28
7.566	7.566 (1.179)	39	131671			35.06- 95.06	60.25
127 Methylcyclohexane					CAS #: 108-87-2		
6.728	6.728 (1.048)	83	224522	50.0000	45.712	80.00- 120.00	100.00
6.728	6.728 (1.048)	98	103204			14.83- 74.83	45.97
6.728	6.728 (1.048)	55	218333			71.50- 131.50	97.24
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.702	7.702 (1.200)	58	133091	50.0000	40.532	80.00- 120.00	100.00
7.702	7.702 (1.200)	43	372393			259.88- 319.88	279.80
7.702	7.702 (1.200)	85	50022			7.58- 67.58	37.58
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	457963	50.0000	46.131	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	261633			27.89- 87.89	57.13
136 Octane					CAS #: 111-65-9		
7.853	7.853 (1.223)	57	152097	50.0000	42.053	80.00- 120.00	100.00
7.853	7.853 (1.223)	85	147915			63.53- 123.53	97.25
7.853	7.853 (1.223)	43	409537			246.00- 306.00	269.26
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.111	8.111 (0.886)	75	179996	50.0000	46.166	80.00- 120.00	100.00
8.111	8.111 (0.886)	77	59153			1.83- 61.83	32.86
8.111	8.111 (0.886)	39	101006			31.97- 91.97	56.12
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.282	8.282 (0.905)	97	156550	50.0000	47.420	80.00- 120.00	100.00
8.282	8.282 (0.905)	99	96448			32.52- 92.52	61.61
8.282	8.282 (0.905)	83	134023			58.90- 118.90	85.61
142 Tetrachloroethene					CAS #: 127-18-4		
8.311	8.311 (0.908)	166	252900	50.0000	51.018	80.00- 120.00	100.00
8.311	8.311 (0.908)	129	187728			45.32- 105.32	74.23
8.311	8.311 (0.908)	131	185960			44.17- 104.17	73.53
143 2-Hexanone					CAS #: 591-78-6		
8.483	8.483 (0.927)	58	181545	50.0000	43.833	80.00- 120.00	100.00
8.483	8.483 (0.927)	43	371437			177.32- 237.32	204.60
8.490	8.490 (0.928)	100	32777			0.00- 47.18	18.05
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.440	8.440 (1.315)	76	209197	50.0000	44.948	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane (continued)							
8.440	8.440 (1.315)	41	171865			59.72- 119.72	82.15
8.440	8.440 (1.315)	78	66949			3.08- 63.08	32.00
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	337595	50.0000	51.742	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	261603			47.27- 107.27	77.49
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	261989	50.0000	48.420	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	248850			64.18- 124.18	94.98
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.452	7.452 (1.161)	63	274511	50.0000	46.106	80.00- 120.00	100.00
7.452	7.452 (1.161)	65	84683			0.43- 60.43	30.85
7.452	7.452 (1.161)	144	32066			0.00- 40.48	11.68
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.003)	112	395819	50.0000	48.418	80.00- 120.00	100.00
9.178	9.178 (1.003)	114	126515			1.91- 61.91	31.96
9.178	9.178 (1.003)	77	198167			22.97- 82.97	50.07
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	196683	50.0000	47.831	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	601902			281.09- 341.09	306.03
156 Nonane					CAS #: 111-84-2		
9.307	9.307 (1.017)	43	420235	50.0000	44.001	80.00- 120.00	100.00
9.307	9.307 (1.017)	57	343083			50.62- 110.62	81.64
9.307	9.307 (1.017)	85	112647			0.00- 55.65	26.81
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.264	9.264 (1.013)	131	235804	50.0000	50.631	80.00- 120.00	100.00
9.264	9.264 (1.013)	117	158770			37.10- 97.10	67.33
9.264	9.264 (1.013)	95	79836			4.93- 64.93	33.86
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	245821	50.0000	47.962	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	484817			170.33- 230.33	197.22
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	232231	50.0000	47.782	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	476096			181.23- 241.23	205.01
165 Styrene					CAS #: 100-42-5		
9.772	9.772 (1.068)	104	390257	50.0000	47.018	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
165 Styrene (continued)							
9.772	9.772 (1.068)	78	180864			17.26- 77.26	46.34
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.092)	173	351544	50.0000	53.313	80.00- 120.00	100.00
9.987	9.987 (1.092)	171	181169			21.45- 81.45	51.54
168 Cumene					CAS #: 98-82-8		
10.088	10.088 (1.103)	105	713546	50.0000	48.567	80.00- 120.00	100.00
10.088	10.088 (1.103)	120	195446			0.00- 56.93	27.39
10.088	10.088 (1.103)	51	81936			0.00- 42.24	11.48
169 Cyclohexanone					CAS #: 108-94-1		
10.252	10.252 (1.121)	55	223832	50.0000	38.508	80.00- 120.00	100.00
10.259	10.259 (1.121)	98	82552			5.15- 65.15	36.88
10.252	10.252 (1.121)	42	154053			41.99- 101.99	68.83
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.144)	83	275504	50.0000	36.154	80.00- 120.00	100.00
10.467	10.467 (1.144)	85	182576			34.97- 94.97	66.27
177 Bromobenzene					CAS #: 108-86-1		
10.424	10.424 (1.139)	156	258822	50.0000	50.563	80.00- 120.00	100.00
10.424	10.424 (1.139)	158	252852			67.47- 127.47	97.69
10.424	10.424 (1.139)	77	327123			108.68- 168.68	126.39
178 Propylbenzene					CAS #: 103-65-1		
10.489	10.489 (1.146)	120	211387	50.0000	48.657	80.00- 120.00	100.00
10.489	10.489 (1.146)	91	860519			383.60- 443.60	407.08
10.489	10.489 (1.146)	105	33150			0.00- 46.14	15.68
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.517 (1.150)	110	106477	50.0000	46.039	80.00- 120.00	100.00
10.517	10.517 (1.150)	75	352299			324.28- 384.28	330.87
10.517	10.517 (1.150)	61	86469			57.24- 117.24	81.21
182 Decane					CAS #: 124-18-5		
10.603	10.603 (1.159)	57	453625	50.0000	40.344	80.00- 120.00	100.00
10.603	10.603 (1.159)	71	142704			1.11- 61.11	31.46
10.603	10.603 (1.159)	142	21509			0.00- 34.44	4.74
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.603 (1.159)	120	228468	50.0000	48.249	80.00- 120.00	100.00
10.603	10.603 (1.159)	105	742302			298.94- 358.94	324.90
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.603 (1.159)	126	193015	50.0000	48.177	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
184 2-Chlorotoluene (continued)							
10.603	10.603 (1.159)	91	579696			282.78- 342.78	300.34
10.603	10.603 (1.159)	65	85106			17.33- 77.33	44.09
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.668	10.668 (1.166)	120	305331	50.0000	47.814	80.00- 120.00	100.00
10.668	10.668 (1.166)	105	613452			172.08- 232.08	200.91
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.897	10.897 (1.191)	118	322438	50.0000	47.666	80.00- 120.00	100.00
10.897	10.897 (1.191)	103	179785			25.64- 85.64	55.76
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.976 (1.200)	119	591783	50.0000	48.744	80.00- 120.00	100.00
10.976	10.976 (1.200)	134	151156			0.00- 55.10	25.54
10.976	10.976 (1.200)	91	369745			34.53- 94.53	62.48
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.033	11.033 (1.206)	105	616807	50.0000	47.242	80.00- 120.00	100.00
11.033	11.033 (1.206)	120	288951			16.63- 76.63	46.85
192 sec-Butylbenzene					CAS #: 135-98-8		
11.191	11.191 (1.223)	134	195527	50.0000	49.201	80.00- 120.00	100.00
11.191	11.191 (1.223)	105	889705			436.99- 496.99	455.03
11.191	11.191 (1.223)	91	139324			41.69- 101.69	71.26
194 p-Cymene					CAS #: 99-87-6		
11.334	11.334 (1.239)	119	787844	50.0000	48.476	80.00- 120.00	100.00
11.334	11.334 (1.239)	134	220636			0.00- 57.62	28.01
11.334	11.334 (1.239)	91	174784			0.00- 53.03	22.19
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.341	11.341 (1.240)	146	467989	50.0000	48.371	80.00- 120.00	100.00
11.341	11.341 (1.240)	148	298695			34.18- 94.18	63.83
11.341	11.341 (1.240)	111	180145			10.06- 70.06	38.49
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.441	11.441 (1.251)	146	477315	50.0000	48.705	80.00- 120.00	100.00
11.441	11.441 (1.251)	148	302465			33.55- 93.55	63.37
11.441	11.441 (1.251)	111	176159			7.98- 67.98	36.91
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.585	11.585 (1.266)	91	552428	50.0000	44.514	80.00- 120.00	100.00
11.585	11.585 (1.266)	126	129380			0.00- 52.77	23.42
201 Undecane					CAS #: 1120-21-4		
11.778	11.778 (1.287)	57	538291	50.0000	40.264	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
201 Undecane (continued)							
11.778	11.778 (1.287)	43	491430			63.59- 123.59	91.29
202 Butylbenzene					CAS #: 104-51-8		
11.742	11.742 (1.283)	134	216574	50.0000	48.352	80.00- 120.00	100.00
11.735	11.735 (1.283)	91	722360			310.82- 370.82	333.54
11.735	11.735 (1.283)	92	382281			151.53- 211.53	176.51
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.814 (1.291)	146	453719	50.0000	48.322	80.00- 120.00	100.00
11.814	11.814 (1.291)	148	288067			33.00- 93.00	63.49
11.814	11.814 (1.291)	111	180849			10.87- 70.87	39.86
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.609	12.609 (1.378)	157	274016	50.0000	49.340	80.00- 120.00	100.00
12.609	12.609 (1.378)	75	199833			48.09- 108.09	72.93
12.609	12.609 (1.378)	155	212295			47.89- 107.89	77.48
207 Dodecane					CAS #: 112-40-3		
12.845	12.845 (1.404)	57	601976	50.0000	44.701	80.00- 120.00	100.00
12.845	12.845 (1.404)	43	518383			58.52- 118.52	86.11
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.383	13.383 (1.463)	180	469208	50.0000	50.425	80.00- 120.00	100.00
13.383	13.383 (1.463)	182	445396			64.84- 124.84	94.93
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.497	13.497 (1.475)	225	345434	50.0000	50.892	80.00- 120.00	100.00
13.497	13.497 (1.475)	223	218402			32.80- 92.80	63.23
216 Naphthalene					CAS #: 91-20-3		
13.633	13.633 (1.490)	128	101175	5.80000	5.210	80.00- 120.00	100.00
13.633	13.633 (1.490)	127	13039			0.00- 42.72	12.89
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.884	13.884 (1.518)	180	457199	50.0000	50.142	80.00- 120.00	100.00
13.884	13.884 (1.518)	182	432572			65.07- 125.07	94.61
13.884	13.884 (1.518)	145	150547			4.48- 64.48	32.93

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 14-JUN-2024 12:02
Lab File ID: 3061403a.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/14JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	MIN %D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE	
$ 104 1,2-Dichloroethane-d4	1.30215	1.18554	0.010	8.95492	30.00000	Averaged	
$ 134 Toluene-d8	0.97187	0.94329	0.010	2.94156	30.00000	Averaged	
$ 170 4-Bromofluorobenzene	0.74296	0.75394	0.010	-1.47766	30.00000	Averaged	
4 Freon 134a	0.57786	0.58147	0.010	-0.62431	30.00000	Averaged	
5 Propylene	0.65479	0.60742	0.010	7.23490	30.00000	Averaged	
7 1,1-Difluoroethane	0.37746	0.37738	0.010	0.02219	30.00000	Averaged	
8 Freon 12	1.48055	1.46158	0.010	1.28119	30.00000	Averaged	
9 Chlorodifluoromethane	0.18527	0.17313	0.010	6.54981	30.00000	Averaged	
10 Freon 114	1.30152	1.35137	0.010	-3.83077	30.00000	Averaged	
12 Isobutane	1.38453	1.26015	0.010	8.98338	30.00000	Averaged	
15 Chloromethane	0.71383	0.69933	0.010	2.03160	30.00000	Averaged	
18 Butane	0.14312	0.12760	0.010	10.84249	30.00000	Averaged	
19 Vinyl Chloride	0.69068	0.66527	0.010	3.67881	30.00000	Averaged	
20 1,3-Butadiene	0.64883	0.57512	0.010	11.35987	30.00000	Averaged	
24 Bromomethane	0.49355	0.53395	0.010	-8.18552	30.00000	Averaged	
30 Chloroethane	0.33122	0.31712	0.010	4.25584	30.00000	Averaged	
31 Isopentane	0.94519	0.87229	0.010	7.71251	30.00000	Averaged	
32 Vinyl Bromide	0.57403	0.58984	0.010	-2.75554	30.00000	Averaged	
33 Freon 11	1.70564	1.67811	0.010	1.61439	30.00000	Averaged	
34 Dichlorofluoromethane	1.36006	1.27383	0.010	6.33962	30.00000	Averaged	
35 Pentane	1.43815	1.31592	0.010	8.49876	30.00000	Averaged	
39 Ethanol	0.13532	0.09833	0.010	27.33555	30.00000	Averaged	
42 Acrolein	0.29124	0.12808	0.010	56.02218	30.00000	Averaged	<-
43 Freon 113	1.50737	1.46952	0.010	2.51119	30.00000	Averaged	
44 1,1-Dichloroethene	0.64138	0.70126	0.010	-9.33662	30.00000	Averaged	
47 Acetone	0.36497	0.32414	0.010	11.18744	30.00000	Averaged	
48 Carbon Disulfide	1.74887	1.55997	0.010	10.80126	30.00000	Averaged	
52 2-Propanol	1.51737	1.25188	0.010	17.49716	30.00000	Averaged	
54 3-Chloropropene	0.29464	0.26469	0.010	10.16284	30.00000	Averaged	
57 Acetonitrile	0.66971	0.58654	0.010	12.41890	30.00000	Averaged	
59 Methylene Chloride	1.00247	0.89959	0.010	10.26224	30.00000	Averaged	
62 tert-Butyl alcohol	1.54800	1.27635	0.010	17.54804	30.00000	Averaged	
63 Methyl tert-butyl ether	1.83005	1.62832	0.010	11.02352	30.00000	Averaged	
64 trans-1,2-Dichloroethene	0.43073	0.39821	0.010	7.54887	30.00000	Averaged	
66 Acrylonitrile	0.55703	0.48332	0.010	13.23156	30.00000	Averaged	

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 14-JUN-2024 12:02
Lab File ID: 3061403a.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/14JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	MIN %D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE	
67 Hexane	1.34210	1.12791	0.010	15.95910	30.00000	Averaged	
71 1,1-Dichloroethane	1.24472	1.12686	0.010	9.46833	30.00000	Averaged	
72 Isopropyl ether	2.98469	2.62411	0.010	12.08090	30.00000	Averaged	
73 Vinyl Acetate	0.10960	0.02928	0.010	73.28841	30.00000	Averaged	<-
79 Ethyl-tert-butyl ether	2.57389	2.27002	0.010	11.80573	30.00000	Averaged	
84 2,2-Dichloropropane	1.22874	1.08856	0.010	11.40828	30.00000	Averaged	
85 cis-1,2-Dichloroethene	0.44603	0.41125	0.010	7.79781	30.00000	Averaged	
86 2-Butanone	0.32135	0.29027	0.010	9.67220	30.00000	Averaged	
87 Ethyl Acetate	0.32139	0.24985	0.010	22.25818	30.00000	Averaged	
89 Tetrahydrofuran	0.98253	0.75768	0.010	22.88439	30.00000	Averaged	
92 Chloroform	1.33658	1.22985	0.010	7.98572	30.00000	Averaged	
94 Cyclohexane	0.89416	0.79736	0.010	10.82516	30.00000	Averaged	
96 1,1,1-Trichloroethane	1.45774	1.34772	0.010	7.54777	30.00000	Averaged	
97 Carbon Tetrachloride	1.54543	1.47939	0.010	4.27328	30.00000	Averaged	
99 1,1-Dichloropropene	0.10070	0.09728	0.010	3.39953	30.00000	Averaged	
101 2,2,4-Trimethylpentane	4.19325	3.79379	0.010	9.52623	30.00000	Averaged	
102 Benzene	0.50334	0.46327	0.010	7.96094	30.00000	Averaged	
105 tert-Amyl methyl ether	0.13527	0.12428	0.010	8.12274	30.00000	Averaged	
106 1,2-Dichloroethane	0.26256	0.23950	0.010	8.78301	30.00000	Averaged	
107 Heptane	0.19939	0.17176	0.010	13.85640	30.00000	Averaged	
110 n-Butanol	0.11444	0.08893	0.010	22.29498	30.00000	Averaged	
111 Trichloroethene	0.24269	0.28558	0.010	-17.67342	30.00000	Averaged	
114 1,2-Dichloropropane	0.23685	0.21003	0.010	11.32587	30.00000	Averaged	
116 Methyl Methacrylate	0.20363	0.17380	0.010	14.65253	30.00000	Averaged	
117 1,4-Dioxane	0.12662	0.11777	0.010	6.98677	30.00000	Averaged	
118 Dibromomethane	0.23589	0.24423	0.010	-3.53653	30.00000	Averaged	
122 Bromodichloromethane	0.39286	0.37679	0.010	4.08998	30.00000	Averaged	
126 cis-1,3-Dichloropropene	0.33505	0.30676	0.010	8.44315	30.00000	Averaged	
127 Methylcyclohexane	0.34474	0.31518	0.010	8.57545	30.00000	Averaged	
131 4-Methyl-2-pentanone	0.23047	0.18683	0.010	18.93528	30.00000	Averaged	
137 Toluene	0.69679	0.64287	0.010	7.73803	30.00000	Averaged	
136 Octane	0.25386	0.21351	0.010	15.89394	30.00000	Averaged	
139 trans-1,3-Dichloropropene	0.27625	0.25507	0.010	7.66721	30.00000	Averaged	
141 1,1,2-Trichloroethane	0.23391	0.22184	0.010	5.16040	30.00000	Averaged	
142 Tetrachloroethene	0.35123	0.35838	0.010	-2.03557	30.00000	Averaged	

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 14-JUN-2024 12:02
Lab File ID: 3061403a.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/14JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE
143 2-Hexanone	0.29346	0.25726	0.010	12.33394	30.00000	Averaged
144 1,3-Dichloropropane	0.32667	0.29366	0.010	10.10289	30.00000	Averaged
146 Dibromochloromethane	0.46229	0.47840	0.010	-3.48349	30.00000	Averaged
148 1,2-Dibromoethane (EDB)	0.38337	0.37126	0.010	3.15968	30.00000	Averaged
151 1-Bromo-2-Chloroethane	0.41790	0.38535	0.010	7.78836	30.00000	Averaged
154 Chlorobenzene	0.57923	0.56090	0.010	3.16420	30.00000	Averaged
155 Ethyl Benzene	0.29135	0.27871	0.010	4.33790	30.00000	Averaged
156 Nonane	0.67669	0.59550	0.010	11.99742	30.00000	Averaged
157 1,1,1,2-Tetrachloroethane	0.32998	0.33415	0.010	-1.26286	30.00000	Averaged
158 m,p-Xylene	0.36315	0.34835	0.010	4.07549	30.00000	Averaged
164 o-Xylene	0.34436	0.32909	0.010	4.43556	30.00000	Averaged
165 Styrene	0.58810	0.55302	0.010	5.96447	30.00000	Averaged
167 Bromoform	0.46720	0.49816	0.010	-6.62626	30.00000	Averaged
168 Cumene	1.04099	1.01114	0.010	2.86669	30.00000	Averaged
169 Cyclohexanone	0.41185	0.31719	0.010	22.98474	30.00000	Averaged
175 1,1,2,2-Tetrachloroethane	0.53993	0.39041	0.010	27.69284	30.00000	Averaged
177 Bromobenzene	0.36268	0.36677	0.010	-1.12634	30.00000	Averaged
178 Propylbenzene	0.30782	0.29955	0.010	2.68512	30.00000	Averaged
179 1,2,3-Trichloropropane	0.16387	0.15089	0.010	7.92197	30.00000	Averaged
182 Decane	0.79666	0.64282	0.010	19.31102	30.00000	Averaged
183 4-Ethyltoluene	0.33550	0.32375	0.010	3.50196	30.00000	Averaged
184 2-Chlorotoluene	0.28387	0.27352	0.010	3.64660	30.00000	Averaged
185 1,3,5-Trimethylbenzene	0.45246	0.43268	0.010	4.37253	30.00000	Averaged
188 alpha Methyl Styrene	0.47929	0.45692	0.010	4.66708	30.00000	Averaged
189 tert-Butylbenzene	0.86021	0.83860	0.010	2.51218	30.00000	Averaged
190 1,2,4-Trimethylbenzene	0.92509	0.87406	0.010	5.51594	30.00000	Averaged
192 sec-Butylbenzene	0.28157	0.27708	0.010	1.59802	30.00000	Averaged
194 p-Cymene	1.15152	1.11643	0.010	3.04724	30.00000	Averaged
195 1,3-Dichlorobenzene	0.68551	0.66317	0.010	3.25824	30.00000	Averaged
196 1,4-Dichlorobenzene	0.69437	0.67639	0.010	2.59019	30.00000	Averaged
199 alpha-Chlorotoluene	0.87930	0.78283	0.010	10.97189	30.00000	Averaged
201 Undecane	0.94724	0.76280	0.010	19.47209	30.00000	Averaged
202 Butylbenzene	0.31736	0.30690	0.010	3.29492	30.00000	Averaged
204 1,2-Dichlorobenzene	0.66528	0.64295	0.010	3.35647	30.00000	Averaged
206 1,2-Dibromo-3-chloropropane	0.39349	0.38830	0.010	1.31904	30.00000	Averaged
207 Dodecane	0.95417	0.85304	0.010	10.59818	30.00000	Averaged

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 14-JUN-2024 12:02
Lab File ID: 3061403a.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/14JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE
213 1,2,4-Trichlorobenzene	0.65930	0.66490	0.010	-0.84979	30.00000	Averaged
215 Hexachlorobutadiene	0.48092	0.48950	0.010	-1.78457	30.00000	Averaged
216 Naphthalene	1.37605	1.23597	0.010	10.18041	30.00000	Averaged
222 1,2,3-Trichlorobenzene	0.64605	0.64788	0.010	-0.28407	30.00000	Averaged

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061403a.d
Lab Smp Id: CCV
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 15-JUN-2024
Calibration Time: 08:26
Client Smp ID: CCV
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	94062	56437	131687	97298	3.44
108 1,4-Difluorobenze	341260	204756	477764	356185	4.37
153 Chlorobenzene-d5	337707	202624	472790	352841	4.48

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/14JUN24.b/3061403a.d

Page 1

Date : 14-JUN-2024 12:02

Client ID: CCV


Instrument: msd3.i

Sample Info: 50mL 3018-4465

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Client ID:	CCV		
Lab ID:	2406133-24C	**Date/Time Analyzed:**	6/14/24 08:42 AM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061332

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	92
1,4-Dichlorobenzene	106-46-7	99
Benzene	71-43-2	94
cis-1,2-Dichloroethene	156-59-2	94
Ethyl Benzene	100-41-4	97
m,p-Xylene	108-38-3	98
o-Xylene	95-47-6	98
Toluene	108-88-3	93
trans-1,2-Dichloroethene	156-60-5	91
Trichloroethene	79-01-6	118
Vinyl Chloride	75-01-4	95

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	91
4-Bromofluorobenzene	460-00-4	77-125	100
Toluene-d8	2037-26-5	91-110	96

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/13JUN24.b/3061332.d
Lab Smp Id: CCV Client Smp ID: CCV
Inj Date : 14-JUN-2024 08:42
Operator : RT Inst ID: msd3.i
Smp Info : 50mL 3018-4465
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/13JUN24.b/324q0423a.m
Meth Date : 14-Jun-2024 09:06 yrc5 Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 13 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23_cont111224.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					AMOUNTS			
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========		=======	=======	==========	=====
* 90 Bromochloromethane						CAS #: 74-97-5		
5.432	5.432 (1.000)	130	99024	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	75357				47.79- 107.79	76.10
5.432	5.432 (1.000)	49	145795				131.33- 191.33	147.23
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	358909	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	52215				0.00- 45.65	14.55
* 153 Chlorobenzene-d5						CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	349704	25.0000			80.00- 120.00	100.00
9.149	9.149 (1.000)	82	176143				22.92- 82.92	50.37
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	117467	25.0000	22.775		80.00- 120.00	100.00
6.019	6.019 (1.108)	67	65305				23.17- 83.17	55.59
$ 134 Toluene-d8						CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	335233	25.0000	24.027		80.00- 120.00	100.00
7.760	7.760 (1.209)	70	35608				0.00- 41.42	10.62

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	226274			37.54- 97.54	67.50
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	259408	25.0000	24.961	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	286063			88.49- 148.49	110.28
10.288	10.288 (1.124)	176	253326			66.73- 126.73	97.66
4 Freon 134a					CAS #: 811-97-2		
1.409	1.409 (0.259)	83	113965	50.0000	49.791	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	106029			64.17- 124.17	93.04
1.493	1.493 (0.275)	51	439019			365.46- 425.46	385.22
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	120485	50.0000	46.454	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	80118			35.86- 95.86	66.50
1.437	1.437 (0.264)	39	86463			41.66- 101.66	71.76
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.465 (0.270)	65	74811	50.0000	50.037	80.00- 120.00	100.00
1.493	1.493 (0.275)	51	439019			568.10- 628.10	586.84
1.577	1.577 (0.290)	47	14399			0.00- 50.57	19.25
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.270)	85	292771	50.0000	49.923	80.00- 120.00	100.00
1.465	1.465 (0.270)	87	94395			2.88- 62.88	32.24
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.493 (0.275)	67	33659	50.0000	45.868	80.00- 120.00	100.00
1.493	1.493 (0.275)	51	439019			1257.55-1317.55	1304.28
10 Freon 114					CAS #: 76-14-2		
1.577	1.577 (0.290)	135	267010	50.0000	51.793	80.00- 120.00	100.00
1.577	1.577 (0.290)	137	85655			2.10- 62.10	32.08
12 Isobutane					CAS #: 75-28-5		
1.577	1.577 (0.290)	43	251792	50.0000	45.913	80.00- 120.00	100.00
1.577	1.577 (0.290)	42	82714			1.69- 61.69	32.85
1.577	1.577 (0.290)	58	8526			0.00- 33.32	3.39
15 Chloromethane					CAS #: 74-87-3		
1.674	1.674 (0.308)	50	138164	50.0000	48.865	80.00- 120.00	100.00
1.674	1.674 (0.308)	52	42869			1.38- 61.38	31.03
18 Butane					CAS #: 106-97-8		
1.716	1.716 (0.316)	58	25035	50.0000	44.162	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
18 Butane (continued)							
1.716	1.716 (0.316)	43	221096			866.38- 926.38	883.13
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.758 (0.324)	62	130537	50.0000	47.715	80.00- 120.00	100.00
1.758	1.758 (0.324)	64	42881			3.10- 63.10	32.85
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.772 (0.326)	54	114073	50.0000	44.386	80.00- 120.00	100.00
1.772	1.772 (0.326)	39	117026			78.74- 138.74	102.59
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	103124	50.0000	52.750	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	95724			64.19- 124.19	92.82
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.409)	64	63746	50.0000	48.589	80.00- 120.00	100.00
2.220	2.220 (0.409)	66	19452			2.32- 62.32	30.51
2.220	2.220 (0.409)	49	22184			6.33- 66.33	34.80
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	173444	50.0000	46.328	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	110064			31.77- 91.77	63.46
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.402 (0.442)	106	117813	50.0000	51.816	80.00- 120.00	100.00
2.402	2.402 (0.442)	108	109323			64.21- 124.21	92.79
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	328977	50.0000	48.694	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	214370			34.93- 94.93	65.16
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.458 (0.453)	67	250345	50.0000	46.471	80.00- 120.00	100.00
2.458	2.458 (0.453)	69	80650			1.95- 61.95	32.22
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	259285	50.0000	45.517	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	38694			0.00- 44.64	14.92
2.514	2.514 (0.463)	72	21219			0.00- 37.90	8.18
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	24901	61.6000	46.457	80.00- 120.00	100.00
2.752	2.752 (0.507)	45	63294			224.40- 284.40	254.18
42 Acrolein					CAS #: 107-02-8		
3.053	3.053 (0.562)	55	29423	58.2500	25.506	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
42 Acrolein (continued)							
3.053	3.053 (0.562)	56	40900			108.02- 168.02	139.01
43 Freon 113						CAS #: 76-13-1	
3.061	3.061 (0.563)	151	287409	50.0000	48.137	80.00- 120.00	100.00
3.061	3.061 (0.563)	153	186384			35.07- 95.07	64.85
3.061	3.061 (0.563)	101	322873			87.45- 147.45	112.34
44 1,1-Dichloroethene						CAS #: 75-35-4	
3.089	3.089 (0.569)	96	117593	50.0000	46.288	80.00- 120.00	100.00
3.089	3.089 (0.569)	98	75567			33.27- 93.27	64.26
3.089	3.089 (0.569)	61	241112			159.05- 219.05	205.04
47 Acetone						CAS #: 67-64-1	
3.240	3.240 (0.596)	58	64533	50.0000	44.640	80.00- 120.00	100.00
3.240	3.240 (0.596)	43	220078			329.45- 389.45	341.03
48 Carbon Disulfide						CAS #: 75-15-0	
3.326	3.326 (0.612)	76	305822	50.0000	44.148	80.00- 120.00	100.00
52 2-Propanol						CAS #: 67-63-0	
3.426	3.426 (0.631)	45	248940	50.0000	41.419	80.00- 120.00	100.00
3.426	3.426 (0.631)	43	45668			0.00- 48.18	18.35
54 3-Chloropropene						CAS #: 107-05-1	
3.576	3.576 (0.658)	76	51388	50.0000	44.033	80.00- 120.00	100.00
3.576	3.576 (0.658)	41	188806			366.80- 426.80	367.41
57 Acetonitrile						CAS #: 75-05-8	
3.677	3.677 (0.677)	41	140626	58.8000	53.012	80.00- 120.00	100.00
3.677	3.677 (0.677)	40	72424			22.74- 82.74	51.50
3.684	3.684 (0.678)	38	17364			0.00- 42.52	12.35
59 Methylene Chloride						CAS #: 75-09-2	
3.777	3.777 (0.695)	49	178035	50.0000	44.836	80.00- 120.00	100.00
3.777	3.777 (0.695)	84	102973			24.90- 84.90	57.84
3.777	3.777 (0.695)	51	54739			0.00- 59.67	30.75
62 tert-Butyl alcohol						CAS #: 75-65-0	
3.906	3.906 (0.719)	59	289894	57.6000	47.279	80.00- 120.00	100.00
3.906	3.906 (0.719)	41	66913			0.00- 51.85	23.08
3.906	3.906 (0.719)	57	30485			0.00- 40.17	10.52
63 Methyl tert-butyl ether						CAS #: 1634-04-4	
3.999	3.999 (0.736)	73	322389	50.0000	44.475	80.00- 120.00	100.00
3.999	3.999 (0.736)	57	91982			0.00- 58.72	28.53

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
63 Methyl tert-butyl ether (continued)							
3.999	3.999 (0.736)	41	92720			0.00- 59.38	28.76
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	78007	50.0000	45.722	80.00- 120.00	100.00
4.028	4.028 (0.742)	61	195779			232.13- 292.13	250.97
4.028	4.028 (0.742)	96	122376			127.26- 187.26	156.88
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.135 (0.761)	52	93716	50.0000	42.475	80.00- 120.00	100.00
4.135	4.135 (0.761)	53	112136			86.45- 146.45	119.66
67 Hexane					CAS #: 110-54-3		
4.250	4.250 (0.782)	57	223803	50.0000	42.100	80.00- 120.00	100.00
4.257	4.257 (0.784)	43	155007			40.97- 100.97	69.26
4.257	4.257 (0.784)	86	29287			0.00- 42.68	13.09
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.551 (0.838)	63	222856	50.0000	45.201	80.00- 120.00	100.00
4.551	4.551 (0.838)	65	67663			0.47- 60.47	30.36
72 Isopropyl ether					CAS #: 108-20-3		
4.551	4.551 (0.838)	45	518546	50.0000	43.862	80.00- 120.00	100.00
4.551	4.551 (0.838)	87	105812			0.00- 49.55	20.41
4.551	4.551 (0.838)	59	55382			0.00- 40.42	10.68
73 Vinyl Acetate					CAS #: 108-05-4		
4.601	4.601 (0.847)	86	5949	50.0000	13.705	80.00- 120.00	100.00
4.601	4.601 (0.847)	43	97629			1727.95-1787.95	1640.84
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.937	4.937 (0.909)	59	444951	50.0000	43.643	80.00- 120.00	100.00
4.937	4.937 (0.909)	87	155530			3.90- 63.90	34.95
4.937	4.937 (0.909)	41	89657			0.00- 49.72	20.15
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.138	5.138 (0.946)	77	215365	50.0000	44.250	80.00- 120.00	100.00
5.138	5.138 (0.946)	79	69269			2.39- 62.39	32.16
5.138	5.138 (0.946)	97	52238			0.00- 53.57	24.26
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.181	5.181 (0.954)	98	82967	50.0000	46.962	80.00- 120.00	100.00
5.181	5.181 (0.954)	96	126593			125.53- 185.53	152.58
5.181	5.181 (0.954)	61	186870			219.86- 279.86	225.23
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.960)	72	57478	50.0000	45.156	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.231	5.231 (0.963)	43	623546			1138.34-1198.34	1084.84
5.210	5.210 (0.959)	57	23774			10.83- 70.83	41.36
87 Ethyl Acetate					CAS #: 141-78-6		
5.238	5.238 (0.964)	45	47271	50.0000	37.134	80.00- 120.00	100.00
5.181	5.181 (0.954)	61	186870			338.96- 398.96	395.31
5.238	5.238 (0.964)	70	25594			24.53- 84.53	54.14
89 Tetrahydrofuran					CAS #: 109-99-9		
5.424	5.424 (0.999)	42	150602	50.0000	38.697	80.00- 120.00	100.00
5.424	5.424 (0.999)	71	43819			0.00- 58.54	29.10
5.424	5.424 (0.999)	72	46262			0.00- 59.59	30.72
92 Chloroform					CAS #: 67-66-3		
5.510	5.510 (1.014)	83	245598	50.0000	46.390	80.00- 120.00	100.00
5.510	5.510 (1.014)	85	158967			35.77- 95.77	64.73
94 Cyclohexane					CAS #: 110-82-7		
5.604	5.604 (1.032)	84	160083	50.0000	45.199	80.00- 120.00	100.00
5.604	5.604 (1.032)	56	238918			125.79- 185.79	149.25
5.604	5.604 (1.032)	41	133428			61.55- 121.55	83.35
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.632	5.632 (1.037)	97	265055	50.0000	45.904	80.00- 120.00	100.00
5.632	5.632 (1.037)	99	170995			32.84- 92.84	64.51
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.754	5.754 (1.059)	119	291281	50.0000	47.584	80.00- 120.00	100.00
5.754	5.754 (1.059)	117	302921			75.19- 135.19	104.00
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.797	5.797 (0.903)	110	70495	50.0000	48.761	80.00- 120.00	100.00
5.797	5.797 (0.903)	75	177013			234.16- 294.16	251.10
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.983	5.983 (1.102)	57	750959	50.0000	45.213	80.00- 120.00	100.00
5.990	5.990 (1.103)	56	250838			3.09- 63.09	33.40
5.983	5.983 (1.102)	41	201100			0.00- 57.28	26.78
102 Benzene					CAS #: 71-43-2		
5.990	5.990 (0.933)	78	337914	50.0000	46.762	80.00- 120.00	100.00
5.990	5.990 (0.933)	77	79642			0.00- 53.69	23.57
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.083	6.083 (0.948)	87	89214	50.0000	45.941	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
105 tert-Amyl methyl ether (continued)							
6.083	6.083 (0.948)	73	348976			365.76- 425.76	391.16
6.083	6.083 (0.948)	55	115779			92.58- 152.58	129.78
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.098 (0.950)	62	172436	50.0000	45.746	80.00- 120.00	100.00
6.098	6.098 (0.950)	64	54741			1.80- 61.80	31.75
107 Heptane					CAS #: 142-82-5		
6.177	6.177 (0.962)	71	125761	50.0000	43.934	80.00- 120.00	100.00
6.177	6.177 (0.962)	43	292545			207.73- 267.73	232.62
6.177	6.177 (0.962)	57	144031			84.83- 144.83	114.53
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.032)	56	66636	50.0000	40.558	80.00- 120.00	100.00
6.628	6.628 (1.032)	41	50107			47.73- 107.73	75.20
6.628	6.628 (1.032)	43	39610			31.60- 91.60	59.44
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	206037	50.0000	59.135	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	233478			80.23- 140.23	113.32
6.628	6.628 (1.032)	97	132888			34.78- 94.78	64.50
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.886 (1.073)	63	150219	50.0000	44.178	80.00- 120.00	100.00
6.886	6.886 (1.073)	62	107352			40.39- 100.39	71.46
6.886	6.886 (1.073)	41	89225			31.86- 91.86	59.40
116 Methyl Methacrylate					CAS #: 80-62-6		
6.972	6.972 (0.762)	69	127452	50.0000	44.744	80.00- 120.00	100.00
6.972	6.972 (0.762)	41	209112			145.81- 205.81	164.07
6.972	6.972 (0.762)	100	51860			10.05- 70.05	40.69
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.089)	88	85717	50.0000	47.155	80.00- 120.00	100.00
6.986	6.986 (1.088)	58	71386			56.33- 116.33	83.28
6.986	6.986 (1.088)	57	26003			2.08- 62.08	30.34
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.007 (0.766)	174	176090	50.0000	53.367	80.00- 120.00	100.00
7.000	7.000 (0.765)	93	152663			62.68- 122.68	86.70
7.000	7.000 (0.765)	95	127161			47.70- 107.70	72.21
122 Bromodichloromethane					CAS #: 75-27-4		
7.144	7.144 (1.113)	83	270456	50.0000	47.953	80.00- 120.00	100.00
7.144	7.144 (1.113)	85	174952			34.96- 94.96	64.69

				AMOUNTS				
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========		=======	=======	==========	=====
126 cis-1,3-Dichloropropene						CAS #: 10061-01-5		
7.566	7.566 (1.179)	75	225674	50.0000		46.917	80.00- 120.00	100.00
7.566	7.566 (1.179)	77	70907				1.26- 61.26	31.42
7.566	7.566 (1.179)	39	133013				35.06- 95.06	58.94
127 Methylcyclohexane						CAS #: 108-87-2		
6.728	6.728 (1.048)	83	227720	50.0000		46.012	80.00- 120.00	100.00
6.728	6.728 (1.048)	98	105610				14.83- 74.83	46.38
6.728	6.728 (1.048)	55	225187				71.50- 131.50	98.89
131 4-Methyl-2-pentanone						CAS #: 108-10-1		
7.702	7.702 (1.200)	58	135070	50.0000		40.823	80.00- 120.00	100.00
7.702	7.702 (1.200)	43	383929				259.88- 319.88	284.24
7.702	7.702 (1.200)	85	50991				7.58- 67.58	37.75
137 Toluene						CAS #: 108-88-3		
7.824	7.824 (1.219)	91	467519	50.0000		46.736	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	268041				27.89- 87.89	57.33
136 Octane						CAS #: 111-65-9		
7.853	7.853 (1.223)	57	155416	50.0000		42.644	80.00- 120.00	100.00
7.853	7.853 (1.223)	85	149325				63.53- 123.53	96.08
7.853	7.853 (1.223)	43	419683				246.00- 306.00	270.04
139 trans-1,3-Dichloropropene						CAS #: 10061-02-6		
8.111	8.111 (0.886)	75	184252	50.0000		47.682	80.00- 120.00	100.00
8.111	8.111 (0.886)	77	60176				1.83- 61.83	32.66
8.111	8.111 (0.886)	39	104407				31.97- 91.97	56.67
141 1,1,2-Trichloroethane						CAS #: 79-00-5		
8.282	8.282 (0.905)	97	158436	50.0000		48.422	80.00- 120.00	100.00
8.282	8.282 (0.905)	99	98503				32.52- 92.52	62.17
8.282	8.282 (0.905)	83	136323				58.90- 118.90	86.04
142 Tetrachloroethene						CAS #: 127-18-4		
8.311	8.311 (0.908)	166	259386	50.0000		52.796	80.00- 120.00	100.00
8.311	8.311 (0.908)	129	192826				45.32- 105.32	74.34
8.311	8.311 (0.908)	131	189929				44.17- 104.17	73.22
143 2-Hexanone						CAS #: 591-78-6		
8.483	8.483 (0.927)	58	186374	50.0000		45.403	80.00- 120.00	100.00
8.483	8.483 (0.927)	43	376651				177.32- 237.32	202.09
8.483	8.483 (0.927)	100	33496				0.00- 47.18	17.97
144 1,3-Dichloropropane						CAS #: 142-28-9		
8.440	8.440 (1.315)	76	212438	50.0000		45.298	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane (continued)							
8.440	8.440 (1.315)	41	174685			59.72- 119.72	82.23
8.440	8.440 (1.315)	78	69098			3.08- 63.08	32.53
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	342046	50.0000	52.894	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	264749			47.27- 107.27	77.40
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	267717	50.0000	49.923	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	255323			64.18- 124.18	95.37
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.452	7.452 (1.161)	63	278147	50.0000	46.362	80.00- 120.00	100.00
7.452	7.452 (1.161)	65	84759			0.43- 60.43	30.47
7.452	7.452 (1.161)	144	33177			0.00- 40.48	11.93
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.003)	112	402724	50.0000	49.704	80.00- 120.00	100.00
9.178	9.178 (1.003)	114	129453			1.91- 61.91	32.14
9.178	9.178 (1.003)	77	203357			22.97- 82.97	50.50
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	197913	50.0000	48.562	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	613467			281.09- 341.09	309.97
156 Nonane					CAS #: 111-84-2		
9.307	9.307 (1.017)	43	428101	50.0000	45.227	80.00- 120.00	100.00
9.307	9.307 (1.017)	57	350612			50.62- 110.62	81.90
9.307	9.307 (1.017)	85	114927			0.00- 55.65	26.85
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.264	9.264 (1.013)	131	238567	50.0000	51.684	80.00- 120.00	100.00
9.264	9.264 (1.013)	117	161644			37.10- 97.10	67.76
9.264	9.264 (1.013)	95	80807			4.93- 64.93	33.87
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.357 (1.023)	106	248371	50.0000	48.894	80.00- 120.00	100.00
9.357	9.357 (1.023)	91	490387			170.33- 230.33	197.44
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	235894	50.0000	48.971	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	486899			181.23- 241.23	206.41
165 Styrene					CAS #: 100-42-5		
9.772	9.772 (1.068)	104	396942	50.0000	48.252	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
165 Styrene (continued)							
9.772	9.772 (1.068)	78	183188			17.26- 77.26	46.15
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.092)	173	354100	50.0000	54.182	80.00- 120.00	100.00
9.987	9.987 (1.092)	171	183084			21.45- 81.45	51.70
168 Cumene					CAS #: 98-82-8		
10.088	10.088 (1.103)	105	726346	50.0000	49.881	80.00- 120.00	100.00
10.088	10.088 (1.103)	120	198873			0.00- 56.93	27.38
10.088	10.088 (1.103)	51	83973			0.00- 42.24	11.56
169 Cyclohexanone					CAS #: 108-94-1		
10.252	10.252 (1.121)	55	230601	50.0000	40.028	80.00- 120.00	100.00
10.259	10.259 (1.121)	98	84145			5.15- 65.15	36.49
10.252	10.252 (1.121)	42	156989			41.99- 101.99	68.08
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.144)	83	283956	50.0000	37.597	80.00- 120.00	100.00
10.467	10.467 (1.144)	85	183327			34.97- 94.97	64.56
177 Bromobenzene					CAS #: 108-86-1		
10.424	10.424 (1.139)	156	258594	50.0000	50.972	80.00- 120.00	100.00
10.424	10.424 (1.139)	158	253682			67.47- 127.47	98.10
10.424	10.424 (1.139)	77	333012			108.68- 168.68	128.78
178 Propylbenzene					CAS #: 103-65-1		
10.489	10.489 (1.146)	120	213354	50.0000	49.551	80.00- 120.00	100.00
10.489	10.489 (1.146)	91	866981			383.60- 443.60	406.36
10.489	10.489 (1.146)	105	32989			0.00- 46.14	15.46
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.517 (1.150)	110	107991	50.0000	47.113	80.00- 120.00	100.00
10.517	10.517 (1.150)	75	356822			324.28- 384.28	330.42
10.517	10.517 (1.150)	61	88322			57.24- 117.24	81.79
182 Decane					CAS #: 124-18-5		
10.603	10.603 (1.159)	57	461842	50.0000	41.444	80.00- 120.00	100.00
10.603	10.603 (1.159)	71	148000			1.11- 61.11	32.05
10.603	10.603 (1.159)	142	21164			0.00- 34.44	4.58
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.603 (1.159)	120	228355	50.0000	48.658	80.00- 120.00	100.00
10.603	10.603 (1.159)	105	748849			298.94- 358.94	327.93
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.603 (1.159)	126	194328	50.0000	48.940	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
184 2-Chlorotoluene (continued)							
10.603	10.603 (1.159)	91	587645			282.78- 342.78	302.40
10.603	10.603 (1.159)	65	85517			17.33- 77.33	44.01
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.668	10.668 (1.166)	120	310178	50.0000	49.008	80.00- 120.00	100.00
10.668	10.668 (1.166)	105	622198			172.08- 232.08	200.59
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.897	10.897 (1.191)	118	326955	50.0000	48.768	80.00- 120.00	100.00
10.897	10.897 (1.191)	103	182570			25.64- 85.64	55.84
189 tert-Butylbenzene					CAS #: 98-06-6		
10.969	10.969 (1.199)	119	599803	50.0000	49.848	80.00- 120.00	100.00
10.976	10.976 (1.200)	134	151744			0.00- 55.10	25.30
10.969	10.969 (1.199)	91	376697			34.53- 94.53	62.80
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.033	11.033 (1.206)	105	619331	50.0000	47.861	80.00- 120.00	100.00
11.033	11.033 (1.206)	120	290950			16.63- 76.63	46.98
192 sec-Butylbenzene					CAS #: 135-98-8		
11.191	11.191 (1.223)	134	198848	50.0000	50.486	80.00- 120.00	100.00
11.191	11.191 (1.223)	105	899811			436.99- 496.99	452.51
11.191	11.191 (1.223)	91	136050			41.69- 101.69	68.42
194 p-Cymene					CAS #: 99-87-6		
11.334	11.334 (1.239)	119	796952	50.0000	49.477	80.00- 120.00	100.00
11.334	11.334 (1.239)	134	221885			0.00- 57.62	27.84
11.334	11.334 (1.239)	91	176150			0.00- 53.03	22.10
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.341	11.341 (1.240)	146	472425	50.0000	49.267	80.00- 120.00	100.00
11.341	11.341 (1.240)	148	296726			34.18- 94.18	62.81
11.341	11.341 (1.240)	111	183640			10.06- 70.06	38.87
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.441	11.441 (1.251)	146	481162	50.0000	49.538	80.00- 120.00	100.00
11.441	11.441 (1.251)	148	305744			33.55- 93.55	63.54
11.441	11.441 (1.251)	111	178331			7.98- 67.98	37.06
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.585	11.585 (1.266)	91	561715	50.0000	45.668	80.00- 120.00	100.00
11.585	11.585 (1.266)	126	131953			0.00- 52.77	23.49
201 Undecane					CAS #: 1120-21-4		
11.778	11.778 (1.287)	57	528833	50.0000	39.911	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
201 Undecane (continued)							
11.778	11.778 (1.287)	43	492065			63.59- 123.59	93.05
202 Butylbenzene					CAS #: 104-51-8		
11.742	11.742 (1.283)	134	218388	50.0000	49.195	80.00- 120.00	100.00
11.735	11.735 (1.283)	91	721694			310.82- 370.82	330.46
11.735	11.735 (1.283)	92	382591			151.53- 211.53	175.19
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.814 (1.291)	146	457182	50.0000	49.127	80.00- 120.00	100.00
11.814	11.814 (1.291)	148	290079			33.00- 93.00	63.45
11.814	11.814 (1.291)	111	181379			10.87- 70.87	39.67
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.379)	157	287841	50.0000	52.295	80.00- 120.00	100.00
12.609	12.609 (1.378)	75	206277			48.09- 108.09	71.66
12.616	12.616 (1.379)	155	221560			47.89- 107.89	76.97
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.406)	57	598692	50.0000	44.856	80.00- 120.00	100.00
12.860	12.860 (1.406)	43	519020			58.52- 118.52	86.69
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.464)	180	461126	50.0000	50.001	80.00- 120.00	100.00
13.397	13.397 (1.464)	182	440526			64.84- 124.84	95.53
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.511	13.511 (1.477)	225	347878	50.0000	51.712	80.00- 120.00	100.00
13.511	13.511 (1.477)	223	217266			32.80- 92.80	62.45
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.492)	128	100993	5.80000	5.247	80.00- 120.00	100.00
13.648	13.648 (1.492)	127	12760			0.00- 42.72	12.63
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.898	13.898 (1.519)	180	445735	50.0000	49.323	80.00- 120.00	100.00
13.898	13.898 (1.519)	182	424453			65.07- 125.07	95.23
13.898	13.898 (1.519)	145	148161			4.48- 64.48	33.24

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 14-JUN-2024 08:42
Lab File ID: 3061332.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/13JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE	
$ 104 1,2-Dichloroethane-d4	1.30215	1.18624	0.010	8.90143	30.00000	Averaged	
$ 134 Toluene-d8	0.97187	0.93403	0.010	3.89359	30.00000	Averaged	
$ 170 4-Bromofluorobenzene	0.74296	0.74180	0.010	0.15660	30.00000	Averaged	
4 Freon 134a	0.57786	0.57544	0.010	0.41855	30.00000	Averaged	
5 Propylene	0.65479	0.60836	0.010	7.09111	30.00000	Averaged	
7 1,1-Difluoroethane	0.37746	0.37774	0.010	-0.07385	30.00000	Averaged	
8 Freon 12	1.48055	1.47827	0.010	0.15362	30.00000	Averaged	
9 Chlorodifluoromethane	0.18527	0.16996	0.010	8.26468	30.00000	Averaged	
10 Freon 114	1.30152	1.34820	0.010	-3.58678	30.00000	Averaged	
12 Isobutane	1.38453	1.27136	0.010	8.17395	30.00000	Averaged	
15 Chloromethane	0.71383	0.69763	0.010	2.27032	30.00000	Averaged	
18 Butane	0.14312	0.12641	0.010	11.67571	30.00000	Averaged	
19 Vinyl Chloride	0.69068	0.65911	0.010	4.57025	30.00000	Averaged	
20 1,3-Butadiene	0.64883	0.57598	0.010	11.22771	30.00000	Averaged	
24 Bromomethane	0.49355	0.52070	0.010	-5.50115	30.00000	Averaged	
30 Chloroethane	0.33122	0.32187	0.010	2.82242	30.00000	Averaged	
31 Isopentane	0.94519	0.87576	0.010	7.34491	30.00000	Averaged	
32 Vinyl Bromide	0.57403	0.59487	0.010	-3.63122	30.00000	Averaged	
33 Freon 11	1.70564	1.66109	0.010	2.61234	30.00000	Averaged	
34 Dichlorofluoromethane	1.36006	1.26405	0.010	7.05875	30.00000	Averaged	
35 Pentane	1.43815	1.30919	0.010	8.96676	30.00000	Averaged	
39 Ethanol	0.13532	0.10206	0.010	24.58300	30.00000	Averaged	
42 Acrolein	0.29124	0.12753	0.010	56.21326	30.00000	Averaged	<-
43 Freon 113	1.50737	1.45120	0.010	3.72652	30.00000	Averaged	
44 1,1-Dichloroethene	0.64138	0.59376	0.010	7.42422	30.00000	Averaged	
47 Acetone	0.36497	0.32584	0.010	10.72031	30.00000	Averaged	
48 Carbon Disulfide	1.74887	1.54417	0.010	11.70491	30.00000	Averaged	
52 2-Propanol	1.51737	1.25696	0.010	17.16210	30.00000	Averaged	
54 3-Chloropropene	0.29464	0.25947	0.010	11.93402	30.00000	Averaged	
57 Acetonitrile	0.66971	0.60379	0.010	9.84362	30.00000	Averaged	
59 Methylene Chloride	1.00247	0.89894	0.010	10.32716	30.00000	Averaged	
62 tert-Butyl alcohol	1.54800	1.27061	0.010	17.91902	30.00000	Averaged	
63 Methyl tert-butyl ether	1.83005	1.62782	0.010	11.05057	30.00000	Averaged	
64 trans-1,2-Dichloroethene	0.43073	0.39388	0.010	8.55576	30.00000	Averaged	
66 Acrylonitrile	0.55703	0.47319	0.010	15.05019	30.00000	Averaged	

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 14-JUN-2024 08:42
Lab File ID: 3061332.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/13JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE	
67 Hexane	1.34210	1.13003	0.010	15.80089	30.00000	Averaged	
71 1,1-Dichloroethane	1.24472	1.12525	0.010	9.59755	30.00000	Averaged	
72 Isopropyl ether	2.98469	2.61826	0.010	12.27672	30.00000	Averaged	
73 Vinyl Acetate	0.10960	0.03004	0.010	72.58901	30.00000	Averaged	<-
79 Ethyl-tert-butyl ether	2.57389	2.24666	0.010	12.71323	30.00000	Averaged	
84 2,2-Dichloropropane	1.22874	1.08743	0.010	11.50018	30.00000	Averaged	
85 cis-1,2-Dichloroethene	0.44603	0.41892	0.010	6.07671	30.00000	Averaged	
86 2-Butanone	0.32135	0.29022	0.010	9.68708	30.00000	Averaged	
87 Ethyl Acetate	0.32139	0.23869	0.010	25.73226	30.00000	Averaged	
89 Tetrahydrofuran	0.98253	0.76043	0.010	22.60508	30.00000	Averaged	
92 Chloroform	1.33658	1.24008	0.010	7.21986	30.00000	Averaged	
94 Cyclohexane	0.89416	0.80830	0.010	9.60236	30.00000	Averaged	
96 1,1,1-Trichloroethane	1.45774	1.33832	0.010	8.19195	30.00000	Averaged	
97 Carbon Tetrachloride	1.54543	1.47075	0.010	4.83234	30.00000	Averaged	
99 1,1-Dichloropropene	0.10070	0.09821	0.010	2.47781	30.00000	Averaged	
101 2,2,4-Trimethylpentane	4.19325	3.79177	0.010	9.57443	30.00000	Averaged	
102 Benzene	0.50334	0.47075	0.010	6.47520	30.00000	Averaged	
105 tert-Amyl methyl ether	0.13527	0.12429	0.010	8.11782	30.00000	Averaged	
106 1,2-Dichloroethane	0.26256	0.24022	0.010	8.50896	30.00000	Averaged	
107 Heptane	0.19939	0.17520	0.010	12.13157	30.00000	Averaged	
110 n-Butanol	0.11444	0.09283	0.010	18.88339	30.00000	Averaged	
111 Trichloroethene	0.24269	0.28703	0.010	-18.27060	30.00000	Averaged	
114 1,2-Dichloropropane	0.23685	0.20927	0.010	11.64470	30.00000	Averaged	
116 Methyl Methacrylate	0.20363	0.18223	0.010	10.51130	30.00000	Averaged	
117 1,4-Dioxane	0.12662	0.11941	0.010	5.69051	30.00000	Averaged	
118 Dibromomethane	0.23589	0.25177	0.010	-6.73360	30.00000	Averaged	
122 Bromodichloromethane	0.39286	0.37678	0.010	4.09305	30.00000	Averaged	
126 cis-1,3-Dichloropropene	0.33505	0.31439	0.010	6.16606	30.00000	Averaged	
127 Methylcyclohexane	0.34474	0.31724	0.010	7.97677	30.00000	Averaged	
131 4-Methyl-2-pentanone	0.23047	0.18817	0.010	18.35428	30.00000	Averaged	
137 Toluene	0.69679	0.65130	0.010	6.52784	30.00000	Averaged	
136 Octane	0.25386	0.21651	0.010	14.71097	30.00000	Averaged	
139 trans-1,3-Dichloropropene	0.27625	0.26344	0.010	4.63605	30.00000	Averaged	
141 1,1,2-Trichloroethane	0.23391	0.22653	0.010	3.15677	30.00000	Averaged	
142 Tetrachloroethene	0.35123	0.37087	0.010	-5.59133	30.00000	Averaged	

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 14-JUN-2024 08:42
Lab File ID: 3061332.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/13JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE
143 2-Hexanone	0.29346	0.26647	0.010	9.19459	30.00000	Averaged
144 1,3-Dichloropropane	0.32667	0.29595	0.010	9.40287	30.00000	Averaged
146 Dibromochloromethane	0.46229	0.48905	0.010	-5.78850	30.00000	Averaged
148 1,2-Dibromoethane (EDB)	0.38337	0.38278	0.010	0.15453	30.00000	Averaged
151 1-Bromo-2-Chloroethane	0.41790	0.38749	0.010	7.27596	30.00000	Averaged
154 Chlorobenzene	0.57923	0.57581	0.010	0.59108	30.00000	Averaged
155 Ethyl Benzene	0.29135	0.28297	0.010	2.87577	30.00000	Averaged
156 Nonane	0.67669	0.61209	0.010	9.54591	30.00000	Averaged
157 1,1,1,2-Tetrachloroethane	0.32998	0.34110	0.010	-3.36851	30.00000	Averaged
158 m,p-Xylene	0.36315	0.35512	0.010	2.21102	30.00000	Averaged
164 o-Xylene	0.34436	0.33728	0.010	2.05731	30.00000	Averaged
165 Styrene	0.58810	0.56754	0.010	3.49559	30.00000	Averaged
167 Bromoform	0.46720	0.50629	0.010	-8.36508	30.00000	Averaged
168 Cumene	1.04099	1.03852	0.010	0.23727	30.00000	Averaged
169 Cyclohexanone	0.41185	0.32971	0.010	19.94388	30.00000	Averaged
175 1,1,2,2-Tetrachloroethane	0.53993	0.40600	0.010	24.80590	30.00000	Averaged
177 Bromobenzene	0.36268	0.36973	0.010	-1.94366	30.00000	Averaged
178 Propylbenzene	0.30782	0.30505	0.010	0.89826	30.00000	Averaged
179 1,2,3-Trichloropropane	0.16387	0.15440	0.010	5.77464	30.00000	Averaged
182 Decane	0.79666	0.66033	0.010	17.11244	30.00000	Averaged
183 4-Ethyltoluene	0.33550	0.32650	0.010	2.68419	30.00000	Averaged
184 2-Chlorotoluene	0.28387	0.27785	0.010	2.12097	30.00000	Averaged
185 1,3,5-Trimethylbenzene	0.45246	0.44349	0.010	1.98281	30.00000	Averaged
188 alpha Methyl Styrene	0.47929	0.46748	0.010	2.46418	30.00000	Averaged
189 tert-Butylbenzene	0.86021	0.85759	0.010	0.30455	30.00000	Averaged
190 1,2,4-Trimethylbenzene	0.92509	0.88551	0.010	4.27818	30.00000	Averaged
192 sec-Butylbenzene	0.28157	0.28431	0.010	-0.97136	30.00000	Averaged
194 p-Cymene	1.15152	1.13947	0.010	1.04669	30.00000	Averaged
195 1,3-Dichlorobenzene	0.68551	0.67546	0.010	1.46514	30.00000	Averaged
196 1,4-Dichlorobenzene	0.69437	0.68796	0.010	0.92416	30.00000	Averaged
199 alpha-Chlorotoluene	0.87930	0.80313	0.010	8.66307	30.00000	Averaged
201 Undecane	0.94724	0.75612	0.010	20.17727	30.00000	Averaged
202 Butylbenzene	0.31736	0.31225	0.010	1.61014	30.00000	Averaged
204 1,2-Dichlorobenzene	0.66528	0.65367	0.010	1.74532	30.00000	Averaged
206 1,2-Dibromo-3-chloropropane	0.39349	0.41155	0.010	-4.58970	30.00000	Averaged
207 Dodecane	0.95417	0.85600	0.010	10.28829	30.00000	Averaged

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 14-JUN-2024 08:42
Lab File ID: 3061332.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/13JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE
213 1,2,4-Trichlorobenzene	0.65930	0.65931	0.010	-0.00190	30.00000	Averaged
215 Hexachlorobutadiene	0.48092	0.49739	0.010	-3.42439	30.00000	Averaged
216 Naphthalene	1.37605	1.24482	0.010	9.53692	30.00000	Averaged
222 1,2,3-Trichlorobenzene	0.64605	0.63730	0.010	1.35347	30.00000	Averaged

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061332.d
Lab Smp Id: CCV
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 13-JUN-2024
Calibration Time: 11:42
Client Smp ID: CCV
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	94691	56815	132567	99024	4.58
108 1,4-Difluorobenze	348240	208944	487536	358909	3.06
153 Chlorobenzene-d5	341662	204997	478327	349704	2.35

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/13JUN24.b/3061332.d

Page 1

Date : 14-JUN-2024 08:42

Client ID: CCV


Instrument: msd3.i

Sample Info: 50mL 3018-4465

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



eurofins | Air Toxics

Client ID:	CCV		
Lab ID:	2406133-24D	**Date/Time Analyzed:**	6/15/24 08:26 AM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061430

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	95
1,4-Dichlorobenzene	106-46-7	102
Benzene	71-43-2	96
cis-1,2-Dichloroethene	156-59-2	95
Ethyl Benzene	100-41-4	99
m,p-Xylene	108-38-3	99
o-Xylene	95-47-6	99
Toluene	108-88-3	95
trans-1,2-Dichloroethene	156-60-5	95
Trichloroethene	79-01-6	122
Vinyl Chloride	75-01-4	100

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	92
4-Bromofluorobenzene	460-00-4	77-125	100
Toluene-d8	2037-26-5	91-110	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061430.d
Lab Smp Id: CCV
Inj Date : 15-JUN-2024 08:26
Operator : jcw Inst ID: msd3.i
Smp Info : 50mL 3018-4465
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 15-Jun-2024 08:46 vrq5 Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 13 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23_cont111224.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	94062	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	73646			47.79- 107.79	78.30
5.432	5.432 (1.000)	49	141134			131.33- 191.33	150.04
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	341260	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	50570			0.00- 45.65	14.82
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	337707	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	170266			22.92- 82.92	50.42
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	112859	25.0000	23.036	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	65141			23.17- 83.17	57.72
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	324098	25.0000	24.430	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	34377			0.00- 41.42	10.61

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	219564			37.54- 97.54	67.75
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	252141	25.0000	25.123	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	278261			88.49- 148.49	110.36
10.288	10.288 (1.124)	176	243475			66.73- 126.73	96.56
4 Freon 134a					CAS #: 811-97-2		
1.409	1.409 (0.259)	83	113484	50.0000	52.196	80.00- 120.00	100.00
1.423	1.423 (0.262)	69	103875			64.17- 124.17	91.53
1.493	1.493 (0.275)	51	434306			365.46- 425.46	382.70
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	119452	50.0000	48.486	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	79903			35.86- 95.86	66.89
1.437	1.437 (0.264)	39	84422			41.66- 101.66	70.67
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.465 (0.270)	65	73457	50.0000	51.723	80.00- 120.00	100.00
1.493	1.493 (0.275)	51	434306			568.10- 628.10	591.24
1.577	1.577 (0.290)	47	14890			0.00- 50.57	20.27
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.270)	85	284954	50.0000	51.154	80.00- 120.00	100.00
1.465	1.465 (0.270)	87	94224			2.88- 62.88	33.07
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.507	1.507 (0.277)	67	33293	50.0000	47.762	80.00- 120.00	100.00
1.493	1.493 (0.275)	51	434306			1257.55-1317.55	1304.50
10 Freon 114					CAS #: 76-14-2		
1.577	1.577 (0.290)	135	260224	50.0000	53.140	80.00- 120.00	100.00
1.577	1.577 (0.290)	137	84577			2.10- 62.10	32.50
12 Isobutane					CAS #: 75-28-5		
1.591	1.591 (0.293)	43	251195	50.0000	48.221	80.00- 120.00	100.00
1.591	1.591 (0.293)	42	81605			1.69- 61.69	32.49
1.577	1.577 (0.290)	58	8070			0.00- 33.32	3.21
15 Chloromethane					CAS #: 74-87-3		
1.675	1.675 (0.308)	50	134538	50.0000	50.093	80.00- 120.00	100.00
1.675	1.675 (0.308)	52	43283			1.38- 61.38	32.17
18 Butane					CAS #: 106-97-8		
1.717	1.717 (0.316)	58	24255	50.0000	45.043	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
18 Butane (continued)							
1.717	1.717 (0.316)	43	219938			866.38- 926.38	906.77
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.758 (0.324)	62	129308	50.0000	49.759	80.00- 120.00	100.00
1.758	1.758 (0.324)	64	41431			3.10- 63.10	32.04
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.772 (0.326)	54	110647	50.0000	45.324	80.00- 120.00	100.00
1.772	1.772 (0.326)	39	117317			78.74- 138.74	106.03
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	102282	50.0000	55.080	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	97975			64.19- 124.19	95.79
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.409)	64	62285	50.0000	49.980	80.00- 120.00	100.00
2.220	2.220 (0.409)	66	19058			2.32- 62.32	30.60
2.220	2.220 (0.409)	49	22024			6.33- 66.33	35.36
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	171908	50.0000	48.340	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	107051			31.77- 91.77	62.27
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.402 (0.442)	106	114571	50.0000	53.048	80.00- 120.00	100.00
2.402	2.402 (0.442)	108	107862			64.21- 124.21	94.14
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	326482	50.0000	50.874	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	214439			34.93- 94.93	65.68
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.458 (0.453)	67	245583	50.0000	47.992	80.00- 120.00	100.00
2.458	2.458 (0.453)	69	78874			1.95- 61.95	32.12
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	253496	50.0000	46.848	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	36640			0.00- 44.64	14.45
2.514	2.514 (0.463)	72	20101			0.00- 37.90	7.93
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	24518	61.6000	48.155	80.00- 120.00	100.00
2.752	2.752 (0.507)	45	61908			224.40- 284.40	252.50
42 Acrolein					CAS #: 107-02-8		
3.054	3.054 (0.562)	55	28607	58.2500	26.106	80.00- 120.00	100.00

				AMOUNTS				
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========		=======	=======	==========	=====
42 Acrolein (continued)								
3.054	3.054 (0.562)	56	39079				108.02- 168.02	136.61
43 Freon 113						CAS #: 76-13-1		
3.061	3.061 (0.563)	151	283381	50.0000	49.966		80.00- 120.00	100.00
3.061	3.061 (0.563)	153	184840				35.07- 95.07	65.23
3.061	3.061 (0.563)	101	312538				87.45- 147.45	110.29
44 1,1-Dichloroethene						CAS #: 75-35-4		
3.089	3.089 (0.569)	96	114183	50.0000	47.317		80.00- 120.00	100.00
3.089	3.089 (0.569)	98	73414				33.27- 93.27	64.30
3.089	3.089 (0.569)	61	237121				159.05- 219.05	207.67
47 Acetone						CAS #: 67-64-1		
3.240	3.240 (0.596)	58	63747	50.0000	46.423		80.00- 120.00	100.00
3.240	3.240 (0.596)	43	222922				329.45- 389.45	349.70
48 Carbon Disulfide						CAS #: 75-15-0		
3.326	3.326 (0.612)	76	301461	50.0000	45.814		80.00- 120.00	100.00
52 2-Propanol						CAS #: 67-63-0		
3.426	3.426 (0.631)	45	244751	50.0000	42.870		80.00- 120.00	100.00
3.426	3.426 (0.631)	43	43727				0.00- 48.18	17.87
54 3-Chloropropene						CAS #: 107-05-1		
3.576	3.576 (0.658)	76	50259	50.0000	45.337		80.00- 120.00	100.00
3.576	3.576 (0.658)	41	185030				366.80- 426.80	368.15
57 Acetonitrile						CAS #: 75-05-8		
3.677	3.677 (0.677)	41	129690	58.8000	51.469		80.00- 120.00	100.00
3.677	3.677 (0.677)	40	71727				22.74- 82.74	55.31
3.677	3.677 (0.677)	38	17407				0.00- 42.52	13.42
59 Methylene Chloride						CAS #: 75-09-2		
3.777	3.777 (0.695)	49	173623	50.0000	46.032		80.00- 120.00	100.00
3.777	3.777 (0.695)	84	100946				24.90- 84.90	58.14
3.777	3.777 (0.695)	51	53034				0.00- 59.67	30.55
62 tert-Butyl alcohol						CAS #: 75-65-0		
3.906	3.906 (0.719)	59	285168	57.6000	48.962		80.00- 120.00	100.00
3.906	3.906 (0.719)	41	65238				0.00- 51.85	22.88
3.906	3.906 (0.719)	57	29248				0.00- 40.17	10.26
63 Methyl tert-butyl ether						CAS #: 1634-04-4		
3.999	3.999 (0.736)	73	315446	50.0000	45.813		80.00- 120.00	100.00
3.999	3.999 (0.736)	57	90306				0.00- 58.72	28.63

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
63 Methyl tert-butyl ether (continued)							
4.006	4.006 (0.738)	41	94489			0.00- 59.38	29.95
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	76886	50.0000	47.442	80.00- 120.00	100.00
4.028	4.028 (0.742)	61	191938			232.13- 292.13	249.64
4.028	4.028 (0.742)	96	119647			127.26- 187.26	155.62
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.135 (0.761)	52	94567	50.0000	45.122	80.00- 120.00	100.00
4.135	4.135 (0.761)	53	110717			86.45- 146.45	117.08
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.784)	57	217563	50.0000	43.085	80.00- 120.00	100.00
4.250	4.250 (0.782)	43	150839			40.97- 100.97	69.33
4.250	4.250 (0.782)	86	28179			0.00- 42.68	12.95
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.551 (0.838)	63	219442	50.0000	46.857	80.00- 120.00	100.00
4.551	4.551 (0.838)	65	67488			0.47- 60.47	30.75
72 Isopropyl ether					CAS #: 108-20-3		
4.551	4.551 (0.838)	45	507407	50.0000	45.184	80.00- 120.00	100.00
4.551	4.551 (0.838)	87	102453			0.00- 49.55	20.19
4.543	4.543 (0.836)	59	53792			0.00- 40.42	10.60
73 Vinyl Acetate					CAS #: 108-05-4		
4.601	4.601 (0.847)	86	5837	50.0000	14.155	80.00- 120.00	100.00
4.601	4.601 (0.847)	43	97510			1727.95-1787.95	1670.55
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.937	4.937 (0.909)	59	439755	50.0000	45.410	80.00- 120.00	100.00
4.937	4.937 (0.909)	87	153120			3.90- 63.90	34.82
4.937	4.937 (0.909)	41	88902			0.00- 49.72	20.22
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.138	5.138 (0.946)	77	212249	50.0000	45.911	80.00- 120.00	100.00
5.138	5.138 (0.946)	79	68404			2.39- 62.39	32.23
5.138	5.138 (0.946)	97	51234			0.00- 53.57	24.14
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.181	5.181 (0.954)	98	79586	50.0000	47.424	80.00- 120.00	100.00
5.181	5.181 (0.954)	96	124581			125.53- 185.53	156.54
5.181	5.181 (0.954)	61	191741			219.86- 279.86	240.92
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.960)	72	55564	50.0000	45.956	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.231	5.231 (0.963)	43	616650			1138.34-1198.34	1109.80
5.210	5.210 (0.959)	57	22922			10.83- 70.83	41.25
87 Ethyl Acetate					CAS #: 141-78-6		
5.238	5.238 (0.964)	45	49377	50.0000	40.834	80.00- 120.00	100.00
5.181	5.181 (0.954)	61	191741			338.96- 398.96	388.32
5.238	5.238 (0.964)	70	25187			24.53- 84.53	51.01
89 Tetrahydrofuran					CAS #: 109-99-9		
5.425	5.425 (0.999)	42	148757	50.0000	40.240	80.00- 120.00	100.00
5.425	5.425 (0.999)	71	43065			0.00- 58.54	28.95
5.425	5.425 (0.999)	72	44934			0.00- 59.59	30.21
92 Chloroform					CAS #: 67-66-3		
5.511	5.511 (1.014)	83	243356	50.0000	48.392	80.00- 120.00	100.00
5.511	5.511 (1.014)	85	158163			35.77- 95.77	64.99
94 Cyclohexane					CAS #: 110-82-7		
5.604	5.604 (1.032)	84	155017	50.0000	46.078	80.00- 120.00	100.00
5.604	5.604 (1.032)	56	231824			125.79- 185.79	149.55
5.604	5.604 (1.032)	41	131757			61.55- 121.55	85.00
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.632	5.632 (1.037)	97	259278	50.0000	47.273	80.00- 120.00	100.00
5.632	5.632 (1.037)	99	167446			32.84- 92.84	64.58
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.754	5.754 (1.059)	119	288308	50.0000	49.583	80.00- 120.00	100.00
5.754	5.754 (1.059)	117	301563			75.19- 135.19	104.60
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.797	5.797 (0.903)	110	68312	50.0000	49.695	80.00- 120.00	100.00
5.797	5.797 (0.903)	75	173966			234.16- 294.16	254.66
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.990	5.990 (1.103)	57	729382	50.0000	46.231	80.00- 120.00	100.00
5.983	5.983 (1.102)	56	246032			3.09- 63.09	33.73
5.990	5.990 (1.103)	41	194596			0.00- 57.28	26.68
102 Benzene					CAS #: 71-43-2		
5.990	5.990 (0.933)	78	328943	50.0000	47.875	80.00- 120.00	100.00
5.990	5.990 (0.933)	77	77626			0.00- 53.69	23.60
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.084	6.084 (0.948)	87	89116	50.0000	48.263	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
105 tert-Amyl methyl ether (continued)							
6.084	6.084 (0.948)	73	340421			365.76- 425.76	382.00
6.084	6.084 (0.948)	55	111563			92.58- 152.58	125.19
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.098 (0.950)	62	171410	50.0000	47.825	80.00- 120.00	100.00
6.098	6.098 (0.950)	64	54428			1.80- 61.80	31.75
107 Heptane					CAS #: 142-82-5		
6.177	6.177 (0.962)	71	121948	50.0000	44.805	80.00- 120.00	100.00
6.177	6.177 (0.962)	43	285057			207.73- 267.73	233.75
6.177	6.177 (0.962)	57	140562			84.83- 144.83	115.26
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.032)	56	64977	50.0000	41.594	80.00- 120.00	100.00
6.628	6.628 (1.032)	41	49800			47.73- 107.73	76.64
6.628	6.628 (1.032)	43	38661			31.60- 91.60	59.50
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	201306	50.0000	60.765	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	228796			80.23- 140.23	113.66
6.628	6.628 (1.032)	97	129095			34.78- 94.78	64.13
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.886 (1.073)	63	147258	50.0000	45.546	80.00- 120.00	100.00
6.886	6.886 (1.073)	62	105694			40.39- 100.39	71.77
6.886	6.886 (1.073)	41	87410			31.86- 91.86	59.36
116 Methyl Methacrylate					CAS #: 80-62-6		
6.972	6.972 (0.762)	69	122894	50.0000	44.677	80.00- 120.00	100.00
6.972	6.972 (0.762)	41	206325			145.81- 205.81	167.89
6.972	6.972 (0.762)	100	50830			10.05- 70.05	41.36
117 1,4-Dioxane					CAS #: 123-91-1		
6.986	6.986 (1.088)	88	83284	50.0000	48.185	80.00- 120.00	100.00
6.986	6.986 (1.088)	58	69985			56.33- 116.33	84.03
6.986	6.986 (1.088)	57	25362			2.08- 62.08	30.45
118 Dibromomethane					CAS #: 74-95-3		
7.008	7.008 (0.766)	174	171918	50.0000	53.953	80.00- 120.00	100.00
7.000	7.000 (0.765)	93	151273			62.68- 122.68	87.99
7.000	7.000 (0.765)	95	125811			47.70- 107.70	73.18
122 Bromodichloromethane					CAS #: 75-27-4		
7.144	7.144 (1.113)	83	263896	50.0000	49.210	80.00- 120.00	100.00
7.144	7.144 (1.113)	85	169651			34.96- 94.96	64.29

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.566	7.566 (1.179)	75	218513	50.0000	47.778	80.00- 120.00	100.00
7.566	7.566 (1.179)	77	69049			1.26- 61.26	31.60
7.566	7.566 (1.179)	39	133343			35.06- 95.06	61.02
127 Methylcyclohexane					CAS #: 108-87-2		
6.728	6.728 (1.048)	83	222743	50.0000	47.333	80.00- 120.00	100.00
6.728	6.728 (1.048)	98	101244			14.83- 74.83	45.45
6.728	6.728 (1.048)	55	220880			71.50- 131.50	99.16
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.702	7.702 (1.200)	58	127302	50.0000	40.465	80.00- 120.00	100.00
7.702	7.702 (1.200)	43	376606			259.88- 319.88	295.84
7.702	7.702 (1.200)	85	49378			7.58- 67.58	38.79
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	450132	50.0000	47.325	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	260877			27.89- 87.89	57.96
136 Octane					CAS #: 111-65-9		
7.853	7.853 (1.223)	57	152312	50.0000	43.954	80.00- 120.00	100.00
7.853	7.853 (1.223)	85	144974			63.53- 123.53	95.18
7.853	7.853 (1.223)	43	410790			246.00- 306.00	269.70
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.111	8.111 (0.886)	75	182500	50.0000	48.906	80.00- 120.00	100.00
8.111	8.111 (0.886)	77	59173			1.83- 61.83	32.42
8.111	8.111 (0.886)	39	105628			31.97- 91.97	57.88
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.283	8.283 (0.905)	97	151977	50.0000	48.098	80.00- 120.00	100.00
8.283	8.283 (0.905)	99	96570			32.52- 92.52	63.54
8.283	8.283 (0.905)	83	133602			58.90- 118.90	87.91
142 Tetrachloroethene					CAS #: 127-18-4		
8.311	8.311 (0.908)	166	256173	50.0000	53.994	80.00- 120.00	100.00
8.311	8.311 (0.908)	129	191032			45.32- 105.32	74.57
8.311	8.311 (0.908)	131	186867			44.17- 104.17	72.95
143 2-Hexanone					CAS #: 591-78-6		
8.483	8.483 (0.927)	58	180611	50.0000	45.562	80.00- 120.00	100.00
8.483	8.483 (0.927)	43	370426			177.32- 237.32	205.10
8.490	8.490 (0.928)	100	32629			0.00- 47.18	18.07
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.440	8.440 (1.315)	76	208107	50.0000	46.670	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
144 1,3-Dichloropropane (continued)							
8.440	8.440 (1.315)	41	173536			59.72- 119.72	83.39
8.440	8.440 (1.315)	78	67667			3.08- 63.08	32.52
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	335143	50.0000	53.668	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	262383			47.27- 107.27	78.29
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	262416	50.0000	50.672	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	248775			64.18- 124.18	94.80
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.452	7.452 (1.161)	63	272708	50.0000	47.806	80.00- 120.00	100.00
7.452	7.452 (1.161)	65	82294			0.43- 60.43	30.18
7.452	7.452 (1.161)	144	31732			0.00- 40.48	11.64
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.003)	112	392347	50.0000	50.144	80.00- 120.00	100.00
9.178	9.178 (1.003)	114	126860			1.91- 61.91	32.33
9.171	9.171 (1.002)	77	198682			22.97- 82.97	50.64
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	194108	50.0000	49.320	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	592748			281.09- 341.09	305.37
156 Nonane					CAS #: 111-84-2		
9.307	9.307 (1.017)	43	422270	50.0000	46.196	80.00- 120.00	100.00
9.307	9.307 (1.017)	57	342108			50.62- 110.62	81.02
9.307	9.307 (1.017)	85	108501			0.00- 55.65	25.69
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.264	9.264 (1.013)	131	238876	50.0000	53.590	80.00- 120.00	100.00
9.264	9.264 (1.013)	117	155332			37.10- 97.10	65.03
9.264	9.264 (1.013)	95	78876			4.93- 64.93	33.02
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	242188	50.0000	49.371	80.00- 120.00	100.00
9.357	9.357 (1.023)	91	477335			170.33- 230.33	197.09
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	229632	50.0000	49.365	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	473111			181.23- 241.23	206.03
165 Styrene					CAS #: 100-42-5		
9.773	9.773 (1.068)	104	388542	50.0000	48.909	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
165 Styrene (continued)							
9.773	9.773 (1.068)	78	180006			17.26- 77.26	46.33
167 Bromoform					CAS #: 75-25-2		
9.980	9.980 (1.091)	173	348249	50.0000	55.180	80.00- 120.00	100.00
9.980	9.980 (1.091)	171	180886			21.45- 81.45	51.94
168 Cumene					CAS #: 98-82-8		
10.088	10.088 (1.103)	105	710309	50.0000	50.513	80.00- 120.00	100.00
10.088	10.088 (1.103)	120	193407			0.00- 56.93	27.23
10.088	10.088 (1.103)	51	80537			0.00- 42.24	11.34
169 Cyclohexanone					CAS #: 108-94-1		
10.252	10.252 (1.121)	55	224610	50.0000	40.373	80.00- 120.00	100.00
10.260	10.260 (1.121)	98	79080			5.15- 65.15	35.21
10.252	10.252 (1.121)	42	153454			41.99- 101.99	68.32
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.144)	83	273295	50.0000	37.471	80.00- 120.00	100.00
10.467	10.467 (1.144)	85	177528			34.97- 94.97	64.96
177 Bromobenzene					CAS #: 108-86-1		
10.424	10.424 (1.139)	156	256874	50.0000	52.431	80.00- 120.00	100.00
10.424	10.424 (1.139)	158	250468			67.47- 127.47	97.51
10.424	10.424 (1.139)	77	327667			108.68- 168.68	127.56
178 Propylbenzene					CAS #: 103-65-1		
10.489	10.489 (1.146)	120	210242	50.0000	50.563	80.00- 120.00	100.00
10.489	10.489 (1.146)	91	850136			383.60- 443.60	404.36
10.489	10.489 (1.146)	105	32642			0.00- 46.14	15.53
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.517 (1.150)	110	106860	50.0000	48.275	80.00- 120.00	100.00
10.517	10.517 (1.150)	75	351503			324.28- 384.28	328.94
10.517	10.517 (1.150)	61	85451			57.24- 117.24	79.97
182 Decane					CAS #: 124-18-5		
10.603	10.603 (1.159)	57	448709	50.0000	41.696	80.00- 120.00	100.00
10.603	10.603 (1.159)	71	141521			1.11- 61.11	31.54
10.603	10.603 (1.159)	142	21295			0.00- 34.44	4.75
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.603 (1.159)	120	226592	50.0000	49.997	80.00- 120.00	100.00
10.603	10.603 (1.159)	105	732216			298.94- 358.94	323.14
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.603 (1.159)	126	189994	50.0000	49.548	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
184 2-Chlorotoluene (continued)							
10.603	10.603 (1.159)	91	574602			282.78- 342.78	302.43
10.603	10.603 (1.159)	65	84446			17.33- 77.33	44.45
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.668	10.668 (1.166)	120	303845	50.0000	49.713	80.00- 120.00	100.00
10.668	10.668 (1.166)	105	613088			172.08- 232.08	201.78
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.897	10.897 (1.191)	118	321264	50.0000	49.621	80.00- 120.00	100.00
10.897	10.897 (1.191)	103	179479			25.64- 85.64	55.87
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.976 (1.200)	119	590113	50.0000	50.785	80.00- 120.00	100.00
10.976	10.976 (1.200)	134	151586			0.00- 55.10	25.69
10.969	10.969 (1.199)	91	370757			34.53- 94.53	62.83
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.033	11.033 (1.206)	105	609010	50.0000	48.735	80.00- 120.00	100.00
11.033	11.033 (1.206)	120	286041			16.63- 76.63	46.97
192 sec-Butylbenzene					CAS #: 135-98-8		
11.191	11.191 (1.223)	134	194991	50.0000	51.265	80.00- 120.00	100.00
11.191	11.191 (1.223)	105	886901			436.99- 496.99	454.84
11.191	11.191 (1.223)	91	137186			41.69- 101.69	70.36
194 p-Cymene					CAS #: 99-87-6		
11.334	11.334 (1.239)	119	779890	50.0000	50.137	80.00- 120.00	100.00
11.334	11.334 (1.239)	134	217521			0.00- 57.62	27.89
11.334	11.334 (1.239)	91	174214			0.00- 53.03	22.34
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.341	11.341 (1.240)	146	464343	50.0000	50.145	80.00- 120.00	100.00
11.341	11.341 (1.240)	148	294976			34.18- 94.18	63.53
11.341	11.341 (1.240)	111	179559			10.06- 70.06	38.67
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.441	11.441 (1.251)	146	476279	50.0000	50.777	80.00- 120.00	100.00
11.441	11.441 (1.251)	148	302532			33.55- 93.55	63.52
11.441	11.441 (1.251)	111	174939			7.98- 67.98	36.73
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.585	11.585 (1.266)	91	549485	50.0000	46.261	80.00- 120.00	100.00
11.585	11.585 (1.266)	126	129626			0.00- 52.77	23.59
201 Undecane					CAS #: 1120-21-4		
11.778	11.778 (1.287)	57	525251	50.0000	41.049	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
201 Undecane (continued)							
11.778	11.778 (1.287)	43	486218			63.59- 123.59	92.57
202 Butylbenzene					CAS #: 104-51-8		
11.735	11.735 (1.283)	134	215145	50.0000	50.186	80.00- 120.00	100.00
11.735	11.735 (1.283)	91	713912			310.82- 370.82	331.83
11.735	11.735 (1.283)	92	375532			151.53- 211.53	174.55
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.814 (1.291)	146	452503	50.0000	50.352	80.00- 120.00	100.00
11.814	11.814 (1.291)	148	289599			33.00- 93.00	64.00
11.814	11.814 (1.291)	111	178519			10.87- 70.87	39.45
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.609	12.609 (1.378)	157	283953	50.0000	53.421	80.00- 120.00	100.00
12.609	12.609 (1.378)	75	205147			48.09- 108.09	72.25
12.609	12.609 (1.378)	155	218947			47.89- 107.89	77.11
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.406)	57	601582	50.0000	46.674	80.00- 120.00	100.00
12.860	12.860 (1.406)	43	522712			58.52- 118.52	86.89
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.464)	180	454894	50.0000	51.077	80.00- 120.00	100.00
13.397	13.397 (1.464)	182	430067			64.84- 124.84	94.54
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.512	13.512 (1.477)	225	341178	50.0000	52.518	80.00- 120.00	100.00
13.512	13.512 (1.477)	223	215703			32.80- 92.80	63.22
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.492)	128	98346	5.80000	5.291	80.00- 120.00	100.00
13.648	13.648 (1.492)	127	12995			0.00- 42.72	13.21
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.898	13.898 (1.519)	180	439601	50.0000	50.372	80.00- 120.00	100.00
13.898	13.898 (1.519)	182	418109			65.07- 125.07	95.11
13.898	13.898 (1.519)	145	145832			4.48- 64.48	33.17

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 15-JUN-2024 08:26
Lab File ID: 3061430.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/14JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE	
$ 104 1,2-Dichloroethane-d4	1.30215	1.19984	0.010	7.85728	30.00000	Averaged	
$ 134 Toluene-d8	0.97187	0.94971	0.010	2.28048	30.00000	Averaged	
$ 170 4-Bromofluorobenzene	0.74296	0.74663	0.010	-0.49365	30.00000	Averaged	
4 Freon 134a	0.57786	0.60324	0.010	-4.39239	30.00000	Averaged	
5 Propylene	0.65479	0.63496	0.010	3.02794	30.00000	Averaged	
7 1,1-Difluoroethane	0.37746	0.39047	0.010	-3.44691	30.00000	Averaged	
8 Freon 12	1.48055	1.51471	0.010	-2.30782	30.00000	Averaged	
9 Chlorodifluoromethane	0.18527	0.17697	0.010	4.47679	30.00000	Averaged	
10 Freon 114	1.30152	1.38326	0.010	-6.28051	30.00000	Averaged	
12 Isobutane	1.38453	1.33526	0.010	3.55855	30.00000	Averaged	
15 Chloromethane	0.71383	0.71516	0.010	-0.18531	30.00000	Averaged	
18 Butane	0.14312	0.12893	0.010	9.91454	30.00000	Averaged	
19 Vinyl Chloride	0.69068	0.68736	0.010	0.48130	30.00000	Averaged	
20 1,3-Butadiene	0.64883	0.58816	0.010	9.35087	30.00000	Averaged	
24 Bromomethane	0.49355	0.54369	0.010	-10.16048	30.00000	Averaged	
30 Chloroethane	0.33122	0.33108	0.010	0.04077	30.00000	Averaged	
31 Isopentane	0.94519	0.91380	0.010	3.32055	30.00000	Averaged	
32 Vinyl Bromide	0.57403	0.60902	0.010	-6.09616	30.00000	Averaged	
33 Freon 11	1.70564	1.73546	0.010	-1.74823	30.00000	Averaged	
34 Dichlorofluoromethane	1.36006	1.30543	0.010	4.01637	30.00000	Averaged	
35 Pentane	1.43815	1.34749	0.010	6.30336	30.00000	Averaged	
39 Ethanol	0.13532	0.10579	0.010	21.82579	30.00000	Averaged	
42 Acrolein	0.29124	0.13053	0.010	55.18287	30.00000	Averaged	<-
43 Freon 113	1.50737	1.50635	0.010	0.06747	30.00000	Averaged	
44 1,1-Dichloroethene	0.64138	0.60696	0.010	5.36646	30.00000	Averaged	
47 Acetone	0.36497	0.33886	0.010	7.15475	30.00000	Averaged	
48 Carbon Disulfide	1.74887	1.60246	0.010	8.37177	30.00000	Averaged	
52 2-Propanol	1.51737	1.30101	0.010	14.25911	30.00000	Averaged	
54 3-Chloropropene	0.29464	0.26716	0.010	9.32557	30.00000	Averaged	
57 Acetonitrile	0.66971	0.58621	0.010	12.46803	30.00000	Averaged	
59 Methylene Chloride	1.00247	0.92292	0.010	7.93539	30.00000	Averaged	
62 tert-Butyl alcohol	1.54800	1.31584	0.010	14.99701	30.00000	Averaged	
63 Methyl tert-butyl ether	1.83005	1.67680	0.010	8.37436	30.00000	Averaged	
64 trans-1,2-Dichloroethene	0.43073	0.40870	0.010	5.11492	30.00000	Averaged	
66 Acrylonitrile	0.55703	0.50268	0.010	9.75597	30.00000	Averaged	

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 15-JUN-2024 08:26
Lab File ID: 3061430.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/14JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	MIN %D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE	
67 Hexane	1.34210	1.15649	0.010	13.82990	30.00000	Averaged	
71 1,1-Dichloroethane	1.24472	1.16648	0.010	6.28588	30.00000	Averaged	
72 Isopropyl ether	2.98469	2.69719	0.010	9.63220	30.00000	Averaged	
73 Vinyl Acetate	0.10960	0.03103	0.010	71.69046	30.00000	Averaged	<-
79 Ethyl-tert-butyl ether	2.57389	2.33758	0.010	9.18093	30.00000	Averaged	
84 2,2-Dichloropropane	1.22874	1.12824	0.010	8.17878	30.00000	Averaged	
85 cis-1,2-Dichloroethene	0.44603	0.42305	0.010	5.15136	30.00000	Averaged	
86 2-Butanone	0.32135	0.29536	0.010	8.08815	30.00000	Averaged	
87 Ethyl Acetate	0.32139	0.26247	0.010	18.33158	30.00000	Averaged	
89 Tetrahydrofuran	0.98253	0.79074	0.010	19.51996	30.00000	Averaged	
92 Chloroform	1.33658	1.29359	0.010	3.21623	30.00000	Averaged	
94 Cyclohexane	0.89416	0.82402	0.010	7.84468	30.00000	Averaged	
96 1,1,1-Trichloroethane	1.45774	1.37823	0.010	5.45453	30.00000	Averaged	
97 Carbon Tetrachloride	1.54543	1.53254	0.010	0.83382	30.00000	Averaged	
99 1,1-Dichloropropene	0.10070	0.10009	0.010	0.61073	30.00000	Averaged	
101 2,2,4-Trimethylpentane	4.19325	3.87713	0.010	7.53873	30.00000	Averaged	
102 Benzene	0.50334	0.48195	0.010	4.24970	30.00000	Averaged	
105 tert-Amyl methyl ether	0.13527	0.13057	0.010	3.47301	30.00000	Averaged	
106 1,2-Dichloroethane	0.26256	0.25114	0.010	4.35002	30.00000	Averaged	
107 Heptane	0.19939	0.17867	0.010	10.38946	30.00000	Averaged	
110 n-Butanol	0.11444	0.09520	0.010	16.81228	30.00000	Averaged	
111 Trichloroethene	0.24269	0.29495	0.010	-21.53094	30.00000	Averaged	
114 1,2-Dichloropropane	0.23685	0.21576	0.010	8.90697	30.00000	Averaged	
116 Methyl Methacrylate	0.20363	0.18195	0.010	10.64673	30.00000	Averaged	
117 1,4-Dioxane	0.12662	0.12202	0.010	3.62932	30.00000	Averaged	
118 Dibromomethane	0.23589	0.25454	0.010	-7.90653	30.00000	Averaged	
122 Bromodichloromethane	0.39286	0.38665	0.010	1.57961	30.00000	Averaged	
126 cis-1,3-Dichloropropene	0.33505	0.32016	0.010	4.44459	30.00000	Averaged	
127 Methylcyclohexane	0.34474	0.32635	0.010	5.33308	30.00000	Averaged	
131 4-Methyl-2-pentanone	0.23047	0.18652	0.010	19.07017	30.00000	Averaged	
137 Toluene	0.69679	0.65951	0.010	5.34959	30.00000	Averaged	
136 Octane	0.25386	0.22316	0.010	12.09147	30.00000	Averaged	
139 trans-1,3-Dichloropropene	0.27625	0.27020	0.010	2.18737	30.00000	Averaged	
141 1,1,2-Trichloroethane	0.23391	0.22501	0.010	3.80478	30.00000	Averaged	
142 Tetrachloroethene	0.35123	0.37928	0.010	-7.98790	30.00000	Averaged	

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 15-JUN-2024 08:26
Lab File ID: 3061430.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/14JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE
143 2-Hexanone	0.29346	0.26741	0.010	8.87650	30.00000	Averaged
144 1,3-Dichloropropane	0.32667	0.30491	0.010	6.66013	30.00000	Averaged
146 Dibromochloromethane	0.46229	0.49620	0.010	-7.33571	30.00000	Averaged
148 1,2-Dibromoethane (EDB)	0.38337	0.38853	0.010	-1.34503	30.00000	Averaged
151 1-Bromo-2-Chloroethane	0.41790	0.39956	0.010	4.38762	30.00000	Averaged
154 Chlorobenzene	0.57923	0.58090	0.010	-0.28792	30.00000	Averaged
155 Ethyl Benzene	0.29135	0.28739	0.010	1.35945	30.00000	Averaged
156 Nonane	0.67669	0.62520	0.010	7.60842	30.00000	Averaged
157 1,1,1,2-Tetrachloroethane	0.32998	0.35367	0.010	-7.17921	30.00000	Averaged
158 m,p-Xylene	0.36315	0.35858	0.010	1.25793	30.00000	Averaged
164 o-Xylene	0.34436	0.33999	0.010	1.27037	30.00000	Averaged
165 Styrene	0.58810	0.57526	0.010	2.18213	30.00000	Averaged
167 Bromoform	0.46720	0.51561	0.010	-10.36042	30.00000	Averaged
168 Cumene	1.04099	1.05166	0.010	-1.02585	30.00000	Averaged
169 Cyclohexanone	0.41185	0.33255	0.010	19.25369	30.00000	Averaged
175 1,1,2,2-Tetrachloroethane	0.53993	0.40463	0.010	25.05820	30.00000	Averaged
177 Bromobenzene	0.36268	0.38032	0.010	-4.86299	30.00000	Averaged
178 Propylbenzene	0.30782	0.31128	0.010	-1.12521	30.00000	Averaged
179 1,2,3-Trichloropropane	0.16387	0.15821	0.010	3.44953	30.00000	Averaged
182 Decane	0.79666	0.66435	0.010	16.60865	30.00000	Averaged
183 4-Ethyltoluene	0.33550	0.33549	0.010	0.00537	30.00000	Averaged
184 2-Chlorotoluene	0.28387	0.28130	0.010	0.90429	30.00000	Averaged
185 1,3,5-Trimethylbenzene	0.45246	0.44986	0.010	0.57334	30.00000	Averaged
188 alpha Methyl Styrene	0.47929	0.47565	0.010	0.75750	30.00000	Averaged
189 tert-Butylbenzene	0.86021	0.87371	0.010	-1.56920	30.00000	Averaged
190 1,2,4-Trimethylbenzene	0.92509	0.90168	0.010	2.52962	30.00000	Averaged
192 sec-Butylbenzene	0.28157	0.28870	0.010	-2.52992	30.00000	Averaged
194 p-Cymene	1.15152	1.15468	0.010	-0.27491	30.00000	Averaged
195 1,3-Dichlorobenzene	0.68551	0.68749	0.010	-0.28967	30.00000	Averaged
196 1,4-Dichlorobenzene	0.69437	0.70517	0.010	-1.55423	30.00000	Averaged
199 alpha-Chlorotoluene	0.87930	0.81355	0.010	7.47772	30.00000	Averaged
201 Undecane	0.94724	0.77767	0.010	17.90151	30.00000	Averaged
202 Butylbenzene	0.31736	0.31854	0.010	-0.37214	30.00000	Averaged
204 1,2-Dichlorobenzene	0.66528	0.66996	0.010	-0.70390	30.00000	Averaged
206 1,2-Dibromo-3-chloropropane	0.39349	0.42041	0.010	-6.84222	30.00000	Averaged
207 Dodecane	0.95417	0.89069	0.010	6.65287	30.00000	Averaged

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 15-JUN-2024 08:26
Lab File ID: 3061430.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/14JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE
213 1,2,4-Trichlorobenzene	0.65930	0.67350	0.010	-2.15480	30.00000	Averaged
215 Hexachlorobutadiene	0.48092	0.50514	0.010	-5.03568	30.00000	Averaged
216 Naphthalene	1.37605	1.25525	0.010	8.77928	30.00000	Averaged
222 1,2,3-Trichlorobenzene	0.64605	0.65086	0.010	-0.74520	30.00000	Averaged

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061430.d
Lab Smp Id: CCV
Analysis Type: VOA
Quant Type: ISTD
Operator: jcw
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	94062	-3.33
108 1,4-Difluorobenze	356185	213711	498659	341260	-4.19
153 Chlorobenzene-d5	352841	211705	493977	337707	-4.29

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/14JUN24.b/3061430.d

Date : 15-JUN-2024 08:26

Client ID:


Instrument: msd3.i

Sample Info: 50mL 3018-4465

Operator: jcw

Column phase: RTX-624

Column diameter: 0.25



eurofins | Air Toxics

Client ID:	LCS		
Lab ID:	2406133-25A	**Date/Time Analyzed:**	6/13/24 12:13 PM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061304a

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	102
1,4-Dichlorobenzene	106-46-7	101
Benzene	71-43-2	94
cis-1,2-Dichloroethene	156-59-2	88
Ethyl Benzene	100-41-4	102
m,p-Xylene	108-38-3	100
o-Xylene	95-47-6	100
Toluene	108-88-3	93
trans-1,2-Dichloroethene	156-60-5	88
Trichloroethene	79-01-6	96
Vinyl Chloride	75-01-4	93

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	91
4-Bromofluorobenzene	460-00-4	77-125	102
Toluene-d8	2037-26-5	91-110	97

* % Recovery is calculated using unrounded analytical results.

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/13JUN24.b/3061304a.d
Lab Smp Id: LCS Client Smp ID: LCS
Inj Date : 13-JUN-2024 12:13
Operator : RT Inst ID: msd3.i
Smp Info : 50mL 3018-4603
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/13JUN24.b/324q0423a.m
Meth Date : 13-Jun-2024 12:26 yrc5 Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 14 QC Sample: LCS
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23_cont111224.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	94778	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	73658			47.79- 107.79	77.72
5.432	5.432 (1.000)	49	139660			131.33- 191.33	147.35
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	341342	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	50173			0.00- 45.65	14.70
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	336630	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	167008			22.92- 82.92	49.61
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	112743	22.8382	22.838	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	62698			23.17- 83.17	55.61
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	321158	24.2025	24.202	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	34096			0.00- 41.42	10.62

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	219159			37.54- 97.54	68.24
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	254935	25.4831	25.483	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	279498			88.49- 148.49	109.64
10.288	10.288 (1.124)	176	247489			66.73- 126.73	97.08
4 Freon 134a					CAS #: 811-97-2		
1.395	1.409 (0.257)	83	108119	49.3529	49.353	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	101089			64.17- 124.17	93.50
1.479	1.493 (0.272)	51	407127			365.46- 425.46	376.55
5 Propylene					CAS #: 115-07-1		
1.423	1.437 (0.262)	41	112402	45.2797	45.280	80.00- 120.00	100.00
1.423	1.437 (0.262)	42	73691			35.86- 95.86	65.56
1.423	1.437 (0.262)	39	80029			41.66- 101.66	71.20
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.465 (0.270)	65	70017	48.9288	48.929	80.00- 120.00	100.00
1.479	1.493 (0.272)	51	407127			568.10- 628.10	581.47
1.562	1.577 (0.288)	47	12464			0.00- 50.57	17.80
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.270)	85	272234	48.5013	48.501	80.00- 120.00	100.00
1.465	1.465 (0.270)	87	89656			2.88- 62.88	32.93
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.479	1.507 (0.272)	67	31563	44.9377	44.938	80.00- 120.00	100.00
1.479	1.493 (0.272)	51	407127			1257.55-1317.55	1289.89
10 Freon 114					CAS #: 76-14-2		
1.576	1.577 (0.290)	135	248744	50.4122	50.412	80.00- 120.00	100.00
1.576	1.577 (0.290)	137	80525			2.10- 62.10	32.37
12 Isobutane					CAS #: 75-28-5		
1.576	1.577 (0.290)	43	238924	45.5186	45.519	80.00- 120.00	100.00
1.576	1.577 (0.290)	42	75523			1.69- 61.69	31.61
1.576	1.577 (0.290)	58	7637			0.00- 33.32	3.20
15 Chloromethane					CAS #: 74-87-3		
1.674	1.674 (0.308)	50	129892	47.9974	47.997	80.00- 120.00	100.00
1.674	1.674 (0.308)	52	40466			1.38- 61.38	31.15
18 Butane					CAS #: 106-97-8		
1.716	1.716 (0.316)	58	24608	45.3530	45.353	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
18 Butane (continued)							
1.716	1.716 (0.316)	43	209888			866.38- 926.38	852.93
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.758 (0.324)	62	121304	46.3267	46.327	80.00- 120.00	100.00
1.758	1.758 (0.324)	64	39005			3.10- 63.10	32.15
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.772 (0.326)	54	105382	42.8417	42.842	80.00- 120.00	100.00
1.772	1.772 (0.326)	39	109288			78.74- 138.74	103.71
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	97120	51.9053	51.905	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	91398			64.19- 124.19	94.11
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.409)	64	60457	48.1463	48.146	80.00- 120.00	100.00
2.206	2.220 (0.406)	66	18410			2.32- 62.32	30.45
2.220	2.220 (0.409)	49	20799			6.33- 66.33	34.40
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	165976	46.3191	46.319	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	104999			31.77- 91.77	63.26
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.402 (0.442)	106	107659	49.4711	49.471	80.00- 120.00	100.00
2.402	2.402 (0.442)	108	101325			64.21- 124.21	94.12
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	310628	48.0380	48.038	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	204111			34.93- 94.93	65.71
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.458 (0.453)	67	229431	44.4967	44.497	80.00- 120.00	100.00
2.458	2.458 (0.453)	69	73557			1.95- 61.95	32.06
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	242152	44.4138	44.414	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	34486			0.00- 44.64	14.24
2.514	2.514 (0.463)	72	19247			0.00- 37.90	7.95
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	20895	40.7294	40.729	80.00- 120.00	100.00
2.752	2.752 (0.507)	45	53743			224.40- 284.40	257.21
42 Acrolein					CAS #: 107-02-8		
3.053	3.054 (0.562)	55	49717	45.0276	45.028	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
42 Acrolein (continued)							
3.046	3.054 (0.561)	56	68073			108.02- 168.02	136.92
43 Freon 113					CAS #: 76-13-1		
3.053	3.061 (0.562)	151	272550	47.6935	47.693	80.00- 120.00	100.00
3.061	3.054 (0.563)	153	178171			35.07- 95.07	65.37
3.053	3.061 (0.562)	101	303666			87.45- 147.45	111.42
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.089	3.089 (0.569)	96	123941	50.9724	50.972	80.00- 120.00	100.00
3.089	3.089 (0.569)	98	67310			33.27- 93.27	54.31
3.089	3.089 (0.569)	61	211703			159.05- 219.05	170.81
47 Acetone					CAS #: 67-64-1		
3.240	3.247 (0.596)	58	59221	42.8008	42.801	80.00- 120.00	100.00
3.240	3.240 (0.596)	43	207690			329.45- 389.45	350.70
48 Carbon Disulfide					CAS #: 75-15-0		
3.326	3.326 (0.612)	76	291729	44.0002	44.000	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.419	3.426 (0.629)	45	240432	41.7958	41.796	80.00- 120.00	100.00
3.426	3.426 (0.631)	43	44436			0.00- 48.18	18.48
54 3-Chloropropene					CAS #: 107-05-1		
3.576	3.584 (0.658)	76	48998	43.8658	43.866	80.00- 120.00	100.00
3.576	3.576 (0.658)	41	175222			366.80- 426.80	357.61
57 Acetonitrile					CAS #: 75-05-8		
3.677	3.677 (0.677)	41	109606	43.1697	43.170	80.00- 120.00	100.00
3.677	3.677 (0.677)	40	58672			22.74- 82.74	53.53
3.677	3.677 (0.677)	38	14139			0.00- 42.52	12.90
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.777 (0.695)	49	162559	42.7733	42.773	80.00- 120.00	100.00
3.777	3.777 (0.695)	84	92362			24.90- 84.90	56.82
3.777	3.777 (0.695)	51	47935			0.00- 59.67	29.49
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.906	3.906 (0.719)	59	259954	44.2954	44.295	80.00- 120.00	100.00
3.906	3.906 (0.719)	41	59145			0.00- 51.85	22.75
3.906	3.906 (0.719)	57	25959			0.00- 40.17	9.99
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
3.999	3.999 (0.736)	73	314275	45.2979	45.298	80.00- 120.00	100.00
3.999	4.006 (0.736)	57	91298			0.00- 58.72	29.05

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
63 Methyl tert-butyl ether (continued)							
3.999	3.999 (0.736)	41	93558			0.00- 59.38	29.77
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	71520	43.7981	43.798	80.00- 120.00	100.00
4.020	4.021 (0.740)	61	180588			232.13- 292.13	252.50
4.020	4.028 (0.740)	96	113645			127.26- 187.26	158.90
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.135 (0.761)	52	85414	40.4468	40.447	80.00- 120.00	100.00
4.135	4.135 (0.761)	53	101918			86.45- 146.45	119.32
67 Hexane					CAS #: 110-54-3		
4.250	4.250 (0.782)	57	210971	41.4640	41.464	80.00- 120.00	100.00
4.250	4.257 (0.782)	43	146801			40.97- 100.97	69.58
4.250	4.257 (0.782)	86	26846			0.00- 42.68	12.72
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.551 (0.838)	63	206463	43.7526	43.753	80.00- 120.00	100.00
4.551	4.551 (0.838)	65	64265			0.47- 60.47	31.13
72 Isopropyl ether					CAS #: 108-20-3		
4.543	4.551 (0.836)	45	517423	45.7277	45.728	80.00- 120.00	100.00
4.543	4.551 (0.836)	87	105390			0.00- 49.55	20.37
4.551	4.551 (0.838)	59	54555			0.00- 40.42	10.54
73 Vinyl Acetate					CAS #: 108-05-4		
4.601	4.608 (0.847)	86	28003	67.3945	67.394	80.00- 120.00	100.00
4.601	4.601 (0.847)	43	432150			1727.95-1787.95	1543.23
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.930	4.937 (0.908)	59	443036	45.4027	45.403	80.00- 120.00	100.00
4.937	4.937 (0.909)	87	154668			3.90- 63.90	34.91
4.930	4.937 (0.908)	41	87986			0.00- 49.72	19.86
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.138	5.138 (0.946)	77	203669	43.7219	43.722	80.00- 120.00	100.00
5.138	5.138 (0.946)	79	66244			2.39- 62.39	32.53
5.138	5.138 (0.946)	97	48997			0.00- 53.57	24.06
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.181	5.181 (0.954)	98	74339	43.9630	43.963	80.00- 120.00	100.00
5.181	5.181 (0.954)	96	117066			125.53- 185.53	157.48
5.181	5.181 (0.954)	61	165635			219.86- 279.86	222.81
86 2-Butanone					CAS #: 78-93-3		
5.210	5.210 (0.959)	72	53020	43.5206	43.520	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.231	5.231 (0.963)	43	614996			1138.34-1198.34	1159.93
5.217	5.210 (0.960)	57	21627			10.83- 70.83	40.79
87 Ethyl Acetate					CAS #: 141-78-6		
5.238	5.238 (0.964)	45	51209	42.0293	42.029	80.00- 120.00	100.00
5.181	5.181 (0.954)	61	165635			338.96- 398.96	323.45
5.238	5.238 (0.964)	70	26357			24.53- 84.53	51.47
89 Tetrahydrofuran					CAS #: 109-99-9		
5.424	5.424 (0.999)	42	151044	40.5500	40.550	80.00- 120.00	100.00
5.424	5.424 (0.999)	71	42425			0.00- 58.54	28.09
5.424	5.424 (0.999)	72	44721			0.00- 59.59	29.61
92 Chloroform					CAS #: 67-66-3		
5.510	5.510 (1.014)	83	225099	44.4233	44.423	80.00- 120.00	100.00
5.510	5.510 (1.014)	85	146802			35.77- 95.77	65.22
94 Cyclohexane					CAS #: 110-82-7		
5.604	5.604 (1.032)	84	155702	45.9316	45.932	80.00- 120.00	100.00
5.604	5.604 (1.032)	56	233515			125.79- 185.79	149.98
5.604	5.604 (1.032)	41	131720			61.55- 121.55	84.60
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.632	5.632 (1.037)	97	258120	46.7061	46.706	80.00- 120.00	100.00
5.632	5.632 (1.037)	99	165037			32.84- 92.84	63.94
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.754	5.754 (1.059)	119	283716	48.4247	48.425	80.00- 120.00	100.00
5.754	5.754 (1.059)	117	296793			75.19- 135.19	104.61
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.797	5.797 (0.903)	110	64782	47.1154	47.115	80.00- 120.00	100.00
5.797	5.797 (0.903)	75	164221			234.16- 294.16	253.50
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.990	5.990 (1.103)	57	711713	44.7699	44.770	80.00- 120.00	100.00
5.983	5.990 (1.102)	56	237649			3.09- 63.09	33.39
5.983	5.990 (1.102)	41	188499			0.00- 57.28	26.49
102 Benzene					CAS #: 71-43-2		
5.990	5.990 (0.933)	78	321537	46.7860	46.786	80.00- 120.00	100.00
5.990	5.990 (0.933)	77	75705			0.00- 53.69	23.54
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.083	6.083 (0.948)	87	86866	47.0336	47.034	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
105 tert-Amyl methyl ether (continued)							
6.083	6.083 (0.948)	73	339848			365.76- 425.76	391.23
6.083	6.083 (0.948)	55	109776			92.58- 152.58	126.37
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.098 (0.950)	62	164316	45.8347	45.835	80.00- 120.00	100.00
6.098	6.098 (0.950)	64	51985			1.80- 61.80	31.64
107 Heptane					CAS #: 142-82-5		
6.177	6.177 (0.962)	71	122555	45.0175	45.017	80.00- 120.00	100.00
6.177	6.177 (0.962)	43	286052			207.73- 267.73	233.41
6.177	6.177 (0.962)	57	138735			84.83- 144.83	113.20
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.032)	56	112703	72.1275	72.127	80.00- 120.00	100.00(R)
6.628	6.628 (1.032)	41	84374			47.73- 107.73	74.86
6.628	6.628 (1.032)	43	66196			31.60- 91.60	58.73
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	158463	47.8216	47.822	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	178727			80.23- 140.23	112.79
6.628	6.628 (1.032)	97	102509			34.78- 94.78	64.69
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.886 (1.073)	63	142256	43.9888	43.989	80.00- 120.00	100.00
6.886	6.886 (1.073)	62	102333			40.39- 100.39	71.94
6.886	6.886 (1.073)	41	83967			31.86- 91.86	59.03
116 Methyl Methacrylate					CAS #: 80-62-6		
6.972	6.972 (0.762)	69	123051	44.8768	44.877	80.00- 120.00	100.00
6.972	6.972 (0.762)	41	207035			145.81- 205.81	168.25
6.972	6.972 (0.762)	100	50335			10.05- 70.05	40.91
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.986 (1.089)	88	82698	47.8348	47.835	80.00- 120.00	100.00
6.986	6.986 (1.088)	58	69114			56.33- 116.33	83.57
6.986	6.986 (1.088)	57	25084			2.08- 62.08	30.33
118 Dibromomethane					CAS #: 74-95-3		
7.000	7.008 (0.765)	174	165066	51.9686	51.969	80.00- 120.00	100.00
7.000	7.000 (0.765)	93	144576			62.68- 122.68	87.59
7.000	7.000 (0.765)	95	119772			47.70- 107.70	72.56
122 Bromodichloromethane					CAS #: 75-27-4		
7.144	7.144 (1.113)	83	257685	48.0405	48.040	80.00- 120.00	100.00
7.144	7.144 (1.113)	85	164813			34.96- 94.96	63.96

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.566	7.566 (1.179)	75	210708	46.0601	46.060	80.00- 120.00	100.00
7.566	7.566 (1.179)	77	66242			1.26- 61.26	31.44
7.566	7.566 (1.179)	39	128135			35.06- 95.06	60.81
127 Methylcyclohexane					CAS #: 108-87-2		
6.728	6.728 (1.048)	83	213143	45.2826	45.282	80.00- 120.00	100.00
6.728	6.728 (1.048)	98	97373			14.83- 74.83	45.68
6.728	6.728 (1.048)	55	210244			71.50- 131.50	98.64
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.702	7.702 (1.200)	58	132123	41.9873	41.987	80.00- 120.00	100.00
7.702	7.702 (1.200)	43	380898			259.88- 319.88	288.29
7.702	7.702 (1.200)	85	49847			7.58- 67.58	37.73
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	440925	46.3461	46.346	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	255320			27.89- 87.89	57.91
136 Octane					CAS #: 111-65-9		
7.853	7.853 (1.223)	57	151508	43.7117	43.712	80.00- 120.00	100.00
7.853	7.853 (1.223)	85	146157			63.53- 123.53	96.47
7.853	7.853 (1.223)	43	407479			246.00- 306.00	268.95
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.111	8.111 (0.886)	75	174002	46.7782	46.778	80.00- 120.00	100.00
8.111	8.111 (0.886)	77	56060			1.83- 61.83	32.22
8.111	8.111 (0.886)	39	101583			31.97- 91.97	58.38
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.282	8.283 (0.905)	97	152488	48.4137	48.414	80.00- 120.00	100.00
8.282	8.283 (0.905)	99	94424			32.52- 92.52	61.92
8.282	8.283 (0.905)	83	132086			58.90- 118.90	86.62
142 Tetrachloroethene					CAS #: 127-18-4		
8.311	8.311 (0.908)	166	251566	53.1926	53.192	80.00- 120.00	100.00
8.311	8.311 (0.908)	129	184589			45.32- 105.32	73.38
8.311	8.311 (0.908)	131	183419			44.17- 104.17	72.91
143 2-Hexanone					CAS #: 591-78-6		
8.483	8.483 (0.927)	58	182156	46.0985	46.098	80.00- 120.00	100.00
8.483	8.483 (0.927)	43	382760			177.32- 237.32	210.13
8.483	8.490 (0.927)	100	33252			0.00- 47.18	18.25
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.440	8.440 (1.315)	76	206188	46.2285	46.228	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane (continued)							
8.440	8.440 (1.315)	41	172682			59.72- 119.72	83.75
8.440	8.440 (1.315)	78	65732			3.08- 63.08	31.88
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	327094	52.5465	52.546	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	253104			47.27- 107.27	77.38
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	258151	50.0084	50.008	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	242896			64.18- 124.18	94.09
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.452	7.452 (1.161)	63	264288	46.3190	46.319	80.00- 120.00	100.00
7.452	7.452 (1.161)	65	81834			0.43- 60.43	30.96
7.452	7.452 (1.161)	144	31523			0.00- 40.48	11.93
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.003)	112	393978	50.5135	50.514	80.00- 120.00	100.00
9.178	9.178 (1.003)	114	126414			1.91- 61.91	32.09
9.178	9.171 (1.003)	77	201007			22.97- 82.97	51.02
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	199972	50.9728	50.973	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	612284			281.09- 341.09	306.18
156 Nonane					CAS #: 111-84-2		
9.307	9.307 (1.017)	43	434146	47.6470	47.647	80.00- 120.00	100.00
9.307	9.307 (1.017)	57	350775			50.62- 110.62	80.80
9.307	9.307 (1.017)	85	112824			0.00- 55.65	25.99
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.264	9.264 (1.013)	131	239093	53.8099	53.810	80.00- 120.00	100.00
9.264	9.264 (1.013)	117	157250			37.10- 97.10	65.77
9.264	9.264 (1.013)	95	80866			4.93- 64.93	33.82
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	244176	49.9355	49.936	80.00- 120.00	100.00
9.357	9.364 (1.023)	91	478813			170.33- 230.33	196.09
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	232515	50.1445	50.144	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	481761			181.23- 241.23	207.20
165 Styrene					CAS #: 100-42-5		
9.772	9.772 (1.068)	104	389969	49.2456	49.246	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
165 Styrene (continued)							
9.772	9.772 (1.068)	78	179515			17.26- 77.26	46.03
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.092)	173	341979	54.3601	54.360	80.00- 120.00	100.00
9.987	9.987 (1.092)	171	176779			21.45- 81.45	51.69
168 Cumene					CAS #: 98-82-8		
10.088	10.088 (1.103)	105	710302	50.6740	50.674	80.00- 120.00	100.00
10.088	10.088 (1.103)	120	195461			0.00- 56.93	27.52
10.088	10.088 (1.103)	51	81989			0.00- 42.24	11.54
169 Cyclohexanone					CAS #: 108-94-1		
10.259	10.252 (1.121)	55	234185	42.2289	42.229	80.00- 120.00	100.00
10.259	10.260 (1.121)	98	83608			5.15- 65.15	35.70
10.252	10.252 (1.121)	42	160651			41.99- 101.99	68.60
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.144)	83	357961	49.2363	49.236	80.00- 120.00	100.00
10.467	10.467 (1.144)	85	230717			34.97- 94.97	64.45
177 Bromobenzene					CAS #: 108-86-1		
10.424	10.424 (1.139)	156	254121	52.0355	52.036	80.00- 120.00	100.00
10.424	10.424 (1.139)	158	246376			67.47- 127.47	96.95
10.424	10.424 (1.139)	77	320341			108.68- 168.68	126.06
178 Propylbenzene					CAS #: 103-65-1		
10.489	10.489 (1.146)	120	210940	50.8928	50.893	80.00- 120.00	100.00
10.489	10.489 (1.146)	91	850945			383.60- 443.60	403.41
10.489	10.489 (1.146)	105	33016			0.00- 46.14	15.65
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.517 (1.150)	110	109153	49.4689	49.469	80.00- 120.00	100.00
10.517	10.517 (1.150)	75	374492			324.28- 384.28	343.09
10.517	10.517 (1.150)	61	89729			57.24- 117.24	82.20
182 Decane					CAS #: 124-18-5		
10.603	10.603 (1.159)	57	461622	43.0328	43.033	80.00- 120.00	100.00
10.603	10.603 (1.159)	71	145252			1.11- 61.11	31.47
10.603	10.603 (1.159)	142	21862			0.00- 34.44	4.74
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.603 (1.159)	120	225356	49.8837	49.884	80.00- 120.00	100.00
10.603	10.603 (1.159)	105	732083			298.94- 358.94	324.86
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.603 (1.159)	126	198375	51.8990	51.899	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
184 2-Chlorotoluene (continued)							
10.603	10.603 (1.159)	91	587192			282.78- 342.78	296.00
10.603	10.603 (1.159)	65	84998			17.33- 77.33	42.85
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.668	10.668 (1.166)	120	308209	50.5887	50.589	80.00- 120.00	100.00
10.668	10.668 (1.166)	105	612888			172.08- 232.08	198.85
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.897	10.897 (1.191)	118	327486	50.7441	50.744	80.00- 120.00	100.00
10.897	10.897 (1.191)	103	182000			25.64- 85.64	55.57
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.976 (1.200)	119	592852	51.1835	51.184	80.00- 120.00	100.00
10.976	10.976 (1.200)	134	149105			0.00- 55.10	25.15
10.969	10.976 (1.199)	91	370221			34.53- 94.53	62.45
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.033	11.033 (1.206)	105	619914	49.7665	49.766	80.00- 120.00	100.00
11.033	11.033 (1.206)	120	291971			16.63- 76.63	47.10
192 sec-Butylbenzene					CAS #: 135-98-8		
11.191	11.191 (1.223)	134	193860	51.1307	51.131	80.00- 120.00	100.00
11.191	11.191 (1.223)	105	890416			436.99- 496.99	459.31
11.191	11.191 (1.223)	91	134347			41.69- 101.69	69.30
194 p-Cymene					CAS #: 99-87-6		
11.334	11.334 (1.239)	119	803655	51.8306	51.830	80.00- 120.00	100.00
11.334	11.334 (1.239)	134	224853			0.00- 57.62	27.98
11.334	11.334 (1.239)	91	177986			0.00- 53.03	22.15
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.341	11.341 (1.240)	146	468974	50.8070	50.807	80.00- 120.00	100.00
11.341	11.341 (1.240)	148	297046			34.18- 94.18	63.34
11.341	11.341 (1.240)	111	180861			10.06- 70.06	38.57
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.441	11.441 (1.251)	146	471912	50.4725	50.472	80.00- 120.00	100.00
11.441	11.441 (1.251)	148	299287			33.55- 93.55	63.42
11.441	11.441 (1.251)	111	175491			7.98- 67.98	37.19
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.585	11.585 (1.266)	91	562003	47.4664	47.466	80.00- 120.00	100.00
11.585	11.585 (1.266)	126	131971			0.00- 52.77	23.48
201 Undecane					CAS #: 1120-21-4		
11.778	11.778 (1.287)	57	538656	42.2316	42.232	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
201 Undecane (continued)							
11.778	11.778 (1.287)	43	495183			63.59- 123.59	91.93
202 Butylbenzene					CAS #: 104-51-8		
11.742	11.742 (1.283)	134	219901	51.4596	51.460	80.00- 120.00	100.00
11.735	11.735 (1.283)	91	732997			310.82- 370.82	333.33
11.735	11.735 (1.283)	92	388010			151.53- 211.53	176.45
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.814 (1.291)	146	456396	50.9476	50.948	80.00- 120.00	100.00
11.814	11.814 (1.291)	148	288121			33.00- 93.00	63.13
11.814	11.814 (1.291)	111	180532			10.87- 70.87	39.56
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.609	12.609 (1.378)	157	283866	53.5756	53.576	80.00- 120.00	100.00
12.609	12.609 (1.378)	75	206550			48.09- 108.09	72.76
12.609	12.609 (1.378)	155	217931			47.89- 107.89	76.77
207 Dodecane					CAS #: 112-40-3		
12.845	12.853 (1.404)	57	585355	45.5599	45.560	80.00- 120.00	100.00
12.845	12.853 (1.404)	43	510989			58.52- 118.52	87.30
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.390	13.390 (1.463)	180	465259	52.4084	52.408	80.00- 120.00	100.00
13.390	13.390 (1.463)	182	443096			64.84- 124.84	95.24
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.497	13.504 (1.475)	225	345415	53.3402	53.340	80.00- 120.00	100.00
13.497	13.504 (1.475)	223	217558			32.80- 92.80	62.98
216 Naphthalene					CAS #: 91-20-3		
13.640	13.640 (1.491)	128	111531	6.01932	6.019	80.00- 120.00	100.00
13.633	13.640 (1.490)	127	14404			0.00- 42.72	12.91
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.884	13.891 (1.518)	180	448340	51.5383	51.538	80.00- 120.00	100.00
13.884	13.884 (1.518)	182	426925			65.07- 125.07	95.22
13.884	13.884 (1.518)	145	150153			4.48- 64.48	33.49

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061304a.d
Lab Smp Id: LCS
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 13-JUN-2024
Calibration Time: 11:42
Client Smp ID: LCS
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	94691	56815	132567	94778	0.09
108 1,4-Difluorobenze	348240	208944	487536	341342	-1.98
153 Chlorobenzene-d5	341662	204997	478327	336630	-1.47

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 13JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: LCS Client Smp ID: LCS
Level: LOW Operator: RT
Data Type: MS DATA SampleType: LCS
SpikeList File: CntrlDODAT23.spk Quant Type: ISTD
Sublist File: AT23_cont111224.sub
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
4 Freon 134a	50.000	49.353	98.71	70-130
5 Propylene	50.000	45.280	90.56	57-136
7 1,1-Difluoroethan	50.000	48.929	97.86	70-130
8 Freon 12	50.000	48.501	97.00	59-128
9 Chlorodifluoromet	50.000	44.938	89.88	59-145
10 Freon 114	50.000	50.412	100.82	63-121
12 Isobutane	50.000	45.519	91.04	70-130
15 Chloromethane	50.000	47.997	95.99	59-132
18 Butane	50.000	45.353	90.71	64-129
19 Vinyl Chloride	50.000	46.327	92.65	64-127
20 1,3-Butadiene	50.000	42.842	85.68	66-134
24 Bromomethane	50.000	51.905	103.81	63-134
30 Chloroethane	50.000	48.146	96.29	63-127
31 Isopentane	50.000	46.319	92.64	59-140
32 Vinyl Bromide	50.000	49.471	98.94	71-126
33 Freon 11	50.000	48.038	96.08	62-126
34 Dichlorofluoromet	50.000	44.497	88.99	70-130
35 Pentane	50.000	44.414	88.83	63-131
39 Ethanol	50.000	40.729	81.46	59-125
42 Acrolein	57.000	45.028	79.00	62-126
43 Freon 113	50.000	47.693	95.39	66-126
44 1,1-Dichloroethen	50.000	50.972	101.94	61-133
47 Acetone	50.000	42.801	85.60	58-128
48 Carbon Disulfide	50.000	44.000	88.00	57-134
52 2-Propanol	50.000	41.796	83.59	52-125
54 3-Chloropropene	50.000	43.866	87.73	71-131
57 Acetonitrile	50.000	43.170	86.34	63-132
59 Methylene Chlorid	50.000	42.773	85.55	62-115
62 tert-Butyl alcoho	50.000	44.295	88.59	24-150
63 Methyl tert-butyl	50.000	45.298	90.60	66-126
64 trans-1,2-Dichlor	50.000	43.798	87.60	67-124
66 Acrylonitrile	50.000	40.447	80.89	71-137
67 Hexane	50.000	41.464	82.93	63-120

	SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
71	1,1-Dichloroethan	50.000	43.753	87.51	68-126
72	Isopropyl ether	50.000	45.728	91.46	70-117
73	Vinyl Acetate	50.000	67.394	134.79	56-139
79	Ethyl-tert-butyl	50.000	45.403	90.81	70-130
84	2,2-Dichloropropa	50.000	43.722	87.44	70-130
85	cis-1,2-Dichloroe	50.000	43.963	87.93	70-121
86	2-Butanone	50.000	43.520	87.04	67-130
87	Ethyl Acetate	50.000	42.029	84.06	65-128
89	Tetrahydrofuran	50.000	40.550	81.10	64-123
92	Chloroform	50.000	44.423	88.85	68-123
96	1,1,1-Trichloroet	50.000	46.706	93.41	68-125
97	Carbon Tetrachlor	50.000	48.425	96.85	68-132
94	Cyclohexane	50.000	45.932	91.86	70-117
99	1,1-Dichloroprope	50.000	47.115	94.23	70-130
101	2,2,4-Trimethylpe	50.000	44.770	89.54	68-121
102	Benzene	50.000	46.786	93.57	69-119
106	1,2-Dichloroethan	50.000	45.835	91.67	65-128
107	Heptane	50.000	45.017	90.03	69-123
110	n-Butanol	50.000	72.127	144.25*	62-133
111	Trichloroethene	50.000	47.822	95.64	71-123
127	Methylcyclohexane	50.000	45.282	90.57	67-127
114	1,2-Dichloropropa	50.000	43.989	87.98	69-123
116	Methyl Methacryla	50.000	44.877	89.75	70-128
117	1,4-Dioxane	50.000	47.835	95.67	71-122
118	Dibromomethane	50.000	51.969	103.94	70-130
122	Bromodichlorometh	50.000	48.040	96.08	72-128
126	cis-1,3-Dichlorop	50.000	46.060	92.12	70-128
131	4-Methyl-2-pentan	50.000	41.987	83.97	67-130
136	Octane	50.000	43.712	87.42	69-121
137	Toluene	50.000	46.346	92.69	66-119
139	trans-1,3-Dichlor	50.000	46.778	93.56	75-133
141	1,1,2-Trichloroet	50.000	48.414	96.83	73-119
142	Tetrachloroethene	50.000	53.192	106.39	66-124
143	2-Hexanone	50.000	46.098	92.20	62-128
144	1,3-Dichloropropa	50.000	46.228	92.46	62-148
146	Dibromochlorometh	50.000	52.546	105.09	70-130
148	1,2-Dibromoethane	50.000	50.008	100.02	74-122
151	1-Bromo-2-Chloroe	50.000	46.319	92.64	70-130
154	Chlorobenzene	50.000	50.514	101.03	70-119
155	Ethyl Benzene	50.000	50.973	101.95	70-124
156	Nonane	50.000	47.647	95.29	63-128
157	1,1,1,2-Tetrachlo	50.000	53.810	107.62	70-130
158	m,p-Xylene	50.000	49.936	99.87	61-134
164	o-Xylene	50.000	50.144	100.29	67-125
165	Styrene	50.000	49.246	98.49	73-127
167	Bromoform	50.000	54.360	108.72	66-139
168	Cumene	50.000	50.674	101.35	68-124

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
175 1,1,2,2-Tetrachlo	50.000	49.236	98.47	65-127
177 Bromobenzene	50.000	52.036	104.07	70-130
178 Propylbenzene	50.000	50.893	101.79	69-123
179 1,2,3-Trichloropr	50.000	49.469	98.94	76-124
182 Decane	50.000	43.033	86.07	70-118
183 4-Ethyltoluene	50.000	49.884	99.77	67-129
184 2-Chlorotoluene	50.000	51.899	103.80	74-130
185 1,3,5-Trimethylbe	50.000	50.589	101.18	67-130
188 alpha Methyl Styr	50.000	50.744	101.49	67-128
189 tert-Butylbenzene	50.000	51.184	102.37	65-124
190 1,2,4-Trimethylbe	50.000	49.766	99.53	66-132
192 sec-Butylbenzene	50.000	51.131	102.26	68-125
194 p-Cymene	50.000	51.830	103.66	67-130
195 1,3-Dichlorobenze	50.000	50.807	101.61	65-130
196 1,4-Dichlorobenze	50.000	50.472	100.95	60-131
199 alpha-Chlorotolue	50.000	47.466	94.93	50-147
201 Undecane	50.000	42.232	84.46	69-123
202 Butylbenzene	50.000	51.460	102.92	66-130
204 1,2-Dichlorobenze	50.000	50.948	101.90	63-129
206 1,2-Dibromo-3-chl	50.000	53.576	107.15	70-130
207 Dodecane	50.000	45.560	91.12	62-147
213 1,2,4-Trichlorobe	50.000	52.408	104.82	55-142
215 Hexachlorobutadie	50.000	53.340	106.68	56-138
216 Naphthalene	5.700	6.019	105.60	57-138
222 1,2,3-Trichlorobe	50.000	51.538	103.08	55-142

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.838	91.35	68-132
$ 134 Toluene-d8	25.000	24.202	96.81	91-110
$ 170 4-Bromofluorobenz	25.000	25.483	101.93	77-125

Data File: /chem/msd3.i/13JUN24.b/3061304a.d

Page 1

Date : 13-JUN-2024 12:13

Client ID: LCS


Instrument: msd3.i

Sample Info: 50mL 3018-4603

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Client ID:	LCSD		
Lab ID:	2406133-25AA	**Date/Time Analyzed:**	6/13/24 12:44 PM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061305a

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	102
1,4-Dichlorobenzene	106-46-7	100
Benzene	71-43-2	91
cis-1,2-Dichloroethene	156-59-2	88
Ethyl Benzene	100-41-4	101
m,p-Xylene	108-38-3	98
o-Xylene	95-47-6	100
Toluene	108-88-3	90
trans-1,2-Dichloroethene	156-60-5	88
Trichloroethene	79-01-6	93
Vinyl Chloride	75-01-4	91

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	92
4-Bromofluorobenzene	460-00-4	77-125	100
Toluene-d8	2037-26-5	91-110	96

* % Recovery is calculated using unrounded analytical results.

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/13JUN24.b/3061305a.d
Lab Smp Id: LCSD Client Smp ID: LCSD
Inj Date : 13-JUN-2024 12:44
Operator : RT Inst ID: msd3.i
Smp Info : 50mL 3018-4603
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/13JUN24.b/324q0423a.m
Meth Date : 13-Jun-2024 12:26 yrc5 Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 14 QC Sample: LCSD
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23_cont111224.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane							CAS #: 74-97-5	
5.432	5.432 (1.000)	130	94751	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	73930				47.79- 107.79	78.03
5.432	5.432 (1.000)	49	141498				131.33- 191.33	149.34
* 108 1,4-Difluorobenzene							CAS #: 540-36-3	
6.420	6.420 (1.000)	114	345903	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	50226				0.00- 45.65	14.52
* 153 Chlorobenzene-d5							CAS #: 3114-55-4	
9.149	9.149 (1.000)	117	338443	25.0000			80.00- 120.00	100.00
9.149	9.149 (1.000)	82	169322				22.92- 82.92	50.03
$ 104 1,2-Dichloroethane-d4							CAS #: 17060-07-0	
6.019	6.019 (1.108)	65	114006	23.1006	23.100		80.00- 120.00	100.00
6.019	6.019 (1.108)	67	62279				23.17- 83.17	54.63
$ 134 Toluene-d8							CAS #: 2037-26-5	
7.760	7.760 (1.209)	98	323307	24.0431	24.043		80.00- 120.00	100.00
7.760	7.760 (1.209)	70	33899				0.00- 41.42	10.49

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	219920			37.54- 97.54	68.02
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	250435	24.8992	24.899	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	280022			88.49- 148.49	111.81
10.288	10.288 (1.124)	176	247604			66.73- 126.73	98.87
4 Freon 134a					CAS #: 811-97-2		
1.395	1.409 (0.257)	83	107746	49.1967	49.197	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	100901			64.17- 124.17	93.65
1.479	1.493 (0.272)	51	406197			365.46- 425.46	376.99
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	110887	44.6822	44.682	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	73192			35.86- 95.86	66.01
1.423	1.437 (0.262)	39	79455			41.66- 101.66	71.65
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.465 (0.270)	65	67662	47.2966	47.296	80.00- 120.00	100.00
1.479	1.493 (0.272)	51	406197			568.10- 628.10	600.33
1.563	1.577 (0.288)	47	14012			0.00- 50.57	20.71
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.270)	85	266502	47.4936	47.494	80.00- 120.00	100.00
1.465	1.465 (0.270)	87	86697			2.88- 62.88	32.53
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.507 (0.275)	67	30936	44.0576	44.058	80.00- 120.00	100.00
1.479	1.493 (0.272)	51	406197			1257.55-1317.55	1313.02
10 Freon 114					CAS #: 76-14-2		
1.577	1.577 (0.290)	135	245603	49.7898	49.790	80.00- 120.00	100.00
1.577	1.577 (0.290)	137	78253			2.10- 62.10	31.86
12 Isobutane					CAS #: 75-28-5		
1.577	1.577 (0.290)	43	232370	44.2826	44.283	80.00- 120.00	100.00
1.577	1.577 (0.290)	42	75110			1.69- 61.69	32.32
1.577	1.577 (0.290)	58	7355			0.00- 33.32	3.17
15 Chloromethane					CAS #: 74-87-3		
1.674	1.674 (0.308)	50	129115	47.7239	47.724	80.00- 120.00	100.00
1.674	1.674 (0.308)	52	41087			1.38- 61.38	31.82
18 Butane					CAS #: 106-97-8		
1.716	1.716 (0.316)	58	24936	45.9706	45.971	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
18 Butane (continued)							
1.716	1.716 (0.316)	43	208485			866.38- 926.38	836.08
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.758 (0.324)	62	118960	45.4444	45.444	80.00- 120.00	100.00
1.758	1.758 (0.324)	64	39866			3.10- 63.10	33.51
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.772 (0.326)	54	105068	42.7263	42.726	80.00- 120.00	100.00
1.772	1.772 (0.326)	39	110164			78.74- 138.74	104.85
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	96450	51.5619	51.562	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	90718			64.19- 124.19	94.06
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.409)	64	56718	45.1815	45.182	80.00- 120.00	100.00
2.220	2.220 (0.409)	66	17880			2.32- 62.32	31.52
2.220	2.220 (0.409)	49	20747			6.33- 66.33	36.58
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	165773	46.2756	46.276	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	103695			31.77- 91.77	62.55
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.402 (0.442)	106	105831	48.6450	48.645	80.00- 120.00	100.00
2.402	2.402 (0.442)	108	99526			64.21- 124.21	94.04
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	307646	47.5904	47.590	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	201190			34.93- 94.93	65.40
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.458 (0.453)	67	226849	44.0085	44.008	80.00- 120.00	100.00
2.458	2.458 (0.453)	69	72613			1.95- 61.95	32.01
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	238094	43.6819	43.682	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	35729			0.00- 44.64	15.01
2.514	2.514 (0.463)	72	19737			0.00- 37.90	8.29
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	20395	39.7661	39.766	80.00- 120.00	100.00
2.752	2.752 (0.507)	45	52430			224.40- 284.40	257.07
42 Acrolein					CAS #: 107-02-8		
3.053	3.054 (0.562)	55	47957	43.4460	43.446	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
42 Acrolein (continued)							
3.053	3.054 (0.562)	56	70350			108.02- 168.02	146.69
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	273724	47.9126	47.912	80.00- 120.00	100.00
3.061	3.054 (0.563)	153	177564			35.07- 95.07	64.87
3.061	3.061 (0.563)	101	302870			87.45- 147.45	110.65
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.089	3.089 (0.569)	96	124060	51.0359	51.036	80.00- 120.00	100.00
3.089	3.089 (0.569)	98	65078			33.27- 93.27	52.46
3.089	3.089 (0.569)	61	216222			159.05- 219.05	174.29
47 Acetone					CAS #: 67-64-1		
3.240	3.247 (0.596)	58	59513	43.0241	43.024	80.00- 120.00	100.00
3.240	3.240 (0.596)	43	205044			329.45- 389.45	344.54
48 Carbon Disulfide					CAS #: 75-15-0		
3.326	3.326 (0.612)	76	287443	43.3661	43.366	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.631)	45	239287	41.6086	41.608	80.00- 120.00	100.00
3.426	3.426 (0.631)	43	45091			0.00- 48.18	18.84
54 3-Chloropropene					CAS #: 107-05-1		
3.584	3.584 (0.660)	76	47968	42.9559	42.956	80.00- 120.00	100.00
3.576	3.576 (0.658)	41	173046			366.80- 426.80	360.75
57 Acetonitrile					CAS #: 75-05-8		
3.684	3.677 (0.678)	41	100091	39.4333	39.433	80.00- 120.00	100.00
3.684	3.677 (0.678)	40	58245			22.74- 82.74	58.19
3.677	3.677 (0.677)	38	13084			0.00- 42.52	13.07
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.777 (0.695)	49	160444	42.2289	42.229	80.00- 120.00	100.00
3.777	3.777 (0.695)	84	91747			24.90- 84.90	57.18
3.784	3.777 (0.697)	51	49376			0.00- 59.67	30.77
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.906	3.906 (0.719)	59	261462	44.5651	44.565	80.00- 120.00	100.00
3.906	3.906 (0.719)	41	60439			0.00- 51.85	23.12
3.906	3.906 (0.719)	57	27642			0.00- 40.17	10.57
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
3.999	3.999 (0.736)	73	314038	45.2767	45.277	80.00- 120.00	100.00
4.006	4.006 (0.738)	57	89982			0.00- 58.72	28.65

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
63 Methyl tert-butyl ether (continued)							
3.999	3.999 (0.736)	41	90369			0.00- 59.38	28.78
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	71634	43.8804	43.880	80.00- 120.00	100.00
4.028	4.021 (0.742)	61	177245			232.13- 292.13	247.43
4.028	4.028 (0.742)	96	110570			127.26- 187.26	154.35
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.135 (0.761)	52	86046	40.7577	40.758	80.00- 120.00	100.00
4.135	4.135 (0.761)	53	101322			86.45- 146.45	117.75
67 Hexane					CAS #: 110-54-3		
4.257	4.250 (0.784)	57	208893	41.0673	41.067	80.00- 120.00	100.00
4.257	4.257 (0.784)	43	145853			40.97- 100.97	69.82
4.250	4.257 (0.782)	86	26986			0.00- 42.68	12.92
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.551 (0.838)	63	203728	43.1853	43.185	80.00- 120.00	100.00
4.551	4.551 (0.838)	65	62235			0.47- 60.47	30.55
72 Isopropyl ether					CAS #: 108-20-3		
4.551	4.551 (0.838)	45	512232	45.2819	45.282	80.00- 120.00	100.00
4.551	4.551 (0.838)	87	105627			0.00- 49.55	20.62
4.551	4.551 (0.838)	59	54694			0.00- 40.42	10.68
73 Vinyl Acetate					CAS #: 108-05-4		
4.601	4.608 (0.847)	86	27028	65.0665	65.066	80.00- 120.00	100.00
4.601	4.601 (0.847)	43	432256			1727.95-1787.95	1599.29
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.937	4.937 (0.909)	59	439214	45.0239	45.024	80.00- 120.00	100.00
4.937	4.937 (0.909)	87	152472			3.90- 63.90	34.71
4.937	4.937 (0.909)	41	88469			0.00- 49.72	20.14
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.138	5.138 (0.946)	77	203873	43.7782	43.778	80.00- 120.00	100.00
5.138	5.138 (0.946)	79	65506			2.39- 62.39	32.13
5.138	5.138 (0.946)	97	49255			0.00- 53.57	24.16
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.181	5.181 (0.954)	98	74703	44.1909	44.191	80.00- 120.00	100.00
5.181	5.181 (0.954)	96	116242			125.53- 185.53	155.61
5.181	5.181 (0.954)	61	179349			219.86- 279.86	240.08
86 2-Butanone					CAS #: 78-93-3		
5.217	5.210 (0.960)	72	52093	42.7718	42.772	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.231	5.231 (0.963)	43	609452			1138.34-1198.34	1169.93
5.217	5.210 (0.960)	57	21590			10.83- 70.83	41.45
87 Ethyl Acetate					CAS #: 141-78-6		
5.238	5.238 (0.964)	45	49509	40.6456	40.646	80.00- 120.00	100.00
5.181	5.181 (0.954)	61	179349			338.96- 398.96	362.26
5.238	5.238 (0.964)	70	25982			24.53- 84.53	52.48
89 Tetrahydrofuran					CAS #: 109-99-9		
5.424	5.424 (0.999)	42	150541	40.4265	40.426	80.00- 120.00	100.00
5.424	5.424 (0.999)	71	41819			0.00- 58.54	27.78
5.424	5.424 (0.999)	72	45006			0.00- 59.59	29.90
92 Chloroform					CAS #: 67-66-3		
5.510	5.510 (1.014)	83	223239	44.0688	44.069	80.00- 120.00	100.00
5.510	5.510 (1.014)	85	145094			35.77- 95.77	64.99
94 Cyclohexane					CAS #: 110-82-7		
5.604	5.604 (1.032)	84	154172	45.4933	45.493	80.00- 120.00	100.00
5.604	5.604 (1.032)	56	231603			125.79- 185.79	150.22
5.604	5.604 (1.032)	41	132311			61.55- 121.55	85.82
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.632	5.632 (1.037)	97	253590	45.8995	45.899	80.00- 120.00	100.00
5.632	5.632 (1.037)	99	163697			32.84- 92.84	64.55
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.754	5.754 (1.059)	119	280804	47.9414	47.941	80.00- 120.00	100.00
5.754	5.754 (1.059)	117	291535			75.19- 135.19	103.82
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.797	5.797 (0.903)	110	64505	46.2953	46.295	80.00- 120.00	100.00
5.797	5.797 (0.903)	75	162702			234.16- 294.16	252.23
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.990	5.990 (1.103)	57	714271	44.9436	44.944	80.00- 120.00	100.00
5.990	5.990 (1.103)	56	236686			3.09- 63.09	33.14
5.990	5.990 (1.103)	41	186032			0.00- 57.28	26.05
102 Benzene					CAS #: 71-43-2		
5.990	5.990 (0.933)	78	315751	45.3383	45.338	80.00- 120.00	100.00
5.990	5.990 (0.933)	77	75033			0.00- 53.69	23.76
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.083	6.083 (0.948)	87	87062	46.5182	46.518	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
105 tert-Amyl methyl ether (continued)							
6.083	6.083 (0.948)	73	339291			365.76- 425.76	389.71
6.083	6.083 (0.948)	55	109273			92.58- 152.58	125.51
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.098 (0.950)	62	163709	45.0632	45.063	80.00- 120.00	100.00
6.098	6.098 (0.950)	64	50793			1.80- 61.80	31.03
107 Heptane					CAS #: 142-82-5		
6.177	6.177 (0.962)	71	122157	44.2796	44.280	80.00- 120.00	100.00
6.177	6.177 (0.962)	43	283854			207.73- 267.73	232.37
6.177	6.177 (0.962)	57	142035			84.83- 144.83	116.27
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.032)	56	112972	71.3463	71.346	80.00- 120.00	100.00(R)
6.628	6.628 (1.032)	41	84009			47.73- 107.73	74.36
6.628	6.628 (1.032)	43	65841			31.60- 91.60	58.28
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	156621	46.6424	46.642	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	177747			80.23- 140.23	113.49
6.628	6.628 (1.032)	97	101497			34.78- 94.78	64.80
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.886 (1.073)	63	141307	43.1192	43.119	80.00- 120.00	100.00
6.886	6.886 (1.073)	62	100344			40.39- 100.39	71.01
6.886	6.886 (1.073)	41	82970			31.86- 91.86	58.72
116 Methyl Methacrylate					CAS #: 80-62-6		
6.972	6.972 (0.762)	69	123989	44.9767	44.977	80.00- 120.00	100.00
6.972	6.972 (0.762)	41	204324			145.81- 205.81	164.79
6.972	6.972 (0.762)	100	51159			10.05- 70.05	41.26
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.986 (1.089)	88	82820	47.2737	47.274	80.00- 120.00	100.00
6.986	6.986 (1.088)	58	68541			56.33- 116.33	82.76
6.986	6.986 (1.088)	57	24925			2.08- 62.08	30.10
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.008 (0.766)	174	163806	51.2957	51.296	80.00- 120.00	100.00
7.000	7.000 (0.765)	93	142042			62.68- 122.68	86.71
7.000	7.000 (0.765)	95	119652			47.70- 107.70	73.04
122 Bromodichloromethane					CAS #: 75-27-4		
7.144	7.144 (1.113)	83	252014	46.3637	46.364	80.00- 120.00	100.00
7.144	7.144 (1.113)	85	162370			34.96- 94.96	64.43

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.566	7.566 (1.179)	75	209216	45.1309	45.131	80.00- 120.00	100.00
7.566	7.566 (1.179)	77	66977			1.26- 61.26	32.01
7.566	7.566 (1.179)	39	128433			35.06- 95.06	61.39
127 Methylcyclohexane					CAS #: 108-87-2		
6.728	6.728 (1.048)	83	212057	44.4578	44.458	80.00- 120.00	100.00
6.728	6.728 (1.048)	98	97951			14.83- 74.83	46.19
6.728	6.728 (1.048)	55	209629			71.50- 131.50	98.86
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.702	7.702 (1.200)	58	131474	41.2301	41.230	80.00- 120.00	100.00
7.702	7.702 (1.200)	43	379709			259.88- 319.88	288.81
7.702	7.702 (1.200)	85	49498			7.58- 67.58	37.65
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	434240	45.0416	45.042	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	254780			27.89- 87.89	58.67
136 Octane					CAS #: 111-65-9		
7.853	7.853 (1.223)	57	149724	42.6275	42.627	80.00- 120.00	100.00
7.853	7.853 (1.223)	85	144800			63.53- 123.53	96.71
7.853	7.853 (1.223)	43	404776			246.00- 306.00	270.35
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.111	8.111 (0.886)	75	174208	46.5827	46.583	80.00- 120.00	100.00
8.111	8.111 (0.886)	77	56442			1.83- 61.83	32.40
8.111	8.111 (0.886)	39	98660			31.97- 91.97	56.63
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.283	8.283 (0.905)	97	151474	47.8342	47.834	80.00- 120.00	100.00
8.283	8.283 (0.905)	99	93209			32.52- 92.52	61.53
8.283	8.283 (0.905)	83	131463			58.90- 118.90	86.79
142 Tetrachloroethene					CAS #: 127-18-4		
8.311	8.311 (0.908)	166	249394	52.4508	52.451	80.00- 120.00	100.00
8.311	8.311 (0.908)	129	183345			45.32- 105.32	73.52
8.311	8.311 (0.908)	131	180003			44.17- 104.17	72.18
143 2-Hexanone					CAS #: 591-78-6		
8.483	8.483 (0.927)	58	183117	46.0935	46.093	80.00- 120.00	100.00
8.483	8.483 (0.927)	43	378987			177.32- 237.32	206.96
8.490	8.490 (0.928)	100	33138			0.00- 47.18	18.10
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.440	8.440 (1.315)	76	203400	45.0021	45.002	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane (continued)							
8.440	8.440 (1.315)	41	168857			59.72- 119.72	83.02
8.440	8.440 (1.315)	78	67557			3.08- 63.08	33.21
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	324160	51.7962	51.796	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	252132			47.27- 107.27	77.78
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	256568	49.4355	49.436	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	239996			64.18- 124.18	93.54
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.452	7.452 (1.161)	63	265730	45.9577	45.958	80.00- 120.00	100.00
7.452	7.452 (1.161)	65	80755			0.43- 60.43	30.39
7.452	7.452 (1.161)	144	31153			0.00- 40.48	11.72
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.003)	112	390041	49.7408	49.741	80.00- 120.00	100.00
9.178	9.178 (1.003)	114	124789			1.91- 61.91	31.99
9.178	9.171 (1.003)	77	196007			22.97- 82.97	50.25
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	198477	50.3207	50.321	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	604342			281.09- 341.09	304.49
156 Nonane					CAS #: 111-84-2		
9.307	9.307 (1.017)	43	432624	47.2256	47.226	80.00- 120.00	100.00
9.307	9.307 (1.017)	57	351927			50.62- 110.62	81.35
9.307	9.307 (1.017)	85	113859			0.00- 55.65	26.32
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.264	9.264 (1.013)	131	235858	52.7975	52.797	80.00- 120.00	100.00
9.264	9.264 (1.013)	117	156200			37.10- 97.10	66.23
9.264	9.264 (1.013)	95	78266			4.93- 64.93	33.18
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	241059	49.0340	49.034	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	473965			170.33- 230.33	196.62
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	233580	50.1043	50.104	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	478432			181.23- 241.23	204.83
165 Styrene					CAS #: 100-42-5		
9.772	9.772 (1.068)	104	385379	48.4053	48.405	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
165 Styrene (continued)							
9.772	9.772 (1.068)	78	179050			17.26- 77.26	46.46
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.092)	173	339941	53.7467	53.747	80.00- 120.00	100.00
9.987	9.987 (1.092)	171	174931			21.45- 81.45	51.46
168 Cumene					CAS #: 98-82-8		
10.088	10.088 (1.103)	105	707301	50.1896	50.190	80.00- 120.00	100.00
10.088	10.088 (1.103)	120	191674			0.00- 56.93	27.10
10.088	10.088 (1.103)	51	81120			0.00- 42.24	11.47
169 Cyclohexanone					CAS #: 108-94-1		
10.259	10.252 (1.121)	55	229784	41.2134	41.213	80.00- 120.00	100.00
10.259	10.260 (1.121)	98	83987			5.15- 65.15	36.55
10.259	10.252 (1.121)	42	160936			41.99- 101.99	70.04
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.144)	83	357103	48.8552	48.855	80.00- 120.00	100.00
10.467	10.467 (1.144)	85	228748			34.97- 94.97	64.06
177 Bromobenzene					CAS #: 108-86-1		
10.424	10.424 (1.139)	156	250540	51.0274	51.027	80.00- 120.00	100.00
10.424	10.424 (1.139)	158	244420			67.47- 127.47	97.56
10.424	10.424 (1.139)	77	321489			108.68- 168.68	128.32
178 Propylbenzene					CAS #: 103-65-1		
10.489	10.489 (1.146)	120	209668	50.3149	50.315	80.00- 120.00	100.00
10.489	10.489 (1.146)	91	849774			383.60- 443.60	405.30
10.489	10.489 (1.146)	105	32042			0.00- 46.14	15.28
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.517 (1.150)	110	108129	48.7423	48.742	80.00- 120.00	100.00
10.517	10.517 (1.150)	75	370111			324.28- 384.28	342.29
10.517	10.517 (1.150)	61	88798			57.24- 117.24	82.12
182 Decane					CAS #: 124-18-5		
10.603	10.603 (1.159)	57	458336	42.4976	42.498	80.00- 120.00	100.00
10.603	10.603 (1.159)	71	144007			1.11- 61.11	31.42
10.603	10.603 (1.159)	142	21807			0.00- 34.44	4.76
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.603 (1.159)	120	222797	49.0530	49.053	80.00- 120.00	100.00
10.603	10.603 (1.159)	105	729442			298.94- 358.94	327.40
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.603 (1.159)	126	194617	50.6431	50.643	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
184 2-Chlorotoluene (continued)							
10.603	10.603 (1.159)	91	582439			282.78- 342.78	299.27
10.603	10.603 (1.159)	65	84460			17.33- 77.33	43.40
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.668	10.668 (1.166)	120	307090	50.1350	50.135	80.00- 120.00	100.00
10.668	10.668 (1.166)	105	614728			172.08- 232.08	200.18
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.897	10.897 (1.191)	118	325726	50.2010	50.201	80.00- 120.00	100.00
10.897	10.897 (1.191)	103	178976			25.64- 85.64	54.95
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.976 (1.200)	119	585902	50.3126	50.312	80.00- 120.00	100.00
10.976	10.976 (1.200)	134	148215			0.00- 55.10	25.30
10.969	10.976 (1.199)	91	366404			34.53- 94.53	62.54
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.033	11.033 (1.206)	105	618692	49.4023	49.402	80.00- 120.00	100.00
11.033	11.033 (1.206)	120	292491			16.63- 76.63	47.28
192 sec-Butylbenzene					CAS #: 135-98-8		
11.191	11.191 (1.223)	134	194091	50.9174	50.917	80.00- 120.00	100.00
11.191	11.191 (1.223)	105	887473			436.99- 496.99	457.25
11.191	11.191 (1.223)	91	134098			41.69- 101.69	69.09
194 p-Cymene					CAS #: 99-87-6		
11.334	11.334 (1.239)	119	797366	51.1495	51.149	80.00- 120.00	100.00
11.334	11.334 (1.239)	134	222085			0.00- 57.62	27.85
11.334	11.334 (1.239)	91	176902			0.00- 53.03	22.19
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.341	11.341 (1.240)	146	466791	50.2996	50.300	80.00- 120.00	100.00
11.341	11.341 (1.240)	148	293176			34.18- 94.18	62.81
11.341	11.341 (1.240)	111	179053			10.06- 70.06	38.36
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.441	11.441 (1.251)	146	470651	50.0680	50.068	80.00- 120.00	100.00
11.441	11.441 (1.251)	148	297664			33.55- 93.55	63.25
11.441	11.441 (1.251)	111	172958			7.98- 67.98	36.75
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.585	11.585 (1.266)	91	566248	47.5687	47.569	80.00- 120.00	100.00
11.585	11.585 (1.266)	126	131984			0.00- 52.77	23.31
201 Undecane					CAS #: 1120-21-4		
11.778	11.778 (1.287)	57	535858	41.7871	41.787	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
201 Undecane (continued)							
11.778	11.778 (1.287)	43	493828			63.59- 123.59	92.16
202 Butylbenzene					CAS #: 104-51-8		
11.742	11.742 (1.283)	134	217801	50.6951	50.695	80.00- 120.00	100.00
11.735	11.735 (1.283)	91	728599			310.82- 370.82	334.53
11.735	11.735 (1.283)	92	384956			151.53- 211.53	176.75
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.814 (1.291)	146	448924	49.8451	49.845	80.00- 120.00	100.00
11.814	11.814 (1.291)	148	285443			33.00- 93.00	63.58
11.814	11.814 (1.291)	111	179979			10.87- 70.87	40.09
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.609	12.609 (1.378)	157	284690	53.4433	53.443	80.00- 120.00	100.00
12.609	12.609 (1.378)	75	206894			48.09- 108.09	72.67
12.609	12.609 (1.378)	155	218023			47.89- 107.89	76.58
207 Dodecane					CAS #: 112-40-3		
12.853	12.853 (1.405)	57	611362	47.3292	47.329	80.00- 120.00	100.00
12.853	12.853 (1.405)	43	531708			58.52- 118.52	86.97
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.390	13.390 (1.463)	180	473999	53.1068	53.107	80.00- 120.00	100.00
13.390	13.390 (1.463)	182	452738			64.84- 124.84	95.51
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.504	13.504 (1.476)	225	348550	53.5359	53.536	80.00- 120.00	100.00
13.504	13.504 (1.476)	223	220670			32.80- 92.80	63.31
216 Naphthalene					CAS #: 91-20-3		
13.640	13.640 (1.491)	128	112811	6.05579	6.056	80.00- 120.00	100.00
13.640	13.640 (1.491)	127	14350			0.00- 42.72	12.72
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.884	13.891 (1.518)	180	462958	52.9336	52.934	80.00- 120.00	100.00
13.884	13.884 (1.518)	182	441320			65.07- 125.07	95.33
13.884	13.884 (1.518)	145	154228			4.48- 64.48	33.31

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061305a.d
Lab Smp Id: LCSD
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 13-JUN-2024
Calibration Time: 11:42
Client Smp ID: LCSD
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	94691	56815	132567	94751	0.06
108 1,4-Difluorobenze	348240	208944	487536	345903	-0.67
153 Chlorobenzene-d5	341662	204997	478327	338443	-0.94

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 13-Jun-2024 13:17

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 13JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: LCSD Client Smp ID: LCSD
Level: LOW Operator: RT
Data Type: MS DATA SampleType: LCSD
SpikeList File: CntrlDODAT23.spk Quant Type: ISTD
Sublist File: AT23_cont111224.sub
Method File: /chem/msd3.i/13JUN24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
4 Freon 134a	50.000	49.197	98.39	70-130
5 Propylene	50.000	44.682	89.36	57-136
7 1,1-Difluoroethan	50.000	47.296	94.59	70-130
8 Freon 12	50.000	47.494	94.99	59-128
9 Chlorodifluoromet	50.000	44.058	88.12	59-145
10 Freon 114	50.000	49.790	99.58	63-121
12 Isobutane	50.000	44.283	88.57	70-130
15 Chloromethane	50.000	47.724	95.45	59-132
18 Butane	50.000	45.971	91.94	64-129
19 Vinyl Chloride	50.000	45.444	90.89	64-127
20 1,3-Butadiene	50.000	42.726	85.45	66-134
24 Bromomethane	50.000	51.562	103.12	63-134
30 Chloroethane	50.000	45.182	90.36	63-127
31 Isopentane	50.000	46.276	92.55	59-140
32 Vinyl Bromide	50.000	48.645	97.29	71-126
33 Freon 11	50.000	47.590	95.18	62-126
34 Dichlorofluoromet	50.000	44.008	88.02	70-130
35 Pentane	50.000	43.682	87.36	63-131
39 Ethanol	50.000	39.766	79.53	59-125
42 Acrolein	57.000	43.446	76.22	62-126
43 Freon 113	50.000	47.912	95.83	66-126
44 1,1-Dichloroethen	50.000	51.036	102.07	61-133
47 Acetone	50.000	43.024	86.05	58-128
48 Carbon Disulfide	50.000	43.366	86.73	57-134
52 2-Propanol	50.000	41.608	83.22	52-125
54 3-Chloropropene	50.000	42.956	85.91	71-131
57 Acetonitrile	50.000	39.433	78.87	63-132
59 Methylene Chlorid	50.000	42.229	84.46	62-115
62 tert-Butyl alcoho	50.000	44.565	89.13	24-150
63 Methyl tert-butyl	50.000	45.277	90.55	66-126
64 trans-1,2-Dichlor	50.000	43.880	87.76	67-124
66 Acrylonitrile	50.000	40.758	81.52	71-137
67 Hexane	50.000	41.067	82.13	63-120

	SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
71	1,1-Dichloroethan	50.000	43.185	86.37	68-126
72	Isopropyl ether	50.000	45.282	90.56	70-117
73	Vinyl Acetate	50.000	65.066	130.13	56-139
79	Ethyl-tert-butyl	50.000	45.024	90.05	70-130
84	2,2-Dichloropropa	50.000	43.778	87.56	70-130
85	cis-1,2-Dichloroe	50.000	44.191	88.38	70-121
86	2-Butanone	50.000	42.772	85.54	67-130
87	Ethyl Acetate	50.000	40.646	81.29	65-128
89	Tetrahydrofuran	50.000	40.426	80.85	64-123
92	Chloroform	50.000	44.069	88.14	68-123
96	1,1,1-Trichloroet	50.000	45.899	91.80	68-125
97	Carbon Tetrachlor	50.000	47.941	95.88	68-132
94	Cyclohexane	50.000	45.493	90.99	70-117
99	1,1-Dichloroprope	50.000	46.295	92.59	70-130
101	2,2,4-Trimethylpe	50.000	44.944	89.89	68-121
102	Benzene	50.000	45.338	90.68	69-119
106	1,2-Dichloroethan	50.000	45.063	90.13	65-128
107	Heptane	50.000	44.280	88.56	69-123
110	n-Butanol	50.000	71.346	142.69*	62-133
111	Trichloroethene	50.000	46.642	93.28	71-123
127	Methylcyclohexane	50.000	44.458	88.92	67-127
114	1,2-Dichloropropa	50.000	43.119	86.24	69-123
116	Methyl Methacryla	50.000	44.977	89.95	70-128
117	1,4-Dioxane	50.000	47.274	94.55	71-122
118	Dibromomethane	50.000	51.296	102.59	70-130
122	Bromodichlorometh	50.000	46.364	92.73	72-128
126	cis-1,3-Dichlorop	50.000	45.131	90.26	70-128
131	4-Methyl-2-pentan	50.000	41.230	82.46	67-130
136	Octane	50.000	42.627	85.25	69-121
137	Toluene	50.000	45.042	90.08	66-119
139	trans-1,3-Dichlor	50.000	46.583	93.17	75-133
141	1,1,2-Trichloroet	50.000	47.834	95.67	73-119
142	Tetrachloroethene	50.000	52.451	104.90	66-124
143	2-Hexanone	50.000	46.093	92.19	62-128
144	1,3-Dichloropropa	50.000	45.002	90.00	62-148
146	Dibromochlorometh	50.000	51.796	103.59	70-130
148	1,2-Dibromoethane	50.000	49.436	98.87	74-122
151	1-Bromo-2-Chloroe	50.000	45.958	91.92	70-130
154	Chlorobenzene	50.000	49.741	99.48	70-119
155	Ethyl Benzene	50.000	50.321	100.64	70-124
156	Nonane	50.000	47.226	94.45	63-128
157	1,1,1,2-Tetrachlo	50.000	52.797	105.59	70-130
158	m,p-Xylene	50.000	49.034	98.07	61-134
164	o-Xylene	50.000	50.104	100.21	67-125
165	Styrene	50.000	48.405	96.81	73-127
167	Bromoform	50.000	53.747	107.49	66-139
168	Cumene	50.000	50.190	100.38	68-124

	SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
175	1,1,2,2-Tetrachlo	50.000	48.855	97.71	65-127
177	Bromobenzene	50.000	51.027	102.05	70-130
178	Propylbenzene	50.000	50.315	100.63	69-123
179	1,2,3-Trichloropr	50.000	48.742	97.48	76-124
182	Decane	50.000	42.498	85.00	70-118
183	4-Ethyltoluene	50.000	49.053	98.11	67-129
184	2-Chlorotoluene	50.000	50.643	101.29	74-130
185	1,3,5-Trimethylbe	50.000	50.135	100.27	67-130
188	alpha Methyl Styr	50.000	50.201	100.40	67-128
189	tert-Butylbenzene	50.000	50.312	100.63	65-124
190	1,2,4-Trimethylbe	50.000	49.402	98.80	66-132
192	sec-Butylbenzene	50.000	50.917	101.83	68-125
194	p-Cymene	50.000	51.149	102.30	67-130
195	1,3-Dichlorobenze	50.000	50.300	100.60	65-130
196	1,4-Dichlorobenze	50.000	50.068	100.14	60-131
199	alpha-Chlorotolue	50.000	47.569	95.14	50-147
201	Undecane	50.000	41.787	83.57	69-123
202	Butylbenzene	50.000	50.695	101.39	66-130
204	1,2-Dichlorobenze	50.000	49.845	99.69	63-129
206	1,2-Dibromo-3-chl	50.000	53.443	106.89	70-130
207	Dodecane	50.000	47.329	94.66	62-147
213	1,2,4-Trichlorobe	50.000	53.107	106.21	55-142
215	Hexachlorobutadie	50.000	53.536	107.07	56-138
216	Naphthalene	5.700	6.056	106.24	57-138
222	1,2,3-Trichlorobe	50.000	52.934	105.87	55-142

	SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104	1,2-Dichloroethan	25.000	23.100	92.40	68-132
$ 134	Toluene-d8	25.000	24.043	96.17	91-110
$ 170	4-Bromofluorobenz	25.000	24.899	99.60	77-125

Data File: /chem/msd3.i/13JUN24.b/3061305a.d

Page 1

Date : 13-JUN-2024 12:44

Client ID: LCSD


Instrument: msd3.i

Sample Info: 50mL 3018-4603

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Client ID:	LCS		
Lab ID:	2406133-25B	**Date/Time Analyzed:**	6/14/24 12:33 PM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061404a

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	101
1,4-Dichlorobenzene	106-46-7	100
Benzene	71-43-2	93
cis-1,2-Dichloroethene	156-59-2	90
Ethyl Benzene	100-41-4	100
m,p-Xylene	108-38-3	99
o-Xylene	95-47-6	100
Toluene	108-88-3	92
trans-1,2-Dichloroethene	156-60-5	89
Trichloroethene	79-01-6	96
Vinyl Chloride	75-01-4	93

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	90
4-Bromofluorobenzene	460-00-4	77-125	100
Toluene-d8	2037-26-5	91-110	97

* % Recovery is calculated using unrounded analytical results.

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061404a.d
Lab Smp Id: LCS Client Smp ID: LCS
Inj Date : 14-JUN-2024 12:33
Operator : RT Inst ID: msd3.i
Smp Info : 50mL 3018-4603
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 14-Jun-2024 12:32 yrc5 Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 14 QC Sample: LCS
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23_cont111224.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane							CAS #: 74-97-5	
5.432	5.432 (1.000)	130	98163	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	76519				47.79- 107.79	77.95
5.432	5.432 (1.000)	49	143897				131.33- 191.33	146.59
* 108 1,4-Difluorobenzene							CAS #: 540-36-3	
6.420	6.420 (1.000)	114	353455	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	51438				0.00- 45.65	14.55
* 153 Chlorobenzene-d5							CAS #: 3114-55-4	
9.149	9.149 (1.000)	117	348308	25.0000			80.00- 120.00	100.00
9.149	9.149 (1.000)	82	174545				22.92- 82.92	50.11
$ 104 1,2-Dichloroethane-d4							CAS #: 17060-07-0	
6.019	6.019 (1.108)	65	115014	22.4948	22.495		80.00- 120.00	100.00
6.019	6.019 (1.108)	67	64862				23.17- 83.17	56.39
$ 134 Toluene-d8							CAS #: 2037-26-5	
7.760	7.760 (1.209)	98	332007	24.1626	24.162		80.00- 120.00	100.00
7.760	7.760 (1.209)	70	35724				0.00- 41.42	10.76

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	224051			37.54- 97.54	67.48
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	260008	25.1188	25.119	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	289356			88.49- 148.49	111.29
10.288	10.288 (1.124)	176	252843			66.73- 126.73	97.24
4 Freon 134a					CAS #: 811-97-2		
1.409	1.409 (0.259)	83	111377	49.0870	49.087	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	104564			64.17- 124.17	93.88
1.479	1.492 (0.272)	51	418212			365.46- 425.46	375.49
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	112842	43.8895	43.889	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	76185			35.86- 95.86	67.51
1.437	1.437 (0.264)	39	82126			41.66- 101.66	72.78
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.451	1.464 (0.267)	65	71378	48.1598	48.160	80.00- 120.00	100.00
1.479	1.492 (0.272)	51	418212			568.10- 628.10	585.91
1.577	1.576 (0.290)	47	13599			0.00- 50.57	19.05
8 Freon 12					CAS #: 75-71-8		
1.465	1.464 (0.270)	85	277865	47.7974	47.797	80.00- 120.00	100.00
1.465	1.464 (0.270)	87	90687			2.88- 62.88	32.64
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.492 (0.275)	67	31775	43.6795	43.680	80.00- 120.00	100.00
1.479	1.492 (0.272)	51	418212			1257.55-1317.55	1316.17
10 Freon 114					CAS #: 76-14-2		
1.577	1.576 (0.290)	135	255627	50.0207	50.021	80.00- 120.00	100.00
1.577	1.576 (0.290)	137	82860			2.10- 62.10	32.41
12 Isobutane					CAS #: 75-28-5		
1.577	1.590 (0.290)	43	241892	44.4949	44.495	80.00- 120.00	100.00
1.577	1.590 (0.290)	42	77258			1.69- 61.69	31.94
1.577	1.576 (0.290)	58	8111			0.00- 33.32	3.35
15 Chloromethane					CAS #: 74-87-3		
1.674	1.674 (0.308)	50	131716	46.9931	46.993	80.00- 120.00	100.00
1.674	1.674 (0.308)	52	42195			1.38- 61.38	32.03
18 Butane					CAS #: 106-97-8		
1.716	1.716 (0.316)	58	25587	45.5312	45.531	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
18 Butane (continued)							
1.716	1.716 (0.316)	43	214769			866.38- 926.38	839.37
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.758 (0.324)	62	125563	46.2996	46.300	80.00- 120.00	100.00
1.758	1.758 (0.324)	64	41041			3.10- 63.10	32.69
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.772 (0.326)	54	108226	42.4807	42.481	80.00- 120.00	100.00
1.772	1.772 (0.326)	39	114842			78.74- 138.74	106.11
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	100307	51.7600	51.760	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	94650			64.19- 124.19	94.36
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.409)	64	58514	44.9920	44.992	80.00- 120.00	100.00
2.220	2.220 (0.409)	66	19103			2.32- 62.32	32.65
2.220	2.220 (0.409)	49	21390			6.33- 66.33	36.56
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	168841	45.4938	45.494	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	108629			31.77- 91.77	64.34
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.402 (0.442)	106	110153	48.8717	48.872	80.00- 120.00	100.00
2.402	2.402 (0.442)	108	103678			64.21- 124.21	94.12
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	320681	47.8825	47.882	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	207725			34.93- 94.93	64.78
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.458 (0.453)	67	236239	44.2371	44.237	80.00- 120.00	100.00
2.458	2.458 (0.453)	69	74686			1.95- 61.95	31.61
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	249286	44.1456	44.146	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	36396			0.00- 44.64	14.60
2.514	2.514 (0.463)	72	21544			0.00- 37.90	8.64
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	21377	40.2321	40.232	80.00- 120.00	100.00
2.752	2.752 (0.507)	45	54691			224.40- 284.40	255.84
42 Acrolein					CAS #: 107-02-8		
3.053	3.053 (0.562)	55	49096	42.9319	42.932	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
42 Acrolein (continued)							
3.053	3.053 (0.562)	56	70568			108.02- 168.02	143.73
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	282885	47.7950	47.795	80.00- 120.00	100.00
3.061	3.061 (0.563)	153	183006			35.07- 95.07	64.69
3.061	3.061 (0.563)	101	313049			87.45- 147.45	110.66
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.089	3.096 (0.569)	96	126726	50.3206	50.320	80.00- 120.00	100.00
3.089	3.089 (0.569)	98	68324			33.27- 93.27	53.91
3.089	3.089 (0.569)	61	194156			159.05- 219.05	153.21
47 Acetone					CAS #: 67-64-1		
3.240	3.247 (0.596)	58	61309	42.7819	42.782	80.00- 120.00	100.00
3.240	3.240 (0.596)	43	211568			329.45- 389.45	345.08
48 Carbon Disulfide					CAS #: 75-15-0		
3.326	3.326 (0.612)	76	301370	43.8869	43.887	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.631)	45	246123	41.3097	41.310	80.00- 120.00	100.00
3.426	3.426 (0.631)	43	45088			0.00- 48.18	18.32
54 3-Chloropropene					CAS #: 107-05-1		
3.576	3.576 (0.658)	76	50005	43.2236	43.224	80.00- 120.00	100.00
3.576	3.576 (0.658)	41	180285			366.80- 426.80	360.53
57 Acetonitrile					CAS #: 75-05-8		
3.684	3.684 (0.678)	41	115508	43.9254	43.925	80.00- 120.00	100.00
3.684	3.684 (0.678)	40	60767			22.74- 82.74	52.61
3.677	3.677 (0.677)	38	13424			0.00- 42.52	11.62
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.777 (0.695)	49	165802	42.1223	42.122	80.00- 120.00	100.00
3.777	3.777 (0.695)	84	94840			24.90- 84.90	57.20
3.777	3.777 (0.695)	51	51294			0.00- 59.67	30.94
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.906	3.913 (0.719)	59	270991	44.5838	44.584	80.00- 120.00	100.00
3.906	3.906 (0.719)	41	62989			0.00- 51.85	23.24
3.906	3.906 (0.719)	57	28879			0.00- 40.17	10.66
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
3.999	3.999 (0.736)	73	323686	45.0456	45.046	80.00- 120.00	100.00
3.999	3.999 (0.736)	57	91824			0.00- 58.72	28.37

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
63 Methyl tert-butyl ether (continued)							
3.999	3.999 (0.736)	41	91685			0.00- 59.38	28.33
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	74942	44.3111	44.311	80.00- 120.00	100.00
4.028	4.028 (0.742)	61	185118			232.13- 292.13	247.02
4.028	4.028 (0.742)	96	117817			127.26- 187.26	157.21
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.135 (0.761)	52	91248	41.7195	41.719	80.00- 120.00	100.00
4.135	4.135 (0.761)	53	107428			86.45- 146.45	117.73
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.784)	57	218167	41.3997	41.400	80.00- 120.00	100.00
4.250	4.257 (0.782)	43	151645			40.97- 100.97	69.51
4.250	4.257 (0.782)	86	28348			0.00- 42.68	12.99
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.550 (0.838)	63	212868	43.5544	43.554	80.00- 120.00	100.00
4.551	4.550 (0.838)	65	65677			0.47- 60.47	30.85
72 Isopropyl ether					CAS #: 108-20-3		
4.543	4.550 (0.836)	45	530433	45.2610	45.261	80.00- 120.00	100.00
4.551	4.550 (0.838)	87	107572			0.00- 49.55	20.28
4.551	4.550 (0.838)	59	55574			0.00- 40.42	10.48
73 Vinyl Acetate					CAS #: 108-05-4		
4.601	4.608 (0.847)	86	28685	66.6553	66.655	80.00- 120.00	100.00
4.601	4.601 (0.847)	43	448310			1727.95-1787.95	1562.87
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.937	4.937 (0.909)	59	453245	44.8472	44.847	80.00- 120.00	100.00
4.937	4.937 (0.909)	87	159356			3.90- 63.90	35.16
4.937	4.937 (0.909)	41	89612			0.00- 49.72	19.77
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.138	5.138 (0.946)	77	209065	43.3326	43.333	80.00- 120.00	100.00
5.138	5.138 (0.946)	79	67415			2.39- 62.39	32.25
5.138	5.138 (0.946)	97	49822			0.00- 53.57	23.83
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.181	5.181 (0.954)	98	78477	44.8098	44.810	80.00- 120.00	100.00
5.181	5.181 (0.954)	96	121502			125.53- 185.53	154.82
5.181	5.181 (0.954)	61	169016			219.86- 279.86	215.37
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.960)	72	54911	43.5185	43.518	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.231	5.231 (0.963)	43	625973			1138.34-1198.34	1139.98
5.217	5.217 (0.960)	57	22231			10.83- 70.83	40.49
87 Ethyl Acetate					CAS #: 141-78-6		
5.238	5.238 (0.964)	45	51693	40.9636	40.964	80.00- 120.00	100.00
5.181	5.181 (0.954)	61	169016			338.96- 398.96	326.96
5.238	5.238 (0.964)	70	27719			24.53- 84.53	53.62
89 Tetrahydrofuran					CAS #: 109-99-9		
5.424	5.424 (0.999)	42	156194	40.4866	40.487	80.00- 120.00	100.00
5.424	5.424 (0.999)	71	43941			0.00- 58.54	28.13
5.424	5.424 (0.999)	72	46566			0.00- 59.59	29.81
92 Chloroform					CAS #: 67-66-3		
5.510	5.510 (1.014)	83	232021	44.2104	44.210	80.00- 120.00	100.00
5.510	5.510 (1.014)	85	152136			35.77- 95.77	65.57
94 Cyclohexane					CAS #: 110-82-7		
5.611	5.611 (1.033)	84	160231	45.6377	45.638	80.00- 120.00	100.00
5.604	5.603 (1.032)	56	242031			125.79- 185.79	151.05
5.604	5.603 (1.032)	41	135420			61.55- 121.55	84.52
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.632	5.632 (1.037)	97	264437	46.1991	46.199	80.00- 120.00	100.00
5.632	5.632 (1.037)	99	170874			32.84- 92.84	64.62
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.754	5.754 (1.059)	119	290911	47.9406	47.940	80.00- 120.00	100.00
5.754	5.754 (1.059)	117	302266			75.19- 135.19	103.90
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.797	5.797 (0.903)	110	66803	46.9202	46.920	80.00- 120.00	100.00
5.797	5.797 (0.903)	75	169160			234.16- 294.16	253.22
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.990	5.990 (1.103)	57	735584	44.6759	44.676	80.00- 120.00	100.00
5.990	5.983 (1.103)	56	245237			3.09- 63.09	33.34
5.990	5.983 (1.103)	41	196704			0.00- 57.28	26.74
102 Benzene					CAS #: 71-43-2		
5.990	5.990 (0.933)	78	330020	46.3747	46.375	80.00- 120.00	100.00
5.990	5.990 (0.933)	77	79341			0.00- 53.69	24.04
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.083	6.083 (0.948)	87	88840	46.4540	46.454	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
105 tert-Amyl methyl ether (continued)							
6.083	6.083 (0.948)	73	352627			365.76- 425.76	396.92
6.083	6.083 (0.948)	55	112701			92.58- 152.58	126.86
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.098 (0.950)	62	169923	45.7743	45.774	80.00- 120.00	100.00
6.098	6.098 (0.950)	64	53493			1.80- 61.80	31.48
107 Heptane					CAS #: 142-82-5		
6.177	6.176 (0.962)	71	126503	44.8752	44.875	80.00- 120.00	100.00
6.177	6.176 (0.962)	43	291849			207.73- 267.73	230.71
6.177	6.176 (0.962)	57	145675			84.83- 144.83	115.16
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.032)	56	116664	72.1037	72.104	80.00- 120.00	100.00(R)
6.628	6.628 (1.032)	41	84449			47.73- 107.73	72.39
6.628	6.628 (1.032)	43	71717			31.60- 91.60	61.47
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	164106	47.8273	47.827	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	184212			80.23- 140.23	112.25
6.628	6.628 (1.032)	97	106443			34.78- 94.78	64.86
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.886 (1.073)	63	147577	44.0703	44.070	80.00- 120.00	100.00
6.886	6.886 (1.073)	62	104953			40.39- 100.39	71.12
6.886	6.886 (1.073)	41	85570			31.86- 91.86	57.98
116 Methyl Methacrylate					CAS #: 80-62-6		
6.972	6.972 (0.762)	69	126785	44.6883	44.688	80.00- 120.00	100.00
6.972	6.972 (0.762)	41	212890			145.81- 205.81	167.91
6.972	6.972 (0.762)	100	51801			10.05- 70.05	40.86
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.089)	88	86057	48.0718	48.072	80.00- 120.00	100.00
6.986	6.993 (1.088)	58	70494			56.33- 116.33	81.92
6.986	6.993 (1.088)	57	26272			2.08- 62.08	30.53
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.007 (0.766)	174	170973	52.0236	52.024	80.00- 120.00	100.00
7.000	7.000 (0.765)	93	147853			62.68- 122.68	86.48
7.000	7.000 (0.765)	95	122276			47.70- 107.70	71.52
122 Bromodichloromethane					CAS #: 75-27-4		
7.144	7.144 (1.113)	83	261073	47.0041	47.004	80.00- 120.00	100.00
7.144	7.144 (1.113)	85	167952			34.96- 94.96	64.33

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.566	7.566 (1.179)	75	218482	46.1227	46.123	80.00- 120.00	100.00
7.566	7.566 (1.179)	77	69564			1.26- 61.26	31.84
7.566	7.566 (1.179)	39	129796			35.06- 95.06	59.41
127 Methylcyclohexane					CAS #: 108-87-2		
6.728	6.728 (1.048)	83	222961	45.7451	45.745	80.00- 120.00	100.00
6.728	6.728 (1.048)	98	100388			14.83- 74.83	45.02
6.728	6.728 (1.048)	55	216407			71.50- 131.50	97.06
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.702	7.702 (1.200)	58	135761	41.6648	41.665	80.00- 120.00	100.00
7.702	7.702 (1.200)	43	395238			259.88- 319.88	291.13
7.702	7.702 (1.200)	85	52340			7.58- 67.58	38.55
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	453033	45.9869	45.987	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	264959			27.89- 87.89	58.49
136 Octane					CAS #: 111-65-9		
7.853	7.853 (1.223)	57	155756	43.3973	43.397	80.00- 120.00	100.00
7.853	7.853 (1.223)	85	150811			63.53- 123.53	96.83
7.853	7.853 (1.223)	43	417055			246.00- 306.00	267.76
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.111	8.111 (0.886)	75	182374	47.3851	47.385	80.00- 120.00	100.00
8.111	8.111 (0.886)	77	58499			1.83- 61.83	32.08
8.111	8.111 (0.886)	39	102306			31.97- 91.97	56.10
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.283	8.282 (0.905)	97	156708	48.0854	48.085	80.00- 120.00	100.00
8.283	8.282 (0.905)	99	97748			32.52- 92.52	62.38
8.283	8.282 (0.905)	83	135866			58.90- 118.90	86.70
142 Tetrachloroethene					CAS #: 127-18-4		
8.311	8.311 (0.908)	166	258516	52.8294	52.829	80.00- 120.00	100.00
8.311	8.311 (0.908)	129	189433			45.32- 105.32	73.28
8.311	8.311 (0.908)	131	187217			44.17- 104.17	72.42
143 2-Hexanone					CAS #: 591-78-6		
8.483	8.483 (0.927)	58	188468	46.0968	46.097	80.00- 120.00	100.00
8.483	8.483 (0.927)	43	388426			177.32- 237.32	206.10
8.483	8.490 (0.927)	100	34084			0.00- 47.18	18.08
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.440	8.440 (1.315)	76	211255	45.7413	45.741	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane (continued)							
8.440	8.440 (1.315)	41	178350			59.72- 119.72	84.42
8.440	8.440 (1.315)	78	69384			3.08- 63.08	32.84
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	333895	51.8407	51.841	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	260407			47.27- 107.27	77.99
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	265557	49.7183	49.718	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	251724			64.18- 124.18	94.79
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.452	7.452 (1.161)	63	273709	46.3262	46.326	80.00- 120.00	100.00
7.452	7.452 (1.161)	65	83584			0.43- 60.43	30.54
7.452	7.452 (1.161)	144	31716			0.00- 40.48	11.59
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.003)	112	407479	50.4929	50.493	80.00- 120.00	100.00
9.178	9.178 (1.003)	114	129859			1.91- 61.91	31.87
9.178	9.178 (1.003)	77	207150			22.97- 82.97	50.84
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	202826	49.9669	49.967	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	627935			281.09- 341.09	309.59
156 Nonane					CAS #: 111-84-2		
9.307	9.307 (1.017)	43	443140	47.0035	47.003	80.00- 120.00	100.00
9.307	9.307 (1.017)	57	365996			50.62- 110.62	82.59
9.307	9.307 (1.017)	85	117135			0.00- 55.65	26.43
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.264	9.264 (1.013)	131	242597	52.7679	52.768	80.00- 120.00	100.00
9.264	9.264 (1.013)	117	160256			37.10- 97.10	66.06
9.264	9.264 (1.013)	95	81152			4.93- 64.93	33.45
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	250535	49.5182	49.518	80.00- 120.00	100.00
9.357	9.364 (1.023)	91	488303			170.33- 230.33	194.90
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	238780	49.7691	49.769	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	495640			181.23- 241.23	207.57
165 Styrene					CAS #: 100-42-5		
9.772	9.772 (1.068)	104	400137	48.8355	48.835	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
165 Styrene (continued)							
9.772	9.772 (1.068)	78	185869			17.26- 77.26	46.45
167 Bromoform					CAS #: 75-25-2		
9.980	9.987 (1.091)	173	353478	54.3041	54.304	80.00- 120.00	100.00
9.980	9.987 (1.091)	171	180728			21.45- 81.45	51.13
168 Cumene					CAS #: 98-82-8		
10.088	10.088 (1.103)	105	730647	50.3778	50.378	80.00- 120.00	100.00
10.088	10.088 (1.103)	120	200077			0.00- 56.93	27.38
10.088	10.088 (1.103)	51	83902			0.00- 42.24	11.48
169 Cyclohexanone					CAS #: 108-94-1		
10.252	10.252 (1.121)	55	237963	41.4715	41.471	80.00- 120.00	100.00
10.259	10.259 (1.121)	98	87964			5.15- 65.15	36.97
10.252	10.252 (1.121)	42	163860			41.99- 101.99	68.86
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.144)	83	368336	48.9647	48.965	80.00- 120.00	100.00
10.467	10.467 (1.144)	85	240017			34.97- 94.97	65.16
177 Bromobenzene					CAS #: 108-86-1		
10.424	10.424 (1.139)	156	259071	51.2705	51.270	80.00- 120.00	100.00
10.424	10.424 (1.139)	158	255297			67.47- 127.47	98.54
10.424	10.424 (1.139)	77	329702			108.68- 168.68	127.26
178 Propylbenzene					CAS #: 103-65-1		
10.489	10.489 (1.146)	120	218466	50.9413	50.941	80.00- 120.00	100.00
10.489	10.489 (1.146)	91	869261			383.60- 443.60	397.89
10.489	10.489 (1.146)	105	33193			0.00- 46.14	15.19
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.517 (1.150)	110	110861	48.5584	48.558	80.00- 120.00	100.00
10.517	10.517 (1.150)	75	383134			324.28- 384.28	345.60
10.517	10.517 (1.150)	61	91245			57.24- 117.24	82.31
182 Decane					CAS #: 124-18-5		
10.603	10.603 (1.159)	57	470117	42.3554	42.355	80.00- 120.00	100.00
10.603	10.603 (1.159)	71	148906			1.11- 61.11	31.67
10.603	10.603 (1.159)	142	22302			0.00- 34.44	4.74
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.603 (1.159)	120	231665	49.5609	49.561	80.00- 120.00	100.00
10.603	10.603 (1.159)	105	749444			298.94- 358.94	323.50
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.603 (1.159)	126	201300	50.8985	50.898	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
184 2-Chlorotoluene (continued)							
10.603	10.603 (1.159)	91	602205			282.78- 342.78	299.16
10.603	10.603 (1.159)	65	87030			17.33- 77.33	43.23
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.668	10.668 (1.166)	120	312942	49.6434	49.643	80.00- 120.00	100.00
10.668	10.668 (1.166)	105	632004			172.08- 232.08	201.96
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.897	10.897 (1.191)	118	335901	50.3030	50.303	80.00- 120.00	100.00
10.897	10.897 (1.191)	103	188355			25.64- 85.64	56.07
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.976 (1.200)	119	602667	50.2864	50.286	80.00- 120.00	100.00
10.976	10.976 (1.200)	134	153401			0.00- 55.10	25.45
10.969	10.976 (1.199)	91	376512			34.53- 94.53	62.47
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.033	11.033 (1.206)	105	637555	49.4666	49.467	80.00- 120.00	100.00
11.033	11.033 (1.206)	120	302151			16.63- 76.63	47.39
192 sec-Butylbenzene					CAS #: 135-98-8		
11.191	11.191 (1.223)	134	198367	50.5652	50.565	80.00- 120.00	100.00
11.191	11.191 (1.223)	105	915128			436.99- 496.99	461.33
11.191	11.191 (1.223)	91	138749			41.69- 101.69	69.95
194 p-Cymene					CAS #: 99-87-6		
11.334	11.334 (1.239)	119	821580	51.2101	51.210	80.00- 120.00	100.00
11.334	11.334 (1.239)	134	229482			0.00- 57.62	27.93
11.334	11.334 (1.239)	91	178866			0.00- 53.03	21.77
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.341	11.341 (1.240)	146	476989	49.9427	49.943	80.00- 120.00	100.00
11.341	11.341 (1.240)	148	306125			34.18- 94.18	64.18
11.341	11.341 (1.240)	111	184782			10.06- 70.06	38.74
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.441	11.441 (1.251)	146	483513	49.9794	49.979	80.00- 120.00	100.00
11.441	11.441 (1.251)	148	308495			33.55- 93.55	63.80
11.441	11.441 (1.251)	111	179939			7.98- 67.98	37.21
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.585	11.585 (1.266)	91	575089	46.9431	46.943	80.00- 120.00	100.00
11.585	11.585 (1.266)	126	136891			0.00- 52.77	23.80
201 Undecane					CAS #: 1120-21-4		
11.778	11.778 (1.287)	57	545948	41.3682	41.368	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
201 Undecane (continued)							
11.778	11.778 (1.287)	43	503270			63.59- 123.59	92.18
202 Butylbenzene					CAS #: 104-51-8		
11.742	11.742 (1.283)	134	224992	50.8857	50.886	80.00- 120.00	100.00
11.735	11.735 (1.283)	91	745724			310.82- 370.82	331.44
11.735	11.735 (1.283)	92	395618			151.53- 211.53	175.84
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.814 (1.291)	146	460661	49.6996	49.700	80.00- 120.00	100.00
11.814	11.814 (1.291)	148	294573			33.00- 93.00	63.95
11.814	11.814 (1.291)	111	184045			10.87- 70.87	39.95
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.609	12.609 (1.378)	157	288948	52.7063	52.706	80.00- 120.00	100.00
12.609	12.609 (1.378)	75	210121			48.09- 108.09	72.72
12.609	12.609 (1.378)	155	223743			47.89- 107.89	77.43
207 Dodecane					CAS #: 112-40-3		
12.845	12.845 (1.404)	57	613441	46.1451	46.145	80.00- 120.00	100.00
12.845	12.845 (1.404)	43	533008			58.52- 118.52	86.89
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.390	13.383 (1.463)	180	478685	52.1129	52.113	80.00- 120.00	100.00
13.390	13.383 (1.463)	182	454965			64.84- 124.84	95.04
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.497	13.497 (1.475)	225	357989	53.4284	53.428	80.00- 120.00	100.00
13.497	13.497 (1.475)	223	223684			32.80- 92.80	62.48
216 Naphthalene					CAS #: 91-20-3		
13.640	13.633 (1.491)	128	112768	5.88203	5.882	80.00- 120.00	100.00
13.640	13.633 (1.491)	127	14206			0.00- 42.72	12.60
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.884	13.884 (1.518)	180	468521	52.0525	52.052	80.00- 120.00	100.00
13.884	13.884 (1.518)	182	445974			65.07- 125.07	95.19
13.884	13.884 (1.518)	145	154087			4.48- 64.48	32.89

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061404a.d
Lab Smp Id: LCS
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Client Smp ID: LCS
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	98163	0.89
108 1,4-Difluorobenze	356185	213711	498659	353455	-0.77
153 Chlorobenzene-d5	352841	211705	493977	348308	-1.28

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: LCS Client Smp ID: LCS
Level: LOW Operator: RT
Data Type: MS DATA SampleType: LCS
SpikeList File: CntrlDODAT23.spk Quant Type: ISTD
Sublist File: AT23_cont111224.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
4 Freon 134a	50.000	49.087	98.17	70-130
5 Propylene	50.000	43.889	87.78	57-136
7 1,1-Difluoroethan	50.000	48.160	96.32	70-130
8 Freon 12	50.000	47.797	95.59	59-128
9 Chlorodifluoromet	50.000	43.680	87.36	59-145
10 Freon 114	50.000	50.021	100.04	63-121
12 Isobutane	50.000	44.495	88.99	70-130
15 Chloromethane	50.000	46.993	93.99	59-132
18 Butane	50.000	45.531	91.06	64-129
19 Vinyl Chloride	50.000	46.300	92.60	64-127
20 1,3-Butadiene	50.000	42.481	84.96	66-134
24 Bromomethane	50.000	51.760	103.52	63-134
30 Chloroethane	50.000	44.992	89.98	63-127
31 Isopentane	50.000	45.494	90.99	59-140
32 Vinyl Bromide	50.000	48.872	97.74	71-126
33 Freon 11	50.000	47.882	95.77	62-126
34 Dichlorofluoromet	50.000	44.237	88.47	70-130
35 Pentane	50.000	44.146	88.29	63-131
39 Ethanol	50.000	40.232	80.46	59-125
42 Acrolein	57.000	42.932	75.32	62-126
43 Freon 113	50.000	47.795	95.59	66-126
44 1,1-Dichloroethen	50.000	50.320	100.64	61-133
47 Acetone	50.000	42.782	85.56	58-128
48 Carbon Disulfide	50.000	43.887	87.77	57-134
52 2-Propanol	50.000	41.310	82.62	52-125
54 3-Chloropropene	50.000	43.224	86.45	71-131
57 Acetonitrile	50.000	43.925	87.85	63-132
59 Methylene Chlorid	50.000	42.122	84.24	62-115
62 tert-Butyl alcoho	50.000	44.584	89.17	24-150
63 Methyl tert-butyl	50.000	45.046	90.09	66-126
64 trans-1,2-Dichlor	50.000	44.311	88.62	67-124
66 Acrylonitrile	50.000	41.719	83.44	71-137
67 Hexane	50.000	41.400	82.80	63-120

SPIKE	COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
71	1,1-Dichloroethan	50.000	43.554	87.11	68-126
72	Isopropyl ether	50.000	45.261	90.52	70-117
73	Vinyl Acetate	50.000	66.655	133.31	56-139
79	Ethyl-tert-butyl	50.000	44.847	89.69	70-130
84	2,2-Dichloropropa	50.000	43.333	86.67	70-130
85	cis-1,2-Dichloroe	50.000	44.810	89.62	70-121
86	2-Butanone	50.000	43.518	87.04	67-130
87	Ethyl Acetate	50.000	40.964	81.93	65-128
89	Tetrahydrofuran	50.000	40.487	80.97	64-123
92	Chloroform	50.000	44.210	88.42	68-123
96	1,1,1-Trichloroet	50.000	46.199	92.40	68-125
97	Carbon Tetrachlor	50.000	47.940	95.88	68-132
94	Cyclohexane	50.000	45.638	91.28	70-117
99	1,1-Dichloroprope	50.000	46.920	93.84	70-130
101	2,2,4-Trimethylpe	50.000	44.676	89.35	68-121
102	Benzene	50.000	46.375	92.75	69-119
106	1,2-Dichloroethan	50.000	45.774	91.55	65-128
107	Heptane	50.000	44.875	89.75	69-123
110	n-Butanol	50.000	72.104	144.21*	62-133
111	Trichloroethene	50.000	47.827	95.65	71-123
127	Methylcyclohexane	50.000	45.745	91.49	67-127
114	1,2-Dichloropropa	50.000	44.070	88.14	69-123
116	Methyl Methacryla	50.000	44.688	89.38	70-128
117	1,4-Dioxane	50.000	48.072	96.14	71-122
118	Dibromomethane	50.000	52.024	104.05	70-130
122	Bromodichlorometh	50.000	47.004	94.01	72-128
126	cis-1,3-Dichlorop	50.000	46.123	92.25	70-128
131	4-Methyl-2-pentan	50.000	41.665	83.33	67-130
136	Octane	50.000	43.397	86.79	69-121
137	Toluene	50.000	45.987	91.97	66-119
139	trans-1,3-Dichlor	50.000	47.385	94.77	75-133
141	1,1,2-Trichloroet	50.000	48.085	96.17	73-119
142	Tetrachloroethene	50.000	52.829	105.66	66-124
143	2-Hexanone	50.000	46.097	92.19	62-128
144	1,3-Dichloropropa	50.000	45.741	91.48	62-148
146	Dibromochlorometh	50.000	51.841	103.68	70-130
148	1,2-Dibromoethane	50.000	49.718	99.44	74-122
151	1-Bromo-2-Chloroe	50.000	46.326	92.65	70-130
154	Chlorobenzene	50.000	50.493	100.99	70-119
155	Ethyl Benzene	50.000	49.967	99.93	70-124
156	Nonane	50.000	47.003	94.01	63-128
157	1,1,1,2-Tetrachlo	50.000	52.768	105.54	70-130
158	m,p-Xylene	50.000	49.518	99.04	61-134
164	o-Xylene	50.000	49.769	99.54	67-125
165	Styrene	50.000	48.835	97.67	73-127
167	Bromoform	50.000	54.304	108.61	66-139
168	Cumene	50.000	50.378	100.76	68-124

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
175 1,1,2,2-Tetrachlo	50.000	48.965	97.93	65-127
177 Bromobenzene	50.000	51.270	102.54	70-130
178 Propylbenzene	50.000	50.941	101.88	69-123
179 1,2,3-Trichloropr	50.000	48.558	97.12	76-124
182 Decane	50.000	42.355	84.71	70-118
183 4-Ethyltoluene	50.000	49.561	99.12	67-129
184 2-Chlorotoluene	50.000	50.898	101.80	74-130
185 1,3,5-Trimethylbe	50.000	49.643	99.29	67-130
188 alpha Methyl Styr	50.000	50.303	100.61	67-128
189 tert-Butylbenzene	50.000	50.286	100.57	65-124
190 1,2,4-Trimethylbe	50.000	49.467	98.93	66-132
192 sec-Butylbenzene	50.000	50.565	101.13	68-125
194 p-Cymene	50.000	51.210	102.42	67-130
195 1,3-Dichlorobenze	50.000	49.943	99.89	65-130
196 1,4-Dichlorobenze	50.000	49.979	99.96	60-131
199 alpha-Chlorotolue	50.000	46.943	93.89	50-147
201 Undecane	50.000	41.368	82.74	69-123
202 Butylbenzene	50.000	50.886	101.77	66-130
204 1,2-Dichlorobenze	50.000	49.700	99.40	63-129
206 1,2-Dibromo-3-chl	50.000	52.706	105.41	70-130
207 Dodecane	50.000	46.145	92.29	62-147
213 1,2,4-Trichlorobe	50.000	52.113	104.23	55-142
215 Hexachlorobutadie	50.000	53.428	106.86	56-138
216 Naphthalene	5.700	5.882	103.19	57-138
222 1,2,3-Trichlorobe	50.000	52.052	104.10	55-142

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.495	89.98	68-132
$ 134 Toluene-d8	25.000	24.162	96.65	91-110
$ 170 4-Bromofluorobenz	25.000	25.119	100.48	77-125

Data File: /chem/msd3.i/14JUN24.b/3061404a.d

Page 1

Date : 14-JUN-2024 12:33

Client ID: LCS


Instrument: msd3.i

Sample Info: 50mL 3018-4603

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



eurofins | Air Toxics

Client ID:	LCSD		
Lab ID:	2406133-25BB	**Date/Time Analyzed:**	6/14/24 01:04 PM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061405a

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	86
1,4-Dichlorobenzene	106-46-7	99
Benzene	71-43-2	92
cis-1,2-Dichloroethene	156-59-2	88
Ethyl Benzene	100-41-4	100
m,p-Xylene	108-38-3	98
o-Xylene	95-47-6	98
Toluene	108-88-3	91
trans-1,2-Dichloroethene	156-60-5	89
Trichloroethene	79-01-6	94
Vinyl Chloride	75-01-4	93

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	68-132	92
4-Bromofluorobenzene	460-00-4	77-125	101
Toluene-d8	2037-26-5	91-110	96

* % Recovery is calculated using unrounded analytical results.

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/14JUN24.b/3061405a.d
Lab Smp Id: LCSD Client Smp ID: LCSD
Inj Date : 14-JUN-2024 13:04
Operator : RT Inst ID: msd3.i
Smp Info : 50mL 3018-4603
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/14JUN24.b/324q0423a.m
Meth Date : 14-Jun-2024 12:32 yrc5 Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 14 QC Sample: LCSD
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23_cont111224.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	96328	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	75074			47.79- 107.79	77.94
5.432	5.432 (1.000)	49	144153			131.33- 191.33	149.65
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	353186	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	51690			0.00- 45.65	14.64
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	347473	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	176087			22.92- 82.92	50.68
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	116011	23.1220	23.122	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	64095			23.17- 83.17	55.25
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	329011	23.9628	23.963	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	35208			0.00- 41.42	10.70

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	224905			37.54- 97.54	68.36
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	260359	25.2131	25.213	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	285904			88.49- 148.49	109.81
10.288	10.288 (1.124)	176	252579			66.73- 126.73	97.01
4 Freon 134a					CAS #: 811-97-2		
1.395	1.409 (0.257)	83	109431	49.1480	49.148	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	102328			64.17- 124.17	93.51
1.479	1.492 (0.272)	51	415517			365.46- 425.46	379.71
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	113100	44.8278	44.828	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	75356			35.86- 95.86	66.63
1.437	1.437 (0.264)	39	80213			41.66- 101.66	70.92
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.464 (0.270)	65	70517	48.4853	48.485	80.00- 120.00	100.00
1.479	1.492 (0.272)	51	415517			568.10- 628.10	589.24
1.577	1.576 (0.290)	47	12671			0.00- 50.57	17.97
8 Freon 12					CAS #: 75-71-8		
1.465	1.464 (0.270)	85	269796	47.2935	47.293	80.00- 120.00	100.00
1.465	1.464 (0.270)	87	88180			2.88- 62.88	32.68
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.492 (0.275)	67	31241	43.7636	43.764	80.00- 120.00	100.00
1.479	1.492 (0.272)	51	415517			1257.55-1317.55	1330.04
10 Freon 114					CAS #: 76-14-2		
1.577	1.576 (0.290)	135	250153	49.8820	49.882	80.00- 120.00	100.00
1.577	1.576 (0.290)	137	79804			2.10- 62.10	31.90
12 Isobutane					CAS #: 75-28-5		
1.591	1.590 (0.293)	43	237897	44.5937	44.594	80.00- 120.00	100.00
1.591	1.590 (0.293)	42	75770			1.69- 61.69	31.85
1.577	1.576 (0.290)	58	7756			0.00- 33.32	3.26
15 Chloromethane					CAS #: 74-87-3		
1.674	1.674 (0.308)	50	131081	47.6574	47.657	80.00- 120.00	100.00
1.674	1.674 (0.308)	52	41265			1.38- 61.38	31.48
18 Butane					CAS #: 106-97-8		
1.716	1.716 (0.316)	58	25081	45.4810	45.481	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
18 Butane (continued)							
1.716	1.716 (0.316)	43	211975			866.38- 926.38	845.16
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.758 (0.324)	62	123354	46.3515	46.352	80.00- 120.00	100.00
1.758	1.758 (0.324)	64	40495			3.10- 63.10	32.83
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.772 (0.326)	54	107240	42.8956	42.896	80.00- 120.00	100.00
1.772	1.772 (0.326)	39	112789			78.74- 138.74	105.17
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	100401	52.7954	52.795	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	93905			64.19- 124.19	93.53
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.409)	64	58902	46.1531	46.153	80.00- 120.00	100.00
2.220	2.220 (0.409)	66	18189			2.32- 62.32	30.88
2.220	2.220 (0.409)	49	20770			6.33- 66.33	35.26
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	167416	45.9692	45.969	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	106046			31.77- 91.77	63.34
32 Vinyl Bromide					CAS #: 593-60-2		
2.416	2.402 (0.445)	106	108955	49.2611	49.261	80.00- 120.00	100.00
2.402	2.402 (0.442)	108	101988			64.21- 124.21	93.61
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	313082	47.6384	47.638	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	204404			34.93- 94.93	65.29
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.458 (0.453)	67	232764	44.4167	44.417	80.00- 120.00	100.00
2.458	2.458 (0.453)	69	73721			1.95- 61.95	31.67
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	244008	44.0340	44.034	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	35898			0.00- 44.64	14.71
2.514	2.514 (0.463)	72	20116			0.00- 37.90	8.24
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	21022	40.3176	40.318	80.00- 120.00	100.00
2.752	2.752 (0.507)	45	54018			224.40- 284.40	256.96
42 Acrolein					CAS #: 107-02-8		
3.054	3.053 (0.562)	55	49264	43.8994	43.899	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
42 Acrolein (continued)							
3.054	3.053 (0.562)	56	68124			108.02- 168.02	138.28
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	277248	47.7349	47.735	80.00- 120.00	100.00
3.061	3.061 (0.563)	153	181105			35.07- 95.07	65.32
3.061	3.061 (0.563)	101	309339			87.45- 147.45	111.57
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.089	3.096 (0.569)	96	106619	43.1430	43.143	80.00- 120.00	100.00
3.089	3.089 (0.569)	98	67372			33.27- 93.27	63.19
3.089	3.089 (0.569)	61	190055			159.05- 219.05	178.26
47 Acetone					CAS #: 67-64-1		
3.240	3.247 (0.596)	58	61015	43.3879	43.388	80.00- 120.00	100.00
3.240	3.240 (0.596)	43	209212			329.45- 389.45	342.89
48 Carbon Disulfide					CAS #: 75-15-0		
3.326	3.326 (0.612)	76	296008	43.9272	43.927	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.631)	45	244801	41.8705	41.870	80.00- 120.00	100.00
3.426	3.426 (0.631)	43	44506			0.00- 48.18	18.18
54 3-Chloropropene					CAS #: 107-05-1		
3.576	3.576 (0.658)	76	49997	44.0399	44.040	80.00- 120.00	100.00
3.576	3.576 (0.658)	41	175938			366.80- 426.80	351.90
57 Acetonitrile					CAS #: 75-05-8		
3.684	3.684 (0.678)	41	114344	44.3111	44.311	80.00- 120.00	100.00
3.684	3.684 (0.678)	40	59938			22.74- 82.74	52.42
3.684	3.677 (0.678)	38	14167			0.00- 42.52	12.39
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.777 (0.695)	49	163201	42.2513	42.251	80.00- 120.00	100.00
3.777	3.777 (0.695)	84	95708			24.90- 84.90	58.64
3.777	3.777 (0.695)	51	49430			0.00- 59.67	30.29
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.906	3.913 (0.719)	59	266423	44.6673	44.667	80.00- 120.00	100.00
3.906	3.906 (0.719)	41	60737			0.00- 51.85	22.80
3.913	3.906 (0.720)	57	28693			0.00- 40.17	10.77
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
3.999	3.999 (0.736)	73	321737	45.6273	45.627	80.00- 120.00	100.00
3.999	3.999 (0.736)	57	92619			0.00- 58.72	28.79

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
63 Methyl tert-butyl ether (continued)							
3.999	3.999 (0.736)	41	91976			0.00- 59.38	28.59
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	73592	44.3418	44.342	80.00- 120.00	100.00
4.028	4.028 (0.742)	61	184244			232.13- 292.13	250.36
4.028	4.028 (0.742)	96	115445			127.26- 187.26	156.87
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.135 (0.761)	52	89881	41.8773	41.877	80.00- 120.00	100.00
4.135	4.135 (0.761)	53	104120			86.45- 146.45	115.84
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.784)	57	213715	41.3274	41.327	80.00- 120.00	100.00
4.250	4.257 (0.782)	43	147538			40.97- 100.97	69.03
4.250	4.257 (0.782)	86	28311			0.00- 42.68	13.25
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.550 (0.838)	63	211026	44.0000	44.000	80.00- 120.00	100.00
4.558	4.550 (0.839)	65	64998			0.47- 60.47	30.80
72 Isopropyl ether					CAS #: 108-20-3		
4.551	4.550 (0.838)	45	523787	45.5453	45.545	80.00- 120.00	100.00
4.551	4.550 (0.838)	87	107225			0.00- 49.55	20.47
4.551	4.550 (0.838)	59	55635			0.00- 40.42	10.62
73 Vinyl Acetate					CAS #: 108-05-4		
4.601	4.608 (0.847)	86	27804	65.8388	65.839	80.00- 120.00	100.00
4.601	4.601 (0.847)	43	441032			1727.95-1787.95	1586.22
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.937	4.937 (0.909)	59	451743	45.5501	45.550	80.00- 120.00	100.00
4.937	4.937 (0.909)	87	156517			3.90- 63.90	34.65
4.937	4.937 (0.909)	41	89475			0.00- 49.72	19.81
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.138	5.138 (0.946)	77	208252	43.9864	43.986	80.00- 120.00	100.00
5.138	5.138 (0.946)	79	66450			2.39- 62.39	31.91
5.138	5.138 (0.946)	97	49951			0.00- 53.57	23.99
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.181	5.181 (0.954)	98	75950	44.1930	44.193	80.00- 120.00	100.00
5.181	5.181 (0.954)	96	118251			125.53- 185.53	155.70
5.181	5.181 (0.954)	61	177278			219.86- 279.86	233.41
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.960)	72	54708	44.1835	44.184	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.238	5.231 (0.964)	43	624690			1138.34-1198.34	1141.86
5.217	5.217 (0.960)	57	22178			10.83- 70.83	40.54
87 Ethyl Acetate					CAS #: 141-78-6		
5.238	5.238 (0.964)	45	51561	41.6373	41.637	80.00- 120.00	100.00
5.181	5.181 (0.954)	61	177278			338.96- 398.96	343.82
5.238	5.238 (0.964)	70	26815			24.53- 84.53	52.01
89 Tetrahydrofuran					CAS #: 109-99-9		
5.424	5.424 (0.999)	42	155527	41.0817	41.082	80.00- 120.00	100.00
5.424	5.424 (0.999)	71	43358			0.00- 58.54	27.88
5.424	5.424 (0.999)	72	45538			0.00- 59.59	29.28
92 Chloroform					CAS #: 67-66-3		
5.510	5.510 (1.014)	83	227900	44.2524	44.252	80.00- 120.00	100.00
5.510	5.510 (1.014)	85	149583			35.77- 95.77	65.64
94 Cyclohexane					CAS #: 110-82-7		
5.604	5.611 (1.032)	84	159979	46.4340	46.434	80.00- 120.00	100.00
5.604	5.603 (1.032)	56	239763			125.79- 185.79	149.87
5.604	5.603 (1.032)	41	132872			61.55- 121.55	83.06
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.632	5.632 (1.037)	97	260853	46.4411	46.441	80.00- 120.00	100.00
5.632	5.632 (1.037)	99	166614			32.84- 92.84	63.87
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.754	5.754 (1.059)	119	285908	48.0137	48.014	80.00- 120.00	100.00
5.754	5.754 (1.059)	117	298911			75.19- 135.19	104.55
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.797	5.797 (0.903)	110	65464	46.0147	46.015	80.00- 120.00	100.00
5.797	5.797 (0.903)	75	166291			234.16- 294.16	254.02
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.990	5.990 (1.103)	57	734763	45.4762	45.476	80.00- 120.00	100.00
5.990	5.983 (1.103)	56	244258			3.09- 63.09	33.24
5.990	5.983 (1.103)	41	191574			0.00- 57.28	26.07
102 Benzene					CAS #: 71-43-2		
5.990	5.990 (0.933)	78	326374	45.8973	45.897	80.00- 120.00	100.00
5.990	5.990 (0.933)	77	77377			0.00- 53.69	23.71
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.083	6.083 (0.948)	87	89700	46.9394	46.939	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
105 tert-Amyl methyl ether (continued)							
6.083	6.083 (0.948)	73	348564			365.76- 425.76	388.59
6.083	6.083 (0.948)	55	111162			92.58- 152.58	123.93
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.098 (0.950)	62	165284	44.5586	44.558	80.00- 120.00	100.00
6.098	6.098 (0.950)	64	52786			1.80- 61.80	31.94
107 Heptane					CAS #: 142-82-5		
6.177	6.176 (0.962)	71	125515	44.5586	44.559	80.00- 120.00	100.00
6.177	6.176 (0.962)	43	288056			207.73- 267.73	229.50
6.177	6.176 (0.962)	57	146162			84.83- 144.83	116.45
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.032)	56	114368	70.7385	70.738	80.00- 120.00	100.00(R)
6.628	6.628 (1.032)	41	84932			47.73- 107.73	74.26
6.628	6.628 (1.032)	43	69451			31.60- 91.60	60.73
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	161446	47.0879	47.088	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	181297			80.23- 140.23	112.30
6.628	6.628 (1.032)	97	104289			34.78- 94.78	64.60
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.886 (1.073)	63	145605	43.5145	43.514	80.00- 120.00	100.00
6.886	6.886 (1.073)	62	103052			40.39- 100.39	70.78
6.886	6.886 (1.073)	41	84328			31.86- 91.86	57.92
116 Methyl Methacrylate					CAS #: 80-62-6		
6.972	6.972 (0.762)	69	126804	44.8024	44.802	80.00- 120.00	100.00
6.972	6.972 (0.762)	41	207615			145.81- 205.81	163.73
6.972	6.972 (0.762)	100	53395			10.05- 70.05	42.11
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.089)	88	85066	47.5545	47.554	80.00- 120.00	100.00
6.986	6.993 (1.088)	58	69994			56.33- 116.33	82.28
6.993	6.993 (1.089)	57	24734			2.08- 62.08	29.08
118 Dibromomethane					CAS #: 74-95-3		
7.008	7.007 (0.766)	174	166954	50.9228	50.923	80.00- 120.00	100.00
7.000	7.000 (0.765)	93	144940			62.68- 122.68	86.81
7.000	7.000 (0.765)	95	121590			47.70- 107.70	72.83
122 Bromodichloromethane					CAS #: 75-27-4		
7.144	7.144 (1.113)	83	259144	46.6923	46.692	80.00- 120.00	100.00
7.144	7.144 (1.113)	85	167451			34.96- 94.96	64.62

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.566	7.566 (1.179)	75	214233	45.2602	45.260	80.00- 120.00	100.00
7.566	7.566 (1.179)	77	68613			1.26- 61.26	32.03
7.566	7.566 (1.179)	39	127681			35.06- 95.06	59.60
127 Methylcyclohexane					CAS #: 108-87-2		
6.728	6.728 (1.048)	83	220098	45.1921	45.192	80.00- 120.00	100.00
6.735	6.728 (1.049)	98	100762			14.83- 74.83	45.78
6.728	6.728 (1.048)	55	215621			71.50- 131.50	97.97
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.702	7.702 (1.200)	58	135476	41.6090	41.609	80.00- 120.00	100.00
7.702	7.702 (1.200)	43	385386			259.88- 319.88	284.47
7.702	7.702 (1.200)	85	51257			7.58- 67.58	37.83
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	447202	45.4295	45.430	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	261126			27.89- 87.89	58.39
136 Octane					CAS #: 111-65-9		
7.853	7.853 (1.223)	57	152641	42.5618	42.562	80.00- 120.00	100.00
7.853	7.853 (1.223)	85	147692			63.53- 123.53	96.76
7.853	7.853 (1.223)	43	413916			246.00- 306.00	271.17
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.111	8.111 (0.886)	75	179458	46.7395	46.739	80.00- 120.00	100.00
8.111	8.111 (0.886)	77	58178			1.83- 61.83	32.42
8.111	8.111 (0.886)	39	101127			31.97- 91.97	56.35
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.283	8.282 (0.905)	97	155996	47.9820	47.982	80.00- 120.00	100.00
8.283	8.282 (0.905)	99	96023			32.52- 92.52	61.55
8.283	8.282 (0.905)	83	133809			58.90- 118.90	85.78
142 Tetrachloroethene					CAS #: 127-18-4		
8.311	8.311 (0.908)	166	254981	52.2322	52.232	80.00- 120.00	100.00
8.311	8.311 (0.908)	129	188639			45.32- 105.32	73.98
8.311	8.311 (0.908)	131	184628			44.17- 104.17	72.41
143 2-Hexanone					CAS #: 591-78-6		
8.483	8.483 (0.927)	58	187258	45.9109	45.911	80.00- 120.00	100.00
8.483	8.483 (0.927)	43	384261			177.32- 237.32	205.20
8.483	8.490 (0.927)	100	34104			0.00- 47.18	18.21
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.440	8.440 (1.315)	76	210876	45.6940	45.694	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane (continued)							
8.440	8.440 (1.315)	41	172432			59.72- 119.72	81.77
8.440	8.440 (1.315)	78	67262			3.08- 63.08	31.90
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	328053	51.0560	51.056	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	254894			47.27- 107.27	77.70
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	260136	48.8204	48.820	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	247017			64.18- 124.18	94.96
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.452	7.452 (1.161)	63	270604	45.8355	45.836	80.00- 120.00	100.00
7.452	7.452 (1.161)	65	82315			0.43- 60.43	30.42
7.452	7.452 (1.161)	144	31589			0.00- 40.48	11.67
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.003)	112	400802	49.7848	49.785	80.00- 120.00	100.00
9.178	9.178 (1.003)	114	127789			1.91- 61.91	31.88
9.178	9.178 (1.003)	77	200641			22.97- 82.97	50.06
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	201737	49.8180	49.818	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	622433			281.09- 341.09	308.54
156 Nonane					CAS #: 111-84-2		
9.307	9.307 (1.017)	43	434584	46.2067	46.207	80.00- 120.00	100.00
9.307	9.307 (1.017)	57	355213			50.62- 110.62	81.74
9.307	9.307 (1.017)	85	117186			0.00- 55.65	26.97
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.264	9.264 (1.013)	131	240455	52.4277	52.428	80.00- 120.00	100.00
9.264	9.264 (1.013)	117	160176			37.10- 97.10	66.61
9.264	9.264 (1.013)	95	80110			4.93- 64.93	33.32
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	248200	49.1745	49.174	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	481811			170.33- 230.33	194.12
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	234562	49.0074	49.007	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	490802			181.23- 241.23	209.24
165 Styrene					CAS #: 100-42-5		
9.772	9.772 (1.068)	104	398055	48.6981	48.698	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
165 Styrene (continued)							
9.772	9.772 (1.068)	78	181886			17.26- 77.26	45.69
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.092)	173	346705	53.3916	53.392	80.00- 120.00	100.00
9.987	9.987 (1.092)	171	178581			21.45- 81.45	51.51
168 Cumene					CAS #: 98-82-8		
10.088	10.088 (1.103)	105	722579	49.9413	49.941	80.00- 120.00	100.00
10.088	10.088 (1.103)	120	199003			0.00- 56.93	27.54
10.088	10.088 (1.103)	51	82934			0.00- 42.24	11.48
169 Cyclohexanone					CAS #: 108-94-1		
10.252	10.252 (1.121)	55	235627	41.1631	41.163	80.00- 120.00	100.00
10.260	10.259 (1.121)	98	88355			5.15- 65.15	37.50
10.252	10.252 (1.121)	42	160010			41.99- 101.99	67.91
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.144)	83	363308	48.4124	48.412	80.00- 120.00	100.00
10.467	10.467 (1.144)	85	236122			34.97- 94.97	64.99
177 Bromobenzene					CAS #: 108-86-1		
10.424	10.424 (1.139)	156	257499	51.0819	51.082	80.00- 120.00	100.00
10.424	10.424 (1.139)	158	250497			67.47- 127.47	97.28
10.424	10.424 (1.139)	77	328846			108.68- 168.68	127.71
178 Propylbenzene					CAS #: 103-65-1		
10.489	10.489 (1.146)	120	214906	50.2317	50.232	80.00- 120.00	100.00
10.489	10.489 (1.146)	91	859180			383.60- 443.60	399.79
10.489	10.489 (1.146)	105	33181			0.00- 46.14	15.44
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.517 (1.150)	110	112306	49.3096	49.310	80.00- 120.00	100.00
10.517	10.517 (1.150)	75	379984			324.28- 384.28	338.35
10.517	10.517 (1.150)	61	90694			57.24- 117.24	80.76
182 Decane					CAS #: 124-18-5		
10.603	10.603 (1.159)	57	467699	42.2388	42.239	80.00- 120.00	100.00
10.603	10.603 (1.159)	71	147220			1.11- 61.11	31.48
10.603	10.603 (1.159)	142	21633			0.00- 34.44	4.63
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.603 (1.159)	120	228511	49.0036	49.004	80.00- 120.00	100.00
10.603	10.603 (1.159)	105	740417			298.94- 358.94	324.02
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.603 (1.159)	126	197566	50.0744	50.074	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
184 2-Chlorotoluene (continued)							
10.603	10.603 (1.159)	91	596170			282.78- 342.78	301.76
10.603	10.603 (1.159)	65	85465			17.33- 77.33	43.26
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.668	10.668 (1.166)	120	312181	49.6417	49.642	80.00- 120.00	100.00
10.668	10.668 (1.166)	105	624998			172.08- 232.08	200.20
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.897	10.897 (1.191)	118	335661	50.3878	50.388	80.00- 120.00	100.00
10.897	10.897 (1.191)	103	186008			25.64- 85.64	55.42
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.976 (1.200)	119	596976	49.9313	49.931	80.00- 120.00	100.00
10.976	10.976 (1.200)	134	151897			0.00- 55.10	25.44
10.976	10.976 (1.200)	91	376335			34.53- 94.53	63.04
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.033	11.033 (1.206)	105	633081	49.2376	49.238	80.00- 120.00	100.00
11.033	11.033 (1.206)	120	297358			16.63- 76.63	46.97
192 sec-Butylbenzene					CAS #: 135-98-8		
11.191	11.191 (1.223)	134	198231	50.6520	50.652	80.00- 120.00	100.00
11.191	11.191 (1.223)	105	905007			436.99- 496.99	456.54
11.191	11.191 (1.223)	91	134997			41.69- 101.69	68.10
194 p-Cymene					CAS #: 99-87-6		
11.334	11.334 (1.239)	119	814129	50.8676	50.868	80.00- 120.00	100.00
11.334	11.334 (1.239)	134	225708			0.00- 57.62	27.72
11.334	11.334 (1.239)	91	179869			0.00- 53.03	22.09
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.341	11.341 (1.240)	146	472582	49.6002	49.600	80.00- 120.00	100.00
11.341	11.341 (1.240)	148	299257			34.18- 94.18	63.32
11.341	11.341 (1.240)	111	179907			10.06- 70.06	38.07
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.441	11.441 (1.251)	146	479546	49.6885	49.688	80.00- 120.00	100.00
11.441	11.441 (1.251)	148	304576			33.55- 93.55	63.51
11.441	11.441 (1.251)	111	177520			7.98- 67.98	37.02
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.585	11.585 (1.266)	91	572628	46.8546	46.854	80.00- 120.00	100.00
11.585	11.585 (1.266)	126	135635			0.00- 52.77	23.69
201 Undecane					CAS #: 1120-21-4		
11.778	11.778 (1.287)	57	542356	41.1947	41.195	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
201 Undecane (continued)							
11.778	11.778 (1.287)	43	495373			63.59- 123.59	91.34
202 Butylbenzene					CAS #: 104-51-8		
11.742	11.742 (1.283)	134	222873	50.5276	50.528	80.00- 120.00	100.00
11.735	11.735 (1.283)	91	740556			310.82- 370.82	332.28
11.735	11.735 (1.283)	92	390278			151.53- 211.53	175.11
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.814 (1.291)	146	456468	49.3656	49.366	80.00- 120.00	100.00
11.814	11.814 (1.291)	148	290123			33.00- 93.00	63.56
11.814	11.814 (1.291)	111	180990			10.87- 70.87	39.65
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.609	12.609 (1.378)	157	288724	52.7920	52.792	80.00- 120.00	100.00
12.609	12.609 (1.378)	75	209466			48.09- 108.09	72.55
12.609	12.609 (1.378)	155	225366			47.89- 107.89	78.06
207 Dodecane					CAS #: 112-40-3		
12.853	12.845 (1.405)	57	626779	47.2617	47.262	80.00- 120.00	100.00
12.853	12.845 (1.405)	43	537767			58.52- 118.52	85.80
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.390	13.383 (1.463)	180	478803	52.2510	52.251	80.00- 120.00	100.00
13.390	13.383 (1.463)	182	457527			64.84- 124.84	95.56
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.504	13.497 (1.476)	225	355981	53.2564	53.256	80.00- 120.00	100.00
13.504	13.497 (1.476)	223	225065			32.80- 92.80	63.22
216 Naphthalene					CAS #: 91-20-3		
13.640	13.633 (1.491)	128	113084	5.91269	5.913	80.00- 120.00	100.00
13.640	13.633 (1.491)	127	15412			0.00- 42.72	13.63
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.884 (1.518)	180	473263	52.7057	52.706	80.00- 120.00	100.00
13.891	13.884 (1.518)	182	449065			65.07- 125.07	94.89
13.884	13.884 (1.518)	145	155039			4.48- 64.48	32.76

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061405a.d
Lab Smp Id: LCSD
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 14-JUN-2024
Calibration Time: 12:02
Client Smp ID: LCSD
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	97298	58379	136217	96328	-1.00
108 1,4-Difluorobenze	356185	213711	498659	353186	-0.84
153 Chlorobenzene-d5	352841	211705	493977	347473	-1.52

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 14JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: LCSD Client Smp ID: LCSD
Level: LOW Operator: RT
Data Type: MS DATA SampleType: LCSD
SpikeList File: CntrlDODAT23.spk Quant Type: ISTD
Sublist File: AT23_cont111224.sub
Method File: /chem/msd3.i/14JUN24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
4 Freon 134a	50.000	49.148	98.30	70-130
5 Propylene	50.000	44.828	89.66	57-136
7 1,1-Difluoroethan	50.000	48.485	96.97	70-130
8 Freon 12	50.000	47.293	94.59	59-128
9 Chlorodifluoromet	50.000	43.764	87.53	59-145
10 Freon 114	50.000	49.882	99.76	63-121
12 Isobutane	50.000	44.594	89.19	70-130
15 Chloromethane	50.000	47.657	95.31	59-132
18 Butane	50.000	45.481	90.96	64-129
19 Vinyl Chloride	50.000	46.352	92.70	64-127
20 1,3-Butadiene	50.000	42.896	85.79	66-134
24 Bromomethane	50.000	52.795	105.59	63-134
30 Chloroethane	50.000	46.153	92.31	63-127
31 Isopentane	50.000	45.969	91.94	59-140
32 Vinyl Bromide	50.000	49.261	98.52	71-126
33 Freon 11	50.000	47.638	95.28	62-126
34 Dichlorofluoromet	50.000	44.417	88.83	70-130
35 Pentane	50.000	44.034	88.07	63-131
39 Ethanol	50.000	40.318	80.64	59-125
42 Acrolein	57.000	43.899	77.02	62-126
43 Freon 113	50.000	47.735	95.47	66-126
44 1,1-Dichloroethen	50.000	43.143	86.29	61-133
47 Acetone	50.000	43.388	86.78	58-128
48 Carbon Disulfide	50.000	43.927	87.85	57-134
52 2-Propanol	50.000	41.870	83.74	52-125
54 3-Chloropropene	50.000	44.040	88.08	71-131
57 Acetonitrile	50.000	44.311	88.62	63-132
59 Methylene Chlorid	50.000	42.251	84.50	62-115
62 tert-Butyl alcoho	50.000	44.667	89.33	24-150
63 Methyl tert-butyl	50.000	45.627	91.25	66-126
64 trans-1,2-Dichlor	50.000	44.342	88.68	67-124
66 Acrylonitrile	50.000	41.877	83.75	71-137
67 Hexane	50.000	41.327	82.65	63-120

	SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
71	1,1-Dichloroethan	50.000	44.000	88.00	68-126
72	Isopropyl ether	50.000	45.545	91.09	70-117
73	Vinyl Acetate	50.000	65.839	131.68	56-139
79	Ethyl-tert-butyl	50.000	45.550	91.10	70-130
84	2,2-Dichloropropa	50.000	43.986	87.97	70-130
85	cis-1,2-Dichloroe	50.000	44.193	88.39	70-121
86	2-Butanone	50.000	44.184	88.37	67-130
87	Ethyl Acetate	50.000	41.637	83.27	65-128
89	Tetrahydrofuran	50.000	41.082	82.16	64-123
92	Chloroform	50.000	44.252	88.50	68-123
96	1,1,1-Trichloroet	50.000	46.441	92.88	68-125
97	Carbon Tetrachlor	50.000	48.014	96.03	68-132
94	Cyclohexane	50.000	46.434	92.87	70-117
99	1,1-Dichloroprope	50.000	46.015	92.03	70-130
101	2,2,4-Trimethylpe	50.000	45.476	90.95	68-121
102	Benzene	50.000	45.897	91.79	69-119
106	1,2-Dichloroethan	50.000	44.558	89.12	65-128
107	Heptane	50.000	44.559	89.12	69-123
110	n-Butanol	50.000	70.738	141.48*	62-133
111	Trichloroethene	50.000	47.088	94.18	71-123
127	Methylcyclohexane	50.000	45.192	90.38	67-127
114	1,2-Dichloropropa	50.000	43.514	87.03	69-123
116	Methyl Methacryla	50.000	44.802	89.60	70-128
117	1,4-Dioxane	50.000	47.554	95.11	71-122
118	Dibromomethane	50.000	50.923	101.85	70-130
122	Bromodichlorometh	50.000	46.692	93.38	72-128
126	cis-1,3-Dichlorop	50.000	45.260	90.52	70-128
131	4-Methyl-2-pentan	50.000	41.609	83.22	67-130
136	Octane	50.000	42.562	85.12	69-121
137	Toluene	50.000	45.430	90.86	66-119
139	trans-1,3-Dichlor	50.000	46.739	93.48	75-133
141	1,1,2-Trichloroet	50.000	47.982	95.96	73-119
142	Tetrachloroethene	50.000	52.232	104.46	66-124
143	2-Hexanone	50.000	45.911	91.82	62-128
144	1,3-Dichloropropa	50.000	45.694	91.39	62-148
146	Dibromochlorometh	50.000	51.056	102.11	70-130
148	1,2-Dibromoethane	50.000	48.820	97.64	74-122
151	1-Bromo-2-Chloroe	50.000	45.836	91.67	70-130
154	Chlorobenzene	50.000	49.785	99.57	70-119
155	Ethyl Benzene	50.000	49.818	99.64	70-124
156	Nonane	50.000	46.207	92.41	63-128
157	1,1,1,2-Tetrachlo	50.000	52.428	104.86	70-130
158	m,p-Xylene	50.000	49.174	98.35	61-134
164	o-Xylene	50.000	49.007	98.01	67-125
165	Styrene	50.000	48.698	97.40	73-127
167	Bromoform	50.000	53.392	106.78	66-139
168	Cumene	50.000	49.941	99.88	68-124

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
175 1,1,2,2-Tetrachlo	50.000	48.412	96.82	65-127
177 Bromobenzene	50.000	51.082	102.16	70-130
178 Propylbenzene	50.000	50.232	100.46	69-123
179 1,2,3-Trichloropr	50.000	49.310	98.62	76-124
182 Decane	50.000	42.239	84.48	70-118
183 4-Ethyltoluene	50.000	49.004	98.01	67-129
184 2-Chlorotoluene	50.000	50.074	100.15	74-130
185 1,3,5-Trimethylbe	50.000	49.642	99.28	67-130
188 alpha Methyl Styr	50.000	50.388	100.78	67-128
189 tert-Butylbenzene	50.000	49.931	99.86	65-124
190 1,2,4-Trimethylbe	50.000	49.238	98.48	66-132
192 sec-Butylbenzene	50.000	50.652	101.30	68-125
194 p-Cymene	50.000	50.868	101.74	67-130
195 1,3-Dichlorobenze	50.000	49.600	99.20	65-130
196 1,4-Dichlorobenze	50.000	49.688	99.38	60-131
199 alpha-Chlorotolue	50.000	46.854	93.71	50-147
201 Undecane	50.000	41.195	82.39	69-123
202 Butylbenzene	50.000	50.528	101.06	66-130
204 1,2-Dichlorobenze	50.000	49.366	98.73	63-129
206 1,2-Dibromo-3-chl	50.000	52.792	105.58	70-130
207 Dodecane	50.000	47.262	94.52	62-147
213 1,2,4-Trichlorobe	50.000	52.251	104.50	55-142
215 Hexachlorobutadie	50.000	53.256	106.51	56-138
216 Naphthalene	5.700	5.913	103.73	57-138
222 1,2,3-Trichlorobe	50.000	52.706	105.41	55-142

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	23.122	92.49	68-132
$ 134 Toluene-d8	25.000	23.963	95.85	91-110
$ 170 4-Bromofluorobenz	25.000	25.213	100.85	77-125

Data File: /chem/msd3.i/14JUN24.b/3061405a.d

Page 1

Date : 14-JUN-2024 13:04

Client ID: LCSD


Instrument: msd3.i

Sample Info: 50mL 3018-4603

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



z

MSD3

BFB Tune Verification: (176/174): (141888/145408) x 100 =97.60			
	3169-901	Exp. Date:	4/4/2025
BCM		94691	
1,4-DFB		348240	
CB-d5		341662	

Verified CCV vs. ICAL midpoint (-40%):	RT/Mjs
Method:	324Q0423a.m

Method TO-15/TO-14					
SOP# 6					
Vacuum:	NA				
Surrogate # 3169-901		Exp Date:	4/4/2025		
CCV	3018-4465	Exp Date:	7/22/2024	LCS	3018-4603	Exp Date	7/31/2024
CCV SP 1 #		Exp Date:		LCS Sp #1		Exp Date	
CCV SP 2 #		Exp Date:		LCS Sp #2		Exp Date	
CCV SP 3#		Exp Date:		LCS Sp #3		Exp Date	
CCV SP 4#		Exp Date:					

Use	File #	Enter/Scan Sample IDs	Canister#	Cart Pos.	Pressure	Amount	DF	Verify Load	Loaded Init.	Date Analyzed	Time	Review Init	Comments
√	3061301	System Blank	N1876	12	Humid	200mL	1.00	RT/Mjs	RT	06/13/24	1017	RT/Mjs	
√	3061302	BFB Tune Check	3169-901	12	36ng	50mL	1.00	RT/Mjs	RT	06/13/24	1048	RT/Mjs	Exp. 4/4/25.
√	3061303	CCV	3018-4465	13	50ppbv (200ppbv)	50mL	1.00	RT/Mjs	RT	06/13/24	1142	RT/Mjs	Exp. 7/22/24. 1 out
√	3061304	LCS	3018-4603	14	50ppbv (200ppbv)	50mL	1.00	RT/Mjs	RT	06/13/24	1213	RT/Mjs	Exp. 7/31/24. 2 out AT-23,
√	3061305	LCSD	3018-4603	14	50ppbv (200ppbv)	50mL	1.00	RT/Mjs	RT	06/13/24	1244	RT/Mjs	Exp. 7/31/24. RPD ok.
√	3061306	Lab Blank	N1876	12	Humid	200mL	1.00	RT/Mjs	RT	06/13/24	1319	RT/Mjs	
√	3061307	2406116-12A	N3423	1	8.6 Hg->10.1 psi	200mL	2.36	ACE	RT	06/13/24	1445	ACE	
√	3061308	2406116-13A	N1980	2	6.5 Hg->10 psi	200mL	2.14	ACE	RT	06/13/24	1520	ACE	
√	3061309	2406116-14A	1L2731	3	5.9 Hg->10 psi	200mL	2.09	ACE	RT	06/13/24	1555	ACE	
√	3061310	2406116-15A	1L4715	4	8.6 Hg->9.9 psi	200mL	2.34	ACE	RT	06/13/24	1630	ACE	
√	3061311	2406116-19A	N5657	5	8 Hg->10 psi	200mL	2.29	ACE	RT	06/13/24	1705	ACE	
√	3061312	2406116-20A	N6268	6	6.1 Hg->10.1 psi	200mL	2.12	ACE	RT	06/13/24	1741	ACE	
√	3061313	2406116-20AA	N6268	6	6.1 Hg->10.1 psi	200mL	2.12	ACE	RT	06/13/24	1816	ACE	DupAnB
√	3061314	2406116-16A	B2132	7	8.2 Hg->10 psi	55mL	8.41	ACE	RT	06/13/24	1847	ACE	dil TC; Matrix
√	3061315	System Blank	N1876	9	Humid	200mL	1.00	ACE	RT	06/13/24	1922	ACE	leg validation 8+9
√	3061316	2406116-17A	N6708	10	8.2 Hg->9.8 psi	155mL	2.96	ACE	RT	06/13/24	1956	ACE	dil NTC; Matrix; "E"Isopentane(NTC)<400
√	3061317	2406116-18A	1L4805	11	7.6 Hg->10 psi	20mL	22.5	ACE	RT	06/13/24	2027	ACE	dil NTC; Matrix; "E"NTCs<400
√	3061318	System Blank	N1876	7	Humid	200mL	1.00	RT/LD	ACE	06/13/24	2231	RT/LD	
√	3061319	2406181-09A	N6704	1	6.5 Hg->9.9 psi	200mL	2.14	RT/LD	ACE	06/13/24	2306	RT/LD	
√	3061320	2406181-08A	O0798	2	9.2 Hg->9.9 psi	100mL	4.83	RT/LD	ACE	06/13/24	2339	RT/LD	dil TC
√	3061321	2406181-12A	N3815	3	5.9 Hg->10 psi	65mL	6.44	RT/LD	ACE	06/14/24	0011	RT/LD	dil TC
√	3061322	2406181-15A	3023	4	7.3 Hg->9.9 psi	65mL	6.80	RT/LD	ACE	06/14/24	0042	RT/LD	dil TC
√	3061323	2406181-11A	1L3963	5	5.9 Hg->10 psi	20mL	20.9	RT/LD	ACE	06/14/24	0113	RT/LD	dil TC
√	3061324	2406181-14A	N2592	6	6.7 Hg->10.1 psi	20mL	21.7	RT/LD	ACE	06/14/24	0143	RT/LD	dil TC

Mjs 6/14/24

Use	File #	Enter/Scan Sample IDs	Canister#	Cart Pos.	Pressure	Amount	DF	Verify Load	Loaded Init.	Date Analyzed	Time	Review Init	Comments
√	3061325	2406133-01A	N7505	8	6.3 Hg->9.9 psi	200mL	2.12	RT/LD	ACE	06/14/24	0218	RT/LD	
√	3061326	2406133-02A	1L4701	9	29.8 Hg->9.9 psi	200mL	251	RT/LD	ACE	06/14/24	0253	RT/LD	
√	3061327	2406133-03A	N8282	10	6.3 Hg->9.9 psi	45mL	9.41	RT/LD	ACE	06/14/24	0324	RT/LD	dil Tc
√	3061328	2406133-06A	S1463	11	6.7 Hg->8.1 psi	200mL	2.00	RT/LD	ACE	06/14/24	0359	RT/LD	
√	3061329	2406133-05A	N3414	12	7.1 Hg->9.9 psi	200mL	2.19	RT/LD	ACE	06/14/24	0435	RT/LD	
√	3061330	2406133-05AA	N3414	12	7.1 Hg->9.9 psi	200mL	2.19	RT/LD	ACE	06/14/24	0510	RT/LD	DupAnB
√	3061331	System Blank	N1876	12	Humid	200mL	1.00	RT/LD	RT	06/14/24	0811	RT/LD	
√	3061332	CCV	3018-4465	13	50ppbv (200ppbv)	50mL	1.00	RT/LD	RT	06/14/24	0842	RT/LD	

RT/LD 6/14/24

z

MSD3

BFB Tune Verification: (176/174): (144064/147200) x 100 =97.86			
	3169-901	Exp. Date:	4/4/2025
BCM		97298	
1,4-DFB		356185	
CB-d5		352841	

Verified CCV vs. ICAL midpoint (-40%):	RT/LD
Method: 324Q0423a.m	

		Method TO-15/TO-14					
		SOP# 6					
		Vacuum:	NA				
Surrogate # 3169-901		Exp Date:	4/4/2025				
CCV	3018-4465	Exp Date:	7/22/2024	LCS	3018-4603	Exp Date	7/31/2024
CCV SP 1 #		Exp Date:		LCS Sp #1		Exp Date	
CCV SP 2 #		Exp Date:		LCS Sp #2		Exp Date	
CCV SP 3#		Exp Date:		LCS Sp #3		Exp Date	
CCV SP 4#		Exp Date:					

Use	File #	Enter/Scan Sample IDs	Canister#	Cart Pos.	Pressure	Amount	DF	Verify Lead	Loaded Init.	Date Analyzed	Time	Review Init	Comments
√	3061401	System Blank	N1876	12	Humid	200mL	1.00	RT/LD	RT	06/14/24	1043	RT/LD	
√	3061402	BFB Tune Check	3169-901	12	36ng	50mL	1.00	RT/LD	RT	06/14/24	1114	RT/LD	Exp. 4/4/25.
√	3061403	CCV	3018-4465	13	50ppbv (200ppbv)	50mL	1.00	RT/LD	RT	06/14/24	1202	RT/LD	Exp. 7/22/24. 2 out
√	3061404	LCS	3018-4603	14	50ppbv (200ppbv)	50mL	1.00	RT/LD	RT	06/14/24	1233	RT/LD	Exp. 7/31/24. 2 out AT23
√	3061405	LCSD	3018-4603	14	50ppbv (200ppbv)	50mL	1.00	RT/LD	RT	06/14/24	1304	RT/LD	Exp. 7/31/24. RPD OK.
√	3061406	Lab Blank	34424	11	Humid	200mL	1.00	RT/LD	RT	06/14/24	1340	RT/LD	
√	3061407	2406160-01A	O1014	1	6.1 Hg->10 psi	200mL	2.11	ACE	RT	06/14/24	1513	ACE	
√	3061408	2406160-01AA	O1014	1	6.1 Hg->10 psi	200mL	2.11	ACE	RT	06/14/24	1548	ACE	Dup AnB
√	3061409	2406133-04A	N8353	2	8.6 Hg->10 psi	200mL	2.36	ACE	RT	06/14/24	1624	ACE	
√	3061410	2406133-04AA	N8353	2	8.6 Hg->10 psi	200mL	2.36	ACE	RT	06/14/24	1659	ACE	DupAnB
√	3061411	2406133-07A	N7562	3	5.1 Hg->9.7 psi	40mL	10.0	ACE	RT	06/14/24	1730	ACE	dil TC
√	3061412	2406133-08A	N5475	4	7.6 Hg->10 psi	200mL	2.25	ACE	RT	06/14/24	1805	ACE	
√	3061413	2406133-09A	N5166	5	9.8 Hg->10 psi	200mL	2.50	ACE	RT	06/14/24	1840	ACE	
√	3061414	2406133-10A	N2678	6	11.2 Hg->10 psi	45mL	11.9	ACE	RT	06/14/24	1911	ACE	dil TC
√	3061415	2406133-11A	1L1792	7	15.5 Hg->9.9 psi	200mL	3.46	ACE	RT	06/14/24	1946	ACE	"E"Carbon Disulfide(NTC)<400
√	3061416	2406133-12A	N7793	8	11.4 Hg->10 psi	200mL	2.71	ACE	RT	06/14/24	2021	ACE	
√	3061417	2406133-13A	N5605	9	7.3 Hg->9.8 psi	200mL	2.20	ACE	RT	06/14/24	2056	ACE	
√	3061418	2406165B-03A	N7502	1	6.7 Hg->10.1 psi	200mL	2.17	jcw	ACE	06/14/24	2252	jcw	
√	3061419	2406165B-04A	N6881	2	5.9 Hg->10 psi	200mL	2.09	jcw	ACE	06/14/24	2327	jcw	
√	3061420	2406133-14A	1L4700	3	8.2 Hg->9.9 psi	200mL	2.30	jcw	ACE	06/15/24	0002	jcw	
√	3061421	2406133-15A	N7285	4	8.6 Hg->9.8 psi	200mL	2.34	jcw	ACE	06/15/24	0037	jcw	
√	3061422	2406133-16A	N8419	5	8.8 Hg->10 psi	200mL	2.38	jcw	ACE	06/15/24	0112	jcw	
√	3061423	2406133-17A	N8082	6	9.6 Hg->10.3 psi	200mL	2.50	jcw	ACE	06/15/24	0147	jcw	
√	3061424	2406133-18A	B2546	7	9 Hg->9.7 psi	200mL	2.37	jcw	ACE	06/15/24	0222	jcw	
√	3061425	2406133-19A	N8317	8	8.4 Hg->9.8 psi	200mL	2.31	jcw	ACE	06/15/24	0257	jcw	
√	3061426	2406133-20A	1L4761	9	7.6 Hg->10 psi	200mL	2.25	jcw	ACE	06/15/24	0332	jcw	
√	3061427	2406133-21A	N5169	10	8.2 Hg->9.7 psi	200mL	2.28	jcw	ACE	06/15/24	0407	jcw	
√	3061428	2406133-22A	O0248	11	6.7 Hg->9.6 psi	200mL	2.13	jcw	ACE	06/15/24	0442	jcw	
√	3061429	System Blank	N1876	1	Humid	200mL	1.00	jcw	jcw	06/15/24	0754	jcw	
√	3061430	CCV	3018-4465	13	50ppbv (200ppbv)	50mL	1.00	jcw	jcw	06/15/24	0826	jcw	Exp. 7/22/24. 2 out AT23

Reviewed by*: HW Date: 06/15/24

*Must be an independent reviewer

US32TAR1

Data file : /chem/msd3.i/23APR24.b/3042306.d
Lab Smp Id: BFB Client Smp ID: BFB
Inj Date : 23-APR-2024 20:30
Operator : DF Inst ID: msd3.i
Smp Info : 50mL 3329-901;BFB Tune Check
Misc Info : 36ng
Comment :
Method : /chem/msd3.i/23APR24.b/bfb30.m
Meth Date : 17-Aug-2023 11:53 p5fl Quant Type: ESTD
Cal Date : Cal File:
Als bottle: 12 QC Sample: BFB
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: all.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * Uf * Vf * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor
Uf	1.00000	ng unit correction factor
Vf	1.00000	Volumetric correction factor

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL (ug/L)	FINAL (PPBV)		
RT	EXP RT	DLT RT	MASS	RESPONSE			TARGET RANGE	RATIO
1 bfb							CAS #: 460-00-4	
10.295	10.331	-0.036	95	199040			100.00- 100.00	100.00
10.295	9.729	0.566	50	45477			8.00- 40.00	22.85
10.295	9.729	0.566	75	90602			30.00- 66.00	45.52
10.295	9.729	0.566	96	13140			5.00- 9.00	6.60
10.295	9.729	0.566	173	1817			0.00- 1.99	1.07
10.295	9.729	0.566	174	169365			50.01- 120.00	85.09
10.295	9.729	0.566	175	12601			4.00- 9.00	7.44
10.295	9.729	0.566	176	164074			93.00- 101.00	96.88
10.295	9.729	0.566	177	10508			5.00- 9.00	6.40

Data File: /chem/msd3.i/23APR24.b/3042306.d

Date : 23-APR-2024 20:30

Client ID: BFB


Instrument: msd3.i

Sample Info: 50mL 3329-901;BFB Tune Check

Operator: DF

Column phase:

Column diameter: 2.00



Data File: /chem/msd3.i/23APR24.b/3042306.d

Date : 23-APR-2024 20:30

Client ID: BFB

Instrument: msd3.i


Sample Info: 50mL 3329-901;BFB Tune Check

Operator: DF

Column phase:

Column diameter: 2.00

1 bfb



m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
95	Base Peak, 100% relative abundance	100.00
50	8.00 - 40.00% of mass 95	22.85
75	30.00 - 66.00% of mass 95	45.52
96	5.00 - 9.00% of mass 95	6.60
173	Less than 1.99% of mass 174	0.91 (1.07)
174	50.01 - 120.00% of mass 95	85.09
175	4.00 - 9.00% of mass 174	6.33 (7.44)
176	93.00 - 101.00% of mass 174	82.43 (96.88)
177	5.00 - 9.00% of mass 176	5.28 (6.40)

Date : 23-APR-2024 20:30

Client ID: BFB Instrument: msd3.i

Sample Info: 50mL 3329-901;BFB Tune Check

Operator: DF

Column phase: Column diameter: 2.00

Data File: 3042306.d
Spectrum: Avg. Scans 1151-1153 (10.30), Background Scan 1140
Location of Maximum: 95.00
Number of points: 97

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.00	2248	65.00	67	95.00	199040	141.00	1979
37.00	10947	67.00	593	96.00	13140	142.00	324
38.00	9761	68.00	18200	97.00	458	143.00	2184
39.00	3800	69.00	18520	103.00	69	144.00	69
40.00	143	70.00	1561	104.00	934	145.00	76
41.00	101	71.00	68	105.00	314	146.00	414
43.00	121	72.00	1014	106.00	915	147.00	90
44.00	1194	73.00	7795	107.00	252	148.00	578
45.00	1921	74.00	29848	111.00	164	149.00	81
46.00	275	75.00	90600	113.00	92	150.00	301
47.00	3755	76.00	7674	115.00	265	153.00	165
48.00	1582	77.00	1098	116.00	733	154.00	73
49.00	9904	78.00	832	117.00	1243	155.00	563
50.00	45472	79.00	5287	118.00	861	157.00	398
51.00	13981	80.00	1510	119.00	967	159.00	297
52.00	671	81.00	5463	124.00	142	161.00	280
55.00	542	82.00	1174	126.00	76	173.00	1817
56.00	3278	83.00	158	128.00	786	174.00	169344
57.00	5649	86.00	397	129.00	399	175.00	12601
58.00	303	87.00	7926	130.00	768	176.00	164032
60.00	2175	88.00	7557	131.00	348	177.00	10508
61.00	9261	91.00	746	135.00	439	178.00	333
62.00	9605	92.00	5416	137.00	390		
63.00	7034	93.00	7925	139.00	70		
64.00	755	94.00	21992	140.00	146		

US32TAR1

Data file : /chem/msd3.i/24APR24.b/3042402.d
Lab Smp Id: BFB Client Smp ID: BFB
Inj Date : 24-APR-2024 10:57
Operator : jrf Inst ID: msd3.i
Smp Info : 50mL 3329-901;BFB Tune Check
Misc Info : 36ng
Comment :
Method : /chem/msd3.i/24APR24.b/bfb30.m
Meth Date : 17-Aug-2023 11:53 p5fl Quant Type: ESTD
Cal Date : Cal File:
Als bottle: 2 QC Sample: BFB
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: all.sub
Sample Matrix: AIR

Concentration Formula: Amt * DF * Uf * Vf * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor
Uf	1.00000	ng unit correction factor
Vf	1.00000	Volumetric correction factor

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL (ug/L)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
RT	EXP RT	DLT RT	MASS	RESPONSE				
1 bfb							CAS #: 460-00-4	
10.295	10.331	-0.036	95	185237			100.00- 100.00	100.00
10.295	9.729	0.566	50	42533			8.00- 40.00	22.96
10.295	9.729	0.566	75	85218			30.00- 66.00	46.00
10.295	9.729	0.566	96	12370			5.00- 9.00	6.68
10.295	9.729	0.566	173	1500			0.00- 1.99	0.95
10.295	9.729	0.566	174	157717			50.01- 120.00	85.14
10.295	9.729	0.566	175	11725			4.00- 9.00	7.43
10.295	9.729	0.566	176	153250			93.00- 101.00	97.17
10.295	9.729	0.566	177	9906			5.00- 9.00	6.46

Data File: /chem/msd3.i/24APR24.b/3042402.d

Date : 24-APR-2024 10:57

Client ID: BFB


Instrument: msd3.i

Sample Info: 50mL 3329-901;BFB Tune Check

Operator: jrf

Column phase:

Column diameter: 2.00



Data File: /chem/msd3.i/24APR24.b/3042402.d

Date : 24-APR-2024 10:57

Client ID: BFB

Instrument: msd3.i


Sample Info: 50mL 3329-901;BFB Tune Check

Operator: jrf

Column phase:

Column diameter: 2.00

1 bfb



m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
95	Base Peak, 100% relative abundance	100.00
50	8.00 - 40.00% of mass 95	22.96
75	30.00 - 66.00% of mass 95	46.00
96	5.00 - 9.00% of mass 95	6.68
173	Less than 1.99% of mass 174	0.81 (0.95)
174	50.01 - 120.00% of mass 95	85.14
175	4.00 - 9.00% of mass 174	6.33 (7.43)
176	93.00 - 101.00% of mass 174	82.73 (97.17)
177	5.00 - 9.00% of mass 176	5.35 (6.46)

Date : 24-APR-2024 10:57

Client ID: BFB Instrument: msd3.i

Sample Info: 50mL 3329-901;BFB Tune Check

Operator: jrf

Column phase: Column diameter: 2.00

Data File: 3042402.d
Spectrum: Avg. Scans 1151-1153 (10.30), Background Scan 1140
Location of Maximum: 95.00
Number of points: 92

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.00	1739	64.00	603	94.00	20528	141.00	1952
37.00	10411	65.00	80	95.00	185216	142.00	299
38.00	9447	67.00	596	96.00	12370	143.00	1905
39.00	3760	68.00	17040	97.00	437	145.00	84
40.00	190	69.00	17216	104.00	790	146.00	328
41.00	56	70.00	1376	105.00	316	147.00	77
43.00	238	72.00	957	106.00	729	148.00	478
44.00	1047	73.00	7221	107.00	173	150.00	204
45.00	2058	74.00	27528	110.00	72	153.00	71
46.00	161	75.00	85216	111.00	229	155.00	475
47.00	3104	76.00	7234	113.00	165	157.00	395
48.00	1422	77.00	1141	115.00	249	159.00	277
49.00	9041	78.00	808	116.00	755	161.00	282
50.00	42528	79.00	4799	117.00	1113	172.00	100
51.00	13274	80.00	1498	118.00	785	173.00	1500
52.00	609	81.00	5021	119.00	890	174.00	157696
55.00	549	82.00	1055	124.00	70	175.00	11725
56.00	3169	83.00	144	128.00	823	176.00	153216
57.00	5557	86.00	180	129.00	383	177.00	9906
58.00	319	87.00	7475	130.00	728	178.00	350
60.00	1906	88.00	7254	131.00	280		
61.00	9093	91.00	816	135.00	366		
62.00	8516	92.00	4857	137.00	352		
63.00	6336	93.00	7615	140.00	70		

US32TAR1

Data file : /chem/msd3.i/13JUN24.b/3061302.d
Lab Smp Id: BFB Client Smp ID: BFB
Inj Date : 13-JUN-2024 10:48
Operator : RT Inst ID: msd3.i
Smp Info : 50mL 3169-901;BFB Tune Check
Misc Info : 36ng
Comment :
Method : /chem/msd3.i/13JUN24.b/bfb30.m
Meth Date : 12-Jun-2024 11:47 z8dr Quant Type: ESTD
Cal Date : Cal File:
Als bottle: 12 QC Sample: BFB
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: all.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * Uf * Vf * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor
Uf	1.00000	ng unit correction factor
Vf	1.00000	Volumetric correction factor

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL (ug/L)	FINAL (PPBV)	TARGET RANGE	RATIO
RT	EXP RT	DLT RT	MASS	RESPONSE				
1 bfb						CAS #: 460-00-4		
10.288	10.331	-0.043	95	164586			100.00- 100.00	100.00
10.288	10.331	-0.043	50	35992			8.00- 40.00	21.87
10.288	10.331	-0.043	75	74802			30.00- 66.00	45.45
10.288	10.331	-0.043	96	10787			5.00- 9.00	6.55
10.288	10.331	-0.043	173	1393			0.00- 1.99	0.96
10.288	10.331	-0.043	174	145432			50.01- 120.00	88.36
10.288	10.331	-0.043	175	10857			4.00- 9.00	7.47
10.288	10.331	-0.043	176	141946			93.00- 101.00	97.60
10.288	10.331	-0.043	177	9552			5.00- 9.00	6.73

Data File: /chem/msd3.i/13JUN24.b/3061302.d

Page 1

Date : 13-JUN-2024 10:48

Client ID: BFB


Instrument: msd3.i

Sample Info: 50mL 3169-901;BFB Tune Check

Operator: RT

Column phase:

Column diameter: 2.00



Data File: /chem/msd3.i/13JUN24.b/3061302.d

Date : 13-JUN-2024 10:48

Client ID: BFB

Instrument: msd3.i


Sample Info: 50mL 3169-901;BFB Tune Check

Operator: RT

Column phase:

Column diameter: 2.00

1 bfb



m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
95	Base Peak, 100% relative abundance	100.00
50	8.00 - 40.00% of mass 95	21.87
75	30.00 - 66.00% of mass 95	45.45
96	5.00 - 9.00% of mass 95	6.55
173	Less than 1.99% of mass 174	0.85 (0.96)
174	50.01 - 120.00% of mass 95	88.36
175	4.00 - 9.00% of mass 174	6.60 (7.47)
176	93.00 - 101.00% of mass 174	86.24 (97.60)
177	5.00 - 9.00% of mass 176	5.80 (6.73)

Date : 13-JUN-2024 10:48

Client ID: BFB Instrument: msd3.i

Sample Info: 50mL 3169-901;BFB Tune Check

Operator: RT

Column phase: Column diameter: 2.00

Data File: 3061302.d
Spectrum: Avg. Scans 1150-1152 (10.29), Background Scan 1140
Location of Maximum: 95.00
Number of points: 90

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.00	1862	63.00	5512	91.00	631	137.00	331
37.00	8731	64.00	524	92.00	4594	141.00	1791
38.00	7679	65.00	290	93.00	6848	142.00	291
39.00	3121	67.00	459	94.00	18408	143.00	1734
40.00	128	68.00	14910	95.00	164544	145.00	302
41.00	72	69.00	15329	96.00	10787	146.00	286
43.00	76	70.00	1176	97.00	346	147.00	91
44.00	922	72.00	762	104.00	718	148.00	507
45.00	1800	73.00	6682	105.00	306	150.00	160
46.00	161	74.00	24408	106.00	686	154.00	70
47.00	3066	75.00	74800	107.00	139	155.00	442
48.00	1180	76.00	6566	111.00	73	157.00	358
49.00	7373	77.00	906	115.00	272	159.00	204
50.00	35992	78.00	630	116.00	625	161.00	179
51.00	11053	79.00	4134	117.00	1134	172.00	459
52.00	497	80.00	1322	118.00	642	173.00	1393
55.00	555	81.00	4154	119.00	892	174.00	145408
56.00	2714	82.00	956	124.00	66	175.00	10857
57.00	4657	83.00	161	128.00	648	176.00	141888
58.00	281	86.00	184	129.00	422	177.00	9552
60.00	1812	87.00	6597	130.00	670	178.00	194
61.00	7942	88.00	6067	131.00	277		
62.00	7412	89.00	70	135.00	343		

US32TAR1

Data file : /chem/msd3.i/14JUN24.b/3061402.d
Lab Smp Id: BFB Client Smp ID: BFB
Inj Date : 14-JUN-2024 11:14
Operator : RT Inst ID: msd3.i
Smp Info : 50mL 3169-901;BFB Tune Check
Misc Info : 36ng
Comment :
Method : /chem/msd3.i/14JUN24.b/bfb30.m
Meth Date : 12-Jun-2024 11:47 z8dr Quant Type: ESTD
Cal Date : Cal File:
Als bottle: 12 QC Sample: BFB
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: all.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * Uf * Vf * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor
Uf	1.00000	ng unit correction factor
Vf	1.00000	Volumetric correction factor

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL (ug/L)	FINAL (PPBV)	TARGET RANGE	RATIO
1 bfb							CAS #: 460-00-4	
10.288	10.331	-0.043	95	165418			100.00- 100.00	100.00
10.288	10.331	-0.043	50	34840			8.00- 40.00	21.06
10.288	10.331	-0.043	75	75610			30.00- 66.00	45.71
10.288	10.331	-0.043	96	10952			5.00- 9.00	6.62
10.288	10.331	-0.043	173	1002			0.00- 1.99	0.68
10.288	10.331	-0.043	174	147258			50.01- 120.00	89.02
10.288	10.331	-0.043	175	10676			4.00- 9.00	7.25
10.288	10.331	-0.043	176	144096			93.00- 101.00	97.85
10.288	10.331	-0.043	177	9289			5.00- 9.00	6.45

Data File: /chem/msd3.i/14JUN24.b/3061402.d

Date : 14-JUN-2024 11:14

Client ID: BFB


Instrument: msd3.i

Sample Info: 50mL 3169-901;BFB Tune Check

Operator: RT

Column phase:

Column diameter: 2.00



Data File: /chem/msd3.i/14JUN24.b/3061402.d

Date : 14-JUN-2024 11:14

Client ID: BFB

Instrument: msd3.i


Sample Info: 50mL 3169-901;BFB Tune Check

Operator: RT

Column phase:

Column diameter: 2.00

1 bfb



m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
95	Base Peak, 100% relative abundance	100.00
50	8.00 - 40.00% of mass 95	21.06
75	30.00 - 66.00% of mass 95	45.71
96	5.00 - 9.00% of mass 95	6.62
173	Less than 1.99% of mass 174	0.61 (0.68)
174	50.01 - 120.00% of mass 95	89.02
175	4.00 - 9.00% of mass 174	6.45 (7.25)
176	93.00 - 101.00% of mass 174	87.11 (97.85)
177	5.00 - 9.00% of mass 176	5.62 (6.45)

Date : 14-JUN-2024 11:14

Client ID: BFB Instrument: msd3.i

Sample Info: 50mL 3169-901;BFB Tune Check

Operator: RT

Column phase: Column diameter: 2.00

Data File: 3061402.d
Spectrum: Avg. Scans 1150-1152 (10.29), Background Scan 1140
Location of Maximum: 95.00
Number of points: 88

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.00	1656	64.00	569	94.00	19104	143.00	1766
37.00	8506	65.00	246	95.00	165376	144.00	75
38.00	7796	67.00	471	96.00	10952	145.00	71
39.00	3006	68.00	14862	97.00	388	146.00	295
40.00	83	69.00	14862	104.00	685	148.00	466
43.00	142	70.00	1164	105.00	261	149.00	69
44.00	1033	72.00	891	106.00	730	150.00	230
45.00	1692	73.00	6631	107.00	219	153.00	85
46.00	163	74.00	24472	111.00	71	155.00	466
47.00	3006	75.00	75608	113.00	163	157.00	389
48.00	1151	76.00	6437	115.00	84	159.00	181
49.00	7456	77.00	1029	116.00	620	161.00	215
50.00	34840	78.00	625	117.00	1035	172.00	409
51.00	10894	79.00	4127	118.00	639	173.00	1002
52.00	540	80.00	1222	119.00	946	174.00	147200
55.00	497	81.00	4221	128.00	617	175.00	10676
56.00	2695	82.00	905	129.00	372	176.00	144064
57.00	4611	86.00	172	130.00	650	177.00	9289
58.00	271	87.00	7262	131.00	307	178.00	328
60.00	1464	88.00	6397	135.00	326		
61.00	7592	91.00	719	137.00	278		
62.00	7490	92.00	4521	141.00	1802		
63.00	5683	93.00	6657	142.00	268		

Shipping/Receiving Documents

eurofins | Air Toxics

Eurofins Air Toxics Sample Receipt Confirmation Cover Page

Thank you for choosing Eurofins Air Toxics (EATL). We have received your samples and have listed any Sample Receipt Descrepancies below.

In order to expedite analysis and reporting, please review the attached information for accuracy.

For corrections call: **Air Toxics, Ltd. at 916-985-1000**

EATL will proceed with the analysis as specified on the Chain of Custody (COC) and Sample Receipt Summary page.

Please note : The Sample Receipt Confirmation, including the total workorder charge, is subject to change upon secondary review. Our aim is to provide a confirmation to you in a timely manner. Sample Receipt Discrepancies, if any, may not include discrepancies regarding sample receipt pressure(s). Additionally, the COC will be provided with the final report.

The following discrepancies have been observed:

The Chain of Custody (COC) information for sample T1AMF-SV019_May24 did not match the information on the canister with regard to canister barcode. The sample labeled 1L4781 on the COC is labeled as 1L4761 on the canister. Unless otherwise notified, Eurofins Air Toxics will proceed with the analysis using the information on the canister to process and report the sample.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000 .FAX (916) 985-1020
Hours 6:30 A.M to 5:30 P.M. PST

Analysis Request / Canister Chain of Custody

eurofins | Air Toxics

Eurofins Environment Testing Northern California, LLC
180 Blue Ravine Rd. Suite B, Folsom, CA 95630
Phone (800) 985-5955; Fax (916) 351-8279

Workorder #: 2406133

Instructions

If no TAT is marked, EATL will proceed with Standard TAT

Client: Parsons
Site Name: Titan 1-A
Project Manager: Carrie Ross
Sampler:

Project Name: Titan 1-A Semi-Annual GW and SV sampling
Project #:
PO#:

Turnaround Time (Specify Below)
Standard X Rush ____ (Surcharges will apply, per availability)
Samples received after 3PM PST are considered to be received on the following workday.
Requested Date (mm/dd/yy):
OR Number of Days:

Lab ID	Field Sample Identification (Location)	Canister Barcode #	Flow Controller Barcode #	Start Sampling Information		Stop Sampling Information		Requested Analyses	Canister Vacuum/Pressure		Lab Use Only	
				Date	Time	Date	Time	TO-15	Initial (in "Hg)	Final (in "Hg)	Receipt (in "Hg)	Final (in psi) Gas: N2 / He
01A	T1AMF-SV018_May24	IL3753	25492	5/24/24	1051	5/28/24	1057	X	-26	-5		
02A	T1AMF-SV021_May24	IL4720	22351		1202		1223	X	-30	-30		
03A	T1AMF-SV001_May24	IL4497	22390		1319		1329	X	-28	-5		
04A	T1AMF-SV033_May24	IL4654	22535		1443		1452	X	-28	-5		
05A	T1AMF-SV023_May24	IL3147	22526	5/29/24	0857	5/29/24	0902	X	-26	-5		
06A	T1AMF-SV023_May24_FD	LC273	20946		0857		0903	X	-26	-5		
07A	T1AMF-SV024_May24	IL4004	22399		1054		1102	X	-29	-1		
08A	T1AMF-SV026_May24	IL1877	24618		1211		1220	X	-26	-5		
09A	T1AMF-SV026_May24	FD IL3309	21824		1211		1220	X	-28	-5		
10A	T1AMF-SV022_May24	IL2975	30295		1310		1315	X	-26	-5		
11A	T1AMF-SV020_May24	IL1792	24633		1445		1505	X	-22	-17		
12A	T1AMF-SV028_May24	IL4129	316XX4		1617		1625	X	-28	-5		

Special Instructions/Notes:
Please have analytical results sent to: Mark.Rigby@parsons.com, Carrie.Ross@parsons.us, Sandra.Dekis-fuentes@parsons.us

Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time
Arnold Imantol	6/3/24	1750	Matthew Sherman	6/3/24	1808
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time

Shipper Name: HD
Custody Seals Intact? Yes No (None) — Lab Use Only
Condition:

Sample Transportation Notice: Relinquishing signature on this document indicates that samples are shipped in compliance with all applicable local, State, Federal, and international laws, regulations, and ordinances of any kind. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Eurofins Air Toxics against any claim, demand, or action, of any kind, related to the collection, handling, of shipping of samples. D.O.T Hotline (800) 467-4922

Analysis Request / Canister Chain of Custody

eurofins | Air Toxics

Eurofins Environment Testing Northern California, LLC
180 Blue Ravine Rd. Suite B, Folsom, CA 95630
Phone (800) 985-5955; Fax (916) 351-8279

Workorder #: 2406133

Instructions

If no TAT is marked, EATL will proceed with Standard TAT

Client: Parsons
Site Name: Titan 1-A
Project Manager: Carrie Ross
Sampler:

Project Name: Titan 1A Semi-Annual GW and SV Sampling
Project #:
PO#:

Turnaround Time (Specify Below)
Standard ____ Rush ____ (Surcharges will apply, per availability)
Samples received after 3PM PST are considered to be received on the following workday
Requested Date (mm/dd/yy):
OR Number of Days:

Lab ID	Field Sample Identification (Location)	Canister Barcode #	Flow Controller Barcode #	Start Sampling Information		Stop Sampling Information		Requested Analyses				Canister Vacuum/Pressure		Lab Use Only	
				Date	Time	Date	Time	TO-15				Initial (in "Hg)	Final (in "Hg)	Receipt (in "Hg)	Final (in psi) Gas: N2 / He
13A	TIAMF-SV002_May24	IL3343	20298	5/30/24	0903	5/30/24	0911	X				-27	-5		
14A	TIAMF-SV006_May24	IL4700	21437	"	1020	"	1028	X				-27	-5		
15A	TIAMF-SV016_May24	IL3746	25379	"	1130	"	1137	X				-28	-5		
16A	TIAMF-SV008_May24	IL4533	24506	"	1246	"	1251	X				-27	-5		
17A	TIAMF-SV005B_May24	IL4299	21482	"	1455	"	1504	X				-30	-5		
18A	TIAMF-SV004_May24	IL2206	20141	"	1618	"	1626	X				-26	-5		
19A	TIAMF-SV025_May24	IL4524	22506	5/31/24	0902	5/31/24	0907	X				-26	-5		
20A	TIAMF-SV019_May24	IL4781	25509	"	1004	"	1009	X				-27	-5		
21A	TIAMF-SV002_May24	IL3314	25377	"	1121	"	1128	X				-28	-5		
22A	TIAMF-SV015B_May24	IL2881	25371	"	1310	"	1315	X				-30	-25		

Special Instructions/Notes:
Please have analytical results sent to Mark.Rigby@parsons.com, Carrie.Ross@parsons.us, Sandra.Delafuentes@parsons.us

Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time
Arnold Hinrichs	6/3/24	1750	MATTHEW SILVERMAN	6/3/24	1808
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time

Lab Use Only

Shipper Name: HD | Custody Seals Intact? Yes No None | Condition:

Sample Transportation Notice: Relinquishing signature on this document indicates that samples are shipped in compliance with all applicable local, State, Federal, and international laws, regulations, and ordinances of any kind. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Eurofins Air Toxics against any claim, demand, or action, of any kind, related to the collection, handling, of shipping of samples. D.O.T Hotline (800) 467-4922

eurofins | Air Toxics

SAMPLE RECEIPT SUMMARY

WORKORDER 2406133

Client

Mr. Mark Rigby
PARSONS GOVERNMENT SERVICES INC.
10235 So. South Jordan Gateway
Suite 300
South Jordan, UT 84095
Sales Rep: KD

Phone

801-572-5999

Fax

801-572-9069

Date Promised: 06/17/24
Date Completed:
Date Received: 6/3/24
PO#: PO-0015539
Project#: Titan 1-A Semi -Annual GW and SV samplin
Total $: $ 5,450.00
Logged By: LL

Fraction	Sample #	Analysis	Collected	Receipt Vac./Pres.	Amount$
01A	T1AMF-SV018_May24	TO-15	5/28/2024	6.3 "Hg	$145.00
02A(cancelled	T1AMF-SV021_May24	TO-15	5/28/2024	29.8 "Hg	$0.00
03A	T1AMF-SV001_May24	TO-15	5/28/2024	6.3 "Hg	$145.00
04A	T1AMF-SV033_May24	TO-15	5/28/2024	8.6 "Hg	$145.00
05A	T1AMF-SV023_May24	TO-15	5/29/2024	7.1 "Hg	$145.00
06A	T1AMF-SV023_May24_FD	TO-15	5/29/2024	6.7 "Hg	$145.00
07A	T1AMF-SV024_May24	TO-15	5/29/2024	5.1 "Hg	$145.00
08A	T1AMF-SV026_May24	TO-15	5/29/2024	7.6 "Hg	$145.00
09A	T1AMF-SV026_May24_FD	TO-15	5/29/2024	9.8 "Hg	$145.00
10A	T1AMF-SV022_May24	TO-15	5/29/2024	11.2 "Hg	$145.00
11A	T1AMF-SV020_May24	TO-15	5/29/2024	15.5 "Hg	$145.00
12A	T1AMF-SV017B_May24	TO-15	5/29/2024	11.4 "Hg	$145.00
13A	T1AMF-SV007_May24	TO-15	5/30/2024	7.3 "Hg	$145.00
14A	T1AMF-SV006_May24	TO-15	5/30/2024	8.2 "Hg	$145.00
15A	T1AMF-SV016_May24	TO-15	5/30/2024	8.6 "Hg	$145.00
16A	T1AMF-SV008_May24	TO-15	5/30/2024	8.8 "Hg	$145.00
17A	T1AMF-SV005B_May24	TO-15	5/30/2024	9.6 "Hg	$145.00
18A	T1AMF-SV004_May24	TO-15	5/30/2024	9 "Hg	$145.00
19A	T1AMF-SV025_May24	TO-15	5/31/2024	8.4 "Hg	$145.00
20A	T1AMF-SV019_May24	TO-15	5/31/2024	7.6 "Hg	$145.00

Note: Samples received after 3 P.M. PST are considered to be received on the following work day.
Atlas Project Name/Profile#: Titan 1A Soil Vapor/28661

BILL TO: Mr. Mark Rigby
PARSONS GOVERNMENT SERVICES INC.
10235 So. South Jordan Gateway
Suite 300
South Jordan, UT 84095

Analysis Code: TO-14A

REMARKS: Full Project Name: Titan 1-A Semi -Annual GW and SV sampling

TERMS:

Reporting Method: TO-15 (DoD) (Sh)-Parsons (Titan 1A)

eurofins | Air Toxics

SAMPLE RECEIPT SUMMARY Continued

Client

Mr. Mark Rigby
PARSONS GOVERNMENT SERVICES INC.
10235 So. South Jordan Gateway
Suite 300
South Jordan, UT 84095
Sales Rep: KD

Phone

801-572-5999

Fax

801-572-9069

Date Promised: 06/17/24
Date Completed:
Date Received: 6/3/24
PO#: PO-0015539
Project#: Titan 1-A Semi -Annual GW and SV samplin
Total $: $ 5,450.00
Logged By: LL

Fraction	Sample #	Analysis	Collected	Receipt Vac./Pres.	Amount$
21A	T1AMF-SV002_May24	TO-15	5/31/2024	8.2 "Hg	$145.00
22A	T1AMF-SV015B_May24	TO-15	5/31/2024	6.7 "Hg	$145.00

Misc. Charges	1 Liter Summa Canister (22) @ $40.00 each., Shipment 162019	$880.00
	Soil Gas Manifold (21) @ $40.00 each., Shipment 162019	$840.00
	SERWM Fee (22) @ $2.50 each.	$55.00
	Client Specific EDD (22) @ $10.00 each.	$220.00
	eCVP (22) @ $10.00 each.	$220.00
	Fitting w/ Pink Ferrule (38) @ $5.00 each.	$190.00

Note: Samples received after 3 P.M. PST are considered to be received on the following work day.
Atlas Project Name/Profile#: Titan 1A Soil Vapor/28661

BILL TO: Mr. Mark Rigby
PARSONS GOVERNMENT SERVICES INC.
10235 So. South Jordan Gateway
Suite 300
South Jordan, UT 84095

Analysis Code: TO-14A

REMARKS: Full Project Name: Titan 1-A Semi -Annual GW and SV sampling

TERMS:

Reporting Method: TO-15 (DoD) (Sh)-Parsons (Titan 1A)

Sample Discrepancy Report

Identification

Initiated By: LL **Project ID:**28661 **PM**: BSW **Date:** 6/10/2024 **Discrepancy Type:** ☒ **1.** ☒ **2.** ☐ **3.**

Workorder(s) affected:2406133 **Sample(s) affected:** 20A;02A and 11A

1. Sample Receipt Discrepancies

Narration Not Required:

1.1. ☐ Sample container (cartridge/tube) was received broken, however sample was intact.
1.2. ☐ No brass cap on canister.
1.3. ☐ Date of Collection noted on first sample, but no arrow down to indicate all samples.
1.4. ☐ Sampling year not documented on COC but noted on sample tag.
1.5. ☐ Sorbent Sample received outside method required temperature of 2°C to 6°C but less than 6°C.

Notify Lab for further determination:

1.6. ☐ Tedlar bag received with minimal volume.

Narration Required in Lab Narrative and Sample Confirmation:

1.7. ☐ COC was not filled out in ink.
1.8. ☐ COC improperly relinquished / received.
☐Signature missing ☐date missing ☐time missing.
1.9. ☐ Sample ID on tags do not match the COC.
1.10. ☒ Can numbers do not match the COC.
1.11. ☐ Sampling date discrepancy.
1.12. ☐ Custody Seal on the outside of the container was ☐ broken / ☐ improperly placed (check one).
1.13. ☐ ID-none on the sample Tag/Blank.
1.14. ☐ Other (describe below).

Initials: _____Date:_____

Describe the Discrepancy: 1.10 - 20A

2. Sample Receipt/Screening Discrepancies requiring PM notification

Document on Cover Page of Sample Receipt Confirmation and in Receiving Notes of Lab Narrative

If Section II. is filled out PM must be notified within 24 hrs of initiation

2.1. ☐ COC was not received with samples.
2.2. ☐ Analysis method(s) is ☐ not specified / ☐ incorrectly specified (check one) on the COC.
2.3. ☐ Incorrect sampling media / container for analysis requested.
2.4. ☐ Number of samples on the COC does not match the number of samples that were received.
2.5. ☐ Samples were received expired.
2.6. ☐ Sampling date is not documented for ☐ *some* / ☐ *any* samples (check one).
2.7. ☐ Sample received with amount of H_2O in the Tedlar Bag.
2.8. ☐ Sample cannot be analyzed. Container was ☐ received broken / ☐ leaking / ☐ flat / ☐ defective.
2.9. ☐ Tedlar bag / canister received emitting a strong odor; Sample ☐ can / ☐ cannot (check one) be analyzed.
2.10. ☐ Sorbent samples -sampling volume was not provided.
2.11. ☐ Flow controller used – canister samples received at ambient or under pressure.
2.12. ☐ Canister was at ambient pressure at time of pressurization and (check all that apply):
☐ Canister valve was open.
☐ Brass nut was loose/not present.
☐ Sample can be analyzed.
☐ Sample cannot be analyzed.
2.13. ☐ Canister sample received with a vacuum difference >5.0"Hg between the receipt vac. and the final recorded vac. on the COC.
☐ Canister passed leak check in lab <2psi, no evidence sample was compromised.
☐ Canister failed lab leak check, canister found to be leaking. Canister sample compromised.
2.14. ☒ Canister sample received at >15"Hg (*not* identified as a Trip/Field Blank).
2.15. ☐ Canister Trip Blank received at low vacuum (<25"Hg).
2.16. ☐ Sorbent Sample received outside method required temperature of 2°C to 6°C; ☐ ice / ☐ blue ice (check one) was present. A temp. Blank ☐ was / ☐ was not present (check one).
2.17. ☐ Other (describe below).

Initials: jyw **Date:** 6/13/2024 **Notify Receiving:** ☐ **Notify PM:** ☐

Describe the Discrepancy: 2.14-02A and 11A

3. Lab Discrepancies requiring Team Leader/PM notification

Document in Analytical Notes of Lab Narrative

If Section III. is filled out PM must be notified within 24 hrs of initiation

3.1. ☐ Tedlar Bag found to be leaking at the time of analysis; sample ☐ can / ☐ cannot (check one) be analyzed.

3.2. ☐ Tedlar Bag found to be flat/low volume; sample cannot be analyzed.

3.3. ☐ Samples received with insufficient time to analyze prior to expiration.

3.4. ☐ Canister found to be leaking at the time of analysis.

3.5. ☐ Sample loss due to instrument malfunction / broken glassware.

3.6. ☐ Low/high surrogate recoveries noted in QC/sample(s) for extractable samples.

3.7. ☐ Reporting Limit was raised.

3.8. ☐ Post weight > Pre weight in field/lab Blank for PM10/TSP samples.

3.9. ☐ Sample Trip Blank has a reportable level(s) of target compound(s) present. Re-analysis confirmed the initial result.

3.10. ☐ Other (describe below).

Initials: _____ **Date:** _____ **Notify Receiving:** ☐ **Notify PM:** ☐ _____

Team Lead Initials: _____ **Date:** _____

Describe the Discrepancy: _____

_____

_____

How Does this Affect Client: _____

_____

_____

Project Manager Use Only

Project Manager Notification ☒ **Section 2 Complete** ☐ **Section 3 Complete**

Action:

☐ It is not necessary to notify the client. Narrate the discrepancy in Receiving Notes/Analytical Notes of Lab Narrative.

PM Initials:_____ Date: _____

☒ Client notification required. See attached client contact / email, or comments below:

Client Notification:

PM Initials:BSW Person notified: Mark Rigby Date: 6/13/2024

☐ Waiting for Client Reply

Comments: **Cancel 02A, proceed with 11A**

_____

☐ Notify Lab Name: _____ Date: _____ **Notify Receiving:** ☐

☐ **Additional notifications attached.**

Additional Comments:

_____

Other Records

Dilution Factor = $\frac{\text{Final Pressure}}{\text{Initial Vacuum}} = \frac{\text{14.7psi + Final Pressure (psi)}}{\text{14.7psi –[Init. Pressure (“Hg))*(14.7psi/30”Hg)]}}$

Dilution Factor = $\frac{\text{Final Pressure}}{\text{Initial Pressure}} = \frac{\text{14.7psi + Final Pressure (psi)}}{\text{14.7psi +Initial Pressure (psi)}}$

Initial Vacuum (" of Hg)	2 psi	5 psi	10 psi	15 psi
0.0	**1.14**	1.34	**1.68**	2.02
0.2	**1.14**	1.35	**1.69**	2.03
0.4	**1.15**	1.36	**1.70**	2.05
0.5	**1.16**	1.36	**1.71**	2.05
0.6	**1.16**	1.37	**1.71**	2.06
0.8	**1.17**	1.38	**1.73**	2.08
1.0	**1.18**	1.39	**1.74**	2.09
1.2	**1.18**	1.40	**1.75**	2.10
1.4	**1.19**	1.40	**1.76**	2.12
1.5	**1.20**	1.41	**1.77**	2.13
1.6	**1.20**	1.42	**1.77**	2.13
1.8	**1.21**	1.42	**1.79**	2.15
2.0	**1.22**	1.44	**1.80**	2.16
2.2	**1.23**	1.45	**1.81**	2.18
2.4	**1.23**	1.46	**1.83**	2.20
2.5	**1.24**	1.46	**1.83**	2.20
2.6	**1.24**	1.47	**1.84**	2.21
2.8	**1.25**	1.48	**1.85**	2.23
3.0	**1.26**	1.49	**1.87**	2.24
3.2	**1.27**	1.50	**1.88**	2.26
3.4	**1.28**	1.51	**1.90**	2.28
3.5	**1.29**	1.52	**1.90**	2.29
3.6	**1.29**	1.52	**1.91**	2.30
3.8	**1.30**	1.53	**1.92**	2.31
4.0	**1.31**	1.55	**1.94**	2.33
4.2	**1.32**	1.56	**1.95**	2.35
4.4	**1.33**	1.57	**1.97**	2.37
4.5	**1.34**	1.58	**1.98**	2.38
4.6	**1.34**	1.58	**1.98**	2.39
4.8	**1.35**	1.60	**2.00**	2.40
5.0	**1.36**	1.61	**2.02**	2.42
5.2	**1.37**	1.62	**2.03**	2.44
5.4	**1.39**	1.63	**2.05**	2.46
5.5	**1.39**	1.64	**2.06**	2.47
5.6	**1.40**	1.65	**2.07**	2.48
5.8	**1.41**	1.66	**2.08**	2.50
6.0	**1.42**	1.68	**2.10**	2.52
6.2	**1.43**	1.69	**2.12**	2.55
6.4	**1.44**	1.70	**2.14**	2.57
6.5	**1.45**	1.71	**2.15**	2.58
6.6	**1.46**	1.72	**2.15**	2.59
6.8	**1.47**	1.73	**2.17**	2.61
7.0	**1.48**	1.75	**2.19**	2.64
7.2	**1.49**	1.76	**2.21**	2.66
7.4	**1.51**	1.78	**2.23**	2.68
7.5	**1.51**	1.79	**2.24**	2.69
7.6	**1.52**	1.79	**2.25**	2.70

Initial Vacuum (" of Hg)	2 psi	5 psi	10 psi	15 psi
7.7	**1.53**	1.80	**2.26**	2.72
7.8	**1.54**	1.81	**2.27**	2.73
8.0	**1.55**	1.83	**2.29**	2.76
8.2	**1.56**	1.84	**2.31**	2.78
8.4	**1.58**	1.86	**2.33**	2.81
8.5	**1.59**	1.87	**2.34**	2.82
8.6	**1.59**	1.88	**2.36**	2.83
8.8	**1.61**	1.90	**2.38**	2.86
9.0	**1.62**	1.91	**2.40**	2.89
9.2	**1.64**	1.93	**2.42**	2.91
9.4	**1.65**	1.95	**2.45**	2.94
9.5	**1.66**	1.96	**2.46**	2.96
9.6	**1.67**	1.97	**2.47**	2.97
9.8	**1.69**	1.99	**2.50**	3.00
10.0	**1.70**	2.01	**2.52**	3.03
10.2	**1.72**	2.03	**2.55**	3.06
10.4	**1.74**	2.05	**2.57**	3.09
10.5	**1.75**	2.06	**2.59**	3.11
10.6	**1.76**	2.07	**2.60**	3.12
10.8	**1.78**	2.09	**2.63**	3.16
11.0	**1.79**	2.12	**2.65**	3.19
11.2	**1.81**	2.14	**2.68**	3.22
11.4	**1.83**	2.16	**2.71**	3.26
11.5	**1.84**	2.17	**2.72**	3.28
11.6	**1.85**	2.18	**2.74**	3.29
11.8	**1.87**	2.21	**2.77**	3.33
12.0	**1.89**	2.23	**2.80**	3.37
12.2	**1.91**	2.26	**2.83**	3.40
12.4	**1.94**	2.28	**2.86**	3.44
12.5	**1.95**	2.30	**2.88**	3.46
12.6	**1.96**	2.31	**2.90**	3.48
12.8	**1.98**	2.34	**2.93**	3.52
13.0	**2.00**	2.36	**2.97**	3.56
13.2	**2.03**	2.39	**3.00**	3.61
13.4	**2.05**	2.42	**3.04**	3.65
13.5	**2.07**	2.44	**3.06**	3.67
13.6	**2.08**	2.45	**3.07**	3.70
13.8	**2.10**	2.48	**3.11**	3.74
14.0	**2.13**	2.51	**3.15**	3.79
14.2	**2.16**	2.54	**3.19**	3.84
14.4	**2.18**	2.58	**3.23**	3.88
14.5	**2.20**	2.59	**3.25**	3.91
14.6	**2.21**	2.61	**3.27**	3.94
14.8	**2.24**	2.64	**3.32**	3.99
15.0	**2.27**	2.68	**3.36**	4.04
15.2	**2.30**	2.72	**3.41**	4.10
15.4	**2.33**	2.75	**3.45**	4.15

Initial Vacuum (" of Hg)	2 psi	5 psi	10 psi	15 psi
15.5	**2.35**	2.77	**3.48**	4.18
15.6	**2.37**	2.79	**3.50**	4.21
15.8	**2.40**	2.83	**3.55**	4.27
16.0	**2.43**	2.87	**3.60**	4.33
16.2	**2.47**	2.91	**3.65**	4.39
16.4	**2.51**	2.96	**3.71**	4.46
16.5	**2.52**	2.98	**3.73**	4.49
16.6	**2.54**	3.00	**3.76**	4.52
16.8	**2.58**	3.05	**3.82**	4.59
17.0	**2.62**	3.09	**3.88**	4.66
17.2	**2.66**	3.14	**3.94**	4.74
17.4	**2.70**	3.19	**4.00**	4.81
17.5	**2.73**	3.22	**4.03**	4.85
17.6	**2.75**	3.24	**4.07**	4.89
17.8	**2.79**	3.30	**4.13**	4.97
18.0	**2.84**	3.35	**4.20**	5.05
18.2	**2.89**	3.41	**4.27**	5.14
18.4	**2.94**	3.47	**4.35**	5.22
18.5	**2.96**	3.50	**4.38**	5.27
18.6	**2.99**	3.53	**4.42**	5.32
18.8	**3.04**	3.59	**4.50**	5.41
19.0	**3.10**	3.65	**4.58**	5.51
19.2	**3.16**	3.72	**4.67**	5.61
19.4	**3.22**	3.79	**4.76**	5.72
19.5	**3.25**	3.83	**4.80**	5.77
19.6	**3.28**	3.87	**4.85**	5.83
19.8	**3.34**	3.94	**4.94**	5.94
20.0	**3.41**	4.02	**5.04**	6.06
20.2	**3.48**	4.10	**5.14**	6.18
20.4	**3.55**	4.19	**5.25**	6.31
20.5	**3.59**	4.23	**5.31**	6.38
20.6	**3.63**	4.28	**5.36**	6.45
20.8	**3.70**	4.37	**5.48**	6.59
21.0	**3.79**	4.47	**5.60**	6.73
21.2	**3.87**	4.57	**5.73**	6.89
21.4	**3.96**	4.67	**5.86**	7.05
21.5	**4.01**	4.73	**5.93**	7.13
21.6	**4.06**	4.79	**6.00**	7.22
21.8	**4.16**	4.90	**6.15**	7.39
22.0	**4.26**	5.03	**6.30**	7.58
22.4	**4.48**	5.29	**6.63**	7.98

Initial Vacuum (" of Hg)	2 psi	5 psi	10 psi	15 psi
22.5	**4.54**	5.36	**6.72**	8.08
22.6	**4.61**	5.43	**6.81**	8.19
22.8	**4.73**	5.58	**7.00**	8.42
23.0	**4.87**	5.74	**7.20**	8.66
23.2	**5.01**	5.91	**7.41**	8.91
23.4	**5.16**	6.09	**7.64**	9.18
23.5	**5.24**	6.19	**7.76**	9.32
23.6	**5.33**	6.28	**7.88**	9.47
23.8	**5.50**	6.48	**8.13**	9.78
24.0	**5.68**	6.70	**8.40**	10.10
24.2	**5.88**	6.93	**8.69**	10.45
24.4	**6.09**	7.18	**9.00**	10.82
24.5	**6.20**	7.31	**9.17**	11.02
24.6	**6.31**	7.45	**9.33**	11.22
24.8	**6.55**	7.73	**9.69**	11.66
25.0	**6.82**	8.04	**10.08**	12.12
25.2	**7.10**	8.38	**10.50**	12.63
25.4	**7.41**	8.74	**10.96**	13.18
25.5	**7.57**	8.93	**11.20**	13.47
25.6	**7.75**	9.14	**11.46**	13.78
25.8	**8.11**	9.57	**12.00**	14.43
26.0	**8.52**	10.05	**12.60**	15.15
26.2	**8.97**	10.58	**13.27**	15.95
26.4	**9.47**	11.17	**14.00**	16.84
26.5	**9.74**	11.49	**14.40**	17.32
26.6	**10.02**	11.82	**14.83**	17.83
26.8	**10.65**	12.56	**15.75**	18.94
27.0	**11.36**	13.40	**16.80**	20.20
27.2	**12.17**	14.36	**18.00**	21.65
27.4	**13.11**	15.46	**19.39**	23.31
27.5	**13.63**	16.08	**20.16**	24.24
27.6	**14.20**	16.75	**21.00**	25.26
27.8	**15.49**	18.27	**22.91**	27.55
28.0	**17.04**	20.10	**25.20**	30.31
28.2	**18.93**	22.34	**28.00**	33.67
28.4	**21.30**	25.13	**31.51**	37.88
28.5	**22.72**	26.80	**33.61**	40.41
28.6	**24.34**	28.72	**36.01**	43.29
28.8	**28.40**	33.50	**42.01**	50.51
29.0	**34.08**	40.20	**50.41**	60.61

eurofins | Air Toxics

Method:TO-15 (DoD) (Sh)-Parsons (Titan 1A)

CAS Number	Compound	Rpt. Limit(ppbv)
75-35-4	1,1-Dichloroethene	0.5
106-46-7	1,4-Dichlorobenzene	0.5
71-43-2	Benzene	0.5
156-59-2	cis-1,2-Dichloroethene	0.5
100-41-4	Ethyl Benzene	0.5
108-38-3	m,p-Xylene	1.0
95-47-6	o-Xylene	0.5
108-88-3	Toluene	1.0
156-60-5	trans-1,2-Dichloroethene	0.5
79-01-6	Trichloroethene	0.5
75-01-4	Vinyl Chloride	0.5

	Surrogate	Method Limits
17060-07-0	1,2-Dichloroethane-d4	70-130
460-00-4	4-Bromofluorobenzene	70-130
2037-26-5	Toluene-d8	70-130

1Q 2024 TO-15 QUAD DoD Limit of Detections (LODs)
Effective 04-01-2024

CAS #	Analyte	Molecular Weight (MW)	LOD (ppbv)	LOQ (ppbv)	LOD (ug/m3)	LOQ (ug/m3)
71-55-6	1,1,1-Trichloroethane	133.42	0.45	0.5	2.45558	2.72843
79-34-5	1,1,2,2-Tetrachloroethane	167.86	0.45	0.5	3.08945	3.43272
79-00-5	1,1,2-Trichloroethane	133.42	0.45	0.5	2.45558	2.72843
75-34-3	1,1-Dichloroethane	98.97	0.45	0.5	1.82153	2.02393
75-35-4	1,1-Dichloroethene	96.95	0.45	0.5	1.78436	1.98262
120-82-1	1,2,4-Trichlorobenzene	181.46	1.5	2	11.13252	14.84335
95-63-6	1,2,4-Trimethylbenzene	120.19	0.45	2	2.21209	9.83149
106-93-4	1,2-Dibromoethane (EDB)	187.88	0.45	0.5	3.45791	3.84213
95-50-1	1,2-Dichlorobenzene	147.01	0.45	0.5	2.70571	3.00634
107-06-2	1,2-Dichloroethane	98.96	0.45	0.5	1.82135	2.02372
78-87-5	1,2-Dichloropropane	112.99	0.45	0.5	2.07957	2.31063
108-67-8	1,3,5-Trimethylbenzene	120.19	0.45	2	2.21209	9.83149
106-99-0	1,3-Butadiene	54.09	0.45	0.5	0.99552	1.10613
541-73-1	1,3-Dichlorobenzene	147.01	0.45	0.5	2.70571	3.00634
106-46-7	1,4-Dichlorobenzene	147.01	0.45	0.5	2.70571	3.00634
123-91-1	1,4-Dioxane	88.11	1.5	2	5.40552	7.20736
540-84-1	2,2,4-Trimethylpentane	114.22	0.45	0.5	2.10221	2.33579
78-93-3	2-Butanone	72.11	1.5	2	4.42393	5.89857
591-78-6	2-Hexanone	100.16	1.5	2	6.14479	8.19305
67-63-0	2-Propanol	60.09	1.5	2	3.68650	4.91534
107-05-1	3-Chloropropene	76.53	1.5	2	4.69509	6.26012
622-96-8	4-Ethyltoluene	120.19	0.45	0.5	2.21209	2.45787
108-10-1	4-Methyl-2-pentanone	100.16	0.45	0.5	1.84344	2.04826
67-64-1	Acetone	58.08	4	5	9.50184	11.87730
100-44-7	alpha-Chlorotoluene	126.58	0.45	0.5	2.32969	2.58855
71-43-2	Benzene	78.11	0.45	0.5	1.43761	1.59734
75-27-4	Bromodichloromethane	163.83	0.45	0.5	3.01528	3.35031
75-25-2	Bromoform	252.77	0.45	0.5	4.65221	5.16912
74-83-9	Bromomethane	94.95	1.5	5	5.82515	19.41718
75-15-0	Carbon Disulfide	76.14	1.5	2	4.67117	6.22822
56-23-5	Carbon Tetrachloride	153.84	0.45	0.5	2.83141	3.14601
108-90-7	Chlorobenzene	112.56	0.45	0.5	2.07166	2.30184
75-00-3	Chloroethane	64.52	1.5	2	3.95828	5.27771
67-66-3	Chloroform	119.39	0.45	0.5	2.19736	2.44151
74-87-3	Chloromethane	50.49	1.5	5	3.09755	10.32515
156-59-2	cis-1,2-Dichloroethene	96.94	0.45	0.5	1.78417	1.98241
10061-01-5	cis-1,3-Dichloropropene	110.97	0.45	0.5	2.04239	2.26933
98-82-8	Cumene	120.19	0.45	0.5	2.21209	2.45787
110-82-7	Cyclohexane	84.16	0.45	0.5	1.54896	1.72106
124-48-1	Dibromochloromethane	208.28	0.45	0.5	3.83337	4.25930
64-17-5	Ethanol	46.07	4	5	7.53701	9.42127

100-41-4	Ethyl Benzene	106.16	0.45	0.5	1.95387	2.17096
75-69-4	Freon 11	137.38	0.45	0.5	2.52847	2.80941
76-13-1	Freon 113	187.39	0.45	0.5	3.44890	3.83211
76-14-2	Freon 114	170.93	0.45	0.5	3.14595	3.49550
75-71-8	Freon 12	120.92	0.45	0.5	2.22552	2.47280
142-82-5	Heptane	100.2	0.45	2	1.84417	8.19632
87-68-3	Hexachlorobutadiene	260.76	1.5	2	15.99755	21.33006
110-54-3	Hexane	86.17	0.45	0.5	1.58595	1.76217
108-38-3	m,p-Xylene	106.17	0.45	1	1.95405	4.34233
1634-04-4	Methyl tert-butyl ether	88.15	1.5	2	5.40798	7.21063
75-09-2	Methylene Chloride	84.94	1.5	5	5.21104	17.37014
91-20-3	Naphthalene	128.17	0.2	1	1.04843	5.24213
95-47-6	o-Xylene	106.17	0.45	0.5	1.95405	2.17117
103-65-1	Propylbenzene	120.19	0.45	0.5	2.21209	2.45787
115-07-1	Propylene	42.08	1.5	2	2.58160	3.44213
100-42-5	Styrene	104.14	0.45	0.5	1.91669	2.12965
127-18-4	Tetrachloroethene	165.85	0.45	0.5	3.05245	3.39162
109-99-9	Tetrahydrofuran	72.1	0.45	0.5	1.32699	1.47444
108-88-3	Toluene	92.13	0.45	1	1.69564	3.76810
156-60-5	trans-1,2-Dichloroethene	96.94	0.45	0.5	1.78417	1.98241
10061-02-6	trans-1,3-Dichloropropene	110.97	0.45	0.5	2.04239	2.26933
79-01-6	Trichloroethene	131.39	0.45	0.5	2.41822	2.68691
108-05-4	Vinyl Acetate	86.09	1.5	2	5.28160	7.04213
75-01-4	Vinyl Chloride	62.5	0.45	0.5	1.15031	1.27812

Extra Compounds

CAS #	Analyte	Molecular Weight (MW)	LOD (ppbv)	LOQ (ppbv)	LOD (ug/m3)	LOQ (ug/m3)
95-49-8	2-Chlorotoluene	126.59	1.5	2	7.76626	10.35501
106-97-8	Butane	58.12	1.5	2	3.56564	4.75419
104-51-8	Butyl Benzene	134.22	0.45	0.5	2.47031	2.74479
111-84-2	Nonane	128.26	1.5	2	7.86871	10.49162
109-66-0	n-Pentane	72.15	1.5	2	4.42638	5.90184
111-65-9	Octane	114.22	1.5	2	7.00736	9.34315
135-98-8	sec-Butylbenzene	134.22	0.45	0.5	2.47031	2.74479
75-65-0	tert-Butyl Alcohol	74.12	1.5	2	4.54724	6.06299
98-06-6	tert-Butyl Benzene	134.22	1.5	2	8.23436	10.97914

ppbv - part per billion by volume
Concentration (ug/m3) = Concentration (ppbv)*MW/24.45
Instrument IDs - msd3, msd91, msda, msdj, msdp

Table 42. Method RSK-175 Water Matrix

CAS ID	Analyte	N Records	Mean	Standard Deviation	Lower Control Limit	Upper Control Limit
74-86-2	Acetylene	719	99.6	9.8	70	129
106-97-8	Butane	262	97.3	7.3	75	119
124-38-9	Carbon dioxide	441	100.8	6.9	80	122
74-84-0	Ethane	2240	102.6	9.6	74	131
74-85-1	Ethylene	2284	102.5	10.2	72	133
75-28-5	Isobutane	267	97.6	6.6	78	117
74-82-8	Methane	2459	99.2	8.7	73	125
74-98-6	Propane	900	98.1	8.2	74	123

Table 43. Method TO-15 Gas Matrix

CAS ID	Analyte	N Records	Mean	Standard Deviation	Lower Control Limit	Upper Control Limit
630-20-6	1,1,1,2-Tetrachloroethane	1344	97.9	10.5	67	129
71-55-6	1,1,1-Trichloroethane	5436	96.7	9.5	68	125
79-34-5	1,1,2,2-Tetrachloroethane	5273	95.9	10.4	65	127
79-00-5	1,1,2-Trichloroethane	5332	95.9	7.7	73	119
76-13-1	1,1,2-Trifluoro-1,2,2-trichloroethane [Freon-113]	5351	96.1	10	66	126
75-34-3	1,1-Dichloroethane	5422	97	9.7	68	126
75-35-4	1,1-Dichloroethene	3503	97.3	11.9	61	133
96-18-4	1,2,3-Trichloropropane	465	99.6	8	76	124
120-82-1	1,2,4-Trichlorobenzene	4545	98.5	14.5	55	142
95-63-6	1,2,4-Trimethylbenzene	4699	99.2	11.1	66	132

Table 43. Method TO-15 Gas Matrix

CAS ID	Analyte	N Records	Mean	Standard Deviation	Lower Control Limit	Upper Control Limit
106-93-4	1,2-Dibromoethane	4655	98.2	7.9	74	122
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane	4572	92.4	9.7	63	121
95-50-1	1,2-Dichlorobenzene	4739	95.7	11	63	129
107-06-2	1,2-Dichloroethane	5467	96.8	10.5	65	128
78-87-5	1,2-Dichloropropane	4729	95.7	8.9	69	123
108-67-8	1,3,5-Trimethylbenzene	4679	98.3	10.4	67	130
106-99-0	1,3-Butadiene	3167	99.8	11.4	66	134
541-73-1	1,3-Dichlorobenzene	4737	97.1	10.9	65	130
142-28-9	1,3-Dichloropropane	165	105.2	14.4	62	148
542-75-6	1,3-Dichloropropene	560	100.7	8.1	77	125
106-46-7	1,4-Dichlorobenzene	4719	95.8	11.8	60	131
123-91-1	1,4-Dioxane	2656	96.5	8.6	71	122
540-84-1	2,2,4-Trimethylpentane [Isooctane]	3008	94.3	8.8	68	121
78-93-3	2-Butanone [MEK]	4635	98.4	10.4	67	130
95-49-8	2-Chlorotoluene	1092	101.9	9.2	74	130
591-78-6	2-Hexanone	4600	95.4	11	62	128
67-63-0	2-Propanol [Isopropyl alcohol]	3069	88.4	12.3	52	125
622-96-8	4-Ethyltoluene	4673	97.9	10.3	67	129
108-10-1	4-Methyl-2-pentanone [MIBK]	4646	98.5	10.5	67	130
67-64-1	Acetone	4600	92.7	11.6	58	128
75-05-8	Acetonitrile	1999	97.3	11.6	63	132
107-02-8	Acrolein [Propenal]	2469	93.8	10.6	62	126
107-13-1	Acrylonitrile	2105	103.7	10.9	71	137
107-05-1	Allyl chloride	2980	101.1	10.1	71	131

Table 43. Method TO-15 Gas Matrix

CAS ID	Analyte	N Records	Mean	Standard Deviation	Lower Control Limit	Upper Control Limit
98-83-9	alpha-Methylstyrene	1976	97.3	10.2	67	128
71-43-2	Benzene	5436	93.8	8.4	69	119
100-44-7	Benzyl chloride	4419	98.7	16.2	50	147
75-27-4	Bromodichloromethane	4682	99.9	9.3	72	128
75-25-2	Bromoform	4638	102.3	12.1	66	139
74-83-9	Bromomethane	2657	98.6	11.8	63	134
106-97-8	Butane	587	96.2	10.9	64	129
75-15-0	Carbon disulfide	4756	95.6	12.7	57	134
56-23-5	Carbon tetrachloride	4202	99.6	10.7	68	132
108-90-7	Chlorobenzene	4652	94.5	8	70	119
124-48-1	Chlorodibromomethane	4628	99.9	10	70	130
75-45-6	Chlorodifluoromethane	559	102.1	14.3	59	145
75-00-3	Chloroethane	5370	94.7	10.6	63	127
67-66-3	Chloroform	5481	95.3	9.3	68	123
74-87-3	Chloromethane	4540	95.2	12.2	59	132
156-59-2	cis-1,2-Dichloroethene	5320	95.6	8.4	70	121
10061-01-5	cis-1,3-Dichloropropene	4691	98.8	9.7	70	128
110-82-7	Cyclohexane	3178	93.5	7.7	70	117
124-18-5	Decane	1982	93.8	7.9	70	118
75-71-8	Dichlorodifluoromethane [Freon-12]	5307	93.6	11.5	59	128
108-20-3	Diisopropyl ether	2309	93.5	8	70	117
64-17-5	Ethanol	2981	91.8	11.1	59	125
141-78-6	Ethyl acetate	2835	96.4	10.5	65	128
100-41-4	Ethylbenzene	5420	96.8	9	70	124
142-82-5	Heptane	3163	95.7	8.9	69	123

Table 43. Method TO-15 Gas Matrix

CAS ID	Analyte	N Records	Mean	Standard Deviation	Lower Control Limit	Upper Control Limit
87-68-3	Hexachlorobutadiene	4551	96.7	13.7	56	138
110-54-3	Hexane	3150	91.6	9.5	63	120
98-82-8	Isopropylbenzene	3022	95.6	9.3	68	124
179601-23-1	m/p-Xylene [3/4-Xylene]	5019	97.3	12.3	61	134
80-62-6	Methyl methacrylate	3037	98.9	9.7	70	128
1634-04-4	Methyl tert-butyl ether [MTBE]	4681	95.5	10	66	126
75-09-2	Methylene chloride	5314	88.8	8.9	62	115
71-36-3	n-Butyl alcohol	1981	97.5	11.7	62	133
104-51-8	n-Butylbenzene	2656	97.7	10.6	66	130
112-40-3	n-DoDecane	1932	104.4	14.1	62	147
103-65-1	n-Propylbenzene	2570	95.7	9	69	123
91-20-3	Naphthalene	2439	97.5	13.4	57	138
111-84-2	Nonane	2617	95.4	10.8	63	128
95-47-6	o-Xylene	5334	96.3	9.7	67	125
111-65-9	Octane	2514	95	8.7	69	121
99-87-6	p-Isopropyltoluene [p-Cymene]	2694	98.1	10.5	67	130
109-66-0	Pentane	712	96.7	11.3	63	131
115-07-1	Propene	3193	96.6	13.3	57	136
135-98-8	sec-Butylbenzene	2665	96.4	9.6	68	125
100-42-5	Styrene	4735	100.1	9	73	127
75-65-0	tert-Butyl alcohol	2997	86.8	20.9	24	150
98-06-6	tert-Butylbenzene	2710	94.3	9.8	65	124
127-18-4	Tetrachloroethene	5432	95.2	9.7	66	124
109-99-9	Tetrahydrofuran	3192	93.7	9.8	64	123
108-88-3	Toluene	5406	92.7	8.8	66	119
156-60-5	trans-1,2-Dichloroethene	5411	95.5	9.5	67	124

Table 43. Method TO-15 Gas Matrix						
CAS ID	**Analyte**	**N Records**	**Mean**	**Standard Deviation**	**Lower Control Limit**	**Upper Control Limit**
10061-02-6	trans-1,3-Dichloropropene	4621	104	9.6	75	133
79-01-6	Trichloroethene	5478	96.7	8.7	71	123
75-69-4	Trichlorofluoromethane [Freon-11]	5376	93.7	10.6	62	126
1120-21-4	Undecane	1976	96.1	9	69	123
108-05-4	Vinyl acetate	4599	97.4	13.7	56	139
593-60-2	Vinyl bromide	1054	98.4	9.2	71	126
75-01-4	Vinyl chloride	5445	95.1	10.4	64	127

Eurofins AirToxics

TO-14A_TO-15 QUAD SURR CLs valid to 11-12-2024 (msd3, msd16, msd91, msda, msdj, msdp) - SURR

Effective Dates 05/12/24 - 11/12/24
Data Point Analysis Dates 11/12/23 - 05/12/24

Compound Name	Upper Control Limit(%)	Lower Control Limit(%)	Upper Warning Limit(%)	Lower Warning Limit(%)	Upper ME Limit(%)	Lower Me Limit(%)
1,2-Dichloroethane-d4	132	68	121	79	142	58
4-Bromofluorobenzene	125	77	117	85	133	69
Toluene-d8	110	91	107	94	113	88

Default control limits of 20% or 180% are used for generated limits which fall outside this criteria.

Eurofins Environment Testing Northern California, LLC	Data Review Checklist			
Workorder # 2406133	Form F1.27	Revision #21	Revision Date: 05/01/23	Page 1 of 2

S1	S2	S3	S4	D	***Section 1* – Spec Out**				
					Initials/Instrument/Date	**S1:** MSD-3 RT 6/13/24	**S2:** MSD-3 RT 6/14/24	**S3:**	**S4:**
✓	✓				Project Identification (PID), Project Requirements Table (PRT), Daily QC and ICAL met Criteria				
✓	✓			✓	Method Name: 324904 23a. 324904 23a-				
✓	✓				Lumen QC and ICAL evaluation (ref. SOP/Method) report initialed and in folder				
✓	✓				Manual Integrations included and approved				
✓	✓			✓	Chain of Custody verified for special comments/notes and analyses requested (add comments below)				
✓	✓				Non-standard Target sublist verified (MDL, LOD, RL, control limits, etc.)				
✓	✓				Verified standard expiration dates				

Profile, analyses, reporting, special notes and unusual circumstances: S1: 1 out ccv, 2 out lcs. LB: 06c
S1: 2 out ccv, 2 out LCS. LB: 06a.

A1	A2	A3	A4	D	***Section 2* – Sample Analysis**				
					Initials/Date	**A1:** RT 6/14/24	**A2:**	**A3:** JW 6/15/24	**A4:**
✓	✓	✓		✓	IS/Surr Recoveries, Dilution Factors, Load Volumes, leg(s) of instrument, Initial/Final Pressures, Canister #s Verified and dilution ranges are met per SOP (ex. Over-ranged/overdiluted). Method Transfer Dilutions Verified.				
NA	NA	NA		NA	**a)** Tedlar Bag IDs verified against COC **b)** Tedlar Bag ID confirmed with loading sequence/leg(s) of instrument				
M	M	M		✓	Manual Integrations/Bag or Can Dilution Forms/Re-pressurization Forms/Bag-Can Transfer Forms present (circle all that apply)				
✓	✓	✓			12/24 Hr clock time & Hold Time met for all samples				
✓	✓	NA		✓	Re-analysis of sample(s) has been evaluated for comparability and/or sample(s) has/have been checked for trends (Inf/Eff), field dups/trip blanks, samples following bad loads on auto samplers have been verified (system blks, confirmation runs)				
✓	✓	✓		✓	All runs have been evaluated for potential carry-over (TPHg/non-Target/over-range compounds/ etc.)				
✓	✓	✓		✓	All runs have been evaluated using method default parent sublists prior to any client specific sublists.				

Analytical and special notes: A1: 01A, 02A, 05A, 06A full loads, 03A dil TC FD 05A/06A OK
A2: 04A, 07A+18A dil TC; 08A, 09A, 11A-13A full loads; Dup Aug B 04A/AA OK; FD 08A/09A OK
A3: 01AA-22A - Full loads

D1	D2	D3	D4	T	3T	***Section 3* – Target Data Reduction**	**Technical Review Needed? Circle one: Yes/No**		**T:**	
						Initials/Instrument/ Date	**D1:** GJ 6/17/24	**D2:**	**D3:**	**D4:**
NA						CAR # *(if applicable)*				
✓						Spectra Verified *(documentation of spectral defense included if applicable)*				
✓						Calibration history evaluated. Verify QC files.				
NA						TICs resemble reference spectra/ TICs between sample dups. are consistent *(if applicable)*				
✓						Lab Narrative is correct				
NA						TPH/NMOC calculations complete and included in folder				

Special notes:

A	3T	***Section 4*- Atlas Data Entry**	**Lumen verified and included in folder**	**Circle one: Yes/No**
		Initials/Date: GJ 6/17/24	**3rd Tier:** *(needed only for DOD or per client request)*	
✓		Sample Discrepancy Report (SDR) complete and approved *(if applicable)*		
NA		Manually entered results are checked		
✓		At least one result per sample is verified against Target quant sheets		
✓		Appropriate data qualifier flags are applied		
✓		Final Invoice is correct/ Final PDF report, COC and EDD reviewed and correct		

Special Notes:

Note (1) *Please check all the appropriate boxes. Indicate "NA" for any statement that doesn't apply*
Note (2) 3rd Tier Report Reviewer and Write Up Reviewer must be separate individuals for DoD & Client Specific Projects

Workorder # :				**Reason for Reissue:**
W	**T**	**3T**	**Q**	
				Reissue Request form Present
				Client or QA or Lab contact present with reason for reissue
				Review all affected data
				Report header has correct R1, R2 etc
				The Lab Narrative clearly explains the reissue (Date, Reason and whether client requested)
				Date for Reissue in Report Header matches date in Lab Narrative
				Check Project Profile for correct reporting instructions (multiple clients, # hardcopies, etc)
				Corrective Action issued - #
				The reissued workorder has been approved by a Group Lead, QA Manager or a Technical Director
Additional Comments:				

Write Up (Initials/Date)	**Tech Review** (Initials/Date)	***3rd Tier Review** ** 3rd Tier Report Review is for DoD & Client Specific projects only* (Initials/Date)	**QA Review** (Initials/Date)

Workorder # :				**Reason for Reissue:**
W	**T**	**3T**	**Q**	
				Reissue Request form Present
				Client or QA or Lab contact present with reason for reissue
				Review all affected data
				Report header has correct R1, R2 etc
				The Lab Narrative clearly explains the reissue (Date, Reason and whether client requested)
				Date for Reissue in Report Header matches date in Lab Narrative
				Check Project Profile for correct reporting instructions (multiple clients, # hardcopies, etc)
				Corrective Action issued - #
				The reissued workorder has been approved by a Group Lead, QA Manager or a Technical Director
Additional Comments:				

Write Up (Initials/Date)	**Tech Review** (Initials/Date)	***3rd Tier Review** ** 3rd Tier Report Review is for DoD & Client Specific projects only* (Initials/Date)	**QA Review** (Initials/Date)

Note (1) *Please check all the appropriate boxes. Indicate "NA" for any statement that doesn't apply*
Note (2) 3rd Tier Report Reviewer and Write Up Reviewer must be separate individuals for DoD & Client Specific Projects

Not Applicable



Electronic Comprehensive Validation Package (eCVP)

Vera Belitsky Vera Belitsky 07-12-2024

CONFIDENTIALITY NOTICE: This communication and any accompanying documents are confidential and privileged. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If you received this transmission in error, you are advised that any disclosure, copying, distribution, or the taking of any action in reliance upon the communication is strictly prohibited. If you have received this communication in error, please contact Eurofins Air Toxics at (916)-985-1000.

eurofins | Air Toxics

WORK ORDER #: 2406264R2

Work Order Summary

CLIENT:	Mr. Mark Rigby PARSONS GOVERNMENT SERVICES INC. 10235 So. South Jordan Gateway Suite 300 South Jordan, UT 84095	**BILL TO:**	Mr. Mark Rigby PARSONS GOVERNMENT SERVICES INC. 10235 So. South Jordan Gateway Suite 300
PHONE:	801-572-5999	**P.O. #**	0015539
FAX:	801-572-9069	**PROJECT #**	J09CA1108-01 Titan 1A Semi Annual Groundwater
DATE RECEIVED:	06/06/2024	**CONTACT:**	Brian Whittaker
DATE COMPLETED:	06/20/2024		
DATE REISSUED:	07/10/2024		

FRACTION #	NAME	TEST	RECEIPT VAC./PRES.	FINAL PRESSURE
01A	T1AMF-SV003_JUN24	TO-15	7.6 "Hg	9.9 psi
02A	T1AMF-SV010_JUN24	TO-15	4.5 "Hg	9.8 psi
03A	T1AMF-SV027_JUN24	TO-15	15.1 "Hg	10 psi
04A	T1AMF-SV028_JUN24	TO-15	6.5 "Hg	10 psi
05A	T1AMF-SV028_JUN24_FD	TO-15	7.8 "Hg	9.9 psi
05AA	T1AMF-SV028_JUN24_FD Lab Duplicate	TO-15	7.8 "Hg	9.9 psi
06A	T1AMF-SV029_JUN24	TO-15	22.2 "Hg	10 psi
07A	T1AMF-SV030_JUN24	TO-15	5.7 "Hg	10 psi
08A	T1AMF-SV031_JUN24	TO-15	14.5 "Hg	10 psi
09A	T1AMF-SV009B_JUN24	TO-15	8 "Hg	10 psi
10A	T1AMF-SV032B_JUN24	TO-15	6.9 "Hg	9.9 psi
11A	T1AMF-SV032A_JUN24	TO-15	8.8 "Hg	9.9 psi
12A	T1AMF-SV034_JUN24	TO-15	8.8 "Hg	10 psi
13A	T1AMF-SV035_JUN24	TO-15	6.1 "Hg	9.9 psi
14A	T1AMF-SV035_JUN24_FD	TO-15	6.7 "Hg	9.9 psi
15A	Lab Blank	TO-15	NA	NA
16A	CCV	TO-15	NA	NA
16B	CCV	TO-15	NA	NA
17A	LCS	TO-15	NA	NA
17AA	LCSD	TO-15	NA	NA

CERTIFIED BY: Heidi Hayes DATE: 07/12/24

Technical Director

Certification numbers: AZ Licensure AZ0775, FL NELAP – E87680, LA NELAP – 02089, NH NELAP – 209222, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP – T104704434-22-18, UT NELAP – CA009332022-14, VA NELAP - 12240, WA ELAP - C935
Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-017
Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630
(916) 985-1000

LABORATORY NARRATIVE
DoD QSM - TO-15
PARSONS GOVERNMENT SERVICES INC.
Workorder# 2406264R2

Fourteen 1 Liter Summa Canister samples were received on June 06, 2024. The laboratory performed analysis via EPA Method TO-15 using GC/MS in the full scan mode.

Please note the following narratives are project specific therefore may or may not be applicable to the associated sample set:

1) A Limit of Detection (LOD) and Method Detection Limit (MDL) study are not maintained for Total Xylenes and non-standard compounds.

2) Total Xylenes concentration is calculated by summing the individual concentrations of m,p-Xylene and o-Xylene.

3) Non-standard compounds may have different acceptance criteria than the standard TO-14A/TO-15 compound list as per contract or verbal agreement.

Receiving Notes

Samples T1AMF-SV027_JUN24 and T1AMF-SV029_JUN24 were received with significant vacuum remaining in the canister. The residual canister vacuum resulted in elevated reporting limits.

The Work Order was reissued on July 8, 2024 to revise sample identification per client request.

The Work Order was reissued on July 11, 2024 to revise sample identification per client request.

Analytical Notes

A DoD QSM waiver has been established and approved between Eurofins Air Toxics and the client. A copy of the waiver is available upon request.

As per client project requirements, the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. Concentrations that are below the level at which the canister was certified may be false positives.

Samples were analyzed in one analytical batch on MSD-3 on 06/19/24. The initial continuing calibration verification (CCV) for the batch is reported as lab fraction 16A and the ending CCV is reported as lab fraction 16B.

Dilution was performed on sample T1AMF-SV032A_JUN24 due to the presence of high level target species.

Samples were received by courier, therefore shipping documents are not applicable.

Definition of Data Qualifying Flags

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Table 1								
Client Sample ID	Lab Sample ID	Date Collected	Date Received	Date Extracted	Sample Holding Time (Days)	Date Analyzed	Sample Extract Holding Time (Days)	Sample Condition
T1AMF-SV003_JUN24	2406264R2-01A	06/03/2024	06/06/2024	NA	None	06/19/2024	NA	GOOD
T1AMF-SV010_JUN24	2406264R2-02A	06/03/2024	06/06/2024	NA	None	06/19/2024	NA	GOOD
T1AMF-SV027_JUN24	2406264R2-03A	06/03/2024	06/06/2024	NA	None	06/19/2024	NA	GOOD
T1AMF-SV028_JUN24	2406264R2-04A	06/03/2024	06/06/2024	NA	None	06/19/2024	NA	GOOD
T1AMF-SV028_JUN24_FD	2406264R2-05A	06/03/2024	06/06/2024	NA	None	06/19/2024	NA	GOOD
T1AMF-SV028_JUN24_FD Lab Duplicate	2406264R2-05AA	06/03/2024	06/06/2024	NA	None	06/19/2024	NA	GOOD
T1AMF-SV029_JUN24	2406264R2-06A	06/03/2024	06/06/2024	NA	None	06/19/2024	NA	GOOD
T1AMF-SV030_JUN24	2406264R2-07A	06/03/2024	06/06/2024	NA	None	06/20/2024	NA	GOOD
T1AMF-SV031_JUN24	2406264R2-08A	06/03/2024	06/06/2024	NA	None	06/20/2024	NA	GOOD
T1AMF-SV009B_JUN24	2406264R2-09A	06/06/2024	06/06/2024	NA	None	06/20/2024	NA	GOOD
T1AMF-SV032B_JUN24	2406264R2-10A	06/06/2024	06/06/2024	NA	None	06/20/2024	NA	GOOD
T1AMF-SV032A_JUN24	2406264R2-11A	06/06/2024	06/06/2024	NA	None	06/20/2024	NA	GOOD
T1AMF-SV034_JUN24	2406264R2-12A	06/06/2024	06/06/2024	NA	None	06/20/2024	NA	GOOD
T1AMF-SV035_JUN24	2406264R2-13A	06/06/2024	06/06/2024	NA	None	06/20/2024	NA	GOOD
T1AMF-SV035_JUN24_FD	2406264R2-14A	06/06/2024	06/06/2024	NA	None	06/20/2024	NA	GOOD
Lab Blank	2406264R2-15A	NA	NA	NA	NA	06/19/2024	NA	GOOD
CCV	2406264R2-16A	NA	NA	NA	NA	06/19/2024	NA	GOOD
CCV	2406264R2-16B	NA	NA	NA	NA	06/20/2024	NA	GOOD
LCS	2406264R2-17A	NA	NA	NA	NA	06/19/2024	NA	GOOD
LCSD	2406264R2-17AA	NA	NA	NA	NA	06/19/2024	NA	GOOD

Sample Results and Raw Data

EPA METHOD TO-15 GC/MS FULL SCAN
Titan 1A Semi Annual Groundwater

eurofins | Air Toxics

Client ID:	T1AMF-SV003_JUN24		
Lab ID:	2406264R2-01A	**Date/Time Analyzed:**	6/19/24 06:15 PM
Date/Time Collected:	6/3/24 12:33 PM	**Dilution Factor:**	2.24
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061913

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.0	4.4	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.3	6.1	6.7	Not Detected U
Benzene	71-43-2	0.84	3.2	3.6	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.97	4.0	4.4	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.4	4.9	Not Detected U
m,p-Xylene	108-38-3	0.70	4.4	9.7	1.4 J
o-Xylene	95-47-6	1.2	4.4	4.9	Not Detected U
Toluene	108-88-3	1.0	3.8	8.4	1.5 J
trans-1,2-Dichloroethene	156-60-5	2.0	4.0	4.4	Not Detected U
Trichloroethene	79-01-6	1.8	5.4	6.0	Not Detected U
Vinyl Chloride	75-01-4	2.4	2.6	2.9	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	99

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061913.d
Lab Smp Id: 2406264-01A
Inj Date : 19-JUN-2024 18:15
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N6185
Misc Info : 7.6 Hg->9.9 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 6
Dil Factor: 2.24000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.432 (1.000)	130	89474	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	69897			47.79- 107.79	78.12
5.432	5.432 (1.000)	49	134240			131.33- 191.33	150.03
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.107)	65	107510	23.0691	23.069	80.00- 120.00	100.00
6.019	6.019 (1.107)	67	55956			23.17- 83.17	52.05
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	320369	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	46204			0.00- 45.65	14.42
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	307132	24.6607	24.661	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	33098			0.00- 41.42	10.78
7.760	7.760 (1.209)	100	207339			37.54- 97.54	67.51
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	1595	0.17863	0.4001	80.00- 120.00	100.00(a)

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
137 Toluene (continued)							
7.824	7.824 (1.219)	92	918			27.89- 87.89	57.55
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	335941	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	168902			22.92- 82.92	50.28
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	699	0.14324	0.3209	80.00- 120.00	100.00(a)
9.364	9.364 (1.023)	91	1498			170.33- 230.33	214.31
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	254097	25.4514	25.451	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	277906			88.49- 148.49	109.37
10.288	10.288 (1.124)	176	247283			66.73- 126.73	97.32

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061913.d
Lab Smp Id: 2406264-01A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 7.6 Hg->9.9 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	89474	-0.60
108 1,4-Difluorobenze	327761	196657	458865	320369	-2.26
153 Chlorobenzene-d5	325037	195022	455052	335941	3.35

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.44	0.13
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:37

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-01A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 7.6 Hg->9.9 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	23.069	92.28	70-130
$ 134 Toluene-d8	25.000	24.661	98.64	70-130
$ 170 4-Bromofluorobenz	25.000	25.451	101.81	70-130

Data File: /chem/msd3.i/19JUN24.b/3061913.d

Date : 19-JUN-2024 18:15

Client ID:


Instrument: msd3.i

Sample Info: 200mL N6185

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061913.d

Date : 19-JUN-2024 18:15

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6185


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 0.4001 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061913.d

Date : 19-JUN-2024 18:15

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6185


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.3209 PPBV














Client ID:	T1AMF-SV010_JUN24		
Lab ID:	2406264R2-02A	**Date/Time Analyzed:**	6/19/24 06:50 PM
Date/Time Collected:	6/3/24 11:30 AM	**Dilution Factor:**	1.96
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061914

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.0	3.5	3.9	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.0	5.3	5.9	Not Detected U
Benzene	71-43-2	0.74	2.8	3.1	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.84	3.5	3.9	Not Detected U
Ethyl Benzene	100-41-4	1.0	3.8	4.2	Not Detected U
m,p-Xylene	108-38-3	0.61	3.8	8.5	1.2 J
o-Xylene	95-47-6	1.0	3.8	4.2	Not Detected U
Toluene	108-88-3	0.92	3.3	7.4	1.0 J
trans-1,2-Dichloroethene	156-60-5	1.8	3.5	3.9	Not Detected U
Trichloroethene	79-01-6	1.6	4.7	5.3	Not Detected U
Vinyl Chloride	75-01-4	2.1	2.2	2.5	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	91
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061914.d
Lab Smp Id: 2406264-02A
Inj Date : 19-JUN-2024 18:50
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N6191
Misc Info : 4.5 Hg->9.8 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 7
Dil Factor: 1.96000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane							CAS #: 74-97-5	
5.432	5.432 (1.000)	130	92424	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	71247				47.79- 107.79	77.09
5.432	5.432 (1.000)	49	136332				131.33- 191.33	147.51
$ 104 1,2-Dichloroethane-d4							CAS #: 17060-07-0	
6.019	6.019 (1.108)	65	109555	22.7576		22.758	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	55783				23.17- 83.17	50.92
* 108 1,4-Difluorobenzene							CAS #: 540-36-3	
6.420	6.420 (1.000)	114	324896	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	47821				0.00- 45.65	14.72
$ 134 Toluene-d8							CAS #: 2037-26-5	
7.760	7.760 (1.209)	98	310457	24.5803		24.580	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	32971				0.00- 41.42	10.62
7.760	7.760 (1.209)	100	208334				37.54- 97.54	67.11
137 Toluene							CAS #: 108-88-3	
7.824	7.824 (1.219)	91	1294	0.14290		0.2801	80.00- 120.00	100.00(a)

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
137 Toluene (continued)							
7.831	7.824 (1.220)	92	637			27.89- 87.89	49.23
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	343029	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	167788			22.92- 82.92	48.91
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	688	0.13808	0.2706	80.00- 120.00	100.00(a)
9.364	9.364 (1.023)	91	1465			170.33- 230.33	212.94
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	259829	25.4878	25.488	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	281398			88.49- 148.49	108.30
10.288	10.288 (1.124)	176	249508			66.73- 126.73	96.03

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061914.d
Lab Smp Id: 2406264-02A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 4.5 Hg->9.8 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	92424	2.68
108 1,4-Difluorobenze	327761	196657	458865	324896	-0.87
153 Chlorobenzene-d5	325037	195022	455052	343029	5.54

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:37

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-02A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 4.5 Hg->9.8 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.758	91.03	70-130
$ 134 Toluene-d8	25.000	24.580	98.32	70-130
$ 170 4-Bromofluorobenz	25.000	25.488	101.95	70-130

Data File: /chem/msd3.i/19JUN24.b/3061914.d

Date : 19-JUN-2024 18:50

Client ID:


Instrument: msd3.i

Sample Info: 200mL N6191

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061914.d

Date : 19-JUN-2024 18:50

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6191


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 0.2801 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061914.d

Date : 19-JUN-2024 18:50

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6191


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.2706 PPBV














Client ID:	T1AMF-SV027_JUN24		
Lab ID:	2406264R2-03A	**Date/Time Analyzed:**	6/19/24 08:22 PM
Date/Time Collected:	6/3/24 02:55 PM	**Dilution Factor:**	3.38
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061915

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	3.5	6.0	6.7	Not Detected U
1,4-Dichlorobenzene	106-46-7	3.4	9.1	10	Not Detected U
Benzene	71-43-2	1.3	4.8	5.4	7.4
cis-1,2-Dichloroethene	156-59-2	1.4	6.0	6.7	Not Detected U
Ethyl Benzene	100-41-4	1.7	6.6	7.3	3.0 J
m,p-Xylene	108-38-3	1.0	6.6	15	7.9 J
o-Xylene	95-47-6	1.8	6.6	7.3	3.2 J
Toluene	108-88-3	1.6	5.7	13	23
trans-1,2-Dichloroethene	156-60-5	3.1	6.0	6.7	Not Detected U
Trichloroethene	79-01-6	2.7	8.2	9.1	Not Detected U
Vinyl Chloride	75-01-4	3.6	3.9	4.3	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061915.d
Lab Smp Id: 2406264-03A
Inj Date : 19-JUN-2024 20:22
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N7835
Misc Info : 15.1 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 1
Dil Factor: 3.38000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.432	5.432 (1.000)	130	96314	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	75793				47.79- 107.79	78.69
5.432	5.432 (1.000)	49	146341				131.33- 191.33	151.94
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	115403	23.0042	23.004		80.00- 120.00	100.00
6.019	6.019 (1.108)	67	61875				23.17- 83.17	53.62
102 Benzene						CAS #: 71-43-2		
5.990	5.990 (0.933)	78	4851	0.69016	2.333		80.00- 120.00	100.00
5.990	5.990 (0.933)	77	1314				0.00- 53.69	27.09
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	349107	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	50441				0.00- 45.65	14.45
$ 134 Toluene-d8						CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	328601	24.2126	24.212		80.00- 120.00	100.00
7.760	7.760 (1.209)	70	36916				0.00- 41.42	11.23

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	220592			37.54- 97.54	67.13
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	17850	1.83450	6.201	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	10455			27.89- 87.89	58.57
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	361154	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	180441			22.92- 82.92	49.96
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	865	0.20552	0.6946	80.00- 120.00	100.00(a)
9.242	9.242 (1.010)	91	2630			281.09- 341.09	304.05
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	2824	0.53831	1.819	80.00- 120.00	100.00(a)
9.357	9.364 (1.023)	91	5975			170.33- 230.33	211.58
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	1071	0.21529	0.7277	80.00- 120.00	100.00(a)
9.744	9.744 (1.065)	91	2383			181.23- 241.23	222.50
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	271836	25.3274	25.327	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	295813			88.49- 148.49	108.82
10.288	10.288 (1.124)	176	261695			66.73- 126.73	96.27

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061915.d
Lab Smp Id: 2406264-03A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 15.1 Hg->10 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	96314	7.00
108 1,4-Difluorobenze	327761	196657	458865	349107	6.51
153 Chlorobenzene-d5	325037	195022	455052	361154	11.11

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:37

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-03A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 15.1 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	23.004	92.02	70-130
$ 134 Toluene-d8	25.000	24.212	96.85	70-130
$ 170 4-Bromofluorobenz	25.000	25.327	101.31	70-130

Data File: /chem/msd3.i/19JUN24.b/3061915.d

Date : 19-JUN-2024 20:22

Client ID:


Instrument: msd3.i

Sample Info: 200mL N7835

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061915.d

Date : 19-JUN-2024 20:22

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7835


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 2.333 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061915.d

Date : 19-JUN-2024 20:22

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7835


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 6.201 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061915.d

Date : 19-JUN-2024 20:22

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7835


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 0.6946 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061915.d

Date : 19-JUN-2024 20:22

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7835


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 1.819 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061915.d

Date : 19-JUN-2024 20:22

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7835


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 0.7277 PPBV














EPA METHOD TO-15 GC/MS FULL SCAN
Titan 1A Semi Annual Groundwater

eurofins | Air Toxics

Client ID:	T1AMF-SV028_JUN24		
Lab ID:	2406264R2-04A	**Date/Time Analyzed:**	6/19/24 08:57 PM
Date/Time Collected:	6/3/24 01:43 PM	**Dilution Factor:**	2.14
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061916

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	3.8	4.2	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.2	5.8	6.4	Not Detected U
Benzene	71-43-2	0.81	3.1	3.4	86
cis-1,2-Dichloroethene	156-59-2	0.92	3.8	4.2	Not Detected U
Ethyl Benzene	100-41-4	1.1	4.2	4.6	12
m,p-Xylene	108-38-3	0.67	4.2	9.3	19
o-Xylene	95-47-6	1.1	4.2	4.6	5.4
Toluene	108-88-3	1.0	3.6	8.1	27
trans-1,2-Dichloroethene	156-60-5	1.9	3.8	4.2	Not Detected U
Trichloroethene	79-01-6	1.7	5.2	5.8	Not Detected U
Vinyl Chloride	75-01-4	2.3	2.5	2.7	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	93
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061916.d
Lab Smp Id: 2406264-04A
Inj Date : 19-JUN-2024 20:57
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL O0726
Misc Info : 6.5 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 2
Dil Factor: 2.14000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.439	5.432 (1.000)	130	89798	25.0000			80.00- 120.00	100.00
5.439	5.432 (1.000)	128	69975				47.79- 107.79	77.92
5.432	5.432 (1.000)	49	135182				131.33- 191.33	150.54
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.107)	65	108333	23.1618	23.162		80.00- 120.00	100.00
6.019	6.019 (1.107)	67	56506				23.17- 83.17	52.16
102 Benzene						CAS #: 71-43-2		
5.997	5.990 (0.934)	78	82690	12.5125	26.777		80.00- 120.00	100.00
5.997	5.990 (0.934)	77	19551				0.00- 53.69	23.64
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	328234	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	47819				0.00- 45.65	14.57
$ 134 Toluene-d8						CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	314436	24.6422	24.642		80.00- 120.00	100.00
7.760	7.760 (1.209)	70	35255				0.00- 41.42	11.21

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	210060			37.54- 97.54	66.81
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	30607	3.34561	7.160	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	18369			27.89- 87.89	60.02
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	340997	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	172483			22.92- 82.92	50.58
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	4947	1.24484	2.664	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	16027			281.09- 341.09	323.97
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	10279	2.07520	4.441	80.00- 120.00	100.00
9.357	9.364 (1.023)	91	22259			170.33- 230.33	216.55
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	2749	0.58526	1.252	80.00- 120.00	100.00
9.751	9.744 (1.066)	91	5589			181.23- 241.23	203.31
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	258714	25.5296	25.530	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	287626			88.49- 148.49	111.18
10.288	10.288 (1.124)	176	252378			66.73- 126.73	97.55

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061916.d
Lab Smp Id: 2406264-04A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 6.5 Hg->10 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	89798	-0.24
108 1,4-Difluorobenze	327761	196657	458865	328234	0.14
153 Chlorobenzene-d5	325037	195022	455052	340997	4.91

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.44	0.13
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:37

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-04A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 6.5 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	23.162	92.65	70-130
$ 134 Toluene-d8	25.000	24.642	98.57	70-130
$ 170 4-Bromofluorobenz	25.000	25.530	102.12	70-130

Data File: /chem/msd3.i/19JUN24.b/3061916.d

Date : 19-JUN-2024 20:57

Client ID:


Instrument: msd3.i

Sample Info: 200mL 00726

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061916.d

Date : 19-JUN-2024 20:57

Client ID:

Instrument: msd3.i

Sample Info: 200mL 00726


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 26.777 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061916.d

Date : 19-JUN-2024 20:57

Client ID:

Instrument: msd3.i

Sample Info: 200mL 00726


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 7.160 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061916.d

Date : 19-JUN-2024 20:57

Client ID:

Instrument: msd3.i

Sample Info: 200mL 00726


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 2.664 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061916.d

Date : 19-JUN-2024 20:57

Client ID:

Instrument: msd3.i

Sample Info: 200mL 00726


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 4.441 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061916.d

Date : 19-JUN-2024 20:57

Client ID:

Instrument: msd3.i

Sample Info: 200mL 00726


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 1.252 PPBV














EPA METHOD TO-15 GC/MS FULL SCAN
Titan 1A Semi Annual Groundwater

Client ID:	T1AMF-SV028_JUN24_FD		
Lab ID:	2406264R2-05A	**Date/Time Analyzed:**	6/19/24 10:21 PM
Date/Time Collected:	6/3/24 01:42 PM	**Dilution Factor:**	2.26
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061917

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.0	4.5	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.3	6.1	6.8	Not Detected U
Benzene	71-43-2	0.85	3.2	3.6	84
cis-1,2-Dichloroethene	156-59-2	0.97	4.0	4.5	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.4	4.9	11
m,p-Xylene	108-38-3	0.70	4.4	9.8	21
o-Xylene	95-47-6	1.2	4.4	4.9	5.2
Toluene	108-88-3	1.1	3.8	8.5	28
trans-1,2-Dichloroethene	156-60-5	2.0	4.0	4.5	Not Detected U
Trichloroethene	79-01-6	1.8	5.5	6.1	Not Detected U
Vinyl Chloride	75-01-4	2.4	2.6	2.9	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061917.d
Lab Smp Id: 2406264-05A
Inj Date : 19-JUN-2024 22:21
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL 1L4822
Misc Info : 7.8 Hg->9.9 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 1
Dil Factor: 2.26000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	91014	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	70260			47.79- 107.79	77.20
5.432	5.432 (1.000)	49	135652			131.33- 191.33	149.05
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	108737	22.9376	22.938	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	57247			23.17- 83.17	52.65
102 Benzene					CAS #: 71-43-2		
5.990	5.990 (0.933)	78	78954	11.6931	26.426	80.00- 120.00	100.00
5.998	5.990 (0.934)	77	18670			0.00- 53.69	23.65
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	335366	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	48912			0.00- 45.65	14.58
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	317197	24.3299	24.330	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	34680			0.00- 41.42	10.93

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	211990			37.54- 97.54	66.83
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	30206	3.23156	7.303	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	17537			27.89- 87.89	58.06
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	341862	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	170268			22.92- 82.92	49.81
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	4342	1.08984	2.463	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	15142			281.09- 341.09	348.73
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	10598	2.13419	4.823	80.00- 120.00	100.00
9.357	9.364 (1.023)	91	20970			170.33- 230.33	197.87
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	2484	0.52750	1.192	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	5911			181.23- 241.23	237.96
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	256672	25.2640	25.264	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	285284			88.49- 148.49	111.15
10.288	10.288 (1.124)	176	250542			66.73- 126.73	97.61

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061917.d
Lab Smp Id: 2406264-05A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 7.8 Hg->9.9 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	91014	1.12
108 1,4-Difluorobenze	327761	196657	458865	335366	2.32
153 Chlorobenzene-d5	325037	195022	455052	341862	5.18

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:37

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-05A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 7.8 Hg->9.9 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.938	91.75	70-130
$ 134 Toluene-d8	25.000	24.330	97.32	70-130
$ 170 4-Bromofluorobenz	25.000	25.264	101.06	70-130

Data File: /chem/msd3.i/19JUN24.b/3061917.d

Date : 19-JUN-2024 22:21

Client ID:


Instrument: msd3.i

Sample Info: 200mL 1L4822

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061917.d

Date : 19-JUN-2024 22:21

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4822


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 26.426 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061917.d

Date : 19-JUN-2024 22:21

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4822


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 7.303 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061917.d

Date : 19-JUN-2024 22:21

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4822


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 2.463 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061917.d

Date : 19-JUN-2024 22:21

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4822


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 4.823 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061917.d

Date : 19-JUN-2024 22:21

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4822


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 1.192 PPBV














Client ID:	T1AMF-SV028_JUN24_FD Lab Duplicate		
Lab ID:	2406264R2-05AA	**Date/Time Analyzed:**	6/19/24 10:56 PM
Date/Time Collected:	6/3/24 01:42 PM	**Dilution Factor:**	2.26
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061918

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.0	4.5	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.3	6.1	6.8	Not Detected U
Benzene	71-43-2	0.85	3.2	3.6	84
cis-1,2-Dichloroethene	156-59-2	0.97	4.0	4.5	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.4	4.9	12
m,p-Xylene	108-38-3	0.70	4.4	9.8	21
o-Xylene	95-47-6	1.2	4.4	4.9	5.7
Toluene	108-88-3	1.1	3.8	8.5	28
trans-1,2-Dichloroethene	156-60-5	2.0	4.0	4.5	Not Detected U
Trichloroethene	79-01-6	1.8	5.5	6.1	Not Detected U
Vinyl Chloride	75-01-4	2.4	2.6	2.9	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	91
4-Bromofluorobenzene	460-00-4	70-130	103
Toluene-d8	2037-26-5	70-130	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061918.d
Lab Smp Id: 2406264-05AA
Inj Date : 19-JUN-2024 22:56
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL 1L4822
Misc Info : 7.8 Hg->9.9 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 1
Dil Factor: 2.26000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.439	5.432 (1.000)	130	92021	25.0000			80.00- 120.00	100.00
5.439	5.432 (1.000)	128	72310				47.79- 107.79	78.58
5.432	5.432 (1.000)	49	138514				131.33- 191.33	150.52
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.026	6.019 (1.108)	65	109566	22.8596	22.860		80.00- 120.00	100.00
6.026	6.019 (1.108)	67	57075				23.17- 83.17	52.09
102 Benzene						CAS #: 71-43-2		
5.997	5.990 (0.934)	78	78616	11.6322	26.289		80.00- 120.00	100.00
5.997	5.990 (0.934)	77	19014				0.00- 53.69	24.19
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	335678	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	47952				0.00- 45.65	14.29
$ 134 Toluene-d8						CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	316364	24.2435	24.243		80.00- 120.00	100.00
7.760	7.760 (1.209)	70	34832				0.00- 41.42	11.01

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.767	7.760 (1.210)	100	212521			37.54- 97.54	67.18
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	30305	3.23914	7.320	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	18046			27.89- 87.89	59.55
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	344079	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	172322			22.92- 82.92	50.08
155 Ethyl Benzene					CAS #: 100-41-4		
9.250	9.242 (1.011)	106	4896	1.22097	2.759	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	14961			281.09- 341.09	305.58
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	10497	2.10023	4.746	80.00- 120.00	100.00
9.357	9.364 (1.023)	91	21601			170.33- 230.33	205.78
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	2756	0.58150	1.314	80.00- 120.00	100.00
9.751	9.744 (1.066)	91	5983			181.23- 241.23	217.09
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	263723	25.7908	25.791	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	291102			88.49- 148.49	110.38
10.288	10.288 (1.124)	176	254975			66.73- 126.73	96.68

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061918.d
Lab Smp Id: 2406264-05AA
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 7.8 Hg->9.9 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	92021	2.23
108 1,4-Difluorobenze	327761	196657	458865	335678	2.42
153 Chlorobenzene-d5	325037	195022	455052	344079	5.86

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.44	0.13
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 14:37

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-05AA
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 7.8 Hg->9.9 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.860	91.44	70-130
$ 134 Toluene-d8	25.000	24.243	96.97	70-130
$ 170 4-Bromofluorobenz	25.000	25.791	103.16	70-130

Data File: /chem/msd3.i/19JUN24.b/3061918.d

Date : 19-JUN-2024 22:56

Client ID:


Instrument: msd3.i

Sample Info: 200mL 1L4822

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061918.d

Date : 19-JUN-2024 22:56

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4822


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 26.289 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061918.d

Date : 19-JUN-2024 22:56

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4822


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 7.320 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061918.d

Date : 19-JUN-2024 22:56

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4822


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 2.759 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061918.d

Date : 19-JUN-2024 22:56

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4822


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 4.746 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061918.d

Date : 19-JUN-2024 22:56

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4822


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 1.314 PPBV














Client ID:	T1AMF-SV029_JUN24		
Lab ID:	2406264R2-06A	**Date/Time Analyzed:**	6/19/24 11:31 PM
Date/Time Collected:	6/3/24 09:15 AM	**Dilution Factor:**	6.46
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061919

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	6.6	12	13	Not Detected U
1,4-Dichlorobenzene	106-46-7	6.5	17	19	Not Detected U
Benzene	71-43-2	2.4	9.3	10	53
cis-1,2-Dichloroethene	156-59-2	2.8	12	13	Not Detected U
Ethyl Benzene	100-41-4	3.3	13	14	9.2 J
m,p-Xylene	108-38-3	2.0	13	28	24 J
o-Xylene	95-47-6	3.4	13	14	8.4 J
Toluene	108-88-3	3.0	11	24	74
trans-1,2-Dichloroethene	156-60-5	5.9	12	13	Not Detected U
Trichloroethene	79-01-6	5.2	16	17	Not Detected U
Vinyl Chloride	75-01-4	6.9	7.4	8.2	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	91
4-Bromofluorobenzene	460-00-4	70-130	103
Toluene-d8	2037-26-5	70-130	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061919.d
Lab Smp Id: 2406264-06A
Inj Date : 19-JUN-2024 23:31
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N6303
Misc Info : 22.2 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 2
Dil Factor: 6.46000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane							CAS #: 74-97-5	
5.439	5.432 (1.000)	130	93438	25.0000			80.00- 120.00	100.00
5.439	5.432 (1.000)	128	73439				47.79- 107.79	78.60
5.432	5.432 (1.000)	49	139535				131.33- 191.33	149.33
$ 104 1,2-Dichloroethane-d4							CAS #: 17060-07-0	
6.026	6.019 (1.108)	65	110262	22.6559	22.656		80.00- 120.00	100.00
6.026	6.019 (1.108)	67	59205				23.17- 83.17	53.69
102 Benzene							CAS #: 71-43-2	
5.998	5.990 (0.934)	78	17352	2.57484	16.633		80.00- 120.00	100.00
5.998	5.990 (0.934)	77	4391				0.00- 53.69	25.31
* 108 1,4-Difluorobenzene							CAS #: 540-36-3	
6.420	6.420 (1.000)	114	334714	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	49057				0.00- 45.65	14.66
$ 134 Toluene-d8							CAS #: 2037-26-5	
7.767	7.760 (1.210)	98	319577	24.5602	24.560		80.00- 120.00	100.00
7.767	7.760 (1.210)	70	37669				0.00- 41.42	11.79

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	216576			37.54- 97.54	67.77
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	28556	3.06099	19.774	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	16035			27.89- 87.89	56.15
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	349586	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	176512			22.92- 82.92	50.49
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	1336	0.32793	2.118	80.00- 120.00	100.00(a)
9.242	9.242 (1.010)	91	3641			281.09- 341.09	272.53
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	4387	0.86392	5.581	80.00- 120.00	100.00(a)
9.357	9.364 (1.023)	91	8893			170.33- 230.33	202.71
164 o-Xylene					CAS #: 95-47-6		
9.751	9.744 (1.066)	106	1444	0.29987	1.937	80.00- 120.00	100.00(a)
9.744	9.744 (1.065)	91	3129			181.23- 241.23	216.69
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.288 (1.125)	174	266875	25.6879	25.688	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	291921			88.49- 148.49	109.38
10.295	10.288 (1.125)	176	259160			66.73- 126.73	97.11

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061919.d
Lab Smp Id: 2406264-06A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 22.2 Hg->10 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	93438	3.81
108 1,4-Difluorobenze	327761	196657	458865	334714	2.12
153 Chlorobenzene-d5	325037	195022	455052	349586	7.55

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.44	0.13
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:37

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-06A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 22.2 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.656	90.62	70-130
$ 134 Toluene-d8	25.000	24.560	98.24	70-130
$ 170 4-Bromofluorobenz	25.000	25.688	102.75	70-130

Data File: /chem/msd3.i/19JUN24.b/3061919.d

Date : 19-JUN-2024 23:31

Client ID:


Instrument: msd3.i

Sample Info: 200mL N6303

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061919.d

Date : 19-JUN-2024 23:31

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6303


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 16.633 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061919.d

Date : 19-JUN-2024 23:31

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6303


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 19.774 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061919.d

Date : 19-JUN-2024 23:31

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6303


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 2.118 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061919.d

Date : 19-JUN-2024 23:31

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6303


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 5.581 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061919.d

Date : 19-JUN-2024 23:31

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6303


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 1.937 PPBV














Client ID:	T1AMF-SV030_JUN24		
Lab ID:	2406264R2-07A	**Date/Time Analyzed:**	6/20/24 12:06 AM
Date/Time Collected:	6/3/24 09:55 AM	**Dilution Factor:**	2.07
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061920

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.1	3.7	4.1	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.1	5.6	6.2	Not Detected U
Benzene	71-43-2	0.78	3.0	3.3	9.4
cis-1,2-Dichloroethene	156-59-2	0.89	3.7	4.1	Not Detected U
Ethyl Benzene	100-41-4	1.1	4.0	4.5	6.0
m,p-Xylene	108-38-3	0.64	4.0	9.0	11
o-Xylene	95-47-6	1.1	4.0	4.5	4.2 J
Toluene	108-88-3	0.98	3.5	7.8	37
trans-1,2-Dichloroethene	156-60-5	1.9	3.7	4.1	Not Detected U
Trichloroethene	79-01-6	1.7	5.0	5.6	Not Detected U
Vinyl Chloride	75-01-4	2.2	2.4	2.6	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	103
Toluene-d8	2037-26-5	70-130	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061920.d
Lab Smp Id: 2406264-07A
Inj Date : 20-JUN-2024 00:06
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL 1L4702
Misc Info : 5.7 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 3
Dil Factor: 2.07000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.431	5.432 (1.000)	130	94964	25.0000			80.00- 120.00	100.00
5.431	5.432 (1.000)	128	74060				47.79- 107.79	77.99
5.431	5.432 (1.000)	49	143323				131.33- 191.33	150.92
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	113507	22.9479	22.948		80.00- 120.00	100.00
6.019	6.019 (1.108)	67	57919				23.17- 83.17	51.03
102 Benzene						CAS #: 71-43-2		
5.990	5.990 (0.933)	78	9885	1.42514	2.950		80.00- 120.00	100.00
5.997	5.990 (0.934)	77	2547				0.00- 53.69	25.77
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	344504	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	50512				0.00- 45.65	14.66
$ 134 Toluene-d8						CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	325254	24.2862	24.286		80.00- 120.00	100.00
7.759	7.760 (1.209)	70	36505				0.00- 41.42	11.22

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.759	7.760 (1.209)	100	218016			37.54- 97.54	67.03
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	46012	4.79198	9.919	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	26958			27.89- 87.89	58.59
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	357018	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	179565			22.92- 82.92	50.30
155 Ethyl Benzene					CAS #: 100-41-4		
9.249	9.242 (1.011)	106	2779	0.66791	1.382	80.00- 120.00	100.00
9.249	9.242 (1.011)	91	10078			281.09- 341.09	362.65
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	6543	1.26167	2.612	80.00- 120.00	100.00
9.357	9.364 (1.023)	91	15149			170.33- 230.33	231.53
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	2310	0.46973	0.9723	80.00- 120.00	100.00(a)
9.744	9.744 (1.065)	91	5045			181.23- 241.23	218.40
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	272142	25.6496	25.650	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	304688			88.49- 148.49	111.96
10.288	10.288 (1.124)	176	266135			66.73- 126.73	97.79

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061920.d
Lab Smp Id: 2406264-07A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 5.7 Hg->10 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	94964	5.50
108 1,4-Difluorobenze	327761	196657	458865	344504	5.11
153 Chlorobenzene-d5	325037	195022	455052	357018	9.84

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:37

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-07A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 5.7 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.948	91.79	70-130
$ 134 Toluene-d8	25.000	24.286	97.14	70-130
$ 170 4-Bromofluorobenz	25.000	25.650	102.60	70-130

Data File: /chem/msd3.i/19JUN24.b/3061920.d

Date : 20-JUN-2024 00:06

Client ID:


Instrument: msd3.i

Sample Info: 200mL 1L4702

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061920.d

Date : 20-JUN-2024 00:06

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4702


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 2.950 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061920.d

Date : 20-JUN-2024 00:06

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4702


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 9.919 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061920.d

Date : 20-JUN-2024 00:06

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4702


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 1.382 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061920.d

Date : 20-JUN-2024 00:06

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4702


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 2.612 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061920.d

Date : 20-JUN-2024 00:06

Client ID:

Instrument: msd3.i

Sample Info: 200mL 1L4702


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 0.9723 PPBV














Client ID:	T1AMF-SV031_JUN24		
Lab ID:	2406264R2-08A	**Date/Time Analyzed:**	6/20/24 12:41 AM
Date/Time Collected:	6/3/24 04:01 PM	**Dilution Factor:**	3.25
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061921

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	3.3	5.8	6.4	Not Detected U
1,4-Dichlorobenzene	106-46-7	3.3	8.8	9.8	Not Detected U
Benzene	71-43-2	1.2	4.7	5.2	14
cis-1,2-Dichloroethene	156-59-2	1.4	5.8	6.4	Not Detected U
Ethyl Benzene	100-41-4	1.7	6.4	7.0	3.6 J
m,p-Xylene	108-38-3	1.0	6.4	14	8.9 J
o-Xylene	95-47-6	1.7	6.4	7.0	3.8 J
Toluene	108-88-3	1.5	5.5	12	32
trans-1,2-Dichloroethene	156-60-5	3.0	5.8	6.4	Not Detected U
Trichloroethene	79-01-6	2.6	7.8	8.7	Not Detected U
Vinyl Chloride	75-01-4	3.5	3.7	4.2	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	91
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	96

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061921.d
Lab Smp Id: 2406264-08A
Inj Date : 20-JUN-2024 00:41
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N7487
Misc Info : 14.5 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 4
Dil Factor: 3.25000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.432 (1.000)	130	96082	25.0000		80.00- 120.00	100.00
5.439	5.432 (1.000)	128	73652			47.79- 107.79	76.66
5.432	5.432 (1.000)	49	143267			131.33- 191.33	149.11
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.019 (1.108)	65	113914	22.7622	22.762	80.00- 120.00	100.00
6.026	6.019 (1.108)	67	60198			23.17- 83.17	52.85
102 Benzene					CAS #: 71-43-2		
5.990	5.990 (0.933)	78	9529	1.36764	4.445	80.00- 120.00	100.00
5.997	5.990 (0.934)	77	2736			0.00- 53.69	28.71
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	346059	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	49350			0.00- 45.65	14.26
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	322732	23.9896	23.990	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	35554			0.00- 41.42	11.02

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	218346			37.54- 97.54	67.66
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	24887	2.58024	8.386	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	14356			27.89- 87.89	57.68
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	356539	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	176942			22.92- 82.92	49.63
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	1055	0.25390	0.8252	80.00- 120.00	100.00(a)
9.249	9.242 (1.011)	91	2730			281.09- 341.09	258.77
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	3252	0.62792	2.041	80.00- 120.00	100.00(a)
9.357	9.364 (1.023)	91	6582			170.33- 230.33	202.40
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	1327	0.27020	0.8782	80.00- 120.00	100.00(a)
9.751	9.744 (1.066)	91	2655			181.23- 241.23	200.08
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	270778	25.5553	25.555	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	298652			88.49- 148.49	110.29
10.288	10.288 (1.124)	176	263602			66.73- 126.73	97.35

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061921.d
Lab Smp Id: 2406264-08A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 14.5 Hg->10 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	96082	6.75
108 1,4-Difluorobenze	327761	196657	458865	346059	5.58
153 Chlorobenzene-d5	325037	195022	455052	356539	9.69

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.44	0.13
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:37

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-08A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 14.5 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.762	91.05	70-130
$ 134 Toluene-d8	25.000	23.990	95.96	70-130
$ 170 4-Bromofluorobenz	25.000	25.555	102.22	70-130

Data File: /chem/msd3.i/19JUN24.b/3061921.d

Date : 20-JUN-2024 00:41

Client ID:


Instrument: msd3.i

Sample Info: 200mL N7487

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061921.d

Date : 20-JUN-2024 00:41

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7487


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 4.445 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061921.d

Date : 20-JUN-2024 00:41

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7487


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 8.386 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061921.d

Date : 20-JUN-2024 00:41

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7487


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 0.8252 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061921.d

Date : 20-JUN-2024 00:41

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7487


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 2.041 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061921.d

Date : 20-JUN-2024 00:41

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7487


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 0.8782 PPBV














Client ID:	T1AMF-SV009B_JUN24		
Lab ID:	2406264R2-09A	**Date/Time Analyzed:**	6/20/24 01:16 AM
Date/Time Collected:	6/6/24 12:19 PM	**Dilution Factor:**	2.29
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061922

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.4	4.1	4.5	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.3	6.2	6.9	Not Detected U
Benzene	71-43-2	0.86	3.3	3.6	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.99	4.1	4.5	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.5	5.0	Not Detected U
m,p-Xylene	108-38-3	0.71	4.5	9.9	Not Detected U
o-Xylene	95-47-6	1.2	4.5	5.0	Not Detected U
Toluene	108-88-3	1.1	3.9	8.6	Not Detected U
trans-1,2-Dichloroethene	156-60-5	2.1	4.1	4.5	Not Detected U
Trichloroethene	79-01-6	1.8	5.5	6.2	11
Vinyl Chloride	75-01-4	2.4	2.6	2.9	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	89
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061922.d
Lab Smp Id: 2406264-09A
Inj Date : 20-JUN-2024 01:16
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N8065
Misc Info : 8 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 5
Dil Factor: 2.29000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.432 (1.000)	130	93975	25.0000		80.00- 120.00	100.00
5.439	5.432 (1.000)	128	72490			47.79- 107.79	77.14
5.432	5.432 (1.000)	49	139671			131.33- 191.33	148.63
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.019 (1.108)	65	108986	22.2658	22.266	80.00- 120.00	100.00
6.026	6.019 (1.108)	67	56463			23.17- 83.17	51.81
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	333172	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	49057			0.00- 45.65	14.72
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.628 (1.033)	95	2910	0.89973	2.060	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	3077			80.23- 140.23	105.74
6.621	6.628 (1.031)	97	1977			34.78- 94.78	67.94
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	317123	24.4844	24.484	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.767	7.760 (1.210)	70	34458			0.00- 41.42	10.87
7.767	7.760 (1.210)	100	214633			37.54- 97.54	67.68
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	348483	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	172969			22.92- 82.92	49.63
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	262729	25.3689	25.369	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	286689			88.49- 148.49	109.12
10.288	10.288 (1.124)	176	256581			66.73- 126.73	97.66

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061922.d
Lab Smp Id: 2406264-09A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 8 Hg->10 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	93975	4.41
108 1,4-Difluorobenze	327761	196657	458865	333172	1.65
153 Chlorobenzene-d5	325037	195022	455052	348483	7.21

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.44	0.13
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:37

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-09A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 8 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.266	89.06	70-130
$ 134 Toluene-d8	25.000	24.484	97.94	70-130
$ 170 4-Bromofluorobenz	25.000	25.369	101.48	70-130

Data File: /chem/msd3.i/19JUN24.b/3061922.d

Date : 20-JUN-2024 01:16

Client ID:


Instrument: msd3.i

Sample Info: 200mL N8065

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061922.d

Date : 20-JUN-2024 01:16

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8065


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 2.060 PPBV

















Client ID:	T1AMF-SV032B_JUN24		
Lab ID:	2406264R2-10A	**Date/Time Analyzed:**	6/20/24 01:51 AM
Date/Time Collected:	6/6/24 11:09 AM	**Dilution Factor:**	2.17
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061923

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	3.9	4.3	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.2	5.9	6.5	Not Detected U
Benzene	71-43-2	0.82	3.1	3.5	8.1
cis-1,2-Dichloroethene	156-59-2	0.94	3.9	4.3	Not Detected U
Ethyl Benzene	100-41-4	1.1	4.2	4.7	3.3 J
m,p-Xylene	108-38-3	0.68	4.2	9.4	8.0 J
o-Xylene	95-47-6	1.1	4.2	4.7	3.2 J
Toluene	108-88-3	1.0	3.7	8.2	18
trans-1,2-Dichloroethene	156-60-5	2.0	3.9	4.3	Not Detected U
Trichloroethene	79-01-6	1.7	5.2	5.8	9.2
Vinyl Chloride	75-01-4	2.3	2.5	2.8	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	90
4-Bromofluorobenzene	460-00-4	70-130	103
Toluene-d8	2037-26-5	70-130	96

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061923.d
Lab Smp Id: 2406264-10A
Inj Date : 20-JUN-2024 01:51
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N7568
Misc Info : 6.9 Hg->9.9 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 6
Dil Factor: 2.17000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.432	5.432 (1.000)	130	95475	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	73905				47.79- 107.79	77.41
5.432	5.432 (1.000)	49	142074				131.33- 191.33	148.81
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	111866	22.4951	22.495		80.00- 120.00	100.00
6.019	6.019 (1.108)	67	58302				23.17- 83.17	52.12
102 Benzene						CAS #: 71-43-2		
5.990	5.990 (0.933)	78	8072	1.16956	2.538		80.00- 120.00	100.00
5.998	5.990 (0.934)	77	1874				0.00- 53.69	23.22
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	342793	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	49700				0.00- 45.65	14.50
111 Trichloroethene						CAS #: 79-01-6		
6.628	6.628 (1.032)	95	2619	0.78703	1.708		80.00- 120.00	100.00
6.628	6.628 (1.032)	130	2856				80.23- 140.23	109.05

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
111 Trichloroethene (continued)							
6.628	6.628 (1.032)	97	1775			34.78- 94.78	67.77
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	320820	24.0746	24.075	80.00- 120.00	100.00
7.767	7.760 (1.210)	70	35148			0.00- 41.42	10.96
7.760	7.760 (1.209)	100	216618			37.54- 97.54	67.52
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	20780	2.17496	4.720	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	11778			27.89- 87.89	56.68
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	354043	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	176740			22.92- 82.92	49.92
155 Ethyl Benzene					CAS #: 100-41-4		
9.250	9.242 (1.011)	106	1441	0.34924	0.7579	80.00- 120.00	100.00(a)
9.242	9.242 (1.010)	91	3993			281.09- 341.09	277.10
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	4382	0.85207	1.849	80.00- 120.00	100.00(a)
9.357	9.364 (1.023)	91	9212			170.33- 230.33	210.22
164 o-Xylene					CAS #: 95-47-6		
9.751	9.744 (1.066)	106	1666	0.34162	0.7413	80.00- 120.00	100.00(a)
9.744	9.744 (1.065)	91	3923			181.23- 241.23	235.47
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	272021	25.8536	25.854	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	295832			88.49- 148.49	108.75
10.288	10.288 (1.124)	176	262031			66.73- 126.73	96.33

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061923.d
Lab Smp Id: 2406264-10A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 6.9 Hg->9.9 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	95475	6.07
108 1,4-Difluorobenze	327761	196657	458865	342793	4.59
153 Chlorobenzene-d5	325037	195022	455052	354043	8.92

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:37

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-10A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 6.9 Hg->9.9 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.495	89.98	70-130
$ 134 Toluene-d8	25.000	24.075	96.30	70-130
$ 170 4-Bromofluorobenz	25.000	25.854	103.41	70-130

Data File: /chem/msd3.i/19JUN24.b/3061923.d

Date : 20-JUN-2024 01:51

Client ID:


Instrument: msd3.i

Sample Info: 200mL N7568

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061923.d

Date : 20-JUN-2024 01:51

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7568


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 2.538 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061923.d

Date : 20-JUN-2024 01:51

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7568


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 1.708 PPBV

















Data File: /chem/msd3.i/19JUN24.b/3061923.d

Date : 20-JUN-2024 01:51

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7568


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 4.720 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061923.d

Date : 20-JUN-2024 01:51

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7568


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 0.7579 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061923.d

Page 6

Date : 20-JUN-2024 01:51

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7568


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 1.849 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061923.d

Date : 20-JUN-2024 01:51

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7568


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 0.7413 PPBV














Client ID:	T1AMF-SV032A_JUN24		
Lab ID:	2406264R2-11A	**Date/Time Analyzed:**	6/20/24 02:24 AM
Date/Time Collected:	6/6/24 10:19 AM	**Dilution Factor:**	4.74
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061924

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	4.9	8.4	9.4	Not Detected U
1,4-Dichlorobenzene	106-46-7	4.8	13	14	Not Detected U
Benzene	71-43-2	1.8	6.8	7.6	3.5 J
cis-1,2-Dichloroethene	156-59-2	2.0	8.4	9.4	Not Detected U
Ethyl Benzene	100-41-4	2.4	9.3	10	Not Detected U
m,p-Xylene	108-38-3	1.5	9.3	20	4.0 J
o-Xylene	95-47-6	2.5	9.3	10	Not Detected U
Toluene	108-88-3	2.2	8.0	18	12 J
trans-1,2-Dichloroethene	156-60-5	4.3	8.4	9.4	Not Detected U
Trichloroethene	79-01-6	3.8	11	13	2900
Vinyl Chloride	75-01-4	5.1	5.4	6.0	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	90
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061924.d
Lab Smp Id: 2406264-11A
Inj Date : 20-JUN-2024 02:24
Operator : ACE Inst ID: msd3.i
Smp Info : 100mL N2057
Misc Info : 8.8 Hg->9.9 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 7
Dil Factor: 4.74000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	CONCENTRATIONS FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane						CAS #: 74-97-5		
5.432	5.432 (1.000)	130	92766	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	71590				47.79- 107.79	77.17
5.432	5.432 (1.000)	49	139307				131.33- 191.33	150.17
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	109085	22.5764	22.576		80.00- 120.00	100.00
6.026	6.019 (1.109)	67	55955				23.17- 83.17	51.29
102 Benzene						CAS #: 71-43-2		
5.997	5.990 (0.934)	78	1509	0.22962	1.088		80.00- 120.00	100.00(a)
5.997	5.990 (0.934)	77	341				0.00- 53.69	22.60
* 108 1,4-Difluorobenzene						CAS #: 540-36-3		
6.420	6.420 (1.000)	114	326401	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	48276				0.00- 45.65	14.79
111 Trichloroethene						CAS #: 79-01-6		
6.628	6.628 (1.032)	95	357353	112.780	534.58		80.00- 120.00	100.00
6.628	6.628 (1.032)	130	402712				80.23- 140.23	112.69

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
111 Trichloroethene (continued)							
6.628	6.628 (1.032)	97	229656			34.78- 94.78	64.27
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	309837	24.4181	24.418	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	33210			0.00- 41.42	10.72
7.760	7.760 (1.209)	100	209510			37.54- 97.54	67.62
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	6316	0.69427	3.291	80.00- 120.00	100.00(a)
7.824	7.824 (1.219)	92	3906			27.89- 87.89	61.84
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	338925	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	168422			22.92- 82.92	49.69
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	958	0.19459	0.9224	80.00- 120.00	100.00(a)
9.357	9.364 (1.023)	91	1920			170.33- 230.33	200.42
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	257879	25.6028	25.603	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	283159			88.49- 148.49	109.80
10.288	10.288 (1.124)	176	251729			66.73- 126.73	97.62

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061924.d
Lab Smp Id: 2406264-11A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 8.8 Hg->9.9 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	92766	3.06
108 1,4-Difluorobenze	327761	196657	458865	326401	-0.41
153 Chlorobenzene-d5	325037	195022	455052	338925	4.27

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:38

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-11A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 8.8 Hg->9.9 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.576	90.31	70-130
$ 134 Toluene-d8	25.000	24.418	97.67	70-130
$ 170 4-Bromofluorobenz	25.000	25.603	102.41	70-130

Data File: /chem/msd3.i/19JUN24.b/3061924.d

Date : 20-JUN-2024 02:24

Client ID:


Instrument: msd3.i

Sample Info: 100mL N2057

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061924.d

Date : 20-JUN-2024 02:24

Client ID:

Instrument: msd3.i

Sample Info: 100mL N2057


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 1.088 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061924.d

Date : 20-JUN-2024 02:24

Client ID:

Instrument: msd3.i

Sample Info: 100mL N2057


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 534.58 PPBV

















Data File: /chem/msd3.i/19JUN24.b/3061924.d

Date : 20-JUN-2024 02:24

Client ID:

Instrument: msd3.i

Sample Info: 100mL N2057


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 3.291 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061924.d

Date : 20-JUN-2024 02:24

Client ID:

Instrument: msd3.i

Sample Info: 100mL N2057


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 0.9224 PPBV














Client ID:	T1AMF-SV034_JUN24		
Lab ID:	2406264R2-12A	**Date/Time Analyzed:**	6/20/24 02:59 AM
Date/Time Collected:	6/6/24 08:26 AM	**Dilution Factor:**	2.38
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061925

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.4	4.2	4.7	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.4	6.4	7.2	Not Detected U
Benzene	71-43-2	0.90	3.4	3.8	18
cis-1,2-Dichloroethene	156-59-2	1.0	4.2	4.7	Not Detected U
Ethyl Benzene	100-41-4	1.2	4.6	5.2	7.9
m,p-Xylene	108-38-3	0.74	4.6	10	27
o-Xylene	95-47-6	1.2	4.6	5.2	17
Toluene	108-88-3	1.1	4.0	9.0	52
trans-1,2-Dichloroethene	156-60-5	2.2	4.2	4.7	Not Detected U
Trichloroethene	79-01-6	1.9	5.8	6.4	44
Vinyl Chloride	75-01-4	2.6	2.7	3.0	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061925.d
Lab Smp Id: 2406264-12A
Inj Date : 20-JUN-2024 02:59
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N7470
Misc Info : 8.8 Hg->10 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 8
Dil Factor: 2.38000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane							CAS #: 74-97-5	
5.432	5.432 (1.000)	130	98136	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	77750				47.79- 107.79	79.23
5.432	5.432 (1.000)	49	149705				131.33- 191.33	152.55
$ 104 1,2-Dichloroethane-d4							CAS #: 17060-07-0	
6.026	6.019 (1.109)	65	117128	22.9146	22.914		80.00- 120.00	100.00
6.026	6.019 (1.109)	67	63870				23.17- 83.17	54.53
102 Benzene							CAS #: 71-43-2	
5.990	5.990 (0.933)	78	17199	2.39669	5.704		80.00- 120.00	100.00
5.990	5.990 (0.933)	77	5177				0.00- 53.69	30.10
* 108 1,4-Difluorobenzene							CAS #: 540-36-3	
6.420	6.420 (1.000)	114	356423	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	51341				0.00- 45.65	14.40
111 Trichloroethene							CAS #: 79-01-6	
6.628	6.628 (1.032)	95	11956	3.45546	8.224		80.00- 120.00	100.00
6.628	6.628 (1.032)	130	12990				80.23- 140.23	108.65

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
111 Trichloroethene (continued)							
6.628	6.628 (1.032)	97	7628			34.78- 94.78	63.80
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	335117	24.1858	24.186	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	40271			0.00- 41.42	12.02
7.760	7.760 (1.209)	100	223465			37.54- 97.54	66.68
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	57695	5.80778	13.822	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	33243			27.89- 87.89	57.62
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	367077	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	185623			22.92- 82.92	50.57
155 Ethyl Benzene					CAS #: 100-41-4		
9.249	9.242 (1.011)	106	3273	0.76509	1.821	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	10346			281.09- 341.09	316.10
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	13769	2.58229	6.146	80.00- 120.00	100.00
9.357	9.364 (1.023)	91	26537			170.33- 230.33	192.73
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	8123	1.60651	3.824	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	16965			181.23- 241.23	208.85
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	279326	25.6053	25.605	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	305685			88.49- 148.49	109.44
10.288	10.288 (1.124)	176	270975			66.73- 126.73	97.01

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061925.d
Lab Smp Id: 2406264-12A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 8.8 Hg->10 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	98136	9.03
108 1,4-Difluorobenze	327761	196657	458865	356423	8.74
153 Chlorobenzene-d5	325037	195022	455052	367077	12.93

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:38

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-12A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 8.8 Hg->10 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.914	91.66	70-130
$ 134 Toluene-d8	25.000	24.186	96.74	70-130
$ 170 4-Bromofluorobenz	25.000	25.605	102.42	70-130

Data File: /chem/msd3.i/19JUN24.b/3061925.d

Date : 20-JUN-2024 02:59

Client ID:


Instrument: msd3.i

Sample Info: 200mL N7470

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061925.d

Date : 20-JUN-2024 02:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7470


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 5.704 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061925.d

Date : 20-JUN-2024 02:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7470


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 8.224 PPBV

















Data File: /chem/msd3.i/19JUN24.b/3061925.d

Date : 20-JUN-2024 02:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7470


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 13.822 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061925.d

Date : 20-JUN-2024 02:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7470


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 1.821 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061925.d

Date : 20-JUN-2024 02:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7470


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 6.146 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061925.d

Date : 20-JUN-2024 02:59

Client ID:

Instrument: msd3.i

Sample Info: 200mL N7470


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 3.824 PPBV














EPA METHOD TO-15 GC/MS FULL SCAN
Titan 1A Semi Annual Groundwater

eurofins | Air Toxics

Client ID:	T1AMF-SV035_JUN24		
Lab ID:	2406264R2-13A	**Date/Time Analyzed:**	6/20/24 03:34 AM
Date/Time Collected:	6/6/24 09:26 AM	**Dilution Factor:**	2.10
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061926

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	3.7	4.2	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.1	5.7	6.3	Not Detected U
Benzene	71-43-2	0.79	3.0	3.4	8.6
cis-1,2-Dichloroethene	156-59-2	0.90	3.7	4.2	Not Detected U
Ethyl Benzene	100-41-4	1.1	4.1	4.6	4.5 J
m,p-Xylene	108-38-3	0.65	4.1	9.1	12
o-Xylene	95-47-6	1.1	4.1	4.6	5.3
Toluene	108-88-3	0.99	3.6	7.9	24
trans-1,2-Dichloroethene	156-60-5	1.9	3.7	4.2	Not Detected U
Trichloroethene	79-01-6	1.7	5.1	5.6	1500
Vinyl Chloride	75-01-4	2.2	2.4	2.7	Not Detected U

U = The analyte was not detected above the MDL.
J = Estimated value.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	91
4-Bromofluorobenzene	460-00-4	70-130	103
Toluene-d8	2037-26-5	70-130	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061926.d
Lab Smp Id: 2406264-13A
Inj Date : 20-JUN-2024 03:34
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N8280
Misc Info : 6.1 Hg->9.9 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 9
Dil Factor: 2.10000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane							CAS #: 74-97-5	
5.432	5.432 (1.000)	130	94208	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	72297				47.79- 107.79	76.74
5.432	5.432 (1.000)	49	138655				131.33- 191.33	147.18
$ 104 1,2-Dichloroethane-d4							CAS #: 17060-07-0	
6.026	6.019 (1.109)	65	111187	22.6592	22.659		80.00- 120.00	100.00
6.026	6.019 (1.109)	67	58358				23.17- 83.17	52.49
102 Benzene							CAS #: 71-43-2	
5.990	5.990 (0.933)	78	8821	1.29051	2.710		80.00- 120.00	100.00
5.990	5.990 (0.933)	77	2604				0.00- 53.69	29.52
* 108 1,4-Difluorobenzene							CAS #: 540-36-3	
6.420	6.420 (1.000)	114	339493	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	49290				0.00- 45.65	14.52
111 Trichloroethene							CAS #: 79-01-6	
6.628	6.628 (1.032)	95	437747	132.824	278.93		80.00- 120.00	100.00
6.628	6.628 (1.032)	130	495972				80.23- 140.23	113.30

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
111 Trichloroethene (continued)							
6.628	6.628 (1.032)	97	281938			34.78- 94.78	64.41
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	319419	24.2025	24.202	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	35734			0.00- 41.42	11.19
7.760	7.760 (1.209)	100	215064			37.54- 97.54	67.33
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	28198	2.98006	6.258	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	16542			27.89- 87.89	58.66
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	347010	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	173105			22.92- 82.92	49.88
155 Ethyl Benzene					CAS #: 100-41-4		
9.250	9.242 (1.011)	106	2005	0.49579	1.041	80.00- 120.00	100.00(a)
9.242	9.242 (1.010)	91	5806			281.09- 341.09	289.58
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	6687	1.32663	2.786	80.00- 120.00	100.00
9.357	9.364 (1.023)	91	13349			170.33- 230.33	199.63
164 o-Xylene					CAS #: 95-47-6		
9.751	9.744 (1.066)	106	2794	0.58453	1.228	80.00- 120.00	100.00
9.751	9.744 (1.066)	91	5806			181.23- 241.23	207.80
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	264801	25.6775	25.678	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	285797			88.49- 148.49	107.93
10.288	10.288 (1.124)	176	255457			66.73- 126.73	96.47

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061926.d
Lab Smp Id: 2406264-13A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 6.1 Hg->9.9 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	94208	4.66
108 1,4-Difluorobenze	327761	196657	458865	339493	3.58
153 Chlorobenzene-d5	325037	195022	455052	347010	6.76

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:38

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-13A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 6.1 Hg->9.9 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.659	90.64	70-130
$ 134 Toluene-d8	25.000	24.202	96.81	70-130
$ 170 4-Bromofluorobenz	25.000	25.678	102.71	70-130

Data File: /chem/msd3.i/19JUN24.b/3061926.d

Date : 20-JUN-2024 03:34

Client ID:


Instrument: msd3.i

Sample Info: 200mL N8280

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061926.d

Date : 20-JUN-2024 03:34

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8280


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 2.710 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061926.d

Date : 20-JUN-2024 03:34

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8280


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 278.93 PPBV

















Data File: /chem/msd3.i/19JUN24.b/3061926.d

Date : 20-JUN-2024 03:34

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8280


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 6.258 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061926.d

Date : 20-JUN-2024 03:34

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8280


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 1.041 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061926.d

Date : 20-JUN-2024 03:34

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8280


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 2.786 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061926.d

Date : 20-JUN-2024 03:34

Client ID:

Instrument: msd3.i

Sample Info: 200mL N8280


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 1.228 PPBV














EPA METHOD TO-15 GC/MS FULL SCAN
Titan 1A Semi Annual Groundwater

Client ID:	T1AMF-SV035_JUN24_FD		
Lab ID:	2406264R2-14A	**Date/Time Analyzed:**	6/20/24 04:09 AM
Date/Time Collected:	6/6/24 09:22 AM	**Dilution Factor:**	2.15
Media:	1 Liter Summa Canister	**Instrument/Filename:**	msd3.i / 3061927

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	3.8	4.3	Not Detected U
1,4-Dichlorobenzene	106-46-7	2.2	5.8	6.5	Not Detected U
Benzene	71-43-2	0.81	3.1	3.4	9.3
cis-1,2-Dichloroethene	156-59-2	0.93	3.8	4.3	Not Detected U
Ethyl Benzene	100-41-4	1.1	4.2	4.7	4.7
m,p-Xylene	108-38-3	0.67	4.2	9.3	13
o-Xylene	95-47-6	1.1	4.2	4.7	5.7
Toluene	108-88-3	1.0	3.6	8.1	27
trans-1,2-Dichloroethene	156-60-5	2.0	3.8	4.3	Not Detected U
Trichloroethene	79-01-6	1.7	5.2	5.8	1500
Vinyl Chloride	75-01-4	2.3	2.5	2.7	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061927.d
Lab Smp Id: 2406264-14A
Inj Date : 20-JUN-2024 04:09
Operator : ACE Inst ID: msd3.i
Smp Info : 200mL N6955
Misc Info : 6.7 Hg->9.9 psi
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 10
Dil Factor: 2.15000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane							CAS #: 74-97-5	
5.439	5.432 (1.000)	130	92482	25.0000			80.00- 120.00	100.00
5.432	5.432 (1.000)	128	72754				47.79- 107.79	78.67
5.432	5.432 (1.000)	49	137429				131.33- 191.33	148.60
$ 104 1,2-Dichloroethane-d4							CAS #: 17060-07-0	
6.019	6.019 (1.107)	65	110458	22.9308	22.931		80.00- 120.00	100.00
6.026	6.019 (1.108)	67	57511				23.17- 83.17	52.07
102 Benzene							CAS #: 71-43-2	
5.990	5.990 (0.933)	78	9277	1.35782	2.919		80.00- 120.00	100.00
5.990	5.990 (0.933)	77	2281				0.00- 53.69	24.59
* 108 1,4-Difluorobenzene							CAS #: 540-36-3	
6.420	6.420 (1.000)	114	339343	25.0000			80.00- 120.00	100.00
6.420	6.420 (1.000)	88	49047				0.00- 45.65	14.45
111 Trichloroethene							CAS #: 79-01-6	
6.628	6.628 (1.032)	95	423769	128.640	276.58		80.00- 120.00	100.00
6.628	6.628 (1.032)	130	479407				80.23- 140.23	113.13

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
111 Trichloroethene (continued)							
6.628	6.628 (1.032)	97	274390			34.78- 94.78	64.75
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.760 (1.210)	98	319877	24.2479	24.248	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	35762			0.00- 41.42	11.18
7.760	7.760 (1.209)	100	214195			37.54- 97.54	66.96
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	31269	3.30608	7.108	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	18048			27.89- 87.89	57.72
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	344875	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	173978			22.92- 82.92	50.45
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	2033	0.50582	1.088	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	6064			281.09- 341.09	298.28
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	7221	1.44144	3.099	80.00- 120.00	100.00
9.357	9.364 (1.023)	91	15139			170.33- 230.33	209.65
164 o-Xylene					CAS #: 95-47-6		
9.751	9.744 (1.066)	106	2924	0.61552	1.323	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	6145			181.23- 241.23	210.16
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	262176	25.5803	25.580	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	287139			88.49- 148.49	109.52
10.288	10.288 (1.124)	176	255691			66.73- 126.73	97.53

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061927.d
Lab Smp Id: 2406264-14A
Analysis Type: VOA
Quant Type: ISTD
Operator: ACE
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 6.7 Hg->9.9 psi

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	92482	2.75
108 1,4-Difluorobenze	327761	196657	458865	339343	3.53
153 Chlorobenzene-d5	325037	195022	455052	344875	6.10

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.44	0.13
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:38

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: 2406264-14A
Level: LOW Operator: ACE
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 6.7 Hg->9.9 psi

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.931	91.72	70-130
$ 134 Toluene-d8	25.000	24.248	96.99	70-130
$ 170 4-Bromofluorobenz	25.000	25.580	102.32	70-130

Data File: /chem/msd3.i/19JUN24.b/3061927.d

Date : 20-JUN-2024 04:09

Client ID:


Instrument: msd3.i

Sample Info: 200mL N6955

Operator: ACE

Column phase: RTX-624

Column diameter: 0.25



Data File: /chem/msd3.i/19JUN24.b/3061927.d

Date : 20-JUN-2024 04:09

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6955


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


102 Benzene


Concentration: 2.919 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061927.d

Date : 20-JUN-2024 04:09

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6955


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


111 Trichloroethene


Concentration: 276.58 PPBV

















Data File: /chem/msd3.i/19JUN24.b/3061927.d

Date : 20-JUN-2024 04:09

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6955


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


137 Toluene


Concentration: 7.108 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061927.d

Date : 20-JUN-2024 04:09

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6955


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


155 Ethyl Benzene


Concentration: 1.088 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061927.d

Page 6

Date : 20-JUN-2024 04:09

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6955


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


158 m,p-Xylene


Concentration: 3.099 PPBV














Data File: /chem/msd3.i/19JUN24.b/3061927.d

Page 7

Date : 20-JUN-2024 04:09

Client ID:

Instrument: msd3.i

Sample Info: 200mL N6955


Operator: ACE


Column phase: RTX-624


Column diameter: 0.25


164 o-Xylene


Concentration: 1.323 PPBV














QC Results and Raw Data

Client ID:	Lab Blank		
Lab ID:	2406264R2-15A	**Date/Time Analyzed:**	6/19/24 12:03 PM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061906d

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.0	1.8	2.0	Not Detected U
1,4-Dichlorobenzene	106-46-7	1.0	2.7	3.0	Not Detected U
Benzene	71-43-2	0.38	1.4	1.6	Not Detected U
cis-1,2-Dichloroethene	156-59-2	0.43	1.8	2.0	Not Detected U
Ethyl Benzene	100-41-4	0.52	2.0	2.2	Not Detected U
m,p-Xylene	108-38-3	0.31	2.0	4.3	Not Detected U
o-Xylene	95-47-6	0.52	2.0	2.2	Not Detected U
Toluene	108-88-3	0.47	1.7	3.8	Not Detected U
trans-1,2-Dichloroethene	156-60-5	0.91	1.8	2.0	Not Detected U
Trichloroethene	79-01-6	0.80	2.4	2.7	Not Detected U
Vinyl Chloride	75-01-4	1.1	1.2	1.3	Not Detected U

U = The analyte was not detected above the MDL.
D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	90
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	93

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061906d.d
Lab Smp Id: Lab Blank Client Smp ID: Lab Blank
Inj Date : 19-JUN-2024 12:03
Operator : TO Inst ID: msd3.i
Smp Info : 200mL N1876
Misc Info : Humid
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:36 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 12
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: PAR28661.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.424	5.432 (1.000)	130	105127	25.0000		80.00- 120.00	100.00
5.424	5.432 (1.000)	128	81533			47.79- 107.79	77.56
5.424	5.432 (1.000)	49	156199			131.33- 191.33	148.58
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.110)	65	123397	22.5356	22.536	80.00- 120.00	100.00
6.019	6.019 (1.110)	67	63842			23.17- 83.17	51.74
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.413	6.420 (1.000)	114	370217	25.0000		80.00- 120.00	100.00
6.413	6.420 (1.000)	88	53696			0.00- 45.65	14.50
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.210)	98	335897	23.3389	23.339	80.00- 120.00	100.00
7.752	7.760 (1.209)	70	34996			0.00- 41.42	10.42
7.760	7.760 (1.210)	100	224980			37.54- 97.54	66.98
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	371455	25.0000		80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
* 153 Chlorobenzene-d5 (continued)							
9.142	9.149 (1.000)	82	187546			22.92- 82.92	50.49
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	279653	25.3331	25.333	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	309402			88.49- 148.49	110.64
10.288	10.288 (1.124)	176	269944			66.73- 126.73	96.53

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061906d.d
Lab Smp Id: Lab Blank
Analysis Type: VOA
Quant Type: ISTD
Operator: TO
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: Humid

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Client Smp ID: Lab Blank
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	105127	16.79
108 1,4-Difluorobenze	327761	196657	458865	370217	12.95
153 Chlorobenzene-d5	325037	195022	455052	371455	14.28

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.42	-0.14
108 1,4-Difluorobenze	6.42	6.09	6.75	6.41	-0.12
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:36

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: Lab Blank Client Smp ID: Lab Blank
Level: LOW Operator: TO
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: PAR28661.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: Humid

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.536	90.14	70-130
$ 134 Toluene-d8	25.000	23.339	93.36	70-130
$ 170 4-Bromofluorobenz	25.000	25.333	101.33	70-130

Data File: /chem/msd3.i/19JUN24.b/3061906d.d

Date : 19-JUN-2024 12:03

Client ID: Lab Blank


Instrument: msd3.i

Sample Info: 200mL N1876

Operator: TO

Column phase: RTX-624

Column diameter: 0.25



LEVEL-IV VALIDATABLE

MODIFIED EPA METHOD TO-15

SURROGATE RECOVERY FORM

Lab Name : Eurofins Air Toxics _____ SDG No. :2406264R2

	CLIENT SAMPLE NO.	SURROGATE % RECOVERY						
		1,2-Dichloroethane-d4	#	Toluene-d8	#	4-Bromofluorobenzene	#	TOTAL OUT
1	T1AMF-SV003_JUN24	92		99		102		
2	T1AMF-SV010_JUN24	91		98		102		
3	T1AMF-SV027_JUN24	92		97		101		
4	T1AMF-SV028_JUN24	93		98		102		
5	T1AMF-SV028_JUN24_FD	92		97		101		
6	T1AMF-SV028_JUN24_FD Lab Dupli	91		97		103		
7	T1AMF-SV029_JUN24	91		98		103		
8	T1AMF-SV030_JUN24	92		97		103		
9	T1AMF-SV031_JUN24	91		96		102		
10	T1AMF-SV009B_JUN24	89		98		101		
11	T1AMF-SV032B_JUN24	90		96		103		
12	T1AMF-SV032A_JUN24	90		98		102		
13	T1AMF-SV034_JUN24	92		97		102		
14	T1AMF-SV035_JUN24	91		97		103		
15	T1AMF-SV035_JUN24_FD	92		97		102		
16	Lab Blank	90		93		101		
17	CCV	94		97		101		
18	CCV	92		98		103		
19	LCS	92		96		102		
20	LCSD	92		96		102		

Surrogate Recovery Limits

1,2-Dichloroethane-d4	70 - 130
Toluene-d8	70 - 130
4-Bromofluorobenzene	70 - 130

* Designates Values Outside of QC limits

LEVEL-IV VALIDATABLE

MODIFIED EPA METHOD TO-15

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name : Eurofins Air Toxics File ID: 3061903.d Date : 2024-06-19 09:34:00 SDG No. : 2406264R2

		Bromochloromethane		RT		1,4-Difluorobenzene		RT		Chlorobenzene-d5		RT	
	24-HOUR CCV	90010		5.43		327761		6.42		325037		9.15	
	UPPER LIMIT	126013		5.76		458865		6.75		455051		9.48	
	LOWER LIMIT	54006		5.10		196656		6.09		195022		8.82	
	CLIENT SAMPLE NO.												
1	T1AMF-SV003_JUN24	89474		5.44		320369		6.42		335941		9.15	
2	T1AMF-SV010_JUN24	92424		5.43		324896		6.42		343029		9.15	
3	T1AMF-SV027_JUN24	96314		5.43		349107		6.42		361154		9.15	
4	T1AMF-SV028_JUN24	89798		5.44		328234		6.42		340997		9.15	
5	T1AMF-SV028_JUN24_FD	91014		5.43		335366		6.42		341862		9.15	
6	T1AMF-SV028_JUN24_FD Lab Dupli	92021		5.44		335678		6.42		344079		9.15	
7	T1AMF-SV029_JUN24	93438		5.44		334714		6.42		349586		9.15	
8	T1AMF-SV030_JUN24	94964		5.43		344504		6.42		357018		9.15	
9	T1AMF-SV031_JUN24	96082		5.44		346059		6.42		356539		9.15	
10	T1AMF-SV009B_JUN24	93975		5.44		333172		6.42		348483		9.15	
11	T1AMF-SV032B_JUN24	95475		5.43		342793		6.42		354043		9.15	
12	T1AMF-SV032A_JUN24	92766		5.43		326401		6.42		338925		9.15	
13	T1AMF-SV034_JUN24	98136		5.43		356423		6.42		367077		9.15	
14	T1AMF-SV035_JUN24	94208		5.43		339493		6.42		347010		9.15	
15	T1AMF-SV035_JUN24_FD	92482		5.44		339343		6.42		344875		9.15	
16	Lab Blank	105127		5.42		370217		6.41		371455		9.15	
17	CCV	90010		5.43		327761		6.42		325037		9.15	
18	CCV	88848		5.43		319557		6.42		314384		9.15	
19	LCS	91935		5.43		330162		6.42		326352		9.15	
20	LCSD	91657		5.43		333499		6.42		324852		9.15	

Area Upper Limit = +40% of intenral standard area

Area Lower Limit = -40% of intenral standard area

RT Upper Limit = +0.33 minutes of internal standard RT

RT Lower Limit = -0.33 minutes of internal standard RT

* Designates Values Outside of QC limits

SAMPLE RESULTS/SAMPLE RESULTS DUPLICATE

Lab File ID: 3061917.d & 3061918.d

Lab Sample ID: 05A & 05AA

CAS Number	Compound	Original Amount	Duplicate Amount	RPD	Result Less Than 5X RL
75-35-4	1,1-Dichloroethene	ND	ND	0	
106-46-7	1,4-Dichlorobenzene	ND	ND	0	
71-43-2	Benzene	26	26	0.52	
156-59-2	cis-1,2-Dichloroethene	ND	ND	0	
100-41-4	Ethyl Benzene	2.463	2.759	11	Y
108-38-3	m,p-Xylene	4.823	4.746	1.6	Y
95-47-6	o-Xylene	1.192	1.314	9.7	Y
108-88-3	Toluene	7.303	7.32	0.23	Y
156-60-5	trans-1,2-Dichloroethene	ND	ND	0	
79-01-6	Trichloroethene	ND	ND	0	
75-01-4	Vinyl Chloride	ND	ND	0	

SAMPLE RESULTS/SAMPLE RESULTS DUPLICATE

Lab File ID: 3061904c.d & 3061905c.d

Lab Sample ID: 17A & 17AA

CAS Number	Compound	Original Amount	Duplicate Amount	RPD	Result Less Than 5X RL
75-35-4	1,1-Dichloroethene	102	89	14	
106-46-7	1,4-Dichlorobenzene	101	101	0	
71-43-2	Benzene	95	94	1.1	
156-59-2	cis-1,2-Dichloroethene	93	91	2.2	
100-41-4	Ethyl Benzene	100	101	1.00	
108-38-3	m,p-Xylene	99	100	1.0	
95-47-6	o-Xylene	99	101	2.0	
108-88-3	Toluene	92	91	1.1	
156-60-5	trans-1,2-Dichloroethene	91	92	1.1	
79-01-6	Trichloroethene	99	97	2.0	
75-01-4	Vinyl Chloride	94	95	1.1	

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Calibration File Names:
Level 2: /chem/msd3.i/23APR24.b/3042307.d
Level 3: /chem/msd3.i/23APR24.b/3042308.d
Level 4: /chem/msd3.i/23APR24.b/3042309.d
Level 5: /chem/msd3.i/23APR24.b/3042310.d
Level 6: /chem/msd3.i/23APR24.b/3042311.d
Level 7: /chem/msd3.i/23APR24.b/3042312.d
Level 8: /chem/msd3.i/23APR24.b/3042313.d
Level 9: /chem/msd3.i/23APR24.b/3042314.d

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	RRF	% RSD
	100.000 Level 8	200.000 Level 9						
1 Dimethyl Ether	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
2 1,1-Dichloro-1-Fluoroethane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
3 Freon 143a	+++++	+++++	+++++	0.30523	0.37100	0.37702		
	0.36181	0.27107					0.33723	13.852
4 Freon 134a	+++++	0.72119	0.70420	0.52336	0.52292	0.55741		
	0.55245	0.46348					0.57786	16.814
5 Propylene	+++++	+++++	0.77776	0.68917	0.55183	0.61351		
	0.64995	0.64651					0.65479	11.571
6 Propane	+++++	+++++	0.22880	0.25542	0.21349	0.22284		
	0.23289	0.23470					0.23136	6.085

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	___ RRF	% RSD
	100.000 Level 8	200.000 Level 9						
7 1,1-Difluoroethane	+++++	+++++	0.44889	0.36911	0.34787	0.36855		
	0.37256	0.35777					0.37746	9.580
8 Freon 12	1.54241	1.56672	1.62097	1.60242	1.25762	1.37796		
	1.43356	1.44271					1.48055	8.455
9 Chlorodifluoromethane	+++++	0.18924	0.24469	0.19953	0.15516	0.17120		
	0.17024	0.16682					0.18527	16.222
10 Freon 114	1.40804	1.35024	1.29615	1.36279	1.17198	1.22351		
	1.28545	1.31396					1.30152	5.865
11 Freon 14	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
12 Isobutane	+++++	1.48998	1.44089	1.44830	1.25214	1.31313		
	1.36493	1.38236					1.38453	5.998
13 Freon 142b	+++++	+++++	1.43876	1.35654	1.07715	1.13372		
	1.18303	1.18223					1.22857	11.320
14 Acetaldehyde	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
15 Chloromethane	+++++	+++++	0.86661	0.67727	0.67218	0.70827		
	0.70855	0.65013					0.71383	10.947

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
16 Hexafluoropropene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
17 Freon 13	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
18 Butane	+++++	+++++	0.18116	0.15164	0.13259	0.13363	0.13777	0.12193	0.14312	14.649
19 Vinyl Chloride	0.69616	0.80550	0.81980	0.66054	0.59336	0.66247	0.68917	0.59843	0.69068	12.184
20 1,3-Butadiene	0.81338	0.79437	0.66097	0.66462	0.54792	0.58727	0.59388	0.52824	0.64883	16.496
21 Vinyl Fluoride	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
22 Ethylene Oxide	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
23 Methanol	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
24 Bromomethane	+++++	+++++	0.40518	0.47518	0.44807	0.52114	0.55257	0.55915	0.49355	12.412

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
25 Isobutylene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
26 2-Butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
27 trans-2-butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
28 1-Butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
29 cis-2-Butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
30 Chloroethane	+++++	+++++	0.38536	0.31345	0.29052	0.31927	0.33707	0.34165	0.33122	9.726
31 Isopentane	+++++	+++++	1.04072	0.85546	0.96194	0.93154	0.93447	0.94699	0.94519	6.306
32 Vinyl Bromide	+++++	0.52342	0.61309	0.55313	0.53106	0.58046	0.60821	0.60881	0.57403	6.668
33 Freon 11	1.83641	1.80285	1.72892	1.54797	1.63886	1.65186	1.69723	1.74103	1.70564	5.456

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
34 Dichlorofluoromethane	+++++	1.53285	1.52317	1.23917	1.17294	1.31548	1.36451	1.37229	1.36006	9.876
35 Pentane	+++++	1.44735	1.51433	1.41840	1.35200	1.41404	1.44984	1.47106	1.43815	3.534
36 1-Pentene	+++++	+++++	0.83987	0.78490	0.69911	0.73005	0.75784	0.76439	0.76269	6.311
37 3-Methyl-1-butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
38 Ethyl Ether	+++++	+++++	0.37748	0.34533	0.27498	0.29021	0.30103	0.30356	0.31543	12.168
39 Ethanol	+++++	0.18436	0.15266	0.18262	0.10055	0.10656	0.10931	0.11118	0.13532	27.382
40 Freon 123a	+++++	+++++	1.10488	1.03219	0.98058	0.93242	0.94532	0.96848	0.99398	6.480
41 Freon 123	+++++	+++++	0.94985	1.08149	0.91929	0.86109	0.86805	0.84384	0.92060	9.586
42 Acrolein	+++++	0.45376	0.30802	0.32146	0.24344	0.23561	0.23653	0.23990	0.29124	27.546

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
43 Freon 113	1.86595	1.62688	1.61512	1.24434	1.49765	1.41698	1.39875	1.39329	1.50737	12.705
44 1,1-Dichloroethene	0.60515	0.64374	0.70492	0.59015	0.54121	0.59791	0.71158	0.73634	0.64138	10.842
45 2-Chloropropane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
46 2,3-Dimethylbutane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
47 Acetone	+++++	+++++	0.42680	0.41978	0.30301	0.33798	0.34974	0.35251	0.36497	13.300
48 Carbon Disulfide	+++++	+++++	2.11106	1.95784	1.44200	1.60640	1.67756	1.69837	1.74887	13.935
49 Iodomethane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
50 Isoprene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
51 2-Methyl-2-butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	___ RRF	% RSD
	100.000 Level 8	200.000 Level 9						
52 2-Propanol	+++++	1.59656	1.58240	1.62245	1.31642	1.44540		
	1.51827	1.54012					1.51737	6.996
53 trans-2-Pentene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
54 3-Chloropropene	+++++	0.32850	0.32028	0.31749	0.24397	0.27020		
	0.28643	0.29557					0.29464	10.331
55 Cyclopentene	+++++	+++++	1.44282	1.48469	1.30213	1.34016		
	1.41190	1.42761					1.40155	4.845
56 Methyl Acetate	+++++	+++++	1.59483	1.69469	1.38900	1.49856		
	1.58305	1.58399					1.55735	6.638
57 Acetonitrile	+++++	0.65897	0.73844	0.74834	0.55568	0.63778		
	0.67282	0.67595					0.66971	9.656
58 cis-2-Pentene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
59 Methylene Chloride	+++++	+++++	1.14712	1.07953	0.86078	0.95197		
	0.99215	0.98325					1.00247	9.972
60 Cyclopentane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
61 1,2-Dichloro-1-fluoroethane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
62 tert-Butyl alcohol	+++++	1.56703	1.57171	1.60247	1.49502	1.50125	1.52466	1.57384	1.54800	2.650
63 Methyl tert-butyl ether	+++++	1.92056	1.95032	1.87485	1.79398	1.76698	1.75121	1.75247	1.83005	4.582
64 trans-1,2-Dichloroethene	0.47268	0.43721	0.48794	0.44315	0.35780	0.40059	0.41677	0.42969	0.43073	9.472
65 2,2-Dimethylbutane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
66 Acrylonitrile	0.64422	0.58003	0.58670	0.59640	0.44803	0.51586	0.54117	0.54380	0.55703	10.634
67 Hexane	1.65487	1.52953	1.36816	1.34111	1.19658	1.19460	1.22132	1.23061	1.34210	12.707
68 1-Hexene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
69 Bromoethane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
70 4-Methyl-1-pentene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
71 1,1-Dichloroethane	1.24460	1.26119	1.31574	1.32803	1.11842	1.17721	1.23670	1.27584	1.24472	5.582
72 Isopropyl ether	+++++	+++++	3.24648	3.13736	2.87519	2.89213	2.89682	2.86013	2.98469	5.518
73 Vinyl Acetate	+++++	+++++	0.11404	0.12014	0.09644	0.10183	0.11301	0.11214	0.10960	7.979
74 Chloroprene	+++++	+++++	1.26428	1.31386	1.11547	1.16905	1.21348	1.23187	1.21800	5.742
75 1-Propanol	+++++	+++++	0.25710	0.20346	0.15090	0.16014	0.16563	0.16613	0.18389	21.811
76 2-Methylpentane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
77 3-Methylpentane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
78 1-Chloropropane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	___ RRF	% RSD
	100.000 Level 8	200.000 Level 9						
79 Ethyl-tert-butyl ether	+++++	+++++	2.75531	2.65379	2.48569	2.51261		
	2.53286	2.50305					2.57389	4.168
80 2-Methyl-1-pentene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
81 2,4-Dimethylpentane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
82 2,3-Dimethylpentane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
83 tert-Butyl chloride	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
84 2,2-Dichloropropane	+++++	1.31945	1.29341	1.26298	1.17426	1.17411		
	1.18343	1.19351					1.22874	5.020
85 cis-1,2-Dichloroethene	0.46125	0.47677	0.47182	0.47609	0.36451	0.42051		
	0.44224	0.45504					0.44603	8.532
86 2-Butanone	+++++	+++++	0.34177	0.34187	0.28276	0.30720		
	0.32374	0.33076					0.32135	7.126
87 Ethyl Acetate	+++++	+++++	0.38512	0.37168	0.27937	0.28477		
	0.29875	0.30863					0.32139	14.172

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
88 Methyl Acrylate	+++++	+++++	1.60607	1.64484	1.39944	1.45742	1.52750	1.54470	1.53000	5.955
89 Tetrahydrofuran	1.28654	1.07693	1.08622	0.98581	0.79039	0.83986	0.88563	0.90886	0.98253	16.509
91 trans-2-Hexene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
92 Chloroform	1.35563	1.33982	1.45390	1.42088	1.15708	1.25447	1.33475	1.37612	1.33658	7.028
93 cis-2-Hexene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
94 Cyclohexane	0.99540	0.93743	0.92644	0.89452	0.85339	0.83859	0.84916	0.85834	0.89416	6.158
95 Methylcyclopentane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
96 1,1,1-Trichloroethane	1.60340	1.53238	1.47206	1.46911	1.37215	1.39443	1.39735	1.42105	1.45774	5.405
97 Carbon Tetrachloride	1.61055	1.58709	1.56807	1.56249	1.47251	1.49761	1.51807	1.54704	1.54543	3.009

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD	
98 sec-Butyl chloride	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++			
99 1,1-Dichloropropene	+++++	0.10001	0.10593	0.10864	0.08893	0.09693	0.10082	0.10366	0.10070	6.439	
100 2,3,4-Trimethylpentane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++			
101 2,2,4-Trimethylpentane	4.26844	4.27194	4.51433	4.12747	3.87811	4.11479	4.20640	4.16454	4.19325	4.283	
102 Benzene	0.50968	0.52474	0.51595	0.52404	0.47043	0.48482	0.49512	0.50197	0.50334	3.816	
103 Isobutanol	+++++	+++++	0.39361	0.28525	0.19888	0.19090	0.19163	0.19133	0.24193	34.299	<-
105 tert-Amyl methyl ether	+++++	+++++	0.14228	0.13717	0.12791	0.13512	0.13480	0.13431	0.13527	3.436	
106 1,2-Dichloroethane	0.25865	0.27354	0.27466	0.27214	0.23744	0.25358	0.26210	0.26839	0.26256	4.817	
107 Heptane	0.25383	0.21439	0.19616	0.18555	0.18848	0.18567	0.18621	0.18482	0.19939	12.113	

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
109 Butanal	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
110 n-Butanol	+++++	+++++	0.13527	0.12388	0.09763	0.10499	0.11072	0.11416	0.11444	11.778
111 Trichloroethene	0.23758	0.24994	0.25444	0.25396	0.22305	0.23406	0.24296	0.24553	0.24269	4.438
112 Isobutyl chloride	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
113 Ethyl acrylate	+++++	+++++	0.04543	0.03459	0.03257	0.03005	0.03070	0.03102	0.03406	17.035
114 1,2-Dichloropropane	0.28441	0.23995	0.24045	0.24053	0.21628	0.22308	0.22499	0.22513	0.23685	9.012
115 2-Pentanone	+++++	+++++	0.70658	0.73057	0.69131	0.66454	0.65813	0.66307	0.68570	4.227
116 Methyl Methacrylate	+++++	0.24043	0.21136	0.20244	0.19208	0.19232	0.19438	0.19242	0.20363	8.710
117 1,4-Dioxane	+++++	0.12076	0.13725	0.12669	0.12361	0.12524	0.12445	0.12834	0.12662	4.155

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	___ RRF	% RSD
	100.000 Level 8	200.000 Level 9						
118 Dibromomethane	0.23316	0.24540	0.24152	0.24634	0.21249	0.22899		
	0.23945	0.23974					0.23589	4.703
119 Methacrylonitrile	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
120 2-Chloropentane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
121 2-Butanol	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
122 Bromodichloromethane	0.41983	0.38665	0.39632	0.40576	0.36410	0.37925		
	0.39259	0.39834					0.39286	4.288
123 1-Bromopropane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
124 Chloroacetonitrile	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
125 n-Butylchloride	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
126 cis-1,3-Dichloropropene	0.34838	0.34464	0.31610	0.34757	0.31316	0.32974		
	0.33797	0.34281					0.33505	4.162

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	___ RRF	% RSD
	100.000 Level 8	200.000 Level 9						
127 Methylcyclohexane	0.39648	0.38057	0.33993	0.33497	0.32409	0.33010		
	0.32904	0.32274					0.34474	8.095
128 Thiophene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
129 2-Methylhexane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
130 3-Methylhexane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
131 4-Methyl-2-pentanone	0.29812	0.26405	0.22395	0.22071	0.21330	0.20882		
	0.20899	0.20581					0.23047	14.367
132 Cyclohexene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
135 1-Methoxy-2-propanol	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
136 Octane	0.32287	0.27822	0.25531	0.23909	0.24015	0.23445		
	0.23310	0.22766					0.25386	12.684
137 Toluene	0.78471	0.74154	0.68333	0.68293	0.67720	0.66782		
	0.66839	0.66840					0.69679	6.170

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
138 1-Heptene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
139 trans-1,3-Dichloropropene	0.28676	0.27970	0.27634	0.27601	0.26307	0.27338	0.27798	0.27673	0.27625	2.399
140 2,3-Dichloro-1-propene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
141 1,1,2-Trichloroethane	0.25345	0.25739	0.24496	0.22993	0.22045	0.21941	0.22369	0.22203	0.23391	6.678
142 Tetrachloroethene	0.33635	0.36992	0.36041	0.35454	0.34844	0.34547	0.34740	0.34728	0.35123	2.922
143 2-Hexanone	+++++	+++++	0.30106	0.29413	0.29864	0.29197	0.29159	0.28336	0.29346	2.116
144 1,3-Dichloropropane	0.37820	0.34167	0.32451	0.32788	0.30706	0.30655	0.31305	0.31442	0.32667	7.329
145 Butyl Acetate	+++++	+++++	0.34232	0.32050	0.31137	0.29172	0.28889	0.28849	0.30722	7.061
146 Dibromochloromethane	0.44178	0.46173	0.47130	0.45502	0.45829	0.46166	0.47412	0.47444	0.46229	2.396

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
147 Bromodichloroethene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
148 1,2-Dibromoethane (EDB)	0.41661	0.40683	0.39382	0.36945	0.36433	0.36919	0.37445	0.37227	0.38337	5.147
149 2-Methylheptane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
150 3-Methylheptane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
151 1-Bromo-2-Chloroethane	+++++	+++++	0.42547	0.44098	0.39135	0.40974	0.41924	0.42059	0.41790	3.962
152 Diethyl Ketone	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
154 Chlorobenzene	0.64590	0.61258	0.56831	0.56934	0.57208	0.56119	0.55922	0.54524	0.57923	5.728
155 Ethyl Benzene	0.34499	0.28334	0.29447	0.27993	0.29172	0.28288	0.27884	0.27466	0.29135	7.771
156 Nonane	+++++	0.74003	0.70447	0.66323	0.67965	0.66256	0.65147	0.63540	0.67669	5.230

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
157 1,1,1,2-Tetrachloroethane	0.35563	0.32382	0.32969	0.31387	0.32511	0.32948	0.33367	0.32859	0.32998	3.613
158 m,p-Xylene	0.38806	0.37196	0.37479	0.34696	0.36238	0.35333	0.35311	0.35457	0.36315	3.849
159 2-Nitropropane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
160 bis(chloromethyl) Ether	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
161 1-Octene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
162 Epichlorohydrin	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
163 2-Chloroethyl Vinyl Ether	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
164 o-Xylene	0.40209	0.34964	0.34797	0.32588	0.34054	0.33242	0.33325	0.32310	0.34436	7.320
165 Styrene	0.64339	0.60920	0.60187	0.56893	0.59025	0.57007	0.56553	0.55555	0.58810	4.961

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
166 2-Heptanone	+++++	+++++	2.26292	2.29755	1.83581	1.69779	1.71158	1.67700	1.91377	15.124
167 Bromoform	0.47985	0.44432	0.46220	0.45018	0.47109	0.47294	0.47940	0.47764	0.46720	2.921
168 Cumene	1.08781	1.08680	1.06370	0.99495	1.05629	1.02865	1.01865	0.99104	1.04099	3.686
169 Cyclohexanone	+++++	0.54850	0.46370	0.40669	0.38129	0.36645	0.35965	0.35664	0.41185	17.214
171 Vinyl Cyclohexene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
172 D-Limonene	+++++	+++++	0.42776	0.42305	0.43916	0.40816	0.39433	0.38844	0.41348	4.809
173 Ethyl Methacrylate	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
174 1-Chloro-2-Bromopropane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
175 1,1,2,2-Tetrachloroethane	0.60370	0.57369	0.54421	0.52923	0.53384	0.51460	0.51060	0.50957	0.53993	6.182

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
176 1-Nitropropane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
177 Bromobenzene	+++++	0.38420	0.37407	0.36341	0.36785	0.35242	0.35057	0.34627	0.36268	3.803
178 Propylbenzene	0.32257	0.31541	0.31928	0.29710	0.31386	0.30018	0.29865	0.29546	0.30782	3.586
179 1,2,3-Trichloropropane	0.19923	0.17769	0.16355	0.15525	0.15811	0.15273	0.15189	0.15248	0.16387	10.175
180 Bromodichloroethane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
181 trans-1,4-Dichloro-2-butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
182 Decane	+++++	1.11371	0.90143	0.73985	0.74979	0.71130	0.70358	0.65697	0.79666	20.004
183 4-Ethyltoluene	0.35363	0.37151	0.32716	0.32450	0.33904	0.32680	0.32627	0.31513	0.33550	5.524
184 2-Chlorotoluene	0.32107	0.29194	0.28243	0.27891	0.28190	0.27360	0.27431	0.26677	0.28387	5.908

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
185 1,3,5-Trimethylbenzene	0.46745	0.46422	0.46533	0.43457	0.45121	0.44279	0.45269	0.44143	0.45246	2.727
186 4-Chlorotoluene	+++++	+++++	0.28404	0.28217	0.29891	0.27670	0.26718	0.26221	0.27853	4.702
187 Diisobutyl Ketone	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
188 alpha Methyl Styrene	0.53107	0.51235	0.47664	0.45796	0.47466	0.46749	0.46099	0.45313	0.47929	5.804
189 tert-Butylbenzene	+++++	0.92359	0.89137	0.84643	0.84541	0.84302	0.85144	0.82020	0.86021	4.074
190 1,2,4-Trimethylbenzene	1.01543	0.97599	0.92965	0.90214	0.92668	0.89012	0.88834	0.87232	0.92509	5.274
191 Pentachloroethane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
192 sec-Butylbenzene	0.30354	0.28276	0.29262	0.27716	0.27875	0.27454	0.27371	0.26951	0.28157	4.005
193 bis(2-Chloroethyl) Ether	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
194 p-Cymene	1.19625	1.20042	1.18168	1.13009	1.16132	1.12736	1.12277	1.09226	1.15152	3.408
195 1,3-Dichlorobenzene	0.78164	0.73321	0.68866	0.65917	0.68218	0.65105	0.64870	0.63947	0.68551	7.166
196 1,4-Dichlorobenzene	0.75334	0.74271	0.69941	0.67618	0.69122	0.66662	0.66257	0.66294	0.69437	5.149
197 1,2,3-Trimethylbenzene	+++++	+++++	0.40193	0.38449	0.41004	0.37408	0.36355	0.35834	0.38207	5.430
198 1-Nonene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
199 alpha-Chlorotoluene	0.98062	0.89585	0.84943	0.84438	0.87686	0.86218	0.86691	0.85822	0.87930	5.003
200 1-Chlorohexane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
201 Undecane	+++++	1.32781	1.06101	0.91543	0.88800	0.83829	0.81732	0.78285	0.94724	20.126
202 Butylbenzene	0.34962	0.33683	0.31362	0.31022	0.32073	0.30935	0.30296	0.29552	0.31736	5.642

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
203 Butyl Ether	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
204 1,2-Dichlorobenzene	0.74094	0.71274	0.66907	0.64219	0.65422	0.63868	0.63421	0.63019	0.66528	6.106
205 Hexachloroethane	+++++	+++++	0.22170	0.22256	0.23463	0.23203	0.23447	0.23954	0.23082	3.105
206 1,2-Dibromo-3-chloropropane	+++++	+++++	0.40926	0.40209	0.39946	0.39306	0.38422	0.37285	0.39349	3.353
207 Dodecane	+++++	1.00928	0.98725	0.96385	0.96445	0.94356	0.92759	0.88318	0.95417	4.319
208 1,3,5-Trichlorobenzene	+++++	+++++	0.52381	0.53118	0.56713	0.53420	0.51853	0.51621	0.53184	3.505
209 1-Decene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
210 alpha-Pinene	+++++	+++++	0.69171	0.67534	0.63894	0.63762	0.64453	0.64806	0.65603	3.390
211 1,4-Dichloro-2-Butene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
212 3-Ethyltoluene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++		
213 1,2,4-Trichlorobenzene	+++++	+++++	0.71469	0.68493	0.66886	0.64552	0.63062	0.61116	0.65930	5.735
214 beta-Pinene	+++++	+++++	0.53224	0.53323	0.50244	0.49877	0.50176	0.49675	0.51087	3.341
215 Hexachlorobutadiene	+++++	+++++	0.50511	0.48799	0.47763	0.47421	0.47908	0.46151	0.48092	3.044
216 Naphthalene	+++++	1.63680	1.46081	1.39424	1.32515	1.28774	1.28318	1.24446	1.37605	9.922
217 Limonene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
218 Benzaldehyde	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
219 Indan	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
220 Indene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
221 Isobutylbenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
222 1,2,3-Trichlorobenzene	+++++	+++++	0.71060	0.67759	0.64378	0.62766	0.61624	0.60041	0.64605	6.373
223 2-Ethyltoluene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
224 1-Undecene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
225 4-Ethyl-1,2-dimethylbenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
226 1,3-Diethylbenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
227 1,4-Diethylbenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
228 1,2,4,5-tetramethylbenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
229 1-Dodecene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
230 Nitrobenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
231 Tridecane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
232 2-Methylnaphthalene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
233 1,3,5-Triethylbenzene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
M 234 1,2-Dichloroethene (Total)	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
M 235 Chlorobutane (Total)	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
M 236 Total Xylene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
M 237 3 and 4-Ethyltoluene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
238 Total Volatile Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
239 TPH reference to Hexane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
240 TPH reference to Heptane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
241 TPH reference to Gasoline	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
242 TPH reference MineralSpirits	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
243 TPH reference to Stoddard	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
244 TVOC reference to Hexane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
245 TVOC reference to Heptane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
246 TVOC reference to Toluene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
247 TVOC reference to Toluene-d8	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
248 NMOC reference to Hexane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
249 NMOC reference to Heptane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
250 NMOC reference to Toluene	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
251 C3 - C4 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
252 C4 - C5 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
253 C5 - C6 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
254 C6 - C7 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
255 C7 - C8 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
256 C8 - C9 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	100.000 Level 8	200.000 Level 9	___ RRF	% RSD
257 C9 - C10 Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
258 C10+ Hydrocarbons	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
259 C5 - C6 Aliphatic ref C5 + C6	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
260 C6-C8 Aliphatic ref Heptane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
261 C8-C10 Aliphatic ref Decane	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
262 C10-C12 Aliphatic ref Dodecan	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
263 C8-C10 Aromatic	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
264 C8-C10 Aromatic ref 1,2,3-TMB	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
265 C10-C12 Aromatic	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	___ RRF	% RSD
	100.000 Level 8	200.000 Level 9						
266 C10-C12 Aromatic 1,2,4,5-TMB	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
267 C10-C12 Aromatic Naphthalene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
$ 104 1,2-Dichloroethane-d4	1.27432	1.28441	1.29311	1.29692	1.26692	1.28758		
	1.31044	1.40349					1.30215	3.308
$ 133 Benzene-d6	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
$ 134 Toluene-d8	0.98330	0.98577	0.97060	0.96491	0.96648	0.96328		
	0.97076	0.96989					0.97187	0.854
$ 170 4-Bromofluorobenzene	0.74001	0.74557	0.73268	0.73541	0.74519	0.73880		
	0.74494	0.76109					0.74296	1.175

Report Date: 25-Apr-2024 11:52

Calibration History

Method : /chem/msd3.i/23APR24.b/324q0423a.m
Start Cal Date: 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06

Initial Calibration

Injection Date	Sublist	Calibration File
Cal Level: 2 , Cal Amount: 0.50000		
23-APR-2024 21:18	AT23_Level2	/chem/msd3.i/23APR24.b/3042307.d
Cal Level: 3 , Cal Amount: 1.00000		
23-APR-2024 21:50	AT23_Level3	/chem/msd3.i/23APR24.b/3042308.d
Cal Level: 4 , Cal Amount: 2.00000		
23-APR-2024 22:22	AT23ICAL	/chem/msd3.i/23APR24.b/3042309.d
18-APR-2024 09:31	AT21spICAL	/chem/msd3.i/23APR24.b/3041803.d
Cal Level: 5 , Cal Amount: 5.00000		
23-APR-2024 22:57	AT23ICAL	/chem/msd3.i/23APR24.b/3042310.d
18-APR-2024 10:06	AT21spICAL	/chem/msd3.i/23APR24.b/3041804.d
Cal Level: 6 , Cal Amount: 20.00000		
23-APR-2024 23:27	AT23ICAL	/chem/msd3.i/23APR24.b/3042311.d
18-APR-2024 10:37	AT21spICAL	/chem/msd3.i/23APR24.b/3041805.d
Cal Level: 7 , Cal Amount: 50.00000		
23-APR-2024 23:59	AT23ICAL	/chem/msd3.i/23APR24.b/3042312.d
18-APR-2024 11:08	AT21spICAL	/chem/msd3.i/23APR24.b/3041806.d
Cal Level: 8 , Cal Amount: 100.00000		
24-APR-2024 00:31	AT23ICAL	/chem/msd3.i/23APR24.b/3042313.d
18-APR-2024 11:41	AT21spICAL	/chem/msd3.i/23APR24.b/3041807.d

Cal Level: 9 , Cal Amount: 200.00000
24-APR-2024 01:06 | AT23ICAL | /chem/msd3.i/23APR24.b/3042314.d
18-APR-2024 12:16 | AT21spICAL | /chem/msd3.i/23APR24.b/3041808.d

Continuing Calibration
Ccal Level Mode: GLOBAL LEVEL 7

Ccal Level: 7 , Ccal Amount: 50.000
23-APR-2024 23:59 | AT23ICAL | /chem/msd3.i/23APR24.b/3042312a.d
Ccal Level: 7 , Ccal Amount: 50.000
23-APR-2024 23:59 | AT23ICAL | /chem/msd3.i/23APR24.b/3042312.d
Ccal Level: 7 , Ccal Amount: 50.000
18-APR-2024 11:08 | AT21spCCV | /chem/msd3.i/23APR24.b/3041806a.d
Ccal Level: 7 , Ccal Amount: 50.000
18-APR-2024 11:08 | AT21spICAL | /chem/msd3.i/23APR24.b/3041806.d

US32TAR1

INITIAL CALIBRATION DATA

Start Cal Date : 18-APR-2024 09:31
End Cal Date : 24-APR-2024 01:06
Quant Method : ISTD
Origin : Disabled
Target Version : 3.60
Integrator : HP RTE
Method file : /chem/msd3.i/23APR24.b/324q0423a.m
Cal Date : 26-Apr-2024 08:45 z8dr
Curve Type : Average

Calibration File Names:
Level 2: /chem/msd3.i/23APR24.b/3042307.d
Level 3: /chem/msd3.i/23APR24.b/3042308.d
Level 4: /chem/msd3.i/23APR24.b/3042309.d
Level 5: /chem/msd3.i/23APR24.b/3042310.d
Level 6: /chem/msd3.i/23APR24.b/3042311.d
Level 7: /chem/msd3.i/23APR24.b/3042312.d
Level 8: /chem/msd3.i/23APR24.b/3042313.d
Level 9: /chem/msd3.i/23APR24.b/3042314.d

jrf 4/26/24

Please see Calibration History page(s) for all the calibration files.

LD 4/26/24

Compound	0.50000 Level 2	1.000 Level 3	2.000 Level 4	5.000 Level 5	20.000 Level 6	50.000 Level 7	RRF	% RSD
	100.000 Level 8	200.000 Level 9						
1 Dimethyl Ether	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
2 1,1-Dichloro-1-Fluoroethane	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++					+++++	+++++
3 Freon 143a	+++++	+++++	+++++	0.30523	0.37100	0.37702		
	0.36181	0.27107					0.33723	13.852
4 Freon 134a	+++++	0.72119	0.70420	0.52336	0.52292	0.55741		
	0.55245	0.46348					0.57786	16.814
5 Propylene	+++++	+++++	0.77776	0.68917	0.55183	0.61351		
	0.64995	0.64651					0.65479	11.571
6 Propane	+++++	+++++	0.22880	0.25542	0.21349	0.22284		
	0.23289	0.23470					0.23136	6.085

Initial Calibration Narrative
324Q0423A.m

A multi-point **AT-23** initial calibration was analyzed on MSD-3 on 04/23/24 and 4/24/24.

ICAL: 0 out.
Naphthalene @ 9.922%RSD.

The low point spike verification file is 3042307x.d for BTEXS.

ICV: 2 out. Vinyl Acetate @ 154% recovery and n-Butanol @ 167% recovery. File: 3042404.d
Naphthalene Recovery: @ 112%
DOD QSM: 2 out. Vinyl Acetate @ 154% recovery and n-Butanol @ 167% recovery. See File: 3042404a.d
RCP: 0 out RCP. See File: 3042404c.d

Naphthalene and Acrolein were adjusted in the ICV due to the certified concentration exceeding more than 15% of the nominal concentration

The concentrations for Acetonitrile, Ethanol, Acrolein, Tert-Butanol, and Naphthalene were adjusted in the calibration due to the certified concentration exceeding more than 15% of the nominal concentration.

-Ethanol was curved at 1.232ppbv→246.4ppbv
-Acrolein was curved at 1.165ppbv→233ppbv
-Acetonitrile was curved at 1.176ppbv→235.2ppbv
-Tert-Butanol was curved at 1.152ppbv →230.4ppbv
-Naphthalene calibrated 0.116ppbv→23.2ppbv

A multi-point **AT-21 Supplemental** initial calibration was analyzed on MSD-3 on 4/18/24.

-Freon 143a was curved at 5.0ppbv→200ppbv **(Raised RL)**

No ICV.

BFB tune files: 3042306, and 3042402.

The AT23MDL Expires 8/29/24.

z

MSD3

BFB Tune Verification: (176/174): (193,856/199,488) * 100 = 97.18%			
	3329-901	Exp. Date:	4/4/2025
BCM	119983		
1,4-DFB	454158		
CB-d5	459698		

Verified CCV vs. ICAL midpoint (-40%):	jrf
Method:	324Q0423a.m

		Method TO-15/TO-14					
		SOP# 6					
		Vacuum:	NA				
Surrogate # 3329-901		Exp Date:	4/4/2025				
CCV	3018-4439	Exp Date:	7/15/2024	LCS	3018-4441	Exp Date	7/15/2024
CCV SP 1 #	3018-4328	Exp Date:	5/21/2024	LCS Sp #1		Exp Date	
CCV SP 2 #	3018-4329	Exp Date:	5/21/2024	LCS Sp #2		Exp Date	
CCV SP 3#		Exp Date:		LCS Sp #3		Exp Date	
CCV SP 4#		Exp Date:					

Use	File #	Enter/Scan Sample IDs	Canister#	Cart Pos.	Pressure	Amount	DF	Verify Load	Loaded Init.	Date Analyzed	Time	Review Init	Comments
√	3041801	System Blank	N1876	12	Humid	200mL	1.00	DF	mjs	04/18/24	0824	DF	
√	3041802	BFB Tune Check	3329-901	12	36ng	50mL	1.00	DF	mjs	04/18/24	0859	DF	
√	3041803	ICAL Level #4	3018-4329	1	2.0ppbv (5.0ppbv)	80ml	1.00	DF	mjs	04/18/24	0931	mjb	Exp. 5/21/24
√	3041804	ICAL Level #5	3018-4329	1	5.0ppbv (5.0ppbv)	200ml	1.00	DF	mjs	04/18/24	1006	mjb	
√	3041805	ICAL Level #6	3018-4328	2	20ppbv (200ppbv)	20ml	1.00	DF	mjs	04/18/24	1037	mjb	Exp. 5/21/24
√	3041806	ICAL Level #7	3018-4328	2	50ppbv (200ppbv)	50ml	1.00	DF	mjs	04/18/24	1108	mjb	
√	3041807	ICAL Level #8	3018-4328	2	100ppbv (200ppbv)	100ml	1.00	DF	mjs	04/18/24	1141	mjb	
√	3041808	ICAL Level #9	3018-4328	2	200ppbv (200ppbv)	200ml	1.00	DF	mjs	04/18/24	1216	mjb	
√	3041809	System Blank	N1876	12	Humid	200mL	1.00	DF	mjs	04/18/24	1251	mjb	
X	3041810	ICAL Level #2	3018-4458	3	0.5ppbv (5.0ppbv)	20ml	1.00	DF	mjs	04/18/24	1321	mjb	exp. 7/15/24
X	3041811	ICAL Level #3	3018-4458	3	1.0ppbv (5.0ppbv)	40ml	1.00	DF	mjs	04/18/24	1352	mjb	
X	3041812	ICAL Level #4	3018-4458	3	2.0ppbv (5.0ppbv)	80ml	1.00	DF	mjs	04/18/24	1425	mjb	
X	3041813	ICAL Level #5	3018-4458	3	5.0ppbv (5.0ppbv)	200ml	1.00	DF	mjs	04/18/24	1500	mjb	
X	3041814	ICAL Level #6	3018-4439	13	20ppbv (200ppbv)	20ml	1.00	DF	mjs	04/18/24	1530	mjb	exp. 7/15/24
X	3041815	ICAL Level #7	3018-4439	13	50ppbv (200ppbv)	50ml	1.00	DF	mjs	04/18/24	1601	mjb	
X	3041816	ICAL Level #8	3018-4439	13	100ppbv (200ppbv)	100ml	1.00	DF	mjs	04/18/24	1634	mjb	
X	3041817	ICAL Level #9	3018-4439	13	200ppbv (200ppbv)	200ml	1.00	DF	mjs	04/18/24	1709	mjb	
X	3041818	System Blank	N1876	12	Humid	200mL	1.00	DF	mjs	04/18/24	1744	mjb	
√	3041819	System Blank	N1876	12	Humid	200mL	1.00	DF	mjs	04/18/24	1819	mjb	
√	3041820	System Blank	N1876	12	Humid	200mL	1.00	jrf	mjs	04/19/24	0706	mjb	instrument idle
X	3041821	ICV	3018-4441	14	50ppbv (200ppbv)	50ml	1.00	jrf	mjs	04/19/24	0738	mjb	
√	3041822	System Blank	N1876	12	Humid	200mL	1.00	jrf	jrf	04/19/24	1336	mjb	
T	3041823	CCV	3018-4439	13	200ppbv (200ppbv)	200mL	1.00	jrf	jrf	04/19/24	1411	mjb	Test Standard
√	3041824	System Blank	N1876	12	Humid	200mL	1.00	jrf	jrf	04/19/24	1445	mjb	

4/26/24

z

MSD3

BFB Tune Verification: (176/174): (164,032/169,344) * 100 = 96.86%			
	3169-901	Exp. Date:	4/4/2025
BCM	106185		
1,4-DFB	390964		
CB-d5	392003		

Verified CCV vs. ICAL midpoint (-40%):	jrf
Method:	324Q0423a.m

Surrogate # 3169-901		Method TO-15/TO-14			
CCV	3018-4439	SOP# 6			
CCV SP 1 #	3018-4466	Vacuum:	NA		
CCV SP 2 #		Exp Date:	4/4/2025		
CCV SP 3#		Exp Date:	7/15/2024	LCS	3018-4441
CCV SP 4#		Exp Date:	7/22/2024	LCS Sp #1	
		Exp Date:		LCS Sp #2	
		Exp Date:		LCS Sp #3	
		Exp Date:			

Exp Date	7/15/2024
Exp Date	
Exp Date	
Exp Date	

Use	File #	Enter/Scan Sample IDs	Canister#	Cart Pos.	Pressure	Amount	DF	Verify Load	Loaded Init.	Date Analyzed	Time	Review Init	Comments
√	3042305	System Blank	N1876	12	Humid	200mL	1.00	DF	DF	04/23/24	1959	DF	
√	3042306	BFB Tune Check	3169-901	12	36ng	50mL	1.00	DF	DF	04/23/24	2030	DF	dynamic ramp ion 219 14.56->15.06 volts
√	3042307	ICAL Level #2	3018-4466	3	0.5ppbv (5.0ppbv)	20ml	1.00	DF	DF	04/23/24	2118	jrf	exp. 7/22/24
√	3042308	ICAL Level #3	3018-4466	3	1.0ppbv (5.0ppbv)	40ml	1.00	DF	DF	04/23/24	2150	jrf	
√	3042309	ICAL Level #4	3018-4466	3	2.0ppbv (5.0ppbv)	80ml	1.00	jrf	DF	04/23/24	2222	jrf	
√	3042310	ICAL Level #5	3018-4466	3	5.0ppbv (5.0ppbv)	200ml	1.00	jrf	DF	04/23/24	2257	jrf	
√	3042311	ICAL Level #6	3018-4439	13	20ppbv (200pppbv)	20ml	1.00	jrf	DF	04/23/24	2327	jrf	exp. 7/15/24
√	3042312	ICAL Level #7	3018-4439	13	50ppbv (200pppbv)	50ml	1.00	jrf	DF	04/23/24	2359	jrf	
√	3042313	ICAL Level #8	3018-4439	13	100ppbv (200pppbv)	100ml	1.00	jrf	DF	04/24/24	0031	jrf	
√	3042314	ICAL Level #9	3018-4439	13	200ppbv (200pppbv)	200ml	1.00	jrf	DF	04/24/24	0106	jrf	
√	3042315	System Blank	N1876	12	Humid	200mL	1.00	jrf	DF	04/24/24	0141	jrf	
√	3042316	System Blank	N1876	12	Humid	200mL	1.00	jrf	DF	04/24/24	0216	jrf	

√04/26/24

z

MSD3

BFB Tune Verification: (176/174): (153216/157696) * 100 = 97.16%			
	3169-901	Exp. Date:	4/4/2025
BCM	99858		
1,4-DFB	376895		
CB-d5	365862		

Verified CCV vs. ICAL midpoint (-40%):	jrf
Method:	324Q0423a.m

Surrogate # 3169-901		Method TO-15/TO-14			
CCV	3018-4439	SOP# 6			
CCV SP 1 #		Vacuum:	NA		
CCV SP 2 #		Exp Date:	4/4/2025		
CCV SP 3#		Exp Date:	7/15/2024	LCS	3018-4441
CCV SP 4#		Exp Date:		LCS Sp #1	
		Exp Date:		LCS Sp #2	
		Exp Date:		LCS Sp #3	
		Exp Date:			

Use	File #	Enter/Scan Sample IDs	Canister#	Cart Pos.	Pressure	Amount	DF	Verify Load	Loaded Init.	Date Analyzed	Time	Review Init	Comments
√	3042401	System Blank	N1876	2	Humid	200mL	1.00	jrf	jrf	04/24/24	1026	jrf	leg validation 1+2
√	3042402	BFB Tune Check	3169-901	2	36ng	50mL	1.00	jrf	jrf	04/24/24	1057	jrf	Exp. 4/4/25.
√	3042403	CCV	3018-4439	13	50ppbv (200pppbv)	50mL	1.00	jrf	jrf	04/24/24	1128	jrf	Exp. 7/15/24.
√	3042404	ICV	3018-4441	14	50ppbv (200pppbv)	50mL	1.00	jrf	jrf	04/24/24	1200	jrf	Exp. 7/15/24. AT23: 2 out.
√	3042405	LCSD	3018-4441	14	50ppbv (200pppbv)	50mL	1.00	jrf	jrf	04/24/24	1231	jrf	Exp. 7/15/24. AT23: 2 out. RPD ok.
√	3042406	Lab Blank	N1876	4	Humid	200mL	1.00	jrf	jrf	04/24/24	1321	jrf	leg validation 3+4+5
√	3042407	2404535-01A	N8309	1	4.5 Hg->9.9 psi	200mL	1.97	DF	jrf	04/24/24	1518	DF	
√	3042408	2404535-02A	N7521	2	6.5 Hg->10.1 psi	200mL	2.15	DF	jrf	04/24/24	1553	DF	
√	3042409	2404535-03A	N6689	3	4.1 Hg->10.2 psi	200mL	1.96	DF	jrf	04/24/24	1628	DF	
√	3042410	2404537-01A	LC709	4	5.3 Hg->10 psi	100mL	4.08	DF	jrf	04/24/24	1700	DF	dil TC
√	3042411	2404537-02A	1039	5	11.4 Hg->10 psi	40mL	13.6	DF	jrf	04/24/24	1731	DF	dil TC
√	3042412	2404537-06A	B2091	6	9.8 Hg->9.9 psi	30mL	16.6	DF	jrf	04/24/24	1802	DF	dil TC
√	3042413	2404537-07A	1L1517	7	5.9 Hg->9.9 psi	45mL	9.26	DF	jrf	04/24/24	1833	DF	dil TC
√	3042414	2404537-08A	34002006	8	5.9 Hg->9.8 psi	30mL	13.8	DF	jrf	04/24/24	1904	DF	dil TC
√	3042415	2404537-09A	N5570	9	5.1 Hg->9.9 psi	200mL	2.02	DF	jrf	04/24/24	1939	DF	"E" flag 1,1 DFA,> 400
√	3042416	System Blank	N1876	9	Humid	200mL	1.00	jrf	DF	04/24/24	2201	jrf	1,1-DFA>RL. Ok for TO15.
√	3042417	2404535-04A	N3415	1	6.1 Hg->9.9 psi	200mL	2.10	jrf	DF	04/24/24	2237	jrf	
√	3042418	2404535-05A	N6704	2	5.1 Hg->10 psi	200mL	2.02	jrf	DF	04/24/24	2312	jrf	
√	3042419	2404535-06A	N6693	3	6.1 Hg->9.8 psi	200mL	2.09	jrf	DF	04/24/24	2347	jrf	
√	3042420	2404535-07A	N2024	4	5.5 Hg->9.8 psi	200mL	2.04	jrf	DF	04/25/24	0022	jrf	
√	3042421	2404535-08A	1L4672	5	5.9 Hg->10 psi	200mL	2.09	jrf	DF	04/26/24	0057	jrf	
√	3042422	2404535-09A	O0833	6	8.4 Hg->10 psi	200mL	2.33	jrf	DF	04/27/24	0132	jrf	
√	3042423	2404535-10A	N6733	7	8.2 Hg->9.9 psi	200mL	2.30	jrf	DF	04/28/24	0207	jrf	
√	3042424	2404535-11A	1L4706	8	8.2 Hg->9.8 psi	200mL	2.29	jrf	DF	04/29/24	0242	jrf	

4/26/24

IS and Associated Target Compounds and Surr.
Instruction #: I1.20

Modified EPA Methods TO-14A/TO-15
Internal Standard and Associated Target Compounds and Surrogates

Bromochloromethane*
Target Compounds:
Freon 12
Freon 114
Chloromethane
Vinyl Chloride
1,3-Butadiene
Bromomethane
Chloroethane
Freon 11
Ethanol
Freon 113
1,1-Dichloroethene
Acetone
2-Propanol
Carbon Disulfide
3-Chloropropene
Methylene Chloride
Methyl tert-butyl ether
trans-1,2-Dichloroethene
Hexane
1,1-Dichloroethane
2-Butanone (Methyl Ethyl Ketone)
cis-1,2-Dichloroethene
Tetrahydrofuran
Chloroform
1,1,1-Trichloroethane
Cyclohexane
Carbon Tetrachloride
2,2,4-Trimethylpentane
Surrogates:
1,2-Dichloroethane-d4

1,4-Difluorobenzene
Target Compounds:
Benzene
1,2-Dichloroethane
Heptane
Trichloroethene
1,2-Dichloropropane
1,4-Dioxane
Bromodichloromethane
cis-1,3-Dichloropropene
4-Methyl-2-pentanone
Toluene
Surrogates:
Toluene-d8

Chlorobenzene-d5
Target Compounds:
trans-1,3-Dichloropropene
1,1,2-Trichloroethane
Tetrachloroethene
2-Hexanone
Dibromochloromethane
1,2-Dibromoethane (EDB)
Chlorobenzene
Ethyl Benzene
m,p-Xylene
o-Xylene
Styrene
Bromoform
Cumene
1,1,2,2-Tetrachloroethane
Propylbenzene
4-Ethyltoluene
1,3,5-Trimethylbenzene
1,2,4-Trimethylbenzene
1,3-Dichlorobenzene
1,4-Dichlorobenzene
alpha-Chlorotoluene
1,2-Dichlorobenzene
1,2,4-Trichlorobenzene
Hexachlorobutadiene
Surrogates:
Bromofluorobenzene

*Note: If Bromochloromethane (BCM) is required as a target compound, the internal standard mix is blended without BCM. Compounds and surrogates assigned to BCM are re-assigned to 1,4-Difluorobenzene for calibration and subsequent quantitation.

THE LINDE GROUP

Linde

ISO/IEC 17025

ANAB

ACCREDITED

Analysis Report

IS/Surr.

Std. ID: 3169-901
Rec'd: 4/14/23
By: MJB

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 1 of 2
Report ID: 37530
Revision: 0

Sales#:	117466144	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1581959	**Cylinder # :**	CC-17972
Report Date:	Apr-04-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75404616	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24100578	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Apr-04-2025	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

1st Review: All w/in ±15%, MJB 4/14/23
2nd Review: All w/in ±5% JL 4/14/23

Primary Reference Material intended for the calibration of gas analyzers or instrumentation. General instructions for proper use of gas mixtures are found in "ISO 16664: Gas analysis – handling of calibration gases and gas mixtures".

Contents under pressure, store in secure area and do not expose to temperatures greater than 150 °F.

Recommended Operating temperature within 32°F (0°C) and 125°F (52°C).

Recommended minimum sample size 10 mL.

Except where noted, results are reported in mole/mole ppm as determined by Gas Chromatography using qualified reference standards under ANA-50-741-ALP and ANA-50-742-ALP and meets ISO/IEC 17025 requirements. Every cylinder is analyzed and represents one unique lot.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor providing a level of confidence of 95% and has been carried out in accordance with ISO/IEC 17025 requirements.

This report is issued in accordance with the laboratory accreditation requirements of ANAB. It provides traceability of measurement to recognized national standards, and to units of measurement realized by the National Institute of Standards and Technology (NIST).

Linde Spectra Environmental Gases

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740
www.lideus.com

This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

ISO/IEC 17025

Analysis Report

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 2 of 2
Report ID: 37530
Revision: 0

Sales#:	117466144	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1581959	**Cylinder # :**	CC-17972
Report Date:	Apr-04-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75404616	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24100578	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Apr-04-2025	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Reported Conc	Uncertainty
Bromochloromethane	74-97-5	5.000 ppm	2.571	5.271 ppm	± 0.33 ppm
1,2-Dichloroethane-d4	17060-07-0	5.000 ppm	2.571	5.445 ppm	± 0.32 ppm
1,4-Difluorobenzene	540-36-3	5.000 ppm	2.571	5.331 ppm	± 0.33 ppm
Toluene-d8	2037-26-5	5.000 ppm	2.571	5.487 ppm	± 0.35 ppm
Chlorobenzene-d5	3114-55-4	5.000 ppm	2.571	5.230 ppm	± 0.33 ppm
4-Bromofluorobenzene	460-00-4	5.000 ppm	2.571	5.185 ppm	± 0.33 ppm
Nitrogen	7727-37-9	Balance		Balance	

ANALYST: Lou Lorenzetti

DATE: Apr-04-2023

Linde Spectra Environmental Gases
This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.
80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

4700 Precision Diluter Standards Preparation Report

Dilution ID: 4944

Canister Size: 6000cc **Canister ID:** 0254 **Target Final Psia:** 29.4

Comment: AT23 CCV 5.0ppbv, 100uL H2O, exp. 7/22/2024

Date: 4/22/2024 9:05:18 AM

Report ID: 3018-4466

Prepared By: mjs

Channel Methods

Ch.	Title	Init. Conc.	Target Conc.	Dilution Factor	Init. Psia	Target Psid	Final Psid	Target Psia	Final Psia	Duration	Final Conc.
1	Diluent	100 percent	100 percent	1	-0.05	11.93	11.93	11.88	11.88	00:06:46	N/A
6	3018-4465	200 ppb	5 ppb	40	11.88	0.74	0.74	12.62	12.62	00:02:50	5.03 ppb
1	Diluent	100 percent	100 percent	1	12.62	16.78	16.77	29.40	29.40	00:10:48	N/A

Total Duration: 00:20:31

Channel Configuration and Standards Inventory

Ch.	Source	Init. Conc.	Cylinder ID	Expiration Date	Notes
1	Diluent	100 percent	488009Y	9/9/9999	E70263095101, Zero Air. No exp. date.
6	3018-4465	200 ppb	24889	7/22/2024	AT23 CCV

4/22/24

Verify Lot# of CCV/CAL (primary) is different than ICV/LCS (secondary)

initial/date MB 4/22/24

Verify Concentration and Expiration date from COA

initial/date MB 4/22/24

4700 Precision Diluter Standards Preparation Report

Dilution ID: 4943

Canister Size: 6000cc **Canister ID:** 24889 **Target Final Psia:** 29.7

Comment: AT23 CCV 200ppbv, 100uL H2O, exp. 7/22/2024

Date: 4/22/2024 8:15:29 AM

Report ID: 3018-4465

Prepared By: mjs

Channel Methods

Ch.	Title	Init. Conc.	Target Conc.	Dilution Factor	Init. Psia	Target Psid	Final Psid	Target Psia	Final Psia	Duration	Final Conc.
1	Diluent	100 percent	100 percent	1	0.10	11.77	11.77	11.87	11.87	00:06:31	N/A
2	AT23 CCV Part A 3169-799	1000 ppb	200 ppb	5	11.87	5.92	5.92	17.79	17.79	00:05:48	199.99 ppb
3	AT23 CCV Part B 3169-800	1000 ppb	200 ppb	5	17.79	5.92	5.92	23.71	23.71	00:05:56	199.99 ppb
1	Diluent	100 percent	100 percent	1	23.71	5.99	5.99	29.70	29.70	00:04:30	N/A

Total Duration: 00:22:53

Channel Configuration and Standards Inventory

Ch.	Source	Init. Conc.	Cylinder ID	Expiration Date	Notes
1	Diluent	100 percent	488009Y	9/9/9999	Zero Air. E701263095101. Exp. 9/9/9999 = No Exp. Date.
2	AT23 CCV Part A 3169-799	1000 ppb	EB-0140173	7/25/2024	Production #1571522
3	AT23 CCV Part B 3169-800	1000 ppb	EB-0140118	7/30/2024	Production #1571521

4/22/24

Verify Lot# of CCV/ECAL (primary) is different than ICV/LCS (secondary)

initial/date MJB 4/22/24

Verify Concentration and Expiration date from COA

initial/date MJB 4/22/24

4700 Precision Diluter Standards Preparation Report

Dilution ID: 4914

Canister Size: 6000cc **Canister ID:** N1856 **Target Final Psia:** 29.7

Comment: 200ppbv AT23 CCV, 100uL H2O. Exp. 7/15/24.

Date: 4/15/2024 10:22:53 AM

Report ID: 3018-4439

Prepared By: ef

Channel Methods

Ch.	Title	Init. Conc.	Target Conc.	Dilution Factor	Init. Psia	Target Psid	Final Psid	Target Psia	Final Psia	Duration	Final Conc.
1	Diluent	100 percent	100 percent	1	-0.02	11.93	11.93	11.91	11.91	00:06:58	N/A
2	AT23 CCV Part A 3169-799	1000 ppb	200 ppb	5	11.91	5.94	5.94	17.85	17.85	00:06:08	199.89 ppb
3	AT23 CCV Part B 3169-800	1000 ppb	200 ppb	5	17.85	5.94	5.94	23.79	23.79	00:06:58	199.89 ppb
1	Diluent	100 percent	100 percent	1	23.79	5.91	5.91	29.70	29.70	00:04:31	N/A

Total Duration: 00:24:44

Channel Configuration and Standards Inventory

Ch.	Source	Init. Conc.	Cylinder ID	Expiration Date	Notes
1	Diluent	100 percent	488009Y	9/9/9999	Zero Air. E701263095101. Exp. 9/9/9999 = No Exp. Date.
2	AT23 CCV Part A 3169-799	1000 ppb	EB-0140173	7/25/2024	Production #1571522
3	AT23 CCV Part B 3169-800	1000 ppb	EB-0140118	7/30/2024	Production #1571521

MB 4/15/24

Verify Lot# of CCV/RCAL (primary) is different than ICV/LCS (secondary)

initial/date 4/15/24

Verify Concentration and Expiration date from COA

initial/date 4/15/24

ISO 17034 Certificate

Certified Reference Material

AT-23 1° Source
Part A

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 1 of 3
Report ID: 37130
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571522	**Cylinder # :**	EB0140173
Report Date:	Jan-25-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17034	**Cylinder Volume:**	29.5 Liter
Material#:	24108088	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-25-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig 3 on 3/16/23	**Method of Analysis:**	GC-FID

Std. ID: 3169-799
Rec'd: 2/8/23
By: MGJ

1st Review: 2 > ±15%.
MGJ 2/13/23

2ND REVIEW: 3 OUT > ±15%
2/13/23

Primary Reference Material intended for the calibration of gas analyzers or instrumentation. General instructions for proper use of gas mixtures are found in "ISO 16664: Gas analysis – handling of calibration gases and gas mixtures".

Contents under pressure, store in secure area and do not expose to temperatures greater than 150 °F.

Recommended Operating temperature within 32°F (0°C) and 125°F (52°C).

Recommended minimum sample size 10 mL.

Except where noted, results are reported in mole/mole ppm as determined by Gas Chromatography using qualified reference standards under ANA-50-741-ALP and ANA-50-742-ALP and meets ISO 17025 requirements. Every cylinder is analyzed and represents one unique lot.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor providing a level of confidence of 95% and has been carried out in accordance with ISO 17025 requirements.

This certificate is issued in accordance with the laboratory accreditation requirements of ANAB. It provides traceability of measurement to recognized national standards, and to units of measurement realized by the National Institute of Standards and Technology (NIST).

Linde Spectra Environmental Gases

This certificate may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740
www.lideus.com

ISO 17034 Certificate

Certified Reference Material

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 2 of 3
Report ID: 37130
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571522	**Cylinder # :**	EB0140173
Report Date:	Jan-25-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17034	**Cylinder Volume:**	29.5 Liter
Material#:	24108088	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-25-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Certified Conc	Uncertainty
Acetonitrile	75-05-8	1.000 ppm	2.571	1.176 ppm	± 0.059 ppm
Acetone	67-64-1	1.000 ppm	2.571	1.046 ppm	± 0.043 ppm
Isopropyl Alcohol	67-63-0	1.000 ppm	2.571	1.145 ppm	± 0.045 ppm
Iodomethane	74-88-4	1.000 ppm	2.571	1.047 ppm	± 0.042 ppm
Methylene Chloride	75-09-2	1.000 ppm	2.571	1.040 ppm	± 0.039 ppm
Tert-Butanol	75-65-0	1.000 ppm	2.571	1.152 ppm	± 0.044 ppm
Methyl Tert Butyl Ether	1634-04-4	1.000 ppm	2.571	1.037 ppm	± 0.039 ppm
Vinyl Acetate	108-05-4	1.000 ppm	2.571	1.107 ppm	± 0.044 ppm
Methyl Ethyl Ketone	78-93-3	1.000 ppm	2.571	1.052 ppm	± 0.040 ppm
n-Hexane	110-54-3	1.000 ppm	2.571	1.041 ppm	± 0.045 ppm
Chloroform	67-66-3	1.000 ppm	2.571	1.036 ppm	± 0.036 ppm
Ethyl Acetate	141-78-6	1.000 ppm	2.571	1.036 ppm	± 0.036 ppm
Diisopropyl Ether	108-20-3	1.000 ppm	2.571	1.035 ppm	± 0.037 ppm
Tetrahydrofuran	109-99-9	1.000 ppm	2.571	1.033 ppm	± 0.040 ppm
1,2-Dichloroethane	107-06-2	1.000 ppm	2.571	1.045 ppm	± 0.040 ppm
Benzene	71-43-2	1.000 ppm	2.571	1.045 ppm	± 0.044 ppm
1-Butanol	71-36-3	1.000 ppm	2.571	0.970 ppm	± 0.044 ppm
Cyclohexane	110-82-7	1.000 ppm	2.571	1.038 ppm	± 0.038 ppm
1,2-Dichloropropane	78-87-5	1.000 ppm	2.571	1.038 ppm	± 0.039 ppm
Trichloroethylene	79-01-6	1.000 ppm	2.571	1.041 ppm	± 0.038 ppm
1,4-Dioxane	123-91-1	1.000 ppm	2.571	1.043 ppm	± 0.038 ppm
2,2,4-Trimethylpentane	540-84-1	1.000 ppm	2.571	1.036 ppm	± 0.038 ppm
n-Heptane	142-82-5	1.000 ppm	2.571	1.036 ppm	± 0.039 ppm
Methyl Isobutyl Ketone	108-10-1	1.000 ppm	2.571	1.038 ppm	± 0.038 ppm
Toluene	108-88-3	1.000 ppm	2.571	1.045 ppm	± 0.046 ppm
Methyl Butyl Ketone	591-78-6	1.000 ppm	2.571	1.050 ppm	± 0.039 ppm
Tetrachloroethylene	127-18-4	1.000 ppm	2.571	1.043 ppm	± 0.038 ppm

Linde Spectra Environmental Gases

This certificate may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.
80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

ISO 17034 Certificate

Certified Reference Material

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

Report ID: 37130
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571522	**Cylinder # :**	EB0140173
Report Date:	Jan-25-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17034	**Cylinder Volume:**	29.5 Liter
Material#:	24108088	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-25-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Certified Conc	Uncertainty
Chlorobenzene	108-90-7	1.000 ppm	2.571	1.042 ppm	± 0.036 ppm
Ethylbenzene	100-41-4	1.000 ppm	2.571	1.042 ppm	± 0.036 ppm
p-Xylene	106-42-3	0.500 ppm	2.571	0.525 ppm	± 0.018 ppm
m-Xylene	108-38-3	0.500 ppm	2.571	0.524 ppm	± 0.018 ppm
o-Xylene	95-47-6	1.000 ppm	2.571	1.045 ppm	± 0.035 ppm
Cumene	98-82-8	1.000 ppm	2.571	1.038 ppm	± 0.035 ppm
Naphthalene	91-20-3	0.100 ppm	2.571	0.116 ppm	± 0.007 ppm
Nitrogen	7727-37-9	Balance		Balance	

ANALYST: Lou Lorenzetti

DATE: Jan-25-2023

Linde Spectra Environmental Gases

This certificate may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.
80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

ISO/IEC 17025

Analysis Report

AT-23 1° source Part B

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 1 of 5
Report ID: 37157
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571521	**Cylinder # :**	EB0140118
Report Date:	Jan-30-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24099162	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-30-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

Std. ID: 3169-800
Rec'd: 2/8/23
By: MJS

1st Review: 27±15%
MJS 2/13/23.

2ND REVIEW: 27 ± 15%
& 2/13/23

Primary Reference Material intended for the calibration of gas analyzers or instrumentation. General instructions for proper use of gas mixtures are found in "ISO 16664: Gas analysis – handling of calibration gases and gas mixtures".

Contents under pressure, store in secure area and do not expose to temperatures greater than 150 °F.

Recommended Operating temperature within 32°F (0°C) and 125°F (52°C).

Recommended minimum sample size 10 mL.

Except where noted, results are reported in mole/mole ppm as determined by Gas Chromatography using qualified reference standards under ANA-50-741-ALP and ANA-50-742-ALP and meets ISO/IEC 17025 requirements. Every cylinder is analyzed and represents one unique lot.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor providing a level of confidence of 95% and has been carried out in accordance with ISO/IEC 17025 requirements.

This report is issued in accordance with the laboratory accreditation requirements of ANAB. It provides traceability of measurement to recognized national standards, and to units of measurement realized by the National Institute of Standards and Technology (NIST).

Linde Spectra Environmental Gases

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740
www.lideus.com

This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

ISO/IEC 17025

Analysis Report

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 2 of 5
Report ID: 37157
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571521	**Cylinder # :**	EB0140118
Report Date:	Jan-30-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24099162	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-30-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Reported Conc	Uncertainty
1,1,1,2-Tetrafluoroethane	811-97-2	1.000 ppm	2.571	1.054 ppm	± 0.035 ppm
1,1-Difluoroethane	75-37-6	1.000 ppm	2.571	1.063 ppm	± 0.033 ppm
Propylene	115-07-1	1.000 ppm	2.571	1.059 ppm	± 0.033 ppm
Chlorodifluoromethane	75-45-6	1.000 ppm	2.571	1.055 ppm	± 0.032 ppm
Freon-12	75-71-8	1.000 ppm	2.571	1.067 ppm	± 0.029 ppm
Chloromethane	74-87-3	1.000 ppm	2.571	1.057 ppm	± 0.030 ppm
Isobutane	75-28-5	1.000 ppm	2.571	1.071 ppm	± 0.032 ppm
Freon-114	76-14-2	1.000 ppm	2.571	1.060 ppm	± 0.028 ppm
Vinyl Chloride	75-01-4	1.000 ppm	2.571	1.063 ppm	± 0.032 ppm
1,3-Butadiene	106-99-0	1.000 ppm	2.571	1.062 ppm	± 0.036 ppm
n-Butane	106-97-8	1.000 ppm	2.571	1.056 ppm	± 0.035 ppm
Bromomethane	74-83-9	1.000 ppm	2.571	1.062 ppm	± 0.034 ppm
Chloroethane	75-00-3	1.000 ppm	2.571	1.062 ppm	± 0.037 ppm
Dichlorofluoromethane	75-43-4	1.000 ppm	2.571	1.068 ppm	± 0.037 ppm
Vinyl Bromide	593-60-2	1.000 ppm	2.571	1.065 ppm	± 0.037 ppm
Ethanol (No Stability Guarantee)	64-17-5	1.000 ppm	2.571	1.232 ppm	± 0.11 ppm
Acrolein	107-02-8	1.000 ppm	2.571	1.165 ppm	± 0.074 ppm
Isopentane	78-78-4	1.000 ppm	2.571	1.070 ppm	± 0.030 ppm
Freon-11	75-69-4	1.000 ppm	2.571	1.068 ppm	± 0.032 ppm
n-Pentane	109-66-0	1.000 ppm	2.571	1.071 ppm	± 0.037 ppm
Acrylonitrile	107-13-1	1.000 ppm	2.571	1.064 ppm	± 0.037 ppm
1,1-Dichloroethene	75-35-4	1.000 ppm	2.571	1.068 ppm	± 0.036 ppm
Carbon Disulfide	75-15-0	1.000 ppm	2.571	1.067 ppm	± 0.036 ppm
3-Chloropropene	107-05-1	1.000 ppm	2.571	1.057 ppm	± 0.038 ppm
Freon-113	76-13-1	1.000 ppm	2.571	1.050 ppm	± 0.031 ppm
Trans-1,2-Dichloroethene	156-60-5	1.000 ppm	2.571	1.092 ppm	± 0.038 ppm
1,1-Dichloroethane	75-34-3	1.000 ppm	2.571	1.056 ppm	± 0.039 ppm

Linde Spectra Environmental Gases

This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

ISO/IEC 17025

Analysis Report

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

Report ID: 37157
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571521	**Cylinder # :**	EB0140118
Report Date:	Jan-30-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24099162	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-30-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Reported Conc	Uncertainty
Cis-1,2-Dichloroethene	156-59-2	1.000 ppm	2.571	1.055 ppm	± 0.036 ppm
2,2-Dichloropropane	594-20-7	1.000 ppm	2.571	1.064 ppm	± 0.041 ppm
Ethyl Tert Butyl Ether	637-92-3	1.000 ppm	2.571	1.066 ppm	± 0.038 ppm
1,1,1-Trichloroethane	71-55-6	1.000 ppm	2.571	1.059 ppm	± 0.038 ppm
1,1-Dichloropropene	563-58-6	1.000 ppm	2.571	1.067 ppm	± 0.037 ppm
Carbon Tetrachloride	56-23-5	1.000 ppm	2.571	1.067 ppm	± 0.042 ppm
Tert Amyl Methyl Ether	994-05-8	1.000 ppm	2.571	1.065 ppm	± 0.039 ppm
Dibromomethane	74-95-3	1.000 ppm	2.571	1.063 ppm	± 0.037 ppm
Bromodichloromethane	75-27-4	1.000 ppm	2.571	1.084 ppm	± 0.075 ppm
Methyl Methacrylate	80-62-6	1.000 ppm	2.571	1.057 ppm	± 0.036 ppm
1-Bromo-2-Chloroethane	107-04-0	1.000 ppm	2.571	1.060 ppm	± 0.043 ppm
Cis-1,3-Dichloropropene	10061-01-5	1.000 ppm	2.571	1.059 ppm	± 0.038 ppm
Methylcyclohexane	108-87-2	1.000 ppm	2.571	1.079 ppm	± 0.039 ppm
Trans-1,3-Dichloropropene	10061-02-6	1.000 ppm	2.571	1.060 ppm	± 0.038 ppm
1,1,2-Trichloroethane	79-00-5	1.000 ppm	2.571	1.060 ppm	± 0.036 ppm
1,3-Dichloropropane	142-28-9	1.000 ppm	2.571	1.064 ppm	± 0.038 ppm
Dibromochloromethane	124-48-1	1.000 ppm	2.571	1.069 ppm	± 0.036 ppm
1,2-Dibromoethane	106-93-4	1.000 ppm	2.571	1.056 ppm	± 0.037 ppm
n-Octane	111-65-9	1.000 ppm	2.571	1.068 ppm	± 0.036 ppm
1,1,1,2-Tetrachloroethane	630-20-6	1.000 ppm	2.571	1.060 ppm	± 0.036 ppm
Bromoform	75-25-2	1.000 ppm	2.571	1.070 ppm	± 0.038 ppm
Cyclohexanone	108-94-1	1.000 ppm	2.571	1.073 ppm	± 0.029 ppm
Styrene	100-42-5	1.000 ppm	2.571	1.062 ppm	± 0.031 ppm
1,1,2,2-Tetrachloroethane	79-34-5	1.000 ppm	2.571	1.052 ppm	± 0.031 ppm
1,2,3-Trichloropropane	96-18-4	1.000 ppm	2.571	1.053 ppm	± 0.029 ppm
Trans-1,4-Dichloro-2-Butene	110-57-6	1.000 ppm	2.571	1.044 ppm	± 0.029 ppm
Nonane	111-84-2	1.000 ppm	2.571	1.060 ppm	± 0.033 ppm

Linde Spectra Environmental Gases

This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

ISO/IEC 17025

Analysis Report

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 4 of 5
Report ID: 37157
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571521	**Cylinder # :**	EB0140118
Report Date:	Jan-30-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24099162	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-30-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Reported Conc	Uncertainty
Bromobenzene	108-86-1	1.000 ppm	2.571	1.060 ppm	± 0.035 ppm
2-Chlorotoluene	95-49-8	1.000 ppm	2.571	1.055 ppm	± 0.028 ppm
n-Propylbenzene	103-65-1	1.000 ppm	2.571	1.063 ppm	± 0.029 ppm
4-Ethyltoluene	622-96-8	1.000 ppm	2.571	1.062 ppm	± 0.026 ppm
1,3,5-Trimethylbenzene	108-67-8	1.000 ppm	2.571	1.050 ppm	± 0.028 ppm
alpha-Methyl Styrene (No Stability Gu	98-83-9	1.000 ppm	2.571	1.042 ppm	± 0.025 ppm
Tert-Butyl Benzene	98-06-6	1.000 ppm	2.571	1.054 ppm	± 0.027 ppm
1,2,4-Trimethylbenzene	95-63-6	1.000 ppm	2.571	1.062 ppm	± 0.027 ppm
1,3-Dichlorobenzene	541-73-1	1.000 ppm	2.571	1.061 ppm	± 0.024 ppm
Benzyl Chloride	100-44-7	1.000 ppm	2.571	1.064 ppm	± 0.024 ppm
n-Decane	124-18-5	1.000 ppm	2.571	1.052 ppm	± 0.024 ppm
1,4-Dichlorobenzene	106-46-7	1.000 ppm	2.571	1.052 ppm	± 0.023 ppm
sec-Butylbenzene	135-98-8	1.000 ppm	2.571	1.062 ppm	± 0.027 ppm
4-Isopropyltoluene	99-87-6	1.000 ppm	2.571	1.048 ppm	± 0.023 ppm
1,2-Dichlorobenzene	95-50-1	1.000 ppm	2.571	1.052 ppm	± 0.023 ppm
n-Butylbenzene	104-51-8	1.000 ppm	2.571	1.050 ppm	± 0.022 ppm
1,2-Dibromo-3-Chloropropane	96-12-8	1.000 ppm	2.571	1.031 ppm	± 0.034 ppm
n-Undecane	1120-21-4	1.000 ppm	2.571	1.060 ppm	± 0.027 ppm
1,2,4-Trichlorobenzene	120-82-1	1.000 ppm	2.571	1.089 ppm	± 0.071 ppm
n-Dodecane	112-40-3	1.000 ppm	2.571	1.059 ppm	± 0.051 ppm

Linde Spectra Environmental Gases

This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

ISO/IEC 17025

Analysis Report

SHIPPED TO:
Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 5 of 5
Report ID: 37157
Revision: 0

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1571521	**Cylinder # :**	EB0140118
Report Date:	Jan-30-2023	**Cylinder Pressure:**	2000 psig
P.O.#:	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	ISO-17025	**Cylinder Volume:**	29.5 Liter
Material#:	24099162	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-30-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Method of Analysis:**	GC-FID

COMPONENT	CAS Number	Requested Conc	(k @ 95%)	Reported Conc	Uncertainty
1,2,3-Trichlorobenzene	87-61-6	1.000 ppm	2.571	1.082 ppm	± 0.10 ppm
Hexachloro-1,3-Butadiene	87-68-3	1.000 ppm	2.571	1.085 ppm	± 0.052 ppm
Nitrogen	7727-37-9	Balance		Balance	

ANALYST: Lou Lorenzetti

DATE: Jan-30-2023

Linde Spectra Environmental Gases

This report may not be reproduced other than in full except with the prior written approval of the issuing laboratory.

Linde North America, Inc.

80 Industrial Drive, Alpha, NJ 08865
Phone: +1.908.329-9700 FAX: +1.908.329-9740

4700 Precision Diluter Standards Preparation Report

Dilution ID: 4916

Canister Size: 6000cc **Canister ID:** 0916 **Target Final Psia:** 29.7

Comment: 200ppbv AT23 LCS, 100uL H2O. Exp. 7/15/24.

Date: 4/15/2024 12:01:16 PM

Report ID: 3018-4441

Prepared By: ef

Channel Methods

Ch.	Title	Init. Conc.	Target Conc.	Dilution Factor	Init. Psia	Target Psid	Final Psid	Target Psia	Final Psia	Duration	Final Conc.
1	Diluent	100 percent	100 percent	1	0.21	11.67	11.67	11.88	11.88	00:06:44	N/A
2	AT23 LCS 3169-801	1000 ppb	200 ppb	5	11.88	5.90	5.90	17.78	17.78	00:06:22	200.09 ppb
1	Diluent	100 percent	100 percent	1	17.78	11.92	11.92	29.70	29.70	00:07:59	N/A

Total Duration: 00:21:12

Channel Configuration and Standards Inventory

Ch.	Source	Init. Conc.	Cylinder ID	Expiration Date	Notes
1	Diluent	100 percent	488009Y	9/9/9999	Zero Air. N701263095101. 9/9/9999 = no exp.
2	AT23 LCS 3169-801	1000 ppb	EB0139594	7/31/2024	Production #1575260

mjb 04/15/24

Verify Lot# of OCV/ICAL (primary) is different than ICV/LCS (secondary)

Initial/date ef 4/15/24

Verify Concentration and Expiration date from COA

Initial/date ef 4/15/24



SHIPPED TO: AT-23 2° Source

Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630


Std. ID: 3169-801
Recd: 2/9/23
BY: MJB

ANALYSIS REPORT

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1575260	**Cylinder # :**	EB0139594
Report Date:	Jan-31-2023	**Cylinder Pressure:**	2000 psig
P.O.# :	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	QUALIFIED	**Cylinder Volume:**	29.5 Liter
Material#:	24086943	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-31-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Analytical Accuracy:**	5% Relative

1st Review: All w/in ±15%
2nd Review: All w/in +/-15%

COMPONENT	CAS NUMBER	REQUESTED CONC	QUALIFIED CONC
1,1,1,2-Tetrafluoroethane	811-97-2	1.00 ppm	1.03 ppm
1,1-Difluoroethane	75-37-6	1.00 ppm	1.04 ppm
Propylene	115-07-1	1.00 ppm	1.04 ppm
Chlorodifluoromethane	75-45-6	1.00 ppm	1.03 ppm
Freon-12	75-71-8	1.00 ppm	1.05 ppm
Chloromethane	74-87-3	1.00 ppm	1.04 ppm
Isobutane	75-28-5	1.00 ppm	1.05 ppm
Freon-114	76-14-2	1.00 ppm	1.04 ppm
Vinyl Chloride	75-01-4	1.00 ppm	1.05 ppm
1,3-Butadiene	106-99-0	1.00 ppm	1.04 ppm
n-Butane	106-97-8	1.00 ppm	1.04 ppm
Bromomethane	74-83-9	1.00 ppm	1.05 ppm
Chloroethane	75-00-3	1.00 ppm	1.05 ppm
Dichlorofluoromethane	75-43-4	1.00 ppm	1.04 ppm
Vinyl Bromide	593-60-2	1.00 ppm	1.04 ppm
Ethanol (Analytical Accuracy ± 10%)	64-17-5	1.00 ppm	1.14 ppm
Acetonitrile (Analytical Accuracy ± 10%)	75-05-8	1.00 ppm	1.05 ppm
Acrolein (Analytical Accuracy ± 10%)	107-02-8	1.00 ppm	1.14 ppm
Isopentane	78-78-4	1.00 ppm	1.05 ppm
Acetone	67-64-1	1.00 ppm	1.06 ppm
Freon-11	75-69-4	1.00 ppm	1.04 ppm
Isopropyl Alcohol	67-63-0	1.00 ppm	1.06 ppm
n-Pentane	109-66-0	1.00 ppm	1.08 ppm
Acrylonitrile	107-13-1	1.00 ppm	1.07 ppm
Iodomethane	74-88-4	1.00 ppm	1.07 ppm
1,1-Dichloroethene	75-35-4	1.00 ppm	1.01 ppm
Carbon Disulfide (Analytical Accuracy ± 10%)	75-15-0	1.00 ppm	1.01 ppm
Methylene Chloride	75-09-2	1.00 ppm	1.03 ppm
Tert-Butanol (Analytical Accuracy ± 10%)	75-65-0	1.00 ppm	1.08 ppm
3-Chloropropene	107-05-1	1.00 ppm	1.03 ppm




SHIPPED TO: Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

ANALYSIS REPORT

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1575260	**Cylinder # :**	EB0139594
Report Date:	Jan-31-2023	**Cylinder Pressure:**	2000 psig
P.O.# :	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	QUALIFIED	**Cylinder Volume:**	29.5 Liter
Material#:	24086943	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-31-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Analytical Accuracy:**	5% Relative

COMPONENT	CAS NUMBER	REQUESTED CONC	QUALIFIED CONC
Freon-113	76-13-1	1.00 ppm	1.00 ppm
Trans-1,2-Dichloroethene	156-60-5	1.00 ppm	1.07 ppm
1,1-Dichloroethane	75-34-3	1.00 ppm	1.04 ppm
Methyl Tert Butyl Ether	1634-04-4	1.00 ppm	1.03 ppm
Vinyl Acetate	108-05-4	1.00 ppm	1.10 ppm
Methyl Ethyl Ketone	78-93-3	1.00 ppm	1.05 ppm
Cis-1,2-Dichloroethene	156-59-2	1.00 ppm	1.04 ppm
n-Hexane	110-54-3	1.00 ppm	1.02 ppm
Chloroform	67-66-3	1.00 ppm	1.05 ppm
Ethyl Acetate	141-78-6	1.00 ppm	1.05 ppm
Diisopropyl Ether	108-20-3	1.00 ppm	1.05 ppm
2,2-Dichloropropane	594-20-7	1.00 ppm	1.05 ppm
Tetrahydrofuran	109-99-9	1.00 ppm	1.06 ppm
Ethyl Tert Butyl Ether	637-92-3	1.00 ppm	1.08 ppm
1,2-Dichloroethane	107-06-2	1.00 ppm	1.06 ppm
1,1,1-Trichloroethane	71-55-6	1.00 ppm	1.04 ppm
1,1-Dichloropropene	563-58-6	1.00 ppm	1.04 ppm
Benzene	71-43-2	1.00 ppm	1.05 ppm
1-Butanol (Analytical Accuracy ± 10%)	71-36-3	1.00 ppm	1.10 ppm
Carbon Tetrachloride	56-23-5	1.00 ppm	1.04 ppm
Cyclohexane	110-82-7	1.00 ppm	1.04 ppm
Tert Amyl Methyl Ether	994-05-8	1.00 ppm	1.06 ppm
Dibromomethane	74-95-3	1.00 ppm	1.03 ppm
1,2-Dichloropropane	78-87-5	1.00 ppm	1.03 ppm
Trichloroethylene	79-01-6	1.00 ppm	1.05 ppm
1,4-Dioxane	123-91-1	1.00 ppm	1.05 ppm
Bromodichloromethane	75-27-4	1.00 ppm	1.05 ppm
2,2,4-Trimethylpentane	540-84-1	1.00 ppm	1.03 ppm
Methyl Methacrylate	80-62-6	1.00 ppm	1.04 ppm
Heptane	142-82-5	1.00 ppm	1.05 ppm




SHIPPED TO: Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

ANALYSIS REPORT

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1575260	**Cylinder # :**	EB0139594
Report Date:	Jan-31-2023	**Cylinder Pressure:**	2000 psig
P.O.# :	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	QUALIFIED	**Cylinder Volume:**	29.5 Liter
Material#:	24086943	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-31-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Analytical Accuracy:**	5% Relative

COMPONENT	CAS NUMBER	REQUESTED CONC	QUALIFIED CONC
1-Bromo-2-Chloroethane	107-04-0	1.00 ppm	1.05 ppm
Cis-1,3-Dichloropropene	10061-01-5	1.00 ppm	1.03 ppm
Methyl Isobutyl Ketone	108-10-1	1.00 ppm	1.02 ppm
Methylcyclohexane	108-87-2	1.00 ppm	1.03 ppm
Trans-1,3-Dichloropropene	10061-02-6	1.00 ppm	1.05 ppm
1,1,2-Trichloroethane	79-00-5	1.00 ppm	1.05 ppm
Toluene	108-88-3	1.00 ppm	1.04 ppm
1,3-Dichloropropane	142-28-9	1.00 ppm	1.04 ppm
Methyl Butyl Ketone	591-78-6	1.00 ppm	1.06 ppm
Dibromochloromethane	124-48-1	1.00 ppm	1.05 ppm
1,2-Dibromoethane	106-93-4	1.00 ppm	1.05 ppm
n-Octane	111-65-9	1.00 ppm	1.06 ppm
Tetrachloroethylene	127-18-4	1.00 ppm	1.05 ppm
1,1,1,2-Tetrachloroethane	630-20-6	1.00 ppm	1.04 ppm
Chlorobenzene	108-90-7	1.00 ppm	1.04 ppm
Ethylbenzene	100-41-4	1.00 ppm	1.05 ppm
p-xylene	106-42-3	0.500 ppm	0.513 ppm
m-xylene	108-38-3	0.500 ppm	0.511 ppm
Bromoform	75-25-2	1.00 ppm	1.03 ppm
Cyclohexanone	108-94-1	1.00 ppm	1.07 ppm
Styrene	100-42-5	1.00 ppm	1.06 ppm
o-xylene	95-47-6	1.00 ppm	1.04 ppm
1,1,2,2-Tetrachloroethane	79-34-5	1.00 ppm	1.04 ppm
1,2,3-Trichloropropane	96-18-4	1.00 ppm	1.07 ppm
Trans-1,4-Dichloro-2-Butene	110-57-6	1.00 ppm	1.04 ppm
Nonane	111-84-2	1.00 ppm	1.07 ppm
Cumene	98-82-8	1.00 ppm	1.02 ppm
Bromobenzene	108-86-1	1.00 ppm	1.04 ppm



SHIPPED TO: Eurofins Air Toxics
180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

ANALYSIS REPORT

Sales#:	117457419	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1575260	**Cylinder # :**	EB0139594
Report Date:	Jan-31-2023	**Cylinder Pressure:**	2000 psig
P.O.# :	75313336	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	QUALIFIED	**Cylinder Volume:**	29.5 Liter
Material#:	24086943	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	4000 Liters
Expiration Date:	Jul-31-2024	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Analytical Accuracy:**	5% Relative

COMPONENT	CAS NUMBER	REQUESTED CONC	QUALIFIED CONC
2-Chlorotoluene	95-49-8	1.00 ppm	1.06 ppm
n-Propylbenzene	103-65-1	1.00 ppm	1.05 ppm
4-Ethyltoluene	622-96-8	1.00 ppm	1.05 ppm
1,3,5-Trimethylbenzene	108-67-8	1.00 ppm	1.05 ppm
alpha-Methyl Styrene (Analytical Accuracy ± 10%)	98-83-9	1.00 ppm	1.04 ppm
Tert-Butyl Benzene	98-06-6	1.00 ppm	1.06 ppm
1,2,4-Trimethylbenzene	95-63-6	1.00 ppm	1.06 ppm
1,3-Dichlorobenzene	541-73-1	1.00 ppm	1.06 ppm
Benzyl Chloride (Analytical Accuracy ± 10%)	100-44-7	1.00 ppm	1.06 ppm
n-Decane	124-18-5	1.00 ppm	1.05 ppm
1,4-Dichlorobenzene	106-46-7	1.00 ppm	1.04 ppm
sec-Butylbenzene	135-98-8	1.00 ppm	1.05 ppm
4-Isopropyltoluene	99-87-6	1.00 ppm	1.06 ppm
1,2-Dichlorobenzene	95-50-1	1.00 ppm	1.06 ppm
n-Butylbenzene	104-51-8	1.00 ppm	1.05 ppm
1,2-Dibromo-3-Chloropropane	96-12-8	1.00 ppm	1.05 ppm
n-Undecane	1120-21-4	1.00 ppm	1.05 ppm
1,2,4-Trichlorobenzene	120-82-1	1.00 ppm	1.10 ppm
Naphthalene (Analytical Accuracy ± 10%)	91-20-3	0.100 ppm	0.114 ppm
n-Dodecane	112-40-3	1.00 ppm	1.06 ppm
1,2,3-Trichlorobenzene	87-61-6	1.00 ppm	1.10 ppm
Hexachloro-1,3-Butadiene	87-68-3	1.00 ppm	1.10 ppm
Nitrogen	7727-37-9	Balance	Balance

ANALYST: Lou Lorenzetti **DATE:** Jan-31-2023

Linde Gas North America LLC
(908) 329-9700 Main (908) 329-9740 Fax
www.Lindeus.com

4700 Precision Diluter Standards Preparation Report

Dilution ID: 4777

Canister Size: 6000cc **Canister ID:** N0076 **Target Final Psia:** 29.7

Comment: 5.0ppbv AT23 Supplemental CCV, 100uL H2O. Exp. 5/21/24.

Date: 2/22/2024 7:35:42 AM

Report ID: 3018-4329

Prepared By: ef

Channel Methods

Ch.	Title	Init. Conc.	Target Conc.	Dilution Factor	Init. Psia	Target Psid	Final Psid	Target Psia	Final Psia	Duration	Final Conc.
1	Diluent	100 percent	100 percent	1	0.09	11.86	11.86	11.94	11.94	00:10:07	N/A
6	3018-4328	200 ppb	5 ppb	40	11.94	0.74	0.74	12.68	12.68	00:03:15	5 ppb
1	Diluent	100 percent	100 percent	1	12.68	17.02	17.02	29.70	29.70	00:17:45	N/A

Total Duration: 00:31:14

Channel Configuration and Standards Inventory

Ch.	Source	Init. Conc.	Cylinder ID	Expiration Date	Notes
1	Diluent	100 percent	488009Y	9/9/9999	N701263095101, Zero Air. No exp. date.
6	3018-4328	200 ppb	N1781	5/21/2024	AT23 Supplemental CCV.

Verify Lot# of CCV/ICAL (primary) is different than ICV/LCS (secondary)

initial/date ef 2/22/24

Verify Concentration and Expiration date from COA

initial/date ef 2/22/24

2/22/24

4700 Precision Diluter Standards Preparation Report

Dilution ID: 4776

Canister Size: 6000cc **Canister ID:** N1781 **Target Final Psia:** 29.7

Comment: 200ppbv AT21 Supplemental CCV, 100uL H2O. Exp. 5/21/24.

Date: 2/21/2024 3:22:06 PM

Report ID: 3018-4328

Prepared By: ef

Channel Methods

Ch.	Title	Init. Conc.	Target Conc.	Dilution Factor	Init. Psia	Target Psid	Final Psid	Target Psia	Final Psia	Duration	Final Conc.
1	Diluent	100 percent	100 percent	1	0.10	11.83	11.83	11.93	11.93	00:10:07	N/A
2	3169-159c	1000 ppb	200 ppb	5	11.93	5.92	5.92	17.85	17.85	00:09:50	199.92 ppb
1	Diluent	100 percent	100 percent	1	17.85	11.85	11.86	29.70	29.71	00:13:44	N/A

Total Duration: 00:33:48

Channel Configuration and Standards Inventory

Ch.	Source	Init. Conc.	Cylinder ID	Expiration Date	Notes
1	Diluent	100 percent	488009Y	9/9/9999	Zero Air lot # N701263095101.
2	3169-159c	1000 ppb	CC-748779	2/1/2025	TO-15 Supplemental CCV. Original production #1540452. Current # 1603451.

AM 2/22/24

Verify Lot# of CCV/ICAL (primary) is different than ICV/LCS (secondary)

initial/date ef 2/21/24

Verify Concentration and Expiration date from COA

initial/date ef 2/21/24

THE LINDE GROUP

Linde

Recert

SHIPPED TO: Eurofins Air Toxics
AT-21 Supplemental CCV 180 Blue Ravine Rd. Ste. B
Folsom, CA 95630

PAGE: 1 of 1

Original Production#:
1540452

Std. ID: 3169-159C
Recd: 2/12/24
BY: MJB

ANALYSIS REPORT

Sales#:	117492265	**Cylinder Size:**	152 (8" X 47.5")
Production#:	1603451	**Cylinder # :**	CC-748779
Report Date:	Feb-01-2024	**Cylinder Pressure:**	1800 psig
P.O.# :	75696909	**Cylinder Valve:**	CGA 350 / Steel
Blend Type:	QUALIFIED	**Cylinder Volume:**	29.5 Liter
Material#:	24106776	**Cylinder Material:**	Aluminum
Traceability:	NIST by weight	**Gas Volume:**	3600 Liters
Expiration Date:	Feb-01-2025	**Blend Tolerance:**	10% Relative
Do NOT use under:	150 psig	**Analytical Accuracy:**	5% Relative

COMPONENT	CAS NUMBER	REQUESTED CONC	QUALIFIED CONC
1,1,1-Trifluoroethane	420-46-2	1.00 ppm	1.01 ppm
Propane	74-98-6	1.00 ppm	1.04 ppm
1-Chloro-1,1-Difluoroethane	75-68-3	1.00 ppm	1.01 ppm
2,2-Dichloro-1,1,1-Trifluoroethane	306-83-2	1.00 ppm	1.03 ppm
1,2-Dichloro-1,1,2-Trifluoroethane	354-23-4	1.00 ppm	1.02 ppm
1-Pentene	109-67-1	1.00 ppm	1.04 ppm
Ethyl Ether	60-29-7	1.00 ppm	1.04 ppm
Methyl Acetate	79-20-9	1.00 ppm	1.06 ppm
Cyclopentene	142-29-0	1.00 ppm	1.04 ppm
1-Propanol	71-23-8	1.00 ppm	1.08 ppm
2-Chloroprene	126-99-8	1.00 ppm	1.05 ppm
Methyl Acrylate	96-33-3	1.00 ppm	1.05 ppm
Isobutanol	78-83-1	1.00 ppm	1.09 ppm
2-Pentanone	107-87-9	1.00 ppm	1.05 ppm
Ethyl Acrylate	140-88-5	1.00 ppm	1.05 ppm
n-Butyl Acetate	123-86-4	1.00 ppm	1.04 ppm
2-Heptanone	110-43-0	1.00 ppm	1.07 ppm
alpha-Pinene (No Stability Guarantee)	80-56-8	1.00 ppm	1.11 ppm
4-Chlorotoluene	106-43-4	1.00 ppm	1.04 ppm
beta-Pinene (No Stability Guarantee)	127-91-3	1.00 ppm	1.08 ppm
1,2,3-Trimethylbenzene	526-73-8	1.00 ppm	1.05 ppm
d-Limonene (No Stability Guarantee)	5989-27-5	1.00 ppm	1.11 ppm
Hexachloroethane	67-72-1	1.00 ppm	1.03 ppm
1,3,5-Trichlorobenzene	108-70-3	1.00 ppm	1.04 ppm
Nitrogen	7727-37-9	Balance	Balance

ANALYST: Lou Lorenzetti **DATE:** Feb-01-2024

1st Review: All w/in ±15%. MJB 2/12/24
2nd Review: All w/in ±15%. 2/12/24

Linde Gas North America LLC
(908) 329-9700 Main (908) 329-9740 Fax
www.Lindeus.com

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042307.d
Lab Smp Id: ICAL Level #2 Client Smp ID: ICAL Levl #2
Inj Date : 23-APR-2024 21:18
Operator : DF Inst ID: msd3.i
Smp Info : 20ml 3018-4466
Misc Info : 0.5ppbv (5.0ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 21:18 Cal File: 3042307.d
Als bottle: 3 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23_Level2.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.439 (1.000)	130	104933	25.0000		80.00- 120.00	100.00
5.432	5.439 (1.000)	128	82973			47.79- 107.79	79.07
5.432	5.439 (1.000)	49	175240			131.33- 191.33	167.00
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	393969	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	60984			0.00- 45.65	15.48
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	399290	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	213137			22.92- 82.92	53.38
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.109)	65	133718	25.0000	24.466	80.00- 120.00	100.00
6.026	6.026 (1.109)	67	69390			23.17- 83.17	51.89
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	387391	25.0000	25.294	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	42857			0.00- 41.42	11.06

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	AMOUNTS ON-COL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.767	7.767 (1.208)	100	257316			37.54- 97.54	66.42
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	295479	25.0000	24.901	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	353190			88.49- 148.49	119.53
10.295	10.295 (1.124)	176	281619			66.73- 126.73	95.31
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.270)	85	3237	0.50000	0.5209	80.00- 120.00	100.00
1.465	1.465 (0.270)	87	712			2.88- 62.88	22.00
10 Freon 114					CAS #: 76-14-2		
1.577	1.577 (0.290)	135	2955	0.50000	0.5409	80.00- 120.00	100.00
1.577	1.577 (0.290)	137	660			2.10- 62.10	22.34
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.759 (0.324)	62	1461	0.50000	0.5040	80.00- 120.00	100.00
1.744	1.759 (0.321)	64	355			3.10- 63.10	24.30
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	1707	0.50000	0.6268	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	3090			78.74- 138.74	181.02
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	3854	0.50000	0.5383	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	2736			34.93- 94.93	70.99
43 Freon 113					CAS #: 76-13-1		
3.068	3.061 (0.565)	151	3916	0.50000	0.6189	80.00- 120.00	100.00
3.061	3.061 (0.563)	153	1952			35.07- 95.07	49.85
3.075	3.061 (0.566)	101	1436			87.45- 147.45	36.67
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.082	3.097 (0.567)	96	1270	0.50000	0.4718	80.00- 120.00	100.00(a)
3.096	3.097 (0.570)	98	806			33.27- 93.27	63.46
3.089	3.097 (0.569)	61	2660			159.05- 219.05	209.45
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	992	0.50000	0.5487	80.00- 120.00	100.00
4.028	4.028 (0.742)	61	2225			232.13- 292.13	224.29
4.021	4.028 (0.740)	96	949			127.26- 187.26	95.67
66 Acrylonitrile					CAS #: 107-13-1		
4.142	4.142 (0.763)	52	1352	0.50000	0.5783	80.00- 120.00	100.00
4.135	4.142 (0.761)	53	1661			86.45- 146.45	122.86

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.784)	57	3473	0.50000	0.6165	80.00- 120.00	100.00(T)
4.264	4.257 (0.785)	43	3291			40.97- 100.97	94.76
0.000	4.257 (0.000)	86	0			0.00- 42.68	0.00
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.558 (0.838)	63	2612	0.50000	0.5000	80.00- 120.00	100.00
4.543	4.558 (0.836)	65	1039			0.47- 60.47	39.78
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.188	5.188 (0.955)	98	968	0.50000	0.5171	80.00- 120.00	100.00
5.188	5.188 (0.955)	96	1386			125.53- 185.53	143.18
5.188	5.188 (0.955)	61	2121			219.86- 279.86	219.11
89 Tetrahydrofuran					CAS #: 109-99-9		
5.432	5.425 (1.000)	42	2700	0.50000	0.6547	80.00- 120.00	100.00
5.439	5.425 (1.001)	71	621			0.00- 58.54	23.00
5.439	5.425 (1.001)	72	602			0.00- 59.59	22.30
92 Chloroform					CAS #: 67-66-3		
5.503	5.518 (1.013)	83	2845	0.50000	0.5071	80.00- 120.00	100.00
5.510	5.518 (1.014)	85	1685			35.77- 95.77	59.23
94 Cyclohexane					CAS #: 110-82-7		
5.611	5.611 (1.033)	84	2089	0.50000	0.5566	80.00- 120.00	100.00
5.611	5.611 (1.033)	56	3770			125.79- 185.79	180.47
5.611	5.611 (1.033)	41	1631			61.55- 121.55	78.08
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.639	5.639 (1.038)	97	3365	0.50000	0.5500	80.00- 120.00	100.00
5.639	5.639 (1.038)	99	1917			32.84- 92.84	56.97
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.061)	119	3380	0.50000	0.5211	80.00- 120.00	100.00
5.761	5.761 (1.061)	117	3334			75.19- 135.19	98.64
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.998	5.998 (1.104)	57	8958	0.50000	0.5090	80.00- 120.00	100.00
6.005	5.998 (1.105)	56	3599			3.09- 63.09	40.18
5.998	5.998 (1.104)	41	2569			0.00- 57.28	28.68
102 Benzene					CAS #: 71-43-2		
5.998	5.998 (0.933)	78	4016	0.50000	0.5063	80.00- 120.00	100.00
6.005	5.998 (0.934)	77	1017			0.00- 53.69	25.32
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.105 (0.949)	62	2038	0.50000	0.4925	80.00- 120.00	100.00(a)

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
106 1,2-Dichloroethane (continued)							
6.098	6.105 (0.949)	64	1037			1.80- 61.80	50.88
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	2000	0.50000	0.6365	80.00- 120.00	100.00
6.177	6.184 (0.961)	43	5172			207.73- 267.73	258.60
6.184	6.184 (0.962)	57	2330			84.83- 144.83	116.50
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	1872	0.50000	0.4895	80.00- 120.00	100.00(a)
6.635	6.635 (1.032)	130	1937			80.23- 140.23	103.47
6.635	6.635 (1.032)	97	1340			34.78- 94.78	71.58
127 Methylcyclohexane					CAS #: 108-87-2		
6.742	6.735 (1.049)	83	3124	0.50000	0.5750	80.00- 120.00	100.00(a)
6.735	6.735 (1.048)	98	1345			14.83- 74.83	43.05
6.735	6.735 (1.048)	55	3478			71.50- 131.50	111.33
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	2241	0.50000	0.6004	80.00- 120.00	100.00
6.886	6.893 (1.071)	62	1559			40.39- 100.39	69.57
6.886	6.893 (1.071)	41	1140			31.86- 91.86	50.87
118 Dibromomethane					CAS #: 74-95-3		
7.008	7.008 (0.765)	174	1862	0.50000	0.4942	80.00- 120.00	100.00(a)
7.008	7.008 (0.765)	93	1957			62.68- 122.68	105.10
7.008	7.008 (0.765)	95	1522			47.70- 107.70	81.74
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	3308	0.50000	0.5343	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	2089			34.96- 94.96	63.15
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.574 (1.178)	75	2745	0.50000	0.5199	80.00- 120.00	100.00
7.566	7.574 (1.177)	77	1127			1.26- 61.26	41.06
7.566	7.574 (1.177)	39	2308			35.06- 95.06	84.08
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.710	7.710 (1.199)	58	2349	0.50000	0.6468	80.00- 120.00	100.00
7.710	7.710 (1.199)	43	5903			259.88- 319.88	251.30
7.710	7.710 (1.199)	85	946			7.58- 67.58	40.27
137 Toluene					CAS #: 108-88-3		
7.831	7.831 (1.218)	91	6183	0.50000	0.5631	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	3264			27.89- 87.89	52.79

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	2544	0.50000	0.6359	80.00- 120.00	100.00
7.867	7.860 (1.224)	85	1960			63.53- 123.53	77.04
7.860	7.860 (1.223)	43	5250			246.00- 306.00	206.37
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	2290	0.50000	0.5190	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	1656			1.83- 61.83	72.31
8.118	8.118 (0.887)	39	2509			31.97- 91.97	109.56
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.283	8.290 (0.905)	97	2024	0.50000	0.5418	80.00- 120.00	100.00
8.283	8.290 (0.905)	99	1386			32.52- 92.52	68.48
8.290	8.290 (0.905)	83	1854			58.90- 118.90	91.60
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	2686	0.50000	0.4788	80.00- 120.00	100.00(a)
8.318	8.318 (0.908)	129	2374			45.32- 105.32	88.38
8.318	8.318 (0.908)	131	2207			44.17- 104.17	82.17
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	2980	0.50000	0.5789	80.00- 120.00	100.00(a)
8.447	8.447 (1.314)	41	2449			59.72- 119.72	82.18
8.447	8.447 (1.314)	78	913			3.08- 63.08	30.64
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	3528	0.50000	0.4778	80.00- 120.00	100.00(a)
8.626	8.626 (0.942)	127	2957			47.27- 107.27	83.82
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	3327	0.50000	0.5434	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	3078			64.18- 124.18	92.52
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.185 (1.002)	112	5158	0.50000	0.5575	80.00- 120.00	100.00
9.178	9.185 (1.002)	114	1764			1.91- 61.91	34.20
9.171	9.185 (1.002)	77	3672			22.97- 82.97	71.19
155 Ethyl Benzene					CAS #: 100-41-4		
9.250	9.250 (1.010)	106	2755	0.50000	0.5920	80.00- 120.00	100.00
9.250	9.250 (1.010)	91	7999			281.09- 341.09	290.34
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.271	9.271 (1.013)	131	2840	0.50000	0.5389	80.00- 120.00	100.00
9.271	9.271 (1.013)	117	3170			37.10- 97.10	111.62
9.264	9.271 (1.012)	95	999			4.93- 64.93	35.18

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	3099	0.50000	0.5343	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	6271			170.33- 230.33	202.36
164 o-Xylene					CAS #: 95-47-6		
9.751	9.751 (1.065)	106	3211	0.50000	0.5838	80.00- 120.00	100.00
9.751	9.751 (1.065)	91	6633			181.23- 241.23	206.57
165 Styrene					CAS #: 100-42-5		
9.780	9.780 (1.068)	104	5138	0.50000	0.5470	80.00- 120.00	100.00
9.780	9.780 (1.068)	78	2757			17.26- 77.26	53.66
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.091)	173	3832	0.50000	0.5135	80.00- 120.00	100.00
9.987	9.987 (1.091)	171	1961			21.45- 81.45	51.17
168 Cumene					CAS #: 98-82-8		
10.095	10.095 (1.102)	105	8687	0.50000	0.5225	80.00- 120.00	100.00
10.088	10.095 (1.102)	120	2646			0.00- 56.93	30.46
10.095	10.095 (1.102)	51	1622			0.00- 42.24	18.67
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.475 (1.143)	83	4821	0.50000	0.5590	80.00- 120.00	100.00
10.474	10.475 (1.144)	85	3068			34.97- 94.97	63.64
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.146)	120	2576	0.50000	0.5240	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	11934			383.60- 443.60	463.28
10.496	10.496 (1.146)	105	455			0.00- 46.14	17.66
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.525 (1.149)	110	1591	0.50000	0.6079	80.00- 120.00	100.00
10.525	10.525 (1.149)	75	5059			324.28- 384.28	317.98
10.517	10.518 (1.149)	61	1438			57.24- 117.24	90.38
184 2-Chlorotoluene					CAS #: 95-49-8		
10.611	10.611 (1.159)	126	2564	0.50000	0.5655	80.00- 120.00	100.00(a)
10.603	10.611 (1.158)	91	7999			282.78- 342.78	311.97
10.603	10.603 (1.158)	65	1532			17.33- 77.33	59.75
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.611 (1.158)	120	2824	0.50000	0.5270	80.00- 120.00	100.00
10.611	10.611 (1.159)	105	9689			298.94- 358.94	343.09
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	3733	0.50000	0.5166	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
185 1,3,5-Trimethylbenzene (continued)							
10.675	10.675 (1.166)	105	7916			172.08- 232.08	212.05
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	4241	0.50000	0.5540	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	2465			25.64- 85.64	58.12
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	8109	0.50000	0.5488	80.00- 120.00	100.00
11.040	11.040 (1.206)	120	3515			16.63- 76.63	43.35
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	2424	0.50000	0.5390	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	11674			436.99- 496.99	481.60
11.191	11.198 (1.222)	91	2208			41.69- 101.69	91.09
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	9553	0.50000	0.5194	80.00- 120.00	100.00(a)
11.341	11.341 (1.239)	134	2589			0.00- 57.62	27.10
11.334	11.341 (1.238)	91	2713			0.00- 53.03	28.40
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	6242	0.50000	0.5701	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	3843			34.18- 94.18	61.57
11.348	11.348 (1.239)	111	2474			10.06- 70.06	39.63
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.441	11.449 (1.250)	146	6016	0.50000	0.5424	80.00- 120.00	100.00
11.449	11.449 (1.250)	148	3705			33.55- 93.55	61.59
11.441	11.449 (1.250)	111	2400			7.98- 67.98	39.89
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	7831	0.50000	0.5576	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	1681			0.00- 52.77	21.47
202 Butylbenzene					CAS #: 104-51-8		
11.749	11.750 (1.283)	134	2792	0.50000	0.5508	80.00- 120.00	100.00
11.742	11.742 (1.282)	91	9786			310.82- 370.82	350.50
11.742	11.742 (1.282)	92	5003			151.53- 211.53	179.19
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	5917	0.50000	0.5569	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	3762			33.00- 93.00	63.58
11.821	11.821 (1.291)	111	2659			10.87- 70.87	44.94

QC Flag Legend

T - Target compound detected outside RT window.
a - Target compound detected but, quantitated amount
    Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042307.d
Lab Smp Id: ICAL Level #2
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 0.5ppbv (5.0ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Levl #2
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	104933	-1.18
108 1,4-Difluorobenze	390964	234578	547350	393969	0.77
153 Chlorobenzene-d5	392003	235202	548804	399290	1.86

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.43	-0.13
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042307.d

Page 1

Date : 23-APR-2024 21:18

Client ID: ICAL Levl #2


Instrument: msd3.i

Sample Info: 20ml 3018-4466

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042308.d
Lab Smp Id: ICAL Level #3 Client Smp ID: ICAL Level #3
Inj Date : 23-APR-2024 21:50
Operator : DF Inst ID: msd3.i
Smp Info : 40ml 3018-4466
Misc Info : 1.0ppbv (5.0ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 21:50 Cal File: 3042308.d
Als bottle: 3 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23_Level3.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

					AMOUNTS			
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	=======	==========	=====
4 Freon 134a						CAS #: 811-97-2		
1.423	1.409 (0.262)	83	3045	1.00000	1.248	80.00- 120.00		100.00(a)
1.381	1.409 (0.254)	69	2917			64.17- 124.17		95.80
1.479	1.493 (0.272)	51	11034			365.46- 425.46		362.36
8 Freon 12						CAS #: 75-71-8		
1.451	1.465 (0.267)	85	6615	1.00000	1.058	80.00- 120.00		100.00
1.465	1.465 (0.270)	87	2169			2.88- 62.88		32.79
9 Chlorodifluoromethane						CAS #: 75-45-6		
1.479	1.493 (0.272)	67	799	1.00000	1.021	80.00- 120.00		100.00
1.479	1.493 (0.272)	51	11034			1257.55-1317.55		1380.98
10 Freon 114						CAS #: 76-14-2		
1.577	1.577 (0.290)	135	5701	1.00000	1.037	80.00- 120.00		100.00
1.577	1.577 (0.290)	137	1791			2.10- 62.10		31.42
12 Isobutane						CAS #: 75-28-5		
1.577	1.591 (0.290)	43	6291	1.00000	1.076	80.00- 120.00		100.00(Ta)
1.577	1.591 (0.290)	42	3194			1.69- 61.69		50.77

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
12 Isobutane (continued)							
0.000	1.577 (0.000)	58	0			0.00- 33.32	0.00
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.759 (0.324)	62	3401	1.00000	1.166	80.00- 120.00	100.00
1.758	1.759 (0.324)	64	2582			3.10- 63.10	75.92
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	3354	1.00000	1.224	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	3084			78.74- 138.74	91.95
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.416 (0.442)	106	2210	1.00000	0.9118	80.00- 120.00	100.00
2.402	2.416 (0.442)	108	2232			64.21- 124.21	101.00
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	7612	1.00000	1.057	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	4986			34.93- 94.93	65.50
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.472 (0.453)	67	6472	1.00000	1.127	80.00- 120.00	100.00(a)
2.458	2.472 (0.453)	69	2513			1.95- 61.95	38.83
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	6111	1.00000	1.006	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	1388			0.00- 44.64	22.71
2.514	2.514 (0.463)	72	388			0.00- 37.90	6.35
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	959	1.23200	1.678	80.00- 120.00	100.00(a)
2.766	2.752 (0.509)	45	2139			224.40- 284.40	223.04
42 Acrolein					CAS #: 107-02-8		
3.046	3.061 (0.561)	55	2232	1.16500	1.815	80.00- 120.00	100.00(a)
3.046	3.061 (0.561)	56	3014			108.02- 168.02	135.04
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	6869	1.00000	1.079	80.00- 120.00	100.00
3.061	3.061 (0.563)	153	4670			35.07- 95.07	67.99
3.061	3.061 (0.563)	101	8304			87.45- 147.45	120.89
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.089	3.097 (0.569)	96	2718	1.00000	1.004	80.00- 120.00	100.00
3.097	3.097 (0.570)	98	1879			33.27- 93.27	69.13
3.089	3.097 (0.569)	61	4975			159.05- 219.05	183.04

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.631)	45	6741	1.00000	1.052	80.00- 120.00	100.00(a)
3.440	3.426 (0.633)	43	2549			0.00- 48.18	37.81
54 3-Chloropropene					CAS #: 107-05-1		
3.584	3.584 (0.660)	76	1387	1.00000	1.115	80.00- 120.00	100.00
3.576	3.584 (0.658)	41	4693			366.80- 426.80	338.36
57 Acetonitrile					CAS #: 75-05-8		
3.691	3.684 (0.680)	41	3272	1.17600	1.157	80.00- 120.00	100.00(a)
3.677	3.684 (0.677)	40	2304			22.74- 82.74	70.42
3.677	3.684 (0.677)	38	755			0.00- 42.52	23.07
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.906	3.913 (0.719)	59	7622	1.15200	1.166	80.00- 120.00	100.00(a)
3.913	3.913 (0.720)	41	1398			0.00- 51.85	18.34
3.906	3.913 (0.719)	57	1456			0.00- 40.17	19.10
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.738)	73	8109	1.00000	1.049	80.00- 120.00	100.00
3.999	4.006 (0.736)	57	2900			0.00- 58.72	35.76
4.006	4.006 (0.738)	41	3388			0.00- 59.38	41.78
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.021	4.028 (0.740)	98	1846	1.00000	1.015	80.00- 120.00	100.00
4.021	4.028 (0.740)	61	4841			232.13- 292.13	262.24
4.028	4.028 (0.742)	96	3011			127.26- 187.26	163.11
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.142 (0.761)	52	2449	1.00000	1.041	80.00- 120.00	100.00
4.142	4.142 (0.763)	53	2906			86.45- 146.45	118.66
67 Hexane					CAS #: 110-54-3		
4.264	4.257 (0.785)	57	6458	1.00000	1.140	80.00- 120.00	100.00
4.250	4.257 (0.782)	43	6027			40.97- 100.97	93.33
4.250	4.257 (0.782)	86	494			0.00- 42.68	7.65
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.839)	63	5325	1.00000	1.013	80.00- 120.00	100.00
4.551	4.558 (0.838)	65	1937			0.47- 60.47	36.38
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.145	5.145 (0.947)	77	5571	1.00000	1.074	80.00- 120.00	100.00(a)
5.138	5.145 (0.946)	79	2032			2.39- 62.39	36.47
5.145	5.145 (0.947)	97	1440			0.00- 53.57	25.85

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
85 cis-1,2-Dichloroethene						CAS #: 156-59-2	
5.188	5.188 (0.955)	98	2013	1.00000	1.069	80.00- 120.00	100.00
5.188	5.188 (0.955)	96	2852			125.53- 185.53	141.68
5.188	5.188 (0.955)	61	5409			219.86- 279.86	268.70
89 Tetrahydrofuran						CAS #: 109-99-9	
5.432	5.425 (1.000)	42	4547	1.00000	1.096	80.00- 120.00	100.00
5.432	5.425 (1.000)	71	1354			0.00- 58.54	29.78
5.446	5.425 (1.003)	72	1094			0.00- 59.59	24.06
* 90 Bromochloromethane						CAS #: 74-97-5	
5.432	5.439 (1.000)	130	105555	25.0000		80.00- 120.00	100.00
5.432	5.439 (1.000)	128	82343			47.79- 107.79	78.01
5.432	5.439 (1.000)	49	174252			131.33- 191.33	165.08
92 Chloroform						CAS #: 67-66-3	
5.510	5.518 (1.014)	83	5657	1.00000	1.002	80.00- 120.00	100.00
5.518	5.518 (1.016)	85	3832			35.77- 95.77	67.74
94 Cyclohexane						CAS #: 110-82-7	
5.611	5.611 (1.033)	84	3958	1.00000	1.048	80.00- 120.00	100.00
5.611	5.611 (1.033)	56	6255			125.79- 185.79	158.03
5.604	5.611 (1.032)	41	3602			61.55- 121.55	91.01
96 1,1,1-Trichloroethane						CAS #: 71-55-6	
5.632	5.639 (1.037)	97	6470	1.00000	1.051	80.00- 120.00	100.00
5.632	5.639 (1.037)	99	3984			32.84- 92.84	61.58
97 Carbon Tetrachloride						CAS #: 56-23-5	
5.754	5.761 (1.059)	119	6701	1.00000	1.027	80.00- 120.00	100.00
5.754	5.761 (1.059)	117	7143			75.19- 135.19	106.60
99 1,1-Dichloropropene						CAS #: 563-58-6	
5.804	5.804 (0.903)	110	1581	1.00000	0.9932	80.00- 120.00	100.00(a)
5.804	5.804 (0.903)	75	4402			234.16- 294.16	278.43
102 Benzene						CAS #: 71-43-2	
5.998	5.998 (0.933)	78	8295	1.00000	1.042	80.00- 120.00	100.00
5.998	5.998 (0.933)	77	2221			0.00- 53.69	26.78
101 2,2,4-Trimethylpentane						CAS #: 540-84-1	
5.998	5.998 (1.104)	57	18037	1.00000	1.019	80.00- 120.00	100.00
6.005	5.998 (1.105)	56	6830			3.09- 63.09	37.87
5.990	5.998 (1.103)	41	6382			0.00- 57.28	35.38
$ 104 1,2-Dichloroethane-d4						CAS #: 17060-07-0	
6.026	6.026 (1.109)	65	135576	25.0000	24.659	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
$ 104 1,2-Dichloroethane-d4 (continued)							
6.026	6.026 (1.109)	67	71106			23.17- 83.17	52.45
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.105 (0.949)	62	4324	1.00000	1.042	80.00- 120.00	100.00
6.098	6.105 (0.949)	64	1800			1.80- 61.80	41.63
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	3389	1.00000	1.075	80.00- 120.00	100.00
6.177	6.184 (0.961)	43	7153			207.73- 267.73	211.07
6.177	6.184 (0.961)	57	4659			84.83- 144.83	137.47
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	395193	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	61604			0.00- 45.65	15.59
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	3951	1.00000	1.030	80.00- 120.00	100.00
6.635	6.635 (1.032)	130	4307			80.23- 140.23	109.01
6.628	6.635 (1.031)	97	2589			34.78- 94.78	65.53
127 Methylcyclohexane					CAS #: 108-87-2		
6.743	6.735 (1.049)	83	6016	1.00000	1.104	80.00- 120.00	100.00(a)
6.735	6.735 (1.048)	98	2515			14.83- 74.83	41.81
6.735	6.735 (1.048)	55	6399			71.50- 131.50	106.37
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.893 (1.071)	63	3793	1.00000	1.013	80.00- 120.00	100.00
6.886	6.893 (1.071)	62	2986			40.39- 100.39	78.72
6.893	6.893 (1.072)	41	2456			31.86- 91.86	64.75
116 Methyl Methacrylate					CAS #: 80-62-6		
6.986	6.979 (0.763)	69	3771	1.00000	1.181	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	5654			145.81- 205.81	149.93
6.986	6.979 (0.763)	100	1420			10.05- 70.05	37.66
117 1,4-Dioxane					CAS #: 123-91-1		
7.000	6.993 (1.089)	88	1909	1.00000	0.9538	80.00- 120.00	100.00
7.000	6.993 (1.089)	58	1983			56.33- 116.33	103.88
7.000	6.993 (1.089)	57	663			2.08- 62.08	34.73
118 Dibromomethane					CAS #: 74-95-3		
7.008	7.008 (0.765)	174	3849	1.00000	1.040	80.00- 120.00	100.00
7.015	7.008 (0.766)	93	3544			62.68- 122.68	92.08
7.008	7.008 (0.765)	95	2997			47.70- 107.70	77.86

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	6112	1.00000	0.9842	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	3930			34.96- 94.96	64.30
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.574 (1.178)	75	5448	1.00000	1.029	80.00- 120.00	100.00
7.566	7.574 (1.177)	77	1757			1.26- 61.26	32.25
7.573	7.574 (1.178)	39	4900			35.06- 95.06	89.94
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.710	7.710 (1.199)	58	4174	1.00000	1.146	80.00- 120.00	100.00
7.710	7.710 (1.199)	43	12185			259.88- 319.88	291.93
7.710	7.710 (1.199)	85	1445			7.58- 67.58	34.62
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	389568	25.0000	25.357	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	42634			0.00- 41.42	10.94
7.767	7.767 (1.208)	100	257041			37.54- 97.54	65.98
137 Toluene					CAS #: 108-88-3		
7.824	7.831 (1.217)	91	11722	1.00000	1.064	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	6660			27.89- 87.89	56.82
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	4398	1.00000	1.096	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	4011			63.53- 123.53	91.20
7.860	7.860 (1.223)	43	10565			246.00- 306.00	240.22
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	4387	1.00000	1.012	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	2198			1.83- 61.83	50.10
8.118	8.118 (0.887)	39	3661			31.97- 91.97	83.45
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.290	8.290 (0.905)	97	4037	1.00000	1.100	80.00- 120.00	100.00
8.283	8.290 (0.905)	99	2376			32.52- 92.52	58.86
8.283	8.290 (0.905)	83	3423			58.90- 118.90	84.79
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	5802	1.00000	1.053	80.00- 120.00	100.00
8.318	8.318 (0.908)	129	4585			45.32- 105.32	79.02
8.318	8.318 (0.908)	131	4419			44.17- 104.17	76.16
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	5401	1.00000	1.046	80.00- 120.00	100.00(a)
8.447	8.447 (1.314)	41	4507			59.72- 119.72	83.45

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane (continued)							
8.447	8.447 (1.314)	78	1853			3.08- 63.08	34.31
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	7242	1.00000	0.9988	80.00- 120.00	100.00
8.626	8.626 (0.942)	127	5844			47.27- 107.27	80.70
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.748	8.741 (0.955)	107	6381	1.00000	1.061	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	5819			64.18- 124.18	91.19
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	392113	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	212516			22.92- 82.92	54.20
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.185 (1.002)	112	9608	1.00000	1.058	80.00- 120.00	100.00
9.185	9.185 (1.003)	114	3456			1.91- 61.91	35.97
9.178	9.185 (1.002)	77	5923			22.97- 82.97	61.65
155 Ethyl Benzene					CAS #: 100-41-4		
9.250	9.250 (1.010)	106	4444	1.00000	0.9725	80.00- 120.00	100.00
9.250	9.250 (1.010)	91	14977			281.09- 341.09	337.02
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.271	9.271 (1.012)	131	5079	1.00000	0.9813	80.00- 120.00	100.00(a)
9.271	9.271 (1.012)	117	4831			37.10- 97.10	95.12
9.271	9.271 (1.012)	95	1921			4.93- 64.93	37.82
156 Nonane					CAS #: 111-84-2		
9.314	9.314 (1.017)	43	11607	1.00000	1.094	80.00- 120.00	100.00
9.314	9.314 (1.017)	57	9566			50.62- 110.62	82.42
9.314	9.314 (1.017)	85	2930			0.00- 55.65	25.24
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	5834	1.00000	1.024	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	12882			170.33- 230.33	220.81
164 o-Xylene					CAS #: 95-47-6		
9.751	9.751 (1.065)	106	5484	1.00000	1.015	80.00- 120.00	100.00
9.751	9.751 (1.065)	91	11995			181.23- 241.23	218.73
165 Styrene					CAS #: 100-42-5		
9.780	9.780 (1.068)	104	9555	1.00000	1.036	80.00- 120.00	100.00
9.780	9.780 (1.068)	78	4796			17.26- 77.26	50.19

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.091)	173	6969	1.00000	0.9510	80.00- 120.00	100.00
9.987	9.987 (1.091)	171	3968			21.45- 81.45	56.94
168 Cumene					CAS #: 98-82-8		
10.095	10.095 (1.102)	105	17046	1.00000	1.044	80.00- 120.00	100.00
10.095	10.095 (1.102)	120	4573			0.00- 56.93	26.83
10.095	10.095 (1.102)	51	2487			0.00- 42.24	14.59
169 Cyclohexanone					CAS #: 108-94-1		
10.260	10.260 (1.120)	55	8603	1.00000	1.332	80.00- 120.00	100.00(a)
10.260	10.260 (1.120)	98	2587			5.15- 65.15	30.07
10.260	10.260 (1.120)	42	5789			41.99- 101.99	67.29
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	292348	25.0000	25.088	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	346945			88.49- 148.49	118.68
10.295	10.295 (1.124)	176	281580			66.73- 126.73	96.32
177 Bromobenzene					CAS #: 108-86-1		
10.431	10.432 (1.139)	156	6026	1.00000	1.059	80.00- 120.00	100.00(a)
10.431	10.432 (1.139)	158	5821			67.47- 127.47	96.60
10.431	10.432 (1.139)	77	8791			108.68- 168.68	145.88
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.475 (1.143)	83	8998	1.00000	1.062	80.00- 120.00	100.00
10.467	10.475 (1.143)	85	5767			34.97- 94.97	64.09
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.146)	120	4947	1.00000	1.025	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	21927			383.60- 443.60	443.24
10.496	10.496 (1.146)	105	778			0.00- 46.14	15.73
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.525 (1.149)	110	2787	1.00000	1.084	80.00- 120.00	100.00
10.525	10.525 (1.149)	75	9673			324.28- 384.28	347.08
10.517	10.518 (1.149)	61	2787			57.24- 117.24	100.00
184 2-Chlorotoluene					CAS #: 95-49-8		
10.611	10.611 (1.159)	126	4579	1.00000	1.028	80.00- 120.00	100.00(a)
10.603	10.611 (1.158)	91	15266			282.78- 342.78	333.39
10.603	10.603 (1.158)	65	2503			17.33- 77.33	54.66
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.611 (1.158)	120	5827	1.00000	1.107	80.00- 120.00	100.00
10.611	10.611 (1.159)	105	18601			298.94- 358.94	319.22

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
182 Decane					CAS #: 124-18-5		
10.603	10.611 (1.158)	57	17468	1.00000	1.398	80.00- 120.00	100.00
10.611	10.611 (1.159)	71	5419			1.11- 61.11	31.02
10.611	10.611 (1.159)	142	600			0.00- 34.44	3.43
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	7281	1.00000	1.026	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	15245			172.08- 232.08	209.38
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	8036	1.00000	1.069	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	4215			25.64- 85.64	52.45
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.983 (1.199)	119	14486	1.00000	1.074	80.00- 120.00	100.00
10.976	10.983 (1.199)	134	3244			0.00- 55.10	22.39
10.976	10.976 (1.199)	91	9878			34.53- 94.53	68.19
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	15308	1.00000	1.055	80.00- 120.00	100.00
11.040	11.040 (1.206)	120	7141			16.63- 76.63	46.65
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	4435	1.00000	1.004	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	21189			436.99- 496.99	477.77
11.191	11.198 (1.222)	91	3795			41.69- 101.69	85.57
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	18828	1.00000	1.042	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	5172			0.00- 57.62	27.47
11.341	11.341 (1.239)	91	4671			0.00- 53.03	24.81
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	11500	1.00000	1.070	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	7232			34.18- 94.18	62.89
11.348	11.348 (1.239)	111	4561			10.06- 70.06	39.66
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.449	11.449 (1.250)	146	11649	1.00000	1.070	80.00- 120.00	100.00
11.449	11.449 (1.250)	148	7223			33.55- 93.55	62.01
11.449	11.449 (1.250)	111	4635			7.98- 67.98	39.79
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	14051	1.00000	1.019	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	3017			0.00- 52.77	21.47

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
202 Butylbenzene					CAS #: 104-51-8		
11.742	11.750 (1.282)	134	5283	1.00000	1.061	80.00- 120.00	100.00(a)
11.742	11.742 (1.282)	91	18507			310.82- 370.82	350.31
11.742	11.742 (1.282)	92	9789			151.53- 211.53	185.29
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	20826	1.00000	1.402	80.00- 120.00	100.00
11.785	11.785 (1.287)	43	20809			63.59- 123.59	99.92
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	11179	1.00000	1.071	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	6969			33.00- 93.00	62.34
11.814	11.821 (1.290)	111	4628			10.87- 70.87	41.40
207 Dodecane					CAS #: 112-40-3		
12.853	12.860 (1.404)	57	15830	1.00000	1.058	80.00- 120.00	100.00
12.853	12.860 (1.404)	43	15626			58.52- 118.52	98.71
216 Naphthalene					CAS #: 91-20-3		
13.641	13.648 (1.490)	128	2978	0.11600	0.1380	80.00- 120.00	100.00(a)
13.641	13.648 (1.490)	127	331			0.00- 42.72	11.11

QC Flag Legend

T - Target compound detected outside RT window.
a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042308.d
Lab Smp Id: ICAL Level #3
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 1.0ppbv (5.0ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #3
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	105555	-0.59
108 1,4-Difluorobenze	390964	234578	547350	395193	1.08
153 Chlorobenzene-d5	392003	235202	548804	392113	0.03

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.43	-0.13
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042308.d

Page 1

Date : 23-APR-2024 21:50

Client ID: ICAL Level #3


Instrument: msd3.i

Sample Info: 40ml 3018-4466

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3041803.d
Lab Smp Id: ICAL Level #4 Client Smp ID: ICAL Level #4
Inj Date : 18-APR-2024 09:31
Operator : mjs Inst ID: msd3.i
Smp Info : 80ml 3018-4329
Misc Info : 2.0ppbv (5.0ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 22:22 Cal File: 3042309.d
Als bottle: 1 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT21spICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	120138	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	94112			47.79- 107.79	78.34
5.432	5.439 (1.000)	49	197929			131.33- 191.33	164.75
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	463814	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	72133			0.00- 45.65	15.55
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	464193	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	248970			22.92- 82.92	53.64
6 Propane					CAS #: 74-98-6		
1.437	1.423 (0.264)	43	2199	2.00000	1.978	80.00- 120.00	100.00(a)
1.437	1.437 (0.264)	39	1839			37.94- 97.94	83.63
1.437	1.423 (0.264)	41	2298			21.79- 81.79	104.50
13 Freon 142b					CAS #: 75-68-3		
1.605	1.604 (0.295)	65	13828	2.00000	2.342	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
13 Freon 142b (continued)							
1.605	1.604 (0.295)	45	4425			0.00- 58.87	32.00
36 1-Pentene					CAS #: 109-67-1		
2.458	2.458 (0.452)	55	8072	2.00000	2.202	80.00- 120.00	100.00(a)
2.458	2.458 (0.452)	42	11065			114.47- 174.47	137.08
38 Ethyl Ether					CAS #: 60-29-7		
2.808	2.794 (0.516)	74	3628	2.00000	2.393	80.00- 120.00	100.00
2.808	2.794 (0.516)	59	6132			138.79- 198.79	169.02
2.808	2.794 (0.516)	45	4292			114.58- 174.58	118.30
40 Freon 123a					CAS #: 354-23-4		
2.892	2.906 (0.532)	117	10619	2.00000	2.223	80.00- 120.00	100.00(a)
2.906	2.892 (0.534)	67	12422			102.78- 162.78	116.98
41 Freon 123					CAS #: 306-83-2		
2.990	2.990 (0.550)	83	9129	2.00000	2.064	80.00- 120.00	100.00
2.990	2.990 (0.550)	133	3180			0.00- 53.60	34.83
2.990	2.990 (0.550)	85	7579			36.72- 96.72	83.02
55 Cyclopentene					CAS #: 142-29-0		
3.598	3.591 (0.662)	67	13867	2.00000	2.059	80.00- 120.00	100.00
3.591	3.591 (0.660)	68	6700			8.38- 68.38	48.32
3.598	3.591 (0.662)	53	3442			0.00- 54.97	24.82
56 Methyl Acetate					CAS #: 79-20-9		
3.627	3.619 (0.667)	43	15328	2.00000	2.048	80.00- 120.00	100.00(a)
3.619	3.619 (0.665)	74	3100			0.00- 45.84	20.22
74 Chloroprene					CAS #: 126-99-8		
4.608	4.608 (0.847)	53	12151	2.00000	2.076	80.00- 120.00	100.00
4.608	4.608 (0.847)	88	5571			14.44- 74.44	45.85
4.608	4.608 (0.847)	50	4172			0.00- 56.76	34.33
75 1-Propanol					CAS #: 71-23-8		
4.723	4.715 (0.868)	59	2471	2.00000	2.796	80.00- 120.00	100.00
4.723	4.715 (0.868)	42	2071			63.00- 123.00	83.81
4.701	4.715 (0.864)	41	570			28.69- 88.69	23.07
88 Methyl Acrylate					CAS #: 96-33-3		
5.296	5.288 (0.974)	55	15436	2.00000	2.099	80.00- 120.00	100.00(a)
5.303	5.288 (0.975)	85	2706			0.00- 43.17	17.53
5.296	5.288 (0.974)	58	1878			0.00- 38.59	12.17
103 Isobutanol					CAS #: 78-83-1		
5.998	5.990 (1.103)	39	3783	2.00000	3.254	80.00- 120.00	100.00(a)

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
103 Isobutanol (continued)							
5.998	5.990 (1.103)	43	9246			402.02- 462.02	244.41
5.998	5.990 (1.103)	41	7110			275.29- 335.29	187.95
113 Ethyl acrylate					CAS #: 140-88-5		
6.764	6.764 (0.739)	99	1687	2.00000	2.668	80.00- 120.00	100.00
6.764	6.764 (0.739)	45	2466			144.38- 204.38	146.18
6.764	6.764 (0.739)	55	21134			1723.57-1783.57	1252.76
115 2-Pentanone					CAS #: 107-87-9		
6.864	6.857 (0.750)	43	26239	2.00000	2.061	80.00- 120.00	100.00
6.857	6.857 (0.749)	58	2558			0.00- 37.02	9.75
6.864	6.857 (0.750)	86	3819			0.00- 43.48	14.55
145 Butyl Acetate					CAS #: 123-86-4		
8.576	8.576 (1.334)	56	12702	2.00000	2.228	80.00- 120.00	100.00(a)
8.583	8.576 (1.335)	73	4522			2.83- 62.83	35.60
8.576	8.576 (1.334)	43	33172			240.40- 300.40	261.16
166 2-Heptanone					CAS #: 110-43-0		
9.901	9.901 (1.821)	58	21749	2.00000	2.365	80.00- 120.00	100.00
9.901	9.901 (1.821)	43	38769			146.16- 206.16	178.26
210 alpha-Pinene					CAS #: 80-56-8		
10.037	10.037 (1.096)	93	25687	2.00000	2.109	80.00- 120.00	100.00
10.030	10.037 (1.095)	77	7202			0.00- 59.07	28.04
214 beta-Pinene					CAS #: 127-91-3		
10.697	10.696 (1.168)	93	19765	2.00000	2.084	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	35220			151.21- 211.21	178.19
186 4-Chlorotoluene					CAS #: 106-43-4		
10.725	10.725 (1.171)	126	10548	2.00000	2.040	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	35220			296.65- 356.65	333.90
10.725	10.725 (1.171)	63	4731			10.84- 70.84	44.85
172 D-Limonene					CAS #: 5989-27-5		
11.277	11.277 (1.232)	68	15885	2.00000	2.069	80.00- 120.00	100.00
11.277	11.277 (1.232)	93	11230			41.19- 101.19	70.70
197 1,2,3-Trimethylbenzene					CAS #: 526-73-8		
11.463	11.463 (1.252)	120	14926	2.00000	2.104	80.00- 120.00	100.00(a)
11.463	11.463 (1.252)	105	33561			201.76- 261.76	224.85
11.463	11.463 (1.252)	77	4736			0.00- 57.12	31.73
205 Hexachloroethane					CAS #: 67-72-1		
12.022	12.014 (1.313)	201	8233	2.00000	1.921	80.00- 120.00	100.00(a)

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
205 Hexachloroethane (continued)							
12.014	12.014 (1.312)	117	12206			114.78- 174.78	148.26
208 1,3,5-Trichlorobenzene					CAS #: 108-70-3		
12.752	12.752 (1.393)	180	19452	2.00000	1.970	80.00- 120.00	100.00(a)
12.752	12.752 (1.393)	182	17981			64.68- 124.68	92.44

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3041803.d
Lab Smp Id: ICAL Level #4
Analysis Type: VOA
Quant Type: ISTD
Operator: mjs
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 2.0ppbv (5.0ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #4
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	120138	13.14
108 1,4-Difluorobenze	390964	234578	547350	463814	18.63
153 Chlorobenzene-d5	392003	235202	548804	464193	18.42

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3041803.d

Date : 18-APR-2024 09:31

Client ID: ICAL Level #4


Instrument: msd3.i

Sample Info: 80ml 3018-4329

Operator: mjs

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042309.d
Lab Smp Id: ICAL Level #4 Client Smp ID: ICAL Level #4
Inj Date : 23-APR-2024 22:22
Operator : DF Inst ID: msd3.i
Smp Info : 80ml 3018-4466
Misc Info : 2.0ppbv (5.0ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 22:22 Cal File: 3042309.d
Als bottle: 3 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23ICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
4 Freon 134a					CAS #: 811-97-2		
1.423	1.409 (0.262)	83	5897	2.00000	2.437	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	5510			64.17- 124.17	93.44
1.493	1.493 (0.274)	51	21754			365.46- 425.46	368.90
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	6513	2.00000	2.376	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	4167			35.86- 95.86	63.98
1.437	1.437 (0.264)	39	4456			41.66- 101.66	68.42
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.465 (0.269)	65	3759	2.00000	2.378	80.00- 120.00	100.00
1.493	1.493 (0.274)	51	21754			568.10- 628.10	578.72
1.577	1.577 (0.290)	47	1180			0.00- 50.57	31.39
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.269)	85	13574	2.00000	2.190	80.00- 120.00	100.00
1.465	1.465 (0.269)	87	4729			2.88- 62.88	34.84
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.493 (0.274)	67	2049	2.00000	2.641	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
9 Chlorodifluoromethane (continued)							
1.493	1.493 (0.274)	51	21754			1257.55-1317.55	1061.69
10 Freon 114					CAS #: 76-14-2		
1.577	1.577 (0.290)	135	10854	2.00000	1.992	80.00- 120.00	100.00
1.577	1.577 (0.290)	137	3795			2.10- 62.10	34.96
12 Isobutane					CAS #: 75-28-5		
1.577	1.591 (0.290)	43	12066	2.00000	2.081	80.00- 120.00	100.00
1.577	1.591 (0.290)	42	3407			1.69- 61.69	28.24
1.591	1.577 (0.292)	58	471			0.00- 33.32	3.90
15 Chloromethane					CAS #: 74-87-3		
1.674	1.675 (0.308)	50	7257	2.00000	2.428	80.00- 120.00	100.00
1.674	1.675 (0.308)	52	2862			1.38- 61.38	39.44
18 Butane					CAS #: 106-97-8		
1.716	1.731 (0.316)	58	1517	2.00000	2.532	80.00- 120.00	100.00
1.716	1.731 (0.316)	43	11141			866.38- 926.38	734.41
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.759 (0.323)	62	6865	2.00000	2.374	80.00- 120.00	100.00
1.758	1.759 (0.323)	64	2833			3.10- 63.10	41.27
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	5535	2.00000	2.037	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	6354			78.74- 138.74	114.80
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	3393	2.00000	1.642	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	3140			64.19- 124.19	92.54
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.408)	64	3227	2.00000	2.327	80.00- 120.00	100.00
2.220	2.220 (0.408)	66	1150			2.32- 62.32	35.64
2.206	2.220 (0.406)	49	1850			6.33- 66.33	57.33
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	8715	2.00000	2.202	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	5665			31.77- 91.77	65.00
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.416 (0.442)	106	5134	2.00000	2.136	80.00- 120.00	100.00
2.416	2.416 (0.444)	108	4900			64.21- 124.21	95.44
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.449)	101	14478	2.00000	2.027	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
33 Freon 11 (continued)							
2.444	2.444 (0.449)	103	9770			34.93- 94.93	67.48
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.472 (0.452)	67	12755	2.00000	2.240	80.00- 120.00	100.00
2.458	2.472 (0.452)	69	4599			1.95- 61.95	36.06
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.462)	43	12681	2.00000	2.106	80.00- 120.00	100.00
2.514	2.514 (0.462)	57	2708			0.00- 44.64	21.35
2.514	2.514 (0.462)	72	1182			0.00- 37.90	9.32
39 Ethanol					CAS #: 64-17-5		
2.766	2.752 (0.509)	46	1575	2.46400	2.780	80.00- 120.00	100.00
2.766	2.752 (0.509)	45	3644			224.40- 284.40	231.37
42 Acrolein					CAS #: 107-02-8		
3.046	3.061 (0.560)	55	3005	2.33000	2.464	80.00- 120.00	100.00
3.046	3.061 (0.560)	56	4910			108.02- 168.02	163.39
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	13525	2.00000	2.143	80.00- 120.00	100.00
3.068	3.061 (0.564)	153	8605			35.07- 95.07	63.62
3.061	3.061 (0.563)	101	15440			87.45- 147.45	114.16
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.096	3.097 (0.569)	96	5903	2.00000	2.198	80.00- 120.00	100.00
3.089	3.097 (0.568)	98	3613			33.27- 93.27	61.21
3.089	3.097 (0.568)	61	11064			159.05- 219.05	187.43
47 Acetone					CAS #: 67-64-1		
3.247	3.247 (0.597)	58	3574	2.00000	2.339	80.00- 120.00	100.00
3.247	3.247 (0.597)	43	11985			329.45- 389.45	335.34
48 Carbon Disulfide					CAS #: 75-15-0		
3.333	3.333 (0.613)	76	17678	2.00000	2.414	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.433	3.426 (0.631)	45	13251	2.00000	2.086	80.00- 120.00	100.00
3.433	3.426 (0.631)	43	2934			0.00- 48.18	22.14
54 3-Chloropropene					CAS #: 107-05-1		
3.584	3.584 (0.659)	76	2682	2.00000	2.174	80.00- 120.00	100.00
3.576	3.584 (0.658)	41	9250			366.80- 426.80	344.89
57 Acetonitrile					CAS #: 75-05-8		
3.691	3.684 (0.679)	41	7272	2.35200	2.593	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
57 Acetonitrile (continued)							
3.691	3.684 (0.679)	40	4117			22.74- 82.74	56.61
3.691	3.684 (0.679)	38	1529			0.00- 42.52	21.03
59 Methylene Chloride					CAS #: 75-09-2		
3.784	3.784 (0.696)	49	9606	2.00000	2.288	80.00- 120.00	100.00
3.777	3.784 (0.694)	84	5293			24.90- 84.90	55.10
3.777	3.784 (0.694)	51	3159			0.00- 59.67	32.89
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.913	3.913 (0.719)	59	15162	2.30400	2.339	80.00- 120.00	100.00
3.913	3.913 (0.719)	41	3105			0.00- 51.85	20.48
3.906	3.913 (0.718)	57	1989			0.00- 40.17	13.12
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.737)	73	16332	2.00000	2.131	80.00- 120.00	100.00
4.006	4.006 (0.737)	57	5857			0.00- 58.72	35.86
4.006	4.006 (0.737)	41	4635			0.00- 59.38	28.38
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.035	4.028 (0.742)	98	4086	2.00000	2.266	80.00- 120.00	100.00
4.028	4.028 (0.741)	61	9876			232.13- 292.13	241.70
4.028	4.028 (0.741)	96	5890			127.26- 187.26	144.15
66 Acrylonitrile					CAS #: 107-13-1		
4.142	4.142 (0.762)	52	4913	2.00000	2.106	80.00- 120.00	100.00
4.142	4.142 (0.762)	53	5946			86.45- 146.45	121.03
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.783)	57	11457	2.00000	2.039	80.00- 120.00	100.00
4.264	4.257 (0.784)	43	9671			40.97- 100.97	84.41
4.264	4.257 (0.784)	86	1521			0.00- 42.68	13.28
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.838)	63	11018	2.00000	2.114	80.00- 120.00	100.00
4.558	4.558 (0.838)	65	3860			0.47- 60.47	35.03
72 Isopropyl ether					CAS #: 108-20-3		
4.558	4.558 (0.838)	45	27186	2.00000	2.175	80.00- 120.00	100.00
4.558	4.558 (0.838)	87	5261			0.00- 49.55	19.35
4.558	4.558 (0.838)	59	3158			0.00- 40.42	11.62
73 Vinyl Acetate					CAS #: 108-05-4		
4.615	4.608 (0.849)	86	955	2.00000	2.081	80.00- 120.00	100.00
4.615	4.608 (0.849)	43	15173			1727.95-1787.95	1588.80

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.945	4.945 (0.909)	59	23073	2.00000	2.141	80.00- 120.00	100.00
4.945	4.945 (0.909)	87	7530			3.90- 63.90	32.64
4.945	4.945 (0.909)	41	4934			0.00- 49.72	21.38
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.138	5.145 (0.945)	77	10831	2.00000	2.105	80.00- 120.00	100.00
5.138	5.145 (0.945)	79	3451			2.39- 62.39	31.86
5.145	5.145 (0.946)	97	2782			0.00- 53.57	25.69
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.188	5.188 (0.954)	98	3951	2.00000	2.116	80.00- 120.00	100.00
5.188	5.188 (0.954)	96	6179			125.53- 185.53	156.39
5.188	5.188 (0.954)	61	9696			219.86- 279.86	245.41
86 2-Butanone					CAS #: 78-93-3		
5.224	5.217 (0.960)	72	2862	2.00000	2.127	80.00- 120.00	100.00
5.245	5.217 (0.964)	43	32757			1138.34-1198.34	1144.55
5.224	5.217 (0.960)	57	1871			10.83- 70.83	65.37
87 Ethyl Acetate					CAS #: 141-78-6		
5.260	5.245 (0.967)	45	3225	2.00000	2.397	80.00- 120.00	100.00
5.188	5.188 (0.954)	61	9696			338.96- 398.96	300.65
5.245	5.245 (0.964)	70	1539			24.53- 84.53	47.72
89 Tetrahydrofuran					CAS #: 109-99-9		
5.439	5.425 (1.000)	42	9096	2.00000	2.211	80.00- 120.00	100.00
5.432	5.425 (0.999)	71	2352			0.00- 58.54	25.86
5.439	5.425 (1.000)	72	2558			0.00- 59.59	28.12
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	104675	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	81068			47.79- 107.79	77.45
5.432	5.439 (1.000)	49	173402			131.33- 191.33	165.66
92 Chloroform					CAS #: 67-66-3		
5.518	5.518 (1.014)	83	12175	2.00000	2.176	80.00- 120.00	100.00
5.510	5.518 (1.013)	85	7815			35.77- 95.77	64.19
94 Cyclohexane					CAS #: 110-82-7		
5.611	5.611 (1.032)	84	7758	2.00000	2.072	80.00- 120.00	100.00
5.611	5.611 (1.032)	56	12287			125.79- 185.79	158.38
5.611	5.611 (1.032)	41	8272			61.55- 121.55	106.63
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.639	5.639 (1.037)	97	12327	2.00000	2.020	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
96 1,1,1-Trichloroethane (continued)							
5.639	5.639 (1.037)	99	7781			32.84- 92.84	63.12
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.059)	119	13131	2.00000	2.029	80.00- 120.00	100.00
5.761	5.761 (1.059)	117	13615			75.19- 135.19	103.69
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.804	5.804 (0.903)	110	3415	2.00000	2.104	80.00- 120.00	100.00
5.804	5.804 (0.903)	75	8896			234.16- 294.16	260.50
102 Benzene					CAS #: 71-43-2		
5.998	5.998 (0.933)	78	16634	2.00000	2.050	80.00- 120.00	100.00
5.998	5.998 (0.933)	77	4094			0.00- 53.69	24.61
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
6.005	5.998 (1.104)	57	37803	2.00000	2.153	80.00- 120.00	100.00
5.990	5.998 (1.101)	56	13706			3.09- 63.09	36.26
6.005	5.998 (1.104)	41	10984			0.00- 57.28	29.06
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.108)	65	135356	25.0000	24.826	80.00- 120.00	100.00
6.026	6.026 (1.108)	67	69905			23.17- 83.17	51.65
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.091	6.091 (0.948)	87	4587	2.00000	2.104	80.00- 120.00	100.00
6.098	6.091 (0.949)	73	17779			365.76- 425.76	387.60
6.098	6.091 (0.949)	55	6634			92.58- 152.58	144.63
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	8855	2.00000	2.092	80.00- 120.00	100.00
6.098	6.105 (0.949)	64	3296			1.80- 61.80	37.22
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	6324	2.00000	1.968	80.00- 120.00	100.00
6.184	6.184 (0.962)	43	14662			207.73- 267.73	231.85
6.184	6.184 (0.962)	57	7644			84.83- 144.83	120.87
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	402992	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	61782			0.00- 45.65	15.33
110 n-Butanol					CAS #: 71-36-3		
6.635	6.628 (1.032)	56	4361	2.00000	2.364	80.00- 120.00	100.00
6.635	6.628 (1.032)	41	2697			47.73- 107.73	61.84
6.642	6.628 (1.033)	43	2440			31.60- 91.60	55.95

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	8203	2.00000	2.097	80.00- 120.00	100.00
6.635	6.635 (1.032)	130	8805			80.23- 140.23	107.34
6.628	6.635 (1.031)	97	5628			34.78- 94.78	68.61
127 Methylcyclohexane					CAS #: 108-87-2		
6.742	6.735 (1.049)	83	10959	2.00000	1.972	80.00- 120.00	100.00(a)
6.742	6.735 (1.049)	98	4864			14.83- 74.83	44.38
6.735	6.735 (1.048)	55	12780			71.50- 131.50	116.62
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	7752	2.00000	2.030	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	5684			40.39- 100.39	73.32
6.893	6.893 (1.072)	41	4710			31.86- 91.86	60.76
116 Methyl Methacrylate					CAS #: 80-62-6		
6.979	6.979 (0.762)	69	6763	2.00000	2.076	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	11614			145.81- 205.81	171.73
6.986	6.979 (0.763)	100	2712			10.05- 70.05	40.10
117 1,4-Dioxane					CAS #: 123-91-1		
7.000	6.993 (1.089)	88	4425	2.00000	2.168	80.00- 120.00	100.00
7.000	6.993 (1.089)	58	3471			56.33- 116.33	78.44
7.000	6.993 (1.089)	57	1731			2.08- 62.08	39.12
118 Dibromomethane					CAS #: 74-95-3		
7.008	7.008 (0.765)	174	7728	2.00000	2.048	80.00- 120.00	100.00
7.008	7.008 (0.765)	93	7446			62.68- 122.68	96.35
7.008	7.008 (0.765)	95	6421			47.70- 107.70	83.09
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	12777	2.00000	2.018	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	8281			34.96- 94.96	64.81
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.459	7.459 (1.160)	63	13717	2.00000	2.036	80.00- 120.00	100.00
7.459	7.459 (1.160)	65	4627			0.43- 60.43	33.73
7.459	7.459 (1.160)	144	1571			0.00- 40.48	11.45
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.574 (1.178)	75	10191	2.00000	1.887	80.00- 120.00	100.00
7.573	7.574 (1.178)	77	3513			1.26- 61.26	34.47
7.573	7.574 (1.178)	39	8021			35.06- 95.06	78.71
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.710	7.710 (1.199)	58	7220	2.00000	1.943	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
131 4-Methyl-2-pentanone (continued)							
7.710	7.710 (1.199)	43	19705			259.88- 319.88	272.92
7.710	7.710 (1.199)	85	2922			7.58- 67.58	40.47
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	391144	25.0000	24.967	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	43548			0.00- 41.42	11.13
7.767	7.767 (1.208)	100	261861			37.54- 97.54	66.95
137 Toluene					CAS #: 108-88-3		
7.831	7.831 (1.218)	91	22030	2.00000	1.961	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	12881			27.89- 87.89	58.47
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	8231	2.00000	2.011	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	7430			63.53- 123.53	90.27
7.860	7.860 (1.223)	43	22328			246.00- 306.00	271.27
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	8842	2.00000	2.001	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	4399			1.83- 61.83	49.75
8.118	8.118 (0.887)	39	6542			31.97- 91.97	73.99
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.283	8.290 (0.905)	97	7838	2.00000	2.094	80.00- 120.00	100.00
8.290	8.290 (0.905)	99	4440			32.52- 92.52	56.65
8.283	8.290 (0.905)	83	6480			58.90- 118.90	82.67
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	11532	2.00000	2.052	80.00- 120.00	100.00
8.318	8.318 (0.908)	129	8623			45.32- 105.32	74.77
8.318	8.318 (0.908)	131	8697			44.17- 104.17	75.42
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	10462	2.00000	1.987	80.00- 120.00	100.00(a)
8.447	8.447 (1.314)	41	8805			59.72- 119.72	84.16
8.447	8.447 (1.314)	78	3364			3.08- 63.08	32.15
143 2-Hexanone					CAS #: 591-78-6		
8.497	8.490 (0.928)	58	9633	2.00000	2.052	80.00- 120.00	100.00
8.490	8.490 (0.927)	43	20274			177.32- 237.32	210.46
8.490	8.490 (0.927)	100	1732			0.00- 47.18	17.98
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	15080	2.00000	2.039	80.00- 120.00	100.00
8.626	8.626 (0.942)	127	11601			47.27- 107.27	76.93

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	12601	2.00000	2.054	80.00- 120.00	100.00
8.748	8.741 (0.955)	109	11635			64.18- 124.18	92.33
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	399961	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	213575			22.92- 82.92	53.40
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.185 (1.002)	112	18184	2.00000	1.962	80.00- 120.00	100.00
9.185	9.185 (1.003)	114	6150			1.91- 61.91	33.82
9.178	9.185 (1.002)	77	12124			22.97- 82.97	66.67
155 Ethyl Benzene					CAS #: 100-41-4		
9.250	9.250 (1.010)	106	9422	2.00000	2.021	80.00- 120.00	100.00
9.250	9.250 (1.010)	91	29862			281.09- 341.09	316.94
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.271	9.271 (1.012)	131	10549	2.00000	1.998	80.00- 120.00	100.00
9.271	9.271 (1.012)	117	8100			37.10- 97.10	76.78
9.271	9.271 (1.012)	95	3829			4.93- 64.93	36.30
156 Nonane					CAS #: 111-84-2		
9.314	9.314 (1.017)	43	22541	2.00000	2.082	80.00- 120.00	100.00
9.314	9.314 (1.017)	57	17914			50.62- 110.62	79.47
9.314	9.314 (1.017)	85	5625			0.00- 55.65	24.95
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	11992	2.00000	2.064	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	23754			170.33- 230.33	198.08
164 o-Xylene					CAS #: 95-47-6		
9.751	9.751 (1.065)	106	11134	2.00000	2.021	80.00- 120.00	100.00
9.751	9.751 (1.065)	91	23722			181.23- 241.23	213.06
165 Styrene					CAS #: 100-42-5		
9.780	9.780 (1.068)	104	19258	2.00000	2.047	80.00- 120.00	100.00
9.780	9.780 (1.068)	78	9514			17.26- 77.26	49.40
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.091)	173	14789	2.00000	1.978	80.00- 120.00	100.00
9.987	9.987 (1.091)	171	7634			21.45- 81.45	51.62
168 Cumene					CAS #: 98-82-8		
10.095	10.095 (1.102)	105	34035	2.00000	2.044	80.00- 120.00	100.00
10.095	10.095 (1.102)	120	9118			0.00- 56.93	26.79

				AMOUNTS				
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
168 Cumene (continued)								
10.095	10.095 (1.102)	51	4751				0.00- 42.24	13.96
169 Cyclohexanone						CAS #: 108-94-1		
10.260	10.260 (1.120)	55	14837	2.00000	2.252	80.00- 120.00		100.00(a)
10.267	10.260 (1.121)	98	4451				5.15- 65.15	30.00
10.260	10.260 (1.120)	42	10067				41.99- 101.99	67.85
$ 170 4-Bromofluorobenzene						CAS #: 460-00-4		
10.295	10.295 (1.124)	174	293042	25.0000	24.654	80.00- 120.00		100.00
10.295	10.295 (1.124)	95	349289				88.49- 148.49	119.19
10.295	10.295 (1.124)	176	283911				66.73- 126.73	96.88
177 Bromobenzene						CAS #: 108-86-1		
10.431	10.432 (1.139)	156	11969	2.00000	2.063	80.00- 120.00		100.00
10.431	10.432 (1.139)	158	11350				67.47- 127.47	94.83
10.431	10.432 (1.139)	77	17083				108.68- 168.68	142.73
175 1,1,2,2-Tetrachloroethane						CAS #: 79-34-5		
10.474	10.475 (1.144)	83	17413	2.00000	2.016	80.00- 120.00		100.00
10.467	10.475 (1.143)	85	11391				34.97- 94.97	65.42
178 Propylbenzene						CAS #: 103-65-1		
10.496	10.496 (1.146)	120	10216	2.00000	2.074	80.00- 120.00		100.00
10.496	10.496 (1.146)	91	42042				383.60- 443.60	411.53
10.496	10.496 (1.146)	105	1730				0.00- 46.14	16.93
179 1,2,3-Trichloropropane						CAS #: 96-18-4		
10.517	10.525 (1.149)	110	5233	2.00000	1.996	80.00- 120.00		100.00
10.525	10.525 (1.149)	75	18275				324.28- 384.28	349.23
10.525	10.518 (1.149)	61	4727				57.24- 117.24	90.33
182 Decane						CAS #: 124-18-5		
10.611	10.611 (1.159)	57	28843	2.00000	2.263	80.00- 120.00		100.00
10.611	10.611 (1.159)	71	8930				1.11- 61.11	30.96
10.611	10.611 (1.159)	142	1328				0.00- 34.44	4.60
183 4-Ethyltoluene						CAS #: 622-96-8		
10.611	10.611 (1.159)	120	10468	2.00000	1.950	80.00- 120.00		100.00
10.611	10.611 (1.159)	105	35698				298.94- 358.94	341.02
184 2-Chlorotoluene						CAS #: 95-49-8		
10.611	10.611 (1.159)	126	9037	2.00000	1.990	80.00- 120.00		100.00
10.611	10.611 (1.159)	91	27713				282.78- 342.78	306.66
10.611	10.603 (1.159)	65	4642				17.33- 77.33	51.37

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	14889	2.00000	2.057	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	29605			172.08- 232.08	198.84
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	15251	2.00000	1.989	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	8574			25.64- 85.64	56.22
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.983 (1.199)	119	28521	2.00000	2.072	80.00- 120.00	100.00
10.983	10.983 (1.199)	134	7363			0.00- 55.10	25.82
10.976	10.976 (1.199)	91	19058			34.53- 94.53	66.82
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	29746	2.00000	2.010	80.00- 120.00	100.00
11.040	11.040 (1.206)	120	13927			16.63- 76.63	46.82
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	9363	2.00000	2.078	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	43333			436.99- 496.99	462.81
11.198	11.198 (1.223)	91	7530			41.69- 101.69	80.42
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	37810	2.00000	2.052	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	10117			0.00- 57.62	26.76
11.341	11.341 (1.239)	91	9260			0.00- 53.03	24.49
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	22035	2.00000	2.009	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	13740			34.18- 94.18	62.36
11.348	11.348 (1.239)	111	8969			10.06- 70.06	40.70
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.449	11.449 (1.250)	146	22379	2.00000	2.014	80.00- 120.00	100.00
11.449	11.449 (1.250)	148	14223			33.55- 93.55	63.56
11.449	11.449 (1.250)	111	8858			7.98- 67.98	39.58
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	27179	2.00000	1.932	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	6214			0.00- 52.77	22.86
202 Butylbenzene					CAS #: 104-51-8		
11.742	11.750 (1.282)	134	10035	2.00000	1.976	80.00- 120.00	100.00
11.742	11.742 (1.282)	91	37009			310.82- 370.82	368.80
11.749	11.742 (1.283)	92	19169			151.53- 211.53	191.02

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	33949	2.00000	2.240	80.00- 120.00	100.00
11.785	11.785 (1.287)	43	33248			63.59- 123.59	97.94
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	21408	2.00000	2.011	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	13878			33.00- 93.00	64.83
11.821	11.821 (1.291)	111	9018			10.87- 70.87	42.12
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.378)	157	13095	2.00000	2.080	80.00- 120.00	100.00
12.616	12.616 (1.378)	75	10947			48.09- 108.09	83.60
12.616	12.616 (1.378)	155	9937			47.89- 107.89	75.88
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.404)	57	31589	2.00000	2.069	80.00- 120.00	100.00
12.860	12.860 (1.404)	43	29002			58.52- 118.52	91.81
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.463)	180	22868	2.00000	2.168	80.00- 120.00	100.00
13.397	13.397 (1.463)	182	21388			64.84- 124.84	93.53
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.504	13.512 (1.475)	225	16162	2.00000	2.100	80.00- 120.00	100.00
13.504	13.512 (1.475)	223	10274			32.80- 92.80	63.57
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.490)	128	5422	0.23200	0.2463	80.00- 120.00	100.00(a)
13.640	13.648 (1.490)	127	867			0.00- 42.72	15.99
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.517)	180	22737	2.00000	2.200	80.00- 120.00	100.00
13.891	13.891 (1.517)	182	21439			65.07- 125.07	94.29
13.891	13.891 (1.517)	145	7506			4.48- 64.48	33.01

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042309.d
Lab Smp Id: ICAL Level #4
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 2.0ppbv (5.0ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #4
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	104675	-1.42
108 1,4-Difluorobenze	390964	234578	547350	402992	3.08
153 Chlorobenzene-d5	392003	235202	548804	399961	2.03

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042309.d

Page 1

Date : 23-APR-2024 22:22

Client ID: ICAL Level #4


Instrument: msd3.i

Sample Info: 80ml 3018-4466

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3041804.d
Lab Smp Id: ICAL Level #5 Client Smp ID: ICAL Level #5
Inj Date : 18-APR-2024 10:06
Operator : mjs Inst ID: msd3.i
Smp Info : 200ml 3018-4329
Misc Info : 5.0ppbv (5.0ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 22:57 Cal File: 3042310.d
Als bottle: 1 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT21spICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	126067	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	99297			47.79- 107.79	78.77
5.432	5.439 (1.000)	49	208135			131.33- 191.33	165.10
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	490360	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	75735			0.00- 45.65	15.44
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	496101	25.0000		80.00- 120.00	100.00
9.149	9.157 (1.000)	82	267400			22.92- 82.92	53.90
3 Freon 143a					CAS #: 420-46-2		
1.367	1.395 (0.251)	65	7696	5.00000	4.526	80.00- 120.00	100.00
1.381	1.395 (0.254)	69	14051			237.43- 297.43	182.58
1.367	1.395 (0.251)	64	1813			0.00- 57.02	23.56
6 Propane					CAS #: 74-98-6		
1.437	1.423 (0.264)	43	6440	5.00000	5.520	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
6 Propane (continued)							
1.437	1.437 (0.264)	39	4465			37.94- 97.94	69.33
1.423	1.423 (0.262)	41	3895			21.79- 81.79	60.48
13 Freon 142b					CAS #: 75-68-3		
1.604	1.604 (0.295)	65	34203	5.00000	5.521	80.00- 120.00	100.00
1.618	1.604 (0.298)	45	11065			0.00- 58.87	32.35
36 1-Pentene					CAS #: 109-67-1		
2.444	2.458 (0.449)	55	19790	5.00000	5.146	80.00- 120.00	100.00
2.444	2.458 (0.449)	42	27275			114.47- 174.47	137.82
38 Ethyl Ether					CAS #: 60-29-7		
2.808	2.794 (0.516)	74	8707	5.00000	5.474	80.00- 120.00	100.00
2.808	2.794 (0.516)	59	14625			138.79- 198.79	167.97
2.808	2.794 (0.516)	45	12313			114.58- 174.58	141.41
40 Freon 123a					CAS #: 354-23-4		
2.892	2.906 (0.532)	117	26025	5.00000	5.192	80.00- 120.00	100.00(a)
2.892	2.892 (0.532)	67	32898			102.78- 162.78	126.41
41 Freon 123					CAS #: 306-83-2		
2.990	2.990 (0.550)	83	27268	5.00000	5.874	80.00- 120.00	100.00
2.990	2.990 (0.550)	133	6683			0.00- 53.60	24.51
2.990	2.990 (0.550)	85	16019			36.72- 96.72	58.75
55 Cyclopentene					CAS #: 142-29-0		
3.583	3.591 (0.659)	67	37434	5.00000	5.296	80.00- 120.00	100.00
3.583	3.591 (0.659)	68	15715			8.38- 68.38	41.98
3.583	3.591 (0.659)	53	9501			0.00- 54.97	25.38
56 Methyl Acetate					CAS #: 79-20-9		
3.634	3.619 (0.668)	43	42729	5.00000	5.441	80.00- 120.00	100.00
3.634	3.619 (0.668)	74	7001			0.00- 45.84	16.38
74 Chloroprene					CAS #: 126-99-8		
4.608	4.608 (0.847)	53	33127	5.00000	5.394	80.00- 120.00	100.00
4.608	4.608 (0.847)	88	14365			14.44- 74.44	43.36
4.608	4.608 (0.847)	50	9775			0.00- 56.76	29.51
75 1-Propanol					CAS #: 71-23-8		
4.744	4.715 (0.872)	59	5130	5.00000	5.532	80.00- 120.00	100.00
4.701	4.715 (0.864)	42	134			63.00- 123.00	2.61
4.744	4.715 (0.872)	41	3169			28.69- 88.69	61.77
88 Methyl Acrylate					CAS #: 96-33-3		
5.295	5.288 (0.974)	55	41472	5.00000	5.375	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
88 Methyl Acrylate (continued)							
5.295	5.288 (0.974)	85	6368			0.00- 43.17	15.35
5.295	5.288 (0.974)	58	4572			0.00- 38.59	11.02
103 Isobutanol					CAS #: 78-83-1		
6.012	5.990 (1.105)	39	7192	5.00000	5.895	80.00- 120.00	100.00
5.969	5.990 (1.097)	43	496			402.02- 462.02	6.90
6.012	5.990 (1.105)	41	17388			275.29- 335.29	241.77
113 Ethyl acrylate					CAS #: 140-88-5		
6.764	6.764 (0.739)	99	3432	5.00000	5.078	80.00- 120.00	100.00
6.771	6.764 (0.739)	45	6099			144.38- 204.38	177.71
6.771	6.764 (0.739)	55	56924			1723.57-1783.57	1658.62
115 2-Pentanone					CAS #: 107-87-9		
6.864	6.857 (0.750)	43	72487	5.00000	5.327	80.00- 120.00	100.00
6.864	6.857 (0.750)	58	5135			0.00- 37.02	7.08
6.864	6.857 (0.750)	86	10337			0.00- 43.48	14.26
145 Butyl Acetate					CAS #: 123-86-4		
8.576	8.576 (1.334)	56	31432	5.00000	5.216	80.00- 120.00	100.00
8.576	8.576 (1.334)	73	11274			2.83- 62.83	35.87
8.576	8.576 (1.334)	43	88940			240.40- 300.40	282.96
166 2-Heptanone					CAS #: 110-43-0		
9.901	9.901 (1.821)	58	57929	5.00000	6.003	80.00- 120.00	100.00
9.901	9.901 (1.821)	43	101541			146.16- 206.16	175.29
210 alpha-Pinene					CAS #: 80-56-8		
10.037	10.037 (1.096)	93	67007	5.00000	5.147	80.00- 120.00	100.00
10.037	10.037 (1.096)	77	20176			0.00- 59.07	30.11
214 beta-Pinene					CAS #: 127-91-3		
10.696	10.696 (1.168)	93	52907	5.00000	5.219	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	90054			151.21- 211.21	170.21
186 4-Chlorotoluene					CAS #: 106-43-4		
10.725	10.725 (1.171)	126	27997	5.00000	5.065	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	90054			296.65- 356.65	321.66
10.718	10.725 (1.171)	63	12105			10.84- 70.84	43.24
172 D-Limonene					CAS #: 5989-27-5		
11.277	11.277 (1.232)	68	41975	5.00000	5.116	80.00- 120.00	100.00
11.277	11.277 (1.232)	93	30322			41.19- 101.19	72.24
197 1,2,3-Trimethylbenzene					CAS #: 526-73-8		
11.463	11.463 (1.252)	120	38149	5.00000	5.032	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
197 1,2,3-Trimethylbenzene (continued)							
11.463	11.463 (1.252)	105	87829			201.76- 261.76	230.23
11.463	11.463 (1.252)	77	10805			0.00- 57.12	28.32
205 Hexachloroethane					CAS #: 67-72-1		
12.014	12.014 (1.312)	201	22082	5.00000	4.821	80.00- 120.00	100.00
12.014	12.014 (1.312)	117	31891			114.78- 174.78	144.42
208 1,3,5-Trichlorobenzene					CAS #: 108-70-3		
12.759	12.752 (1.393)	180	52704	5.00000	4.994	80.00- 120.00	100.00
12.766	12.752 (1.394)	182	49468			64.68- 124.68	93.86

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3041804.d
Lab Smp Id: ICAL Level #5
Analysis Type: VOA
Quant Type: ISTD
Operator: mjs
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 5.0ppbv (5.0ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #5
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	126067	18.72
108 1,4-Difluorobenze	390964	234578	547350	490360	25.42
153 Chlorobenzene-d5	392003	235202	548804	496101	26.56

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3041804.d

Date : 18-APR-2024 10:06

Client ID: ICAL Level #5


Instrument: msd3.i

Sample Info: 200ml 3018-4329

Operator: mjs

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042310.d
Lab Smp Id: ICAL Level #5 Client Smp ID: ICAL Level #5
Inj Date : 23-APR-2024 22:57
Operator : DF Inst ID: msd3.i
Smp Info : 200ml 3018-4466
Misc Info : 5.0ppbv (5.0ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 22:57 Cal File: 3042310.d
Als bottle: 3 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23ICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
4 Freon 134a					CAS #: 811-97-2		
1.409	1.409 (0.259)	83	12045	5.00000	4.528	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	8302			64.17- 124.17	68.92
1.493	1.493 (0.275)	51	54371			365.46- 425.46	451.40
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	15861	5.00000	5.262	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	10736			35.86- 95.86	67.69
1.437	1.437 (0.264)	39	11600			41.66- 101.66	73.14
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.465 (0.270)	65	8495	5.00000	4.889	80.00- 120.00	100.00
1.493	1.493 (0.275)	51	54371			568.10- 628.10	640.04
1.562	1.577 (0.288)	47	2288			0.00- 50.57	26.93
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.270)	85	36879	5.00000	5.412	80.00- 120.00	100.00
1.465	1.465 (0.270)	87	12423			2.88- 62.88	33.69
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.493 (0.275)	67	4592	5.00000	5.385	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
9 Chlorodifluoromethane (continued)							
1.493	1.493 (0.275)	51	54371			1257.55-1317.55	1184.04
10 Freon 114					CAS #: 76-14-2		
1.576	1.577 (0.290)	135	31364	5.00000	5.235	80.00- 120.00	100.00
1.576	1.577 (0.290)	137	10227			2.10- 62.10	32.61
12 Isobutane					CAS #: 75-28-5		
1.576	1.591 (0.290)	43	33332	5.00000	5.230	80.00- 120.00	100.00
1.576	1.591 (0.290)	42	11165			1.69- 61.69	33.50
1.576	1.577 (0.290)	58	1319			0.00- 33.32	3.96
15 Chloromethane					CAS #: 74-87-3		
1.660	1.675 (0.306)	50	15587	5.00000	4.744	80.00- 120.00	100.00
1.660	1.675 (0.306)	52	5953			1.38- 61.38	38.19
18 Butane					CAS #: 106-97-8		
1.716	1.731 (0.316)	58	3490	5.00000	5.298	80.00- 120.00	100.00
1.716	1.731 (0.316)	43	27663			866.38- 926.38	792.64
19 Vinyl Chloride					CAS #: 75-01-4		
1.744	1.759 (0.321)	62	15202	5.00000	4.782	80.00- 120.00	100.00
1.758	1.759 (0.324)	64	5758			3.10- 63.10	37.88
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	15296	5.00000	5.122	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	14930			78.74- 138.74	97.61
24 Bromomethane					CAS #: 74-83-9		
2.094	2.108 (0.386)	94	10936	5.00000	4.814	80.00- 120.00	100.00
2.094	2.108 (0.386)	96	10181			64.19- 124.19	93.10
30 Chloroethane					CAS #: 75-00-3		
2.206	2.220 (0.406)	64	7214	5.00000	4.732	80.00- 120.00	100.00
2.206	2.220 (0.406)	66	3137			2.32- 62.32	43.48
2.206	2.220 (0.406)	49	3642			6.33- 66.33	50.49
31 Isopentane					CAS #: 78-78-4		
2.220	2.234 (0.409)	43	19688	5.00000	4.525	80.00- 120.00	100.00
2.220	2.234 (0.409)	57	12514			31.77- 91.77	63.56
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.416 (0.442)	106	12730	5.00000	4.818	80.00- 120.00	100.00
2.402	2.416 (0.442)	108	12007			64.21- 124.21	94.32
33 Freon 11					CAS #: 75-69-4		
2.430	2.444 (0.447)	101	35626	5.00000	4.538	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
33 Freon 11 (continued)							
2.430	2.444 (0.447)	103	23729			34.93- 94.93	66.61
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.472 (0.453)	67	28519	5.00000	4.556	80.00- 120.00	100.00
2.458	2.472 (0.453)	69	9453			1.95- 61.95	33.15
35 Pentane					CAS #: 109-66-0		
2.500	2.514 (0.460)	43	32644	5.00000	4.931	80.00- 120.00	100.00
2.500	2.514 (0.460)	57	4865			0.00- 44.64	14.90
2.500	2.514 (0.460)	72	2705			0.00- 37.90	8.29
39 Ethanol					CAS #: 64-17-5		
2.808	2.752 (0.517)	46	5178	6.16000	8.313	80.00- 120.00	100.00
2.808	2.752 (0.517)	45	7274			224.40- 284.40	140.48
42 Acrolein					CAS #: 107-02-8		
3.061	3.061 (0.563)	55	8619	5.82500	6.429	80.00- 120.00	100.00
3.068	3.061 (0.565)	56	10283			108.02- 168.02	119.31
43 Freon 113					CAS #: 76-13-1		
3.046	3.061 (0.561)	151	28638	5.00000	4.128	80.00- 120.00	100.00
3.046	3.061 (0.561)	153	18570			35.07- 95.07	64.84
3.046	3.061 (0.561)	101	33225			87.45- 147.45	116.02
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.075	3.097 (0.566)	96	13582	5.00000	4.601	80.00- 120.00	100.00
3.075	3.097 (0.566)	98	8644			33.27- 93.27	63.64
3.075	3.097 (0.566)	61	31509			159.05- 219.05	231.99
47 Acetone					CAS #: 67-64-1		
3.268	3.247 (0.602)	58	9661	5.00000	5.751	80.00- 120.00	100.00
3.268	3.247 (0.602)	43	33888			329.45- 389.45	350.77
48 Carbon Disulfide					CAS #: 75-15-0		
3.311	3.333 (0.610)	76	45059	5.00000	5.597	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.483	3.426 (0.641)	45	37340	5.00000	5.346	80.00- 120.00	100.00
3.490	3.426 (0.643)	43	6824			0.00- 48.18	18.28
54 3-Chloropropene					CAS #: 107-05-1		
3.576	3.584 (0.658)	76	7307	5.00000	5.388	80.00- 120.00	100.00
3.569	3.584 (0.657)	41	27335			366.80- 426.80	374.09
57 Acetonitrile					CAS #: 75-05-8		
3.705	3.684 (0.682)	41	20254	5.88000	6.570	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
57 Acetonitrile (continued)							
3.705	3.684 (0.682)	40	10443			22.74- 82.74	51.56
3.662	3.684 (0.674)	38	104			0.00- 42.52	0.51
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.784 (0.695)	49	24845	5.00000	5.384	80.00- 120.00	100.00
3.777	3.784 (0.695)	84	14006			24.90- 84.90	56.37
3.770	3.784 (0.694)	51	8345			0.00- 59.67	33.59
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.963	3.913 (0.730)	59	42486	5.76000	5.963	80.00- 120.00	100.00
3.963	3.913 (0.730)	41	9211			0.00- 51.85	21.68
3.963	3.913 (0.730)	57	4226			0.00- 40.17	9.95
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.020	4.006 (0.740)	73	43149	5.00000	5.122	80.00- 120.00	100.00
4.013	4.006 (0.739)	57	14491			0.00- 58.72	33.58
4.013	4.006 (0.739)	41	13768			0.00- 59.38	31.91
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.020	4.028 (0.740)	98	10199	5.00000	5.144	80.00- 120.00	100.00
4.020	4.028 (0.740)	61	27200			232.13- 292.13	266.69
4.020	4.028 (0.740)	96	16522			127.26- 187.26	162.00
66 Acrylonitrile					CAS #: 107-13-1		
4.149	4.142 (0.764)	52	13726	5.00000	5.353	80.00- 120.00	100.00
4.149	4.142 (0.764)	53	16536			86.45- 146.45	120.47
67 Hexane					CAS #: 110-54-3		
4.250	4.257 (0.782)	57	30865	5.00000	4.996	80.00- 120.00	100.00
4.242	4.257 (0.781)	43	21968			40.97- 100.97	71.17
4.250	4.257 (0.782)	86	3886			0.00- 42.68	12.59
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.558 (0.838)	63	30564	5.00000	5.335	80.00- 120.00	100.00
4.551	4.558 (0.838)	65	9852			0.47- 60.47	32.23
72 Isopropyl ether					CAS #: 108-20-3		
4.565	4.558 (0.840)	45	72205	5.00000	5.256	80.00- 120.00	100.00
4.565	4.558 (0.840)	87	13883			0.00- 49.55	19.23
4.572	4.558 (0.842)	59	7604			0.00- 40.42	10.53
73 Vinyl Acetate					CAS #: 108-05-4		
4.615	4.608 (0.850)	86	2765	5.00000	5.481	80.00- 120.00	100.00
4.615	4.608 (0.850)	43	43995			1727.95-1787.95	1591.14

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
79 Ethyl-tert-butyl ether						CAS #: 637-92-3	
4.952	4.945 (0.912)	59	61076	5.00000	5.155	80.00- 120.00	100.00
4.952	4.945 (0.912)	87	20989			3.90- 63.90	34.37
4.944	4.945 (0.910)	41	12315			0.00- 49.72	20.16
84 2,2-Dichloropropane						CAS #: 594-20-7	
5.138	5.145 (0.946)	77	29067	5.00000	5.139	80.00- 120.00	100.00
5.138	5.145 (0.946)	79	9741			2.39- 62.39	33.51
5.138	5.145 (0.946)	97	7646			0.00- 53.57	26.30
85 cis-1,2-Dichloroethene						CAS #: 156-59-2	
5.181	5.188 (0.954)	98	10957	5.00000	5.337	80.00- 120.00	100.00
5.181	5.188 (0.954)	96	17033			125.53- 185.53	155.45
5.181	5.188 (0.954)	61	26295			219.86- 279.86	239.98
86 2-Butanone						CAS #: 78-93-3	
5.231	5.217 (0.963)	72	7868	5.00000	5.319	80.00- 120.00	100.00
5.253	5.217 (0.967)	43	93302			1138.34-1198.34	1185.84
5.231	5.217 (0.963)	57	4050			10.83- 70.83	51.47
87 Ethyl Acetate						CAS #: 141-78-6	
5.253	5.245 (0.967)	45	8554	5.00000	5.782	80.00- 120.00	100.00
5.181	5.188 (0.954)	61	26295			338.96- 398.96	307.40
5.260	5.245 (0.968)	70	4295			24.53- 84.53	50.21
89 Tetrahydrofuran						CAS #: 109-99-9	
5.439	5.425 (1.001)	42	22688	5.00000	5.017	80.00- 120.00	100.00
5.439	5.425 (1.001)	71	6413			0.00- 58.54	28.27
5.439	5.425 (1.001)	72	6417			0.00- 59.59	28.28
* 90 Bromochloromethane						CAS #: 74-97-5	
5.432	5.439 (1.000)	130	115073	25.0000		80.00- 120.00	100.00
5.432	5.439 (1.000)	128	91680			47.79- 107.79	79.67
5.432	5.439 (1.000)	49	191536			131.33- 191.33	166.45
92 Chloroform						CAS #: 67-66-3	
5.510	5.518 (1.014)	83	32701	5.00000	5.315	80.00- 120.00	100.00
5.510	5.518 (1.014)	85	21652			35.77- 95.77	66.21
94 Cyclohexane						CAS #: 110-82-7	
5.603	5.611 (1.032)	84	20587	5.00000	5.002	80.00- 120.00	100.00
5.603	5.611 (1.032)	56	32656			125.79- 185.79	158.62
5.603	5.611 (1.032)	41	18678			61.55- 121.55	90.73
96 1,1,1-Trichloroethane						CAS #: 71-55-6	
5.632	5.639 (1.037)	97	33811	5.00000	5.039	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
96 1,1,1-Trichloroethane (continued)							
5.632	5.639 (1.037)	99	21498			32.84- 92.84	63.58
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.754	5.761 (1.059)	119	35960	5.00000	5.055	80.00- 120.00	100.00
5.754	5.761 (1.059)	117	38234			75.19- 135.19	106.32
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.797	5.804 (0.902)	110	9481	5.00000	5.394	80.00- 120.00	100.00
5.797	5.804 (0.902)	75	24476			234.16- 294.16	258.16
102 Benzene					CAS #: 71-43-2		
5.997	5.998 (0.933)	78	45735	5.00000	5.206	80.00- 120.00	100.00
5.997	5.998 (0.933)	77	11347			0.00- 53.69	24.81
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.983	5.998 (1.102)	57	94992	5.00000	4.922	80.00- 120.00	100.00
5.990	5.998 (1.103)	56	31376			3.09- 63.09	33.03
5.983	5.998 (1.102)	41	28004			0.00- 57.28	29.48
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.109)	65	149241	25.0000	24.900	80.00- 120.00	100.00
6.026	6.026 (1.109)	67	77331			23.17- 83.17	51.82
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.091	6.091 (0.948)	87	11971	5.00000	5.070	80.00- 120.00	100.00
6.091	6.091 (0.948)	73	47052			365.76- 425.76	393.05
6.091	6.091 (0.948)	55	14233			92.58- 152.58	118.90
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	23751	5.00000	5.182	80.00- 120.00	100.00
6.098	6.105 (0.949)	64	8897			1.80- 61.80	37.46
107 Heptane					CAS #: 142-82-5		
6.177	6.184 (0.961)	71	16194	5.00000	4.653	80.00- 120.00	100.00
6.177	6.184 (0.961)	43	40834			207.73- 267.73	252.16
6.177	6.184 (0.961)	57	19832			84.83- 144.83	122.47
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	436367	25.0000		80.00- 120.00	100.00
6.420	6.427 (1.000)	88	66912			0.00- 45.65	15.33
110 n-Butanol					CAS #: 71-36-3		
6.649	6.628 (1.035)	56	10811	5.00000	5.412	80.00- 120.00	100.00
6.649	6.628 (1.035)	41	7342			47.73- 107.73	67.91
6.649	6.628 (1.035)	43	6475			31.60- 91.60	59.89

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
111 Trichloroethene						CAS #: 79-01-6	
6.628	6.635 (1.031)	95	22164	5.00000	5.232	80.00- 120.00	100.00
6.628	6.635 (1.031)	130	23903			80.23- 140.23	107.85
6.628	6.635 (1.031)	97	14984			34.78- 94.78	67.61
127 Methylcyclohexane						CAS #: 108-87-2	
6.728	6.735 (1.047)	83	29234	5.00000	4.858	80.00- 120.00	100.00
6.728	6.735 (1.047)	98	13458			14.83- 74.83	46.04
6.728	6.735 (1.047)	55	31447			71.50- 131.50	107.57
114 1,2-Dichloropropane						CAS #: 78-87-5	
6.893	6.893 (1.072)	63	20992	5.00000	5.078	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	15006			40.39- 100.39	71.48
6.886	6.893 (1.071)	41	12920			31.86- 91.86	61.55
116 Methyl Methacrylate						CAS #: 80-62-6	
6.979	6.979 (0.763)	69	18093	5.00000	4.970	80.00- 120.00	100.00
6.979	6.979 (0.763)	41	30893			145.81- 205.81	170.75
6.986	6.979 (0.764)	100	7329			10.05- 70.05	40.51
117 1,4-Dioxane						CAS #: 123-91-1	
7.007	6.993 (1.090)	88	11057	5.00000	5.003	80.00- 120.00	100.00
7.000	6.993 (1.089)	58	10009			56.33- 116.33	90.52
7.000	6.993 (1.089)	57	4556			2.08- 62.08	41.20
118 Dibromomethane						CAS #: 74-95-3	
7.007	7.008 (0.766)	174	22017	5.00000	5.222	80.00- 120.00	100.00
7.007	7.008 (0.766)	93	20262			62.68- 122.68	92.03
7.007	7.008 (0.766)	95	16864			47.70- 107.70	76.60
122 Bromodichloromethane						CAS #: 75-27-4	
7.151	7.151 (1.113)	83	35412	5.00000	5.164	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	23047			34.96- 94.96	65.08
151 1-Bromo-2-Chloroethane						CAS #: 107-04-0	
7.452	7.459 (1.159)	63	38486	5.00000	5.276	80.00- 120.00	100.00
7.459	7.459 (1.160)	65	11935			0.43- 60.43	31.01
7.459	7.459 (1.160)	144	4284			0.00- 40.48	11.13
126 cis-1,3-Dichloropropene						CAS #: 10061-01-5	
7.573	7.574 (1.178)	75	30334	5.00000	5.187	80.00- 120.00	100.00
7.573	7.574 (1.178)	77	10100			1.26- 61.26	33.30
7.566	7.574 (1.177)	39	20351			35.06- 95.06	67.09
131 4-Methyl-2-pentanone						CAS #: 108-10-1	
7.709	7.710 (1.199)	58	19262	5.00000	4.788	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
131 4-Methyl-2-pentanone (continued)							
7.709	7.710 (1.199)	43	54486			259.88- 319.88	282.87
7.709	7.710 (1.199)	85	7043			7.58- 67.58	36.56
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	421056	25.0000	24.821	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	46966			0.00- 41.42	11.15
7.767	7.767 (1.208)	100	281063			37.54- 97.54	66.75
137 Toluene					CAS #: 108-88-3		
7.824	7.831 (1.217)	91	59602	5.00000	4.900	80.00- 120.00	100.00
7.824	7.831 (1.217)	92	34878			27.89- 87.89	58.52
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	20866	5.00000	4.709	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	19494			63.53- 123.53	93.42
7.860	7.860 (1.223)	43	55025			246.00- 306.00	263.71
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	24669	5.00000	4.996	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	8239			1.83- 61.83	33.40
8.118	8.118 (0.887)	39	15878			31.97- 91.97	64.36
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.282	8.290 (0.905)	97	20550	5.00000	4.915	80.00- 120.00	100.00
8.282	8.290 (0.905)	99	12876			32.52- 92.52	62.66
8.282	8.290 (0.905)	83	17892			58.90- 118.90	87.07
142 Tetrachloroethene					CAS #: 127-18-4		
8.311	8.318 (0.908)	166	31688	5.00000	5.047	80.00- 120.00	100.00
8.311	8.318 (0.908)	129	23187			45.32- 105.32	73.17
8.311	8.318 (0.908)	131	23579			44.17- 104.17	74.41
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	28615	5.00000	5.018	80.00- 120.00	100.00
8.447	8.447 (1.314)	41	26087			59.72- 119.72	91.17
8.447	8.447 (1.314)	78	9192			3.08- 63.08	32.12
143 2-Hexanone					CAS #: 591-78-6		
8.497	8.490 (0.929)	58	26288	5.00000	5.011	80.00- 120.00	100.00
8.497	8.490 (0.929)	43	55403			177.32- 237.32	210.75
8.497	8.490 (0.929)	100	4741			0.00- 47.18	18.03
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	40668	5.00000	4.921	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	31926			47.27- 107.27	78.50

				AMOUNTS				
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========		=======	=======	==========	=====
148 1,2-Dibromoethane (EDB)						CAS #: 106-93-4		
8.741	8.741 (0.955)	107	33020	5.00000	4.818	80.00- 120.00	100.00	
8.741	8.741 (0.955)	109	31725			64.18- 124.18	96.08	
* 153 Chlorobenzene-d5						CAS #: 3114-55-4		
9.149	9.157 (1.000)	117	446883	25.0000		80.00- 120.00	100.00	
9.149	9.157 (1.000)	82	237443			22.92- 82.92	53.13	
154 Chlorobenzene						CAS #: 108-90-7		
9.178	9.185 (1.003)	112	50886	5.00000	4.915	80.00- 120.00	100.00	
9.178	9.185 (1.003)	114	16282			1.91- 61.91	32.00	
9.178	9.185 (1.003)	77	31112			22.97- 82.97	61.14	
155 Ethyl Benzene						CAS #: 100-41-4		
9.249	9.250 (1.011)	106	25019	5.00000	4.804	80.00- 120.00	100.00	
9.249	9.250 (1.011)	91	78223			281.09- 341.09	312.65	
157 1,1,1,2-Tetrachloroethane						CAS #: 630-20-6		
9.271	9.271 (1.013)	131	28053	5.00000	4.756	80.00- 120.00	100.00	
9.271	9.271 (1.013)	117	22204			37.10- 97.10	79.15	
9.271	9.271 (1.013)	95	10330			4.93- 64.93	36.82	
156 Nonane						CAS #: 111-84-2		
9.314	9.314 (1.018)	43	59277	5.00000	4.900	80.00- 120.00	100.00	
9.314	9.314 (1.018)	57	46936			50.62- 110.62	79.18	
9.314	9.314 (1.018)	85	15060			0.00- 55.65	25.41	
158 m,p-Xylene						CAS #: 108-38-3		
9.364	9.364 (1.023)	106	31010	5.00000	4.777	80.00- 120.00	100.00	
9.364	9.364 (1.023)	91	63013			170.33- 230.33	203.20	
164 o-Xylene						CAS #: 95-47-6		
9.751	9.751 (1.066)	106	29126	5.00000	4.732	80.00- 120.00	100.00	
9.751	9.751 (1.066)	91	61652			181.23- 241.23	211.67	
165 Styrene						CAS #: 100-42-5		
9.780	9.780 (1.069)	104	50849	5.00000	4.837	80.00- 120.00	100.00	
9.780	9.780 (1.069)	78	25060			17.26- 77.26	49.28	
167 Bromoform						CAS #: 75-25-2		
9.987	9.987 (1.092)	173	40236	5.00000	4.818	80.00- 120.00	100.00	
9.987	9.987 (1.092)	171	20951			21.45- 81.45	52.07	
168 Cumene						CAS #: 98-82-8		
10.095	10.095 (1.103)	105	88925	5.00000	4.779	80.00- 120.00	100.00	
10.095	10.095 (1.103)	120	24787			0.00- 56.93	27.87	

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
168 Cumene (continued)							
10.088	10.095 (1.103)	51	11553			0.00- 42.24	12.99
169 Cyclohexanone					CAS #: 108-94-1		
10.259	10.260 (1.121)	55	36349	5.00000	4.937	80.00- 120.00	100.00(a)
10.267	10.260 (1.122)	98	12224			5.15- 65.15	33.63
10.259	10.260 (1.121)	42	25657			41.99- 101.99	70.59
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.125)	174	328640	25.0000	24.746	80.00- 120.00	100.00
10.295	10.295 (1.125)	95	390974			88.49- 148.49	118.97
10.295	10.295 (1.125)	176	316981			66.73- 126.73	96.45
177 Bromobenzene					CAS #: 108-86-1		
10.431	10.432 (1.140)	156	32480	5.00000	5.010	80.00- 120.00	100.00
10.431	10.432 (1.140)	158	30981			67.47- 127.47	95.38
10.431	10.432 (1.140)	77	44459			108.68- 168.68	136.88
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.475 (1.144)	83	47301	5.00000	4.901	80.00- 120.00	100.00
10.467	10.475 (1.144)	85	30625			34.97- 94.97	64.74
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.147)	120	26554	5.00000	4.826	80.00- 120.00	100.00
10.496	10.496 (1.147)	91	110753			383.60- 443.60	417.09
10.496	10.496 (1.147)	105	4547			0.00- 46.14	17.12
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.525 (1.150)	110	13876	5.00000	4.737	80.00- 120.00	100.00
10.524	10.525 (1.150)	75	48974			324.28- 384.28	352.94
10.517	10.518 (1.150)	61	12910			57.24- 117.24	93.04
182 Decane					CAS #: 124-18-5		
10.603	10.611 (1.159)	57	66125	5.00000	4.643	80.00- 120.00	100.00
10.610	10.611 (1.160)	71	20761			1.11- 61.11	31.40
10.610	10.611 (1.160)	142	2874			0.00- 34.44	4.35
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.611 (1.159)	120	29003	5.00000	4.836	80.00- 120.00	100.00
10.603	10.611 (1.159)	105	94876			298.94- 358.94	327.12
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.611 (1.159)	126	24928	5.00000	4.913	80.00- 120.00	100.00
10.603	10.611 (1.159)	91	77188			282.78- 342.78	309.64
10.603	10.603 (1.159)	65	12088			17.33- 77.33	48.49

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.167)	120	38840	5.00000	4.802	80.00- 120.00	100.00
10.675	10.675 (1.167)	105	79192			172.08- 232.08	203.89
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.192)	118	40931	5.00000	4.778	80.00- 120.00	100.00
10.904	10.904 (1.192)	103	23190			25.64- 85.64	56.66
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.983 (1.200)	119	75651	5.00000	4.920	80.00- 120.00	100.00
10.983	10.983 (1.200)	134	18730			0.00- 55.10	24.76
10.976	10.976 (1.200)	91	49041			34.53- 94.53	64.83
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.207)	105	80630	5.00000	4.876	80.00- 120.00	100.00
11.040	11.040 (1.207)	120	37019			16.63- 76.63	45.91
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.224)	134	24772	5.00000	4.922	80.00- 120.00	100.00
11.198	11.198 (1.224)	105	115657			436.99- 496.99	466.89
11.191	11.198 (1.223)	91	18608			41.69- 101.69	75.12
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.240)	119	101004	5.00000	4.907	80.00- 120.00	100.00
11.341	11.341 (1.240)	134	28012			0.00- 57.62	27.73
11.341	11.341 (1.240)	91	23280			0.00- 53.03	23.05
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.240)	146	58914	5.00000	4.808	80.00- 120.00	100.00
11.348	11.348 (1.240)	148	38396			34.18- 94.18	65.17
11.348	11.348 (1.240)	111	23260			10.06- 70.06	39.48
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.449	11.449 (1.251)	146	60435	5.00000	4.869	80.00- 120.00	100.00
11.449	11.449 (1.251)	148	38720			33.55- 93.55	64.07
11.449	11.449 (1.251)	111	23179			7.98- 67.98	38.35
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.267)	91	75468	5.00000	4.801	80.00- 120.00	100.00
11.592	11.592 (1.267)	126	16647			0.00- 52.77	22.06
202 Butylbenzene					CAS #: 104-51-8		
11.749	11.750 (1.284)	134	27726	5.00000	4.887	80.00- 120.00	100.00
11.742	11.742 (1.283)	91	97568			310.82- 370.82	351.90
11.742	11.742 (1.283)	92	50942			151.53- 211.53	183.73

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.288)	57	81818	5.00000	4.832	80.00- 120.00	100.00
11.785	11.785 (1.288)	43	77006			63.59- 123.59	94.12
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.821 (1.291)	146	57397	5.00000	4.826	80.00- 120.00	100.00
11.821	11.821 (1.292)	148	36810			33.00- 93.00	64.13
11.814	11.821 (1.291)	111	23674			10.87- 70.87	41.25
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.379)	157	35937	5.00000	5.109	80.00- 120.00	100.00
12.616	12.616 (1.379)	75	28356			48.09- 108.09	78.90
12.616	12.616 (1.379)	155	28052			47.89- 107.89	78.06
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.406)	57	86146	5.00000	5.051	80.00- 120.00	100.00
12.860	12.860 (1.406)	43	76798			58.52- 118.52	89.15
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.464)	180	61217	5.00000	5.194	80.00- 120.00	100.00
13.397	13.397 (1.464)	182	59446			64.84- 124.84	97.11
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.504	13.512 (1.476)	225	43615	5.00000	5.074	80.00- 120.00	100.00
13.504	13.512 (1.476)	223	28353			32.80- 92.80	65.01
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.492)	128	14455	0.58000	0.5877	80.00- 120.00	100.00
13.640	13.648 (1.491)	127	2034			0.00- 42.72	14.07
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.518)	180	60561	5.00000	5.244	80.00- 120.00	100.00
13.891	13.891 (1.518)	182	57783			65.07- 125.07	95.41
13.891	13.891 (1.518)	145	20574			4.48- 64.48	33.97

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042310.d
Lab Smp Id: ICAL Level #5
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 5.0ppbv (5.0ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #5
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	115073	8.37
108 1,4-Difluorobenze	390964	234578	547350	436367	11.61
153 Chlorobenzene-d5	392003	235202	548804	446883	14.00

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.43	-0.13
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.15	-0.08

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042310.d

Page 1

Date : 23-APR-2024 22:57

Client ID: ICAL Level #5


Instrument: msd3.i

Sample Info: 200ml 3018-4466

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3041805.d
Lab Smp Id: ICAL Level #6 Client Smp ID: ICAL Level #6
Inj Date : 18-APR-2024 10:37
Operator : mjs Inst ID: msd3.i
Smp Info : 20ml 3018-4328
Misc Info : 20ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 23:27 Cal File: 3042311.d
Als bottle: 2 Calibration Sample, Level: 6
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT21spICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.439 (1.000)	130	118794	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	93112			47.79- 107.79	78.38
5.432	5.439 (1.000)	49	196256			131.33- 191.33	165.21
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	449529	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	70071			0.00- 45.65	15.59
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	451897	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	243010			22.92- 82.92	53.78
3 Freon 143a					CAS #: 420-46-2		
1.395	1.395 (0.257)	65	35258	20.0000	22.003	80.00- 120.00	100.00
1.395	1.395 (0.257)	69	94335			237.43- 297.43	267.56
1.367	1.395 (0.252)	64	10052			0.00- 57.02	28.51
6 Propane					CAS #: 74-98-6		
1.423	1.423 (0.262)	43	20289	20.0000	18.455	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
6 Propane (continued)							
1.423	1.437 (0.262)	39	14159			37.94- 97.94	69.79
1.437	1.423 (0.264)	41	10072			21.79- 81.79	49.64
13 Freon 142b					CAS #: 75-68-3		
1.604	1.604 (0.295)	65	102367	20.0000	17.535	80.00- 120.00	100.00
1.604	1.604 (0.295)	45	29390			0.00- 58.87	28.71
36 1-Pentene					CAS #: 109-67-1		
2.458	2.458 (0.453)	55	66440	20.0000	18.333	80.00- 120.00	100.00
2.458	2.458 (0.453)	42	98045			114.47- 174.47	147.57
38 Ethyl Ether					CAS #: 60-29-7		
2.794	2.794 (0.514)	74	26133	20.0000	17.435	80.00- 120.00	100.00
2.794	2.794 (0.514)	59	42791			138.79- 198.79	163.74
2.794	2.794 (0.514)	45	36951			114.58- 174.58	141.40
40 Freon 123a					CAS #: 354-23-4		
2.892	2.906 (0.532)	117	93190	20.0000	19.730	80.00- 120.00	100.00
2.892	2.892 (0.532)	67	121608			102.78- 162.78	130.49
41 Freon 123					CAS #: 306-83-2		
2.990	2.990 (0.550)	83	87365	20.0000	19.972	80.00- 120.00	100.00
2.990	2.990 (0.550)	133	21898			0.00- 53.60	25.06
2.990	2.990 (0.550)	85	57237			36.72- 96.72	65.51
55 Cyclopentene					CAS #: 142-29-0		
3.591	3.591 (0.661)	67	123748	20.0000	18.581	80.00- 120.00	100.00
3.591	3.591 (0.661)	68	47470			8.38- 68.38	38.36
3.591	3.591 (0.661)	53	30591			0.00- 54.97	24.72
56 Methyl Acetate					CAS #: 79-20-9		
3.619	3.619 (0.666)	43	132004	20.0000	17.838	80.00- 120.00	100.00
3.619	3.619 (0.666)	74	21278			0.00- 45.84	16.12
74 Chloroprene					CAS #: 126-99-8		
4.608	4.608 (0.848)	53	106009	20.0000	18.316	80.00- 120.00	100.00
4.608	4.608 (0.848)	88	46823			14.44- 74.44	44.17
4.608	4.608 (0.848)	50	28587			0.00- 56.76	26.97
75 1-Propanol					CAS #: 71-23-8		
4.715	4.715 (0.868)	59	14341	20.0000	16.412	80.00- 120.00	100.00
4.715	4.715 (0.868)	42	13304			63.00- 123.00	92.77
4.715	4.715 (0.868)	41	8666			28.69- 88.69	60.43
88 Methyl Acrylate					CAS #: 96-33-3		
5.288	5.288 (0.974)	55	132996	20.0000	18.293	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
88 Methyl Acrylate (continued)							
5.288	5.288 (0.974)	85	18154			0.00- 43.17	13.65
5.288	5.288 (0.974)	58	12404			0.00- 38.59	9.33
103 Isobutanol					CAS #: 78-83-1		
5.997	5.990 (1.104)	39	18901	20.0000	16.441	80.00- 120.00	100.00
5.990	5.990 (1.103)	43	79450			402.02- 462.02	420.35
5.990	5.990 (1.103)	41	56593			275.29- 335.29	299.42
113 Ethyl acrylate					CAS #: 140-88-5		
6.764	6.764 (0.739)	99	11774	20.0000	19.124	80.00- 120.00	100.00
6.764	6.764 (0.739)	45	20473			144.38- 204.38	173.88
6.764	6.764 (0.739)	55	198211			1723.57-1783.57	1683.46
115 2-Pentanone					CAS #: 107-87-9		
6.857	6.857 (0.749)	43	249920	20.0000	20.164	80.00- 120.00	100.00
6.857	6.857 (0.749)	58	17533			0.00- 37.02	7.02
6.857	6.857 (0.749)	86	33047			0.00- 43.48	13.22
145 Butyl Acetate					CAS #: 123-86-4		
8.576	8.576 (1.334)	56	111977	20.0000	20.271	80.00- 120.00	100.00
8.576	8.576 (1.334)	73	37262			2.83- 62.83	33.28
8.576	8.576 (1.334)	43	306735			240.40- 300.40	273.93
166 2-Heptanone					CAS #: 110-43-0		
9.901	9.901 (1.823)	58	174467	20.0000	19.185	80.00- 120.00	100.00
9.901	9.901 (1.823)	43	308567			146.16- 206.16	176.86
210 alpha-Pinene					CAS #: 80-56-8		
10.037	10.037 (1.096)	93	230988	20.0000	19.479	80.00- 120.00	100.00
10.037	10.037 (1.096)	77	68427			0.00- 59.07	29.62
214 beta-Pinene					CAS #: 127-91-3		
10.696	10.696 (1.168)	93	181641	20.0000	19.670	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	352734			151.21- 211.21	194.19
186 4-Chlorotoluene					CAS #: 106-43-4		
10.725	10.725 (1.171)	126	108061	20.0000	21.463	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	352734			296.65- 356.65	326.42
10.725	10.725 (1.171)	63	44976			10.84- 70.84	41.62
172 D-Limonene					CAS #: 5989-27-5		
11.277	11.277 (1.232)	68	158763	20.0000	21.242	80.00- 120.00	100.00
11.277	11.277 (1.232)	93	113646			41.19- 101.19	71.58
197 1,2,3-Trimethylbenzene					CAS #: 526-73-8		
11.463	11.463 (1.252)	120	148235	20.0000	21.464	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
197 1,2,3-Trimethylbenzene (continued)							
11.463	11.463 (1.252)	105	342312			201.76- 261.76	230.93
11.463	11.463 (1.252)	77	39370			0.00- 57.12	26.56
205 Hexachloroethane					CAS #: 67-72-1		
12.014	12.014 (1.312)	201	84823	20.0000	20.330	80.00- 120.00	100.00
12.014	12.014 (1.312)	117	123616			114.78- 174.78	145.73
208 1,3,5-Trichlorobenzene					CAS #: 108-70-3		
12.752	12.752 (1.393)	180	205026	20.0000	21.327	80.00- 120.00	100.00
12.759	12.752 (1.393)	182	194831			64.68- 124.68	95.03

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3041805.d
Lab Smp Id: ICAL Level #6
Analysis Type: VOA
Quant Type: ISTD
Operator: mjs
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 20ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #6
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	118794	11.87
108 1,4-Difluorobenze	390964	234578	547350	449529	14.98
153 Chlorobenzene-d5	392003	235202	548804	451897	15.28

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.43	-0.13
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3041805.d

Date : 18-APR-2024 10:37

Client ID: ICAL Level #6


Instrument: msd3.i

Sample Info: 20ml 3018-4328

Operator: mjs

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042311.d
Lab Smp Id: ICAL Level #6 Client Smp ID: ICAL Level #6
Inj Date : 23-APR-2024 23:27
Operator : DF Inst ID: msd3.i
Smp Info : 20ml 3018-4439
Misc Info : 20ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 23:27 Cal File: 3042311.d
Als bottle: 13 Calibration Sample, Level: 6
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23ICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
4 Freon 134a					CAS #: 811-97-2		
1.395	1.409 (0.256)	83	44081	20.0000	18.098	80.00- 120.00	100.00
1.395	1.409 (0.256)	69	42264			64.17- 124.17	95.88
1.478	1.493 (0.272)	51	176627			365.46- 425.46	400.69
5 Propylene					CAS #: 115-07-1		
1.423	1.437 (0.262)	41	46518	20.0000	16.855	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	32824			35.86- 95.86	70.56
1.423	1.437 (0.262)	39	33275			41.66- 101.66	71.53
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.464	1.465 (0.269)	65	29325	20.0000	18.432	80.00- 120.00	100.00
1.478	1.493 (0.272)	51	176627			568.10- 628.10	602.31
1.562	1.577 (0.287)	47	6094			0.00- 50.57	20.78
8 Freon 12					CAS #: 75-71-8		
1.464	1.465 (0.269)	85	106014	20.0000	16.988	80.00- 120.00	100.00
1.464	1.465 (0.269)	87	34415			2.88- 62.88	32.46
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.492	1.493 (0.274)	67	13080	20.0000	16.750	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
9 Chlorodifluoromethane (continued)							
1.478	1.493 (0.272)	51	176627			1257.55-1317.55	1350.36
10 Freon 114					CAS #: 76-14-2		
1.576	1.577 (0.290)	135	98795	20.0000	18.009	80.00- 120.00	100.00
1.576	1.577 (0.290)	137	31606			2.10- 62.10	31.99
12 Isobutane					CAS #: 75-28-5		
1.576	1.591 (0.290)	43	105552	20.0000	18.087	80.00- 120.00	100.00
1.576	1.591 (0.290)	42	33758			1.69- 61.69	31.98
1.576	1.577 (0.290)	58	3723			0.00- 33.32	3.53
15 Chloromethane					CAS #: 74-87-3		
1.674	1.675 (0.308)	50	56663	20.0000	18.833	80.00- 120.00	100.00
1.674	1.675 (0.308)	52	18491			1.38- 61.38	32.63
18 Butane					CAS #: 106-97-8		
1.716	1.731 (0.316)	58	11177	20.0000	18.528	80.00- 120.00	100.00
1.716	1.731 (0.316)	43	96162			866.38- 926.38	860.36
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.759 (0.323)	62	50019	20.0000	17.182	80.00- 120.00	100.00
1.758	1.759 (0.323)	64	17989			3.10- 63.10	35.96
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	46188	20.0000	16.889	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	50872			78.74- 138.74	110.14
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	37771	20.0000	18.157	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	35857			64.19- 124.19	94.93
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.408)	64	24490	20.0000	17.542	80.00- 120.00	100.00
2.220	2.220 (0.408)	66	8171			2.32- 62.32	33.36
2.220	2.220 (0.408)	49	9554			6.33- 66.33	39.01
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	81089	20.0000	20.354	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	49827			31.77- 91.77	61.45
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.416 (0.442)	106	44767	20.0000	18.503	80.00- 120.00	100.00
2.402	2.416 (0.442)	108	41514			64.21- 124.21	92.73
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.449)	101	138152	20.0000	19.217	80.00- 120.00	100.00

				AMOUNTS				
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
33 Freon 11 (continued)								
2.444	2.444 (0.449)	103	89978				34.93- 94.93	65.13
34 Dichlorofluoromethane						CAS #: 75-43-4		
2.458	2.472 (0.452)	67	98876	20.0000	17.248		80.00- 120.00	100.00
2.472	2.472 (0.455)	69	33145				1.95- 61.95	33.52
35 Pentane						CAS #: 109-66-0		
2.514	2.514 (0.462)	43	113970	20.0000	18.802		80.00- 120.00	100.00
2.514	2.514 (0.462)	57	17233				0.00- 44.64	15.12
2.514	2.514 (0.462)	72	8871				0.00- 37.90	7.78
39 Ethanol						CAS #: 64-17-5		
2.752	2.752 (0.506)	46	10443	24.6400	18.309		80.00- 120.00	100.00
2.752	2.752 (0.506)	45	27008				224.40- 284.40	258.62
42 Acrolein						CAS #: 107-02-8		
3.061	3.061 (0.563)	55	23907	23.3000	19.475		80.00- 120.00	100.00
3.053	3.061 (0.561)	56	31091				108.02- 168.02	130.05
43 Freon 113						CAS #: 76-13-1		
3.061	3.061 (0.563)	151	126248	20.0000	19.871		80.00- 120.00	100.00
3.061	3.061 (0.563)	153	80808				35.07- 95.07	64.01
3.061	3.061 (0.563)	101	143360				87.45- 147.45	113.55
44 1,1-Dichloroethene						CAS #: 75-35-4		
3.096	3.097 (0.569)	96	45623	20.0000	16.877		80.00- 120.00	100.00
3.089	3.097 (0.568)	98	28751				33.27- 93.27	63.02
3.089	3.097 (0.568)	61	86074				159.05- 219.05	188.66
47 Acetone						CAS #: 67-64-1		
3.247	3.247 (0.597)	58	25543	20.0000	16.605		80.00- 120.00	100.00
3.247	3.247 (0.597)	43	93038				329.45- 389.45	364.24
48 Carbon Disulfide						CAS #: 75-15-0		
3.333	3.333 (0.613)	76	121557	20.0000	16.491		80.00- 120.00	100.00
52 2-Propanol						CAS #: 67-63-0		
3.426	3.426 (0.630)	45	110971	20.0000	17.351		80.00- 120.00	100.00
3.426	3.426 (0.630)	43	20349				0.00- 48.18	18.34
54 3-Chloropropene						CAS #: 107-05-1		
3.583	3.584 (0.659)	76	20566	20.0000	16.561		80.00- 120.00	100.00
3.583	3.584 (0.659)	41	79666				366.80- 426.80	387.37
57 Acetonitrile						CAS #: 75-05-8		
3.684	3.684 (0.677)	41	55087	23.5200	19.515		80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
57 Acetonitrile (continued)							
3.684	3.684 (0.677)	40	29640			22.74- 82.74	53.81
3.684	3.684 (0.677)	38	7948			0.00- 42.52	14.43
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.784 (0.694)	49	72562	20.0000	17.173	80.00- 120.00	100.00
3.777	3.784 (0.694)	84	39611			24.90- 84.90	54.59
3.777	3.784 (0.694)	51	19920			0.00- 59.67	27.45
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.913	3.913 (0.719)	59	145183	23.0400	22.252	80.00- 120.00	100.00
3.906	3.913 (0.718)	41	32139			0.00- 51.85	22.14
3.906	3.913 (0.718)	57	15832			0.00- 40.17	10.90
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.737)	73	151228	20.0000	19.606	80.00- 120.00	100.00
4.006	4.006 (0.737)	57	43407			0.00- 58.72	28.70
4.006	4.006 (0.737)	41	44964			0.00- 59.38	29.73
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.741)	98	30162	20.0000	16.614	80.00- 120.00	100.00
4.028	4.028 (0.741)	61	78140			232.13- 292.13	259.07
4.028	4.028 (0.741)	96	46386			127.26- 187.26	153.79
66 Acrylonitrile					CAS #: 107-13-1		
4.142	4.142 (0.762)	52	37768	20.0000	16.086	80.00- 120.00	100.00
4.142	4.142 (0.762)	53	44522			86.45- 146.45	117.88
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.783)	57	100869	20.0000	17.832	80.00- 120.00	100.00
4.257	4.257 (0.783)	43	70980			40.97- 100.97	70.37
4.257	4.257 (0.783)	86	12635			0.00- 42.68	12.53
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.838)	63	94280	20.0000	17.971	80.00- 120.00	100.00
4.558	4.558 (0.838)	65	28557			0.47- 60.47	30.29
72 Isopropyl ether					CAS #: 108-20-3		
4.550	4.558 (0.837)	45	242372	20.0000	19.266	80.00- 120.00	100.00
4.550	4.558 (0.837)	87	46404			0.00- 49.55	19.15
4.550	4.558 (0.837)	59	25195			0.00- 40.42	10.40
73 Vinyl Acetate					CAS #: 108-05-4		
4.615	4.608 (0.849)	86	8130	20.0000	17.599	80.00- 120.00	100.00
4.608	4.608 (0.847)	43	138704			1727.95-1787.95	1706.08

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
79 Ethyl-tert-butyl ether						CAS #: 637-92-3	
4.937	4.945 (0.908)	59	209538	20.0000	19.315	80.00- 120.00	100.00
4.944	4.945 (0.909)	87	70355			3.90- 63.90	33.58
4.944	4.945 (0.909)	41	40958			0.00- 49.72	19.55
84 2,2-Dichloropropane						CAS #: 594-20-7	
5.145	5.145 (0.946)	77	98987	20.0000	19.113	80.00- 120.00	100.00
5.145	5.145 (0.946)	79	31838			2.39- 62.39	32.16
5.145	5.145 (0.946)	97	23422			0.00- 53.57	23.66
85 cis-1,2-Dichloroethene						CAS #: 156-59-2	
5.188	5.188 (0.954)	98	30727	20.0000	16.344	80.00- 120.00	100.00
5.188	5.188 (0.954)	96	49856			125.53- 185.53	162.25
5.188	5.188 (0.954)	61	79780			219.86- 279.86	259.64
86 2-Butanone						CAS #: 78-93-3	
5.217	5.217 (0.959)	72	23836	20.0000	17.598	80.00- 120.00	100.00
5.238	5.217 (0.963)	43	280867			1138.34-1198.34	1178.33
5.217	5.217 (0.959)	57	10427			10.83- 70.83	43.74
87 Ethyl Acetate						CAS #: 141-78-6	
5.245	5.245 (0.964)	45	23550	20.0000	17.385	80.00- 120.00	100.00
5.188	5.188 (0.954)	61	79780			338.96- 398.96	338.77
5.245	5.245 (0.964)	70	12523			24.53- 84.53	53.18
89 Tetrahydrofuran						CAS #: 109-99-9	
5.432	5.425 (0.999)	42	66628	20.0000	16.089	80.00- 120.00	100.00
5.432	5.425 (0.999)	71	19191			0.00- 58.54	28.80
5.432	5.425 (0.999)	72	20468			0.00- 59.59	30.72
* 90 Bromochloromethane						CAS #: 74-97-5	
5.439	5.439 (1.000)	130	105372	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	82575			47.79- 107.79	78.37
5.432	5.439 (1.000)	49	172332			131.33- 191.33	163.55
92 Chloroform						CAS #: 67-66-3	
5.510	5.518 (1.013)	83	97539	20.0000	17.314	80.00- 120.00	100.00
5.510	5.518 (1.013)	85	63480			35.77- 95.77	65.08
94 Cyclohexane						CAS #: 110-82-7	
5.611	5.611 (1.032)	84	71939	20.0000	19.088	80.00- 120.00	100.00
5.611	5.611 (1.032)	56	111037			125.79- 185.79	154.35
5.611	5.611 (1.032)	41	65845			61.55- 121.55	91.53
96 1,1,1-Trichloroethane						CAS #: 71-55-6	
5.639	5.639 (1.037)	97	115669	20.0000	18.826	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
96 1,1,1-Trichloroethane (continued)							
5.639	5.639 (1.037)	99	73673			32.84- 92.84	63.69
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.059)	119	124129	20.0000	19.056	80.00- 120.00	100.00
5.761	5.761 (1.059)	117	129978			75.19- 135.19	104.71
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.804	5.804 (0.903)	110	27557	20.0000	17.662	80.00- 120.00	100.00
5.804	5.804 (0.903)	75	74120			234.16- 294.16	268.97
102 Benzene					CAS #: 71-43-2		
5.997	5.998 (0.933)	78	145772	20.0000	18.692	80.00- 120.00	100.00
5.997	5.998 (0.933)	77	34402			0.00- 53.69	23.60
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.997	5.998 (1.103)	57	326915	20.0000	18.497	80.00- 120.00	100.00
5.990	5.998 (1.101)	56	106606			3.09- 63.09	32.61
5.997	5.998 (1.103)	41	88748			0.00- 57.28	27.15
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.108)	65	133498	25.0000	24.324	80.00- 120.00	100.00
6.026	6.026 (1.108)	67	72096			23.17- 83.17	54.01
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.091	6.091 (0.948)	87	39637	20.0000	18.913	80.00- 120.00	100.00
6.091	6.091 (0.948)	73	159227			365.76- 425.76	401.71
6.091	6.091 (0.948)	55	48863			92.58- 152.58	123.28
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	73577	20.0000	18.086	80.00- 120.00	100.00
6.098	6.105 (0.949)	64	23399			1.80- 61.80	31.80
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	58406	20.0000	18.906	80.00- 120.00	100.00
6.176	6.184 (0.961)	43	138592			207.73- 267.73	237.29
6.184	6.184 (0.962)	57	66511			84.83- 144.83	113.88
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	387341	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	59602			0.00- 45.65	15.39
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.031)	56	30254	20.0000	17.062	80.00- 120.00	100.00
6.628	6.628 (1.031)	41	23143			47.73- 107.73	76.50
6.635	6.628 (1.032)	43	18672			31.60- 91.60	61.72

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	69118	20.0000	18.382	80.00- 120.00	100.00
6.635	6.635 (1.032)	130	74876			80.23- 140.23	108.33
6.635	6.635 (1.032)	97	43215			34.78- 94.78	62.52
127 Methylcyclohexane					CAS #: 108-87-2		
6.735	6.735 (1.048)	83	100426	20.0000	18.802	80.00- 120.00	100.00
6.735	6.735 (1.048)	98	44794			14.83- 74.83	44.60
6.735	6.735 (1.048)	55	100797			71.50- 131.50	100.37
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	67019	20.0000	18.263	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	48513			40.39- 100.39	72.39
6.893	6.893 (1.072)	41	42594			31.86- 91.86	63.56
116 Methyl Methacrylate					CAS #: 80-62-6		
6.979	6.979 (0.762)	69	59621	20.0000	18.865	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	105602			145.81- 205.81	177.12
6.979	6.979 (0.762)	100	23677			10.05- 70.05	39.71
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.088)	88	38302	20.0000	19.524	80.00- 120.00	100.00
6.993	6.993 (1.088)	58	33441			56.33- 116.33	87.31
6.993	6.993 (1.088)	57	12928			2.08- 62.08	33.75
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.008 (0.765)	174	65955	20.0000	18.016	80.00- 120.00	100.00
7.007	7.008 (0.765)	93	61285			62.68- 122.68	92.92
7.007	7.008 (0.765)	95	50251			47.70- 107.70	76.19
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	112826	20.0000	18.536	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	71711			34.96- 94.96	63.56
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.459	7.459 (1.160)	63	121270	20.0000	18.730	80.00- 120.00	100.00
7.459	7.459 (1.160)	65	36871			0.43- 60.43	30.40
7.459	7.459 (1.160)	144	13106			0.00- 40.48	10.81
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.574 (1.178)	75	97041	20.0000	18.694	80.00- 120.00	100.00
7.573	7.574 (1.178)	77	30879			1.26- 61.26	31.82
7.573	7.574 (1.178)	39	64383			35.06- 95.06	66.35
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.709	7.710 (1.199)	58	66096	20.0000	18.510	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
131 4-Methyl-2-pentanone (continued)							
7.709	7.710 (1.199)	43	193625			259.88- 319.88	292.95
7.709	7.710 (1.199)	85	24352			7.58- 67.58	36.84
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	374356	25.0000	24.861	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	41512			0.00- 41.42	11.09
7.767	7.767 (1.208)	100	249906			37.54- 97.54	66.76
137 Toluene					CAS #: 108-88-3		
7.831	7.831 (1.218)	91	209847	20.0000	19.438	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	122262			27.89- 87.89	58.26
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	74417	20.0000	18.920	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	69540			63.53- 123.53	93.45
7.860	7.860 (1.223)	43	201715			246.00- 306.00	271.06
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	81656	20.0000	19.046	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	27268			1.83- 61.83	33.39
8.118	8.118 (0.887)	39	50910			31.97- 91.97	62.35
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.290	8.290 (0.905)	97	68426	20.0000	18.849	80.00- 120.00	100.00
8.290	8.290 (0.905)	99	42821			32.52- 92.52	62.58
8.290	8.290 (0.905)	83	60821			58.90- 118.90	88.89
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	108155	20.0000	19.841	80.00- 120.00	100.00
8.311	8.318 (0.908)	129	83105			45.32- 105.32	76.84
8.318	8.318 (0.908)	131	80958			44.17- 104.17	74.85
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	95148	20.0000	18.799	80.00- 120.00	100.00
8.447	8.447 (1.314)	41	82825			59.72- 119.72	87.05
8.447	8.447 (1.314)	78	30636			3.08- 63.08	32.20
143 2-Hexanone					CAS #: 591-78-6		
8.490	8.490 (0.927)	58	92695	20.0000	20.353	80.00- 120.00	100.00
8.490	8.490 (0.927)	43	193573			177.32- 237.32	208.83
8.497	8.490 (0.928)	100	16113			0.00- 47.18	17.38
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	142251	20.0000	19.827	80.00- 120.00	100.00
8.626	8.626 (0.942)	127	110476			47.27- 107.27	77.66

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.748	8.741 (0.955)	107	113086	20.0000	19.007	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	107760			64.18- 124.18	95.29
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	387994	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	206315			22.92- 82.92	53.17
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.185 (1.002)	112	177570	20.0000	19.753	80.00- 120.00	100.00
9.178	9.185 (1.002)	114	56779			1.91- 61.91	31.98
9.178	9.185 (1.002)	77	97465			22.97- 82.97	54.89
155 Ethyl Benzene					CAS #: 100-41-4		
9.249	9.250 (1.010)	106	90547	20.0000	20.025	80.00- 120.00	100.00
9.249	9.250 (1.010)	91	279450			281.09- 341.09	308.62
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.271	9.271 (1.013)	131	100913	20.0000	19.705	80.00- 120.00	100.00
9.271	9.271 (1.013)	117	68921			37.10- 97.10	68.30
9.271	9.271 (1.013)	95	35004			4.93- 64.93	34.69
156 Nonane					CAS #: 111-84-2		
9.314	9.314 (1.017)	43	210960	20.0000	20.088	80.00- 120.00	100.00
9.314	9.314 (1.017)	57	170121			50.62- 110.62	80.64
9.314	9.314 (1.017)	85	52826			0.00- 55.65	25.04
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	112481	20.0000	19.958	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	226409			170.33- 230.33	201.29
164 o-Xylene					CAS #: 95-47-6		
9.751	9.751 (1.065)	106	105703	20.0000	19.778	80.00- 120.00	100.00
9.751	9.751 (1.065)	91	224067			181.23- 241.23	211.98
165 Styrene					CAS #: 100-42-5		
9.780	9.780 (1.068)	104	183210	20.0000	20.073	80.00- 120.00	100.00
9.780	9.780 (1.068)	78	87478			17.26- 77.26	47.75
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.091)	173	146225	20.0000	20.166	80.00- 120.00	100.00
9.987	9.987 (1.091)	171	75636			21.45- 81.45	51.73
168 Cumene					CAS #: 98-82-8		
10.095	10.095 (1.102)	105	327866	20.0000	20.294	80.00- 120.00	100.00
10.095	10.095 (1.102)	120	89042			0.00- 56.93	27.16

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
168 Cumene (continued)							
10.095	10.095 (1.102)	51	41048			0.00- 42.24	12.52
169 Cyclohexanone					CAS #: 108-94-1		
10.259	10.260 (1.120)	55	118351	20.0000	18.516	80.00- 120.00	100.00
10.259	10.260 (1.120)	98	41307			5.15- 65.15	34.90
10.259	10.260 (1.120)	42	85210			41.99- 101.99	72.00
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	289128	25.0000	25.075	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	339599			88.49- 148.49	117.46
10.295	10.295 (1.124)	176	279985			66.73- 126.73	96.84
177 Bromobenzene					CAS #: 108-86-1		
10.431	10.432 (1.139)	156	114180	20.0000	20.285	80.00- 120.00	100.00
10.431	10.432 (1.139)	158	109697			67.47- 127.47	96.07
10.431	10.432 (1.139)	77	157973			108.68- 168.68	138.35
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.474	10.475 (1.144)	83	165702	20.0000	19.774	80.00- 120.00	100.00
10.474	10.475 (1.144)	85	106548			34.97- 94.97	64.30
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.146)	120	97421	20.0000	20.393	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	400299			383.60- 443.60	410.90
10.496	10.496 (1.146)	105	15304			0.00- 46.14	15.71
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.524	10.525 (1.149)	110	49077	20.0000	19.298	80.00- 120.00	100.00
10.524	10.525 (1.149)	75	172840			324.28- 384.28	352.18
10.517	10.518 (1.149)	61	43229			57.24- 117.24	88.08
182 Decane					CAS #: 124-18-5		
10.610	10.611 (1.159)	57	232731	20.0000	18.823	80.00- 120.00	100.00
10.610	10.611 (1.159)	71	71877			1.11- 61.11	30.88
10.610	10.611 (1.159)	142	9888			0.00- 34.44	4.25
183 4-Ethyltoluene					CAS #: 622-96-8		
10.610	10.611 (1.159)	120	105236	20.0000	20.211	80.00- 120.00	100.00
10.610	10.611 (1.159)	105	346471			298.94- 358.94	329.23
184 2-Chlorotoluene					CAS #: 95-49-8		
10.610	10.611 (1.159)	126	87501	20.0000	19.862	80.00- 120.00	100.00
10.610	10.611 (1.159)	91	274344			282.78- 342.78	313.53
10.603	10.603 (1.158)	65	41861			17.33- 77.33	47.84

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	140052	20.0000	19.944	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	282348			172.08- 232.08	201.60
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	147331	20.0000	19.807	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	83181			25.64- 85.64	56.46
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.983 (1.199)	119	262412	20.0000	19.656	80.00- 120.00	100.00
10.976	10.983 (1.199)	134	64297			0.00- 55.10	24.50
10.976	10.976 (1.199)	91	169745			34.53- 94.53	64.69
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	287638	20.0000	20.034	80.00- 120.00	100.00
11.040	11.040 (1.206)	120	133705			16.63- 76.63	46.48
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	86522	20.0000	19.799	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	406796			436.99- 496.99	470.16
11.198	11.198 (1.223)	91	64787			41.69- 101.69	74.88
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	360469	20.0000	20.170	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	99481			0.00- 57.62	27.60
11.341	11.341 (1.239)	91	84078			0.00- 53.03	23.32
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	211744	20.0000	19.903	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	133553			34.18- 94.18	63.07
11.348	11.348 (1.239)	111	84074			10.06- 70.06	39.71
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.448	11.449 (1.250)	146	214552	20.0000	19.909	80.00- 120.00	100.00
11.448	11.449 (1.250)	148	136091			33.55- 93.55	63.43
11.448	11.449 (1.250)	111	82582			7.98- 67.98	38.49
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	272172	20.0000	19.944	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	61779			0.00- 52.77	22.70
202 Butylbenzene					CAS #: 104-51-8		
11.749	11.750 (1.283)	134	99554	20.0000	20.213	80.00- 120.00	100.00
11.742	11.742 (1.282)	91	341058			310.82- 370.82	342.59
11.742	11.742 (1.282)	92	180947			151.53- 211.53	181.76

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	275631	20.0000	18.749	80.00- 120.00	100.00
11.785	11.785 (1.287)	43	258766			63.59- 123.59	93.88
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	203068	20.0000	19.668	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	128940			33.00- 93.00	63.50
11.814	11.821 (1.290)	111	84248			10.87- 70.87	41.49
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.378)	157	123991	20.0000	20.304	80.00- 120.00	100.00
12.616	12.616 (1.378)	75	98849			48.09- 108.09	79.72
12.616	12.616 (1.378)	155	95311			47.89- 107.89	76.87
207 Dodecane					CAS #: 112-40-3		
12.852	12.860 (1.404)	57	299361	20.0000	20.216	80.00- 120.00	100.00
12.852	12.860 (1.404)	43	262573			58.52- 118.52	87.71
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.390	13.397 (1.462)	180	207611	20.0000	20.290	80.00- 120.00	100.00
13.390	13.397 (1.462)	182	198397			64.84- 124.84	95.56
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.504	13.512 (1.475)	225	148253	20.0000	19.863	80.00- 120.00	100.00
13.504	13.512 (1.475)	223	95299			32.80- 92.80	64.28
216 Naphthalene					CAS #: 91-20-3		
13.640	13.648 (1.490)	128	47713	2.32000	2.234	80.00- 120.00	100.00
13.640	13.648 (1.490)	127	6433			0.00- 42.72	13.48
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.517)	180	199826	20.0000	19.930	80.00- 120.00	100.00
13.891	13.891 (1.517)	182	190105			65.07- 125.07	95.14
13.891	13.891 (1.517)	145	68227			4.48- 64.48	34.14

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042311.d
Lab Smp Id: ICAL Level #6
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 20ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #6
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	105372	-0.77
108 1,4-Difluorobenze	390964	234578	547350	387341	-0.93
153 Chlorobenzene-d5	392003	235202	548804	387994	-1.02

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042311.d

Page 1

Date : 23-APR-2024 23:27

Client ID: ICAL Level #6


Instrument: msd3.i

Sample Info: 20ml 3018-4439

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3041806.d
Lab Smp Id: ICAL Level #7 Client Smp ID: ICAL Level #7
Inj Date : 18-APR-2024 11:08
Operator : mjs Inst ID: msd3.i
Smp Info : 50ml 3018-4328
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 25-Apr-2024 09:22 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 23:59 Cal File: 3042312.d
Als bottle: 2 Calibration Sample, Level: 7
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT21spICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	119983	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	92951			47.79- 107.79	77.47
5.432	5.432 (1.000)	49	196196			131.33- 191.33	163.52
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	454158	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	70795			0.00- 45.65	15.59
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.156 (1.000)	117	459698	25.0000		80.00- 120.00	100.00
9.156	9.156 (1.000)	82	247843			22.92- 82.92	53.91
3 Freon 143a					CAS #: 420-46-2		
1.395	1.395 (0.256)	65	90473	50.0000	53.226	80.00- 120.00	100.00
1.395	1.395 (0.256)	69	241950			237.43- 297.43	267.43
1.395	1.395 (0.256)	64	24445			0.00- 57.02	27.02
6 Propane					CAS #: 74-98-6		
1.423	1.423 (0.262)	43	53475	50.0000	48.160	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
6 Propane (continued)							
1.437	1.437 (0.264)	39	36329			37.94- 97.94	67.94
1.423	1.423 (0.262)	41	27695			21.79- 81.79	51.79
13 Freon 142b					CAS #: 75-68-3		
1.604	1.604 (0.295)	65	272054	50.0000	46.140	80.00- 120.00	100.00
1.604	1.604 (0.295)	45	78547			0.00- 58.87	28.87
36 1-Pentene					CAS #: 109-67-1		
2.458	2.458 (0.452)	55	175188	50.0000	47.860	80.00- 120.00	100.00
2.458	2.458 (0.452)	42	253096			114.47- 174.47	144.47
38 Ethyl Ether					CAS #: 60-29-7		
2.794	2.794 (0.514)	74	69640	50.0000	46.002	80.00- 120.00	100.00
2.794	2.794 (0.514)	59	117545			138.79- 198.79	168.79
2.794	2.794 (0.514)	45	100686			114.58- 174.58	144.58
40 Freon 123a					CAS #: 354-23-4		
2.906	2.906 (0.534)	117	223749	50.0000	46.903	80.00- 120.00	100.00
2.892	2.892 (0.532)	67	297098			102.78- 162.78	132.78
41 Freon 123					CAS #: 306-83-2		
2.990	2.990 (0.550)	83	206632	50.0000	46.768	80.00- 120.00	100.00
2.990	2.990 (0.550)	133	48769			0.00- 53.60	23.60
2.990	2.990 (0.550)	85	137860			36.72- 96.72	66.72
55 Cyclopentene					CAS #: 142-29-0		
3.591	3.591 (0.660)	67	321593	50.0000	47.810	80.00- 120.00	100.00
3.591	3.591 (0.660)	68	123415			8.38- 68.38	38.38
3.591	3.591 (0.660)	53	80292			0.00- 54.97	24.97
56 Methyl Acetate					CAS #: 79-20-9		
3.619	3.619 (0.665)	43	359604	50.0000	48.112	80.00- 120.00	100.00
3.626	3.626 (0.667)	74	56973			0.00- 45.84	15.84
74 Chloroprene					CAS #: 126-99-8		
4.608	4.608 (0.847)	53	280533	50.0000	47.991	80.00- 120.00	100.00
4.608	4.608 (0.847)	88	124670			14.44- 74.44	44.44
4.608	4.608 (0.847)	50	75081			0.00- 56.76	26.76
75 1-Propanol					CAS #: 71-23-8		
4.715	4.715 (0.867)	59	38427	50.0000	43.540	80.00- 120.00	100.00
4.715	4.715 (0.867)	42	35739			63.00- 123.00	93.00
4.715	4.715 (0.867)	41	22553			28.69- 88.69	58.69
88 Methyl Acrylate					CAS #: 96-33-3		
5.288	5.288 (0.972)	55	349732	50.0000	47.628	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
88 Methyl Acrylate (continued)							
5.288	5.288 (0.972)	85	46068			0.00- 43.17	13.17
5.288	5.288 (0.972)	58	30031			0.00- 38.59	8.59
103 Isobutanol					CAS #: 78-83-1		
5.990	5.990 (1.101)	39	45810	50.0000	39.453	80.00- 120.00	100.00
5.990	5.990 (1.101)	43	197908			402.02- 462.02	432.02
5.990	5.990 (1.101)	41	139855			275.29- 335.29	305.29
113 Ethyl acrylate					CAS #: 140-88-5		
6.764	6.764 (0.739)	99	27632	50.0000	44.120	80.00- 120.00	100.00
6.764	6.764 (0.739)	45	48186			144.38- 204.38	174.38
6.764	6.764 (0.739)	55	484546			1723.57-1783.57	1753.57
115 2-Pentanone					CAS #: 107-87-9		
6.857	6.857 (0.749)	43	610975	50.0000	48.457	80.00- 120.00	100.00
6.857	6.857 (0.749)	58	42905			0.00- 37.02	7.02
6.857	6.857 (0.749)	86	82371			0.00- 43.48	13.48
145 Butyl Acetate					CAS #: 123-86-4		
8.576	8.576 (1.334)	56	264971	50.0000	47.478	80.00- 120.00	100.00
8.576	8.576 (1.334)	73	86980			2.83- 62.83	32.83
8.576	8.576 (1.334)	43	716480			240.40- 300.40	270.40
166 2-Heptanone					CAS #: 110-43-0		
9.901	9.901 (1.821)	58	407413	50.0000	44.357	80.00- 120.00	100.00
9.901	9.901 (1.821)	43	717695			146.16- 206.16	176.16
210 alpha-Pinene					CAS #: 80-56-8		
10.037	10.037 (1.096)	93	586228	50.0000	48.597	80.00- 120.00	100.00
10.037	10.037 (1.096)	77	170412			0.00- 59.07	29.07
214 beta-Pinene					CAS #: 127-91-3		
10.696	10.696 (1.168)	93	458570	50.0000	48.816	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	830974			151.21- 211.21	181.21
186 4-Chlorotoluene					CAS #: 106-43-4		
10.725	10.725 (1.171)	126	254394	50.0000	49.670	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	830974			296.65- 356.65	326.65
10.725	10.725 (1.171)	63	103898			10.84- 70.84	40.84
172 D-Limonene					CAS #: 5989-27-5		
11.277	11.277 (1.232)	68	375261	50.0000	49.356	80.00- 120.00	100.00
11.277	11.277 (1.232)	93	267137			41.19- 101.19	71.19
197 1,2,3-Trimethylbenzene					CAS #: 526-73-8		
11.463	11.463 (1.252)	120	343932	50.0000	48.955	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
197 1,2,3-Trimethylbenzene (continued)							
11.463	11.463 (1.252)	105	797105			201.76- 261.76	231.76
11.463	11.463 (1.252)	77	93261			0.00- 57.12	27.12
205 Hexachloroethane					CAS #: 67-72-1		
12.014	12.014 (1.312)	201	213327	50.0000	50.262	80.00- 120.00	100.00
12.014	12.014 (1.312)	117	308856			114.78- 174.78	144.78
208 1,3,5-Trichlorobenzene					CAS #: 108-70-3		
12.752	12.752 (1.393)	180	491142	50.0000	50.222	80.00- 120.00	100.00
12.752	12.752 (1.393)	182	465024			64.68- 124.68	94.68

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3041806.d
Lab Smp Id: ICAL Level #7
Analysis Type: VOA
Quant Type: ISTD
Operator: mjs
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 18-APR-2024
Calibration Time: 11:08
Client Smp ID: ICAL Level #7
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	119983	71990	167976	119983	0.00
108 1,4-Difluorobenze	454158	272495	635821	454158	0.00
153 Chlorobenzene-d5	459698	275819	643577	459698	0.00

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3041806.d

Date : 18-APR-2024 11:08

Client ID: ICAL Level #7


Instrument: msd3.i

Sample Info: 50ml 3018-4328

Operator: mjs

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042312.d
Lab Smp Id: ICAL Level #7 Client Smp ID: ICAL Level #7
Inj Date : 23-APR-2024 23:59
Operator : DF Inst ID: msd3.i
Smp Info : 50ml 3018-4439
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:44 z8dr Quant Type: ISTD
Cal Date : 23-APR-2024 23:59 Cal File: 3042312.d
Als bottle: 13 Calibration Sample, Level: 7
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23ICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
4 Freon 134a					CAS #: 811-97-2		
1.409	1.409 (0.259)	83	118377	50.0000	48.230	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	111479			64.17- 124.17	94.17
1.493	1.493 (0.274)	51	468129			365.46- 425.46	395.46
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	130292	50.0000	46.848	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	85812			35.86- 95.86	65.86
1.437	1.437 (0.264)	39	93364			41.66- 101.66	71.66
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.465 (0.269)	65	78270	50.0000	48.820	80.00- 120.00	100.00
1.493	1.493 (0.274)	51	468129			568.10- 628.10	598.10
1.577	1.577 (0.290)	47	16100			0.00- 50.57	20.57
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.269)	85	292638	50.0000	46.536	80.00- 120.00	100.00
1.465	1.465 (0.269)	87	96221			2.88- 62.88	32.88
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.493 (0.274)	67	36358	50.0000	46.204	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
9 Chlorodifluoromethane (continued)							
1.493	1.493 (0.274)	51	468129			1257.55-1317.55	1287.55
10 Freon 114					CAS #: 76-14-2		
1.577	1.577 (0.290)	135	259836	50.0000	47.003	80.00- 120.00	100.00
1.577	1.577 (0.290)	137	83395			2.10- 62.10	32.10
12 Isobutane					CAS #: 75-28-5		
1.591	1.591 (0.292)	43	278870	50.0000	47.422	80.00- 120.00	100.00
1.591	1.591 (0.292)	42	88374			1.69- 61.69	31.69
1.577	1.577 (0.290)	58	9264			0.00- 33.32	3.32
15 Chloromethane					CAS #: 74-87-3		
1.675	1.675 (0.308)	50	150415	50.0000	49.610	80.00- 120.00	100.00
1.689	1.689 (0.310)	52	47202			1.38- 61.38	31.38
18 Butane					CAS #: 106-97-8		
1.731	1.731 (0.318)	58	28380	50.0000	46.686	80.00- 120.00	100.00
1.717	1.717 (0.316)	43	254393			866.38- 926.38	896.38
19 Vinyl Chloride					CAS #: 75-01-4		
1.759	1.759 (0.323)	62	140689	50.0000	47.958	80.00- 120.00	100.00
1.759	1.759 (0.323)	64	46571			3.10- 63.10	33.10
20 1,3-Butadiene					CAS #: 106-99-0		
1.773	1.773 (0.326)	54	124719	50.0000	45.256	80.00- 120.00	100.00
1.773	1.773 (0.326)	39	135625			78.74- 138.74	108.74
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	110674	50.0000	52.795	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	104242			64.19- 124.19	94.19
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.408)	64	67803	50.0000	48.196	80.00- 120.00	100.00
2.220	2.220 (0.408)	66	21916			2.32- 62.32	32.32
2.220	2.220 (0.408)	49	24636			6.33- 66.33	36.33
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	197832	50.0000	49.278	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	122197			31.77- 91.77	61.77
32 Vinyl Bromide					CAS #: 593-60-2		
2.416	2.416 (0.444)	106	123272	50.0000	50.560	80.00- 120.00	100.00
2.416	2.416 (0.444)	108	116140			64.21- 124.21	94.21
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.449)	101	350806	50.0000	48.423	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
33 Freon 11 (continued)							
2.444	2.444 (0.449)	103	227788			34.93- 94.93	64.93
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.472	2.472 (0.455)	67	279368	50.0000	48.361	80.00- 120.00	100.00
2.472	2.472 (0.455)	69	89253			1.95- 61.95	31.95
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.462)	43	300300	50.0000	49.162	80.00- 120.00	100.00
2.514	2.514 (0.462)	57	43974			0.00- 44.64	14.64
2.514	2.514 (0.462)	72	23738			0.00- 37.90	7.90
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.506)	46	27880	61.6000	48.507	80.00- 120.00	100.00
2.752	2.752 (0.506)	45	70928			224.40- 284.40	254.40
42 Acrolein					CAS #: 107-02-8		
3.061	3.061 (0.563)	55	58292	58.2500	47.122	80.00- 120.00	100.00
3.061	3.061 (0.563)	56	80457			108.02- 168.02	138.02
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	300923	50.0000	47.002	80.00- 120.00	100.00
3.068	3.068 (0.564)	153	195800			35.07- 95.07	65.07
3.061	3.061 (0.563)	101	353437			87.45- 147.45	117.45
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.097	3.097 (0.569)	96	126978	50.0000	46.612	80.00- 120.00	100.00
3.097	3.097 (0.569)	98	80334			33.27- 93.27	63.27
3.097	3.097 (0.569)	61	240053			159.05- 219.05	189.05
47 Acetone					CAS #: 67-64-1		
3.247	3.247 (0.597)	58	71777	50.0000	46.303	80.00- 120.00	100.00
3.247	3.247 (0.597)	43	257999			329.45- 389.45	359.45
48 Carbon Disulfide					CAS #: 75-15-0		
3.333	3.333 (0.613)	76	341151	50.0000	45.927	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.630)	45	306959	50.0000	47.628	80.00- 120.00	100.00
3.426	3.426 (0.630)	43	55811			0.00- 48.18	18.18
54 3-Chloropropene					CAS #: 107-05-1		
3.584	3.584 (0.659)	76	57383	50.0000	45.854	80.00- 120.00	100.00
3.584	3.584 (0.659)	41	227693			366.80- 426.80	396.80
57 Acetonitrile					CAS #: 75-05-8		
3.684	3.684 (0.677)	41	159283	58.8000	55.996	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
57 Acetonitrile (continued)							
3.684	3.684 (0.677)	40	84004			22.74- 82.74	52.74
3.684	3.684 (0.677)	38	19944			0.00- 42.52	12.52
59 Methylene Chloride					CAS #: 75-09-2		
3.784	3.784 (0.696)	49	202170	50.0000	47.481	80.00- 120.00	100.00
3.784	3.784 (0.696)	84	110985			24.90- 84.90	54.90
3.784	3.784 (0.696)	51	59978			0.00- 59.67	29.67
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.913	3.913 (0.719)	59	367280	57.6000	55.860	80.00- 120.00	100.00
3.913	3.913 (0.719)	41	80258			0.00- 51.85	21.85
3.913	3.913 (0.719)	57	37370			0.00- 40.17	10.17
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.737)	73	375253	50.0000	48.277	80.00- 120.00	100.00
4.006	4.006 (0.737)	57	107755			0.00- 58.72	28.72
4.006	4.006 (0.737)	41	110264			0.00- 59.38	29.38
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.741)	98	85073	50.0000	46.501	80.00- 120.00	100.00
4.028	4.028 (0.741)	61	223006			232.13- 292.13	262.13
4.028	4.028 (0.741)	96	133783			127.26- 187.26	157.26
66 Acrylonitrile					CAS #: 107-13-1		
4.142	4.142 (0.762)	52	109554	50.0000	46.305	80.00- 120.00	100.00
4.142	4.142 (0.762)	53	127571			86.45- 146.45	116.45
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.783)	57	253698	50.0000	44.505	80.00- 120.00	100.00
4.257	4.257 (0.783)	43	180039			40.97- 100.97	70.97
4.257	4.257 (0.783)	86	32163			0.00- 42.68	12.68
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.838)	63	250004	50.0000	47.288	80.00- 120.00	100.00
4.558	4.558 (0.838)	65	76182			0.47- 60.47	30.47
72 Isopropyl ether					CAS #: 108-20-3		
4.558	4.558 (0.838)	45	614202	50.0000	48.450	80.00- 120.00	100.00
4.551	4.551 (0.837)	87	120106			0.00- 49.55	19.55
4.551	4.551 (0.837)	59	64002			0.00- 40.42	10.42
73 Vinyl Acetate					CAS #: 108-05-4		
4.608	4.608 (0.847)	86	21625	50.0000	46.454	80.00- 120.00	100.00
4.608	4.608 (0.847)	43	380156			1727.95-1787.95	1757.95

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.945	4.945 (0.909)	59	533603	50.0000	48.810	80.00- 120.00	100.00
4.945	4.945 (0.909)	87	180892			3.90- 63.90	33.90
4.945	4.945 (0.909)	41	105236			0.00- 49.72	19.72
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.145	5.145 (0.946)	77	249345	50.0000	47.777	80.00- 120.00	100.00
5.145	5.145 (0.946)	79	80765			2.39- 62.39	32.39
5.145	5.145 (0.946)	97	58766			0.00- 53.57	23.57
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.188	5.188 (0.954)	98	89304	50.0000	47.140	80.00- 120.00	100.00
5.188	5.188 (0.954)	96	138898			125.53- 185.53	155.53
5.188	5.188 (0.954)	61	223135			219.86- 279.86	249.86
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.959)	72	65240	50.0000	47.798	80.00- 120.00	100.00
5.238	5.238 (0.963)	43	762225			1138.34-1198.34	1168.34
5.217	5.217 (0.959)	57	26636			10.83- 70.83	40.83
87 Ethyl Acetate					CAS #: 141-78-6		
5.245	5.245 (0.964)	45	60477	50.0000	44.304	80.00- 120.00	100.00
5.188	5.188 (0.954)	61	223135			338.96- 398.96	368.96
5.245	5.245 (0.964)	70	32976			24.53- 84.53	54.53
89 Tetrahydrofuran					CAS #: 109-99-9		
5.425	5.425 (0.997)	42	178361	50.0000	42.740	80.00- 120.00	100.00
5.432	5.432 (0.999)	71	50912			0.00- 58.54	28.54
5.432	5.432 (0.999)	72	52777			0.00- 59.59	29.59
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	106185	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	82598			47.79- 107.79	77.79
5.439	5.439 (1.000)	49	171308			131.33- 191.33	161.33
92 Chloroform					CAS #: 67-66-3		
5.518	5.518 (1.014)	83	266411	50.0000	46.928	80.00- 120.00	100.00
5.518	5.518 (1.014)	85	175219			35.77- 95.77	65.77
94 Cyclohexane					CAS #: 110-82-7		
5.611	5.611 (1.032)	84	178092	50.0000	46.893	80.00- 120.00	100.00
5.611	5.611 (1.032)	56	277448			125.79- 185.79	155.79
5.611	5.611 (1.032)	41	163035			61.55- 121.55	91.55
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.639	5.639 (1.037)	97	296136	50.0000	47.828	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
96 1,1,1-Trichloroethane (continued)							
5.639	5.639 (1.037)	99	186099			32.84- 92.84	62.84
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.059)	119	318047	50.0000	48.453	80.00- 120.00	100.00
5.761	5.761 (1.059)	117	334551			75.19- 135.19	105.19
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.804	5.804 (0.903)	110	75796	50.0000	48.129	80.00- 120.00	100.00
5.804	5.804 (0.903)	75	200226			234.16- 294.16	264.16
102 Benzene					CAS #: 71-43-2		
5.998	5.998 (0.933)	78	379091	50.0000	48.159	80.00- 120.00	100.00
5.998	5.998 (0.933)	77	89789			0.00- 53.69	23.69
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.998	5.998 (1.103)	57	873858	50.0000	49.064	80.00- 120.00	100.00
5.998	5.998 (1.103)	56	289123			3.09- 63.09	33.09
5.998	5.998 (1.103)	41	238381			0.00- 57.28	27.28
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.108)	65	136722	25.0000	24.720	80.00- 120.00	100.00
6.026	6.026 (1.108)	67	72691			23.17- 83.17	53.17
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.091	6.091 (0.948)	87	105657	50.0000	49.947	80.00- 120.00	100.00
6.091	6.091 (0.948)	73	418149			365.76- 425.76	395.76
6.091	6.091 (0.948)	55	129517			92.58- 152.58	122.58
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	198281	50.0000	48.289	80.00- 120.00	100.00
6.105	6.105 (0.950)	64	63059			1.80- 61.80	31.80
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	145181	50.0000	46.560	80.00- 120.00	100.00
6.184	6.184 (0.962)	43	345142			207.73- 267.73	237.73
6.184	6.184 (0.962)	57	166711			84.83- 144.83	114.83
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	390964	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	61173			0.00- 45.65	15.65
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.031)	56	82098	50.0000	45.872	80.00- 120.00	100.00
6.628	6.628 (1.031)	41	63814			47.73- 107.73	77.73
6.628	6.628 (1.031)	43	50571			31.60- 91.60	61.60

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	183021	50.0000	48.222	80.00- 120.00	100.00
6.635	6.635 (1.032)	130	201749			80.23- 140.23	110.23
6.635	6.635 (1.032)	97	118558			34.78- 94.78	64.78
127 Methylcyclohexane					CAS #: 108-87-2		
6.735	6.735 (1.048)	83	258114	50.0000	47.877	80.00- 120.00	100.00
6.735	6.735 (1.048)	98	115701			14.83- 74.83	44.83
6.735	6.735 (1.048)	55	261985			71.50- 131.50	101.50
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	174430	50.0000	47.092	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	122782			40.39- 100.39	70.39
6.893	6.893 (1.072)	41	107902			31.86- 91.86	61.86
116 Methyl Methacrylate					CAS #: 80-62-6		
6.979	6.979 (0.762)	69	150781	50.0000	47.222	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	265090			145.81- 205.81	175.81
6.979	6.979 (0.762)	100	60383			10.05- 70.05	40.05
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.088)	88	97926	50.0000	49.454	80.00- 120.00	100.00
6.993	6.993 (1.088)	58	84537			56.33- 116.33	86.33
6.993	6.993 (1.088)	57	31413			2.08- 62.08	32.08
118 Dibromomethane					CAS #: 74-95-3		
7.008	7.008 (0.765)	174	179531	50.0000	48.538	80.00- 120.00	100.00
7.008	7.008 (0.765)	93	166388			62.68- 122.68	92.68
7.008	7.008 (0.765)	95	139490			47.70- 107.70	77.70
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	296549	50.0000	48.269	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	192642			34.96- 94.96	64.96
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.459	7.459 (1.160)	63	320384	50.0000	49.024	80.00- 120.00	100.00
7.459	7.459 (1.160)	65	97487			0.43- 60.43	30.43
7.459	7.459 (1.160)	144	33579			0.00- 40.48	10.48
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.574	7.574 (1.178)	75	257832	50.0000	49.208	80.00- 120.00	100.00
7.574	7.574 (1.178)	77	80600			1.26- 61.26	31.26
7.574	7.574 (1.178)	39	167739			35.06- 95.06	65.06
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.710	7.710 (1.199)	58	163280	50.0000	45.303	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
131 4-Methyl-2-pentanone (continued)							
7.710	7.710 (1.199)	43	473310			259.88- 319.88	289.88
7.710	7.710 (1.199)	85	61360			7.58- 67.58	37.58
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	376606	25.0000	24.779	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	43024			0.00- 41.42	11.42
7.767	7.767 (1.208)	100	254350			37.54- 97.54	67.54
137 Toluene					CAS #: 108-88-3		
7.831	7.831 (1.218)	91	522189	50.0000	47.921	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	302287			27.89- 87.89	57.89
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	183324	50.0000	46.178	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	171465			63.53- 123.53	93.53
7.860	7.860 (1.223)	43	505975			246.00- 306.00	276.00
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	214335	50.0000	49.482	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	68227			1.83- 61.83	31.83
8.118	8.118 (0.887)	39	132830			31.97- 91.97	61.97
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.290	8.290 (0.905)	97	172017	50.0000	46.899	80.00- 120.00	100.00
8.290	8.290 (0.905)	99	107541			32.52- 92.52	62.52
8.283	8.283 (0.905)	83	152927			58.90- 118.90	88.90
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	270854	50.0000	49.181	80.00- 120.00	100.00
8.318	8.318 (0.908)	129	204001			45.32- 105.32	75.32
8.318	8.318 (0.908)	131	200899			44.17- 104.17	74.17
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	239701	50.0000	46.921	80.00- 120.00	100.00
8.447	8.447 (1.314)	41	215057			59.72- 119.72	89.72
8.447	8.447 (1.314)	78	79295			3.08- 63.08	33.08
143 2-Hexanone					CAS #: 591-78-6		
8.490	8.490 (0.927)	58	228908	50.0000	49.747	80.00- 120.00	100.00
8.490	8.490 (0.927)	43	474575			177.32- 237.32	207.32
8.490	8.490 (0.927)	100	39328			0.00- 47.18	17.18
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	361941	50.0000	49.931	80.00- 120.00	100.00
8.626	8.626 (0.942)	127	279672			47.27- 107.27	77.27

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	289451	50.0000	48.151	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	272604			64.18- 124.18	94.18
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.157	9.157 (1.000)	117	392003	25.0000		80.00- 120.00	100.00
9.157	9.157 (1.000)	82	207446			22.92- 82.92	52.92
154 Chlorobenzene					CAS #: 108-90-7		
9.185	9.185 (1.003)	112	439974	50.0000	48.442	80.00- 120.00	100.00
9.185	9.185 (1.003)	114	140384			1.91- 61.91	31.91
9.178	9.178 (1.002)	77	233044			22.97- 82.97	52.97
155 Ethyl Benzene					CAS #: 100-41-4		
9.250	9.250 (1.010)	106	221782	50.0000	48.547	80.00- 120.00	100.00
9.250	9.250 (1.010)	91	689934			281.09- 341.09	311.09
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.271	9.271 (1.013)	131	258312	50.0000	49.923	80.00- 120.00	100.00
9.271	9.271 (1.013)	117	173321			37.10- 97.10	67.10
9.271	9.271 (1.013)	95	90231			4.93- 64.93	34.93
156 Nonane					CAS #: 111-84-2		
9.314	9.314 (1.017)	43	519451	50.0000	48.956	80.00- 120.00	100.00
9.314	9.314 (1.017)	57	418804			50.62- 110.62	80.62
9.314	9.314 (1.017)	85	133228			0.00- 55.65	25.65
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	277013	50.0000	48.649	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	554941			170.33- 230.33	200.33
164 o-Xylene					CAS #: 95-47-6		
9.751	9.751 (1.065)	106	260621	50.0000	48.266	80.00- 120.00	100.00
9.751	9.751 (1.065)	91	550517			181.23- 241.23	211.23
165 Styrene					CAS #: 100-42-5		
9.780	9.780 (1.068)	104	446935	50.0000	48.467	80.00- 120.00	100.00
9.780	9.780 (1.068)	78	211208			17.26- 77.26	47.26
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.091)	173	370788	50.0000	50.614	80.00- 120.00	100.00
9.987	9.987 (1.091)	171	190754			21.45- 81.45	51.45
168 Cumene					CAS #: 98-82-8		
10.095	10.095 (1.102)	105	806471	50.0000	49.408	80.00- 120.00	100.00
10.095	10.095 (1.102)	120	217213			0.00- 56.93	26.93

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
168 Cumene (continued)							
10.095	10.095 (1.102)	51	98730			0.00- 42.24	12.24
169 Cyclohexanone					CAS #: 108-94-1		
10.260	10.260 (1.120)	55	287299	50.0000	44.488	80.00- 120.00	100.00
10.260	10.260 (1.120)	98	100976			5.15- 65.15	35.15
10.260	10.260 (1.120)	42	206820			41.99- 101.99	71.99
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	289610	25.0000	24.860	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	343157			88.49- 148.49	118.49
10.295	10.295 (1.124)	176	280149			66.73- 126.73	96.73
177 Bromobenzene					CAS #: 108-86-1		
10.432	10.432 (1.139)	156	276298	50.0000	48.585	80.00- 120.00	100.00
10.432	10.432 (1.139)	158	269302			67.47- 127.47	97.47
10.432	10.432 (1.139)	77	383158			108.68- 168.68	138.68
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.475	10.475 (1.144)	83	403453	50.0000	47.655	80.00- 120.00	100.00
10.475	10.475 (1.144)	85	262135			34.97- 94.97	64.97
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.146)	120	235343	50.0000	48.760	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	973373			383.60- 443.60	413.60
10.496	10.496 (1.146)	105	37993			0.00- 46.14	16.14
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.525	10.525 (1.149)	110	119738	50.0000	46.601	80.00- 120.00	100.00
10.525	10.525 (1.149)	75	424208			324.28- 384.28	354.28
10.518	10.518 (1.149)	61	104455			57.24- 117.24	87.24
182 Decane					CAS #: 124-18-5		
10.611	10.611 (1.159)	57	557664	50.0000	44.643	80.00- 120.00	100.00
10.611	10.611 (1.159)	71	173478			1.11- 61.11	31.11
10.611	10.611 (1.159)	142	24768			0.00- 34.44	4.44
183 4-Ethyltoluene					CAS #: 622-96-8		
10.611	10.611 (1.159)	120	256210	50.0000	48.702	80.00- 120.00	100.00
10.611	10.611 (1.159)	105	842767			298.94- 358.94	328.94
184 2-Chlorotoluene					CAS #: 95-49-8		
10.611	10.611 (1.159)	126	214507	50.0000	48.192	80.00- 120.00	100.00
10.611	10.611 (1.159)	91	670938			282.78- 342.78	312.78
10.603	10.603 (1.158)	65	101528			17.33- 77.33	47.33

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	347148	50.0000	48.931	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	701508			172.08- 232.08	202.08
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	366513	50.0000	48.769	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	203934			25.64- 85.64	55.64
189 tert-Butylbenzene					CAS #: 98-06-6		
10.983	10.983 (1.199)	119	660932	50.0000	49.001	80.00- 120.00	100.00
10.983	10.983 (1.199)	134	165884			0.00- 55.10	25.10
10.976	10.976 (1.199)	91	426484			34.53- 94.53	64.53
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	697860	50.0000	48.110	80.00- 120.00	100.00
11.040	11.040 (1.206)	120	325384			16.63- 76.63	46.63
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	215240	50.0000	48.750	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	1005150			436.99- 496.99	466.99
11.198	11.198 (1.223)	91	154312			41.69- 101.69	71.69
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	883857	50.0000	48.951	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	244087			0.00- 57.62	27.62
11.341	11.341 (1.239)	91	203563			0.00- 53.03	23.03
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	510428	50.0000	47.487	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	327614			34.18- 94.18	64.18
11.348	11.348 (1.239)	111	204477			10.06- 70.06	40.06
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.449	11.449 (1.250)	146	522636	50.0000	48.002	80.00- 120.00	100.00
11.449	11.449 (1.250)	148	332150			33.55- 93.55	63.55
11.449	11.449 (1.250)	111	198480			7.98- 67.98	37.98
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	675951	50.0000	49.026	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	153933			0.00- 52.77	22.77
202 Butylbenzene					CAS #: 104-51-8		
11.750	11.750 (1.283)	134	242530	50.0000	48.738	80.00- 120.00	100.00
11.742	11.742 (1.282)	91	826602			310.82- 370.82	340.82
11.742	11.742 (1.282)	92	440268			151.53- 211.53	181.53

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	657222	50.0000	44.249	80.00- 120.00	100.00
11.785	11.785 (1.287)	43	615095			63.59- 123.59	93.59
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	500732	50.0000	48.001	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	315470			33.00- 93.00	63.00
11.814	11.814 (1.290)	111	204643			10.87- 70.87	40.87
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.378)	157	308162	50.0000	49.945	80.00- 120.00	100.00
12.616	12.616 (1.378)	75	240658			48.09- 108.09	78.09
12.616	12.616 (1.378)	155	240025			47.89- 107.89	77.89
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.404)	57	739756	50.0000	49.444	80.00- 120.00	100.00
12.860	12.860 (1.404)	43	654818			58.52- 118.52	88.52
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.463)	180	506089	50.0000	48.955	80.00- 120.00	100.00
13.397	13.397 (1.463)	182	479986			64.84- 124.84	94.84
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.512	13.512 (1.476)	225	371784	50.0000	49.302	80.00- 120.00	100.00
13.512	13.512 (1.476)	223	233497			32.80- 92.80	62.80
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.490)	128	117113	5.80000	5.428	80.00- 120.00	100.00
13.648	13.648 (1.490)	127	14900			0.00- 42.72	12.72
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.517)	180	492088	50.0000	48.577	80.00- 120.00	100.00
13.891	13.891 (1.517)	182	467815			65.07- 125.07	95.07
13.891	13.891 (1.517)	145	169692			4.48- 64.48	34.48

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042312.d
Lab Smp Id: ICAL Level #7
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #7
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	106185	0.00
108 1,4-Difluorobenze	390964	234578	547350	390964	0.00
153 Chlorobenzene-d5	392003	235202	548804	392003	0.00

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042312.d

Page 1

Date : 23-APR-2024 23:59

Client ID: ICAL Level #7


Instrument: msd3.i

Sample Info: 50ml 3018-4439

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3041807.d
Lab Smp Id: ICAL Level #8 Client Smp ID: ICAL Level #8
Inj Date : 18-APR-2024 11:41
Operator : mjs Inst ID: msd3.i
Smp Info : 100ml 3018-4328
Misc Info : 100ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 24-APR-2024 00:31 Cal File: 3042313.d
Als bottle: 2 Calibration Sample, Level: 8
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT21spICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	118285	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	92003			47.79- 107.79	77.78
5.439	5.439 (1.000)	49	192470			131.33- 191.33	162.72
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	456464	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	71642			0.00- 45.65	15.69
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	465967	25.0000		80.00- 120.00	100.00
9.156	9.157 (1.000)	82	251207			22.92- 82.92	53.91
3 Freon 143a					CAS #: 420-46-2		
1.409	1.395 (0.259)	65	171189	100.000	107.29	80.00- 120.00	100.00
1.395	1.395 (0.256)	69	462607			237.43- 297.43	270.23
1.395	1.395 (0.256)	64	42504			0.00- 57.02	24.83
6 Propane					CAS #: 74-98-6		
1.437	1.423 (0.264)	43	110189	100.000	100.66	80.00- 120.00	100.00

				AMOUNTS				
				CAL-AMT	ON-COL			
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE		RATIO
==	====== ========	====	========	=======	=======	==========		=====
6 Propane (continued)								
1.437	1.437 (0.264)	39	72330			37.94-	97.94	65.64
1.437	1.423 (0.264)	41	58496			21.79-	81.79	53.09
13 Freon 142b					CAS #: 75-68-3			
1.618	1.604 (0.298)	65	559739	100.000	96.293	80.00-	120.00	100.00
1.618	1.604 (0.298)	45	162709			0.00-	58.87	29.07
36 1-Pentene					CAS #: 109-67-1			
2.458	2.458 (0.452)	55	358563	100.000	99.363	80.00-	120.00	100.00
2.458	2.458 (0.452)	42	517690			114.47-	174.47	144.38
38 Ethyl Ether					CAS #: 60-29-7			
2.808	2.794 (0.516)	74	142427	100.000	95.433	80.00-	120.00	100.00
2.794	2.794 (0.514)	59	235608			138.79-	198.79	165.42
2.794	2.794 (0.514)	45	206733			114.58-	174.58	145.15
40 Freon 123a					CAS #: 354-23-4			
2.906	2.906 (0.534)	117	447270	100.000	95.105	80.00-	120.00	100.00
2.906	2.892 (0.534)	67	589909			102.78-	162.78	131.89
41 Freon 123					CAS #: 306-83-2			
2.990	2.990 (0.550)	83	410711	100.000	94.292	80.00-	120.00	100.00
2.990	2.990 (0.550)	133	90197			0.00-	53.60	21.96
2.990	2.990 (0.550)	85	272675			36.72-	96.72	66.39
55 Cyclopentene					CAS #: 142-29-0			
3.591	3.591 (0.660)	67	668026	100.000	100.74	80.00-	120.00	100.00
3.591	3.591 (0.660)	68	253928			8.38-	68.38	38.01
3.591	3.591 (0.660)	53	164167			0.00-	54.97	24.57
56 Methyl Acetate					CAS #: 79-20-9			
3.626	3.619 (0.667)	43	749002	100.000	101.65	80.00-	120.00	100.00
3.626	3.619 (0.667)	74	115795			0.00-	45.84	15.46
74 Chloroprene					CAS #: 126-99-8			
4.608	4.608 (0.847)	53	574145	100.000	99.628	80.00-	120.00	100.00
4.608	4.608 (0.847)	88	258258			14.44-	74.44	44.98
4.608	4.608 (0.847)	50	153572			0.00-	56.76	26.75
75 1-Propanol					CAS #: 71-23-8			
4.715	4.715 (0.867)	59	78368	100.000	90.070	80.00-	120.00	100.00
4.715	4.715 (0.867)	42	75931			63.00-	123.00	96.89
4.715	4.715 (0.867)	41	47829			28.69-	88.69	61.03
88 Methyl Acrylate					CAS #: 96-33-3			
5.288	5.288 (0.972)	55	722722	100.000	99.837	80.00-	120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
88 Methyl Acrylate (continued)							
5.295	5.288 (0.974)	85	95993			0.00- 43.17	13.28
5.288	5.288 (0.972)	58	61204			0.00- 38.59	8.47
103 Isobutanol					CAS #: 78-83-1		
5.990	5.990 (1.101)	39	90670	100.000	79.209	80.00- 120.00	100.00
5.990	5.990 (1.101)	43	400031			402.02- 462.02	441.19
5.990	5.990 (1.101)	41	281417			275.29- 335.29	310.37
113 Ethyl acrylate					CAS #: 140-88-5		
6.764	6.764 (0.739)	99	57225	100.000	90.142	80.00- 120.00	100.00
6.764	6.764 (0.739)	45	98757			144.38- 204.38	172.58
6.764	6.764 (0.739)	55	980424			1723.57-1783.57	1713.28
115 2-Pentanone					CAS #: 107-87-9		
6.857	6.857 (0.749)	43	1226660	100.000	95.979	80.00- 120.00	100.00
6.857	6.857 (0.749)	58	87729			0.00- 37.02	7.15
6.857	6.857 (0.749)	86	166870			0.00- 43.48	13.60
145 Butyl Acetate					CAS #: 123-86-4		
8.576	8.576 (1.334)	56	527472	100.000	94.035	80.00- 120.00	100.00
8.576	8.576 (1.334)	73	172066			2.83- 62.83	32.62
8.576	8.576 (1.334)	43	1431296			240.40- 300.40	271.35
166 2-Heptanone					CAS #: 110-43-0		
9.901	9.901 (1.821)	58	809815	100.000	89.434	80.00- 120.00	100.00
9.901	9.901 (1.821)	43	1415889			146.16- 206.16	174.84
210 alpha-Pinene					CAS #: 80-56-8		
10.037	10.037 (1.096)	93	1201325	100.000	98.247	80.00- 120.00	100.00
10.037	10.037 (1.096)	77	348279			0.00- 59.07	28.99
214 beta-Pinene					CAS #: 127-91-3		
10.696	10.696 (1.168)	93	935215	100.000	98.218	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	1630866			151.21- 211.21	174.38
186 4-Chlorotoluene					CAS #: 106-43-4		
10.725	10.725 (1.171)	126	497990	100.000	95.924	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	1630866			296.65- 356.65	327.49
10.725	10.725 (1.171)	63	201355			10.84- 70.84	40.43
172 D-Limonene					CAS #: 5989-27-5		
11.277	11.277 (1.232)	68	734980	100.000	95.368	80.00- 120.00	100.00
11.277	11.277 (1.232)	93	518516			41.19- 101.19	70.55
197 1,2,3-Trimethylbenzene					CAS #: 526-73-8		
11.463	11.463 (1.252)	120	677610	100.000	95.152	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
197 1,2,3-Trimethylbenzene (continued)							
11.463	11.463 (1.252)	105	1565838			201.76- 261.76	231.08
11.463	11.463 (1.252)	77	180458			0.00- 57.12	26.63
205 Hexachloroethane					CAS #: 67-72-1		
12.014	12.014 (1.312)	201	437026	100.000	101.58	80.00- 120.00	100.00
12.014	12.014 (1.312)	117	629191			114.78- 174.78	143.97
208 1,3,5-Trichlorobenzene					CAS #: 108-70-3		
12.759	12.752 (1.393)	180	966470	100.000	97.497	80.00- 120.00	100.00
12.759	12.752 (1.393)	182	923585			64.68- 124.68	95.56

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3041807.d
Lab Smp Id: ICAL Level #8
Analysis Type: VOA
Quant Type: ISTD
Operator: mjs
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 100ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #8
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	118285	11.40
108 1,4-Difluorobenze	390964	234578	547350	456464	16.75
153 Chlorobenzene-d5	392003	235202	548804	465967	18.87

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3041807.d

Page 1

Date : 18-APR-2024 11:41

Client ID: ICAL Level #8


Instrument: msd3.i

Sample Info: 100ml 3018-4328

Operator: mjs

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042313.d
Lab Smp Id: ICAL Level #8 Client Smp ID: ICAL Level #8
Inj Date : 24-APR-2024 00:31
Operator : DF Inst ID: msd3.i
Smp Info : 100ml 3018-4439
Misc Info : 100ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 24-APR-2024 00:31 Cal File: 3042313.d
Als bottle: 13 Calibration Sample, Level: 8
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23ICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
4 Freon 134a					CAS #: 811-97-2		
1.423	1.409 (0.262)	83	233889	100.000	95.603	80.00- 120.00	100.00
1.423	1.409 (0.262)	69	218520			64.17- 124.17	93.43
1.492	1.493 (0.274)	51	972848			365.46- 425.46	415.94
5 Propylene					CAS #: 115-07-1		
1.436	1.437 (0.264)	41	275170	100.000	99.261	80.00- 120.00	100.00
1.436	1.437 (0.264)	42	179505			35.86- 95.86	65.23
1.436	1.437 (0.264)	39	193538			41.66- 101.66	70.33
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.478	1.465 (0.272)	65	157731	100.000	98.702	80.00- 120.00	100.00
1.492	1.493 (0.274)	51	972848			568.10- 628.10	616.78
1.576	1.577 (0.290)	47	32982			0.00- 50.57	20.91
8 Freon 12					CAS #: 75-71-8		
1.464	1.465 (0.269)	85	606922	100.000	96.826	80.00- 120.00	100.00
1.464	1.465 (0.269)	87	196368			2.88- 62.88	32.35
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.506	1.493 (0.277)	67	72073	100.000	91.887	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
9 Chlorodifluoromethane (continued)							
1.492	1.493 (0.274)	51	972848			1257.55-1317.55	1349.81
10 Freon 114					CAS #: 76-14-2		
1.576	1.577 (0.290)	135	544220	100.000	98.766	80.00- 120.00	100.00
1.576	1.577 (0.290)	137	173490			2.10- 62.10	31.88
12 Isobutane					CAS #: 75-28-5		
1.590	1.591 (0.292)	43	577867	100.000	98.584	80.00- 120.00	100.00
1.590	1.591 (0.292)	42	178573			1.69- 61.69	30.90
1.590	1.577 (0.292)	58	18550			0.00- 33.32	3.21
15 Chloromethane					CAS #: 74-87-3		
1.688	1.675 (0.310)	50	299977	100.000	99.260	80.00- 120.00	100.00
1.688	1.675 (0.310)	52	90827			1.38- 61.38	30.28
18 Butane					CAS #: 106-97-8		
1.730	1.731 (0.318)	58	58329	100.000	96.264	80.00- 120.00	100.00
1.730	1.731 (0.318)	43	529531			866.38- 926.38	907.83
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.759 (0.323)	62	291774	100.000	99.782	80.00- 120.00	100.00
1.758	1.759 (0.323)	64	88995			3.10- 63.10	30.50
20 1,3-Butadiene					CAS #: 106-99-0		
1.786	1.773 (0.328)	54	251430	100.000	91.531	80.00- 120.00	100.00
1.786	1.773 (0.328)	39	281058			78.74- 138.74	111.78
24 Bromomethane					CAS #: 74-83-9		
2.122	2.108 (0.390)	94	233940	100.000	111.96	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	219932			64.19- 124.19	94.01
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.408)	64	142706	100.000	101.77	80.00- 120.00	100.00
2.220	2.220 (0.408)	66	43744			2.32- 62.32	30.65
2.220	2.220 (0.408)	49	50917			6.33- 66.33	35.68
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	395624	100.000	98.866	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	246841			31.77- 91.77	62.39
32 Vinyl Bromide					CAS #: 593-60-2		
2.416	2.416 (0.444)	106	257498	100.000	105.96	80.00- 120.00	100.00
2.416	2.416 (0.444)	108	239156			64.21- 124.21	92.88
33 Freon 11					CAS #: 75-69-4		
2.458	2.444 (0.452)	101	718554	100.000	99.507	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
33 Freon 11 (continued)							
2.458	2.444 (0.452)	103	471661			34.93- 94.93	65.64
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.472	2.472 (0.455)	67	577688	100.000	100.33	80.00- 120.00	100.00
2.472	2.472 (0.455)	69	185727			1.95- 61.95	32.15
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.462)	43	613816	100.000	100.81	80.00- 120.00	100.00
2.514	2.514 (0.462)	57	88699			0.00- 44.64	14.45
2.514	2.514 (0.462)	72	47993			0.00- 37.90	7.82
39 Ethanol					CAS #: 64-17-5		
2.766	2.752 (0.509)	46	57015	123.200	99.519	80.00- 120.00	100.00
2.766	2.752 (0.509)	45	143206			224.40- 284.40	251.17
42 Acrolein					CAS #: 107-02-8		
3.061	3.061 (0.563)	55	116660	116.500	94.612	80.00- 120.00	100.00
3.061	3.061 (0.563)	56	168234			108.02- 168.02	144.21
43 Freon 113					CAS #: 76-13-1		
3.068	3.061 (0.564)	151	592188	100.000	92.794	80.00- 120.00	100.00
3.068	3.061 (0.564)	153	385161			35.07- 95.07	65.04
3.068	3.061 (0.564)	101	666908			87.45- 147.45	112.62
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.096	3.097 (0.569)	96	301261	100.000	110.95	80.00- 120.00	100.00
3.096	3.097 (0.569)	98	167959			33.27- 93.27	55.75
3.096	3.097 (0.569)	61	498243			159.05- 219.05	165.39
47 Acetone					CAS #: 67-64-1		
3.247	3.247 (0.597)	58	148068	100.000	95.827	80.00- 120.00	100.00
3.247	3.247 (0.597)	43	537163			329.45- 389.45	362.78
48 Carbon Disulfide					CAS #: 75-15-0		
3.333	3.333 (0.613)	76	710224	100.000	95.922	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.433	3.426 (0.631)	45	642786	100.000	100.06	80.00- 120.00	100.00
3.433	3.426 (0.631)	43	122192			0.00- 48.18	19.01
54 3-Chloropropene					CAS #: 107-05-1		
3.583	3.584 (0.659)	76	121265	100.000	97.215	80.00- 120.00	100.00
3.583	3.584 (0.659)	41	471311			366.80- 426.80	388.66
57 Acetonitrile					CAS #: 75-05-8		
3.691	3.684 (0.679)	41	334986	117.600	118.15	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
57 Acetonitrile (continued)							
3.684	3.684 (0.677)	40	172907			22.74- 82.74	51.62
3.684	3.684 (0.677)	38	40298			0.00- 42.52	12.03
59 Methylene Chloride					CAS #: 75-09-2		
3.784	3.784 (0.696)	49	420045	100.000	98.971	80.00- 120.00	100.00
3.784	3.784 (0.696)	84	231441			24.90- 84.90	55.10
3.784	3.784 (0.696)	51	125628			0.00- 59.67	29.91
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.913	3.913 (0.719)	59	743605	115.200	113.46	80.00- 120.00	100.00
3.913	3.913 (0.719)	41	162125			0.00- 51.85	21.80
3.913	3.913 (0.719)	57	80421			0.00- 40.17	10.82
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.737)	73	741406	100.000	95.692	80.00- 120.00	100.00
4.006	4.006 (0.737)	57	213348			0.00- 58.72	28.78
4.006	4.006 (0.737)	41	218919			0.00- 59.38	29.53
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.035	4.028 (0.742)	98	176446	100.000	96.758	80.00- 120.00	100.00
4.028	4.028 (0.741)	61	467010			232.13- 292.13	264.68
4.035	4.028 (0.742)	96	280492			127.26- 187.26	158.97
66 Acrylonitrile					CAS #: 107-13-1		
4.149	4.142 (0.763)	52	229116	100.000	97.154	80.00- 120.00	100.00
4.149	4.142 (0.763)	53	285142			86.45- 146.45	124.45
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.783)	57	517066	100.000	91.000	80.00- 120.00	100.00
4.257	4.257 (0.783)	43	367195			40.97- 100.97	71.02
4.257	4.257 (0.783)	86	65677			0.00- 42.68	12.70
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.838)	63	523580	100.000	99.356	80.00- 120.00	100.00
4.558	4.558 (0.838)	65	160766			0.47- 60.47	30.71
72 Isopropyl ether					CAS #: 108-20-3		
4.550	4.558 (0.837)	45	1226420	100.000	97.056	80.00- 120.00	100.00
4.558	4.558 (0.838)	87	239988			0.00- 49.55	19.57
4.550	4.558 (0.837)	59	123985			0.00- 40.42	10.11
73 Vinyl Acetate					CAS #: 108-05-4		
4.615	4.608 (0.849)	86	47844	100.000	103.11	80.00- 120.00	100.00
4.608	4.608 (0.847)	43	780354			1727.95-1787.95	1631.04

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.937	4.945 (0.908)	59	1072332	100.000	98.406	80.00- 120.00	100.00
4.944	4.945 (0.909)	87	366422			3.90- 63.90	34.17
4.937	4.945 (0.908)	41	210371			0.00- 49.72	19.62
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.145	5.145 (0.946)	77	501026	100.000	96.313	80.00- 120.00	100.00
5.145	5.145 (0.946)	79	161864			2.39- 62.39	32.31
5.145	5.145 (0.946)	97	118677			0.00- 53.57	23.69
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.188	5.188 (0.954)	98	187231	100.000	99.151	80.00- 120.00	100.00
5.188	5.188 (0.954)	96	289937			125.53- 185.53	154.86
5.188	5.188 (0.954)	61	470007			219.86- 279.86	251.03
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.959)	72	137061	100.000	100.74	80.00- 120.00	100.00
5.238	5.217 (0.963)	43	1592983			1138.34-1198.34	1162.24
5.217	5.217 (0.959)	57	54006			10.83- 70.83	39.40
87 Ethyl Acetate					CAS #: 141-78-6		
5.245	5.245 (0.964)	45	126480	100.000	92.956	80.00- 120.00	100.00
5.188	5.188 (0.954)	61	470007			338.96- 398.96	371.61
5.245	5.245 (0.964)	70	69046			24.53- 84.53	54.59
89 Tetrahydrofuran					CAS #: 109-99-9		
5.432	5.425 (0.999)	42	374946	100.000	90.138	80.00- 120.00	100.00
5.432	5.425 (0.999)	71	106420			0.00- 58.54	28.38
5.432	5.425 (0.999)	72	111677			0.00- 59.59	29.78
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	105842	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	83069			47.79- 107.79	78.48
5.439	5.439 (1.000)	49	172113			131.33- 191.33	162.61
92 Chloroform					CAS #: 67-66-3		
5.517	5.518 (1.014)	83	565091	100.000	99.863	80.00- 120.00	100.00
5.517	5.518 (1.014)	85	370641			35.77- 95.77	65.59
94 Cyclohexane					CAS #: 110-82-7		
5.611	5.611 (1.032)	84	359507	100.000	94.967	80.00- 120.00	100.00
5.611	5.611 (1.032)	56	552721			125.79- 185.79	153.74
5.611	5.611 (1.032)	41	325050			61.55- 121.55	90.42
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.639	5.639 (1.037)	97	591595	100.000	95.857	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
96 1,1,1-Trichloroethane (continued)							
5.639	5.639 (1.037)	99	376125			32.84- 92.84	63.58
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.059)	119	642704	100.000	98.230	80.00- 120.00	100.00
5.761	5.761 (1.059)	117	669686			75.19- 135.19	104.20
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.804	5.804 (0.903)	110	159905	100.000	100.11	80.00- 120.00	100.00
5.804	5.804 (0.903)	75	420011			234.16- 294.16	262.66
102 Benzene					CAS #: 71-43-2		
5.997	5.998 (0.933)	78	785301	100.000	98.366	80.00- 120.00	100.00
5.997	5.998 (0.933)	77	185549			0.00- 53.69	23.63
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.990	5.998 (1.101)	57	1780857	100.000	100.31	80.00- 120.00	100.00
5.990	5.998 (1.101)	56	589538			3.09- 63.09	33.10
5.990	5.998 (1.101)	41	491319			0.00- 57.28	27.59
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.108)	65	138700	25.0000	25.159	80.00- 120.00	100.00
6.026	6.026 (1.108)	67	82615			23.17- 83.17	59.56
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.090	6.091 (0.948)	87	213810	100.000	99.657	80.00- 120.00	100.00
6.090	6.091 (0.948)	73	848451			365.76- 425.76	396.82
6.090	6.091 (0.948)	55	259377			92.58- 152.58	121.31
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	415718	100.000	99.824	80.00- 120.00	100.00
6.105	6.105 (0.950)	64	132642			1.80- 61.80	31.91
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	295338	100.000	93.388	80.00- 120.00	100.00
6.184	6.184 (0.962)	43	705437			207.73- 267.73	238.86
6.184	6.184 (0.962)	57	339527			84.83- 144.83	114.96
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	396522	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	60780			0.00- 45.65	15.33
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.031)	56	175615	100.000	96.750	80.00- 120.00	100.00
6.628	6.628 (1.031)	41	135185			47.73- 107.73	76.98
6.628	6.628 (1.031)	43	107643			31.60- 91.60	61.29

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	385359	100.000	100.11	80.00- 120.00	100.00
6.635	6.635 (1.032)	130	420282			80.23- 140.23	109.06
6.635	6.635 (1.032)	97	247896			34.78- 94.78	64.33
127 Methylcyclohexane					CAS #: 108-87-2		
6.735	6.735 (1.048)	83	521879	100.000	95.445	80.00- 120.00	100.00
6.735	6.735 (1.048)	98	234798			14.83- 74.83	44.99
6.735	6.735 (1.048)	55	529750			71.50- 131.50	101.51
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	356857	100.000	94.992	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	254327			40.39- 100.39	71.27
6.893	6.893 (1.072)	41	220968			31.86- 91.86	61.92
116 Methyl Methacrylate					CAS #: 80-62-6		
6.979	6.979 (0.762)	69	309787	100.000	95.457	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	541842			145.81- 205.81	174.91
6.979	6.979 (0.762)	100	124306			10.05- 70.05	40.13
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.088)	88	197381	100.000	98.283	80.00- 120.00	100.00
6.993	6.993 (1.088)	58	172789			56.33- 116.33	87.54
6.993	6.993 (1.088)	57	63133			2.08- 62.08	31.99
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.008 (0.765)	174	381602	100.000	101.51	80.00- 120.00	100.00
7.007	7.008 (0.765)	93	352368			62.68- 122.68	92.34
7.007	7.008 (0.765)	95	293123			47.70- 107.70	76.81
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	622682	100.000	99.932	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	405152			34.96- 94.96	65.07
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.459	7.459 (1.160)	63	664952	100.000	100.32	80.00- 120.00	100.00
7.459	7.459 (1.160)	65	202248			0.43- 60.43	30.42
7.459	7.459 (1.160)	144	71736			0.00- 40.48	10.79
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.574 (1.178)	75	536050	100.000	100.87	80.00- 120.00	100.00
7.573	7.574 (1.178)	77	171485			1.26- 61.26	31.99
7.573	7.574 (1.178)	39	348968			35.06- 95.06	65.10
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.709	7.710 (1.199)	58	331484	100.000	90.683	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
131 4-Methyl-2-pentanone (continued)							
7.709	7.710 (1.199)	43	967531			259.88- 319.88	291.88
7.709	7.710 (1.199)	85	121207			7.58- 67.58	36.56
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	384928	25.0000	24.971	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	43720			0.00- 41.42	11.36
7.767	7.767 (1.208)	100	262520			37.54- 97.54	68.20
137 Toluene					CAS #: 108-88-3		
7.831	7.831 (1.218)	91	1060130	100.000	95.924	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	616016			27.89- 87.89	58.11
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	369712	100.000	91.822	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	344482			63.53- 123.53	93.18
7.860	7.860 (1.223)	43	1007724			246.00- 306.00	272.57
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	443012	100.000	100.63	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	141332			1.83- 61.83	31.90
8.118	8.118 (0.887)	39	271120			31.97- 91.97	61.20
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.290	8.290 (0.905)	97	356494	100.000	95.630	80.00- 120.00	100.00
8.290	8.290 (0.905)	99	222775			32.52- 92.52	62.49
8.290	8.290 (0.905)	83	311459			58.90- 118.90	87.37
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	553652	100.000	98.911	80.00- 120.00	100.00
8.318	8.318 (0.908)	129	425367			45.32- 105.32	76.83
8.318	8.318 (0.908)	131	417713			44.17- 104.17	75.45
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	496519	100.000	95.831	80.00- 120.00	100.00
8.447	8.447 (1.314)	41	440869			59.72- 119.72	88.79
8.447	8.447 (1.314)	78	160031			3.08- 63.08	32.23
143 2-Hexanone					CAS #: 591-78-6		
8.490	8.490 (0.927)	58	464697	100.000	99.362	80.00- 120.00	100.00
8.490	8.490 (0.927)	43	963714			177.32- 237.32	207.39
8.490	8.490 (0.927)	100	79775			0.00- 47.18	17.17
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	755601	100.000	102.56	80.00- 120.00	100.00
8.626	8.626 (0.942)	127	585162			47.27- 107.27	77.44

				AMOUNTS				
				CAL-AMT	ON-COL			
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE		RATIO
==	====== ========	====	========	=======	=======	==========		=====
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4			
8.748	8.741 (0.955)	107	596749	100.000	97.672	80.00- 120.00		100.00
8.748	8.741 (0.955)	109	564389			64.18- 124.18		94.58
* 153 Chlorobenzene-d5					CAS #: 3114-55-4			
9.156	9.157 (1.000)	117	398422	25.0000		80.00- 120.00		100.00
9.156	9.157 (1.000)	82	211171			22.92- 82.92		53.00
154 Chlorobenzene					CAS #: 108-90-7			
9.185	9.185 (1.003)	112	891221	100.000	96.545	80.00- 120.00		100.00
9.185	9.185 (1.003)	114	283609			1.91- 61.91		31.82
9.178	9.185 (1.002)	77	470841			22.97- 82.97		52.83
155 Ethyl Benzene					CAS #: 100-41-4			
9.249	9.250 (1.010)	106	444390	100.000	95.707	80.00- 120.00		100.00
9.249	9.250 (1.010)	91	1374525			281.09- 341.09		309.31
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6			
9.271	9.271 (1.013)	131	531773	100.000	101.12	80.00- 120.00		100.00
9.271	9.271 (1.013)	117	357246			37.10- 97.10		67.18
9.271	9.271 (1.013)	95	181859			4.93- 64.93		34.20
156 Nonane					CAS #: 111-84-2			
9.314	9.314 (1.017)	43	1038239	100.000	96.273	80.00- 120.00		100.00
9.314	9.314 (1.017)	57	841060			50.62- 110.62		81.01
9.314	9.314 (1.017)	85	263825			0.00- 55.65		25.41
158 m,p-Xylene					CAS #: 108-38-3			
9.371	9.364 (1.023)	106	562748	100.000	97.237	80.00- 120.00		100.00
9.371	9.364 (1.023)	91	1122896			170.33- 230.33		199.54
164 o-Xylene					CAS #: 95-47-6			
9.751	9.751 (1.065)	106	531095	100.000	96.773	80.00- 120.00		100.00
9.751	9.751 (1.065)	91	1106036			181.23- 241.23		208.26
165 Styrene					CAS #: 100-42-5			
9.779	9.780 (1.068)	104	901272	100.000	96.162	80.00- 120.00		100.00
9.779	9.780 (1.068)	78	430200			17.26- 77.26		47.73
167 Bromoform					CAS #: 75-25-2			
9.987	9.987 (1.091)	173	764011	100.000	102.61	80.00- 120.00		100.00
9.987	9.987 (1.091)	171	393935			21.45- 81.45		51.56
168 Cumene					CAS #: 98-82-8			
10.095	10.095 (1.102)	105	1623414	100.000	97.855	80.00- 120.00		100.00
10.095	10.095 (1.102)	120	439762			0.00- 56.93		27.09

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
168 Cumene (continued)							
10.095	10.095 (1.102)	51	196064			0.00- 42.24	12.08
169 Cyclohexanone					CAS #: 108-94-1		
10.259	10.260 (1.120)	55	573173	100.000	87.326	80.00- 120.00	100.00
10.259	10.260 (1.120)	98	203718			5.15- 65.15	35.54
10.259	10.260 (1.120)	42	412326			41.99- 101.99	71.94
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	296799	25.0000	25.066	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	349798			88.49- 148.49	117.86
10.295	10.295 (1.124)	176	289385			66.73- 126.73	97.50
177 Bromobenzene					CAS #: 108-86-1		
10.431	10.432 (1.139)	156	558700	100.000	96.660	80.00- 120.00	100.00
10.431	10.432 (1.139)	158	546276			67.47- 127.47	97.78
10.431	10.432 (1.139)	77	768495			108.68- 168.68	137.55
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.474	10.475 (1.144)	83	813731	100.000	94.567	80.00- 120.00	100.00
10.474	10.475 (1.144)	85	524090			34.97- 94.97	64.41
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.146)	120	475959	100.000	97.023	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	1967721			383.60- 443.60	413.42
10.496	10.496 (1.146)	105	76416			0.00- 46.14	16.06
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.524	10.525 (1.149)	110	242072	100.000	92.694	80.00- 120.00	100.00
10.524	10.525 (1.149)	75	873427			324.28- 384.28	360.81
10.524	10.518 (1.149)	61	211752			57.24- 117.24	87.47
182 Decane					CAS #: 124-18-5		
10.610	10.611 (1.159)	57	1121284	100.000	88.316	80.00- 120.00	100.00
10.610	10.611 (1.159)	71	352921			1.11- 61.11	31.47
10.610	10.611 (1.159)	142	48194			0.00- 34.44	4.30
183 4-Ethyltoluene					CAS #: 622-96-8		
10.610	10.611 (1.159)	120	519968	100.000	97.247	80.00- 120.00	100.00
10.610	10.611 (1.159)	105	1707948			298.94- 358.94	328.47
184 2-Chlorotoluene					CAS #: 95-49-8		
10.610	10.611 (1.159)	126	437162	100.000	96.633	80.00- 120.00	100.00
10.610	10.611 (1.159)	91	1364629			282.78- 342.78	312.16
10.610	10.603 (1.159)	65	204643			17.33- 77.33	46.81

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	721444	100.000	100.05	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	1454356			172.08- 232.08	201.59
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	734672	100.000	96.182	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	410215			25.64- 85.64	55.84
189 tert-Butylbenzene					CAS #: 98-06-6		
10.983	10.983 (1.199)	119	1356930	100.000	98.981	80.00- 120.00	100.00
10.983	10.983 (1.199)	134	341712			0.00- 55.10	25.18
10.983	10.976 (1.199)	91	878858			34.53- 94.53	64.77
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	1415739	100.000	96.028	80.00- 120.00	100.00
11.047	11.040 (1.207)	120	660251			16.63- 76.63	46.64
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	436208	100.000	97.207	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	2036768			436.99- 496.99	466.93
11.198	11.198 (1.223)	91	314010			41.69- 101.69	71.99
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	1789348	100.000	97.504	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	489513			0.00- 57.62	27.36
11.341	11.341 (1.239)	91	412100			0.00- 53.03	23.03
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	1033818	100.000	94.630	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	656564			34.18- 94.18	63.51
11.348	11.348 (1.239)	111	413943			10.06- 70.06	40.04
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.448	11.449 (1.250)	146	1055927	100.000	95.420	80.00- 120.00	100.00
11.448	11.449 (1.250)	148	670982			33.55- 93.55	63.54
11.448	11.449 (1.250)	111	404166			7.98- 67.98	38.28
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	1381580	100.000	98.590	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	316241			0.00- 52.77	22.89
202 Butylbenzene					CAS #: 104-51-8		
11.749	11.750 (1.283)	134	482826	100.000	95.464	80.00- 120.00	100.00
11.749	11.742 (1.283)	91	1647148			310.82- 370.82	341.15
11.749	11.742 (1.283)	92	873623			151.53- 211.53	180.94

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	1302554	100.000	86.284	80.00- 120.00	100.00
11.785	11.785 (1.287)	43	1209695			63.59- 123.59	92.87
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	1010740	100.000	95.330	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	639756			33.00- 93.00	63.30
11.821	11.821 (1.291)	111	413337			10.87- 70.87	40.89
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.378)	157	612326	100.000	97.644	80.00- 120.00	100.00
12.616	12.616 (1.378)	75	473919			48.09- 108.09	77.40
12.616	12.616 (1.378)	155	475901			47.89- 107.89	77.72
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.404)	57	1478291	100.000	97.215	80.00- 120.00	100.00
12.860	12.860 (1.404)	43	1300190			58.52- 118.52	87.95
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.463)	180	1005016	100.000	95.651	80.00- 120.00	100.00
13.397	13.397 (1.463)	182	959165			64.84- 124.84	95.44
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.511	13.512 (1.476)	225	763508	100.000	99.618	80.00- 120.00	100.00
13.511	13.512 (1.476)	223	480549			32.80- 92.80	62.94
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.490)	128	237219	11.6000	10.817	80.00- 120.00	100.00
13.648	13.648 (1.490)	127	29486			0.00- 42.72	12.43
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.517)	180	982100	100.000	95.387	80.00- 120.00	100.00
13.891	13.891 (1.517)	182	938291			65.07- 125.07	95.54
13.891	13.891 (1.517)	145	338917			4.48- 64.48	34.51

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042313.d
Lab Smp Id: ICAL Level #8
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 100ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #8
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	105842	-0.32
108 1,4-Difluorobenze	390964	234578	547350	396522	1.42
153 Chlorobenzene-d5	392003	235202	548804	398422	1.64

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042313.d

Page 1

Date : 24-APR-2024 00:31

Client ID: ICAL Level #8


Instrument: msd3.i

Sample Info: 100ml 3018-4439

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3041808.d
Lab Smp Id: ICAL Level #9 Client Smp ID: ICAL Level #9
Inj Date : 18-APR-2024 12:16
Operator : mjs Inst ID: msd3.i
Smp Info : 200ml 3018-4328
Misc Info : 200ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 2 Calibration Sample, Level: 9
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT21spICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	120006	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	93128			47.79- 107.79	77.60
5.439	5.439 (1.000)	49	193408			131.33- 191.33	161.17
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	458183	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	72127			0.00- 45.65	15.74
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.157	9.157 (1.000)	117	467934	25.0000		80.00- 120.00	100.00
9.157	9.157 (1.000)	82	252927			22.92- 82.92	54.05
3 Freon 143a					CAS #: 420-46-2		
1.409	1.395 (0.259)	65	260245	200.000	160.76	80.00- 120.00	100.00
1.409	1.395 (0.259)	69	706811			237.43- 297.43	271.59
1.409	1.395 (0.259)	64	64311			0.00- 57.02	24.71
6 Propane					CAS #: 74-98-6		
1.437	1.423 (0.264)	43	225328	200.000	202.89	80.00- 120.00	100.00(A)

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
6 Propane (continued)							
1.437	1.437 (0.264)	39	150266			37.94- 97.94	66.69
1.437	1.423 (0.264)	41	119790			21.79- 81.79	53.16
13 Freon 142b					CAS #: 75-68-3		
1.619	1.604 (0.298)	65	1134995	200.000	192.46	80.00- 120.00	100.00
1.619	1.604 (0.298)	45	327199			0.00- 58.87	28.83
36 1-Pentene					CAS #: 109-67-1		
2.458	2.458 (0.452)	55	733847	200.000	200.44	80.00- 120.00	100.00(A)
2.458	2.458 (0.452)	42	1064716			114.47- 174.47	145.09
38 Ethyl Ether					CAS #: 60-29-7		
2.808	2.794 (0.516)	74	291432	200.000	192.47	80.00- 120.00	100.00
2.808	2.794 (0.516)	59	486012			138.79- 198.79	166.77
2.794	2.794 (0.514)	45	424006			114.58- 174.58	145.49
40 Freon 123a					CAS #: 354-23-4		
2.906	2.906 (0.534)	117	929788	200.000	194.87	80.00- 120.00	100.00
2.906	2.892 (0.534)	67	1210967			102.78- 162.78	130.24
41 Freon 123					CAS #: 306-83-2		
2.990	2.990 (0.550)	83	810128	200.000	183.32	80.00- 120.00	100.00
2.990	2.990 (0.550)	133	183216			0.00- 53.60	22.62
2.990	2.990 (0.550)	85	548129			36.72- 96.72	67.66
55 Cyclopentene					CAS #: 142-29-0		
3.598	3.591 (0.662)	67	1370577	200.000	203.72	80.00- 120.00	100.00(A)
3.598	3.591 (0.662)	68	518522			8.38- 68.38	37.83
3.598	3.591 (0.662)	53	334677			0.00- 54.97	24.42
56 Methyl Acetate					CAS #: 79-20-9		
3.627	3.619 (0.667)	43	1520707	200.000	203.42	80.00- 120.00	100.00(A)
3.627	3.619 (0.667)	74	239531			0.00- 45.84	15.75
74 Chloroprene					CAS #: 126-99-8		
4.608	4.608 (0.847)	53	1182655	200.000	202.28	80.00- 120.00	100.00(A)
4.608	4.608 (0.847)	88	527130			14.44- 74.44	44.57
4.608	4.608 (0.847)	50	310870			0.00- 56.76	26.29
75 1-Propanol					CAS #: 71-23-8		
4.715	4.715 (0.867)	59	159495	200.000	180.68	80.00- 120.00	100.00
4.715	4.715 (0.867)	42	155026			63.00- 123.00	97.20
4.723	4.715 (0.868)	41	95604			28.69- 88.69	59.94
88 Methyl Acrylate					CAS #: 96-33-3		
5.289	5.288 (0.972)	55	1482990	200.000	201.92	80.00- 120.00	100.00(A)

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
88 Methyl Acrylate (continued)							
5.289	5.288 (0.972)	85	193920			0.00- 43.17	13.08
5.289	5.288 (0.972)	58	124079			0.00- 38.59	8.37
103 Isobutanol					CAS #: 78-83-1		
5.998	5.990 (1.103)	39	183688	200.000	158.17	80.00- 120.00	100.00
5.998	5.990 (1.103)	43	817115			402.02- 462.02	444.84
5.998	5.990 (1.103)	41	574154			275.29- 335.29	312.57
113 Ethyl acrylate					CAS #: 140-88-5		
6.764	6.764 (0.739)	99	116107	200.000	182.12	80.00- 120.00	100.00
6.764	6.764 (0.739)	45	198660			144.38- 204.38	171.10
6.764	6.764 (0.739)	55	1988303			1723.57-1783.57	1712.47
115 2-Pentanone					CAS #: 107-87-9		
6.857	6.857 (0.749)	43	2482194	200.000	193.40	80.00- 120.00	100.00
6.857	6.857 (0.749)	58	177457			0.00- 37.02	7.15
6.857	6.857 (0.749)	86	336830			0.00- 43.48	13.57
145 Butyl Acetate					CAS #: 123-86-4		
8.576	8.576 (1.334)	56	1057450	200.000	187.81	80.00- 120.00	100.00
8.576	8.576 (1.334)	73	345843			2.83- 62.83	32.71
8.576	8.576 (1.334)	43	2829149			240.40- 300.40	267.54
166 2-Heptanone					CAS #: 110-43-0		
9.902	9.901 (1.820)	58	1609997	200.000	175.26	80.00- 120.00	100.00
9.902	9.901 (1.820)	43	2792761			146.16- 206.16	173.46
210 alpha-Pinene					CAS #: 80-56-8		
10.038	10.037 (1.096)	93	2425999	200.000	197.57	80.00- 120.00	100.00
10.038	10.037 (1.096)	77	698349			0.00- 59.07	28.79
214 beta-Pinene					CAS #: 127-91-3		
10.697	10.696 (1.168)	93	1859561	200.000	194.47	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	3220890			151.21- 211.21	173.21
186 4-Chlorotoluene					CAS #: 106-43-4		
10.725	10.725 (1.171)	126	981566	200.000	188.28	80.00- 120.00	100.00
10.725	10.725 (1.171)	91	3220890			296.65- 356.65	328.14
10.725	10.725 (1.171)	63	397359			10.84- 70.84	40.48
172 D-Limonene					CAS #: 5989-27-5		
11.277	11.277 (1.232)	68	1454130	200.000	187.89	80.00- 120.00	100.00
11.277	11.277 (1.232)	93	1032179			41.19- 101.19	70.98
197 1,2,3-Trimethylbenzene					CAS #: 526-73-8		
11.463	11.463 (1.252)	120	1341440	200.000	187.58	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
197 1,2,3-Trimethylbenzene (continued)							
11.463	11.463 (1.252)	105	3091684			201.76- 261.76	230.48
11.463	11.463 (1.252)	77	355581			0.00- 57.12	26.51
205 Hexachloroethane					CAS #: 67-72-1		
12.015	12.014 (1.312)	201	896700	200.000	207.55	80.00- 120.00	100.00(A)
12.015	12.014 (1.312)	117	1289620			114.78- 174.78	143.82
208 1,3,5-Trichlorobenzene					CAS #: 108-70-3		
12.760	12.752 (1.393)	180	1932410	200.000	194.12	80.00- 120.00	100.00
12.760	12.752 (1.393)	182	1836171			64.68- 124.68	95.02

QC Flag Legend

A - Target compound detected but, quantitated amount exceeded maximum amount.

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3041808.d
Lab Smp Id: ICAL Level #9
Analysis Type: VOA
Quant Type: ISTD
Operator: mjs
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 200ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #9
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	120006	13.02
108 1,4-Difluorobenze	390964	234578	547350	458183	17.19
153 Chlorobenzene-d5	392003	235202	548804	467934	19.37

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3041808.d

Page 1

Date : 18-APR-2024 12:16

Client ID: ICAL Level #9


Instrument: msd3.i

Sample Info: 200ml 3018-4328

Operator: mjs

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/23APR24.b/3042314.d
Lab Smp Id: ICAL Level #9 Client Smp ID: ICAL Level #9
Inj Date : 24-APR-2024 01:06
Operator : DF Inst ID: msd3.i
Smp Info : 200ml 3018-4439
Misc Info : 200ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/23APR24.b/324q0423a.m
Meth Date : 26-Apr-2024 08:45 z8dr Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 13 Calibration Sample, Level: 9
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23ICAL.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
4 Freon 134a					CAS #: 811-97-2		
1.409	1.409 (0.259)	83	410084	200.000	160.41	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	385370			64.17- 124.17	93.97
1.492	1.493 (0.274)	51	1962393			365.46- 425.46	478.53
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	572032	200.000	197.47	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	373175			35.86- 95.86	65.24
1.437	1.437 (0.264)	39	404626			41.66- 101.66	70.73
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.479	1.465 (0.272)	65	316553	200.000	189.56	80.00- 120.00	100.00
1.492	1.493 (0.274)	51	1962393			568.10- 628.10	619.93
1.576	1.577 (0.290)	47	82323			0.00- 50.57	26.01
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.269)	85	1276509	200.000	194.89	80.00- 120.00	100.00
1.465	1.465 (0.269)	87	414137			2.88- 62.88	32.44
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.506	1.493 (0.277)	67	147604	200.000	180.09	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
9 Chlorodifluoromethane (continued)							
1.492	1.493 (0.274)	51	1962393			1257.55-1317.55	1329.50
10 Freon 114					CAS #: 76-14-2		
1.576	1.577 (0.290)	135	1162594	200.000	201.91	80.00- 120.00	100.00(A)
1.576	1.577 (0.290)	137	376760			2.10- 62.10	32.41
12 Isobutane					CAS #: 75-28-5		
1.590	1.591 (0.292)	43	1223113	200.000	199.69	80.00- 120.00	100.00
1.590	1.591 (0.292)	42	375366			1.69- 61.69	30.69
1.576	1.577 (0.290)	58	37940			0.00- 33.32	3.10
15 Chloromethane					CAS #: 74-87-3		
1.674	1.675 (0.308)	50	575232	200.000	182.15	80.00- 120.00	100.00
1.674	1.675 (0.308)	52	169123			1.38- 61.38	29.40
18 Butane					CAS #: 106-97-8		
1.716	1.731 (0.316)	58	107881	200.000	170.38	80.00- 120.00	100.00
1.716	1.731 (0.316)	43	983482			866.38- 926.38	911.64
19 Vinyl Chloride					CAS #: 75-01-4		
1.744	1.759 (0.321)	62	529490	200.000	173.29	80.00- 120.00	100.00
1.744	1.759 (0.321)	64	162361			3.10- 63.10	30.66
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	467384	200.000	162.83	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	538307			78.74- 138.74	115.17
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	494739	200.000	226.58	80.00- 120.00	100.00(A)
2.108	2.108 (0.388)	96	462041			64.19- 124.19	93.39
30 Chloroethane					CAS #: 75-00-3		
2.206	2.220 (0.406)	64	302289	200.000	206.30	80.00- 120.00	100.00(A)
2.206	2.220 (0.406)	66	90590			2.32- 62.32	29.97
2.206	2.220 (0.406)	49	105013			6.33- 66.33	34.74
31 Isopentane					CAS #: 78-78-4		
2.220	2.234 (0.408)	43	837900	200.000	200.38	80.00- 120.00	100.00(A)
2.220	2.234 (0.408)	57	515900			31.77- 91.77	61.57
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.416 (0.442)	106	538671	200.000	212.12	80.00- 120.00	100.00(A)
2.402	2.416 (0.442)	108	501592			64.21- 124.21	93.12
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.449)	101	1540465	200.000	204.15	80.00- 120.00	100.00(A)

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
33 Freon 11 (continued)							
2.444	2.444 (0.449)	103	1006228			34.93- 94.93	65.32
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.472 (0.452)	67	1214198	200.000	201.80	80.00- 120.00	100.00(A)
2.458	2.472 (0.452)	69	384330			1.95- 61.95	31.65
35 Pentane					CAS #: 109-66-0		
2.500	2.514 (0.460)	43	1301593	200.000	204.58	80.00- 120.00	100.00(A)
2.500	2.514 (0.460)	57	185621			0.00- 44.64	14.26
2.500	2.514 (0.460)	72	106619			0.00- 37.90	8.19
39 Ethanol					CAS #: 64-17-5		
2.780	2.752 (0.511)	46	121197	246.400	202.45	80.00- 120.00	100.00(A)
2.780	2.752 (0.511)	45	317519			224.40- 284.40	261.99
42 Acrolein					CAS #: 107-02-8		
3.068	3.061 (0.564)	55	247283	233.000	191.92	80.00- 120.00	100.00
3.068	3.061 (0.564)	56	352334			108.02- 168.02	142.48
43 Freon 113					CAS #: 76-13-1		
3.053	3.061 (0.561)	151	1232782	200.000	184.86	80.00- 120.00	100.00
3.053	3.061 (0.561)	153	785359			35.07- 95.07	63.71
3.053	3.061 (0.561)	101	1424886			87.45- 147.45	115.58
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.089	3.097 (0.568)	96	651515	200.000	229.61	80.00- 120.00	100.00(A)
3.089	3.097 (0.568)	98	403777			33.27- 93.27	61.98
3.089	3.097 (0.568)	61	1213559			159.05- 219.05	186.27
47 Acetone					CAS #: 67-64-1		
3.261	3.247 (0.600)	58	311901	200.000	193.17	80.00- 120.00	100.00
3.254	3.247 (0.598)	43	1132404			329.45- 389.45	363.07
48 Carbon Disulfide					CAS #: 75-15-0		
3.326	3.333 (0.611)	76	1502714	200.000	194.22	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.447	3.426 (0.634)	45	1362696	200.000	203.00	80.00- 120.00	100.00(A)
3.447	3.426 (0.634)	43	245979			0.00- 48.18	18.05
54 3-Chloropropene					CAS #: 107-05-1		
3.583	3.584 (0.659)	76	261523	200.000	200.64	80.00- 120.00	100.00(A)
3.583	3.584 (0.659)	41	985150			366.80- 426.80	376.70
57 Acetonitrile					CAS #: 75-05-8		
3.691	3.684 (0.679)	41	703344	235.200	237.39	80.00- 120.00	100.00(A)

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
57 Acetonitrile (continued)							
3.691	3.684 (0.679)	40	361433			22.74- 82.74	51.39
3.691	3.684 (0.679)	38	84172			0.00- 42.52	11.97
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.784 (0.694)	49	869976	200.000	196.16	80.00- 120.00	100.00
3.777	3.784 (0.694)	84	481094			24.90- 84.90	55.30
3.777	3.784 (0.694)	51	262111			0.00- 59.67	30.13
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.927	3.913 (0.722)	59	1604202	230.400	234.25	80.00- 120.00	100.00(A)
3.920	3.913 (0.721)	41	353540			0.00- 51.85	22.04
3.927	3.913 (0.722)	57	165542			0.00- 40.17	10.32
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.737)	73	1550587	200.000	191.52	80.00- 120.00	100.00
4.006	4.006 (0.737)	57	452421			0.00- 58.72	29.18
4.006	4.006 (0.737)	41	454741			0.00- 59.38	29.33
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.741)	98	380192	200.000	199.52	80.00- 120.00	100.00
4.028	4.028 (0.741)	61	1003569			232.13- 292.13	263.96
4.028	4.028 (0.741)	96	595937			127.26- 187.26	156.75
66 Acrylonitrile					CAS #: 107-13-1		
4.149	4.142 (0.763)	52	481156	200.000	195.25	80.00- 120.00	100.00
4.149	4.142 (0.763)	53	597806			86.45- 146.45	124.24
67 Hexane					CAS #: 110-54-3		
4.250	4.257 (0.781)	57	1088847	200.000	183.39	80.00- 120.00	100.00
4.250	4.257 (0.781)	43	771046			40.97- 100.97	70.81
4.257	4.257 (0.783)	86	136306			0.00- 42.68	12.52
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.838)	63	1128866	200.000	205.00	80.00- 120.00	100.00(A)
4.558	4.558 (0.838)	65	348102			0.47- 60.47	30.84
72 Isopropyl ether					CAS #: 108-20-3		
4.551	4.558 (0.837)	45	2530646	200.000	191.65	80.00- 120.00	100.00
4.551	4.558 (0.837)	87	498237			0.00- 49.55	19.69
4.551	4.558 (0.837)	59	258472			0.00- 40.42	10.21
73 Vinyl Acetate					CAS #: 108-05-4		
4.608	4.608 (0.847)	86	99221	200.000	204.63	80.00- 120.00	100.00(A)
4.608	4.608 (0.847)	43	1618671			1727.95-1787.95	1631.38

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
79 Ethyl-tert-butyl ether						CAS #: 637-92-3	
4.937	4.945 (0.908)	59	2214700	200.000	194.50	80.00- 120.00	100.00
4.937	4.945 (0.908)	87	749366			3.90- 63.90	33.84
4.937	4.945 (0.908)	41	433972			0.00- 49.72	19.60
84 2,2-Dichloropropane						CAS #: 594-20-7	
5.138	5.145 (0.945)	77	1056020	200.000	194.27	80.00- 120.00	100.00
5.145	5.145 (0.946)	79	339244			2.39- 62.39	32.12
5.145	5.145 (0.946)	97	247687			0.00- 53.57	23.45
85 cis-1,2-Dichloroethene						CAS #: 156-59-2	
5.188	5.188 (0.954)	98	402619	200.000	204.04	80.00- 120.00	100.00(A)
5.188	5.188 (0.954)	96	619017			125.53- 185.53	153.75
5.188	5.188 (0.954)	61	995983			219.86- 279.86	247.38
86 2-Butanone						CAS #: 78-93-3	
5.224	5.217 (0.960)	72	292653	200.000	205.85	80.00- 120.00	100.00(A)
5.238	5.217 (0.963)	43	3428922			1138.34-1198.34	1171.67
5.217	5.217 (0.959)	57	119189			10.83- 70.83	40.73
87 Ethyl Acetate						CAS #: 141-78-6	
5.245	5.245 (0.964)	45	273075	200.000	192.06	80.00- 120.00	100.00
5.188	5.188 (0.954)	61	995983			338.96- 398.96	364.73
5.245	5.245 (0.964)	70	147385			24.53- 84.53	53.97
89 Tetrahydrofuran						CAS #: 109-99-9	
5.432	5.425 (0.999)	42	804158	200.000	185.00	80.00- 120.00	100.00
5.432	5.425 (0.999)	71	227549			0.00- 58.54	28.30
5.432	5.425 (0.999)	72	240332			0.00- 59.59	29.89
* 90 Bromochloromethane						CAS #: 74-97-5	
5.439	5.439 (1.000)	130	110600	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	86924			47.79- 107.79	78.59
5.439	5.439 (1.000)	49	176948			131.33- 191.33	159.99
92 Chloroform						CAS #: 67-66-3	
5.510	5.518 (1.013)	83	1217588	200.000	205.92	80.00- 120.00	100.00(A)
5.510	5.518 (1.013)	85	795214			35.77- 95.77	65.31
94 Cyclohexane						CAS #: 110-82-7	
5.611	5.611 (1.032)	84	759463	200.000	191.99	80.00- 120.00	100.00
5.611	5.611 (1.032)	56	1169477			125.79- 185.79	153.99
5.611	5.611 (1.032)	41	679265			61.55- 121.55	89.44
96 1,1,1-Trichloroethane						CAS #: 71-55-6	
5.632	5.639 (1.036)	97	1257346	200.000	194.97	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
96 1,1,1-Trichloroethane (continued)							
5.632	5.639 (1.036)	99	803746			32.84- 92.84	63.92
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.059)	119	1368824	200.000	200.21	80.00- 120.00	100.00(A)
5.761	5.761 (1.059)	117	1428526			75.19- 135.19	104.36
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.804	5.804 (0.903)	110	349336	200.000	205.88	80.00- 120.00	100.00(A)
5.797	5.804 (0.902)	75	909794			234.16- 294.16	260.44
102 Benzene					CAS #: 71-43-2		
5.997	5.998 (0.933)	78	1691616	200.000	199.45	80.00- 120.00	100.00
5.997	5.998 (0.933)	77	401396			0.00- 53.69	23.73
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.983	5.998 (1.100)	57	3684783	200.000	198.63	80.00- 120.00	100.00
5.983	5.998 (1.100)	56	1186264			3.09- 63.09	32.19
5.983	5.998 (1.100)	41	1019972			0.00- 57.28	27.68
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.108)	65	155226	25.0000	26.946	80.00- 120.00	100.00
6.026	6.026 (1.108)	67	79858			23.17- 83.17	51.45
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.091	6.091 (0.948)	87	452633	200.000	198.59	80.00- 120.00	100.00
6.091	6.091 (0.948)	73	1790511			365.76- 425.76	395.58
6.091	6.091 (0.948)	55	545645			92.58- 152.58	120.55
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	904476	200.000	204.44	80.00- 120.00	100.00(A)
6.105	6.105 (0.950)	64	285349			1.80- 61.80	31.55
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	622835	200.000	185.39	80.00- 120.00	100.00
6.184	6.184 (0.962)	43	1497699			207.73- 267.73	240.46
6.184	6.184 (0.962)	57	719582			84.83- 144.83	115.53
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	421244	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	64317			0.00- 45.65	15.27
110 n-Butanol					CAS #: 71-36-3		
6.635	6.628 (1.032)	56	384703	200.000	199.50	80.00- 120.00	100.00
6.635	6.628 (1.032)	41	289063			47.73- 107.73	75.14
6.635	6.628 (1.032)	43	231842			31.60- 91.60	60.27

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.635 (1.031)	95	827420	200.000	202.34	80.00- 120.00	100.00(A)
6.635	6.635 (1.032)	130	906648			80.23- 140.23	109.58
6.628	6.635 (1.031)	97	531936			34.78- 94.78	64.29
127 Methylcyclohexane					CAS #: 108-87-2		
6.735	6.735 (1.048)	83	1087624	200.000	187.24	80.00- 120.00	100.00
6.735	6.735 (1.048)	98	489096			14.83- 74.83	44.97
6.735	6.735 (1.048)	55	1111233			71.50- 131.50	102.17
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	758683	200.000	190.10	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	544138			40.39- 100.39	71.72
6.886	6.893 (1.071)	41	466611			31.86- 91.86	61.50
116 Methyl Methacrylate					CAS #: 80-62-6		
6.979	6.979 (0.762)	69	661206	200.000	188.99	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	1145845			145.81- 205.81	173.30
6.979	6.979 (0.762)	100	265624			10.05- 70.05	40.17
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.088)	88	432494	200.000	202.71	80.00- 120.00	100.00(A)
6.993	6.993 (1.088)	58	369163			56.33- 116.33	85.36
6.993	6.993 (1.088)	57	132525			2.08- 62.08	30.64
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.008 (0.765)	174	823798	200.000	203.27	80.00- 120.00	100.00(A)
7.007	7.008 (0.765)	93	755755			62.68- 122.68	91.74
7.007	7.008 (0.765)	95	627471			47.70- 107.70	76.17
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	1342387	200.000	202.79	80.00- 120.00	100.00(A)
7.151	7.151 (1.113)	85	862599			34.96- 94.96	64.26
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.459	7.459 (1.160)	63	1417371	200.000	201.29	80.00- 120.00	100.00(A)
7.459	7.459 (1.160)	65	433726			0.43- 60.43	30.60
7.459	7.459 (1.160)	144	152560			0.00- 40.48	10.76
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.574 (1.178)	75	1155256	200.000	204.63	80.00- 120.00	100.00(A)
7.573	7.574 (1.178)	77	367433			1.26- 61.26	31.81
7.573	7.574 (1.178)	39	735758			35.06- 95.06	63.69
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.709	7.710 (1.199)	58	693561	200.000	178.60	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
131 4-Methyl-2-pentanone (continued)							
7.709	7.710 (1.199)	43	2018305			259.88- 319.88	291.01
7.709	7.710 (1.199)	85	259221			7.58- 67.58	37.38
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	408561	25.0000	24.949	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	44902			0.00- 41.42	10.99
7.767	7.767 (1.208)	100	277631			37.54- 97.54	67.95
137 Toluene					CAS #: 108-88-3		
7.831	7.831 (1.218)	91	2252473	200.000	191.85	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	1316629			27.89- 87.89	58.45
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	767219	200.000	179.36	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	712466			63.53- 123.53	92.86
7.860	7.860 (1.223)	43	2093560			246.00- 306.00	272.88
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	950900	200.000	200.35	80.00- 120.00	100.00(A)
8.118	8.118 (0.887)	77	304969			1.83- 61.83	32.07
8.118	8.118 (0.887)	39	579697			31.97- 91.97	60.96
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.290	8.290 (0.905)	97	762947	200.000	189.84	80.00- 120.00	100.00
8.290	8.290 (0.905)	99	473869			32.52- 92.52	62.11
8.290	8.290 (0.905)	83	668871			58.90- 118.90	87.67
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	1193313	200.000	197.75	80.00- 120.00	100.00
8.318	8.318 (0.908)	129	907251			45.32- 105.32	76.03
8.318	8.318 (0.908)	131	885260			44.17- 104.17	74.19
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	1059573	200.000	192.50	80.00- 120.00	100.00
8.447	8.447 (1.314)	41	940665			59.72- 119.72	88.78
8.447	8.447 (1.314)	78	342806			3.08- 63.08	32.35
143 2-Hexanone					CAS #: 591-78-6		
8.490	8.490 (0.927)	58	973677	200.000	193.12	80.00- 120.00	100.00
8.490	8.490 (0.927)	43	2036651			177.32- 237.32	209.17
8.497	8.490 (0.928)	100	171419			0.00- 47.18	17.61
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	1630261	200.000	205.25	80.00- 120.00	100.00(A)
8.626	8.626 (0.942)	127	1267909			47.27- 107.27	77.77

				AMOUNTS				
					CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE		(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========		=======	=======	==========	=====
148 1,2-Dibromoethane (EDB)						CAS #: 106-93-4		
8.748	8.741 (0.955)	107	1279201	200.000	194.21	80.00- 120.00		100.00
8.748	8.741 (0.955)	109	1207964			64.18- 124.18		94.43
* 153 Chlorobenzene-d5						CAS #: 3114-55-4		
9.156	9.157 (1.000)	117	429525	25.0000		80.00- 120.00		100.00
9.156	9.157 (1.000)	82	226464			22.92- 82.92		52.72
154 Chlorobenzene						CAS #: 108-90-7		
9.185	9.185 (1.003)	112	1873551	200.000	188.26	80.00- 120.00		100.00
9.185	9.185 (1.003)	114	605172			1.91- 61.91		32.30
9.178	9.185 (1.002)	77	992370			22.97- 82.97		52.97
155 Ethyl Benzene						CAS #: 100-41-4		
9.257	9.250 (1.011)	106	943770	200.000	188.54	80.00- 120.00		100.00
9.249	9.250 (1.010)	91	2925092			281.09- 341.09		309.94
157 1,1,1,2-Tetrachloroethane						CAS #: 630-20-6		
9.271	9.271 (1.013)	131	1129091	200.000	199.15	80.00- 120.00		100.00
9.271	9.271 (1.013)	117	759840			37.10- 97.10		67.30
9.271	9.271 (1.013)	95	393103			4.93- 64.93		34.82
156 Nonane						CAS #: 111-84-2		
9.314	9.314 (1.017)	43	2183354	200.000	187.80	80.00- 120.00		100.00
9.314	9.314 (1.017)	57	1775351			50.62- 110.62		81.31
9.314	9.314 (1.017)	85	555366			0.00- 55.65		25.44
158 m,p-Xylene						CAS #: 108-38-3		
9.371	9.364 (1.023)	106	1218383	200.000	195.28	80.00- 120.00		100.00
9.371	9.364 (1.023)	91	2425009			170.33- 230.33		199.04
164 o-Xylene						CAS #: 95-47-6		
9.751	9.751 (1.065)	106	1110220	200.000	187.65	80.00- 120.00		100.00
9.751	9.751 (1.065)	91	2318220			181.23- 241.23		208.81
165 Styrene						CAS #: 100-42-5		
9.780	9.780 (1.068)	104	1908989	200.000	188.93	80.00- 120.00		100.00
9.780	9.780 (1.068)	78	918924			17.26- 77.26		48.14
167 Bromoform						CAS #: 75-25-2		
9.987	9.987 (1.091)	173	1641262	200.000	204.47	80.00- 120.00		100.00(A)
9.987	9.987 (1.091)	171	852142			21.45- 81.45		51.92
168 Cumene						CAS #: 98-82-8		
10.095	10.095 (1.102)	105	3405406	200.000	190.40	80.00- 120.00		100.00
10.095	10.095 (1.102)	120	923765			0.00- 56.93		27.13

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
168 Cumene (continued)							
10.095	10.095 (1.102)	51	412658			0.00- 42.24	12.12
169 Cyclohexanone					CAS #: 108-94-1		
10.267	10.260 (1.121)	55	1225485	200.000	173.19	80.00- 120.00	100.00
10.267	10.260 (1.121)	98	434200			5.15- 65.15	35.43
10.259	10.260 (1.120)	42	870161			41.99- 101.99	71.01
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	326907	25.0000	25.610	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	385916			88.49- 148.49	118.05
10.295	10.295 (1.124)	176	314790			66.73- 126.73	96.29
177 Bromobenzene					CAS #: 108-86-1		
10.431	10.432 (1.139)	156	1189847	200.000	190.95	80.00- 120.00	100.00
10.431	10.432 (1.139)	158	1156108			67.47- 127.47	97.16
10.431	10.432 (1.139)	77	1637640			108.68- 168.68	137.63
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.474	10.475 (1.144)	83	1750995	200.000	188.76	80.00- 120.00	100.00
10.474	10.475 (1.144)	85	1133485			34.97- 94.97	64.73
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.146)	120	1015276	200.000	191.98	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	4182455			383.60- 443.60	411.95
10.496	10.496 (1.146)	105	158103			0.00- 46.14	15.57
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.524	10.525 (1.149)	110	523959	200.000	186.10	80.00- 120.00	100.00
10.524	10.525 (1.149)	75	1889460			324.28- 384.28	360.61
10.524	10.518 (1.149)	61	457068			57.24- 117.24	87.23
182 Decane					CAS #: 124-18-5		
10.610	10.611 (1.159)	57	2257489	200.000	164.93	80.00- 120.00	100.00
10.610	10.611 (1.159)	71	721289			1.11- 61.11	31.95
10.610	10.611 (1.159)	142	100740			0.00- 34.44	4.46
183 4-Ethyltoluene					CAS #: 622-96-8		
10.610	10.611 (1.159)	120	1082851	200.000	187.85	80.00- 120.00	100.00
10.610	10.611 (1.159)	105	3581183			298.94- 358.94	330.72
184 2-Chlorotoluene					CAS #: 95-49-8		
10.610	10.611 (1.159)	126	916658	200.000	187.95	80.00- 120.00	100.00
10.610	10.611 (1.159)	91	2885973			282.78- 342.78	314.84
10.610	10.603 (1.159)	65	429813			17.33- 77.33	46.89

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	1516834	200.000	195.12	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	3071263			172.08- 232.08	202.48
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	1557047	200.000	189.08	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	873206			25.64- 85.64	56.08
189 tert-Butylbenzene					CAS #: 98-06-6		
10.983	10.983 (1.199)	119	2818355	200.000	190.70	80.00- 120.00	100.00
10.983	10.983 (1.199)	134	710984			0.00- 55.10	25.23
10.983	10.976 (1.199)	91	1831070			34.53- 94.53	64.97
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.047	11.040 (1.207)	105	2997479	200.000	188.59	80.00- 120.00	100.00
11.047	11.040 (1.207)	120	1399751			16.63- 76.63	46.70
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	926105	200.000	191.43	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	4263896			436.99- 496.99	460.41
11.198	11.198 (1.223)	91	664178			41.69- 101.69	71.72
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	3753209	200.000	189.71	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	1033850			0.00- 57.62	27.55
11.341	11.341 (1.239)	91	866218			0.00- 53.03	23.08
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	2197354	200.000	186.57	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	1392077			34.18- 94.18	63.35
11.348	11.348 (1.239)	111	886962			10.06- 70.06	40.37
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.449	11.449 (1.250)	146	2277989	200.000	190.94	80.00- 120.00	100.00
11.449	11.449 (1.250)	148	1451384			33.55- 93.55	63.71
11.449	11.449 (1.250)	111	880508			7.98- 67.98	38.65
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	2949028	200.000	195.20	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	685991			0.00- 52.77	23.26
202 Butylbenzene					CAS #: 104-51-8		
11.749	11.750 (1.283)	134	1015482	200.000	186.24	80.00- 120.00	100.00
11.749	11.742 (1.283)	91	3451801			310.82- 370.82	339.92
11.749	11.742 (1.283)	92	1836149			151.53- 211.53	180.82

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	2690035	200.000	165.29	80.00- 120.00	100.00
11.785	11.785 (1.287)	43	2434104			63.59- 123.59	90.49
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	2165447	200.000	189.45	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	1378276			33.00- 93.00	63.65
11.821	11.821 (1.291)	111	893293			10.87- 70.87	41.25
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.378)	157	1281198	200.000	189.51	80.00- 120.00	100.00
12.616	12.616 (1.378)	75	986158			48.09- 108.09	76.97
12.616	12.616 (1.378)	155	997199			47.89- 107.89	77.83
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.404)	57	3034771	200.000	185.12	80.00- 120.00	100.00
12.860	12.860 (1.404)	43	2628320			58.52- 118.52	86.61
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.463)	180	2100057	200.000	185.40	80.00- 120.00	100.00
13.397	13.397 (1.463)	182	2001703			64.84- 124.84	95.32
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.511	13.512 (1.476)	225	1585826	200.000	191.92	80.00- 120.00	100.00
13.511	13.512 (1.476)	223	1007250			32.80- 92.80	63.52
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.490)	128	496040	23.2000	20.981	80.00- 120.00	100.00
13.648	13.648 (1.490)	127	64018			0.00- 42.72	12.91
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.898	13.891 (1.518)	180	2063122	200.000	185.87	80.00- 120.00	100.00
13.898	13.891 (1.518)	182	1965614			65.07- 125.07	95.27
13.891	13.891 (1.517)	145	715192			4.48- 64.48	34.67

QC Flag Legend

A - Target compound detected but, quantitated amount exceeded maximum amount.

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042314.d
Lab Smp Id: ICAL Level #9
Analysis Type: VOA
Quant Type: ISTD
Operator: DF
Method File: /chem/msd3.i/23APR24.b/324q0423a.m
Misc Info: 200ppbv (200ppbv)

Calibration Date: 23-APR-2024
Calibration Time: 23:59
Client Smp ID: ICAL Level #9
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	106185	63711	148659	110600	4.16
108 1,4-Difluorobenze	390964	234578	547350	421244	7.74
153 Chlorobenzene-d5	392003	235202	548804	429525	9.57

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/23APR24.b/3042314.d

Page 1

Date : 24-APR-2024 01:06

Client ID: ICAL Level #9


Instrument: msd3.i

Sample Info: 200ml 3018-4439

Operator: DF

Column phase: RTX-624

Column diameter: 0.25



US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/24APR24.b/3042404.d
Lab Smp Id: ICV Client Smp ID: ICV
Inj Date : 24-APR-2024 12:00
Operator : jrf Inst ID: msd3.i
Smp Info : 50mL 3018-4441
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/24APR24.b/324q0423a.m
Meth Date : 25-Apr-2024 08:47 z8dr Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 14 QC Sample: ICV
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
* 90 Bromochloromethane					CAS #: 74-97-5		
5.439	5.439 (1.000)	130	99038	25.0000		80.00- 120.00	100.00
5.439	5.439 (1.000)	128	77862			47.79- 107.79	78.62
5.439	5.439 (1.000)	49	163970			131.33- 191.33	165.56
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.427	6.427 (1.000)	114	376074	25.0000		80.00- 120.00	100.00
6.427	6.427 (1.000)	88	57604			0.00- 45.65	15.32
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.156	9.156 (1.000)	117	364730	25.0000		80.00- 120.00	100.00
9.156	9.156 (1.000)	82	194368			22.92- 82.92	53.29
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.026	6.026 (1.108)	65	131864	25.5625	25.562	80.00- 120.00	100.00
6.026	6.026 (1.108)	67	71926			23.17- 83.17	54.55
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.767	7.767 (1.208)	98	360913	24.6865	24.686	80.00- 120.00	100.00
7.767	7.767 (1.208)	70	39301			0.00- 41.42	10.89

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.767	7.767 (1.208)	100	243706			37.54- 97.54	67.52
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.295	10.295 (1.124)	174	267193	24.6507	24.651	80.00- 120.00	100.00
10.295	10.295 (1.124)	95	319453			88.49- 148.49	119.56
10.295	10.295 (1.124)	176	259024			66.73- 126.73	96.94
4 Freon 134a					CAS #: 811-97-2		
1.409	1.409 (0.259)	83	110401	48.2269	48.227	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	106007			64.17- 124.17	96.02
1.493	1.493 (0.274)	51	440873			365.46- 425.46	399.34
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	122092	47.0677	47.068	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	81432			35.86- 95.86	66.70
1.437	1.437 (0.264)	39	88344			41.66- 101.66	72.36
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.465 (0.269)	65	74074	49.5373	49.537	80.00- 120.00	100.00
1.493	1.493 (0.274)	51	440873			568.10- 628.10	595.18
1.576	1.577 (0.290)	47	16099			0.00- 50.57	21.73
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.269)	85	281817	48.0489	48.049	80.00- 120.00	100.00
1.465	1.465 (0.269)	87	91392			2.88- 62.88	32.43
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.493 (0.274)	67	33736	45.9655	45.965	80.00- 120.00	100.00
1.493	1.493 (0.274)	51	440873			1257.55-1317.55	1306.83
10 Freon 114					CAS #: 76-14-2		
1.576	1.577 (0.290)	135	245083	47.5337	47.534	80.00- 120.00	100.00
1.576	1.577 (0.290)	137	79041			2.10- 62.10	32.25
12 Isobutane					CAS #: 75-28-5		
1.590	1.591 (0.292)	43	262061	47.7790	47.779	80.00- 120.00	100.00
1.590	1.591 (0.292)	42	83864			1.69- 61.69	32.00
1.576	1.577 (0.290)	58	8383			0.00- 33.32	3.20
15 Chloromethane					CAS #: 74-87-3		
1.674	1.674 (0.308)	50	141151	49.9143	49.914	80.00- 120.00	100.00
1.674	1.674 (0.308)	52	44313			1.38- 61.38	31.39
18 Butane					CAS #: 106-97-8		
1.716	1.716 (0.316)	58	26801	47.2701	47.270	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
18 Butane (continued)							
1.716	1.716 (0.316)	43	236008			866.38- 926.38	880.59
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.758 (0.323)	62	131824	48.1788	48.179	80.00- 120.00	100.00
1.758	1.758 (0.323)	64	42933			3.10- 63.10	32.57
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.772 (0.326)	54	115386	44.8910	44.891	80.00- 120.00	100.00
1.772	1.772 (0.326)	39	124709			78.74- 138.74	108.08
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	91182	46.6357	46.636	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	86143			64.19- 124.19	94.47
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.408)	64	64257	48.9714	48.971	80.00- 120.00	100.00
2.220	2.220 (0.408)	66	20597			2.32- 62.32	32.05
2.220	2.220 (0.408)	49	22709			6.33- 66.33	35.34
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	183972	49.1329	49.133	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	116761			31.77- 91.77	63.47
32 Vinyl Bromide					CAS #: 593-60-2		
2.416	2.416 (0.444)	106	112885	49.6413	49.641	80.00- 120.00	100.00
2.416	2.416 (0.444)	108	104506			64.21- 124.21	92.58
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.449)	101	324578	48.0362	48.036	80.00- 120.00	100.00
2.444	2.444 (0.449)	103	211890			34.93- 94.93	65.28
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.472 (0.452)	67	255022	47.3324	47.332	80.00- 120.00	100.00
2.472	2.472 (0.455)	69	81207			1.95- 61.95	31.84
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.462)	43	274602	48.1991	48.199	80.00- 120.00	100.00
2.514	2.514 (0.462)	57	40525			0.00- 44.64	14.76
2.514	2.514 (0.462)	72	21941			0.00- 37.90	7.99
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.506)	46	24035	47.7169	47.717	80.00- 120.00	100.00
2.752	2.752 (0.506)	45	62090			224.40- 284.40	258.33
42 Acrolein					CAS #: 107-02-8		
3.053	3.054 (0.561)	55	57232	49.6042	49.604	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
42 Acrolein (continued)							
3.061	3.061 (0.563)	56	76372			108.02- 168.02	133.44
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	275792	46.1849	46.185	80.00- 120.00	100.00
3.061	3.068 (0.563)	153	180621			35.07- 95.07	65.49
3.061	3.061 (0.563)	101	316874			87.45- 147.45	114.90
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.096	3.096 (0.569)	96	112117	44.1263	44.126	80.00- 120.00	100.00
3.096	3.096 (0.569)	98	71956			33.27- 93.27	64.18
3.096	3.096 (0.569)	61	212710			159.05- 219.05	189.72
47 Acetone					CAS #: 67-64-1		
3.247	3.247 (0.597)	58	67916	46.9737	46.974	80.00- 120.00	100.00
3.247	3.247 (0.597)	43	241612			329.45- 389.45	355.75
48 Carbon Disulfide					CAS #: 75-15-0		
3.333	3.333 (0.613)	76	323188	46.6483	46.648	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.630)	45	297215	58.2790	58.279	80.00- 120.00	100.00
3.426	3.426 (0.630)	43	53192			0.00- 48.18	17.90
54 3-Chloropropene					CAS #: 107-05-1		
3.584	3.584 (0.659)	76	53744	46.0451	46.045	80.00- 120.00	100.00
3.584	3.584 (0.659)	41	209522			366.80- 426.80	389.85
57 Acetonitrile					CAS #: 75-05-8		
3.684	3.684 (0.677)	41	124124	46.7849	46.785	80.00- 120.00	100.00
3.684	3.684 (0.677)	40	67744			22.74- 82.74	54.58
3.684	3.684 (0.677)	38	14545			0.00- 42.52	11.72
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.784 (0.694)	49	183738	46.2665	46.266	80.00- 120.00	100.00
3.784	3.784 (0.696)	84	102136			24.90- 84.90	55.59
3.784	3.784 (0.696)	51	56156			0.00- 59.67	30.56
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.913	3.913 (0.719)	59	318673	51.9653	51.965	80.00- 120.00	100.00
3.913	3.913 (0.719)	41	70083			0.00- 51.85	21.99
3.913	3.913 (0.719)	57	34694			0.00- 40.17	10.89
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.737)	73	356738	49.2066	49.207	80.00- 120.00	100.00
4.006	4.006 (0.737)	57	101700			0.00- 58.72	28.51

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
63 Methyl tert-butyl ether (continued)							
4.006	4.006 (0.737)	41	104021			0.00- 59.38	29.16
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.741)	98	77965	45.6912	45.691	80.00- 120.00	100.00
4.028	4.028 (0.741)	61	205899			232.13- 292.13	264.09
4.028	4.028 (0.741)	96	122524			127.26- 187.26	157.15
66 Acrylonitrile					CAS #: 107-13-1		
4.142	4.142 (0.762)	52	101466	45.9814	45.981	80.00- 120.00	100.00
4.142	4.142 (0.762)	53	118398			86.45- 146.45	116.69
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.783)	57	239531	45.0522	45.052	80.00- 120.00	100.00
4.257	4.257 (0.783)	43	169397			40.97- 100.97	70.72
4.264	4.264 (0.784)	86	29850			0.00- 42.68	12.46
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.558	4.558 (0.838)	63	235775	47.8151	47.815	80.00- 120.00	100.00
4.558	4.558 (0.838)	65	72628			0.47- 60.47	30.80
72 Isopropyl ether					CAS #: 108-20-3		
4.558	4.558 (0.838)	45	598348	50.6050	50.605	80.00- 120.00	100.00
4.558	4.558 (0.838)	87	117336			0.00- 49.55	19.61
4.551	4.551 (0.837)	59	61208			0.00- 40.42	10.23
73 Vinyl Acetate					CAS #: 108-05-4		
4.608	4.608 (0.847)	86	32122	76.9705	76.970	80.00- 120.00	100.00(R)
4.608	4.608 (0.847)	43	520795			1727.95-1787.95	1621.30
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.944	4.945 (0.909)	59	514746	50.4826	50.482	80.00- 120.00	100.00
4.944	4.945 (0.909)	87	174807			3.90- 63.90	33.96
4.937	4.937 (0.908)	41	100366			0.00- 49.72	19.50
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.145	5.145 (0.946)	77	228270	46.8952	46.895	80.00- 120.00	100.00
5.145	5.145 (0.946)	79	73480			2.39- 62.39	32.19
5.145	5.145 (0.946)	97	54964			0.00- 53.57	24.08
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.188	5.188 (0.954)	98	83429	47.2165	47.216	80.00- 120.00	100.00
5.188	5.188 (0.954)	96	128416			125.53- 185.53	153.92
5.188	5.188 (0.954)	61	207989			219.86- 279.86	249.30
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.959)	72	61493	48.3043	48.304	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.238	5.238 (0.963)	43	723157			1138.34-1198.34	1176.00
5.217	5.217 (0.959)	57	25516			10.83- 70.83	41.49
87 Ethyl Acetate					CAS #: 141-78-6		
5.245	5.245 (0.964)	45	59985	47.1145	47.114	80.00- 120.00	100.00
5.188	5.188 (0.954)	61	207989			338.96- 398.96	346.74
5.245	5.245 (0.964)	70	32788			24.53- 84.53	54.66
89 Tetrahydrofuran					CAS #: 109-99-9		
5.432	5.432 (0.999)	42	180157	46.2854	46.285	80.00- 120.00	100.00
5.432	5.432 (0.999)	71	49389			0.00- 58.54	27.41
5.432	5.432 (0.999)	72	51590			0.00- 59.59	28.64
92 Chloroform					CAS #: 67-66-3		
5.510	5.518 (1.013)	83	249441	47.1097	47.110	80.00- 120.00	100.00
5.510	5.518 (1.013)	85	160385			35.77- 95.77	64.30
94 Cyclohexane					CAS #: 110-82-7		
5.611	5.611 (1.032)	84	172177	48.6070	48.607	80.00- 120.00	100.00
5.611	5.611 (1.032)	56	265557			125.79- 185.79	154.23
5.611	5.611 (1.032)	41	155796			61.55- 121.55	90.49
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.639	5.639 (1.037)	97	281508	48.7470	48.747	80.00- 120.00	100.00
5.639	5.639 (1.037)	99	178065			32.84- 92.84	63.25
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.761	5.761 (1.059)	119	300713	49.1181	49.118	80.00- 120.00	100.00
5.761	5.761 (1.059)	117	314926			75.19- 135.19	104.73
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.804	5.804 (0.903)	110	70771	46.7175	46.718	80.00- 120.00	100.00
5.804	5.804 (0.903)	75	185140			234.16- 294.16	261.60
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.997	5.998 (1.103)	57	830193	49.9765	49.976	80.00- 120.00	100.00
5.997	5.990 (1.103)	56	277365			3.09- 63.09	33.41
5.997	5.990 (1.103)	41	225916			0.00- 57.28	27.21
102 Benzene					CAS #: 71-43-2		
5.997	5.998 (0.933)	78	362504	47.8756	47.876	80.00- 120.00	100.00
5.997	5.998 (0.933)	77	86494			0.00- 53.69	23.86
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.091	6.091 (0.948)	87	101155	49.7121	49.712	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
105 tert-Amyl methyl ether (continued)							
6.091	6.091 (0.948)	73	399924			365.76- 425.76	395.36
6.091	6.091 (0.948)	55	123977			92.58- 152.58	122.56
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.105	6.105 (0.950)	62	189844	48.0649	48.065	80.00- 120.00	100.00
6.105	6.105 (0.950)	64	60444			1.80- 61.80	31.84
107 Heptane					CAS #: 142-82-5		
6.184	6.184 (0.962)	71	139283	46.4370	46.437	80.00- 120.00	100.00
6.184	6.184 (0.962)	43	334940			207.73- 267.73	240.47
6.184	6.184 (0.962)	57	160716			84.83- 144.83	115.39
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.031)	56	143484	83.3461	83.346	80.00- 120.00	100.00(R)
6.628	6.628 (1.031)	41	107673			47.73- 107.73	75.04
6.628	6.628 (1.031)	43	85592			31.60- 91.60	59.65
111 Trichloroethene					CAS #: 79-01-6		
6.635	6.635 (1.032)	95	171664	47.0210	47.021	80.00- 120.00	100.00
6.635	6.635 (1.032)	130	190232			80.23- 140.23	110.82
6.635	6.635 (1.032)	97	110913			34.78- 94.78	64.61
127 Methylcyclohexane					CAS #: 108-87-2		
6.735	6.735 (1.048)	83	236805	45.6633	45.663	80.00- 120.00	100.00
6.735	6.735 (1.048)	98	106532			14.83- 74.83	44.99
6.735	6.735 (1.048)	55	243405			71.50- 131.50	102.79
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.893	6.893 (1.072)	63	160756	45.1186	45.118	80.00- 120.00	100.00
6.893	6.893 (1.072)	62	114903			40.39- 100.39	71.48
6.886	6.893 (1.071)	41	100166			31.86- 91.86	62.31
116 Methyl Methacrylate					CAS #: 80-62-6		
6.979	6.979 (0.762)	69	143437	48.2814	48.281	80.00- 120.00	100.00
6.979	6.979 (0.762)	41	249521			145.81- 205.81	173.96
6.979	6.979 (0.762)	100	57087			10.05- 70.05	39.80
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.088)	88	93851	49.2725	49.272	80.00- 120.00	100.00
6.993	6.993 (1.088)	58	80946			56.33- 116.33	86.25
6.993	6.993 (1.088)	57	29551			2.08- 62.08	31.49
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.008 (0.765)	174	170136	49.4380	49.438	80.00- 120.00	100.00
7.007	7.008 (0.765)	93	156928			62.68- 122.68	92.24

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
118 Dibromomethane (continued)							
7.007	7.008 (0.765)	95	131562			47.70- 107.70	77.33
122 Bromodichloromethane					CAS #: 75-27-4		
7.151	7.151 (1.113)	83	274926	46.5211	46.521	80.00- 120.00	100.00
7.151	7.151 (1.113)	85	178289			34.96- 94.96	64.85
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.573	7.573 (1.178)	75	239250	47.4692	47.469	80.00- 120.00	100.00
7.573	7.573 (1.178)	77	75830			1.26- 61.26	31.69
7.573	7.573 (1.178)	39	156864			35.06- 95.06	65.56
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.709	7.710 (1.199)	58	153130	44.1688	44.169	80.00- 120.00	100.00
7.709	7.710 (1.199)	43	450916			259.88- 319.88	294.47
7.709	7.710 (1.199)	85	57438			7.58- 67.58	37.51
137 Toluene					CAS #: 108-88-3		
7.831	7.831 (1.218)	91	484854	46.2568	46.257	80.00- 120.00	100.00
7.831	7.831 (1.218)	92	280607			27.89- 87.89	57.87
136 Octane					CAS #: 111-65-9		
7.860	7.860 (1.223)	57	170596	44.6733	44.673	80.00- 120.00	100.00
7.860	7.860 (1.223)	85	163470			63.53- 123.53	95.82
7.860	7.860 (1.223)	43	470317			246.00- 306.00	275.69
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.118	8.118 (0.887)	75	199117	49.4059	49.406	80.00- 120.00	100.00
8.118	8.118 (0.887)	77	65012			1.83- 61.83	32.65
8.118	8.118 (0.887)	39	123125			31.97- 91.97	61.84
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.290	8.290 (0.905)	97	163757	47.9859	47.986	80.00- 120.00	100.00
8.282	8.290 (0.905)	99	101184			32.52- 92.52	61.79
8.282	8.283 (0.905)	83	143488			58.90- 118.90	87.62
142 Tetrachloroethene					CAS #: 127-18-4		
8.318	8.318 (0.908)	166	255477	49.8577	49.858	80.00- 120.00	100.00
8.318	8.318 (0.908)	129	193091			45.32- 105.32	75.58
8.318	8.318 (0.908)	131	190424			44.17- 104.17	74.54
143 2-Hexanone					CAS #: 591-78-6		
8.490	8.490 (0.927)	58	212865	49.7198	49.720	80.00- 120.00	100.00
8.490	8.490 (0.927)	43	451322			177.32- 237.32	212.02
8.490	8.490 (0.927)	100	37624			0.00- 47.18	17.68

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.447	8.447 (1.314)	76	227016	46.1976	46.198	80.00- 120.00	100.00
8.447	8.447 (1.314)	41	194960			59.72- 119.72	85.88
8.447	8.447 (1.314)	78	74355			3.08- 63.08	32.75
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.942)	129	336212	49.8501	49.850	80.00- 120.00	100.00
8.626	8.626 (0.942)	127	262138			47.27- 107.27	77.97
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	270406	48.3467	48.347	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	256036			64.18- 124.18	94.69
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.452	7.459 (1.159)	63	301119	47.9001	47.900	80.00- 120.00	100.00
7.459	7.459 (1.160)	65	91793			0.43- 60.43	30.48
7.459	7.459 (1.160)	144	32373			0.00- 40.48	10.75
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.002)	112	414577	49.0594	49.059	80.00- 120.00	100.00
9.178	9.178 (1.002)	114	133179			1.91- 61.91	32.12
9.178	9.178 (1.002)	77	219597			22.97- 82.97	52.97
155 Ethyl Benzene					CAS #: 100-41-4		
9.249	9.250 (1.010)	106	212260	49.9366	49.936	80.00- 120.00	100.00
9.249	9.250 (1.010)	91	662858			281.09- 341.09	312.29
156 Nonane					CAS #: 111-84-2		
9.314	9.314 (1.017)	43	497088	50.3517	50.352	80.00- 120.00	100.00
9.314	9.314 (1.017)	57	403822			50.62- 110.62	81.24
9.314	9.314 (1.017)	85	125336			0.00- 55.65	25.21
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.271	9.271 (1.013)	131	246966	51.2996	51.300	80.00- 120.00	100.00
9.271	9.271 (1.013)	117	165935			37.10- 97.10	67.19
9.271	9.271 (1.013)	95	85198			4.93- 64.93	34.50
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	260935	49.2516	49.252	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	525774			170.33- 230.33	201.50
164 o-Xylene					CAS #: 95-47-6		
9.751	9.751 (1.065)	106	250263	49.8139	49.814	80.00- 120.00	100.00
9.751	9.751 (1.065)	91	525204			181.23- 241.23	209.86
165 Styrene					CAS #: 100-42-5		
9.780	9.780 (1.068)	104	421405	49.1155	49.115	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
165 Styrene (continued)							
9.780	9.780 (1.068)	78	199566			17.26- 77.26	47.36
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.091)	173	343655	50.4179	50.418	80.00- 120.00	100.00
9.987	9.987 (1.091)	171	176745			21.45- 81.45	51.43
168 Cumene					CAS #: 98-82-8		
10.095	10.095 (1.102)	105	766297	50.4569	50.457	80.00- 120.00	100.00
10.095	10.095 (1.102)	120	207829			0.00- 56.93	27.12
10.095	10.095 (1.102)	51	92957			0.00- 42.24	12.13
169 Cyclohexanone					CAS #: 108-94-1		
10.259	10.260 (1.120)	55	282331	46.9884	46.988	80.00- 120.00	100.00
10.259	10.260 (1.120)	98	98671			5.15- 65.15	34.95
10.259	10.260 (1.120)	42	202870			41.99- 101.99	71.86
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.143)	83	392198	49.7893	49.789	80.00- 120.00	100.00
10.474	10.467 (1.144)	85	252893			34.97- 94.97	64.48
177 Bromobenzene					CAS #: 108-86-1		
10.431	10.431 (1.139)	156	259801	49.1000	49.100	80.00- 120.00	100.00
10.431	10.431 (1.139)	158	252666			67.47- 127.47	97.25
10.431	10.431 (1.139)	77	354910			108.68- 168.68	136.61
178 Propylbenzene					CAS #: 103-65-1		
10.496	10.496 (1.146)	120	226691	50.4792	50.479	80.00- 120.00	100.00
10.496	10.496 (1.146)	91	928756			383.60- 443.60	409.70
10.496	10.496 (1.146)	105	35639			0.00- 46.14	15.72
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.517 (1.149)	110	116704	48.8162	48.816	80.00- 120.00	100.00
10.525	10.525 (1.149)	75	422564			324.28- 384.28	362.08
10.517	10.517 (1.149)	61	101572			57.24- 117.24	87.03
182 Decane					CAS #: 124-18-5		
10.610	10.611 (1.159)	57	540146	46.4736	46.474	80.00- 120.00	100.00
10.610	10.611 (1.159)	71	169945			1.11- 61.11	31.46
10.610	10.611 (1.159)	142	23418			0.00- 34.44	4.34
183 4-Ethyltoluene					CAS #: 622-96-8		
10.610	10.611 (1.159)	120	244852	50.0235	50.024	80.00- 120.00	100.00
10.610	10.611 (1.159)	105	804106			298.94- 358.94	328.40
184 2-Chlorotoluene					CAS #: 95-49-8		
10.610	10.611 (1.159)	126	210759	50.8908	50.891	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
184 2-Chlorotoluene (continued)							
10.610	10.611 (1.159)	91	651229			282.78- 342.78	308.99
10.610	10.611 (1.159)	65	96416			17.33- 77.33	45.75
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.675	10.675 (1.166)	120	334529	50.6784	50.678	80.00- 120.00	100.00
10.675	10.675 (1.166)	105	682353			172.08- 232.08	203.97
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.904	10.904 (1.191)	118	357365	51.1077	51.108	80.00- 120.00	100.00
10.904	10.904 (1.191)	103	199934			25.64- 85.64	55.95
189 tert-Butylbenzene					CAS #: 98-06-6		
10.983	10.983 (1.199)	119	633334	50.4659	50.466	80.00- 120.00	100.00
10.976	10.983 (1.199)	134	157381			0.00- 55.10	24.85
10.976	10.976 (1.199)	91	410717			34.53- 94.53	64.85
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.040	11.040 (1.206)	105	675602	50.0585	50.058	80.00- 120.00	100.00
11.040	11.040 (1.206)	120	313940			16.63- 76.63	46.47
192 sec-Butylbenzene					CAS #: 135-98-8		
11.198	11.198 (1.223)	134	205522	50.0303	50.030	80.00- 120.00	100.00
11.198	11.198 (1.223)	105	960521			436.99- 496.99	467.36
11.198	11.198 (1.223)	91	148515			41.69- 101.69	72.26
194 p-Cymene					CAS #: 99-87-6		
11.341	11.341 (1.239)	119	866367	51.5703	51.570	80.00- 120.00	100.00
11.341	11.341 (1.239)	134	238078			0.00- 57.62	27.48
11.341	11.341 (1.239)	91	198678			0.00- 53.03	22.93
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.348	11.348 (1.239)	146	490450	49.0400	49.040	80.00- 120.00	100.00
11.348	11.348 (1.239)	148	311205			34.18- 94.18	63.45
11.348	11.348 (1.239)	111	195621			10.06- 70.06	39.89
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.449	11.449 (1.250)	146	496815	49.0422	49.042	80.00- 120.00	100.00
11.449	11.449 (1.250)	148	316268			33.55- 93.55	63.66
11.441	11.449 (1.250)	111	188839			7.98- 67.98	38.01
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.592	11.592 (1.266)	91	641862	50.0346	50.035	80.00- 120.00	100.00
11.592	11.592 (1.266)	126	146221			0.00- 52.77	22.78
201 Undecane					CAS #: 1120-21-4		
11.785	11.785 (1.287)	57	630692	45.6377	45.638	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
201 Undecane (continued)							
11.785	11.785 (1.287)	43	588181			63.59- 123.59	93.26
202 Butylbenzene					CAS #: 104-51-8		
11.749	11.742 (1.283)	134	233321	50.3935	50.393	80.00- 120.00	100.00
11.742	11.742 (1.282)	91	804930			310.82- 370.82	344.99
11.742	11.742 (1.282)	92	424596			151.53- 211.53	181.98
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.821	11.821 (1.291)	146	481317	49.5901	49.590	80.00- 120.00	100.00
11.821	11.821 (1.291)	148	302426			33.00- 93.00	62.83
11.814	11.814 (1.290)	111	196504			10.87- 70.87	40.83
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.378)	157	299069	52.0962	52.096	80.00- 120.00	100.00
12.616	12.616 (1.378)	75	234676			48.09- 108.09	78.47
12.616	12.616 (1.378)	155	232608			47.89- 107.89	77.78
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.404)	57	728690	52.3465	52.346	80.00- 120.00	100.00
12.860	12.860 (1.404)	43	644840			58.52- 118.52	88.49
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.463)	180	494421	51.4025	51.402	80.00- 120.00	100.00
13.397	13.397 (1.463)	182	468953			64.84- 124.84	94.85
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.511	13.512 (1.476)	225	356997	50.8814	50.881	80.00- 120.00	100.00
13.511	13.504 (1.476)	223	224938			32.80- 92.80	63.01
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.490)	128	127738	6.36288	6.363	80.00- 120.00	100.00
13.648	13.648 (1.490)	127	16748			0.00- 42.72	13.11
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.517)	180	488033	51.7790	51.779	80.00- 120.00	100.00
13.891	13.891 (1.517)	182	466089			65.07- 125.07	95.50
13.891	13.891 (1.517)	145	168134			4.48- 64.48	34.45

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3042404.d
Lab Smp Id: ICV
Analysis Type: VOA
Quant Type: ISTD
Operator: jrf
Method File: /chem/msd3.i/24APR24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 24-APR-2024
Calibration Time: 11:28
Client Smp ID: ICV
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	99858	59915	139801	99038	-0.82
108 1,4-Difluorobenze	376895	226137	527653	376074	-0.22
153 Chlorobenzene-d5	365862	219517	512207	364730	-0.31

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.44	5.11	5.77	5.44	-0.00
108 1,4-Difluorobenze	6.43	6.10	6.76	6.43	-0.00
153 Chlorobenzene-d5	9.16	8.83	9.49	9.16	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 25-Apr-2024 08:47

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 24APR24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: ICV Client Smp ID: ICV
Level: LOW Operator: jrf
Data Type: MS DATA SampleType: ICV
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: AT23.sub
Method File: /chem/msd3.i/24APR24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
4 Freon 134a	50.000	48.227	96.45	70-130
5 Propylene	50.000	47.068	94.14	70-130
7 1,1-Difluoroethan	50.000	49.537	99.07	70-130
8 Freon 12	50.000	48.049	96.10	70-130
9 Chlorodifluoromet	50.000	45.965	91.93	70-130
10 Freon 114	50.000	47.534	95.07	70-130
12 Isobutane	50.000	47.779	95.56	70-130
15 Chloromethane	50.000	49.914	99.83	70-130
18 Butane	50.000	47.270	94.54	70-130
19 Vinyl Chloride	50.000	48.179	96.36	70-130
20 1,3-Butadiene	50.000	44.891	89.78	70-130
24 Bromomethane	50.000	46.636	93.27	70-130
30 Chloroethane	50.000	48.971	97.94	70-130
31 Isopentane	50.000	49.133	98.27	70-130
32 Vinyl Bromide	50.000	49.641	99.28	70-130
33 Freon 11	50.000	48.036	96.07	70-130
34 Dichlorofluoromet	50.000	47.332	94.66	70-130
35 Pentane	50.000	48.199	96.40	70-130
39 Ethanol	50.000	47.717	95.43	70-130
42 Acrolein	57.000	49.604	87.02	70-130
43 Freon 113	50.000	46.185	92.37	70-130
44 1,1-Dichloroethen	50.000	44.126	88.25	70-130
47 Acetone	50.000	46.974	93.95	70-130
48 Carbon Disulfide	50.000	46.648	93.30	70-130
52 2-Propanol	50.000	58.279	116.56	70-130
54 3-Chloropropene	50.000	46.045	92.09	70-130
57 Acetonitrile	50.000	46.785	93.57	70-130
59 Methylene Chlorid	50.000	46.266	92.53	70-130
62 tert-Butyl alcoho	50.000	51.965	103.93	70-130
63 Methyl tert-butyl	50.000	49.207	98.41	70-130
64 trans-1,2-Dichlor	50.000	45.691	91.38	70-130
66 Acrylonitrile	50.000	45.981	91.96	70-130
67 Hexane	50.000	45.052	90.10	70-130

	SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
71	1,1-Dichloroethan	50.000	47.815	95.63	70-130
72	Isopropyl ether	50.000	50.605	101.21	70-130
73	Vinyl Acetate	50.000	76.970	153.94*	70-130
79	Ethyl-tert-butyl	50.000	50.482	100.97	70-130
84	2,2-Dichloropropa	50.000	46.895	93.79	70-130
85	cis-1,2-Dichloroe	50.000	47.216	94.43	70-130
86	2-Butanone	50.000	48.304	96.61	70-130
87	Ethyl Acetate	50.000	47.114	94.23	70-130
89	Tetrahydrofuran	50.000	46.285	92.57	70-130
92	Chloroform	50.000	47.110	94.22	70-130
94	Cyclohexane	50.000	48.607	97.21	70-130
96	1,1,1-Trichloroet	50.000	48.747	97.49	70-130
99	1,1-Dichloroprope	50.000	46.718	93.44	70-130
97	Carbon Tetrachlor	50.000	49.118	98.24	70-130
101	2,2,4-Trimethylpe	50.000	49.976	99.95	70-130
102	Benzene	50.000	47.876	95.75	70-130
105	tert-Amyl methyl	50.000	49.712	99.42	70-130
106	1,2-Dichloroethan	50.000	48.065	96.13	70-130
107	Heptane	50.000	46.437	92.87	70-130
110	n-Butanol	50.000	83.346	166.69*	70-130
111	Trichloroethene	50.000	47.021	94.04	70-130
118	Dibromomethane	50.000	49.438	98.88	70-130
127	Methylcyclohexane	50.000	45.663	91.33	70-130
114	1,2-Dichloropropa	50.000	45.118	90.24	70-130
116	Methyl Methacryla	50.000	48.281	96.56	70-130
117	1,4-Dioxane	50.000	49.272	98.54	70-130
122	Bromodichlorometh	50.000	46.521	93.04	70-130
126	cis-1,3-Dichlorop	50.000	47.469	94.94	70-130
131	4-Methyl-2-pentan	50.000	44.169	88.34	70-130
136	Octane	50.000	44.673	89.35	70-130
137	Toluene	50.000	46.257	92.51	70-130
139	trans-1,3-Dichlor	50.000	49.406	98.81	70-130
141	1,1,2-Trichloroet	50.000	47.986	95.97	70-130
142	Tetrachloroethene	50.000	49.858	99.72	70-130
143	2-Hexanone	50.000	49.720	99.44	70-130
144	1,3-Dichloropropa	50.000	46.198	92.40	70-130
146	Dibromochlorometh	50.000	49.850	99.70	70-130
148	1,2-Dibromoethane	50.000	48.347	96.69	70-130
151	1-Bromo-2-Chloroe	50.000	47.900	95.80	70-130
154	Chlorobenzene	50.000	49.059	98.12	70-130
155	Ethyl Benzene	50.000	49.936	99.87	70-130
156	Nonane	50.000	50.352	100.70	70-130
157	1,1,1,2-Tetrachlo	50.000	51.300	102.60	70-130
158	m,p-Xylene	50.000	49.252	98.50	70-130
164	o-Xylene	50.000	49.814	99.63	70-130
165	Styrene	50.000	49.115	98.23	70-130
167	Bromoform	50.000	50.418	100.84	70-130

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
168 Cumene	50.000	50.457	100.91	70-130
169 Cyclohexanone	50.000	46.988	93.98	70-130
175 1,1,2,2-Tetrachlo	50.000	49.789	99.58	70-130
177 Bromobenzene	50.000	49.100	98.20	70-130
178 Propylbenzene	50.000	50.479	100.96	70-130
179 1,2,3-Trichloropr	50.000	48.816	97.63	70-130
182 Decane	50.000	46.474	92.95	70-130
183 4-Ethyltoluene	50.000	50.024	100.05	70-130
184 2-Chlorotoluene	50.000	50.891	101.78	70-130
185 1,3,5-Trimethylbe	50.000	50.678	101.36	70-130
188 alpha Methyl Styr	50.000	51.108	102.22	70-130
189 tert-Butylbenzene	50.000	50.466	100.93	70-130
190 1,2,4-Trimethylbe	50.000	50.058	100.12	70-130
192 sec-Butylbenzene	50.000	50.030	100.06	70-130
194 p-Cymene	50.000	51.570	103.14	70-130
195 1,3-Dichlorobenze	50.000	49.040	98.08	70-130
196 1,4-Dichlorobenze	50.000	49.042	98.08	70-130
199 alpha-Chlorotolue	50.000	50.035	100.07	70-130
201 Undecane	50.000	45.638	91.28	70-130
202 Butylbenzene	50.000	50.393	100.79	70-130
204 1,2-Dichlorobenze	50.000	49.590	99.18	70-130
206 1,2-Dibromo-3-chl	50.000	52.096	104.19	70-130
207 Dodecane	50.000	52.346	104.69	70-130
213 1,2,4-Trichlorobe	50.000	51.402	102.80	70-130
215 Hexachlorobutadie	50.000	50.881	101.76	70-130
216 Naphthalene	5.700	6.363	111.63	60-140
222 1,2,3-Trichlorobe	50.000	51.779	103.56	70-130

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	25.562	102.25	70-130
$ 134 Toluene-d8	25.000	24.686	98.75	70-130
$ 170 4-Bromofluorobenz	25.000	24.651	98.60	70-130

Report Date: 26-Apr-2024 11:38

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 24APR24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: ICV Client Smp ID: ICV
Level: LOW Operator: jrf
Data Type: MS DATA SampleType: ICV
SpikeList File: AT23.spk Quant Type: ISTD
Sublist File: AT23_cont051124.sub
Method File: /chem/msd3.i/24APR24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
4 Freon 134a	50.000	48.227	96.45	70-130
5 Propylene	50.000	47.068	94.14	70-130
7 1,1-Difluoroethan	50.000	49.537	99.07	70-130
8 Freon 12	50.000	48.049	96.10	70-130
9 Chlorodifluoromet	50.000	45.965	91.93	70-130
10 Freon 114	50.000	47.534	95.07	70-130
12 Isobutane	50.000	47.779	95.56	70-130
15 Chloromethane	50.000	49.914	99.83	70-130
18 Butane	50.000	47.270	94.54	70-130
19 Vinyl Chloride	50.000	48.179	96.36	70-130
20 1,3-Butadiene	50.000	44.891	89.78	70-130
24 Bromomethane	50.000	46.636	93.27	70-130
30 Chloroethane	50.000	48.971	97.94	70-130
31 Isopentane	50.000	49.133	98.27	70-130
32 Vinyl Bromide	50.000	49.641	99.28	70-130
33 Freon 11	50.000	48.036	96.07	70-130
34 Dichlorofluoromet	50.000	47.332	94.66	70-130
35 Pentane	50.000	48.199	96.40	70-130
39 Ethanol	50.000	44.835	89.67	70-130
42 Acrolein	57.000	49.604	87.02	70-130
43 Freon 113	50.000	46.185	92.37	70-130
44 1,1-Dichloroethen	50.000	44.126	88.25	70-130
47 Acetone	50.000	46.974	93.95	70-130
48 Carbon Disulfide	50.000	46.648	93.30	70-130
52 2-Propanol	50.000	49.444	98.89	70-130
54 3-Chloropropene	50.000	46.045	92.09	70-130
57 Acetonitrile	50.000	46.785	93.57	70-130
59 Methylene Chlorid	50.000	46.266	92.53	70-130
62 tert-Butyl alcoho	50.000	51.965	103.93	70-130
63 Methyl tert-butyl	50.000	49.207	98.41	70-130
64 trans-1,2-Dichlor	50.000	45.691	91.38	70-130
66 Acrylonitrile	50.000	45.981	91.96	70-130
67 Hexane	50.000	45.052	90.10	70-130

	SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
71	1,1-Dichloroethan	50.000	47.815	95.63	70-130
72	Isopropyl ether	50.000	50.605	101.21	70-130
73	Vinyl Acetate	50.000	73.982	147.96*	70-130
79	Ethyl-tert-butyl	50.000	50.482	100.97	70-130
84	2,2-Dichloropropa	50.000	46.895	93.79	70-130
85	cis-1,2-Dichloroe	50.000	47.216	94.43	70-130
86	2-Butanone	50.000	48.304	96.61	70-130
87	Ethyl Acetate	50.000	47.114	94.23	70-130
89	Tetrahydrofuran	50.000	46.285	92.57	70-130
92	Chloroform	50.000	47.110	94.22	70-130
94	Cyclohexane	50.000	48.607	97.21	70-130
96	1,1,1-Trichloroet	50.000	48.747	97.49	70-130
99	1,1-Dichloroprope	50.000	46.718	93.44	70-130
97	Carbon Tetrachlor	50.000	49.118	98.24	70-130
101	2,2,4-Trimethylpe	50.000	49.976	99.95	70-130
102	Benzene	50.000	47.876	95.75	70-130
105	tert-Amyl methyl	50.000	49.712	99.42	70-130
106	1,2-Dichloroethan	50.000	48.065	96.13	70-130
107	Heptane	50.000	46.437	92.87	70-130
110	n-Butanol	50.000	83.346	166.69*	70-130
111	Trichloroethene	50.000	47.021	94.04	70-130
118	Dibromomethane	50.000	49.438	98.88	70-130
127	Methylcyclohexane	50.000	45.663	91.33	70-130
114	1,2-Dichloropropa	50.000	45.118	90.24	70-130
116	Methyl Methacryla	50.000	48.281	96.56	70-130
117	1,4-Dioxane	50.000	49.272	98.54	70-130
122	Bromodichlorometh	50.000	46.521	93.04	70-130
126	cis-1,3-Dichlorop	50.000	47.469	94.94	70-130
131	4-Methyl-2-pentan	50.000	44.169	88.34	70-130
136	Octane	50.000	44.673	89.35	70-130
137	Toluene	50.000	46.257	92.51	70-130
139	trans-1,3-Dichlor	50.000	49.406	98.81	70-130
141	1,1,2-Trichloroet	50.000	47.986	95.97	70-130
142	Tetrachloroethene	50.000	49.858	99.72	70-130
143	2-Hexanone	50.000	49.720	99.44	70-130
144	1,3-Dichloropropa	50.000	46.198	92.40	70-130
146	Dibromochlorometh	50.000	49.850	99.70	70-130
148	1,2-Dibromoethane	50.000	48.347	96.69	70-130
151	1-Bromo-2-Chloroe	50.000	47.900	95.80	70-130
154	Chlorobenzene	50.000	49.059	98.12	70-130
155	Ethyl Benzene	50.000	49.936	99.87	70-130
156	Nonane	50.000	50.352	100.70	70-130
157	1,1,1,2-Tetrachlo	50.000	51.300	102.60	70-130
158	m,p-Xylene	50.000	49.252	98.50	70-130
164	o-Xylene	50.000	49.814	99.63	70-130
165	Styrene	50.000	49.115	98.23	70-130
167	Bromoform	50.000	50.418	100.84	70-130

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
168 Cumene	50.000	50.457	100.91	70-130
169 Cyclohexanone	50.000	46.988	93.98	70-130
175 1,1,2,2-Tetrachlo	50.000	49.789	99.58	70-130
177 Bromobenzene	50.000	49.100	98.20	70-130
178 Propylbenzene	50.000	50.479	100.96	70-130
179 1,2,3-Trichloropr	50.000	48.816	97.63	70-130
182 Decane	50.000	46.474	92.95	70-130
183 4-Ethyltoluene	50.000	50.024	100.05	70-130
184 2-Chlorotoluene	50.000	50.891	101.78	70-130
185 1,3,5-Trimethylbe	50.000	50.678	101.36	70-130
188 alpha Methyl Styr	50.000	51.108	102.22	70-130
189 tert-Butylbenzene	50.000	50.466	100.93	70-130
190 1,2,4-Trimethylbe	50.000	50.058	100.12	70-130
192 sec-Butylbenzene	50.000	50.030	100.06	70-130
194 p-Cymene	50.000	51.570	103.14	70-130
195 1,3-Dichlorobenze	50.000	49.040	98.08	70-130
196 1,4-Dichlorobenze	50.000	49.042	98.08	70-130
199 alpha-Chlorotolue	50.000	50.035	100.07	70-130
201 Undecane	50.000	45.638	91.28	70-130
202 Butylbenzene	50.000	50.393	100.79	70-130
204 1,2-Dichlorobenze	50.000	49.590	99.18	70-130
206 1,2-Dibromo-3-chl	50.000	52.096	104.19	70-130
207 Dodecane	50.000	52.346	104.69	70-130
213 1,2,4-Trichlorobe	50.000	51.402	102.80	70-130
215 Hexachlorobutadie	50.000	50.881	101.76	70-130
216 Naphthalene	5.700	6.363	111.63	60-140
222 1,2,3-Trichlorobe	50.000	51.779	103.56	70-130

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	25.562	102.25	65-134
$ 134 Toluene-d8	25.000	24.686	98.75	92-109
$ 170 4-Bromofluorobenz	25.000	24.651	98.60	85-118

Data File: /chem/msd3.i/24APR24.b/3042404.d

Date : 24-APR-2024 12:00

Client ID: ICV


Instrument: msd3.i

Sample Info: 50mL 3018-4441

Operator: jrf

Column phase: RTX-624

Column diameter: 0.25



TO-15 QUAD POOLED MDL CASE NARRATIVE

A Method Detection Limit Study for TO-15 Quad method was analyzed 8/01/23-8/29/23 for MSDA, MSD3, MSDP, MSDJ, MSD16, and MSD91.

0.5ppbv MDL: Standard # 3018-3932, 3018-3942, 3018-3921 (5.0ppbv); 20mL load volume. Spike amount of 0.5ppbv.

Notes:

1. MDL verification was analyzed on 9/01/23. Standard #3018-3942; 5.0ppbv, 18mL load volume; file #91090108; spike concentration of 0.45ppbv.
2. MDL spike calculated on file #91081408x
3. The MDL spikes for MSD-91 were re-analyzed due to the initial spikes having multiple compounds recover outside of 50-150%.

2.0ppbv MDL: Standard # 3018-3932, 3018-3942, 3018-3921 (5.0ppbv); 80mL load volume. Spike amount of 2.0ppbv.

Notes:

1. MDL verification was analyzed on 9/01/23. Standard #3018-3942; 5.0ppbv, 60mL load volume; file #91090109; spike concentration of 1.5ppbv.
2. MDL verification for Ethanol and Acetone was analyzed on 9/01/23. Standard #3018-3942; 5.0ppbv, 160ml load volume; file#91090111; spike concentration of 4.0ppbv.
3. MDL spike calculated on file# 91080109x
4. MDL verification for Napthalene was analyzed on 9/01/23. Standard #3018-3942; 5.0ppbv, 80ml load volume; file#91090110; spike concentration of 2.0ppbv (0.2ppbv for Napthalene).
5. MDL spike calculated on file# 91080109ax

The concentrations for Acetonitrile,Tert-butanol, Naphthalene, Ethanol, and Acrolein were adjusted in the MDL spike due to the certified concentration exceeding more than 15% of nominal concentration.

MDL values for the following compounds were taken from the MDL blank:

Acetone (1.3907ppbv)
1,3-Dichlorobenzene (0.11681ppbv)
1,4-Dichlorobenzene (0.16832ppbv)

The ratio of the mean recovered concentration was between 1 and 20 for all compounds.

Iodomethane and trans-1,4-Dichlorobutane were not included in the MDL study.

MDL Expires 8/29/24

AT23 0.5ppbv Quad Pooled MDL

MDL Verification for 0.5ppbv MDL
Standard #3018-3942 (5.0ppbv)
Load volume of 18ml.
Spike concentration of 0.45ppbv.
File#91090108

The ratio of the mean recovered concentration and the MDL was between 1 and 20 for all compounds.

I(s12H Report Date : 01-SEP-2023 07:50 Page 1
US32TAR1
SPIKED METHOD DETECTION LIMIT SUMMARY REPORT
Method File: /chem/msda.i/29AUG23.b/a23q0825a.m Spiked ID(s) Spiked Vol(s)
Batch File: /chem/msda.i/29AUG23.b
Instrument Names: msdp.i
Student T 2.718 for 12 Replicates with 99% Confidence

ID:	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL010	MDL11	MDL12						
FILENAME:	p080108	p080208	91081408	91081508	3082309	3082409	j082411	j082507	16082507	16082807	a082808	a082908						
INJ.DATE:	1-Aug-23	2-Aug-23	14-Aug-23	15-Aug-23	23-Aug-23	24-Aug-23	24-Aug-23	25-Aug-23	25-Aug-23	28-Aug-23	28-Aug-23	29-Aug-23						
INJ.TIME:	14:44	14:11	12:15	12:34	21:30	15:24	15:53	14:13	15:09	12:47	14:56	16:04						
Compound	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL10	MDL11	MDL12	AVG CONC	STD DEV	SPK AMT	RL	RATIO	MDL
1 Freon 12	480.54	516.84	353.31	332.41	616.10	619.01	453.56	503.79	465.78	456.36	555.10	516.96	489.15	87.94	0.00	500.00	2.05	239.02
2 Freon 114	558.43	603.17	452.00	449.12	528.53	575.78	533.15	549.15	464.69	459.68	518.68	511.88	517.02	51.26	0.00	500.00	3.71	139.34
3 Vinyl Chloride	358.58	437.48	302.48	295.26	702.68	792.24	330.71	377.68	478.87	455.46	539.14	475.21	462.15	154.43	0.00	500.00	1.10	419.74
4 1,3-Butadiene	430.80	584.01	361.88	317.19	592.24	703.18	416.37	412.30	455.22	467.86	535.48	473.86	479.20	108.13	0.00	500.00	1.63	293.89
5 Freon 11	498.13	540.14	458.53	449.18	588.93	647.40	501.73	515.21	451.14	464.39	537.21	507.82	513.32	59.36	0.00	500.00	3.18	161.34
6 Freon 113	538.82	565.96	510.45	456.46	537.11	546.87	511.97	531.12	450.60	450.56	543.58	520.06	513.63	39.89	0.00	500.00	4.74	108.43
7 1,1-Dichloroethene	426.92	461.56	359.17	336.60	559.22	666.54	408.12	384.79	443.03	447.90	561.80	505.32	463.41	95.37	0.00	500.00	1.79	259.22
8 trans-1,2-Dichloroethene	429.25	523.45	369.30	336.68	582.08	602.74	414.26	445.99	429.22	433.13	510.53	557.18	469.48	84.51	0.00	500.00	2.04	229.70
9 Acrylonitrile	388.99	494.23	374.39	321.14	712.25	735.53	373.47	389.75	400.73	367.64	488.78	449.49	457.62	133.98	0.00	500.00	1.26	364.15
10 Hexane	467.95	419.45	477.91	467.13	589.60	552.84	400.66	432.18	441.56	424.18	527.26	489.44	474.18	57.52	0.00	500.00	3.03	156.33
11 1,1-Dichloroethane	481.17	480.22	467.73	434.17	567.58	562.41	489.81	494.86	458.95	456.30	512.82	478.62	490.39	40.25	0.00	500.00	4.48	109.40
12 cis-1,2-Dichloroethene	470.64	455.38	467.30	450.37	524.72	492.72	426.59	443.54	415.38	399.10	517.43	417.30	456.71	40.02	0.00	500.00	4.20	108.78
* 13 Bromochloromethane	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
14 Tetrahydrofuran	568.82	471.54	498.86	437.10	739.14	789.14	453.10	467.51	439.10	437.19	559.24	537.19	533.16	117.90	0.00	500.00	1.66	320.45
15 Chloroform	534.00	530.13	489.78	519.46	557.98	552.02	525.20	506.14	448.31	413.30	529.76	502.52	509.05	41.98	0.00	500.00	4.46	114.10
16 1,1,1-Trichloroethane	530.04	526.27	473.07	473.92	567.19	566.14	495.97	502.10	439.04	430.64	542.04	497.80	503.69	44.77	0.00	500.00	4.14	121.67
17 Cyclohexane	442.44	421.57	447.38	450.82	548.50	575.58	351.66	381.93	404.88	429.14	518.66	505.91	456.54	67.72	0.00	500.00	2.48	184.07
18 Carbon Tetrachloride	499.91	557.42	452.00	420.30	577.02	539.52	540.44	511.12	418.56	415.38	552.94	511.87	499.71	58.73	0.00	500.00	3.13	159.63
19 2,2,4-Trimethylpentane	368.77	409.79	402.67	388.91	548.01	558.02	359.98	387.46	445.32	436.02	531.29	506.30	445.21	72.11	0.00	500.00	2.27	195.99
20 Benzene	541.04	519.95	521.68	555.69	565.10	588.10	559.58	552.33	440.25	464.31	566.80	514.94	532.48	43.50	0.00	500.00	4.50	118.22
$ 21 1,2-Dichloroethane-d4	24566.00	25833.00	25963.00	25696.00	25165.00	25682.00	25322.00	25520.00	10259.00	10268.00	24392.00	23951.00	22718.08	5850.20	0.00	400.00	1.43	15900.85
22 1,2-Dichloroethane	671.73	563.33	478.16	488.98	583.09	651.58	506.77	546.54	488.96	503.53	541.50	514.44	544.88	69.30	0.00	500.00	3.17	172.06
23 Heptane	431.18	490.71	489.31	500.11	560.48	628.53	469.13	502.61	403.60	433.66	556.78	487.36	496.12	62.50	0.00	500.00	2.92	169.88
* 24 1,4-Difluorobenzene	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
25 Trichloroethene	519.57	602.58	480.73	461.64	591.60	615.84	529.24	526.29	461.85	467.12	501.38	495.00	521.07	55.05	0.00	500.00	3.48	149.64
26 1,2-Dichloropropane	597.28	544.58	504.54	552.35	586.44	631.86	516.28	545.64	457.79	480.64	530.85	502.26	537.54	50.11	0.00	500.00	3.95	136.19
27 Dibromomethane	528.85	536.36	466.38	490.94	555.95	607.82	586.41	571.97	456.90	426.75	532.50	500.67	521.79	55.06	0.00	500.00	3.49	149.66
28 Bromodichloromethane	541.72	582.87	502.59	499.10	588.58	594.10	527.55	536.73	425.88	433.38	561.89	471.32	522.14	57.31	0.00	500.00	3.35	155.76
29 cis-1,3-Dichloropropene	486.67	544.44	500.12	492.66	555.58	559.74	488.08	480.49	410.76	440.61	512.12	460.61	494.32	44.91	0.00	500.00	4.05	122.08
30 4-Methyl-2-pentanone	527.84	463.63	497.25	539.64	655.87	524.37	472.46	499.70	392.20	379.58	484.64	498.75	494.66	70.93	0.00	500.00	2.57	192.79
$ 31 Toluene-d8	24769.00	24734.00	24140.00	24043.00	25232.00	25371.00	25634.00	25730.00	10050.00	9955.30	25155.00	24777.00	22465.86	5844.68	0.00	400.00	1.41	15885.83
32 Toluene	543.46	510.78	570.65	548.38	574.66	572.00	570.54	575.41	451.05	448.01	534.47	507.80	533.93	46.01	0.00	500.00	4.27	125.06
33 trans-1,3-Dichloropropene	459.08	490.10	480.81	484.78	485.36	558.75	480.24	453.05	522.79	504.42	492.10	473.64	490.43	28.33	0.00	500.00	6.37	77.00
34 1,1,2-Trichloroethane	504.11	583.16	490.10	458.32	600.01	603.80	556.17	583.71	439.85	442.89	555.49	508.50	527.18	60.96	0.00	500.00	3.18	165.69
35 Tetrachloroethene	515.83	523.84	555.19	536.17	534.34	564.81	567.43	563.79	423.99	439.36	531.19	490.25	520.52	47.33	0.00	500.00	4.03	128.64
36 1,3-Dichloropropane	577.27	555.01	510.30	505.47	549.39	600.62	566.94	564.38	472.40	474.19	556.31	494.10	535.53	42.43	0.00	500.00	4.64	115.33
37 Dibromochloromethane	518.57	565.77	510.06	524.38	527.07	585.61	537.69	543.47	417.15	400.80	532.84	485.05	512.37	54.70	0.00	500.00	3.45	148.66
38 1,2-Dibromoethane (EDB)	582.61	578.76	445.39	437.26	531.45	546.97	535.03	541.38	426.45	420.17	541.82	473.58	508.07	60.30	0.00	500.00	3.08	163.90
* 39 Chlorobenzene-d5	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
40 Chlorobenzene	535.27	497.64	479.10	490.46	569.79	552.58	571.28	567.91	475.15	470.59	523.96	502.26	519.67	38.76	0.00	500.00	4.93	105.35
41 Ethyl Benzene	448.50	457.30	480.89	508.15	525.19	572.64	511.99	506.23	459.41	402.39	508.38	478.17	488.27	43.77	0.00	500.00	4.10	118.96
42 1,1,1,2-Tetrachloroethane	518.82	565.19	534.97	529.22	545.37	572.20	552.25	596.60	431.45	409.42	548.70	497.72	525.16	55.35	0.00	500.00	3.49	150.44
43 m,p-Xylene	483.83	458.86	509.02	491.08	497.55	531.74	463.20	460.44	467.73	452.96	514.81	512.75	487.00	26.38	0.00	500.00	6.79	71.70
44 o-Xylene	446.69	463.60	475.79	474.07	523.62	551.68	413.86	449.49	446.11	409.46	522.04	443.68	468.34	44.06	0.00	500.00	3.91	119.76
45 Styrene	423.58	411.25	483.17	456.35	467.30	477.44	404.18	423.44	408.53	420.63	497.63	455.66	444.10	32.56	0.00	500.00	5.02	88.50

Blank (1ppbv)

x= 160.105
2x=320.210 (2ppbv)
3x=480.316
4x=640.421

46 Bromoform	532.74	584.35	541.83	548.07	510.80	548.92	544.76	586.95	382.53	368.14	518.67	444.43	509.35	72.55	0.00	500.00	2.58	197.18	
47 Cumene	453.31	416.87	483.80	476.23	516.79	524.91	434.18	438.38	428.49	413.66	515.41	485.32	465.61	40.21	0.00	500.00	4.26	109.28	
$ 48 4-Bromofluorobenzene	23911.00	24748.00	25504.00	25060.00	24991.00	24818.00	25090.00	24894.00	9835.60	9471.70	24778.00	24685.00	22915.53	5926.20	0.00	400.00	1.39	16107.41	
49 1,1,2,2-Tetrachloroethane	513.07	606.08	590.63	579.81	547.75	601.66	603.91	595.63	448.59	420.90	531.41	497.95	544.78	63.52	0.00	500.00	3.16	172.66	
50 Propylbenzene	431.78	492.40	511.26	505.99	532.60	573.85	456.38	505.64	455.23	443.63	516.72	474.54	491.67	41.12	0.00	500.00	4.40	111.77	
51 1,2,3-Trichloropropane	545.89	655.60	561.72	501.15	641.29	608.30	569.65	598.55	461.41	442.06	540.59	487.68	551.16	68.51	0.00	500.00	2.96	186.20	
52 4-Ethyltoluene	468.47	429.25	515.78	507.04	504.95	565.29	470.56	493.55	445.26	428.84	525.99	487.04	486.83	40.81	0.00	500.00	4.39	110.91	
53 1,3,5-Trimethylbenzene	416.91	432.28	503.18	493.37	553.08	536.14	438.38	453.33	438.56	412.42	533.15	482.49	474.44	49.23	0.00	500.00	3.55	133.79	
54 alpha Methyl Styrene	418.51	405.94	486.16	416.11	394.31	382.13	401.38	318.86	316.46	388.32	385.97	332.69	387.24	47.56	0.00	500.00	3.00	179.28	
55 1,2,4-Trimethylbenzene	401.85	468.06	513.51	504.71	509.75	532.54	397.24	399.83	456.34	421.79	505.56	480.07	465.94	49.67	0.00	500.00	3.45	134.99	
56 sec-Butylbenzene	407.94	448.90	513.35	540.23	508.83	570.02	428.12	439.92	425.40	428.56	549.13	517.85	481.52	57.16	0.00	500.00	3.10	155.37	
57 p-Cymene	392.25	436.54	511.82	514.81	507.70	512.07	411.02	413.15	436.42	397.56	509.08	485.97	460.70	50.40	0.00	500.00	3.36	136.99	
58 1,3-Dichlorobenzene	508.16	499.02	586.08	600.41	560.15	576.36	560.63	576.87	521.19	496.43	539.24	523.76	545.69	35.81	0.00	500.00	5.61	87.33	
59 1,4-Dichlorobenzene	473.23	523.08	595.39	584.78	570.77	573.18	532.71	549.35	557.77	537.76	529.08	500.56	543.97	35.44	0.00	500.00	5.65	98.31	
60 alpha-Chlorotoluene	463.47	483.78	576.84	547.91	451.53	479.30	397.03	401.42	414.93	393.60	455.41	411.50	456.39	59.13	0.00	500.00	2.84	60.71	
61 Butylbenzene	441.29	381.41	554.61	534.42	543.71	563.94	393.69	412.55	450.80	436.81	514.19	478.80	475.52	65.02	0.00	500.00	2.69	176.71	
62 1,2-Dichlorobenzene	489.86	559.24	610.60	603.76	551.81	590.65	556.04	573.27	501.84	448.26	553.52	505.58	545.37	49.45	0.00	500.00	4.06	134.40	

Blank (ppbv)
23.32
-
-
2.61
4.26
-
50.62
38.13
3.97
64.40
28.61
41.35
16.51
68.32
109.39
71.27
121.32

Reviewer 1 _____ Date: 9/1/23

Reviewer 2 _____ Date: 09/06/23

AT-23 2.0ppbv Quad Pooled MDL

B(s12H Report Date : 01-SEP-2023 07:25 — Page 1

US32TAR1

SPIKED METHOD DETECTION LIMIT SUMMARY REPORT

Method File: /chem/msda.l/29AUG23.b/a23q0825a.m — Spiked ID(s) — Spiked Vol(s)

Batch File: /chem/msda.l/29AUG23.b

Instrument Names: msdp.l

Student T 2.718 for 12 Replicates with 99% Confidence

B(s14H

ID:	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL010	MDL11	MDL12	AVG CONC	STD DEV	SPK AMT	RL	RATIO	MDL
FILENAME:	p080109	p080209	91080109	9108027	3082310	3082410	j082412	j082508	16082508	16082808	a082809	a082909						
INJ.DATE:	1-Aug-23	2-Aug-23	1-Aug-23	2-Aug-23	23-Aug-23	24-Aug-23	24-Aug-23	25-Aug-23	25-Aug-23	28-Aug-23	28-Aug-23	29-Aug-23						
INJ.TIME:	15:13	14:40	12:20	14:19	22:02	15:56	16:18	14:38	15:50	13:29	15:33	16:40						
Compound	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL10	MDL11	MDL12	AVG CONC	STD DEV	SPK AMT	RL	RATIO	MDL
1 Freon 134a	2241.40	2551.70	1778.20	1582.50	2197.60	2363.00	1835.40	1958.30	2699.20	2641.90	2299.80	2143.20	2191.02	351.52	0.00	2000.00	2.29	955.44
2 Propylene	2116.90	2156.60	1959.60	1939.50	1814.20	2706.20	1982.20	2142.20	2183.00	2163.80	2081.20	2110.40	2112.98	218.09	0.00	2000.00	3.56	592.76
3 1,1-Difluoroethane	1938.10	2139.10	1743.60	1575.50	2447.80	2680.20	1771.40	1949.20	2380.90	2469.20	2106.70	1903.00	2092.01	339.94	0.00	2000.00	2.26	923.95
4 Chlorodifluoromethane	1862.60	2432.70	1845.40	1831.40	2434.40	2396.40	1594.60	1689.60	2350.60	2178.20	2234.10	1957.20	2067.27	304.81	0.00	2000.00	2.50	828.47
5 Isobutane	1873.50	2067.80	2000.00	1855.30	1998.20	2229.40	1942.80	2038.90	2306.70	2271.40	2164.70	1978.50	2060.38	150.92	0.00	2000.00	5.02	410.21
6 Chloromethane	2056.50	2159.60	2048.20	1886.90	2627.40	2956.30	2014.80	2244.70	2466.20	2431.50	2576.00	2481.50	2329.08	313.30	0.00	5000.00	2.74	851.56
7 Butane	1830.10	2170.00	1949.70	1598.00	2746.60	2543.90	1806.20	1917.80	2099.30	2344.40	2185.90	1843.90	2086.27	332.61	0.00	2000.00	2.91	904.02
8 Bromomethane	2209.40	2356.80	1778.90	1600.40	2017.00	2576.10	1950.60	2084.60	2089.70	2119.20	2685.90	2550.50	2168.26	327.18	0.00	5000.00	2.44	889.28
9 Chloroethane	2941.10	1869.50	1822.10	1738.40	1678.80	2878.50	1991.10	2069.20	2219.40	2214.40	2300.10	2353.50	2081.34	254.86	0.00	2000.00	3.00	892.71
10 Isopentane	2016.20	1970.80	2111.60	1912.50	2399.20	2648.80	1906.90	1970.00	2315.10	2401.50	2206.60	1991.50	2154.17	239.17	0.00	2000.00	3.31	650.06
11 Vinyl Bromide	2003.10	2072.40	1728.40	1640.10	2203.40	2414.40	1830.90	1949.40	2041.10	2140.40	2156.80	1972.70	2012.76	212.68	0.00	2000.00	3.48	578.08
12 Dichlorofluoromethane	1976.00	2176.30	1970.40	1757.00	2095.50	2270.00	2246.30	2423.50	2154.40	2212.90	2099.30	1965.30	2112.24	176.50	0.00	2000.00	4.40	479.72
13 Pentane	1757.10	1961.80	1985.00	1870.10	2345.50	2324.60	1732.40	1854.60	2322.60	2327.80	2186.90	1982.80	2054.27	234.80	0.00	2000.00	3.22	638.19
14 Ethanol	1795.70	2774.90	2316.90	2332.60	4565.70	4807.40	2823.90	3891.90	2985.30	2936.50	2813.20	2569.30	3051.11	912.09	0.00	5000.00	1.23	2479.06
15 Acrolein	2150.20	2222.90	2152.80	2101.20	2784.00	4047.80	2210.40	2343.30	2603.60	2438.70	2567.40	2360.00	2498.53	531.05	0.00	2000.00	1.73	1443.38
16 Acetone	2336.40	2088.00	2072.60	2133.80	2889.30	2483.50	2359.50	2477.40	2766.40	2496.40	2571.80	2771.50	2448.88	271.01	0.00	2000.00	3.32	736.59
17 Iodomethane	1559.20	2013.90	0.00	0.00	0.00	0.00	0.00	0.00	3017.20	3093.10	1450.60	1103.20	853.83	930.40	0.00	5000.00	0.34	2578.82
18 Carbon Disulfide	2093.70	2141.00	1997.80	1888.70	2211.90	2447.80	2009.30	2178.20	2103.70	2091.00	2204.00	2037.60	2117.06	140.11	0.00	2000.00	5.56	380.83
19 2-Propanol	1929.70	2023.40	1901.80	1859.90	2060.90	2254.50	2368.20	2775.00	2056.70	2029.80	2118.70	1963.70	2111.86	259.84	0.00	2000.00	3.06	689.95
20 3-Chloropropene	1839.10	2238.20	1809.60	1729.30	2101.80	2152.20	1636.40	1815.70	2005.70	2134.00	1967.80	1894.10	1945.28	188.79	0.00	2000.00	3.79	512.98
21 Acetonitrile	2385.90	2795.10	2281.40	2223.70	2538.50	2459.60	2364.20	2635.20	2820.00	2647.80	2422.90	1963.80	2460.96	245.71	0.00	2000.00	3.69	667.83
22 Methylene Chloride	2100.60	1989.40	1955.40	1811.60	2189.50	2378.70	2062.60	2135.60	2294.90	2258.00	2087.60	2013.50	2103.12	154.08	0.00	5000.00	5.02	418.79
23 tert-Butyl alcohol	2191.10	2075.90	2177.20	2121.40	2258.90	2188.70	2868.50	3469.60	2225.10	2188.90	2236.60	2293.50	2357.90	404.08	0.00	2000.00	2.15	1098.30
24 Methyl tert-butyl ether	1757.90	1797.90	1974.80	1864.30	1917.60	1951.10	1660.80	1706.70	2035.00	2050.00	2049.80	1957.00	1891.91	134.41	0.00	2000.00	5.18	365.34
25 Isopropyl ether	1760.70	1844.80	2087.70	1899.20	2069.10	2124.50	1532.70	1643.70	2176.50	2137.10	2053.60	1968.70	1941.52	208.36	0.00	2000.00	3.43	566.33
26 Vinyl Acetate	1298.70	1060.20	1822.80	1848.70	1903.80	1989.70	1898.80	1858.40	1802.00	1958.90	1861.00	1983.30	1688.86	317.86	0.00	2000.00	1.95	863.94
27 Ethyl-tert-butyl ether	1695.90	1837.00	2091.60	1924.30	1961.10	2041.70	1564.60	1718.20	2046.60	2080.50	2083.00	1911.40	1912.99	175.28	0.00	2000.00	4.02	476.41
28 2,2-Dichloropropane	2005.40	2194.50	2104.90	1959.90	1884.40	1989.90	1821.10	1982.20	2087.00	2123.00	2157.90	1951.10	2021.72	113.07	0.00	2000.00	6.58	307.32
29 2-Butanone	1848.00	1910.00	2042.70	1944.50	2035.20	2138.10	1731.90	1843.40	1945.10	2003.40	2163.60	1982.40	1965.64	123.98	0.00	2000.00	5.88	336.97
30 Ethyl Acetate	1879.60	2155.20	2222.40	2082.70	2638.50	2605.60	1725.80	1948.20	2480.40	2481.80	2013.60	1881.60	2176.28	309.16	0.00	2000.00	2.59	840.30
* 31 Bromochloromethane	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
32 1,1-Dichloropropene	1864.20	1972.50	2027.90	1863.90	2032.20	2182.80	1758.00	1900.40	2116.60	2123.20	2113.40	1992.70	1995.65	128.95	0.00	2000.00	5.69	350.47
$ 33 1,2-Dichloroethane-d4	26025.00	26363.00	25657.00	24467.00	24850.00	24807.00	25416.00	25684.00	10078.00	10190.00	24749.00	24130.00	22701.17	5906.78	0.00	400.00	1.41	16054.64
34 tert-Amyl methyl ether	1760.50	1771.10	1905.60	1966.10	1876.70	2159.00	1611.70	1725.20	2101.90	2162.40	2071.00	1940.40	1920.97	180.15	0.00	2000.00	3.92	489.64
* 35 1,4-Difluorobenzene	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
36 n-Butanol	2124.90	1909.00	2071.90	2290.50	2192.60	1960.10	2961.30	3976.30	2181.60	2184.00	2047.10	2003.80	2275.26	440.07	0.00	2000.00	1.90	1196.11
37 Methylcyclohexane	1841.00	1786.80	1932.70	1832.30	1900.90	1992.30	1753.30	1855.20	2177.00	2155.00	2085.60	1878.00	1992.51	140.78	0.00	2000.00	5.05	382.63
38 Methyl Methacrylate	1664.30	1789.30	2056.50	1776.90	1965.10	1997.80	1730.80	1817.00	2051.60	2172.80	2057.80	1936.10	1918.00	158.54	0.00	2000.00	4.45	490.92
39 1,4-Dioxane	1864.90	1867.80	2142.60	2042.60	1996.50	2081.10	2114.90	2528.80	2119.40	2062.50	2022.40	2008.10	2070.97	169.38	0.00	2000.00	4.50	460.38
40 1-Bromo-2-Chloroethane	2001.30	2152.40	1990.80	1951.90	2034.60	2284.70	2074.60	2211.80	2153.60	2241.10	2116.50	1946.50	2092.48	107.81	0.00	2000.00	7.14	293.02
$ 41 Toluene-d8	24761.00	24391.00	24575.00	24488.00	25262.00	25221.00	24941.00	25118.00	10023.00	10049.00	24696.00	24836.00	22963.42	5764.70	0.00	400.00	1.43	15668.45
42 Octane	1850.10	1927.00	1899.80	1911.00	1941.70	2081.10	1935.20	2153.00	2191.40	2228.30	1877.20	1926.50	1993.96	131.82	0.00	2000.00	5.56	358.29
43 2-Hexanone	1679.80	1601.70	1957.40	2012.40	2098.40	1908.90	1634.50	1615.40	2182.60	2142.20	1897.90	1912.50	1887.73	207.50	0.00	2000.00	3.35	563.97
* 44 Chlorobenzene-d5	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
45 Nonane	1674.90	1730.00	2204.90	2200.00	1927.00	2080.70	1887.20	1985.90	2261.80	2281.80	2078.00	1879.10	2015.84	202.57	0.00	2000.00	3.66	550.59
46 Cyclohexanone	1770.00	1744.40	1917.70	2025.20	2078.70	1818.90	2344.80	2260.20	2097.60	2129.00	1778.00	1972.90	1994.73	197.09	0.00	2000.00	3.72	535.69
$ 47 4-Bromofluorobenzene	24461.00	24686.00	24852.00	24750.00	25290.00	25158.00	24720.00	24623.00	9315.60	9311.70	24439.00	24741.00	22195.61	6022.18	0.00	400.00	1.36	16368.28
48 Bromobenzene	1926.10	2017.10	2143.00	2152.00	1978.00	2112.10	2101.50	2297.90	2131.80	2147.50	2106.60	1966.20	2084.98	92.55	0.00	2000.00	8.29	251.55
49 trans-1,4-Dichloro-2-butene	1847.10	2006.90	0.00	0.00	1559.10	1622.10	0.00	0.00	2095.00	2038.40	1720.30	1663.20	1318.16	915.43	0.00	5000.00	0.49	3487.82
50 Decane	1615.10	1778.60	2129.40	2181.10	2009.60	2132.80	2045.60	2154.60	2182.20	2093.70	1905.70	1785.20	1996.47	193.34	0.00	2000.00	3.80	525.49

The ratio of the mean recovered concentration and the MDL was between 1 and 20 for all compounds.

Blank (ppt)

1390.7 — Ratio 1 to 20 Failed

362.53

241.23

21.99

59.34

691.92

23.08 73.03

42.34

77.70

46.01

Ratio 1 to 20 Failed

51 2-Chlorotoluene	1899.50	2034.60	2098.60	2099.60	2017.10	2057.00	2149.80	2270.00	2109.40	2155.90	2046.80	1929.80	2072.94	100.19	0.00	2000.00	7.61	272.31	37.65
52 tert-Butylbenzene	1709.50	1815.20	2101.20	2190.60	1962.60	2023.50	1924.80	2003.70	2167.50	2171.80	2116.10	1963.00	2012.45	148.72	0.00	2000.00	4.98	404.22	
53 Undecane	1412.40	1602.70	2253.60	2278.00	1994.40	2099.90	2003.60	2085.80	2074.90	1977.60	1994.80	1746.60	1960.26	254.65	0.00	2000.00	2.83	692.13	170.54
54 1,2-Dibromo-3-chloropropane	1905.80	2087.80	2121.00	2135.10	2009.30	2143.50	1906.70	2031.00	1892.00	1907.10	1898.50	1871.70	1992.46	107.11	0.00	2000.00	6.84	291.17	113.55
55 Dodecane	1238.50	1242.90	1478.10	1658.20	1866.80	1934.00	1997.00	1963.10	1961.40	1767.90	1840.10	1781.10	1723.16	269.76	0.00	2000.00	2.35	733.21	72.63
56 1,2,4-Trichlorobenzene	1758.20	1893.80	2103.50	2224.80	2132.60	2072.60	2173.90	2241.20	2067.10	1990.90	2068.10	2043.70	2064.20	136.16	0.00	2000.00	5.58	370.09	134.06
57 Hexachlorobutadiene	1993.70	2084.30	2485.40	2472.80	2129.70	2134.60	2476.50	2538.60	2178.30	2043.70	2068.00	2021.80	2218.95	209.31	0.00	2000.00	3.90	568.90	102.47
58 1,2,3-Trichlorobenzene	1838.50	1816.30	2232.90	2399.70	2249.60	2127.00	2250.00	2906.00	2129.10	1894.90	2075.90	2093.70	2117.30	186.49	0.00	2000.00	4.18	506.89	319.68

Blank (ppbv)

Reviewer 1 _____ Date: 9/1/23

Reviewer 2 _____ Date: 09/06/23

x=595.640 (ppbv)
2x=1191.281
3x=1786.921
4x=2382.562

MDL Verification for 2.0ppbv MDL
Standard #3018-3942 (5.0ppbv)
Load volume of 60ml
Spike concentration of 1.5ppbv
File #91090109.

Ethanol and Acetone (ppbv)
x=1934.88
2x=3869.76
3x=5804.64
4x=7739.52

MDL Verification for Ethanol and Acetone MDL
Standard #3018-3942 (5.0ppbv)
Load volume of 160ml
Spike concentration of 4.0ppbv
File #91090111

AT23 Naphthalene (0.2ppbv) MDL

]s12H Report Date : 01-SEP-2023 07:53 Page 1
US32TAR1
SPIKED METHOD DETECTION LIMIT SUMMARY REPORT
Method File: /chem/msda.i/29AUG23.b/a23q0825a.m Spiked ID(s) Spiked Vol(s)
Batch File: /chem/msda.i/29AUG23.b
Instrument Names: msdp.i
Student T 2.718 for 12 Replicates with 99% Confidence
]s14H

ID:	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL010	MDL11	MDL12						
FILENAME:	p0801095	p0802098	91080109a	9108021?a	3082310a	3082410a	j082412a	j082508a	16082508a	16082808a	a082809a	a082909a						
INJ.DATE:	1-Aug-23	2-Aug-23	1-Aug-23	2-Aug-23	23-Aug-23	24-Aug-23	24-Aug-23	25-Aug-23	25-Aug-23	28-Aug-23	28-Aug-23	29-Aug-23						
INJ.TIME:	15:13	14:40	12:20	14:19	22:02	15:56	16:18	14:38	15:50	13:29	15:33	16:40						
Compound	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL10	MDL11	MDL12	AVG CONC	STD DEV	SPK AMT	RL	RATIO	MDL
* 1 Bromochloromethane	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
$ 2 1,2-Dichloroethane-d4	26025.00	26363.00	25657.00	24467.00	24850.00	24807.00	25416.00	25684.00	10076.00	10190.00	24749.00	24130.00	22701.17	5906.78	0.00	400.00	1.41	16054.64
* 3 1,4-Difluorobenzene	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
$ 4 Toluene-d8	24761.00	24391.00	24575.00	24488.00	25262.00	25221.00	24941.00	25118.00	10023.00	10049.00	24696.00	24836.00	22363.42	5764.70	0.00	400.00	1.43	15668.45
* 5 Chlorobenzene-d5	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	0.00	400.00	1.42	15.87
$ 6 4-Bromofluorobenzene	24461.00	24686.00	24852.00	24750.00	25290.00	25158.00	24720.00	24623.00	9315.60	9311.70	24439.00	24741.00	22195.51	6022.18	0.00	400.00	1.36	16368.28
7 Naphthalene	181.56	193.92	260.52	263.44	229.12	224.77	185.56	186.35	188.71	185.39	217.65	217.05	210.75	29.12	0.00	1000.00	2.66	79.14

Blank (ppbv)

Reviewer 1 _____ Date: 9/1/23
Reviewer 2 _____ Date: 09/06/23

57.36

x= 79.14 (ppbv)
2x=158.28
3x=237.42
4x=316.56

MDL Verification for Naph MDL
Standard #3018-3942 (5.0ppbv)
Load volume of 80ml
Spike concentration of 2.0ppbv (0.2ppbv for Naph)
File #91090110

MDL Blank

Il(s12H Report Date : 30-AUG-2023 13:01 Page 1

US32TAR1

BLANK METHOD DETECTION LIMIT SUMMARY REPORT

Method File: /chem/msda.i/29AUG23.b/a23q0825a.m

Batch File: /chem/msda.i/29AUG23.b

Instrument Names: msdp.i Il(s14H

Student T 2.718 for 12 Replicates with 99% Confidence

ID:	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL010	MDL11	MDL12						
FILENAME:	p080107EPALB	p080207EPALB	91080107EPALB	91080209EPALB	3082311EPALB	308240 8EPALB	J082406EPALB	J082506EPALB	16082506EPALB	16082806EPALB	a082807EPALB	a082907EPALB						
INJ.DATE:	1-Aug-23	2-Aug-23	1-Aug-23	2-Aug-23	23-Aug-23	24-Aug-23	24-Aug-23	25-Aug-23	25-Aug-23	28-Aug-23	28-Aug-23	29-Aug-23						
INJ.TIME:	13:48	12:58	10:44	12:53	22:38	14:35	13:54	13:05	14:30	12:08	14:12	15:15						
Compound	MDL01	MDL02	MDL03	MDL04	MDL05	MDL06	MDL07	MDL08	MDL09	MDL10	MDL11	MDL12	AVG CONC	STD DEV	MAX	RL	CAL MDL	MDL
1 Freon 134a	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
2 Propylene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
3 1,1-Difluoroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
4 Freon 12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
5 Chlorodifluoromethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
6 Freon 114	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
7 Isobutane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
8 Chloromethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
9 Butane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
10 Vinyl Chloride	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
11 1,3-Butadiene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
12 Bromomethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
13 Chloroethane	0.00	0.00	0.00	0.00	0.00	0.00	201.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
14 Isopentane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	16.77	58.08	201.19	400.00	157.86	201.19
15 Vinyl Bromide	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
16 Freon 11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
17 Dichlorofluoromethane	0.00	0.00	0.00	0.00	0.00	0.00	37.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
18 Pentane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.11	10.77	37.30	400.00	29.27	37.30
19 Ethanol	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
20 Acrolein	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
21 Freon 113	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
22 1,1-Dichloroethene	0.00	0.00	0.00	0.00	0.00	0.00	33.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
23 Acetone	207.02	579.74	441.04	520.73	0.00	730.09	1267.20	873.67	106.84	422.40	1390.70	665.19	600.38	425.07	1390.70	400.00	1155.35	1390.70
24 Iodomethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
25 Carbon Disulfide	93.48	82.92	50.79	52.35	296.45	367.53	162.66	111.28	0.00	0.00	0.00	0.00	101.45	120.31	367.53	400.00	327.00	367.53
26 2-Propanol	0.00	0.00	85.63	0.00	0.00	0.00	112.88	0.00	110.76	241.23	0.00	126.58	56.42	78.83	241.23	400.00	214.26	241.23
27 3-Chloropropene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
28 Acetonitrile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
29 Methylene Chloride	0.00	0.00	21.99	21.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.64	8.51	21.99	400.00	23.13	21.99
30 tert-Butyl alcohol	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
31 Methyl tert-butyl ether	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
32 trans-1,2-Dichloroethene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
33 Acrylonitrile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
34 Hexane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
35 Isopropyl ether	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
36 1,1-Dichloroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
37 Vinyl Acetate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
38 Ethyl-tert-butyl ether	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
39 2,2-Dichloropropane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
40 cis-1,2-Dichloroethene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
41 2-Butanone	0.00	0.00	52.76	33.88	0.00	0.00	159.34	0.00	0.00	0.00	70.07	0.00	26.34	48.53	159.34	400.00	131.90	159.34
42 Ethyl Acetate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
* 43 Bromochloromethane	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	25.00	400.00	15.87	38.37
44 Tetrahydrofuran	0.00	0.00	0.00	0.00	0.00	0.00	35.97	0.00	0.00	0.00	0.00	0.00	3.00	10.38	35.97	400.00	28.22	35.97
45 Chloroform	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
46 Cyclohexane	0.00	0.00	0.00	0.00	0.00	0.00	21.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
47 1,1,1-Trichloroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
48 Carbon Tetrachloride	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.82	6.32	21.89	400.00	17.17	21.89
49 1,1-Dichloropropene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
50 2,2,4-Trimethylpentane	0.00	0.00	0.00	0.00	0.00	0.00	65.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
51 Benzene	0.00	0.00	0.00	0.00	0.00	0.00	25846.00	26006.00	10407.00	10060.00	24947.00	24442.00	22763.58	5885.28	26504.00	400.00	15996.19	38759.77
$ 52 1,2-Dichloroethane-d4	24758.00	25080.00	26504.00	24839.00	24674.00	25600.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
53 tert-Amyl methyl ether	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00
54 1,2-Dichloroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.47	18.94	65.60	400.00	51.47	65.60
55 Heptane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00
* 56 1,4-Difluorobenzene	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	25.00	400.00	15.87	38.37
57 n-Butanol	0.00	0.00	264.70	217.12	0.00	0.00	691.92	0.00	0.00	0.00	0.00	0.00	97.81	209.14	691.92	400.00	568.45	691.92
58 Trichloroethene	0.00	0.00	0.00	0.00	0.00	0.00	44.26	0.00	0.00	0.00	0.00	0.00	3.69	12.78	44.26	400.00	34.73	44.26
59 Methylcyclohexane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00

60 1,2-Dichloropropane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	(ppt.)
61 Methyl Methacrylate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
62 1,4-Dioxane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
63 Dibromomethane	0.00	0.00	23.76	0.00	0.00	0.00	91.72	50.70	20.88	0.00	21.04	11.94	18.34	27.85	91.72	400.00	75.70	91.72	
64 Bromodichloromethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
65 1-Bromo-2-Chloroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
66 cis-1,3-Dichloropropene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00	
67 4-Methyl-2-pentanone	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
$ 68 Toluene-d8	24696.00	24545.00	24337.00	24161.00	25397.00	25226.00	24915.00	24785.00	9947.10	9867.60	25184.00	25022.00	22340.23	5818.67	25397.00	400.00	15815.14	38155.37	
69 Octane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
70 Toluene	0.00	0.00	9.01	0.00	0.00	0.00	46.35	0.00	19.93	24.25	0.00	0.00	8.29	14.74	46.35	400.00	40.05	46.35	
71 trans-1,3-Dichloropropene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
72 1,1,2-Trichloroethane	0.00	0.00	0.00	0.00	0.00	0.00	36.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
73 Tetrachloroethene	0.00	0.00	0.00	0.00	0.00	0.00	39.53	0.00	0.00	0.00	0.00	0.00	3.03	10.51	36.41	400.00	28.57	36.41	
74 1,3-Dichloropropane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.12	0.00	0.00	3.29	11.41	39.53	400.00	31.02	39.53	
75 2-Hexanone	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	73.03	0.00	0.00	0.68	2.34	8.12	2000.00	6.37	8.12	
76 Dibromochloromethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.09	21.08	73.03	400.00	57.30	73.03	
77 1,2-Dibromoethane (EDB)	0.00	0.00	0.00	0.00	0.00	0.00	33.54	0.00	0.00	0.00	0.00	0.00	2.80	9.68	33.54	400.00	26.32	33.54	
* 78 Chlorobenzene-d5	25.00	25.00	25.00	25.00	25.00	25.00	28.82	0.00	25.12	12.81	0.00	0.00	5.56	10.68	28.82	400.00	29.02	28.82	
79 Chlorobenzene	0.00	0.00	0.00	0.00	0.00	0.00	25.00	25.00	10.00	10.00	25.00	25.00	22.50	5.84	25.00	400.00	15.87	38.37	
80 Ethyl Benzene	0.00	0.00	0.00	0.00	0.00	0.00	66.22	0.00	35.37	39.31	0.00	0.00	11.74	22.41	66.22	400.00	60.92	66.22	
81 1,1,1,2-Tetrachloroethane	0.00	0.00	0.00	0.00	0.00	0.00	34.82	0.00	0.00	0.00	0.00	0.00	2.90	10.05	34.82	400.00	27.32	34.82	
82 Nonane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	500.00	0.00	0.00	
83 m,p-Xylene	0.00	0.00	0.00	0.00	0.00	0.00	42.34	0.00	0.00	38.73	0.00	0.00	6.76	15.80	42.34	400.00	42.94	42.34	
84 o-Xylene	0.00	0.00	0.00	0.00	0.00	0.00	32.23	0.00	0.00	0.00	0.00	0.00	2.69	9.30	32.23	400.00	25.29	32.23	
85 Styrene	0.00	0.00	0.00	0.00	0.00	0.00	29.28	0.00	0.00	8.21	0.00	0.00	3.12	8.57	29.28	400.00	23.29	29.28	
86 Bromoform	0.00	0.00	0.00	0.00	0.00	18.10	35.03	0.00	60.20	56.88	0.00	0.00	14.18	23.35	60.20	400.00	63.47	60.20	
87 Cumene	0.00	0.00	0.00	0.00	0.00	0.00	23.32	0.00	0.00	17.67	0.00	0.00	3.42	8.07	23.32	400.00	21.93	23.32	
88 Cyclohexanone	0.00	0.00	34.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
$ 89 4-Bromofluorobenzene	24121.00	23417.00	24496.00	24780.00	25519.00	25079.00	24470.00	24251.00	9759.80	9991.30	24430.00	25018.00	22111.01	5739.76	25519.00	400.00	15600.67	37711.67	
90 1,1,2,2-Tetrachloroethane	0.00	0.00	0.00	0.00	0.00	0.00	42.61	0.00	0.00	0.00	0.00	0.00	3.55	12.30	42.61	400.00	33.44	42.61	
91 Bromobenzene	0.00	0.00	0.00	0.00	0.00	0.00	40.69	0.00	64.54	68.01	0.00	0.00	14.44	26.87	68.01	2000.00	73.05	68.01	
92 Propylbenzene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	34.26	0.00	0.00	2.85	9.89	34.26	400.00	26.88	34.26	
93 1,2,3-Trichloropropane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
94 trans-1,4-Dichloro-2-buten	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2000.00	0.00	0.00	
95 Decane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
96 4-Ethyltoluene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
97 2-Chlorotoluene	0.00	0.00	0.00	0.00	0.00	0.00	26.79	0.00	0.00	50.62	0.00	0.00	6.45	15.90	50.62	400.00	43.22	50.62	
98 1,3,5-Trimethylbenzene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	37.65	0.00	0.00	3.14	10.87	37.65	400.00	29.54	37.65	
99 alpha Methyl Styrene	0.00	0.00	0.00	0.00	0.00	0.00	28.82	0.00	0.00	38.13	0.00	0.00	5.58	13.18	38.13	400.00	35.83	38.13	
100 tert-Butylbenzene	0.00	0.00	0.00	0.00	0.00	0.00	30.19	0.00	60.99	63.97	0.00	0.00	12.93	24.71	63.97	400.00	67.17	63.97	
101 1,2,4-Trimethylbenzene	29.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	400.00	0.00	0.00	
102 sec-Butylbenzene	0.00	0.00	0.00	0.00	13.91	0.00	27.85	0.00	60.86	64.40	0.00	0.00	16.39	24.27	64.40	400.00	65.96	64.40	
103 p-Cymene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	28.61	25.79	0.00	0.00	4.53	10.61	28.61	400.00	28.83	28.61	
104 1,3-Dichlorobenzene	0.00	0.00	0.00	0.00	0.00	0.00	31.61	0.00	41.35	0.00	0.00	0.00	6.08	14.35	41.35	400.00	39.01	41.35	
105 1,4-Dichlorobenzene	0.00	0.00	9.33	7.30	0.00	0.00	49.70	0.00	116.81	115.32	0.00	0.00	25.75	44.92	116.81	400.00	122.09	116.81	
106 alpha-Chlorotoluene	0.00	0.00	0.00	0.00	0.00	0.00	50.40	0.00	168.32	154.12	0.00	0.00	32.46	61.88	168.32	400.00	168.20	168.32	
107 Butylbenzene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	97.90	109.39	0.00	0.00	17.27	40.42	109.39	400.00	109.85	109.39	
108 Undecane	21.72	14.70	18.88	0.00	0.00	0.00	26.58	0.00	65.74	71.27	0.00	0.00	13.63	26.76	71.27	400.00	72.73	71.27	
109 1,2-Dichlorobenzene	0.00	0.00	7.18	0.00	0.00	0.00	40.83	0.00	52.63	48.43	170.54	40.65	34.03	47.35	170.54	400.00	128.71	170.54	
110 1,2-Dibromo-3-chloropro	0.00	0.00	0.00	0.00	0.00	0.00	51.20	0.00	111.80	121.32	0.00	0.00	24.29	45.54	121.32	400.00	123.77	121.32	
111 Dodecane	8.77	17.03	0.00	17.47	0.00	0.00	41.43	0.00	113.55	97.70	0.00	0.00	21.06	41.38	113.55	2000.00	112.47	113.55	
112 1,2,4-Trichlorobenzene	48.41	0.00	15.24	9.93	34.23	20.59	75.10	0.00	92.63	79.73	65.78	23.19	31.64	35.80	92.63	400.00	97.31	92.63	
113 Hexachlorobutadiene	24.52	26.43	7.37	0.00	0.00	0.00	143.17	14.62	334.06	330.59	33.96	30.59	84.62	121.37	334.06	400.00	329.89	334.06	
114 Naphthalene	11.90	14.18	2.14	0.00	36.08	18.14	102.47	0.00	72.85	61.35	0.00	0.00	24.58	35.26	102.47	400.00	95.83	102.47	
115 1,2,3-Trichlorobenzene	0.00	0.00	17.12	10.07	0.00	0.00	32.58	9.14	56.59	57.36	13.32	11.66	21.92	19.45	57.36	400.00	52.87	57.36	
							201.96	0.00	319.68	308.69	42.02	33.30	77.74	123.96	319.68	400.00	336.92	319.68	

Reviewer 1 _____ Date: 9/1/23

Reviewer 2 _____ Date: 09/06/23

Client ID:	CCV		
Lab ID:	2406264R2-16A	**Date/Time Analyzed:**	6/19/24 09:34 AM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061903

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	95
1,4-Dichlorobenzene	106-46-7	100
Benzene	71-43-2	95
cis-1,2-Dichloroethene	156-59-2	96
Ethyl Benzene	100-41-4	97
m,p-Xylene	108-38-3	98
o-Xylene	95-47-6	97
Toluene	108-88-3	94
trans-1,2-Dichloroethene	156-60-5	96
Trichloroethene	79-01-6	123
Vinyl Chloride	75-01-4	98

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	94
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	97

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061903.d
Lab Smp Id: CCV Client Smp ID: CCV
Inj Date : 19-JUN-2024 09:34
Operator : LD Inst ID: msd3.i
Smp Info : 50mL 3018-4465
Misc Info : 50ppbv(200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:33 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 13 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	90010	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	71195			47.79- 107.79	79.10
5.432	5.432 (1.000)	49	135765			131.33- 191.33	150.83
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	327761	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	46747			0.00- 45.65	14.26
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	325037	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	162025			22.92- 82.92	49.85
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	109855	25.0000	23.432	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	60788			23.17- 83.17	55.34
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	310486	25.0000	24.368	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	32942			0.00- 41.42	10.61

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	208673			37.54- 97.54	67.21
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	244441	25.0000	25.306	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	263810			88.49- 148.49	107.92
10.288	10.288 (1.124)	176	236957			66.73- 126.73	96.94
4 Freon 134a					CAS #: 811-97-2		
1.423	1.423 (0.262)	83	107999	50.0000	51.909	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	97593			64.17- 124.17	90.36
1.493	1.493 (0.275)	51	417071			365.46- 425.46	386.18
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.265)	41	112569	50.0000	47.749	80.00- 120.00	100.00
1.437	1.437 (0.265)	42	75330			35.86- 95.86	66.92
1.437	1.437 (0.265)	39	81953			41.66- 101.66	72.80
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.479	1.479 (0.272)	65	68414	50.0000	50.341	80.00- 120.00	100.00
1.493	1.493 (0.275)	51	417071			568.10- 628.10	609.63
1.577	1.577 (0.290)	47	15145			0.00- 50.57	22.14
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.270)	85	274204	50.0000	51.440	80.00- 120.00	100.00
1.465	1.465 (0.270)	87	90831			2.88- 62.88	33.13
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.493 (0.275)	67	31760	50.0000	47.614	80.00- 120.00	100.00
1.493	1.493 (0.275)	51	417071			1257.55-1317.55	1313.16
10 Freon 114					CAS #: 76-14-2		
1.577	1.577 (0.290)	135	253098	50.0000	54.011	80.00- 120.00	100.00
1.577	1.577 (0.290)	137	80084			2.10- 62.10	31.64
12 Isobutane					CAS #: 75-28-5		
1.591	1.591 (0.293)	43	237111	50.0000	47.566	80.00- 120.00	100.00
1.591	1.591 (0.293)	42	75912			1.69- 61.69	32.02
1.591	1.591 (0.293)	58	8031			0.00- 33.32	3.39
15 Chloromethane					CAS #: 74-87-3		
1.675	1.675 (0.308)	50	126507	50.0000	49.223	80.00- 120.00	100.00
1.675	1.675 (0.308)	52	39425			1.38- 61.38	31.16
18 Butane					CAS #: 106-97-8		
1.717	1.717 (0.316)	58	23579	50.0000	45.758	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
18 Butane (continued)							
1.717	1.717 (0.316)	43	208097			866.38- 926.38	882.55
19 Vinyl Chloride					CAS #: 75-01-4		
1.759	1.759 (0.324)	62	122103	50.0000	49.102	80.00- 120.00	100.00
1.759	1.759 (0.324)	64	39255			3.10- 63.10	32.15
20 1,3-Butadiene					CAS #: 106-99-0		
1.773	1.773 (0.326)	54	106741	50.0000	45.693	80.00- 120.00	100.00
1.773	1.773 (0.326)	39	111188			78.74- 138.74	104.17
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	101638	50.0000	57.197	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	95555			64.19- 124.19	94.01
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.409)	64	61419	50.0000	51.503	80.00- 120.00	100.00
2.220	2.220 (0.409)	66	18314			2.32- 62.32	29.82
2.220	2.220 (0.409)	49	21246			6.33- 66.33	34.59
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	160113	50.0000	47.050	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	100631			31.77- 91.77	62.85
32 Vinyl Bromide					CAS #: 593-60-2		
2.416	2.416 (0.445)	106	109267	50.0000	52.870	80.00- 120.00	100.00
2.402	2.402 (0.442)	108	102813			64.21- 124.21	94.09
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	316821	50.0000	51.591	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	208645			34.93- 94.93	65.86
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.458 (0.453)	67	237474	50.0000	48.496	80.00- 120.00	100.00
2.458	2.458 (0.453)	69	75723			1.95- 61.95	31.89
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	242496	50.0000	46.832	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	35180			0.00- 44.64	14.51
2.514	2.514 (0.463)	72	19626			0.00- 37.90	8.09
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	23085	61.6000	47.382	80.00- 120.00	100.00
2.752	2.752 (0.507)	45	59075			224.40- 284.40	255.90
42 Acrolein					CAS #: 107-02-8		
3.054	3.054 (0.562)	55	26076	58.2500	24.868	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
42 Acrolein (continued)							
3.054	3.054 (0.562)	56	37470			108.02- 168.02	143.69
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	271629	50.0000	50.050	80.00- 120.00	100.00
3.061	3.061 (0.563)	153	176720			35.07- 95.07	65.06
3.061	3.061 (0.563)	101	301583			87.45- 147.45	111.03
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.089	3.089 (0.569)	96	110161	50.0000	47.705	80.00- 120.00	100.00
3.089	3.089 (0.569)	98	69442			33.27- 93.27	63.04
3.089	3.089 (0.569)	61	231094			159.05- 219.05	209.78
47 Acetone					CAS #: 67-64-1		
3.247	3.247 (0.598)	58	60373	50.0000	45.945	80.00- 120.00	100.00
3.240	3.240 (0.596)	43	213116			329.45- 389.45	353.00
48 Carbon Disulfide					CAS #: 75-15-0		
3.326	3.326 (0.612)	76	288346	50.0000	45.793	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.631)	45	236610	50.0000	43.310	80.00- 120.00	100.00
3.426	3.426 (0.631)	43	44678			0.00- 48.18	18.88
54 3-Chloropropene					CAS #: 107-05-1		
3.577	3.577 (0.658)	76	47467	50.0000	44.746	80.00- 120.00	100.00
3.577	3.577 (0.658)	41	174941			366.80- 426.80	368.55
57 Acetonitrile					CAS #: 75-05-8		
3.684	3.684 (0.678)	41	132914	58.8000	55.123	80.00- 120.00	100.00
3.684	3.684 (0.678)	40	69606			22.74- 82.74	52.37
3.684	3.684 (0.678)	38	15585			0.00- 42.52	11.73
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.777 (0.695)	49	169681	50.0000	47.012	80.00- 120.00	100.00
3.777	3.777 (0.695)	84	95968			24.90- 84.90	56.56
3.777	3.777 (0.695)	51	51068			0.00- 59.67	30.10
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.906	3.906 (0.719)	59	270945	57.6000	48.614	80.00- 120.00	100.00
3.906	3.906 (0.719)	41	64452			0.00- 51.85	23.79
3.913	3.913 (0.720)	57	28011			0.00- 40.17	10.34
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
3.999	3.999 (0.736)	73	295387	50.0000	44.830	80.00- 120.00	100.00
3.999	3.999 (0.736)	57	84720			0.00- 58.72	28.68

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
63 Methyl tert-butyl ether (continued)							
3.999	3.999 (0.736)	41	87688			0.00- 59.38	29.69
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	74386	50.0000	47.966	80.00- 120.00	100.00
4.028	4.028 (0.742)	61	184098			232.13- 292.13	247.49
4.028	4.028 (0.742)	96	116534			127.26- 187.26	156.66
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.135 (0.761)	52	87825	50.0000	43.792	80.00- 120.00	100.00
4.135	4.135 (0.761)	53	105186			86.45- 146.45	119.77
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.784)	57	205718	50.0000	42.573	80.00- 120.00	100.00
4.250	4.250 (0.782)	43	143606			40.97- 100.97	69.81
4.257	4.257 (0.784)	86	26291			0.00- 42.68	12.78
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.551 (0.838)	63	208814	50.0000	46.594	80.00- 120.00	100.00
4.551	4.551 (0.838)	65	64404			0.47- 60.47	30.84
72 Isopropyl ether					CAS #: 108-20-3		
4.551	4.551 (0.838)	45	474879	50.0000	44.191	80.00- 120.00	100.00
4.551	4.551 (0.838)	87	96646			0.00- 49.55	20.35
4.544	4.544 (0.836)	59	50385			0.00- 40.42	10.61
73 Vinyl Acetate					CAS #: 108-05-4		
4.608	4.608 (0.848)	86	4977	50.0000	12.613	80.00- 120.00	100.00
4.601	4.601 (0.847)	43	95162			1727.95-1787.95	1912.01
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.938	4.938 (0.909)	59	411316	50.0000	44.384	80.00- 120.00	100.00
4.938	4.938 (0.909)	87	142360			3.90- 63.90	34.61
4.938	4.938 (0.909)	41	87216			0.00- 49.72	21.20
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.138	5.138 (0.946)	77	203045	50.0000	45.896	80.00- 120.00	100.00
5.138	5.138 (0.946)	79	64751			2.39- 62.39	31.89
5.138	5.138 (0.946)	97	48096			0.00- 53.57	23.69
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.181	5.181 (0.954)	98	76808	50.0000	47.829	80.00- 120.00	100.00
5.181	5.181 (0.954)	96	118250			125.53- 185.53	153.95
5.181	5.181 (0.954)	61	203429			219.86- 279.86	264.85
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.960)	72	53540	50.0000	46.275	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.238	5.238 (0.964)	43	586010			1138.34-1198.34	1094.52
5.217	5.217 (0.960)	57	22204			10.83- 70.83	41.47
87 Ethyl Acetate					CAS #: 141-78-6		
5.238	5.238 (0.964)	45	46635	50.0000	40.303	80.00- 120.00	100.00
5.181	5.181 (0.954)	61	203429			338.96- 398.96	436.21
5.238	5.238 (0.964)	70	23719			24.53- 84.53	50.86
89 Tetrahydrofuran					CAS #: 109-99-9		
5.425	5.425 (0.999)	42	142667	50.0000	40.330	80.00- 120.00	100.00
5.425	5.425 (0.999)	71	40575			0.00- 58.54	28.44
5.425	5.425 (0.999)	72	42685			0.00- 59.59	29.92
92 Chloroform					CAS #: 67-66-3		
5.511	5.511 (1.014)	83	234308	50.0000	48.690	80.00- 120.00	100.00
5.511	5.511 (1.014)	85	153954			35.77- 95.77	65.71
94 Cyclohexane					CAS #: 110-82-7		
5.611	5.611 (1.033)	84	146222	50.0000	45.420	80.00- 120.00	100.00
5.604	5.604 (1.032)	56	218023			125.79- 185.79	149.10
5.604	5.604 (1.032)	41	126018			61.55- 121.55	86.18
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.632	5.632 (1.037)	97	251231	50.0000	47.867	80.00- 120.00	100.00
5.632	5.632 (1.037)	99	160829			32.84- 92.84	64.02
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.754	5.754 (1.059)	119	278997	50.0000	50.141	80.00- 120.00	100.00
5.754	5.754 (1.059)	117	292138			75.19- 135.19	104.71
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.797	5.797 (0.903)	110	65246	50.0000	49.420	80.00- 120.00	100.00
5.797	5.797 (0.903)	75	165579			234.16- 294.16	253.77
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.990	5.990 (1.103)	57	689129	50.0000	45.645	80.00- 120.00	100.00
5.983	5.983 (1.102)	56	230416			3.09- 63.09	33.44
5.990	5.990 (1.103)	41	185616			0.00- 57.28	26.93
102 Benzene					CAS #: 71-43-2		
5.990	5.990 (0.933)	78	313524	50.0000	47.510	80.00- 120.00	100.00
5.998	5.998 (0.934)	77	75147			0.00- 53.69	23.97
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.084	6.084 (0.948)	87	82266	50.0000	46.389	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
105 tert-Amyl methyl ether (continued)							
6.084	6.084 (0.948)	73	321235			365.76- 425.76	390.48
6.084	6.084 (0.948)	55	106720			92.58- 152.58	129.72
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.098 (0.950)	62	165251	50.0000	48.005	80.00- 120.00	100.00
6.098	6.098 (0.950)	64	53104			1.80- 61.80	32.14
107 Heptane					CAS #: 142-82-5		
6.177	6.177 (0.962)	71	115243	50.0000	44.086	80.00- 120.00	100.00
6.177	6.177 (0.962)	43	270467			207.73- 267.73	234.69
6.177	6.177 (0.962)	57	134326			84.83- 144.83	116.56
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.032)	56	59470	50.0000	39.636	80.00- 120.00	100.00
6.628	6.628 (1.032)	41	45586			47.73- 107.73	76.65
6.628	6.628 (1.032)	43	36223			31.60- 91.60	60.91
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	195481	50.0000	61.437	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	219211			80.23- 140.23	112.14
6.628	6.628 (1.032)	97	125077			34.78- 94.78	63.98
127 Methylcyclohexane					CAS #: 108-87-2		
6.728	6.728 (1.048)	83	207727	50.0000	45.961	80.00- 120.00	100.00
6.728	6.728 (1.048)	98	96650			14.83- 74.83	46.53
6.728	6.728 (1.048)	55	205485			71.50- 131.50	98.92
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.886 (1.073)	63	138908	50.0000	44.733	80.00- 120.00	100.00
6.886	6.886 (1.073)	62	99288			40.39- 100.39	71.48
6.886	6.886 (1.073)	41	85029			31.86- 91.86	61.21
116 Methyl Methacrylate					CAS #: 80-62-6		
6.972	6.972 (0.762)	69	114767	50.0000	43.349	80.00- 120.00	100.00
6.972	6.972 (0.762)	41	194565			145.81- 205.81	169.53
6.972	6.972 (0.762)	100	48086			10.05- 70.05	41.90
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.089)	88	78643	50.0000	47.374	80.00- 120.00	100.00
6.986	6.986 (1.088)	58	66310			56.33- 116.33	84.32
6.986	6.986 (1.088)	57	24714			2.08- 62.08	31.43
118 Dibromomethane					CAS #: 74-95-3		
7.008	7.008 (0.766)	174	166788	50.0000	54.384	80.00- 120.00	100.00
7.000	7.000 (0.765)	93	145715			62.68- 122.68	87.37

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
118 Dibromomethane (continued)							
7.000	7.000 (0.765)	95	120308			47.70- 107.70	72.13
122 Bromodichloromethane					CAS #: 75-27-4		
7.144	7.144 (1.113)	83	257204	50.0000	49.938	80.00- 120.00	100.00
7.144	7.144 (1.113)	85	164412			34.96- 94.96	63.92
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.566	7.566 (1.179)	75	208136	50.0000	47.383	80.00- 120.00	100.00
7.566	7.566 (1.179)	77	66280			1.26- 61.26	31.84
7.566	7.566 (1.179)	39	128014			35.06- 95.06	61.51
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.702	7.702 (1.200)	58	122186	50.0000	40.438	80.00- 120.00	100.00
7.702	7.702 (1.200)	43	356390			259.88- 319.88	291.68
7.702	7.702 (1.200)	85	46338			7.58- 67.58	37.92
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	430005	50.0000	47.071	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	248033			27.89- 87.89	57.68
136 Octane					CAS #: 111-65-9		
7.853	7.853 (1.223)	57	144404	50.0000	43.388	80.00- 120.00	100.00
7.853	7.853 (1.223)	85	136892			63.53- 123.53	94.80
7.853	7.853 (1.223)	43	382800			246.00- 306.00	265.09
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.111	8.111 (0.886)	75	175095	50.0000	48.751	80.00- 120.00	100.00
8.111	8.111 (0.886)	77	56456			1.83- 61.83	32.24
8.111	8.111 (0.886)	39	99936			31.97- 91.97	57.08
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.283	8.283 (0.905)	97	146225	50.0000	48.081	80.00- 120.00	100.00
8.283	8.283 (0.905)	99	92078			32.52- 92.52	62.97
8.283	8.283 (0.905)	83	126210			58.90- 118.90	86.31
142 Tetrachloroethene					CAS #: 127-18-4		
8.311	8.311 (0.908)	166	243047	50.0000	53.224	80.00- 120.00	100.00
8.311	8.311 (0.908)	129	182807			45.32- 105.32	75.21
8.311	8.311 (0.908)	131	178942			44.17- 104.17	73.62
143 2-Hexanone					CAS #: 591-78-6		
8.483	8.483 (0.927)	58	168250	50.0000	44.098	80.00- 120.00	100.00
8.483	8.483 (0.927)	43	351423			177.32- 237.32	208.87
8.490	8.490 (0.928)	100	30527			0.00- 47.18	18.14

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.440	8.440 (1.315)	76	196501	50.0000	45.882	80.00- 120.00	100.00
8.440	8.440 (1.315)	41	165190			59.72- 119.72	84.07
8.440	8.440 (1.315)	78	63883			3.08- 63.08	32.51
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	323471	50.0000	53.818	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	247999			47.27- 107.27	76.67
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	249018	50.0000	49.960	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	237141			64.18- 124.18	95.23
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.452	7.452 (1.161)	63	258311	50.0000	47.147	80.00- 120.00	100.00
7.452	7.452 (1.161)	65	79693			0.43- 60.43	30.85
7.452	7.452 (1.161)	144	30685			0.00- 40.48	11.88
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.003)	112	374257	50.0000	49.696	80.00- 120.00	100.00
9.178	9.178 (1.003)	114	120315			1.91- 61.91	32.15
9.171	9.171 (1.002)	77	190320			22.97- 82.97	50.85
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	183989	50.0000	48.571	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	563710			281.09- 341.09	306.38
156 Nonane					CAS #: 111-84-2		
9.307	9.307 (1.017)	43	395132	50.0000	44.912	80.00- 120.00	100.00
9.307	9.307 (1.017)	57	317978			50.62- 110.62	80.47
9.307	9.307 (1.017)	85	104502			0.00- 55.65	26.45
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.264	9.264 (1.013)	131	224891	50.0000	52.419	80.00- 120.00	100.00
9.264	9.264 (1.013)	117	149086			37.10- 97.10	66.29
9.264	9.264 (1.013)	95	77039			4.93- 64.93	34.26
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	230916	50.0000	48.908	80.00- 120.00	100.00
9.357	9.357 (1.023)	91	451423			170.33- 230.33	195.49
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	216759	50.0000	48.414	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	449190			181.23- 241.23	207.23
165 Styrene					CAS #: 100-42-5		
9.773	9.773 (1.068)	104	365158	50.0000	47.757	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
165 Styrene (continued)							
9.773	9.773 (1.068)	78	169963			17.26- 77.26	46.55
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.092)	173	332582	50.0000	54.752	80.00- 120.00	100.00
9.987	9.987 (1.092)	171	172641			21.45- 81.45	51.91
168 Cumene					CAS #: 98-82-8		
10.088	10.088 (1.103)	105	667489	50.0000	49.318	80.00- 120.00	100.00
10.088	10.088 (1.103)	120	183991			0.00- 56.93	27.56
10.088	10.088 (1.103)	51	77930			0.00- 42.24	11.68
169 Cyclohexanone					CAS #: 108-94-1		
10.252	10.252 (1.121)	55	210824	50.0000	39.372	80.00- 120.00	100.00
10.260	10.260 (1.121)	98	76487			5.15- 65.15	36.28
10.252	10.252 (1.121)	42	146131			41.99- 101.99	69.31
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.144)	83	260860	50.0000	37.160	80.00- 120.00	100.00
10.467	10.467 (1.144)	85	167394			34.97- 94.97	64.17
177 Bromobenzene					CAS #: 108-86-1		
10.424	10.424 (1.139)	156	242669	50.0000	51.463	80.00- 120.00	100.00
10.424	10.424 (1.139)	158	238108			67.47- 127.47	98.12
10.424	10.424 (1.139)	77	309690			108.68- 168.68	127.62
178 Propylbenzene					CAS #: 103-65-1		
10.489	10.489 (1.146)	120	200384	50.0000	50.070	80.00- 120.00	100.00
10.489	10.489 (1.146)	91	798855			383.60- 443.60	398.66
10.489	10.489 (1.146)	105	30833			0.00- 46.14	15.39
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.518	10.518 (1.150)	110	101017	50.0000	47.414	80.00- 120.00	100.00
10.518	10.518 (1.150)	75	328723			324.28- 384.28	325.41
10.518	10.518 (1.150)	61	82214			57.24- 117.24	81.39
182 Decane					CAS #: 124-18-5		
10.603	10.603 (1.159)	57	417635	50.0000	40.321	80.00- 120.00	100.00
10.603	10.603 (1.159)	71	131147			1.11- 61.11	31.40
10.603	10.603 (1.159)	142	19280			0.00- 34.44	4.62
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.603 (1.159)	120	214390	50.0000	49.149	80.00- 120.00	100.00
10.603	10.603 (1.159)	105	691655			298.94- 358.94	322.62
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.603 (1.159)	126	182823	50.0000	49.536	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
184 2-Chlorotoluene (continued)							
10.603	10.603 (1.159)	91	548959			282.78- 342.78	300.27
10.603	10.603 (1.159)	65	80187			17.33- 77.33	43.86
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.668	10.668 (1.166)	120	289003	50.0000	49.128	80.00- 120.00	100.00
10.668	10.668 (1.166)	105	574442			172.08- 232.08	198.77
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.897	10.897 (1.191)	118	298844	50.0000	47.958	80.00- 120.00	100.00
10.897	10.897 (1.191)	103	168794			25.64- 85.64	56.48
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.976 (1.200)	119	559277	50.0000	50.007	80.00- 120.00	100.00
10.976	10.976 (1.200)	134	141937			0.00- 55.10	25.38
10.976	10.976 (1.200)	91	350724			34.53- 94.53	62.71
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.033	11.033 (1.206)	105	573059	50.0000	47.646	80.00- 120.00	100.00
11.033	11.033 (1.206)	120	271560			16.63- 76.63	47.39
192 sec-Butylbenzene					CAS #: 135-98-8		
11.191	11.191 (1.223)	134	185375	50.0000	50.636	80.00- 120.00	100.00
11.191	11.191 (1.223)	105	834535			436.99- 496.99	450.19
11.191	11.191 (1.223)	91	128867			41.69- 101.69	69.52
194 p-Cymene					CAS #: 99-87-6		
11.334	11.334 (1.239)	119	740543	50.0000	49.464	80.00- 120.00	100.00
11.334	11.334 (1.239)	134	205981			0.00- 57.62	27.81
11.334	11.334 (1.239)	91	164347			0.00- 53.03	22.19
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.341	11.341 (1.240)	146	440528	50.0000	49.427	80.00- 120.00	100.00
11.341	11.341 (1.240)	148	284151			34.18- 94.18	64.50
11.341	11.341 (1.240)	111	170266			10.06- 70.06	38.65
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.442	11.442 (1.251)	146	450430	50.0000	49.893	80.00- 120.00	100.00
11.442	11.442 (1.251)	148	285860			33.55- 93.55	63.46
11.442	11.442 (1.251)	111	166416			7.98- 67.98	36.95
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.585	11.585 (1.266)	91	524240	50.0000	45.856	80.00- 120.00	100.00
11.585	11.585 (1.266)	126	124808			0.00- 52.77	23.81
201 Undecane					CAS #: 1120-21-4		
11.778	11.778 (1.287)	57	487317	50.0000	39.569	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
201 Undecane (continued)							
11.778	11.778 (1.287)	43	449977			63.59- 123.59	92.34
202 Butylbenzene					CAS #: 104-51-8		
11.742	11.742 (1.283)	134	203836	50.0000	49.402	80.00- 120.00	100.00
11.735	11.735 (1.283)	91	676037			310.82- 370.82	331.66
11.735	11.735 (1.283)	92	356425			151.53- 211.53	174.86
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.814 (1.291)	146	426504	50.0000	49.309	80.00- 120.00	100.00
11.814	11.814 (1.291)	148	272515			33.00- 93.00	63.90
11.814	11.814 (1.291)	111	169907			10.87- 70.87	39.84
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.609	12.609 (1.378)	157	260816	50.0000	50.981	80.00- 120.00	100.00
12.609	12.609 (1.378)	75	190459			48.09- 108.09	73.02
12.609	12.609 (1.378)	155	201817			47.89- 107.89	77.38
207 Dodecane					CAS #: 112-40-3		
12.853	12.853 (1.405)	57	541165	50.0000	43.623	80.00- 120.00	100.00
12.853	12.853 (1.405)	43	472078			58.52- 118.52	87.23
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.390	13.390 (1.463)	180	424754	50.0000	49.552	80.00- 120.00	100.00
13.390	13.390 (1.463)	182	407280			64.84- 124.84	95.89
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.504	13.504 (1.476)	225	323167	50.0000	51.684	80.00- 120.00	100.00
13.504	13.504 (1.476)	223	205035			32.80- 92.80	63.45
216 Naphthalene					CAS #: 91-20-3		
13.641	13.641 (1.491)	128	91239	5.80000	5.100	80.00- 120.00	100.00
13.641	13.641 (1.491)	127	11500			0.00- 42.72	12.60
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.891	13.891 (1.518)	180	410362	50.0000	48.855	80.00- 120.00	100.00
13.891	13.891 (1.518)	182	389665			65.07- 125.07	94.96
13.884	13.884 (1.517)	145	135697			4.48- 64.48	33.07

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 19-JUN-2024 09:34
Lab File ID: 3061903.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/19JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE	
$ 104 1,2-Dichloroethane-d4	1.30215	1.22047	0.010	6.27303	30.00000	Averaged	
$ 134 Toluene-d8	0.97187	0.94729	0.010	2.52923	30.00000	Averaged	
$ 170 4-Bromofluorobenzene	0.74296	0.75204	0.010	-1.22256	30.00000	Averaged	
4 Freon 134a	0.57786	0.59992	0.010	-3.81828	30.00000	Averaged	
5 Propylene	0.65479	0.62531	0.010	4.50222	30.00000	Averaged	
7 1,1-Difluoroethane	0.37746	0.38003	0.010	-0.68156	30.00000	Averaged	
8 Freon 12	1.48055	1.52318	0.010	-2.87936	30.00000	Averaged	
9 Chlorodifluoromethane	0.18527	0.17643	0.010	4.77154	30.00000	Averaged	
10 Freon 114	1.30152	1.40593	0.010	-8.02265	30.00000	Averaged	
12 Isobutane	1.38453	1.31713	0.010	4.86834	30.00000	Averaged	
15 Chloromethane	0.71383	0.70274	0.010	1.55440	30.00000	Averaged	
18 Butane	0.14312	0.13098	0.010	8.48364	30.00000	Averaged	
19 Vinyl Chloride	0.69068	0.67827	0.010	1.79664	30.00000	Averaged	
20 1,3-Butadiene	0.64883	0.59294	0.010	8.61466	30.00000	Averaged	
24 Bromomethane	0.49355	0.56459	0.010	-14.39473	30.00000	Averaged	
30 Chloroethane	0.33122	0.34118	0.010	-3.00645	30.00000	Averaged	
31 Isopentane	0.94519	0.88941	0.010	5.90072	30.00000	Averaged	
32 Vinyl Bromide	0.57403	0.60697	0.010	-5.73912	30.00000	Averaged	
33 Freon 11	1.70564	1.75991	0.010	-3.18140	30.00000	Averaged	
34 Dichlorofluoromethane	1.36006	1.31914	0.010	3.00820	30.00000	Averaged	
35 Pentane	1.43815	1.34704	0.010	6.33486	30.00000	Averaged	
39 Ethanol	0.13532	0.10409	0.010	23.08070	30.00000	Averaged	
42 Acrolein	0.29124	0.12434	0.010	57.30790	30.00000	Averaged	<-
43 Freon 113	1.50737	1.50887	0.010	-0.09948	30.00000	Averaged	
44 1,1-Dichloroethene	0.64138	0.61194	0.010	4.58989	30.00000	Averaged	
47 Acetone	0.36497	0.33537	0.010	8.11009	30.00000	Averaged	
48 Carbon Disulfide	1.74887	1.60173	0.010	8.41330	30.00000	Averaged	
52 2-Propanol	1.51737	1.31434	0.010	13.38044	30.00000	Averaged	
54 3-Chloropropene	0.29464	0.26367	0.010	10.50823	30.00000	Averaged	
57 Acetonitrile	0.66971	0.62783	0.010	6.25399	30.00000	Averaged	
59 Methylene Chloride	1.00247	0.94256	0.010	5.97613	30.00000	Averaged	
62 tert-Butyl alcohol	1.54800	1.30649	0.010	15.60138	30.00000	Averaged	
63 Methyl tert-butyl ether	1.83005	1.64084	0.010	10.33906	30.00000	Averaged	
64 trans-1,2-Dichloroethene	0.43073	0.41321	0.010	4.06760	30.00000	Averaged	
66 Acrylonitrile	0.55703	0.48786	0.010	12.41672	30.00000	Averaged	

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 19-JUN-2024 09:34
Lab File ID: 3061903.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/19JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE	
67 Hexane	1.34210	1.14274	0.010	14.85391	30.00000	Averaged	
71 1,1-Dichloroethane	1.24472	1.15994	0.010	6.81086	30.00000	Averaged	
72 Isopropyl ether	2.98469	2.63790	0.010	11.61871	30.00000	Averaged	
73 Vinyl Acetate	0.10960	0.02765	0.010	74.77455	30.00000	Averaged	<-
79 Ethyl-tert-butyl ether	2.57389	2.28482	0.010	11.23085	30.00000	Averaged	
84 2,2-Dichloropropane	1.22874	1.12789	0.010	8.20704	30.00000	Averaged	
85 cis-1,2-Dichloroethene	0.44603	0.42666	0.010	4.34152	30.00000	Averaged	
86 2-Butanone	0.32135	0.29741	0.010	7.44914	30.00000	Averaged	
87 Ethyl Acetate	0.32139	0.25906	0.010	19.39372	30.00000	Averaged	
89 Tetrahydrofuran	0.98253	0.79250	0.010	19.34048	30.00000	Averaged	
92 Chloroform	1.33658	1.30156	0.010	2.62055	30.00000	Averaged	
94 Cyclohexane	0.89416	0.81225	0.010	9.16051	30.00000	Averaged	
96 1,1,1-Trichloroethane	1.45774	1.39556	0.010	4.26558	30.00000	Averaged	
97 Carbon Tetrachloride	1.54543	1.54980	0.010	-0.28282	30.00000	Averaged	
99 1,1-Dichloropropene	0.10070	0.09953	0.010	1.16090	30.00000	Averaged	
101 2,2,4-Trimethylpentane	4.19325	3.82804	0.010	8.70960	30.00000	Averaged	
102 Benzene	0.50334	0.47828	0.010	4.97934	30.00000	Averaged	
105 tert-Amyl methyl ether	0.13527	0.12550	0.010	7.22208	30.00000	Averaged	
106 1,2-Dichloroethane	0.26256	0.25209	0.010	3.98908	30.00000	Averaged	
107 Heptane	0.19939	0.17580	0.010	11.82879	30.00000	Averaged	
110 n-Butanol	0.11444	0.09072	0.010	20.72689	30.00000	Averaged	
111 Trichloroethene	0.24269	0.29821	0.010	-22.87465	30.00000	Averaged	
127 Methylcyclohexane	0.34474	0.31689	0.010	8.07870	30.00000	Averaged	
114 1,2-Dichloropropane	0.23685	0.21190	0.010	10.53344	30.00000	Averaged	
116 Methyl Methacrylate	0.20363	0.17655	0.010	13.30249	30.00000	Averaged	
117 1,4-Dioxane	0.12662	0.11997	0.010	5.25180	30.00000	Averaged	
118 Dibromomethane	0.23589	0.25657	0.010	-8.76754	30.00000	Averaged	
122 Bromodichloromethane	0.39286	0.39236	0.010	0.12490	30.00000	Averaged	
126 cis-1,3-Dichloropropene	0.33505	0.31751	0.010	5.23391	30.00000	Averaged	
131 4-Methyl-2-pentanone	0.23047	0.18640	0.010	19.12324	30.00000	Averaged	
137 Toluene	0.69679	0.65597	0.010	5.85784	30.00000	Averaged	
136 Octane	0.25386	0.22029	0.010	13.22300	30.00000	Averaged	
139 trans-1,3-Dichloropropene	0.27625	0.26935	0.010	2.49823	30.00000	Averaged	
141 1,1,2-Trichloroethane	0.23391	0.22494	0.010	3.83785	30.00000	Averaged	
142 Tetrachloroethene	0.35123	0.37388	0.010	-6.44831	30.00000	Averaged	

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 19-JUN-2024 09:34
Lab File ID: 3061903.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/19JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE
143 2-Hexanone	0.29346	0.25882	0.010	11.80403	30.00000	Averaged
144 1,3-Dichloropropane	0.32667	0.29976	0.010	8.23574	30.00000	Averaged
146 Dibromochloromethane	0.46229	0.49759	0.010	-7.63575	30.00000	Averaged
148 1,2-Dibromoethane (EDB)	0.38337	0.38306	0.010	0.08039	30.00000	Averaged
151 1-Bromo-2-Chloroethane	0.41790	0.39405	0.010	5.70530	30.00000	Averaged
154 Chlorobenzene	0.57923	0.57571	0.010	0.60706	30.00000	Averaged
155 Ethyl Benzene	0.29135	0.28303	0.010	2.85712	30.00000	Averaged
156 Nonane	0.67669	0.60783	0.010	10.17630	30.00000	Averaged
157 1,1,1,2-Tetrachloroethane	0.32998	0.34595	0.010	-4.83758	30.00000	Averaged
158 m,p-Xylene	0.36315	0.35521	0.010	2.18382	30.00000	Averaged
164 o-Xylene	0.34436	0.33344	0.010	3.17236	30.00000	Averaged
165 Styrene	0.58810	0.56172	0.010	4.48574	30.00000	Averaged
167 Bromoform	0.46720	0.51161	0.010	-9.50395	30.00000	Averaged
168 Cumene	1.04099	1.02679	0.010	1.36378	30.00000	Averaged
169 Cyclohexanone	0.41185	0.32431	0.010	21.25539	30.00000	Averaged
175 1,1,2,2-Tetrachloroethane	0.53993	0.40128	0.010	25.67968	30.00000	Averaged
177 Bromobenzene	0.36268	0.37330	0.010	-2.92588	30.00000	Averaged
178 Propylbenzene	0.30782	0.30825	0.010	-0.14045	30.00000	Averaged
179 1,2,3-Trichloropropane	0.16387	0.15539	0.010	5.17094	30.00000	Averaged
182 Decane	0.79666	0.64244	0.010	19.35827	30.00000	Averaged
183 4-Ethyltoluene	0.33550	0.32979	0.010	1.70229	30.00000	Averaged
184 2-Chlorotoluene	0.28387	0.28123	0.010	0.92747	30.00000	Averaged
185 1,3,5-Trimethylbenzene	0.45246	0.44457	0.010	1.74372	30.00000	Averaged
188 alpha Methyl Styrene	0.47929	0.45971	0.010	4.08484	30.00000	Averaged
189 tert-Butylbenzene	0.86021	0.86033	0.010	-0.01395	30.00000	Averaged
190 1,2,4-Trimethylbenzene	0.92509	0.88153	0.010	4.70841	30.00000	Averaged
192 sec-Butylbenzene	0.28157	0.28516	0.010	-1.27309	30.00000	Averaged
194 p-Cymene	1.15152	1.13917	0.010	1.07271	30.00000	Averaged
195 1,3-Dichlorobenzene	0.68551	0.67766	0.010	1.14527	30.00000	Averaged
196 1,4-Dichlorobenzene	0.69437	0.69289	0.010	0.21374	30.00000	Averaged
199 alpha-Chlorotoluene	0.87930	0.80643	0.010	8.28771	30.00000	Averaged
201 Undecane	0.94724	0.74963	0.010	20.86174	30.00000	Averaged
202 Butylbenzene	0.31736	0.31356	0.010	1.19675	30.00000	Averaged
204 1,2-Dichlorobenzene	0.66528	0.65609	0.010	1.38223	30.00000	Averaged
206 1,2-Dibromo-3-chloropropane	0.39349	0.40121	0.010	-1.96194	30.00000	Averaged
207 Dodecane	0.95417	0.83247	0.010	12.75461	30.00000	Averaged

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 19-JUN-2024 09:34
Lab File ID: 3061903.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/19JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE
213 1,2,4-Trichlorobenzene	0.65930	0.65339	0.010	0.89564	30.00000	Averaged
215 Hexachlorobutadiene	0.48092	0.49712	0.010	-3.36909	30.00000	Averaged
216 Naphthalene	1.37605	1.20993	0.010	12.07226	30.00000	Averaged
222 1,2,3-Trichlorobenzene	0.64605	0.63125	0.010	2.28986	30.00000	Averaged

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061903.d
Lab Smp Id: CCV
Analysis Type: VOA
Quant Type: ISTD
Operator: LD
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 50ppbv(200ppbv)

Calibration Date: 20-JUN-2024
Calibration Time: 08:32
Client Smp ID: CCV
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	88848	53309	124387	90010	1.31
108 1,4-Difluorobenze	319557	191734	447380	327761	2.57
153 Chlorobenzene-d5	314384	188630	440138	325037	3.39

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/19JUN24.b/3061903.d

Page 1

Date : 19-JUN-2024 09:34

Client ID: CCV


Instrument: msd3.i

Sample Info: 50mL 3018-4465

Operator: LD

Column phase: RTX-624

Column diameter: 0.25



Client ID:	CCV		
Lab ID:	2406264R2-16B	**Date/Time Analyzed:**	6/20/24 08:32 AM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061931a

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	93
1,4-Dichlorobenzene	106-46-7	100
Benzene	71-43-2	94
cis-1,2-Dichloroethene	156-59-2	95
Ethyl Benzene	100-41-4	97
m,p-Xylene	108-38-3	98
o-Xylene	95-47-6	96
Toluene	108-88-3	94
trans-1,2-Dichloroethene	156-60-5	94
Trichloroethene	79-01-6	122
Vinyl Chloride	75-01-4	97

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	103
Toluene-d8	2037-26-5	70-130	98

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061931a.d
Lab Smp Id: CCV Client Smp ID: CCV
Inj Date : 20-JUN-2024 08:32
Operator : RT Inst ID: msd3.i
Smp Info : 50mL 3018-4465
Misc Info : 50ppbv (200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:33 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 13 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	88848	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	68430			47.79- 107.79	77.02
5.432	5.432 (1.000)	49	133607			131.33- 191.33	150.38
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	319557	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	46186			0.00- 45.65	14.45
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	314384	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	157507			22.92- 82.92	50.10
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	106073	25.0000	22.921	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	59723			23.17- 83.17	56.30
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	304211	25.0000	24.488	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	32816			0.00- 41.42	10.79

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	203747			37.54- 97.54	66.98
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	240152	25.0000	25.704	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	258889			88.49- 148.49	107.80
10.288	10.288 (1.124)	176	232563			66.73- 126.73	96.84
4 Freon 134a					CAS #: 811-97-2		
1.423	1.423 (0.262)	83	107195	50.0000	52.197	80.00- 120.00	100.00
1.423	1.423 (0.262)	69	97219			64.17- 124.17	90.69
1.492	1.492 (0.275)	51	406070			365.46- 425.46	378.81
5 Propylene					CAS #: 115-07-1		
1.436	1.436 (0.264)	41	112119	50.0000	48.180	80.00- 120.00	100.00
1.436	1.436 (0.264)	42	73313			35.86- 95.86	65.39
1.436	1.436 (0.264)	39	76910			41.66- 101.66	68.60
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.464	1.464 (0.270)	65	66856	50.0000	49.838	80.00- 120.00	100.00
1.492	1.492 (0.275)	51	406070			568.10- 628.10	607.37
1.576	1.576 (0.290)	47	14442			0.00- 50.57	21.60
8 Freon 12					CAS #: 75-71-8		
1.464	1.464 (0.270)	85	270858	50.0000	51.477	80.00- 120.00	100.00
1.464	1.464 (0.270)	87	88136			2.88- 62.88	32.54
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.492	1.492 (0.275)	67	31352	50.0000	47.616	80.00- 120.00	100.00
1.492	1.492 (0.275)	51	406070			1257.55-1317.55	1295.19
10 Freon 114					CAS #: 76-14-2		
1.576	1.576 (0.290)	135	245541	50.0000	53.084	80.00- 120.00	100.00
1.576	1.576 (0.290)	137	80232			2.10- 62.10	32.68
12 Isobutane					CAS #: 75-28-5		
1.590	1.590 (0.293)	43	231726	50.0000	47.094	80.00- 120.00	100.00
1.576	1.576 (0.290)	42	75176			1.69- 61.69	32.44
1.576	1.576 (0.290)	58	7463			0.00- 33.32	3.22
15 Chloromethane					CAS #: 74-87-3		
1.674	1.674 (0.308)	50	124291	50.0000	48.993	80.00- 120.00	100.00
1.674	1.674 (0.308)	52	39365			1.38- 61.38	31.67
18 Butane					CAS #: 106-97-8		
1.716	1.716 (0.316)	58	22845	50.0000	44.914	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
18 Butane (continued)							
1.716	1.716 (0.316)	43	203538			866.38- 926.38	890.94
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.758 (0.324)	62	118715	50.0000	48.364	80.00- 120.00	100.00
1.758	1.758 (0.324)	64	40113			3.10- 63.10	33.79
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.772 (0.326)	54	102533	50.0000	44.466	80.00- 120.00	100.00
1.772	1.772 (0.326)	39	108668			78.74- 138.74	105.98
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	92742	50.0000	52.874	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	86466			64.19- 124.19	93.23
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.409)	64	60364	50.0000	51.281	80.00- 120.00	100.00
2.220	2.220 (0.409)	66	17680			2.32- 62.32	29.29
2.220	2.220 (0.409)	49	21019			6.33- 66.33	34.82
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	155962	50.0000	46.430	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	97283			31.77- 91.77	62.38
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.402 (0.442)	106	105902	50.0000	51.912	80.00- 120.00	100.00
2.402	2.402 (0.442)	108	100159			64.21- 124.21	94.58
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	311803	50.0000	51.438	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	203614			34.93- 94.93	65.30
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.458 (0.453)	67	231693	50.0000	47.934	80.00- 120.00	100.00
2.458	2.458 (0.453)	69	74426			1.95- 61.95	32.12
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	231951	50.0000	45.382	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	34435			0.00- 44.64	14.85
2.514	2.514 (0.463)	72	18721			0.00- 37.90	8.07
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	22868	61.6000	47.552	80.00- 120.00	100.00
2.752	2.752 (0.507)	45	58215			224.40- 284.40	254.56
42 Acrolein					CAS #: 107-02-8		
3.053	3.053 (0.562)	55	25430	58.2500	24.569	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
42 Acrolein (continued)							
3.061	3.061 (0.563)	56	34730			108.02- 168.02	136.57
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	268969	50.0000	50.208	80.00- 120.00	100.00
3.053	3.053 (0.562)	153	169608			35.07- 95.07	63.06
3.061	3.061 (0.563)	101	294948			87.45- 147.45	109.66
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.089	3.089 (0.569)	96	106339	50.0000	46.652	80.00- 120.00	100.00
3.096	3.096 (0.570)	98	68424			33.27- 93.27	64.35
3.089	3.089 (0.569)	61	224187			159.05- 219.05	210.82
47 Acetone					CAS #: 67-64-1		
3.240	3.240 (0.596)	58	58885	50.0000	45.399	80.00- 120.00	100.00
3.240	3.240 (0.596)	43	209721			329.45- 389.45	356.15
48 Carbon Disulfide					CAS #: 75-15-0		
3.326	3.326 (0.612)	76	280909	50.0000	45.196	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.631)	45	226573	50.0000	42.015	80.00- 120.00	100.00
3.426	3.426 (0.631)	43	44925			0.00- 48.18	19.83
54 3-Chloropropene					CAS #: 107-05-1		
3.583	3.583 (0.660)	76	45855	50.0000	43.792	80.00- 120.00	100.00
3.576	3.576 (0.658)	41	169254			366.80- 426.80	369.11
57 Acetonitrile					CAS #: 75-05-8		
3.684	3.684 (0.678)	41	131211	58.8000	55.128	80.00- 120.00	100.00
3.684	3.684 (0.678)	40	66378			22.74- 82.74	50.59
3.677	3.677 (0.677)	38	14589			0.00- 42.52	11.12
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.777 (0.695)	49	166520	50.0000	46.740	80.00- 120.00	100.00
3.777	3.777 (0.695)	84	94271			24.90- 84.90	56.61
3.777	3.777 (0.695)	51	50303			0.00- 59.67	30.21
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.913	3.913 (0.720)	59	261654	57.6000	47.561	80.00- 120.00	100.00
3.906	3.906 (0.719)	41	62940			0.00- 51.85	24.05
3.906	3.906 (0.719)	57	27685			0.00- 40.17	10.58
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
4.006	4.006 (0.738)	73	287250	50.0000	44.166	80.00- 120.00	100.00
3.999	3.999 (0.736)	57	81777			0.00- 58.72	28.47

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
63 Methyl tert-butyl ether (continued)							
4.006	4.006 (0.738)	41	85401			0.00- 59.38	29.73
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	71717	50.0000	46.850	80.00- 120.00	100.00
4.028	4.028 (0.742)	61	179193			232.13- 292.13	249.86
4.028	4.028 (0.742)	96	112157			127.26- 187.26	156.39
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.135 (0.761)	52	89814	50.0000	45.369	80.00- 120.00	100.00
4.135	4.135 (0.761)	53	101671			86.45- 146.45	113.20
67 Hexane					CAS #: 110-54-3		
4.250	4.250 (0.782)	57	199394	50.0000	41.804	80.00- 120.00	100.00
4.250	4.250 (0.782)	43	140175			40.97- 100.97	70.30
4.257	4.257 (0.784)	86	25677			0.00- 42.68	12.88
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.550	4.550 (0.838)	63	202986	50.0000	45.887	80.00- 120.00	100.00
4.550	4.550 (0.838)	65	62324			0.47- 60.47	30.70
72 Isopropyl ether					CAS #: 108-20-3		
4.550	4.550 (0.838)	45	466898	50.0000	44.016	80.00- 120.00	100.00
4.550	4.550 (0.838)	87	91624			0.00- 49.55	19.62
4.550	4.550 (0.838)	59	48807			0.00- 40.42	10.45
73 Vinyl Acetate					CAS #: 108-05-4		
4.608	4.608 (0.848)	86	5072	50.0000	13.023	80.00- 120.00	100.00
4.601	4.601 (0.847)	43	91983			1727.95-1787.95	1813.38
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.937	4.937 (0.909)	59	397812	50.0000	43.489	80.00- 120.00	100.00
4.937	4.937 (0.909)	87	137388			3.90- 63.90	34.54
4.930	4.930 (0.908)	41	84414			0.00- 49.72	21.22
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.138	5.138 (0.946)	77	195127	50.0000	44.684	80.00- 120.00	100.00
5.138	5.138 (0.946)	79	62352			2.39- 62.39	31.95
5.138	5.138 (0.946)	97	46954			0.00- 53.57	24.06
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.181	5.181 (0.954)	98	75143	50.0000	47.404	80.00- 120.00	100.00
5.181	5.181 (0.954)	96	114901			125.53- 185.53	152.91
5.181	5.181 (0.954)	61	177076			219.86- 279.86	235.65
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.960)	72	52781	50.0000	46.216	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.231	5.231 (0.963)	43	569848			1138.34-1198.34	1079.64
5.217	5.217 (0.960)	57	21780			10.83- 70.83	41.26
87 Ethyl Acetate					CAS #: 141-78-6		
5.238	5.238 (0.964)	45	44824	50.0000	39.245	80.00- 120.00	100.00
5.181	5.181 (0.954)	61	177076			338.96- 398.96	395.04
5.238	5.238 (0.964)	70	23254			24.53- 84.53	51.88
89 Tetrahydrofuran					CAS #: 109-99-9		
5.424	5.424 (0.999)	42	136583	50.0000	39.115	80.00- 120.00	100.00
5.424	5.424 (0.999)	71	38486			0.00- 58.54	28.18
5.424	5.424 (0.999)	72	40966			0.00- 59.59	29.99
92 Chloroform					CAS #: 67-66-3		
5.510	5.510 (1.014)	83	228586	50.0000	48.122	80.00- 120.00	100.00
5.510	5.510 (1.014)	85	149298			35.77- 95.77	65.31
94 Cyclohexane					CAS #: 110-82-7		
5.611	5.611 (1.033)	84	141408	50.0000	44.499	80.00- 120.00	100.00
5.611	5.611 (1.033)	56	211796			125.79- 185.79	149.78
5.603	5.603 (1.032)	41	120889			61.55- 121.55	85.49
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.632	5.632 (1.037)	97	246008	50.0000	47.486	80.00- 120.00	100.00
5.632	5.632 (1.037)	99	157886			32.84- 92.84	64.18
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.754	5.754 (1.059)	119	271832	50.0000	49.493	80.00- 120.00	100.00
5.754	5.754 (1.059)	117	284513			75.19- 135.19	104.67
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.797	5.797 (0.903)	110	63234	50.0000	49.125	80.00- 120.00	100.00
5.797	5.797 (0.903)	75	159443			234.16- 294.16	252.14
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.990	5.990 (1.103)	57	667259	50.0000	44.775	80.00- 120.00	100.00
5.983	5.983 (1.102)	56	216113			3.09- 63.09	32.39
5.983	5.983 (1.102)	41	181942			0.00- 57.28	27.27
102 Benzene					CAS #: 71-43-2		
5.990	5.990 (0.933)	78	303843	50.0000	47.226	80.00- 120.00	100.00
5.990	5.990 (0.933)	77	73221			0.00- 53.69	24.10
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.083	6.083 (0.948)	87	79600	50.0000	46.038	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
105 tert-Amyl methyl ether (continued)							
6.083	6.083 (0.948)	73	312327			365.76- 425.76	392.37
6.083	6.083 (0.948)	55	106325			92.58- 152.58	133.57
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.098 (0.950)	62	161804	50.0000	48.211	80.00- 120.00	100.00
6.098	6.098 (0.950)	64	51812			1.80- 61.80	32.02
107 Heptane					CAS #: 142-82-5		
6.176	6.176 (0.962)	71	111326	50.0000	43.681	80.00- 120.00	100.00
6.176	6.176 (0.962)	43	260669			207.73- 267.73	234.15
6.176	6.176 (0.962)	57	130372			84.83- 144.83	117.11
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.032)	56	60278	50.0000	41.206	80.00- 120.00	100.00
6.628	6.628 (1.032)	41	44297			47.73- 107.73	73.49
6.628	6.628 (1.032)	43	36815			31.60- 91.60	61.08
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	188576	50.0000	60.789	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	214659			80.23- 140.23	113.83
6.628	6.628 (1.032)	97	122097			34.78- 94.78	64.75
127 Methylcyclohexane					CAS #: 108-87-2		
6.728	6.728 (1.048)	83	201563	50.0000	45.742	80.00- 120.00	100.00
6.735	6.735 (1.049)	98	94447			14.83- 74.83	46.86
6.728	6.728 (1.048)	55	200384			71.50- 131.50	99.42
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.886 (1.073)	63	135665	50.0000	44.811	80.00- 120.00	100.00
6.886	6.886 (1.073)	62	97261			40.39- 100.39	71.69
6.886	6.886 (1.073)	41	83414			31.86- 91.86	61.49
116 Methyl Methacrylate					CAS #: 80-62-6		
6.972	6.972 (0.762)	69	112043	50.0000	43.754	80.00- 120.00	100.00
6.972	6.972 (0.762)	41	189996			145.81- 205.81	169.57
6.972	6.972 (0.762)	100	47129			10.05- 70.05	42.06
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.089)	88	77435	50.0000	47.844	80.00- 120.00	100.00
6.993	6.993 (1.089)	58	64703			56.33- 116.33	83.56
6.986	6.986 (1.088)	57	23826			2.08- 62.08	30.77
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.007 (0.766)	174	163977	50.0000	55.279	80.00- 120.00	100.00
7.000	7.000 (0.765)	93	143376			62.68- 122.68	87.44

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
118 Dibromomethane (continued)							
7.000	7.000 (0.765)	95	119626			47.70- 107.70	72.95
122 Bromodichloromethane					CAS #: 75-27-4		
7.143	7.143 (1.113)	83	249320	50.0000	49.650	80.00- 120.00	100.00
7.143	7.143 (1.113)	85	161542			34.96- 94.96	64.79
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.566	7.566 (1.179)	75	200272	50.0000	46.763	80.00- 120.00	100.00
7.566	7.566 (1.179)	77	63664			1.26- 61.26	31.79
7.566	7.566 (1.179)	39	124947			35.06- 95.06	62.39
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.702	7.702 (1.200)	58	119594	50.0000	40.597	80.00- 120.00	100.00
7.702	7.702 (1.200)	43	344213			259.88- 319.88	287.82
7.702	7.702 (1.200)	85	43986			7.58- 67.58	36.78
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	418832	50.0000	47.025	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	244668			27.89- 87.89	58.42
136 Octane					CAS #: 111-65-9		
7.853	7.853 (1.223)	57	138312	50.0000	42.625	80.00- 120.00	100.00
7.853	7.853 (1.223)	85	131644			63.53- 123.53	95.18
7.853	7.853 (1.223)	43	378514			246.00- 306.00	273.67
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.110	8.110 (0.886)	75	169374	50.0000	48.756	80.00- 120.00	100.00
8.110	8.110 (0.886)	77	53327			1.83- 61.83	31.49
8.110	8.110 (0.886)	39	95301			31.97- 91.97	56.27
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.282	8.282 (0.905)	97	143437	50.0000	48.763	80.00- 120.00	100.00
8.282	8.282 (0.905)	99	90342			32.52- 92.52	62.98
8.282	8.282 (0.905)	83	125117			58.90- 118.90	87.23
142 Tetrachloroethene					CAS #: 127-18-4		
8.311	8.311 (0.908)	166	237405	50.0000	53.750	80.00- 120.00	100.00
8.311	8.311 (0.908)	129	176318			45.32- 105.32	74.27
8.311	8.311 (0.908)	131	174282			44.17- 104.17	73.41
143 2-Hexanone					CAS #: 591-78-6		
8.483	8.483 (0.927)	58	166465	50.0000	45.108	80.00- 120.00	100.00
8.483	8.483 (0.927)	43	344811			177.32- 237.32	207.14
8.483	8.483 (0.927)	100	29165			0.00- 47.18	17.52

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.440	8.440 (1.315)	76	191911	50.0000	45.961	80.00- 120.00	100.00
8.440	8.440 (1.315)	41	161952			59.72- 119.72	84.39
8.440	8.440 (1.315)	78	61366			3.08- 63.08	31.98
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	314331	50.0000	54.069	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	244383			47.27- 107.27	77.75
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	243993	50.0000	50.610	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	231422			64.18- 124.18	94.85
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.451	7.451 (1.161)	63	251722	50.0000	47.124	80.00- 120.00	100.00
7.451	7.451 (1.161)	65	76737			0.43- 60.43	30.48
7.451	7.451 (1.161)	144	30324			0.00- 40.48	12.05
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.003)	112	363732	50.0000	49.935	80.00- 120.00	100.00
9.178	9.178 (1.003)	114	116726			1.91- 61.91	32.09
9.178	9.178 (1.003)	77	183209			22.97- 82.97	50.37
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	178548	50.0000	48.732	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	548699			281.09- 341.09	307.31
156 Nonane					CAS #: 111-84-2		
9.307	9.307 (1.017)	43	386224	50.0000	45.387	80.00- 120.00	100.00
9.307	9.307 (1.017)	57	313327			50.62- 110.62	81.13
9.307	9.307 (1.017)	85	97995			0.00- 55.65	25.37
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.264	9.264 (1.013)	131	220576	50.0000	53.155	80.00- 120.00	100.00
9.264	9.264 (1.013)	117	146338			37.10- 97.10	66.34
9.264	9.264 (1.013)	95	75287			4.93- 64.93	34.13
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	224338	50.0000	49.125	80.00- 120.00	100.00
9.364	9.364 (1.023)	91	441107			170.33- 230.33	196.63
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	208648	50.0000	48.181	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	436468			181.23- 241.23	209.19
165 Styrene					CAS #: 100-42-5		
9.772	9.772 (1.068)	104	360122	50.0000	48.694	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
165 Styrene (continued)							
9.772	9.772 (1.068)	78	164873			17.26- 77.26	45.78
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.092)	173	323923	50.0000	55.133	80.00- 120.00	100.00
9.987	9.987 (1.092)	171	167082			21.45- 81.45	51.58
168 Cumene					CAS #: 98-82-8		
10.087	10.087 (1.103)	105	653811	50.0000	49.944	80.00- 120.00	100.00
10.087	10.087 (1.103)	120	178351			0.00- 56.93	27.28
10.087	10.087 (1.103)	51	75707			0.00- 42.24	11.58
169 Cyclohexanone					CAS #: 108-94-1		
10.252	10.252 (1.121)	55	206790	50.0000	39.927	80.00- 120.00	100.00
10.259	10.259 (1.121)	98	74964			5.15- 65.15	36.25
10.252	10.252 (1.121)	42	142702			41.99- 101.99	69.01
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.144)	83	252717	50.0000	37.220	80.00- 120.00	100.00
10.467	10.467 (1.144)	85	165259			34.97- 94.97	65.39
177 Bromobenzene					CAS #: 108-86-1		
10.424	10.424 (1.139)	156	237274	50.0000	52.024	80.00- 120.00	100.00
10.424	10.424 (1.139)	158	232084			67.47- 127.47	97.81
10.424	10.424 (1.139)	77	300224			108.68- 168.68	126.53
178 Propylbenzene					CAS #: 103-65-1		
10.489	10.489 (1.146)	120	192471	50.0000	49.723	80.00- 120.00	100.00
10.489	10.489 (1.146)	91	781577			383.60- 443.60	406.07
10.489	10.489 (1.146)	105	30464			0.00- 46.14	15.83
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.517 (1.150)	110	101530	50.0000	49.270	80.00- 120.00	100.00
10.517	10.517 (1.150)	75	322059			324.28- 384.28	317.20
10.510	10.510 (1.149)	61	80863			57.24- 117.24	79.64
182 Decane					CAS #: 124-18-5		
10.603	10.603 (1.159)	57	412281	50.0000	41.153	80.00- 120.00	100.00
10.603	10.603 (1.159)	71	128223			1.11- 61.11	31.10
10.603	10.603 (1.159)	142	19409			0.00- 34.44	4.71
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.603 (1.159)	120	210767	50.0000	49.956	80.00- 120.00	100.00
10.603	10.603 (1.159)	105	680077			298.94- 358.94	322.67
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.603 (1.159)	126	177529	50.0000	49.732	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	AMOUNTS CAL-AMT (PPBV)	ON-COL (PPBV)	TARGET RANGE	RATIO
184 2-Chlorotoluene (continued)							
10.603	10.603 (1.159)	91	538100			282.78- 342.78	303.10
10.603	10.603 (1.159)	65	79374			17.33- 77.33	44.71
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.668	10.668 (1.166)	120	282647	50.0000	49.676	80.00- 120.00	100.00
10.668	10.668 (1.166)	105	565995			172.08- 232.08	200.25
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.897	10.897 (1.191)	118	294702	50.0000	48.895	80.00- 120.00	100.00
10.897	10.897 (1.191)	103	164814			25.64- 85.64	55.93
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.976 (1.200)	119	547936	50.0000	50.653	80.00- 120.00	100.00
10.976	10.976 (1.200)	134	139384			0.00- 55.10	25.44
10.969	10.969 (1.199)	91	343064			34.53- 94.53	62.61
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.033	11.033 (1.206)	105	562727	50.0000	48.372	80.00- 120.00	100.00
11.033	11.033 (1.206)	120	266691			16.63- 76.63	47.39
192 sec-Butylbenzene					CAS #: 135-98-8		
11.191	11.191 (1.223)	134	180400	50.0000	50.947	80.00- 120.00	100.00
11.191	11.191 (1.223)	105	820522			436.99- 496.99	454.83
11.191	11.191 (1.223)	91	124321			41.69- 101.69	68.91
194 p-Cymene					CAS #: 99-87-6		
11.334	11.334 (1.239)	119	720547	50.0000	49.759	80.00- 120.00	100.00
11.334	11.334 (1.239)	134	203050			0.00- 57.62	28.18
11.334	11.334 (1.239)	91	161222			0.00- 53.03	22.38
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.341	11.341 (1.240)	146	433194	50.0000	50.251	80.00- 120.00	100.00
11.341	11.341 (1.240)	148	275684			34.18- 94.18	63.64
11.341	11.341 (1.240)	111	167714			10.06- 70.06	38.72
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.441	11.441 (1.251)	146	438555	50.0000	50.224	80.00- 120.00	100.00
11.441	11.441 (1.251)	148	278901			33.55- 93.55	63.60
11.441	11.441 (1.251)	111	163879			7.98- 67.98	37.37
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.585	11.585 (1.266)	91	506799	50.0000	45.833	80.00- 120.00	100.00
11.585	11.585 (1.266)	126	120337			0.00- 52.77	23.74
201 Undecane					CAS #: 1120-21-4		
11.778	11.778 (1.287)	57	470841	50.0000	39.527	80.00- 120.00	100.00

				AMOUNTS			
				CAL-AMT	ON-COL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
201 Undecane (continued)							
11.778	11.778 (1.287)	43	442014			63.59- 123.59	93.88
202 Butylbenzene					CAS #: 104-51-8		
11.735	11.735 (1.283)	134	198315	50.0000	49.692	80.00- 120.00	100.00
11.735	11.735 (1.283)	91	659537			310.82- 370.82	332.57
11.735	11.735 (1.283)	92	348411			151.53- 211.53	175.69
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.814 (1.291)	146	419220	50.0000	50.109	80.00- 120.00	100.00
11.814	11.814 (1.291)	148	266209			33.00- 93.00	63.50
11.814	11.814 (1.291)	111	166963			10.87- 70.87	39.83
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.616 (1.379)	157	262459	50.0000	53.040	80.00- 120.00	100.00
12.609	12.609 (1.378)	75	189025			48.09- 108.09	72.02
12.616	12.616 (1.379)	155	202214			47.89- 107.89	77.05
207 Dodecane					CAS #: 112-40-3		
12.860	12.860 (1.406)	57	520317	50.0000	43.363	80.00- 120.00	100.00
12.860	12.860 (1.406)	43	452707			58.52- 118.52	87.01
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.397 (1.464)	180	409709	50.0000	49.417	80.00- 120.00	100.00
13.397	13.397 (1.464)	182	390812			64.84- 124.84	95.39
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.511	13.511 (1.477)	225	316124	50.0000	52.271	80.00- 120.00	100.00
13.511	13.511 (1.477)	223	200488			32.80- 92.80	63.42
216 Naphthalene					CAS #: 91-20-3		
13.648	13.648 (1.492)	128	85814	5.80000	4.959	80.00- 120.00	100.00
13.648	13.648 (1.492)	127	11344			0.00- 42.72	13.22
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.898	13.898 (1.519)	180	395564	50.0000	48.689	80.00- 120.00	100.00
13.898	13.898 (1.519)	182	375167			65.07- 125.07	94.84
13.891	13.891 (1.518)	145	131600			4.48- 64.48	33.27

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 20-JUN-2024 08:32
Lab File ID: 3061931a.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/19JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE	
$ 104 1,2-Dichloroethane-d4	1.30215	1.19387	0.010	8.31529	30.00000	Averaged	
$ 134 Toluene-d8	0.97187	0.95198	0.010	2.04703	30.00000	Averaged	
$ 170 4-Bromofluorobenzene	0.74296	0.76388	0.010	-2.81614	30.00000	Averaged	
4 Freon 134a	0.57786	0.60325	0.010	-4.39437	30.00000	Averaged	
5 Propylene	0.65479	0.63096	0.010	3.63965	30.00000	Averaged	
7 1,1-Difluoroethane	0.37746	0.37624	0.010	0.32299	30.00000	Averaged	
8 Freon 12	1.48055	1.52427	0.010	-2.95358	30.00000	Averaged	
9 Chlorodifluoromethane	0.18527	0.17644	0.010	4.76685	30.00000	Averaged	
10 Freon 114	1.30152	1.38180	0.010	-6.16869	30.00000	Averaged	
12 Isobutane	1.38453	1.30406	0.010	5.81229	30.00000	Averaged	
15 Chloromethane	0.71383	0.69946	0.010	2.01397	30.00000	Averaged	
18 Butane	0.14312	0.12856	0.010	10.17115	30.00000	Averaged	
19 Vinyl Chloride	0.69068	0.66808	0.010	3.27188	30.00000	Averaged	
20 1,3-Butadiene	0.64883	0.57701	0.010	11.06889	30.00000	Averaged	
24 Bromomethane	0.49355	0.52191	0.010	-5.74754	30.00000	Averaged	
30 Chloroethane	0.33122	0.33970	0.010	-2.56133	30.00000	Averaged	
31 Isopentane	0.94519	0.87769	0.010	7.14095	30.00000	Averaged	
32 Vinyl Bromide	0.57403	0.59597	0.010	-3.82328	30.00000	Averaged	
33 Freon 11	1.70564	1.75470	0.010	-2.87611	30.00000	Averaged	
34 Dichlorofluoromethane	1.36006	1.30387	0.010	4.13100	30.00000	Averaged	
35 Pentane	1.43815	1.30532	0.010	9.23570	30.00000	Averaged	
39 Ethanol	0.13532	0.10446	0.010	22.80530	30.00000	Averaged	
42 Acrolein	0.29124	0.12284	0.010	57.82114	30.00000	Averaged	<-
43 Freon 113	1.50737	1.51365	0.010	-0.41647	30.00000	Averaged	
44 1,1-Dichloroethene	0.64138	0.59843	0.010	6.69565	30.00000	Averaged	
47 Acetone	0.36497	0.33138	0.010	9.20275	30.00000	Averaged	
48 Carbon Disulfide	1.74887	1.58084	0.010	9.60808	30.00000	Averaged	
52 2-Propanol	1.51737	1.27506	0.010	15.96948	30.00000	Averaged	
54 3-Chloropropene	0.29464	0.25806	0.010	12.41540	30.00000	Averaged	
57 Acetonitrile	0.66971	0.62789	0.010	6.24418	30.00000	Averaged	
59 Methylene Chloride	1.00247	0.93711	0.010	6.51983	30.00000	Averaged	
62 tert-Butyl alcohol	1.54800	1.27819	0.010	17.42921	30.00000	Averaged	
63 Methyl tert-butyl ether	1.83005	1.61652	0.010	11.66813	30.00000	Averaged	
64 trans-1,2-Dichloroethene	0.43073	0.40360	0.010	6.29922	30.00000	Averaged	
66 Acrylonitrile	0.55703	0.50544	0.010	9.26132	30.00000	Averaged	

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 20-JUN-2024 08:32
Lab File ID: 3061931a.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/19JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE	
67 Hexane	1.34210	1.12211	0.010	16.39153	30.00000	Averaged	
71 1,1-Dichloroethane	1.24472	1.14232	0.010	8.22627	30.00000	Averaged	
72 Isopropyl ether	2.98469	2.62751	0.010	11.96701	30.00000	Averaged	
73 Vinyl Acetate	0.10960	0.02855	0.010	73.95463	30.00000	Averaged	<-
79 Ethyl-tert-butyl ether	2.57389	2.23872	0.010	13.02189	30.00000	Averaged	
84 2,2-Dichloropropane	1.22874	1.09809	0.010	10.63223	30.00000	Averaged	
85 cis-1,2-Dichloroethene	0.44603	0.42287	0.010	5.19128	30.00000	Averaged	
86 2-Butanone	0.32135	0.29703	0.010	7.56748	30.00000	Averaged	
87 Ethyl Acetate	0.32139	0.25225	0.010	21.51049	30.00000	Averaged	
89 Tetrahydrofuran	0.98253	0.76863	0.010	21.76997	30.00000	Averaged	
92 Chloroform	1.33658	1.28639	0.010	3.75532	30.00000	Averaged	
94 Cyclohexane	0.89416	0.79579	0.010	11.00166	30.00000	Averaged	
96 1,1,1-Trichloroethane	1.45774	1.38443	0.010	5.02895	30.00000	Averaged	
97 Carbon Tetrachloride	1.54543	1.52976	0.010	1.01412	30.00000	Averaged	
99 1,1-Dichloropropene	0.10070	0.09894	0.010	1.74930	30.00000	Averaged	
101 2,2,4-Trimethylpentane	4.19325	3.75505	0.010	10.45016	30.00000	Averaged	
102 Benzene	0.50334	0.47541	0.010	5.54896	30.00000	Averaged	
105 tert-Amyl methyl ether	0.13527	0.12455	0.010	7.92385	30.00000	Averaged	
106 1,2-Dichloroethane	0.26256	0.25317	0.010	3.57782	30.00000	Averaged	
107 Heptane	0.19939	0.17419	0.010	12.63880	30.00000	Averaged	
110 n-Butanol	0.11444	0.09432	0.010	17.58685	30.00000	Averaged	
111 Trichloroethene	0.24269	0.29506	0.010	-21.57760	30.00000	Averaged	
127 Methylcyclohexane	0.34474	0.31538	0.010	8.51654	30.00000	Averaged	
114 1,2-Dichloropropane	0.23685	0.21227	0.010	10.37850	30.00000	Averaged	
116 Methyl Methacrylate	0.20363	0.17820	0.010	12.49227	30.00000	Averaged	
117 1,4-Dioxane	0.12662	0.12116	0.010	4.31150	30.00000	Averaged	
118 Dibromomethane	0.23589	0.26079	0.010	-10.55793	30.00000	Averaged	
122 Bromodichloromethane	0.39286	0.39010	0.010	0.70030	30.00000	Averaged	
126 cis-1,3-Dichloropropene	0.33505	0.31336	0.010	6.47311	30.00000	Averaged	
131 4-Methyl-2-pentanone	0.23047	0.18713	0.010	18.80654	30.00000	Averaged	
137 Toluene	0.69679	0.65533	0.010	5.94983	30.00000	Averaged	
136 Octane	0.25386	0.21641	0.010	14.74996	30.00000	Averaged	
139 trans-1,3-Dichloropropene	0.27625	0.26938	0.010	2.48768	30.00000	Averaged	
141 1,1,2-Trichloroethane	0.23391	0.22812	0.010	2.47479	30.00000	Averaged	
142 Tetrachloroethene	0.35123	0.37757	0.010	-7.50070	30.00000	Averaged	

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 20-JUN-2024 08:32
Lab File ID: 3061931a.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/19JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE
143 2-Hexanone	0.29346	0.26475	0.010	9.78294	30.00000	Averaged
144 1,3-Dichloropropane	0.32667	0.30028	0.010	8.07810	30.00000	Averaged
146 Dibromochloromethane	0.46229	0.49992	0.010	-8.13863	30.00000	Averaged
148 1,2-Dibromoethane (EDB)	0.38337	0.38805	0.010	-1.22044	30.00000	Averaged
151 1-Bromo-2-Chloroethane	0.41790	0.39386	0.010	5.75147	30.00000	Averaged
154 Chlorobenzene	0.57923	0.57848	0.010	0.12930	30.00000	Averaged
155 Ethyl Benzene	0.29135	0.28397	0.010	2.53526	30.00000	Averaged
156 Nonane	0.67669	0.61425	0.010	9.22630	30.00000	Averaged
157 1,1,1,2-Tetrachloroethane	0.32998	0.35081	0.010	-6.31017	30.00000	Averaged
158 m,p-Xylene	0.36315	0.35679	0.010	1.75003	30.00000	Averaged
164 o-Xylene	0.34436	0.33184	0.010	3.63751	30.00000	Averaged
165 Styrene	0.58810	0.57274	0.010	2.61115	30.00000	Averaged
167 Bromoform	0.46720	0.51517	0.010	-10.26667	30.00000	Averaged
168 Cumene	1.04099	1.03983	0.010	0.11143	30.00000	Averaged
169 Cyclohexanone	0.41185	0.32888	0.010	20.14503	30.00000	Averaged
175 1,1,2,2-Tetrachloroethane	0.53993	0.40192	0.010	25.56000	30.00000	Averaged
177 Bromobenzene	0.36268	0.37736	0.010	-4.04740	30.00000	Averaged
178 Propylbenzene	0.30782	0.30611	0.010	0.55445	30.00000	Averaged
179 1,2,3-Trichloropropane	0.16387	0.16148	0.010	1.45931	30.00000	Averaged
182 Decane	0.79666	0.65570	0.010	17.69449	30.00000	Averaged
183 4-Ethyltoluene	0.33550	0.33521	0.010	0.08863	30.00000	Averaged
184 2-Chlorotoluene	0.28387	0.28234	0.010	0.53624	30.00000	Averaged
185 1,3,5-Trimethylbenzene	0.45246	0.44952	0.010	0.64857	30.00000	Averaged
188 alpha Methyl Styrene	0.47929	0.46870	0.010	2.20930	30.00000	Averaged
189 tert-Butylbenzene	0.86021	0.87144	0.010	-1.30612	30.00000	Averaged
190 1,2,4-Trimethylbenzene	0.92509	0.89497	0.010	3.25591	30.00000	Averaged
192 sec-Butylbenzene	0.28157	0.28691	0.010	-1.89459	30.00000	Averaged
194 p-Cymene	1.15152	1.14596	0.010	0.48237	30.00000	Averaged
195 1,3-Dichlorobenzene	0.68551	0.68896	0.010	-0.50299	30.00000	Averaged
196 1,4-Dichlorobenzene	0.69437	0.69748	0.010	-0.44763	30.00000	Averaged
199 alpha-Chlorotoluene	0.87930	0.80602	0.010	8.33476	30.00000	Averaged
201 Undecane	0.94724	0.74883	0.010	20.94644	30.00000	Averaged
202 Butylbenzene	0.31736	0.31540	0.010	0.61588	30.00000	Averaged
204 1,2-Dichlorobenzene	0.66528	0.66673	0.010	-0.21803	30.00000	Averaged
206 1,2-Dibromo-3-chloropropane	0.39349	0.41742	0.010	-6.08104	30.00000	Averaged
207 Dodecane	0.95417	0.82752	0.010	13.27333	30.00000	Averaged

US32TAR1

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: msd3.i Injection Date: 20-JUN-2024 08:32
Lab File ID: 3061931a.d Init. Cal. Date(s): 18-APR-2024 24-APR-2024
Analysis Type: AIR Init. Cal. Times: 09:31 01:06
Lab Sample ID: CCV Quant Type: ISTD
Method: /chem/msd3.i/19JUN24.b/324q0423a.m

COMPOUND	RRF / AMOUNT	RF50	MIN RRF	%D / %DRIFT	MAX %D / %DRIFT	CURVE TYPE
213 1,2,4-Trichlorobenzene	0.65930	0.65161	0.010	1.16669	30.00000	Averaged
215 Hexachlorobutadiene	0.48092	0.50277	0.010	-4.54246	30.00000	Averaged
216 Naphthalene	1.37605	1.17656	0.010	14.49767	30.00000	Averaged
222 1,2,3-Trichlorobenzene	0.64605	0.62911	0.010	2.62180	30.00000	Averaged

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061931a.d
Lab Smp Id: CCV
Analysis Type: VOA
Quant Type: ISTD
Operator: RT
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 50ppbv (200ppbv)

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Client Smp ID: CCV
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	88848	-1.29
108 1,4-Difluorobenze	327761	196657	458865	319557	-2.50
153 Chlorobenzene-d5	325037	195022	455052	314384	-3.28

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Data File: /chem/msd3.i/19JUN24.b/3061931a.d

Page 1

Date : 20-JUN-2024 08:32

Client ID: CCV


Instrument: msd3.i

Sample Info: 50mL 3018-4465

Operator: RT

Column phase: RTX-624

Column diameter: 0.25



Client ID:	LCS		
Lab ID:	2406264R2-17A	**Date/Time Analyzed:**	6/19/24 10:06 AM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061904c

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	102
1,4-Dichlorobenzene	106-46-7	101
Benzene	71-43-2	95
cis-1,2-Dichloroethene	156-59-2	93
Ethyl Benzene	100-41-4	100
m,p-Xylene	108-38-3	99
o-Xylene	95-47-6	99
Toluene	108-88-3	92
trans-1,2-Dichloroethene	156-60-5	91
Trichloroethene	79-01-6	99
Vinyl Chloride	75-01-4	94

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	96

* % Recovery is calculated using unrounded analytical results.

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061904c.d
Lab Smp Id: LCS Client Smp ID: LCS
Inj Date : 19-JUN-2024 10:06
Operator : LD Inst ID: msd3.i
Smp Info : 50mL 3018-4603
Misc Info : 50ppbv(200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:33 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 14 QC Sample: LCS
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

				CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT (REL RT)	MASS	RESPONSE	(PPBV)	(PPBV)	TARGET RANGE	RATIO
==	====== ========	====	========	=======	=======	==========	=====
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	91935	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	71191			47.79- 107.79	77.44
5.432	5.432 (1.000)	49	136507			131.33- 191.33	148.48
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	330162	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	48188			0.00- 45.65	14.60
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	326352	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	165619			22.92- 82.92	50.75
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	109692	22.9074	22.907	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	61189			23.17- 83.17	55.78
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	308571	24.0413	24.041	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	32890			0.00- 41.42	10.66

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	209845			37.54- 97.54	68.01
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	247548	25.5240	25.524	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	270537			88.49- 148.49	109.29
10.288	10.288 (1.124)	176	237635			66.73- 126.73	96.00
4 Freon 134a					CAS #: 811-97-2		
1.409	1.423 (0.259)	83	108304	50.9663	50.966	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	99352			64.17- 124.17	91.73
1.479	1.493 (0.272)	51	403470			365.46- 425.46	372.53
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	106907	44.3982	44.398	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	72959			35.86- 95.86	68.25
1.437	1.437 (0.264)	39	79218			41.66- 101.66	74.10
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.479 (0.270)	65	67701	48.7737	48.774	80.00- 120.00	100.00
1.479	1.493 (0.272)	51	403470			568.10- 628.10	595.96
1.563	1.577 (0.288)	47	12777			0.00- 50.57	18.87
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.270)	85	271887	49.9375	49.937	80.00- 120.00	100.00
1.465	1.465 (0.270)	87	88433			2.88- 62.88	32.53
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.493 (0.275)	67	31083	45.6240	45.624	80.00- 120.00	100.00
1.479	1.493 (0.272)	51	403470			1257.55-1317.55	1298.01
10 Freon 114					CAS #: 76-14-2		
1.577	1.577 (0.290)	135	248929	52.0099	52.010	80.00- 120.00	100.00
1.577	1.577 (0.290)	137	79788			2.10- 62.10	32.05
12 Isobutane					CAS #: 75-28-5		
1.577	1.591 (0.290)	43	232026	45.5716	45.572	80.00- 120.00	100.00
1.577	1.591 (0.290)	42	74027			1.69- 61.69	31.90
1.577	1.591 (0.290)	58	7234			0.00- 33.32	3.12
15 Chloromethane					CAS #: 74-87-3		
1.674	1.675 (0.308)	50	127063	48.4042	48.404	80.00- 120.00	100.00
1.674	1.675 (0.308)	52	39699			1.38- 61.38	31.24
18 Butane					CAS #: 106-97-8		
1.716	1.717 (0.316)	58	24412	46.3844	46.384	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
18 Butane (continued)							
1.716	1.717 (0.316)	43	208345			866.38- 926.38	853.43
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.759 (0.324)	62	119579	47.0803	47.080	80.00- 120.00	100.00
1.758	1.759 (0.324)	64	39011			3.10- 63.10	32.62
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	105034	44.0210	44.021	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	109482			78.74- 138.74	104.23
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	101558	55.9558	55.956	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	96117			64.19- 124.19	94.64
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.409)	64	60956	50.0456	50.046	80.00- 120.00	100.00
2.220	2.220 (0.409)	66	17657			2.32- 62.32	28.97
2.220	2.220 (0.409)	49	20284			6.33- 66.33	33.28
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	161258	46.3943	46.394	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	102329			31.77- 91.77	63.46
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.416 (0.442)	106	108192	51.2535	51.254	80.00- 120.00	100.00
2.402	2.402 (0.442)	108	100570			64.21- 124.21	92.96
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	308942	49.2547	49.255	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	205128			34.93- 94.93	66.40
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.458 (0.453)	67	228197	45.6260	45.626	80.00- 120.00	100.00
2.458	2.458 (0.453)	69	72766			1.95- 61.95	31.89
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	235882	44.6016	44.602	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	34970			0.00- 44.64	14.83
2.514	2.514 (0.463)	72	19758			0.00- 37.90	8.38
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	20918	42.0362	42.036	80.00- 120.00	100.00
2.752	2.752 (0.507)	45	53882			224.40- 284.40	257.58
42 Acrolein					CAS #: 107-02-8		
3.053	3.054 (0.562)	55	50097	46.7755	46.775	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
42 Acrolein (continued)							
3.053	3.054 (0.562)	56	66360			108.02- 168.02	132.46
43 Freon 113					CAS #: 76-13-1		
3.053	3.061 (0.562)	151	271535	48.9853	48.985	80.00- 120.00	100.00
3.061	3.061 (0.563)	153	170550			35.07- 95.07	62.81
3.061	3.061 (0.563)	101	298009			87.45- 147.45	109.75
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.089	3.089 (0.569)	96	120594	51.1297	51.130	80.00- 120.00	100.00
3.089	3.089 (0.569)	98	66951			33.27- 93.27	55.52
3.089	3.089 (0.569)	61	216704			159.05- 219.05	179.70
47 Acetone					CAS #: 67-64-1		
3.240	3.247 (0.596)	58	59711	44.4900	44.490	80.00- 120.00	100.00
3.240	3.240 (0.596)	43	208436			329.45- 389.45	349.07
48 Carbon Disulfide					CAS #: 75-15-0		
3.326	3.326 (0.612)	76	290551	45.1778	45.178	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.419	3.426 (0.629)	45	242206	43.4064	43.406	80.00- 120.00	100.00
3.419	3.426 (0.629)	43	44121			0.00- 48.18	18.22
54 3-Chloropropene					CAS #: 107-05-1		
3.576	3.577 (0.658)	76	46547	42.9610	42.961	80.00- 120.00	100.00
3.576	3.577 (0.658)	41	174651			366.80- 426.80	375.21
57 Acetonitrile					CAS #: 75-05-8		
3.684	3.684 (0.678)	41	112396	45.6375	45.637	80.00- 120.00	100.00
3.677	3.684 (0.677)	40	59951			22.74- 82.74	53.34
3.684	3.684 (0.678)	38	13071			0.00- 42.52	11.63
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.777 (0.695)	49	161669	43.8546	43.855	80.00- 120.00	100.00
3.777	3.777 (0.695)	84	92183			24.90- 84.90	57.02
3.777	3.777 (0.695)	51	48641			0.00- 59.67	30.09
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.906	3.906 (0.719)	59	257577	45.2477	45.248	80.00- 120.00	100.00
3.906	3.906 (0.719)	41	59928			0.00- 51.85	23.27
3.906	3.913 (0.719)	57	26865			0.00- 40.17	10.43
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
3.999	3.999 (0.736)	73	302037	44.8803	44.880	80.00- 120.00	100.00
3.999	3.999 (0.736)	57	86926			0.00- 58.72	28.78

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
63 Methyl tert-butyl ether (continued)							
3.999	3.999 (0.736)	41	88388			0.00- 59.38	29.26
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	72245	45.6106	45.611	80.00- 120.00	100.00
4.028	4.028 (0.742)	61	181124			232.13- 292.13	250.71
4.028	4.028 (0.742)	96	112276			127.26- 187.26	155.41
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.135 (0.761)	52	87423	42.6787	42.679	80.00- 120.00	100.00
4.135	4.135 (0.761)	53	102624			86.45- 146.45	117.39
67 Hexane					CAS #: 110-54-3		
4.250	4.257 (0.782)	57	204241	41.3828	41.383	80.00- 120.00	100.00
4.250	4.250 (0.782)	43	141620			40.97- 100.97	69.34
4.250	4.257 (0.782)	86	25935			0.00- 42.68	12.70
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.551 (0.838)	63	207034	45.2305	45.230	80.00- 120.00	100.00
4.551	4.551 (0.838)	65	63927			0.47- 60.47	30.88
72 Isopropyl ether					CAS #: 108-20-3		
4.551	4.551 (0.838)	45	499603	45.5183	45.518	80.00- 120.00	100.00
4.551	4.551 (0.838)	87	101802			0.00- 49.55	20.38
4.551	4.544 (0.838)	59	52310			0.00- 40.42	10.47
73 Vinyl Acetate					CAS #: 108-05-4		
4.601	4.608 (0.847)	86	27532	68.3101	68.310	80.00- 120.00	100.00
4.601	4.601 (0.847)	43	435154			1727.95-1787.95	1580.54
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.937	4.938 (0.909)	59	427006	45.1132	45.113	80.00- 120.00	100.00
4.930	4.938 (0.908)	87	148642			3.90- 63.90	34.81
4.930	4.938 (0.908)	41	85650			0.00- 49.72	20.06
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.138	5.138 (0.946)	77	201042	44.4926	44.492	80.00- 120.00	100.00
5.138	5.138 (0.946)	79	65316			2.39- 62.39	32.49
5.138	5.138 (0.946)	97	47624			0.00- 53.57	23.69
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.181	5.181 (0.954)	98	76121	46.4093	46.409	80.00- 120.00	100.00
5.181	5.181 (0.954)	96	116983			125.53- 185.53	153.68
5.181	5.181 (0.954)	61	180816			219.86- 279.86	237.54
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.960)	72	52762	44.6486	44.648	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.231	5.238 (0.963)	43	609862			1138.34-1198.34	1155.86
5.217	5.217 (0.960)	57	21557			10.83- 70.83	40.86
87 Ethyl Acetate					CAS #: 141-78-6		
5.238	5.238 (0.964)	45	50030	42.3315	42.331	80.00- 120.00	100.00
5.181	5.181 (0.954)	61	180816			338.96- 398.96	361.42
5.238	5.238 (0.964)	70	26027			24.53- 84.53	52.02
89 Tetrahydrofuran					CAS #: 109-99-9		
5.424	5.425 (0.999)	42	150630	41.6896	41.690	80.00- 120.00	100.00
5.424	5.425 (0.999)	71	41907			0.00- 58.54	27.82
5.424	5.425 (0.999)	72	43637			0.00- 59.59	28.97
92 Chloroform					CAS #: 67-66-3		
5.510	5.511 (1.014)	83	225731	45.9258	45.926	80.00- 120.00	100.00
5.510	5.511 (1.014)	85	147108			35.77- 95.77	65.17
94 Cyclohexane					CAS #: 110-82-7		
5.604	5.611 (1.032)	84	149363	45.4244	45.424	80.00- 120.00	100.00
5.604	5.604 (1.032)	56	225683			125.79- 185.79	151.10
5.604	5.604 (1.032)	41	127638			61.55- 121.55	85.46
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.632	5.632 (1.037)	97	250466	46.7227	46.723	80.00- 120.00	100.00
5.632	5.632 (1.037)	99	163155			32.84- 92.84	65.14
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.754	5.754 (1.059)	119	277702	48.8641	48.864	80.00- 120.00	100.00
5.754	5.754 (1.059)	117	291315			75.19- 135.19	104.90
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.797	5.797 (0.903)	110	64421	48.4397	48.440	80.00- 120.00	100.00
5.797	5.797 (0.903)	75	161224			234.16- 294.16	250.26
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.990	5.990 (1.103)	57	690884	44.8037	44.804	80.00- 120.00	100.00
5.990	5.983 (1.103)	56	228622			3.09- 63.09	33.09
5.983	5.990 (1.102)	41	181318			0.00- 57.28	26.24
102 Benzene					CAS #: 71-43-2		
5.990	5.990 (0.933)	78	314817	47.3594	47.359	80.00- 120.00	100.00
5.990	5.998 (0.933)	77	74025			0.00- 53.69	23.51
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.083	6.084 (0.948)	87	84588	47.3510	47.351	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
105 tert-Amyl methyl ether (continued)							
6.083	6.084 (0.948)	73	329753			365.76- 425.76	389.83
6.083	6.084 (0.948)	55	107234			92.58- 152.58	126.77
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.098 (0.950)	62	164735	47.5076	47.508	80.00- 120.00	100.00
6.098	6.098 (0.950)	64	53076			1.80- 61.80	32.22
107 Heptane					CAS #: 142-82-5		
6.177	6.177 (0.962)	71	117913	44.7793	44.779	80.00- 120.00	100.00
6.177	6.177 (0.962)	43	273861			207.73- 267.73	232.26
6.177	6.177 (0.962)	57	136076			84.83- 144.83	115.40
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.032)	56	108391	71.7171	71.717	80.00- 120.00	100.00(R)
6.628	6.628 (1.032)	41	82546			47.73- 107.73	76.16
6.628	6.628 (1.032)	43	65451			31.60- 91.60	60.38
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	158652	49.4998	49.500	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	177996			80.23- 140.23	112.19
6.628	6.628 (1.032)	97	101697			34.78- 94.78	64.10
127 Methylcyclohexane					CAS #: 108-87-2		
6.728	6.728 (1.048)	83	206250	45.3018	45.302	80.00- 120.00	100.00
6.728	6.728 (1.048)	98	95616			14.83- 74.83	46.36
6.728	6.728 (1.048)	55	202099			71.50- 131.50	97.99
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.886 (1.073)	63	138418	44.2514	44.251	80.00- 120.00	100.00
6.886	6.886 (1.073)	62	98924			40.39- 100.39	71.47
6.886	6.886 (1.073)	41	83669			31.86- 91.86	60.45
116 Methyl Methacrylate					CAS #: 80-62-6		
6.972	6.972 (0.762)	69	120004	45.1439	45.144	80.00- 120.00	100.00
6.972	6.972 (0.762)	41	200952			145.81- 205.81	167.45
6.972	6.972 (0.762)	100	49145			10.05- 70.05	40.95
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.089)	88	82075	49.0823	49.082	80.00- 120.00	100.00
6.986	6.986 (1.088)	58	68454			56.33- 116.33	83.40
6.986	6.986 (1.088)	57	24294			2.08- 62.08	29.60
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.008 (0.766)	174	163941	53.2400	53.240	80.00- 120.00	100.00
7.000	7.000 (0.765)	93	143046			62.68- 122.68	87.25

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
118 Dibromomethane (continued)							
7.000	7.000 (0.765)	95	120429			47.70- 107.70	73.46
122 Bromodichloromethane					CAS #: 75-27-4		
7.144	7.144 (1.113)	83	252824	48.7302	48.730	80.00- 120.00	100.00
7.144	7.144 (1.113)	85	163315			34.96- 94.96	64.60
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.566	7.566 (1.179)	75	209687	47.3890	47.389	80.00- 120.00	100.00
7.566	7.566 (1.179)	77	66211			1.26- 61.26	31.58
7.566	7.566 (1.179)	39	127810			35.06- 95.06	60.95
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.702	7.702 (1.200)	58	126592	41.5918	41.592	80.00- 120.00	100.00
7.702	7.702 (1.200)	43	364818			259.88- 319.88	288.18
7.702	7.702 (1.200)	85	49277			7.58- 67.58	38.93
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	426051	46.2991	46.299	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	248511			27.89- 87.89	58.33
136 Octane					CAS #: 111-65-9		
7.853	7.853 (1.223)	57	144998	43.2501	43.250	80.00- 120.00	100.00
7.853	7.853 (1.223)	85	139412			63.53- 123.53	96.15
7.853	7.853 (1.223)	43	392368			246.00- 306.00	270.60
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.111	8.111 (0.886)	75	173619	48.1453	48.145	80.00- 120.00	100.00
8.111	8.111 (0.886)	77	54898			1.83- 61.83	31.62
8.111	8.111 (0.886)	39	100200			31.97- 91.97	57.71
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.283	8.283 (0.905)	97	147651	48.3544	48.354	80.00- 120.00	100.00
8.283	8.283 (0.905)	99	92151			32.52- 92.52	62.41
8.283	8.283 (0.905)	83	127005			58.90- 118.90	86.02
142 Tetrachloroethene					CAS #: 127-18-4		
8.311	8.311 (0.908)	166	243299	53.0648	53.065	80.00- 120.00	100.00
8.311	8.311 (0.908)	129	181172			45.32- 105.32	74.46
8.311	8.311 (0.908)	131	177212			44.17- 104.17	72.84
143 2-Hexanone					CAS #: 591-78-6		
8.483	8.483 (0.927)	58	178419	46.5749	46.575	80.00- 120.00	100.00
8.483	8.483 (0.927)	43	362171			177.32- 237.32	202.99
8.483	8.490 (0.927)	100	32514			0.00- 47.18	18.22

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.440	8.440 (1.315)	76	200009	46.3616	46.362	80.00- 120.00	100.00
8.440	8.440 (1.315)	41	167499			59.72- 119.72	83.75
8.440	8.440 (1.315)	78	65069			3.08- 63.08	32.53
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	317506	52.6126	52.613	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	248521			47.27- 107.27	78.27
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	250780	50.1106	50.110	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	240251			64.18- 124.18	95.80
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.452	7.452 (1.161)	63	260656	47.2293	47.229	80.00- 120.00	100.00
7.452	7.452 (1.161)	65	80158			0.43- 60.43	30.75
7.452	7.452 (1.161)	144	30161			0.00- 40.48	11.57
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.003)	112	384981	50.9145	50.914	80.00- 120.00	100.00
9.178	9.178 (1.003)	114	123149			1.91- 61.91	31.99
9.178	9.171 (1.003)	77	191500			22.97- 82.97	49.74
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	190754	50.1544	50.154	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	591568			281.09- 341.09	310.12
156 Nonane					CAS #: 111-84-2		
9.307	9.307 (1.017)	43	412479	46.6947	46.695	80.00- 120.00	100.00
9.307	9.307 (1.017)	57	334699			50.62- 110.62	81.14
9.307	9.307 (1.017)	85	108195			0.00- 55.65	26.23
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.264	9.264 (1.013)	131	229227	53.2142	53.214	80.00- 120.00	100.00
9.264	9.264 (1.013)	117	150866			37.10- 97.10	65.82
9.264	9.264 (1.013)	95	77219			4.93- 64.93	33.69
158 m,p-Xylene					CAS #: 108-38-3		
9.357	9.364 (1.023)	106	234010	49.3637	49.364	80.00- 120.00	100.00
9.357	9.357 (1.023)	91	457798			170.33- 230.33	195.63
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	222939	49.5936	49.594	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	458148			181.23- 241.23	205.50
165 Styrene					CAS #: 100-42-5		
9.772	9.773 (1.068)	104	378162	49.2585	49.258	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
165 Styrene (continued)							
9.772	9.773 (1.068)	78	172581			17.26- 77.26	45.64
167 Bromoform					CAS #: 75-25-2		
9.987	9.987 (1.092)	173	333154	54.6251	54.625	80.00- 120.00	100.00
9.987	9.987 (1.092)	171	173200			21.45- 81.45	51.99
168 Cumene					CAS #: 98-82-8		
10.088	10.088 (1.103)	105	683796	50.3193	50.319	80.00- 120.00	100.00
10.088	10.088 (1.103)	120	187142			0.00- 56.93	27.37
10.088	10.088 (1.103)	51	79208			0.00- 42.24	11.58
169 Cyclohexanone					CAS #: 108-94-1		
10.252	10.252 (1.121)	55	222149	41.3202	41.320	80.00- 120.00	100.00
10.259	10.260 (1.121)	98	80656			5.15- 65.15	36.31
10.252	10.252 (1.121)	42	152888			41.99- 101.99	68.82
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.144)	83	343598	48.7492	48.749	80.00- 120.00	100.00
10.467	10.467 (1.144)	85	222323			34.97- 94.97	64.70
177 Bromobenzene					CAS #: 108-86-1		
10.424	10.424 (1.139)	156	245503	51.8540	51.854	80.00- 120.00	100.00
10.424	10.424 (1.139)	158	237858			67.47- 127.47	96.89
10.424	10.424 (1.139)	77	311225			108.68- 168.68	126.77
178 Propylbenzene					CAS #: 103-65-1		
10.489	10.489 (1.146)	120	203020	50.5245	50.524	80.00- 120.00	100.00
10.489	10.489 (1.146)	91	813622			383.60- 443.60	400.76
10.489	10.489 (1.146)	105	32128			0.00- 46.14	15.83
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.518 (1.150)	110	105664	49.3961	49.396	80.00- 120.00	100.00
10.517	10.518 (1.150)	75	360140			324.28- 384.28	340.83
10.517	10.518 (1.150)	61	87573			57.24- 117.24	82.88
182 Decane					CAS #: 124-18-5		
10.603	10.603 (1.159)	57	437295	42.0489	42.049	80.00- 120.00	100.00
10.603	10.603 (1.159)	71	138045			1.11- 61.11	31.57
10.603	10.603 (1.159)	142	20588			0.00- 34.44	4.71
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.603 (1.159)	120	213977	48.8565	48.856	80.00- 120.00	100.00
10.603	10.603 (1.159)	105	702458			298.94- 358.94	328.29
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.603 (1.159)	126	190506	51.4101	51.410	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
184 2-Chlorotoluene (continued)							
10.603	10.603 (1.159)	91	568301			282.78- 342.78	298.31
10.603	10.603 (1.159)	65	82825			17.33- 77.33	43.48
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.668	10.668 (1.166)	120	294507	49.8621	49.862	80.00- 120.00	100.00
10.668	10.668 (1.166)	105	592251			172.08- 232.08	201.10
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.897	10.897 (1.191)	118	312789	49.9933	49.993	80.00- 120.00	100.00
10.897	10.897 (1.191)	103	174691			25.64- 85.64	55.85
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.976 (1.200)	119	572078	50.9455	50.945	80.00- 120.00	100.00
10.976	10.976 (1.200)	134	145014			0.00- 55.10	25.35
10.969	10.976 (1.199)	91	355893			34.53- 94.53	62.21
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.033	11.033 (1.206)	105	598428	49.5546	49.554	80.00- 120.00	100.00
11.033	11.033 (1.206)	120	281160			16.63- 76.63	46.98
192 sec-Butylbenzene					CAS #: 135-98-8		
11.191	11.191 (1.223)	134	187718	51.0701	51.070	80.00- 120.00	100.00
11.191	11.191 (1.223)	105	853155			436.99- 496.99	454.49
11.191	11.191 (1.223)	91	132073			41.69- 101.69	70.36
194 p-Cymene					CAS #: 99-87-6		
11.334	11.334 (1.239)	119	776570	51.6610	51.661	80.00- 120.00	100.00
11.334	11.334 (1.239)	134	215287			0.00- 57.62	27.72
11.334	11.334 (1.239)	91	170852			0.00- 53.03	22.00
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.341	11.341 (1.240)	146	450727	50.3679	50.368	80.00- 120.00	100.00
11.341	11.341 (1.240)	148	286585			34.18- 94.18	63.58
11.341	11.341 (1.240)	111	171808			10.06- 70.06	38.12
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.441	11.442 (1.251)	146	457705	50.4947	50.495	80.00- 120.00	100.00
11.441	11.442 (1.251)	148	291271			33.55- 93.55	63.64
11.441	11.442 (1.251)	111	169232			7.98- 67.98	36.97
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.585	11.585 (1.266)	91	550597	47.9675	47.968	80.00- 120.00	100.00
11.585	11.585 (1.266)	126	130258			0.00- 52.77	23.66
201 Undecane					CAS #: 1120-21-4		
11.778	11.778 (1.287)	57	513783	41.5501	41.550	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
201 Undecane (continued)							
11.778	11.778 (1.287)	43	472645			63.59- 123.59	91.99
202 Butylbenzene					CAS #: 104-51-8		
11.742	11.742 (1.283)	134	212064	51.1885	51.188	80.00- 120.00	100.00
11.735	11.735 (1.283)	91	700379			310.82- 370.82	330.27
11.735	11.735 (1.283)	92	367431			151.53- 211.53	173.26
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.814 (1.291)	146	438350	50.4742	50.474	80.00- 120.00	100.00
11.814	11.814 (1.291)	148	279053			33.00- 93.00	63.66
11.814	11.814 (1.291)	111	172911			10.87- 70.87	39.45
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.609	12.609 (1.378)	157	273102	53.1673	53.167	80.00- 120.00	100.00
12.609	12.609 (1.378)	75	199010			48.09- 108.09	72.87
12.609	12.609 (1.378)	155	211425			47.89- 107.89	77.42
207 Dodecane					CAS #: 112-40-3		
12.853	12.853 (1.405)	57	574316	46.1085	46.108	80.00- 120.00	100.00
12.845	12.853 (1.404)	43	499287			58.52- 118.52	86.94
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.390	13.390 (1.463)	180	452300	52.5531	52.553	80.00- 120.00	100.00
13.390	13.390 (1.463)	182	432593			64.84- 124.84	95.64
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.504	13.504 (1.476)	225	339794	54.1247	54.125	80.00- 120.00	100.00
13.504	13.504 (1.476)	223	215095			32.80- 92.80	63.30
216 Naphthalene					CAS #: 91-20-3		
13.640	13.641 (1.491)	128	104774	5.83277	5.833	80.00- 120.00	100.00
13.640	13.641 (1.491)	127	13682			0.00- 42.72	13.06
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.884	13.891 (1.518)	180	439126	52.0689	52.069	80.00- 120.00	100.00
13.884	13.891 (1.518)	182	419974			65.07- 125.07	95.64
13.884	13.884 (1.518)	145	145163			4.48- 64.48	33.06

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061904c.d
Lab Smp Id: LCS
Analysis Type: VOA
Quant Type: ISTD
Operator: LD
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 50ppbv(200ppbv)

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Client Smp ID: LCS
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	91935	2.14
108 1,4-Difluorobenze	327761	196657	458865	330162	0.73
153 Chlorobenzene-d5	325037	195022	455052	326352	0.40

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

Report Date: 20-Jun-2024 13:34

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: LCS Client Smp ID: LCS
Level: LOW Operator: LD
Data Type: MS DATA SampleType: LCS
SpikeList File: CntrlDODAT23.spk Quant Type: ISTD
Sublist File: AT23.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 50ppbv(200ppbv)

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
4 Freon 134a	50.000	50.966	101.93	70-130
5 Propylene	50.000	44.398	88.80	57-136
7 1,1-Difluoroethan	50.000	48.774	97.55	70-130
8 Freon 12	50.000	49.937	99.87	59-128
9 Chlorodifluoromet	50.000	45.624	91.25	59-145
10 Freon 114	50.000	52.010	104.02	63-121
12 Isobutane	50.000	45.572	91.14	70-130
15 Chloromethane	50.000	48.404	96.81	59-132
18 Butane	50.000	46.384	92.77	64-129
19 Vinyl Chloride	50.000	47.080	94.16	64-127
20 1,3-Butadiene	50.000	44.021	88.04	66-134
24 Bromomethane	50.000	55.956	111.91	63-134
30 Chloroethane	50.000	50.046	100.09	63-127
31 Isopentane	50.000	46.394	92.79	59-140
32 Vinyl Bromide	50.000	51.254	102.51	71-126
33 Freon 11	50.000	49.255	98.51	62-126
34 Dichlorofluoromet	50.000	45.626	91.25	70-130
35 Pentane	50.000	44.602	89.20	63-131
39 Ethanol	50.000	42.036	84.07	59-125
42 Acrolein	57.000	46.775	82.06	62-126
43 Freon 113	50.000	48.985	97.97	66-126
44 1,1-Dichloroethen	50.000	51.130	102.26	61-133
47 Acetone	50.000	44.490	88.98	58-128
48 Carbon Disulfide	50.000	45.178	90.36	57-134
52 2-Propanol	50.000	43.406	86.81	52-125
54 3-Chloropropene	50.000	42.961	85.92	71-131
57 Acetonitrile	50.000	45.637	91.27	63-132
59 Methylene Chlorid	50.000	43.855	87.71	62-115
62 tert-Butyl alcoho	50.000	45.248	90.50	24-150
63 Methyl tert-butyl	50.000	44.880	89.76	66-126
64 trans-1,2-Dichlor	50.000	45.611	91.22	67-124
66 Acrylonitrile	50.000	42.679	85.36	71-137
67 Hexane	50.000	41.383	82.77	63-120

	SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
71	1,1-Dichloroethan	50.000	45.230	90.46	68-126
72	Isopropyl ether	50.000	45.518	91.04	70-117
73	Vinyl Acetate	50.000	68.310	136.62	56-139
79	Ethyl-tert-butyl	50.000	45.113	90.23	70-130
84	2,2-Dichloropropa	50.000	44.492	88.99	70-130
85	cis-1,2-Dichloroe	50.000	46.409	92.82	70-121
86	2-Butanone	50.000	44.648	89.30	67-130
87	Ethyl Acetate	50.000	42.331	84.66	65-128
89	Tetrahydrofuran	50.000	41.690	83.38	64-123
92	Chloroform	50.000	45.926	91.85	68-123
96	1,1,1-Trichloroet	50.000	46.723	93.45	68-125
97	Carbon Tetrachlor	50.000	48.864	97.73	68-132
94	Cyclohexane	50.000	45.424	90.85	70-117
99	1,1-Dichloroprope	50.000	48.440	96.88	70-130
101	2,2,4-Trimethylpe	50.000	44.804	89.61	68-121
102	Benzene	50.000	47.359	94.72	69-119
106	1,2-Dichloroethan	50.000	47.508	95.02	65-128
107	Heptane	50.000	44.779	89.56	69-123
110	n-Butanol	50.000	71.717	143.43*	62-133
111	Trichloroethene	50.000	49.500	99.00	71-123
127	Methylcyclohexane	50.000	45.302	90.60	67-127
114	1,2-Dichloropropa	50.000	44.251	88.50	69-123
116	Methyl Methacryla	50.000	45.144	90.29	70-128
117	1,4-Dioxane	50.000	49.082	98.16	71-122
118	Dibromomethane	50.000	53.240	106.48	70-130
122	Bromodichlorometh	50.000	48.730	97.46	72-128
126	cis-1,3-Dichlorop	50.000	47.389	94.78	70-128
131	4-Methyl-2-pentan	50.000	41.592	83.18	67-130
136	Octane	50.000	43.250	86.50	69-121
137	Toluene	50.000	46.299	92.60	66-119
139	trans-1,3-Dichlor	50.000	48.145	96.29	75-133
141	1,1,2-Trichloroet	50.000	48.354	96.71	73-119
142	Tetrachloroethene	50.000	53.065	106.13	66-124
143	2-Hexanone	50.000	46.575	93.15	62-128
144	1,3-Dichloropropa	50.000	46.362	92.72	62-148
146	Dibromochlorometh	50.000	52.613	105.23	70-130
148	1,2-Dibromoethane	50.000	50.110	100.22	74-122
151	1-Bromo-2-Chloroe	50.000	47.229	94.46	70-130
154	Chlorobenzene	50.000	50.914	101.83	70-119
155	Ethyl Benzene	50.000	50.154	100.31	70-124
156	Nonane	50.000	46.695	93.39	63-128
157	1,1,1,2-Tetrachlo	50.000	53.214	106.43	70-130
158	m,p-Xylene	50.000	49.364	98.73	61-134
164	o-Xylene	50.000	49.594	99.19	67-125
165	Styrene	50.000	49.258	98.52	73-127
167	Bromoform	50.000	54.625	109.25	66-139
168	Cumene	50.000	50.319	100.64	68-124

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
175 1,1,2,2-Tetrachlo	50.000	48.749	97.50	65-127
177 Bromobenzene	50.000	51.854	103.71	70-130
178 Propylbenzene	50.000	50.524	101.05	69-123
179 1,2,3-Trichloropr	50.000	49.396	98.79	76-124
182 Decane	50.000	42.049	84.10	70-118
183 4-Ethyltoluene	50.000	48.856	97.71	67-129
184 2-Chlorotoluene	50.000	51.410	102.82	74-130
185 1,3,5-Trimethylbe	50.000	49.862	99.72	67-130
188 alpha Methyl Styr	50.000	49.993	99.99	67-128
189 tert-Butylbenzene	50.000	50.945	101.89	65-124
190 1,2,4-Trimethylbe	50.000	49.554	99.11	66-132
192 sec-Butylbenzene	50.000	51.070	102.14	68-125
194 p-Cymene	50.000	51.661	103.32	67-130
195 1,3-Dichlorobenze	50.000	50.368	100.74	65-130
196 1,4-Dichlorobenze	50.000	50.495	100.99	60-131
199 alpha-Chlorotolue	50.000	47.968	95.94	50-147
201 Undecane	50.000	41.550	83.10	69-123
202 Butylbenzene	50.000	51.188	102.38	66-130
204 1,2-Dichlorobenze	50.000	50.474	100.95	63-129
206 1,2-Dibromo-3-chl	50.000	53.167	106.33	70-130
207 Dodecane	50.000	46.108	92.22	62-147
213 1,2,4-Trichlorobe	50.000	52.553	105.11	55-142
215 Hexachlorobutadie	50.000	54.125	108.25	56-138
216 Naphthalene	5.700	5.833	102.33	57-138
222 1,2,3-Trichlorobe	50.000	52.069	104.14	55-142

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	22.907	91.63	70-130
$ 134 Toluene-d8	25.000	24.041	96.17	70-130
$ 170 4-Bromofluorobenz	25.000	25.524	102.10	70-130

Data File: /chem/msd3.i/19JUN24.b/3061904c.d

Page 1

Date : 19-JUN-2024 10:06

Client ID: LCS


Instrument: msd3.i

Sample Info: 50mL 3018-4603

Operator: LD

Column phase: RTX-624

Column diameter: 0.25



Client ID:	LCSD		
Lab ID:	2406264R2-17AA	**Date/Time Analyzed:**	6/19/24 10:37 AM
Date/Time Collected:	NA - Not Applicable	**Dilution Factor:**	1.00
Media:	NA - Not Applicable	**Instrument/Filename:**	msd3.i / 3061905c

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	89
1,4-Dichlorobenzene	106-46-7	101
Benzene	71-43-2	94
cis-1,2-Dichloroethene	156-59-2	91
Ethyl Benzene	100-41-4	101
m,p-Xylene	108-38-3	100
o-Xylene	95-47-6	101
Toluene	108-88-3	91
trans-1,2-Dichloroethene	156-60-5	92
Trichloroethene	79-01-6	97
Vinyl Chloride	75-01-4	95

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	96

* % Recovery is calculated using unrounded analytical results.

US32TAR1

EPA TO-15/MODIFIED TO14A

Data file : /chem/msd3.i/19JUN24.b/3061905c.d
Lab Smp Id: LCSD Client Smp ID: LCSD
Inj Date : 19-JUN-2024 10:37
Operator : LD Inst ID: msd3.i
Smp Info : 50mL 3018-4603
Misc Info : 50ppbv(200ppbv)
Comment : STANDARD LEVEL - GC/MS
Method : /chem/msd3.i/19JUN24.b/324q0423a.m
Meth Date : 20-Jun-2024 13:33 lk8g Quant Type: ISTD
Cal Date : 24-APR-2024 01:06 Cal File: 3042314.d
Als bottle: 14 QC Sample: LCSD
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: AT23.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * CpndVariable

Cpnd Variable Local Compound Variable

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
* 90 Bromochloromethane					CAS #: 74-97-5		
5.432	5.432 (1.000)	130	91657	25.0000		80.00- 120.00	100.00
5.432	5.432 (1.000)	128	70949			47.79- 107.79	77.41
5.432	5.432 (1.000)	49	134058			131.33- 191.33	146.26
* 108 1,4-Difluorobenzene					CAS #: 540-36-3		
6.420	6.420 (1.000)	114	333499	25.0000		80.00- 120.00	100.00
6.420	6.420 (1.000)	88	46874			0.00- 45.65	14.06
* 153 Chlorobenzene-d5					CAS #: 3114-55-4		
9.149	9.149 (1.000)	117	324852	25.0000		80.00- 120.00	100.00
9.149	9.149 (1.000)	82	164230			22.92- 82.92	50.56
$ 104 1,2-Dichloroethane-d4					CAS #: 17060-07-0		
6.019	6.019 (1.108)	65	110120	23.0665	23.066	80.00- 120.00	100.00
6.019	6.019 (1.108)	67	61515			23.17- 83.17	55.86
$ 134 Toluene-d8					CAS #: 2037-26-5		
7.760	7.760 (1.209)	98	309700	23.8879	23.888	80.00- 120.00	100.00
7.760	7.760 (1.209)	70	32841			0.00- 41.42	10.60

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
$ 134 Toluene-d8 (continued)							
7.760	7.760 (1.209)	100	210016			37.54- 97.54	67.81
$ 170 4-Bromofluorobenzene					CAS #: 460-00-4		
10.288	10.288 (1.124)	174	245080	25.3862	25.386	80.00- 120.00	100.00
10.288	10.288 (1.124)	95	268694			88.49- 148.49	109.64
10.288	10.288 (1.124)	176	238682			66.73- 126.73	97.39
4 Freon 134a					CAS #: 811-97-2		
1.409	1.423 (0.259)	83	108417	51.1740	51.174	80.00- 120.00	100.00
1.409	1.409 (0.259)	69	98405			64.17- 124.17	90.77
1.493	1.493 (0.275)	51	407148			365.46- 425.46	375.54
5 Propylene					CAS #: 115-07-1		
1.437	1.437 (0.264)	41	113978	47.4780	47.478	80.00- 120.00	100.00
1.437	1.437 (0.264)	42	74905			35.86- 95.86	65.72
1.423	1.437 (0.262)	39	76637			41.66- 101.66	67.24
7 1,1-Difluoroethane					CAS #: 75-37-6		
1.465	1.479 (0.270)	65	68455	49.4661	49.466	80.00- 120.00	100.00
1.493	1.493 (0.275)	51	407148			568.10- 628.10	594.77
1.577	1.577 (0.290)	47	13596			0.00- 50.57	19.86
8 Freon 12					CAS #: 75-71-8		
1.465	1.465 (0.270)	85	269147	49.5839	49.584	80.00- 120.00	100.00
1.465	1.465 (0.270)	87	88973			2.88- 62.88	33.06
9 Chlorodifluoromethane					CAS #: 75-45-6		
1.493	1.493 (0.275)	67	31342	46.1427	46.143	80.00- 120.00	100.00
1.493	1.493 (0.275)	51	407148			1257.55-1317.55	1299.04
10 Freon 114					CAS #: 76-14-2		
1.577	1.577 (0.290)	135	246302	51.6168	51.617	80.00- 120.00	100.00
1.577	1.577 (0.290)	137	79331			2.10- 62.10	32.21
12 Isobutane					CAS #: 75-28-5		
1.590	1.591 (0.293)	43	232013	45.7070	45.707	80.00- 120.00	100.00
1.590	1.591 (0.293)	42	74768			1.69- 61.69	32.23
1.577	1.591 (0.290)	58	7606			0.00- 33.32	3.28
15 Chloromethane					CAS #: 74-87-3		
1.674	1.675 (0.308)	50	129361	49.4290	49.429	80.00- 120.00	100.00
1.674	1.675 (0.308)	52	40457			1.38- 61.38	31.27
18 Butane					CAS #: 106-97-8		
1.716	1.717 (0.316)	58	23553	44.8882	44.888	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
18 Butane (continued)							
1.716	1.717 (0.316)	43	206421			866.38- 926.38	876.38
19 Vinyl Chloride					CAS #: 75-01-4		
1.758	1.759 (0.324)	62	119781	47.3028	47.303	80.00- 120.00	100.00
1.758	1.759 (0.324)	64	39940			3.10- 63.10	33.34
20 1,3-Butadiene					CAS #: 106-99-0		
1.772	1.773 (0.326)	54	104586	43.9660	43.966	80.00- 120.00	100.00
1.772	1.773 (0.326)	39	110340			78.74- 138.74	105.50
24 Bromomethane					CAS #: 74-83-9		
2.108	2.108 (0.388)	94	102818	56.8217	56.822	80.00- 120.00	100.00
2.108	2.108 (0.388)	96	97970			64.19- 124.19	95.28
30 Chloroethane					CAS #: 75-00-3		
2.220	2.220 (0.409)	64	58048	47.8021	47.802	80.00- 120.00	100.00
2.220	2.220 (0.409)	66	18247			2.32- 62.32	31.43
2.220	2.220 (0.409)	49	20388			6.33- 66.33	35.12
31 Isopentane					CAS #: 78-78-4		
2.234	2.234 (0.411)	43	161855	46.7070	46.707	80.00- 120.00	100.00
2.234	2.234 (0.411)	57	101736			31.77- 91.77	62.86
32 Vinyl Bromide					CAS #: 593-60-2		
2.402	2.416 (0.442)	106	108744	51.6713	51.671	80.00- 120.00	100.00
2.416	2.402 (0.445)	108	99938			64.21- 124.21	91.90
33 Freon 11					CAS #: 75-69-4		
2.444	2.444 (0.450)	101	311353	49.7896	49.790	80.00- 120.00	100.00
2.444	2.444 (0.450)	103	202894			34.93- 94.93	65.17
34 Dichlorofluoromethane					CAS #: 75-43-4		
2.458	2.458 (0.453)	67	229515	46.0285	46.028	80.00- 120.00	100.00
2.458	2.458 (0.453)	69	72950			1.95- 61.95	31.78
35 Pentane					CAS #: 109-66-0		
2.514	2.514 (0.463)	43	240358	45.5858	45.586	80.00- 120.00	100.00
2.514	2.514 (0.463)	57	34797			0.00- 44.64	14.48
2.514	2.514 (0.463)	72	19248			0.00- 37.90	8.01
39 Ethanol					CAS #: 64-17-5		
2.752	2.752 (0.507)	46	21084	42.4971	42.497	80.00- 120.00	100.00
2.752	2.752 (0.507)	45	53963			224.40- 284.40	255.94
42 Acrolein					CAS #: 107-02-8		
3.053	3.054 (0.562)	55	48792	45.6944	45.694	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
42 Acrolein (continued)							
3.053	3.054 (0.562)	56	68749			108.02- 168.02	140.90
43 Freon 113					CAS #: 76-13-1		
3.061	3.061 (0.563)	151	271330	49.0966	49.097	80.00- 120.00	100.00
3.061	3.061 (0.563)	153	172586			35.07- 95.07	63.61
3.061	3.061 (0.563)	101	295445			87.45- 147.45	108.89
44 1,1-Dichloroethene					CAS #: 75-35-4		
3.089	3.089 (0.569)	96	104289	44.3507	44.351	80.00- 120.00	100.00
3.089	3.089 (0.569)	98	66162			33.27- 93.27	63.44
3.089	3.089 (0.569)	61	220029			159.05- 219.05	210.98
47 Acetone					CAS #: 67-64-1		
3.247	3.247 (0.598)	58	58949	44.0555	44.055	80.00- 120.00	100.00
3.247	3.240 (0.598)	43	207793			329.45- 389.45	352.49
48 Carbon Disulfide					CAS #: 75-15-0		
3.326	3.326 (0.612)	76	290110	45.2458	45.246	80.00- 120.00	100.00
52 2-Propanol					CAS #: 67-63-0		
3.426	3.426 (0.631)	45	241052	43.3303	43.330	80.00- 120.00	100.00
3.426	3.426 (0.631)	43	43905			0.00- 48.18	18.21
54 3-Chloropropene					CAS #: 107-05-1		
3.576	3.577 (0.658)	76	46810	43.3346	43.335	80.00- 120.00	100.00
3.576	3.577 (0.658)	41	172179			366.80- 426.80	367.82
57 Acetonitrile					CAS #: 75-05-8		
3.684	3.684 (0.678)	41	109989	44.7955	44.795	80.00- 120.00	100.00
3.684	3.684 (0.678)	40	58214			22.74- 82.74	52.93
3.677	3.684 (0.677)	38	12832			0.00- 42.52	11.67
59 Methylene Chloride					CAS #: 75-09-2		
3.777	3.777 (0.695)	49	160354	43.6297	43.630	80.00- 120.00	100.00
3.777	3.777 (0.695)	84	92860			24.90- 84.90	57.91
3.777	3.777 (0.695)	51	51774			0.00- 59.67	32.29
62 tert-Butyl alcohol					CAS #: 75-65-0		
3.906	3.906 (0.719)	59	256994	45.2821	45.282	80.00- 120.00	100.00
3.906	3.906 (0.719)	41	57653			0.00- 51.85	22.43
3.906	3.913 (0.719)	57	26619			0.00- 40.17	10.36
63 Methyl tert-butyl ether					CAS #: 1634-04-4		
3.999	3.999 (0.736)	73	303845	45.2858	45.286	80.00- 120.00	100.00
3.999	3.999 (0.736)	57	86085			0.00- 58.72	28.33

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
63 Methyl tert-butyl ether (continued)							
3.999	3.999 (0.736)	41	89066			0.00- 59.38	29.31
64 trans-1,2-Dichloroethene					CAS #: 156-60-5		
4.028	4.028 (0.742)	98	72280	45.7707	45.771	80.00- 120.00	100.00
4.028	4.028 (0.742)	61	180509			232.13- 292.13	249.74
4.028	4.028 (0.742)	96	112199			127.26- 187.26	155.23
66 Acrylonitrile					CAS #: 107-13-1		
4.135	4.135 (0.761)	52	85744	41.9859	41.986	80.00- 120.00	100.00
4.135	4.135 (0.761)	53	102116			86.45- 146.45	119.09
67 Hexane					CAS #: 110-54-3		
4.257	4.257 (0.784)	57	205896	41.8443	41.844	80.00- 120.00	100.00
4.257	4.250 (0.784)	43	146178			40.97- 100.97	71.00
4.250	4.257 (0.782)	86	26332			0.00- 42.68	12.79
71 1,1-Dichloroethane					CAS #: 75-34-3		
4.551	4.551 (0.838)	63	206442	45.2378	45.238	80.00- 120.00	100.00
4.551	4.551 (0.838)	65	63612			0.47- 60.47	30.81
72 Isopropyl ether					CAS #: 108-20-3		
4.551	4.551 (0.838)	45	495312	45.2640	45.264	80.00- 120.00	100.00
4.551	4.551 (0.838)	87	101619			0.00- 49.55	20.52
4.551	4.544 (0.838)	59	52714			0.00- 40.42	10.64
73 Vinyl Acetate					CAS #: 108-05-4		
4.601	4.608 (0.847)	86	27730	69.0101	69.010	80.00- 120.00	100.00
4.601	4.601 (0.847)	43	434214			1727.95-1787.95	1565.85
79 Ethyl-tert-butyl ether					CAS #: 637-92-3		
4.937	4.938 (0.909)	59	429859	45.5522	45.552	80.00- 120.00	100.00
4.937	4.938 (0.909)	87	149046			3.90- 63.90	34.67
4.937	4.938 (0.909)	41	86170			0.00- 49.72	20.05
84 2,2-Dichloropropane					CAS #: 594-20-7		
5.138	5.138 (0.946)	77	199716	44.3332	44.333	80.00- 120.00	100.00
5.138	5.138 (0.946)	79	64573			2.39- 62.39	32.33
5.138	5.138 (0.946)	97	48522			0.00- 53.57	24.30
85 cis-1,2-Dichloroethene					CAS #: 156-59-2		
5.181	5.181 (0.954)	98	74125	45.3293	45.329	80.00- 120.00	100.00
5.181	5.181 (0.954)	96	115093			125.53- 185.53	155.27
5.181	5.181 (0.954)	61	180679			219.86- 279.86	243.75
86 2-Butanone					CAS #: 78-93-3		
5.217	5.217 (0.960)	72	52665	44.7016	44.702	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
86 2-Butanone (continued)							
5.238	5.238 (0.964)	43	611052			1138.34-1198.34	1160.24
5.210	5.217 (0.959)	57	22391			10.83- 70.83	42.52
87 Ethyl Acetate					CAS #: 141-78-6		
5.238	5.238 (0.964)	45	50493	42.8529	42.853	80.00- 120.00	100.00
5.181	5.181 (0.954)	61	180679			338.96- 398.96	357.83
5.238	5.238 (0.964)	70	26679			24.53- 84.53	52.84
89 Tetrahydrofuran					CAS #: 109-99-9		
5.424	5.425 (0.999)	42	149381	41.4691	41.469	80.00- 120.00	100.00
5.424	5.425 (0.999)	71	41989			0.00- 58.54	28.11
5.424	5.425 (0.999)	72	43185			0.00- 59.59	28.91
92 Chloroform					CAS #: 67-66-3		
5.510	5.511 (1.014)	83	226897	46.3027	46.303	80.00- 120.00	100.00
5.510	5.511 (1.014)	85	146326			35.77- 95.77	64.49
94 Cyclohexane					CAS #: 110-82-7		
5.604	5.611 (1.032)	84	150974	46.0532	46.053	80.00- 120.00	100.00
5.604	5.604 (1.032)	56	227027			125.79- 185.79	150.37
5.604	5.604 (1.032)	41	126912			61.55- 121.55	84.06
96 1,1,1-Trichloroethane					CAS #: 71-55-6		
5.632	5.632 (1.037)	97	253595	47.4497	47.450	80.00- 120.00	100.00
5.632	5.632 (1.037)	99	162763			32.84- 92.84	64.18
97 Carbon Tetrachloride					CAS #: 56-23-5		
5.754	5.754 (1.059)	119	279334	49.3001	49.300	80.00- 120.00	100.00
5.754	5.754 (1.059)	117	292319			75.19- 135.19	104.65
99 1,1-Dichloropropene					CAS #: 563-58-6		
5.797	5.797 (0.903)	110	64291	47.8582	47.858	80.00- 120.00	100.00
5.797	5.797 (0.903)	75	161762			234.16- 294.16	251.61
101 2,2,4-Trimethylpentane					CAS #: 540-84-1		
5.990	5.990 (1.103)	57	695230	45.2221	45.222	80.00- 120.00	100.00
5.983	5.983 (1.102)	56	231272			3.09- 63.09	33.27
5.983	5.990 (1.102)	41	182516			0.00- 57.28	26.25
102 Benzene					CAS #: 71-43-2		
5.990	5.990 (0.933)	78	315126	46.9316	46.932	80.00- 120.00	100.00
5.990	5.998 (0.933)	77	74104			0.00- 53.69	23.52
105 tert-Amyl methyl ether					CAS #: 994-05-8		
6.083	6.084 (0.948)	87	85084	47.1524	47.152	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
105 tert-Amyl methyl ether (continued)							
6.083	6.084 (0.948)	73	333163			365.76- 425.76	391.57
6.083	6.084 (0.948)	55	108495			92.58- 152.58	127.51
106 1,2-Dichloroethane					CAS #: 107-06-2		
6.098	6.098 (0.950)	62	165761	47.3252	47.325	80.00- 120.00	100.00
6.098	6.098 (0.950)	64	52515			1.80- 61.80	31.68
107 Heptane					CAS #: 142-82-5		
6.177	6.177 (0.962)	71	119424	44.8992	44.899	80.00- 120.00	100.00
6.177	6.177 (0.962)	43	274772			207.73- 267.73	230.08
6.177	6.177 (0.962)	57	137102			84.83- 144.83	114.80
110 n-Butanol					CAS #: 71-36-3		
6.628	6.628 (1.032)	56	110196	72.1820	72.182	80.00- 120.00	100.00(R)
6.628	6.628 (1.032)	41	82400			47.73- 107.73	74.78
6.628	6.628 (1.032)	43	66658			31.60- 91.60	60.49
111 Trichloroethene					CAS #: 79-01-6		
6.628	6.628 (1.032)	95	157466	48.6385	48.638	80.00- 120.00	100.00
6.628	6.628 (1.032)	130	178250			80.23- 140.23	113.20
6.628	6.628 (1.032)	97	100555			34.78- 94.78	63.86
127 Methylcyclohexane					CAS #: 108-87-2		
6.728	6.728 (1.048)	83	207266	45.0697	45.070	80.00- 120.00	100.00
6.728	6.728 (1.048)	98	95112			14.83- 74.83	45.89
6.728	6.728 (1.048)	55	203038			71.50- 131.50	97.96
114 1,2-Dichloropropane					CAS #: 78-87-5		
6.886	6.886 (1.073)	63	138577	43.8591	43.859	80.00- 120.00	100.00
6.886	6.886 (1.073)	62	99950			40.39- 100.39	72.13
6.886	6.886 (1.073)	41	81918			31.86- 91.86	59.11
116 Methyl Methacrylate					CAS #: 80-62-6		
6.972	6.972 (0.762)	69	118686	44.8543	44.854	80.00- 120.00	100.00
6.972	6.972 (0.762)	41	199344			145.81- 205.81	167.96
6.972	6.972 (0.762)	100	48776			10.05- 70.05	41.10
117 1,4-Dioxane					CAS #: 123-91-1		
6.993	6.993 (1.089)	88	81224	48.0872	48.087	80.00- 120.00	100.00
6.993	6.986 (1.089)	58	66376			56.33- 116.33	81.72
6.986	6.986 (1.088)	57	24575			2.08- 62.08	30.26
118 Dibromomethane					CAS #: 74-95-3		
7.007	7.008 (0.766)	174	163877	53.4649	53.465	80.00- 120.00	100.00
7.000	7.000 (0.765)	93	143524			62.68- 122.68	87.58

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
118 Dibromomethane (continued)							
7.000	7.000 (0.765)	95	119784			47.70- 107.70	73.09
122 Bromodichloromethane					CAS #: 75-27-4		
7.144	7.144 (1.113)	83	253093	48.2941	48.294	80.00- 120.00	100.00
7.144	7.144 (1.113)	85	162596			34.96- 94.96	64.24
126 cis-1,3-Dichloropropene					CAS #: 10061-01-5		
7.566	7.566 (1.179)	75	207379	46.3985	46.398	80.00- 120.00	100.00
7.566	7.566 (1.179)	77	66620			1.26- 61.26	32.12
7.566	7.566 (1.179)	39	125606			35.06- 95.06	60.57
131 4-Methyl-2-pentanone					CAS #: 108-10-1		
7.702	7.702 (1.200)	58	125855	40.9362	40.936	80.00- 120.00	100.00
7.702	7.702 (1.200)	43	371861			259.88- 319.88	295.47
7.702	7.702 (1.200)	85	49330			7.58- 67.58	39.20
137 Toluene					CAS #: 108-88-3		
7.824	7.824 (1.219)	91	423401	45.5508	45.551	80.00- 120.00	100.00
7.824	7.824 (1.219)	92	249393			27.89- 87.89	58.90
136 Octane					CAS #: 111-65-9		
7.853	7.853 (1.223)	57	145026	42.8257	42.826	80.00- 120.00	100.00
7.853	7.853 (1.223)	85	141233			63.53- 123.53	97.38
7.853	7.853 (1.223)	43	390656			246.00- 306.00	269.37
139 trans-1,3-Dichloropropene					CAS #: 10061-02-6		
8.111	8.111 (0.886)	75	171805	47.8623	47.862	80.00- 120.00	100.00
8.111	8.111 (0.886)	77	55791			1.83- 61.83	32.47
8.111	8.111 (0.886)	39	100228			31.97- 91.97	58.34
141 1,1,2-Trichloroethane					CAS #: 79-00-5		
8.282	8.283 (0.905)	97	149610	49.2222	49.222	80.00- 120.00	100.00
8.282	8.283 (0.905)	99	93402			32.52- 92.52	62.43
8.282	8.283 (0.905)	83	129369			58.90- 118.90	86.47
142 Tetrachloroethene					CAS #: 127-18-4		
8.311	8.311 (0.908)	166	244419	53.5550	53.555	80.00- 120.00	100.00
8.311	8.311 (0.908)	129	181285			45.32- 105.32	74.17
8.311	8.311 (0.908)	131	178977			44.17- 104.17	73.23
143 2-Hexanone					CAS #: 591-78-6		
8.483	8.483 (0.927)	58	176730	46.3470	46.347	80.00- 120.00	100.00
8.483	8.483 (0.927)	43	363547			177.32- 237.32	205.71
8.490	8.490 (0.928)	100	31714			0.00- 47.18	17.94

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
144 1,3-Dichloropropane					CAS #: 142-28-9		
8.440	8.440 (1.315)	76	200208	45.9435	45.943	80.00- 120.00	100.00
8.440	8.440 (1.315)	41	166230			59.72- 119.72	83.03
8.440	8.440 (1.315)	78	64501			3.08- 63.08	32.22
146 Dibromochloromethane					CAS #: 124-48-1		
8.626	8.626 (0.943)	129	321264	53.4811	53.481	80.00- 120.00	100.00
8.626	8.626 (0.943)	127	248594			47.27- 107.27	77.38
148 1,2-Dibromoethane (EDB)					CAS #: 106-93-4		
8.741	8.741 (0.955)	107	250719	50.3297	50.330	80.00- 120.00	100.00
8.741	8.741 (0.955)	109	239795			64.18- 124.18	95.64
151 1-Bromo-2-Chloroethane					CAS #: 107-04-0		
7.452	7.452 (1.161)	63	260669	46.7591	46.759	80.00- 120.00	100.00
7.452	7.452 (1.161)	65	78689			0.43- 60.43	30.19
7.452	7.452 (1.161)	144	30147			0.00- 40.48	11.57
154 Chlorobenzene					CAS #: 108-90-7		
9.178	9.178 (1.003)	112	380514	50.5560	50.556	80.00- 120.00	100.00
9.178	9.178 (1.003)	114	122070			1.91- 61.91	32.08
9.171	9.171 (1.002)	77	192564			22.97- 82.97	50.61
155 Ethyl Benzene					CAS #: 100-41-4		
9.242	9.242 (1.010)	106	190996	50.4499	50.450	80.00- 120.00	100.00
9.242	9.242 (1.010)	91	589931			281.09- 341.09	308.87
156 Nonane					CAS #: 111-84-2		
9.307	9.307 (1.017)	43	414002	47.0835	47.084	80.00- 120.00	100.00
9.307	9.307 (1.017)	57	337945			50.62- 110.62	81.63
9.307	9.307 (1.017)	85	107632			0.00- 55.65	26.00
157 1,1,1,2-Tetrachloroethane					CAS #: 630-20-6		
9.264	9.264 (1.013)	131	228432	53.2746	53.274	80.00- 120.00	100.00
9.264	9.264 (1.013)	117	151450			37.10- 97.10	66.30
9.264	9.264 (1.013)	95	77843			4.93- 64.93	34.08
158 m,p-Xylene					CAS #: 108-38-3		
9.364	9.364 (1.023)	106	235549	49.9179	49.918	80.00- 120.00	100.00
9.357	9.357 (1.023)	91	463103			170.33- 230.33	196.61
164 o-Xylene					CAS #: 95-47-6		
9.744	9.744 (1.065)	106	225228	50.3342	50.334	80.00- 120.00	100.00
9.744	9.744 (1.065)	91	465488			181.23- 241.23	206.67
165 Styrene					CAS #: 100-42-5		
9.772	9.773 (1.068)	104	376083	49.2139	49.214	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
165 Styrene (continued)							
9.772	9.773 (1.068)	78	173532			17.26- 77.26	46.14
167 Bromoform					CAS #: 75-25-2		
9.980	9.987 (1.091)	173	333485	54.9318	54.932	80.00- 120.00	100.00
9.987	9.987 (1.092)	171	170446			21.45- 81.45	51.11
168 Cumene					CAS #: 98-82-8		
10.088	10.088 (1.103)	105	686319	50.7382	50.738	80.00- 120.00	100.00
10.088	10.088 (1.103)	120	189921			0.00- 56.93	27.67
10.088	10.088 (1.103)	51	79072			0.00- 42.24	11.52
169 Cyclohexanone					CAS #: 108-94-1		
10.252	10.252 (1.121)	55	224042	41.8646	41.865	80.00- 120.00	100.00
10.259	10.260 (1.121)	98	82026			5.15- 65.15	36.61
10.252	10.252 (1.121)	42	155657			41.99- 101.99	69.48
175 1,1,2,2-Tetrachloroethane					CAS #: 79-34-5		
10.467	10.467 (1.144)	83	344097	49.0454	49.045	80.00- 120.00	100.00
10.467	10.467 (1.144)	85	223360			34.97- 94.97	64.91
177 Bromobenzene					CAS #: 108-86-1		
10.424	10.424 (1.139)	156	243263	51.6182	51.618	80.00- 120.00	100.00
10.424	10.424 (1.139)	158	238669			67.47- 127.47	98.11
10.424	10.424 (1.139)	77	310094			108.68- 168.68	127.47
178 Propylbenzene					CAS #: 103-65-1		
10.489	10.489 (1.146)	120	204048	51.0149	51.015	80.00- 120.00	100.00
10.489	10.489 (1.146)	91	816608			383.60- 443.60	400.20
10.489	10.489 (1.146)	105	31619			0.00- 46.14	15.50
179 1,2,3-Trichloropropane					CAS #: 96-18-4		
10.517	10.518 (1.150)	110	104021	48.8524	48.852	80.00- 120.00	100.00
10.517	10.518 (1.150)	75	360638			324.28- 384.28	346.70
10.517	10.518 (1.150)	61	85413			57.24- 117.24	82.11
182 Decane					CAS #: 124-18-5		
10.603	10.603 (1.159)	57	438385	42.3483	42.348	80.00- 120.00	100.00
10.603	10.603 (1.159)	71	138065			1.11- 61.11	31.49
10.603	10.603 (1.159)	142	20406			0.00- 34.44	4.65
183 4-Ethyltoluene					CAS #: 622-96-8		
10.603	10.603 (1.159)	120	218054	50.0172	50.017	80.00- 120.00	100.00
10.603	10.603 (1.159)	105	701361			298.94- 358.94	321.65
184 2-Chlorotoluene					CAS #: 95-49-8		
10.603	10.603 (1.159)	126	188893	51.2100	51.210	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
184 2-Chlorotoluene (continued)							
10.603	10.603 (1.159)	91	567017			282.78- 342.78	300.18
10.603	10.603 (1.159)	65	81607			17.33- 77.33	43.20
185 1,3,5-Trimethylbenzene					CAS #: 108-67-8		
10.668	10.668 (1.166)	120	297674	50.6310	50.631	80.00- 120.00	100.00
10.668	10.668 (1.166)	105	592888			172.08- 232.08	199.17
188 alpha Methyl Styrene					CAS #: 98-83-9		
10.897	10.897 (1.191)	118	313954	50.4110	50.411	80.00- 120.00	100.00
10.897	10.897 (1.191)	103	172863			25.64- 85.64	55.06
189 tert-Butylbenzene					CAS #: 98-06-6		
10.976	10.976 (1.200)	119	573797	51.3345	51.334	80.00- 120.00	100.00
10.976	10.976 (1.200)	134	143081			0.00- 55.10	24.94
10.969	10.976 (1.199)	91	359362			34.53- 94.53	62.63
190 1,2,4-Trimethylbenzene					CAS #: 95-63-6		
11.033	11.033 (1.206)	105	598604	49.7980	49.798	80.00- 120.00	100.00
11.033	11.033 (1.206)	120	280434			16.63- 76.63	46.85
192 sec-Butylbenzene					CAS #: 135-98-8		
11.191	11.191 (1.223)	134	187763	51.3180	51.318	80.00- 120.00	100.00
11.191	11.191 (1.223)	105	849696			436.99- 496.99	452.54
11.191	11.191 (1.223)	91	130028			41.69- 101.69	69.25
194 p-Cymene					CAS #: 99-87-6		
11.334	11.334 (1.239)	119	772744	51.6438	51.644	80.00- 120.00	100.00
11.334	11.334 (1.239)	134	216240			0.00- 57.62	27.98
11.334	11.334 (1.239)	91	171697			0.00- 53.03	22.22
195 1,3-Dichlorobenzene					CAS #: 541-73-1		
11.341	11.341 (1.240)	146	453169	50.8746	50.875	80.00- 120.00	100.00
11.341	11.341 (1.240)	148	286437			34.18- 94.18	63.21
11.341	11.341 (1.240)	111	171650			10.06- 70.06	37.88
196 1,4-Dichlorobenzene					CAS #: 106-46-7		
11.441	11.442 (1.251)	146	456951	50.6442	50.644	80.00- 120.00	100.00
11.441	11.442 (1.251)	148	292550			33.55- 93.55	64.02
11.441	11.442 (1.251)	111	169141			7.98- 67.98	37.02
199 alpha-Chlorotoluene					CAS #: 100-44-7		
11.585	11.585 (1.266)	91	551664	48.2824	48.282	80.00- 120.00	100.00
11.585	11.585 (1.266)	126	130443			0.00- 52.77	23.65
201 Undecane					CAS #: 1120-21-4		
11.778	11.778 (1.287)	57	514770	41.8220	41.822	80.00- 120.00	100.00

RT	EXP RT (REL RT)	MASS	RESPONSE	CONCENTRATIONS ON-COL (PPBV)	CONCENTRATIONS FINAL (PPBV)	TARGET RANGE	RATIO
201 Undecane (continued)							
11.778	11.778 (1.287)	43	477693			63.59- 123.59	92.80
202 Butylbenzene					CAS #: 104-51-8		
11.735	11.742 (1.283)	134	210140	50.9584	50.958	80.00- 120.00	100.00
11.735	11.735 (1.283)	91	697636			310.82- 370.82	331.99
11.735	11.735 (1.283)	92	368541			151.53- 211.53	175.38
204 1,2-Dichlorobenzene					CAS #: 95-50-1		
11.814	11.814 (1.291)	146	439967	50.8943	50.894	80.00- 120.00	100.00
11.814	11.814 (1.291)	148	276226			33.00- 93.00	62.78
11.814	11.814 (1.291)	111	173602			10.87- 70.87	39.46
206 1,2-Dibromo-3-chloropropane					CAS #: 96-12-8		
12.616	12.609 (1.379)	157	286627	56.0580	56.058	80.00- 120.00	100.00
12.609	12.609 (1.378)	75	206498			48.09- 108.09	72.04
12.616	12.609 (1.379)	155	221690			47.89- 107.89	77.34
207 Dodecane					CAS #: 112-40-3		
12.860	12.853 (1.406)	57	590565	47.6319	47.632	80.00- 120.00	100.00
12.860	12.853 (1.406)	43	510133			58.52- 118.52	86.38
213 1,2,4-Trichlorobenzene					CAS #: 120-82-1		
13.397	13.390 (1.464)	180	454421	53.0434	53.043	80.00- 120.00	100.00
13.397	13.390 (1.464)	182	434061			64.84- 124.84	95.52
215 Hexachlorobutadiene					CAS #: 87-68-3		
13.511	13.504 (1.477)	225	343966	55.0422	55.042	80.00- 120.00	100.00
13.511	13.504 (1.477)	223	217186			32.80- 92.80	63.14
216 Naphthalene					CAS #: 91-20-3		
13.648	13.641 (1.492)	128	104998	5.87221	5.872	80.00- 120.00	100.00
13.648	13.641 (1.492)	127	13882			0.00- 42.72	13.22
222 1,2,3-Trichlorobenzene					CAS #: 87-61-6		
13.898	13.891 (1.519)	180	446409	53.1769	53.177	80.00- 120.00	100.00
13.898	13.891 (1.519)	182	425534			65.07- 125.07	95.32
13.898	13.884 (1.519)	145	148692			4.48- 64.48	33.31

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

US32TAR1

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: msd3.i
Lab File ID: 3061905c.d
Lab Smp Id: LCSD
Analysis Type: VOA
Quant Type: ISTD
Operator: LD
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 50ppbv(200ppbv)

Calibration Date: 19-JUN-2024
Calibration Time: 09:34
Client Smp ID: LCSD
Level: LOW
Sample Type: AIR

		AREA LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	90010	54006	126014	91657	1.83
108 1,4-Difluorobenze	327761	196657	458865	333499	1.75
153 Chlorobenzene-d5	325037	195022	455052	324852	-0.06

		RT LIMIT			
COMPOUND	STANDARD	LOWER	UPPER	SAMPLE	%DIFF
90 Bromochloromethan	5.43	5.10	5.76	5.43	-0.00
108 1,4-Difluorobenze	6.42	6.09	6.75	6.42	-0.00
153 Chlorobenzene-d5	9.15	8.82	9.48	9.15	-0.00

AREA UPPER LIMIT = + 40% of internal standard area.
AREA LOWER LIMIT = - 40% of internal standard area.
RT UPPER LIMIT = + 0.33 minutes of internal standard RT.
RT LOWER LIMIT = - 0.33 minutes of internal standard RT.

US32TAR1

RECOVERY REPORT

Client Name: Client SDG: 19JUN24
Sample Matrix: GAS Fraction: VOA
Lab Smp Id: LCSD Client Smp ID: LCSD
Level: LOW Operator: LD
Data Type: MS DATA SampleType: LCSD
SpikeList File: CntrlDODAT23.spk Quant Type: ISTD
Sublist File: AT23.sub
Method File: /chem/msd3.i/19JUN24.b/324q0423a.m
Misc Info: 50ppbv(200ppbv)

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
4 Freon 134a	50.000	51.174	102.35	70-130
5 Propylene	50.000	47.478	94.96	57-136
7 1,1-Difluoroethan	50.000	49.466	98.93	70-130
8 Freon 12	50.000	49.584	99.17	59-128
9 Chlorodifluoromet	50.000	46.143	92.29	59-145
10 Freon 114	50.000	51.617	103.23	63-121
12 Isobutane	50.000	45.707	91.41	70-130
15 Chloromethane	50.000	49.429	98.86	59-132
18 Butane	50.000	44.888	89.78	64-129
19 Vinyl Chloride	50.000	47.303	94.61	64-127
20 1,3-Butadiene	50.000	43.966	87.93	66-134
24 Bromomethane	50.000	56.822	113.64	63-134
30 Chloroethane	50.000	47.802	95.60	63-127
31 Isopentane	50.000	46.707	93.41	59-140
32 Vinyl Bromide	50.000	51.671	103.34	71-126
33 Freon 11	50.000	49.790	99.58	62-126
34 Dichlorofluoromet	50.000	46.028	92.06	70-130
35 Pentane	50.000	45.586	91.17	63-131
39 Ethanol	50.000	42.497	84.99	59-125
42 Acrolein	57.000	45.694	80.17	62-126
43 Freon 113	50.000	49.097	98.19	66-126
44 1,1-Dichloroethen	50.000	44.351	88.70	61-133
47 Acetone	50.000	44.055	88.11	58-128
48 Carbon Disulfide	50.000	45.246	90.49	57-134
52 2-Propanol	50.000	43.330	86.66	52-125
54 3-Chloropropene	50.000	43.335	86.67	71-131
57 Acetonitrile	50.000	44.795	89.59	63-132
59 Methylene Chlorid	50.000	43.630	87.26	62-115
62 tert-Butyl alcoho	50.000	45.282	90.56	24-150
63 Methyl tert-butyl	50.000	45.286	90.57	66-126
64 trans-1,2-Dichlor	50.000	45.771	91.54	67-124
66 Acrylonitrile	50.000	41.986	83.97	71-137
67 Hexane	50.000	41.844	83.69	63-120

SPIKE	COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
71	1,1-Dichloroethan	50.000	45.238	90.48	68-126
72	Isopropyl ether	50.000	45.264	90.53	70-117
73	Vinyl Acetate	50.000	69.010	138.02	56-139
79	Ethyl-tert-butyl	50.000	45.552	91.10	70-130
84	2,2-Dichloropropa	50.000	44.333	88.67	70-130
85	cis-1,2-Dichloroe	50.000	45.329	90.66	70-121
86	2-Butanone	50.000	44.702	89.40	67-130
87	Ethyl Acetate	50.000	42.853	85.71	65-128
89	Tetrahydrofuran	50.000	41.469	82.94	64-123
92	Chloroform	50.000	46.303	92.61	68-123
96	1,1,1-Trichloroet	50.000	47.450	94.90	68-125
97	Carbon Tetrachlor	50.000	49.300	98.60	68-132
94	Cyclohexane	50.000	46.053	92.11	70-117
99	1,1-Dichloroprope	50.000	47.858	95.72	70-130
101	2,2,4-Trimethylpe	50.000	45.222	90.44	68-121
102	Benzene	50.000	46.932	93.86	69-119
106	1,2-Dichloroethan	50.000	47.325	94.65	65-128
107	Heptane	50.000	44.899	89.80	69-123
110	n-Butanol	50.000	72.182	144.36*	62-133
111	Trichloroethene	50.000	48.638	97.28	71-123
127	Methylcyclohexane	50.000	45.070	90.14	67-127
114	1,2-Dichloropropa	50.000	43.859	87.72	69-123
116	Methyl Methacryla	50.000	44.854	89.71	70-128
117	1,4-Dioxane	50.000	48.087	96.17	71-122
118	Dibromomethane	50.000	53.465	106.93	70-130
122	Bromodichlorometh	50.000	48.294	96.59	72-128
126	cis-1,3-Dichlorop	50.000	46.398	92.80	70-128
131	4-Methyl-2-pentan	50.000	40.936	81.87	67-130
136	Octane	50.000	42.826	85.65	69-121
137	Toluene	50.000	45.551	91.10	66-119
139	trans-1,3-Dichlor	50.000	47.862	95.72	75-133
141	1,1,2-Trichloroet	50.000	49.222	98.44	73-119
142	Tetrachloroethene	50.000	53.555	107.11	66-124
143	2-Hexanone	50.000	46.347	92.69	62-128
144	1,3-Dichloropropa	50.000	45.943	91.89	62-148
146	Dibromochlorometh	50.000	53.481	106.96	70-130
148	1,2-Dibromoethane	50.000	50.330	100.66	74-122
151	1-Bromo-2-Chloroe	50.000	46.759	93.52	70-130
154	Chlorobenzene	50.000	50.556	101.11	70-119
155	Ethyl Benzene	50.000	50.450	100.90	70-124
156	Nonane	50.000	47.084	94.17	63-128
157	1,1,1,2-Tetrachlo	50.000	53.274	106.55	70-130
158	m,p-Xylene	50.000	49.918	99.84	61-134
164	o-Xylene	50.000	50.334	100.67	67-125
165	Styrene	50.000	49.214	98.43	73-127
167	Bromoform	50.000	54.932	109.86	66-139
168	Cumene	50.000	50.738	101.48	68-124

SPIKE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
175 1,1,2,2-Tetrachlo	50.000	49.045	98.09	65-127
177 Bromobenzene	50.000	51.618	103.24	70-130
178 Propylbenzene	50.000	51.015	102.03	69-123
179 1,2,3-Trichloropr	50.000	48.852	97.70	76-124
182 Decane	50.000	42.348	84.70	70-118
183 4-Ethyltoluene	50.000	50.017	100.03	67-129
184 2-Chlorotoluene	50.000	51.210	102.42	74-130
185 1,3,5-Trimethylbe	50.000	50.631	101.26	67-130
188 alpha Methyl Styr	50.000	50.411	100.82	67-128
189 tert-Butylbenzene	50.000	51.334	102.67	65-124
190 1,2,4-Trimethylbe	50.000	49.798	99.60	66-132
192 sec-Butylbenzene	50.000	51.318	102.64	68-125
194 p-Cymene	50.000	51.644	103.29	67-130
195 1,3-Dichlorobenze	50.000	50.875	101.75	65-130
196 1,4-Dichlorobenze	50.000	50.644	101.29	60-131
199 alpha-Chlorotolue	50.000	48.282	96.56	50-147
201 Undecane	50.000	41.822	83.64	69-123
202 Butylbenzene	50.000	50.958	101.92	66-130
204 1,2-Dichlorobenze	50.000	50.894	101.79	63-129
206 1,2-Dibromo-3-chl	50.000	56.058	112.12	70-130
207 Dodecane	50.000	47.632	95.26	62-147
213 1,2,4-Trichlorobe	50.000	53.043	106.09	55-142
215 Hexachlorobutadie	50.000	55.042	110.08	56-138
216 Naphthalene	5.700	5.872	103.02	57-138
222 1,2,3-Trichlorobe	50.000	53.177	106.35	55-142

SURROGATE COMPOUND	CONC ADDED PPBV	CONC RECOVERED PPBV	% RECOVERED	LIMITS
$ 104 1,2-Dichloroethan	25.000	23.066	92.27	70-130
$ 134 Toluene-d8	25.000	23.888	95.55	70-130
$ 170 4-Bromofluorobenz	25.000	25.386	101.54	70-130

Data File: /chem/msd3.i/19JUN24.b/3061905c.d

Page 1

Date : 19-JUN-2024 10:37

Client ID: LCSD


Instrument: msd3.i

Sample Info: 50mL 3018-4603

Operator: LD

Column phase: RTX-624

Column diameter: 0.25



MSD-3

S:_Screeningseq\MSD3\20Jun2024-A.csv

BFB Tune Verification: (176/174):	(131328/135872)*100%=96.65%		
IS/S Std.#:	3169-901	Exp. Date:	4/4/2025
BCM	90010		
1,4-DFB	327761		
CB-d5	325037		
Verified CCV vs. ICAL midpoint (-40%):		LD	
Method:	324Q0423a.m		

Method TO-15			
SOP#	6		
	Load (mLs)	200	
Surrogate #	3169-901	Exp Date:	4/4/2025
CCV #	3018-4465	Exp Date:	7/25/2024
LCS #	3018-4603	Exp Date:	7/31/2024
CCV SP #		Exp Date:	
LCS SP #		Exp Date:	

Use	File #	Enter/Scan Sample IDs	Canister#	Cart Pos.	Pressure	Amount	DF	Verify Load By Initials	Loaded By Intials	Date Analyzed	Time	Review Init	Comments
√	3061901	System Blank	N1876	12	Humid	200mL	1.00	LD	LD	06/19/24	0832	LD	
√	3061902	BFB Tune Check	3169-901	12	36ng	50mL	1.00	LD	LD	06/19/24	0903	LD	Exp. 4/4/25.
√	3061903	CCV	3018-4465	13	50ppbv (200ppbv)	50mL	1.00	LD	LD	06/19/24	0934	LD	Exp. 7/25/24. 2 out AT-23
√	3061904	LCS	3018-4603	14	50ppbv (200ppbv)	50mL	1.00	TO	LD	06/19/24	1006	TO	Exp. 7/31/24. 2 out AT-23
√	3061905	LCSD	3018-4603	14	50ppbv (200ppbv)	50mL	1.00	TO	LD	06/19/24	1037	TO	Exp. 7/31/24. 2 out AT-23, RPD ok
√	3061906	Lab Blank	N1876	12	Humid	200mL	1.00	TO	TO	06/19/24	1203	TO	
√	3061907	2406162-01A	N1803	1	5.5 Hg->1.9 psi	200mL	1.38	ACE	ACE	06/19/24	1444	ACE	
√	3061908	2406162-02A	N4994	2	5.7 Hg->1.9 psi	200mL	1.39	ACE	ACE	06/19/24	1519	ACE	
√	3061909	2406162-03A	N5080	3	8.2 Hg->1.9 psi	200mL	1.55	ACE	ACE	06/19/24	1554	ACE	
√	3061910	2406162-04A	N2757	4	8 Hg->1.9 psi	200mL	1.54	ACE	ACE	06/19/24	1629	ACE	
√	3061911	2406162-05A	O0550	5	7.3 Hg->1.9 psi	200mL	1.49	ACE	ACE	06/19/24	1705	ACE	
√	3061912	2406162-05AA	O0550	5	7.3 Hg->1.9 psi	200mL	1.49	ACE	ACE	06/19/24	1740	ACE	DupAnB
√	3061913	2406264-01A	N6185	6	7.6 Hg->9.9 psi	200mL	2.24	ACE	ACE	06/19/24	1815	ACE	
√	3061914	2406264-02A	N6191	7	4.5 Hg->9.8 psi	200mL	1.96	ACE	ACE	06/19/24	1850	ACE	
√	3061915	2406264-03A	N7835	1	15.1 Hg->10 psi	200mL	3.38	ACE	ACE	06/19/24	2022	ACE	
√	3061916	2406264-04A	O0726	2	6.5 Hg->10 psi	200mL	2.14	ACE	ACE	06/19/24	2057	ACE	
√	3061917	2406264-05A	1L4822	1	7.8 Hg->9.9 psi	200mL	2.26	mjs	ACE	06/19/24	2221	mjs	
√	3061918	2406264-05AA	1L4822	1	7.8 Hg->9.9 psi	200mL	2.26	mjs	ACE	06/19/24	2256	mjs	DupAnB
√	3061919	2406264-06A	N6303	2	22.2 Hg->10 psi	200mL	6.46	mjs	ACE	06/19/24	2331	mjs	"E" Propylene, Butane >400
√	3061920	2406264-07A	1L4702	3	5.7 Hg->10 psi	200mL	2.07	mjs	ACE	06/20/24	0006	mjs	
√	3061921	2406264-08A	N7487	4	14.5 Hg->10 psi	200mL	3.25	mjs	ACE	06/20/24	0041	mjs	"E" Propylene >400
√	3061922	2406264-09A	N8065	5	8 Hg->10 psi	200mL	2.29	mjs	ACE	06/20/24	0116	mjs	
√	3061923	2406264-10A	N7568	6	6.9 Hg->9.9 psi	200mL	2.17	mjs	ACE	06/20/24	0151	mjs	
√	3061924	2406264-11A	N2057	7	8.8 Hg->9.9 psi	100mL	4.74	mjs	ACE	06/20/24	0224	mjs	dil TC

√	3061925	2406264-12A	N7470	8	8.8 Hg->10 psi	200mL	2.38	mjs	ACE	06/20/24	0254	mjs	"E" Propylene, Butane >400
√	3061926	2406264-13A	N8280	9	6.1 Hg->9.9 psi	200mL	2.10	mjs	ACE	06/20/24	0334	mjs	
√	3061927	2406264-14A	N6955	10	6.7 Hg->9.9 psi	200mL	2.15	mjs	ACE	06/20/24	0404	mjs	
√	3061928	2406236-01A	N4464	11	7.6 Hg->1.9 psi	200mL	1.51	mjs	ACE	06/20/24	0444	mjs	surr 2 out vs CL, ok for 70-130
√	3061929	2406236-01AA	N4464	11	7.6 Hg->1.9 psi	200mL	1.51	mjs	ACE	06/20/24	0519	mjs	DupAnB
√	3061930	System Blank	N1876	12	Humid	200mL	1.00	TO	RT	06/20/24	0801	TO	
√	3061931	CCV	3018-4465	13	50ppbv (200ppbv)	50mL	1.00	TO	RT	06/20/24	0832	TO	Exp. 7/25/24. 2 out AT-23

US32TAR1

Data file : /chem/msd3.i/23APR24.b/3042306.d
Lab Smp Id: BFB Client Smp ID: BFB
Inj Date : 23-APR-2024 20:30
Operator : DF Inst ID: msd3.i
Smp Info : 50mL 3329-901;BFB Tune Check
Misc Info : 36ng
Comment :
Method : /chem/msd3.i/23APR24.b/bfb30.m
Meth Date : 17-Aug-2023 11:53 p5fl Quant Type: ESTD
Cal Date : Cal File:
Als bottle: 12 QC Sample: BFB
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: all.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * Uf * Vf * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor
Uf	1.00000	ng unit correction factor
Vf	1.00000	Volumetric correction factor

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL (ug/L)	FINAL (PPBV)		
RT	EXP RT	DLT RT	MASS	RESPONSE			TARGET RANGE	RATIO
1 bfb							CAS #: 460-00-4	
10.295	10.331	-0.036	95	199040			100.00- 100.00	100.00
10.295	9.729	0.566	50	45477			8.00- 40.00	22.85
10.295	9.729	0.566	75	90602			30.00- 66.00	45.52
10.295	9.729	0.566	96	13140			5.00- 9.00	6.60
10.295	9.729	0.566	173	1817			0.00- 1.99	1.07
10.295	9.729	0.566	174	169365			50.01- 120.00	85.09
10.295	9.729	0.566	175	12601			4.00- 9.00	7.44
10.295	9.729	0.566	176	164074			93.00- 101.00	96.88
10.295	9.729	0.566	177	10508			5.00- 9.00	6.40

Data File: /chem/msd3.i/23APR24.b/3042306.d

Date : 23-APR-2024 20:30

Client ID: BFB


Instrument: msd3.i

Sample Info: 50mL 3329-901;BFB Tune Check

Operator: DF

Column phase:

Column diameter: 2.00



Data File: /chem/msd3.i/23APR24.b/3042306.d

Date : 23-APR-2024 20:30

Client ID: BFB

Instrument: msd3.i


Sample Info: 50mL 3329-901;BFB Tune Check

Operator: DF

Column phase:

Column diameter: 2.00

1 bfb



m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
95	Base Peak, 100% relative abundance	100.00
50	8.00 - 40.00% of mass 95	22.85
75	30.00 - 66.00% of mass 95	45.52
96	5.00 - 9.00% of mass 95	6.60
173	Less than 1.99% of mass 174	0.91 (1.07)
174	50.01 - 120.00% of mass 95	85.09
175	4.00 - 9.00% of mass 174	6.33 (7.44)
176	93.00 - 101.00% of mass 174	82.43 (96.88)
177	5.00 - 9.00% of mass 176	5.28 (6.40)

Date : 23-APR-2024 20:30

Client ID: BFB Instrument: msd3.i

Sample Info: 50mL 3329-901;BFB Tune Check

Operator: DF

Column phase: Column diameter: 2.00

Data File: 3042306.d
Spectrum: Avg. Scans 1151-1153 (10.30), Background Scan 1140
Location of Maximum: 95.00
Number of points: 97

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.00	2248	65.00	67	95.00	199040	141.00	1979
37.00	10947	67.00	593	96.00	13140	142.00	324
38.00	9761	68.00	18200	97.00	458	143.00	2184
39.00	3800	69.00	18520	103.00	69	144.00	69
40.00	143	70.00	1561	104.00	934	145.00	76
41.00	101	71.00	68	105.00	314	146.00	414
43.00	121	72.00	1014	106.00	915	147.00	90
44.00	1194	73.00	7795	107.00	252	148.00	578
45.00	1921	74.00	29848	111.00	164	149.00	81
46.00	275	75.00	90600	113.00	92	150.00	301
47.00	3755	76.00	7674	115.00	265	153.00	165
48.00	1582	77.00	1098	116.00	733	154.00	73
49.00	9904	78.00	832	117.00	1243	155.00	563
50.00	45472	79.00	5287	118.00	861	157.00	398
51.00	13981	80.00	1510	119.00	967	159.00	297
52.00	671	81.00	5463	124.00	142	161.00	280
55.00	542	82.00	1174	126.00	76	173.00	1817
56.00	3278	83.00	158	128.00	786	174.00	169344
57.00	5649	86.00	397	129.00	399	175.00	12601
58.00	303	87.00	7926	130.00	768	176.00	164032
60.00	2175	88.00	7557	131.00	348	177.00	10508
61.00	9261	91.00	746	135.00	439	178.00	333
62.00	9605	92.00	5416	137.00	390		
63.00	7034	93.00	7925	139.00	70		
64.00	755	94.00	21992	140.00	146		

US32TAR1

Data file : /chem/msd3.i/24APR24.b/3042402.d
Lab Smp Id: BFB Client Smp ID: BFB
Inj Date : 24-APR-2024 10:57
Operator : jrf Inst ID: msd3.i
Smp Info : 50mL 3329-901;BFB Tune Check
Misc Info : 36ng
Comment :
Method : /chem/msd3.i/24APR24.b/bfb30.m
Meth Date : 17-Aug-2023 11:53 p5fl Quant Type: ESTD
Cal Date : Cal File:
Als bottle: 2 QC Sample: BFB
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: all.sub
Sample Matrix: AIR

Concentration Formula: Amt * DF * Uf * Vf * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor
Uf	1.00000	ng unit correction factor
Vf	1.00000	Volumetric correction factor

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL	FINAL		
RT	EXP RT	DLT RT	MASS	RESPONSE	(ug/L)	(PPBV)	TARGET RANGE	RATIO
1 bfb							CAS #: 460-00-4	
10.295	10.331	-0.036	95	185237			100.00- 100.00	100.00
10.295	9.729	0.566	50	42533			8.00- 40.00	22.96
10.295	9.729	0.566	75	85218			30.00- 66.00	46.00
10.295	9.729	0.566	96	12370			5.00- 9.00	6.68
10.295	9.729	0.566	173	1500			0.00- 1.99	0.95
10.295	9.729	0.566	174	157717			50.01- 120.00	85.14
10.295	9.729	0.566	175	11725			4.00- 9.00	7.43
10.295	9.729	0.566	176	153250			93.00- 101.00	97.17
10.295	9.729	0.566	177	9906			5.00- 9.00	6.46

Data File: /chem/msd3.i/24APR24.b/3042402.d

Date : 24-APR-2024 10:57

Client ID: BFB


Instrument: msd3.i

Sample Info: 50mL 3329-901;BFB Tune Check

Operator: jrf

Column phase:

Column diameter: 2.00



Data File: /chem/msd3.i/24APR24.b/3042402.d

Date : 24-APR-2024 10:57

Client ID: BFB

Instrument: msd3.i


Sample Info: 50mL 3329-901;BFB Tune Check

Operator: jrf

Column phase:

Column diameter: 2.00

1 bfb



m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
95	Base Peak, 100% relative abundance	100.00
50	8.00 - 40.00% of mass 95	22.96
75	30.00 - 66.00% of mass 95	46.00
96	5.00 - 9.00% of mass 95	6.68
173	Less than 1.99% of mass 174	0.81 (0.95)
174	50.01 - 120.00% of mass 95	85.14
175	4.00 - 9.00% of mass 174	6.33 (7.43)
176	93.00 - 101.00% of mass 174	82.73 (97.17)
177	5.00 - 9.00% of mass 176	5.35 (6.46)

Date : 24-APR-2024 10:57

Client ID: BFB Instrument: msd3.i

Sample Info: 50mL 3329-901;BFB Tune Check

Operator: jrf

Column phase: Column diameter: 2.00

Data File: 3042402.d
Spectrum: Avg. Scans 1151-1153 (10.30), Background Scan 1140
Location of Maximum: 95.00
Number of points: 92

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.00	1739	64.00	603	94.00	20528	141.00	1952
37.00	10411	65.00	80	95.00	185216	142.00	299
38.00	9447	67.00	596	96.00	12370	143.00	1905
39.00	3760	68.00	17040	97.00	437	145.00	84
40.00	190	69.00	17216	104.00	790	146.00	328
41.00	56	70.00	1376	105.00	316	147.00	77
43.00	238	72.00	957	106.00	729	148.00	478
44.00	1047	73.00	7221	107.00	173	150.00	204
45.00	2058	74.00	27528	110.00	72	153.00	71
46.00	161	75.00	85216	111.00	229	155.00	475
47.00	3104	76.00	7234	113.00	165	157.00	395
48.00	1422	77.00	1141	115.00	249	159.00	277
49.00	9041	78.00	808	116.00	755	161.00	282
50.00	42528	79.00	4799	117.00	1113	172.00	100
51.00	13274	80.00	1498	118.00	785	173.00	1500
52.00	609	81.00	5021	119.00	890	174.00	157696
55.00	549	82.00	1055	124.00	70	175.00	11725
56.00	3169	83.00	144	128.00	823	176.00	153216
57.00	5557	86.00	180	129.00	383	177.00	9906
58.00	319	87.00	7475	130.00	728	178.00	350
60.00	1906	88.00	7254	131.00	280		
61.00	9093	91.00	816	135.00	366		
62.00	8516	92.00	4857	137.00	352		
63.00	6336	93.00	7615	140.00	70		

US32TAR1

Data file : /chem/msd3.i/19JUN24.b/3061902.d
Lab Smp Id: BFB Client Smp ID: BFB
Inj Date : 19-JUN-2024 09:03
Operator : LD Inst ID: msd3.i
Smp Info : 50mL 3169-901;BFB Tune Check
Misc Info : 36ng
Comment :
Method : /chem/msd3.i/19JUN24.b/bfb30.m
Meth Date : 19-Jun-2024 10:15 lk8g Quant Type: ESTD
Cal Date : Cal File:
Als bottle: 12 QC Sample: BFB
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: all.sub
Sample Matrix: AIR
Processing Host: us32tar1

Concentration Formula: Amt * DF * Uf * Vf * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor
Uf	1.00000	ng unit correction factor
Vf	1.00000	Volumetric correction factor

Cpnd Variable Local Compound Variable

					CONCENTRATIONS ON-COL (ug/L)	FINAL (PPBV)	TARGET RANGE	RATIO
1 bfb							CAS #: 460-00-4	
10.288	10.331	-0.043	95	151424			100.00- 100.00	100.00
10.288	10.331	-0.043	50	32986			8.00- 40.00	21.78
10.288	10.331	-0.043	75	69530			30.00- 66.00	45.92
10.288	10.331	-0.043	96	9967			5.00- 9.00	6.58
10.288	10.331	-0.043	173	1359			0.00- 1.99	1.00
10.288	10.331	-0.043	174	135917			50.01- 120.00	89.76
10.288	10.331	-0.043	175	9888			4.00- 9.00	7.28
10.288	10.331	-0.043	176	131341			93.00- 101.00	96.63
10.288	10.331	-0.043	177	8387			5.00- 9.00	6.39

Data File: /chem/msd3.i/19JUN24.b/3061902.d

Date : 19-JUN-2024 09:03

Client ID: BFB


Instrument: msd3.i

Sample Info: 50mL 3169-901;BFB Tune Check

Operator: LD

Column phase:

Column diameter: 2.00



Data File: /chem/msd3.i/19JUN24.b/3061902.d

Date : 19-JUN-2024 09:03

Client ID: BFB

Instrument: msd3.i


Sample Info: 50mL 3169-901;BFB Tune Check

Operator: LD

Column phase:

Column diameter: 2.00

1 bfb



m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
95	Base Peak, 100% relative abundance	100.00
50	8.00 - 40.00% of mass 95	21.78
75	30.00 - 66.00% of mass 95	45.92
96	5.00 - 9.00% of mass 95	6.58
173	Less than 1.99% of mass 174	0.90 (1.00)
174	50.01 - 120.00% of mass 95	89.76
175	4.00 - 9.00% of mass 174	6.53 (7.28)
176	93.00 - 101.00% of mass 174	86.74 (96.63)
177	5.00 - 9.00% of mass 176	5.54 (6.39)

Date : 19-JUN-2024 09:03

Client ID: BFB Instrument: msd3.i

Sample Info: 50mL 3169-901;BFB Tune Check

Operator: LD

Column phase: Column diameter: 2.00

Data File: 3061902.d
Spectrum: Avg. Scans 1150-1152 (10.29), Background Scan 1144
Location of Maximum: 95.00
Number of points: 90

m/z	Y	m/z	Y	m/z	Y	m/z	Y
36.00	1291	65.00	315	94.00	17144	141.00	1495
37.00	7682	67.00	425	95.00	151424	142.00	113
38.00	7067	68.00	13864	96.00	9967	143.00	1778
39.00	2889	69.00	13705	97.00	413	145.00	173
40.00	137	70.00	1098	104.00	710	146.00	285
44.00	867	72.00	791	105.00	172	147.00	66
45.00	1525	73.00	5841	106.00	676	148.00	474
46.00	85	74.00	22648	107.00	235	150.00	95
47.00	2624	75.00	69528	111.00	91	153.00	154
48.00	1095	76.00	6000	113.00	80	155.00	407
49.00	6907	77.00	726	115.00	216	156.00	66
50.00	32984	78.00	607	116.00	541	157.00	309
51.00	10141	79.00	3841	117.00	986	159.00	276
52.00	522	80.00	1146	118.00	486	161.00	194
55.00	466	81.00	4158	119.00	747	172.00	467
56.00	2408	82.00	888	124.00	74	173.00	1359
57.00	4552	83.00	73	128.00	617	174.00	135872
58.00	328	86.00	94	129.00	325	175.00	9888
60.00	1494	87.00	5756	130.00	642	176.00	131328
61.00	6836	88.00	5640	131.00	287	177.00	8387
62.00	6861	91.00	617	135.00	340	178.00	324
63.00	5064	92.00	4281	137.00	293		
64.00	575	93.00	6269	140.00	67		

Shipping/Receiving Documents

eurofins | Air Toxics

Eurofins Air Toxics Sample Receipt Confirmation Cover Page

Thank you for choosing Eurofins Air Toxics (EATL). We have received your samples and have listed any Sample Receipt Descrepancies below.

In order to expedite analysis and reporting, please review the attached information for accuracy.

For corrections call: **Air Toxics, Ltd. at 916-985-1000**

EATL will proceed with the analysis as specified on the Chain of Custody (COC) and Sample Receipt Summary page.

Please note : The Sample Receipt Confirmation, including the total workorder charge, is subject to change upon secondary review. Our aim is to provide a confirmation to you in a timely manner. Sample Receipt Discrepancies, if any, may not include discrepancies regarding sample receipt pressure(s). Additionally, the COC will be provided with the final report.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000 .FAX (916) 985-1020
Hours 6:30 A.M to 5:30 P.M. PST

eurofins | Air Toxics

Analysis Request /Canister Chain of Custody

For Laboratory Use Only

PID: _____ Workorder #: 240626

180 Blue Ravine Rd. Suite B, Folsom, CA 95630
Phone (800) 985-5955; Fax (916) 351-8279

Click links below to view:
Canister Sampling Guide
Helium Shroud Video

Client: Parsons PID: J09CA1108-01
Project Name: Titan 1-A Semi Annual Groundwater and Soil Vapor Sampling
Project Manager: Carrie Ross P.O.# 0015539
Sampler: Ben DeHaenbacher
Site Name: Titan 1-A

Special Instructions/Notes:
Please email analytical results to:
Carrie.Ross@Parsons.us
Mark.Rigby@Parsons.com
Sandra.Delasfuentes@Parsons.us

Turnaround Time (Rush surcharges may apply)
Select TAT from drop down box

Lab ID	Sample Identification	Can #	Flow Controller #	Start Sampling Information Date	Start Sampling Information Time	Stop Sampling Information Date	Stop Sampling Information Time	Canister Vacuum/Pressure Initial (in Hg)	Canister Vacuum/Pressure Final (in Hg)	Lab Use Only Receipt	Lab Use Only Final (psig) Gas: N_2 / He	Requested Analyses TO-15			
01A	TIAMF-SV003_JUN24	1L1968	25527	06/03/24	1226	06/03/24	1233	-27	-5			X			
02A	TIAMF-SV010_JUN24	1L2226	22393	06/03/24	1124	06/03/24	1130	-26	-5			X			
03A	TIAMF-SV027_JUN24	1L4028	22426		1435		1455	-27	-16			X			Back Pressure
04A	TIAMF-SV028_JUN24	1L2385	25457		1337		1343	-29	-5			X			
05A	TIAMF-SV028_JUN24_FD	1L4822	25518		1337		1342	-29	-5			X			
06A	TIAMF-SV029_JUN24	1L3453	25587		0855		0915	-29	-23			X			Back Pressure
07A	TIAMF-SV030_JUN24	1L4702	24588		0949		0955	-27	-5			X			
08A	TIAMF-SV031_JUN24	1L4005	20690		1537		1601	-27	-13			X			Back Pressure
09A	TIAMF-SV098_JUN24	1L4263	25515	06/06/24	1213	06/06/24	1219	-28.5	-5			X			
10A	TIAMF-SV032b_JUN24	1L4059	24643		1102		1109	-28	-5			X			
11A	TIAMF-SV033_JUN24	1L2635	30707		1012		1019	-26	-5			X			
12A	TIAMF-SV034_JUN24	1L4012	25443		0806		0826	-27	-7			X			Back Pressure
13A	TIAMF-SV035_JUN24	1L4489	21476		0915		0926	-25	-5			X			
14A	TIAMF-SV035_JUN24-FD	1L3657	25483		0915		0922	-29	-5			X			

		Date	Time		Date	Time
Relinquished by: (Signature/Affiliation)	BTS	06/06/24	1245	Received by: (Signature/Affiliation)		6/6/24 1245
Relinquished by: (Signature/Affiliation)	Parsons	6/6/24	1633	Received by: (Signature/Affiliation)	EATL	6/6/24 1633
Relinquished by: (Signature/Affiliation)				Received by: (Signature/Affiliation)		

Lab Use Only

Shipper Name: FD Custody Seals Intact? Yes No None

Sample Transportation Notice: Relinquishing signature on this document indicates that samples are shipped in compliance with all applicable local, State, Federal, and international laws, regulations, and ordinances of any kind. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Eurofins Air Toxics against any claim, demand, or action, of any kind, related to the collection, handling, of shipping of samples. D.O.T Hotline (800) 467-4922

Brian Whittaker

From: Beth.Driskill@parsons.us
Sent: Wednesday, July 10, 2024 8:58 AM
To: Vera Belitsky; Brian Whittaker; Mark.Rigby@parsons.com
Cc: Pamela.Ford@parsons.us
Subject: RE: Proj. Name: Titan 1A Semi Annual Groundwater, Project ID: 28661, Project #: J09CA1108-01, Final Report: WO# 2406264R1, Eurofins Air Toxics, LLC

Categories: Done

Unverified Sender: The sender of this email has not been verified. Review the content of the message carefully and verify the identity of the sender before acting on this email: replying, opening attachments or clicking links.

Hi Vera and Brian. Unfortunately, the ID will need to be fixed on your end. To conform with the sample ID naming in FUDSChem, the ID should be SV009B. Apologies that this was not caught by us and brought to your attention earlier.

Please include this email in the revised report as a record that the ID was requested to be changed by Parsons from what is documented on the COC.

Thank you,
Beth

From: Vera Belitsky <Vera.Belitsky@et.eurofinsus.com>
Sent: Tuesday, July 9, 2024 1:50 PM
To: Driskill, Beth [US-US] <Beth.Driskill@parsons.us>; Brian Whittaker <Brian.Whittaker@reports.et.eurofinsus.com>; Rigby, Mark [US-US] <Mark.Rigby@parsons.com>
Cc: Ford, Pamela [US-US] <Pamela.Ford@parsons.us>
Subject: [EXTERNAL] RE: Proj. Name: Titan 1A Semi Annual Groundwater, Project ID: 28661, Project #: J09CA1108-01, Final Report: WO# 2406264R1, Eurofins Air Toxics, LLC

Hi Beth,
Still not fixed.
Thank you,
Vera

2406264	SV-32	AE/N1	T1AMF-SV032B_JUN24	06/06/2024 11:09	TO15/METHOD/NONE	A
2406264	SV-34	AE/N1	T1AMF-SV034_JUN24	06/06/2024 8:26	TO15/METHOD/NONE	A
2406264	SV-35	AE/N1	T1AMF-SV035_JUN24	06/06/2024 9:26	TO15/METHOD/NONE	A
2406264	SV-35	AE/FD1	T1AMF-SV035_JUN24_FD	06/06/2024 9:22	TO15/METHOD/NONE	A
2406264	SV-9B	AE/N1	T1AMF-SV009B_JUN24	06/06/2024 12:19	TO15/METHOD/NONE	A
24F003	FIELDQC	WQ/TB1	TB-1_MAY24	05/28/2024 8:30	SW8260C/SW5030C/NONE	A

eurofins | Air Toxics

SAMPLE RECEIPT SUMMARY

WORKORDER 2406264

Client

Mr. Mark Rigby
PARSONS GOVERNMENT SERVICES INC.
10235 So. South Jordan Gateway
Suite 300
South Jordan, UT 84095
Sales Rep: KD

Phone

801-572-5999

Fax

801-572-9069

Date Promised: 06/20/24
Date Completed:
Date Received: 6/6/24
PO#: 0015539
Project#: J09CA1108-01 Titan 1A Semi Annual Groundwater
Total $: $ 3,713.00
Logged By: LL

Fraction	Sample #	Analysis	Collected	Amount$
01A	T1AMF-SV003_JUN24	TO-15	6/3/2024	$145.00
02A	T1AMF-SV010_JUN24	TO-15	6/3/2024	$145.00
03A	T1AMF-SV027_JUN24	TO-15	6/3/2024	$145.00
04A	T1AMF-SV028_JUN24	TO-15	6/3/2024	$145.00
05A	T1AMF-SV028_JUN24_FD	TO-15	6/3/2024	$145.00
06A	T1AMF-SV029_JUN24	TO-15	6/3/2024	$145.00
07A	T1AMF-SV030_JUN24	TO-15	6/3/2024	$145.00
08A	T1AMF-SV031_JUN24	TO-15	6/3/2024	$145.00
09A	T1AMF-SV098_JUN24	TO-15	6/6/2024	$145.00
10A	T1AMF-SV032B_JUN24	TO-15	6/6/2024	$145.00
11A	T1AMF-SV032A_JUN24	TO-15	6/6/2024	$145.00
12A	T1AMF-SV034_JUN24	TO-15	6/6/2024	$145.00
13A	T1AMF-SV035_JUN24	TO-15	6/6/2024	$145.00
14A	T1AMF-SV035_JUN24_FD	TO-15	6/6/2024	$145.00

Misc. Charges	1 Liter Summa Canister (16) @ $40.00 each., Shipment 162019	$640.00
	Soil Gas Manifold (17) @ $40.00 each., Shipment 162019	$680.00
	SERWM Fee (14) @ $2.50 each.	$35.00
	Client Specific EDD (14) @ $10.00 each.	$140.00
	eCVP (14) @ $10.00 each.	$140.00
	Duplicate Sampling T (4) @ $12.00 each.	$48.00

Note: Samples received after 3 P.M. PST are considered to be received on the following work day.
Atlas Project Name/Profile#: Titan 1A Soil Vapor/28661

BILL TO: Mr. Mark Rigby
PARSONS GOVERNMENT SERVICES INC.
10235 So. South Jordan Gateway
Suite 300
South Jordan, UT 84095

Analysis Code: TO-14A

REMARKS: Full Project Name: Titan 1A Semi Annual Groundwater and Soil Vapor Sampling

TERMS:

Reporting Method: TO-15 (DoD) (Sh)-Parsons (Titan 1A)

eurofins | Air Toxics

Analysis Request /Canister Chain of Custody

For Laboratory Use Only

PID: _____ Workorder #: 240624

180 Blue Ravine Rd. Suite B, Folsom, CA 95630
Phone (800) 985-5955; Fax (916) 351-8279

Click links below to view:
Canister Sampling Guide
Helium Shroud Video

Client: Parsons PID: J09CA1108-01
Project Name: Titan 1-A Semi Annual Groundwater and Soil Vapor Sampling
Project Manager: Carrie Ross P.O.# 0015539
Sampler: Ben DiStefanbacher
Site Name: Titan 1-A

Special Instructions/Notes:
Please email analytical results to:
Carrie.Ross@Parsons.us
Mark.Rigby@Parsons.com
Sandra.Delasfuentes@Parsons.us

Turnaround Time (Rush surcharges may apply)
Select TAT from drop down box

Lab ID	Sample Identification	Can #	Flow Controller #	Start Sampling Information		Stop Sampling Information		Canister Vacuum/Pressure		Lab Use Only		Requested Analyses			
				Date	Time	Date	Time	Initial (in Hg)	Final (in Hg)	Receipt	Final (psig) Gas: N_2 / He	TO-15			
01A	TIAMF-SV003_JUN24	1L1968	25507	06/03/24	1206	06/03/24	1233	-27	-5			X			
02A	TIAMF-SV010_JUN24	1L2226	22393	06/03/24	1124	06/03/24	1130	-26	-5			X			
03A	TIAMF-SV027_JUN24	1L4128	22426		1435		1455	-27	-16			X		Back Pressure	
04A	TIAMF-SV028_JUN24	1L2385	25457		1337		1343	-29	-5			X			
05A	TIAMF-SV028_JUN24_FD	1L4822	25518		1337		1342	-29	-5			X			
06A	TIAMF-SV029_JUN24	1L3453	25587		0855		0915	-29	-23			X		Back Pressure	
07A	TIAMF-SV030_JUN24	1L4702	24588		0949		0955	-27	-5			X			
08A	TIAMF-SV031_JUN24	1L4005	20690		1537		1601	-27	-13			X		Back Pressure	
09A	TIAMF-SV098_JUN24	1L4263	25515	06/06/24	1213	06/06/24	1219	-28.5	-5			X			
10A	TIAMF-SV036_JUN24	1L4059	24643		1102		1109	-28	-5			X			
11A	TIAMF-SV032_JUN24	1L2635	30707		1012		1019	-26	-5			X			
12A	TIAMF-SV034_JUN24	1L4042	25443		0806		0826	-27	-7			X		Back Pressure	
13A	TIAMF-SV035_JUN24	1L4989	21476		0915		0926	-25	-5			X			
14A	TIAMF-SV035_JUN24-FD	1L3657	25433		0915		0922	-29	-5			X			

Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time
BTS	06/06/24	1245	Parsons	6/6/24	1245
Parsons	6/6/24	1633	EATL	6/6/24	1633

Lab Use Only

Shipper Name: FD Custody Seals Intact? Yes No None

Sample Transportation Notice: Relinquishing signature on this document indicates that samples are shipped in compliance with all applicable local, State, Federal, and international laws, regulations, and ordinances of any kind. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Eurofins Air Toxics against any claim, demand, or action, of any kind, related to the collection, handling, of shipping of samples. D.O.T Hotline (800) 467-4922

Sample Discrepancy Report

Identification

Initiated By: VS **Project ID:**28661 **PM**: BSW **Date:** 6/20/2024 **Discrepancy Type:** ☐ **1.** ☒ **2.** ☐ **3.**

Workorder(s) affected:2406264 **Sample(s) affected:** 03A,06A

1. Sample Receipt Discrepancies

Narration Not Required:

1.1. ☐ Sample container (cartridge/tube) was received broken, however sample was intact.
1.2. ☐ No brass cap on canister.
1.3. ☐ Date of Collection noted on first sample, but no arrow down to indicate all samples.
1.4. ☐ Sampling year not documented on COC but noted on sample tag.
1.5. ☐ Sorbent Sample received outside method required temperature of 2°C to 6°C but less than 6°C.

Notify Lab for further determination:

1.6. ☐ Tedlar bag received with minimal volume.

Narration Required in Lab Narrative and Sample Confirmation:

1.7. ☐ COC was not filled out in ink.
1.8. ☐ COC improperly relinquished / received.
☐Signature missing ☐date missing ☐time missing.
1.9. ☐ Sample ID on tags do not match the COC.
1.10. ☐ Can numbers do not match the COC.
1.11. ☐ Sampling date discrepancy.
1.12. ☐ Custody Seal on the outside of the container was ☐ broken / ☐ improperly placed (check one).
1.13. ☐ ID-none on the sample Tag/Blank.
1.14. ☐ Other (describe below).

Initials: _____Date:_____

Describe the Discrepancy: _____

2. Sample Receipt/Screening Discrepancies requiring PM notification

Document on Cover Page of Sample Receipt Confirmation and in Receiving Notes of Lab Narrative

If Section II. is filled out PM must be notified within 24 hrs of initiation

2.1. ☐ COC was not received with samples.
2.2. ☐ Analysis method(s) is ☐ not specified / ☐ incorrectly specified (check one) on the COC.
2.3. ☐ Incorrect sampling media / container for analysis requested.
2.4. ☐ Number of samples on the COC does not match the number of samples that were received.
2.5. ☐ Samples were received expired.
2.6. ☐ Sampling date is not documented for ☐ *some* / ☐ *any* samples (check one).
2.7. ☐ Sample received with amount of H_2O in the Tedlar Bag.
2.8. ☐ Sample cannot be analyzed. Container was ☐ received broken / ☐ leaking / ☐ flat / ☐ defective.
2.9. ☐ Tedlar bag / canister received emitting a strong odor; Sample ☐ can / ☐ cannot (check one) be analyzed.
2.10. ☐ Sorbent samples -sampling volume was not provided.
2.11. ☐ Flow controller used – canister samples received at ambient or under pressure.
2.12. ☐ Canister was at ambient pressure at time of pressurization and (check all that apply):
☐ Canister valve was open.
☐ Brass nut was loose/not present.
☐ Sample can be analyzed.
☐ Sample cannot be analyzed.
2.13. ☐ Canister sample received with a vacuum difference >5.0"Hg between the receipt vac. and the final recorded vac. on the COC.
☐ Canister passed leak check in lab <2psi, no evidence sample was compromised.
☐ Canister failed lab leak check, canister found to be leaking. Canister sample compromised.
2.14. ☒ Canister sample received at >15"Hg (*not* identified as a Trip/Field Blank).
2.15. ☐ Canister Trip Blank received at low vacuum (<25"Hg).
2.16. ☐ Sorbent Sample received outside method required temperature of 2°C to 6°C; ☐ ice / ☐ blue ice (check one) was present. A temp. Blank ☐ was / ☐ was not present (check one).
2.17. ☐ Other (describe below).

Initials: vs **Date: 6/20/2024** **Notify Receiving:** ☐ **Notify PM:** ☐

Describe the Discrepancy: 2.14: 03A,06A

3. Lab Discrepancies requiring Team Leader/PM notification

Document in Analytical Notes of Lab Narrative

If Section III. is filled out PM must be notified within 24 hrs of initiation

3.1. ☐ Tedlar Bag found to be leaking at the time of analysis; sample ☐ can / ☐ cannot (check one) be analyzed.

3.2. ☐ Tedlar Bag found to be flat/low volume; sample cannot be analyzed.

3.3. ☐ Samples received with insufficient time to analyze prior to expiration.

3.4. ☐ Canister found to be leaking at the time of analysis.

3.5. ☐ Sample loss due to instrument malfunction / broken glassware.

3.6. ☐ Low/high surrogate recoveries noted in QC/sample(s) for extractable samples.

3.7. ☐ Reporting Limit was raised.

3.8. ☐ Post weight > Pre weight in field/lab Blank for PM10/TSP samples.

3.9. ☐ Sample Trip Blank has a reportable level(s) of target compound(s) present. Re-analysis confirmed the initial result.

3.10. ☐ Other (describe below).

Initials: _____ **Date:** _____ **Notify Receiving:** ☐ **Notify PM:** ☐ _____

Team Lead Initials: _____ **Date:** _____

Describe the Discrepancy: _____

_____

_____

How Does this Affect Client: _____

_____

_____

Project Manager Use Only

Project Manager Notification ☒ **Section 2 Complete** ☐ **Section 3 Complete**

Action:

☒ It is not necessary to notify the client. Narrate the discrepancy in Receiving Notes/Analytical Notes of Lab Narrative.

PM Initials:BSW Date: 6/20/2024

☐ Client notification required. See attached client contact / email, or comments below:

Client Notification:

PM Initials:_____ Person notified: _____ Date: _____

☐ Waiting for Client Reply

Comments: **Narrate and proceed** _____

_____

☐ Notify Lab Name: _____ Date: _____ **Notify Receiving:** ☐ _____

☐ **Additional notifications attached.**

Additional Comments:

_____

Other Records

Dilution Factor = $\frac{\text{Final Pressure}}{\text{Initial Vacuum}} = \frac{\text{14.7psi + Final Pressure (psi)}}{\text{14.7psi –[Init. Pressure (“Hg))*(14.7psi/30”Hg)]}}$

Dilution Factor = $\frac{\text{Final Pressure}}{\text{Initial Pressure}} = \frac{\text{14.7psi + Final Pressure (psi)}}{\text{14.7psi +Initial Pressure (psi)}}$

Initial Vacuum (" of Hg)	2 psi	5 psi	10 psi	15 psi
0.0	**1.14**	1.34	**1.68**	2.02
0.2	**1.14**	1.35	**1.69**	2.03
0.4	**1.15**	1.36	**1.70**	2.05
0.5	**1.16**	1.36	**1.71**	2.05
0.6	**1.16**	1.37	**1.71**	2.06
0.8	**1.17**	1.38	**1.73**	2.08
1.0	**1.18**	1.39	**1.74**	2.09
1.2	**1.18**	1.40	**1.75**	2.10
1.4	**1.19**	1.40	**1.76**	2.12
1.5	**1.20**	1.41	**1.77**	2.13
1.6	**1.20**	1.42	**1.77**	2.13
1.8	**1.21**	1.42	**1.79**	2.15
2.0	**1.22**	1.44	**1.80**	2.16
2.2	**1.23**	1.45	**1.81**	2.18
2.4	**1.23**	1.46	**1.83**	2.20
2.5	**1.24**	1.46	**1.83**	2.20
2.6	**1.24**	1.47	**1.84**	2.21
2.8	**1.25**	1.48	**1.85**	2.23
3.0	**1.26**	1.49	**1.87**	2.24
3.2	**1.27**	1.50	**1.88**	2.26
3.4	**1.28**	1.51	**1.90**	2.28
3.5	**1.29**	1.52	**1.90**	2.29
3.6	**1.29**	1.52	**1.91**	2.30
3.8	**1.30**	1.53	**1.92**	2.31
4.0	**1.31**	1.55	**1.94**	2.33
4.2	**1.32**	1.56	**1.95**	2.35
4.4	**1.33**	1.57	**1.97**	2.37
4.5	**1.34**	1.58	**1.98**	2.38
4.6	**1.34**	1.58	**1.98**	2.39
4.8	**1.35**	1.60	**2.00**	2.40
5.0	**1.36**	1.61	**2.02**	2.42
5.2	**1.37**	1.62	**2.03**	2.44
5.4	**1.39**	1.63	**2.05**	2.46
5.5	**1.39**	1.64	**2.06**	2.47
5.6	**1.40**	1.65	**2.07**	2.48
5.8	**1.41**	1.66	**2.08**	2.50
6.0	**1.42**	1.68	**2.10**	2.52
6.2	**1.43**	1.69	**2.12**	2.55
6.4	**1.44**	1.70	**2.14**	2.57
6.5	**1.45**	1.71	**2.15**	2.58
6.6	**1.46**	1.72	**2.15**	2.59
6.8	**1.47**	1.73	**2.17**	2.61
7.0	**1.48**	1.75	**2.19**	2.64
7.2	**1.49**	1.76	**2.21**	2.66
7.4	**1.51**	1.78	**2.23**	2.68
7.5	**1.51**	1.79	**2.24**	2.69
7.6	**1.52**	1.79	**2.25**	2.70

Initial Vacuum (" of Hg)	2 psi	5 psi	10 psi	15 psi
7.7	**1.53**	1.80	**2.26**	2.72
7.8	**1.54**	1.81	**2.27**	2.73
8.0	**1.55**	1.83	**2.29**	2.76
8.2	**1.56**	1.84	**2.31**	2.78
8.4	**1.58**	1.86	**2.33**	2.81
8.5	**1.59**	1.87	**2.34**	2.82
8.6	**1.59**	1.88	**2.36**	2.83
8.8	**1.61**	1.90	**2.38**	2.86
9.0	**1.62**	1.91	**2.40**	2.89
9.2	**1.64**	1.93	**2.42**	2.91
9.4	**1.65**	1.95	**2.45**	2.94
9.5	**1.66**	1.96	**2.46**	2.96
9.6	**1.67**	1.97	**2.47**	2.97
9.8	**1.69**	1.99	**2.50**	3.00
10.0	**1.70**	2.01	**2.52**	3.03
10.2	**1.72**	2.03	**2.55**	3.06
10.4	**1.74**	2.05	**2.57**	3.09
10.5	**1.75**	2.06	**2.59**	3.11
10.6	**1.76**	2.07	**2.60**	3.12
10.8	**1.78**	2.09	**2.63**	3.16
11.0	**1.79**	2.12	**2.65**	3.19
11.2	**1.81**	2.14	**2.68**	3.22
11.4	**1.83**	2.16	**2.71**	3.26
11.5	**1.84**	2.17	**2.72**	3.28
11.6	**1.85**	2.18	**2.74**	3.29
11.8	**1.87**	2.21	**2.77**	3.33
12.0	**1.89**	2.23	**2.80**	3.37
12.2	**1.91**	2.26	**2.83**	3.40
12.4	**1.94**	2.28	**2.86**	3.44
12.5	**1.95**	2.30	**2.88**	3.46
12.6	**1.96**	2.31	**2.90**	3.48
12.8	**1.98**	2.34	**2.93**	3.52
13.0	**2.00**	2.36	**2.97**	3.56
13.2	**2.03**	2.39	**3.00**	3.61
13.4	**2.05**	2.42	**3.04**	3.65
13.5	**2.07**	2.44	**3.06**	3.67
13.6	**2.08**	2.45	**3.07**	3.70
13.8	**2.10**	2.48	**3.11**	3.74
14.0	**2.13**	2.51	**3.15**	3.79
14.2	**2.16**	2.54	**3.19**	3.84
14.4	**2.18**	2.58	**3.23**	3.88
14.5	**2.20**	2.59	**3.25**	3.91
14.6	**2.21**	2.61	**3.27**	3.94
14.8	**2.24**	2.64	**3.32**	3.99
15.0	**2.27**	2.68	**3.36**	4.04
15.2	**2.30**	2.72	**3.41**	4.10
15.4	**2.33**	2.75	**3.45**	4.15

Initial Vacuum (" of Hg)	2 psi	5 psi	10 psi	15 psi
15.5	**2.35**	2.77	**3.48**	4.18
15.6	**2.37**	2.79	**3.50**	4.21
15.8	**2.40**	2.83	**3.55**	4.27
16.0	**2.43**	2.87	**3.60**	4.33
16.2	**2.47**	2.91	**3.65**	4.39
16.4	**2.51**	2.96	**3.71**	4.46
16.5	**2.52**	2.98	**3.73**	4.49
16.6	**2.54**	3.00	**3.76**	4.52
16.8	**2.58**	3.05	**3.82**	4.59
17.0	**2.62**	3.09	**3.88**	4.66
17.2	**2.66**	3.14	**3.94**	4.74
17.4	**2.70**	3.19	**4.00**	4.81
17.5	**2.73**	3.22	**4.03**	4.85
17.6	**2.75**	3.24	**4.07**	4.89
17.8	**2.79**	3.30	**4.13**	4.97
18.0	**2.84**	3.35	**4.20**	5.05
18.2	**2.89**	3.41	**4.27**	5.14
18.4	**2.94**	3.47	**4.35**	5.22
18.5	**2.96**	3.50	**4.38**	5.27
18.6	**2.99**	3.53	**4.42**	5.32
18.8	**3.04**	3.59	**4.50**	5.41
19.0	**3.10**	3.65	**4.58**	5.51
19.2	**3.16**	3.72	**4.67**	5.61
19.4	**3.22**	3.79	**4.76**	5.72
19.5	**3.25**	3.83	**4.80**	5.77
19.6	**3.28**	3.87	**4.85**	5.83
19.8	**3.34**	3.94	**4.94**	5.94
20.0	**3.41**	4.02	**5.04**	6.06
20.2	**3.48**	4.10	**5.14**	6.18
20.4	**3.55**	4.19	**5.25**	6.31
20.5	**3.59**	4.23	**5.31**	6.38
20.6	**3.63**	4.28	**5.36**	6.45
20.8	**3.70**	4.37	**5.48**	6.59
21.0	**3.79**	4.47	**5.60**	6.73
21.2	**3.87**	4.57	**5.73**	6.89
21.4	**3.96**	4.67	**5.86**	7.05
21.5	**4.01**	4.73	**5.93**	7.13
21.6	**4.06**	4.79	**6.00**	7.22
21.8	**4.16**	4.90	**6.15**	7.39
22.0	**4.26**	5.03	**6.30**	7.58
22.4	**4.48**	5.29	**6.63**	7.98

Initial Vacuum (" of Hg)	2 psi	5 psi	10 psi	15 psi
22.5	**4.54**	5.36	**6.72**	8.08
22.6	**4.61**	5.43	**6.81**	8.19
22.8	**4.73**	5.58	**7.00**	8.42
23.0	**4.87**	5.74	**7.20**	8.66
23.2	**5.01**	5.91	**7.41**	8.91
23.4	**5.16**	6.09	**7.64**	9.18
23.5	**5.24**	6.19	**7.76**	9.32
23.6	**5.33**	6.28	**7.88**	9.47
23.8	**5.50**	6.48	**8.13**	9.78
24.0	**5.68**	6.70	**8.40**	10.10
24.2	**5.88**	6.93	**8.69**	10.45
24.4	**6.09**	7.18	**9.00**	10.82
24.5	**6.20**	7.31	**9.17**	11.02
24.6	**6.31**	7.45	**9.33**	11.22
24.8	**6.55**	7.73	**9.69**	11.66
25.0	**6.82**	8.04	**10.08**	12.12
25.2	**7.10**	8.38	**10.50**	12.63
25.4	**7.41**	8.74	**10.96**	13.18
25.5	**7.57**	8.93	**11.20**	13.47
25.6	**7.75**	9.14	**11.46**	13.78
25.8	**8.11**	9.57	**12.00**	14.43
26.0	**8.52**	10.05	**12.60**	15.15
26.2	**8.97**	10.58	**13.27**	15.95
26.4	**9.47**	11.17	**14.00**	16.84
26.5	**9.74**	11.49	**14.40**	17.32
26.6	**10.02**	11.82	**14.83**	17.83
26.8	**10.65**	12.56	**15.75**	18.94
27.0	**11.36**	13.40	**16.80**	20.20
27.2	**12.17**	14.36	**18.00**	21.65
27.4	**13.11**	15.46	**19.39**	23.31
27.5	**13.63**	16.08	**20.16**	24.24
27.6	**14.20**	16.75	**21.00**	25.26
27.8	**15.49**	18.27	**22.91**	27.55
28.0	**17.04**	20.10	**25.20**	30.31
28.2	**18.93**	22.34	**28.00**	33.67
28.4	**21.30**	25.13	**31.51**	37.88
28.5	**22.72**	26.80	**33.61**	40.41
28.6	**24.34**	28.72	**36.01**	43.29
28.8	**28.40**	33.50	**42.01**	50.51
29.0	**34.08**	40.20	**50.41**	60.61

eurofins | Air Toxics

Method:TO-15 (DoD) (Sh)-Parsons (Titan 1A)

CAS Number	Compound	Rpt. Limit(ppbv)
75-35-4	1,1-Dichloroethene	0.5
106-46-7	1,4-Dichlorobenzene	0.5
71-43-2	Benzene	0.5
156-59-2	cis-1,2-Dichloroethene	0.5
100-41-4	Ethyl Benzene	0.5
108-38-3	m,p-Xylene	1.0
95-47-6	o-Xylene	0.5
108-88-3	Toluene	1.0
156-60-5	trans-1,2-Dichloroethene	0.5
79-01-6	Trichloroethene	0.5
75-01-4	Vinyl Chloride	0.5

	Surrogate	Method Limits
17060-07-0	1,2-Dichloroethane-d4	70-130
460-00-4	4-Bromofluorobenzene	70-130
2037-26-5	Toluene-d8	70-130

1Q 2024 TO-15 QUAD DoD Limit of Detections (LODs)
Effective 04-01-2024

CAS #	Analyte	Molecular Weight (MW)	LOD (ppbv)	LOQ (ppbv)	LOD (ug/m3)	LOQ (ug/m3)
71-55-6	1,1,1-Trichloroethane	133.42	0.45	0.5	2.45558	2.72843
79-34-5	1,1,2,2-Tetrachloroethane	167.86	0.45	0.5	3.08945	3.43272
79-00-5	1,1,2-Trichloroethane	133.42	0.45	0.5	2.45558	2.72843
75-34-3	1,1-Dichloroethane	98.97	0.45	0.5	1.82153	2.02393
75-35-4	1,1-Dichloroethene	96.95	0.45	0.5	1.78436	1.98262
120-82-1	1,2,4-Trichlorobenzene	181.46	1.5	2	11.13252	14.84335
95-63-6	1,2,4-Trimethylbenzene	120.19	0.45	2	2.21209	9.83149
106-93-4	1,2-Dibromoethane (EDB)	187.88	0.45	0.5	3.45791	3.84213
95-50-1	1,2-Dichlorobenzene	147.01	0.45	0.5	2.70571	3.00634
107-06-2	1,2-Dichloroethane	98.96	0.45	0.5	1.82135	2.02372
78-87-5	1,2-Dichloropropane	112.99	0.45	0.5	2.07957	2.31063
108-67-8	1,3,5-Trimethylbenzene	120.19	0.45	2	2.21209	9.83149
106-99-0	1,3-Butadiene	54.09	0.45	0.5	0.99552	1.10613
541-73-1	1,3-Dichlorobenzene	147.01	0.45	0.5	2.70571	3.00634
106-46-7	1,4-Dichlorobenzene	147.01	0.45	0.5	2.70571	3.00634
123-91-1	1,4-Dioxane	88.11	1.5	2	5.40552	7.20736
540-84-1	2,2,4-Trimethylpentane	114.22	0.45	0.5	2.10221	2.33579
78-93-3	2-Butanone	72.11	1.5	2	4.42393	5.89857
591-78-6	2-Hexanone	100.16	1.5	2	6.14479	8.19305
67-63-0	2-Propanol	60.09	1.5	2	3.68650	4.91534
107-05-1	3-Chloropropene	76.53	1.5	2	4.69509	6.26012
622-96-8	4-Ethyltoluene	120.19	0.45	0.5	2.21209	2.45787
108-10-1	4-Methyl-2-pentanone	100.16	0.45	0.5	1.84344	2.04826
67-64-1	Acetone	58.08	4	5	9.50184	11.87730
100-44-7	alpha-Chlorotoluene	126.58	0.45	0.5	2.32969	2.58855
71-43-2	Benzene	78.11	0.45	0.5	1.43761	1.59734
75-27-4	Bromodichloromethane	163.83	0.45	0.5	3.01528	3.35031
75-25-2	Bromoform	252.77	0.45	0.5	4.65221	5.16912
74-83-9	Bromomethane	94.95	1.5	5	5.82515	19.41718
75-15-0	Carbon Disulfide	76.14	1.5	2	4.67117	6.22822
56-23-5	Carbon Tetrachloride	153.84	0.45	0.5	2.83141	3.14601
108-90-7	Chlorobenzene	112.56	0.45	0.5	2.07166	2.30184
75-00-3	Chloroethane	64.52	1.5	2	3.95828	5.27771
67-66-3	Chloroform	119.39	0.45	0.5	2.19736	2.44151
74-87-3	Chloromethane	50.49	1.5	5	3.09755	10.32515
156-59-2	cis-1,2-Dichloroethene	96.94	0.45	0.5	1.78417	1.98241
10061-01-5	cis-1,3-Dichloropropene	110.97	0.45	0.5	2.04239	2.26933
98-82-8	Cumene	120.19	0.45	0.5	2.21209	2.45787
110-82-7	Cyclohexane	84.16	0.45	0.5	1.54896	1.72106
124-48-1	Dibromochloromethane	208.28	0.45	0.5	3.83337	4.25930
64-17-5	Ethanol	46.07	4	5	7.53701	9.42127

100-41-4	Ethyl Benzene	106.16	0.45	0.5	1.95387	2.17096
75-69-4	Freon 11	137.38	0.45	0.5	2.52847	2.80941
76-13-1	Freon 113	187.39	0.45	0.5	3.44890	3.83211
76-14-2	Freon 114	170.93	0.45	0.5	3.14595	3.49550
75-71-8	Freon 12	120.92	0.45	0.5	2.22552	2.47280
142-82-5	Heptane	100.2	0.45	2	1.84417	8.19632
87-68-3	Hexachlorobutadiene	260.76	1.5	2	15.99755	21.33006
110-54-3	Hexane	86.17	0.45	0.5	1.58595	1.76217
108-38-3	m,p-Xylene	106.17	0.45	1	1.95405	4.34233
1634-04-4	Methyl tert-butyl ether	88.15	1.5	2	5.40798	7.21063
75-09-2	Methylene Chloride	84.94	1.5	5	5.21104	17.37014
91-20-3	Naphthalene	128.17	0.2	1	1.04843	5.24213
95-47-6	o-Xylene	106.17	0.45	0.5	1.95405	2.17117
103-65-1	Propylbenzene	120.19	0.45	0.5	2.21209	2.45787
115-07-1	Propylene	42.08	1.5	2	2.58160	3.44213
100-42-5	Styrene	104.14	0.45	0.5	1.91669	2.12965
127-18-4	Tetrachloroethene	165.85	0.45	0.5	3.05245	3.39162
109-99-9	Tetrahydrofuran	72.1	0.45	0.5	1.32699	1.47444
108-88-3	Toluene	92.13	0.45	1	1.69564	3.76810
156-60-5	trans-1,2-Dichloroethene	96.94	0.45	0.5	1.78417	1.98241
10061-02-6	trans-1,3-Dichloropropene	110.97	0.45	0.5	2.04239	2.26933
79-01-6	Trichloroethene	131.39	0.45	0.5	2.41822	2.68691
108-05-4	Vinyl Acetate	86.09	1.5	2	5.28160	7.04213
75-01-4	Vinyl Chloride	62.5	0.45	0.5	1.15031	1.27812

Extra Compounds

CAS #	Analyte	Molecular Weight (MW)	LOD (ppbv)	LOQ (ppbv)	LOD (ug/m3)	LOQ (ug/m3)
95-49-8	2-Chlorotoluene	126.59	1.5	2	7.76626	10.35501
106-97-8	Butane	58.12	1.5	2	3.56564	4.75419
104-51-8	Butyl Benzene	134.22	0.45	0.5	2.47031	2.74479
111-84-2	Nonane	128.26	1.5	2	7.86871	10.49162
109-66-0	n-Pentane	72.15	1.5	2	4.42638	5.90184
111-65-9	Octane	114.22	1.5	2	7.00736	9.34315
135-98-8	sec-Butylbenzene	134.22	0.45	0.5	2.47031	2.74479
75-65-0	tert-Butyl Alcohol	74.12	1.5	2	4.54724	6.06299
98-06-6	tert-Butyl Benzene	134.22	1.5	2	8.23436	10.97914

ppbv - part per billion by volume
Concentration (ug/m3) = Concentration (ppbv)*MW/24.45
Instrument IDs - msd3, msd91, msda, msdj, msdp

Table 42. Method RSK-175 Water Matrix

CAS ID	Analyte	N Records	Mean	Standard Deviation	Lower Control Limit	Upper Control Limit
74-86-2	Acetylene	719	99.6	9.8	70	129
106-97-8	Butane	262	97.3	7.3	75	119
124-38-9	Carbon dioxide	441	100.8	6.9	80	122
74-84-0	Ethane	2240	102.6	9.6	74	131
74-85-1	Ethylene	2284	102.5	10.2	72	133
75-28-5	Isobutane	267	97.6	6.6	78	117
74-82-8	Methane	2459	99.2	8.7	73	125
74-98-6	Propane	900	98.1	8.2	74	123

Table 43. Method TO-15 Gas Matrix

CAS ID	Analyte	N Records	Mean	Standard Deviation	Lower Control Limit	Upper Control Limit
630-20-6	1,1,1,2-Tetrachloroethane	1344	97.9	10.5	67	129
71-55-6	1,1,1-Trichloroethane	5436	96.7	9.5	68	125
79-34-5	1,1,2,2-Tetrachloroethane	5273	95.9	10.4	65	127
79-00-5	1,1,2-Trichloroethane	5332	95.9	7.7	73	119
76-13-1	1,1,2-Trifluoro-1,2,2-trichloroethane [Freon-113]	5351	96.1	10	66	126
75-34-3	1,1-Dichloroethane	5422	97	9.7	68	126
75-35-4	1,1-Dichloroethene	3503	97.3	11.9	61	133
96-18-4	1,2,3-Trichloropropane	465	99.6	8	76	124
120-82-1	1,2,4-Trichlorobenzene	4545	98.5	14.5	55	142
95-63-6	1,2,4-Trimethylbenzene	4699	99.2	11.1	66	132

Table 43. Method TO-15 Gas Matrix

CAS ID	Analyte	N Records	Mean	Standard Deviation	Lower Control Limit	Upper Control Limit
106-93-4	1,2-Dibromoethane	4655	98.2	7.9	74	122
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane	4572	92.4	9.7	63	121
95-50-1	1,2-Dichlorobenzene	4739	95.7	11	63	129
107-06-2	1,2-Dichloroethane	5467	96.8	10.5	65	128
78-87-5	1,2-Dichloropropane	4729	95.7	8.9	69	123
108-67-8	1,3,5-Trimethylbenzene	4679	98.3	10.4	67	130
106-99-0	1,3-Butadiene	3167	99.8	11.4	66	134
541-73-1	1,3-Dichlorobenzene	4737	97.1	10.9	65	130
142-28-9	1,3-Dichloropropane	165	105.2	14.4	62	148
542-75-6	1,3-Dichloropropene	560	100.7	8.1	77	125
106-46-7	1,4-Dichlorobenzene	4719	95.8	11.8	60	131
123-91-1	1,4-Dioxane	2656	96.5	8.6	71	122
540-84-1	2,2,4-Trimethylpentane [Isooctane]	3008	94.3	8.8	68	121
78-93-3	2-Butanone [MEK]	4635	98.4	10.4	67	130
95-49-8	2-Chlorotoluene	1092	101.9	9.2	74	130
591-78-6	2-Hexanone	4600	95.4	11	62	128
67-63-0	2-Propanol [Isopropyl alcohol]	3069	88.4	12.3	52	125
622-96-8	4-Ethyltoluene	4673	97.9	10.3	67	129
108-10-1	4-Methyl-2-pentanone [MIBK]	4646	98.5	10.5	67	130
67-64-1	Acetone	4600	92.7	11.6	58	128
75-05-8	Acetonitrile	1999	97.3	11.6	63	132
107-02-8	Acrolein [Propenal]	2469	93.8	10.6	62	126
107-13-1	Acrylonitrile	2105	103.7	10.9	71	137
107-05-1	Allyl chloride	2980	101.1	10.1	71	131

Table 43. Method TO-15 Gas Matrix

CAS ID	Analyte	N Records	Mean	Standard Deviation	Lower Control Limit	Upper Control Limit
98-83-9	alpha-Methylstyrene	1976	97.3	10.2	67	128
71-43-2	Benzene	5436	93.8	8.4	69	119
100-44-7	Benzyl chloride	4419	98.7	16.2	50	147
75-27-4	Bromodichloromethane	4682	99.9	9.3	72	128
75-25-2	Bromoform	4638	102.3	12.1	66	139
74-83-9	Bromomethane	2657	98.6	11.8	63	134
106-97-8	Butane	587	96.2	10.9	64	129
75-15-0	Carbon disulfide	4756	95.6	12.7	57	134
56-23-5	Carbon tetrachloride	4202	99.6	10.7	68	132
108-90-7	Chlorobenzene	4652	94.5	8	70	119
124-48-1	Chlorodibromomethane	4628	99.9	10	70	130
75-45-6	Chlorodifluoromethane	559	102.1	14.3	59	145
75-00-3	Chloroethane	5370	94.7	10.6	63	127
67-66-3	Chloroform	5481	95.3	9.3	68	123
74-87-3	Chloromethane	4540	95.2	12.2	59	132
156-59-2	cis-1,2-Dichloroethene	5320	95.6	8.4	70	121
10061-01-5	cis-1,3-Dichloropropene	4691	98.8	9.7	70	128
110-82-7	Cyclohexane	3178	93.5	7.7	70	117
124-18-5	Decane	1982	93.8	7.9	70	118
75-71-8	Dichlorodifluoromethane [Freon-12]	5307	93.6	11.5	59	128
108-20-3	Diisopropyl ether	2309	93.5	8	70	117
64-17-5	Ethanol	2981	91.8	11.1	59	125
141-78-6	Ethyl acetate	2835	96.4	10.5	65	128
100-41-4	Ethylbenzene	5420	96.8	9	70	124
142-82-5	Heptane	3163	95.7	8.9	69	123

Table 43. Method TO-15 Gas Matrix

CAS ID	Analyte	N Records	Mean	Standard Deviation	Lower Control Limit	Upper Control Limit
87-68-3	Hexachlorobutadiene	4551	96.7	13.7	56	138
110-54-3	Hexane	3150	91.6	9.5	63	120
98-82-8	Isopropylbenzene	3022	95.6	9.3	68	124
179601-23-1	m/p-Xylene [3/4-Xylene]	5019	97.3	12.3	61	134
80-62-6	Methyl methacrylate	3037	98.9	9.7	70	128
1634-04-4	Methyl tert-butyl ether [MTBE]	4681	95.5	10	66	126
75-09-2	Methylene chloride	5314	88.8	8.9	62	115
71-36-3	n-Butyl alcohol	1981	97.5	11.7	62	133
104-51-8	n-Butylbenzene	2656	97.7	10.6	66	130
112-40-3	n-DoDecane	1932	104.4	14.1	62	147
103-65-1	n-Propylbenzene	2570	95.7	9	69	123
91-20-3	Naphthalene	2439	97.5	13.4	57	138
111-84-2	Nonane	2617	95.4	10.8	63	128
95-47-6	o-Xylene	5334	96.3	9.7	67	125
111-65-9	Octane	2514	95	8.7	69	121
99-87-6	p-Isopropyltoluene [p-Cymene]	2694	98.1	10.5	67	130
109-66-0	Pentane	712	96.7	11.3	63	131
115-07-1	Propene	3193	96.6	13.3	57	136
135-98-8	sec-Butylbenzene	2665	96.4	9.6	68	125
100-42-5	Styrene	4735	100.1	9	73	127
75-65-0	tert-Butyl alcohol	2997	86.8	20.9	24	150
98-06-6	tert-Butylbenzene	2710	94.3	9.8	65	124
127-18-4	Tetrachloroethene	5432	95.2	9.7	66	124
109-99-9	Tetrahydrofuran	3192	93.7	9.8	64	123
108-88-3	Toluene	5406	92.7	8.8	66	119
156-60-5	trans-1,2-Dichloroethene	5411	95.5	9.5	67	124

Table 43. Method TO-15 Gas Matrix

CAS ID	Analyte	N Records	Mean	Standard Deviation	Lower Control Limit	Upper Control Limit
10061-02-6	trans-1,3-Dichloropropene	4621	104	9.6	75	133
79-01-6	Trichloroethene	5478	96.7	8.7	71	123
75-69-4	Trichlorofluoromethane [Freon-11]	5376	93.7	10.6	62	126
1120-21-4	Undecane	1976	96.1	9	69	123
108-05-4	Vinyl acetate	4599	97.4	13.7	56	139
593-60-2	Vinyl bromide	1054	98.4	9.2	71	126
75-01-4	Vinyl chloride	5445	95.1	10.4	64	127

Eurofins AirToxics

TO-14A_TO-15 QUAD SURR CLs valid to 11-12-2024 (msd3, msd16, msd91, msda, msdj, msdp) - SURR

Effective Dates 05/12/24 - 11/12/24
Data Point Analysis Dates 11/12/23 - 05/12/24

Compound Name	Upper Control Limit(%)	Lower Control Limit(%)	Upper Warning Limit(%)	Lower Warning Limit(%)	Upper ME Limit(%)	Lower Me Limit(%)
1,2-Dichloroethane-d4	132	68	121	79	142	58
4-Bromofluorobenzene	125	77	117	85	133	69
Toluene-d8	110	91	107	94	113	88

Default control limits of 20% or 180% are used for generated limits which fall outside this criteria.

Eurofins Environment Testing Northern California, LLC **Workorder #** 2406264	Data Review Checklist			
	Form F1.27	Revision #21	Revision Date: 05/01/23	Page 1 of 2

S1	S2	S3	S4	D	***Section 1* – Spec Out**				
					Initials/Instrument/Date	**S1:** MS03 TD 6/19/24	**S2:**	**S3:**	**S4:**
✓					Project Identification (PID), Project Requirements Table (PRT), Daily QC and ICAL met Criteria				
✓				✓	Method Name: 324Q0423A				
✓					Lumen QC and ICAL evaluation (ref. SOP/Method) report initialed and in folder				
N					Manual Integrations included and approved				
✓				✓	Chain of Custody verified for special comments/notes and analyses requested (add comments below)				
✓					Non-standard Target sublist verified (MDL, LOD, RL, control limits, etc.)				
✓					Verified standard expiration dates				

Profile, analyses, reporting, special notes and unusual circumstances: S1: QC ϕout LB "d"

A1	A2	A3	A4	D	***Section 2* – Sample Analysis**				
					Initials/Date	**A1:** AZ 6/19/24	**A2:** TD 6/20/24	**A3:**	**A4:**
✓	✓			✓	IS/Surr Recoveries, Dilution Factors, Load Volumes, leg(s) of instrument, Initial/Final Pressures, Canister #s Verified and dilution ranges are met per SOP (ex. Over-ranged/overdiluted). Method Transfer Dilutions Verified.				
NA	N			N	a) Tedlar Bag IDs verified against COC b) Tedlar Bag ID confirmed with loading sequence/leg(s) of instrument				
NA	N			N	Manual Integrations/Bag or Can Dilution Forms/Re-pressurization Forms/Bag-Can Transfer Forms present (circle all that apply)				
✓	✓				12/24 Hr clock time & Hold Time met for all samples				
NA	✓			✓	Re-analysis of sample(s) has been evaluated for comparability and/or sample(s) has/have been checked for trends (Inf/Eff), field dups/trip blanks, samples following bad loads on auto samplers have been verified (system blks, confirmation runs)				
✓	✓			✓	All runs have been evaluated for potential carry-over (TPHg/non-Target/over-range compounds/ etc.)				
✓	✓			✓	All runs have been evaluated using method default parent sublists prior to any client specific sublists.				

Analytical and special notes: A1-01A-04A full loads A2: 05A-10A, 12A-14A full load 11AditC 04A/05A FDOK 13A/14A FDOK 05A/AA dup ANSOK cal end VOK

D1	D2	D3	D4	T	3T	***Section 3* – Target Data Reduction**	**Technical Review Needed? Circle one: Yes/No**	**T:**		
						Initials/Instrument/ Date	**D1:** MS03 VD 6/20/24	**D2:**	**D3:**	**D4:**
N						CAR # *(if applicable)*				
✓						Spectra Verified *(documentation of spectral defense included if applicable)*				
✓					✓	Calibration history evaluated. Verify QC files.				
N						TICs resemble reference spectra/ TICs between sample dups. are consistent *(if applicable)*				
✓					✓	Lab Narrative is correct				
N						TPH/NMOC calculations complete and included in folder				

Special notes:

A	3T	***Section 4*- Atlas Data Entry**	**Lumen verified and included in folder**	**Circle one:** Yes/No
		Initials/Date: VD 6/20/24	**3rd Tier:** *(needed only for DOD or per client request)*	ES 6/20/24
✓	✓	Sample Discrepancy Report (SDR) complete and approved *(if applicable)*		
N	NA	Manually entered results are checked		
✓	✓	At least one result per sample is verified against Target quant sheets		
✓	✓	Appropriate data qualifier flags are applied		
✓	✓	Final Invoice is correct/ Final PDF report, COC and EDD reviewed and correct		

Special Notes:

Note (1) *Please check all the appropriate boxes. Indicate "NA" for any statement that doesn't apply*
Note (2) *3rd Tier Report Reviewer and Write Up Reviewer must be separate individuals for DoD & Client Specific Projects*

Workorder # :				**Reason for Reissue:**
W	**T**	**3T**	**Q**	
				Reissue Request form Present
				Client or QA or Lab contact present with reason for reissue
				Review all affected data
				Report header has correct R1, R2 etc
				The Lab Narrative clearly explains the reissue (Date, Reason and whether client requested)
				Date for Reissue in Report Header matches date in Lab Narrative
				Check Project Profile for correct reporting instructions (multiple clients, # hardcopies, etc)
				Corrective Action issued - #
				The reissued workorder has been approved by a Group Lead, QA Manager or a Technical Director
Additional Comments:				

Write Up (Initials/Date)	**Tech Review** (Initials/Date)	***3rd Tier Review** ** 3rd Tier Report Review is for DoD & Client Specific projects only* (Initials/Date)	**QA Review** (Initials/Date)

Workorder # :				**Reason for Reissue:**
W	**T**	**3T**	**Q**	
				Reissue Request form Present
				Client or QA or Lab contact present with reason for reissue
				Review all affected data
				Report header has correct R1, R2 etc
				The Lab Narrative clearly explains the reissue (Date, Reason and whether client requested)
				Date for Reissue in Report Header matches date in Lab Narrative
				Check Project Profile for correct reporting instructions (multiple clients, # hardcopies, etc)
				Corrective Action issued - #
				The reissued workorder has been approved by a Group Lead, QA Manager or a Technical Director
Additional Comments:				

Write Up (Initials/Date)	**Tech Review** (Initials/Date)	***3rd Tier Review** ** 3rd Tier Report Review is for DoD & Client Specific projects only* (Initials/Date)	**QA Review** (Initials/Date)

Note (1) *Please check all the appropriate boxes. Indicate "NA" for any statement that doesn't apply*
Note (2) 3rd Tier Report Reviewer and Write Up Reviewer must be separate individuals for DoD & Client Specific Projects

Not Applicable

Appendix I – Data Validation Reports

Data Validation Report for 24F003

Facility:	J09CA1108-01, Titan 1A Missile Facility, RI
Event:	Spring 2024
SDG:	24F003
Guidance Document:	Titan 1A Missile Facility, Lincoln CA
Prime Contractor:	Parsons Corporation, Austin, TX
Project Manager:	Tim Crummett
Contract Laboratory(ies):	EMAX Laboratories, Inc., Torrance, CA
Data Review Contractor:	Parsons Corporation
Data Review Level:	100% Stage 2B and 10% Stage 4
Primary Data Reviewer:	Beth Driskill, Senior Scientist
Date Submitted:	July 15, 2024

Field Sample ID	Lab Sample ID	Matrix	Type/Type Code	SW8260C
T1AMF-MW011-MAY24	24F003-10N	Water	Field Sample/N	X
T1AMF-MW016-MAY24	24F003-11	Water	Field Sample/N	X
T1AMF-MW016-MAY24_FD	24F003-12	Water	Field Duplicate/FD	X
T1AMF-MW017-MAY24	24F003-09N	Water	Field Sample/N	X
T1AMF-MW029-MAY24	24F003-14	Water	Field Sample/N	X
T1AMF-MW030-MAY24	24F003-15	Water	Field Sample/N	X
T1AMF-MW030-MAY24_FD	24F003-16	Water	Field Duplicate/FD	X
T1AMF-MW044-MAY24	24F003-02N	Water	Field Sample/N	X
T1AMF-MW046-MAY24	24F003-04N	Water	Field Sample/N	X
T1AMF-MW047-MAY24	24F003-03N	Water	Field Sample/N	X
T1AMF-MW049-MAY24	24F003-13	Water	Field Sample/N	X
T1AMF-MW050-MAY24	24F003-05N	Water	Field Sample/N	X
T1AMF-MW052-MAY24	24F003-06N	Water	Field Sample/N	X
T1AMF-MW052-MAY24_FD	24F003-07N	Water	Field Duplicate/FD	X
T1AMF-MW057-MAY24	24F003-17	Water	Field Sample/N	X
T1AMF-MW059-MAY24	24F003-01N	Water	Field Sample/N	X
T1AMF-MW060-MAY24	24F003-08N	Water	Field Sample/N	X
TB-1_MAY24	24F003-18	Water	Trip Blank/TB	X
TB-2_MAY24	24F003-19	Water	Trip Blank/TB	X

This report assesses the analytical data quality associated with the analyses listed on the preceding cover page at Stage 2B validation level and 10% of the data validated at a Stage 4. The following samples were validated at a Stage 4: TIAMF·MW059·MAY24, TIAMF·MW044·MAY24, TIAMF·MW047·MAY24, TIAMF·MW046·MAY24, and TIAMF·MW050·MAY24, Validation was performed following the guidelines outlined in the project-specific UFP QAPP, DoD General Data Validation Guidelines, Rev 1 (Nov 2019) and Data Validation Guidelines Module 1: Data Validation Procedure for Organic Analysis by GC/MS. This assessment has been made through a combination of automated data review (ADR) and supplemental manual review, the details of which are described below. The approach taken in the review of this data set is consistent with the requirements contained in the Titan 1A Missile Facility, Lincoln CA and the additional guidance documents incorporated by reference to the extent possible. Where definitive guidance is not provided, results have been evaluated in a conservative manner using professional judgment.

Sample collection was managed and directed by Parsons Corporation, Austin, TX; analyses were performed by EMAX Laboratories, Inc., Torrance, CA and were reported under sample delivery group (SDG) 24F003. Data have been evaluated electronically based on electronic data deliverables (EDDs) provided by the laboratory, and hard copy data summary forms have also been reviewed during this effort and compared to the automated review output by the reviewers whose signatures appear on the following page. Findings based on the automated data submission and manual data verification processes are detailed in the ADR narrative and throughout this report.

All quality control (QC) elements associated with this SDG have been reviewed by a project chemist in accordance with the requirements defined for the project. This review is documented in the attached Data Review Checklists. The QC elements listed below were supported by the electronic deliverable and were evaluated using ADR processes.

Field Duplicate RPD

Lab Blank

LCS Recovery

LCS RPD

Prep Hold Time

Surrogate

Test Hold Time

Trip Blank

Results of the ADR process were subsequently reviewed and updated as applicable by the data review chemists identified on the signature page. Quality control elements that were not included in the electronic deliverable were reviewed manually and findings are documented within this report. Summaries of findings and associated qualified results are documented throughout this report.

A total of 0 results (0.00%) out of the 209 results (sample and field QC samples) reported are qualified based on review and 0 results (0.00%) have been rejected or deemed a serious deficiency (X qualifier). Trace values, defined as results that are qualified as estimated because they fall between the detection limit and the reporting limit/limit of quantitation, are not counted as qualified results in the above count. The qualified results are detailed throughout this report and discussed in the narrative below, where appropriate.

Narrative Comments

Analytical Method	Data Reviewer Comment
SW8260C	No additional comments; see Checklist for detail.

Beth Driskill

July 15, 2024

Reviewed by Beth Driskill, Senior Scientist, Parsons Corporation

As the Reviewer, I certify that I have performed a data review process in accordance with the requirements of the project guidance document, and have compared the electronic data to the laboratory's hard copy report and have verified the consistency of the reported sample results and method quality control data between the two deliverables.

Quality Control Outliers for test method SW8260C, Trip Blank

The purpose of trip blanks is to determine the existence and magnitude of cross-contamination problems resulting from the shipping of samples. Reported results were evaluated to determine compliance with the required acceptance criteria. Summary forms were evaluated and compared to electronic data deliverables. Findings of this review, and contaminants found in trip blanks are listed below along with any associated qualified results.

Sample ID/ Lab Sample ID	Analyte	Result	Warning Limits	Control Limits	Units	Qualifier	Reason Code	Comment
TB-1_MAY24 (TB) 24F003-18	Toluene	0.330	< 0.1	< 1	ug/l	U/None*	T	
TB-2_MAY24 (TB) 24F003-19	Toluene	0.290	< 0.1	< 1	ug/l	U/None*	T	

Where two qualifiers are listed, such as 'J/UJ', the first applies to positive results, and the second to non-detect results.
Upper and Lower Warning and Control Limits are abbreviated UWL, LWL, UCL, and LCL in the Comment field.

*Blank flags displayed in the above table identify qualification of the sample result when it is less than or equal to the LOQ/RL. Sample results above the LOD or LOQ will be qualified based on the validation guidance assigned in the project setup.

No results associated with this QC element required qualification.

Qualified Results

No results associated with this sample delivery group required qualification.

Results with Modified Qualifiers

No qualifiers associated with this sample delivery group were modified manually.

Reason Code Definitions

Code	Definition
T	Trip Blank
TR	Trace Level Detect

Flag Code and Definitions

Flag	Definition
J	Estimated Value
N	The analysis indicates the presence of an analyte for which there was presumptive evidence to make a tentative identification.
NJ	The analyte has been tentatively identified or presumptively as present and the associated numerical value was the estimated concentration in the sample.
R	The data are rejected due to deficiencies in meeting QC criteria and may not be used for decision making.
U	Undetected: The analyte was analyzed for, but not detected.
UJ	The analyte was not detected; however, the result is estimated due to discrepancies in meeting certain analyte-specific quality control criteria.
X	Result may require rejection; PDT attention required

Bias

-	The result may be biased low
+	The result may be biased high

Note - The bias field is a separate field; however, it is an integral part of the final flag (qualifier) on the sample result

Review Questions

Method: SW8260C (Volatile Organic Compounds by GC/MS)

Review Questions	Yes	No	NA	Comment
Were there discrepancies between the COC and the samples received?		•		
Were there discrepancies between the COC and the sample labels?	•			The following discrepancies were noted: 1. The analysis was not marked on the COC for samples -01 through -10. 2. The analysis was not included on the container label for any of the samples. 3. The sample ID on the COC was missing the leading "0". An email was sent to the laboratory by Parsons instructing them of the analysis to be performed for all samples and the correct sample ID.
Were samples relinquished properly on the COC?	•			
Were all samples properly preserved?	•			
Were sampling dates/times, date and time of laboratory receipt of samples, and sample conditions upon receipt at the laboratory (including preservation, pH, and temperature) documented?	•			
Were sample results reported with percent moisture correction if required?			•	
Were analytical methods performed and analysis dates present?	•			
Were all requested target analytes reported?	•			
Were QAPP specified Project Quantitation Limit Goals achieved? (The laboratory LOQ is compared to the QAPP Project Quantitation Goal)		•		The LOQ value for the following analytes are greater than the Project Quantitation Limit Goal: 1,4-Dichlorobenzene, Benzene, Ethylbenzene, Trichloroethene, and Vinyl Chloride.
Were holding times met?	•			
Were trip blanks analyzed at the proper frequency and in control?	•			Both trip blank samples had detections of toluene below the LOQ. All the field samples were non-detect for toluene; therefore, data quality was not impacted and results were not qualified.
Were field blanks analyzed at the proper frequency and in control?			•	Field blanks were not planned to be collected for this sampling event.
Were equipment blanks analyzed at the proper frequency and in control?	•			One equipment blank and one source blank were associated with the samples in this SDG. Both blanks were non-detect for all target analytes.
Was a method blank prepared and analyzed with each batch?	•			
Were target analytes in the method blank less than DL?	•			
Was an LCS/LCSD pair prepared and analyzed with each batch?	•			
Were LCS/LCSD recoveries within project acceptance limits?	•			
Was the LCS/LCSD RPD within project acceptance limits?	•			
Was a MS/MSD pair prepared with each batch?		•		A project MS/MSD was not collected with the samples in this SDG and the laboratory did not select a project sample form this SDG for MS/MSD analysis.
Were MS/MSD recoveries within project acceptance limits?			•	
Was the MS/MSD RPD within project acceptance limits?			•	
If ISM was used for sample collection, were laboratory triplicates analyzed and within project acceptance limits?			•	

Review Questions

Method: SW8260C (Volatile Organic Compounds by GC/MS)

Review Questions	Yes	No	NA	Comment
Were surrogate recoveries within project acceptance limits?	•			
Were field replicates (duplicates, triplicates, etc.) analyzed at the proper frequency and in control?	•			
Were reported sample concentrations within calibration range?	•			
Was the GC/MS system properly tuned based on method criteria?	•			
Was instrument tuning completed every 12 hours during sample analysis?	•			
Was the Calibration within project acceptance criteria?	•			
Was a ICV performed after each ICAL prior to sample analysis and within project acceptance criteria?	•			
Were CCVs run at the required frequency and within project acceptance criteria?	•			
Were internal standard retention times and area criteria within project acceptance criteria?	•			
Were internal standards spiked for every sample, standard, and QC sample?	•			
Were instrument run logs present and filled out appropriately?	•			
Were sample preparation sheets present and filled out appropriately?	•			
Were certificates of standard traceability and documentation of standard solution preparation provided?	•			
Were recalculation of QC Elements and Sample Results performed?	•			
Were Relative Retention Times (RRTs) within ± 0.06 RRT units (may be updated based on daily CCV)?	•			
Were chromatograms checked for peak integration? (10% of automated integration and 100% of manual integrations)	•			
Were chromatograms checked for correct baseline/peak integration and possible interferences?	•			
Were qualitative ion mass present?	•			
Have all Laboratory Case Narrative comments/findings been addressed in the data review process?	•			
Were DoD QSM corrective actions followed if deviations were noted?	•			
Were any data recommended for exclusion in the data validation process?		•		

Module 1: Analysis by GC/MS

Lab/SDG: **EMAX / 24F003**

RECALCULATION TYPE	TAB Reference
Tune: Ion Abundance	TUNE
Tailing Factor	not applicable for 8260
Calibration RF	ICAL RF
Calibration RRT	Rel RT
ICV/CCV %D	ICAL RF
Sample Conc. Raw Values	ICAL RF
Sample Conc. Linear Regression	not applicable
Quadratic Regression	not applicable
LCS % Recovery	ICAL RF
Surrogate % Recovery	ICAL RF
MS/MSD % Recovery	ICAL RF
MS/MSD RPD	ICAL RF
Sample Amounts	ICAL RF
Sample Conc. by Volume (Aqueous Only)	ICAL RF
Sample Conc. by Weight (Non-aqueous only)	not applicable

6.1 SAMPLES AND QC	COMMENT
Sample recalculations should include the raw instrument result, re-quantified from the instrument response against the calibration function, and the final reported sample result, including any dilution, preparation factor, or percent moisture (if applicable). The equations in Appendix B can be used to calculate a sample result from the corresponding reported calibration or regression function, as appropriate	Provided in ICAL RF tab
Verify that one or more of the laboratory's reporting limits (such as limit of quantitation) are calculated correctly for the non-detects and reported accordingly. If a detection limit study was identified by the QAPP, recalculate one or more analyte detection limits.	Provided in LOQ Recalc tab
Re-quantitate **all detected target analytes in the 10% sample data chosen**. For some samples, all results may be non-detects, therefore recalculation would not be necessary. Verify that sample-specific results have been adjusted correctly to reflect percent solids, original sample mass/volume, and any applicable dilutions.	Provided in ICAL RF tab

Module 1: Analysis by GC/MS

Lab/SDG: EMAX / 24F003

Re-quantitate **all detects found in the field QC blanks** (such as trip blanks, field blanks, or equipment blanks). Field QC sample duplicate recalculations should include re-quantification of the same detected analyte sample/duplicate pair and verification of the percent difference (%D), or relative percent difference (RPD), as reported	Provided in Blank Detections tab
6.2 Method QC	
Re-quantification of batch QC sample results should use raw instrument response in tandem with the reported calibration factor, response factor, or slope; the preparation information; and percent moisture for solid samples to recreate the reported result.	Provided in ICAL RF tab
6.2.1 Surrogate Spikes	
Verify the concentrations of surrogates from the raw data. Verify that the surrogate result and percent recovery were calculated and reported correctly by re-calculating all surrogates in the 10% of chosen sample data and method QC that were originally selected.	Provided in ICAL RF tab
6.2.2 LCS/LCSD	
To check that the spike percent recovery was calculated and reported correctly, using the equation in Appendix B, re-quantitate and then recalculate all contaminants of concern as outlined in the UFP-QAPP Worksheet #12 or #15. Use a random 10% of the analytes in the LCS/LCSD if contaminants of concern (target analytes) have not been specifically identified. Recalculate RPDs (if applicable) from LCS/LCSD pairs that would result in the qualification of a sample.	Provided in ICAL RF tab
6.2.3 MS/MSD	
Re-quantitate 10% of the target analytes as listed in the UFP-QAPP Worksheet #12 or #15 for both the MS and the MSD. Use a random 10% of the analytes in the MS and MSD if contaminates of concern have not been identified. The RPDs of the recalculated MS/MSD pairs should be calculated from the MS/MSD concentrations, not from the recoveries.	Provided in ICAL RF tab
6.2.4 Method Blanks	
Re-quantitate one or more detects found in the method blank (if applicable) from the reported average RF (or higher order regression, if used) per each batch of samples.	No method blank detections were found; no recalcs needed
6.3 Insturment QC	
6.3.1 Tune Check	
Verify by re-calculating from the quantitation reports, that the mass assignment is correct and that the mass listing is normalized to the specified m/z for at least 10% of the abundance ratios in every tune. Verify by recalculation that the reported DDT degradation and tailing factor are accurate for SVOC performance checks.	Provided in TUNE tab

Module 1: Analysis by GC/MS

Lab/SDG: EMAX / 24F003

6.3.2 Initial (Response Factors and Regressions) and Continuing Calibration Verifications

Initial calibration (ICAL) recalculations should use the raw instrument response for the target analytes and associated internal standards to recreate the calibration curve from the individual calibration standards. If multiple types of calibration curves are employed in an analytical suite, then one analyte per curve type should be recalculated.	Provided in ICAL RF tab
Re-quantitate and recalculate the individual and average RFs, %RSDs, and regression function (if used) and r values reported for at least 10% of the target analytes per each internal standard, (preferably analytes of concern which were identified in the QAPP), per initial calibration curve type.	Provided in ICAL RF tab
Re-quantitate and recalculate the Initial and Continuing Calibration Verification RF result and %D for at least 10% of the target analytes, proportionally per each internal standard and proportionally selecting analytes based on each calibration curve type.	Provided in ICAL RF tab
The laboratory may employ a linear or weighted linear least squares regression. The low standard should be recalculated using the calibration curve and evaluated. RFs should not be evaluated for analytes with linear or higher order regression curves. If the ICAL included refitting of the data back to the model (RSE), the recalculate 10% of the target analytes for the RSE in each ICAL.	Linear regression was not used for any target analytes in this SDG

6.3.3 Internal Standards

Verify all internal standards reported from the raw data for at least one sample per batch of samples, and verify internal standard areas for samples that were qualified due to out-of-control internal standard areas.	No calculations were performed; internal stds were verified as required. Recalculations of all analyte concentrations further confirm IS quantitation.

6.4 Standards Traceability

Check that the stock standards were diluted properly into working standards by recalculating the dilutions of one or more **calibration standards**. Recalculate one or more **surrogate** dilutions. Recalculate one or more method QC sample dilutions (such as **LCS or MS/MSD**) from the stock to the working standard.	Provided in Standards tab

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F003

TUNE


Data file: REG116.D
Acq On: 5/17/2024 11:23
Sample ID: BFBE2E09


Target Mass	RAW Abundance	Rel to Mass	Rel Abn%	Lower limit	Upper Limit
50	11125	95	20.27630	15	40
75	27461	95	50.05012	30	60
95	54867	95	100	100	100
96	3687	95	6.71989	5	9
173	441	174	0.96450	0	2
174	45723	95	83.33424	50	100
175	3423	174	7.48639	5	9
176	44603	174	97.55047	95	101
177	2888	174	6.31630	5	9

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F003

Internal Standard Initial Calibration and Calculation Worksheet

Lab: EMAX
Method: 8260C
SDG: 24F003
Instrument: E2
Curve Date: 5/17/2024
Compound: **trans-1,2-Dichloroethene**
Internal Standard: 1,4-Difluorobenzene
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
TIAMF-MW059-MAY24
TIAMF-MW044-MAY24
TIAMF-MW047-MAY24
TIAMF-MW046-MAY24
TIAMF-MW050-MAY24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
14728	549104	0.5	10	0.026821877	0.05	0.0025	0.536
28258	528810	1	10	0.053436962	0.1	0.01	0.534
47642	504172	2	10	0.094495529	0.2	0.04	0.472
131904	487048	5	10	0.27082341	0.5	0.25	0.542
226218	483746	10	10	0.467637975	1	1	0.468
612820	462286	30	10	1.325629589	3	9	0.442
1147795	519193	50	10	2.210728958	5	25	0.442
2262018	530663	100	10	4.262626186	10	100	0.426
4873441	568040	200	10	8.579397578	20	400	0.429
SUM OF EACH COLUMN :				**2.2388**	**4.85**	**10.3025**	**2.9944**

CALIBRATION MODELS:
Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.477	**AVERAGE(RF)**
RSD	10.07%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.43807	0.45262	0.47663	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.01904	0.00727	0.003513	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99932	0.99776	0.99600	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99863	0.99552	0.99202	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate


Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Final Volume (mL)	Initial Volume (mL)	Final Concentration (ug/L)	Spike Amt (ug/L)	% Recovery	%D	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis			Final Conc = (On column * Final Vol / Initial Vol)			%R = (final conc / spike amt.)x100		%D = ABS((final conc-spike amt)/spike amt)*100	RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
TIAMF-MW059-MAY24	RFG075.D	0	517077	10	0.00	-0.435	-0.161	-0.074	10.000	10.000	0.0	NA	NA	NA	NA
TIAMF-MW044-MAY24	RFG076.D	5465	505402	10	0.23	-0.188	0.078	0.153	10.000	10.000	0.23	NA	NA	NA	NA
TIAMF-MW047-MAY24	RFG077.D	7101	493646	10	0.30	-0.106	0.157	0.228	10.000	10.000	0.30	NA	NA	NA	NA
TIAMF-MW046-MAY24	RFG078.D	4123	484255	10	0.18	-0.240	0.027	0.105	10.000	10.000	0.18	NA	NA	NA	NA
TIAMF-MW050-MAY24	RFG079.D	3231	468785	10	0.14	-0.277	-0.008	0.071	10.000	10.000	0.14	NA	NA	NA	NA
MB (VOE2F03B)	RFG067.D	0	727124	10	0.0	-0.435	-0.161	-0.074	10.000	10.000	0	NA	NA	NA	NA
LCS (VOE2F03L)	RFG063.D	381609	792750	10	10.09	10.554	10.475	10.026	10.000	10.000	10.09	10.000	101	NA	1.5
LCSD (VOE2F03C)	RFG064.D	401525	821664	10	10.25	10.721	10.636	10.179	10.000	10.000	10.25	10.000	102	NA	
MB (VOE2F04B)	RFG096.D	0	600187	10	0.00	-0.435	-0.161	-0.074	10.000	10.000	0.00	NA	NA	NA	NA
LCS (VOE2F04L)	RFG093.D	313496	700127	10	9.39	9.787	9.732	9.321	10.000	10.000	9.39	10.000	94	NA	3.5
LCSD (VOE2F04C)	RFG094.D	304388	703905	10	9.07	9.437	9.393	8.999	10.000	10.000	9.07	10.000	90.7	NA	
ICV (5/18/24 @ 09:57)	REG131.D	314802	647637	10	10.19	10.661	10.578	10.124	10.000	10.000	10.19	10.000	102	1.93	NA
CCV (6/10/24 @ 16:35)	RFG062.D	375609	754319	10	10.44	10.932	10.841	10.373	10.000	10.000	10.44	10.000	104	4.4	NA
CCV (6/11/24 @ 2:43)	RFG088.D	238047	493624	10	10.11	10.574	10.494	10.044	10.000	10.000	10.11	10.000	101	1.1	NA
CCV (6/11/24 @ 13:35)	RFG092.D	277671	670311	10	8.69	9.022	8.991	8.617	10.000	10.000	8.69	10.000	86.9	13.1	NA
CCV (6/12/24 @ 00:30)	RFG119.D	247820	558649	10	9.30	9.692	9.640	9.233	10.000	10.000	9.30	10.000	93	7.0	NA

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F003

Internal Standard Initial Calibration and Calculation Worksheet

Lab: EMAX
Method: 8260C
SDG: 24F003
Instrument: E2
Curve Date: 5/17/2024
Compound: **cis-1,2-Dichloroethene**
Internal Standard: 1,4-Difluorobenzene
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
TIAMF-MW059-MAY24
TIAMF-MW044-MAY24
TIAMF-MW047-MAY24
TIAMF-MW046-MAY24
TIAMF-MW050-MAY24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
16247	549104	0.5	10	0.029588202	0.05	0.0025	0.592
32895	528810	1	10	0.062205707	0.1	0.01	0.622
54578	504172	2	10	0.108252739	0.2	0.04	0.541
142504	487048	5	10	0.292587178	0.5	0.25	0.585
250974	483746	10	10	0.518813592	1	1	0.519
721585	462286	30	10	1.560906019	3	9	0.520
1319898	519193	50	10	2.5422107	5	25	0.508
2606989	530663	100	10	4.912701658	10	100	0.491
5762701	568040	200	10	10.14488592	20	400	0.507
SUM OF EACH COLUMN :				**2.5724**	**4.85**	**10.3025**	**3.3794**

CALIBRATION MODELS:

Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.543	**AVERAGE(RF)**
RSD	8.40%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.51674	0.52249	0.54006	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.01103	0.00638	0.003627	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99979	0.99919	0.99720	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99958	0.99838	0.99440	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate


Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Final Volume (mL)	Initial Volume (mL)	Final Concentration (ug/L)	Spike Amt (ug/L)	% Recovery	%D	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis			Final Conc = (On column * Final Vol / Initial Vol)			%R = (final conc / spike amt.)x100		%D = ABS((final conc-spike amt)/spike amt)*100	RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
TIAMF-MW059-MAY24	RFG075.D	8185	517077	10	0.29	0.093	0.181	0.226	10.000	10.000	0.29	NA	NA	NA	NA
TIAMF-MW044-MAY24	RFG076.D	57822	505402	10	2.11	2.001	2.068	2.051	10.000	10.000	2.1	NA	NA	NA	NA
TIAMF-MW047-MAY24	RFG077.D	27723	493646	10	1.03	0.873	0.953	0.973	10.000	10.000	1.0	NA	NA	NA	NA
TIAMF-MW046-MAY24	RFG078.D	68791	484255	10	2.62	2.536	2.597	2.563	10.000	10.000	2.6	NA	NA	NA	NA
TIAMF-MW050-MAY24	RFG079.D	14281	468785	10	0.56	0.376	0.461	0.497	10.000	10.000	0.56	NA	NA	NA	NA
MB (VOE2F03B)	RFG067.D	0	727124	10	0.0	-0.213	-0.122	-0.067	10.000	10.000	0	NA	NA	NA	NA
LCS (VOE2F03L)	RFG063.D	438573	792750	10	10.19	10.493	10.466	10.177	10.000	10.000	10.19	10.000	102	NA	3.7
LCSD (VOE2F03C)	RFG064.D	471856	821664	10	10.58	10.900	10.869	10.566	10.000	10.000	10.58	10.000	106	NA	
MB (VOE2F04B)	RFG096.D	0	600187	10	0.00	-0.213	-0.122	-0.067	10.000	10.000	0.00	NA	NA	NA	NA
LCS (VOE2F04L)	RFG093.D	376607	700127	10	9.91	10.196	10.173	9.893	10.000	10.000	9.91	10.000	99	NA	4.3
LCSD (VOE2F04C)	RFG094.D	362567	703905	10	9.49	9.754	9.736	9.470	10.000	10.000	9.49	10.000	94.9	NA	
ICV (5/18/24 @ 09:57)	REG131.D	358317	647637	10	10.19	10.494	10.467	10.177	10.000	10.000	10.19	10.000	102	1.90	NA
CCV (6/10/24 @ 16:35)	RFG062.D	442114	754319	10	10.80	11.129	11.096	10.786	10.000	10.000	10.80	10.000	108	8.0	NA
CCV (6/11/24 @ 2:43)	RFG088.D	279078	493624	10	10.41	10.728	10.698	10.401	10.000	10.000	10.41	10.000	104	4.1	NA
CCV (6/11/24 @ 13:35)	RFG092.D	328565	670311	10	9.03	9.272	9.259	9.009	10.000	10.000	9.03	10.000	90.3	9.7	NA
CCV (6/12/24 @ 00:30)	RFG119.D	297945	558649	10	9.82	10.108	10.085	9.808	10.000	10.000	9.82	10.000	98	1.8	NA

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F003

Internal Standard Initial Calibration and Calculation Worksheet

Lab: EMAX
Method: 8260C
SDG: 24F003
Instrument: E2
Curve Date: 5/17/2024
Compound: **Trichloroethene**
Internal Standard: 1,4-Difluorobenzene
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
TIAMF-MW059-MAY24
TIAMF-MW044-MAY24
TIAMF-MW047-MAY24
TIAMF-MW046-MAY24
TIAMF-MW050-MAY24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
15745	549104	0.5	10	0.028673985	0.05	0.0025	0.573
29804	528810	1	10	0.056360508	0.1	0.01	0.564
46157	504172	2	10	0.091550106	0.2	0.04	0.458
134582	487048	5	10	0.276321841	0.5	0.25	0.553
238953	483746	10	10	0.493963774	1	1	0.494
687887	462286	30	10	1.48801175	3	9	0.496
1248919	519193	50	10	2.405500459	5	25	0.481
2438563	530663	100	10	4.595313787	10	100	0.460
5312995	568040	200	10	9.35320576	20	400	0.468
SUM OF EACH COLUMN :				**2.4349**	**4.85**	**10.3025**	**3.1374**

CALIBRATION MODELS:

Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.505	**AVERAGE(RF)**
RSD	9.09%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.49409	0.49703	0.49795	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00642	0.00405	0.003907	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99976	0.99898	0.99593	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99951	0.99796	0.99188	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate

Sample Concentration Calculations

Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Final Volume (mL)	Initial Volume (mL)	Final Concentration (ug/L)	Spike Amt (ug/L)	% Recovery	%D	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis			Final Conc = (On column * Final Vol / Initial Vol)			%R = (final conc / spike amt.)x100		%D = ABS((final conc-spike amt)/spike amt)*100	RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
TIAMF-MW059-MAY24	RFG075.D	182490	517077	10	6.99	7.013	7.019	7.009	10.000	10.000	7.0	NA	NA	NA	NA
TIAMF-MW044-MAY24	RFG076.D	1182752	505402	10	46.33	47.234	47.003	46.919	10.000	10.000	46	NA	NA	NA	NA
TIAMF-MW047-MAY24	RFG077.D	504223	493646	10	20.22	20.543	20.469	20.434	10.000	10.000	20	NA	NA	NA	NA
TIAMF-MW046-MAY24	RFG078.D	2824910	484255	10	115.50	117.935	117.287	117.073	10.000	10.000	115	NA	NA	NA	NA
TIAMF-MW050-MAY24	RFG079.D	342747	468785	10	14.48	14.668	14.629	14.605	10.000	10.000	14	NA	NA	NA	NA
MB (VOE2F03B)	RFG067.D	0	727124	10	0.0	-0.130	-0.082	-0.078	10.000	10.000	0	NA	NA	NA	NA
LCS (VOE2F03L)	RFG063.D	372826	792750	10	9.31	9.388	9.381	9.366	10.000	10.000	9.31	10.000	93	NA	4.5
LCSD (VOE2F03C)	RFG064.D	404017	821664	10	9.74	9.822	9.811	9.796	10.000	10.000	9.74	10.000	97	NA	
MB (VOE2F04B)	RFG096.D	0	600187	10	0.00	-0.130	-0.082	-0.078	10.000	10.000	0.00	NA	NA	NA	NA
LCS (VOE2F04L)	RFG093.D	318340	700127	10	9.00	9.073	9.067	9.053	10.000	10.000	9.00	10.000	90	NA	4.0
LCSD (VOE2F04C)	RFG094.D	307489	703905	10	8.65	8.711	8.707	8.694	10.000	10.000	8.65	10.000	86.5	NA	
ICV (5/18/24 @ 09:57)	REG131.D	324173	647637	10	9.91	10.001	9.989	9.974	10.000	10.000	9.91	10.000	99	0.90	NA
CCV (6/10/24 @ 16:35)	RFG062.D	373994	754319	10	9.82	9.905	9.894	9.878	10.000	10.000	9.82	10.000	98	1.8	NA
CCV (6/11/24 @ 2:43)	RFG088.D	241877	493624	10	9.70	9.787	9.777	9.762	10.000	10.000	9.70	10.000	97	3.0	NA
CCV (6/11/24 @ 13:35)	RFG092.D	279167	670311	10	8.25	8.299	8.298	8.285	10.000	10.000	8.25	10.000	82.5	17.5	NA
CCV (6/12/24 @ 00:30)	RFG119.D	263323	558649	10	9.33	9.410	9.402	9.388	10.000	10.000	9.33	10.000	93	6.7	NA

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F003

Lab: EMAX
Method: 8260C
Instrument: E2
Curve Date: 5/17/2024
Compound: **Trichloroethene**
Internal Standard: 1,4-Difluorobenzene

ICAL PT	Analyte RT	INT STD RD	RRT
0.5	6.362	5.987	0.941
1	6.373	5.987	0.939
2	6.373	5.987	0.939
5	6.373	5.987	0.939
10	6.373	5.987	0.939
30	6.372	5.987	0.940
50	6.372	5.987	0.940
100	6.373	5.987	0.939
200	6.373	5.987	0.939

Module 1: Analysis by GC/MS

Lab/SDG: EMAX / 24F003

Compound Benzene

Sample ID TIAMF-MW059-MAY24

QAPP LOQ (ug/L)	Initial Vol (mL)	Final Vol (mL)	DF	Final LOQ
1.0	10.000	10.000	1.0	1.0


REPORTED LOQ (ug/L)


1.0

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F003

Internal Standard Initial Calibration and Calculation Worksheet

Lab: EMAX
Method: 8260C
SDG: 24F003
Instrument: E2
Curve Date: 5/17/2024
Compound: **Toluene**
Internal Standard: Chlorobenzene-d5
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
58579	464476	0.5	10	0.126118465	0.05	0.0025	2.522
112834	434355	1	10	0.259773687	0.1	0.01	2.598
187086	426041	2	10	0.439126751	0.2	0.04	2.196
511175	411703	5	10	1.241611064	0.5	0.25	2.483
921140	409470	10	10	2.249590935	1	1	2.250
2303744	374024	30	10	6.159348063	3	9	2.053
4751397	435004	50	10	10.92265129	5	25	2.185
9406948	467581	100	10	20.11832816	10	100	2.012
19948069	471885	200	10	42.27315765	20	400	2.114
SUM OF EACH COLUMN :				**10.4756**	**4.85**	**10.3025**	**14.1017**

CALIBRATION MODELS:
Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	2.268	**AVERAGE(RF)**
RSD	9.46%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	2.03708	2.11420	2.23358	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.09929	0.03695	0.018265	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99919	0.99777	0.99581	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99839	0.99554	0.99164	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate

Sample Concentration Calculations

Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Final Volume (mL)	Initial Volume (mL)	Final Concentration (ug/L)	Spike Amt (ug/L)	% Recovery	%D	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis			Final Conc = (On column * Final Vol / Initial Vol)			%R = (final conc / spike amt.)x100		%D = ABS((final conc-spike amt)/spike amt)*100	RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
TB-1_MAY24	RFG073.D	31439	422620	10	0.33	-0.122	0.177	0.251	10.000	10.000	0.33	NA	NA	NA	NA
TB-2_MAY24	RFG074.D	27694	414099	10	0.29	-0.159	0.142	0.218	10.000	10.000	0.29	NA	NA	NA	NA

Module 1: Analysis by GC/MS

Lab/SDG: EMAX / 24F003

	TIAMF-MW059-MAY24				TIAMF-MW044-MAY24			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	517077	404842	199904	517077	505402	390333	183981	505402
Surrogate Response	462329	854770	317721	314094	447050	830167	310815	313557
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	11.05	10.63	10.01	9.93	10.93	10.70	10.65	10.14
Surr %R	111	106	100	99	109	107	106	101

	TIAMF-MW047-MAY24				TIAMF-MW046-MAY24			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	493646	384955	184007	493646	484255	379562	181666	484255
Surrogate Response	444707	819010	299731	297685	452657	802434	295956	294518
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	11.14	10.71	10.26	9.85	11.55	10.64	10.27	9.94
Surr %R	111	107	103	99	116	106	103	99

	TIAMF-MW050-MAY24			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	468785	377159	180466	468785
Surrogate Response	439528	788990	292307	299434
Calibration RF	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10
Surr Conc. (ppb)	11.59	10.53	10.21	10.44
Surr %R	116	105	102	104

	MB (VOE2F03B)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	727124	552730	266282	727124
Surrogate Response	605141	1181499	441902	427619
Calibration RF	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10
Surr Conc. (ppb)	10.29	10.76	10.46	9.61
Surr %R	103	108	105	96

	LCS (VOE2F03L)				LCSD (VOE2F03C)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	792750	646227	321378	792750	821664	645570	324769	821664
Surrogate Response	638295	1343222	531007	477546	656812	1349262	556714	472839
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	9.95	10.46	10.41	9.84	9.88	10.52	10.80	9.40
Surr %R	100	105	104	98	99	105	108	94

Module 1: Analysis by GC/MS

Lab/SDG: **EMAX / 24F003**

	MB (VOE2F04B)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	600187	469288	222326	600187
Surrogate Response	524716	987879	374680	365937
Calibration RF	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10
Surr Conc. (ppb)	10.81	10.59	10.62	9.96
Surr %R	108	106	106	100

	LCS (VOE2F04L)				LCSD (VOE2F04C)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	700127	552821	279028	700127	703905	550837	285241	703905
Surrogate Response	600152	1166618	489887	421921	576775	1162432	480962	412093
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	10.60	10.62	11.06	9.85	10.13	10.62	10.62	9.57
Surr %R	106	106	111	98	101	106	106	96

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F003

CALCULATION OF WORKING STANDARD FROM STOCK

CALIBRATION STANDARD

Name of Stock Standard:	CPI International "Custom Volatiles Mix"
Conc of Stock Std	2000 ug/mL (ppm)
Aliquot of Stock Std used:	0.250 mL
Final Conc of Working standard	250 ug/mL (ppm)

C2 = C1*V1)/V2

C1	**V1**	**V2**	**C2**
2000	0.250	2.0	250

where
C1 = concentration of Stock standard
V1 = Volume of stock standard used
C2 = Concentration of working standard
V2 = Final volume of working standard

Calibration pt at 1ug/L

	From analytical log spike amt	concentration	purge volume (see analysis run log)	**spike amt in L**	**amount spiked**	**concentration of amount spiked = (amount spiked/ purge volue)**
Filename REG119: – 1ug/L point	0.04 uL	250 mg/L	10 ml	0.00000004 L	0.00001 mg	0.001 mg/L 1 ug/L

SURROGATE STANDARD

Name of Stock Standard:	RESTEK "8260A Surrogate Mix"
Conc of Stock Std	2500 ug/mL (ppm)
Aliquot of Stock Std used:	0.200 mL
Final Conc of Working standard	50 ug/mL (ppm)

C2 = C1*V1)/V2

C1	**V1**	**V2**	**C2**
2500	0.200	10	50

where
C1 = concentration of Stock standard
V1 = Volume of stock standard used
C2 = Concentration of working standard
V2 = Final volume of working standard

	From analytical log spike amt	concentration	purge volume (see analysis run log)	**spike amt in L**	**amount spiked**	**concentration of amount spiked = (amount spiked/ purge volue)**
IS/ Surr	5 uL	20 mg/L	10 ml	0.000005 L	0.0001 mg	0.01 mg/L 10 ug/L

Module 1: Analysis by GC/MS

Lab/SDG: EMAX / 24F003

ICV/LCS STANDARD (second source)

Name of Stock Standard:	RESTEK "Custom Revised 2060 Megamix"
Conc of Stock Std	2000 ug/mL (ppm)
Aliquot of Stock Std used:	0.250 mL
Final Conc of Working standard	50 ug/mL

C2 = C1*V1)/V2

C1	**V1**	**V2**	**C2**
2000	0.250	10	50

where
C1 = concentration of Stock standard
V1 = Volume of stock standard used
C2 = Concentration of working standard
V2 = Final volume of working standard

	From analytical log spike amt	concentration	purge volume (see analysis run log)	**spike amt in L**	**amount spiked**	**concentration of amount spiked = (amount spiked/ purge volue)**	
ICV/LCS	0.4 uL	250 mg/L	10 ml	0.0000004 L	0.0001 mg	0.01 mg/L	10 ug/L

Data Validation Report for 24F004

Facility:	J09CA1108-01, Titan 1A Missile Facility, RI
Event:	Spring 2024
SDG:	24F004
Guidance Document:	Titan 1A Missile Facility, Lincoln CA
Prime Contractor:	Parsons Corporation, Austin, TX
Project Manager:	Tim Crummett
Contract Laboratory(ies):	EMAX Laboratories, Inc., Torrance, CA
Data Review Contractor:	Parsons Corporation
Data Review Level:	S2BVEM
Primary Data Reviewer:	Beth Driskill, Senior Scientist
Date Submitted:	July 16, 2024

Field Sample ID	Lab Sample ID	Matrix	Type/Type Code	SW 260C
T1AMF-EW001-MAY24	24F004-08	Water	Field Sample/N	X
T1AMF-MW019-MAY24	24F004-01N	Water	Field Sample/N	X
T1AMF-MW022-MAY24	24F004-06N	Water	Field Sample/N	X
T1AMF-MW042-MAY24	24F004-03	Water	Field Sample/N	X
T1AMF-MW043-MAY24	24F004-05N	Water	Field Sample/N	X
T1AMF-MW045-MAY24	24F004-07	Water	Field Sample/N	X
T1AMF-MW048-MAY24	24F004-09N	Water	Field Sample/N	X
T1AMF-MW054-MAY24	24F004-02	Water	Field Sample/N	X
T1AMF-MW055-MAY24	24F004-04	Water	Field Sample/N	X
T1AMF-MW056-MAY24	24F004-10N	Water	Field Sample/N	X

This report assesses the analytical data quality associated with the analyses listed on the preceding cover page at S2BVEM data validation level and 10% of the data validated at a Stage 4. Sample TIAMF·MW045·MAY24 was validated at a Stage 4. Validation was performed following the guidelines outlined in the project-specific UFP QAPP, DoD General Data Validation Guidelines, Rev 1 (Nov 2019) and Data Validation Guidelines Module 1: Data Validation Procedure for Organic Analysis by GC/MS. This assessment has been made through a combination of automated data review (ADR) and supplemental manual review, the details of which are described below. The approach taken in the review of this data set is consistent with the requirements contained in the Titan 1A Missile Facility, Lincoln CA and the additional guidance documents incorporated by reference to the extent possible. Where definitive guidance is not provided, results have been evaluated in a conservative manner using professional judgment.

Sample collection was managed and directed by Parsons Corporation, Austin, TX; analyses were performed by EMAX Laboratories, Inc., Torrance, CA and were reported under sample delivery group (SDG) 24F004. Data have been evaluated electronically based on electronic data deliverables (EDDs) provided by the laboratory, and hard copy data summary forms have also been reviewed during this effort and compared to the automated review output by the reviewers whose signatures appear on the following page. Findings based on the automated data submission and manual data verification processes are detailed in the ADR narrative and throughout this report.

All quality control (QC) elements associated with this SDG have been reviewed by a project chemist in accordance with the requirements defined for the project. This review is documented in the attached Data Review Checklists. The QC elements listed below were supported by the electronic deliverable and were evaluated using ADR processes.

- Lab Blank
- LCS Recovery
- LCS RPD
- Prep Hold Time
- Surrogate
- Test Hold Time

Results of the ADR process were subsequently reviewed and updated as applicable by the data review chemists identified on the signature page. Quality control elements that were not included in the electronic deliverable were reviewed manually and findings are documented within this report. Summaries of findings and associated qualified results are documented throughout this report.

A total of 0 results (0.00%) out of the 110 results (sample and field QC samples) reported are qualified based on review and 0 results (0.00%) have been rejected or deemed a serious deficiency (X qualifier). Trace values, defined as results that are qualified as estimated because they fall between the detection limit and the reporting limit/limit of quantitation, are not counted as qualified results in the above count. The qualified results are detailed throughout this report and discussed in the narrative below, where appropriate.

Narrative Comments

Analytical Method	Data Reviewer Comment
SW8260C	Samples AB-1-MAY24 and EB-1-MAY24 were collected by mistake and were cancelled. by Parsons.

Beth Driskill

July 16, 2024

Reviewed by Beth Driskill, Senior Scientist, Parsons Corporation

As the Reviewer, I certify that I have performed a data review process in accordance with the requirements of the project guidance document, and have compared the electronic data to the laboratory's hard copy report and have verified the consistency of the reported sample results and method quality control data between the two deliverables.

Quality Control Outliers for test method SW8260C, Surrogate

Method performance for individual samples is demonstrated through spiking activities. All samples are spiked with surrogate compounds prior to sample preparation. The sample itself may produce effects due to such factors as interferences and high concentrations of analytes. Summary forms were evaluated and compared to electronic data deliverables. Surrogate results that were outside of the acceptance criteria are listed below.

Sample ID/ Lab Sample ID	Analyte	Result	Warning Limits	Control Limits	Units	Qualifier	Reason Code	Comment
T1AMF-MW055-MAY24 (N) 24F004-04	1,2-Dichloroethane-d4	119	81 - 118	10 - 118	percent	J/None	I	

Where two qualifiers are listed, such as 'J/UJ', the first applies to positive results, and the second to non-detect results.
Upper and Lower Warning and Control Limits are abbreviated UWL, LWL, UCL, and LCL in the Comment field.

No results associated with this QC element required qualification.

Qualified Results

No results associated with this sample delivery group required qualification.

Results with Modified Qualifiers

No qualifiers associated with this sample delivery group were modified manually.

Reason Code Definitions

Code	Definition
I	Surrogate recovery outside project limits.
TR	Trace Level Detect

Flag Code and Definitions

Flag	Definition
J	Estimated Value
N	The analysis indicates the presence of an analyte for which there was presumptive evidence to make a tentative identification.
NJ	The analyte has been tentatively identified or presumptively as present and the associated numerical value was the estimated concentration in the sample.
R	The data are rejected due to deficiencies in meeting QC criteria and may not be used for decision making.
U	Undetected: The analyte was analyzed for, but not detected.
U	The analyte was not detected; however, the result is estimated due to discrepancies in meeting certain analyte-specific quality control criteria.
X	Result may require rejection; PDT attention required

Bias

-	The result may be biased low
+	The result may be biased high

Note - The bias field is a separate field; however, it is an integral part of the final flag (qualifier) on the sample result

Review Questions

Method: SW8260C (Volatile Organic Compounds by GC/MS)

Review Questions	Yes	No	NA	Comment
Were there discrepancies between the COC and the samples received?	•			Samples AB-1-MAY24 and EB-1-MAY24 were collected by mistake and were cancelled. by Parsons.
Were there discrepancies between the COC and the sample labels?	•			The following discrepancies were noted: 1. The analysis was not included on the container label for any of the samples. 2. The sample ID on the COC was missing the leading "0". 3. Corrections made to the sample labels were not initialed and dated by field team. An email was sent to the laboratory by Parsons instructing them of the analysis to be performed for all samples and the correct sample ID.
Were samples relinquished properly on the COC?	•			
Were all samples properly preserved?	•			
Were sampling dates/times, date and time of laboratory receipt of samples, and sample conditions upon receipt at the laboratory (including preservation, pH, and temperature) documented?	•			
Were sample results reported with percent moisture correction if required?			•	
Were analytical methods performed and analysis dates present?	•			
Were all requested target analytes reported?	•			
Were QAPP specified Project Quantitation Limit Goals achieved? (The laboratory LOQ is compared to the QAPP Project Quantitation Goal)		•		The LOQ value for the following analytes are greater than the Project Quantitation Limit Goal: 1,4-Dichlorobenzene, Benzene, Ethylbenzene, Trichloroethene, and Vinyl Chloride
Were holding times met?	•			
Were trip blanks analyzed at the proper frequency and in control?		•		Both trip blank samples were included in SDG 24F004 and had detections of toluene below the LOQ. All the field samples were non-detect for toluene; therefore, data quality was not impacted and results were not qualified.
Were field blanks analyzed at the proper frequency and in control?			•	Field blanks were not planned to be collected for this sampling event.
Were equipment blanks analyzed at the proper frequency and in control?	•			One equipment blank and one source blank included in SDG 24F019 were associated with the samples in this SDG. Both blanks were non-detect for all target analytes
Was a method blank prepared and analyzed with each batch?	•			
Were target analytes in the method blank less than DL?	•			
Was an LCS/LCSD pair prepared and analyzed with each batch?	•			
Were LCS/LCSD recoveries within project acceptance limits?	•			
Was the LCS/LCSD RPD within project acceptance limits?	•			
Was a MS/MSD pair prepared with each batch?		•		A project MS/MSD was not collected with the samples in this SDG and the laboratory did not select a project sample form this SDG for MS/MSD analysis.
Were MS/MSD recoveries within project acceptance limits?			•	

Review Questions

Method: SW8260C (Volatile Organic Compounds by GC/MS)

Review Questions	Yes	No	NA	Comment
Was the MS/MSD RPD within project acceptance limits?			•	
If ISM was used for sample collection, were laboratory triplicates analyzed and within project acceptance limits?			•	
Were surrogate recoveries within project acceptance limits?		•		Surrogate 1,2-dichloroethane-d4 recovered high and outside criteria in sample T1AMF-MW055-MAY24. The results were non-detect for all target analytes; therefore, data quality was not impacted and results were not qualified.
Were field replicates (duplicates, triplicates, etc.) analyzed at the proper frequency and in control?			•	Field duplicates were collected and analyzed at the proper frequency required by the project but no field duplicates were included in this SDG.
Were reported sample concentrations within calibration range?	•			
Was the GC/MS system properly tuned based on method criteria?	•			
Was instrument tuning completed every 12 hours during sample analysis?	•			
Was the Calibration within project acceptance criteria?	•			
Was a ICV performed after each ICAL prior to sample analysis and within project acceptance criteria?	•			
Were CCVs run at the required frequency and within project acceptance criteria?	•			
Were internal standard retention times and area criteria within project acceptance criteria?	•			
Were internal standards spiked for every sample, standard, and QC sample?	•			
Were instrument run logs present and filled out appropriately?	•			
Were sample preparation sheets present and filled out appropriately?	•			
Have all Laboratory Case Narrative comments/findings been addressed in the data review process?	•			
Were DoD QSM corrective actions followed if deviations were noted?	•			
Were any data recommended for exclusion in the data validation process?		•		

Module 1: Analysis by GC/MS

Lab/SDG: **EMAX / 24F004**

RECALCULATION TYPE	TAB Reference
Tune: Ion Abundance	TUNE
Tailing Factor	not applicable for 8260
Calibration RF	ICAL RF
Calibration RRT	Rel RT
ICV/CCV %D	ICAL RF
Sample Conc. Raw Values	ICAL RF
Sample Conc. Linear Regression	not applicable
Quadratic Regression	not applicable
LCS % Recovery	ICAL RF
Surrogate % Recovery	ICAL RF
MS/MSD % Recovery	ICAL RF
MS/MSD RPD	ICAL RF
Sample Amounts	ICAL RF
Sample Conc. by Volume (Aqueous Only)	ICAL RF
Sample Conc. by Weight (Non-aqueous only)	not applicable

6.1 SAMPLES AND QC	COMMENT
Sample recalculations should include the raw instrument result, re-quantified from the instrument response against the calibration function, and the final reported sample result, including any dilution, preparation factor, or percent moisture (if applicable). The equations in Appendix B can be used to calculate a sample result from the corresponding reported calibration or regression function, as appropriate	Provided in ICAL RF tab
Verify that one or more of the laboratory's reporting limits (such as limit of quantitation) are calculated correctly for the non-detects and reported accordingly. If a detection limit study was identified by the QAPP, recalculate one or more analyte detection limits.	Provided in LOQ Recalc tab
Re-quantitate **all detected target analytes in the 10% sample data chosen**. For some samples, all results may be non-detects, therefore recalculation would not be necessary. Verify that sample-specific results have been adjusted correctly to reflect percent solids, original sample mass/volume, and any applicable dilutions.	Provided in ICAL RF tab

Module 1: Analysis by GC/MS

Lab/SDG: EMAX / 24F004

Re-quantitate **all detects found in the field QC blanks** (such as trip blanks, field blanks, or equipment blanks). Field QC sample duplicate recalculations should include re-quantification of the same detected analyte sample/duplicate pair and verification of the percent difference (%D), or relative percent difference (RPD), as reported	No field blanks were included in this SDG
6.2 Method QC	
Re-quantification of batch QC sample results should use raw instrument response in tandem with the reported calibration factor, response factor, or slope; the preparation information; and percent moisture for solid samples to recreate the reported result.	Provided in ICAL RF tab
6.2.1 Surrogate Spikes	
Verify the concentrations of surrogates from the raw data. Verify that the surrogate result and percent recovery were calculated and reported correctly by re-calculating all surrogates in the 10% of chosen sample data and method QC that were originally selected.	Provided in ICAL RF tab
6.2.2 LCS/LCSD	
To check that the spike percent recovery was calculated and reported correctly, using the equation in Appendix B, re-quantitate and then recalculate all contaminants of concern as outlined in the UFP-QAPP Worksheet #12 or #15. Use a random 10% of the analytes in the LCS/LCSD if contaminants of concern (target analytes) have not been specifically identified. Recalculate RPDs (if applicable) from LCS/LCSD pairs that would result in the qualification of a sample.	Provided in ICAL RF tab
6.2.3 MS/MSD	
Re-quantitate 10% of the target analytes as listed in the UFP-QAPP Worksheet #12 or #15 for both the MS and the MSD. Use a random 10% of the analytes in the MS and MSD if contaminates of concern have not been identified. The RPDs of the recalculated MS/MSD pairs should be calculated from the MS/MSD concentrations, not from the recoveries.	Provided in ICAL RF tab
6.2.4 Method Blanks	
Re-quantitate one or more detects found in the method blank (if applicable) from the reported average RF (or higher order regression, if used) per each batch of samples.	No method blank detections were found; no recalcs needed
6.3 Insturment QC	
6.3.1 Tune Check	
Verify by re-calculating from the quantitation reports, that the mass assignment is correct and that the mass listing is normalized to the specified m/z for at least 10% of the abundance ratios in every tune. Verify by recalculation that the reported DDT degradation and tailing factor are accurate for SVOC performance checks.	Provided in TUNE tab

Module 1: Analysis by GC/MS

Lab/SDG: **EMAX / 24F004**

6.3.2 Initial (Response Factors and Regressions) and Continuing Calibration Verifications

Initial calibration (ICAL) recalculations should use the raw instrument response for the target analytes and associated internal standards to recreate the calibration curve from the individual calibration standards. If multiple types of calibration curves are employed in an analytical suite, then one analyte per curve type should be recalculated.	Provided in ICAL RF tab
Re-quantitate and recalculate the individual and average RFs, %RSDs, and regression function (if used) and r values reported for at least 10% of the target analytes per each internal standard, (preferably analytes of concern which were identified in the QAPP), per initial calibration curve type.	Provided in ICAL RF tab
Re-quantitate and recalculate the Initial and Continuing Calibration Verification RF result and %D for at least 10% of the target analytes, proportionally per each internal standard and proportionally selecting analytes based on each calibration curve type.	Provided in ICAL RF tab
The laboratory may employ a linear or weighted linear least squares regression. The low standard should be recalculated using the calibration curve and evaluated. RFs should not be evaluated for analytes with linear or higher order regression curves. If the ICAL included refitting of the data back to the model (RSE), the recalculate 10% of the target analytes for the RSE in each ICAL.	Linear regression was not used for any target analytes in this SDG

6.3.3 Internal Standards

Verify all internal standards reported from the raw data for at least one sample per batch of samples, and verify internal standard areas for samples that were qualified due to out-of-control internal standard areas.	No calculations were performed; internal stds were verified as required. Recalculations of all analyte concentrations further confirm IS quantitation.

6.4 Standards Traceability

Check that the stock standards were diluted properly into working standards by recalculating the dilutions of one or more **calibration standards**. Recalculate one or more **surrogate** dilutions. Recalculate one or more method QC sample dilutions (such as **LCS or MS/MSD**) from the stock to the working standard.	Provided in Standards tab

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F004

TUNE


Data file: REG116.D
Acq On: 5/17/2024 11:23
Sample ID: BFBE2E09


Target Mass	RAW Abundance	Rel to Mass	Rel Abn%	Lower limit	Upper Limit
50	11125	95	20.27630	15	40
75	27461	95	50.05012	30	60
95	54867	95	100	100	100
96	3687	95	6.71989	5	9
173	441	174	0.96450	0	2
174	45723	95	83.33424	50	100
175	3423	174	7.48639	5	9
176	44603	174	97.55047	95	101
177	2888	174	6.31630	5	9

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F004

Internal Standard Initial Calibration and Calculation Worksheet

Lab: EMAX
Method: 8260C
SDG: 24F004
Instrument: E2
Curve Date: 5/17/2024
Compound: Vinyl Chloride
Internal Standard: 1,4-Difluorobenzene





red text = manually input values from lab report

The following samples were validated at a Stage 4:
TIAMF-MW045-MAY24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
11508	549104	0.5	10	0.020957778	0.05	0.0025	0.419
25933	528810	1	10	0.049040298	0.1	0.01	0.490
46513	504172	2	10	0.092256214	0.2	0.04	0.461
91465	487048	5	10	0.187794632	0.5	0.25	0.376
201033	483746	10	10	0.415575529	1	1	0.416
609327	462286	30	10	1.31807366	3	9	0.439
1164938	519193	50	10	2.243747508	5	25	0.449
2380759	530663	100	10	4.486385898	10	100	0.449
4720259	568040	200	10	8.309729949	20	400	0.415
SUM OF EACH COLUMN :				**2.0837**	**4.85**	**10.3025**	**2.6014**

CALIBRATION MODELS:

Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.435	**AVERAGE(RF)**
RSD	7.58%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.43932	0.42868	0.42713	**SLOPE(RatioY,RatioX)**
Intercept (b)	-0.00783	0.00076	0.001006	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99949	0.99827	0.99358	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99898	0.99654	0.98720	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate


Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Final Volume (mL)	Initial Volume (mL)	Final Concentration (ug/L)	Spike Amt (ug/L)	% Recovery	%D	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis			Final Conc = (On column * Final Vol / Initial Vol)			%R = (final conc / spike amt.)x100		%D = ABS((final conc-spike amt)/spike amt)*100	RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
TIAMF-MW045-MAY24	RFG044.D	2595	505850	10	0.12	0.295	0.102	0.097	10.000	10.000	0.12	NA	NA	NA	NA
MB (VOE2F02B)	RFG037.D	0	702533	10	0.00	0.178	-0.018	-0.024	10.000	10.000	0	NA	NA	NA	NA
LCS (VOE2F02L)	RFG034.D	366433	804216	10	10.48	10.550	10.611	10.644	10.000	10.000	10.48	10.000	105	NA	10
LCSD (VOE2F02C)	RFG035.D	325969	788614	10	9.50	9.587	9.624	9.654	10.000	10.000	9.50	10.000	95	NA	
MB (VOE2F03B)	RFG067.D	0	727124	10	0.00	0.178	-0.018	-0.024	10.000	10.000	0	NA	NA	NA	NA
LCS (VOE2F03L)	RFG063.D	348108	792750	10	10.10	10.174	10.226	10.257	10.000	10.000	10.10	10.000	101	NA	10
LCSD (VOE2F03C)	RFG064.D	326070	821664	10	9.12	9.211	9.239	9.267	10.000	10.000	9.12	10.000	91	NA	
MB (VOE2F04B)	RFG096.D	0	600187	10	0.00	0.178	-0.018	-0.024	10.000	10.000	0.00	NA	NA	NA	NA
LCS (VOE2F04L)	RFG093.D	333714	700127	10	10.96	11.028	11.101	11.136	10.000	10.000	10.96	10.000	110	NA	4.9
LCSD (VOE2F04C)	RFG094.D	319492	703905	10	10.44	10.510	10.570	10.603	10.000	10.000	10.44	10.000	104	NA	
ICV (5/18/24 @ 09:57)	REG131.D	294360	647637	10	10.45	10.524	10.585	10.617	10.000	10.000	10.45	10.000	105	4.51	NA
CCV (6/08/24 @ 14:28)	RFG033.D	359289	759396	10	10.88	10.948	11.019	11.053	10.000	10.000	10.88	10.000	109	8.8	NA
CCV (6/09/24 @ 00:35)	RFG058.D	240197	446913	10	12.36	12.412	12.520	12.559	10.000	10.000	12.36	10.000	124	23.6	NA
CCV (6/10/24 @ 16:35)	RFG062.D	343187	754319	10	10.46	10.534	10.595	10.628	10.000	10.000	10.46	10.000	105	4.6	NA
CCV (6/11/24 @ 2:43)	RFG088.D	253169	493624	10	11.79	11.853	11.946	11.984	10.000	10.000	11.79	10.000	118	17.9	NA
CCV (6/11/24 @ 13:35)	RFG092.D	315166	670311	10	10.81	10.881	10.950	10.984	10.000	10.000	10.81	10.000	108	8.1	NA

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F004

Internal Standard Initial Calibration and Calculation Worksheet

Lab: EMAX
Method: 8260C
SDG: 24F004
Instrument: E2
Curve Date: 5/17/2024
Compound: **trans-1,2-Dichloroethene**
Internal Standard: 1,4-Difluorobenzene
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
TIAMF·MW045·MAY24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
14728	549104	0.5	10	0.026821877	0.05	0.0025	0.536
28258	528810	1	10	0.053436962	0.1	0.01	0.534
47642	504172	2	10	0.094495529	0.2	0.04	0.472
131904	487048	5	10	0.27082341	0.5	0.25	0.542
226218	483746	10	10	0.467637975	1	1	0.468
612820	462286	30	10	1.325629589	3	9	0.442
1147795	519193	50	10	2.210728958	5	25	0.442
2262018	530663	100	10	4.262626186	10	100	0.426
4873441	568040	200	10	8.579397578	20	400	0.429
SUM OF EACH COLUMN :				**2.2388**	**4.85**	**10.3025**	**2.9944**

CALIBRATION MODELS:

Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.477	**AVERAGE(RF)**
RSD	10.07%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.43807	0.45262	0.47663	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.01904	0.00727	0.003513	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99932	0.99776	0.99600	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99863	0.99552	0.99202	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate

Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Final Volume (mL)	Initial Volume (mL)	Final Concentration (ug/L)	Spike Amt (ug/L)	% Recovery	%D	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis			Final Conc = (On column * Final Vol / Initial Vol)			%R = (final conc / spike amt.)x100		%D = ABS((final conc-spike amt)/spike amt)*100	RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
TIAMF·MW045·MAY24	RFG044.D	8150	505850	10	0.34	-0.067	0.195	0.264	10.000	10.000	0.34	NA	NA	NA	NA
MB (VOE2F02B)	RFG037.D	0	702533	10	0.00	-0.435	-0.161	-0.074	10.000	10.000	0	NA	NA	NA	NA
LCS (VOE2F02L)	RFG034.D	379003	804216	10	9.88	10.323	10.251	9.814	10.000	10.000	9.88	10.000	99	NA	0
LCSD (VOE2F02C)	RFG035.D	371808	788614	10	9.89	10.328	10.256	9.818	10.000	10.000	9.89	10.000	99	NA	
MB (VOE2F03B)	RFG067.D	0	727124	10	0.00	-0.435	-0.161	-0.074	10.000	10.000	0	NA	NA	NA	NA
LCS (VOE2F03L)	RFG063.D	381609	792750	10	10.09	10.554	10.475	10.026	10.000	10.000	10.09	10.000	101	NA	1
LCSD (VOE2F03C)	RFG064.D	401252	821664	10	10.24	10.713	10.628	10.172	10.000	10.000	10.24	10.000	102	NA	
MB (VOE2F04B)	RFG096.D	0	600187	10	0.00	-0.435	-0.161	-0.074	10.000	10.000	0.00	NA	NA	NA	NA
LCS (VOE2F04L)	RFG093.D	313496	700127	10	9.39	9.787	9.732	9.321	10.000	10.000	9.39	10.000	94	NA	3
LCSD (VOE2F04C)	RFG094.D	304388	703905	10	9.07	9.437	9.393	8.999	10.000	10.000	9.07	10.000	91	NA	
ICV (5/18/24 @ 09:57)	REG131.D	314802	647637	10	10.19	10.661	10.578	10.124	10.000	10.000	10.19	10.000	102	1.93	NA
CCV (6/08/24 @ 14:28)	RFG033.D	343392	759396	10	9.48	9.888	9.830	9.414	10.000	10.000	9.48	10.000	95	5.2	NA
CCV (6/09/24 @ 00:35)	RFG058.D	216797	446913	10	10.17	10.639	10.557	10.104	10.000	10.000	10.17	10.000	102	1.7	NA
CCV (6/10/24 @ 16:35)	RFG062.D	375609	754319	10	10.44	10.932	10.841	10.373	10.000	10.000	10.44	10.000	104	4.4	NA
CCV (6/11/24 @ 2:43)	RFG088.D	238047	493624	10	10.11	10.574	10.494	10.044	10.000	10.000	10.11	10.000	101	1.1	NA
CCV (6/11/24 @ 13:35)	RFG092.D	277671	670311	10	8.69	9.022	8.991	8.617	10.000	10.000	8.69	10.000	87	13.1	NA


Module 1: Analysis by GC/MS

Lab/SDG: EMAX / 24F004

Internal Standard Initial Calibration and Calculation Worksheet

Lab: EMAX
Method: 8260C
SDG: 24F004
Instrument: E2
Curve Date: 5/17/2024
Compound: **cis-1,2-Dichloroethene**
Internal Standard: 1,4-Difluorobenzene
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
TIAMF·MW045·MAY24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
16247	549104	0.5	10	0.029588202	0.05	0.0025	0.592
32895	528810	1	10	0.062205707	0.1	0.01	0.622
54578	504172	2	10	0.108252739	0.2	0.04	0.541
142504	487048	5	10	0.292587178	0.5	0.25	0.585
250974	483746	10	10	0.518813592	1	1	0.519
721585	462286	30	10	1.560906019	3	9	0.520
1319898	519193	50	10	2.5422107	5	25	0.508
2606989	530663	100	10	4.912701658	10	100	0.491
5762701	568040	200	10	10.14488592	20	400	0.507
SUM OF EACH COLUMN :				**2.5724**	**4.85**	**10.3025**	**3.3794**

CALIBRATION MODELS:

Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.543	**AVERAGE(RF)**
RSD	8.40%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.51674	0.52249	0.54006	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.01103	0.00638	0.003627	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99979	0.99919	0.99720	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99958	0.99838	0.99440	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate


Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Final Volume (mL)	Initial Volume (mL)	Final Concentration (ug/L)	Spike Amt (ug/L)	% Recovery	%D	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis			Final Conc = (On column * Final Vol / Initial Vol)			%R = (final conc / spike amt.)x100		%D = ABS((final conc-spike amt)/spike amt)*100	RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
TIAMF·MW045·MAY24	RFG044.D	156282	505850	10	5.69	5.765	5.791	5.654	10.000	10.000	5.69	NA	NA	NA	NA
MB (VOE2F02B)	RFG037.D	0	702533	10	0.00	-0.213	-0.122	-0.067	10.000	10.000	0	NA	NA	NA	NA
LCS (VOE2F02L)	RFG034.D	449428	804216	10	10.29	10.601	10.574	10.281	10.000	10.000	10.29	10.000	103	NA	1
LCSD (VOE2F02C)	RFG035.D	435601	788614	10	10.17	10.476	10.450	10.161	10.000	10.000	10.17	10.000	102	NA	
MB (VOE2F03B)	RFG067.D	0	727124	10	0.00	-0.213	-0.122	-0.067	10.000	10.000	0	NA	NA	NA	NA
LCS (VOE2F03L)	RFG063.D	438573	792750	10	10.19	10.493	10.466	10.177	10.000	10.000	10.19	10.000	102	NA	4
LCSD (VOE2F03C)	RFG064.D	471856	821664	10	10.58	10.900	10.869	10.566	10.000	10.000	10.58	10.000	106	NA	
MB (VOE2F04B)	RFG096.D	0	600187	10	0.00	-0.213	-0.122	-0.067	10.000	10.000	0.00	NA	NA	NA	NA
LCS (VOE2F04L)	RFG093.D	376607	700127	10	9.91	10.196	10.173	9.893	10.000	10.000	9.91	10.000	99	NA	4
LCSD (VOE2F04C)	RFG094.D	362567	703905	10	9.49	9.754	9.736	9.470	10.000	10.000	9.49	10.000	95	NA	
ICV (5/18/24 @ 09:57)	REG131.D	358317	647637	10	10.19	10.494	10.467	10.177	10.000	10.000	10.19	10.000	102	1.90	NA
CCV (6/08/24 @ 14:28)	RFG033.D	398224	759396	10	9.66	9.935	9.914	9.643	10.000	10.000	9.66	10.000	97	3.4	NA
CCV (6/09/24 @ 00:35)	RFG058.D	256451	446913	10	10.57	10.891	10.860	10.558	10.000	10.000	10.57	10.000	106	5.7	NA
CCV (6/10/24 @ 16:35)	RFG062.D	442114	754319	10	10.80	11.129	11.096	10.786	10.000	10.000	10.80	10.000	108	8.0	NA
CCV (6/11/24 @ 2:43)	RFG088.D	279078	493624	10	10.41	10.728	10.698	10.401	10.000	10.000	10.41	10.000	104	4.1	NA
CCV (6/11/24 @ 13:35)	RFG092.D	328565	670311	10	9.03	9.272	9.259	9.009	10.000	10.000	9.03	10.000	90	9.7	NA

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F004

Internal Standard Initial Calibration and Calculation Worksheet

Lab: EMAX
Method: 8260C
SDG: 24F004
Instrument: E2
Curve Date: 5/17/2024
Compound: **cis-1,2-Dichloroethene**
Internal Standard: 1,4-Difluorobenzene
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
TIAMF·MW045·MAY24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
15745	549104	0.5	10	0.028673985	0.05	0.0025	0.573
29804	528810	1	10	0.056360508	0.1	0.01	0.564
46157	504172	2	10	0.091550106	0.2	0.04	0.458
134582	487048	5	10	0.276321841	0.5	0.25	0.553
238953	483746	10	10	0.493963774	1	1	0.494
687887	462286	30	10	1.48801175	3	9	0.496
1248919	519193	50	10	2.405500459	5	25	0.481
2438563	530663	100	10	4.595313787	10	100	0.460
5312995	568040	200	10	9.35320576	20	400	0.468
SUM OF EACH COLUMN :				**2.4349**	**4.85**	**10.3025**	**3.1374**

CALIBRATION MODELS:

Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.505	**AVERAGE(RF)**
RSD	9.09%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.49409	0.49703	0.49795	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00642	0.00405	0.003907	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99976	0.99898	0.99593	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99951	0.99796	0.99188	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate

Sample Concentration Calculations

Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Final Volume (mL)	Initial Volume (mL)	Final Concentration (ug/L)	Spike Amt (ug/L)	% Recovery	%D	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis			Final Conc = (On column * Final Vol / Initial Vol)			%R = (final conc / spike amt.)x100		%D = ABS((final conc-spike amt)/spike amt)*100	RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
TIAMF·MW045·MAY24	RFG070.D	663529	598016	10	21.97	22.326	22.242	22.204	10.000	1.000	219.7	NA	NA	NA	NA
MB (VOE2F02B)	RFG037.D	0	702533	10	0.00	-0.130	-0.082	-0.078	10.000	10.000	0	NA	NA	NA	NA
LCS (VOE2F02L)	RFG034.D	413995	804216	10	10.19	10.289	10.276	10.260	10.000	10.000	10.19	10.000	102	NA	1
LCSD (VOE2F02C)	RFG035.D	408856	788614	10	10.26	10.363	10.350	10.333	10.000	10.000	10.26	10.000	103	NA	
MB (VOE2F03B)	RFG067.D	0	727124	10	0.00	-0.130	-0.082	-0.078	10.000	10.000	0	NA	NA	NA	NA
LCS (VOE2F03L)	RFG063.D	372826	792750	10	9.31	9.388	9.381	9.366	10.000	10.000	9.31	10.000	93	NA	4.5
LCSD (VOE2F03C)	RFG064.D	404017	821664	10	9.74	9.822	9.811	9.796	10.000	10.000	9.74	10.000	97	NA	
MB (VOE2F04B)	RFG096.D	0	600187	10	0.00	-0.130	-0.082	-0.078	10.000	10.000	0.00	NA	NA	NA	NA
LCS (VOE2F04L)	RFG093.D	318340	700127	10	9.00	9.073	9.067	9.053	10.000	10.000	9.00	10.000	90	NA	4
LCSD (VOE2F04C)	RFG094.D	307489	703905	10	8.65	8.711	8.707	8.694	10.000	10.000	8.65	10.000	86	NA	
ICV (5/18/24 @ 09:57)	REG131.D	324173	647637	10	9.91	10.001	9.989	9.974	10.000	10.000	9.91	10.000	99	0.90	NA
CCV (6/08/24 @ 14:28)	RFG033.D	375886	759396	10	9.80	9.888	9.877	9.862	10.000	10.000	9.80	10.000	98	2.0	NA
CCV (6/09/24 @ 00:35)	RFG058.D	235307	446913	10	10.42	10.526	10.512	10.495	10.000	10.000	10.42	10.000	104	4.2	NA
CCV (6/10/24 @ 16:35)	RFG062.D	373994	754319	10	9.82	9.905	9.894	9.878	10.000	10.000	9.82	10.000	98	1.8	NA
CCV (6/11/24 @ 2:43)	RFG088.D	241877	493624	10	9.70	9.787	9.777	9.762	10.000	10.000	9.70	10.000	97	3.0	NA
CCV (6/11/24 @ 13:35)	RFG092.D	279167	670311	10	8.25	8.299	8.298	8.285	10.000	10.000	8.25	10.000	82	17.5	NA

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F004

Lab: EMAX
Method: 8260C
Instrument: E2
Curve Date: 5/17/2024
Compound: **Trichloroethene**
Internal Standard: 1,4-Difluorobenzene

ICAL PT	Analyte RT	INT STD RD	RRT
0.5	6.362	5.987	0.941
1	6.373	5.987	0.939
2	6.373	5.987	0.939
5	6.373	5.987	0.939
10	6.373	5.987	0.939
30	6.372	5.987	0.940
50	6.372	5.987	0.940
100	6.373	5.987	0.939
200	6.373	5.987	0.939

Module 1: Analysis by GC/MS

Lab/SDG: EMAX / 24F004

Compound	Sample ID
Trichloroethene	TIAMF-MW045-MAY24

QAPP LOQ (ug/L)	Initial Vol (mL)	Final Vol (mL)	DF	Final LOQ
1.0	10.000	10.000	10.0	10.0

REPORTED LOQ (ug/L)

10.0

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F004

No field blanks were included in this SDG.

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F004

	TIAMF-MW045-MAY24				MB (VOE2F02B)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	505850	420589	206594	505850	702533	598134	288194	702533
Surrogate Response	480283	855043	318697	343133	605458	1215479	456219	461894
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	11.74	10.23	9.72	11.08	10.65	10.23	9.97	10.74
Surr %R	117	102	97	111	107	102	100	107

	LCS (VOE2F02L)				LCSD (VOE2F02C)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	804216	688163	361553	804216	788614	686122	360055	788614
Surrogate Response	682818	1399192	574077	517441	669303	1400819	570302	515443
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	10.50	10.23	10.01	10.51	10.49	10.28	9.98	10.68
Surr %R	105	102	100	105	105	103	100	107

	MB (VOE2F03B)				LCS (VOE2F03L)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	727124	552730	266282	727124	792750	646227	321378	792750
Surrogate Response	605141	1181499	441902	427619	638295	1343222	531007	477546
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	10.29	10.76	10.46	9.61	9.95	10.46	10.41	9.84
Surr %R	103	108	105	96	100	105	104	98

	LCSD (VOE2F03C)				MB (VOE2F04B)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	821664	645570	324769	821664	600187	469288	222326	600187
Surrogate Response	656812	1349262	556714	472839	524716	987879	374680	365937
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	9.88	10.52	10.80	9.40	10.81	10.59	10.62	9.96
Surr %R	99	105	108	94	108	106	106	100

	LCS (VOE2F04L)				LCSD (VOE2F04C)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	700127	552821	279028	700127	703905	550837	285241	703905
Surrogate Response	600152	1166618	489887	421921	576775	1162432	480962	412093
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	10.60	10.62	11.06	9.85	10.13	10.62	10.62	9.57
Surr %R	106	106	111	98	101	106	106	96

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F004

CALCULATION OF WORKING STANDARD FROM STOCK

CALIBRATION STANDARD

Name of Stock Standard:	CPI International "Custom Volatiles Mix"
Conc of Stock Std	2000 ug/mL (ppm)
Aliquot of Stock Std used:	0.250 mL
Final Conc of Working standard	250 ug/mL (ppm)

C2 = C1*V1)/V2

C1	**V1**	**V2**	**C2**
2000	0.250	2.0	250

where
C1 = concentration of Stock standard
V1 = Volume of stock standard used
C2 = Concentration of working standard
V2 = Final volume of working standard

Calibration pt at 1ug/L

	From analytical log spike amt	concentration	purge volume (see analysis run log)	**spike amt in L**	**amount spiked**	**concentration of amount spiked = (amount spiked/ purge volue)**
Filename REG119 (page 291) – 1ug/L point	0.04 uL	250 mg/L	10 ml	0.00000004 L	0.00001 mg	0.001 mg/L = 1 ug/L

SURROGATE STANDARD

Name of Stock Standard:	RESTEK "8260A Surrogate Mix"
Conc of Stock Std	2500 ug/mL (ppm)
Aliquot of Stock Std used:	0.200 mL
Final Conc of Working standard	50 ug/mL (ppm)

C2 = C1*V1)/V2

C1	**V1**	**V2**	**C2**
2500	0.200	10	50

where
C1 = concentration of Stock standard
V1 = Volume of stock standard used
C2 = Concentration of working standard
V2 = Final volume of working standard

Surrogate	*From analytical log* spike amt	concentration	purge volume (see analysis run log)	**spike amt in L**	**amount spiked**	**concentration of amount spiked = (amount spiked/ purge volue)**
IS/ Surr	5 uL	20 mg/L	10 ml	0.000005 L	0.0001 mg	0.01 mg/L = 10 ug/L

Module 1: Analysis by GC/MS

Lab/SDG: **EMAX / 24F004**

ICV/LCS STANDARD (second source)

Name of Stock Standard:	RESTEK "Custom Revised 2060 Megamix"
Data pkg std Certificate on page:	312
Data pkg working std calc on page:	311
Conc of Stock Std	2000 ug/mL (ppm)
Aliquot of Stock Std used:	0.250 mL
Final Conc of Working standard	50 ug/mL

C2 = C1*V1)/V2

C1	**V1**	**V2**	**C2**
2000	0.250	10	50

where
C1 = concentration of Stock standard
V1 = Volume of stock standard used
C2 = Concentration of working standard
V2 = Final volume of working standard

	From analytical log					
LCS	spike amt	concentration	purge volume (see analysis run log)	**spike amt in L**	**amount spiked**	**concentration of amount spiked = (amount spiked/ purge volue)**
ICV/LCS	0.4 uL	250 mg/L	10 ml	0.0000004 L	0.0001 mg	0.01 mg/L 10 ug/L

Data Validation Report for 24F019

Facility:	J09CA1108-01, Titan 1A Missile Facility, RI
Event:	Spring 2024
SDG:	24F019
Guidance Document:	Titan 1A Missile Facility, Lincoln CA
Prime Contractor:	Parsons Corporation, Austin, TX
Project Manager:	Tim Crummett
Contract Laboratory(ies):	EMAX Laboratories, Inc., Torrance, CA
Data Review Contractor:	Parsons Corporation
Data Review Level:	S2BVEM
Primary Data Reviewer:	Beth Driskill, Senior Scientist
Date Submitted:	July 16, 2024

Field Sample ID	Lab Sample ID	Matrix	Type/Type Code	SW 260C
EB-1_JUN24	24F019-11	Water	Equipment Blank/EB	X
RB-1_JUN24	24F019-12	Water	Equipment Blank/EB	X
T1AMF-MW035_MAY24	24F019-04	Water	Field Sample/N	X
T1AMF-MW035_MAY24_FD	24F019-05	Water	Field Duplicate/FD	X
T1AMF-MW051_MAY24	24F019-03	Water	Field Sample/N	X
T1AMF-MW053_MAY24	24F019-02N	Water	Field Sample/N	X
T1AMF-MW058_MAY24	24F019-01	Water	Field Sample/N	X
T1AMF-MW061_JUN24	24F019-09	Water	Field Sample/N	X
T1AMF-MW062_JUN24	24F019-08	Water	Field Sample/N	X
T1AMF-MW063_JUN24	24F019-07	Water	Field Sample/N	X
T1AMF-MW064_JUN24	24F019-06	Water	Field Sample/N	X
T1AMF-MW066_JUN24	24F019-10	Water	Field Sample/N	X
TB-3_MAY24	24F019-13	Water	Trip Blank/TB	X
TB-4_JUN24	24F019-14N	Water	Trip Blank/TB	X

This report assesses the analytical data quality associated with the analyses listed on the preceding cover page at S2BVEM data validation level and 10% of the data validated at a Stage 4. The following samples were validated at a Stage 4: T1AMF·MW051_MAY24 and T1AMF·MW035_MAY24. Validation was performed following the guidelines outlined in the project-specific UFP QAPP, DoD General Data Validation Guidelines, Rev 1 (Nov 2019) and Data Validation Guidelines Module 1: Data Validation Procedure for Organic Analysis by GC/MS. This assessment has been made through a combination of automated data review (ADR) and supplemental manual review, the details of which are described below. The approach taken in the review of this data set is consistent with the requirements contained in the Titan 1A Missile Facility, Lincoln CA and the additional guidance documents incorporated by reference to the extent possible. Where definitive guidance is not provided, results have been evaluated in a conservative manner using professional judgment.

Sample collection was managed and directed by Parsons Corporation, Austin, TX; analyses were performed by EMAX Laboratories, Inc., Torrance, CA and were reported under sample delivery group (SDG) 24F019. Data have been evaluated electronically based on electronic data deliverables (EDDs) provided by the laboratory, and hard copy data summary forms have also been reviewed during this effort and compared to the automated review output by the reviewers whose signatures appear on the following page. Findings based on the automated data submission and manual data verification processes are detailed in the ADR narrative and throughout this report.

All quality control (QC) elements associated with this SDG have been reviewed by a project chemist in accordance with the requirements defined for the project. This review is documented in the attached Data Review Checklists. The QC elements listed below were supported by the electronic deliverable and were evaluated using ADR processes.

- Equipment Blank
- Field Duplicate RPD
- Lab Blank
- LCS Recovery
- LCS RPD
- MS Recovery
- MS RPD
- Prep Hold Time
- Surrogate
- Test Hold Time
- Trip Blank

Results of the ADR process were subsequently reviewed and updated as applicable by the data review chemists identified on the signature page. Quality control elements that were not included in the electronic deliverable were reviewed manually and findings are documented within this report. Summaries of findings and associated qualified results are documented throughout this report.

A total of 0 results (0.00%) out of the 154 results (sample and field QC samples) reported are qualified based on review and 0 results (0.00%) have been rejected or deemed a serious deficiency (X qualifier). Trace values, defined as results that are qualified as estimated because they fall between the detection limit and the reporting limit/limit of quantitation, are not counted as qualified results in the above count. The qualified results are detailed throughout this report and discussed in the narrative below, where appropriate.

Narrative Comments

Analytical Method	Data Reviewer Comment
SW8260C	Sample T1AMF-MW058_MAY24 had a brown sediment at the bottom of the sample containers.

Beth Driskill

July 16, 2024

Reviewed by Beth Driskill, Senior Scientist, Parsons Corporation

As the Reviewer, I certify that I have performed a data review process in accordance with the requirements of the project guidance document, and have compared the electronic data to the laboratory's hard copy report and have verified the consistency of the reported sample results and method quality control data between the two deliverables.

Quality Control Outliers for test method SW8260C, Trip Blank

The purpose of trip blanks is to determine the existence and magnitude of cross-contamination problems resulting from the shipping of samples. Reported results were evaluated to determine compliance with the required acceptance criteria. Summary forms were evaluated and compared to electronic data deliverables. Findings of this review, and contaminants found in trip blanks are listed below along with any associated qualified results.

Sample ID/ Lab Sample ID	Analyte	Result	Warning Limits	Control Limits	Units	Qualifier	Reason Code	Comment
TB-3_MAY24 (TB) 24F019-13	Toluene	0.330	< 0.1	< 1	ug/l	U/None*	T	
TB-4_JUN24 (TB) 24F019-14N	Toluene	0.300	< 0.1	< 1	ug/l	U/None*	T	

Where two qualifiers are listed, such as 'J/UJ', the first applies to positive results, and the second to non-detect results.
Upper and Lower Warning and Control Limits are abbreviated UWL, LWL, UCL, and LCL in the Comment field.

*Blank flags displayed in the above table identify qualification of the sample result when it is less than or equal to the LOQ/RL. Sample results above the LOD or LOQ will be qualified based on the validation guidance assigned in the project setup.

No results associated with this QC element required qualification.

Quality Control Outliers for test method SW8260C, LCS Recovery

The laboratory control sample/laboratory control sample duplicate (LCS/LCSD) serves as a monitor of the overall performance of each step during the analysis, including the sample preparation. Reported results were evaluated to determine compliance with the required acceptance criteria, and summary forms were evaluated and compared to electronic data deliverables. Findings of this review, and any associated qualified results, are listed below.

Sample ID/ Lab Sample ID	Analyte	Result	Warning Limits	Control Limits	Units	Qualifier	Reason Code	Comment
24VOE2F05C (BD) 24VOE2F05C	1,4-Dichlorobenzene	120	79 - 118	79 - 118	percent	J/None	C	
24VOE2F06C (BD) 24VOE2F06C	1,4-Dichlorobenzene	120	79 - 118	79 - 118	percent	J/None	C	

Where two qualifiers are listed, such as 'J/UJ', the first applies to positive results, and the second to non-detect results.
Upper and Lower Warning and Control Limits are abbreviated UWL, LWL, UCL, and LCL in the Comment field.

No results associated with this QC element required qualification.

Qualified Results

No results associated with this sample delivery group required qualification.

Results with Modified Qualifiers

No qualifiers associated with this sample delivery group were modified manually.

Reason Code Definitions

Code	Definition
C	LCS Recovery
T	Trip Blank
TR	Trace Level Detect

Flag Code and Definitions

Flag	Definition
J	Estimated Value
N	The analysis indicates the presence of an analyte for which there was presumptive evidence to make a tentative identification.
NJ	The analyte has been tentatively identified or presumptively as present and the associated numerical value was the estimated concentration in the sample.
R	The data are rejected due to deficiencies in meeting QC criteria and may not be used for decision making.
U	Undetected: The analyte was analyzed for, but not detected.
U	The analyte was not detected; however, the result is estimated due to discrepancies in meeting certain analyte-specific quality control criteria.
X	Result may require rejection; PDT attention required

Bias

-	The result may be biased low
+	The result may be biased high

Note - The bias field is a separate field; however, it is an integral part of the final flag (qualifier) on the sample result

Review Questions

Method: SW8260C (Volatile Organic Compounds by GC/MS)				
Review Questions	Yes	No	NA	Comment
Were there discrepancies between the COC and the samples received?		•		
Were there discrepancies between the COC and the sample labels?	•			The following discrepancies were noted: 1. The analysis was not included on the container label for any of the samples. 2. Sample ID and collection time discrepancies between the COC and label. The lab was instructed to follow the sample ID and collection time documented on the COC.
Were samples relinquished properly on the COC?	•			
Were all samples properly preserved?	•			
Were sampling dates/times, date and time of laboratory receipt of samples, and sample conditions upon receipt at the laboratory (including preservation, pH, and temperature) documented?	•			
Were sample results reported with percent moisture correction if required?			•	
Were analytical methods performed and analysis dates present?	•			
Were all requested target analytes reported?	•			
Were QAPP specified Project Quantitation Limit Goals achieved? (The laboratory LOQ is compared to the QAPP Project Quantitation Goal)		•		The LOQ value for the following analytes are greater than the Project Quantitation Limit Goal: 1,4-Dichlorobenzene, Benzene, Ethylbenzene, Trichloroethene, and Vinyl Chloride.
Were holding times met?	•			
Were trip blanks analyzed at the proper frequency and in control?		•		Both trip blank samples had detections of toluene below the LOQ. All the field samples were non-detect for toluene; therefore, data quality was not impacted and results were not qualified.
Were field blanks analyzed at the proper frequency and in control?			•	Field blanks were not planned to be collected for this sampling event
Were equipment blanks analyzed at the proper frequency and in control?	•			One equipment blank and one source blank were associated with the samples in this SDG. Both blanks were non-detect for all target analytes.
Was a method blank prepared and analyzed with each batch?	•			
Were target analytes in the method blank less than DL?	•			
Was an LCS/LCSD pair prepared and analyzed with each batch?	•			
Were LCS/LCSD recoveries within project acceptance limits?		•		The recovery for 1,4-dichlorobenzene recovered high and outside criteria in the LCSDs included in batches V0E2F05 and V0E2F06. The associated samples were non-detect for 1,4-dichlorobenzene; therefore, data quality was not impacted and results were not qualified.
Was the LCS/LCSD RPD within project acceptance limits?	•			
Was a MS/MSD pair prepared with each batch?	•			Two project samples were requested for MS/MSD analysis on the COC.
Were MS/MSD recoveries within project acceptance limits?	•			
Was the MS/MSD RPD within project acceptance limits?	•			
If ISM was used for sample collection, were laboratory triplicates analyzed and within project acceptance limits?			•	

Review Questions

Method: SW8260C (Volatile Organic Compounds by GC/MS)				
Review Questions	Yes	No	NA	Comment
Were surrogate recoveries within project acceptance limits?	•			
Were field replicates (duplicates, triplicates, etc.) analyzed at the proper frequency and in control?	•			
Were reported sample concentrations within calibration range?	•			
Was the GC/MS system properly tuned based on method criteria?	•			
Was instrument tuning completed every 12 hours during sample analysis?	•			
Was the Calibration within project acceptance criteria?	•			
Was a ICV performed after each ICAL prior to sample analysis and within project acceptance criteria?	•			
Were CCVs run at the required frequency and within project acceptance criteria?	•			
Were internal standard retention times and area criteria within project acceptance criteria?	•			
Were internal standards spiked for every sample, standard, and QC sample?	•			
Were instrument run logs present and filled out appropriately?	•			
Were sample preparation sheets present and filled out appropriately?	•			
Have all Laboratory Case Narrative comments/findings been addressed in the data review process?	•			
Were DoD QSM corrective actions followed if deviations were noted?	•			
Were any data recommended for exclusion in the data validation process?		•		

Module 1: Analysis by GC/MS

Lab/SDG: **EMAX / 24F019**

RECALCULATION TYPE	TAB Reference
Tune: Ion Abundance	TUNE
Tailing Factor	not applicable for 8260
Calibration RF	ICAL RF
Calibration RRT	Rel RT
ICV/CCV %D	ICAL RF
Sample Conc. Raw Values	ICAL RF
Sample Conc. Linear Regression	not applicable
Quadratic Regression	not applicable
LCS % Recovery	ICAL RF
Surrogate % Recovery	ICAL RF
MS/MSD % Recovery	ICAL RF
MS/MSD RPD	ICAL RF
Sample Amounts	ICAL RF
Sample Conc. by Volume (Aqueous Only)	ICAL RF
Sample Conc. by Weight (Non-aqueous only)	not applicable

6.1 SAMPLES AND QC	COMMENT
Sample recalculations should include the raw instrument result, re-quantified from the instrument response against the calibration function, and the final reported sample result, including any dilution, preparation factor, or percent moisture (if applicable). The equations in Appendix B can be used to calculate a sample result from the corresponding reported calibration or regression function, as appropriate	Provided in ICAL RF tab
Verify that one or more of the laboratory's reporting limits (such as limit of quantitation) are calculated correctly for the non-detects and reported accordingly. If a detection limit study was identified by the QAPP, recalculate one or more analyte detection limits.	Provided in LOQ Recalc tab
Re-quantitate **all detected target analytes in the 10% sample data chosen**. For some samples, all results may be non-detects, therefore recalculation would not be necessary. Verify that sample-specific results have been adjusted correctly to reflect percent solids, original sample mass/volume, and any applicable dilutions.	Provided in ICAL RF tab

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F019

Re-quantitate **all detects found in the field QC blanks** (such as trip blanks, field blanks, or equipment blanks). Field QC sample duplicate recalculations should include re-quantification of the same detected analyte sample/duplicate pair and verification of the percent difference (%D), or relative percent difference (RPD), as reported	Provided in Blank Detections tab
6.2 Method QC	
Re-quantification of batch QC sample results should use raw instrument response in tandem with the reported calibration factor, response factor, or slope; the preparation information; and percent moisture for solid samples to recreate the reported result.	Provided in ICAL RF tab
6.2.1 Surrogate Spikes	
Verify the concentrations of surrogates from the raw data. Verify that the surrogate result and percent recovery were calculated and reported correctly by re-calculating all surrogates in the 10% of chosen sample data and method QC that were originally selected.	Provided in ICAL RF tab
6.2.2 LCS/LCSD	
To check that the spike percent recovery was calculated and reported correctly, using the equation in Appendix B, re-quantitate and then recalculate all contaminants of concern as outlined in the UFP-QAPP Worksheet #12 or #15. Use a random 10% of the analytes in the LCS/LCSD if contaminants of concern (target analytes) have not been specifically identified. Recalculate RPDs (if applicable) from LCS/LCSD pairs that would result in the qualification of a sample.	Provided in ICAL RF tab
6.2.3 MS/MSD	
Re-quantitate 10% of the target analytes as listed in the UFP-QAPP Worksheet #12 or #15 for both the MS and the MSD. Use a random 10% of the analytes in the MS and MSD if contaminates of concern have not been identified. The RPDs of the recalculated MS/MSD pairs should be calculated from the MS/MSD concentrations, not from the recoveries.	Provided in ICAL RF tab
6.2.4 Method Blanks	
Re-quantitate one or more detects found in the method blank (if applicable) from the reported average RF (or higher order regression, if used) per each batch of samples.	No method blank detections were found; no recalcs needed
6.3 Insturment QC	
6.3.1 Tune Check	
Verify by re-calculating from the quantitation reports, that the mass assignment is correct and that the mass listing is normalized to the specified m/z for at least 10% of the abundance ratios in every tune. Verify by recalculation that the reported DDT degradation and tailing factor are accurate for SVOC performance checks.	Provided in TUNE tab

Module 1: Analysis by GC/MS

Lab/SDG: **EMAX / 24F019**

6.3.2 Initial (Response Factors and Regressions) and Continuing Calibration Verifications

Initial calibration (ICAL) recalculations should use the raw instrument response for the target analytes and associated internal standards to recreate the calibration curve from the individual calibration standards. If multiple types of calibration curves are employed in an analytical suite, then one analyte per curve type should be recalculated.	Provided in ICAL RF tab
Re-quantitate and recalculate the individual and average RFs, %RSDs, and regression function (if used) and r values reported for at least 10% of the target analytes per each internal standard, (preferably analytes of concern which were identified in the QAPP), per initial calibration curve type.	Provided in ICAL RF tab
Re-quantitate and recalculate the Initial and Continuing Calibration Verification RF result and %D for at least 10% of the target analytes, proportionally per each internal standard and proportionally selecting analytes based on each calibration curve type.	Provided in ICAL RF tab
The laboratory may employ a linear or weighted linear least squares regression. The low standard should be recalculated using the calibration curve and evaluated. RFs should not be evaluated for analytes with linear or higher order regression curves. If the ICAL included refitting of the data back to the model (RSE), the recalculate 10% of the target analytes for the RSE in each ICAL.	Linear regression was not used for any target analytes in this SDG

6.3.3 Internal Standards

Verify all internal standards reported from the raw data for at least one sample per batch of samples, and verify internal standard areas for samples that were qualified due to out-of-control internal standard areas.	No calculations were performed; internal stds were verified as required. Recalculations of all analyte concentrations further confirm IS quantitation.

6.4 Standards Traceability

Check that the stock standards were diluted properly into working standards by recalculating the dilutions of one or more **calibration standards**. Recalculate one or more **surrogate** dilutions. Recalculate one or more method QC sample dilutions (such as **LCS or MS/MSD**) from the stock to the working standard.	Provided in Standards tab

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F019

TUNE


Data file: REG116.D
Acq On: 5/17/2024 11:23
Sample ID: BFBE2E09


Target Mass	RAW Abundance	Rel to Mass	Rel Abn%	Lower limit	Upper Limit
50	11125	95	20.27630	15	40
75	27461	95	50.05012	30	60
95	54867	95	100	100	100
96	3687	95	6.71989	5	9
173	441	174	0.96450	0	2
174	45723	95	83.33424	50	100
175	3423	174	7.48639	5	9
176	44603	174	97.55047	95	101
177	2888	174	6.31630	5	9

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F019

Internal Standard Initial Calibration and Calculation Worksheet

Lab: EMAX
Method: 8260C
SDG: 24F019
Instrument: E2
Curve Date: 5/17/2024
Compound: cis-1,2-Dichloroethene
Internal Standard: Chlorobenzene-d5





red text = manually input values from lab report

The following samples were validated at a Stage 4:
T1AMF-MW051_MAY24
T1AMF-MW035_MAY24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
16247	549104	0.5	10	0.029588202	0.05	0.0025	0.592
32895	528810	1	10	0.062205707	0.1	0.01	0.622
54578	504172	2	10	0.108252739	0.2	0.04	0.541
142504	487048	5	10	0.292587178	0.5	0.25	0.585
250974	483746	10	10	0.518813592	1	1	0.519
721585	462286	30	10	1.560906019	3	9	0.520
1319898	519193	50	10	2.5422107	5	25	0.508
2606989	530663	100	10	4.912701658	10	100	0.491
5762701	568040	200	10	10.14488592	20	400	0.507
SUM OF EACH COLUMN :				**2.5724**	**4.85**	**10.3025**	**3.3794**

CALIBRATION MODELS:
Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.543	**AVERAGE(RF)**
RSD	8.40%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.51674	0.52249	0.54006	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.01103	0.00638	0.003627	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99979	0.99919	0.99720	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99958	0.99838	0.99440	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate


Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Final Volume (mL)	Initial Volume (mL)	Final Concentration (ug/L)	Spike Amt (ug/L)	% Recovery	%D	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis			Final Conc = (On column * Final Vol / Initial Vol)			%R = (final conc / spike amt.)x100		%D = ABS((final conc-spike amt)/spike	RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
T1AMF-MW051_MAY24	RFG132.D	2905	467069	10	0.11	-1.434	-0.003	0.048	10.000	10.000	0.11	NA	NA	NA	NA
T1AMF-MW035_MAY24	RFG109.D	34181	470734	10	1.34	-0.211	1.268	1.277	10.000	10.000	1.3	NA	NA	NA	NA
MS (T1AM-MW053_MAY24)	RFG133.D	253746	482397	10	9.69	8.140	9.945	9.673	10.000	10.000	9.69	10.000	97	NA	2.9
MSD (T1AM-MW053_MAY24)	RFG134.D	246412	482381	10	9.41	7.861	9.655	9.392	10.000	10.000	9.41	10.000	94	NA	
MS (T1AM-MW051_MAY24)	RFG135.D	259486	491277	10	9.73	8.180	9.987	9.713	10.000	10.000	9.73	10.000	96	NA	0.7
MSD (T1AM-MW051_MAY24)	RFG136.D	261750	499209	10	9.66	8.109	9.913	9.642	10.000	10.000	9.66	10.000	95	NA	
MB (VOE2F05B)	RFG127.D	0	516821	10	0.00	-1.548	-0.122	-0.067	10.000	10.000	0	NA	NA	NA	NA
LCS (VOE2F05L)	RFG124.D	321897	546903	10	10.84	9.293	11.143	10.831	10.000	10.000	10.84	10.000	108	NA	1.7
LCSD (VOE2F05C)	RFG125.D	323214	558714	10	10.66	9.107	10.950	10.645	10.000	10.000	10.66	10.000	107	NA	
MB (VOE2F06B)	RFG157.D	0	495022	10	0.00	-1.548	-0.122	-0.067	10.000	10.000	0	NA	NA	NA	NA
LCS (VOE2F06L)	RFG154.D	286157	533808	10	9.87	8.326	10.138	9.859	10.000	10.000	9.87	10.000	99	NA	3.5
LCSD (VOE2F06C)	RFG155.D	293317	528358	10	10.23	8.677	10.503	10.212	10.000	10.000	10.23	10.000	102	NA	
MB (VOE2F04B)	RFG096.D	0	600187	10	0.00	-1.548	-0.122	-0.067	10.000	10.000	0.00	NA	NA	NA	NA
LCS (VOE2F04L)	RFG093.D	376607	700127	10	9.91	8.360	10.173	9.893	10.000	10.000	9.91	10.000	99	NA	4.3
LCSD (VOE2F04C)	RFG094.D	362567	703905	10	9.49	7.939	9.736	9.470	10.000	10.000	9.49	10.000	95	NA	
ICV (5/18/24 @ 09:57)	REG131.D	358317	647637	10	10.19	8.642	10.467	10.177	10.000	10.000	10.19	10.000	102	1.90	NA
CCV (6/13/24 @ 09:30)	RFG123.D	310637	557288	10	10.27	8.719	10.546	10.254	10.000	10.000	10.27	10.000	103	2.7	NA
CCV (6/13/24 @ 21:01)	RFG149.D	224493	427914	10	9.66	8.115	9.919	9.647	10.000	10.000	9.66	10.000	97	3.4	NA
CCV (6/14/24 @ 11:54)	RFG153.D	271243	531899	10	9.39	7.845	9.638	9.375	10.000	10.000	9.39	10.000	94	6.1	NA
CCV (6/14/24 @ 22:28)	RFG179.D	249996	475094	10	9.69	8.144	9.949	9.676	10.000	10.000	9.69	10.000	97	3.1	NA
CCV (6/11/24 @ 13:35)	RFG092.D	328565	670311	10	9.03	7.480	9.259	9.009	10.000	10.000	9.03	10.000	90.3	9.7	NA
CCV (6/12/24 @ 00:30)	RFG119.D	297945	558649	10	9.82	8.275	10.085	9.808	10.000	10.000	9.82	10.000	98	1.8	NA

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F019

Internal Standard Initial Calibration and Calculation Worksheet

Lab: EMAX
Method: 8260C
SDG: 24F019
Instrument: E2
Curve Date: 5/17/2024
Compound: **Trichloroethene**
Internal Standard: 1,4-Difluorobenzene
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
T1AMF·MW051_MAY24
T1AMF·MW035_MAY24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
15745	549104	0.5	10	0.028673985	0.05	0.0025	0.573
29804	528810	1	10	0.056360508	0.1	0.01	0.564
46157	504172	2	10	0.091550106	0.2	0.04	0.458
134582	487048	5	10	0.276321841	0.5	0.25	0.553
238953	483746	10	10	0.493963774	1	1	0.494
687887	462286	30	10	1.48801175	3	9	0.496
1248919	519193	50	10	2.405500459	5	25	0.481
2438563	530663	100	10	4.595313787	10	100	0.460
5312995	568040	200	10	9.35320576	20	400	0.468
SUM OF EACH COLUMN :				**2.4349**	**4.85**	**10.3025**	**3.1374**

CALIBRATION MODELS:
Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.505	**AVERAGE(RF)**
RSD	9.09%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.49409	0.49703	0.49795	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00642	0.00405	0.003907	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99976	0.99898	0.99593	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99951	0.99796	0.99188	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate

Sample Concentration Calculations

Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Final Volume (mL)	Initial Volume (mL)	Final Concentration (ug/L)	Spike Amt (ug/L)	% Recovery	%D	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis			Final Conc = (On column * Final Vol / Initial Vol)			%R = (final conc / spike amt.)x100		%D = ABS((final conc-spike amt)/spike amt)*100	RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
T1AMF·MW051_MAY24	RFG132.D	218247	467069	10	9.25	9.327	9.320	9.305	10.000	10.000	9.3	NA	NA	NA	NA
T1AMF·MW035_MAY24	RFG109.D	148400	470734	10	6.24	6.250	6.261	6.253	10.000	10.000	6.2	NA	NA	NA	NA
MS (T1AM-MW053_MAY24)	RFG133.D	229695	482397	10	9.43	9.507	9.499	9.484	10.000	10.000	9.4	10.000	94	NA	2.5
MSD (T1AM-MW053_MAY24)	RFG134.D	224040	482381	10	9.20	9.270	9.263	9.249	10.000	10.000	9.2	10.000	92	NA	
MS (T1AM-MW051_MAY24)	RFG135.D	475748	491277	10	19.17	19.469	19.402	19.369	10.000	10.000	19	10.000	191	NA	5.2
MSD (T1AM-MW051_MAY24)	RFG136.D	458940	499209	10	18.2	18.477	18.415	18.384	10.000	10.000	18	10.000	181	NA	
MB (VOE2F05B)	RFG127.D	0	516821	10	0.00	-0.130	-0.082	-0.078	10.000	10.000	0.00	NA	NA	NA	NA
LCS (VOE2F05L)	RFG124.D	280577	546903	10	10.16	10.253	10.240	10.224	10.000	10.000	10.16	10.000	102	NA	2.0
LCSD (VOE2F05C)	RFG125.D	292466	558714	10	10.36	10.464	10.450	10.434	10.000	10.000	10.36	10.000	104	NA	
MB (VOE2F06B)	RFG157.D	0	495022	10	0.00	-0.130	-0.082	-0.078	10.000	10.000	0.00	NA	NA	NA	NA
LCS (VOE2F06L)	RFG154.D	254185	533808	10	9.43	9.507	9.499	9.484	10.000	10.000	9.43	10.000	94.3	NA	6.6
LCSD (VOE2F06C)	RFG155.D	268657	528358	10	10.07	10.161	10.149	10.133	10.000	10.000	10.07	10.000	101	NA	
MB (VOE2F04B)	RFG096.D	0	600187	10	0.00	-0.130	-0.082	-0.078	10.000	10.000	0.00	NA	NA	NA	NA
LCS (VOE2F04L)	RFG093.D	318340	700127	10	9.00	9.073	9.067	9.053	10.000	10.000	9.00	10.000	90	NA	4.0
LCSD (VOE2F04C)	RFG094.D	307489	703905	10	8.65	8.711	8.707	8.694	10.000	10.000	8.65	10.000	86.5	NA	
ICV (5/18/24 @ 09:57)	REG131.D	324173	647637	10	9.91	10.001	9.989	9.974	10.000	10.000	9.91	10.000	99	0.9	NA
CCV (6/13/24 @ 09:30)	RFG123.D	279158	557288	10	9.92	10.008	9.997	9.981	10.000	10.000	9.92	10.000	99	0.8	NA
CCV (6/13/24 @ 21:01)	RFG149.D	201690	427914	10	9.33	9.409	9.402	9.387	10.000	10.000	9.33	10.000	93	6.7	NA
CCV (6/14/24 @ 11:54)	RFG153.D	246035	531899	10	9.16	9.232	9.225	9.211	10.000	10.000	9.16	10.000	92	8.4	NA
CCV (6/14/24 @ 22:28)	RFG179.D	217184	475094	10	9.05	9.122	9.116	9.102	10.000	10.000	9.05	10.000	91	9.5	NA
CCV (6/11/24 @ 13:35)	RFG092.D	279167	670311	10	8.25	8.299	8.298	8.285	10.000	10.000	8.25	10.000	82	17.5	NA
CCV (6/12/24 @ 00:30)	RFG119.D	263323	558649	10	9.33	9.410	9.402	9.388	10.000	10.000	9.33	10.000	93	6.7	NA

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F019

Lab: EMAX
Method: 8260C
Instrument: E2
Curve Date: 5/17/2024
Compound: **Trichloroethene**
Internal Standard: 1,4-Difluorobenzene

ICAL PT	Analyte RT	INT STD RD	RRT
0.5	6.362	5.987	0.941
1	6.373	5.987	0.939
2	6.373	5.987	0.939
5	6.373	5.987	0.939
10	6.373	5.987	0.939
30	6.372	5.987	0.940
50	6.372	5.987	0.940
100	6.373	5.987	0.939
200	6.373	5.987	0.939

Module 1: Analysis by GC/MS

Lab/SDG: EMAX / 24F019

Compound Benzene

Sample ID T1AMF·MW051_MAY24

QAPP LOQ (ug/L)	Initial Vol (mL)	Final Vol (mL)	DF	Final LOQ
1.0	10.000	10.000	1.0	1.0


REPORTED LOQ (ug/L)


1.0

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F019

Internal Standard Initial Calibration and Calculation Worksheet

Lab: EMAX
Method: 8260C
SDG: 24F019
Instrument: E2
Curve Date: 5/17/2024
Compound: **Toluene**
Internal Standard: Chlorobenzene-d5
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
58579	464476	0.5	10	0.126118465	0.05	0.0025	2.522
112834	434355	1	10	0.259773687	0.1	0.01	2.598
187086	426041	2	10	0.439126751	0.2	0.04	2.196
511175	411703	5	10	1.241611064	0.5	0.25	2.483
921140	409470	10	10	2.249590935	1	1	2.250
2303744	374024	30	10	6.159348063	3	9	2.053
4751397	435004	50	10	10.92265129	5	25	2.185
9406948	467581	100	10	20.11832816	10	100	2.012
19948069	471885	200	10	42.27315765	20	400	2.114
SUM OF EACH COLUMN :				**10.4756**	**4.85**	**10.3025**	**14.1017**

CALIBRATION MODELS:
Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	2.268	**AVERAGE(RF)**
RSD	9.46%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	2.03708	2.11420	2.23358	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.09929	0.03695	0.018265	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99919	0.99777	0.99581	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99839	0.99554	0.99164	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate

Sample Concentration Calculations

Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Final Volume (mL)	Initial Volume (mL)	Final Concentration (ug/L)	Spike Amt (ug/L)	% Recovery	%D	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis			Final Conc = (On column * Final Vol / Initial Vol)			%R = (final conc / spike amt.)x100		%D = ABS((final conc-spike amt)/spike amt)*100	RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
TB-3_MAY24	RFG129.D	30221	405733	10	0.33	-0.122	0.178	0.252	10.000	10.000	0.33	NA	NA	NA	NA
TB-4_MAY24	RFG158.D	26633	386284	10	0.30	-0.149	0.151	0.227	10.000	10.000	0.30	NA	NA	NA	NA

Module 1: Analysis by GC/MS

Lab/SDG: **EMAX / 24F019**

	T1AMF-MW051_MAY24				T1AMF-MW035_MAY24			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	467069	388902	169327	467069	470734	382077	183510	470734
Surrogate Response	412313	777934	300293	273889	433832	785972	303797	296076
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	10.91	10.07	11.17	9.58	11.39	10.35	10.43	10.28
Surr %R	109	101	112	96	114	104	104	103

	MB (VOE2F05B)				LCS (VOE2F05L)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	516821	418923	189458	516821	546903	471957	227711	546903
Surrogate Response	438986	866529	338643	296664	464776	927793	380040	320860
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	10.50	10.41	11.26	9.38	10.50	9.89	10.52	9.59
Surr %R	105	104	113	94	105	99	105	96

	LCSD (VOE2F05C)				MB (VOE2F06B)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	558714	480301	220875	558714	495022	408577	172895	495022
Surrogate Response	467509	938954	395119	326349	409452	772634	290334	269201
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	10.34	9.84	11.27	9.54	10.22	9.52	10.58	8.89
Surr %R	103	98	113	95	102	95	106	89

	LCS (VOE2F06L)				LCSD (VOE2F06C)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	533808	446338	205070	533808	528358	450867	206285	528358
Surrogate Response	440420	848303	348701	294326	438393	835268	343893	290055
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	10.20	9.57	10.71	9.01	10.26	9.32	10.50	8.97
Surr %R	102	96	107	90	103	93	105	90

	MB (VOE2F04B)				LCS (VOE2F04L)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	600187	469288	222326	600187	700127	552821	279028	700127
Surrogate Response	524716	987879	374680	365937	600152	1166618	489887	421921
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	10.81	10.59	10.62	9.96	10.60	10.62	11.06	9.85
Surr %R	108	106	106	100	106	106	111	98

Module 1: Analysis by GC/MS

Lab/SDG: **EMAX / 24F019**

	LCSD (VOE2F04C)				MS (T1AM-MW053_MAY24)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	703905	550837	285241	703905	482397	411288	190647	482397
Surrogate Response	576775	1162432	480962	412093	403801	792100	328847	274553
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	10.13	10.62	10.62	9.57	10.35	9.69	10.87	9.30
Surr %R	101	106	106	96	103	97	109	93

	MSD (T1AM-MW053_MAY24)				MS (T1AM-MW051_MAY24)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	482381	410664	197209	482381	491277	419964	199196	491277
Surrogate Response	412955	811059	336491	281547	429676	826200	348649	287729
Calibration RF	0.809	1.987	1.587	0.612	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10	10	10	10	10
Surr Conc. (ppb)	10.58	9.94	10.75	9.54	10.81	9.90	11.03	9.57
Surr %R	106	99	108	95	108	99	110	96

	MSD (T1AM-MW051_MAY24)			
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	Dibromofluoromethane
IS Response	499209	430525	203072	499209
Surrogate Response	431287	826653	354785	294314
Calibration RF	0.809	1.987	1.587	0.612
IS spike concentration (ppb)	10	10	10	10
Surr Spike Conc. (ppb)	10	10	10	10
Surr Conc. (ppb)	10.68	9.66	11.01	9.63
Surr %R	107	97	110	96

Module 1: Analysis by GC/MS
Lab/SDG: EMAX / 24F019

CALCULATION OF WORKING STANDARD FROM STOCK

CALIBRATION STANDARD

Name of Stock Standard:	CPI International "Custom Volatiles Mix"
Conc of Stock Std	2000 ug/mL (ppm)
Aliquot of Stock Std used:	0.250 mL
Final Conc of Working standard	250 ug/mL (ppm)

C2 = C1*V1)/V2

C1	**V1**	**V2**	**C2**
2000	0.250	2.0	250

where
C1 = concentration of Stock standard
V1 = Volume of stock standard used
C2 = Concentration of working standard
V2 = Final volume of working standard

Calibration pt at 1ug/L

	From analytical log spike amt	concentration	purge volume (see analysis run log)	**spike amt in L**	**amount spiked**	**concentration of amount spiked = (amount spiked/ purge volue)**	
Filename REG119: 1ug/L point	0.04 uL	250 mg/L	10 ml	0.00000004 L	0.00001 mg	0.001 mg/L	1 ug/L

SURROGATE STANDARD

Name of Stock Standard:	RESTEK "8260A Surrogate Mix"
Conc of Stock Std	2500 ug/mL (ppm)
Aliquot of Stock Std used:	0.200 mL
Final Conc of Working standard	50 ug/mL (ppm)

C2 = C1*V1)/V2

C1	**V1**	**V2**	**C2**
2500	0.200	10	50

where
C1 = concentration of Stock standard
V1 = Volume of stock standard used
C2 = Concentration of working standard
V2 = Final volume of working standard

	From analytical log spike amt	concentration	purge volume (see analysis run log)	**spike amt in L**	**amount spiked**	**concentration of amount spiked = (amount spiked/ purge volue)**	
IS/ Surr	5 uL	20 mg/L	10 ml	0.000005 L	0.0001 mg	0.01 mg/L	10 ug/L

Module 1: Analysis by GC/MS

Lab/SDG: **EMAX / 24F019**

ICV/LCS STANDARD (second source)

Name of Stock Standard:	RESTEK "Custom Revised 2060 Megamix"
Conc of Stock Std	2000 ug/mL (ppm)
Aliquot of Stock Std used:	0.250 mL
Final Conc of Working standard	50 ug/mL

C2 = C1*V1)/V2

C1	**V1**	**V2**	**C2**
2000	0.250	10	50

where
C1 = concentration of Stock standard
V1 = Volume of stock standard used
C2 = Concentration of working standard
V2 = Final volume of working standard

	From analytical log spike amt	concentration	purge volume (see analysis run log)	**spike amt in L**	**amount spiked**	**concentration of amount spiked = (amount spiked/ purge volue)**	
ICV/LCS	0.4 uL	250 mg/L	10 ml	0.0000004 L	0.0001 mg	0.01 mg/L	10 ug/L

Data Validation Report for 2406133

Facility:	J09CA1108-01, Titan 1A Missile Facility, RI
Event:	Spring 2024
SDG:	2406133
Guidance Document:	Titan 1A Missile Facility, Lincoln CA
Prime Contractor:	Parsons Corporation, Austin, TX
Project Manager:	Tim Crummett
Contract Laboratory(ies):	Eurofins Air Toxics, Inc., Folsom, CA
Data Review Contractor:	Parsons Corporation
Data Review Level:	S4VEM
Primary Data Reviewer:	Beth Driskill, Senior Scientist
Date Submitted:	July 10, 2024

Field Sample ID	Lab Sample ID	Matrix	Type/Type Code	TO 5
T1AMF-SV001_May24	2406133-03A	Air	Field Sample/N	X
T1AMF-SV002_May24	2406133-21A	Air	Field Sample/N	X
T1AMF-SV004_May24	2406133-18A	Air	Field Sample/N	X
T1AMF-SV005B_May24	2406133-17A	Air	Field Sample/N	X
T1AMF-SV006_May24	2406133-14A	Air	Field Sample/N	X
T1AMF-SV007_May24	2406133-13A	Air	Field Sample/N	X
T1AMF-SV008_May24	2406133-16A	Air	Field Sample/N	X
T1AMF-SV015B_May24	2406133-22A	Air	Field Sample/N	X
T1AMF-SV016_May24	2406133-15A	Air	Field Sample/N	X
T1AMF-SV017B_May24	2406133-12A	Air	Field Sample/N	X
T1AMF-SV018_May24	2406133-01A	Air	Field Sample/N	X
T1AMF-SV019_May24	2406133-20A	Air	Field Sample/N	X
T1AMF-SV020_May24	2406133-11A	Air	Field Sample/N	X
T1AMF-SV022_May24	2406133-10A	Air	Field Sample/N	X
T1AMF-SV023_May24	2406133-05A	Air	Field Sample/N	X
T1AMF-SV023_May24_FD	2406133-06A	Air	Field Duplicate/FD	X
T1AMF-SV024_May24	2406133-07A	Air	Field Sample/N	X
T1AMF-SV025_May24	2406133-19A	Air	Field Sample/N	X
T1AMF-SV026_May24	2406133-08A	Air	Field Sample/N	X
T1AMF-SV026_May24_FD	2406133-09A	Air	Field Duplicate/FD	X
T1AMF-SV033_May24	2406133-04A	Air	Field Sample/N	X

This report assesses the analytical data quality associated with the analyses listed on the preceding cover page at S4VEM data validation level. The following samples were validated at a Stage 4: T1AMF-SV001_May24, T1AMF-SV033_May24, T1AMF-SV024_May24, T1AMF-SV026_May24, and T1AMF-SV020_May24. Validation was performed following the guidelines outlined in the project-specific UFP QAPP, DoD General Data Validation Guidelines, Rev 1 (Nov 2019) and Data Validation Guidelines Module 1: Data Validation Procedure for Organic Analysis by GC/MS. This assessment has been made through a combination of automated data review (ADR) and supplemental manual review, the details of which are described below. The approach taken in the review of this data set is consistent with the requirements contained in the Titan 1A Missile Facility, Lincoln CA and the additional guidance documents incorporated by reference to the extent possible. Where definitive guidance is not provided, results have been evaluated in a conservative manner using professional judgment.

Sample collection was managed and directed by Parsons Corporation, Austin, TX; analyses were performed by Eurofins Air Toxics, Inc., Folsom, CA and were reported under sample delivery group (SDG) 2406133. Data have been evaluated electronically based on electronic data deliverables (EDDs) provided by the laboratory, and hard copy data summary forms have also been reviewed during this effort and compared to the automated review output by the reviewers whose signatures appear on the following page. Findings based on the automated data submission and manual data verification processes are detailed in the ADR narrative and throughout this report.

All quality control (QC) elements associated with this SDG have been reviewed by a project chemist in accordance with the requirements defined for the project. This review is documented in the attached Data Review Checklists. The QC elements listed below were supported by the electronic deliverable and were evaluated using ADR processes.

- Field Duplicate RPD
- Lab Blank
- Lab Replicate RPD
- LCS Recovery
- LCS RPD
- Prep Hold Time
- Surrogate
- Test Hold Time

Results of the ADR process were subsequently reviewed and updated as applicable by the data review chemists identified on the signature page. Quality control elements that were not included in the electronic deliverable were reviewed manually and findings are documented within this report. Summaries of findings and associated qualified results are documented throughout this report.

A total of 0 results (0.00%) out of the 231 results (sample and field QC samples) reported are qualified based on review and 0 results (0.00%) have been rejected or deemed a serious deficiency (X qualifier). Trace values, defined as results that are qualified as estimated because they fall between the detection limit and the reporting limit/limit of quantitation, are not counted as qualified results in the above count. The qualified results are detailed throughout this report and discussed in the narrative below, where appropriate.

Narrative Comments

Analytical Method	Data Reviewer Comment
TO15	Sample T1AMF-SV021_May24 was cancelled on 6/13/24 per Parson's request because the sample was measured at full vacuum (29.8”Hg) indicating that no sample volume was collected.

Beth Driskill

July 10, 2024

Reviewed by Beth Driskill, Senior Scientist, Parsons Corporation

As the Reviewer, I certify that I have performed a data review process in accordance with the requirements of the project guidance document, and have compared the electronic data to the laboratory's hard copy report and have verified the consistency of the reported sample results and method quality control data between the two deliverables.

No Outliers were associated with this sample delivery group.

Qualified Results

No results associated with this sample delivery group required qualification.

Results with Modified Qualifiers

No qualifiers associated with this sample delivery group were modified manually.

Reason Code Definitions

Code	Definition
TR	Trace Level Detect

Flag Code and Definitions

Flag	Definition
J	Estimated Value
N	The analysis indicates the presence of an analyte for which there was presumptive evidence to make a tentative identification.
NJ	The analyte has been tentatively identified or presumptively as present and the associated numerical value was the estimated concentration in the sample.
R	The data are rejected due to deficiencies in meeting QC criteria and may not be used for decision making.

U	Undetected: The analyte was analyzed for, but not detected.
U	The analyte was not detected; however, the result is estimated due to discrepancies in meeting certain analyte-specific quality control criteria.
X	Result may require rejection; PDT attention required

Bias	
-	The result may be biased low
+	The result may be biased high
Note - The bias field is a separate field; however, it is an integral part of the final flag (qualifier) on the sample result	

Data Validation Report for 2406133

Review Questions

Method: TO15 (Determination of Volatile Organic Compounds in Air Collected in Specially-Prepared Canisters and Analyzed by GC/MS)				
Review Questions	Yes	No	NA	Comment
Were there discrepancies between the COC and the samples received?		•		
Were there discrepancies between the COC and the sample labels?	•			The COC information for sample T1AMF-SV019_May24 did not match the information on the canister with regard to canister barcode. The sample labeled 1L4781 on the COC is labeled as 1L4761 on the canister. Parsons project team was notified of the discrepancy and the information on the canister was used to process and report the sample.
Were samples relinquished properly on the COC?	•			
Were all samples properly preserved?			•	Preservation for summa canisters is not applicable.
Were sampling dates/times, date and time of laboratory receipt of samples, and sample conditions upon receipt at the laboratory (including preservation, pH, and temperature) documented?	•			Sample T1AMF-SV020_May24 was received with significant vacuum remaining in the canister. The residual canister vacuum resulted in elevated reporting limits.
Were sample results reported with percent moisture correction if required?			•	
Were analytical methods performed and analysis dates present?	•			
Were all requested target analytes reported?	•			
Were QAPP specified Project Quantitation Limit Goals achieved? (The laboratory LOQ is compared to the QAPP Project Quantitation Goal)		•		The laboratory LOQ exceeded the PQL goal for the following analytes in one or more samples; 1,4-dichlorobenzene, benzene, TCE, vinyl chloride, and ethylbenzene.
Were holding times met?	•			
Were trip blanks analyzed at the proper frequency and in control?			•	
Were field blanks analyzed at the proper frequency and in control?			•	
Were equipment blanks analyzed at the proper frequency and in control?			•	
Was a method blank prepared and analyzed with each batch?	•			
Were target analytes in the method blank less than DL?	•			
Was an LCS/LCSD pair prepared and analyzed with each batch?	•			
Were LCS/LCSD recoveries within project acceptance limits?	•			
Was the LCS/LCSD RPD within project acceptance limits?	•			
Was a MS/MSD pair prepared with each batch?			•	MS/MSD analysis is not applicable for method TO15
Were MS/MSD recoveries within project acceptance limits?			•	MS/MSD analysis is not applicable for method TO15.
Was the MS/MSD RPD within project acceptance limits?			•	MS/MSD analysis is not applicable for method TO15
Were Post Spike (PS) recoveries within project acceptance limits?			•	Post Spike is not applicable for method TO-15.
If ISM was used for sample collection, were laboratory triplicates analyzed and within project acceptance limits?			•	
Were surrogate recoveries within project acceptance limits?	•			

Review Questions

Method: TO15 (Determination of Volatile Organic Compounds in Air Collected in Specially-Prepared Canisters and Analyzed by GC/MS)				
Review Questions	Yes	No	NA	Comment
Were field replicates (duplicates, triplicates, etc.) analyzed at the proper frequency and in control?	•			
Were reported sample concentrations within calibration range?	•			
Was the Calibration within project acceptance criteria?	•			
Was the GC/MS system properly tuned based on method criteria?	•			
Was a ICV performed after each ICAL prior to sample analysis and within project acceptance criteria?	•			
Was instrument tuning completed every 24 hours during sample analysis?	•			
Were CCVs run at the required frequency and within project acceptance criteria?	•			
Were ICB/CCBs run at the required frequency?			•	CCB/ICBs are not applicable for method TO15.
Were target analytes in the ICBs/CCBs non-detect?			•	CCB/ICBs are not applicable for method TO15.
Was a Low Level Calibration Check Verification (LLCCV) analyzed prior to sample and within acceptance criteria?			•	LLCCVs are not applicable for method TO15.
Were instrument run logs present and filled out appropriately?	•			
Were internal standard retention times and area criteria within project acceptance criteria?	•			
Were sample preparation sheets present and filled out appropriately?	•			
Were internal standards spiked for every sample, standard, and QC sample?	•			
Were certificates of standard traceability provided and documentation of standard solution preparation?	•			
Were recalculation of QC Elements and Sample Results performed?	•			
Have all Laboratory Case Narrative comments/findings been addressed in the data review process?	•			
Were certificates of standard traceability and documentation of standard solution preparation provided?	•			
Were DoD QSM corrective actions followed if deviations were noted?	•			
Were any data recommended for exclusion in the data validation process?		•		
Were Relative Retention Times (RRTs) within ± 0.06 RRT units (may be updated based on daily CCV)?	•			
Were chromatograms checked for peak integration? (10% of automated integration and 100% of manual integrations)	•			
Were chromatograms checked for correct baseline/peak integration and possible interferences?	•			
Were qualitative ion mass present?	•			

Module 1: Analysis by GC/MS

Lab/SDG: **Eurofins Air Toxics / 2406133**

RECALCULATION TYPE	TAB Reference
Tune: Ion Abundance	TUNE
Tailing Factor	not applicable for TO15
Calibration RF	ICAL RF
Calibration RRT	Rel RT
ICV/CCV %D	ICAL RF
Sample Conc. Raw Values	ICAL RF
Sample Conc. Linear Regression	not applicable
Quadratic Regression	not applicable
LCS % Recovery	ICAL RF
Surrogate % Recovery	ICAL RF
MS/MSD % Recovery	ICAL RF
MS/MSD RPD	ICAL RF
Sample Amounts	ICAL RF
Sample Conc. by Volume (Aqueous Only)	ICAL RF
Sample Conc. by Weight (Non-aqueous only)	not applicable

6.1 SAMPLES AND QC	COMMENT
Sample recalculations should include the raw instrument result, re-quantified from the instrument response against the calibration function, and the final reported sample result, including any dilution, preparation factor, or percent moisture (if applicable). The equations in Appendix B can be used to calculate a sample result from the corresponding reported calibration or regression function, as appropriate	Provided in ICAL RF tab
Verify that one or more of the laboratory's reporting limits (such as limit of quantitation) are calculated correctly for the non-detects and reported accordingly. If a detection limit study was identified by the QAPP, recalculate one or more analyte detection limits.	Provided in LOQ Recalc tab
Re-quantitate **all detected target analytes in the 10% sample data chosen**. For some samples, all results may be non-detects, therefore recalculation would not be necessary. Verify that sample-specific results have been adjusted correctly to reflect percent solids, original sample mass/volume, and any applicable dilutions.	Provided in ICAL RF tab

Module 1: Analysis by GC/MS

Lab/SDG: Eurofins Air Toxics / 2406133

Re-quantitate **all detects found in the field QC blanks** (such as trip blanks, field blanks, or equipment blanks). Field QC sample duplicate recalculations should include re-quantification of the same detected analyte sample/duplicate pair and verification of the percent difference (%D), or relative percent difference (RPD), as reported	No field QC included in SDG
6.2 Method QC	
Re-quantification of batch QC sample results should use raw instrument response in tandem with the reported calibration factor, response factor, or slope; the preparation information; and percent moisture for solid samples to recreate the reported result.	Provided in ICAL RF tab
6.2.1 Surrogate Spikes	
Verify the concentrations of surrogates from the raw data. Verify that the surrogate result and percent recovery were calculated and reported correctly by re-calculating all surrogates in the 10% of chosen sample data and method QC that were originally selected.	Provided in ICAL RF tab
6.2.2 LCS/LCSD	
To check that the spike percent recovery was calculated and reported correctly, using the equation in Appendix B, re-quantitate and then recalculate all contaminants of concern as outlined in the UFP-QAPP Worksheet #12 or #15. Use a random 10% of the analytes in the LCS/LCSD if contaminants of concern (target analytes) have not been specifically identified. Recalculate RPDs (if applicable) from LCS/LCSD pairs that would result in the qualification of a sample.	Provided in ICAL RF tab
6.2.3 MS/MSD	
Re-quantitate 10% of the target analytes as listed in the UFP-QAPP Worksheet #12 or #15 for both the MS and the MSD. Use a random 10% of the analytes in the MS and MSD if contaminates of concern have not been identified. The RPDs of the recalculated MS/MSD pairs should be calculated from the MS/MSD concentrations, not from the recoveries.	Provided in ICAL RF tab
6.2.4 Method Blanks	
Re-quantitate one or more detects found in the method blank (if applicable) from the reported average RF (or higher order regression, if used) per each batch of samples.	No method blank detections were found; no recalcs needed

Module 1: Analysis by GC/MS

Lab/SDG: **Eurofins Air Toxics / 2406133**

6.3 Insturment QC

6.3.1 Tune Check

Verify by re-calculating from the quantitation reports, that the mass assignment is correct and that the mass listing is normalized to the specified m/z for at least 10% of the abundance ratios in every tune. Verify by recalculation that the reported DDT degradation and tailing factor are accurate for SVOC performance checks.	Provided in TUNE tab

6.3.2 Initial (Response Factors and Regressions) and Continuing Calibration Verifications

Initial calibration (ICAL) recalculations should use the raw instrument response for the target analytes and associated internal standards to recreate the calibration curve from the individual calibration standards. If multiple types of calibration curves are employed in an analytical suite, then one analyte per curve type should be recalculated.	Provided in ICAL RF tab
Re-quantitate and recalculate the individual and average RFs, %RSDs, and regression function (if used) and r values reported for at least 10% of the target analytes per each internal standard, (preferably analytes of concern which were identified in the QAPP), per initial calibration curve type.	Provided in ICAL RF tab
Re-quantitate and recalculate the Initial and Continuing Calibration Verification RF result and %D for at least 10% of the target analytes, proportionally per each internal standard and proportionally selecting analytes based on each calibration curve type.	Provided in ICAL RF tab
The laboratory may employ a linear or weighted linear least squares regression. The low standard should be recalculated using the calibration curve and evaluated. RFs should not be evaluated for analytes with linear or higher order regression curves. If the ICAL included refitting of the data back to the model (RSE), the recalculate 10% of the target analytes for the RSE in each ICAL.	Linear regression was not used for any target analytes in this SDG

6.3.3 Internal Standards

Verify all internal standards reported from the raw data for at least one sample per batch of samples, and verify internal standard areas for samples that were qualified due to out-of-control internal standard areas.	No calculations were performed; internal stds were verified as required. Recalculations of all analyte concentrations further confirm IS quantitation.

6.4 Standards Traceability

Check that the stock standards were diluted properly into working standards by recalculating the dilutions of one or more calibration standards. Recalculate one or more surrogate dilutions. Recalculate one or more method QC sample dilutions (such as LCS or MS/MSD) from the stock to the working standard.	Provided in Standards tab

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406133

TUNE

Data file: /chem/msd3.i/24APR24.b/3042402.d
Acq On: 4/24/2024 10:57
Sample ID: BFB
Page #: 606 OF 640

Target Mass	RAW Abundance	Rel to Mass	Rel Abn%	Lower limit	Upper Limit
95	185237	--	--	100	100
50	42533	95	22.96	8	40
75	85218	95	46.00	30	66
96	12370	95	6.68	5	9
173	1500	174	0.95	0	2
174	157717	95	85.14	50	120
175	11725	174	7.43	4	9
176	153250	174	97.17	93	101
177	9906	176	6.46	5	9

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406133

TUNE


Data file: /chem/msd3.i/13JUN24.b/3061302.d
Acq On: 6/13/2024 10:48
Sample ID: BFB
Page #: 610 OF 640


Target Mass	RAW Abundance	Rel to Mass	Rel Abn%	Lower limit	Upper Limit
95	164586	--	--	100	100
50	35992	95	21.87	8	40
75	74802	95	45.45	30	66
96	10787	95	6.55	5	9
173	1393	174	0.96	0	2
174	145432	95	88.36	50	120
175	10857	174	7.47	4	9
176	141946	174	97.60	93	101
177	9552	176	6.73	5	9

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406133

Internal Standard Initial Calibration and Calculation Worksheet

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406133
Instrument: MSD3
Curve Date: 4/23/2024
Compound: Benzene
Internal Standard: 1,4-Difluorobenzene
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:

T1AMF-SV001_May24	2406133-03A
T1AMF-SV033_May24	2406133-04A
T1AMF-SV024_May24	2406133-07A
T1AMF-SV026_May24	2406133-08A
T1AMF-SV020_May24	2406133-11A

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
4016	393969	0.5	25	0.010193695	0.02	0.0004	0.510
8295	395193	1	25	0.020989744	0.04	0.0016	0.525
16634	402992	2	25	0.041276254	0.08	0.0064	0.516
45735	436367	5	25	0.104808567	0.2	0.04	0.524
145772	387341	20	25	0.376340227	0.8	0.64	0.470
379091	390964	50	25	0.969631475	2	4	0.485
785301	396522	100	25	1.98047271	4	16	0.495
1691616	421244	200	25	4.015762836	8	64	0.502
SUM OF EACH COLUMN :				**1.5232**	**3.14**	**4.6884**	**3.0297**

CALIBRATION MODELS:
Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.503	**AVERAGE(RF)**
RSD	3.82%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	**Equal**	**1/X**	**$1/X^2$**	**Equation**
Slope (m)	0.48224	0.48236	0.49711	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00150	0.00144	0.000499	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99987	0.99965	0.99876	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99974	0.99929	0.99751	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate


Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Dilution Factor	Final Concentration (ppbv)	Final Concentration (ug/m^3)	Spike Amt (ppbv)	% Recovery	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis						%R = (final conc (ppbv) / spike amt.)x100		RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
T1AMF-SV033_May24	3061409.d	12602	370903	25	1.69	1.684	1.686	1.684	2.360	3.983	13	NA	NA	NA
T1AMF-SV020_May24	3061415.d	2466	363132	25	0.34	0.274	0.277	0.316	3.460	1.167	4	NA	NA	NA
MB (2406133-23A)	3061306c.d	0	374972	25	0.00	-0.078	-0.075	-0.025	1.000	0.000	0	NA	NA	NA
MB (2406133-23B)	3061406a.d	0	368760	25	0.00	-0.078	-0.075	-0.025	1.000	0.000	0	NA	NA	NA
LCS (2406133-25A)	3061304a.d	321537	341342	25	46.79	48.756	48.747	47.348	1.000	46.786	NA	50.000	93.6	3.2
LCSD (2406133-25AA)	3061305a.d	315751	345903	25	45.34	47.245	47.236	45.882	1.000	45.338	NA	50.000	90.7	
LCS (2406133-25B)	3061404a.d	330020	353455	25	46.37	48.326	48.318	46.932	1.000	46.375	NA	50.000	92.7	1.1
LCSD (2406133-25BB)	3061405a.d	326374	353186	25	45.90	47.828	47.819	46.448	1.000	45.897	NA	50.000	91.8	
ICV	3042404.d	362504	376074	25	47.88	49.893	49.884	48.451	1.000	47.876	NA	50.000	95.8	NA
CCV	3061303a.d	326248	348240	25	46.53	48.490	48.481	47.090	1.000	46.531	NA	50.000	93.1	NA
CCV	3061403a.d	330022	356185	25	46.02	47.956	47.947	46.572	1.000	46.020	NA	50.000	92.0	NA
CCV	3061332.d	337914	358909	25	46.76	48.731	48.722	47.324	1.000	46.762	NA	50.000	93.5	NA
CCV	3061430.d	328943	341260	25	47.88	49.893	49.883	48.451	1.000	47.875	NA	50.000	95.8	NA

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406133

Internal Standard Initial Calibration and Calculation Worksheet

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406133
Instrument: MSD3
Curve Date: 4/23/2024
Compound: Trichloroethene
Internal Standard: 1,4-Difluorobenzene
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
T1AMF-SV001_May24
T1AMF-SV033_May24
T1AMF-SV024_May24
T1AMF-SV026_May24
T1AMF-SV020_May24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
1872	393969	0.5	25	0.004751643	0.02	0.0004	0.238
3951	395193	1	25	0.009997647	0.04	0.0016	0.250
8203	402992	2	25	0.020355243	0.08	0.0064	0.254
22164	436367	5	25	0.050792108	0.2	0.04	0.254
69118	387341	20	25	0.178442251	0.8	0.64	0.223
183021	390964	50	25	0.4681275	2	4	0.234
385359	396522	100	25	0.971847716	4	16	0.243
827420	421244	200	25	1.964229758	8	64	0.246
SUM OF EACH COLUMN :				**0.7325**	**3.14**	**4.6884**	**1.4530**

CALIBRATION MODELS:

Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.243	**AVERAGE(RF)**
RSD	4.44%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.23249	0.23204	0.24089	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00041	0.00065	0.000081	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99973	0.99938	0.99795	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99947	0.99877	0.99591	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate

Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Dilution Factor	Final Concentration (ppbv)	Final Concentration (ug/m^3)	Spike Amt (ppbv)	% Recovery	RPD
Equations:					**Ax*Cis/Ais/RF**	**((Ax/Ais-b)/m)*Cis**						**%R = (final conc (ppbv) / spike amt.)x100**		**RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100**
T1AMF-SV001_May24	3061327.d	408129	355668	25	118.21	123.348	123.564	119.080	9.410	1112.315	5978	NA	NA	NA
T1AMF-SV033_May24	3061409.d	19275	370903	25	5.35	5.544	5.530	5.385	2.360	12.634	68	NA	NA	NA
T1AMF-SV024_May24	3061411.d	397698	350388	25	116.92	122.006	122.220	117.785	10.000	1169.202	6284	NA	NA	NA
T1AMF-SV020_May24	3061415.d	74187	363132	25	21.04	21.925	21.942	21.194	3.460	72.816	391	NA	NA	NA
T1AMF-SV026_May24	3061412.d	333550	387485	25	88.67	92.520	92.675	89.326	2.250	199.514	1072	NA	NA	NA
MB (2406133-23A)	3061306c.d	0	374972	25	0.00	-0.044	-0.070	-0.008	1.000	0.000	0	NA	NA	NA
MB (2406133-23B)	3061406a.d	0	368760	25	0.00	-0.044	-0.070	-0.008	1.000	0.000	0	NA	NA	NA
LCS (2406133-25A)	3061304a.d	158463	341342	25	47.82	49.876	49.948	48.170	1.000	47.822	NA	50.000	95.6	3.2
LCSD (2406133-25AA)	3061305a.d	156621	345903	25	46.64	48.645	48.715	46.982	1.000	46.642	NA	50.000	93.3	
LCS (2406133-25B)	3061404a.d	164106	353455	25	47.83	49.882	49.954	48.176	1.000	47.827	NA	50.000	95.7	2.1
LCSD (2406133-25BB)	3061405a.d	161446	353186	25	47.09	49.110	49.181	47.431	1.000	47.088	NA	50.000	94.2	
ICV	3042404.d	171664	376074	25	47.02	49.040	49.111	47.363	1.000	47.021	NA	50.000	94.0	NA
CCV	3061303a.d	198389	348240	25	58.68	61.216	61.310	59.114	1.000	58.685	NA	50.000	117.4	NA
CCV	3061403a.d	203441	356185	25	58.84	61.374	61.469	59.267	1.000	58.837	NA	50.000	117.7	NA
CCV	3061332.d	206037	358909	25	59.14	61.686	61.781	59.568	1.000	59.135	NA	50.000	118.3	NA
CCV	3061430.d	201306	341260	25	60.77	63.388	63.486	61.211	1.000	60.765	NA	50.000	121.5	NA


Module 1: Analysis by GC/MS

Lab/SDG: Eurofins Air Toxics / 2406133

Internal Standard Initial Calibration and Calculation Worksheet

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406264
Instrument: MSD3
Curve Date: 4/23/2024
Compound: Toluene
Internal Standard: 1,4-Difluorobenzene
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
T1AMF-SV001_May24
T1AMF-SV033_May24
T1AMF-SV024_May24
T1AMF-SV026_May24
T1AMF-SV020_May24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
6183	393969	0.5	25	0.015694128	0.02	0.0004	0.785
11722	395193	1	25	0.029661457	0.04	0.0016	0.742
22030	402992	2	25	0.054666098	0.08	0.0064	0.683
59602	436367	5	25	0.136586864	0.2	0.04	0.683
209847	387341	20	25	0.541762943	0.8	0.64	0.677
522189	390964	50	25	1.335644714	2	4	0.668
1060130	396522	100	25	2.673571706	4	16	0.668
2252473	421244	200	25	5.347193076	8	64	0.668
SUM OF EACH COLUMN :				**2.1140**	**3.14**	**4.6884**	**4.2375**

CALIBRATION MODELS:

Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.697	**AVERAGE(RF)**
RSD	6.17%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.66715	0.66868	0.66890	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00320	0.00239	0.002378	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99999	0.99998	0.99985	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99998	0.99995	0.99969	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate


Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Dilution Factor	Final Concentration (ppbv)	Final Concentration (ug/m^3)	Spike Amt (ppbv)	% Recovery	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis						%R = (final conc (ppbv) / spike amt.)x100		RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
T1AMF-SV033_May24	3061409.d	103797	370903	25	10.04	10.367	10.373	10.370	2.360	23.696	89	NA	NA	NA
T1AMF-SV020_May24	3061415.d	4557	363132	25	0.45	0.351	0.380	0.380	3.460	1.558	6	NA	NA	NA
T1AMF-SV026_May24	3061412.d	2190	387485	25	0.20	0.092	0.122	0.122	2.250	0.456	2	NA	NA	NA
MB (2406133-23A)	3061306c.d	0	374972	25	0.00	-0.120	-0.089	-0.089	1.000	0.000	0.000	NA	NA	NA
MB (2406133-23B)	3061406a.d	0	368760	25	0.00	-0.120	-0.089	-0.089	1.000	0.000	0.000	NA	NA	NA
LCS (2406133-25A)	3061304a.d	440925	341342	25	46.35	48.286	48.205	48.190	1.000	46.346	NA	50.000	93	3.3
LCSD (2406133-25AA)	3061305a.d	434240	345903	25	45.04	46.923	46.845	46.831	1.000	45.042	NA	50.000	90	
LCS (2406133-25B)	3061404a.d	453033	353455	25	45.99	47.910	47.830	47.815	1.000	45.987	NA	50.000	92	1.1
LCSD (2406133-25BB)	3061405a.d	447202	353186	25	45.43	47.328	47.250	47.235	1.000	45.430	NA	50.000	91	
ICV	3042404.d	484854	376074	25	46.26	48.192	48.112	48.097	1.000	46.257	NA	50.000	93	NA
CCV	3061303a.d	448938	348240	25	46.25	48.189	48.108	48.093	1.000	46.254	NA	50.000	93	NA
CCV	3061403a.d	457963	356185	25	46.13	48.061	47.981	47.966	1.000	46.131	NA	50.000	92	NA
CCV	3061332.d	467519	358909	25	46.74	48.693	48.611	48.596	1.000	46.736	NA	50.000	93	NA
CCV	3061430.d	450132	341260	25	47.33	49.308	49.225	49.210	1.000	47.325	NA	50.000	95	NA

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406133

Internal Standard Initial Calibration and Calculation Worksheet

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406264
Instrument: MSD3
Curve Date: 4/23/2024
Compound: Ethylbenzene
Internal Standard: Chlorobenzene-d5
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
T1AMF-SV001_May24
T1AMF-SV033_May24
T1AMF-SV024_May24
T1AMF-SV026_May24
T1AMF-SV020_May24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
2755	399290	0.5	25	0.006899747	0.02	0.0004	0.345
4444	392113	1	25	0.011333468	0.04	0.0016	0.283
9422	399961	2	25	0.023557297	0.08	0.0064	0.294
25019	446883	5	25	0.055985571	0.2	0.04	0.280
90547	387994	20	25	0.233372166	0.8	0.64	0.292
221782	392003	50	25	0.565766078	2	4	0.283
444390	398422	100	25	1.115375155	4	16	0.279
943770	429525	200	25	2.197241138	8	64	0.275
SUM OF EACH COLUMN :				**0.8969**	**3.14**	**4.6884**	**1.7773**

CALIBRATION MODELS:
Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.291	**AVERAGE(RF)**
RSD	7.77%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.28324	0.28418	0.27902	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00125	0.00077	0.001095	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99992	0.99982	0.99841	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99984	0.99964	0.99683	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate

Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Dilution Factor	Final Concentration (ppbv)	Final Concentration (ug/m^3)	Spike Amt (ppbv)	% Recovery	RPD
Equations:					**Ax*Cis/Ais/RF**	**((Ax/Ais-b)/m)*Cis**						**%R = (final conc (ppbv) / spike amt.)x100**		**RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100**
T1AMF-SV033_May24	3061409.d	4855	381883	25	1.09	1.011	1.051	1.041	2.360	2.575	11	NA	NA	NA
T1AMF-SV020_May24	3061415.d	600	373157	25	0.14	0.031	0.074	0.046	3.460	0.477	2	NA	NA	NA
MB (2406133-23A)	3061306c.d	0	381816	25	0.00	-0.111	-0.067	-0.098	1.000	0.000	0.000	NA	NA	NA
MB (2406133-23B)	3061406a.d	0	371862	25	0.00	-0.111	-0.067	-0.098	1.000	0.000	0.000	NA	NA	NA
LCS (2406133-25A)	3061304a.d	199972	336630	25	50.97	52.321	52.192	53.127	1.000	50.973	NA	50.000	102	1.0
LCSD (2406133-25AA)	3061305a.d	198477	338443	25	50.3	51.650	51.524	52.446	1.000	50.321	NA	50.000	101	
LCS (2406133-25B)	3061404a.d	202826	348308	25	49.97	51.286	51.161	52.077	1.000	49.967	NA	50.000	100	0.0
LCSD (2406133-25BB)	3061405a.d	201737	347473	25	49.82	51.133	51.008	51.921	1.000	49.818	NA	50.000	100	
ICV	3042404.d	212260	364730	25	49.94	51.255	51.130	52.045	1.000	49.937	NA	50.000	100	NA
CCV	3061303a.d	194010	341662	25	48.72	50.009	49.888	50.780	1.000	48.725	NA	50.000	97	NA
CCV	3061403a.d	196683	352841	25	47.83	49.089	48.971	49.846	1.000	47.831	NA	50.000	96	NA
CCV	3061332.d	197913	349704	25	48.56	49.841	49.721	50.610	1.000	48.562	NA	50.000	97	NA
CCV	3061430.d	194108	337707	25	49.32	50.621	50.498	51.401	1.000	49.320	NA	50.000	99	NA


Module 1: Analysis by GC/MS

Lab/SDG: Eurofins Air Toxics / 2406133

Internal Standard Initial Calibration and Calculation Worksheet

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406264
Instrument: MSD3
Curve Date: 4/23/2024
Compound: m,p-xylene
Internal Standard: Chlorobenzene-d5
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
T1AMF-SV001_May24
T1AMF-SV033_May24
T1AMF-SV024_May24
T1AMF-SV026_May24
T1AMF-SV020_May24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
3099	399290	0.5	25	0.007761276	0.02	0.0004	0.388
5834	392113	1	25	0.014878364	0.04	0.0016	0.372
11992	399961	2	25	0.029982923	0.08	0.0064	0.375
31010	446883	5	25	0.069391765	0.2	0.04	0.347
112481	387994	20	25	0.289903968	0.8	0.64	0.362
277013	392003	50	25	0.706660408	2	4	0.353
562748	398422	100	25	1.412442084	4	16	0.353
1218383	429525	200	25	2.836582271	8	64	0.355
SUM OF EACH COLUMN :				**1.1186**	**3.14**	**4.6884**	**2.1975**

CALIBRATION MODELS:

Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.363	**AVERAGE(RF)**
RSD	3.85%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.35364	0.35485	0.35565	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00136	0.00073	0.000675	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99994	0.99989	0.99964	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99988	0.99977	0.99928	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate


Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Dilution Factor	Final Concentration (ppbv)	Final Concentration (ug/m^3)	Spike Amt (ppbv)	% Recovery	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis						%R = (final conc (ppbv) / spike amt.)x100		RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
T1AMF-SV033_May24	3061409.d	19540	381883	25	3.52	3.521	3.554	3.549	2.360	8.313	36.10	NA	NA	NA
T1AMF-SV020_May24	3061415.d	1251	373157	25	0.23	0.141	0.185	0.188	3.460	0.799	3.47	NA	NA	NA
T1AMF-SV026_May24	3061412.d	1820	403551	25	0.31	0.223	0.267	0.270	2.250	0.699	3.03	NA	NA	NA
MB (2406133-23A)	3061306c.d	0	381816	25	0.00	-0.096	-0.051	-0.047	1.000	0.000	0	NA	NA	NA
MB (2406133-23B)	3061406a.d	0	371862	25	0.00	-0.096	-0.051	-0.047	1.000	0.000	0	50.000	NA	NA
LCS (2406133-25A)	3061304a.d	244176	336630	25	49.94	51.182	51.052	50.940	1.000	49.936	NA	50.000	100	2.0
LCSD (2406133-25AA)	3061305a.d	241059	338443	25	49.0	50.256	50.129	50.020	1.000	49.034	NA	50.000	98	
LCS (2406133-25B)	3061404a.d	250535	348308	25	49.52	50.753	50.625	50.514	1.000	49.518	NA	50.000	99	1.0
LCSD (2406133-25BB)	3061405a.d	248200	347473	25	49.17	50.400	50.273	50.163	1.000	49.175	NA	50.000	98	
ICV	3042404.d	260935	364730	25	49.25	50.479	50.352	50.242	1.000	49.252	NA	50.000	99	NA
CCV	3061303a.d	243245	341662	25	49.01	50.234	50.107	49.998	1.000	49.013	NA	50.000	98	NA
CCV	3061403a.d	245821	352841	25	47.96	49.155	49.033	48.926	1.000	47.962	NA	50.000	96	NA
CCV	3061332.d	248371	349704	25	48.89	50.113	49.987	49.877	1.000	48.894	NA	50.000	98	NA
CCV	3061430.d	242188	337707	25	49.37	50.602	50.474	50.364	1.000	49.371	NA	50.000	99	NA

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406133

Internal Standard Initial Calibration and Calculation Worksheet

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406264
Instrument: MSD3
Curve Date: 4/23/2024
Compound: o-xylene
Internal Standard: Chlorobenzene-d5
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
T1AMF-SV001_May24
T1AMF-SV033_May24
T1AMF-SV024_May24
T1AMF-SV026_May24
T1AMF-SV020_May24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
3211	399290	0.5	25	0.008041774	0.02	0.0004	0.402
5484	392113	1	25	0.013985764	0.04	0.0016	0.350
11134	399961	2	25	0.027837714	0.08	0.0064	0.348
29126	446883	5	25	0.065175896	0.2	0.04	0.326
105703	387994	20	25	0.272434625	0.8	0.64	0.341
260621	392003	50	25	0.664844402	2	4	0.332
531095	398422	100	25	1.33299617	4	16	0.333
1110220	429525	200	25	2.584762237	8	64	0.323
SUM OF EACH COLUMN :				**1.0523**	**3.14**	**4.6884**	**2.0985**

CALIBRATION MODELS:
Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.344	**AVERAGE(RF)**
RSD	7.32%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.33263	0.33311	0.32868	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00131	0.00106	0.001342	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99995	0.99988	0.99943	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99989	0.99976	0.99886	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate

Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Dilution Factor	Final Concentration (ppbv)	Final Concentration (ug/m^3)	Spike Amt (ppbv)	% Recovery	RPD
Equations:					**Ax*Cis/Ais/RF**	**((Ax/Ais-b)/m)*Cis**						**%R = (final conc (ppbv) / spike amt.)x100**		**RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100**
T1AMF-SV033_May24	3061409.d	6207	381883	25	1.18	1.123	1.140	1.134	2.360	2.785	12	NA	NA	NA
T1AMF-SV026_May24	3061412.d	679	403551	25	0.12	0.028	0.047	0.026	2.250	0.275	1	NA	NA	NA
MB (2406133-23A)	3061306c.d	0	381816	25	0.00	-0.098	-0.080	-0.102	1.000	0.000	0	NA	NA	NA
MB (2406133-23B)	3061406a.d	0	371862	25	0.00	-0.098	-0.080	-0.102	1.000	0.000	0	NA	NA	NA
LCS (2406133-25A)	3061304a.d	232515	336630	25	50.14	51.815	51.759	52.434	1.000	50.145	NA	50.000	100	0.0
LCSD (2406133-25AA)	3061305a.d	233580	338443	25	50.1	51.773	51.717	52.392	1.000	50.104	NA	50.000	100	
LCS (2406133-25B)	3061404a.d	238780	348308	25	49.77	51.426	51.371	52.041	1.000	49.769	NA	50.000	100	2.0
LCSD (2406133-25BB)	3061405a.d	234562	347473	25	49.01	50.637	50.583	51.243	1.000	49.007	NA	50.000	98	
ICV	3042404.d	250263	364730	25	49.81	51.472	51.417	52.088	1.000	49.814	NA	50.000	100	NA
CCV	3061303a.d	227361	341662	25	48.31	49.916	49.863	50.513	1.000	48.311	NA	50.000	97	NA
CCV	3061403a.d	232231	352841	25	47.78	49.369	49.317	49.959	1.000	47.782	NA	50.000	96	NA
CCV	3061332.d	235894	349704	25	48.97	50.600	50.546	51.205	1.000	48.971	NA	50.000	98	NA
CCV	3061430.d	229632	337707	25	49.36	51.007	50.953	51.617	1.000	49.365	NA	50.000	99	NA


Module 1: Analysis by GC/MS

Lab/SDG: Eurofins Air Toxics / 2406133

Internal Standard Initial Calibration and Calculation Worksheet

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406264
Instrument: MSD3
Curve Date: 4/23/2024
Compound: cis-1,2-dichloroethene
Internal Standard: Bromochloromethane
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
T1AMF-SV001_May24
T1AMF-SV033_May24
T1AMF-SV024_May24
T1AMF-SV026_May24
T1AMF-SV020_May24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
968	104933	0.5	25	0.009224934	0.02	0.0004	0.461
2013	105555	1	25	0.019070627	0.04	0.0016	0.477
3951	104675	2	25	0.037745402	0.08	0.0064	0.472
10957	115073	5	25	0.095217818	0.2	0.04	0.476
30727	105372	20	25	0.29160498	0.8	0.64	0.365
89304	106185	50	25	0.841022743	2	4	0.421
187231	105842	100	25	1.768966951	4	16	0.442
402619	110600	200	25	3.640316456	8	64	0.455
SUM OF EACH COLUMN :				**1.2939**	**3.14**	**4.6884**	**2.6709**

CALIBRATION MODELS:

Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.446	**AVERAGE(RF)**
RSD	8.53%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.41417	0.40748	0.42823	**SLOPE(RatioY,RatioX)**
Intercept (b)	-0.00110	0.00240	0.001078	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99817	0.99696	0.99355	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99635	0.99393	0.98715	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate

Sample Concentration Calculations

Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Dilution Factor	Final Concentration (ppbv)	Final Concentration (ug/m^3)	Spike Amt (ppbv)	% Recovery	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis						%R = (final conc (ppbv) / spike amt.)x100		RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
T1AMF-SV001_May24	3061327.d	222	98440	25	0.13	0.203	-0.009	0.069	9.410	1.189	4.7	NA	NA	NA
MB (2406133-23A)	3061306c.d	0	102137	25	0.00	0.067	-0.147	-0.063	1.000	0.000	NA	NA	NA	NA
MB (2406133-23B)	3061406a.d	0	98497	25	0.00	0.067	-0.147	-0.063	1.000	0.000	NA	NA	NA	NA
LCS (2406133-25A)	3061304a.d	74339	94778	25	43.96	47.411	47.974	45.728	1.000	43.963	NA	50.000	88	0.0
LCSD (2406133-25AA)	3061305a.d	74703	94751	25	44.19	47.656	48.224	45.965	1.000	44.191	NA	50.000	88	
LCS (2406133-25B)	3061404a.d	78477	98163	25	44.8	48.323	48.901	46.610	1.000	44.810	NA	50.000	90	2.2
LCSD (2406133-25BB)	3061405a.d	75950	96328	25	44.19	47.659	48.226	45.967	1.000	44.193	NA	50.000	88	
ICV	3042404.d	83429	99038	25	47.22	50.915	51.536	49.116	1.000	47.217	NA	50.000	94	NA
CCV	3061303a.d	78530	94691	25	46.48	50.126	50.734	48.354	1.000	46.484	NA	50.000	93	NA
CCV	3061403a.d	80027	97298	25	46.10	49.713	50.315	47.954	1.000	46.101	NA	50.000	92	NA
CCV	3061332.d	82967	99024	25	46.96	50.640	51.257	48.851	1.000	46.962	NA	50.000	94	NA
CCV	3061430.d	79586	94062	25	47.42	51.138	51.763	49.333	1.000	47.424	NA	50.000	95	NA

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406133

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406133
Instrument: MSD3
Curve Date: 4/23/2024
Compound: Benzene
Internal Standard: 1,4-Difluorobenzene

ICAL PT	Analyte RT	INT STD RD	RRT
0.5	5.998	6.427	0.933
1	5.998	6.427	0.933
2	5.998	6.427	0.933
5	5.997	6.427	0.933
20	5.997	6.427	0.933
50	5.998	6.427	0.933
100	5.997	6.427	0.933
200	5.997	6.427	0.933

Module 1: Analysis by GC/MS

Lab/SDG: Eurofins Air Toxics / 2406133

Compound	Sample ID	QAPP LOQ (ug/m3)	DF	Final LOQ	REPORTED LOQ (ug/m3)
Benzene	T1AMF-SV001_May24	1.59	9.41	15.0	15.0
	T1AMF-SV033_May24	1.59	2.36	3.8	3.8
	T1AMF-SV024_May24	1.59	10.00	15.9	16
	T1AMF-SV026_May24	1.59	2.25	3.6	3.6
	T1AMF-SV020_May24	1.59	3.46	5.5	5.5

Module 1: Analysis by GC/MS

Lab/SDG: Eurofins Air Toxics / 2406133

	T1AMF-SV001_May24			T1AMF-SV033_May24		
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	1,2-Dichloroethane-d5	Toluene-d9	4-Bromofluorobenzene
IS Response	98440	355668	367238	102169	370903	381883
Surrogate Response	114245	333903	277754	119319	350370	283991
Calibration RF	1.30215	0.97187	0.74296	1.30215	0.97187	0.74296
IS spike concentration (ppbv)	25	25	25	25	25	25
Surr Spike Conc. (ppbv)	25	25	25	25	25	25
Surr Conc. (ppbv)	22.28150852	24.14945647	25.44997058	22.42174741	24.29955942	25.02354458
Surr %R	89.12603407	96.59782587	101.7998823	89.68698962	97.19823767	100.0941783

	T1AMF-SV020_May24			T1AMF-SV024_May24		
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
IS Response	97924	363132	373157	96521	350388	352152
Surrogate Response	117878	340581	281866	113049	329343	265589
Calibration RF	1.30215	0.97187	0.74296	1.30215	0.97187	0.74296
IS spike concentration (ppbv)	25	25	25	25	25	25
Surr Spike Conc. (ppbv)	25	25	25	25	25	25
Surr Conc. (ppbv)	23.11120591	24.12613352	25.41708116	22.48660575	24.17859414	25.37783098
Surr %R	92.44482362	96.50453408	101.6683246	89.94642302	96.71437657	101.5113239

	T1AMF-SV026_May24			MB (2406133-23A)		
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	1,2-Dichloroethane-d5	Toluene-d9	4-Bromofluorobenzene
IS Response	108993	387485	403551	102137	374972	381816
Surrogate Response	128876	355016	310500	120018	356994	281635
Calibration RF	1.30215	0.97187	0.74296	1.30215	0.97187	0.74296
IS spike concentration (ppbv)	25	25	25	25	25	25
Surr Spike Conc. (ppbv)	25	25	25	25	25	25
Surr Conc. (ppbv)	22.70138923	23.56811581	25.89033994	22.5601655	24.490289	24.82030295
Surr %R	90.80555692	94.27246325	103.5613598	90.24066199	97.961156	99.2812118

yellow highlight indicates a row that includes a calculation.

Module 1: Analysis by GC/MS

Lab/SDG: Eurofins Air Toxics / 2406133

	MB (2406133-23B)			LCS (2406133-25A)		
Surrogate	1,2-Dichloroethane-d5	Toluene-d9	4-Bromofluorobenzene	1,2-Dichloroethane-d5	Toluene-d9	4-Bromofluorobenzene
IS Response	98497	368760	371862	94778	341342	336630
Surrogate Response	115935	347065	277630	112743	321158	254935
Calibration RF	1.30215	0.97187	0.74296	1.30215	0.97187	0.74296
IS spike concentration (ppbv)	25	25	25	25	25	25
Surr Spike Conc. (ppbv)	25	25	25	25	25	25
Surr Conc. (ppbv)	22.59802874	24.21022609	25.12228675	22.83815627	24.20253452	25.48303923
Surr %R	90.39211497	96.84090435	100.489147	91.35262507	96.81013807	101.9321569

	LCSD (2406133-25AA)			LCS (2406133-25B)		
Surrogate	1,2-Dichloroethane-d5	Toluene-d9	4-Bromofluorobenzene	1,2-Dichloroethane-d5	Toluene-d9	4-Bromofluorobenzene
IS Response	94751	345903	338443	98163	353455	348308
Surrogate Response	114006	323307	250435	115014	332007	260008
Calibration RF	1.30215	0.97187	0.74296	1.30215	0.97187	0.74296
IS spike concentration (ppbv)	25	25	25	25	25	25
Surr Spike Conc. (ppbv)	25	25	25	25	25	25
Surr Conc. (ppbv)	23.10058082	24.04321895	24.8991238	22.49478666	24.16267114	25.11873923
Surr %R	92.40232328	96.1728758	99.59649519	89.97914662	96.65068456	100.4749569

	LCSD (2406133-25BB)		
Surrogate	1,2-Dichloroethane-d5	Toluene-d9	4-Bromofluorobenzene
IS Response	96328	353186	347473
Surrogate Response	116011	329011	260359
Calibration RF	1.30215	0.97187	0.74296
IS spike concentration (ppbv)	25	25	25
Surr Spike Conc. (ppbv)	25	25	25
Surr Conc. (ppbv)	23.1220119	23.96286661	25.21309192
Surr %R	92.4880476	95.85146645	100.8523677

yellow highlight indicates a row that includes a calculation.

Module 1: Analysis by GC/MS

Lab/SDG: Eurofins Air Toxics / 2406133

CALCULATION OF WORKING STANDARD FROM STOCK

CALIBRATION STANDARD

Name of Stock Standard:	ISO-17034	
Data pkg std Certificate on page:	265	
Data pkg working std calc on page:	264	
Initial Conc of Stock Std	1000 (ppb)	
Dilution Factor	5	
Target Conc of Working Std	200 (ppb)	
Final Conc of Working standard	199.89 (ppb)	Final Conc. = (1000 ppbv) * (5.94 psid))/(11.93 + 5.94 + 5.94 + 5.91 psid)
File ID: 3041806.d		
Concentration	50 (ppbv)	
Spike amount	50 (mL)	
Dilution Factor	1	DF = Concentration / Amount

SURROGATE STANDARD

Name of Stock Standard:	ISO-17025	
Data pkg std Certificate on page:	260	
Data pkg working std calc on page:	262	
Initial Conc of Stock Std	200 (ppb)	
Dilution Factor	40	
Target Conc of Working Std	5 (ppb)	
Final Conc of Working standard	5.03 (ppb)	Final Conc. = (200 ppbv) * (.74 psid)/(11.93 + .74 + 16.77 psid)
File ID: 3061325.d		
Dilution Factor on page 10	2.12	
Dilution Factor Calc	2.118316	Diluition Factor = Final Pressure / Initial Vacuum
Final Pressure	9.9	Final Pressure = 14.7psi + final pressurepsi
Initial Vaccum	6.3	Initial Vacuum = 14.7psi - (initial pressureHg * (14.7psi/30Hg))

Module 1: Analysis by GC/MS

Lab/SDG: Eurofins Air Toxics / 2406133

ICV/LCS STANDARD (second source)

Name of Stock Standard:	Qualified	
Data pkg std Certificate on page:	274	
Data pkg working std calc on page:	273	
Initial Conc of Stock Std	1000 (ppb)	
Dilution Factor	5	
Target Conc of Working Std	200 (ppb)	
Final Conc of Working standard	200.09 (ppb)	Final Conc. = (1000 ppbv) * (5.90 psid)/(11.67 + 5.9 + 11.92 psid)
File ID: 3061304a.d		
Concentration	50 (ppbv)	
Spike amount	50 (mL)	
Dilution Factor	1	DF = Concentration / Amount

Data Validation Report for 2406264R2

Facility:	J09CA1108-01, Titan 1A Missile Facility, RI
Event:	Spring 2024
SDG:	2406264R2
Guidance Document:	Titan 1A Missile Facility, Lincoln CA
Prime Contractor:	Parsons Corporation, Austin, TX
Project Manager:	Tim Crummett
Contract Laboratory(ies):	Eurofins Air Toxics, Inc., Folsom, CA
Data Review Contractor:	Parsons Corporation
Data Review Level:	S2BVEM
Primary Data Reviewer:	Beth Driskill, Senior Scientist
Date Submitted:	July 14, 2024

Field Sample ID	Lab Sample ID	Matrix	Type/Type Code	TO 5
T1AMF-SV003_JUN24	2406264R2-01A	Air	Field Sample/N	X
T1AMF-SV009B_JUN24	2406264R2-09A	Air	Field Sample/N	X
T1AMF-SV010_JUN24	2406264R2-02A	Air	Field Sample/N	X
T1AMF-SV027_JUN24	2406264R2-03A	Air	Field Sample/N	X
T1AMF-SV028_JUN24	2406264R2-04A	Air	Field Sample/N	X
T1AMF-SV028_JUN24_FD	2406264R2-05A	Air	Field Duplicate/FD	X
T1AMF-SV029_JUN24	2406264R2-06A	Air	Field Sample/N	X
T1AMF-SV030_JUN24	2406264R2-07A	Air	Field Sample/N	X
T1AMF-SV031_JUN24	2406264R2-08A	Air	Field Sample/N	X
T1AMF-SV032A_JUN24	2406264R2-11A	Air	Field Sample/N	X
T1AMF-SV032B_JUN24	2406264R2-10A	Air	Field Sample/N	X
T1AMF-SV034_JUN24	2406264R2-12A	Air	Field Sample/N	X
T1AMF-SV035_JUN24	2406264R2-13A	Air	Field Sample/N	X
T1AMF-SV035_JUN24_FD	2406264R2-14A	Air	Field Duplicate/FD	X

This report assesses the analytical data quality associated with the analyses listed on the preceding cover page at S2BVEM data validation level and 10% of the data validated at a Stage 4. Samples T1AMF-SV027_JUN24 and T1AMF-SV028_JUN24 were validated at a Stage 4. Validation was performed following the guidelines outlined in the project-specific UFP QAPP, DoD General Data Validation Guidelines, Rev 1 (Nov 2019) and Data Validation Guidelines Module 1: Data Validation Procedure for Organic Analysis by GC/MS. This assessment has been made through a combination of automated data review (ADR) and supplemental manual review, the details of which are described below. The approach taken in the review of this data set is consistent with the requirements contained in the Titan 1A Missile Facility, Lincoln CA and the additional guidance documents incorporated by reference to the extent possible. Where definitive guidance is not provided, results have been evaluated in a conservative manner using professional judgment.

Sample collection was managed and directed by Parsons Corporation, Austin, TX; analyses were performed by Eurofins Air Toxics, Inc., Folsom, CA and were reported under sample delivery group (SDG) 2406264R2. Data have been evaluated electronically based on electronic data deliverables (EDDs) provided by the laboratory, and hard copy data summary forms have also been reviewed during this effort and compared to the automated review output by the reviewers whose signatures appear on the following page. Findings based on the automated data submission and manual data verification processes are detailed in the ADR narrative and throughout this report.

All quality control (QC) elements associated with this SDG have been reviewed by a project chemist in accordance with the requirements defined for the project. This review is documented in the attached Data Review Checklists. The QC elements listed below were supported by the electronic deliverable and were evaluated using ADR processes.

- Field Duplicate RPD
- Lab Blank
- Lab Replicate RPD
- LCS Recovery
- LCS RPD
- Prep Hold Time
- Surrogate
- Test Hold Time

Results of the ADR process were subsequently reviewed and updated as applicable by the data review chemists identified on the signature page. Quality control elements that were not included in the electronic deliverable were reviewed manually and findings are documented within this report. Summaries of findings and associated qualified results are documented throughout this report.

A total of 0 results (0.00%) out of the 154 results (sample and field QC samples) reported are qualified based on review and 0 results (0.00%) have been rejected or deemed a serious deficiency (X qualifier). Trace values, defined as results that are qualified as estimated because they fall between the detection limit and the reporting limit/limit of quantitation, are not counted as qualified results in the above count. The qualified results are detailed throughout this report and discussed in the narrative below, where appropriate.

Narrative Comments

Analytical Method	Data Reviewer Comment
TO15	No additional comments; see Checklist for detail.

Beth Driskill

July 14, 2024

Reviewed by Beth Driskill, Senior Scientist, Parsons Corporation

As the Reviewer, I certify that I have performed a data review process in accordance with the requirements of the project guidance document, and have compared the electronic data to the laboratory's hard copy report and have verified the consistency of the reported sample results and method quality control data between the two deliverables.

No Outliers were associated with this sample delivery group.

Qualified Results

No results associated with this sample delivery group required qualification.

Results with Modified Qualifiers

No qualifiers associated with this sample delivery group were modified manually.

Reason Code Definitions

Code	Definition
TR	Trace Level Detect

Flag Code and Definitions

Flag	Definition
J	Estimated Value
N	The analysis indicates the presence of an analyte for which there was presumptive evidence to make a tentative identification.
NJ	The analyte has been tentatively identified or presumptively as present and the associated numerical value was the estimated concentration in the sample.
R	The data are rejected due to deficiencies in meeting QC criteria and may not be used for decision making.

U	Undetected: The analyte was analyzed for, but not detected.
U	The analyte was not detected; however, the result is estimated due to discrepancies in meeting certain analyte-specific quality control criteria.
X	Result may require rejection; PDT attention required

Bias	
-	The result may be biased low
+	The result may be biased high
Note - The bias field is a separate field; however, it is an integral part of the final flag (qualifier) on the sample result	

Review Questions

Method: TO15 (Determination of Volatile Organic Compounds in Air Collected in Specially-Prepared Canisters and Analyzed by GC/MS)				
Review Questions	Yes	No	NA	Comment
Were there discrepancies between the COC and the samples received?	•			The sample ID: T1AMF-SV009B_JUN24 was incorrectly documented on the COC. Parsons requested that the lab revise the sample ID accordingly.
Were there discrepancies between the COC and the sample labels?		•		
Were samples relinquished properly on the COC?	•			
Were all samples properly preserved?			•	Preservation for summa canisters is not applicable.
Were sampling dates/times, date and time of laboratory receipt of samples, and sample conditions upon receipt at the laboratory (including preservation, pH, and temperature) documented?	•			Samples T1AMF-SV027_JUN24 and T1AMF-SV029_JUN24 were received with significant vacuum remaining in the canister. The residual canister vacuum resulted in elevated reporting limits.
Were sample results reported with percent moisture correction if required?			•	
Were analytical methods performed and analysis dates present?	•			
Were all requested target analytes reported?	•			
Were QAPP specified Project Quantitation Limit Goals achieved? (The laboratory LOQ is compared to the QAPP Project Quantitation Goal)		•		The laboratory LOQ exceeded the PQL goal for the following analytes in one or more samples: 1,4-dichlorobenzene, TCE, and vinyl chloride.
Were holding times met?	•			
Were trip blanks analyzed at the proper frequency and in control?			•	
Were field blanks analyzed at the proper frequency and in control?			•	
Were equipment blanks analyzed at the proper frequency and in control?				
Was a method blank prepared and analyzed with each batch?	•			
Were target analytes in the method blank less than DL?	•			
Was an LCS/LCSD pair prepared and analyzed with each batch?	•			
Were LCS/LCSD recoveries within project acceptance limits?	•			
Was the LCS/LCSD RPD within project acceptance limits?	•			
Was a MS/MSD pair prepared with each batch?			•	MS/MSD analysis is not applicable for method TO15
Were MS/MSD recoveries within project acceptance limits?			•	
Was the MS/MSD RPD within project acceptance limits?			•	
Were Post Spike (PS) recoveries within project acceptance limits?			•	Post Spike is not applicable for method TO-15.
If ISM was used for sample collection, were laboratory triplicates analyzed and within project acceptance limits?			•	
Were surrogate recoveries within project acceptance limits?	•			
Were field replicates (duplicates, triplicates, etc.) analyzed at the proper frequency and in control?	•			
Were reported sample concentrations within calibration range?	•			

Review Questions

Method: TO15 (Determination of Volatile Organic Compounds in Air Collected in Specially-Prepared Canisters and Analyzed by GC/MS)				
Review Questions	Yes	No	NA	Comment
Was the Calibration within project acceptance criteria?	•			
Was the GC/MS system properly tuned based on method criteria?	•			
Was a ICV performed after each ICAL prior to sample analysis and within project acceptance criteria?	•			
Was instrument tuning completed every 24 hours during sample analysis?	•			
Were CCVs run at the required frequency and within project acceptance criteria?	•			
Were ICB/CCBs run at the required frequency?			•	ICB/CCB are not applicable for method TO-15.
Were target analytes in the ICBs/CCBs non-detect?			•	
Was a Low Level Calibration Check Verification (LLCCV) analyzed prior to sample and within acceptance criteria?			•	LLCCVs are not applicable for method TO15
Were internal standard recoveries within project acceptance limits?	•			
Were internal standard retention times and area criteria within project acceptance criteria?	•			
Were instrument run logs present and filled out appropriately?	•			
Were internal standards spiked for every sample, standard, and QC sample?	•			
Were sample preparation sheets present and filled out appropriately?	•			
Have all Laboratory Case Narrative comments/findings been addressed in the data review process?	•			
Were DoD QSM corrective actions followed if deviations were noted?	•			
Were any data recommended for exclusion in the data validation process?		•		

Module 1: Analysis by GC/MS

Lab/SDG: **Eurofins Air Toxics / 2406264**

RECALCULATION TYPE	TAB Reference
Tune: Ion Abundance	TUNE
Tailing Factor	not applicable for TO15
Calibration RF	ICAL RF
Calibration RRT	Rel RT
ICV/CCV %D	ICAL RF
Sample Conc. Raw Values	ICAL RF
Sample Conc. Linear Regression	not applicable
Quadratic Regression	not applicable
LCS % Recovery	ICAL RF
Surrogate % Recovery	ICAL RF
MS/MSD % Recovery	ICAL RF
MS/MSD RPD	ICAL RF
Sample Amounts	ICAL RF
Sample Conc. by Volume (Aqueous Only)	ICAL RF
Sample Conc. by Weight (Non-aqueous only)	not applicable

6.1 SAMPLES AND QC	COMMENT
Sample recalculations should include the raw instrument result, re-quantified from the instrument response against the calibration function, and the final reported sample result, including any dilution, preparation factor, or percent moisture (if applicable). The equations in Appendix B can be used to calculate a sample result from the corresponding reported calibration or regression function, as appropriate	Provided in ICAL RF tab
Verify that one or more of the laboratory's reporting limits (such as limit of quantitation) are calculated correctly for the non-detects and reported accordingly. If a detection limit study was identified by the QAPP, recalculate one or more analyte detection limits.	Provided in LOQ Recalc tab
Re-quantitate **all detected target analytes in the 10% sample data chosen**. For some samples, all results may be non-detects, therefore recalculation would not be necessary. Verify that sample-specific results have been adjusted correctly to reflect percent solids, original sample mass/volume, and any applicable dilutions.	Provided in ICAL RF tab

Module 1: Analysis by GC/MS

Lab/SDG: Eurofins Air Toxics / 2406264

Re-quantitate **all detects found in the field QC blanks** (such as trip blanks, field blanks, or equipment blanks). Field QC sample duplicate recalculations should include re-quantification of the same detected analyte sample/duplicate pair and verification of the percent difference (%D), or relative percent difference (RPD), as reported	No field QC included in SDG
6.2 Method QC	
Re-quantification of batch QC sample results should use raw instrument response in tandem with the reported calibration factor, response factor, or slope; the preparation information; and percent moisture for solid samples to recreate the reported result.	Provided in ICAL RF tab
6.2.1 Surrogate Spikes	
Verify the concentrations of surrogates from the raw data. Verify that the surrogate result and percent recovery were calculated and reported correctly by re-calculating all surrogates in the 10% of chosen sample data and method QC that were originally selected.	Provided in ICAL RF tab
6.2.2 LCS/LCSD	
To check that the spike percent recovery was calculated and reported correctly, using the equation in Appendix B, re-quantitate and then recalculate all contaminants of concern as outlined in the UFP-QAPP Worksheet #12 or #15. Use a random 10% of the analytes in the LCS/LCSD if contaminants of concern (target analytes) have not been specifically identified. Recalculate RPDs (if applicable) from LCS/LCSD pairs that would result in the qualification of a sample.	Provided in ICAL RF tab
6.2.3 MS/MSD	
Re-quantitate 10% of the target analytes as listed in the UFP-QAPP Worksheet #12 or #15 for both the MS and the MSD. Use a random 10% of the analytes in the MS and MSD if contaminates of concern have not been identified. The RPDs of the recalculated MS/MSD pairs should be calculated from the MS/MSD concentrations, not from the recoveries.	Provided in ICAL RF tab
6.2.4 Method Blanks	
Re-quantitate one or more detects found in the method blank (if applicable) from the reported average RF (or higher order regression, if used) per each batch of samples.	No method blank detections were found; no recalcs needed
6.3 Insturment QC	
6.3.1 Tune Check	
Verify by re-calculating from the quantitation reports, that the mass assignment is correct and that the mass listing is normalized to the specified m/z for at least 10% of the abundance ratios in every tune. Verify by recalculation that the reported DDT degradation and tailing factor are accurate for SVOC performance checks.	Provided in TUNE tab

Module 1: Analysis by GC/MS

Lab/SDG: Eurofins Air Toxics / 2406264

6.3.2 Initial (Response Factors and Regressions) and Continuing Calibration Verifications

Initial calibration (ICAL) recalculations should use the raw instrument response for the target analytes and associated internal standards to recreate the calibration curve from the individual calibration standards. If multiple types of calibration curves are employed in an analytical suite, then one analyte per curve type should be recalculated.	Provided in ICAL RF tab
Re-quantitate and recalculate the individual and average RFs, %RSDs, and regression function (if used) and r values reported for at least 10% of the target analytes per each internal standard, (preferably analytes of concern which were identified in the QAPP), per initial calibration curve type.	Provided in ICAL RF tab
Re-quantitate and recalculate the Initial and Continuing Calibration Verification RF result and %D for at least 10% of the target analytes, proportionally per each internal standard and proportionally selecting analytes based on each calibration curve type.	Provided in ICAL RF tab
The laboratory may employ a linear or weighted linear least squares regression. The low standard should be recalculated using the calibration curve and evaluated. RFs should not be evaluated for analytes with linear or higher order regression curves. If the ICAL included refitting of the data back to the model (RSE), the recalculate 10% of the target analytes for the RSE in each ICAL.	Linear regression was not used for any target analytes in this SDG

6.3.3 Internal Standards

Verify all internal standards reported from the raw data for at least one sample per batch of samples, and verify internal standard areas for samples that were qualified due to out-of-control internal standard areas.	No calculations were performed; internal stds were verified as required. Recalculations of all analyte concentrations further confirm IS quantitation.

6.4 Standards Traceability

Check that the stock standards were diluted properly into working standards by recalculating the dilutions of one or more calibration standards. Recalculate one or more surrogate dilutions. Recalculate one or more method QC sample dilutions (such as LCS or MS/MSD) from the stock to the working standard.	Provided in Standards tab

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406264

TUNE


Data file: /chem/msd3.i/23APR24.b/3042306.d
Acq On: 4/23/2024 20:30
Sample ID: BFB
Page #: 492 OF 516


Target Mass	RAW Abundance	Rel to Mass	Rel Abn%	Lower limit	Upper Limit
95	151424	--	--	100	100
50	32986	95	21.78	8	40
75	69530	95	45.92	30	66
96	9967	95	6.58	5	9
173	1359	174	1.00	0	2
174	135917	95	89.76	50	120
175	9888	174	7.28	4	9
176	131341	174	96.63	93	101
177	8387	176	6.39	5	9

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406264

Internal Standard Initial Calibration and Calculation Worksheet

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406264
Instrument: MSD3
Curve Date: 4/23/2024
Compound: Ethylbenzene
Internal Standard: Chlorobenzene-d5
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
T1AMF-SV027_JUN24
T1AMF-SV028_JUN24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
2755	399290	0.5	25	0.006899747	0.02	0.0004	0.345
4444	392113	1	25	0.011333468	0.04	0.0016	0.283
9422	399961	2	25	0.023557297	0.08	0.0064	0.294
25019	446883	5	25	0.055985571	0.2	0.04	0.280
90547	387994	20	25	0.233372166	0.8	0.64	0.292
221782	392003	50	25	0.565766078	2	4	0.283
444390	398422	100	25	1.115375155	4	16	0.279
943770	429525	200	25	2.197241138	8	64	0.275
SUM OF EACH COLUMN :				**0.8969**	**3.14**	**4.6884**	**1.7773**

CALIBRATION MODELS:
Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.291	**AVERAGE(RF)**
RSD	7.77%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.28324	0.28418	0.27902	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00125	0.00077	0.001095	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99992	0.99982	0.99841	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99984	0.99964	0.99683	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate


Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Dilution Factor	Final Concentration (ppbv)	Final Concentration (ug/m^3)	Spike Amt (ppbv)	% Recovery	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis						%R = (final conc (ppbv) / spike amt.)x100		RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
T1AMF-SV027_JUN24	3061915.d	865	361154	25	0.21	0.101	0.143	0.117	3.380	0.695	3	NA	NA	NA
T1AMF-SV028_JUN24	3061916.d	4947	340997	25	1.24	1.170	1.209	1.202	2.140	2.664	12	NA	NA	NA
MB (2406264R2-15A)	3061906d.d	0	371455	25	0.00	-0.111	-0.067	-0.098	1.000	0.000	0	NA	NA	NA
LCS (2406264R2-17A)	3061904c.d	190754	326352	25	50.15	51.479	51.353	52.272	1.000	50.154	NA	50.000	100.3	-1.0
LCSD (2406264R2-17AA)	3061905c.d	190996	324852	25	50.45	51.783	51.656	52.581	1.000	50.450	NA	50.000	100.9	
ICV	3042404.d	212260	364730	25	49.9	51.255	51.130	52.045	1.000	49.937	NA	50.000	99.9	NA
CCV	3061903.d	183989	325037	25	48.57	49.851	49.730	50.620	1.000	48.571	NA	50.000	97.1	NA
CCV	3061931.d	178548	314384	25	48.73	50.016	49.895	50.787	1.000	48.732	NA	50.000	97.5	NA

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406264

Internal Standard Initial Calibration and Calculation Worksheet

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406264
Instrument: MSD3
Curve Date: 4/23/2024
Compound: Toluene
Internal Standard: 1,4-Difluorobenzene
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
T1AMF-SV027_JUN24
T1AMF-SV028_JUN24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
6183	393969	0.5	25	0.015694128	0.02	0.0004	0.785
11722	395193	1	25	0.029661457	0.04	0.0016	0.742
22030	402992	2	25	0.054666098	0.08	0.0064	0.683
59602	436367	5	25	0.136586864	0.2	0.04	0.683
209847	387341	20	25	0.541762943	0.8	0.64	0.677
522189	390964	50	25	1.335644714	2	4	0.668
1060130	396522	100	25	2.673571706	4	16	0.668
2252473	421244	200	25	5.347193076	8	64	0.668
SUM OF EACH COLUMN :				**2.1140**	**3.14**	**4.6884**	**4.2375**

CALIBRATION MODELS:
Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.697	**AVERAGE(RF)**
RSD	6.17%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.66715	0.66868	0.66890	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00320	0.00239	0.002378	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99999	0.99998	0.99985	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99998	0.99995	0.99969	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate


Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Dilution Factor	Final Concentration (ppbv)	Final Concentration (ug/m^3)	Spike Amt (ppbv)	% Recovery	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis						%R = (final conc (ppbv) / spike amt.)x100		RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
T1AMF-SV027_JUN24	3061915.d	17850	349107	25	1.83	1.796	1.822	1.822	3.380	6.201	23	NA	NA	NA
T1AMF-SV028_JUN24	3061916.d	30607	328234	25	3.35	3.375	3.397	3.396	2.140	7.160	27	NA	NA	NA
MB (2406264R2-15A)	3061906d.d	0	370217	25	0.00	-0.120	-0.089	-0.089	1.000	0.000	0	NA	NA	NA
LCS (2406264R2-17A)	3061904c.d	426051	330162	25	46.30	48.236	48.156	48.141	1.000	46.299	NA	50.000	92.6	2.2
LCSD (2406264R2-17AA)	3061905c.d	423401	333499	25	45.55	47.455	47.376	47.361	1.000	45.551	NA	50.000	91.1	
ICV	3042404.d	484854	376074	25	46.3	48.192	48.112	48.097	1.000	46.257	NA	50.000	92.5	NA
CCV	3061903.d	430005	327761	25	47.07	49.043	48.960	48.945	1.000	47.071	NA	50.000	94.1	NA
CCV	3061931a.d	418832	319557	25	47.03	48.995	48.912	48.897	1.000	47.025	NA	50.000	94.1	NA

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406264

Internal Standard Initial Calibration and Calculation Worksheet

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406264
Instrument: MSD3
Curve Date: 4/23/2024
Compound: Benzene
Internal Standard: 1,4-Difluorobenzene
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
T1AMF-SV027_JUN24
T1AMF-SV028_JUN24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
4016	393969	0.5	25	0.010193695	0.02	0.0004	0.510
8295	395193	1	25	0.020989744	0.04	0.0016	0.525
16634	402992	2	25	0.041276254	0.08	0.0064	0.516
45735	436367	5	25	0.104808567	0.2	0.04	0.524
145772	387341	20	25	0.376340227	0.8	0.64	0.470
379091	390964	50	25	0.969631475	2	4	0.485
785301	396522	100	25	1.98047271	4	16	0.495
1691616	421244	200	25	4.015762836	8	64	0.502
SUM OF EACH COLUMN :				**1.5232**	**3.14**	**4.6884**	**3.0297**

CALIBRATION MODELS:
Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.503	**AVERAGE(RF)**
RSD	3.82%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.48224	0.48236	0.49711	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00150	0.00144	0.000499	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99987	0.99965	0.99876	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99974	0.99929	0.99751	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate


Sample Concentration Calculations


Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Dilution Factor	Final Concentration (ppbv)	Final Concentration (ug/m^3)	Spike Amt (ppbv)	% Recovery	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis						%R = (final conc (ppbv) / spike amt.)x100		RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
T1AMF-SV027_JUN24	3061915.d	4851	349107	25	0.69	0.643	0.646	0.674	3.380	2.333	7	NA	NA	NA
T1AMF-SV028_JUN24	3061916.d	82690	328234	25	12.51	12.982	12.982	12.644	2.140	26.777	86	NA	NA	NA
MB (2406264R2-15A)	3061906d.d	0	370217	25	0.00	-0.078	-0.075	-0.025	1.000	0.000	0	NA	NA	NA
LCS (2406264R2-17A)	3061904c.d	314817	330162	25	47.36	49.354	49.345	47.929	1.000	47.359	NA	50.000	95	1.1
LCSD (2406264R2-17AA)	3061905c.d	315126	333499	25	46.93	48.908	48.899	47.495	1.000	46.932	NA	50.000	94	
ICV	3042404.d	362504	376074	25	47.9	49.893	49.884	48.451	1.000	47.876	NA	50.000	96	NA
CCV	3061903.d	313524	327761	25	47.51	49.512	49.503	48.081	1.000	47.510	NA	50.000	95	NA
CCV	3061931.d	303843	319557	25	47.23	49.214	49.205	47.793	1.000	47.225	NA	50.000	94	NA

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406264

Internal Standard Initial Calibration and Calculation Worksheet

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406264
Instrument: MSD3
Curve Date: 4/23/2024
Compound: m,p-xylene
Internal Standard: Chlorobenzene-d5
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
T1AMF-SV027_JUN24
T1AMF-SV028_JUN24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
3099	399290	0.5	25	0.007761276	0.02	0.0004	0.388
5834	392113	1	25	0.014878364	0.04	0.0016	0.372
11992	399961	2	25	0.029982923	0.08	0.0064	0.375
31010	446883	5	25	0.069391765	0.2	0.04	0.347
112481	387994	20	25	0.289903968	0.8	0.64	0.362
277013	392003	50	25	0.706660408	2	4	0.353
562748	398422	100	25	1.412442084	4	16	0.353
1218383	429525	200	25	2.836582271	8	64	0.355
SUM OF EACH COLUMN :				**1.1186**	**3.14**	**4.6884**	**2.1975**

CALIBRATION MODELS:
Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.363	**AVERAGE(RF)**
RSD	3.85%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.35364	0.35485	0.35565	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00136	0.00073	0.000675	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99994	0.99989	0.99964	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99988	0.99977	0.99928	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate

Sample Concentration Calculations

Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Dilution Factor	Final Concentration (ppbv)	Final Concentration (ug/m^3)	Spike Amt (ppbv)	% Recovery	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis						%R = (final conc (ppbv) / spike amt.)x100		RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
T1AMF-SV027_JUN24	3061915.d	2824	361154	25	0.54	0.457	0.500	0.502	3.380	1.819	8	NA	NA	NA
T1AMF-SV028_JUN24	3061916.d	10279	340997	25	2.08	2.035	2.073	2.072	2.140	4.441	19	NA	NA	NA
MB (2406264R2-15A)	3061906d.d	0	371455	25	0.00	-0.096	-0.051	-0.047	1.000	0.000	0	NA	NA	NA
LCS (2406264R2-17A)	3061904c.d	234010	326352	25	49.36	50.594	50.467	50.356	1.000	49.364	NA	50.000	99	-1.0
LCSD (2406264R2-17AA)	3061905c.d	235549	324852	25	49.92	51.163	51.034	50.922	1.000	49.918	NA	50.000	100	
ICV	3042404.d	260935	364730	25	49.3	50.479	50.352	50.242	1.000	49.252	NA	50.000	99	NA
CCV	3061903.d	230916	325037	25	48.91	50.127	50.000	49.891	1.000	48.908	NA	50.000	98	NA
CCV	3061931.d	224338	314384	25	49.12	50.349	50.222	50.113	1.000	49.125	NA	50.000	98	NA

Module 1: Analysis by GC/MS

Lab/SDG: Eurofins Air Toxics / 2406264

	T1AMF-SV027_JUN24			T1AMF-SV028_JUN24		
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	1,2-Dichloroethane-d5	Toluene-d9	4-Bromofluorobenzene
IS Response	96314	349107	361154	89798	328234	340997
Surrogate Response	115403	328601	271836	108333	314436	258714
Calibration RF	1.30215	0.97187	0.74296	1.30215	0.97187	0.74296
IS spike concentration (ppbv)	25	25	25	25	25	25
Surr Spike Conc. (ppbv)	25	25	25	25	25	25
Surr Conc. (ppbv)	23.00417551	24.21264062	25.32731302	23.16184224	24.64225968	25.52959637
Surr %R	92.01670204	96.85056249	101.3092521	92.64736897	98.56903873	102.1183855

	MB (2406264R2-15A)			LCS (2406264R2-17A)		
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
IS Response	105127	370217	371455	91935	330162	326352
Surrogate Response	123397	335897	279653	109692	308571	247548
Calibration RF	1.30215	0.97187	0.74296	1.30215	0.97187	0.74296
IS spike concentration (ppbv)	25	25	25	25	25	25
Surr Spike Conc. (ppbv)	25	25	25	25	25	25
Surr Conc. (ppbv)	22.53561028	23.3389654	25.33307158	22.90725593	24.0414055	25.52394026
Surr %R	90.14244112	93.35586158	101.3322863	91.62902372	96.16562198	102.095761


	LCSD (2406264R2-17AA)		
Surrogate	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
IS Response	91657	333499	324852
Surrogate Response	110120	309700	245080
Calibration RF	1.30215	0.97187	0.74296
IS spike concentration (ppbv)	25	25	25
Surr Spike Conc. (ppbv)	25	25	25
Surr Conc. (ppbv)	23.06638613	23.88792911	25.38615357
Surr %R	92.26554451	95.55171645	101.5446143


yellow highlight indicates a row that includes a calculation.

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406264

Internal Standard Initial Calibration and Calculation Worksheet

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406264
Instrument: MSD3
Curve Date: 4/23/2024
Compound: o-xylene
Internal Standard: Chlorobenzene-d5
CALIBRATION TYPE USED: RF





red text = manually input values from lab report

The following samples were validated at a Stage 4:
T1AMF-SV027_JUN24
T1AMF-SV028_JUN24

Initial Calibration Model Worksheet

Compound Area Ax	ISTD Area Ais	Compound Conc Cx	ISTD Conc Cis	Y-Values Ax/Ais	X-Values Cx/Cis	X^2 $(Cx/Cis)^2$	RF (Ax*Cis)/(Ais*Cx)
3211	399290	0.5	25	0.008041774	0.02	0.0004	0.402
5484	392113	1	25	0.013985764	0.04	0.0016	0.350
11134	399961	2	25	0.027837714	0.08	0.0064	0.348
29126	446883	5	25	0.065175896	0.2	0.04	0.326
105703	387994	20	25	0.272434625	0.8	0.64	0.341
260621	392003	50	25	0.664844402	2	4	0.332
531095	398422	100	25	1.33299617	4	16	0.333
1110220	429525	200	25	2.584762237	8	64	0.323
SUM OF EACH COLUMN :				**1.0523**	**3.14**	**4.6884**	**2.0985**

CALIBRATION MODELS:
Average Response Factor:
Cx = Ax*Cis/Ais/RF

Average RF	0.344	**AVERAGE(RF)**
RSD	7.32%	**STDEV(RF)/(AveRF)**

Linear Regression:

y = mx + b
Cx = (((Ax/Ais)-b)/m)*Cis

Weighting	Equal	1/X	$1/X^2$	Equation
Slope (m)	0.33263	0.33311	0.32868	**SLOPE(RatioY,RatioX)**
Intercept (b)	0.00131	0.00106	0.001342	**INTERCEPT(RatioY,RatioX)**
CC (R)	0.99995	0.99988	0.99943	**CORREL(RatioY,RatioX)**
COD (R^2)	0.99989	0.99976	0.99886	**POWER(R,2)**

Cs= concentration, sample
Cd= concentration, duplicate

Sample Concentration Calculations

Sample ID	File ID	Compound Area Ax	ISTD Area Ais	ISTD Conc Cis	Ave RF On-column Conc	Linear Cal On-column Conc Equal Weighting	Linear Cal On-column Conc 1/X Weighting	Linear Cal On-column Conc $1/X^2$ Weighting	Dilution Factor	Final Concentration (ppbv)	Final Concentration (ug/m^3)	Spike Amt (ppbv)	% Recovery	RPD
Equations:					Ax*Cis/Ais/RF	((Ax/Ais-b)/m)*Cis						%R = (final conc (ppbv) / spike amt.)x100		RPD= [(Cs-Cd)]/[(Cs+Cd)/2]*100
T1AMF-SV027_JUN24	3061915.d	1071	361154	25	0.22	0.124	0.143	0.124	3.380	0.728	3	NA	NA	NA
T1AMF-SV028_JUN24	3061916.d	2749	340997	25	0.59	0.507	0.525	0.511	2.140	1.252	5	NA	NA	NA
MB (2406264R2-15A)	3061906d.d	0	371455	25	0.00	-0.098	-0.080	-0.102	1.000	0.000	0	NA	NA	NA
LCS (2406264R2-17A)	3061904c.d	222939	326352	25	49.59	51.244	51.189	51.857	1.000	49.594	NA	50.000	99	-2.0
LCSD (2406264R2-17AA)	3061905c.d	225228	324852	25	50.33	52.011	51.955	52.633	1.000	50.334	NA	50.000	101	
ICV	3042404.d	250263	364730	25	49.8	51.472	51.417	52.088	1.000	49.814	NA	50.000	100	NA
CCV	3061903.d	216759	325037	25	48.41	50.023	49.970	50.621	1.000	48.414	NA	50.000	97	NA
CCV	3061931.d	208648	314384	25	48.18	49.782	49.729	50.377	1.000	48.181	NA	50.000	96	NA

Module 1: Analysis by GC/MS
Lab/SDG: Eurofins Air Toxics / 2406264

Lab: Eurofins Air Toxics
Method: TO15
SDG: 2406264
Instrument: MSD3
Curve Date: 4/23/2024
Compound: Ethylbenzene
Internal Standard: Chlorobenzene-d5

ICAL PT	Analyte RT	INT STD RD	RRT
0.5	9.250	9.156	1.010
1	9.250	9.156	1.010
2	9.250	9.156	1.010
5	9.249	9.149	1.011
20	9.249	9.156	1.010
50	9.250	9.157	1.010
100	9.249	9.156	1.010
200	9.257	9.156	1.011

Module 1: Analysis by GC/MS

Lab/SDG: Eurofins Air Toxics / 2406264

Compound	Sample ID	QAPP LOQ (ug/m3)	DF	Final LOQ	REPORTED LOQ (ug/m3)
Benzene	T1AMF-SV027_JUN24	1.59	3.38	5.4	5.4
	T1AMF-SV028_JUN24	1.59	2.14	3.4	3.4

Module 1: Analysis by GC/MS

Lab/SDG: **Eurofins Air Toxics / 2406264**

CALCULATION OF WORKING STANDARD FROM STOCK

CALIBRATION STANDARD

Name of Stock Standard:	ISO-17034	
Data pkg std Certificate on page:	265	
Data pkg working std calc on page:	264	
Initial Conc of Stock Std	1000 (ppb)	
Dilution Factor	5	
Target Conc of Working Std	200 (ppb)	
Final Conc of Working standard	199.89 (ppb)	Final Conc. = (1000 ppbv) * (5.94 psid))/(11.93 + 5.94 + 5.94 + 5.91 psid)
File ID: 3041806.d		
Concentration	50 (ppbv)	
Spike amount	50 (mL)	
Dilution Factor	1	DF = Concentration / Amount

SURROGATE STANDARD

Name of Stock Standard:	ISO-17025	
Data pkg std Certificate on page:	260	
Data pkg working std calc on page:	262	
Initial Conc of Stock Std	200 (ppb)	
Dilution Factor	40	
Target Conc of Working Std	5 (ppb)	
Final Conc of Working standard	5.03 (ppb)	Final Conc. = (200 ppbv) * (.74 psid)/(11.93 + .74 + 16.77 psid)

SURROGATE STANDARD (Continued)

File ID: 3061913.d		
Dilution Factor on page 9	2.24	
Dilution Factor Calc	2.241254	Diluition Factor = Final Pressure / Initial Vacuum
Final Pressure	9.9	Final Pressure = 14.7psi + final pressurepsi
Initial Vaccum	7.6	Initial Vacuum = 14.7psi - (initial pressureHg * (14.7psi/30Hg))

ICV/LCS STANDARD (second source)

Name of Stock Standard:	Qualified	
Data pkg std Certificate on page:	274	
Data pkg working std calc on page:	273	
Initial Conc of Stock Std	1000 (ppb)	
Dilution Factor	5	
Target Conc of Working Std	200 (ppb)	
Final Conc of Working standard	200.09 (ppb)	Final Conc. = (1000 ppbv) * (5.90 psid)/(11.67 + 5.9 + 11.92 psid)
File ID: 3061304a.d		
Concentration	50 (ppbv)	
Spike amount	50 (mL)	
Dilution Factor	1	DF = Concentration / Amount

DATA VALIDATION SUMMARY REPORT

for Investigation Derived Waste from

FORMER TITAN 1-A MISSLE FACILITY

LINCOLN, CALIFORNIA

Data Review by: Beth Driskill

Project Manager: Carrie Ross

Report Date: July 30, 2024

Parsons - Austin

INTRODUCTION

The following data verification summary report covers one (1) solid Investigation Derived Waste (IDW) sample and one (1) aqueous IDW sample collected from the Former Titan 1-A Missile Facility in Lincoln, California on June 6, 2024. The samples were sent to EMAX laboratories and logged into sample delivery group (SDG) 24F034.

EVALUATION CRITERIA

The data packages including IDW were reviewed and verified at Stage 1 following the guidelines outlined in the project specific Uniform Federal Policy - Quality Assurance Project Plan (project QAPP) and DoD General Data Validation Guidelines, November 2019. Information reviewed in the data packages included field sample IDs, target analytes, sample conditions upon laboratory receipt, sample preservation, holding times, concentrations for limits of detection and quantitation, reported units, case narratives; sample receipt forms, and chain-of-custody (COC) forms.

The analyses and findings presented in this report are based on the reviewed information, and whether guidelines in the associated analytical method, DoD QSM and QAPP were met.

SAMPLE RECEIPT

The samples were collected by Parsons and were shipped to EMAX laboratories located in Torrance, California. The samples were received by the laboratory within the acceptable temperature range. All samples were received in good condition. Sufficient volume was received to complete all requested parameters. Samples were received in the appropriate containers and correctly preserved, in accordance with the project QAPP. However, the COC did require revisions and discrepancies were noted by the laboratory as follows:

- TCLP analysis for VOCs and metals was marked on the COC by mistake for the aqueous analysis. The COC was revised to remove that analysis for the aqueous sample.
- The COC was revised to note the soil sample for VOCs and metals analysis was on hold pending results for the totals analysis.

- The laboratory noted that the analyses were not indicated on the container label.
- The laboratory noted that the sample label was adhered to the VOA vial for the soil samples submitted for VOC analysis.
- The laboratory noted that it appeared the soil absorbed some of the sodium bisulfate preservative for the sample submitted for VOC analysis. The laboratory did not indicate in the extraction or analytical logs that there was an issue analyzing the sample.

None of the revisions or discrepancies noted above impacted data quality or usability.

SAMPLE ANALYSIS

All samples were prepared and analyzed following the procedures outlined in the project QAPP and the Department of Defense (DoD) Quality Systems Manual (QSM) Version 5.4. The following tables detail the sample IDs submitted to each laboratory and the parameters requested for each sample.

EMAX SAMPLE IDS AND REQUESTED PARAMETERS

SAMPLE ID	LAB ID	Matrix	VOCs	Metals	Mercury	COMMENTS
IDW-Water_JUN24	24F034-01	IDW Water	X	X	X	
IDW-Soil_JUN24	24F034--02	IDW Solid	X	X	X	STLC and TCLP analysis for VOCs and metals put on hold

The following table details the preparation and analytical methods, and reported units of measure, for each parameter requested.

EXTRACTION, ANALYTICAL, AND REPORTING DETAILS

Parameter	Matrix	Prep Method	Analytical Method	Units
VOCs (Total)	Solid	SW5035A	SW8260C	µg/Kg
VOCs (Total)	Aqueous	SW5030C	SW8260C	µg/L
Metals (Total)	Solid	SW3050B	SW6010C	mg/Kg
Metals (Total)	Aqueous	SW3010A	SW6010C	mg/L
Mercury (Total)	Solid	SW7471B	SW7471B	mg/Kg
Mercury (Total)	Aqueous	SW7470A	SW7470A	µg/L

GENERAL

The samples in this SDG were analyzed following the COC and the analytical procedures described in the DoD QSM and project QAPP. All samples were extracted and analyzed in accordance with the standard analytical methods requested, as documented above.

HOLDING TIMES

All samples were prepared and analyzed within the holding time required by the methods.

BATCH QC

A cursory review of relevant batch QC was reviewed to ensure data quality was sufficient to support disposal decisions. Batch QC reviewed included method blanks, laboratory control spikes, and surrogates (as applicable). The laboratory case narratives were also reviewed for documented non-compliant QC. Some minor exceedances were found and/or documented in the case narrative, but no exceedances were significant enough to impact data quality or usability and no data qualifiers were necessary.

SENSITIVITY

The LOD and LOQ values reported for the samples were compared to those listed in the project QAPP to ensure that sensitivity requirements were met. Reported sample LOD and LOQ values were adjusted based on dilution and/or initial/final volumes; therefore, in some instances the lab limits reported did not match those in the QAPP.

The LOD and LOQ values for all analytes in this data set meet sensitivity requirements and are below the project screening limits (PSL) included in Appendix C, Worksheet 15 of the project QAPP.

COMPLETENESS

Completeness was evaluated by comparing the total number of samples collected with the total number of samples with valid analytical data. The laboratories analyzed the samples

for all parameters requested and no data was rejected for this data set. Therefore, the completeness for the IDW samples referenced in this report is 100%.

COMPARABILITY

All data was generated using standard methods and reported with known data quality, type of analysis, units, etc.

DATA USABILITY

All IDW data was determined to be usable to support disposal decisions for the project.

DATA QUALIFIER CHANGES

There were not data qualifiers applied or changed as a result of the data validation performed on this data set.

Appendix J – Data Usability Reports

Data Usability Summary

US Army Corps of Engineers ®

Facility:	J09CA1108-01, Titan 1A Missile Facility, RI
Event:	Spring 2024
Guidance Document:	Titan 1A Missile Facility, Lincoln CA
Prime Contractor:	Parsons Corporation, Austin, TX
Organization Preparing DUA:	USACE, Sacramento District
DUA Release Date:	2024-10-22
Project Manager:	Timothy Crummett
Contract Laboratory(ies):	Eurofins Air Toxics, Inc., Folsom, CA | EMAX Laboratories, Inc., Torrance, CA
Data Review Contractor:	Parsons Corporation | USACE
Data Review Level:	S2BVEM | S4VEM
Sample Collection Date Range:	2024-05-28 to 2024-06-06

SDG	SW8260C	TO15
2406133		X
2406264R2		X
24F003	X	
24F004	X	
24F019	X	

QA objectives for measuring data are expressed in terms of precision, accuracy, representativeness, comparability, completeness, and sensitivity (PARCCS). The QA objectives provide a mechanism for ongoing control and evaluating and measuring data quality throughout the project.

A review of the collected data is necessary in order to identify if data measurement objectives established in the seven-step data quality objective (DQO) process have been met. In general, the following data measurement objectives were considered:

•Specification of particular analytical method and reporting detection limit requirements
•Identification of the appropriate laboratory analytical QC requirements
•Verify if appropriate levels of other PARCCS criteria for the data has been met
•Delineation of specific sample-handling issues or other project-specific issues

The data validation review of the QA objectives verifies if the collected data are of sufficient quality to support their intended use.

A total of 0 results (0.00 %) out of the 858 results (sample and field QC samples) reported have had qualifiers modified during this Data Usability Assessment and 0 results (0.00 %) have been rejected or deemed a serious deficiency. 0 results were qualified during the data review process. Trace values, defined as results that are qualified as estimated because they fall between the detection limit and the reporting limit/limit of quantitation, are not counted as qualified results in the above count.

2024-10-22

Reviewed by Kyle Bayliff, USACE, Sacramento District

Data Usability Summary

No qualifiers were applied during the DUA review.

No qualification led to the rejection of the data set during the DUA review.

Reason Code Definitions

Code	Definition
TR	Trace Level Detect

Flag Code and Definitions

Flag	Definition
J	Estimated Value
U	Undetected: The analyte was analyzed for, but not detected.

Sample Type Code and Definitions

Type	Definition
BD	Blank Spike Duplicate
BS	Blank Spike
EB	Equipment Blank
FD	Field Duplicate
LB	Laboratory Blank
LR	Laboratory Replicate
MS	Matrix Spike
N	Normal
SD	Matrix Spike Duplicate
TB	Trip Blank

Data Usability Summary

Narrative Comments

PDT review of DUA was conducted on 10/22/2024. Data is determined to be usable as qualified.

Review Questions	Yes	No	NA	Comment
Review Objective/Sampling Design				
Is the Final UFP QAPP associated with the event present in the Planning folder of the FUDSChem library for the project?	•			
Were key outputs defined during systematic planning (e.g.,PQOs or DQOs and MPCs) reviewed to make sure they are still applicable? Refer to the UFP QAPP for the projects, and to the worksheets found in REPORTS | UFP QAPP Worksheets.	•			
Refer to summary reports found in REPORTS | Event Tracking Reports | Event Status: All Data Types, Event Status: Chemistry Detail, and Unplanned Samples to review planned and unplanned samples and test methods.	•			
Was the sampling design reviewed for consistency with stated objectives? Refer to MAPS | Export to Google Earth to review sampling locations.	•			Soil vapor plume around SV-1 has not yet been fully delineated (additional round of step outs needed), and benzene plume on western edge of project site has also not been fully delineated.
Were data quality indicators (DQIs) from the DoD QSM used for this event? Review and discuss any DQIs that deviated from the DoD QSM. Refer to the UFP QAPP and to REPORTS | Environmental Setup Reports | Analyte Criteria, which highlights items that were modified from the original templates based on the DoD QSM.	•			The criteria for all QC elements matches the final UFP QAPP.
Review Data				
If Event Planning was performed in FUDSChem, were all samples and measurements identified in REPORTS | Event Tracking Reports | Event Status: All Data Types completed and approved (all checked cells are green)?	•			
If Event Planning was performed in FUDSChem, were all samples identified in REPORTS | Event Tracking Reports | Event Status: Chemistry Detail collected and approved (all checked cells are green), or notated to explain discrepancies?	•			Note: SV-11 and SV-12 were not able to be sampled during this event (flooded). SV-21 is not able to be sampled and is recommended for abandonment.
If Event Planning was performed in FUDSChem, were all samples identified in REPORTS | Event Tracking Reports | Unplanned Samples reviewed to ensure correct completeness calculations?			•	Not applicable. No unplanned samples were collected.
Were deviations from planned activities (e.g., number and locations of samples, holding time exceedances, damaged samples, non-compliant PT sample results, and SOP deviations) reviewed to determine their impacts on the data usability? If Event Planning was performed in FUDSChem, refer to REPORTS | Data Usability Assessment Reports | Project Completeness.	•			Analytical completeness is 100%. Sampling completeness is complete except for exceptions noted for SV-11, -12, and -21.
Have all Location related placeholders, such as centroid coordinates, been resolved? Review REPORTS | Data Assessment Reports | Location Discrepancy - Review.	•			
Were laboratory and data review reports for each Sample Delivery Group (SDG) associated with the event present in the FUDSChem library for the project? Refer to the list of SDGs listed on the cover page of the Data Usability Assessment Summary Report found under REPORTS | Data Usability Assessment Reports.	•			

Data Usability Summary

Review Questions	Yes	No	NA	Comment
Review Data				
Were all data review reports reviewed? Look for patterns, trends, and anomalies (e.g., unexpected results). Refer to the Data Review Reports in the project library as well as the event summary reports located in REPORTS | Data Usability Assessment Reports.	•			
Were all data review reports associated with an approved eQAPP? Review the footer of the Data Review report in the Library to identify the version of the eQAPP that was used.	•			
Were there any implications of unacceptable QC sample results and does this impact sample results? If so, did any qualifiers require revision using the Sample Qualification tab of this interface?		•		There were no qualifiers applied during validation.
Were sensitivity requirements met, as compared to regulatory Project Action or Screening Limits? Review REPORTS | Data Usability Assessment Reports | Sensitivity Summary.		•		As noted in the data validation report, the following analytes in one or more sample did not meet sensitivity requirements: Benzene and Vinyl Chloride.
Were any sample results recommended for rejection during validation (X qualified)? If so, have all X qualifiers been revised to R or J using the Sample Qualification tab of this interface?		•		No data were qualified "X".
Were all LTM related parameters required for the project, such as groundwater measurements, environmental parameters, and well screen intervals found to be complete and correctly reported?	•			
Have all sections of the Dashboard linked Project Tracking Report been documented as complete?	•			
Document Usability/Draw Conclusions				
Based on the previous 'Review Data' documentation, are there any limitations on the use of the data associated with this event?		•		
Describe the conclusions reached during this Data Usability Assessment.	•			All data is usable as qualified.
Lessons Learned/Recommendations				
Were any Program level Lessons Learned identified? (e.g., SW8330 was not the best fit for this site and MS/MS should be considered)		•		
Were any Project level Lessons Learned identified? (e.g., ISM sampling resulted in anomalies to be resolved in the future, or current locations not comparable to historical data)		•		
Are there any additional items associated with this sampling event that need clarification?		•		
Were any Sample level Lessons Learned identified? (e.g., a particular well may be expected to be dry in the future)	•			SV-21 is not sample-able and should be abandoned. SV-11 and SV-12 could not be sampled as they were flooded – frequently happens in these probes. SV-20, -21, -22, -27, -29, and -31 are difficult to obtain a full sample from. MW-58 may run dry.

Appendix K – Investigation Derived Waste

WASTE TRACKING LOG
Former Titan 1-A Missile Facility, Lincoln, CA

Number of Containers	Container Location	Temporary Container Number	Permanent Container Number	Accumulation Start Date	Close Date	Waste Description	Initial Waste Characterization				Sample Date	Sample ID	Waste Code(s)	Final Waste Characterization				Waste Profile Number	90 Days from accumulation closure
							Nonhaz	Haz	Unknown	TSCA				Nonhaz	Haz	Unknown	TSCA		
Solid Waste																			
1	Placer County Corporation Yard	WS-001		2024.05.20	2024.05.21	Soil cuttings	X				2024.06.06	IDW-Soil_JUN24		X					
1	Placer County Corporation Yard	WS-002		2024.05.21	2024.05.21	Soil cuttings	X				2024.06.06	IDW-Soil_JUN24		X					
1	Placer County Corporation Yard	WS-003		2024.05.22	2024.05.22	Soil cuttings	X				2024.06.06	IDW-Soil_JUN24		X					
1	Placer County Corporation Yard	WS-004		2024.05.22	2024.05.22	Soil cuttings	X				2024.06.06	IDW-Soil_JUN24		X					
1	Placer County Corporation Yard	WS-005		2024.05.23	2024.05.23	Soil cuttings	X				2024.06.06	IDW-Soil_JUN24		X					
1	Placer County Corporation Yard	WS-006		2024.05.23	2024.05.23	Soil cuttings	X				2024.06.06	IDW-Soil_JUN24		X					
1	Placer County Corporation Yard	WS-007		2024.05.28	2024.05.28	Soil cuttings	X				2024.06.06	IDW-Soil_JUN24		X					
1	Placer County Corporation Yard	WS-008		2024.05.28	2024.05.28	Soil cuttings	X				2024.06.06	IDW-Soil_JUN24		X					
1	Placer County Corporation Yard	WS-009		2024.05.29	2024.05.31	Soil cuttings	X				2024.06.06	IDW-Soil_JUN24		X					
1	Placer County Corporation Yard	WS-010		2024.05.29	2024.06.03	Soil cuttings	X				2024.06.06	IDW-Soil_JUN24		X					
Liquid Waste																			
1	Placer County Corporation Yard	H2OPurge/Decon-001		2024.05.22	2024.05.28	Purge and decon water	X				2024.06.06	IDW-Water_JUN24		X					
1	Placer County Corporation Yard	H2OPurge/Decon-002		2024.05.28	2024.05.29	Purge and decon water	X				2024.06.06	IDW-Water_JUN24		X					
1	Placer County Corporation Yard	H2OPurge/Decon-003		2024.05.29	2024.05.30	Purge and decon water	X				2024.06.06	IDW-Water_JUN24		X					
1	Placer County Corporation Yard	H2OPurge/Decon-004		2024.05.30	2024.05.30	Purge and decon water	X				2024.06.06	IDW-Water_JUN24		X					
1	Placer County Corporation Yard	H2OPurge/Decon-005		2024.05.31	2024.06.03	Purge and decon water	X				2024.06.06	IDW-Water_JUN24		X					
1	Placer County Corporation Yard	H2OPurge/Decon-006		2024.05.31	2024.06.03	Purge and decon water	X				2024.06.06	IDW-Water_JUN24		X					
1	Placer County Corporation Yard	H2OPurge/Decon-007		2024.06.03	2024.06.03	Purge and decon water	X				2024.06.06	IDW-Water_JUN24		X					