



Regional General Permit 3

U.S. ARMY CORPS OF ENGINEERS

BUILDING STRONG®

BOAT DOCKS AND APPURTENANT STRUCTURES

EFFECTIVE DATE: August 29, 2024

EXPIRATION DATE: August 29, 2029

The U.S. Army Corps of Engineers (USACE), Sacramento District (District), hereby issues Regional General Permit (RGP) 3 authorizing structures or work in or affecting navigable waters of the United States for boat docks and appurtenant structures.

NOTE: The term "you" and its derivatives, as used in this RGP, means the permittee or any future transferee. The term "this office" refers to the U.S. Army Corps of Engineers, Sacramento District (District).

ISSUING OFFICE: U.S. Army Corps of Engineers, Sacramento District

ACTION ID: SPK-1997-00732

AUTHORITY: Section 10 of the Rivers and Harbors Act of 1899 (33 USC 403) for structures or work in or affecting navigable waters of the United States.

PURPOSE: The purpose of this RGP is to implement an expedited permit application and review process for the installation, construction, or modification of pile-supported docks and floating docks, as well as their appurtenant structures (e.g. decking, lighting, gangways, landings, ladders, bumpers, fenders, handrails, etc.), that require a Department of the Army (DA) Permit prior to installation in navigable waters of the United States (U.S.). These activities have minimal impacts on the aquatic environment, individually and cumulatively.

LOCATION: All navigable waters of the United States located within the Sacramento District boundary of the states of California, Nevada, and Utah, excluding Lake Tahoe.

ACTIVITIES COVERED: This RGP authorizes installation, construction, and modification of pile supported or floating boat docks and appurtenant structures within navigable waters of the U.S., subject to Section 10 of the Rivers and Harbors Act of 1899.

TERMS:

1. Configuration of the dock may vary (i.e., straight, T- shaped, U-shaped, L-shaped, etc.) provided the total surface area of the dock beyond the Ordinary High-Water Mark (OHWM) or

Mean High-Water Mark (MHW) does not exceed 1,800 square feet. This includes associated decking and boat slip(s), if covered.

2. The width of the dock's gangway or walkway may not exceed 10 feet.
3. The dock, including appurtenant structures, may not extend more than:
 - a. 180-feet from the OHWM/MHWM; or
 - b. 30% of the distance across the water way, whichever is more restrictive.
4. The footprint of the dock and appurtenant structures must provide a minimum clearance of 5-feet from the imaginary lines extending from the adjacent property boundaries.
5. Only one dock is allowed per parcel.
6. The following activities are prohibited under this RGP:
 - a. The construction or placement of enclosed buildings, boathouses, fuel storage tanks, fuel dispensing facilities, sinks, toilets, showers, or sanitary pump out facilities.
 - b. The conversion of a boat dock into a recreation room, residence, or dwelling.
 - c. The permanent mooring of a recreation room, floating residence, or dwelling.

GENERAL CONDITIONS:

1. You shall submit a pre-construction notification (PCN) to this office prior to commencing work in navigable waters of the U.S. The PCN shall contain the information identified in the "Pre-Construction Notification Procedures" section below. You shall not commence work in navigable waters of the U.S. requiring a permit until you have received written notification from this office that the proposed work and/or structure is authorized.
2. You shall comply with all special conditions that are placed on verifications under this RGP to ensure the authorized activity has minimal impacts on the aquatic environment and navigable capacity of the water of the U.S.
3. No activity or structure may cause more than a minimal adverse effect on navigation. Any safety lights and signals prescribed by the U.S. Coast Guard, through regulations or otherwise, must be installed and maintained at your expense on authorized structures in navigable waters of the United States. You understand and agree that, if future operations by the United States require the removal, relocation, or other alteration, of the structure or work herein authorized, or if, in the opinion of the Secretary of the Army or their authorized representative, said structure or work shall cause unreasonable obstruction to the free navigation of the navigable waters, you will be required, upon due notice from the this office, to remove, relocate, or alter the structural work or obstructions caused thereby, without

expense to the United States. No claim shall be made against the United States on account of any such removal or alteration.

4. No activity is authorized under this RGP which may directly or indirectly jeopardize the continued existence of a threatened or endangered species, or a species proposed for such designation, as identified under the Federal Endangered Species Act (ESA), or which will directly or indirectly destroy or adversely modify designated critical habitat or critical habitat proposed for such species. In addition, no work may occur that may affect a threatened and/or endangered species, or that may adversely affect essential fish habitat (EFH), until this office has completed consultations under Section 7 of the ESA and Section 305(b) of the Magnuson-Stevens Fishery Conservation and Management Act. Information regarding the effects of the project on Federally listed threatened and/or endangered species, including their designated critical habitat, and/or EFH shall be submitted with the PCN required for this RGP.

5. No activity is authorized which may have the potential to cause effects to properties listed, or eligible for listing, in the National Register of Historic Places, until the requirements of Section 106 of the National Historic Preservation Act (NHPA) have been satisfied.

6. Where the certifying authority (state, authorized tribe, or EPA, as appropriate) has not previously certified compliance of this RGP with CWA Section 401, individual water quality certification for the proposed discharge must be obtained or waived. If the certifying authority issues an individual water quality certification for the proposed discharge, you must submit a copy of the certification to this office. The discharge is not authorized until this office has notified you that the water quality certification requirement has been satisfied by the issuance of a water quality certification or a waiver.

7. You shall ensure that the boat dock and appurtenant structures are properly anchored utilizing systems designed to withstand anticipated high flows.

a. Permanent or temporary anchoring to riparian vegetation is not authorized by this RGP.

b. The issuance of this RGP does not relieve you from taking all necessary steps to ensure the integrity of the boat dock and appurtenant structures, and the safety of boats moored thereto, from damage by wave wash or high-water events, and you shall not hold the United States liable for any such damages.

8. You shall maintain the boat dock and appurtenant structures authorized by this RGP in good condition and in conformance with the terms and conditions of this RGP. Maintenance work may require additional Department of the Army (DA) authorization prior to proceeding with activities in waters of the United States. You are not relieved of this requirement if you abandon the work and/or structures, although you may make a good faith transfer to a third party. Should you wish to cease to maintain the authorized structure or desire to abandon it without a good faith transfer, you shall request a permit from this office, which may require removal of the structure or work.

9. If you discover any previously unknown historical or archeological remains during installation of the structure authorized by this RGP, you shall immediately cease work and

notify this office of what was found. This office will initiate the Federal and state coordination required to determine if the remains warrant a recovery effort or if the site is eligible for listing in the National Register of Historic Places.

10. No activity may substantially disrupt the necessary life cycle movements of aquatic wildlife indigenous to the waterbody, including those species that migrate through the area.

11. You shall avoid activities in fish spawning areas during spawning seasons to the maximum extent practicable.

12. All dock materials shall be free from pollutants in toxic amounts (see Section 307 of the Clean Water Act). Decking material shall be made of metal grating, plastic, pressure-treated wood, or non-reactive (epoxy wood) product, and flotation devices shall be of materials that will not disintegrate, such as plastic or closed cell foam encapsulated sun-resistant polyethylene. All pressure-treated wood must be treated with wood preservatives in compliance with U.S. Environmental Protection Agency's Federal Insecticide, Fungicide and Rodenticide Act for use in or above freshwater environments, and in accordance with standards established by the American Wood Protection Association.

13. You shall ensure that authorized structures or work do not impair reserved tribal rights, including, but not limited to, reserved water rights and treaty fishing and hunting rights.

14. The activity must comply with applicable FEMA-approved state or local floodplain management requirements.

15. No activity may occur in a component of the National Wild and Scenic River System, or in a river officially designated by Congress as a "study river" for possible inclusion in the system while the river is in an official study status, unless the appropriate Federal agency with direct management responsibility for such river, has determined in writing that the proposed activity will not adversely affect the Wild and Scenic River designation or study status. Information on Wild and Scenic Rivers may be obtained from the appropriate Federal land management agency responsible for the designated Wild and Scenic River or study river (e.g., National Park Service, U.S. Forest Service, Bureau of Land Management, U.S. Fish and Wildlife Service). Information on these rivers is also available at: <http://www.rivers.gov/>.

16. Any activity authorized by this RGP requiring Section 408 permission from USACE pursuant to 33 U.S.C. 408 is not authorized by this RGP until the appropriate USACE office issues the Section 408 categorical permission or completes its review to alter, occupy, or use the USACE project, and issues a written Section 408 permission letter.

17. You are responsible for all authorized work and ensuring that all contractors and workers are made aware of and adhere to the terms and conditions of the RGP authorization. You shall ensure that a copy of the RGP authorization and associated drawings are available and visible for quick reference at the site until all authorized activities are completed.

18. You shall notify this office of the start date for the authorized work within 10 days prior to beginning work within navigable waters of the U.S. and of the completion date for the authorized work within 30 days following completion of work within navigable waters of the U.S.

19. You shall allow representatives from this office to inspect the authorized work and/or structure at any time deemed necessary to determine compliance with the terms and conditions of the RGP verification. You will be notified by this office in advance of an inspection.

20. If you sell the property associated with the RGP verification, you may transfer the RGP verification to the new owner by submitting a letter to the appropriate Corps district office to validate the transfer. A copy of the RGP verification must be attached to the letter, and the letter must contain the following statement and signature:

When the structures or work authorized by this RGP verification are still in existence at the time the property is transferred, the terms and conditions of this verification, including any special conditions, will continue to be binding on the new owner(s) of the property. To validate the transfer of this verification and the associated liabilities associated with compliance with its terms and conditions, have the transferee sign and date below.

(Transferee)

(Date)

21. Within 30 days following completion of the authorized work, you shall submit a signed copy of the Compliance Certificate (Attachment C), regarding the completed work and/or structures. The certification shall also contain:

a. As-built drawings of the boat dock and appurtenant structures, which shall include a plan view drawing of the location of the authorized work, with an overlay of the work conducted in the same scale.

b. Numbered and dated post-construction color photographs of the authorized work and/or structures. The photographs shall be similar to the pre-construction photographs required in the PCN and shall be identified in the plan-view drawing required in subpart a of this condition.

PRE-CONSTRUCTION NOTIFICATION PROCEDURES:

1. Before you begin any work, you shall submit a completed *Sacramento District Regional General Permit 3 Pre-Construction Notification Checklist* (PCN Checklist) (Attachment A), and receive approval from this office. Notification must be submitted through the *Regulatory Request System* (<https://rrs.usace.army.mil>) using the “Apply for a Permit” function and include all information identified below for each activity. If you need assistance in completing any portion of the notification, please contact us using the *Contacts and Additional Information* below.
2. Within 30-days following receipt of the PCN form, this office will notify you via letter or email if:
 - a. The project may qualify for authorization under this RGP;
 - b. The PCN is complete; and
 - c. If consultation under Section 7 of the Endangered Species Act (ESA) and/or Section 106 of the National Historic Preservation Act (NHPA) is required.

If the PCN is not complete, the notification will specifically identify the additional information required to be submitted.

If the project does not qualify for authorization under this RGP, the notification will specifically identify the information necessary to review your application as an Individual Permit.

3. Within 30-days following receipt of a complete PCN form, this office will initiate any required consultations under Section 7 of the ESA and/or Section 106 of the NHPA.
4. Within 30-days following completion of required consultations or receipt of a Section 408 permission, or, if consultation and Section 408 permission is not required, within 45-days following receipt of a complete PCN, this office will notify you via letter if the project is authorized under this RGP, subject to the terms, general conditions, and any special conditions.

FURTHER INFORMATION:

1. Congressional Authorities: You have been authorized to undertake the activity described above pursuant to: Section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C. 403).
2. Limits of this authorization:
 - a. This RGP does not obviate the need to obtain other federal, state, or local authorizations required by law.
 - b. This RGP does not grant any property rights or exclusive privileges.

- c. This RGP does not authorize any injury to the property or rights of others.
- d. This RGP does not authorize interference with any existing or proposed federal projects.

3. Limits of Federal Liability: In issuing this RGP, the Federal Government does not assume any liability for the following;

- a. Damages to the permitted project or uses thereof as a result of other permitted or unpermitted activities or from natural causes.
- b. Damages to the permitted project or uses thereof as a result of current or future activities undertaken by or on behalf of the United States in the public interest.
- c. Damages to persons, property, or to other permitted or unpermitted activities or structures caused by the activity authorized by this permit.
- d. Design or construction deficiencies associated with the permitted work.
- e. Damage claims associated with any future modification, suspension, or revocation of this RGP.

4. Reliance on Applicant's Data. The determination of this office that issuance of this RGP is not contrary to the public interest was made in reliance on the information you provided.

5. Reevaluation of Permit Decision. This office may reevaluate its decision on this RGP at any time the circumstances warrant. Circumstances that could require a reevaluation include, but are not limited to, the following:

- a. You fail to comply with the terms and conditions of this permit.
- b. The information provided by you in support of your RGP application proves to have been false, incomplete, or inaccurate (see 4 above).
- c. Significant new information surfaces which this office did not consider in reaching the original public interest decision.

Such a reevaluation may result in a determination that it is appropriate to use the suspension, modification, and revocation procedures contained in 33 CFR 325.7 or enforcement procedures such as those contained in 33 CFR 326.4 and 326.5. The referenced enforcement procedures provide for the issuance of an administrative order requiring you comply with the terms and conditions of your RGP and for the initiation of legal action where appropriate. You will be required to pay for any corrective measures ordered by this office, and if you fail to comply with such directive, this office may in

certain situations (such as those specified in 33 CFR 209.170) accomplish the corrective measures by contract or otherwise and bill you for the cost.

6. **Discretionary Authority:** This office reserves the right (i.e., discretion), to modify, suspend, or revoke this RGP, or any authorization thereof, whenever this office determines sufficient concerns for the environment or any other factor of the public interest. When this office determines that a proposed specific activity covered by the RGP would have more than minimal individual or cumulative adverse effects on the environment or otherwise may be contrary to the public interest, this office must either modify the RGP authorization to reduce or eliminate the adverse impacts, or notify the prospective permittee that the proposed activity is not authorized by the RGP and provide instructions on how to seek authorization under a General or Individual Permit. This office will follow the procedures of 33 CFR 325.7 and 33 CFR 330.5(d) when deciding whether to exercise discretionary authority to modify, suspend, or revoke a case specific activity's authorization under this RGP.

Activities not meeting the terms and conditions of this RGP may be authorized through another type of permit from us, such as a separate Regional General Permit, Nationwide Permit, Letter of Permission, or Standard Permit. We will determine on a case-by-case basis whether an

activity has a more than minimal impact, individually or cumulatively, on the aquatic environment or may be contrary to the public interest. We may include additional special conditions to a verification under this RGP to ensure the activity has minimal impact. We may also restore authorization under this RGP at any time we determine the reason for asserting discretionary authority has been resolved or satisfied by a condition, project modification, or new information. We may also use our discretionary authority to modify, suspend, or revoke this RGP at any time.

PERMIT DURATION: This RGP is valid for five years from issuance and will expire on **August 29, 2029**. We may re-evaluate the terms and conditions of this RGP at any time we deem it necessary to protect the public interest. If we have not reissued this RGP by the expiration date, the RGP will no longer be valid. Activities under this RGP must be verified in writing by this office. Verification letters are valid until the expiration date of this RGP.

CONTACTS AND ADDITIONAL INFORMATION:

For questions, please contact:

U.S. Army Corps of Engineers
Sacramento District, Regulatory Division
1325 J Street, Room 860
Sacramento, California 95814-2922
Office: (916) 557-5150
Email: SPKRegulatoryMailbox@usace.army.mil
Website: <https://www.spk.usace.army.mil/Missions/Regulatory/>

ATTACHMENTS:

Attachment A: RGP 3, Pre-Construction Notification

Form Attachment B: Compliance Certification

This RGP becomes effective when the federal official, designated to act for the Secretary of the Army, has signed below.



Michael Jewell
Chief, Regulatory Division

29 August 2024

Date

THIS PAGE INTENTIONALLY LEFT BLANK

ATTACHMENT A

RGP #3 Pre-Construction Notification Checklist

THIS PAGE INTENTIONALLY LEFT BLANK

U.S. Army Corps of Engineers Sacramento District



Regional General Permit (RGP) 3 Pre-Construction Notification (PCN) Checklist

This checklist may be used to request authorization to construct, maintain, replace, or remove a boat dock and appurtenant structures affecting navigable waters of the U.S. within the Sacramento District boundaries of California, Nevada, or Utah, under RGP 3. If additional space is needed, provide as an attachment.

1. Applicant and Agent Name and Addresses

a. Applicant

First - _____ Middle - _____ Last - _____
Company - _____ Email Address - _____
Address - _____ City - _____ State - _____ Zip - _____
Phone (Residence) - _____ Phone (Business) - _____

b. Agent

First - _____ Middle - _____ Last - _____
Company - _____ Email Address - _____
Address - _____ City - _____ State - _____ Zip - _____
Phone (Residence) - _____ Phone (Business) - _____

2. Statement of Authorization: I hereby authorize _____, to act in my behalf as my agent in the processing of this pre-construction notification and to furnish, upon request, supplemental information in support of this pre-construction notification.

Signature of Applicant

Date

3. Name and Location of the Proposed Activity

a. Project Name or Title -

b. Name of Waterbody -

c. Is the waterbody tidally influenced?

☐ Yes ☐ No ☐ Unknown

c. Coordinates: (Decimal degrees (DD) or degree/minutes/seconds (D/M/S))

Latitude -

Longitude -

d. Other Location Description (project street address, assessor's parcel number, municipality, section/township/range, etc.):

f. Directions to the site -

4. Information Regarding Compliance with the Terms of Regional General Permit 3

(Note: If you answer Yes to any of the questions below, your project does not qualify for RGP 3. You should submit a completed and signed Department of the Army Application Form 4345 for evaluation of your proposed activity under a Letter of Permission and/or Standard Permit, see <http://www.usace.army.mil/Missions/CivilWorks/RegulatoryProgramandPermits/ObtainPermit.aspx>)

a. Would the combined area of the dock, including decking and boat slip(s), if covered, exceed 1,800 square feet? <input type="checkbox"/> Yes <input type="checkbox"/> No	
b. Would the width of the gangway or walkway exceed 10 feet? Yes <input type="checkbox"/> No <input type="checkbox"/>	
c. As measured from the OHWM or MHWM, would the dock extend: * More than 180-feet? <input type="checkbox"/> Yes <input type="checkbox"/> No More than 30% of waterway distance? <input type="checkbox"/> Yes <input type="checkbox"/> No	
d. Would the dock/structure provide less than 5-feet of clearance from adjacent property boundaries? * <input type="checkbox"/> Yes <input type="checkbox"/> No	
f. Would more than one dock be constructed on the parcel? * <input type="checkbox"/> Yes <input type="checkbox"/> No	
g. Would the project include construction or placement of enclosed buildings, boathouses, fuel storage tanks, fuel dispensing facilities, sinks, toilets, showers, or sanitary pump out facilities? * <input type="checkbox"/> Yes <input type="checkbox"/> No	
h. Would the dock be converted or used as a recreation room, residence or dwelling? * <input type="checkbox"/> Yes <input type="checkbox"/> No	i. Would the dock be used to moor a recreation room, floating residence or dwelling? * <input type="checkbox"/> Yes <input type="checkbox"/> No

5. Description of the Proposed Activity

a. Nature of the Activity (Complete description of the proposed project, including materials used, all proposed associated structures, dates of construction, equipment, pilings, etc.) -	
c. Width of the waterway (in feet), from OHWM/MHWM -	f. Combined length of dock and structures from the OHWM/MHWM of the waterway (in feet) -
g. Distance of dock from the adjacent property boundaries -	
h. Dimensions of dock (in feet), and total area (in square feet) beyond the OHWM or MHWM (in feet) (if dock is irregular, describe) — Length - Width - , Total Area - Description of irregularly shaped dock -	

i. Dimensions (in feet) and total area (in square feet) of associated structures below OHWM/MHWM of the waterway -			
Select or Enter Text	- Length -	Width -	, Total Area -
Select or Enter Text	- Length -	Width -	, Total Area -
Select or Enter Text	- Length -	Width -	, Total Area -
Description of associated structures, including irregularly shaped structure -			
k. Proposed methods for installation of the dock/structures (Describe how dock/structures would be installed, including installation of pilings) -			
l. Length of time needed for installation of dock/structures (days) - Proposed dates for the installation of the dock/structures (month(s) and year) -			
m. Material being used for construction of the dock and structures - Will materials being used for the work and/or structure be chemically treated? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, what chemical(s) will be used for treating the dock and structures?			
6. Pilings			
a. Would pilings be installed below the OHWM/MHWM? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, identify material the pilings will be made of - Number of pilings that would be installed below the OHWM/MHWM - If no pilings would be installed, skip to Block 8.			
b. Length of time needed for installation of pilings (in days) - Proposed dates for installation -		c. Size of the pilings (diameter in inches) -	
d. Pilings installed using a vibratory hammer? <input type="checkbox"/> Yes <input type="checkbox"/> No		e. Pilings installed using a drop hammer? <input type="checkbox"/> Yes <input type="checkbox"/> No	
f. If the pilings will not be installed using a vibratory or drop hammer, provide a description of the method of installation -			

7. Project Purpose (Describe the reasons or purpose of the project):

8. Drawings: Ensure that the following drawings are enclosed

- ☐ A vicinity map showing the location of the proposed project
- ☐ A plan view drawing showing the location and configuration of the proposed dock and access area(s).
- ☐ A cross-section view drawing showing the location and configuration of the proposed dock and access area(s).

(Note: All drawings shall comply with the *Final Map and Drawing Standards for the South Pacific Division Regulatory Program*, which can be found at <http://www.spd.usace.army.mil/Portals/13/docs/regulatory/standards/map.pdf>.)

9. Pre-project color photographs: Ensure that the following photographs are enclosed

- ☐ Proposed dock location
- ☐ Shoreline where the dock would be accessed
- ☐ Area upstream of the proposed dock location
- ☐ Area downstream of the proposed dock location
- ☐ Area across the channel from the proposed dock location

10. Measures taken to avoid and minimize impacts to the aquatic environment (e.g. impacts to Federally-listed species, shallow water habitat, aquatic life movements, spawning areas, migratory bird breeding areas, riparian vegetation etc.) -

11. Information regarding how the proposed boat dock and associated structures will not interfere with the public's right to free navigation on navigable waters of the United States -

12. Threatened or Endangered Species

a. Are any Federally-listed (or proposed) threatened/endangered species known to exist in the project area?

☐ Yes ☐ No

List any Federally-listed (or proposed) threatened/ endangered species or critical habitat (or proposed critical habitat) within the project area (include scientific names (e.g., Genus species), if known):

- | | |
|----|----|
| 1. | 2. |
| 3. | 4. |
| 5. | 6. |

b. Have surveys, using U.S. Fish and Wildlife Service (USFWS) /National Marine Fisheries Service (NMFS) protocols, been conducted? ☐ Yes, Report attached ☐ No

c. Has a Biological Assessment (BA) or other report been completed for impacts to Federally-listed species?

☐ Yes, Report attached ☐ No

If no, please provide the following information (use a separate attachment if additional space is needed):

☐ A description of the action to be considered: See blocks 3 – 6

☐ A description of the specific area that may be affected by the action:

☐ A description of any listed species or critical habitat that may be affected by the action:

☐ A description of the manner in which the action may affect any listed species or critical habitat & analysis of any cumulative impacts:

☐ Relevant reports including any environmental impact statement, environmental assessment, or BA prepared:

☐ Any other relevant available information on the action, the listed species, or critical habitat:

d. Has another Federal agency been designated as the lead for Section 7? ☐ Yes, Designation attached ☐ No

If yes, has the other Federal agency determined that the project is in compliance with Section 7?

☐ Yes, Compliance information attached ☐ No

e. Has Section 10 consultation been initiated for the proposed project? ☐ Yes, Initiation letter attached ☐ No

If yes, has the Section 10 consultation been completed? ☐ Yes, consultation letter attached ☐ No

f. Has the USFWS/NMFS issued a Biological Opinion (BO) or Letter of Concurrence (LOC)?

☐ Yes, Attached ☐ No

If yes, date BO/LOC was issued (mm/dd/yyyy):

13. Historic properties and cultural resources:

a. Are any cultural resources of any type known to exist in the project area? ☐ Yes ☐ No

If yes, list any known historic properties listed, or eligible for listing, on the National Register of Historic Places:

- | | | |
|----|----|----|
| 1. | 2. | 3. |
| 4. | 5. | 6. |

b. Has a cultural resource records search been conducted? ☐ Yes, Report attached ☐ No

c. Has a cultural resource pedestrian survey been conducted for the site? ☐ Yes, Report attached ☐ No

d. Has tribal coordination been conducted? ☐ Yes, Attached ☐ No

e. Has a cultural resources report been prepared to meet the Sacramento District's February 25, 2011 *Guidelines for Compliance with Section 106 of the National Historic Preservation Act* (http://www.spk.usace.army.mil/Portals/12/documents/regulatory/pdf/2011-02-25_Section_106_Guidelines.pdf)?

☐ Yes, Report attached ☐ No

f. Has another Federal agency been designated as the lead for Section 106? ☐ Yes, Designation attached ☐ No

g. Has Section 106 consultation been initiated by another Federal agency? ☐ Yes, Letter attached ☐ No

h. Has a Section 106 MOA or PA been signed by another Federal agency and SHPO? ☐ Yes, Attached ☐ No
If yes, list date MOA or PA was signed (mm/dd/yyyy):

14. Section 408 Permission

a. Does the proposed activity require permission from the Corps pursuant to 33 U.S.C. 408 because it will alter or temporarily or permanently occupy or use a U.S. Army Corps of Engineers (USACE) federally authorized civil works project?

☐ Yes ☐ No ☐ Unknown

If yes, have you received a Section 408 permission? ☐ Yes, Attached ☐ No

If no, submit confirmation that a request for Section 408 Permission has been received by the appropriate Corps office (see <https://www.spk.usace.army.mil/408permissions/>), or evidence that authorization is not required from the Corps.

ATTACHMENT B

Compliance Certification

THIS PAGE INTENTIONALLY LEFT BLANK

COMPLIANCE CERTIFICATION

Permit File Number: SPK-YYYY-XXXXX

Permit File Name: NAME

Regional General Permit 3, Boat Docks and Associated Structures

Permittee: COMPANY
Attn: NAME
ADDRESS 1
ADDRESS 2
CITY, STATE, ZIP CODE
EMAIL ADDRESS

County: COUNTY

Date of Verification: DATE

Within 30 days after completion of the activity authorized by this permit, sign this certification and return it to the following address:

U.S. Army Corps of Engineers
Sacramento District
1325 J Street, Room 860
Sacramento, California 95814-2922
DLL-CESPK-RD-Compliance@usace.army.mil

Please note that your permitted activity is subject to a compliance inspection by a U.S. Army Corps of Engineers representative. If you fail to comply with the terms and conditions of the permit your authorization may be suspended, modified, or revoked. If you have any questions about this certification, please contact the U.S. Army Corps of Engineers.

* * * * *

I hereby certify that the work authorized by the above-referenced permit, including all the required mitigation, was completed in accordance with the terms and conditions of the permit verification.

Signature of Permittee

Date