# APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

Ins	structional Guidebook.	
SECTION I: BACKGROUND INFORMATION  A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): July 11, 2008		
В.	DISTRICT OFFICE, FILE NAME, AND NUMBER: 200800449	
C.	PROJECT LOCATION AND BACKGROUND INFORMATION:  State: California County/parish/borough: Merced City: Merced  Center coordinates of site (lat/long in degree decimal format):  Lat. 37° 14' 23.1" N, Long. 121° 31' 43.4"  Universal Transverse Mercator:  Name of nearest waterbody: Owens Creek  Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: San Joaquin River  Name of watershed or Hydrologic Unit Code (HUC): 18040001 (Middle San Joaquin – Lower Chowchilla)  Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.  Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.	
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):  ☐ Office (Desk) Determination. Date: July 11, 2008 ☐ Field Determination. Date(s):	
_	CCTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.	
	rere Pick List "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as fined by 33 CFR part 329) in the review area. [Required]  Waters subject to the ebb and flow of the tide.  Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:	
В.	CWA SECTION 404 DETERMINATION OF JURISDICTION.	
	ere <b>Pick List</b> "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 8) in the review area. [Required]	

Indicate presence of waters of U.S. in review area (check all that apply): <sup>1</sup>

TNWs, including territorial seas Wetlands adjacent to TNWs

1. Waters of the U.S.

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

	b. Idan	Non-RPWs that flow Wetlands directly abu Wetlands adjacent to TNWs Wetlands adjacent to Impoundments of jur Isolated (interstate or	non-RPWs that flow directly or	or indirectly into TNWs that flow directly or indirectly into indirectly into TNWs blated wetlands
		-wetland waters:	waters of the 0.5. in the revie	w arca.
		Feature Name	Description	Size (Acres)
		D-1	Agricultural drainage ditch	0.06
		D-3	Agricultural drainage ditch	0.51
			,	$\Gamma otal = 0.57$
	Wet	lands:		
	Elevatio indicates Wastews	n of established OHW s the OHWM line for I	D-1 and D-3, as stated on page 4	estruction of terrestrial vegetation
2	Po			sessed within the review area and
SEC	CTION II	I: CWA ANALYSIS		
<b>A.</b> 7	ΓNWs ΑΝ	ND WETLANDS AD.	JACENT TO TNWs	
1	resource i a wetland	is a TNW, complete S	ection III.A.1 and Section III.	Is adjacent to TNWs. If the aquatic D.1. only; if the aquatic resource is 2 and Section III.D.1.; otherwise,
]	I. TNW Identif	Ty TNW:		
	Summ	arize rationale support	ing determination: .	

<sup>&</sup>lt;sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>3</sup> Supporting documentation is presented in Section III.F.

### 2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

## B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody<sup>4</sup> is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

#### 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

#### (i) General Area Conditions:

Watershed size:

• D-1 originates in the southwest area of the City of Merced in agricultural land and drains south into Hartley Slough at the northern end of the WWTP. The approximately watershed size of D-1 is approximately 2 square miles. That area is approximately the distance between the WWTP and airport, multiplied by the width of the fields on either side of the ditch D-1 serves.

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

• D-3, also called the "Paden Drain" in the wetland delineation, was constructed in a historic drainage east of the project site (see Figure 7 and page 4-20 in the wetland delineation report). The historic feature drained an area as far east as State Route 59. The approximate watershed size for D-3 based on current and historic conditions is approximately 4 square miles. That area is approximately the distance between the WWTP and SR 59, multiplied by the distance between the Hartley Slough and Miles Creek.

Drainage area: see above watershed sizes

Average annual rainfall: 12 inches Average annual snowfall: 0 inches

## (ii) Physical Characteristics:

(a) Relationship with TNW:

Tributary flows directly into TNW.

Tributary flows through 4 tributaries before entering TNW.

Project waters are 19 river miles from TNW.

Project waters are **0** river miles from RPW.

Project waters are 18 aerial (straight) miles from TNW.

Project waters are **0** aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW<sup>5</sup>: D-1 is a tributary to Hartley Slough. D-3 is a tributary to Hartley Slough. Hartley Slough flows into Owens Creek. Owens Creek is a tributary to Deep Slough. Deep Slough is a tributary to the San Joaquin River. The San Joaquin River is a traditionally navigable waterway.

Tributary stream order, if known: not known.

(b) General Tributary Characteristics (check all that apply):

**Tributary** is: Natural

Artificial (man-made). Explain: D-1 is a linear ditch that runs north-south and appears to serve the primary function of an agricultural drainage ditch.

Manipulated (man-altered). Explain: D-3 appears to have been realinged into a linear channel from its natural, meandering state some time after 1950.

**Tributary** properties with respect to top of bank (estimate):

Average width: D-1 is on average 5 feet bank to bank

D-3 is on average 10 feet bank to bank

Average depth: 5 feet Average side slopes: 3:1

Primary tributary substrate composition (check all that apply):

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: banks are stablized with emergent vegetation and riparian vegetation  Presence of run/riffle/pool complexes. Explain: none  Tributary geometry: relatively straight  Tributary gradient (approximate average slope): 2-3% overall slope towards Hartley  Slough  (c) Flow:  Tributary provides for: intermittent flow  Estimate average number of flow events in review area/year: 20 or greater  Describe flow regime: nearly perennial in nature since D-1 and D-3 receive runoff from year-round agricultural operations and nearby urban development  Other information on duration and volume: no information was provided by the applicant on flow volumes of these features  Surface flow is: discrete and confined. Characteristics: D-1 and D-3 have obvious bed and bank characteristics and water flows in those channels  Subsurface flow: Pick List. Explain findings:  Dye (or other) test performed:  Tributary has (check all that apply):  Bed and banks  OHWM <sup>6</sup> (check all indicators that apply):  clear, natural line impressed on the bank destruction of terrestrial vegetation  shelving destruction of terrestrial vegetation  shelving destruction of the presence of wack line sediment sorting  colinear deposition.		☐ Silts ☐ Cobbles ☐ Bedrock ☐ Other. Explain:	☐ Sands ☐ Gravel ☐ Vegetation. Type.  Typha latifolia and So		
Tributary provides for: intermittent flow  Estimate average number of flow events in review area/year: 20 or greater  Describe flow regime: nearly perennial in nature since D-1 and D-3 receive runoff from year-round agricultural operations and nearby urban development  Other information on duration and volume: no information was provided by the applicant on flow volumes of these features  Surface flow is: discrete and confined. Characteristics: D-1 and D-3 have obvious bed and bank characteristics and water flows in those channels  Subsurface flow: Pick List. Explain findings:  Dye (or other) test performed:  Tributary has (check all that apply):  Bed and banks  OHWM <sup>6</sup> (check all indicators that apply):  clear, natural line impressed on the bank the presence of litter and debris destruction of terrestrial vegetation  shelving the presence of wrack line vegetation matted down, bent, or absent sediment sorting leaf litter disturbed or washed away scour		stablized with emergent vege Presence of run/riffle/pool co Tributary geometry: relativel Tributary gradient (approxim	etation and riparian veg omplexes. Explain: non y straight	getation ne	-
bank characteristics and water flows in those channels  Subsurface flow: Pick List. Explain findings:  □ Dye (or other) test performed:  Tributary has (check all that apply): □ Bed and banks □ OHWM <sup>6</sup> (check all indicators that apply): □ clear, natural line impressed on the bank □ the presence of litter and debris destruction of terrestrial vegetation □ shelving □ the presence of wrack line sediment sorting □ vegetation matted down, bent, or absent □ sediment sorting □ leaf litter disturbed or washed away □ scour	(c)	Tributary provides for: intern Estimate average number of a Describe flow regime: ne from year-round agricult Other information on duratio	flow events in review a arly perennial in nature areal operations and near and volume: no infor	e since l arby urb	D-1 and D-3 receive runoff oan development
□ Dye (or other) test performed:  Tributary has (check all that apply): □ Bed and banks □ OHWM <sup>6</sup> (check all indicators that apply): □ clear, natural line impressed on the bank □ changes in the character of soil □ shelving □ vegetation matted down, bent, or absent □ leaf litter disturbed or washed away □ scour					and D-3 have obvious bed and
Bed and banks  ☐ OHWM <sup>6</sup> (check all indicators that apply):  ☐ clear, natural line impressed on the bank ☐ changes in the character of soil ☐ shelving ☐ vegetation matted down, bent, or absent ☐ leaf litter disturbed or washed away ☐ scour					
shelving the presence of wrack line vegetation matted down, bent, or absent leaf litter disturbed or washed away scour		<ul> <li>☑ Bed and banks</li> <li>☐ OHWM<sup>6</sup> (check all in clear, natural line)</li> </ul>	ndicators that apply): impressed on the bank		destruction of terrestrial
flow events		vegetation matted	d or washed away		the presence of wrack line sediment sorting scour multiple observed or predicted
water staining abrupt change in plant community		_			abrupt change in plant
☐ other (list): ☐ Discontinuous OHWM. Explain:			M <sup>7</sup> Evploin:		

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>7</sup>Ibid.

If factors other than the OHWM were used to determ	mine lateral extent of CWA jurisdiction
(check all that apply):  High Tide Line indicated by:	Mean High Water Mark indicated
Ingh Tide Line indicated by.	by:
oil or scum line along shore objects	survey to available datum;
fine shell or debris deposits (foreshore)	physical markings;
physical markings/characteristics	vegetation lines/changes in
_	vegetation types.
tidal gauges	
other (list):	
(iii) Chemical Characteristics:	
Characterize tributary (e.g., water color is clear, discolor	ored, oily film; water quality; general
watershed characteristics, etc.). Explain: generally	
and agricultural runoff	,
Identify specific pollutants, if known: the water is like	ely to contain fuel and lubricant
hydrocarbons, agricultural and lawn pesticides, and	~
(iv) Biological Characteristics. Channel supports (chec	•
Riparian corridor. Characteristics (type, average wi	
D-1 and D-3 have an open canopy riparian b	<del>_</del>
(Fraxinus latifolia), Goodding's willow, edi	ble fig, poison hemlock and milkthistle
Wetland fringe.	anness secretarios along the
Characteristics: 1-5 foot wide swaths of em	-
banks of D-1 and D-3 (in some instances space vegetation like <i>Typha latifolia</i> and <i>Scirpus a</i>	
a separate form.	iculus. These wettands are addressed in
Habitat for:	
Federally Listed species.	
Explain findings: D-1 and D-3 may provide	habitat for prey species that the San
Joaquin kit fox (Vulpes macrotics mutica) for	
assessment of the site (page 4-1 through 4-3	
Wastewater Treatment Plant Expansion Proj	
by ESA). Giant garter snake (Thamnophis &	gigas) also may be present in the area
due to the presence of suitable habitat D-1 a	nd D-3 provide.
Fish/spawn areas.	
Explain findings:	
Other environmentally-sensitive species.	
Explain findings: The northwestern pond turning in the contraction of	
is frequently found in wetlands and ponds as	
plants in the Central Valley. Much of their of	-
has disappeared, making areas like D-1 and and marsh habitat excellent breeding and for	<u> </u>
Aquatic/wildlife diversity. Explain findings:	raging natital for these species.
2. Characteristics of wetlands adjacent to non-TNW that i	flow directly or indirectly into TNW

(i) Physical Characteristics:

	(a) General Wetland Characteristics:  Properties:
	Wetland size: acres
	Wetland type. Explain:  Wetland quality. Explain:  .
	Project wetlands cross or serve as state boundaries. Explain:
	(b) General Flow Relationship with Non-TNW: Flow is: Pick List. Explain:
	Surface flow is: Pick List Characteristics: .
	Subsurface flow: Pick List. Explain findings:  Dye (or other) test performed:
	(c) Wetland Adjacency Determination with Non-TNW:  Directly abutting
	Not directly abutting
	<ul><li>Discrete wetland hydrologic connection. Explain:</li><li>Ecological connection. Explain:</li></ul>
	Separated by berm/barrier. Explain:
	(d) Proximity (Relationship) to TNW
	Project wetlands are <b>Pick List</b> river miles from TNW.  Project waters are <b>Pick List</b> aerial (straight) miles from TNW.
	Flow is from: <b>Pick List</b> aerial (straight) lines from TNW.
	Estimate approximate location of wetland as within the <b>Pick List</b> floodplain.
	(ii) Chemical Characteristics:
	Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water
	quality; general watershed characteristics; etc.). Explain:  Identify specific pollutants, if known:
	(iii) Biological Characteristics. Wetland supports (check all that apply):
	Riparian buffer. Characteristics (type, average width):
	☐ Vegetation type/percent cover. Explain: . ☐ Habitat for:
	Federally Listed species. Explain findings:
	Fish/spawn areas. Explain findings:
	<ul><li>Other environmentally-sensitive species. Explain findings:</li><li>Aquatic/wildlife diversity. Explain findings:</li></ul>
3.	Characteristics of all wetlands adjacent to the tributary (if any)
	All wetland(s) being considered in the cumulative analysis: Pick List
	Approximately ( ) acres in total are being considered in the cumulative analysis.
	For each wetland, specify the following:

Directly abuts? (Y/N) Size (in acres)

Directly abuts? (Y/N) Size (in acres)

Summarize overall biological, chemical and physical functions being performed:

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT
	WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area:  TNWs: linear feet width (ft), Or, acres.
	TNWs: linear feet width (ft), Or, acres.  Wetlands adjacent to TNWs: acres.
2.	<ul> <li>RPWs that flow directly or indirectly into TNWs.</li> <li>☑ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: D-1 and D-3 support emergent marsh vegetation that require more typically 10+ months of continual inundation to successfully colonize are area.</li> <li>☑ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:</li> </ul>
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: 0.57 acres Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs <sup>8</sup> that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:

<sup>&</sup>lt;sup>8</sup>See Footnote # 3.

		Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
		Provide acreage estimates for jurisdictional wetlands in the review area: acres.
	5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.
		Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
		Provide acreage estimates for jurisdictional wetlands in the review area: acres.
	6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
		Provide estimates for jurisdictional wetlands in the review area: acres.
	7.	Impoundments of jurisdictional waters.  As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).
E.	W AI	OLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED ETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD FECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL HAT APPLY): 10
		which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain:  Other factors. Explain:
	Id	entify water body and summarize rationale supporting determination:
	Pro	ovide estimates for jurisdictional waters in the review area (check all that apply):    Tributary waters: linear feet width (ft).

<sup>&</sup>lt;sup>9</sup> To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

<sup>&</sup>lt;sup>10</sup> Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	Other non-wetland waters: acres.  Identify type(s) of waters:  Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:  Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.
<u>SE</u>	CTION IV: DATA SOURCES.
<b>A.</b>	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):  Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant:  Data sheets prepared/submitted by or on behalf of the applicant/consultant.  Office concurs with data sheets/delineation report.  Office does not concur with data sheets/delineation report.  Data sheets prepared by the Corps:  Corps navigable waters' study:  U.S. Geological Survey Hydrologic Atlas:  USGS NHD data.  USGS 8 and 12 digit HUC maps.  U.S. Geological Survey map(s). Cite scale & quad name:
	☐ USGS NHD data. ☐ USGS 8 and 12 digit HUC maps.

M 15 11 C 11C 1 7 7 7 1
Merced Falls, California, 7.5" scale
Sandy Mush, California, 7.5" scale
Atwater, California, 7.5" scale
USDA Natural Resources Conservation Service Soil Survey. Citation: .
National wetlands inventory map(s). Cite name:
State/Local wetland inventory map(s):
FEMA/FIRM maps: .
100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
Photographs: Aerial (Name & Date):
or Other (Name & Date):
Previous determination(s). File no. and date of response letter: .
Applicable/supporting case law: .
Applicable/supporting scientific literature: .
Other information (please specify): .

## **B. ADDITIONAL COMMENTS TO SUPPORT JD:**

D-1 and D-3 are tributary to Hartley Slough. Hartley Slough flows into Owens Creek. Owens Creek is a tributary to Deep Slough. Deep Slough is a tributary to the San Joaquin River. The San Joaquin River is a traditionally navigable waterway.