### APPROVED JURISDICTIONAL DETERMINATION FORM **U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

# SECTION I: BACKGROUND INFORMATION

# A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): February 26, 2009

в.	DISTRICT OFFICE, FILE NAME, AND NUMBER: Sacramento, DSAM Commercial Center, SPK-2009-00184
с.	PROJECT LOCATION AND BACKGROUND INFORMATION: State: California County/parish/borough: Placer City: Rocklin Center coordinates of site (lat/long in degree decimal format): Lat. 38.798718° N, Long. 121.204436° W. Universal Transverse Mercator:
	Name of nearest waterbody: Secret Ravine  Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Sacramento River  Name of watershed or Hydrologic Unit Code (HUC): 18020111  Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.  Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):  ☐ Office (Desk) Determination. Date: February 26, 2009  ☐ Field Determination. Date(s): February 18, 2009
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the lew area. [Required]  Waters subject to the ebb and flow of the tide.  Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:
В.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	ere Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S.  a. Indicate presence of waters of U.S. in review area (check all that apply):  TNWs, including territorial seas  Wetlands adjacent to TNWs  Relatively permanent waters <sup>2</sup> (RPWs) that flow directly or indirectly into TNWs  Non-RPWs that flow directly or indirectly into TNWs  Wetlands directly abutting RPWs that flow directly or indirectly into TNWs  Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly or indirectly into TNWs  Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs  Impoundments of jurisdictional waters  Isolated (interstate or intrastate) waters, including isolated wetlands
	b. Identify (estimate) size of waters of the U.S. in the review area:  Non-wetland waters: linear feet: width (ft) and/or acres.  Wetlands: 0.007 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual Elevation of established OHWM (if known):
	<ul> <li>Non-regulated waters/wetlands (check if applicable):<sup>3</sup></li> <li>Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain:</li> </ul>

# **SECTION III: CWA ANALYSIS**

### A. TNWs AND WETLANDS ADJACENT TO TNWs

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

<sup>&</sup>lt;sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

Supporting documentation is presented in Section III.F.

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

#### B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody<sup>4</sup> is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

### 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i)	Wat Drai Ave	neral Area Conditions: ershed size: Pick List inage area: Pick List rage annual rainfall: inches rage annual snowfall: inches
(ii)	Phy (a)	Relationship with TNW: Tributary flows directly into TNW. Tributary flows through Pick List tributaries before entering TNW.  Project waters are Pick List aerial (straight) miles from TNW.  Pick List aerial (straight) miles from RPW.  Project waters cross or serve as state boundaries. Explain:  Identify flow route to TNW <sup>5</sup> : Tributary stream order, if known:
	(b)	General Tributary Characteristics (check all that apply):  Tributary is:  Natural  Artificial (man-made). Explain:  Manipulated (man-altered). Explain:

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

		Tributary properties with respect to top of bank (estimate):  Average width: feet  Average depth: feet  Average side slopes: Pick List.
		Primary tributary substrate composition (check all that apply):  Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:
		Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: Tributary geometry: Pick List Tributary gradient (approximate average slope):
	(c)	Flow: Tributary provides for: Pick List Estimate average number of flow events in review area/year: Pick List Describe flow regime: Other information on duration and volume:
		Surface flow is: Pick List. Characteristics: .
		Subsurface flow: Pick List. Explain findings:  Dye (or other) test performed:
		Tributary has (check all that apply):  Bed and banks  OHWM <sup>6</sup> (check all indicators that apply):  clear, natural line impressed on the bank changes in the character of soil destruction of terrestrial vegetation the presence of wrack line sediment sorting leaf litter disturbed or washed away leaf litter disturbed or washed away sediment deposition water staining other (list):  Discontinuous OHWM. <sup>7</sup> Explain:
		If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):    High Tide Line indicated by:
(iii)	Cha	emical Characteristics: racterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.) Explain: attify specific pollutants, if known:
(iv)	Biol	ogical Characteristics. Channel supports (check all that apply):  Riparian corridor. Characteristics (type, average width):  Wetland fringe. Characteristics:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings:  Other environmentally-sensitive species. Explain findings:

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>7</sup>Ibid.

			Aquatic/wildlife diversity. Explain findings: .
2.	Cha	ract	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)		Sical Characteristics:  General Wetland Characteristics:  Properties:  Wetland size: 0.0076 acres  Wetland type. Explain: Seasonal wetland.  Wetland quality. Explain: Moderate, hydrophytic vegetation present, but also upland species present, low diversity.  Project wetlands cross or serve as state boundaries. Explain: N/A.
seep		18, 2	General Flow Relationship with Non-TNW: Flow is: Ephemeral flow. Explain: No surface connection/outfall was observed to Secret Ravine during the Corps' 2009, site visit, however overland sheetflow may occur during precipitation events. Hydrophytic vegetation indicated some occur immediately downslope of the seasonal wetland, but ended approximately 130 feet from Secret Ravine (upland
imn	nedia	tely a	Surface flow is: <b>Overland sheetflow</b> Characteristics: Potential overland sheetflow may be discharged downslope toward Secret Ravine during and fter precipitation events.
			Subsurface flow: <b>Unknown</b> . Explain findings:  Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW:  ☐ Directly abutting ☐ Discrete wetland hydrologic connection. Explain: No evidence of a connection is present.
Sec	ret Ra	avine	☐ Ecological connection. Explain: Upland buffer of approximately 130 feet separates Seasonal Wetland 1 from .
afte	r pred	cipita	Separated by berm/barrier. Explain: Small berm at downhill edge of Seasonal Wetland 1 may cause ponding tion events, however, no evidence of long-term ponding is present.
		(d)	Proximity (Relationship) to TNW Project wetlands are 25-30 river miles from TNW. Project waters are 20-25 aerial (straight) miles from TNW. Flow is from: No Flow. Estimate approximate location of wetland as within the 100 - 500-year floodplain.
	(ii)	Cha	emical Characteristics: racterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: No water present. tify specific pollutants, if known: No pollutants observed.
	(iii)	Biol	logical Characteristics. Wetland supports (check all that apply):  Riparian buffer. Characteristics (type, average width):  Vegetation type/percent cover. Explain: Approximately 30% FACW, 30% FACU, 40% Upland species.  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings:  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings:
3.	Cha	All	eristics of all wetlands adjacent to the tributary (if any) wetland(s) being considered in the cumulative analysis: 2 roximately (0.405) acres in total are being considered in the cumulative analysis.
		For	each wetland, specify the following:
			Directly abuts? (Y/N)     Size (in acres)     Directly abuts? (Y/N)     Size (in acres)       Seasonal Wetland Swale-Yes     0.398     Seasonal Wetland-No     Size (in acres)

Summarize overall biological, chemical and physical functions being performed: Seasonal Wetland may retain some precipitation, but not long enough to have evidence of ponding. Seasonal Wetland Swale collects overland flow and conveys flow directly to Secret Ravine. Saturation supporting hydrophytic vegetation is present and wetlands (Seasonal Wetland Swale) was observed abutting Secret Ravine.

### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: Seasonal Wetland 1, in combination with Secret Ravine, has a significant nexus with the Sacramento River. The wetland does not have the capacity to convey pollutants or flood waters to the Sacramento River as no pollutants were observed in the wetland and the wetland is located outside and above the floodplain of Secret Ravine. The wetland may have the capacity to reduce flood waters reaching the Sacramento River by ponding during precipitation events, although it does not have a large capacity due to its small size. The seasonal wetland does not provide habitat or lifecycle support for species present in the Sacramento River due to its distance from the Sacramento River and lack of long-term ponding. Secret Ravine does support species present in the Sacramento River as it is considered an anadromous fish stream. The seasonal wetland may have the capacity to transfer nutrients and organic carbon to downstream foodwebs. No surface connection to Secret Ravine was evident and evidence of shallow subsurface flow expressed in the location of hydrophytic vegetation just downslope of the seasonal wetland ended approximately 130 feet from Secret Ravine, however, water may overtop a shallow rise on the downslope side of the seasonal wetland and flow via overland sheetflow to Secret Ravine. Secret Ravine is tributary to Miner's Ravine, which is tributary to Dry Creek, which is tributary to the Natomas East Main Drainage Canal, which is tributary to the Sacramento River, a navigable water of the U.S.

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALI
	THAT APPLY):

l.	TNWs and A	Adjacent Wetlands.	Check all that	at apply and provide	size estimates in review	w area:
	TNWs:	linear feet	width (ft), Or	, acres.		
	Wetlands	adjacent to TNWs:	acres.			

2.	RPWs that flow directly or indirectly into TNWs.  ☐ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial:  ☐ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
3.	Non-RPWs <sup>8</sup> that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: 0.007 acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).
DE SU	DLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.

E.

 <sup>&</sup>lt;sup>8</sup>See Footnote # 3.
 <sup>9</sup> To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
 <sup>10</sup> Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	<ul> <li>which are or could be used for industrial purposes by industries in interstate commerce.</li> <li>Interstate isolated waters. Explain:</li> <li>Other factors. Explain:</li> </ul>					
	Identify water body and summarize rationale supporting determination:					
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters:  Wetlands: acres.					
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:  Other: (explain, if not covered above):					
	Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.					
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.					
SEC	CTION IV: DATA SOURCES.					
<b>A.</b>	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):    Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: DSAM Commercial Center Wetland Delineation, dated February 23, 2009, prepared by ECORP Consulting, Incorporated.   Data sheets prepared/submitted by or on behalf of the applicant/consultant.   Office concurs with data sheets/delineation report.   Office does not concur with data sheets/delineation report.   Data sheets prepared by the Corps:   Corps navigable waters' study:   U.S. Geological Survey Hydrologic Atlas: http://water.usgs.gov/GIS/huc_name.html#Region18.   USGS NHD data.   USGS 8 and 12 digit HUC maps.   U.S. Geological Survey map(s). Cite scale & quad name: 7.5' Rocklin Quadrangle.   USDA Natural Resources Conservation Service Soil Survey. Citation: Soil Survey of Placer County, California, Western Part, 1980.   National wetlands inventory map(s). Cite name: Rocklin Quadrangle.   State/Local wetland inventory map(s):   FEMA/FIRM maps:   100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)   Photographs:   Aerial (Name & Date): NAIP, 2005; AirPhoto USA, August 2005.					
	or  Other (Name & Date):  Previous determination(s). File no. and date of response letter: SPK-2008-00292, February 19, 2009.  Applicable/supporting case law: Applicable/supporting scientific literature: Other information (please specify): The seasonal wetland (0.007 acre) is not located entirely within the survey area.					

**B.** ADDITIONAL COMMENTS TO SUPPORT JD: This office does not concur with the January 22, 2009 Wetland Delineation for DSAM Commercial Center, Placer County, California, report submitted by ECORP Consulting, Incorporated. However, this office does concur with the DSAM Commercial Center Wetland Delineation, dated February 23, 2009, prepared by ECORP Consulting, Incorporated.