APPROVED JURISDICTIONAL DETERMINATION FORM **U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

| SECTION I: | BACKGROUND | INFORMATION |
|------------|------------|-------------|
|------------|------------|-------------|

- REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): December 28, 2015
- B. DISTRICT OFFICE, FILE NAME, AND NUMBER: Sacramento District, GORGOZA PARK WETLAND CLEANUP, SPK-

| | 1999-50007 |
|----|--|
| | PROJECT LOCATION AND BACKGROUND INFORMATION: State: Utah County/parish/borough: Summit City: Park City Center coordinates of site (lat/long in degree decimal format): Lat. 40.7528°, Long111.5838° Universal Transverse Mercator: 12 450716.05 4511481.7 Name of nearest waterbody: East Canyon Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Great Salt Lake Name of watershed or Hydrologic Unit Code (HUC): Lower Weber, 16020102 Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form: |
| D. | REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: December 18, 2015 Field Determination. Date(s): |
| | CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION. |
| | re Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) he review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain: |
| В. | CWA SECTION 404 DETERMINATION OF JURISDICTION. |
| | re are and are not "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. quired |
| | 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters ² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands |
| | b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: 4760 linear feet, wide, and/or 1.17 acres. Wetlands: 6.79 acres. |
| | c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual Elevation of established OHWM (if known): |
| | 2. Non-regulated waters/wetlands (check if applicable): ³ |

Describing the property of the jurisdictional. Explain: Wetland "A" is 0.06 acres and Wetland "B" is 0.03 acres. Both are classified as wet meadow wetlands that are adjacent to but not directly abutting an RPW. A significant nexus evaluation was

Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

performed on these features and the Corps has deterermined that no significant nexus to jurisdictional waters exists. Wetlands A and B are separated from the nearest jurisdictional waters by approximately 100 feet and 85 feet of uplands, respectively. Great Salt Lake, the nearest TNW, is approximately 21 miles northwest of the study area.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW

Identify TNW:

Summarize rationale supporting determination:

Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under Rapanos have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both, If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

Watershed size: 640,000 acres Drainage area: 970 acres

Average annual rainfall: 23.3 inches Average annual snowfall: 411.1 inches

(ii) Physical Characteristics:

(a) Relationship with TNW:

Tributary flows directly into TNW.

☐ Tributary flows through 2 tributaries before entering TNW.

Project waters are 30 (or more) river miles from TNW.

Project waters are 1 (or less) river miles from RPW.

Project waters are 30 (or more) aerial (straight) miles from TNW.

Project waters are 1 (or less) aerial (straight) miles from RPW.

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

Identify flow route to TNW5: Toll Canyon Creek and the adjacent wetlands are connected to East Canyon

Project waters cross or serve as state boundaries. Explain: N/A

Creek, which flows to the Great Salt Lake via the Weber River.

Tributary stream order, if known: unknown (b) General Tributary Characteristics (check all that apply): Tributary is: Natural Artificial (man-made). Explain: ☐ Manipulated (man-altered). Explain: **Tributary** properties with respect to top of bank (estimate): Average width: 5 feet Average depth: 1 feet Average side slopes: 4:1 (or greater). Primary tributary substrate composition (check all that apply): ⊠ Silts ☐ Concrete Cobbles ☐ Muck Bedrock ☐ Vegetation. Type/% cover: Other. Explain: Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: minor erosion and sloughing Tributary geometry: Meandering Tributary gradient (approximate average slope): 4-6 % (c) Flow: Tributary provides for: Ephemeral flow Estimate average number of flow events in review area/year: 11-20 Describe flow regime: Land manager claims flow events are due to snowmelt in the immediate vicinity. Other information on duration and volume: Surface flow is: Discrete and confined. Characteristics: Drainage feature is evident based on a thing pattern of erosion and concave topography. Subsurface flow: Unknown. Explain findings: ☐ Dye (or other) test performed: Tributary has (check all that apply): □ Bed and banks \boxtimes OHWM⁶ (check all indicators that apply): ☐ clear, natural line impressed on the bank ☐ the presence of litter and debris ☐ changes in the character of soil ☐ shelving □ destruction of terrestrial vegetation the presence of wrack line vegetation matted down, bent, or absent sediment sorting leaf litter disturbed or washed away ⊠ scour sediment deposition □ abrupt change in plant community ☐ water staining other (list): ☐ Discontinuous OHWM. Explain: If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): ☐ High Tide Line indicated by: ☐ Mean High Water Mark indicated by: oil or scum line along shore objects survey to available datum; fine shell or debris deposits (foreshore) physical markings: physical markings/characteristics vegetation lines/changes in vegetation types.

7lbid.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

| | | | ☐ tidal gauges ☐ other (list): |
|----|-------|-------------------|---|
| | ` ' | Chara cha | ical Characteristics: acterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed racteristics, etc.). Explain: Generally clear with some turbidity during higher flow events by specific pollutants, if known: None |
| | (iv) | ☐ Rip☐ We | gical Characteristics. Channel supports (check all that apply): parian corridor. Characteristics (type, average width): etland fringe. Characteristics: bitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: |
| 2. | Cha | racter | istics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW |
| | (i) | (a) <u>G</u> P | cal Characteristics: ieneral Wetland Characteristics: roperties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: roject wetlands cross or serve as state boundaries. Explain: |
| | | | ieneral Flow Relationship with Non-TNW: low is: Pick List . Explain: |
| | | S | urface flow is: Pick List Characteristics: |
| | | S | ubsurface flow: Pick List. Explain findings: Dye (or other) test performed: |
| | | | Vetland Adjacency Determination with Non-TNW: Directly abutting Not directly abutting Discrete wetland hydrologic connection. Explain: Ecological connection. Explain: Separated by berm/barrier. Explain: |
| | | P P F | roximity (Relationship) to TNW roject wetlands are Pick List river miles from TNW. roject waters are Pick List aerial (straight) miles from TNW. low is from: Pick List . stimate approximate location of wetland as within the Pick List floodplain. |
| | • • | Chara cha | ical Characteristics: acterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed racteristics; etc.). Explain: by specific pollutants, if known: |
| | (iii) | ☐ Rip☐ Ve☐ Ha☐ ☐ | gical Characteristics. Wetland supports (check all that apply): parian buffer. Characteristics (type, average width): getation type/percent cover. Explain: bitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: |
| 3. | | All we | istics of all wetlands adjacent to the tributary (if any) tland(s) being considered in the cumulative analysis: Pick List ximately acres in total are being considered in the cumulative analysis. |

For each wetland, specify the following:

<u>Directly abuts? (Y/N)</u> <u>Size (in acres)</u> <u>Directly abuts? (Y/N)</u> <u>Size (in acres)</u>

Summarize overall biological, chemical and physical functions being performed:

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: Non-RPW carries surface water directly into Toll Canyon Creek, which is an RPW, showing a significant nexus to a TNW.
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: Wetlands A and B show an absence of a significant nexus, as the distance from an RPW and topographical features lack a surface connection. Additionally, both wetlands lack any wetland habitat or pollution filtration potential.

| D. | DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT |
|----|--|
| | APPLY): |

| ۱. | TNWs and Ad | jacent Wetlands. | Check all that | apply and provide size estimates in review area: | |
|----|-------------|------------------|----------------|--|--|
| | ☐ TNWs: | linear feet, | wide, Or | acres. | |
| | | djacent to TNWs: | acres. | | |
| | | | | | |

2. RPWs that flow directly or indirectly into TNWs.

☑ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: October 2015 topographical Location Map (enclosure 1) and Wetland Delineation (enclosure 2) created by Wise Earth Wetlands & Soil Science indicate 4,285-linear feet of perennial stream. This perennial stream is Toll Canyon Creek, an RPW represented by a solid blue line on the topographic map that has continuous flow throughout the year.

| | ☐ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: |
|--------|--|
| | Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: 4285 linear feet 5 feet wide. Other non-wetland waters: acres. Identify type(s) of waters: |
| 3. | Non-RPWs ⁸ that flow directly or indirectly into TNWs. ☑ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C. |
| | Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: 475 linear feet, 1.5 wide. Other non-wetland waters: acres. Identify type(s) of waters: |
| 4. | Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. ☑ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. ☑ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetlands C, D, E, F, G, H, and I are PEM and PFO wetlands onsite. They are part of a wetland complex that is hydrologically connected to and abutting Toll Canyon Creek, which is a solid blue line on topographic maps and exhibits flow throughout the year. |
| | ☐ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: |
| | Provide acreage estimates for jurisdictional wetlands in the review area: 6.79 acres. |
| 5. | Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. ☐ Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C. |
| | Provide acreage estimates for jurisdictional wetlands in the review area: acres. |
| 6. | Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C. |
| | Provide estimates for jurisdictional wetlands in the review area: acres. |
| 7. | Impoundments of jurisdictional waters. As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). |
| WA | PLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH ITERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. If it is or shellfish are or could be taken and sold in interstate or foreign commerce. Which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: |

E.

⁸See Footnote # 3.
⁹To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.


| | Other factors. Explain: |
|----|---|
| | Identify water body and summarize rationale supporting determination: |
| | Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet, wide. Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres. |
| F. | NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): ☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. ☐ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. ☐ Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). ☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: ☐ Wetlands A and B show an absence of a significant nexus, as the distance from an RPW and topographical features lack a surface connection. Additionally, both wetlands lack substantial wetland habitat or pollution filtration potential. ☐ Other: (explain, if not covered above): |
| | Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, wide. Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: 0.09 acres. |
| | Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, wide. Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: 0.09 acres. |
| SE | CTION IV: DATA SOURCES. |
| A. | SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Data sheets prepared/submitted by or on behalf of the applicant/consultant. Office concurs with data sheets/delineation report. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: U.S. Geological Survey Hydrologic Atlas: USGS NHD data. USGS NHD data. USGS 8 and 12 digit HUC maps. U.S. Geological Survey map(s). Cite scale & quad name: 1:24K; UT-PARK CITY WEST USDA Natural Resources Conservation Service Soil Survey. Citation: National wetlands inventory map(s). Cite name: State/Local wetland inventory map(s): FEMA/FIRM maps: 100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929) Photographs: Aerial (Name & Date): Google Earth Pro, April 09, 2013 or Other (Name & Date): Previous determination(s). File no. and date of response letter: SPK-1999-50007, June 09, 1999 |
| | Applicable/supporting case law: Applicable/supporting scientific literature: Other information (please specify): |

B. ADDITIONAL COMMENTS TO SUPPORT JD:

The study area is comprised of 126 acres in which the wetlands are dominated by Baltic Rush and Reed Canary Grass, while the drylands are dominated by Big Sagebrush, Western Wheatgrass, Smooth Brome, Common Yarrow, Graceful Cinquefoil, and Basin Wild-Rye. Streams L, M, N, and O make up channels of Toll Canyon Creek, an RPW on the site, consisting of 4,285-linear feet of perennial stream. Stream P is 475-linear feet of ephemeral chanel with and direct surface connection to Toll Canyon Creek. Two ponds, Pond J, consisting of 0.02 acres, and pond K, consisting of 1.15 acres, were also identified as impoundments with a direct surface connection to an RPW on the site. Wetlands C, D, E, F, G, H, and I consist of 6.79 acres of PEM and PFO wetlands, and are part of a larger wetland complex that is directly abutting Toll Canyon Creek. Toll Canyon Creek and the abutting wetlands are connected to East Canyon Creek, which flows to the Great Salt Lake via the Weber River.

Wetland A is 0.06 acres of isolated PEM wetland that has been identified on the northwestern edge of the property line along with Wetland B, which consists of 0.03 acres of PEM wetland. Wetlands A and B were evaluated for a significant nexus to jurisdictional waters. The Corps has determined these wetlands to be intrastate isolated features with no significant chemical, physical or biological nexus to traditionally navigable waters or other jurisdictional waters. The degradation of these aquatic resources would have no adverse impact on interstate commerce. Additionally, there are no wetland habitats or fisheries of any type; there are no sand and gravel operations or any other commercial endeavor being conducted on the surface waters of this wetland complex.


GORGOZA PARK - WETLANDS & WATERS OF THE U.S. DELINEATED BY: WISE EARTH



PROJECT LOCATION




GORGOZA PARK 3863 KILBY ROAD, PARK CITY, UTAH 84098 NW 1/4 SECTION 11 T1S R3E SLB&M



GORGOZA PARK - WETLANDS & WATERS OF THE U.S. - DELINEATED BY: WISE EARTH





GORGOZA PARK 3863 KILBY ROAD, PARK CITY, UTAH 84098 NW 1/4 SECTION 11 T1S R3E SLB&M



Wise Earth
Wetlands & Soil Science
PO Box 980994
Park City, Utah 84098
435-901-1079
WiseEarth@msn.com

SHEET 2 10/21/15



Gorgoza 2015

| Waters_Name | State | Cowardin | Units | Units | Total Acres | Total Ln. Ft. | Local_Wa | terway |
|-------------------------|----------|-------------|-------------|-------------|-----------------|-------------------|---------------|-------------|
| Wetland Meadow UT PEM | | Acres | | | TOTAL EII. T C. | Toll Canyon Creek | | |
| _ | 01 | I LIVI | 0.06 | | 3.3 | | Ton Carry | T Creek |
| <u>4</u> B | | | 0.03 | | | | | |
| <u> </u> | | | 0.02 | | | | | |
| D | | | 0.86 | | | | | |
| E E | | | 0.80 | | | | | |
| <u>-</u> F | | | 2.23 | | | | | |
| <u> </u> | | | 2.23 | | | | | |
| Wetland Forested | | PFO | | | 3.35 | | | |
| G | | | 2.13 | | | | | |
| H | | | 0.99 | | | | | |
| l | | | 0.23 | | | | | |
| Total Wetlands | | | | | 6.85 | | | |
| Pond | | OW | | | 1.17 | | | |
| J | | | 0.02 | | | | | |
| K | | | 1.15 | | | | | |
| Perennial Stream | | ow | | | | 4095 | | |
| L | | | | 490 | | | | |
| M | | | | 925 | | | | |
| N | | | | 780 | | | | |
| 0 | | | | 1900 | | | | |
| Ephemeral Channel | | | | | 0.02 | 475 | | |
| <u>.</u> Р | | | 0.02 | 475 | | | | |
| Total Waters | | | | | 0.02 | | | |
| Total Wetlands & Wa | ters | | | | 6.87 | | | |
| | | <u> </u> | | | 5.67 | | | |
| Note: Perennial strear | | | | | | | | and complex |
| Total perennial stream | | | | | | total 4095 lin | ear teet I | |
| The area of this 33' st | ream seg | ment is neg | ligible (66 | sq. ft. = 0 |).0015 acre) | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |