# APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

## **SECTION I: BACKGROUND INFORMATION**

Α.	REPORT COMPLETION DATE FOR	APPROVED JURISDICTIONAL	DETERMINATION (JD)	): March 14.	2019

B. DISTRICT OFFICE, FILE NAME, AND NUMBER: Sacramento District, US-395 North Valleys Widening Project, SPK-2018-00686

C.	PROJECT LOCATION AND BACKGROUND INFORMATION:  State: Nevada County/parish/borough: Washoe County City: Reno Center coordinates of site (lat/long in degree decimal format): Lat. 39.59107°, Long119.82678°			
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):  Office (Desk) Determination. Date: March 14, 2019  Field Determination. Date(s): March 1, 2019			
SE A.	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.			
	ere Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) he review area. [Required]  Waters subject to the ebb and flow of the tide.  Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreig commerce. Explain:			
В.	CWA SECTION 404 DETERMINATION OF JURISDICTION.			
The	ere Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area.			
	<ul> <li>1. Waters of the U.S.</li> <li>a. Indicate presence of waters of U.S. in review area (check all that apply): 1  TNWs, including territorial seas  Wetlands adjacent to TNWs</li> <li>Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs</li> <li>Non-RPWs that flow directly or indirectly into TNWs</li> <li>Wetlands directly abutting RPWs that flow directly or indirectly into TNWs</li> <li>Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs</li> <li>Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs</li> <li>Impoundments of jurisdictional waters</li> <li>Isolated (interstate or intrastate) waters, including isolated wetlands</li> </ul>			
	<ul> <li>b. Identify (estimate) size of waters of the U.S. in the review area:</li> <li>Non-wetland waters: 2,497 linear feet, 3-8 feet wide, and/or 0.46 acres.</li> <li>Wetlands: acres.</li> </ul>			
	c. Limits (boundaries) of jurisdiction based on: Established by OHWM; 1987 Delineation Manual Elevation of established OHWM (if known):			
	<ul> <li>Non-regulated waters/wetlands (check if applicable):<sup>3</sup></li> <li>Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain:</li> </ul>			

# **SECTION III: CWA ANALYSIS**

## A. TNWs AND WETLANDS ADJACENT TO TNWs

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

<sup>&</sup>lt;sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>&</sup>lt;sup>3</sup> Supporting documentation is presented in Section III.F.

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

#### 1. TNW

Identify TNW:

Summarize rationale supporting determination:

#### 2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

## B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody<sup>4</sup> is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

## 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

## (i) General Area Conditions:

Watershed size: 570 acres
Drainage area: Pick List

Average annual rainfall: 7.22 inches
Average annual snowfall: inches

# (ii) Physical Characteristics:

(a) Relationship with TNW:

Tributary flows directly into TNW.

Tributary flows through 5 tributaries before entering TNW.

Project waters are 5-10 river miles from TNW.

Project waters are 1 (or less) river miles from RPW.

Project waters are 2-5 aerial (straight) miles from TNW.

Project waters are 1 (or less) aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW<sup>5</sup>: The Truckee River has been determined to be a "Navigable in Fact" Traditional Navigabler Water. NVRC-1 is a perennial channel that flows south, through an in-stream impoundment (NVRC-1a) into the City of Reno storm drain system to the *Parr to Comstock Ditch*. This ditch flows to the *Teglia's Paradise Ponds*. The ponds discharge to a pipe at the southeast corner. The pipe discharges to the Truckee River.

Tributary stream order, if known: 1st order.

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

(b)	General Tributary Characteristics (check all that apply):  Tributary is:  Artificial (man-made). Explain:  Manipulated (man-altered). Explain: This stream has been modified and relocated for the construction of US-395.
	Tributary properties with respect to top of bank (estimate):  Average width: 6 feet  Average depth: 0.5 feet  Average side slopes: 3:1.
	Primary tributary substrate composition (check all that apply):  Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: 5% Tree, 5% Shrub, 85% Herb Other. Explain:
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: No Tributary geometry: Relatively straight Tributary gradient (approximate average slope): %
(c)	Flow: Tributary provides for: perennial Estimate average number of flow events in review area/year: Pick List Describe flow regime: Other information on duration and volume:
	Surface flow is: confined. Characteristics:
	Subsurface flow: unknown. Explain findings:  ☐ Dye (or other) test performed:
	Tributary has (check all that apply):  Bed and banks OHWM <sup>6</sup> (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list): Discontinuous OHWM. <sup>7</sup> Explain:
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):    High Tide Line indicated by:
	<ul><li>☐ physical markings/characteristics</li><li>☐ tidal gauges</li><li>☐ other (list):</li><li>☐ wegetation lines/changes in vegetation types.</li></ul>
Cha cl a	emical Characteristics: aracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed haracteristics, etc.). Explain: Dependent on weather conditions. During dry periods the channel is spring fec nd the water is relatively clear. After rain events the channel is fed by stormwater runoff and is brown. ntify specific pollutants, if known:

(iii)

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>&</sup>lt;sup>7</sup>lbid.

	(iv)	Biological Characteristics. Channel supports (check all that apply):  Riparian corridor. Characteristics (type, average width):  Wetland fringe. Characteristics:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings:  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings:
2.	Ch	acteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW: N/A
	(i)	Physical Characteristics: a) General Wetland Characteristics: Properties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
		o) <u>General Flow Relationship with Non-TNW</u> : Flow is: <b>Pick List.</b> Explain:
		Surface flow is: Pick List Characteristics:
		Subsurface flow: Pick List. Explain findings:  Dye (or other) test performed:
		Wetland Adjacency Determination with Non-TNW:  □ Directly abutting □ Not directly abutting □ Discrete wetland hydrologic connection. Explain: □ Ecological connection. Explain: □ Separated by berm/barrier. Explain:
		Proximity (Relationship) to TNW Project wetlands are Pick List river miles from TNW. Project waters are Pick List aerial (straight) miles from TNW. Flow is from: Pick List. Estimate approximate location of wetland as within the Pick List floodplain.
	(ii)	Chemical Characteristics: Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: dentify specific pollutants, if known:
	(iii)	Biological Characteristics. Wetland supports (check all that apply):  Riparian buffer. Characteristics (type, average width):  Vegetation type/percent cover. Explain:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings:  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings:
3.	Ch	acteristics of all wetlands adjacent to the tributary (if any)  Il wetland(s) being considered in the cumulative analysis: Pick List  Approximately acres in total are being considered in the cumulative analysis.
		or each wetland, specify the following:
		Directly abuts? (Y/N) Size (in acres) Directly abuts? (Y/N) Size (in acres)

Summarize overall biological, chemical and physical functions being performed:

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: Channels NVPB-1 and NVPB-2 on attached maps were demonstrated to flow directly to the City of Reno's storm drain system. The findings of NDOT clearly demonstrate that the subject channels are ephemeral stream channels that flow into the municipal storm water system and eventually to the Truckee River a Traditional Navigable Water (TNW).

The findings of Dietrich and Anderson (2000) demonstrated that ephemeral streams support levels of aquatic invertebrate diversity and abundance comparable to, or greater than those found in RPWs. McClain et al. (2003) found that in arid regions dry streambeds are "seed and egg" banks for aquatic biota and when flowing they function as dispersal corridors and temporal ecotones linking wet and dry phases. The ESA listed Lahontan Cutthroat Trout (*Oncorhynchus clarkii henshawi*) (LCT) which resides in the Truckee River is dependent on invertebrates for the majority of its diet (Dunham, et al. 2000). During dry periods NVPB-1 and NVPB-2 store organic material, during flow events they transport invertebrates into the downstream TNW where they become avialable to LCT. NVPB-1 and NVPB-2 have a more than imperseprible or speculative effect on the physical, chemical and biological integrity of the Truckee River. The subject channels provide conveyance of surface waters and sediment/nutrient transport to maintain healthy stream dynamics, nutrient cycling, habitat for native and introduced (sport) fishes and maintenance and health of the Truckee River.

- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT
	APPLY):

1.	TNWs and Adjacent Wetlands.		Check all that apply	and provide size estimates in review area:
	☐ TNWs:	linear feet,	wide, Or	acres.
	☐ Wetlands adj	acent to TNWs:	acres.	

2. RPWs that flow directly or indirectly into TNWs.

	<ul> <li>☑ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: NDOT observed NVRC-1 to be a spring fed perennial channel, documented on individual forms located in the documents submitted by NDOT on August 14, 2018.</li> <li>☑ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:</li> </ul>
	Provide estimates for jurisdictional waters in the review area (check all that apply):  ☐ Tributary waters: ☐ Other non-wetland waters: 0.11 acres. ☐ Identify type(s) of waters: NVRC-1a is an in-stream impoundment of NVRC-1.
3.	Non-RPWs <sup>8</sup> that flow directly or indirectly into TNWs.  ☑ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: 1631 linear feet, Other non-wetland waters: acres. Identify type(s) of waters:
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of jurisdictional waters. <sup>9</sup> As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  ☑ Demonstrate that impoundment was created from "waters of the U.S.," or  ☐ Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  ☐ Demonstrate that water is isolated with a nexus to commerce (see E below).
WA	DLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH ATTERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. From which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce.

E.

<sup>\*</sup>See Footnote # 3.

9 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

10 Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	☐ Interstate isolated waters. Explain: ☐ Other factors. Explain:	
	Identify water body and summarize rationale supporting determination:	
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet, wide.  Other non-wetland waters: acres.  Identify type(s) of waters:  Wetlands: acres.	
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):  ☑ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. NVVS-1 did not meet all 3 parameters, no hydric soils present.  ☐ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  ☐ Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  ☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:  ☐ Other: (explain, if not covered above): NVVS-1a and NVVS-2 are ditches excavated wholly in and draining only uplands. They do not carry a relatively permanent flow and do not connect two (or more) waters of the U.S.	
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, wide.  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.	
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, wide.  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.	
SE	CTION IV: DATA SOURCES.	
A.	<ul> <li>SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):</li> <li>         Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Final Aquatic Resource Delineation Report US-395 North Valleys Widening Project US-395, Washoe County, NV Project # EA 74107. Appendix A prepared by NDOT.</li> <li>         Data sheets prepared/submitted by or on behalf of the applicant/consultant. Final Aquatic Resource Delineation Report US-395 North Valleys Widening Project US-395, Washoe County, NV Project # EA 74107. Appendix D prepared by NDOT.     </li> </ul>	
	☐ Office concurs with data sheets/delineation report. ☐ Office does not concur with data sheets/delineation report. ☐ Data sheets prepared by the Corps: ☐ Corps navigable waters' study: ☐ U.S. Geological Survey Hydrologic Atlas: ☐ USGS NHD data. ☐ USGS 8 and 12 digit HUC maps.	
	<ul> <li>□ U.S. Geological Survey map(s). Cite scale &amp; quad name: 1:24K; Reno</li> <li>□ USDA Natural Resources Conservation Service Soil Survey. Citation: Web Soil Survey.         <ul> <li>https://websoilsurvey.sc.egov.usda.gov/App/WebSoilSurvey.aspx.</li> </ul> </li> <li>Accessed February 12, 2019</li> <li>□ National wetlands inventory map(s). Cite name: <a href="https://www.fws.gov/wetlands/Data/Mapper.html">https://www.fws.gov/wetlands/Data/Mapper.html</a>. Accessed February 12, 2019</li> </ul>	
	<ul> <li>State/Local wetland inventory map(s):</li> <li>FEMA/FIRM maps:</li> <li>100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)</li> <li>Photographs: ☐ Aerial (Name &amp; Date):</li> </ul>	
	or ☑ Other (Name & Date): Final Aquatic Resource Delineation Report US-395 North Valleys Widening Project US-395, Washoe County, NV Project # EA 74107. Appendix B prepared by NDOT.	

☐ Previous determination(s). File no. and date of response letter:
Applicable/supporting case law:
Applicable/supporting scientific literature:
Dieterich, Martin, and N. H. Anderson. "The invertebrate fauna of summer-dry streams in western Oregon." <i>Archiv für</i>
Hydrobiologie 147.3 (2000): 273-295.
Dunham, Jason B., et al. "Diets of sympatric Lahontan cutthroat trout and nonnative brook trout: implications for species
interactions." Western North American Naturalist (2000): 304-310.
McClain, Michael E., et al. "Biogeochemical hot spots and hot moments at the interface of terrestrial and aquatic
ecosystems." <i>Ecosystems</i> 6.4 (2003): 301-312.
Other information (please specify):

B. ADDITIONAL COMMENTS TO SUPPORT JD: NVVS-1 is in a constructed basin surrounded by US-395. NVVS-1 did not meet all 3 parameters listed in the 1987 manual, hydric soils were not present. NVVS-1a and NVVS-2 are ditches excavated wholly in and draining only uplands, they were constructed as part of US-395 to convey storm water flows. They do not carry a relatively permanent flow and do not connect two (or more) waters of the U.S. NVVS-1a and NVVS-2 discharge into Panther Ditch. NVRC-1 is a perennial stream that has an OHWM and drains to the municipal storm water system and eventually to the Truckee River. NVRC-1a is an instream impoundment of NVRC-1 caused by a blocked culvert beneath US-395. NVPB-1 and NVPB-2 are ephemeral stream channels that flow into the municipal storm water system and eventually to the Truckee River. The Truckee River has been determined to be a Navigable in Fact TNW. Each aquatic resource is documented on individual forms located in the documents submitted by NDOT on August 14, 2018. These sheets include the general area conditions, physical characteristics, chemical characteristics, and biological characteristics of each aquatic resource evaluated so the responses provided in B and D of this document should be considered averages.