APPROVED JURISDICTIONAL DETERMINATION FORM

U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

| SECTION I: | BAC | CKGR | DUND | INFO | RMA | TION |
|------------|-----|------|------|------|-----|------|
|------------|-----|------|------|------|-----|------|

| Α. | REPORT COMPLETION DATE FOR | APPROVED JURISDICTIONAL | DETERMINATION (JD |): February 9 | 3. 2023 |
|----|----------------------------|-------------------------|-------------------|---------------|----------------|
|----|----------------------------|-------------------------|-------------------|---------------|----------------|

| В. | DISTRICT OFFICE | , FILE NAME | , AND NUMBER: S | Sacramento District, | , Woodhills Draina | ge, SPK-2022-00201 |
|----|-----------------|-------------|-----------------|----------------------|--------------------|--------------------|
|----|-----------------|-------------|-----------------|----------------------|--------------------|--------------------|

| В. | DISTRICT OFFICE, FILE NAME, AND NUMBER: Sacramento District, Woodhills Drainage, SPK-2022-00201 |
|----|---|
| C. | PROJECT LOCATION AND BACKGROUND INFORMATION: State: Nevada County/parish/borough: Elko County City: Wells Center coordinates of site (lat/long in degree decimal format): Lat. 41.1080988236905°, Long114.956580663502° Universal Transverse Mercator: 11 671578.61 4552769.28 Name of nearest waterbody: Town Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Humboldt River Name of watershed or Hydrologic Unit Code (HUC): Upper Humboldt, 16040101 ☐ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. ☐ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form: |
| D. | REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): ☑ Office (Desk) Determination. Date: 09-Feb-2023 ☐ Field Determination. Date(s): |
| | CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION. |
| | ere are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain: |
| В. | CWA SECTION 404 DETERMINATION OF JURISDICTION. |
| | ere are no "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. equired] |
| | 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands |
| | b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: linear feet, wide, and/or acres. Wetlands: acres. |
| | c. Limits (boundaries) of jurisdiction based on: Pick List Elevation of established OHWM (if known): |
| | 2. Non-regulated waters hystlands (shook if amplicable):3 |

2. Non-regulated waters/wetlands (check if applicable):3

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: The study area constitutes 4,530 linear feet of ditches excavated wholly in and draining into uplands which do not carry a relatively permanent flow of water and 0.04 acre of palustrine emergent wetlands which are located directly adjacent to the ditches.

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW

Identify TNW:

Summarize rationale supporting determination:

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

Watershed size: Pick List
Drainage area: Pick List
Average annual rainfall: inches
Average annual snowfall: inches

(ii) Physical Characteristics:

(a) Relationship with TNW:

☐ Tributary flows directly into TNW.

☐ Tributary flows through **Pick List** tributaries before entering TNW.

Project waters are **Pick List** river miles from TNW.

Project waters are **Pick List** river miles from RPW.

Project waters are **Pick List** aerial (straight) miles from TNW.

Project waters are **Pick List** aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW5:

Tributary stream order, if known:

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

| | (b) | (b) General Tributary Characteristics (check all that apply): Tributary is: Natural Artificial (man-made). Explain: Manipulated (man-altered). Explain: | | | | |
|-------|-----------|---|---|--|--|--|
| | | Tributary properties with respect to top of bank (estima Average width: feet Average depth: feet Average side slopes: Pick List . | te): | | | |
| | | Primary tributary substrate composition (check all that a Silts Sands Gravel Bedrock Vegetation. Type/% cove Other. Explain: | ☐ Concrete ☐ Muck | | | |
| | | Tributary condition/stability [e.g., highly eroding, sloughi Presence of run/riffle/pool complexes. Explain: Tributary geometry: Pick List Tributary gradient (approximate average slope): % | | | | |
| | (c) | Flow: Tributary provides for: Pick List Estimate average number of flow events in review area/ Describe flow regime: Other information on duration and volume: | year: Pick List | | | |
| | | Surface flow is: Pick List. Characteristics: | | | | |
| | | Subsurface flow: Pick List . Explain findings: Dye (or other) test performed: | | | | |
| | | Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list): Discontinuous OHWM. ⁷ Explain: | the presence of litter and debris destruction of terrestrial vegetation the presence of wrack line sediment sorting scour multiple observed or predicted flow events abrupt change in plant community | | | |
| | | If factors other than the OHWM were used to determine apply): | lateral extent of CWA jurisdiction (check all that | | | |
| | | | Mean High Water Mark indicated by: □ survey to available datum; □ physical markings; □ vegetation lines/changes in vegetation types | | | |
| (iii) | Cha cl | nemical Characteristics: naracterize tributary (e.g., water color is clear, discolored, of characteristics, etc.). Explain: entify specific pollutants, if known: | oily film; water quality; general watershed | | | |

(iv) Biological Characteristics. Channel supports (check all that apply):

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷lbid.

| | | | Riparian corridor. Character Wetland fringe. Characteris Habitat for: Federally Listed specie Fish/spawn areas. Exp Other environmentally Aquatic/wildlife diversit | etics: es. Explain findings: plain findings: esensitive species. Explair | | |
|----|-------|----------|---|--|--------------------------------|---------------------------------|
| 2. | Cha | aract | teristics of wetlands adja | cent to non-TNW that flo | w directly or indirectly int | o TNW |
| | (i) | | ysical Characteristics: General Wetland Charact Properties: Wetland size: Wetland type. Explain: Wetland quality. Expla Project wetlands cross or | acres | s. Explain: | |
| | | (b) | General Flow Relationship Flow is: Pick List . Explain | | | |
| | | | Surface flow is: Pick List Characteristics: | | | |
| | | | Subsurface flow: Pick Lis Dye (or other) test | | | |
| | | (c) | Wetland Adjacency Deter Directly abutting Not directly abutting Discrete wetland hy Ecological connect Separated by berm | drologic connection. Expolon. Explain: | lain: | |
| | | (d) | Proximity (Relationship) to Project wetlands are Pick Project waters are Pick L Flow is from: Pick List. Estimate approximate local | List river miles from TNV ist aerial (straight) miles f | rom TNW. | |
| | (ii) | Cha c | emical Characteristics: aracterize wetland system (haracteristics; etc.). Explain ntify specific pollutants, if k | n: | brown, oil film on surface; wa | ater quality; general watershed |
| | (iii) | | Riparian buffer. Characteristics. V Riparian buffer. Characterist Vegetation type/percent co Habitat for: Federally Listed specie Fish/spawn areas. Exp Other environmentally Aquatic/wildlife diversit | stics (type, average width) ver. Explain: es. Explain findings: blain findings: sensitive species. Explair | e Table | |
| 3. | Cha | All ۱ | teristics of all wetlands a wetland(s) being considere proximately acres in | d in the cumulative analys | | |
| | | For | each wetland, specify the | following: | | |
| | | | Directly abuts? (Y/N) | Size (in acres) | Directly abuts? (Y/N) | Size (in acres) |
| | | | | | | |

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

| 1. | TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet, wide, Or acres. Wetlands adjacent to TNWs: acres. |
|----|---|
| 2. | RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: |
| | Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet wide. Other non-wetland waters: acres. Identify type(s) of waters: |
| 3. | Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C. |

⁸See Footnote # 3.

| | Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet, wide. Other non-wetland waters: acres. Identify type(s) of waters: |
|-----|---|
| 4. | Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: |
| | □ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: |
| | Provide acreage estimates for jurisdictional wetlands in the review area: acres. |
| 5. | Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C. |
| | Provide acreage estimates for jurisdictional wetlands in the review area: acres. |
| 6. | Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C. |
| | Provide estimates for jurisdictional wetlands in the review area: acres. |
| 7. | Impoundments of jurisdictional waters.9 As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). |
| WA | CLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH ITERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. If from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. Which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain: |
| lde | ntify water body and summarize rationale supporting determination: |
| | vide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet, wide. Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres. |
| | N-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. |

E.

F.

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

| □ Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). □ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: □ Other: (explain, if not covered above): The study area constitutes 4,530 linear feet of ditches excavated wholly in and draining into uplands which do not carry a relatively permanent flow of water and 0.04 acre of palustrine emergent wetlands which are located directly adjacent to the ditches. |
|---|
| rovide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is e MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), sing best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, wide. Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres. |
| rovide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, here such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, wide. Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres. |
| ION IV: DATA SOURCES. |
| UPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, here checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Aquatic Resources Delineation Results for the Woodhills Drainage Project, Wells, NV, created by Bio-West, Inc., dated March 17, 2022—Delineation Maps Data sheets prepared/submitted by or on behalf of the applicant/consultant. Office concurs with data sheets/delineation report. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: U.S. Geological Survey Hydrologic Atlas: USGS NHD data. USGS 8 and 12 digit HUC maps. U.S. Geological Survey map(s). Cite scale & quad name: 1:24K; Wells USDA Natural Resources Conservation Service Soil Survey. Citation: Aquatic Resources Delineation Results for the Woodhills Drainage Project, Wells, NV, created by Bio-West, Inc., dated March 17, 2022— pages 72-74 National wetlands inventory map(s). Cite name: Aquatic Resources Delineation Results for the Woodhills Drainage Project, Wells, NV, created by Bio-West, Inc., dated March 17, 2022— 'Wetlands', page 75 State/Local wetland inventory map(s): FEMA/FIRM maps: 100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929) |
| Photographs: Aerial (Name & Date): or Other (Name & Date): Aquatic Resources Delineation Results for the Woodhills Drainage Project, Wells, NV, created by Bio-West, Inc., dated March 17, 2022— pages 83-118 Previous determination(s). File no. and date of response letter: |
| Applicable/supporting case law: Applicable/supporting scientific literature: Other information (please specify): |
| |

B. ADDITIONAL COMMENTS TO SUPPORT JD:

The study area's 4,530 linear feet of channelized ditches—the Woodhills Drainage—contain OHWM indicators such as drift and debris, presence of bed and bank, benches, sediment sorting, and surface relief. The delineation report included numerous Arid West Ephemeral and Intermittent Streams OHWM Datasheets and respective ground photos from February 17, 2022 which clearly depict the OHWM indicators. The drainage ditch eventually loses OHWM indicators approximately 1,000 linear feet south southwest of the northernmost portion of the study area as seen in the site photo for sample point 11 (photo 24). Sample point 11 was collected approximately 50 linear feet north of the drainage ditch where it no longer has OHWM indicators and is then considered an upland swale. The photo for sample point 11 is taken facing south where the OHWM is still delineated. It is abundantly clear at sample point 11 and north of this area that all OHWM indicators are lost; there are no changes in vegetation, there's no bed and bank, no surface relief, and no signs of drift and debris.

Sample point 3 was taken at the northernmost portion of the study area, roughly 1,000 linear feet north of the northernmost extent of the delineated drainage where OHWM indicators are present. The photo point corresponding to sample point 3, photo

7, faces north where the drainage ditch is believed to have flowed in the past. As with sample point 11 where OHWM indicators begin to dissipate, this portion of the study area has almost no geographical relief where a stream channel could be identified, and photos depict a homogenous upland vegetation community. Any flows which make their way to the northern portion of the delineated ditch appear to infiltrate into the ground. Photos 47 and 48 face southeast and northwest, respectively, and do not depict any adjacent aquatic resources to which the 4,530 linear feet of Woodhills Drainage or the 0.04 acre of wetlands could connect. These aquatic resources appear to be excavated wholly in and draining only uplands and do not carry a relatively permanent flow of water; as such, we are not asserting jurisdiction over any of the features within the study area.

The 0.04 acre of wetlands are situated in the central portion of the study area just southeast of a railroad grade, where a portion of the channel had been relocated around two old wooden culverts, as well as down gradient of old culverts underneath the existing railroad grade. The segment of channel which supports these wetlands appears to pond surface water following flood events and has done so long enough to develop wetland characteristics. These wetlands are located exclusively within the defined OHWM of the upland ditch in an artificially depressional area and would not exist but for the creation of the Woodhills drainage. Hydrology to support the artificial wetland comes from stormwater runoff which passes through the three referenced culverts.